# Material Handling Productivity Solutions

Store Organize &Transport Innovative **NEW** Products

**InSight**<sup>™</sup> **Ultra-Clear Bins** – page 11

ShelfMax<sup>™</sup> – page 13

**Indicator**<sup>™</sup> **Bins** – page 21

**AkroDrawers**<sup>™</sup> – pages 16-20

Wire & Steel Shelving Packages – pages 36-42





# Akro-Mils® Productivity Solutions

store, organize, transport & more!











### Ready, Set, Organize<sup>™</sup> . . . & Save!

Akro-Mils is all about storage, organization and transport solutions that increase material handling efficiency and reduce costs in virtually any industry. Our broad range of products are used to shorten assembly times, maintain accurate inventories, optimize storage space and improve parts protection - all in support of Lean practices and other initiatives to increase productivity and profitability in any setting, from industrial to commercial to retail.

### **Simplify Organization**

Storage Bins - Replace the mess and expense of cardboard boxes with our wide selection of reusable bins. Simplify organization and maintain quality to improve efficiency in any operation.



### **Improve Handling Efficiency**

Hand-Held Containers - Reusable containers deliver flexibility and savings. From Attached Lid to Straight Wall styles, our selection matches your needs in any industry - industrial, distribution, healthcare and more!


## Maximize Space Usage

Bin Systems - Take back valuable floor space and improve storage efficiency with bin systems, including shelving, cabinets, racks, rails, carts and louvered panels.



# **Custom Products**

You can order a variety of custom products, **OEM solutions and unique merchandising** systems — all from Akro-Mils!



Our unrivaled production resources, dependable quality and dedicated customer service support provide custom solutions to meet your exact needs. With five thermoplastic molding processes, extensive metal and

wood fabrication and quality powder-coating, Akro-Mils can match your custom project to the most effective process for optimal performance and cost-efficiency. From product concept to final product design, your project will be guided in an efficient process that incorporates quality at every stage.

To learn more, call 800-253-2467



### **Move With Efficiency**

Transport Systems - We offer a broad selection of work centers, carts, platform trucks and dollies to complement any warehouse or workflow system. We can customize to fit your unique needs.

### **Clean & Safe Work Environments**

Waste Handling Systems - Durable, cost-effective carts provide years of dependable service for industrial waste collection and handling systems.





### **Quality You Can Trust**



Manufactured under rigorous ISO 9001 standards, Akro-Mils products are quality tested to ensure they continuously meet your performance expectations. In doing so, they optimize productivity and, ultimately, customer satisfaction throughout the supply chain. Akro-Mils is proud of the quality and service awards from our customers, and we apply the recognition we receive to work toward continuous improvement.

or visit akro-mils.com





# Storage Bins, Racks & Hanging Systems

- AkroBins®
- EarthSaver AkroBins®
- ProHANGER®
- Rail Hanging Systems
- Louvered Hanging Systems
- ReadySpace™ Storage System
- InSight<sup>™</sup> Bins
- Shelf Bins
- ShelfMax® Bins
- EarthSaver<sup>™</sup> Shelf Bins

- Pick Rack Systems
- AkroDrawers<sup>™</sup>
- Indicator<sup>™</sup> Bins
- VantageBins™
- 1800 Series AkroBins®
- ESD Containers
- Economy Bins
- System Bins<sup>™</sup>
- Easy Flow Gravity Hopper

# Heavy Duty Bins, Totes, Containers & Small Parts Storage

- Super-Size AkroBins®
- Stak-N-Store Bins
- Nest & Stack Totes
- Akro-Grids
- Attached Lid Containers
- Straight Wall Containers
- Cross-Stack Akro-Tubs
- Akro-Tubs
- Storage Cabinets
- Storage-Go-Round
- Storage Cases
- · Roto-Shelf
- Tote Caddy

### **Shelving Systems & Cabinets**

- Wire Shelving Systems
- Steel Shelving Systems
- Heavy-Duty Cabinets
- Standard Cabinets

## 36-44

45-59

26-35

4-25

### **Mobile Systems & Work Centers**

- $\bullet \operatorname{ProCart}^{\scriptscriptstyle{\mathsf{T}}}$
- Louvered Carts
- Multi-Shelf Carts
- Tray Service Cart
- Box Trucks
- High-End Narrow Aisle Trucks
- Dollies
- Hand Trucks

- Specialty Hand Trucks
- Drum Handling Equipment
- VERSA/Deck™
- Platform Trucks
- Skids (Semi-Live)
- Portable Tables & Carts
- Mobile Work Tables
- Heavy-Duty Work Benches

### **Waste Transport Systems**

- Akro-Tilt Trucks
- Akro-Carts
- MegaKart®

60

### **Materials/Casters & Wheels**

- Materials Definitions& Benefits
- Casters & Wheels Selection Information

61

**Product Index** 

62-63









- · Control inventories, shorten assembly times and minimize parts handling
- Heavy-duty bins securely stack atop each other, sit on shelving and hang from Akro-Mils racks, panels, rails and carts
- Molded of high-impact polypropylene, AkroBins are unaffected by weak acids and alkalis
- Products made of polypropylene block copolymer are autoclavable up to  $250^{\circ}$  F
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Guaranteed not to crack or break under normal load conditions as stated in our 1-year limited warranty
- Available in 14 sizes and 7 colors: Red, Yellow, Blue, Stone, Green, Clear and Black. Specialty Colors (Berry, Light Blue, Purple and Teal) available in 9 sizes!



# accessories Ories



"See-through" Crystal Styrene Lids keep contents dust-free and protected



**Lengthwise Dividers** keep items separated in the bin



Widthwise Dividers available for 30230



30320 Wide AkroBins: **Dividers** available in two sizes



Card Holders fit in bins' existing card holder slot

# 40599 Bin Retainer Clip

- Hold bins safely on louvered panels
- Made of durable engineering grade plastic
- Will work with any size AkroBin or ProHANGER
- Perfect for service vans; maintenance workers, plumbers, electricians or other tradesmen who store and transport supplies and materials



# features 1445



Anti-slide stop prevents stacked bins from shifting forward



Full-width hanger lip supports bin on hanging system



Reinforced side ribs add strength and prevent spreading when stacked



Extra-wide stacking ledge saves space and prevents spills



Large front label area for easy coding and scanning




Curved-bottom hopper front makes it easy to retrieve small parts



Dividers allow you to create customizable compartment sizes







| AkroBins                  |           | Outsi | de Dimen<br>Inches | sions | E      | Bottom D<br>Inc | imensioi<br>hes | 15      |                              |                  |                      |                     | Acc                  | essories       |                  |        |               |
|---------------------------|-----------|-------|--------------------|-------|--------|-----------------|-----------------|---------|------------------------------|------------------|----------------------|---------------------|----------------------|----------------|------------------|--------|---------------|
|                           | Model No. | L     | W                  | Н     | L      | W               | Н               | Х       | Bin Load Capacity<br>On Rack | Bin<br>Ctn. Qty. | Length<br>Dividers** | Width<br>Dividers** | Divider<br>Pkg. Qty. | Bin<br>Lids*** | Lid<br>Pkg. Qty. | Labels | Card<br>Stock |
|                           | 30210*    | 5%    | 41/8               | 3     | 4¾     | 37/16           | 213/16          | 4       | 10 lbs.                      | 24               | 40210 (1)            | ı                   | 6                    | 30211          | 24               | 29202  | 29301         |
|                           | 30220*    | 7%    | 41/8               | 3     | 6¾     | 37/16           | 213/16          | 6       | 10 lbs.                      | 24               | 40220 (1)            | -                   | 6                    | 30221          | 24               | 29202  | 29301         |
|                           | 30224*    | 10%   | 41/8               | 4     | 101/4  | 3¾16            | 3¾              | 9       | 30 lbs.                      | 12               | -                    | -                   | -                    | -              | -                | 29202  | 29301         |
|                           | 30230*    | 10%   | 51/2               | 5     | 101/4  | 43/8            | 4¾              | 9       | 30 lbs.                      | 12               | 40230 (1)            | 41230 (3)           | 6                    | 30231          | 12               | 29203  | 29302         |
|                           | 30234*    | 14¾   | 51/2               | 5     | 141/16 | 43/8            | 4¾              | 1213/16 | 50 lbs.                      | 12               | -                    | -                   | -                    | -              | -                | 29203  | 29302         |
|                           | 30239*    | 10¾   | 81/4               | 7     | 10     | 6%6             | 6¾              | 8       | 50 lbs.                      | 6                | 40239 (1)            | -                   | 6                    | -              | -                | 29203  | 29302         |
|                           | 30240*    | 14¾   | 81/4               | 7     | 14     | 6%6             | 6¾              | 12      | 60 lbs.                      | 12               | 40245 (1)            | -                   | 6                    | -              | -                | 29203  | 29302         |
|                           | 30265     | 18    | 81/4               | 9     | 171/8  | 6¾              | 81/4            | 141/2   | 60 lbs.                      | 6                | 40265 (1)            | -                   | 6                    | -              | -                | 29203  | 29303         |
|                           | 30235*    | 10%   | 11                 | 5     | 101/4  | 10              | 4¾              | 9       | 50 lbs.                      | 6                | 40230 (3)            | -                   | 6                    | 30236          | 6                | 29203  | 29302         |
|                           | 30260     | 18    | 11                 | 10    | 17     | 9½              | 9¾              | 143/16  | 60 lbs.                      | 6                | 40260 (3)            | -                   | 6                    | -              | -                | 29203  | 29303         |
|                           | 30255     | 10%   | 16½                | 5     | 9¾     | 15              | 43/4            | 9       | 60 lbs.                      | 6                | 40230 (3)            | -                   | 6                    | -              | -                | 29203  | 29302         |
|                           | 30250*    | 14¾   | 16½                | 7     | 14     | 14¾             | 6¾              | 12      | 75 lbs.                      | 6                | 40245 (3)            | -                   | 6                    | -              | -                | 29203  | 29302         |
|                           | 30270     | 18    | 16½                | 11    | 171/8  | 14¾             | 101/4           | 14      | 100 lbs.                     | 3                | 40270 (3)            | -                   | 6                    | -              | -                | 29203  | 29303         |
| One color par carton; Spo | 30320     | 85/8  | 33                 | 5     | 7      | 31½             | 43/16           | 6       | 80 lbs.                      | 4                | 40321 &<br>40220 (7) | -                   | 7                    | 30321          | 4                | -      | -             |

One color per carton: Specify Red, Blue, Yellow, Stone, Clear, Green or Black. Order in carton quantities. Note 30265 & 30270 are not designed for use with hanging systems.

CAUTION: When using bins with hanging systems, do not exceed the weight capacity for the rack, which may be less than the total sum of bin capacities. 40321=Tall Divider; 40220=Short Divider. \*Available in Specialty Colors: Berry, Purple, Teal and Light Blue. \*\*() = Max. # of dividers per bin. \*\*\*Assembly required - hinge pins included.



# related products

Create the perfect storage system - mix and match your selection of AkroBins with compatible products including:

- Rail Hanging Systems.....pg. 8
- Louvered Hanging Systems ..... pg. 9
- ReadySpace Storage Systems .... pg. 10
- Wire Shelving Systems ......pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42
- Bin Cabinets ...... pgs. 43-44
- ProCart......pg. 45





# **EarthSaver™ Series: AkroBins®**

storage bins, racks & hanging systems







Go Green
With 100% Recycled Bins —

# **Boost Productivity,** Reduce Waste!

Akro-Mils' **EarthSaver Series** – AkroBins and Shelf Bins (see pg. 14) made from 100% recycled plastic. Make a positive impact on the environment!

# **Gearthsaver**

- AkroBins made from 100% recycled material
- · Optional dividers keep items neatly separated
- An eco-friendly choice in storage and organization products
- Colors: Hunter Green, Sandstone and Terra Cotta



# related products

Create the perfect storage system – mix and match your selection of AkroBins with compatible products including:

- Rail Hanging Systems.....pg. 8
- Louvered Hanging Systems ..... pg. 9
- ReadySpace Storage Systems .... pg. 10
- Wire Shelving Systems .....pgs. 36-39
- Steel Shelving Systems ...... pgs. 40-42
- Bin Cabinets......pgs. 43-44
- ProCart.....pg. 45

# Caccessories OFTES




"See-through" Crystal Styrene Lids keep contents dust-free and protected



**Lengthwise Dividers** keep items separated in the bin

| AkroBins |             | Outsid | le Dimei<br>Inches | rsions | h      | nside Di<br>Inc | mensio<br>hes | Accessories |                              |                  |                      |                     |                      |             |                  |
|----------|-------------|--------|--------------------|--------|--------|-----------------|---------------|-------------|------------------------------|------------------|----------------------|---------------------|----------------------|-------------|------------------|
|          | Model No.   | L      | W                  | Н      | L      | W               | Н             | Х           | Bin Load Capacity<br>On Rack | Bin<br>Ctn. Qty. | Length<br>Dividers** | Width<br>Dividers** | Divider<br>Pkg. Qty. | Bin Lids*** | Lid<br>Pkg. Qty. |
|          | 30210RECYSS | 5%     | 41/8               | 3      | 43/4   | 37/16           | 213/16        | 4           | 10 lbs.                      | 24               | 40210 (1)            |                     | 6                    | 30211       | 24               |
| 2248W    | 30210RECYTC | 5%     | 41/8               | 3      | 43/4   | 31/16           | 213/16        | 4           | 10 lbs.                      | 24               | 40210 (1)            |                     | 6                    | 30211       | 24               |
|          | 30210RECYHG | 5%     | 41/8               | 3      | 4¾     | 31/16           | 213/16        | 4           | 10 lbs.                      | 24               | 40210 (1)            |                     | 6                    | 30211       | 24               |
|          | 30220RECYSS | 73/8   | 41/8               | 3      | 6¾     | 31/16           | 213/16        | 6           | 10 lbs.                      | 24               | 40220 (1)            |                     | 6                    | 30221       | 24               |
|          | 30220RECYTC | 73/8   | 41/8               | 3      | 6¾     | 31/16           | 213/16        | 6           | 10 lbs.                      | 24               | 40220 (1)            |                     | 6                    | 30221       | 24               |
|          | 30220RECYHG | 73/8   | 41/8               | 3      | 6¾     | 31/16           | 213/16        | 6           | 10 lbs.                      | 24               | 40220 (1)            |                     | 6                    | 30221       | 24               |
|          | 30230RECYSS | 10%    | 5½                 | 5      | 101/4  | 43/8            | 4¾            | 9           | 30 lbs.                      | 12               | 40230 (1)            | 41230 (3)           | 6                    | 30231       | 12               |
|          | 30230RECYTC | 10%    | 5½                 | 5      | 101/4  | 43/8            | 4¾            | 9           | 30 lbs.                      | 12               | 40230 (1)            | 41230 (3)           | 6                    | 30231       | 12               |
|          | 30230RECYHG | 10%    | 5½                 | 5      | 101/4  | 43/8            | 4¾            | 9           | 30 lbs.                      | 12               | 40230 (1)            | 41230 (3)           | 6                    | 30231       | 12               |
|          | 30234RECYSS | 14¾    | 5½                 | 5      | 141/16 | 43/8            | 4¾            | 1213/16     | 50 lbs.                      | 12               | ı                    | 1                   | ı                    | ı           | -                |
|          | 30234RECYTC | 14¾    | 51/2               | 5      | 141/16 | 43/8            | 4¾            | 1213/16     | 50 lbs.                      | 12               | -                    | -                   | -                    | -           | -                |
|          | 30234RECYHG | 14¾    | 5½                 | 5      | 141/16 | 43/8            | 4¾            | 1213/16     | 50 lbs.                      | 12               | -                    | -                   | -                    | -           | -                |
|          | 30239RECYSS | 10¾    | 81⁄4               | 7      | 10     | 6%16            | 6¾            | 8           | 50 lbs.                      | 6                | 40239 (1)            | -                   | 6                    | -           | -                |
| 25G###.  | 30239RECYTC | 10¾    | 81⁄4               | 7      | 10     | 6%              | 6¾            | 8           | 50 lbs.                      | 6                | 40239 (1)            | -                   | 6                    | -           | -                |
|          | 30239RECYHG | 10¾    | 81⁄4               | 7      | 10     | 6%6             | 6¾            | 8           | 50 lbs.                      | 6                | 40239 (1)            | -                   | 6                    | -           | -                |
|          | 30240RECYSS | 14¾    | 81/4               | 7      | 14     | 6%6             | 6¾            | 12          | 60 lbs.                      | 12               | 40245 (1)            |                     | 6                    | -           | -                |
|          | 30240RECYTC | 14¾    | 81⁄4               | 7      | 14     | 6%              | 6¾            | 12          | 60 lbs.                      | 12               | 40245 (1)            |                     | 6                    | -           | -                |
|          | 30240RECYHG | 14¾    | 81/4               | 7      | 14     | 6%6             | 6¾            | 12          | 60 lbs.                      | 12               | 40245 (1)            |                     | 6                    | -           | -                |
| 200      | 30250RECYSS | 14¾    | 161/2              | 7      | 14     | 14¾             | 6¾            | 12          | 75 lbs.                      | 6                | 40245 (3)            |                     | 6                    | -           | -                |
|          | 30250RECYTC | 14¾    | 161/2              | 7      | 14     | 14¾             | 6¾            | 12          | 75 lbs.                      | 6                | 40245 (3)            |                     | 6                    | -           | -                |
|          | 30250RECYHG | 14¾    | 16½                | 7      | 14     | 14¾             | 6¾            | 12          | 75 lbs.                      | 6                | 40245 (3)            |                     | 6                    | -           | -                |



One color per carton: SS = Sandstone, TC = Terra Cotta and HG = Hunter Green. Order in carton quantities. CAUTION: When using bins with hanging systems, do not exceed the weight capacity for the rack, which may be less than the total sum of bin capacities. \*\*() = Max. # of dividers per bin. \*\*\*Assembly required – hinge pins included.

# ProHANGER®

storage bins, racks & hanging systems

- ProHANGERs can be placed side-by-side on walls, rail rack or panel systems to support extra-long parts, supplies or materials
- Unique "J-hook design" cradles various shapes and sizes of contents
- Available End Cap inserts keep items from sliding out
- One-piece construction; molded of high-impact plastic for durability
- Each ProHANGER is capable of supporting up to 75 lbs.

# Easy Long Parts Storage Wherever You Need It!

- products, including a wide range of AkroBins®
- ProHANGER can even be mounted (using Louvered Hanging System)















| OHANGER® |           |             |           |       | Inches |      |                 |
|----------|-----------|-------------|-----------|-------|--------|------|-----------------|
|          | Model No. | Description | Ctn. Qty. | L     | W      | Н    | Capacity (lbs.) |
|          | 30330RED  | ProHANGER   | 6         | 81/4  | 7¾     | 5    | 75              |
|          | 40330     | End Cap     | 6         | 63/16 | 1/4    | 41/4 | -               |
|          | 403302PK  | End Cap     | 2         | 63/16 | 1/4    | 41/4 | -               |

# related products

Use your ProHANGER with:

- AkroBins.....pgs. 4-6
- Rail Hanging Systems.....pg. 8
- Louvered Hanging Systems ..... pg. 9

# End Caps help keep





items contained and fit easily into molded-in slots



Full-width hanger lip supports ProHANGER on hanging systems



Notches provided in hanger lip for mounting to wall surface with screws



Substantial ribbing in base gives added strength to support heavier

<sup>\*</sup> US patent pending.


# **Rail Hanging Systems**

storage bins, racks & hanging systems









- Single-sided rail units are ideal for placement against a wall to save space
- Double-sided rail units can "float" in any room environment and be picked from both sides
- Mobile Kit available to mobilize two-sided racks
- Steel rail is ideal for workstations
- AkroBins and InSight Bins sold separately





# features 1125



Rails securely support AkroBins



Heavy-duty steel for strength and durability



Attractive, durable powder-coated finish stands up to heavy-duty use



- 1-Sided, can be assembled as
   12 or 16 Rail
- 250 lb. capacity



- 2-Sided, can be assembled as 12 or 16 Rail
- 500 lb. capacity



- 14-gauge steel worktop
- 250 lb. capacity



30148 Steel Rail

Wall-mountable unit accepts 7 sizes of AkroBins. 110 lb. capacity

| Rail Hanging Systems |           |               |              | D       | imensio<br>Inches |     | AkroBins Model No. (Bin Weight Capacity) |                    |                    |                    |                    |                    |                    |                    |                    |                    |
|----------------------|-----------|---------------|--------------|---------|-------------------|-----|--|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|                      | Model No. | Description   | Ctn.<br>Qty. | L       |                   |     | 30210<br>(10 lbs.)                       | 30220<br>(10 lbs.) | 30224<br>(30 lbs.) | 30230<br>(30 lbs.) | 30234<br>(50 lbs.) | 30235<br>(60 lbs.) | 30239<br>(50 lbs.) | 30240<br>(60 lbs.) | 30250<br>(75 lbs.) | 30255<br>(60 lbs.) |
|                      | 30008*    | Rack, 1-Sided | 1            | 36      | 141/8             | 53  | 96                                       | 96                 | 48                 | 48                 | 48                 | 24                 | 24                 | 24                 | 12                 | 16                 |
|                      | 30016*    | Rack, 2-Sided | 1            | 36      | 20                | 53  | 192                                      | 192                | 96                 | 96                 | 96                 | 48                 | 48                 | 48                 | 24                 | 32                 |
|                      | 30148     | Steel Rail    | 1            | 4713/16 | 5/8               | 3   | 11                                       | 11                 | 11                 | 8                  | 6                  | 3                  | -                  | -                  | -                  | 3                  |
|                      | 30812     | Bin Cart      | 1            | 38½     | 24                | 36½ | 96                                       | 96                 | 64                 | 48                 | 48                 | 24                 | 24                 | 24                 | 12                 | 16                 |

\*Can be assembled as a 12 or 16 rail rack.

#### Mobile Kit

| Model No. | Description                      | Ctn. Qty. | Fits Hanging System No. | Casters       |
|-----------|----------------------------------|-----------|-------------------------|---------------|
| 30424     | Mobile Kit - Casters<br>& Handle | 1         | 30016                   | 4″ Polyolefin |



Two-Sided Racks can be mobilized with the Mobile Kit

# Louvered Hanging Systems

storage bins, racks & hanging systems

- · Louvered Hanging Systems allow for easy placement and configuration of AkroBins\* or InSight bins\*
- Wall-mounted units keep items out of the way, off the floor and off the work table
- Bench racks are used on work tables to keep parts within easy reach
- Floor standing racks can be placed near work areas to improve productivity
- Single-sided floor racks can be placed against wall to save floor space
- Double-sided units allow for picking from both sides
- Easy, one-person assembly

# related products

Use the following products with Louvered Hanging Systems:



33" Wide AkroBins.....pgs. 4-5

• ProHANGER ......pg. 7

• InSight Bins ......pg. 11



Louvered **Panel** 



Louvered **Rack** 







AkroBins sold separately, see pg. 4-6; \*InSight sold separately, see pg. 11



30653

Louvered **Floor Rack** 

30636 Louvered **Panel** 



Louvered **Panel** 



**30653DOLLY** 

| Louvered Hanging Systems Dimensions (Inches) AkroBins Model No. (Bin Weight Capacity) |            |  |             |         |      |     |                        |                    |                    |                    |                    |                    |                    |                    |                    |                    |                    |                    |
|---|------------|--|-------------|---------|------|-----|------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|   | Model No.  | Description                              | Ctn.<br>Qty | L.      |      |     | Rack Wt.<br>Cap.(lbs.) | 30210<br>(10 lbs.) | 30220<br>(10 lbs.) | 30224<br>(30 lbs.) | 30230<br>(30 lbs.) | 30234<br>(50 lbs.) | 30235<br>(60 lbs.) | 30239<br>(50 lbs.) | 30240<br>(60 lbs.) | 30250<br>(75 lbs.) | 30255<br>(60 lbs.) | 30320<br>(80 lbs.) |
|   | 30618*     | Louvered Panel                           | 4           | 18      | 5/16 | 19  | 160                    | 16                 | 16                 | 12                 | 9                  | 9                  | 3                  | 4                  | 4                  | 2                  | 3                  | -                  |
| 000000000000000000000000000000000000000   | 30636*     | Louvered Panel                           | 4           | 35¾     | 5/16 | 19  | 160                    | 32                 | 32                 | 24                 | 18                 | 18                 | 9                  | 8                  | 8                  | 4                  | 6                  | 3                  |
|   |            | 2 Panels                                 |             | 35¾     | 5/16 | 37  |                        | 72                 | 72                 | 36                 | 36                 | 36                 | 18                 | 16                 | 16                 | 8                  | 12                 | 5                  |
| 000000000000000000000000000000000000000   |            | 3 Panels                                 |             | 35¾     | 5/16 | 55  |                        | 104                | 104                | 54                 | 54                 | 54                 | 27                 | 28                 | 28                 | 14                 | 18                 | 8                  |
|   |            | 4 Panels                                 |             | 35¾     | 5/16 | 73  |                        | 144                | 144                | 72                 | 72                 | 72                 | 36                 | 36                 | 36                 | 18                 | 24                 | 11                 |
|   | 98600*     | Bench Rack                               | 1           | 2715/16 | 8%16 | 19% | 120                    | 30                 | 30                 | 18                 | 12                 | 12                 | 6                  | 6                  | 6                  | -                  | -                  | 0                  |
|   | 98636      | Bench Rack                               | 1           | 36      | 8    | 20  | 120                    | 40                 | 40                 | 24                 | 18                 | 18                 | 9                  | 8                  | 8                  | 4                  | 6                  | 3                  |
|   | 30161*     | Louvered Panel                           | 1           | 36      | 5/16 | 61  | 120                    | 96                 | 96                 | 72                 | 60                 | 60                 | 28                 | 24                 | 24                 | 12                 | 18                 | 10                 |
|   | 30118      | Louvered Panel                           | 1           | 18      | 5/16 | 61  | 160                    | 48                 | 48                 | 36                 | 30                 | 30                 | 14                 | 12                 | 12                 | 6                  | 9                  | -                  |
|   | 30653      | Louvered Floor Rack                      | 1           | 35¾     | 32   | 75% | 2000                   | 288                | 288                | 192                | 144                | 144                | 72                 | 72                 | 72                 | 36                 | 48                 | 0                  |
| 000000  | 30661*     | Louvered Rack Single-Sided               | 1           | 36¾6    | 13½  | 66% | 500                    | 96                 | 96                 | 72                 | 54                 | 54                 | 28                 | 24                 | 24                 | 12                 | 18                 | 10                 |
| 0000000   | 30638      | Louvered Rack Single-Sided               | 1           | 18      | 13½  | 66¾ | 250                    | 48                 | 48                 | 36                 | 30                 | 30                 | 14                 | 12                 | 12                 | 6                  | 9                  | -                  |
|   | 30676*     | Louvered Rack Double-Sided               | 1           | 36¾6    | 25   | 66% | 1000                   | 192                | 192                | 144                | 108                | 108                | 56                 | 48                 | 48                 | 24                 | 36                 | 20                 |
| 9000000   | 30651      | Heavy Duty Louvered Rack<br>Single-Sided | 1           | 35¾     | 17   | 75% | 1000                   | 144                | 144                | 98                 | 72                 | 72                 | 36                 | 36                 | 36                 | 18                 | 24                 | 11                 |
|   | 30653DOLLY | Mobile Kit for 30653                     | 1           | -       | -    | -   |                        | -                  | -                  | -                  | -                  | -                  | ı                  | -                  | -                  | -                  | -                  | -                  |
| LVDMOBILE Mobile Kit for 30676  |            |  |             | -       | -    | -   | 1500                   | -                  | -                  | -                  | -                  | -                  | ı                  | -                  | -                  | -                  | -                  | -                  |
| *Also available in Be   | ige.       |  |             |         |      |     |                        |                    |                    |                    |                    |                    |                    |                    |                    |                    |                    |                    |



**Bin Retainer Clip** 

#### Hold bins safely on louvered panels

- Made of durable engineering grade plastic
- Easy to use
- Will work with any size
- AkroBin or ProHANGER
- Perfect for service vans; maintenance workers, plumbers, electricians or other tradesmen who store and transport supplies and materials



# **■ ReadySpace™ Storage System**

storage bins, racks & hanging systems

- Wall, Bench or Mobile Floor Units can be purchased alone or with AkroBins or InSight Bins
- Create a neat, attractive storage space in any environment customer-friendly appearance
- Frees up valuable workspace
- Pre-configured packages with Stone color AkroBins are available or create your own custom system – see pg. 4-6 for AkroBins and pg. 11 for InSight Bins

Ideal For the Healthcare Industry!

# Ready, Set, Organize!™

- Quickly create organized storage space virtually anywhere!
- Designed for use with a wide variety of AkroBins® or InSight Bins
- Clean, sleek look with a durable white, powder-coated finish
- Set up and installation are quick and easy







#### 98536 **Bench Unit**

 Can be assembled single- or double-sided



**Mobile Floor Unit** · Quickly transports supplies





standard with the Mobile Floor Unit



Wall Unit is shipped complete with its own mounting bracket for easy installation



Bench Unit has a twopiece base for placement against or away from wall for assembly as single- or double-sided



Durable white. powder-coated finish



Accommodates multiple sizes of AkroBins and InSight Bins

| neauyspace wan onn | •         |                           |                 |                       |             |
|--------------------|-----------|---------------------------|-----------------|-----------------------|-------------|
|                    | Model No. | Description (L x W x H)   | No. of<br>Ctns. | Ship Weight<br>(lbs.) | Bin<br>Qty. |
|                    | 30536     | 37½" x 1¾" x 25%", Panel  | 1               | 35                    | N/A         |
|                    | 305362105 | Unit with 30210STONE Bins | 3               | 45                    | 48          |
|                    | 305362205 | Unit with 30220STONE Bins | 3               | 51                    | 48          |
|                    | 305362305 | Unit with 30230STONE Bins | 3               | 55                    | 24          |
|                    | 305362355 | Unit with 30235STONE Bins | 3               | 55                    | 12          |
|                    | 305363205 | Unit with 30320STONE Bins | 2               | 47                    | 4           |

ReadySpace™ Mobile Floor Unit

|   | Model No. | Description (L x W x H)      | No. of<br>Ctns. | Ship Weight<br>(lbs.) | Bin<br>Qty. |
|---|-----------|------------------------------|-----------------|-----------------------|-------------|
| 000000                                  | 30553     | 24%" x 23" x 52"             | 1               | 82                    | N/A         |
| 0000000                                 | 305532105 | Unit with 30210STONE Bins    | 6               | 117                   | 120         |
| 0000000                                 | 305532205 | Unit with 30220STONE Bins    | 6               | 122                   | 120         |
| 00000000                                | 305532305 | Unit with 30230STONE Bins    | 6               | 142                   | 60          |
| 000000000000000000000000000000000000000 | 305532355 | Unit with 30235STONE Bins    | 6               | 127                   | 30          |
|   | 30553LF   | Leveling Feet for Floor Unit | -               | 1                     | -           |

ReadySpace™ Bench Unit (Assemble as Single or Double-Sided)

| Model No. | Description (L x W x H)     | No. of<br>Ctns. | Ship Weight (lbs.) | Bin<br>Qty. |
|-----------|-----------------------------|-----------------|--------------------|-------------|
| 98536     | 37¾" x 12" x 26%" (Single)  | 1               | 51                 | N/A         |
|           | 37¾" x 22½" x 26¾" (Double) | 1               | 51                 | N/A         |

ReadySpace™ Single-Sided Bench Unit Kits

|   | Model No.  | Description               | No. of<br>Ctns. | Ship Weight<br>(lbs.) | Bin<br>Qty. |
|---|------------|---------------------------|-----------------|-----------------------|-------------|
|   | 98536210SS | Unit with 30210STONE Bins | 3               | 61                    | 48          |
|   | 98536220SS | Unit with 30220STONE Bins | 3               | 67                    | 48          |
|   | 98536230SS | Unit with 30230STONE Bins | 3               | 71                    | 24          |
| • | 98536235SS | Unit with 30235STONE Bins | 3               | 71                    | 12          |
|   | 98536320SS | Unit with 30320STONE Bins | 2               | 63                    | 4           |

ReadySpace™ Double-Sided Bench Unit Kits

|            | Model No.  | Description               | No. of<br>Ctns. | Ship Weight<br>(lbs.) | Bin<br>Qty. |
|------------|------------|---------------------------|-----------------|-----------------------|-------------|
|            | 98536210SD | Unit with 30210STONE Bins | 5               | 71                    | 96          |
| 0000000000 | 98536220SD | Unit with 30220STONE Bins | 5               | 83                    | 96          |
|            | 98536230SD | Unit with 30230STONE Bins | 5               | 91                    | 48          |
| ***        | 98536235SD | Unit with 30235STONE Bins | 5               | 91                    | 24          |
|            | 98536320SD | Unit with 30320STONE Bins | 3               | 75                    | 8           |











#### Wall Unit (30536A3 shown)

- Frees up valuable workspace
- Clean, sleek look with a white powder-coated finish
- Four bin size packages available



#### Mobile Floor Unit (30553B1 shown) Organizes, shares and transports supplies and products

- Perfect for "high-demand" items
- Panel easily locks into posts on base without tools
- Four bin size packages available



#### Louvered Panel Unit (30636BEIGE Louvered Panel shown with 305A3 bins)

- Louvers securely support InSight<sup>™</sup> bins
- Use alone or side-by-side with additional louvered panels
- Easy one-person assembly

#### • Provide easy and maximum visibility to users in a sleek, modern design

- Can be stacked, sit on shelving or hang on Akro-Mils rails and louvered panels or ReadySpace™ Storage System
- Optional lids protect contents from dust will stack with lids in place
- Patent Pending: No tip feature when bins are stacked

• Large label area for part identification and bar code scanning

- Autoclavable
- Available in 4 sizes





# A Visible Difference in Storage & Organization!

- Perfect for a variety of settings from industrial to healthcare
- Bins made of durable polycarbonate material





Bins stack with lids in place



Rear lip supports bin on hanging systems



Lids protect bin contents from dust




Dividers allow you to create customizable compartment sizes

### **Outside Dimensions Inside Dimensions**

| Model No. | L   | W    | Н    | L     | W    | Н     | Capacity<br>(lbs.) | Bin Ctn.<br>Qty. | Width<br>Divider | Divider<br>Pkg Qty. | Length<br>Divider | Divider<br>Pkg Qty. | Lid   | Lid<br>Pkg Qty. |
|-----------|-----|------|------|-------|------|-------|--------------------|------------------|------------------|---------------------|-------------------|---------------------|-------|-----------------|
| 305A1     | 5%  | 41/8 | 31/4 | 41/4  | 31/8 | 25/8  | 10                 | 16               | 415A1 (1)        | 8                   | 405A1 (1)         | 8                   | 305A2 | 8               |
| 305A3     | 7%  | 41/8 | 31/4 | 61/4  | 31/8 | 25/8  | 10                 | 16               | 415A1 (2)        | 8                   | 405A3 (1)         | 8                   | 305A4 | 8               |
| 305A5     | 10% | 41/8 | 31/4 | 91/4  | 31/8 | 25/8  | 15                 | 12               | 415A1 (3)        | 8                   | 405A5 (1)         | 6                   | 305A6 | 6               |
| 305B1     | 10% | 51/2 | 51/4 | 97/16 | 41/8 | 47/16 | 25                 | 12               | 415B1 (3)        | 6                   | 405B1 (1)         | 6                   | 305B2 | 6               |

# in () represents divider slots per bin



Louvered Panel Package

|   | Model No.    | Description                          | Bin Qty. |
|---|--------------|--------------------------------------|----------|
|   | 30636BEIGEA1 | 35¾" x 19" Louvered Panel with 305A1 | 32       |
| ſ | 30636BEIGEA3 | 35¾" x 19" Louvered Panel with 305A3 | 32       |
| ſ | 30636BEIGEA5 | 35¾" x 19" Louvered Panel with 305A5 | 32       |
|   | 30636BEIGEB1 | 35¾" x 19" Louvered Panel with 305B1 | 18       |

ReadySpace™ Packages

| Model No. | Description                             | Bin Qty. |
|-----------|---|----------|
| 30536A1   | ReadySpace Wall Unit with 305A1         | 48       |
| 30536A3   | ReadySpace Wall Unit with 305A3         | 48       |
| 30536A5   | ReadySpace Wall Unit with 305A5         | 48       |
| 30536B1   | ReadySpace Wall Unit with 305B1         | 24       |
| 30553A1   | ReadySpace Mobile Floor Unit with 305A1 | 120      |
| 30553A3   | ReadySpace Mobile Floor Unit with 305A3 | 120      |
| 30553A5   | ReadySpace Mobile Floor Unit with 305A5 | 120      |
| 30553B1   | ReadySpace Mobile Floor Unit with 305B1 | 64       |

| Louvered Panel and Bin Combinations |       | Bin   | Qty.  |       |
|-------------------------------------|-------|-------|-------|-------|
| Model No.                           | 305A1 | 305A3 | 305A5 | 305B1 |
| 30618BEIGE                          | 16    | 16    | 16    | 9     |
| 98600BEIGE                          | 30    | 30    | 30    | 12    |
|                                     |       |       |       |       |











Built-in rear hanglock allows bin to tilt out for complete access



Molded-in label area identifies

contents

# accessories U



**Dividers** create additional storage compartments. Each Bin accepts up to 7 dividers (except 30110)



Extended **Label Holder** is designed for larger bar code scanning



Bin Cups lift out easily for parts retrieval (see chart)







- Shelf Bins outlast corrugated bins paying for themselves in reduced replacement costs
- Superior construction allows Shelf Bins to be fully loaded without spreading or cracking
- Durable polypropylene bins provide an attractive, neat appearance
- Works with 12", 18" and 24" deep shelving or vertical storage and retrieval units
- One-piece construction is waterproof and unaffected by grease or oil
- Available in 13 sizes and 5 colors: Red, Yellow, Blue, Green and White





# related products

Expand your sorting options with:

- Pick Rack Systems.....pg. 15
- Wire Shelving Systems.....pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42

| Shelf Bins & Acce        | ssories   |                   |             | e Dimer<br>Inches | sions       | Botto       | m Dimei<br>Inches | nsions      |                      |              | Cups p         | er Bin         | Acces                 | sories               |        |               |
|--------------------------|-----------|-------------------|-------------|-------------------|-------------|-------------|-------------------|-------------|----------------------|--------------|----------------|----------------|-----------------------|----------------------|--------|---------------|
|                          | Ltr       | Model No.         | L           | w                 | Н           | L           | w                 | Н           | Bin Load<br>Capacity | Ctn.<br>Qty. | Small<br>30101 | Large<br>30102 | Optional<br>Dividers* | Divider<br>Pkg. Qty. | Labels | Card<br>Stock |
|                          |           | 30110             | 11%         | 2¾                | 4           | 101/4       | 15/8              | 4           | 7 lbs.               | 24           | 3              | -              | -                     | -                    | 29200  | 29300         |
|                          |           | 30120             | 11%         | 41/8              | 4           | 101/4       | 3                 | 4           | 10 lbs.              | 24           | 5              | 2              | 40120                 | 24                   | 29201  | 29300         |
|                          | A         | 30130             | 11%         | 6%                | 4           | 101/4       | 51/2              | 4           | 15 lbs.              | 12           | 9              | 4              | 40130                 | 24                   | 29201  | 29300         |
| 12″51 16                 |           | 30150             | 11%         | 83/8              | 4           | 101/4       | 71/8              | 4           | 15 lbs.              | 12           | 11             | 4              | 40150                 | 24                   | 29201  | 29300         |
| 12" Shelf<br>Bins        |           | 30170             | 11%         | 111/8             | 4           | 101/4       | 10                | 4           | 20 lbs.              | 12           | 15             | 6              | 40170                 | 24                   | 29201  | 29300         |
|                          | ,         | 30128             | 17%         | 41/8              | 4           | 16½         | 3                 | 4           | 15 lbs.              | 12           | 8              | 3              | 40120                 | 24                   | 29201  | 29300         |
|                          |           | 30138             | 17%         | 6%                | 4           | 16½         | 51/2              | 4           | 20 lbs.              | 12           | 15             | 6              | 40130                 | 24                   | 29201  | 29300         |
| 1075                     | В         | 30158             | 17%         | 83/8              | 4           | 16½         | 71/8              | 4           | 20 lbs.              | 12           | 15             | 6              | 40150                 | 24                   | 29201  | 29300         |
| 18" Shelf<br>Bins        |           | 30178             | 17%         | 111/8             | 4           | 16½         | 10                | 4           | 20 lbs.              | 12           | 25             | 12             | 40170                 | 24                   | 29201  | 29300         |
|                          | ,         | 30124             | 23%         | 41/8              | 4           | 221/8       | 3                 | 4           | 20 lbs.              | 12           | 11             | 4              | 40120                 | 24                   | 29201  | 29300         |
|                          | c         | 30164             | 23%         | 65/8              | 4           | 221/8       | 51/2              | 4           | 20 lbs.              | 6            | 21             | 8              | 40130                 | 24                   | 29201  | 29300         |
|                          |           | 30184             | 23%         | 83/8              | 4           | 221/8       | 71/8              | 4           | 20 lbs.              | 6            | 25             | 8              | 40150                 | 24                   | 29201  | 29300         |
| 24″ Shelf<br>Bins        |           | 30174             | 23%         | 111/8             | 4           | 221/8       | 10                | 4           | 20 lbs.              | 6            | 35             | 16             | 40170                 | 24                   | 29201  | 29300         |
| * 24 Dividers per pa     | ckage. Oi | ne color per cart | on: Specify | Red, Blue         | , Yellow, G | ireen or Wi | hite. Orde        | r in carton | quantities.          |              |                |                |                       |                      |        |               |
|                          | D         | 30101             | 2           | 31/4              | 3           | -           | -                 | -           | -                    | 48           | -              | -              | -                     | -                    | -      | -             |
| Bin Cups                 | _υ        | 30102             | 2¾          | 5                 | 3           | -           | -                 | _           | -                    | 24           | -              | -              | -                     | _                    | -      | -             |
| Extended<br>Label Holder | 10°       | 40410             | _           | 4                 | 21/4        | _           | _                 | -           | -                    | 24           | _              | -              | -                     | _                    | -      | -             |



- Go deep! Expand your storage capacity up to 85% over traditional 4" bins
- Holding capacity is up to 25% more than comparable 6" bins
- Front opening is 3/4" higher than comparable products
- Superior, durable construction compared to corrugated bins
- Seven sizes and five color options: Red, Blue, Yellow, Green and White
- Optional width dividers keep items neatly separated
- Rolled ridge for added strength when filled to maximum capacity



# shelving, wire shelving, bench racks or pick racks



ShelfMax can be used with steel





# Maximize Your **Storage Capacity!**

you the versatility you need to make the most of your storage space

• Easy to label for quick inventory identification





with 30040 ShelfMax Bins See pg. 15

| ShelfMax™                               |           | Outsid | de Dimei<br>Inches | nsions | Botto | m Dime<br>Inches |                                 | Storage         | Capacity             |           | Accessories          |                      |               |  |
|---|-----------|--------|--------------------|--------|-------|------------------|---------------------------------|-----------------|----------------------|-----------|----------------------|----------------------|---------------|--|
|   | Model No. | L      | W                  | Н      | L     | w                | Н                               | Cubic<br>Inches | Bin Load<br>Capacity | Ctn. Qty. | Optional<br>Dividers | Divider<br>Pkg. Qty. | Card<br>Stock |  |
|   | 30040     | 11%    | 41/8               | 6      | 9¾    | 21/2             | 515/16                          | 175             | 20 lbs.              | 16        | 40020                | 12                   | 29301         |  |
|   | 30048     | 17%    | 41/8               | 6      | 16    | 21/2             | 515/16                          | 280             | 25 lbs.              | 8         | 40020                | 12                   | 29301         |  |
|   | 30080     | 11%    | 83/8               | 6      | 9¾    | 65/8             | 515/16                          | 398             | 35 lbs.              | 8         | 40040                | 12                   | 29301         |  |
|   | 30088     | 17%    | 83/8               | 6      | 16    | 6%               | 515/16                          | 648             | 35 lbs.              | 8         | 40040                | 12                   | 29301         |  |
| har | 30090     | 11%    | 65/8               | 6      | 9¾    | 5                | 515/16                          | 310             | 30 lbs.              | 10        | 40030                | 12                   | 29301         |  |
|   | 30094     | 23%    | 65/8               | 6      | 21¾   | 5                | 515/16                          | 686             | 35 lbs.              | 10        | 40030                | 12                   | 29301         |  |
|   | 30098     | 17%    | 65/8               | 6      | 16    | 5                | 5 <sup>15</sup> / <sub>16</sub> | 505             | 35 lbs.              | 10        | 40030                | 12                   | 29301         |  |



# related products

Use your ShelfMax bins with:

- Bench Pick Rack Systems ...... pg. 15
- Pick Rack Systems.....pg. 15
  - Wire Shelving Systems ......pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42



# **EarthSaver™ Series: Shelf Bins**

storage bins, racks & hanging systems



# Go Green With 100% Recycled Bins -**Boost Productivity, Reduce Waste!**

Feeling the need to "Go Green"? Akro-Mils introduces the EarthSaver Series – Shelf Bins and AkroBins (see pg. 6) made from 100% recycled plastic. Make a positive impact on the environment!

# **G**earthsaver

- Shelf Bins now made from 100% recycled material
- Three color options Hunter Green, Sandstone and Terra Cotta
- Optional dividers keep items neatly separated
- An eco-friendly choice in storage and organization products


# related products

Create the perfect storage system – mix and match your selection of bins with compatible products including:

- Wire Shelving Systems .....pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42
- Bin Cabinets ......pgs. 43-44

| Shelf Bins & Acces | sories                     | Outsid            | le Dime<br>Inches |     | Inside            | e Dimer<br>Inches |     |           | Cups p      | Access<br>per Bin | sories                |                      |
|--------------------|----------------------------|-------------------|-------------------|-----|-------------------|-------------------|-----|-----------|-------------|-------------------|-----------------------|----------------------|
|                    | Model No.                  | L                 |                   | Н   | L                 |                   |     | Ctn. Qty. | Small 30101 | Large 30102       | Optional<br>Dividers* | Divider<br>Pkg. Qty. |
|                    | 30110RECYSS                | 115/8             | 2¾                | 4   | 101/4             | 1%                | 4   | 24        | 3           | -                 | -                     | -                    |
|                    | 30110RECYTC                | 11%               | 2¾                | 4   | 101/4             | 15/8              | 4   | 24        | 3           | -                 | -                     | -                    |
|                    | 30110RECYHG                | 11%               | 2¾                | 4   | 101/4             | 1%                | 4   | 24        | 3           | -                 | -                     | -                    |
|                    | 30120RECYSS                | 11%               | 41/8              | 4   | 101/4             | 3                 | 4   | 24        | 5           | 2                 | 40120                 | 24                   |
|                    | 30120RECYTC                | 11%               | 41/8              | 4   | 101/4             | 3                 | 4   | 24        | 5           | 2                 | 30102 Dividers* Pi    | 24                   |
|                    | 30120RECYHG                | 11%               | 41/8              | 4   | 101/4             | 3                 | 4   | 24        | 5           | 2                 | 40120                 | 24                   |
|                    | 30130RECYSS                | 11%               | 6%                | 4   | 101/4             | 5½                | 4   | 12        | 9           | 4                 | 40130                 | 24                   |
|                    | 30130RECYTC                | 11%               | 6%                | 4   | 101/4             | 5½                | 4   | 12        | 9           | 4                 | 40130                 | 24                   |
|                    | 30130RECYHG                | 11%               | 65/8              | 4   | 101/4             | 5½                | 4   | 12        | 9           | 4                 | 40130                 | 24                   |
|                    | 30150RECYSS                | 11%               | 83/8              | 4   | 101/4             | 71/8              | 4   | 12        | 11          | 4                 | 40150                 | 24                   |
| 42″51 16           | 30150RECYTC                | 11%               | 83/8              | 4   | 101/4             | 71/8              | 4   | 12        | 11          | 4                 | 40150                 | 24                   |
| 12″ Shelf<br>Bins  | 30150RECYHG                | 11%               | 83/8              | 4   | 101/4             | 71/8              | 4   | 12        | 11          | 4                 | 40150                 | 24                   |
|                    | 30128RECYSS                | 17%               | 41/8              | 4   | 16½               | 3                 | 4   | 12        | 8           | 3                 | 40120                 | 24                   |
|                    | 30128RECYTC                | 17%               | 41/8              | 4   | 16½               | 3                 | 4   | 12        | 8           | 3                 | 40120                 | 24                   |
|                    | 30128RECYHG                | 17%               | 41/8              | 4   | 16½               | 3                 | 4   | 12        | 8           | 3                 | 40120                 | 24                   |
|                    | 30138RECYSS                | 17%               | 65/8              | 4   | 16½               | 5½                | 4   | 12        | 15          | 6                 | 40130                 | 24                   |
|                    | 30138RECYTC                | 17%               | 65/8              | 4   | 16½               | 5½                | 4   | 12        | 15          | 6                 | 40130                 | 24                   |
| 18″ Shelf<br>Bins  | 30138RECYHG                | 17%               | 6%                | 4   | 16½               | 5½                | 4   | 12        | 15          | 6                 | 40130                 | 24                   |
|                    | 30124RECYSS                | 23%               | 41/8              | 4   | 221/8             | 3                 | 4   | 12        | 11          | 4                 | 40120                 | 24                   |
| _                  | 30124RECYTC                | 23%               | 41/8              | 4   | 221/8             | 3                 | 4   | 12        | 11          | 4                 | 40120                 | 24                   |
|                    | 30124RECYHG                | 23%               | 41/8              | 4   | 221/8             | 3                 | 4   | 12        | 11          | 4                 | 40120                 | 24                   |
|                    | 30164RECYSS                | 23%               | 6%                | 4   | 221/8             | 5½                | 4   | 6         | 21          | 8                 | 40130                 | 24                   |
|                    | 30164RECYTC                | 23%               | 6%                | 4   | 221/8             | 51/2              | 4   | 6         | 21          | 8                 | 40130                 | 24                   |
| 24" Shelf<br>Bins  | 30164RECYHG                | 23%               | 65/8              | 4   | 221/8             | 5½                | 4   | 6         | 21          | 8                 | 40130                 | 24                   |
|                    | 30164RECYSS<br>30164RECYTC | 23%<br>23%<br>23% | 6%<br>6%<br>6%    | 4 4 | 22%<br>22%<br>22% | 5½<br>5½<br>5½    | 4 4 | 6 6       | 21<br>21    | 8                 | 40130<br>40130        | 24                   |





| Bin ( | Cups           | L   | w    | Н    | Ctn.<br>Qty. |
|-------|----------------|-----|------|------|--------------|
| 301   | 01             | 2   | 31/4 | 3    | 48           |
| 301   | 02             | 2¾  | 5    | 3    | 24           |
|       |                |     |      |      |              |
|       | nded<br>I Hold | er  | w    | н    | Ctn.<br>Qty. |
| 10°   | 40             | 410 | 4    | 21/4 | 24           |



- Improve workspace organization and efficiency with rack and bin systems
- Angled shelves keep parts at the front of bins for easy access
- Convenient, high-density storage with up to 192 bins
- Easy to assemble
- Choose from 3 styles available separately or with bin packages
- 16-gauge steel construction
- Compatible with:











Angled shelves keep parts at front of bin







#### Single-Sided Pick Rack

- Model No. APRS36442BLU
- Holds up to 64 Indicator Bins on 8 shelves
- Holds up to 64 ShelfMax Bins
- Maximum 400 lb. weight capacity





#### **Double-Sided Pick Rack & Mobile Kit**


- Model No. APRD120Y
- Creates a mobile, double-sided pick rack with APRDMOBILE
- Holds up to 192 Shelf Bins
- Holds up to 128 ShelfMax Bins
- Maximum 800 lb. weight capacity for Double-Sided Pick Rack, 500 lb. weight capacity when used with Mobile Kit



#### **Bench Pick Rack**

- Model No. APRBENCH040
- 12" D x 36¾" W x 25" H
- Holds up to 24 Shelf Bins or ShelfMax Bins
- Holds up to (3) 30312 System Bins
- Maximum 150 lbs. weight capacity (50 lbs. per shelf)





30090

30040 / 30090

36442BLUE

36462BLUE

\*Due to case pack, Bonus Bins are included at no extra charge. \*\*Specify color of bins when ordering: Red, Blue, Yellow, Green or White

Rack with ShelfMax

Rack with Indicator Bins

Rack with Indicator Bins

Double-Sided 24" D x 363/4" W x 601

APRSASTOO\*

APRS36442B

6%

See above

41/4

4

40

32 / 20

64

8

111//8

11%

115/8

|   |                                     | Model No.   | Description                         | Bin Model No.     | L                                 | W    | Н | Bin Qty. | Bonus Bins* |  |
|---|-------------------------------------|-------------|-------------------------------------|-------------------|-----------------------------------|------|---|----------|-------------|--|
|   |                                     | APRD        | Double-Sided Pick<br>Rack (no bins) | =                 | -                                 | -    | - | =        | -           |  |
|   |                                     | APRD110Y    | Rack with Shelf Bins                | 30110YELLO        | 11%                               | 2¾   | 4 | 192      | =           |  |
| , |                                     | APRD120Y    | Rack with Shelf Bins                | 30120YELLO        | 11%                               | 41/8 | 4 | 128      | 16          |  |
|   | · · · · · · · · · · · · · · · · · · | APRD130Y    | Rack with Shelf Bins                | 30130YELLO        | 11%                               | 6%   | 4 | 80       | 4           |  |
| , |                                     | APRD150Y    | Rack with Shelf Bins                | 30150YELLO        | 11%                               | 83/8 | 4 | 64       | 8           |  |
|   |                                     | ⇒ APRD170Y  | Rack with Shelf Bins                | 30170YELLO        | 11%                               | 11%  | 4 | 48       | -           |  |
| 6 |                                     | APRD040**   | Rack with ShelfMax                  | 30040             | 11%                               | 41/8 | 6 | 128      | -           |  |
|   | 10x                                 | APRD080**   | Rack with ShelfMax                  | 30080             | 11%                               | 83/8 | 6 | 64       | -           |  |
|   |                                     | APRD090**   | Rack with ShelfMax                  | 30090             | 11%                               | 6%   | 6 | 80       | -           |  |
|   |                                     | APRDAST00** | Rack with ShelfMax                  | 30040 / 30090     | See above                         |      | e | 64 / 40  | -           |  |
| , |                                     | APRD36442B  | Rack with Indicator Bins            | 36442BLUE         | 11%                               | 41/4 | 4 | 128      | 16          |  |
| 1 |                                     | APRD36462B  | Rack with Indicator Bins            | 36462BLUE         | 11%                               | 6¾   | 4 | 80       | 4           |  |
| L |                                     | APRDMOBILE  | Mobil                               | e Kit (Handle & D | Dolly) for Double-Sided Pick Rack |      |   |          |             |  |

\*Due to case pack, Bonus Bins are included at no extra charge. \*\*Specify color of bins when ordering: Red, Blue, Yellow, Green or White. When using the mobile kit weight capacity is 500 lbs.

| acc | esso | ries |  |
|-----|------|------|--|
| (   |      |      |  |

APRDMOBILE Mobile Kit For double-sided Pick Rack 4" x 2" Phenolic Casters

| H                               |  | Bin Di   | mensions   | (Inches)  |   |
|---------------------------------|--|--|--|---|---|
| Description                     | Bin Model No.  | L  | W  |   | Bin Qty.  |
| Bench Pick Rack, No Bins        | -  | -  | -  | -   | -   |
| Bench Pick Rack with Shelf Bins | 30120YELLO   | 11%  | 41/8   | 4   | 24  |
| Bench Pick Rack with Shelf Bins | 30150YELLO   | 11%  | 83/8   | 4   | 12  |
| Bench Pick Rack with ShelfMax   | 30040  | 11%  | 41/8   | 6   | 24  |
| Bench Pick Rack with ShelfMax   | 30090  | 11%  | 6%   | 6   | 15  |
| )                               | Bench Pick Rack, No Bins Bench Pick Rack with Shelf Bins Bench Pick Rack with Shelf Bins Bench Pick Rack with ShelfMax | Description Bench Pick Rack, No Bins Bench Pick Rack with Shelf Bins Bench Pick Rack with ShelfMax Bench Pick Rack with ShelfMax | Description     Bin Model No.     L       Bench Pick Rack, No Bins     -     -       Bench Pick Rack with Shelf Bins     30120YELLO     11%       Bench Pick Rack with Shelf Bins     30150YELLO     11%       * Bench Pick Rack with ShelfMax     30040     11% | Description         Bin Model No.         L         W           Bench Pick Rack, No Bins         -         -         -           Bench Pick Rack with Shelf Bins         30120YELLO         11%         4%           Bench Pick Rack with Shelf Bins         30150YELLO         11%         8%           Bench Pick Rack with Shelf Bins         30040         11%         4% | Description         Bin Model No.         L         W         H           Bench Pick Rack, No Bins         -         -         -         -           Bench Pick Rack with Shelf Bins         30120YELLO         11%         4½         4           Bench Pick Rack with Shelf Bins         30150YELLO         11%         8½         4           * Bench Pick Rack with ShelfMax         30040         11½         4½         6 |

<sup>\*</sup>Specify color of bins when ordering: Red, Blue, Yellow, Green or White.

# AkroDrawers

#### storage bins, racks & hanging systems

- Available in nine convenient sizes and five colors including Crystal Clear - which keeps AkroDrawer contents highly visible!
- · Color drawers made of high-impact polystyrene
- Crystal Clear drawers made of a durable acrylic blend
- Offered in 12", 18" or 24" depths to work with compatible shelving
- Easy to label and color code inventory for quick identification of parts and supplies
- Drawers can be stacked to optimize space
- Wide front handle for easy gripping when AkroDrawers are loaded or contain heavy contents
- Dividers available to keep contents neatly separated in drawers
- · Colors: Crystal Clear, Red, Blue, Yellow and Gray










# **Cover, Store, Protect & More!**

- Designed for use in a variety of environments from industrial to healthcare to other applications, AkroDrawers will help keep supplies, parts, tools and other materials secure and dust-free.
- Can be used with available shelving, racks, mobile carts or can be used by themselves



| AkroDrawers™     | Out   | side Dimen<br>Inches | sions | Bot   | tom Dimen<br>Inches | sions |                    |              |          |
|------------------|-------|----------------------|-------|-------|---------------------|-------|--------------------|--------------|----------|
| Model No.        | L     |                      |       | L     |                     |       | Weight<br>Capacity | Ctn.<br>Qty. | Dividers |
| 31142            | 115/8 | 3¾                   | 45/8  | 101/4 | 31/16               | 47/16 | 15 lbs.            | 6            | 41440    |
| <b>NEW</b> 31148 | 17%   | 3¾                   | 4%    | 161/4 | 31/16               | 47/16 | 20 lbs.            | 6            | 41440    |
| 31162            | 11%   | 5%6                  | 45%   | 101/4 | 47/8                | 47/16 | 20 lbs.            | 6            | 41460    |
| 31168            | 17%   | 5%6                  | 4%    | 161/4 | 47/8                | 47/16 | 25 lbs.            | 6            | 41460    |
| <b>NEW</b> 31164 | 23%   | 5%6                  | 4%    | 22½   | 47/8                | 47/16 | 25 lbs.            | 6            | 41460    |
| 31182            | 11%   | 8%                   | 4%    | 101/4 | 75/8                | 47/16 | 20 lbs.            | 4            | 41480    |
| 31188            | 17%   | 8%                   | 45%   | 161/4 | 75/8                | 47/16 | 25 lbs.            | 4            | 41480    |
| NEW 31112        | 11%   | 111/8                | 45/8  | 101/4 | 107/16              | 47/16 | 25 lbs.            | 4            | 41410    |
| NEW 31118        | 17%   | 111/8                | 45/8  | 161/4 | 107/16              | 47/16 | 25 lbs.            | 4            | 41410    |

41440 3%6 43/16 30 3/32 41460 55/16 43/16 6 26 41480 85/32 43/16 6 26 41410 43/16 18





# Super Modular Cabinets

#### storage bins, racks & hanging systems

- Organize your AkroDrawers on specially designed stackable or wall-mountable cabinets
- Units can be safely stacked up to three high
- AkroDrawers fit snugly on each shelf so open top on each AkroDrawer is protected from dust and debris
- Drawers hang securely in place from shelves by sturdy backstop tab
- Ships fully assembled
- 11" cabinets can be mounted to wall (light assembly required for wall mounting)
- Durable powder-coated finish
- Weight capacity: 60 lbs. 18" Modular Cabinets
- 75 lbs. 23" Modular Cabinets
- Combined stack weight capacity: 100 lbs.
- · Colors: Textured Charcoal Gray or Textured Putty



Small and Medium Super Modular Cabinets can be mounted on two rails under ProCart. Optional two-rail hanging system (No. 30902) required.







AD1811P62



AD1817CAST



| Super Modular C          | abinets 18"W x 11"D x 16-1/2"H                 |  | Bin Din | ensions | (Inches) | Shelf Di | mensions | (Inches) |                 |
|--------------------------|--|--|---------|---------|----------|----------|----------|----------|-----------------|
| Model Number             | Description                                    | Cabinet Color                            | L       | W       | Н        | D        | L        | Н        | Qty. of Drawers |
| AD1811C<br>AD1811P       | Small Cabinet with no AkroDrawers              | Textured Charcoal Gray<br>Textured Putty | -       | -       | -        | 11       | 17       | 419/32   | -               |
| AD1811C62<br>AD1811P62   | Small Cabinet with 31162 AkroDrawers           | Textured Charcoal Gray<br>Textured Putty | 11%     | 5%16    | 45/8     | 11       | 17       | 419/32   | 9               |
| AD1811C82<br>AD1811P82   | Small Cabinet with 31182 AkroDrawers           | Textured Charcoal Gray<br>Textured Putty | 11%     | 83%     | 45%      | 11       | 17       | 419/32   | 6               |
| AD1811CAST<br>AD1811PAST | Small Cabinet with 31162 and 31182 AkroDrawers | Textured Charcoal Gray<br>Textured Putty | S       | ee Abov | e        | 11       | 17       | 419/32   | 6/2             |

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

| <u>L</u>  | W        | Н                   | D                      | L            | Н                                | Otv. of Drawers                           |
|-----------|----------|---------------------|------------------------|--------------|----------------------------------|---|
| _         | _        |                     |                        |              |                                  |   |
|           |          | -                   | 11                     | 22           | 419/32                           | -   |
| 11%       | 3¾       | 45/8                | 11                     | 22           | 419/32                           | 18  |
| 11%       | 5%6      | 45%                 | 11                     | 22           | 419/32                           | 12  |
| See Above |          | 11                  | 22                     | 419/32       | 6/8                              |   |
| +1        | 11%<br>S | 11% 5%6<br>See Abov | 11% 5% 4%<br>See Above | 11% 5% 4% 11 | 11% 5% 4% 11 22  See Above 11 22 | 11% 5% 4% 11 22 41%2 See Above 11 22 41%2 |

| Specify drawer color when ordering | : Red. Blue, Yellow, Grav or C | rystal Clear available with Gray Cabir | net. Blue or Crystal Clear available with Put | ty Cabinet. Only one color per unit. |
|------------------------------------|--------------------------------|--|---|--------------------------------------|
|                                    |                                |  |   |                                      |

| Super Modular Ca  | Super Modular Cabinets 18"W x 17"D x 16-1/2"H     |  |           |     |      | Shelf Dir | nensions |                 |   |
|---|---|--|-----------|-----|------|-----------|----------|-----------------|---|
| Model Number  | Model Number Description                          |  | L W H     |     | D    | L         | Н        | Qty. of Drawers |   |
| AD1817C<br>AD1817P 17" Deep Cabinet with no AkroDrawers |   | Textured Charcoal Gray<br>Textured Putty | -         | -   | -    | 17        | 17       | 419/32          | - |
| AD1817C68<br>AD1817P68                                  | 17" Deep Cabinet with 31168 AkroDrawers           | Textured Charcoal Gray<br>Textured Putty | 17%       | 5%6 | 45/8 | 17        | 17       | 419/32          | 9 |
| AD1817C88<br>AD1817P88                                  | 17" Deep Cabinet with 31188 AkroDrawers           | Textured Charcoal Gray<br>Textured Putty | 17%       | 83% | 45/8 | 17        | 17       | 419/32          | 6 |
| AD1817CAST<br>AD1817PAST                                | 17" Deep Cabinet with 31168 and 31188 AkroDrawers | Textured Charcoal Gray<br>Textured Putty | See Above |     | 17   | 17        | 419/32   | 6/2             |   |

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.



# **Stackable Cabinets**

#### storage bins, racks & hanging systems

- Increased storage capacity for AkroDrawers by providing more space to organize and color code inventory
- Units can be safely stacked up to three high
- Available in two sizes one for 12" AkroDrawers and one for 18" AkroDrawers
- Optional 8" high Base Stands for each size cabinet available in matching colors for either cabinet - keeps cabinets off the floor for easier clean-up underneath
- Durable powder-coated finish
- · Cabinets ship fully assembled
- · Weight capacity: 120 lbs.
- · Combined stacked weight capacity: 200 lbs.
- Colors for Stackable Cabinets and optional Base Stands: Textured Charcoal Gray or **Textured Putty**







#### Stackable Cabinet 35"W x 11"D x 22"H

#### Bin Dimensions (Inches) Shelf Dimensions (Inches)

|      |   | ( 35 W X 11 D X 22 H                                    |  | DIII DIIII |        |      |    |    |        |                 |
|------|---|---|--|------------|--------|------|----|----|--------|-----------------|
|      | Model Number  | Description   | Cabinet Color                            | L          | W      | Н    | D  | 1  | Н      | Qty. of Drawers |
|      | AD3511C<br>AD3511P  | Stackable Cabinet with no AkroDrawers                   | Textured Charcoal Gray<br>Textured Putty | -          | -      | -    | 11 | 34 | 411/16 | -               |
| NE V | AD3511CAST2<br>AD3511PAST2                                      | Stackable Cabinet with 31112 & 31162 AkroDrawers        | Textured Charcoal Gray<br>Textured Putty | 11%        | 111/8* | 45/8 | 11 | 34 | 411/16 | 8/8             |
|      | AD3511C42<br>AD3511P42  | Stackable Cabinet with 31142 AkroDrawers                | Textured Charcoal Gray<br>Textured Putty | 11%        | 3¾     | 45/8 | 11 | 34 | 411/16 | 32              |
|      | AD3511C62<br>AD3511P62  |   |  | 11%        | 5%6    | 45/8 | 11 | 34 | 411/16 | 24              |
|      | AD3511C82<br>AD3511P82 Stackable Cabinet with 31182 AkroDrawers |   | Textured Charcoal Gray<br>Textured Putty | 11%        | 8%     | 45/8 | 11 | 34 | 411/16 | 16              |
|      | AD3511CAST<br>AD3511PAST  | Stackable Cabinet with 31142, 31162 & 31182 AkroDrawers | Textured Charcoal Gray<br>Textured Putty | See Above  |        | e    | 11 | 34 | 411/16 | 8/12/4          |

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit. \*Width of 31112 bin.

Stackable Cabinet 35"W x 17"D x 22"H

#### Bin Dimensions (Inches) Shelf Dimensions (Inches)

|     | Model Number               | Description                                      | Cabinet Color                            | L         | W       | Н    | D  | L      | Н      | Qty. of Drawers |
|-----|----------------------------|--|--|-----------|---------|------|----|--------|--------|-----------------|
|     | AD3517C<br>AD3517P         | Stackable Cabinet with no AkroDrawers            | Textured Charcoal Gray<br>Textured Putty | -         | -       | -    | 17 | 34     | 411/16 | -               |
| NEV | AD3517CAST2<br>AD3517PAST2 | Stackable Cabinet with 31118 & 31168 AkroDrawers | Textured Charcoal Gray<br>Textured Putty |           | 111/8*  | 45/8 | 17 | 34     | 411/16 | 8/8             |
| NEV | AD3517C48<br>AD3517P48     | Stackable Cabinet with 31148 AkroDrawers         | Textured Charcoal Gray<br>Textured Putty |           | 3¾      | 45/8 | 17 | 34     | 411/16 | 32              |
|     | AD3517C68<br>AD3517P68     | Stackable Cabinet with 31168 AkroDrawers         | Textured Charcoal Gray<br>Textured Putty | 17% 5% 4% |         | 17   | 34 | 411/16 | 24     |                 |
|     | AD3517C88<br>AD3517P88     | Stackable Cabinet with 31188 AkroDrawers         | Textured Charcoal Gray<br>Textured Putty | 17% 8% 4% |         | 17   | 34 | 411/16 | 16     |                 |
|     | AD3517CAST<br>AD3517PAST   | Stackable Cabinet with 31168 & 31188 AkroDrawers | Textured Charcoal Gray<br>Textured Putty | S         | ee Abov | e    | 17 | 34     | 411/16 | 12/8            |

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit. \*Width of 31118 bin. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yellow



| 1 | Jptional Base Stan | as for Stackable Cabinets   |   |       | Jimension | IS |  |
|---|--------------------|---|---|-------|-----------|----|--|
|   | Model No.          | Description   | Base Stand Color                            | W     |           |    |  |
|   | AD3511BS           | D3511BS Base Stand for 11" Stackable Cabinet Textured Charcoal Gray or Textured Putty |   |       |           |    |  |
|   | AD3517BS           | Base Stand for 17" Stackable Cabinet  | Textured Charcoal Gray<br>or Textured Putty | 351/4 | 171⁄4     | 8  |  |



# **Secure Mini-Cabinets**

storage bins, racks & hanging systems



- · Lockable cabinet provides secure storage for sensitive supplies
- Accommodates 12" AkroDrawers
- · Made from 18-gauge steel
- Wall mountable
- Features standard four adjustable shelves, 19" x 11" with fully louvered panel built into back for hanging AkroBins®
- Available with a quick-view door to keep contents visible
- · Solid door option keeps sensitive contents secure and out of sight
- · Foam gasket around door frame seals out dust
- Welded frame and durable powder-coated finish
- Ships fully assembled
- Weight capacity: 350 lbs.
- Colors: Textured Charcoal Gray or Textured Putty







ACS4C









| Quick-view Mini-Capinet | 19-1/4 W X 15-1/4 D X 30 H |
|-------------------------|----------------------------|
|                         |                            |

| Caren men              | Cabinet 15 1/4 W X 15 1/4 D X 50 11  |  |     |         |      |                 |
|------------------------|--|--|-----|---------|------|-----------------|
| Model Number           | Description  | Cabinet Color                            | L   | W       | Н    | Qty. of Drawers |
| ACQV4C<br>ACQV4P       | Secure Mini-Cabinet, Quick-View Door, no AkroDrawers                       | Textured Charcoal Gray<br>Textured Putty | I   | -       | -    | =               |
| ACQV4C42<br>ACQV4P42   | Secure Mini-Cabinet, Quick-View Door with 31142 AkroDrawers                | Textured Charcoal Gray<br>Textured Putty | 11% | 3¾      | 45/8 | 16              |
| ACQV4C62<br>ACQV4P62   | Secure Mini-Cabinet, Quick-View Door with 31162 AkroDrawers                | Textured Charcoal Gray<br>Textured Putty | 11% | 5%6     | 45/8 | 12              |
| ACQV4C82<br>ACQV4P82   | Secure Mini-Cabinet, Quick-View Door with 31182 AkroDrawers                | Textured Charcoal Gray<br>Textured Putty | 11% | 83/8    | 45/8 | 8               |
| ACQV4CAST<br>ACQV4PAST | Secure Mini-Cabinet, Quick-View Door with 31142, 31162 & 31182 AkroDrawers | Textured Charcoal Gray<br>Textured Putty | S   | ee Abov | e    | 4/6/2           |

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.

Steel Door Mini-Cabinet 19-1/4"W x 13-1/4"D x 38"H

| Model Number         | Description   | Cabinet Color                            | L   | W       | Н    | Qty. of Drawers |
|----------------------|---|--|-----|---------|------|-----------------|
| ACS4C<br>ACS4P       | Secure Mini-Cabinet, Steel Door, no AkroDrawers   | Textured Charcoal Gray<br>Textured Putty | -   | -       | -    | -               |
| ACS4C42<br>ACS4P42   | Secure Mini-Cabinet, Steel Door with 31142 AkroDrawers  | Textured Charcoal Gray<br>Textured Putty | 11% | 3¾      | 45/8 | 16              |
| ACS4C62<br>ACS4P62   | Secure Mini-Cabinet, Steel Door with 31162 AkroDrawers  | Textured Charcoal Gray<br>Textured Putty | 11% | 5%6     | 45/8 | 12              |
| ACS4C82<br>ACS4P82   | Secure Mini-Cabinet, Steel Door with 31182 AkroDrawers  | Textured Charcoal Gray<br>Textured Putty | 11% | 83%     | 45/8 | 8               |
| ACS4CAST<br>ACS4PAST | Secure Mini-Cabinet , Steel Door with 31142, 31162 & 31182 AkroDrawers  Textured Cha Textured |  | S   | ee Abov | e    | 4/6/2           |

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cabinet. Blue or Crystal Clear available with Putty Cabinet. Only one color per unit.





# 12" & 18" Enclosed Steel Shelving Systems

#### storage bins, racks & hanging systems

- · Steel shelving will accommodate 12" and 18" AkroDrawers
- Manufactured from high-grade, 22-gauge steel with powder-coated finish
- Closed back and sides keep drawers contained to one side of shelves and further eliminate dust and debris
- Drawers can hang securely in place from shelves by sturdy backstop tab
- · Easy to assemble using shelf clips
- Each shelving system can hold up to a maximum of 8,500 lbs.; 12" x 36" shelf holds 500 lbs.; 18" x 36" shelf holds 550 lbs.
- · Color: Gray







**APRDMOBILE** Mobile Kit For double-sided Pick Rack

# Pick Racks

- Angled shelves keep parts and supplies at the front of AkroDrawers for easy access
- Improve workspace organization and efficiency
- 16-gauge steel construction with a durable powder-coated finish
- Weight capacity: 400 lbs. Single-Sided; Up to 800 lbs. Double-Sided
- Color: Gray

| 1 | w | P |
|---|---|---|
| 1 |   | Ì |
|   |   | ١ |
| Ĥ |   | l |
|   |   | l |
|   |   |   |
|   |   |   |
| - | · | / |

|     | 12" Enclosed Shel | ving Systems (13 Shelves)    |                     | Bin Dim | ensions | (Inches) | Shelf Dir | nensions | (Inches) |                 |               |
|-----|-------------------|------------------------------|---------------------|---------|---------|----------|-----------|----------|----------|-----------------|---------------|
|     | Model Number      | Description                  | Drawer Model No.    | L       | W       | H        | D         | 1        | H        | Qty. of Drawers | Drawer Color  |
|     | ASC1279           | Shelving (no AkroDrawers)    | -                   | -       | -       | -        | 12        | 36       | 79       | -               | -             |
| VEN | ASC1279112        | Shelving with AkroDrawers    | 31112               | 11%     | 111/8   | 4%       | 12        | 36       | 79       | 36              | R,B,Y,GRY,CRY |
|     | ASC1279142        | Shelving with AkroDrawers    | 31142               | 11%     | 3¾      | 45/8     | 12        | 36       | 79       | 108             | R,B,Y,GRY,CRY |
|     | ASC1279162        | Shelving with AkroDrawers    | 31162               | 11%     | 5%16    | 45/8     | 12        | 36       | 79       | 72              | R,B,Y,GRY,CRY |
|     | ASC1279182        | Shelving with AkroDrawers    | 31182               | 11%     | 83/8    | 4%       | 12        | 36       | 79       | 48              | R,B,Y,GRY,CRY |
|     | ASC1279AST        | Shelving with AkroDrawer Mix | 31142, 31162, 31182 | S       | ee Abov | e        | 12        | 36       | 79       | 27/36/12        | R,B,Y,GRY,CRY |

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

|     | 18" Enclosed Shel | ving Systems (13 Shelves)    |                  | Bin Din | nensions | (Inches) | Shelf Di | mensions | (Inches) |                 |                   |
|-----|-------------------|------------------------------|------------------|---------|----------|----------|----------|----------|----------|-----------------|-------------------|
|     | Model Number      | Description                  | Drawer Model No. | L       | W        |          | D        |          |          | Qty. of Drawers | Drawer Color      |
|     | ASC1879           | Shelving (no AkroDrawers)    | =                | -       | -        | -        | 18       | 36       | 79       | -               | =                 |
| NE. | M ASC1879118      | Shelving with AkroDrawers    | 31118            | 175/8   | 111/8    | 45%      | 12       | 36       | 79       | 36              | R, B, Y, GRY, CRY |
| NEV | M ASC1879148      | Shelving with AkroDrawers    | 31148            | 17%     | 3¾       | 45/8     | 12       | 36       | 79       | 108             | R, B, Y, GRY, CRY |
|     | ASC1879168        | Shelving with AkroDrawers    | 31168            | 175/8   | 5%16     | 45%      | 18       | 36       | 79       | 72              | R,B,Y,GRY,CRY     |
|     | ASC1879188        | Shelving with AkroDrawers    | 31188            | 17%     | 83/8     | 45/8     | 18       | 36       | 79       | 48              | R,B,Y,GRY,CRY     |
|     | ASC1879AST        | Shelving with AkroDrawer Mix | 31168, 31188     | S       | ee Abov  | re       | 18       | 36       | 79       | 36 / 24         | R,B,Y,GRY,CRY     |

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit.

|             | Single-Sided Pick     | Rack 12"D x 36-3/4"W x 60-1/4"H (8 Sh             | elves)                      | s) Bin Dimensions (Inches) |         |      |       |     |       |                 |               |
|-------------|-----------------------|---|-----------------------------|----------------------------|---------|------|-------|-----|-------|-----------------|---------------|
|             | Model Number          | Description                                       | Drawer Model No.            | L                          | W       | Н    | D     | L   | Н     | Qty. of Drawers | Drawer Color  |
| NEV<br>Size | APRS112               | Rack with AkroDrawers                             | 31112                       | 11%                        | 111/8   | 45%  | 121/8 | 35% | 67/16 | 24              | R,B,Y,GRY,CRY |
|             | APRS142               | Rack with AkroDrawers                             | 31142                       | 11%                        | 3¾      | 45%  | 121/8 | 35% | 67/16 | 72              | R,B,Y,GRY,CRY |
|             | APRS162               | Rack with AkroDrawers                             | 31162                       | 11%                        | 5%16    | 45/8 | 121/8 | 35% | 67/16 | 48              | R,B,Y,GRY,CRY |
|             | APRS182               | Rack with AkroDrawers                             | 31182                       | 11%                        | 83/8    | 45/8 | 121/8 | 35% | 67/16 | 32              | R,B,Y,GRY,CRY |
|             | APRSAST               | Rack with AkroDrawer Mix                          | 31142, 31162, 31182         | S                          | ee Abov | е    | 121/8 | 35% | 67/16 | 18/24/8         | R,B,Y,GRY,CRY |
|             | Specify drawer colors | when ordering: Red Rlue Vellow Gray or Crystal Cl | ear Only one color per unit |                            |         |      |       |     |       |                 |               |

|            | Double-Sided Pic | k Rack   24″ D x 36-3/4″W x 60-1/4″ H   (16 S | helves)             | Bin Din | nensions  | (Inches) | Shelf Di | mensions | (Inches) |                 |               |
|------------|------------------|---|---------------------|---------|-----------|----------|----------|----------|----------|-----------------|---------------|
|            | Model Number     | Description                                   | Drawer Model No.    | L       | W         |          | D        |          |          | Qty. of Drawers | Drawer Color  |
| NE<br>Sizi | W APRD112        | Rack with AkroDrawers                         | 31112               | 11%     | 111/8     | 45%      | 121/8    | 35%      | 67/16    | 48              | R,B,Y,GRY,CRY |
|            | APRD142          | Rack with AkroDrawers                         | 31142               | 11%     | 3¾        | 45/8     | 121/8    | 35%      | 67/16    | 144             | R,B,Y,GRY,CRY |
|            | APRD162          | Rack with AkroDrawers                         | 31162               | 11%     | 5%16      | 45/8     | 121/8    | 35%      | 67/16    | 96              | R,B,Y,GRY,CRY |
|            | APRD182          | Rack with AkroDrawers                         | 31182               | 11%     | 83/8      | 45/8     | 121/8    | 35%      | 61/16    | 64              | R,B,Y,GRY,CRY |
|            | APRDAST          | Rack with AkroDrawer Mix                      | 31142, 31162, 31182 | S       | ee Abov   | e        | 121/8    | 35%      | 61/16    | 36 / 48 / 16    | R,B,Y,GRY,CRY |
|            |                  |   |                     | 000     | 1.01 1.01 |          |          |          |          | ·               |               |

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear. Only one color per unit. When using the APRD with the mobile kit, weight capacity is 500 lbs. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yellow





# **BinTelligence™ Series: Indicator™**

storage bins, racks & hanging systems









- Easy organization of supplies and work-in-process
- Reduces excess inventory
- Width dividers used for orange reserve to prevent stock-outs and assembly line interruptions
- Works with 14" or 18" wire shelving, 12" or 18" steel shelving or with pick rack systems

# **Indicator** Stock, Pick, Flip & Replenish

**STOCK** the Indicator Bin using the divider to designate volume for the inventory reserve.

**PICK** from the blue side of the bin until you reach the divider.

**FLIP** the bin to the orange reserve to show inventory levels are low.

**REPLENISH** the bin and repeat!



# Indicator™ Bins – Effective inventory control at a glance!

The Indicator Bin simplifies visual recognition when supplies need to be replenished. An innovative, low-cost alternative to high-end inventory control systems!

#### **Pick Rack Systems**



- Available as single-sided or double-sided
- Angled shelves keep parts at the front of bins for easy access
- 16-gauge steel construction
- 400-800 lb. weight cap.
- See page 15 for bin quantity



#### **Steel Shelving Systems**

- Manufactured from high-grade, 22-gauge steel with a powder-coated finish
  - Holds (96) 36442BLUE bins, (60) 36462BLUE bins, (96) 36448BLUE bins, or (60) 36468BLUE bins
- 500 lb. weight capacity per shelf, up to 8,500 lbs.

# Wire Shelving Systems



- Open wire design minimizes dust collection and improves visibility
- Holds (88) 36442BLUE bins, (55) 36462BLUE bins, (88) 36448BLUE bins, or (55) 36468BLUE bins
- 2.000 lb, max, weight capacity



Bright orange trigger color used in 5S Lean



Innovative double hopper bin can be filled or picked from both sides



Large label area on both sides for part identification or bar code scanning



Rolled ridge provides added strength and durability




Width dividers used for orange reserve to prevent stock-outs and assembly line interruptions

# related products

Create the perfect storage system - mix and match your selection of Indicator Bins with compatible products including:

- Pick Racks.....pg. 15
- Wire Shelving Systems ......pgs. 36-39
- Steel Shelving Systems......pgs. 40-42



| Indicator Bins   |           |                             | Outsi | de Dimer<br>Inches | sions | Inside Bo | ottom Dir<br>Inches | nensions | ;             |          |                      |
|--|-----------|-----------------------------|-------|--------------------|-------|-----------|---------------------|----------|---------------|----------|----------------------|
|  | Model No. | Description                 | L     |                    |       | L         |                     |          | Bin Ctn. Qty. | Divider* | Divider<br>Pkg. Qty. |
|  | 36442BLUE | Indicator Bin (Blue/Orange) | 11%   | 41⁄4               | 4     | 9%        | 27/8                | 3%       | 24            | 40120    | 24                   |
|  | 36448BLUE | Indicator Bin (Blue/Orange) | 17%   | 41/8               | 4     | 16%       | 2¾                  | 3%       | 12            | 40442    | 12                   |
| The state of the s | 36462BLUE | Indicator Bin (Blue/Orange) | 11%   | 6¾                 | 4     | 9%        | 5%                  | 3%       | 12            | 40130    | 24                   |
|  | 36468BLUE | Indicator Bin (Blue/Orange) | 17%   | 6%                 | 4     | 161/8     | 51/4                | 3%       | 12            | 40462    | 12                   |













#### **Dividable VantageBin™**

- Sturdy bin holds dovetailed dividers to customize compartments
- Fits on standard 24" deep or wide shelving and counters
- Bins nest when empty to conserve storage space
- 24" x 5½" x 7" bin is dividable in up to 10 sections
- Sturdy polypropylene construction
- Available in two colors: White and Gray
- Longer and taller than VantageBin
- 9 divider positions per bin

### VantageBin™

- Molded-in V-groove bottom keeps items upright and prevents them from sliding without dividers
- Bins nest when empty to conserve storage space
- Durable, injection-molded polypropylene construction
- Quick, easy access and identification when organizing envelopes, bags, jewel cases, photographs and more
- Ideal for retail and material handling as well as home and office storage applications
- Available in three colors: White, Gray and Yellow

| VantageBin   |              |               | Outs | ide Dimen<br>Inches | sions |     |       | mensions<br>hes |        |           |              |
|--|--------------|---------------|------|---------------------|-------|-----|-------|-----------------|--------|-----------|--------------|
|  | Model No.    | Description   | L    | W                   | Н     | L   | W     | Н               | X      | Ctn. Qty. | Dividers/Pk. |
|  | 30420WHI6PK  | Dividable Bin | 24   | 51/2                | 7     | 22% | 31/2  | 7               | 223/16 | 6         | 40420/12     |
|  | 30420GRY6PK  | Dividable Bin | 24   | 5½                  | 7     | 22% | 31/2  | 7               | 223/16 | 6         | 40420/12     |
|  | 30400YEL10PK | Standard Bin  | 16¾  | 71⁄4                | 53/8  | 15% | 67/16 | 5%              | 151/16 | 10        | -            |
| The state of the s | 30400WHI10PK | Standard Bin  | 16¾  | 71⁄4                | 5%    | 15% | 67/16 | 5%              | 151/16 | 10        | -            |
|  | 30400GRY10PK | Standard Bin  | 16¾  | 71/4                | 5%    | 15% | 61/16 | 5%              | 151/16 | 10        | -            |



# related products

Organize your VantageBin on:

- Wire Shelving Systems .....pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42

# 1800 Series AkroBins®, ESD Containers & Economy Bins

storage bins, racks & hanging systems







#### 1800 Series AkroBins

- Strong, durable copolymer polypropylene construction
- · Storage systems for large, heavy and bulky items
- · One black crosswise divider included per bin
- Color: Beige

#### **ESD Containers**

- Akro-Mils ESD containers dissipate electrostatic charges, which can severely damage sensitive electronic components
- Grounding Wire 98100 Designed to convert existing Akro-Mils rail and hanging systems (see pgs. 8-9). Conducts static charges away from the storage system





Grounding Wire 98100

#### **Economy Bins**

- Versatile Economy Bins make full use of shelf depth on 12" or 18" deep shelving and stack to fill space between shelves
- The only small parts bin that can nest and stack
- Molded from copolymer polypropylene
- · Generous opening allows easy access to stacked items

| 1 | 800 Series |            | Outside Dimensions Inside Dimensions Inches Inches |      |   |    |       |    |    |           |           |           |                 |
|---|------------|------------|--|------|---|----|-------|----|----|-----------|-----------|-----------|-----------------|
|   |            | Model No.  | L  |      | Н | L  |       |    | Х  | Ctn. Qty. | Dividers  | Pkg. Qty. | Capacity (lbs.) |
|   |            | 30348BEIGE | 201/2  | 81⁄4 | 7 | 20 | 73/8  | 6½ | 20 | 6         | 40348 (3) | 6         | 60              |
|   |            | 30358BEIGE | 20½  | 11   | 7 | 20 | 101/8 | 6½ | 20 | 6         | 40358 (3) | 6         | 75              |

Available in Beige. Order in carton quantities.

| ESDs  |           | Outsi | de Dime<br>Inches |   |       | Inside Dir<br>Incl |        |    |              |           |
|-------|-----------|-------|-------------------|---|-------|--------------------|--------|----|--------------|-----------|
|       | Model No. | L     | W                 | Н | L     | W                  | Н      | Х  | Cap. on Rack | Ctn. Qty. |
|       | 30210ESD  | 5%    | 41/8              | 3 | 43/4  | 37/16              | 213/16 | 4  | 10 lbs.      | 24        |
| L W T | 30220ESD  | 73/8  | 41/8              | 3 | 6¾    | 31/16              | 213/16 | 6  | 10 lbs.      | 24        |
|       | 30230ESD  | 10%   | 5½                | 5 | 101/4 | 43/8               | 4¾     | 9  | 30 lbs.      | 12        |
|       | 30235ESD  | 10%   | 11                | 5 | 101/4 | 10                 | 43/4   | 9  | 50 lbs.      | 6         |
|       | 30240ESD  | 14¾   | 81/4              | 7 | 14    | 6%                 | 6¾     | 12 | 60 lbs.      | 12        |

Available in Black. Order in carton quantities

| Economy Bins                    |                  | Outs | ide Dimen<br>Inches | sions | Insi  | de Dimens<br>Inches | sions |           |
|---------------------------------|------------------|------|---------------------|-------|-------|---------------------|-------|-----------|
|                                 | Model No.        | L    | W                   | Н     | L     | W                   | Н     | Ctn. Qty. |
|                                 | 30796BLACK       | 8%   | 6%                  | 5     | 63/25 | 4                   | 4%    | 10        |
| -W-1                            | 30716BLACK       | 11%  | 6%                  | 5     | 93/25 | 4                   | 4%0   | 10        |
|                                 | 30776BLACK       | 17%  | 6%                  | 7     | 14%   | 31/5                | 6‰    | 10        |
|                                 | 30718BLACK       | 11%  | 83%                 | 5     | 9     | 5¾                  | 4%0   | 8         |
|                                 | 30778BLACK       | 17%  | 83%                 | 7     | 14%   | 5½                  | 6‰    | 8         |
| Available in Black. Order in ca | rton quantities. |      |                     |       |       |                     |       |           |



**1800 Series AkroBins** 



**ESD Container** 



**Economy Bins** 

# **System** Bins™







# Convenient, **Efficient Organization** in a Single-Piece Six-Bin Unit

- · Configured six across in a single unit, 33" wide x 5" high
- Available in 12" or 18" depths to fit standard shelving
- Separate and sort parts to increase efficiency, shorten assembly times and maintain accurate inventories
- · A cost-efficient alternative to flimsy, individual cardboard boxes
- Can be safely stacked using a 3/8" wood dowel rod
- Available colors: Blue, Red and Yellow



System Bins shown on Steel Shelving

# related products

System Bins work great with:

- Pick Rack Systems.....pg. 15
- Wire Shelving Systems ......pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42

· Holds (3) 30312 System Bins



Large label area for easy content identification



Smooth surfaces. Easy to fill, handle and keep clean



Sturdy interior double wall construction. One-piece, injectionmolded for durability



front allows easy access for quick parts picking

| System Bins |           |                                 | Dimensions Bin Compartment Dimensions**<br>Inches Inches |      |      |     |    |        |           |  |
|-------------|-----------|---------------------------------|--|------|------|-----|----|--------|-----------|--|
|             | Model No. | Description                     | L  | W    |      | L   | W  |        | Ctn. Qty. |  |
|             | 30312     | 12″ System Bin                  | 12   | 33   | 5    | 10% | 3% | 415/16 | 5         |  |
|             | 30318     | 18″ System Bin                  | 18   | 33   | 5    | 16% | 3% | 415/16 | 5         |  |
|             | 40312*    | System Bin Divider (Black only) | 5/32   | 47/8 | 47/8 | -   | -  | -      | 6 pk.     |  |

One color per carton: Specify Red, Blue or Yellow. Order in carton quantities. \*One divider per compartment, six per unit. \*\*Bottom inside dimension per compartment.

| Model No. | Description       | L   | W  | Н  | Bin Qty. |
|-----------|-------------------|-----|----|----|----------|
| APRBENCH  | Bench Pick Rack   | 36¾ | 12 | 25 | ‡        |
| AS1279312 | 12" Shelving Unit | 36  | 12 | 79 | 10*      |
| AS1879318 | 18" Shelving Unit | 36  | 18 | 79 | 10**     |

‡Order bins separately. Specify bin color when ordering. \*Qty. of 30312 System Bins included. \*\*Qty. of 30318 System Bins included.


| Cart Systems |              |                              |    | Inches | IS |          |
|--------------|--------------|------------------------------|----|--------|----|----------|
|              | Model No.    | Description                  | L  | W      | Н  | Bin Qty. |
|              | R5SYT5HR2436 | Multi-Shelf Cart (5 shelves) | 36 | 241/2  | 40 | 10*      |
|              | R5SYT8MR2436 | Multi-Shelf Cart (5 shelves) | 36 | 241/2  | 43 | 10*      |
|              | R5SYT5HR3636 | Multi-Shelf Cart (5 shelves) | 36 | 361/2  | 40 | 10**     |
|              | R5SYT8MR3636 | Multi-Shelf Cart (5 shelves) | 36 | 361/2  | 43 | 10**     |

Specify bin color when ordering. \*Qty. of 30312 System Bins included. \*\*Qty. of 30318 System Bins included.

# accessories Ories



System Bin Divider



# **Easy Flow Gravity Hopper**

storage bins, racks & hanging systems

# A Unique Way to Improve Workflow!

- · Unique hopper provides exceptional product storage, while saving space through a compact vertical design
- · Large, angled top opening allows easy filling, whether used on the Gravity Hopper Floor Rack or on a work platform
- Generous picking area provides easy access to the loaded product, while keeping it neatly contained and sorted
- Great for: fasteners, assembly areas, kanban, inventory stock, merchandise and work cells
- 31620 50 lb. capacity, 31625 75 lbs. capacity per hopper
- Rotational-molded for strength and durability LLDPE
- Allows for proper lot rotation





#### 31625RACK **Gravity Hopper Floor Rack**

- Holds 9 large/12 small Easy Flow Gravity Hoppers per side for maximum efficiency
- 13-gauge steel
- 900 lb. load capacity
- Adjustable rail heights
- Can be mobilized with optional dolly



top opening for easy filling



Generous picking area provides easy access to loaded product



#### **30600DOLLY**


- Mobilize Rack with optional Dolly
- Four swivel casters (two with brakes)





#### 30600BRACKET

Bracket available to attach either size hopper to existing louvered panel



**Gravity Hopper** When ordering 31625 specify color Red or Blue. \$ Sliding divider shelf with 31620 hopper only.

Large Easy Flow

| Mod   | del No. | Description  | Wt. Cap. |
|-------|---------|--|----------|
| 3162  | 25RACK  | Easy Flow Gravity Hopper Rack 36" x 36" x 69"                    | 900 lbs. |
| 3060  | ODOLLY  | Easy Flow Gravity Hopper Dolly with 4" x 1.5" Polyolefin Casters | 900 lbs. |
| 30600 | BRACKET | Easy Flow Gravity Hopper Bracket                                 | 75 lbs.  |


18

10¾

75

2400





1

# Super-Size AkroBins®

#### heavy duty bins, totes, containers & small parts storage

- Large-capacity storage to improve organization
- Molded of high-impact polypropylene and unaffected by weak acids or alkalis
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Guaranteed not to crack or break under normal load conditions as stated in the 1-year limited warranty
- Products made of polypropylene block copolymer are autoclavable up to 250° F
- Available in three vibrant colors Red, Yellow and Blue













Window Insert optimizes interior space and keeps contents visible



Lengthwise Dividers keep items separated in the bin

Exclusively from Akro-Mils MIDTH DIMDERS Create Extra Storage!




Widthwise Dividers create extra storage compartments

# **Super-Size AkroBins** New Ways to **Super-Size & Organize**

 Provide additional options to efficiently organize large items and improve workflow

• Heavy-duty bins securely stack atop each other or can sit on shelving, carts or dollies





| AkroBins  | s Inches Inches |       |    |     |         |       | •      |                      |                                 | Divid        | ers*      | rs* Windows |                |                |         |                     |                      |  |
|-----------|-----------------|-------|----|-----|---------|-------|--------|----------------------|---------------------------------|--------------|-----------|-------------|----------------|----------------|---------|---------------------|----------------------|--|
| Model No. | L               | W     | н  | L   | W       | Н     | X      | Max. Cap.<br>per Bin | Stacking Cap./=<br>Qty. Stacked | Ctn.<br>Qty. | Width     | Length      | Divider I<br>W | Pkg. Qty.<br>L | Windows | Window<br>Pkg. Qty. | Card Stock<br>Holder |  |
| 30280     | 20              | 12¾   | 6  | 16% | 1011/16 | 5%    | 15½    | 200 lbs.             | 40 lb./10                       | 4            | 1         | 40280 (3)   | -              | 2              | 21280   | 2                   | 29304                |  |
| 30281     | 20              | 123/8 | 8  | 16% | 1011/16 | 73/8  | 151/2  | 200 lbs.             | 50 lb./7                        | 3            | -         | 40281 (3)   | -              | 3              | 21281   | 3                   | 29304                |  |
| 30282     | 20              | 123/8 | 12 | 16% | 1011/16 | 11%   | 151/2  | 200 lbs.             | 60 lb./5                        | 2            | -         | 40282 (3)   | -              | 1              | 21282   | 2                   | 29304                |  |
| 30283     | 20              | 183/8 | 12 | 16% | 16%     | 113/8 | 15½    | 300 lbs.             | 150 lb./5                       | 1            | -         | 40282 (3)   | -              | 1              | 21283   | 1                   | 29304                |  |
| 30284     | 23%             | 81⁄4  | 7  | 20% | 6%      | 6%    | 19%    | 200 lbs.             | 150 lb./5                       | 4            | 41284 (2) | 40286 (1)   | 2              | 4              | 21284   | 4                   | 29304                |  |
| 30286     | 23%             | 11    | 7  | 20% | 9%      | 6%    | 195/16 | 200 lbs.             | 150 lb./5                       | 4            | 41286 (2) | 40286 (3)   | 2              | 4              | 21286   | 4                   | 29304                |  |
| 30287     | 23%             | 11    | 10 | 20¾ | 9       | 91/8  | 195/16 | 300 lbs.             | 150 lb./5                       | 4            | 41287 (2) | 40287 (3)   | 6              | 6              | 21287   | 4                   | 29304                |  |
| 30288     | 23%             | 16½   | 11 | 20¾ | 143/8   | 101/8 | 195/16 | 300 lbs.             | 150 lb./5                       | 1            | 41288 (2) | 40287 (3)   | 6              | 6              | 21288   | 1                   | 29304                |  |
| 30289     | 23%             | 181⁄4 | 12 | 20¾ | 16      | 111/8 | 191/4  | 300 lbs.             | 150 lb./5                       | 1            | 41289 (2) | 40289 (3)   | 2              | 1              | 21289   | 1                   | 29304                |  |
| 30290     | 291/4           | 18¾   | 12 | 26% | 16%     | 11%   | 24¾    | 300 lbs.             | 150 lb./5                       | 1            | -         | 40290 (3)   | -              | 1              | 21283   | 1                   | 29304                |  |
| 30292     | 29%             | 11    | 10 | 26¾ | 9       | 9%    | 255/16 | 300 lbs.             | 150 lb./5                       | 4            | 41287 (2) | 40292 (3)   | 6              | 6              | 21287   | 4                   | 29304                |  |
| 30293     | 29%             | 16½   | 11 | 26¾ | 14%     | 10%   | 255/16 | 300 lbs.             | 150 lb./5                       | 1            | 41288 (2) | 40292 (3)   | 6              | 6              | 21288   | 1                   | 29304                |  |

One color per carton: Specify Red, Blue, or Yellow. Not recommended to hang on rack or panel systems. Order in carton quantities. \* () = Max. # of divider slots per bin.

#### Super-Size AkroBin Carts **Dimensions Inches**

Inside Dimensions

| Model No.  | Descriptions  | L   | W     | Н  | Capacity lbs. | No. of<br>Handles | Ctn. Qty. |
|------------|---|-----|-------|----|---------------|-------------------|-----------|
| R214CS1841 | Transports six 30283 Bins   | 41  | 18    | 48 | 900           | 2                 | 1         |
| R214CS1859 | Transports nine 30283 Bins  | 59  | 18    | 48 | 1350          | 2                 | 1         |
| R214CS1878 | Transports twelve 30283 Bins  | 78  | 18    | 48 | 1500          | 2                 | 1         |
| R214CS2841 | Transports six 30290 Bins   | 41  | 271/2 | 48 | 900           | 2                 | 1         |
| R214CS2859 | Transports nine 30290 Bins  | 59  | 27½   | 48 | 1350          | 2                 | 1         |
| R214CS2878 | Transports twelve 30290 Bins  | 78  | 271/2 | 48 | 1500          | 2                 | 1         |
| R216CS2236 | Transports sixteen 30284 Bins, six 30286 Bins,<br>six 30287 Bins, four 30288 Bins | 35½ | 221/8 | 35 | 900           | 1                 | 1         |
| R216CS2836 | Transports six 30292 Bins, four 30293 Bins  | 35½ | 281/8 | 35 | 900           | 1                 | 1         |
| R216CS2239 | Transports four 30289 Bins  | 35½ | 221/8 | 39 | 900           | 1                 | 1         |

Optional security bar available for all sizes. Bins sold separately.

Super-Size Outside Dimensions



#### **Dimensions Inches**

| Descriptions   | L  | w  | н   | Casters  | Capacity Ibs.   | Ctn. Qty.   |
|--|--|--|---|--|---|---|
| Compatible with Model 30280, 30281, 30282<br>& 30283 Bins – Fits 1 wide                          | 1713/16  | 18%  | 411/16  | 3" Polyolefin  | 500   | 1   |
| Compatible with Model 30290 Bins – Fits 1 wide   | 2613/16  | 18¾  | 411/16  | 3" Polyolefin  | 500   | 1   |
| Compatible with Model 30286 & 30287 Bins –<br>Fits 2 wide  | 20%  | 21%  | 411/16  | 3" Thermo-Plastic  | 500   | 1   |
| Compatible with Model 30292 Bins – Fits 2 wide   | 21%  | 26%  | 411/16  | 3" Thermo-Plastic  | 500   | 1   |
| Compatible with Model 30284 Bins – Fits 2 wide<br>Compatible with Model 30288 Bins – Fits 1 wide | 16½  | 20%  | 411/16  | 3" Thermo-Plastic  | 500   | 1   |
| Compatible with Model 30293 Bins – Fits 1 wide   | 161/2  | 26%  | 411/16  | 3" Thermo-Plastic  | 500   | 1   |
| Compatible with Model 30289 Bins – Fits 1 wide   | 181/2  | 20%  | 411/16  | 3" Thermo-Plastic  | 500   | 1   |
|  | Compatible with Model 30280, 30281, 30282 & 30283 Bins – Fits 1 wide  Compatible with Model 30290 Bins – Fits 1 wide  Compatible with Model 30286 & 30287 Bins – Fits 2 wide  Compatible with Model 30292 Bins – Fits 2 wide  Compatible with Model 30284 Bins – Fits 2 wide  Compatible with Model 30288 Bins – Fits 1 wide  Compatible with Model 30293 Bins – Fits 1 wide | Compatible with Model 30280, 30281, 30282 & 30283 Bins – Fits 1 wide 2613/6  Compatible with Model 30290 Bins – Fits 1 wide 2613/6  Compatible with Model 30286 & 30287 Bins – 20%  Compatible with Model 30292 Bins – Fits 2 wide 21%  Compatible with Model 30284 Bins – Fits 2 wide 21%  Compatible with Model 30288 Bins – Fits 1 wide 161/2  Compatible with Model 30293 Bins – Fits 1 wide 161/2 | Compatible with Model 30280, 30281, 30282 & 30283 Bins – Fits 1 wide  Compatible with Model 30290 Bins – Fits 1 wide  Compatible with Model 30290 Bins – Fits 1 wide  Compatible with Model 30286 & 30287 Bins – Fits 2 wide  Compatible with Model 30292 Bins – Fits 2 wide  Compatible with Model 30284 Bins – Fits 2 wide Compatible with Model 30288 Bins – Fits 1 wide  Compatible with Model 30288 Bins – Fits 1 wide  Compatible with Model 30293 Bins – Fits 1 wide  Compatible with Model 30293 Bins – Fits 1 wide | Compatible with Model 30280, 30281, 30282 & 30283 Bins – Fits 1 wide  Compatible with Model 30290 Bins – Fits 1 wide  Compatible with Model 30290 Bins – Fits 1 wide  Compatible with Model 30286 & 30287 Bins – 20% 21% 41%  Compatible with Model 30292 Bins – Fits 2 wide  Compatible with Model 30292 Bins – Fits 2 wide  Compatible with Model 30284 Bins – Fits 2 wide  Compatible with Model 30288 Bins – Fits 1 wide  Compatible with Model 30293 Bins – Fits 1 wide  Compatible with Model 30293 Bins – Fits 1 wide | Compatible with Model 30280, 30281, 30282 8 30283 Bins – Fits 1 wide Compatible with Model 30290 Bins – Fits 1 wide 26 <sup>13</sup> / <sub>6</sub> 18 <sup>3</sup> / <sub>8</sub> 4 <sup>11</sup> / <sub>6</sub> 3" Polyolefin  Compatible with Model 30286 & 30287 Bins – Fits 2 wide Compatible with Model 30292 Bins – Fits 2 wide Compatible with Model 30292 Bins – Fits 2 wide Compatible with Model 30284 Bins – Fits 2 wide Compatible with Model 30288 Bins – Fits 1 wide Compatible with Model 30293 Bins – Fits 1 wide Compatible with Model 30288 Bins – Fits 1 wide Compatible with Model 30293 Bins – Fits 1 wide Compatible with Model 30293 Bins – Fits 1 wide Compatible with Model 30293 Bins – Fits 1 wide Compatible with Model 30293 Bins – Fits 1 wide Compatible with Model 30293 Bins – Fits 1 wide Compatible with Model 30293 Bins – Fits 1 wide Compatible with Model 30293 Bins – Fits 1 wide Compatible with Model 30293 Bins – Fits 1 wide | Compatible with Model 30280, 30281, 30282       1713/6       183/8       413/6       3" Polyolefin       500         Compatible with Model 30290 Bins – Fits 1 wide       2613/6       183/8       413/6       3" Polyolefin       500         Compatible with Model 30286 & 30287 Bins – Fits 2 wide       201/8       211/8       413/6       3" Thermo-Plastic       500         Compatible with Model 30292 Bins – Fits 2 wide       211/8       263/8       413/6       3" Thermo-Plastic       500         Compatible with Model 30284 Bins – Fits 2 wide Compatible with Model 30288 Bins – Fits 1 wide       161/2       201/8       413/6       3" Thermo-Plastic       500         Compatible with Model 30293 Bins – Fits 1 wide       161/2       263/8       413/6       3" Thermo-Plastic       500 |

Bins sold separately.



# related products

Increase the benefits of your Super-Size AkroBins with:

- Wire Shelving Systems ......pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42
- Shelf Cart ......pg. 47

#### **Window Inserts** Optimize interior space and keep contents visible



# **Carts & Dollies**



#### **AkroBin Carts**

Accessories

Easy organization of bulky parts in

- 4, 6, 9, 12 and 16 bin configurations! Super-Size AkroBins
- (sold separately) store and organize large, bulky items
- Heavy-duty frames with capacity from 900 - 1,500 lbs.



**AkroBin Solid Steel Dollies** 

Available for efficient parts transport

# Stak-N-Store Bins

heavy duty bins, totes, containers & small parts storage

- The perfect way to organize heavy, bulky items
- Bins stack to form tall, stable storage arrangements on floors or standard industrial shelving
- 75 lb. weight capacity
- · Colors: Red, Blue, Gray and Clear
- 13017 is also available in White



# related products

Add mobility to your Stak-N-Store Bins with:

- Wire Shelving Systems ......pgs. 36-39
- Steel Shelving Systems ......pgs. 40-42
- Solid Steel Dollies.....pg. 50
- VERSA/Deck ......pg. 53
- Platform Trucks.....pgs. 54-57





#### **Secure Stacking**

· Stack bins together to form vertical storage and picking systems



#### **Solid Steel Dollies**

Available for efficient, easy load transport



Proxima

Proxima





| Stak-N-Store Bins | ;         | Outside Dimensions Inside Dimensions Inches Inches |     |        |     |     | s     |     |                  |           |
|-------------------|-----------|--|-----|--------|-----|-----|-------|-----|------------------|-----------|
|                   | Model No. | L  | W   | Н      | L   | W   | Н     | X   | Capacity Cu. Ft. | Ctn. Qty. |
|                   | 13014     | 171/2  | 10% | 121/2  | 15% | 8   | 121/4 | 13½ | .98              | 4         |
|                   | 13017     | 151/4  | 19% | 121/16 | 13% | 17½ | 121/4 | 11½ | 1.7              | 3         |
|                   | 13018     | 171/2  | 16½ | 121/2  | 15% | 13¾ | 121/4 | 13½ | 1.6              | 2         |

One color per carton. Specify Red, Blue, Gray or Clear. 13017 also available in White. Order in carton quantities.

| Steel Dolly |             |                | Inches |      |           |          |               |                   |
|-------------|-------------|----------------|--------|------|-----------|----------|---------------|-------------------|
|             | Model No.   | L              | W      | н    | Ctn. Qty. | Capacity | Casters       | Bin Compatibility |
|             | RU843HR1617 | 16%            | 15¾    | 41/2 | 1         | 900 lbs. | 3″ Polyolefin | 13018             |
|             | RU843HR1519 | <b>519</b> 19¼ |        | 41/2 | 1         | 900 lbs. | 3″ Polyolefin | 13017             |

# Nest & Stack Totes

heavy duty bins, totes, containers & small parts storage







- Extremely durable industrial-grade totes
- · Ideal for shipping, transfer and storage applications
- · NSTs stack with or without lids for storage and shipping, nest when empty
- Strong, high impact polypropylene will not rust, corrode or bend out of shape even when fully loaded
- Heavy-duty construction provides a longer service life resulting in lower replacement costs than other "budget-priced" totes
- Easy to clean, smooth surfaces are resistant to most solvents and chemicals
- NSTs are manufactured from FDA-sanctioned materials
- Optional lids protect contents from dust and damage
- Available in 9 sizes and 3 colors: Red, Blue and Gray









Textured bottoms provide a no-slip grip on conveyor belts



Ribs under the lip will prevent jamming when nested

# related products

Add mobility to your Nest & Stack Totes with:

- Carts ......pgs. 45-47
- Dollies......pgs. 49-50
- Wire Shelving Systems ......pgs. 36-39

Available to transport containers - see pgs. 49-50



# accessories



Clear Plastic Label Holders attach easily to NSTs, with or without the lid in place. Holders accommodate labels up to 3¾" x 5'



Lids feature tie holes, compatible with a variety of closures to prevent pilferage and tampering. See chart for matching lid size below

#### Label Haldana

| Label Holders |           |                  |
|---------------|-----------|------------------|
| Model No.     | Pkg. Qty. | Label Size (In.) |
| 35010         | 6         | 3¾ x 5           |
| 35011         | 6         | 3 x 5            |







| L<br>18     | W   | Н  |   |   |   |  |  |  |  |  |  |
|-------------|---|--|---|---|---|--|--|--|--|--|--|
| 18          |   |  | A   | В   | C   | D  | E  | NST Ctn. Qty.  | Cu. Ft.  | Lid Model  | Ctn. Qty   |
|             | 11  | 6  | 10  | 16  | 151/4   | 93/8   | 5%   | 6  | 0.5  | 35181  | 6  |
| 18          | 11  | 9  | 10  | 16  | 15%   | 91/8   | 8%   | 6  | 0.76   | 35181  | 6  |
| 191/2       | 151/2   | 10   | 141/2   | 17  | 16  | 131⁄4  | 9%   | 6  | 1.2  | 35191  | 6  |
| 19½         | 151/2   | 13   | 141/2   | 17  | 15%   | 13%  | 12%  | 6  | 1.7  | 35191  | 6  |
| 19½         | 131/2   | 8  | 12%   | 171/8   | 16%   | 111/2  | 7%   | 6  | 0.8  | 35201  | 6  |
| 23½         | 19½   | 10   | 181/4   | 20%   | 19%   | 16%  | 9%   | 3  | 2  | 35231  | 3  |
| 23½         | 191/2   | 13   | 18%   | 20%   | 19½   | 16%  | 12%  | 3  | 2.6  | 35231  | 3  |
| 23½         | 15½   | 12   | 141/4   | 20%   | 195/8   | 13   | 11%  | 3  | 1.7  | 35241  | 3  |
| 29½         | 19½   | 15   | 181⁄4   | 26%   | 251/8   | 165/8  | 14%  | 3  | 3.7  | 35301  | 3  |
| 1 1 2 2 2 2 | 19½<br>19½<br>19½<br>23½<br>23½<br>23½<br>23½ | 19½ 15½<br>19½ 15½<br>19½ 13½<br>23½ 19½<br>23½ 19½<br>23½ 19½<br>23½ 15½<br>29½ 19½ | 19½ 15½ 10<br>19½ 15½ 13<br>19½ 13½ 8<br>23½ 19½ 10<br>23½ 19½ 13<br>23½ 15½ 12<br>29½ 19½ 15 | 19½     15½     10     14½       19½     15½     13     14½       19½     13½     8     12%       23½     19½     10     18¼       23½     19½     13     18%       23½     15½     12     14¼       29½     19½     15     18¼ | 19½         15½         10         14½         17           19½         15½         13         14½         17           19½         13½         8         12¾         17½           19½         13½         8         12¾         20½           23½         19½         10         18¼         20½           23½         19½         13         18½         20½           23½         15½         12         14¼         20½           29½         19½         15         18¼         26% | 19½         15½         10         14½         17         16           19½         15½         13         14½         17         15%           19½         13½         8         12%         17½         16%           23½         19½         10         18¼         20%         19%           23½         19½         13         18%         20%         19½           23½         15½         12         14¼         20%         19%           29½         19½         15         18¼         26%         25% | 19½         15½         10         14½         17         16         13¼           19½         15½         13         14½         17         15%         13%           19½         13½         8         12¾         17%         16¾         11½           23½         19½         10         18¼         20%         19¾         16%           23½         19½         13         18½         20%         19½         16%           23½         15½         12         14¼         20%         19%         13 | 19½         15½         10         14½         17         16         13¼         9%           19½         15½         13         14½         17         15%         13%         12%           19½         13½         8         12%         17%         16%         11½         7%           23½         19½         10         18¼         20%         19%         16%         9%           23½         19½         13         18%         20%         19½         16%         12%           23½         15½         12         14¼         20%         19%         13         11%           29½         19½         15         18¼         26%         25%         16%         14% | 19½ 15½ 10 14½ 17 16 13¼ 9% 6 19½ 15½ 13 14½ 17 15% 13% 12% 6 19½ 13½ 8 12% 17½ 16% 11½ 7% 6 23½ 19½ 10 18¼ 20% 19% 16% 9% 3 23½ 19½ 13 18½ 20% 19½ 16% 12% 3 23½ 15½ 12 14¼ 20% 19% 13 11% 3 29½ 19½ 15 18¼ 26% 25% 16% 14% 3 | 19½         15½         10         14½         17         16         13¼         9%         6         1.2           19½         15½         13         14½         17         15%         13%         12%         6         1.7           19½         13½         8         12½         17½         16%         11½         7½         6         0.8           23½         19½         10         18¼         20%         19½         16%         9½         3         2           23½         19½         13         18½         20%         19½         16%         12½         3         2.6           23½         15½         12         14¼         20%         19½         13         11½         3         1.7           29½         19½         15         18¼         26%         25½         16%         14½         3         3.7 | 19½         15½         10         14½         17         16         13¼         9%         6         1.2         35191           19½         15½         13         14½         17         15%         13%         12%         6         1.7         35191           19½         13½         8         12%         17½         16%         11½         7%         6         0.8         35201           23½         19½         10         18¼         20%         19%         16%         9%         3         2         35231           23½         19½         13         18%         20%         19½         16%         12%         3         2.6         35231           23½         15½         12         14¼         20%         19%         13         11%         3         1.7         35241           29½         19½         15         18¼         26%         25½         16%         14%         3         3.7         35301 |



#### heavy duty bins, totes, containers & small parts storage

- Versatile work-in-process transfer containers
- Dividers allow subdivision of the containers down to a 11/8" square compartment size
- Akro-Grids are molded with a letter/number system for easy parts tracking
- Injection-molded from polypropylene block copolymer
- · Resists most solvents and chemicals
- Compatible with most racks, shelving and automated material handling equipment













**Dividers** allow subdivision of the containers down to a 11/8" square compartment size. Color: Black



Clear Plastic Label Holders snap securely on any side of the container




Clear Snap-On Lids keep contents clean yet visible. Molded cornér guides provide secure stacking







| kro-Grids                 | Outs        | ide Dimei<br>Inches | nsions       |        | Insid    | le Dimens<br>Inches | sions |       |                  | Capa    |      | Accessories   |                |                      |  |
|---------------------------|-------------|---------------------|--------------|--------|----------|---------------------|-------|-------|------------------|---------|------|---------------|----------------|----------------------|--|
| Model No.                 | L           | w                   | Н            | A      | В        | С                   | D     | E     | Bin<br>Ctn. Qty. | Cu. Ft. | Lbs. | Long Divider* | Short Divider* | Divider<br>Pkg. Qty. |  |
| 33105                     | 101/8       | 81⁄4                | 5            | 611/16 | 95/16    | 91/8                | 61/2  | 45/8  | 20               | .16     | 25   | 42105 (5)     | 41105 (7)      | 6                    |  |
| 33164                     | 16½         | 10%                 | 4            | 9%     | 1415/16  | 1413/16             | 9¾6   | 3%    | 12               | .29     | 20   | 42164 (7)     | 41164 (11)     | 6                    |  |
| 33166                     | 16½         | 10%                 | 6            | 95/16  | 141//8   | 14¾                 | 9%    | 5%16  | 8                | .44     | 35   | 42166 (7)     | 41166 (11)     | 6                    |  |
| 33168                     | 16½         | 10%                 | 8            | 95/16  | 1415/16  | 14%                 | 91/16 | 7%16  | 6                | .59     | 40   | 42168 (7)     | 41168 (11)     | 6                    |  |
| 33220                     | 22%         | 17%                 | 10           | 151/4  | 201/8    | 19%                 | 14%   | 9%    | 2                | 1.66    | 50   | 42220 (11)    | 41220 (15)     | 6                    |  |
| 33223                     | 221/2       | 17%                 | 3            | 157/16 | 20½      | 207/16              | 15%   | 21/2  | 6                | .47     | 30   | 42223 (11)    | 41223 (15)     | 6                    |  |
| 33224                     | 22%         | 17%                 | 4            | 151/16 | 201/16   | 20                  | 15    | 3%    | 6                | .61     | 30   | 42224 (11)    | 41224 (15)     | 6                    |  |
| 33226                     | 22¾         | 17%                 | 6            | 151/8  | 201/8    | 19%                 | 14%   | 5%    | 4                | .96     | 40   | 42226 (11)    | 41226 (15)     | 6                    |  |
| 33228                     | 22%         | 17%                 | 8            | 151/8  | 201/8    | 19%                 | 14%   | 71/16 | 3                | 1.30    | 50   | 42228 (11)    | 41228 (15)     | 6                    |  |
| no color por carton Speci | 6. Dad Dlue | a = C = = = 0 =     | day in cauta |        | s */\ ma | منيظ مراة ما أمية   | lane. |       |                  | •       |      |               |                |                      |  |



One color per carton. Specify Red, Blue or Gray. Order in carton quantities. \*( ) =  $\max$  # of dividers.

| C | e | a | r | S | n | a | p | - | 0 | ľ | 1 | L | i | l | S |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

| Model No. | Fits Grid No.                     | Ctn. Qty. |
|-----------|-----------------------------------|-----------|
| 33011     | 33105                             | 10        |
| 33061     | 33164, 33166, 33168               | 4         |
| 33023     | 33220, 33223, 33224, 33226, 33228 | 3         |

#### **Label Holders**

| Model No. | Fits Grid No.                       | Pkg. Qty.                                 |
|-----------|-------------------------------------|---|
| 35010     | Fits all except 33164, 33223, 33224 | 6   |
| 35011     | 33164, 33224                        | 6   |
|           | 35010                               | 35010 Fits all except 33164, 33223, 33224 |

#### Adhesive Lahel

| Model No. | Fits Grid No. | Pkg. Qty.             |
|-----------|---------------|-----------------------|
| 29203     | 33223         | 10 sheets (120 total) |



· Available to transport

containers. See pgs. 49-50



# **Attached Lid Containers**

heavy duty bins, totes, containers & small parts storage











Textured bottoms provide a sure grip on conveyor belts



Strong molded-in handle grips are ergonomically designed for easy lifting and carrying



Padlock eye on both ends accommodates security ties



Reinforced hinge pins for years of smooth lid operation

• ALCs stack and nest for optimal space use

Reusable shipping, distribution, order picking, and storage containers

• Attached lids snap securely closed to protect contents from dust or damage

• Containers interwork for easy pallet loading

• See chart below for color options



| ALCs      |                           | Out | side Dimens<br>Inches | ions  | Insid | le Dimension<br>Inches | ns Top | Inside Dimen<br>Inc |       | m       | Capacity |      |           |                             |
|-----------|---------------------------|-----|-----------------------|-------|-------|------------------------|--------|---------------------|-------|---------|----------|------|-----------|-----------------------------|
| Model No. | Available Colors          | L   | w                     | Н     | L     | w                      | Н      | L                   | w     | Cu. Ft. | Gal.     | Lbs. | Ctn. Qty. | Stack Cap./<br>Qty. Stacked |
| 39085     | Blue, Gray                | 21½ | 15                    | 9     | 19¾   | 141/2                  | 8%     | 187/16              | 131/4 | 1.12    | 8.5      | 35   | 6         | 35 lbs./5                   |
| 39120     | Blue, Green,<br>Red, Gray | 21½ | 15                    | 12½   | 19¾   | 14½                    | 12     | 187/16              | 131/4 | 1.62    | 12       | 65   | 6         | 65 lbs./5                   |
| 39160     | Gray                      | 27  | 17                    | 121/2 | 25    | 15½                    | 11     | 231/2               | 14    | 2.25    | 16.83    | 100  | 1         | 100 lbs./4                  |
| 39170     | Blue, Gray                | 21½ | 15                    | 17    | 19¾   | 14½                    | 16%    | 187/16              | 131/4 | 2.28    | 17       | 100  | 3         | 100 lbs./3                  |
| 39175     | Gray                      | 24  | 19½                   | 12½   | 22    | 18                     | 11     | 20½                 | 16½   | 2.3     | 17.20    | 80   | 1         | 80 lbs./5                   |
| 39280     | Gray                      | 28  | 21                    | 15½   | 26    | 19                     | 14     | 25                  | 18    | 3.82    | 28.57    | 100  | 1         | 100 lbs./4                  |

Order in carton quantities. Specify color when ordering.



· Plastic, steel and wood dollies available to transport containers. See pgs. 49-50



# Straight Wall Containers

heavy duty bins, totes, containers & small parts storage

- SWCs are reusable shipping, storage, and work-in-process containers
- Straight walls provide efficient internal and external space usage
- Solid-sided containers have smooth inner walls for easy, sanitary cleaning
- Mesh-sided containers allow hot or cold air ventilation
- Injection-molded from high-density polyethylene
- Available in 4 sizes and 3 styles
- · Colors: Red, Gray













# related products

Add more productivity to your Straight Wall Containers with:

- Carts ......pgs. 45-47 • Dollies......pgs. 49-50
- Platform Trucks.....pgs. 54-57

# *features*



One-inch wall thickness for secure stacking



Strong, 1" wide, stacking rims and external ribbing provide added



Straight walls provide efficient cubing in trucks



Open .72 x .90 mesh pattern allows high visibility and good



#### **Dollies**

Plastic, steel and wood dollies available to transport containers. See pgs. 49-50

| Straight Wall Containers (SWCs) |                                |                             | Outs | Outside Dimensions<br>Inches |       |       | Inside Dimensions Top<br>Inches |    |           | Stacking Capacity / Qty.<br>Bottom Type |           |  |
|---------------------------------|--------------------------------|-----------------------------|------|------------------------------|-------|-------|---------------------------------|----|-----------|---|-----------|--|
| Model No. Mesh Side & Base      | Model No. Mesh Side/Solid Base | Model No. Solid Side & Base | L    | W                            | Н     | L     | W                               | Н  | Ctn. Qty. | Solid                                   | Mesh      |  |
| 37208                           | 37278                          | 37288                       | 15¾  | 11¾                          | 81/4  | 141⁄4 | 101/4                           | 8  | 12        | 83 lbs./6                               | 30 lbs./6 |  |
| 37608                           | 37678                          | 37688                       | 23¾  | 15¾                          | 81/4  | 221/4 | 141/4                           | 8  | 4         | 83 lbs./6                               | 45 lbs./6 |  |
| 37612                           | 37672                          | 37682                       | 23¾  | 15¾                          | 121/4 | 221/4 | 141/4                           | 12 | 3         | 125 lbs./5                              | 45 lbs./5 |  |
| 37616                           | 37676                          | 37686                       | 23¾  | 15¾                          | 16%   | 221/4 | 141⁄4                           | 16 | 2         | 150 lbs./4                              | 45 lbs./4 |  |
| Order in carton quantities.     |                                |                             |      |                              |       |       |                                 |    |           |   |           |  |



# **Cross-Stack Akro-Tub**

heavy duty bins, totes, containers & small parts storage

- · Ideal for food processing and handling operations or industrial work-in-progress activities
- Industrial-grade 90° nest and stack tub
- Nesting when empty conserves storage space
- · Molded-in side handles for comfortable lifting
- Manufactured from FDA-sanctioned materials
- Smooth surface is easy to clean
- Compatible with standard 36" shelving and conveyor systems
- Color: Gray



# Akro-Tub & Rack

- · Heavy-duty, industrial-grade nesting tub
- Tub manufactured from FDA-sanctioned materials
- Smooth surface is easy to clean
- Nests when empty to conserve storage space
- Use the Akro-Tub Rack (RA6TR4MR) to provide easy loading and transport of multiple Akro-Tubs
- 75 lb. capacity per tub
- · Color: Gray



### akro-tub features



Rounded corner design adds strength to stress points



Rolled top rim forms comfortable handles



Extra-thick walls for superior



Ribs prevent jamming when nested

#### **Outside Dimensions**

|     | Model No. | L     | W     | Н  | A     | В     | Capacity Gal. | Ctn. Qty. |
|-----|-----------|-------|-------|----|-------|-------|---------------|-----------|
| L W | 34301     | 171⁄4 | 11    | 8  | 131/4 | 7¾    | 3.85          | 6         |
|     | 34302     | 171⁄4 | 11    | 12 | 12%   | 7     | 5.51          | 6         |
| H   | 34303     | 23¾   | 171⁄4 | 8  | 19¾   | 14    | 9.81          | 6         |
| В   | 34304     | 23¾   | 171/4 | 12 | 19    | 131/4 | 14.38         | 6         |

#### Order in carton quantities.

Cross-Stack Akro-Tub

| ı | Double-Sided Cross-Stack Akro-Tub Rack |   |    | Inches |    |                  |
|---|--|---|----|--------|----|------------------|
|   | Model No.                              | Description   |    | W      | н  | Rack Weight/lbs. |
|   | RACR5MR                                | Holds 32 (34301) Cross-Stack Akro-Tubs* or<br>16 (34303) Cross-Stack Akro-Tubs* | 53 | 29     | 62 | 1000 lbs.        |

#### Order in carton quantities. \*Tubs sold separately.

| Akro-Tub  |    |       | Inches |       |       |               |           |
|-----------|----|-------|--------|-------|-------|---------------|-----------|
| Model No. | L  | w     | Н      | A     | В     | Capacity Gal. | Ctn. Qty. |
| 34240     | 19 | 241/2 | 91/2   | 201/2 | 151/2 | 14.6          | 6         |

#### Order in carton quantities.

| Akro-Tub Rack |    | Inches |         |   |  |
|---------------|----|--------|---------|---|--|
| Model No. H W |    | D      | Casters |   |  |
| RA6TR4MR      | 73 | 24     | 24      | 4" x 2" Mold-On Rubber: 2 Rigid, 2 Swivel |  |

### cross-stack akro-tub features



Stacking grooves allow stable



Molded-in handles for easy lifting



Extra-thick walls and reinforcing ribs provide superior strength









#### **Double-Sided Cross-Stack Tub Rack**

Holds 32 (34301) or 16 (34303) Cross-Stack Akro-Tubs\*



#### **Akro-Tub Rack**

· Holds 6 Akro-Tubs on angle-iron slides for up to 600 lb. total capacity. Welded steel frame with 12-gauge base and boltedon casters.\*

\*Akro-Tubs sold separately.

# **ESTAIL Steel Storage Cabinets**

heavy duty bins, totes, containers & small parts storage

- Two cabinets fit side by side on standard 36" wide shelving
- Removable drawers are rust, corrosion and dent-proof



#### 19-Series Heavy-Duty Cabinets

Frame: 17" wide x 11" deep x 11" high with five different drawer sizes. Drawer depth 10%

· 2 dividers per drawer



#### 17018

#### 17-Series Light-Duty Cabinets

Frame: 18" wide x 6" deep x 91/2" high. Drawer depth 5¾1

- 1 divider per drawer
- Removable drawers are rust, corrosion and dent-proof

### steel storage cabinet features — 19-Series



Label holder and transparent window for content identification



Strong, high-impact polystyrene drawers

#### 19-Series Drawers

- · Available separately for a variety of uses
- Now available in 5 colors and 5 sizes!
- · Made of high-impact polystyrene

Heavy-duty welded-

steel frame with durable

powder-coated finish

Drawers can be divided into as many as 8 compartments with dovetailed dividers, for customized storage



# Plastic Storage Cabinets

- Strong plastic cabinets organize and protect components
- Cabinets stack securely and are wall mountable
- A variety of drawer configurations provide versatile storage solutions
- Rugged, high-impact polystyrene frame
- Dividers included



10116

10124







10144

10164

# **Storage Cabinet** Hanging & Rotary Systems

### Mobile Steel Cabinet Rack\*

- Double-sided, mobile rail rack holds 12 of the 19-Series cabinets with as many as 336 drawers
- Supports up to 500 lbs.

#### **Components & Quantities**

- 30016 Double-Sided Rail Rack - Qty: 1
- 30424 Mobile Kit Qty: 1 · 19-Series Cabinets – Mix or
- Match Qty: 12 98400 Suspension Straps (Set
- of 2 straps) Qty: 12 Sets
- \*Assembly required



**Drawer Dimensions** 

**Drawer Dimensions** 

### Storage -Go-Round\*

- Access 20 cabinets and as many as 560 drawers in less than three square feet of floor space
- Holds up to 1,000 lbs. of parts
- Accommodates 19-Series Steel Cabinets, except the 19109 (sold separately)
- Swing diameter 43%"
- Stands 31" L x 31" W x 60" H

\*Assembly required



#### 10 Carios Hazur Duty Steel Cabinet

| 19-Series Heav | y-vuty steel Cabinets              |                         |       | incnes |      |           |                     |                               |
|----------------|------------------------------------|-------------------------|-------|--------|------|-----------|---------------------|-------------------------------|
| Model No.      | Description                        | Drawers Per<br>Cabinet‡ | w     | Н      | D    | Ctn. Qty. | Drawer<br>Model No. | Dividers 25/Pkg.<br>Model No. |
| 19228          | Steel Storage Cabinet*             | 28                      | 23/16 | 21/16  | 10%6 | 1         | 20228               | 40228                         |
| 19320          | Steel Storage Cabinet*             | 20                      | 33/16 | 21/16  | 10%6 | 1         | 20320               | 40320                         |
| 19416          | Steel Storage Cabinet*             | 16                      | 4     | 21/8   | 10%6 | 1         | 20416               | 40416                         |
| 19715          | Steel Storage Cabinet*             | 15                      | 33/16 | 31/16  | 10%6 | 1         | 20715               | 40715                         |
| 19909          | Steel Storage Cabinet*             | 9                       | 53/16 | 31/16  | 10%6 | 1         | 20909               | 40909                         |
| 19109          | Storage Cabinet w/<br>Locking Door | 9                       | 5¾16  | 31/16  | 10%6 | 1         | 20909               | 40909                         |

One drawer color per cabinet: Specify Red, Blue, Yellow, Gray or Black when ordering. ‡ Two removable dividers and one label per drawer included. Available with a locking door when ordered in quantities of 50 or more.

| 17-Series Light | -Duty Steel Cabinets |                                     | inches |      |    |           |                     |                               |
|-----------------|----------------------|-------------------------------------|--------|------|----|-----------|---------------------|-------------------------------|
| Model No.       | Description          | Drawers Per<br>Cabinet <sup>‡</sup> | w      | н    | D  | Ctn. Qty. | Drawer<br>Model No. | Dividers 25/Pkg.<br>Model No. |
| 17018           | Storage Cabinet*     | 18                                  | 2¾     | 21/2 | 5¾ | 1         | 20902               | 40901                         |

‡ One removable divider and one label per drawer included.

#### **Plastic Storage Cabinets**

| Model No. | Description       | L   | W    | Н       | Ctn. Qty. |
|-----------|-------------------|-----|------|---------|-----------|
| 10116     | 16-Drawer Cabinet | 10½ | 63/8 | 81/2    | 1         |
| 10124     | 24-Drawer Cabinet | 20  | 63/8 | 1513/16 | 1         |
| 10126     | 26-Drawer Cabinet | 20  | 63/8 | 101/4   | 1         |
| 10144     | 44-Drawer Cabinet | 20  | 63/8 | 1513/16 | 1         |
| 10164     | 64-Drawer Cabinet | 20  | 63/8 | 1513/16 | 1         |

16-Drawer Cabinet has 8 dividers. All other cabinets have 8 small and 4 large dividers.

#### Additional Dividers (Plastic Cabinets)

| - I a a i a i a i a i a i a i a i a i a i | Additional Dividers (Flastic Cabinets)          |  |  |  |  |  |  |  |  |
|---|---|--|--|--|--|--|--|--|--|
| Model No.                                 | Description                                     |  |  |  |  |  |  |  |  |
| 40716                                     | 16-Pack additional dividers for small drawers   |  |  |  |  |  |  |  |  |
| 40717                                     | 6-Pack additional dividers<br>for large drawers |  |  |  |  |  |  |  |  |



heavy duty bins, totes, containers & small parts storage

- Grid design in lid keeps items from spilling into other compartments
- Cases available in 3 sizes with different divider configurations
- Small and medium cases include 4 front-to-back adjustable dividers
- Large cases include 5 front-to-back adjustable dividers
- Durable clear polypropylene









**Small & Medium Cases** 

**Medium Cases** 





# **Portable Organizers**



- Unique design keeps parts and equipment from migrating to other compartments when lids are shut
- Separate lid compartment holds small items
- The main compartment holds larger, bulky items
- Dividers included for both levels
- Molded-in "feet" allow case to stand upright







# **Roto-Shelf**



- Mobile storage unit can easily be moved to different work areas, ideal for assembly components
- 19%" wide unit takes up very little floor space
- 3 shelves rotate on an independent central
- Shelf depth 21/8", Shelf diameter 197/8", 75 lbs. per shelf, 300 lb. total wt. capacity





Roto-Shelf

- · Hand-held tool and supply caddy
- Deep compartments hold loose parts, cleaning supplies or tools for easy transport
- Molded of heavy-duty, industrial-grade polypropylene for lasting durability
- Color: Blue

| Storage Cases              |                                | IS  |      |      |                   |           |  |  |  |
|----------------------------|--------------------------------|-----|------|------|-------------------|-----------|--|--|--|
| Model No.                  | Description                    | L   | W    | Н    | Max. Compartments | Ctn. Qty. |  |  |  |
| 05705                      | Small Case – 2 Fixed Dividers  | 8%  | 51/8 | 1%   | 15                | 12        |  |  |  |
| 05805                      | Medium Case – 2 Fixed Dividers | 11  | 7    | 2¾   | 15                | 6         |  |  |  |
| 05905                      | Large Case – 2 Fixed Dividers  | 14% | 9½   | 21/2 | 18                | 6         |  |  |  |
| Order in carten quantities |                                |     |      |      |                   |           |  |  |  |

Order in carton quantities

| Portable Organizers | le Organizers Inches        |       |        |      |                   |           |  |  |  |
|---------------------|-----------------------------|-------|--------|------|-------------------|-----------|--|--|--|
| Model No.           | Description                 | L     | W      | Н    | Max. Compartments | Ctn. Qty. |  |  |  |
| 06115               | Lid Storage Organizer       | 15    | 115/16 | 31⁄4 | 11 to 46          | 1         |  |  |  |
| 06118               | Large Lid Storage Organizer | 181/4 | 13%    | 3%   | 12 to 62          | 1         |  |  |  |

| Tote Caddy Inches |             |     |     |   |           |  |  |  |
|-------------------|-------------|-----|-----|---|-----------|--|--|--|
| Model No.         | Description | L   | w   | Н | Ctn. Qty. |  |  |  |
| 09185BLUE         | Tote Caddy  | 13% | 18% | 9 | 6         |  |  |  |

Order in carton quantities

# Wire Shelving Systems

#### shelving systems & cabinets

- More than 50 system options for bin and shelf configurations!
- Six customizable shelf sizes available: 14" x 36", 18" x 36", 24" x 36", 18" x 48", 24" x 48" and 24" x 60"
- Wide variety of heights and styles: 63" upright with casters and 74" upright stand alone to fit all locations
- Open wire design minimizes dust collection and improves visibility for stored contents
- NSF approved
- Stationary units hold a maximum of 2,000 lbs.
- Mobile units with casters have a maximum load capacity of 900 lbs.
- Max. weight capacity per shelf: 48" or shorter = 800 lbs.
  - Longer than 48'' = 600 lbs.









# Make organization **Easy** and more **Efficient**

- Build complete work cell systems
- · Constructed from steel with a chrome finish for durability and strength
- Works with a variety of Akro-Mils storage products to organize parts or products and increase workspace efficiency
- Streamlines workflow and order picking



#### Frames

Lightweight yet strong metal framework secures the shelving in place



#### **Shelves**

Adjustable to hold many Akro-Mils storage and organization products





#### **Leveling Bolts**

Screws securely into uprights to level shelf system on uneven surfaces



Easy Set-up

Durable, versatile Wire Shelving allows quick, one-person set-up and installation

## Create Easy, Durable Storage & Organization with **Custom Wire Shelving Packages!**

### AkroBin® Wire Systems



### Shorten Assembly Times

- Three sizes allow for a wide variety of Bin and Shelf configurations
- Durable AkroBins feature a curved-bottom hopper front, making it easy to retrieve small parts
- AkroBins, pgs. 4-6

### **Indicator**<sup>™</sup> Wire Systems



### Eliminate Stock-Outs

- Effective inventory at a glance
- Holds (88) 36442BLUE bins, (55) 36462BLUE bins, (88) 36448BLUE bins and (55) 36468BLUE bins
- 2,000 lb. max. weight capacity per unit
- · Indicator Bins, pg. 21

### System Bin<sup>™</sup> Wire Systems



### Speed Set-Up & Organization

- Available with 11 Shelves
- Holds 10 System Bins
- Quickly organize with System Bins: one-piece, six-bin units
- System Bins, pg. 24

#### **Stak-N-Store Wire Systems**



### **Maximize Space Utilization**

- Available with 5 Shelves
- Configure for 6, 8, 9 or 12 Bins
- · Bins feature a wide hopper front for easy access - ideal for bulky items
- Stak-N-Store Bins, pg. 28

### **Shelf Bin Wire Systems**



### Sort Parts to Improve Efficiency

- · Available with 12 Shelves
- · Configure for 36, 48, 60 or 96 Bins • Strong, polypropylene Shelf Bins
- outlast corrugated bins
- Shelf Bins, pgs. 12-14

### **Akro-Grid Wire Systems**



### Improve Productivity

- Available with 7, 9 or 12 Shelves
- Configure for 24 or 36 Akro-Grids
- Versatile, work-in-process containers with optional dividers for compartments
- Akro-Grids, pg. 30

### **Nest & Stack Wire Systems**



### Simplify Workflow

- Available with 4 or 9 Shelves
- Configure for 12 or 36 Nest & Stack Totes
- Industrial-grade totes are ideal for transfer applications. Optional tote lids protect contents from dust. Label Holders allow quick content ID
- · Nest & Stack Totes, pg. 29

### **Straight Wall Container** Wire Systems



### **Optimize Floor Space**

- Configured with 6 Shelves
- Holds 12 Straight Wall Containers
- Containers available with smooth, solid sides or an open mesh pattern for high visibility and airflow
- Straight Wall Containers, pg. 32

### VantageBin<sup>™</sup> Wire Systems



### **Boost Organization**

- Available with 11 Shelves
- Configure for 40 or 42 VantageBins
- Sturdy, functional bin customizable with up to 10 compartments to fit unique sizes of products
- · VantageBins, pg. 22

### **Akro-Tub Wire Systems**



### Improve Inventory Control

- Available with 4 or 7 Shelves
- Configure for 12 or 24 Akro-Tubs
- · Akro-Tubs feature extrathick walls for strength. Rolled rims form comfortable handles
- Akro-Tubs, pg. 33

### 24" Super-Size AkroBin® Wire Systems



### Increase Storage Capacity

- Available with 3, 4 or 5 shelves that are 24" deep
- Combine with stackable 24" Super-Size AkroBins to optimize spacing between shelves
- Super-Size AkroBins, pgs. 26-27

### ShelfMax<sup>™</sup> Wire Systems



### 6" Bins Maximize Storage Capacity

- Available with 8 Shelves
- · Configure for 64 or 40 Bins
- 7 Bin Sizes & 5 Colors
- · ShelfMax Bins, pg. 13













| roBin® Wire Systems |                                       |                       | Bir   | Dimensi<br>(Inches) | ons | Shel | lf Dimens<br>(Inches) | ions |           |         |
|---------------------|---------------------------------------|-----------------------|-------|---------------------|-----|------|-----------------------|------|-----------|---------|
| Model Number        | Description                           | AkroBin Colors        | L     | W                   | Н   | D    | 1                     | Н    | # of Bins | Shelves |
| AWS143630320        | Wire Shelving w/ 30320 Bins           | B, R, Y, G, S, BK     | 85/8  | 33                  | 6   | 14   | 36                    | 74   | 20        | 11      |
| AWS143630240        | Wire Shelving w/ 30240 Bins           | B, R, Y, G, S, BK, SC | 14¾   | 81/4                | 7   | 14   | 36                    | 74   | 36        | 4       |
| AWS143630250        | Wire Shelving w/ 30250 Bins           | B, R, Y, G, S, BK, SC | 14¾   | 16½                 | 7   | 14   | 36                    | 74   | 18        | 4       |
| AWS184830260        | Wire Shelving w/ 30260 Bins           | B, R, Y, G, S, BK, SC | 18    | 11                  | 10  | 18   | 48                    | 74   | 24        | 6       |
| AWS183630265        | Wire Shelving w/ 30265 Bins           | B, R, Y, G, S, BK, SC | 18    | 81⁄4                | 9   | 18   | 36                    | 74   | 18        | 5       |
| AWS183630270        | Wire Shelving w/ 30270 Bins           | B, R, Y, G, S, BK, SC | 18    | 16½                 | 11  | 18   | 36                    | 74   | 9         | 5       |
| AWS2460M30358       | Mobile Wire Shelving<br>w/ 30358 Bins | BEIGE                 | 201/2 | 11                  | 7   | 24   | 60                    | 68   | 30        | 6       |

 $Bin\,color\,code: R=Red, B=Blue, Y=Yellow, G=Green, W=White, S=Stone, BK=Black, SC=Clear. Specify\,one\,bin\,color\,when\,ordering.$ 

| System Bin Wire Systems | •                           |                   | Bir | Dimension (Inches) | ons | She | lf Dimens<br>(Inches) |    |           |         |
|-------------------------|-----------------------------|-------------------|-----|--------------------|-----|-----|-----------------------|----|-----------|---------|
| Model Number            | Description                 | System Bin Colors | L   | W                  | Н   | D   | L                     | Н  | # of Bins | Shelves |
| AWS143630312            | Wire Shelving w/ 30312 Bins | B, R, Y           | 33  | 12                 | 5   | 14  | 36                    | 74 | 10        | 11      |
| AWS183630318            | Wire Shelving w/ 30318 Bins | B, R, Y           | 33  | 18                 | 5   | 18  | 36                    | 74 | 10        | 11      |

Bin color code: R=Red, B=Blue, Y=Yellow. Specify one bin color when ordering.

| Stak-N-Store Wire Syste | ems                                    |                         | DII   | (Inches) |        | Jilei | (Inches) | IUIIS |           |         |
|-------------------------|--|-------------------------|-------|----------|--------|-------|----------|-------|-----------|---------|
| Model Number            | Description                            | Stak-N-Store Bin Colors | L     | W        | Н      | D     | L        | Н     | # of Bins | Shelves |
| AWS184813017            | Wire Shelving w/ 13017* Bins           | GRY, R, B, W, SC        | 15½   | 19%      | 127/16 | 18    | 48       | 74    | 9         | 5       |
| AWS183613014            | Wire Shelving w/ 13014 Bins            | GRY, R, B, SC           | 171/2 | 10%      | 12½    | 18    | 36       | 74    | 12        | 5       |
| AWS183613018            | Wire Shelving w/ 13018 Bins            | GRY, R, B, SC           | 171/2 | 161/2    | 12½    | 18    | 36       | 74    | 8         | 5       |
| AWS1836SNS              | Wire Shelving w/ 13014<br>& 13018 Bins | GRY, R, B, SC           | S     | ee Abov  | е      | 18    | 36       | 74    | 6/4       | 5       |

\*13017 also available in White. Bin color code: R=Red, B=Blue, W=White, GRY=Gray, SC=Clear. Specify one bin color when ordering.

| Shelf Bin Wire Systems |                             |                  | Bin   | Dimensio<br>(Inches) | ons | Shel | f Dimens<br>(Inches) | ions |           |         |
|------------------------|-----------------------------|------------------|-------|----------------------|-----|------|----------------------|------|-----------|---------|
| Model Number           | Description                 | Shelf Bin Colors | L     | W                    | Н   | D    | L                    | Н    | # of Bins | Shelves |
| AWS143630120           | Wire Shelving w/ 30120 Bins | B, R, Y, G, W    | 11%   | 41/8                 | 4   | 14   | 36                   | 74   | 96        | 12      |
| AWS143630130           | Wire Shelving w/ 30130 Bins | B, R, Y, G, W    | 11%   | 65%                  | 4   | 14   | 36                   | 74   | 60        | 12      |
| AWS143630150           | Wire Shelving w/ 30150 Bins | B, R, Y, G, W    | 115/8 | 83/8                 | 4   | 14   | 36                   | 74   | 48        | 12      |
| AWS143630170           | Wire Shelving w/ 30170 Bins | B, R, Y, G, W    | 11%   | 111/8                | 4   | 14   | 36                   | 74   | 36        | 12      |
| AWS183630128           | Wire Shelving w/ 30128 Bins | B, R, Y, G, W    | 17%   | 41/8                 | 4   | 18   | 36                   | 74   | 96        | 12      |
| AWS183630138           | Wire Shelving w/ 30138 Bins | B, R, Y, G, W    | 17%   | 65/8                 | 4   | 18   | 36                   | 74   | 60        | 12      |
| AWS183630158           | Wire Shelving w/ 30158 Bins | B, R, Y, G, W    | 17%   | 83/8                 | 4   | 18   | 36                   | 74   | 48        | 12      |
| AWS183630178           | Wire Shelving w/ 30178 Bins | B, R, Y, G, W    | 17%   | 111/8                | 4   | 18   | 36                   | 74   | 36        | 12      |
| AWS244830124           | Wire Shelving w/ 30124 Bins | B, R, Y, G, W    | 23%   | 41/8                 | 4   | 24   | 48                   | 74   | 96        | 12      |
| AWS244830164           | Wire Shelving w/ 30164 Bins | B, R, Y, G, W    | 235/8 | 65%                  | 4   | 24   | 48                   | 74   | 60        | 12      |
| AWS244830184           | Wire Shelving w/ 30184 Bins | B, R, Y, G, W    | 23%   | 83/8                 | 4   | 24   | 48                   | 74   | 48        | 12      |
| AWS244830174           | Wire Shelving w/ 30174 Bins | B, R, Y, G, W    | 23%   | 111/8                | 4   | 24   | 48                   | 74   | 36        | 12      |

Bin color code: R=Red, B=Blue, Y=Yellow, G=Green, W=White. Specify one bin color when ordering.

| Akro-Grid Wire Syste | ems                                 |                       | DII | (Inches) | UIIS | Silei | (Inches) | 10113 |           |         |
|----------------------|-------------------------------------|-----------------------|-----|----------|------|-------|----------|-------|-----------|---------|
| Model Number         | Description                         | Akro-Grid Tote Colors | L   | W        | Н    | D     | L        | Н     | # of Bins | Shelves |
| AWS183633166         | Wire Shelving w/ 33166 Grids        | B, R, GRY             | 16½ | 10%      | 6    | 18    | 36       | 74    | 36        | 9       |
| AWS183633168         | Wire Shelving w/ 33168 Grids        | B, R, GRY             | 16½ | 10%      | 8    | 18    | 36       | 74    | 24        | 7       |
| AWS2460M33224        | Mobile Wire Shelving w/ 33224 Grids | B, R, GRY             | 22% | 17%      | 4    | 24    | 60       | 68    | 36        | 12      |

Bin color code: R=Red, B=Blue, GRY=Gray. Specify one bin color when ordering.

| <u>li</u> | ndicator™ Wire Systems |                                       |                  |       | (Inches) | J113 |    | (Inches) | 10113 |           |         |
|-----------|------------------------|---------------------------------------|------------------|-------|----------|------|----|----------|-------|-----------|---------|
|           | Model Number           | Description                           | Indicator Colors | L     | W        | Н    | D  | L        | Н     | # of Bins | Shelves |
|           | AWS143636442B          | Wire Shelving w/ 36442 Indicator Bins | Blue/Orange      | 11%   | 41⁄4     | 4    | 14 | 36       | 74    | 96*       | 12      |
|           | AWS143636462B          | Wire Shelving w/ 36462 Indicator Bins | Blue/Orange      | 11%   | 6¾       | 4    | 14 | 36       | 74    | 60*       | 12      |
| NEW       | AWS183636448B          | Wire Shelving w/ 36448 Indicator Bins | Blue/Orange      | 171/8 | 41/8     | 4    | 18 | 36       | 74    | 96*       | 12      |
| NEW       | AWS183636468B          | Wire Shelving w/ 36468 Indicator Bins | Blue/Orange      | 17%   | 6%       | 4    | 18 | 36       | 74    | 60*       | 12      |
| *         | Bonus Bins Included    |                                       |                  |       |          |      |    |          |       |           |         |



# Wire Shelving Systems

shelving systems & cabinets

















| lest & Stack Wire System | S                            |                          |       | Dimensio<br>(Inches) | ns |    | f Dimensi<br>(Inches) | ons |           |         |
|--------------------------|------------------------------|--------------------------|-------|----------------------|----|----|-----------------------|-----|-----------|---------|
| Model Number             | Description                  | Nest & Stack Tote Colors | L     | W                    | Н  | D  | L                     | Н   | # of Bins | Shelves |
| AWS183635180             | Wire Shelving w/ 35180 Totes | B, R, GRY                | 18    | 11                   | 6  | 18 | 36                    | 74  | 36        | 9       |
| AWS246035225             | Wire Shelving w/ 35225 Totes | B, R, GRY                | 231/2 | 191/2                | 10 | 24 | 60                    | 74  | 12        | 4       |

Lids sold separately. Bin color code: R=Red, B=Blue, GRY=Gray. Specify one bin color when ordering.

| Straight Wall Container W | Vire Systems                      |                  | Bin | Dimensio<br>(Inches) | ons  |    | f Dimensi<br>(Inches) | ons |           |         |
|---------------------------|-----------------------------------|------------------|-----|----------------------|------|----|-----------------------|-----|-----------|---------|
| Model Number              | Description                       | Container Colors | L   | W                    | Н    | D  | L                     | Н   | # of Bins | Shelves |
| AWS244837608              | Wire Shelving w/ 37608 Containers | R, GRY           | 23¾ | 15¾                  | 81/4 | 24 | 48                    | 74  | 12        | 6       |

Bin color code: R=Red, GRY=Gray. Specify one bin color when ordering.

| VantageBin <sup>™</sup> Wire Syste | ms                          |                   | Bin | Dimension (Inches) | ons | Shel | lf Dimens<br>(Inches) | ions |           |         |
|------------------------------------|-----------------------------|-------------------|-----|--------------------|-----|------|-----------------------|------|-----------|---------|
| Model Number                       | Description                 | VantageBin Colors | L   | W                  | Н   | D    | L                     | Н    | # of Bins | Shelves |
| AWS183630400                       | Wire Shelving w/ 30400 Bins | GRY, Y, W         | 16¾ | 71/4               | 5%  | 18   | 36                    | 74   | 40        | 11      |
| AWS244830420                       | Wire Shelving w/ 30420 Bins | GRY, W            | 24  | 51/2               | 7   | 24   | 48                    | 74   | 40        | 11      |

Bin color code: Y=Yellow, W=White, GRY=Gray. Specify one bin color when ordering.

| Akro-Tub Wire Systems |                                    |                 | DIII  | (Inches) | IIIS | Silei | (Inches) | 10112 |           |         |
|-----------------------|------------------------------------|-----------------|-------|----------|------|-------|----------|-------|-----------|---------|
| Model Number          | Description                        | Akro-Tub Colors | L     | W        | Н    | D     | L        | Н     | # of Bins | Shelves |
| AWS1836M34301         | Mobile Wire Shelving w/ 34301 Tubs | GRY             | 171/2 | 11       | 8    | 18    | 36       | 68    | 21        | 7       |
| AWS2460M34240         | Mobile Wire Shelving w/ 34240 Tubs | GRY             | 19    | 241/2    | 91/2 | 24    | 60       | 68    | 12        | 4       |

Bin Dimensions (Inches) Shelf Dimensions Super-Size AkroBin® Wire Systems Super-Size AkroBin Colors # of Bins Description AWS184830280 Wire Shelving w/ 30280 Bins R, B, Y 20 123/8 6 18 48 74 24 9 AWS184830281 Wire Shelving w/ 30281 Bins R, B, Y 20 123/8 8 18 74 18 7 AWS184830282 Wire Shelving w/ 30282 Bins R, B, Y 20 123/8 12 18 48 74 12 5 AWS184830283 Wire Shelving w/ 30283 Bins R, B, Y 20 18 12 18 5 Wire Shelving w/ 30280, 281, 282, 283 Bins 4/4/3 AWS1848SAB R, B, Y See Above 18 74 6 /4 AWS24360284 Wire Shelving w/ 30284 Bins R, B, Y 23% 81/4 24 28 8 AWS24360287 Wire Shelving w/ 30287 Bins R, B, Y 23% 11 10 24 36 74 16 6 AWS24360288 Wire Shelving w/ 30288 Bins R, B, Y 23% 161/2 24 12 3 AWS24360SAB Wire Shelving w/ 30287 & 30288 Bins R, B, Y See Above 24 36 74 12/6 3 AW\$24361288 Wire Shelving w/ 30288 Bins R, B, Y 23% 161/2 24 36 63 10 3

Bin color code: R=Red, B=Blue, Y=Yellow. Specify one bin color when ordering.

| ShelfMax <sup>™</sup> Wire Sys | tems  |                        | Bin   | Dimensi<br>(Inches) |   |    | f Dimens<br>(Inches) | ions |           |         |
|--------------------------------|---|------------------------|-------|---------------------|---|----|----------------------|------|-----------|---------|
| Model Number                   | Description                                       | ShelfMax Bin Colors    | L     | W                   | Н | D  | L                    | Н    | # of Bins | Shelves |
| AWS143630040                   | Wire Shelving w/ 30040                            | R, B, Y, G, W          | 115/8 | 41/8                | 6 | 14 | 36                   | 74   | 64        | 8       |
| AWS143630080                   | Wire Shelving w/ 30080                            | R, B, Y, G, W          | 115/8 | 83/8                | 6 | 14 | 36                   | 74   | 32        | 8       |
| AWS183630088                   | Wire Shelving w/ 30088                            | R, B, Y, G, W          | 175/8 | 83/8                | 6 | 14 | 36                   | 74   | 32        | 8       |
| AWS143630090                   | Wire Shelving w/ 30090                            | R, B, Y, G, W          | 11%   | 6%                  | 6 | 14 | 36                   | 74   | 40        | 8       |
| AWS183630048                   | Wire Shelving w/ 30048                            | R, B, Y, G, W          | 17%   | 41/8                | 6 | 18 | 36                   | 74   | 64        | 8       |
| AWS183630098                   | Wire Shelving w/ 30098                            | R, B, Y, G, W          | 17%   | 65%                 | 6 | 18 | 36                   | 74   | 40        | 8       |
| Bin color code: R=Red. B       | =Blue, Y=Yellow, G=Green, W=White, Specify one bi | n color when ordering. |       |                     |   |    |                      |      |           |         |

# accessories OMES



**Footplates** Steel tips on bottom of frames prevent movement of stationary units



**Locking Casters** Highly maneuverable, locking wheels create mobile or stationary units



**Non-Locking Casters** Highly maneuverable, non-locking wheels create mobile units



### **Color Coding**

Visual reference made simple! Color code work areas with Wire Shelving Systems for quick identification of stored items

# **Steel Shelving Systems**

### shelving systems & cabinets

- More than 40 system options for bin and shelf configurations
- Manufactured from high-grade, 22-gauge steel with a powder-coated finish
- Can be ordered independently or purchased with bins as a complete system
- Shelving units are easy to assemble, using nuts and bolts only on the top and bottom shelves
- Other shelves are quickly assembled, and can be adjusted when necessary, using compression clips
- All units feature a "sanitary" base that keeps debris and small parts from underneath the shelving
- 1236 Enclosure or 1836 Enclosure can be purchased separately for use with any AS1279 or AS1879 open shelving unit







### **Per Shelf Weight Capacity:**

- 12 x 36 = 500
- 24 x 36 = 550
- 18 x 36 = 550
- 30 x 36 = 600
- 18 x 42 = 355





### shelving systems & cabinets

### 24" Super-Size Steel Shelf Unit

### 30" Super-Size Steel Shelf Unit

### 12" System Bin™ Shelf Unit

### 18" System Bin™ Shelf Unit

#### Indicator™ Bin Shelf Unit



#### **Expand Storage Options**

- Available with 3 or 4 shelves
- Complete packages available with the 24" Super-Size AkroBins to efficiently organize large items and improve workflow
- Stacking AkroBins on top of each other on each shelf saves valuable space
- Super-Size AkroBins, pgs. 26-27



### Lengthen Storage Capability

- Available with 3 or 4 shelves
- Complete packages available with the 30" Super-Size AkroBins to efficiently organize large items and improve workflow
- Stacking AkroBins on top of each other on each shelf saves valuable space
- · Super-Size AkroBins, pgs. 26-27



#### Free Up Floor Space

- · Available with 10 shelves
- Includes (10) 30312 System Bins
- Quickly organize with System Bins: one-piece, six-bin unit
- · System Bins, pg. 24



### Increase Work In Process Efficiency

- Available with 10 shelves
- Includes (10) 30318 System Bins
- Quickly organize with System Bins: one-piece, six-bin unit
- System Bins, pg. 24



### **Eliminate Stock-Outs!**

- Available with 13 shelves
- Holds (96) 36442BLUE bins, (60) 36462BLUE bins, (96) 36448BLUE bins and (60) 36468BLUE bins
- 500 lb. weight capacity per shelf, up to 8,500 lbs.
- Indicator Bins, pg. 21

### 36" Wide Stak-N-Store Systems

### 42" Wide Stak-N-Store Systems





### ShelfMax<sup>™</sup> Shelf Unit



### **Boost Organization**

- · Available with 5 shelves
- Configure for 15, 10 or 6 Stak-N-Store bins depending on bin size selected
- Wide, hopper-front Stak-N-Store bins are perfect to store large, heavy or bulky items
- Stak-N-Store bins, pg. 28



### Maximize Space Utilization

- Available with 5 shelves
- Comes complete with 12 Stak-N-Store bins
- Wide, hopper-front Stak-N-Store bins are perfect to store large, heavy, or bulky items
- Stak-N-Store bins, pg. 28



### **Shorten Assembly Times**

- Available with 4 shelves and solid top for extra workspace
- Configured to hold (12) 30240 AkroBins and (6) 30250 AkroBins
- A curved-bottom hopper front, makes it easy to retrieve small parts
- · AkroBins, pgs. 4-6



### Sort Parts To Improve Efficiency

- Available with 13 shelves
- Holds up to (96) 18" deep Shelf Bins or (144) 12" deep Shelf Bins
- Strong, polypropylene Shelf Bins outlast corrugated bins
- · Shelf Bins, pgs. 12-14



### 6" Bins Maximize Storage Capacity

- Available with 10 shelves
- Configure for 40 to 80 bins
- 7 Bin Sizes & 5 Colors
- ShelfMax Bins, pg. 13







#### 12" Shelf Bin Systems Bin Dimensions (Inches) Shelf Dimensions (Inches) Model Numb Bin Model No # of Bins AS1279 Shelving (no Bins) 12 36 79 12 AS1279110Y Shelving with Bins 30110YELLO 144 12 115/8 23/4 12 79 AS1279120Y Shelving with Bins 30120YELLO 115/8 41/8 4 12 36 79 96 12 AS1279130Y Shelving with Bins 30130YELLO 12 115/8 65/8 12 79 60 36 AS1279150Y Shelving with Bins 30150YELLO 115/8 48 83% 4 12 79 12 36 AS1279170Y Shelving with Bins 30170YELLO 115/8 111/8 4 12 36 79 12


| 12″ System Bin Shelf Unit |                           |               | Bin Din | nensions | (Inches) | Shelf Di | imension | s (Inches) | )         |         |
|---------------------------|---------------------------|---------------|---------|----------|----------|----------|----------|------------|-----------|---------|
| Model Number              | Description               | Bin Model No. | L       | W        | Н        | D        | L        | Н          | # of Bins | Shelves |
| AS1279312R                | Shelving with System Bins | 30312RED      | 33      | 12       | 5        | 12       | 36       | 79         | 10        | 10      |
| AS1279312B                | Shelving with System Bins | 30312BLUE     | 33      | 12       | 5        | 12       | 36       | 79         | 10        | 10      |
| AS1279312Y                | Shelving with System Bins | 30312YELLO    | 33      | 12       | 5        | 12       | 36       | 79         | 10        | 10      |

| AkroBin Shelf Rack     |   | Unit Din | nensions | (Inches) | Shelf Di | mensions | (Inches) |                      |
|------------------------|---|----------|----------|----------|----------|----------|----------|----------------------|
| Model Number           | Description                                 | L        | W        | Н        | L        | W        | Н        | Rack Weight Capacity |
| RABR5338               | Holds twelve 30240 Bins and six 30250 Bins* | 531/2    | 151/4    | 371/8    | 171/4    | 151/4    | 73/8     | 300 lbs.             |
| *Bins sold separately. |   |          |          |          |          |          |          |                      |

# **Steel Shelving Systems**

shelving systems & cabinets







| 18″ System Bin Shelf Unit | :                         | Bin Dim       | nensions ( | (Inches) | Shelf Di | mension | )  |    |           |         |
|---------------------------|---------------------------|---------------|------------|----------|----------|---------|----|----|-----------|---------|
| Model Number              | Description               | Bin Model No. | L          | W        | Н        | D       | L  | Н  | # of Bins | Shelves |
| AS1879318R                | Shelving with System Bins | 30318RED      | 33         | 18       | 5        | 18      | 36 | 79 | 10        | 10      |
| AS1879318B                | Shelving with System Bins | 30318BLUE     | 33         | 18       | 5        | 18      | 36 | 79 | 10        | 10      |
| AS1879318Y                | Shelving with System Bins | 30318YELLO    | 33         | 18       | 5        | 18      | 36 | 79 | 10        | 10      |



| In | Indicator™ Bin System |                               |               | Bin Din | ensions | (Inches) | Shelf Di | mension | )  |           |         |
|----|-----------------------|-------------------------------|---------------|---------|---------|----------|----------|---------|----|-----------|---------|
|    | Model Number          | Description                   | Bin Model No. | L       | W       | Н        | D        | 1       | Н  | # of Bins | Shelves |
|    | AS127936442B          | Shelving, with Indicator Bins | 36442BLUE     | 11%     | 41/4    | 4        | 12       | 36      | 79 | 96        | 13      |
|    | AS127936462B          | Shelving, with Indicator Bins | 36462BLUE     | 11%     | 6¾      | 4        | 12       | 36      | 79 | 60        | 13      |
| EW | AS187936448B          | Shelving, with Indicator Bins | 36448BLUE     | 17%     | 41/4    | 4        | 18       | 36      | 79 | 96        | 13      |
| EW | AS187936468B          | Shelving, with Indicator Bins | 36468BLUE     | 17%     | 6%      | 4        | 18       | 36      | 79 | 60        | 13      |



| 36" Stak-N-Store System | Bin Dimensions (Inches) |               |       | Shelf Di | mension | )  |    |    |           |            |
|-------------------------|-------------------------|---------------|-------|----------|---------|----|----|----|-----------|------------|
| Model Number            | Description             | Bin Model No. | L     | W        | Н       | D  | L  | Н  | # of Bins | Bonus Bins |
| AS187936                | Shelving (no Bins)      | -             | -     | -        | -       | 18 | 36 | 79 | -         | -          |
| AS187913014             | Shelving, with Bins     | 13014         | 171/2 | 10%      | 121/2   | 18 | 36 | 79 | 15        | 1          |
| AS187913018             | Shelving, with Bins     | 13018         | 171/2 | 16½      | 121/2   | 18 | 36 | 79 | 10        | -          |
| AS1879ASORT             | Shelving, with Bin Mix  | 13014, 13018  | S     | ee Abov  | e       | 18 | 36 | 79 | 6/6       | 2/0        |



| 42″ Stak-N-Store System |                     |               |       | ensions ( | (Inches) | Shelf Dimensions (Inches) |    |    |           |            |
|-------------------------|---------------------|---------------|-------|-----------|----------|---------------------------|----|----|-----------|------------|
| Model Number            | Description         | Bin Model No. | L     | W         | Н        | D                         | L  | Н  | # of Bins | Bonus Bins |
| AS187942                | Shelving (no Bins)  | -             | -     | -         | -        | 18                        | 42 | 79 | -         | -          |
| AS187913017             | Shelving, with Bins | 13017         | 151/4 | 19%       | 121/16   | 18                        | 42 | 79 | 10        | 2          |



| 24″ Super-Size Shelving Sy | Super-Size Shelving System     |               |     |         | Bin Dimensions (Inches) |    |    | s (Inches) |           |         |
|----------------------------|--------------------------------|---------------|-----|---------|-------------------------|----|----|------------|-----------|---------|
| Model Number               | Description                    | Bin Model No. | L   | W       | Н                       | D  | L  | Н          | # of Bins | Shelves |
| AS2479                     | Shelving (no Bins)             | =             | -   | -       | -                       | 24 | 36 | 79         | -         | -       |
| AS2479284                  | Shelving with 30284 Bins       | 30284         | 23% | 81⁄4    | 10                      | 24 | 36 | 79         | 24        | 3       |
| AS2479287                  | Shelving with 30287 Bins       | 30287         | 23% | 11      | 10                      | 24 | 36 | 79         | 24        | 3       |
| AS2479288                  | Shelving with 30288 Bins       | 30288         | 23% | 16½     | 11                      | 24 | 36 | 79         | 12        | 4       |
| AS2479ASSORT               | Shelving with 30287/30288 Bins | 30287/30288   | S   | ee Abov | e                       | 24 | 36 | 79         | 12/6      | 3       |



| "Super-Size AkroBin Shelving System |                                |               |           | Bin Dimensions (Inches) |    |    | mension | s (Inches) |           |         |
|-------------------------------------|--------------------------------|---------------|-----------|-------------------------|----|----|---------|------------|-----------|---------|
| Model Number                        | Description                    | Bin Model No. | L         | W                       | Н  | D  | - 1     | Н          | # of Bins | Shelves |
| AS3679                              | Shelving (no Bins)             | -             | -         | -                       | -  | 30 | 36      | 79         | -         | -       |
| AS3679292                           | Shelving with 30292 Bins       | 30292         | 29%       | 11                      | 10 | 30 | 36      | 79         | 24        | 3       |
| AS3679293                           | Shelving with 30293 Bins       | 30293         | 29%       | 16½                     | 11 | 30 | 36      | 79         | 12        | 4       |
| AS3679ASSORT                        | Shelving with 30292/30293 Bins | 30292/30293   | See Above |                         | 30 | 36 | 79      | 12/6       | 3         |         |



Specify bin color: Red, Blue, Yellow

| ShelfMax <sup>™</sup> Shelf Unit |                    |               | Bin Dimensions (Inches) |      |   | Shelf Di | mension | )  |           |         |
|----------------------------------|--------------------|---------------|-------------------------|------|---|----------|---------|----|-----------|---------|
| Model Number                     | Description        | Bin Model No. | L                       | W    | Н | D        | L       | Н  | # of Bins | Shelves |
| AS1279040                        | 12" Steel Shelving | 30040         | 11%                     | 41/8 | 6 | 12       | 36      | 79 | 80        | 10      |
| AS1279080                        | 12" Steel Shelving | 30080         | 11%                     | 83/8 | 6 | 12       | 36      | 79 | 40        | 10      |
| AS1279090                        | 12" Steel Shelving | 30090         | 11%                     | 65/8 | 6 | 12       | 36      | 79 | 50        | 10      |
| AS1879048                        | 18" Steel Shelving | 30048         | 17%                     | 41/8 | 6 | 18       | 36      | 79 | 80        | 10      |
| AS1879088                        | 18" Steel Shelving | 30088         | 17%                     | 8%   | 6 | 18       | 36      | 79 | 40        | 10      |
| AS1879098                        | 18" Steel Shelving | 30098         | 17%                     | 6%   | 6 | 18       | 36      | 79 | 50        | 10      |
| AS2479094                        | 24" Steel Shelving | 30094         | 23%                     | 6%   | 6 | 24       | 36      | 79 | 50        | 10      |

# Heavy-Duty Cabinets

### shelving systems & cabinets

- Heavy-Duty Cabinets provide maximum space for storage of parts and protect contents from dust, damage and theft
- Powder-coated paint is resistant to cuts and scratches
- Industrial-strength steel handle ensures complete security
- Cabinets ship assembled, shelving and panels require installation
- Shelves are adjustable on 2" centers allowing the flexibility of securely storing multiple-sized objects
- 3 configurations Shelves, Louvered Panels, Combination with AkroBins®
- Removable louvered panels attach to solid steel back panel
- 16-gauge steel construction







### **Heavy-Duty Cabinet**

- Model No. HD4824A
- · Cabinet with shelves only



- Model No. HD4824E
- · Cabinet with louvers and bins





### **Heavy-Duty Cabinet**

- Model No. HD4824F
- · Cabinet with louvers and bins

| features I'es                         |  |
|---------------------------------------|--|
| reacures                              |  |
| 73                                    |  |
| Heavy-duty steel padlock-ready handle |  |

| y-Duty Cabinet | 18″W x 24″D x 72″H   |               | Bin Dimensions (Inches) |              |   |     |  |  |  |  |
|----------------|--|---------------|-------------------------|--------------|---|-----|--|--|--|--|
| Model No.      | Description  | Bin Model No. | Н                       | Qty. of Bins |   |     |  |  |  |  |
| HD4824A        | Cabinet w/Shelves Only                                       | -             | _                       | -            | - | -   |  |  |  |  |
| HD4824E        | Cabinet w/ Louvered Panels on<br>Back Wall & Doors with Bins | 30220YELLO    | 73/8                    | 41/8         | 3 | 160 |  |  |  |  |
|                |  | 30230YELLO    | 10%                     | 5½           | 5 | 24  |  |  |  |  |
|                |  | 30240YELLO    | 14¾                     | 81/4         | 7 | 20  |  |  |  |  |
|                |  | 30235YELLO    | 10%                     | 11           | 5 | 12  |  |  |  |  |
| HD4824F        |  | 30220YELLO    | 73/8                    | 41/8         | 3 | 160 |  |  |  |  |
|                | Cabinet w/ Louvered Panels on<br>Back Wall & Doors with Bins | 30230YELLO    | 10%                     | 5½           | 5 | 48  |  |  |  |  |
|                |  | 30240YELLO    | 14¾                     | 81/4         | 7 | 20  |  |  |  |  |



### shelving systems & cabinets

- Made from 16-gauge steel
- Powder-coated finish

Heavy-Duty Cabinets and Standard Cabinets can accommodate:

- AkroBins.....pgs. 4-6
- Shelf Bins ......pgs. 12-14



### AkroBin® Cabinet

- Model No. AC3624Y
- Louvered panels on back wall and doors hold up to 138 bins



### AkroBin® Cabinet with 3 Shelves

- Model No. AC3624Y3AS
- · Louvered panels and 3 full 24" shelves hold up to 102 bins



### **AkroBin® Cabinet** with Flush Doors

- · Model No. AC3618Y
- · Louvered panel on back wall holds up to 42 bins



### **Quick-View Security Bin Cabinet**

- Model No. AC3618QV240
- Lexan<sup>™</sup> door panels;
- louvered back wall panel
- Holds up to 36 bins



### **Secure View Security Bin Cabinet**

- Model No. AC3618SV250
- Steel mesh door panels; louvered back wall panel
- Holds up to 36 bins



- For use with Standard Cabinets only
- Easily convert large cabinets to mobile units!
- Bin Cabinet Dollies feature solid, powder-coated steel deck with 1¼" lip and welded corners



| AkroBin Cabinet 36"\ | N x 24″D x 78″H   | Bin Dimensions (Inches) |      |      |   |              |  |  |  |  |
|----------------------|---|-------------------------|------|------|---|--------------|--|--|--|--|
| Model No.            | Description   | Bin Model No.           | L    | W    | Н | Qty. of Bins |  |  |  |  |
| AC3624               | Cabinet w/ Louvered Panels on<br>Back & Doors, no Bins  | -                       | -    | -    | - | -            |  |  |  |  |
| AC3624Y              | Cabinet w/ Louvered Panels on<br>Back & Doors with Bins | 30210YELLO              | 53%  | 41/8 | 3 | 48           |  |  |  |  |
|                      |   | 30220YELLO              | 73/8 | 41/8 | 3 | 48           |  |  |  |  |
|                      |   | 30230YELLO              | 10%  | 5½   | 5 | 24           |  |  |  |  |
|                      |   | 30240YELLO              | 14¾  | 81/4 | 7 | 12           |  |  |  |  |
|                      |   | 30250YELLO              | 14¾  | 16½  | 7 | 6            |  |  |  |  |

| į | AkroBin Cabinet w/ | 3 Shelves 36″W x 24″D x 78″H   | Bin Dimensions (Inches) |      |      |              |    |  |  |  |  |
|---|--------------------|--|-------------------------|------|------|--------------|----|--|--|--|--|
|   | Model No.          | Bin Model No.  | L                       | W    | Н    | Qty. of Bins |    |  |  |  |  |
|   | AC36243AS          | Cabinet w/ 3 Shelves, and Louvered Panels on Back Wall and Door, no Bins   |                         | -    | -    | -            | -  |  |  |  |  |
|   | AC3624Y3AS         | Cabinet w/ 3 Shelves, and Louvered Panels on Back Wall and Door, with Bins | 30210YELLO              | 5%   | 41/8 | 3            | 48 |  |  |  |  |
|   |                    |  | 30220YELLO              | 73/8 | 41/8 | 3            | 48 |  |  |  |  |
|   |                    |  | 30250YELLO              | 14¾  | 16½  | 7            | 6  |  |  |  |  |

| AkroBin Cabinet w/ | kroBin Cabinet w/ Flush Doors 36″W x 18″D x 78″H      |               |     | Bin Dimensions (Inches) |      |              |  |  |
|--------------------|---|---------------|-----|-------------------------|------|--------------|--|--|
| Model No.          | Description   | Bin Model No. | 1   | W                       | Н    | Qty. of Bins |  |  |
| AC3618             | Cabinet w/ Louvered Panels on Back<br>Wall, no Bins   | -             | -   | -                       | -    | -            |  |  |
| AC3618Y            | Cabinet w/ Louvered Panels on Back<br>Wall, with Bins | 30230YELLO    | 10% | 51/2                    | 5 24 |              |  |  |
|                    |   | 30240YELLO    | 14¾ | 81/4                    | 7    | 12           |  |  |
|                    |   | 30250YELLO    | 14¾ | 16½                     | 7    | 6            |  |  |

| ick-View Security | Bin Cabinet 36″W x 18″D x 78″H                           | Bin Dimensions (Inches) |     |      |   |              |
|-------------------|--|-------------------------|-----|------|---|--------------|
| Model No.         | Description  | Bin Model No.           | L   | W    | Н | Qty. of Bins |
| AC3618QV          | Cabinet w/ Quick View Doors,<br>Louvered Back, no Bins   | -                       | -   | -    | - | -            |
| AC3618QV240       | Cabinet w/ Quick View Doors,<br>Louvered Back, with Bins | 30240YELLO              | 14¾ | 81/4 | 7 | 36           |
| AC3618QV250       | Cabinet w/ Quick View Doors,<br>Louvered Back, with Bins | 30250YELLO              | 14¾ | 16½  | 7 | 18           |

| Secure-View Security | ure-View Security Bin Cabinet 36"W x 18"D x 78"H Bin Dimensions (Inches) |               |     |      |   |              |
|----------------------|--|---------------|-----|------|---|--------------|
| Model No.            | Description  | Bin Model No. | 1   | W    | н | Qty. of Bins |
| AC3618SV             | Cabinet w/ Secure View Mesh Doors,<br>Louvered Back, no Bins             | -             | -   | -    | - | -            |
| AC3618SV240          | Cabinet w/ Secure View Mesh Doors,<br>Louvered Back, with Bins           | 30240YELLO    | 14¾ | 81⁄4 | 7 | 36           |
| AC3618SV250          | Cabinet w/ Secure View Mesh Doors,<br>Louvered Back, with Bins           | 30250YELLO    | 14¾ | 16½  | 7 | 18           |

| Bin Cabinet Dollies | Dimensions (Inches)       |     |       |      |                    |                 |  |  |  |
|---------------------|---------------------------|-----|-------|------|--------------------|-----------------|--|--|--|
| Model No.           | Description               |     | W     | Н    | Polyolefin Casters | Weight Capacity |  |  |  |
| AC803618M26         | 18 x 36 Bin Cabinet Dolly | 36½ | 181/2 | 51/4 | 3 x 1¼″            | 1000 lbs.       |  |  |  |
| AC803624M26         | 24 x 36 Bin Cabinet Dolly | 36½ | 241/2 | 6½   | 4 x 1¼″            | 1000 lbs.       |  |  |  |



### mobile systems & work centers

- Hinged side gates on both shelves flip up or down to convert the ProCart to a flat-top or box-top cart
- A versatile work center for the assembly line, warehouse or wherever you need portable storage
- High-density polyethylene structural foam construction is dent-resistant, rust-proof and never needs painting
- 400 lb. maximum cart load. 200 lb. capacity per top and bottom shelf
- Assembly required
- Color: Gray











Deep, molded-in compartments keep items secured and within reach (Only large cart has mug holder.)



full-width handle gives complete handling control



rail system (sold separately) allows AkroBins® to hang



Toe-touch, locking swivel wheels



Smooth, rounded corners and edges



non-marking 5" wheels



makes loading and unloading oversized boxes on the lower shelf easy



### **AkroBins Ordering Information**

To create a customized ProCart with AkroBins, use the chart below to determine the quantity of AkroBins that will fit your ProCart. Carts, rail kits and bins must be ordered separately. When ordering, please specify Red, Yellow, Blue, Stone, Green, Semi-Clear or Black bins.



Large Cart Model No. 30936 Shown with optional rail kit

### **Optional 9-Rail Hanging System Ordering Information**

The 9-Rail Hanging System is required to hang AkroBins and modular cabinets on your ProCart. For large cart rails, order Model No. 30906. For small cart rails, order Model No. 30900. Refer to pg. 34 for modular cabinets.




### **Dimensions**

| ProCart   |             |       | Inches |     |           |
|-----------|-------------|-------|--------|-----|-----------|
| Model No. | Description | L     | W      | Н   | Ctn. Qty. |
| 30936     | Large Cart  | 45%   | 24     | 34¾ | 1         |
| 30930     | Small Cart  | 411/2 | 19     | 34¾ | 1         |

Easy assembly - requires Phillips screwdriver and rubber mallet







### Use this chart when ordering one size AkroBins for your ProCart

| Bin Model No.<br>Bin Dim. L x W x H | <b>30210</b> 5% x 4% x 3 | <b>30220</b><br>73/8 x 41/8 x 3 | <b>30224</b><br>10% x 4% x 4 | <b>30230</b><br>10% x 5½ x 5 | <b>30234</b><br>14¾ x 5½ x 5 | <b>30235</b><br>10% x 11 x 5 | <b>30239</b><br>10¾ x 8¼ x 7 | <b>30240</b><br>14¾ x 8¼ x 7 | <b>30250</b><br>14¾ x 16½ x 7 | <b>30255</b><br>10¾ x 16½ x 5 | <b>30320</b><br>8% x 33 x 5 | 19-Series<br>Cabinet |
|-------------------------------------|--------------------------|---------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|-----------------------------|----------------------|
| 30936 Large Cart                    | 80                       | 80                              | 48                           | 36                           | 36                           | 18                           | 16                           | 16                           | 8                             | 12                            | 6                           | 4                    |
| 30930 Small Cart                    | 70                       | 70                              | 42                           | 30                           | -                            | 12                           | 12                           | -                            | -                             | -                             | -                           | 2                    |



- Industrial-grade mobile workstation with a welded-steel frame and steel reinforced premium hardwood work surface
- Available in two worktop sizes: 48" L x 24" W (for 12" AkroDrawers) and 36" L x 18" W (for 18" AkroDrawers)
- Features two stationary shelves for AkroDrawers
- Made from 16-gauge steel with durable powder-coated finish
- Non-marking casters allow weight capacity of 800 lbs.
- Small cart has four 4" casters
- Large cart has four 5" casters
- Ships fully assembled and ready to use
- Colors: Textured Charcoal Gray and Textured Putty










Louvered panels on cart ends can accommodate various sizes of AkroBins



Tubular push handle featured on end of carts with swivel casters for easy handling



Raised barriers near shelf edges keep AkroDrawers from sliding out when cart is in motion or during sudden stops or turns



### Small Louvered Cart 37"L x 18"W x 36"H

|     | Model No. Description    |  | Cart Color                               | Wt. Capacity | Qty. of Drawers | Drawer Color           |
|-----|--------------------------|--|--|--------------|-----------------|------------------------|
|     | MA3618C<br>MA3618P       | Small Louvered Cart with no AkroDrawers            | Textured Charcoal Gray<br>Textured Putty | 800 lbs.     | -               | -                      |
| NEV | MA3618C1<br>MA3618P1     | Small Louvered Cart with 31118 AkroDrawers         | Textured Charcoal Gray<br>Textured Putty | 800 lbs.     | 6               | R,B,Y,GRY,CRY<br>B,CRY |
|     | MA3618CAST<br>MA3618PAST | Small Louvered Cart with 31168 & 31188 AkroDrawers | Textured Charcoal Gray<br>Textured Putty | 800 lbs.     | 12/4            | R,B,Y,GRY,CRY<br>B,CRY |

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cart. Blue or Crystal Clear available with Putty Cart. Only one color per unit.

### Large Louvered Cart 49"L x 24"W x 37-1/2"H

| Model N          | 0. | Description  | Cart Color                               | Wt. Capacity | Qty. of Drawers | Drawer Color           |
|------------------|----|--|--|--------------|-----------------|------------------------|
| MA4824<br>MA4824 |    | Large Louvered Cart with no AkroDrawers            | Textured Charcoal Gray<br>Textured Putty | 800 lbs.     | -               | -                      |
| MA4824<br>MA4824 |    | Large Louvered Cart with 31142 & 31162 AkroDrawers | Textured Charcoal Gray<br>Textured Putty | 800 lbs.     | 22 / 16         | R,B,Y,GRY,CRY<br>B,CRY |
| MA4824<br>MA4824 |    | Large Louvered Cart with 31142 & 31182 AkroDrawers | Textured Charcoal Gray<br>Textured Putty | 800 lbs.     | 22 / 10         | R,B,Y,GRY,CRY<br>B,CRY |
| MA4824<br>MA4824 |    | Large Louvered Cart with 31112 AkroDrawers         | Textured Charcoal Gray<br>Textured Putty | 800 lbs.     | 16              | R,B,Y,GRY,CRY<br>B,CRY |

Specify drawer color when ordering: Red, Blue, Yellow, Gray or Crystal Clear available with Gray Cart. Blue or Crystal Clear available with Putty Cart. Only one color per unit. Color code: B= Blue, CRY= Crystal Clear, GRY=Gray, R=Red, Y=Yellow

### **Outside Dimensions**

| MIODIUMCIS |     | menes |      |
|------------|-----|-------|------|
| Model No.  | L   | W     | Н    |
| 31142      | 11% | 3¾    | 45/8 |
| 31162      | 11% | 5%16  | 45/8 |
| 31182      | 11% | 83/8  | 45/8 |
| 31168      | 17% | 5%16  | 45/8 |
| 31188      | 17% | 83/8  | 45/8 |



### mobile systems & work centers

- · Heavy-duty carts designed for daily work
- Welded steel cart rolls smoothly on long-wearing casters
- Built to withstand loads up to 2,200 lbs. with recommended casters
- Swayback-style tubular push handle (Models R1S5HR and R1S8MR have vertical handles)
- Choose from several caster options as well as rubber matting, a writing shelf and drawers
- Ships completely assembled and ready to use





finish for lasting durability

## shelf & multi-shelf features







Heavy-duty, 13-gauge steel shelves

Cart Sizes - Specify size when ordering.

- Standard -• 24" x 36"
- 24" x 48"
- 30" x 48"
- 30" x 60"

Specify cart size when ordering. See page 61 for full description of casters and wheels.

| elf Carts |                        |                        |         | Height | Shelf Clearance |          |
|-----------|------------------------|------------------------|---------|--------|-----------------|----------|
| Model No. | Weight Capacity (lbs.) | Caster                 | Shelves | Inches | Inches          | Handle   |
| R1S8FP2   | 1200                   | 8" Full Pneumatic      | 2       | 331/2  | 20¾             | Swayback |
| R1S10FP2  | 1200                   | 10" Full Pneumatic     | 2       | 351/4  | 20¾             | Swayback |
| R1S5HR    | 1800                   | 5″ x 2″ Polyolefin     | 2       | 30     | 20¾             | Vertical |
| R1S5HR2LD | 1800                   | 5″ x 2″ Polyolefin     | 2       | 25     | 15½             | Swayback |
| R1S8MR    | 2200                   | 8" x 2" Mold-On Rubber | 2       | 33     | 20¾             | Vertical |
| R1S8MR2** | 2200                   | 8" x 2" Mold-On Rubber | 2       | 33     | 20¾             | Swayback |

| Multi-Shelf Carts |                        |                        |         | Height | Shelf Clearance |                |
|-------------------|------------------------|------------------------|---------|--------|-----------------|----------------|
| Model No.         | Weight Capacity (lbs.) | Caster                 | Shelves | Inches | Inches          | Handle         |
| R2ST5HR*          | 1800                   | 5″ x 2″ Polyolefin     | 2       | 30     | 20¾             | Horiz. Tubular |
| R3ST5HR           | 1800                   | 5″ x 2″ Polyolefin     | 3       | 30     | 95/8            | Horiz. Tubular |
| R4ST5HR           | 1800                   | 5″ x 2″ Polyolefin     | 4       | 631/4  | 17              | Horiz. Tubular |
| R4ST8MR           | 2200                   | 8" x 2" Mold-On Rubber | 4       | 661/4  | 17              | Horiz. Tubular |
| R5ST5HR**         | 1800                   | 5″ x 2″ Polyolefin     | 5       | 631/4  | 12½             | Horiz. Tubular |
| R5ST8MR**         | 2200                   | 8" x 2" Mold-On Rubber | 5       | 661/4  | 12½             | Horiz. Tubular |

<sup>\*</sup>Only available in 18 x 30. \*\*Also available in 36 x 72.

| System Bin Multi-Shelf Ca | rts                    |                        | Height  |        |                |          |       |
|---------------------------|------------------------|------------------------|---------|--------|----------------|----------|-------|
| Model No.                 | Weight Capacity (lbs.) | Caster                 | Shelves | Inches | Handle         | Bin/Qty. | Color |
| R5SYT5HR2436**            | 1800                   | 5″ x 2″ Polyolefin     | 5       | 40     | Horiz. Tubular | 30312/10 | RYB   |
| R5SYT8MR2436**            | 2200                   | 8" x 2" Mold-On Rubber | 5       | 43     | Horiz. Tubular | 30312/10 | RYB   |
| R5SYT5HR3636**            | 1800                   | 5″ x 2″ Polyolefin     | 5       | 40     | Horiz. Tubular | 30318/10 | RYB   |
| R5SYT8HR3636**            | 2200                   | 8" x 2" Mold-On Rubber | 5       | 43     | Horiz. Tubular | 30318/10 | RYB   |

<sup>\*\*</sup>Only available in 24" x 36" or 36" x 36" decks. Bin color code: R=Red, B=Blue, Y=Yellow. Specify color when ordering.





**Vertical Handle** 

## Tray Service Cart mobile systems & work centers



- Excellent for libraries and manufacturing operations
- 2 swivel, 2 fixed casters

### **Cart Sizes**

Standard -

Optional -• 18" x 36"


- 18" x 30" 24" x 36"
- 24" x 48"

Specify size when ordering



### **Casters & Wheels**

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster information.







- All box trucks have 2 swivel, 2 rigid, 5" x 2" polyolefin casters
- Solid steel or expanded metal sides available
- 1,800 lbs. capacity
- Available with optional lid



Expanded metal for easy cleaning, good airflow and visibility of contents. 311/2" overall height; 25" inside depth

| Box Trucks |                                   |               |                        |
|------------|-----------------------------------|---------------|------------------------|
| Model No.  | Description                       | Caster Type   | Weight Capacity (lbs.) |
| R1B5HR     | Steel Box Truck                   | 5″ Polyolefin | 1800                   |
| R1B5HRL    | Steel Box Truck with Lid          | 5″ Polyolefin | 1800                   |
| R1B5HRX    | Expanded Metal Box Truck          | 5″ Polyolefin | 1800                   |
| R1B5HRXL   | Expanded Metal Box Truck with Lid | 5″ Polyolefin | 1800                   |

### **Box Sizes**

- 24" x 36"
- 24" x 48" • 30″ x 36″
- 30" x 48"

Specify size when ordering



**Standard Caster Polyolefin** 

· See pg. 61 for more caster information

# High-End Narrow Aisle Truck

- Extra-narrow aisle truck for order-picking and stocking where space is limited
- Slim design fits easily in tight areas
- Centered, 8" wheels and casters at each corner allow cart to turn within its own diagonal space
- Available in plywood deck with steel frame or all-steel deck
- 1,500 lb. capacity



**Plywood Deck** 

### **Cart Sizes**

Standard -18" x 48"

Optional -. 18″ x 60′

24" x 60" 24" x 48"

Specify size when ordering

| igh-End Narrow Aisle Trucks |                          |                   |                |                        |  |  |
|-----------------------------|--------------------------|-------------------|----------------|------------------------|--|--|
| Model No.                   | Description              | Center Casters    | Corner Casters | Weight Capacity (lbs.) |  |  |
| R215HE                      | Plywood Deck Steel Frame | 8″ Mold-On Rubber | 4″ Polyolefin  | 1500                   |  |  |
| R214HE                      | All-Steel                | 8″ Mold-On Rubber | 4″ Polyolefin  | 1500                   |  |  |

# **Dollies** Wood

### mobile systems & work centers

- Constructed from select kiln-dried hardwoods to prevent warping and shrinkage
- All boards are cut and planed to %" with guaranteed consistent quality
- Four, 3" polyolefin swivel casters offer 900 lb. capacity (See caster options for up to 1,400 lb. capacity)
- Standard deck height 5¾"
- Shipped fully assembled

Hardwood deck with

countersunk bolt holes for

a smooth working surface

3" swivel casters with polyolefin wheels

Zinc-plated rigs and

hardware resist corrosion





- Three cross battens on 36" & 48" length
- Smooth, treated deck with countersunk bolts
- Deck boards run lengthwise



### **Flush Dolly**

- Full, 4" wide by 134" thick double length rails
- Smooth, open deck



### **Regular Dolly**

- Strength and reliability at an economy price
- All rails are 4" wide



### **Carpet End Dolly**

Padded carpeting<sup>‡</sup> protects furniture and appliances



### **Rubber Cap Dolly**

Non-skid reinforced 3" wide rubber caps keep slippery loads in place without damage



### **All-Carpet Solid Dolly**

- Strength and reliability at an economy price
- Fully carpeted<sup>‡</sup> deck prevents damage to cargo

<sup>‡</sup>Pattern of carpet may vary







### **Wood Dollies**

**Dimensions** 

|            | indies                 |    |    |
|------------|------------------------|----|----|
| Model No.  | Description            | L  | w  |
| RD2416S3P  | Solid Dolly            | 24 | 16 |
| RD271853P  | Solid Dolly            | 27 | 18 |
| RD3018S3P  | Solid Dolly            | 30 | 18 |
| RD3624S3P  | Solid Dolly            | 36 | 24 |
| RD4824S3P  | Solid Dolly            | 48 | 24 |
| RD2416F3P  | Flush Dolly            | 24 | 16 |
| RD2718F3P  | Flush Dolly            | 27 | 18 |
| RD3018F3P  | Flush Dolly            | 30 | 18 |
| RD3624F3P  | Flush Dolly            | 36 | 24 |
| RD4824F3P  | Flush Dolly            | 48 | 24 |
| RD2416R3P  | Regular Dolly          | 24 | 16 |
| RD3018R3P  | Regular Dolly          | 30 | 18 |
| RD3624R3P  | Regular Dolly          | 36 | 24 |
| RD3018CE3P | Carpet End Dolly       | 30 | 18 |
| RD3624CE3P | Carpet End Dolly       | 36 | 24 |
| RD2718RC3P | Rubber Cap Dolly       | 27 | 18 |
| RD3018RC3P | Rubber Cap Dolly       | 30 | 18 |
| RD3018AC3P | All-Carpet Solid Dolly | 30 | 18 |
| RD3624AC3P | All-Carpet Solid Dolly | 36 | 24 |

### **Caster Options**

| Model No. | Description                   | Weight<br>Capacity (lbs.) |
|-----------|-------------------------------|---------------------------|
| 3P        | 3" Polyolefin Casters         | 900                       |
| 4P        | 4" Polyolefin Casters         | 1200                      |
| 5P        | 5" Polyolefin Casters         | 1400                      |
| 3R        | 3" Gray Non-Marking Rubber    | 900                       |
| 35R       | 3½" Gray Non-Marking Rubber   | 900                       |
| 4Rx       | 4" Blue Elastic Rubber        | 900                       |
| 4R        | 4" Non-Marking Rubber Casters | 1100                      |
| 5R        | 5" Non-Marking Rubber Casters | 1350                      |

### **Brake Kits**

| Brake kits inst | alled on two swivel casters – optional (non-returnable) |
|-----------------|---|
| R1130BRK        | 3" Brake Kits for Hard Rubber Casters                   |
| R1151BRK        | 3" Brake Kits for Polyolefin Casters                    |

### **Casters & Wheels**

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.









## **Dollies** Polyethylene mobile systems & work centers









Steel-reinforced, one-piece deck design

High-impact, durable polyethylene construction

Easy to clean, non-porous platform will not rot, mildew or splinter

1,200 lb. weight capacity

Quick, easy assembly

Colors: Blue or Red



# **Dollies** Steel

- Durable, powder-coated finish
- Open structural angle dollies, 1½" x 1½" x ½"
- Solid decks are smooth, 13-gauge steel
- 1½" lip turned down for a smooth surface. Order lips up for a contained area
- Up to 1,000 lb. weight capacity







Solid Deck - Lips Down





Open Angle - Lips Up

Inches

Open Angle - Lips Down

#### **Dimensions** Inches

| Model No.    | Description                     | L  | w  | Caster Type*           | Overall Height | Weight Capacity (lbs.) |
|--------------|---------------------------------|----|----|------------------------|----------------|------------------------|
| RMD3018F4PN  | Flush Polyethylene w/ Casters   | 30 | 18 | 4″ Polyolefin          | 73/4           | 1200                   |
| RMD3018RC4PN | Padded Polyethylene w/ Casters  | 30 | 18 | 4″ Polyolefin          | 8¾             | 1200                   |
| RMD3018FN    | Flush Polyethylene w/o Casters  | 30 | 18 | -                      | 2¾             | -                      |
| RMD3018RCN   | Padded Polyethylene w/o Casters | 30 | 18 | -                      | 3¾             | -                      |
| RMD3018F4RX  | Flush Polyethylene w/ Casters   | 30 | 18 | 4" Blue Elastic Rubber | 73/4           | 1200                   |
| RMD3018RC4RX | Padded Polyethylene w/ Casters  | 30 | 18 | 4" Blue Elastic Rubber | 8¾             | 1200                   |

Plate-style 4" polyolefin swivel casters for maximum maneuverability and easy replacement

Specify color when ordering

**Polyethylene Dollies** 

| Steel Dollies |                     |                   |           |              | Inches      | Inches         | Inches           |
|---------------|---------------------|-------------------|-----------|--------------|-------------|----------------|------------------|
| Style         | Lips Down Model No. | Lips Up Model No. | Capacity  | Caster Type* | Caster Size | Deck Height Up | Deck Height Down |
| Solid Dolly   | RD843HR             | RU843HR           | 900 lbs.  | Polyolefin   | 3 x 1¼      | 5½             | 41/8             |
| Solid Dolly   | RD843SS             | RU843SS           | 1000 lbs. | Semi-Steel   | 3 x 11⁄4    | 5½             | 41/8             |
| Solid Dolly   | RD844HR             | RU844HR           | 1000 lbs. | Polyolefin   | 4 x 11/4    | 6%             | 51/4             |
| Solid Dolly   | RD844SS             | RU844SS           | 1000 lbs. | Semi-Steel   | 4 x 11/4    | 6%             | 51/4             |
| Open Angle    | RD853HR             | RU853HR           | 900 lbs.  | Polyolefin   | 3 x 11⁄4    | 5¾             | 43/8             |
| Open Angle    | RD853SS             | RU853SS           | 1000 lbs. | Semi-Steel   | 3 x 11⁄4    | 5¾             | 43/8             |
| Open Angle    | RD854HR             | RU854HR           | 1000 lbs. | Polyolefin   | 4 x 11/4    | 6%             | 51/2             |
| Open Angle    | RD854SS             | RU854SS           | 1000 lbs. | Semi-Steel   | 4 x 11/4    | 6%             | 5½               |

### **Deck Sizes**

Standard

• 16" x 27" • 18" x 30" • 24" x 36" • 18" x 24"

Specify size when ordering

### \*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.





# **Medium-Duty**

- Medium-duty hand trucks for day-to-day work
- Welded-steel construction supports up to 300 lbs.
- Durable, powder-coated finish
- %" OD structural pipe frame, 13-gauge wall
- Standard 7" x 14" steel nose plate
- Ships completely assembled and ready to use
- %" diameter axle
- Two position bracket fits 8" or 10" wheels
- Heavy flat bar and tube for climbing stairs







Semi-Pneumatic 10" x 23/4



10" x 31/2"



8" x 2'





- Heavy-duty hand trucks for all types of loads
- Welded-steel hand trucks support up to 500 lbs.
- Durable, powder-coated finish
- 1" OD structural pipe frame, 13-gauge steel \*Special-order products are not returnable.
- %" diameter axle
- Standard 8" x 14" steel nose plate
- Optional 10" x 14" or 14" x 14" noseplate available\*
- Two position bracket fits 8" or 10" wheels





### Single & Dual Gas Trucks

- Heavy-duty truck designed to handle 330 cu. ft. cylinders
- Available in single and dual cylinder models
- Includes heavy-duty holding chain
- Hard rubber swivel caster
- Color: Green



### Single Cylinder Hand Truck

- Perfect for medium to large cylinders
  - Also transports boxes or other bulky items
  - Includes heavy-duty holding chain Color: Green



Flow Back (FB)



| Medium-Duty            | Hand Trucks – Flow Back | Inches | Inc | hes |
|------------------------|-------------------------|--------|-----|-----|
| Model No.              | Model No. Wheel Type    |        | Н   | W   |
| R3008MR                | Mold-On Rubber          | 8      | 45  | 19% |
| R3010FP                | Full Pneumatic          | 10     | 45  | 22  |
| R3010SP Semi-Pneumatic |                         | 10     | 45  | 20  |

| Heavy-Duty Ha | nd Trucks – Flow Back | Inches     | Inc | hes |
|---------------|-----------------------|------------|-----|-----|
| Model No.     | Wheel Type            | Wheel Size | Н   | W   |
| R4008MR       | Mold-On Rubber        | 8          | 45  | 19¾ |
| R4008MR2      | Mold-On Rubber        | 8          | 52  | 19¾ |
| R4010FP       | Full Pneumatic        | 10         | 45  | 22  |
| R4010FP2      | Full Pneumatic        | 10         | 52  | 22  |
| R4010SP       | Semi-Pneumatic        | 10         | 45  | 20  |
| R4010SP2      | Semi-Pneumatic        | 10         | 52  | 22  |

| Heavy-Duty Ha | nd Trucks – Dual Loop | Inches     | Inc | hes |
|---------------|-----------------------|------------|-----|-----|
| Model No.     | Wheel Type            | Wheel Size | н   | w   |
| R4510SP       | Semi-Pneumatic        | 10         | 46  | 20  |
| R4510SP2      | Semi-Pneumatic        | 10         | 53  | 20  |

| Single & Dual Ga | Inches     |                |            |
|------------------|------------|----------------|------------|
| Model No.        | Truck Type | Wheel Type     | Wheel Size |
| RGTS10FP         | Single     | Full Pneumatic | 10 x 3½    |
| RGTD10FP         | Dual       | Full Pneumatic | 10 x 3½    |
| RGTS10SP         | Single     | Semi-Pneumatic | 10 x 2¾    |
| RGTD10SP         | Dual       | Semi-Pneumatic | 10 x 2¾    |

- GTS Base Plate 14" W x 6" D, OAH 45" 1143
- GTD Base Plate 29" W x 6" D, OAH 45" 1143

| Dual Cylinder Truck w | ith T-Handle | Inches     |
|-----------------------|--------------|------------|
| Model No.             | Wheel Type   | Wheel Size |
| RCT40LW               | Lightweight  | 8 x 1¾     |
| Base Plate – 17       |              |            |

| Single Cylinder Hand 1 | Inches         |            |
|------------------------|----------------|------------|
| Model No.              | Wheel Type     | Wheel Size |
| RCTV40SP               | Semi-Pneumatic | 10 x 2¾    |

Base Plate – 14" W x 7" D, OAH – 48" 1219



# **Hand Trucks & Drum Handling Equipment**

mobile systems & work centers



# **Cradle Combo Truck**

- A drum truck and cradle in one
- Handles 30 and 55-gallon drums with ease
- Extra wheels assist in climbing curbs or loading pallets
- Adjustable clip keeps drum in place
- 15/16" OD tube frame
- Durable, powder-coated finish



|            | Inches     | Inches  |  |
|------------|------------|---|--|
| Wheel Type | Wheel Size | Roller Bearing  | Load Capacity  |
| Mold-On    | 8 x 2      | 3/4   | 1000 lbs.  |
|            | 6 x 2      | 3/4   |  |
| Mold-On    | 10 x 2½    | 1   | 1200 lbs.  |
|            | 6 x 2      | 3/4   |  |
|            | Mold-On    | Wheel Type         Wheel Size           Mold-On         8 x 2           6 x 2         10 x 2½ | Wheel Type         Wheel Size         Roller Bearing           Mold-On         8 x 2         3/4           6 x 2         3/4           Mold-On         10 x 2½         1 |



# **Drum Dolly**



For the ease of rolling 30 and 55-gallon drums

**Cradle Combo Truck** 

Durable, powder-coated finish

| Diameter |
|----------|
| Diameter |
| 23½″ID   |
|          |





- Multi-purpose hand truck for carting 5-gallon pails
- Cross straps with supporting arms hold pails in place while in transit
- Welded, 1" structural pipe frame with 1/8" walls; durable, powder-coated finish
- Holds 4 pails, up to 300 lbs. capacity

| Pail Truck |                | Inches     | Inches         | Inches        |
|------------|----------------|------------|----------------|---------------|
| Model No.  | Wheel Type     | Wheel Size | Overall Height | Overall Width |
| RPT4010SP  | Semi-Pneumatic | 10         | 551/2          | 181/2         |





# **Dual-Purpose Hand Truck**



- Dual-function hand truck converts to platform position for oversize loads
- Welded, 15/16" OD tube frame and 1" OD tube handle powder-coated finish for durability
- Up to 600 lbs. capacity in platform mode
- Large 7" x 14" nose plate
- Axle accommodates 8" or 10" wheels
- Color: Silver

| Dual-Purpose Hand Truck |                | Inches            | Inches         | Inches        |
|-------------------------|----------------|-------------------|----------------|---------------|
| Model No.               | Wheel Type     | Wheel/Caster Size | Overall Height | Overall Width |
| RDT4008SP               | Semi-Pneumatic | 8/3               | 46             | 19%           |
| RDT4010FP               | Full Pneumatic | 10/5              | 46             | 22            |
| RDT4010SP               | Semi-Pneumatic | 10/5              | 46             | 20            |



### mobile systems & work centers

Versatile, structural foam cart with multiple handle and caster options

Sturdy, easy-to-clean deck resists most chemicals and damage from long-term weather exposure

All decks are steel reinforced

Designed with handles mounted outside of deck to maximize deck space

Choose the deck size, caster type and handle style to create the exact configuration you need

Decks are available in two sizes: 24" x 48" and 30" x 60"

1,000 lb. load capacity

Deck color: Gray





| 24" x 48" De | cks & Casters*        | Inches |                      |
|--------------|-----------------------|--------|----------------------|
| Model No.    | Model No. Caster Type |        | Ship Wt. w/o handles |
| R90181       | R90181 Pneumatic      |        | 69 lbs.              |
| R90162       | R90162 Polyolefin     |        | 61 lbs.              |
| R90163       | R90163 Polyurethane   |        | 61 lbs.              |
| R90182       | R90182 Mold-On Rubber |        | 81 lbs.              |
| R90184       | R90184 Polyolefin     |        | 65 lbs.              |
| R90110       | R90110 Pneumatic      |        | 77 lbs.              |
| R90185       | Thermo-Plastic        | 8      | 61 lbs.              |

| 30" x 60" Dec | ks & Casters*                      | Inches |                      |  |  |
|---------------|------------------------------------|--------|----------------------|--|--|
| Model No.     | del No. Caster Type Caster Size    |        | Ship Wt. w/o handles |  |  |
| R90281        | Pneumatic                          | 8      | 93 lbs.              |  |  |
| R90262        | Polyolefin                         | 6      | 85 lbs.              |  |  |
| R90263        | R90263 Polyurethane                |        | 85 lbs.              |  |  |
| R90282        | R90282 Mold-On Rubber              |        | 105 lbs.             |  |  |
| R90284        | R90284 Polyolefin R90210 Pneumatic |        | 89 lbs.              |  |  |
| R90210        |                                    |        | 101 lbs.             |  |  |
| R90285        | Thermo-Plastic                     | 8      | 85 lbs.              |  |  |

| Model No.           | Size (inches) | Style    | Handle   | Color | Ship Wt. |  |
|---------------------|---------------|----------|----------|-------|----------|--|
| Outside Deck        |               |          |          |       |          |  |
| R92411              | 18            | Open     | Swayback | Gray  | 5 lbs.   |  |
| R92412              | 18            | Crossbar | Swayback | Gray  | 6 lbs.   |  |
| Handle Rails Indeck |               |          |          |       |          |  |
| R94817              | 48            | Crossbar | Straight | Gray  | 14 lbs.  |  |

24" x 48" R90181 Deck

R92411 Handle

#### Handles & Rails for 30" x 60" VERSA/Deck Cart Model No. Handle Color Ship Wt. **Outside Deck** R93011 Open Swayback Gray 9 lbs. R93012 24 Crossbar Swayback Gray 10 lbs. Handle Rails Indeck R96017 Crossbar Straight 16 lbs Gray

### \*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

# How to Order

### STEP 1 – pick a deck & casters\*

Refer to charts above to select deck size and casters

### **Deck sizes**

- 24" x 48"
- · Color: Gray
- Holes are drilled for 30" x 60" handle ordered

### \*Casters & Wheels

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

### STEP 2 - pick a handle & rails


Refer to charts above to select handle and rail configuration

### Handle - Outside Deck





### Handle Rails - Indeck





# **Platform Trucks** Wood Deck

mobile systems & work centers









- Safely transport product, minimize lifting/carrying
- Heavy-duty platform trucks with kilndried, tongue and groove hardwood decks
- Caster options allow 1,180 to 3,000 lb. capacities
- Choose from multiple options in deck type, size, handles, casters, running gear patterns, bumpers and wheel locks
- Decks are 4/4 (%" thick)
- Shipped completely assembled and ready to use
- Casters are bolted on for easy replacement



# How to Order in 7 Easy Steps!

### pick a deck size

### **Deck sizes**

- 24" x 48"
- 30" x 60"
- 36" x 72"

pick running gears

Rigid caster

Swivel caster

### • 27" x 54"

- - Standard with removable lattice pipe handle at swivel end
  - Two swivel, two rigid casters
  - See caster options for capacity

### Series 2 – Wood Deck with Steel Frame

- (On 36" x 72" deck, 2" x 2" x 3/6")
- · Heavy-duty steel frame for additional deck support
- The wood deck is reinforced with longitudinal stiffeners for
- Two swivel, two rigid casters

### pick a deck style (series 1 or 2)

### Styles

### Series 1 - All Wood

## 2" x 2" x 1/8" welded steel angle frame keeps cart square

- · Standard with removable lattice pipe handle at swivel end
- maximum capacity. (See caster options for capacity)

### pick caster type & size

















**Casters & Wheels** 

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

### pick superstructure (A-D)

### Superstructure







Crossbar handle





## create your model number

Call your Akro-Mils distributor with your model number today to order

| model #           | step 1                       | step 2 | step 3              | step 4               | step 5                     | step 6                   |
|-------------------|------------------------------|--------|---------------------|----------------------|----------------------------|--------------------------|
| Platform<br>Truck | → Size →                     | Series | Super-<br>structure | Running<br>Gear Type | Caster Wheel               | Caster Wheel<br>Diameter |
| RPT               | 2448<br>2754<br>3060<br>3672 | 1 2    | A<br>B<br>C<br>D    | 4<br>5<br>6<br>7     | P<br>M<br>Y<br>N<br>R<br>S | 5<br>6<br>8<br>10        |
| RPT               | 3060                         | 2      | Α                   | 5                    | Р                          | 6                        |

## **尽 Platform Trucks** Steel mobile systems & work centers

- Heavy-duty steel trucks with longitudinal steel underdeck reinforcements
- Standard two swivel, two rigid casters
- Special-order platform trucks are available. See page 54 to select from multiple options in handles, casters and running gears (Special-order products are not returnable)
  - Caster options allow 800 to 2,200 lbs. capacity
  - Casters are bolted on for easy replacement









• 30" x 48"

• 30" x 60"

Specify size when ordering



coated finish



steel deck and frame





Steel reinforcements run lengthwise under the deck

industrial casters

| 3 | 6″ | Х | 72" |  |
|---|----|---|-----|--|
|   |    |   |     |  |
|   |    |   |     |  |

| Platform Trucks – Steel |                |                | Inches      |                        |             |
|-------------------------|----------------|----------------|-------------|------------------------|-------------|
| Model No.               | Description    | Caster Type*   | Caster Size | Weight Capacity (lbs.) | Deck Height |
| R2108FPB                | Steel Platform | Full Pneumatic | 8 x 2       | 1200                   | 111/2       |
| R2125MRB                | Steel Platform | Mold-On Rubber | 5 x 2       | 1200                   | 8           |
| R2168MRB                | Steel Platform | Mold-On Rubber | 8 x 2       | 2000                   | 11          |

\*See page 61 for full description of casters and wheels

24" x 36"

24" x 48"

24" x 60" 27" x 54"

# **→ Platform Trucks** *Super-Heavy-Duty*

- Super-heavy-duty wood deck steel frame trucks
- Steel C-channel underdeck reinforcements
- Capacity 1,200 to 4,000 lbs. depending on caster type



## Standard crossbar

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.

## **ACCESSOTIES** for either Steel or Super-Heavy-Duty









Floor Locks

Corner Bumpers

Continuous Bumpers

### SUPER-HEAVY-DUTY DECK SIZES

24" x 48" • 30" x 60" 30" x 48" • 36" x 72"

Specify size when ordering

| Platform Trucks — Super-H       | eavy-Duty Steel            |                | Inches            |                                    |       |  |
|---------------------------------|----------------------------|----------------|-------------------|------------------------------------|-------|--|
| Model No.                       | Description                | Caster Type*   | Caster/Wheel Size | /Wheel Size Weight Capacity (lbs.) |       |  |
| R2178MRB                        | Wood Deck Steel Frame      | Mold-On Rubber | 8 x 2             | 2000                               | 121/4 |  |
| R219885MRB                      | Wood Deck Steel Frame      | Mold-On Rubber | 8 x 2 / 8 x 2 ½   | 2500                               | 121/2 |  |
| R221812MRB                      | Wood Deck Steel Frame      | Mold-On Rubber | 8 x 2 / 12 x 2½   | 3000                               | 16    |  |
| R2258516MRB                     | Wood Deck Steel Frame      | Mold-On Rubber | 8 x 2½ / 16 x 3   | 4000                               | 191/2 |  |
| *Coopen C1 for full description | of an atomic and and and a |                |                   |                                    |       |  |



## **■ Platform Trucks** Work Height — Heavy-Duty

### mobile systems & work centers

- Ergonomic height reduces the strain of lifting and bending
- Welded tubular steel frame supports heavy loads
- Fixed and adjustable heights available
- Two deck sizes available: 24" x 48" and 30" x 60"
- Hardwood, steel or structural foam deck available

Hardwood deck features tongue and groove design Heavy-duty structural foam will not splinter, chip or rot

Steel frame features durable, powder-coated finish

Optional expanded metal or solid steel lower shelf









# accessories Ories






Expanded Metal Shelf

Optional Corner Bumper

| Platform Trucks - Fixed Work He | ight - Tubular Steel Frame |    | Inches |        |                | Inches      |                        |
|---------------------------------|----------------------------|----|--------|--------|----------------|-------------|------------------------|
| Model No.                       | Deck Type                  | L  | W      | Н      | Caster Type*   | Caster Size | Weight Capacity (lbs.) |
| RWH24481A5M8                    | Wood                       | 24 | 48     | 26%    | Mold-On Rubber | 8           | 1800                   |
| RWHV24481A5M8                   | Structural Foam            | 24 | 48     | 26%    | Mold-On Rubber | 8           | 1800                   |
| RWHV24481A5Y6                   | Structural Foam            | 24 | 48     | 241//8 | Polyurethane   | 6           | 2000                   |
| RWHS24481A5M8                   | Steel                      | 24 | 48     | 251/4  | Mold-On Rubber | 8           | 1800                   |
| RWHS24481A5Y6                   | Steel                      | 24 | 48     | 231/4  | Polyurethane   | 6           | 1800                   |
| RWH30601A5M8                    | Wood                       | 30 | 60     | 26%    | Mold-On Rubber | 8           | 1800                   |
| RWHV30601A5M8                   | Structural Foam            | 30 | 60     | 26%    | Mold-On Rubber | 8           | 1800                   |
| RWHV30601A5Y6                   | Structural Foam            | 30 | 60     | 24%    | Polyurethane   | 6           | 2000                   |
| RWHS30601A5M8                   | Steel                      | 30 | 60     | 251/4  | Mold-On Rubber | 8           | 1800                   |
| RWHS30601A5Y6                   | Steel                      | 30 | 60     | 231/4  | Polyurethane   | 6           | 1800                   |

Powder-coated welded steel frame - special colors available

| ili ilucks - Aujustable W | ork Height - Tubular Steel Fra | ille | Inches |            |                | Inches      |                        |
|---------------------------|--------------------------------|------|--------|------------|----------------|-------------|------------------------|
| Model No.                 | Deck Type                      | L    | W      | Н          | Caster Type*   | Caster Size | Weight Capacity (lbs.) |
| RWH24481A5M8A             | Wood                           | 24   | 48     | 26¾ to 32¾ | Mold-On Rubber | 8           | 1800                   |
| RWHV24481A5M8A            | Structural Foam                | 24   | 48     | 27½ to 33½ | Mold-On Rubber | 8           | 1800                   |
| RWHV24481A5Y6A            | Structural Foam                | 24   | 48     | 25½ to 31½ | Polyurethane   | 6           | 2000                   |
| RWHS24481A5M8A            | Steel                          | 24   | 48     | 25% to 32  | Mold-On Rubber | 8           | 1800                   |
| RWHS24481A5Y6A            | Steel                          | 24   | 48     | 23% to 32  | Polyurethane   | 6           | 1800                   |
| RWH30601A5M8A             | Wood                           | 30   | 60     | 26¾ to 32¾ | Mold-On Rubber | 8           | 1800                   |
| RWHV30601A5M8A            | Structural Foam                | 30   | 60     | 27½ to 33½ | Mold-On Rubber | 8           | 1800                   |
| RWHV30601A5Y6A            | Structural Foam                | 30   | 60     | 25½ to 31½ | Polyurethane   | 6           | 2000                   |
| RWHS30601A5M8A            | Steel                          | 30   | 60     | 25% to 32  | Mold-On Rubber | 8           | 1800                   |
| RWHS30601A5Y6A            | Steel                          | 30   | 60     | 23% to 32  | Polyurethane   | 6           | 1800                   |





Hardwood Deck



Foam Deck



All-Steel Deck

### **Casters & Wheels**

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 61 for more caster and wheel information.



mobile systems & work centers

- Ergonomic height reduces the strain of lifting and bending
- Fixed and adjustable heights available
- Two deck sizes available: 24" x 48" and 30" x 60"
- Hardwood, steel or structural foam deck available
- Optional expanded metal lower shelf







| Platform Trucks - Fixed Work He | eight - Angle Iron Frame |    | Inches |       |                | Inches       |                        |
|---------------------------------|--------------------------|----|--------|-------|----------------|--------------|------------------------|
| Model No.                       | Deck Type                | L  | W      | Н     | Caster Type*   | Caster Size* | Weight Capacity (lbs.) |
| RWH2448EA5M6                    | Wood                     | 24 | 48     | 241/2 | Mold-On Rubber | 6            | 1500                   |
| RWHV2448EA5M6                   | Structural Foam          | 24 | 48     | 24%   | Mold-On Rubber | 6            | 1500                   |
| RWHS2448EA5M6                   | All-Steel                | 24 | 48     | 22    | Mold-On Rubber | 6            | 1500                   |
| RWH3060EA5M6                    | Wood                     | 30 | 60     | 241/2 | Mold-On Rubber | 6            | 1500                   |
| RWHV3060EA5M6                   | Structural Foam          | 30 | 60     | 24%   | Mold-On Rubber | 6            | 1500                   |
| RWHS3060EA5M6                   | All-Steel                | 30 | 60     | 22    | Mold-On Rubber | 6            | 1500                   |

\* See page 61 for full description of casters and wheels

| Platform Trucks - Adjustable Wo | ork Height - Angle Iron Frame |    | Inches |            |                | Inches       |                     |
|---------------------------------|-------------------------------|----|--------|------------|----------------|--------------|---------------------|
| Model No.                       | Deck Type                     | L  | W      | Н          | Caster Type*   | Caster Size* | Wt. Capacity (lbs.) |
| RWH2448EA5M6A                   | Wood                          | 24 | 48     | 24½ to 30½ | Mold-On Rubber | 6            | 1500                |
| RWHV2448EA5M6A                  | Structural Foam               | 24 | 48     | 24% to 30% | Mold-On Rubber | 6            | 1500                |
| RWHS2448EA5M6A                  | All-Steel                     | 24 | 48     | 22 to 28   | Mold-On Rubber | 6            | 1500                |
| RWH3060EA5M6A                   | Wood                          | 30 | 60     | 24½ to 30½ | Mold-On Rubber | 6            | 1500                |
| RWHV3060EA5M6A                  | Structural Foam               | 30 | 60     | 24% to 30% | Mold-On Rubber | 6            | 1500                |
| RWHS3060EA5M6A                  | All-Steel                     | 30 | 60     | 22 to 28   | Mold-On Rubber | 6            | 1500                |

<sup>\*</sup> See page 61 for full description of casters and wheels



- Tongue and groove hardwood deck
- Temporary storage and transport of raw materials and finished goods
- Lift Jack available for easy transport of most semi-live skids
- Can be used with a forklift or handjack



### Deck Sizes

### Semi-Live Skids 2 Wheels Standard

- 24" x 48"
- 30" x 60"

Specify size when ordering

| Semi-Live Skids – 2 wheels |                               |                | Inches      |                        |
|----------------------------|-------------------------------|----------------|-------------|------------------------|
| Model No.                  | Description                   | Caster Type*   | Caster Size | Weight Capacity (lbs.) |
| RA778MR                    | Tongue & Groove Hardwood Deck | Mold-On Rubber | 8           | 2200                   |
| RA756MR                    | Tongue & Groove Hardwood Deck | Mold-On Rubber | 6           | 1800                   |

| Lift Jacks |                  |               |                | Inches      |
|------------|------------------|---------------|----------------|-------------|
| Model No.  | Description      | Handle Style  | Caster Type*   | Caster Size |
| RM718MR‡   | Male Lift Jack   | (T) or (Loop) | Mold-On Rubber | 8           |
| RF718MR‡   | Female Lift Jack | (T) or (Loop) | Mold-On Rubber | 8           |

<sup>\*</sup> See page 61 for full description of casters and wheels ‡ - Specify Handle Style (T) or (Loop) when ordering



### **Lift Jacks**

- · For easy transport of most semi-live skids
- Specify "T" or loop handle style
- For female socket, change Model No.
- Pipe is 43" long

# Portable Tables & Carts

### mobile systems & work centers

- Durable carts for pulling stock, assembly operations or other heavy tasks
- Welded steel frame construction with soft rubber casters for easy maneuverability
- Overall height: 36"
- Ships completely assembled and ready-to-use
- 800 lb. capacity with recommended casters



### RMD2ST5SR w/ optional drawer

- 5" x 11/4" soft rubber casters
- Shelf spacing
- 16-gauge steel
- 2" hemmed lip

## portable tables & carts features







RMD2ST5SR w/ optional writing shelf

Tubular push handle - MD series only



resists wear





Easily accessible storage drawer. 151/2"W x 51/3"H x161/3"D O.D.



Writing Shelf: Handy, angled-shelf with pencil edge



Rubber Matting For all standard size shelves



Control truck movement and prevent wheels from turning. Available on all wheels. Normal installation on two swivel wheels

### Portable Tables

|   | Model No. | Weight Capacity (lbs.) | Caster             | Shelves | Height (Inches) | Shelf Clearance (Inches) | Handle  | Cart Size (Inches) |
|---|-----------|------------------------|--------------------|---------|-----------------|--------------------------|---------|--------------------|
| I | RMD2ST5SR | 800                    | 2 Swivel / 2 Rigid | 2       | 36              | 27                       | Tubular | 24 x 36            |
|   | RMD3ST5SR | 800                    | 2 Swivel / 2 Rigid | 3       | 36              | 121/2                    | Tubular | 24 x 36            |

# Mobile Work Tables Heavy-Duty



RHWB2448P5PY0G

- Industrial-grade mobile workstation with a welded-steel frame and steel-reinforced premium oak top - ships fully assembled
- 24" L x 48" W work area with 9 adjustable height settings from 36" x 48"
- 5" x 2" bolted on polyurethane casters; two rigid, two swivel with total lock brakes
- Wraparound steel backstop keeps items from falling behind work table
- Gray powder-coated finish

## Hardwood work Hardwood work surface with premium 11/4" (5/4) thick oak surface extends 2" to accommodate vise or clamps boards and rounded edges 21" D x 36" W 131/2" D x 37" W. tilted middle bottom shelf shelf for easy access to bins

# Mobile Work Tables Medium-Duty



- Industrial-grade work table with steel-reinforced hardwood top ships fully assembled
- 24" L x 48" W x 36" H
- 2 steel drawers 151/2" W x 51/2" H x 161/2" D
- 2 swivel, 2 rigid bolted-on soft rubber casters; 5" x 11/4" total lock brakes on swivel casters
- Optional butcher block top available
- Gray powder-coated finish

# Heavy-Duty Work Benches

mobile systems & work centers







- Heavy-duty, steel frame work bench
- Steel, premium hardwood, butcher block or composition work surface
- 34" fixed or adjustable work heights
- Bench sizes: 30" x 60" and 30" x 72"
- Gray powder-coated finish



**Work Surface Thickness** 

Wood - 21/4" Butcher Block - 1¾" Composition - 1¾"





11-gauge steel work surface extends 1½" on front and sides to accommodate a vise or clamps (Hardwood extends 2")



12-gauge welded steel shelves



Wraparound steel backstop keeps items from falling behind work bench



131/2" deep middle shelf is sloped for easy access to bins or containers



Adjustable work height telescoping C-channel legs provide a range of work heights from 30"- 40"




Anchor pads on each leg secure bench in a fixed position





# create your model number

**Example:** For an adjustable height 30" x 60" gray frame work bench with a hardwood work surface, your model number would be RHWB3060GA1P



example Call your Akro-Mils distributor with your model number to order







RHWB3060GA1P

## Akro-Tilt Trucks waste transport systems

- Lightweight tipping trucks for heavy-weight jobs
- Caster wheel has roller bearings for extra stability when pushing, pulling or turning
- Handle is arc welded and reinforced for optimum durability
- Wrap-around tubular frame is constructed of 1" or 1\%" powder-coated steel for enhanced appearance and rust protection
- All trucks available in: Gray













- Medium-duty and heavy-duty styles to fit your needs
- Latch bars extend around the frame for added strength
- Wide mouth and low profile for easy loading
- All carts available in Gray, Blue and Green. All lids are Black

| Akro-Carts             |                    |                          |     | Inches |     |             |
|------------------------|--------------------|--------------------------|-----|--------|-----|-------------|
| Model No. without Lid* | Model No. with Lid | Description              | W   | D      | Н   | Load Rating |
| 76460                  | 76461              | Medium-Duty 60 Gal. Cap. | 30½ | 48     | 33½ | 300 lbs.    |
| 76490                  | 76491              | Medium-Duty 90 Gal. Cap. | 30½ | 47     | 39½ | 350 lbs.    |
| 76590                  | 76591              | Heavy-Duty 90 Gal. Cap.  | 30½ | 47     | 39½ | 450 lbs.    |

Please specify colors when ordering.

Carts without lids cannot have lids added after production. Single units are shipped completely assembled.

When multiple units are ordered, lids are shipped separately and require assembly.



hinge keeps lid propped open during use



3" gray non-marking thermoplastic rubber swivel caster

# **MegaKart**®



- 96-gallon carts designed for residential waste management
- Compatible with automated and semi-automated systems
- Attached lid swings out of the way for easy dumping
- Injection-molded for exceptional durability and cost effectiveness
- Resists damage from oil and most chemicals
- Engineered for rigidity and strength

| Model No. Capac | itu |    |    |              |                   |             |
|-----------------|-----|----|----|--------------|-------------------|-------------|
| Model No. Gallo |     | D  | Н  | Colors       | Wheel<br>Diameter | Load Rating |
| <b>79596</b> 96 | 28  | 32 | 46 | Black, Green | 12                | 335 lbs.    |



Patented design allows carts to nest with installed lids and latchbars for compact shipping and storage



Foot Tilt Pocket molded above axle for maximum leverage and utility

## Materials Definitions & Benefits

### material definitions & benefits

Each resin has properties that make it ideal for a specific purpose. We manufacture our plastic products using the grade most suited to the product's end use. Listed below are the quality resins we use and their attributes. NOTE: The "Use Temperature Range" defined below is dependent, and may vary with the end user's application. Akro-Mils reserves the right to change product materials without notice.

### Polystyrene (GPS) -**General Purpose Styrene:**

- Water Clear in Clarity
- Surface Finish High Gloss
- Highly Rigid Material
- Low Resistance to Impact
- Chemical/Abrasion Resistance Low
- Use Temperature Range -30° to 115° F

### **High-Density Polyethylene (HDPE):**

- Opaque
- Surface Finish High Gloss
- Moderately Rigid Material
- Highly Resistant to Impact
- Chemical Resistance High Below 140°
- Abrasion Resistance High
- Use Temperature Range -40° to 140° F

### **High-Impact Polystyrene (HIPS):**

- Opaque
- Surface Finish Satin
- Highly Rigid Material
- Highly Resistant to Impact
- Chemical Resistance Low
- Abrasion Resistance Low to Medium
- Use Temperature Range -30° to 180°

### Polypropylene (PP) – Block **Copolymer; High Impact:**

- Opaque
- Surface Finish Medium to High Gloss
- Moderately Rigid Material
- Highly Resistant to Impact
- Chemical Resistance High Below 175° F
- Abrasion Resistance Medium
- Use Temperature Range -20° to 150° F

### Recycled Polypropylene (PP):

- Opaque
- Surface Finish Medium to High Gloss
- Moderately Rigid Material
- Mildly Resistant to Impact
- Chemical Resistance High Below 175° F
- Abrasion Resistance Moderate
- Use Temperature Range -0° to 150° F

### **Acrylic Blend Material:**

- Water Clear in Clarity
- Surface Finish High Gloss
- Rigid Material
- Medium Resistance to Impact
- Chemical Resistance Medium
- Abrasion Resistance Medium
- Use Temperature Range -20° to 180° F

### **Acrylonitrile Butadiene Styrene** (ABS):

- Opaque
- Surface Finish High Gloss
- Highly Rigid Material
- Highly Resistant to Impact
- Chemical Resistance Medium
- Abrasion Resistance Medium
- Use Temperature Range -40° to 180° F

### Polypropylene (PP) - Random **Copolymer; Medium Impact:**

- Relatively Clear
- Surface Finish High Gloss
- Moderately Rigid Material
- Mildly Resistant to Impact
- Chemical Resistance High Below 175°
- Abrasion Resistance Moderate
- Use Temperature Range 0° to 150° F

#### **ESD Materials:**

- · Highest Degree of Electrostatic Discharge Protection with Uniform Surface Resistivities in the Static Dissipative Range of 10<sup>6</sup> to 10<sup>9</sup> ohms/sq.
- Use Temperature Range -20° to 150° F

### **Structural Foam:**

- Plastic and Nitrogen Gas Form a Cellular Core
- Withstands Heavy Loads and Abuse
- HDPE Use Temperature Range -20° to 120° F
- HIPS Use Temperature Range -20° to 160° F

### **FDA-Approved Materials:**

- We use FDA materials for NSTs, Grid Boxes and Akro-Tubs, as well as Straight Wall Containers
- Other Products produced in FDAcompliant materials only available with Custom Orders

### **Linear Low Density** Polyethylene (LLDPE):

- Highly Flexible
- Highly Resistant to Impact
- Chemical Resistance Moderate
- Corrosion Resistance High
- Use Temperature Range -55° to 170° F



A generous selection of caster and wheel options allows Platform Trucks, Hand Trucks, Dollies and Shelf Carts to be customized to fit hundreds of applications, surfaces and conditions. Caster and wheel choices allow you to resolve problems of noise control, floor protection, impact and abrasion resistance or load capacity.



### **Mold-On Rubber**

Designed for medium to heavy loads, these wheels with cushioned rubber tread are quiet and provide good floor protection.



Air-filled for excellent shock protection, floor protection and easy operation over rough surfaces.



### **Polyolefin**

A heavy-duty, lightweight, nonmarking plastic wheel that resists most chemicals and oils, and has excellent impact resistance.



### Steel

Wheels offer least rolling resistance. A good choice for warehouses and manufacturing operations and where noise or floor protection are not a concern.



### **Polyurethane**

Chemically bonded to a metal core, polyurethane wheels are more durable than other materials, deliver excellent mobility, a cushioned ride and long life when subjected to heavy loads.



For demanding applications, a less expensive wheel that offers high strength, is non-marking, nonconductive and protects floors.



### Thermo-Plastic

Gray rubber wheel provides excellent floor protection and a cushioned ride while resisting chemicals, acids, oils and caustic substances.

| <b>Caster Composition</b>                          |                |           |           |        | F             | loor | Surfa     | ice     | ,          | Fl         | oor C    | over      | ings   | С         | ther     | Facto     | ors To Conside                         |
|--|----------------|-----------|-----------|--------|---------------|------|-----------|---------|------------|------------|----------|-----------|--------|-----------|----------|-----------|--|
| E = Excellent G = Good F = Fair NR = Not Recommend | lad            | /         | di Carani | , tile |               | /,   | A Charles | Dod Pla | e sui      | 1,195 2356 | i ste    | or Protes | tion   | \o^2      | ad Resid | tance     | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| Standard Caster/Wheels                             | k <sup>c</sup> | phalt Bri | dy Cot    | get o  | ncrete<br>Lin | deum | e Ch      | enica.  | atal Shadi | o Greass   | stel ste | or Pro    | ise (u | shion Lor | Sact In  | Pacity Ro | jing ise                               |
| Polyolefin   | NR             | NR        | G         | Е      | G             | NR   | G         | F       | G          | Е          | G        | F         | NR     | G         | G        | Е         |  |
| Mold-On Rubber                                     | Е              | Е         | NR        | Е      | NR            | F    | NR        | NR      | F          | G          | G        | Е         | Е      | Е         | G        | F         |  |
| Pneumatic  | Е              | Е         | NR        | Е      | NR            | Е    | NR        | NR      | F          | G          | G        | Ε         | Е      | Е         | F        | NR        |  |
| Steel  | NR             | NR        | NR        | Е      | NR            | NR   | F         | Е       | G          | F          | NR       | F         | NR     | NR        | Е        | Е         |  |
| Polyurethane                                       | Е              | Е         | G         | Е      | Е             | F    | G         | G       | G          | G          | Е        | Ε         | G      | Е         | Е        | G         |  |
| Phenolic   | NR             | NR        | G         | Е      | G             | NR   | F         | NR      | F          | F          | G        | F         | NR     | F         | Е        | Е         |  |
| Thermo-Plastic                                     | Е              | Е         | G         | Е      | Е             | G    | Е         | G       | Е          | G          | Ε        | Ε         | Е      | Е         | G        | G         | 1                                      |





### material handling, storage and transport products

| Model Nos.         | Pg No. | 30164RECY    |     | 30553A3      |    |           | 29         | 41460          |    |
|--------------------|--------|--------------|-----|--------------|----|-----------|------------|----------------|----|
| 02420              |        | 30170        |     | 30553A5      |    | 35231     |            | 41480          |    |
| 05705              |        | 30174        |     | 30553B1      |    | 35240     |            | 415A1          |    |
| 05805              |        | 30178        |     | 30553LF      |    | 35241     |            | 415B1          |    |
| 05905              |        | 30184        |     | 305A1        |    | 35300     |            | 76460          |    |
| 06115              | 35     | 30210        |     | 305A2        |    | 35301     |            | 76461          |    |
| 06118              |        | 30210ESD     |     | 305A3        |    | 36442BLUE |            | 76490          |    |
| 09185BLUE          |        | 30210RECY    |     | 305A4        |    | 36448BLUE |            | 76491          |    |
| 10116              |        | 30211        |     | 305A5        |    | 36462BLUE |            | 76590          |    |
| 10124              |        | 30220        |     | 305A6        |    | 36468BLUE |            | 76591          |    |
| 10126              |        | 30220ESD     |     | 305B1        |    | 37208     |            | 77405          |    |
| 10144              |        | 30220RECY    |     | 305B2        |    |           | 32         | 77410          |    |
| 10164              |        | 30221        |     | 30600BRACKET |    | 37288     |            | 77505          |    |
| 13014              |        | 30224        |     | 30600DOLLY   |    |           | 32         | 77510          |    |
| 13017              |        | 30230        |     | 30618        |    |           | 32         | 77610          |    |
| 13018              |        | 30230ESD     |     | 30618BEIGE   |    |           | 32         | 77710          |    |
| 17018              |        | 30230RECY    |     | 30636        |    | 37672     |            | 77810          |    |
| 19109              |        | 30231        |     | 30636BEIGEA1 |    |           | 32         | 79565          |    |
| 19228              |        | 30234        |     | 30636BEIGEA3 |    |           | 32         | 79596          |    |
| 19320              | 34     | 30234RECY    |     | 30636BEIGEA5 |    |           | 32         | 98100          |    |
| 19416              |        | 30235        |     | 30636BEIGEB1 |    | 37686     |            | 98536          |    |
| 19715              | 34     | 30235ESD     |     | 30638        |    |           | 32         | 98536210SD     |    |
| 19909              |        | 30236        |     | 30651        |    |           | 31         | 98536210SS     |    |
| 20228              |        | 30239        |     | 30653        |    | 39120     |            | 98536220SD     |    |
| 20320              |        | 30239RECY    |     | 30653DOLLY   |    | 39160     |            | 98536220SS     |    |
| 20416              | 34     | 30240        |     | 30661        |    | 39170     | 31         | 98536230SD     |    |
| 20715              |        | 30240ESD     |     | 30676        | 9  | 39175     |            | 98536230SS     |    |
| 20902              | 34     | 30240RECY    |     | 30716BLACK   |    | 39280     |            | 98536235SD     |    |
| 20909              | 34     | 30250        | 5   | 30718BLACK   | 23 |           | 13         | 98536235SS     |    |
| 21280              | 27     | 30250RECY    | 6   | 30776BLACK   | 23 | 40030     | 13         | 98536320SD     | 10 |
| 21281              | 27     | 30255        | 5   | 30778BLACK   | 23 | 40040     | 13         | 98536320SS     | 10 |
| 21282              | 27     | 30260        | 5   | 30796BLACK   | 23 | 40120     | 12, 14, 21 | 98600          | 9  |
| 21283              | 27     | 30265        | 5   | 30812        | 8  | 40130     | 12, 14, 21 | 98600BEIGE     | 11 |
| 21284              | 27     | 30270        | 5   | 30930        | 45 | 40150     | 12, 14     | 98636          | 9  |
| 21286              |        | 30280        | 27  | 30936        | 45 | 40170     | 12         | _              |    |
| 21287              |        | 30281        | 27  | 31112        | 16 | 40210     | 5, 6       | Α              |    |
| 21288              |        | 30282        | 27  | 31118        | 16 | 40220     | 5, 6       | AC3618         | 44 |
| 21289              | 27     | 30283        | 27  | 31142        | 16 | 40228     | 34         | AC3618QV       | 44 |
| 29200              |        | 30284        | 27  | 31148        | 16 | 40230     | 5, 6       | AC3618QV240    | 44 |
| 29201              |        | 30286        | 27  | 31162        | 16 | 40239     | 5, 6       | AC3618QV250    | 44 |
| 29202              |        | 30287        | 27  | 31164        | 16 | 40245     | 5, 6       | AC3618SV       | 44 |
| 29203              |        | 30288        | 27  | 31168        | 16 | 40260     | 5          | AC3618SV240    | 44 |
| 29203              |        | 30289        | 27  | 31182        | 16 | 40265     | 5          | AC3618SV250    | 44 |
| 29300              |        | 30290        | 27  | 31188        | 16 | 40270     | 5          | AC3618Y        | 44 |
| 29301              |        | 30292        | 27  | 31620        | 25 | 40280     | 27         | AC3624         | 44 |
| 29302              |        | 30293        | 27  | 31625        | 25 | 40281     | 27         | AC36243AS      | 44 |
| 29303              |        | 30312        | 24  | 31625RACK    | 25 | 40282     | 27         | AC3624Y        | 44 |
| 29304              |        | 30318        | 24  | 33011        | 30 | 40286     | 27         | AC3624Y3AS     | 44 |
| 30008              |        | 30320        |     | 33023        |    |           | 27         | AC803618M26    |    |
| 30016              |        | 30321        |     | 33061        |    | 40289     | 27         | AC803624M26    | 44 |
| 30040              |        | 30330RED     |     | 33105        |    | 40290     |            | ACQV4C         |    |
| 30048              |        | 30348BEIGE   |     | 33164        |    | 40292     |            | ACQV4C42       |    |
| 30090              |        | 30358BEIGE   |     | 33166        | 30 |           | 24         | ACQV4C62       | 19 |
| 30098              |        | 30400GRY10PK |     | 33168        |    |           | 34         | ACQV4C82       |    |
| 30101              |        | 30400WHI10PK |     | 33220        |    |           | 5          | ACQV4CAST      |    |
| 30102              |        | 30400YEL10PK |     | 33223        |    |           | 7          | ACQV4P         |    |
| 30110              |        | 30420GRY6PK  |     | 33224        |    |           | 7          | ACQV4P42       |    |
| 30110RECY          |        | 30420WHI6PK  |     | 33226        |    |           | 23         | ACQV4P62       |    |
| 30118              |        | 30424        |     | 33228        |    | 40358     |            | ACQV4P82       |    |
| 30120              |        | 30536        |     | 34240        |    |           | 12, 14     | ACQV4PAST      |    |
| 3012030120RECY     |        | 30536210S    |     | 34301        |    |           | 34         | ACS4C          |    |
| 30120REC1<br>30124 |        | 30536220S    |     | 34302        |    |           | 22         | ACS4C42        |    |
| 30124<br>30124RECY |        | 30536230S    |     | 34303        |    |           | 21         | ACS4C62        |    |
|                    |        | 30536235S    |     | 34304        |    |           | 21         | ACS4C82        |    |
| 30128<br>30128RECY |        | 30536320S    |     | 35010        |    |           | 4, 9       | ACS4CAST       |    |
| 30128REC1          |        | 30536A1      |     | 35011        |    | 405A1     |            | ACS4P          |    |
|                    |        | 30536A3      |     | 35180        |    |           | 11         | ACS4P42        |    |
| 30130RECY          |        | 30536A5      |     | 35181        |    | 405A5     |            | ACS4P42ACS4P62 |    |
| 30138              |        | 30536B1      |     | 35185        |    |           | 11         | ACS4P62ACS4P82 |    |
| 30138RECY          |        |              |     |              |    |           |            |                |    |
| 30148              |        | 30553        |     | 35190        |    |           | 34         | ACS4PAST       |    |
| 30150              |        | 30553210S    |     | 35191        |    |           | 34         | AD1811C62      |    |
| 30150RECY          |        | 30553220S    |     | 35195        |    |           | 34         | AD1811C62      |    |
| 30158              |        | 30553230S    |     | 35200        |    |           | 5, 6       | AD1811C82      |    |
| 30161              |        | 30553235S    |     | 35201        |    |           | 16         | AD1811CAST     |    |
| 30164              |        | 30553A1      | 1.1 | 35225        | 29 | 41440     | 16         | AD1811P        | 17 |





### material handling, storage and transport products


| AD1811P6217  | AS1279090 42    | AWS184830280   | 39   | R3010FP   | 51   | RD844SS                                       | 50   |
|--|-----------------|--|--|---|--|---|--|
|  |                 |  |  |   |  | RD853HR                                       |  |
| AD1811P82  |                 |  |  | R3010SP   |  |   |  |
| AD1811PAST 17  | AS1279120Y 41   | AWS184830282   |  | R3ST5HR   |  | RD853SS                                       |  |
| AD1817C 17   | AS1279130Y 41   | AWS184830283   | 39   | R4008MR   | 51   | RD854HR                                       | 50   |
| AD1817C68 17   | AS1279150Y 41   | AWS1848SAB   | 39   | R4008MR2  | 51   | RD854SS                                       | 50   |
| AD1817C88 17   | AS1279170Y 41   |  |  | R4010FP   |  | RDT4008SP                                     |  |
|  |                 |  |  |   |  | RDT4010FP                                     |  |
| AD1817CAST 17  | AS127931224     | AWS24360288  |  | R4010FP2  |  |   |  |
| AD1817P 17   | AS1279312 41    | AWS24360SAB  | 39   | R4010SP   | 51   | RDT4010SP                                     |  |
| AD1817P68 17   | AS127936442B 42 | AWS24361288  | 39   | R4010SP2  | 51   | RF718MR                                       | 57   |
| AD1817P88 17   | AS127936462B 42 | AWS244830124   |  | R4510SP   |  | RGTD10FP                                      |  |
|  |                 |  |  |   |  | RGTD10SP                                      |  |
| AD1817PAST 17  |                 | AWS244830164   |  | R4510SP2  |  | RG1D105P                                      | 51   |
| AD2311C 17   | AS1879048 42    | AWS244830174   |  | R4ST5HR   | 47   | RGTS10FP                                      |  |
| AD2311C42 17   | AS1879098 42    | AWS244830184   | 38   | R4ST8MR   | 47   | RGTS10SP                                      | 51   |
| AD2311C62 17   | AS1879128Y 42   | AWS244830420   | 39   | R5ST5HR   | 47   | RM718MR                                       | 57   |
| AD2311CAST 17  | AS187913014 42  | AWS244837608   |  | R5ST8MR   |  | RMD2ST5SR                                     | 50   |
|  |                 |  |  |   |  |   |  |
| AD2311P 17   | AS187913017 42  | AWS246035225 38,   |  | R5SYT5HR2436  |  | RMD3018F4PN                                   |  |
| AD2311P42 17   | AS187913018 42  | AWS2460M30358  | 38   | R5SYT5HR2436  | 47   | RMD3018F4RX                                   | 50   |
| AD2311P62 17   | AS1879138Y 42   | AWS2460M33224  | 38   | R5SYT5HR3636  | 24   | RMD3018FN                                     | 50   |
| AD2311PAST 17  | AS1879158Y 42   | AWS2460M34240  | 39   | R5SYT5HR3636  | 47   | RMD3018RC4PN                                  | 50   |
| AD3511BS 18  | AS1879178Y 42   | 11110210011101210111111111   |  | R5SYT8HR3636  | 47   | RMD3018RC4RX                                  |  |
|  |                 | Н  |  |   |  |   |  |
| AD3511C 18   | AS1879318 24    |  |  | R5SYT8MR2436  |  | RMD3018RCN                                    |  |
| AD3511C42 18   | AS1879318 42    | HD4824A  | 43   | R5SYT8MR2436  | 47   | RMD3ST5SR                                     | 58   |
| AD3511C62 18   | AS187936 42     | HD4824E  | 43   | R5SYT8MR3636  | 24   | RPT4010SP                                     | 52   |
| AD3511C82 18   | AS187936448B 42 | HD4824F  | 43   | R90110  | 53   | RU843HR                                       |  |
|  | AS187936468B 42 | LVDMOBILE  |  | R90162  |  | RU843HR1617                                   | 20   |
| AD3511CAST 18  |                 | LV DINIOBILE   |  |   |  |   |  |
| AD3511P 18   | AS187942 42     | 8.6  |  | R90163  |  | RU843HR2018                                   |  |
| AD3511P42 18   | AS1879ASORT 42  | M  |  | R90181  | 53   | RU843HR2918                                   | 27   |
| AD3511P62 18   | AS2479 42       | MA3618C  | 46   | R90182  | 53   | RU843SS                                       | 50   |
| AD3511P82 18   | AS2479287 42    | MA3618CAST   |  | R90184  |  | RU843TP1519                                   |  |
|  |                 |  |  |   |  |   |  |
| AD3511PAST 18  | AS2479288 42    |  |  | R90185  |  | RU843TP1721                                   |  |
| AD3517BS 18  | AS2479ASSORT 42 | MA3618PAST   |  | R90210  |  | RU843TP1727                                   | 27   |
| AD3517C 18   | AS3679 42       | MA4824C  | 46   | R90262  | 53   | RU843TP1821                                   | 27   |
| AD3517C68 18   | AS3679292 42    | MA4824C1   | 46   | R90263  | 53   | RU843TP2122                                   | 27   |
| AD3517C88 18   | AS3679293 42    | MA4824C2   | 46   | R90281  | 53   | RU843TP2227                                   | 27   |
| AD3517CAST 18  | AS3679ASSORT 42 | MA4824P  |  | R90282  |  | RU844HR                                       |  |
| AD3517 P   | ASC1279         | MA4824P1   |  | R90284  |  | RU844SS                                       |  |
|  |                 |  |  |   | 55   |   |  |
|  |                 |  | 16   | DOOGOE  | E 2  | DITOESTID                                     |  |
| AD3517P68  |                 | MA4824P2   |  | R90285  |  | RU853HR                                       |  |
| AD3517P88 18   | ASC1279162      |  |  | R92411  | 53   | RU853SS                                       | 50   |
|  |                 | R  |  |   | 53   |   | 50   |
| AD3517P88 18   | ASC1279162      |  |  | R92411  | 53<br>53   | RU853SS                                       | 50<br>50   |
| AD3517P88  | ASC1279162      | R  | 49   | R92411<br>R92412<br>R9255HR   | 53<br>53<br>52   | RU854HR                                       | 50<br>50<br>50   |
| AD3517P88  | ASC1279162      | <b>R</b> R1130   | 49<br>49   | R92411  | 53<br>53<br>52<br>53   | RU853SS<br>RU854HR<br>RU854SS<br>RWH24481A5M8 | 50<br>50<br>50<br>56   |
| AD3517P88  | ASC1279162      | R 1130<br>R1151<br>R1B5HR  | 49<br>49<br>48   | R92411  | 53<br>53<br>52<br>53<br>53   | RU853SS                                       | 50<br>50<br>50<br>56<br>56   |
| AD3517P88  | ASC1279162      | R R1130 R1151 R1B5HR R1B5HRL   | 49<br>49<br>48<br>48   | R92411  | 53<br>53<br>52<br>53<br>53<br>53   | RU853SS                                       | 50<br>50<br>50<br>56<br>56<br>57   |
| AD3517P88  | ASC1279162      | R R1130 R1151 R1B5HR R1B5HRL   | 49<br>49<br>48<br>48<br>48   | R92411  | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52   | RU853SS                                       | 50<br>50<br>50<br>56<br>56<br>57<br>57   |
| AD3517P88  | ASC1279162      | R R1130 R1151 R1B5HR R1B5HRL R1B5HRX R1B5HRX   | 49<br>49<br>48<br>48<br>48   | R92411  | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52   | RU853SS                                       | 50<br>50<br>50<br>56<br>56<br>57<br>57   |
| AD3517P88  | ASC1279162      | R R1130 R1151 R1B5HR R1B5HRL   | 49<br>49<br>48<br>48<br>48   | R92411  | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52   | RU853SS                                       | 50<br>50<br>50<br>56<br>56<br>57<br>57   |
| AD3517P88  | ASC1279162      | R R1130 R1151 R1B5HR R1B5HRL R1B5HRX R1B5HRX   | 49<br>49<br>48<br>48<br>48<br>48   | R92411  | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>53   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47   | R92411  | 53<br>53<br>52<br>53<br>53<br>53<br>52<br>52<br>52<br>53<br>33   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>57   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR   | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>52<br>53<br>33<br>57   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>57   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47   | R92411  | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>52<br>53<br>33<br>57<br>57   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>57<br>57<br>56   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR   | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>52<br>53<br>33<br>57<br>57   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>57<br>57<br>56   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47   | R92411  | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>52<br>53<br>33<br>57<br>57<br>41   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>57<br>57<br>56<br>56   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RABR5338 RACR5MR   | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>56<br>56<br>57<br>56<br>56<br>56<br>56   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>55   | R92411  | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>55   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RABR5338 RACR5MR RCT40LW RCTV40SP  | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>56<br>56<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>57   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>55<br>55   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RACR5MR RCT40LW RCTV40SP RD2416F3P   | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>56<br>56<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>57<br>57   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>55<br>55   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RABR5338 RACR5MR RCT40LW RCTV40SP  | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>56<br>56<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>57<br>57   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>55<br>55<br>52<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAFS338 RACR5MR RACFMULW RCTV40SP RD2416F3P RD2416R3P  | 53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>56<br>56<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>55<br>55<br>52<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RABR5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2416F3P  | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57                         |
| AD3517P88  | ASC1279162      | R R1130 R1151 R1B5HR R1B5HRL R1B5HRX R1B5HRXL R1S10FP2 R1S5HR R1S5HR2LD R1S8FP2 R1S8MR R1S8MR2 R2108FPB R2125MRB R214CS1841 R214CS1859 R214CS1878 R214CS2841   | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>55<br>55<br>52<br>27<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R96017 RA6TR4MR RA756MR RA778MR RAFS338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2416F3P   | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56       |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>55<br>55<br>52<br>27<br>27<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RABR5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718RC3P   | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57             |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>27<br>27<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RABR5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718RC3P RD2718RC3P  | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>27<br>27<br>27<br>27<br>27<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RABR5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718RC3P   | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>53<br>52<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>27<br>27<br>27<br>27<br>27<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RABR5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718RC3P RD2718RC3P  | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>43<br>49<br>49<br>49<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57 |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>48<br>48   | R92411 R92412 R9255HR R93011 R93012 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018CE3P  | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>52<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>27<br>27<br>27<br>27<br>27<br>27<br>48<br>48<br>48<br>55   | R92411 R92412 R9255HR R93011 R93012 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718S3P RD3018AC3P RD3018AC3P RD3018F3P  | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>555<br>527<br>227<br>227<br>227<br>248<br>48<br>48<br>555<br>227   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAFS338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018F3P   | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49   | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>555<br>527<br>227<br>227<br>227<br>227<br>227<br>227<br>227<br>22  | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R96017 RA6TR4MR RA756MR RA778MR RAFS338 RACR5MR RACT40LW RCTV40SP RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018CE3P RD3018F3P RD3018R3P RD3018R3P RD3018RG3P   | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49                                     | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57 |
| AD3517P88  | ASC1279162      | R R1130 R1151 R1B5HR R1B5HRL R1B5HRXL R1B5HRXL R1B5HRXL R1S10FP2 R1S5HR R1S5HR2LD R1S8FP2 R1S8MR R1S5HR2LD R1S8FP2 R1S8MR R1S8MR2 R2108FPB R2125MRB R214CS1841 R214CS1859 R214CS1878 R214CS2841 R214CS2859 R214CS2878 R214CS2878 R214HE R215HE R215HE R2168MRB R216CS2236 R216CS2239 R216CS2236  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>555<br>555<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RAFS338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018C5P RD3018F3P RD3018F3P RD3018F3P RD3018R3P RD3018R3P RD3018R3P RD3018R3P RD3018RC3P   | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49                               | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57             |
| AD3517P88  | ASC1279162      | R R1130 R1151 R1B5HR R1B5HRL R1B5HRX R1B5HRXL R1S10FP2 R1S5HR R1S5HR2LD R1S8FP2 R1S8MR R1S5HR2LD R1S8FP2 R158MR R1S8MR2 R2108FPB R2125MRB R214CS1841 R214CS1841 R214CS1859 R214CS1878 R214CS2878 | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R96017 RA6TR4MR RA756MR RA778MR RA756MR RA778MR RAD85338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018F3P RD3018R3P  | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49       | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018F3P RD3018F3P RD3018RC3P RD30624AC3P   | 53<br>53<br>53<br>52<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>57<br>41<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49                                     | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57   |
| AD3517P88  | ASC1279162      | R R1130 R1151 R1B5HR R1B5HRL R1B5HRX R1B5HRXL R1S10FP2 R1S5HR R1S5HR2LD R1S8FP2 R1S8MR R1S5HR2LD R1S8FP2 R158MR R1S8MR2 R2108FPB R2125MRB R214CS1841 R214CS1841 R214CS1859 R214CS1878 R214CS2878 | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R96017 RA6TR4MR RA756MR RA778MR RA756MR RA778MR RAD85338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018F3P RD3018R3P  | 53<br>53<br>53<br>52<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>57<br>41<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49                                     | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>227<br>227<br>227<br>227<br>22   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018F3P RD3018F3P RD3018RC3P RD30624AC3P   | 53<br>53<br>53<br>53<br>53<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49       | RU853SS                                       | 50<br>50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57                   |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>55<br>55<br>52<br>27<br>22<br>27<br>22<br>27<br>22<br>27<br>22<br>27<br>27<br>22<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT401W RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018F3P RD3018R3P RD3024C4C4BP RD3624C4C4BP RD3624C4C4BP RD3624C4BP   | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49       | RU853SS                                       | 50<br>50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57                         |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>227<br>227<br>227<br>227<br>227<br>2   | R92411 R92412 R9255HR R93011 R93012 R93012 R94817 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAF5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018RC3P RD3024RC3P RD3024RC3P RD3624RC3P RD3624RC3P RD3624RSP RD3624RSP  | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49       | RU853SS                                       | 50<br>50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57             |
| AD3517P88 18 AD3517PAST 18 APRBENCH 15, 24 APRBENCH040 15 APRBENCH090 15 APRBENCH120 15 APRBENCH120 15 APRD 15 APRD 15 APRD 15 APRD 15 APRD110Y 15 APRD110Y 15 APRD130Y 15 APRD142 20 APRD150Y 15 APRD162 20 APRD170Y 15 APRD182 20 APRD36442B 15 APRDAST 15, 20 APRDMOBILE 15 APRS 15 APRS 15 APRS 15 APRS 15 APRS 15 APRS 15 APRS110Y 15 APRS110Y 15 APRS110Y 15 APRS120Y 15 APRS120Y 15 APRS130Y 15 APRS150Y 15 APRS162 20 APRS1642B 15  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>48<br>48<br>48<br>55<br>55<br>55<br>55<br>55<br>55<br>55<br>55<br>55<br>55<br>55<br>55<br>55 | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RAFS338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718S3P RD3018AC3P RD3018AC3P RD3018AC3P RD3018F3P RD3024F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P   | 53<br>53<br>53<br>52<br>53<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49       | RU853SS                                       | 50<br>50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57                   |
| AD3517P88 18 AD3517PAST 18 APRBENCH 15, 24 APRBENCH040 15 APRBENCH090 15 APRBENCH120 15 APRBENCH120 15 APRBENCH150 15 APRD 15 APRD 15 APRD040 15 APRD110Y 15 APRD110Y 15 APRD130Y 15 APRD130Y 15 APRD150Y 15 APRD162 20 APRD150Y 15 APRD164 20 APRD182 20 APRD182 20 APRD36462B 15 APRD 15 APRS 20 APRS 15 APRS 20 APR | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>55<br>55<br>52<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R95010MR2 R96017 RA6TR4MR RA756MR RA778MR RA756MR RA778MR RAHBR5338 RACR5MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD2718S3P RD3018AC3P RD3018AC3P RD3018AC3P RD3018CE3P RD3018CE3P RD3018RC3P RD30264C3P RD3624AC3P RD3624AC3P RD3624R3P RD4824F3P RD4824F3P                     | 53<br>53<br>53<br>53<br>52<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49       | RU853SS                                       | 50<br>50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57                   |
| AD3517P88 18 AD3517PAST 18 APRBENCH 15, 24 APRBENCH040 15 APRBENCH090 15 APRBENCH120 15 APRBENCH120 15 APRBENCH150 15 APRD0 15 APRD0 15 APRD040 15 APRD1090 15 APRD110Y 15 APRD110Y 15 APRD120Y 15 APRD130Y 15 APRD142 20 APRD150Y 15 APRD162 20 APRD164 20 APRD170Y 15 APRD182 20 APRD36462B 15 APRDAST 15, 20 APRS10Y 15 APRS10Y 15 APRS110Y 15 APRS110Y 15 APRS110Y 15 APRS120Y 15 APRS120Y 15 APRS120Y 15 APRS142 20 APRS150Y 15 APRS162 20 APRS170Y 15 APRS162 20 APRS170Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRS170Y 15 APRS182 20 APRS170Y 15 APRS182 20 APRS36442B 15 APRS36462B 15   | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>555<br>555<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>27<br>48<br>48<br>48<br>48<br>48<br>48<br>48<br>48<br>48<br>48<br>48<br>48<br>48                       | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R96017 RA6TR4MR RA756MR RA778MR RAF56MR RA778MR RAF510W RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018AC3P RD3018AC3P RD3018CE3P RD3018F3P RD3024F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD36484F8P RD36484F8P RD4824F3P RD4824F3P RD4824F3P RD8843HR | 53<br>53<br>53<br>53<br>53<br>53<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49 | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57       |
| AD3517P88  | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>227<br>227<br>227<br>227<br>22   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9510MR2 R9510MR2 R96017 RA6TR4MR RA756MR RA778MR RA778MR RA778MR RAD1618 RA778MR RCT40LW RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018C3P RD3018C3P RD3018C3P RD3018RC3P RD3024AC3P RD3024AC3P RD3624AC3P RD3624F3P RD3624F3P RD3624S3P RD3624S3P RD4824F3P RD4824F3P RD4824F3P RD4824F3P RD843HR RD843SS     | 53<br>53<br>53<br>53<br>53<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49       | RU853SS                                       | 50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57       |
| AD3517P88 18 AD3517PAST 18 APRBENCH 15, 24 APRBENCH040 15 APRBENCH090 15 APRBENCH120 15 APRBENCH120 15 APRBENCH150 15 APRD0 15 APRD0 15 APRD040 15 APRD1090 15 APRD110Y 15 APRD110Y 15 APRD120Y 15 APRD130Y 15 APRD142 20 APRD150Y 15 APRD162 20 APRD164 20 APRD170Y 15 APRD182 20 APRD36462B 15 APRDAST 15, 20 APRS10Y 15 APRS10Y 15 APRS110Y 15 APRS110Y 15 APRS110Y 15 APRS120Y 15 APRS120Y 15 APRS120Y 15 APRS142 20 APRS150Y 15 APRS162 20 APRS170Y 15 APRS162 20 APRS170Y 15 APRS162 20 APRS170Y 15 APRS182 20 APRS170Y 15 APRS182 20 APRS170Y 15 APRS182 20 APRS36442B 15 APRS36462B 15   | ASC1279162      | R R1130  | 49<br>49<br>48<br>48<br>48<br>48<br>47<br>47<br>47<br>47<br>47<br>47<br>47<br>227<br>227<br>227<br>227<br>22   | R92411 R92412 R9255HR R93011 R93012 R94817 R9508MR2 R9508MR2 R96017 RA6TR4MR RA756MR RA778MR RAF56MR RA778MR RAF510W RCTV40SP RD2416F3P RD2416F3P RD2416F3P RD2718F3P RD2718F3P RD2718F3P RD2718F3P RD3018AC3P RD3018AC3P RD3018AC3P RD3018AC3P RD3018CE3P RD3018F3P RD3024F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD3624F3P RD36484F8P RD36484F8P RD4824F3P RD4824F3P RD4824F3P RD8843HR | 53<br>53<br>53<br>53<br>53<br>53<br>53<br>55<br>52<br>52<br>53<br>33<br>57<br>57<br>41<br>33<br>51<br>51<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49<br>49       | RU853SS                                       | 50<br>50<br>50<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>56<br>56<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57<br>57                   |

# Ready, Set, Organize!™

Our broad range of durable plastic containers combined with metal cabinets, shelving and racks, will improve storage and organization efficiency, shorten assembly times and optimize parts protection. Akro-Mils will help you improve your productivity and your bottom line!







| A. ProHANGERp. 7                |
|---------------------------------|
| B. Heavy-Duty Work Benchp. 59   |
| C. Super-Size AkroBin Cartp. 27 |
| D. Louvered Hanging Systemsp. 9 |
| E. AkroBinsp. 4-6               |
| F. Super-Size AkroBinsp. 26-27  |

| L. Platform Truckp. 56-57 |
|---------------------------|
| M.Storage-Go-Roundp. 34   |
| N. Roto-Shelfp. 35        |
| O. Single-Sided Louvered  |
| Floor Rackp. 9            |
| P. ShelfMax Bins n 13     |

| <b>Q.</b> Akro-Gridsp. 30          |
|------------------------------------|
| R. Wire Shelving Systemsp. 36-39   |
| S. Stak-N-Store Binsp. 28          |
| T. Attached Lid Containersp. 31    |
| U. Pick Rack with System Binsp. 15 |
| V. AkroDrawersp. 16-20             |



To learn more, contact us today: 800.253.2467

1293 South Main Street, Akron, Ohio 44301 • www.akro-mils.com • Fax: 330.761.6348 • sales@akro-mils.com In Canada: 8030 Torbram Road, Brampton, Ontario L6T 3T2 • Tel: 877.877.9680 • Fax: 905.791.4084 • sales@akro-milscanada.com

