



COMMITTED TO METALWORKING SOLUTIONS



FEATURES

006

Case Studies

See how we have assisted companies and their productivity by using our 5-Step Productivity Analysis.

010

Lab Showcase

A collection of lab reports have been issued at the request of end users or for internal comparative testing against existing products. Use this section to compare your own operations to a sampling of our library.

022

Market Overview

Our products serve specific industries and understanding these industries is critical for innovative product development.

026

Materials

Understand the differences in grain structure, backing materials and other important factors to help with your abrasive choices.

106

Crossover

Easily cross reference your current products after reading about ours.

032

RESIN FIBRE
DISCS

038

FLAP DISCS

046

QUICK-LOK
DISCS

054

PSA DISCS

064

BONDED

068

BELTS

078

SURFACE
CONDITIONING

086

CLEAN & FINISH

090

FLAP WHEELS

095

SHEETS

096

ROLLS

098

SPECIALTIES

104

NO LAP BANDS

EXCLUSIVE PRODUCTS

SPECTRA™ Premium Paper Discs

Available in 5" or 6" roll, hook and loop, or with tab, SPECTRA™ Premium Paper Discs utilize a sturdy paper backing combined with a premium grain and steared surface. 5" and 6" discs may be available with 5, 6 or 8 vacuum holes.

SPECTRA™ products are a seamless blend of affordability and performance for general purpose applications on all metals.



Aerospace Applications Kit

Since 1960, we have been serving the aerospace industry with new and exclusive products. The Aerospace Applications Kit was carefully assembled to show the benefits of our exclusive aerospace products. The kit details product and process improvements tied to popular metal classes and applications in the aerospace market. These products will greatly improve your abrasive process at a lower cost, compared to competitor's.



Performance Coating



HOBART INSTITUTE
OF WELDING TECHNOLOGY

We, the Hobart Institute of Welding Technology were recently provided with some 0.250" 6061 aluminum plates to be used as weld samples.

Of the samples, two sets had been ground with an abrasive belt that contained no wax and two sets that had been prepared by grinding with an abrasive belt that used wax.

One set of each were configured as "T" joint and welded with a GTAW process. Each of these samples were destructively tested by sectioning, polishing and etching. They were then examined under magnification of a stereomicroscope.

One set of each were configured into a flat groove weld 30° single bevel with backing. These samples were welded using the GMAW process. These samples were nondestructively tested by radiographic examination and destructively tested by bend testing.



Using the AWS (American Welding Society) D1.2 Structural Welding Code-Aluminum as a base for acceptance criteria the samples would have passed the code requirements for welder certification. But, the testing was performed as a comparison only.

I saw no indication of any foreign material imbedded in the test pieces that had an adverse effect on the welding of the samples and would not advocate one of the abrasive belts over the other.

Regards,

James C. Collins

AWS Certified Welding Inspector # 93040761



EXCLUSIVE PRODUCTS

PREDATOR™

Like our new logo, the PREDATOR™ brand has evolved into more than just a product, but into a way of thinking and attacking the market to bring value and savings to American manufacturing. We started with an idea to develop a range of products that would prove to be of value to customers in cost and performance. This basis has served us well for the past 4 years. However, like our new logo, PREDATOR™ has morphed into an innovative, cutting edge technology. This thinking has been proven in products like our Rapid Release System and Performance Coating. These products will continue to define the market so that NO METAL STANDS A CHANCE!



RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH
FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS




WWW.JOIN THE PREDATOR.US

CAPABILITIES

Samples

One very important part of our sales process is to provide samples for end user testing. We value our customers and make the delivery of your sample an important priority.

To share our knowledge of the metalworking industry, we allow you to request the specific samples needed. Going one step further, we can accompany you on a sales call to assist in closing your new opportunity.



Our Direct Sales Force and Manufacturing Representatives are available throughout the United States, most of which cover a 200 mile radius.

EDI & Trading Partners

To ease ordering, we use an industry standard EDI exchange software for the 'Trading Communities.' This allows us to receive your orders electronically, alleviating the need to keep track of physical paperwork.

Rebate Program

With a continuous interest in creating new business opportunities with our distributors, a rebate program can be offered for new sales. Not all distributor needs are similar, so we offer a wide range of incentive and rebates based on your preferences.

Private Label Program

For select distributors, we can implement and apply an unbranded, or private label to both packaging and individual products with your company logo.

Shipping Programs

Through our select carriers, we can ship overnight, provide competitive pallet rates, and drop ship directly to your customer. A free freight policy may also be available on select large orders.

Productivity Analysis

CAPABILITIES

Understanding how our products work within weld removal, deburring and flash removal, and surface finishing applications is critical. We are continually testing our innovative products on these applications and comparing our results to commonly used products and techniques. This gives us a very clear understanding of how our products will work for you and is the staple of our continuous improvement and product development. Let us show you how we approach every situation with our 5-Step Productivity Analysis.

STEP 1: Determine Process

Perform an in depth abrasive cost savings study on-site. The purpose is to completely understand the following:

- a. Metals being worked with
- b. Fabrication processes in the shop
- c. Current abrasive applications
- d. Current products used
- e. Customer objectives

STEP 2: Recreate Conditions

Duplicate the end user's conditions in our lab, eliminating testing in your facility, to develop a cost effective process for your particular abrasive application.

STEP 3: Demonstrate Modifications

Return to the end user with our lab results to perform focused end user testing.

STEP 4: Document Feedback

Document all test results with each operator in writing.

STEP 5: Provide Cost Savings and Process Improvements

Compare pricing and testing results to document product and process savings.

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

CASE STUDIES

Agricultural Equipment

Manufacturer of agricultural equipment, including tractors, combines, hay tools, sprayers, forage and tillage equipment.

Evaluation and Opportunity

Given the major operations involved with this manufacturer, several locations are utilized within the facilities. Although these operations are kept separate and involve different applications there is still product crossover between the two.

Acknowledging heavy stock and rust removal as separate applications, new products can be suggested to improve production efficiencies. Although the wire brush that is currently used for specific applications is a formidable solution, many other products can be adjusted or replaced for the benefit of remaining applications.

"...Saves hours of sandblasting..."

"...Removes all rust, not just the top layer..."

Billed Time for Rust Removal

Location 1	150 hrs/wk
Location 2	125 hrs/wk
Combined Total	13,750 hrs/yr
Annual Billed Cost x Labor Rate	\$412,500

Reference
Page 020

Lab Showcase

124

Based on performance results and operator feedback, we can estimate the following product rates:

Performance Improvement	New SCD Hours/Yr	Annual Savings
2 to 1	6,875	\$206,250
3 to 1	4,583	\$275,000
4 to 1	3,438	\$309,375

Product	Usage	Savings
PREDATOR™ Quick-Lok Disc	39,360	\$9,052
PREDATOR™ Resin Fibre Disc	81,000	\$23,490
Zirconia Resin Fibre Disc	6,960	\$7,238
Surface Conditioning Disc	62,008	\$11,781
Total		\$51,561



CASE STUDIES

Earth Moving Equipment

Manufacturer of small earth moving equipment specializing in compact loaders, excavators and attachments.

Evaluation and Opportunity

Several production departments were available for evaluation, including booms, mainframes, flat beds and rails. Most operators were using 9" 60 grit resin fibre discs on their various applications, with the addition of a knotted wire brush on certain welds.

The majority of all applications involved removal of large scratches or penetration marks and mill scale on mild steel plates or sheets. Relative to the required applications, large resin fibre discs are far too aggressive and their maximum potential is not realized.

ARC believes that we can provide better performance by product with a better base cost than what is currently being used as evidence in our mounted flap wheel quote and operator feedback. We provided a better mounted flap wheel at a \$1.53 savings per piece.

Conclusion

ARC identified 3 main products that provide cost savings in cut, life and head to head product savings. ARC was \$1.53 less than the current flap wheel that was being used with equal performance. This one item was a \$53,000 savings. Additional items such as the resin fibre disc and flap disc showed a faster cut and a 2 to 1 increase in life with a lower product cost.

Progressive Die Stamping


Evaluation and Opportunity

This customer had very specific finishing needs that required two applications for each part - deburring after stamping and finishing. The process consisted of using several grits and types of grains. With many different products used on each machine, down time was significantly increased.

Product dressing time was used to wear down a new belt to match the required finish. To avoid wasting machine down time or dressing belts to a certain grit, a compact grain product could last 15 to 20 longer without any dressing required.

Conclusion

After much internal lab work each finishing requirement was matched with the appropriate compact grain size and confirmed by several surface measurements. Existing belt usage was cut by nearly 50% with a lower product cost.



CASE STUDIES

Aerospace Manufacturing

Manufacturer of military and private aircraft parts.

Evaluation and Opportunity


Operations involved removing machining marks from both titanium and aluminum parts. Conventional, single layer silicon carbide and aluminum oxide materials were used to smooth the flat surfaces and round outside edges.

The titanium parts generated so much heat that conventional abrasive grains broke down, quickly depleting product life. The use of a compact grain is similar in cost, but has a much longer life with faster cutting action.

Soft metals like aluminum melt and load into the grain structure, rendering products inoperable. Performance coating has the ability to limit loading by reducing heat and increasing performance nearly 10 to 1.

Conclusion

The products that were recommended by ARC increased life and cut with a 25% reduction in product cost. The compact grain increased cut rate and usable life by 5 to 1 over the conventional silicon carbide discs that were being used.



Aerospace Repair

Aircraft maintenance and quality control facility.

Evaluation and Opportunity

Required processes included corrosion control, weld removal and general repair of titanium, nickel alloy and aluminum components.

Surface conditioning materials were currently used for corrosion control applications, but the current products were not lasting long. During evaluation ARC considered all surface conditioning grades in order to find the best balance of performance and finish.

Weld removal applications were required for all metals with titanium being the most demanding. The heat generated during grinding was actually melting the backing pad, sometimes rendering it useless after one application. Aluminum applications were treated differently, as the metal would melt, load the discs and prematurely deplete product life. This is the reason less expensive and much less technical aluminum oxide grains were being used.

Conclusion

Equivalent materials were recommended for corrosion control applications, providing similar performance and finish while lowering costs. On titanium, performance increases of 25% to 200% were seen with silicon carbide compact grain, versus the conventional silicon carbide that was being used.

Operators were impressed with all of the recommendations that ARC provided, but they were especially appreciative of the performance coating recommendation for their aluminum components. The Performance Coated PREDATOR™ quick-lok discs easily increased existing performance by 169% on aluminum.

Reference
Page 020

Lab Showcase
284

Crane Manufacturing

International manufacturer of lattice boom and tower cranes.

Evaluation and Opportunity

The initial evaluation revealed that product use was limited to removal of slag and burrs from oxy fuel cut mild steel parts with a 36 grit 7" flap disc. These particular flame cut parts are referred to as straps. Straps can vary from 6 to 20 feet in length and need to be deburred on both sides, top and bottom. Two to three operators spend an entire shift deburring these parts, so cut rate and overall life is important.

"...A two or three to one advantage with PREDATOR™ ..."

In most cases the use of 36 grit flap discs is not advised as the grain is too large and wants to shell off. The current disc had a soft edge that caused the product to flex and magnify the shelling problem. A finer 40 grit hard edge flap disc was recommended for improved cut and life.

Conclusion

Operators were extremely pleased with the performance of the recommended PREDATOR™ hard edge flap disc. In most cases it outlasted previously used products by 3 to 1. The increased performance and life cut product changeout time and provided over 40% saving in product cost.

RESIN FIBRE DISCS	FLAP DISCS	QUICK-LOK DISCS	PSA DISCS	BONDED	BELTS	SURFACE CONDITIONING	CLEAN & FINISH	FLAP WHEELS	SHEETS	ROLLS	SPECIALTIES	NO LAP BANDS
-------------------	------------	-----------------	-----------	--------	-------	----------------------	----------------	-------------	--------	-------	-------------	--------------

LAB SHOWCASE

Our research and development lab allows us to perform automated and off-hand application testing, and the ability to break down each step of an application while supplying performance results and specific direction.

One of the many goals of our research and development team is to save you production time by recreating your conditions in our facility, versus using your shop floor. Per request, we can fabricate custom pieces on which to test, receive an actual work piece, or review a customer submitted application video.

We have assembled lab reports that have been issued at the request of end users or for internal comparative testing against existing products.



Reference
Page 014

Lab Showcase

172

Product Analysis

Offering a product-for-product recommendation based on performance tests conducted in our own lab.

Send us a video

Reference
Page 017

Lab Showcase

030

Process Improvement

Improving production processes based on your application by testing and comparing all available techniques and product choices.

Document your process

Reference
Page 021

Lab Showcase

425

Application Duplication

Using customer submitted parts or custom fabrications, recommendations are well documented and extremely accurate.

Send us your parts

LAB SHOWCASE

Our Lab Reports reflect actual tests or requests from customers. Objectives and testing procedures are detailed by skilled technicians. Below, we segment a sample report.

Quick application reference

To quickly associate our tests with your applications, use our reference table to tell you what metals and products are involved.

Our objective for the test is detailed

Our reason for implementing a test is outlined.

Products used are listed, including our SKUs

To learn more about a specific product used, reference the items listed in our Products chapter of the catalog.

Equipment, techniques or recording methods are explained

Each test is different and may require unique equipment.

Based on our results, our conclusions are presented

An assesment of our research is presented to conclude all tests.

Most belts made within 24 to 72 hours.

Sample

Quick-Lok Disc

Resin Fibre Disc

Flap Disc

PSA Disc

Belt

Mild Steel

Stainless Steel

Aluminum

Titanium

Compare stainless steel performance results of PREDATOR™ in 2" Quick-Lok Disc and 1/2 x 24" Belt form against leading competitive materials.

ARC Products

71-31656

2" PREDATOR™ Quick-Lok Disc, 120 Grit

71-005024008

1/2 x 24" PREDATOR™ Airfile Belt, 120 Grit

Competitive Products

2" Quick Change Disc, 120 Grit

1/2 x 24" Airfile Belt, 120 Grit

Test Method

All tests were performed by hand using the appropriate tooling. Each test lasted for 20 minutes on several stainless steel welds, approximately 1/4" wide. The stainless work piece was weighed every minute, and the products were weighed before and after the test.

Conclusion

The same weight was lost from each quick change disc tested, and the PREDATOR™ material outperformed the competitive material by 9%. Although both belts lost the same amount of material, the PREDATOR™ airfile belt was outperformed in cut by 41.6%.

LAB SHOWCASE

258

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc

Resin Fibre Disc

Flap Disc

PSA Disc

Belt



Testing PREDATOR™ flap discs against current offerings from an international distributor of industrial, safety and fastener products.

ARC Products

71-10824AF 4-1/2 x 7/8" PREDATOR™ Flap Disc, 40 Grit

71-10825AF 4-1/2 x 7/8" PREDATOR™ Flap Disc, 60 Grit

Competitive Products

4-1/2 x 7/8" zirconia alumina, ceramic or mixed material flap discs from three manufacturers.

Test Method

Tests were performed using an automated test machine powered by a flex shaft motor running at 14,400 RPM for 40 minutes, or until the product ceased to cut. Ten pieces of 12 x 2 x 1/4" mild steel were used, each weighed every minute of the test to determine cut rate.

Conclusion

Against the five manufacturers tested, PREDATOR™ flap discs provided the highest performance, in both 40 and 60 grits, by a margin of at least 11%.

LAB SHOWCASE

261

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc				
Resin Fibre Disc				
Flap Disc			•	•
PSA Disc				
Belt				

Comparative results of silicon carbide materials in various product forms and grits, as reference for Aerospace Market performance.

ARC Products

71-10825AF 4-1/2 x 7/8" PREDATOR™ Hard Edge, 60 Grit

71-10825AFW 4-1/2 x 7/8" PREDATOR™ Hard Edge, 60 Grit

4-1/2 x 7/8" SC/CG Flap Disc, 80 Grit

4-1/2 x 7/8" SC/CG Flap Disc, 120 Grit

1/2 x 1-1/2 x 1/8" SC/CG Cartridge Roll

1/2 x 1-1/2 x 1/8" AO/CG Cartridge Roll

1/2 x 1-1/2 x 1/8" SC/CG Cartridge Roll

Competitive Products

4-1/2 x 7/8" Flap Disc, 60 Grit

1/2 x 1-1/2 x 1/8" Silicon Carbide Cartridge Roll

Test Method

Flap discs were tested by hand with the use of a right angle grinder operating at 10,000 RPM. The work piece was weighed every minute to determine cut rate, and the discs were weighed before and after the test.

Cartridge rolls were tested by hand using a small pneumatic right angle grinder for 10 minutes, or until the cartridge roll was deemed unusable. The same methods for determining flap disc cut rates were used for cartridge rolls.

Conclusion

Both of the silicon carbide compact grain flap discs outperformed PREDATOR™ on titanium by 90% or more in cut. The compact grains were able to break down, while all other materials tested glazed over due to the heat of the titanium during grinding. Hard Edge PREDATOR™ flap discs performed two times better than silicon carbide compact grain materials on aluminum. However, Performance Coated PREDATOR™ Hard Edge flap discs performed approximately 3.5 times better than all silicon carbide compact grain discs on aluminum.

The X-Weight silicon carbide compact grain cartridge rolls performed well on titanium, and the ARC ABRASIVES, INC. product outperformed the competitor by 60%. All of the J-Weight cartridge rolls completely fell apart at 5 minutes, and were cutting 100% less than our silicon carbide compact grain material at the end of their life.

328

Mild Steel

Stainless Steel

Aluminum


Titanium

Quick-Lok Disc				
Resin Fibre Disc				
Flap Disc				
PSA Disc	•			
Belt				

To test the performance and longevity of various PSA disc materials on cold rolled mild steel.

Customer

Manufacturer of small utility equipment to some of the largest earth movers in the world.



Products Used

71-30441 5" PREDATOR™ PSA Disc, 60 Grit

71-30442 5" PREDATOR™ PSA Disc, 80 Grit

5" Aluminum Oxide J-Wt PSA Disc, 60 Grit

5" Aluminum Oxide J-Wt PSA Disc, 80 Grit

5" Aluminum Oxide F-Wt PSA Disc, 60 Grit

5" Aluminum Oxide F-Wt PSA Disc, 80 Grit

Test Method

Each disc was used with an electric orbital sander at a speed of 12,000 RPM removing as many mild steel spot welds as possible in 5 minutes. The metal was weighed every minute to determine rate of cut and each disc was weighed before and after the test to document product life.

Conclusion

Both 60 and 80 grit PREDATOR™ PSA discs outlasted the J and F weight paper discs by 150%. The 60 grit PREDATOR™ disc cut over 300% more, while the 80 grit cut nearly 250% more than either paper disc.

When considering cut, life and finish, the 80 grit PREDATOR™ PSA disc provides the best overall performance.

LAB SHOWCASE

172

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc

Resin Fibre Disc

Flap Disc

PSA Disc

Belt

Document our material removal rates against top competitors commonly used for similar mild steel applications.

ARC Products

71-047802 4-1/2 x 7/8" PREDATOR™ Resin Fibre Disc, 36 Grit


Competitive Products

4-1/2" x 7/8" Assorted Top Competitors, 36 Grit

Test Method

Each disc was tested by hand using a 4-1/2" angle grinder at 10,000 RPM. The goal was to remove as many 6" x 1/4" welds on a mild steel bar. The test was noted as complete once a disc was deemed to have stopped cutting or the cut rate had dropped significantly.

Each piece of mild steel was weighed before and after each weld was removed. Each disc was weighed at the start and end of the test to establish the life of the disc. The time needed to remove the weld was recorded to establish the removal rate.



Conclusion

PREDATOR™ and the next leading contender were similar in performance, but remaining competitors cut slower and only lasted approximately half of the test.

395

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc

Resin Fibre Disc

Flap Disc

PSA Disc

Belt

Compare our resin fibre disc performance against leading zirconia and aluminum oxide products on stainless steel.

ARC Products

71-047802 4-1/2 x 7/8" PREDATOR™ Resin Fibre Disc, 36 Grit

Competitive Products


Zirconia alumina and aluminum oxide resin fibre discs.

Test Method

Each disc was tested off-hand using a 4-1/2" angle grinder at a speed of 11,000 RPM for 15 minutes. Tests were administered on the edge of a 12 x 2 x 1/4" stainless steel bar. The stainless steel bar was weighed every minute to determine product cut rate.

Conclusion

The 36 grit PREDATOR™ disc outperformed the competitive disc cut rates by an average of 34%.



LAB SHOWCASE

419

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc				
Resin Fibre Disc			•	
Flap Disc				
PSA Disc				
Belt				

Comparing performance of an untreated, high-end ceramic against Performance Coated PREDATOR™ on aluminum.

ARC Products


71-077802W 7 x 7/8" PREDATOR™ Resin Fibre Disc, 36 Grit

Competitive Products

Competitive full ceramic resin fibre disc

Test Method

Grinding was administered by hand using a 7" angle grinder at 6,000 RPM for five minutes. The work piece used was a 12 x 2 x 1/4" aluminum bar, focusing on the 1/4" face. The metal bar was weighed every minute, and the discs weights were documented before and after the test.



Conclusion

The loading and burning were substantial on the full ceramic disc, while the Performance Coating was preventative. In five minutes, the Performance Coated PREDATOR™ disc cut 205.6g, versus the 95.3g, for an improvement of 216% over the competitive product.

Reduce loading and burning with Performance Coating.

www.arcabrasives.com

015

RESIN FIBRE DISCS
FLAP DISCS
QUICK-LOK DISCS
PSA DISCS
BONDED
BELTS
SURFACE CONDITIONING
CLEAN & FINISH
FLAP WHEELS
SHEETS
ROLLS
SPECIALTIES
NO LAP BELTS

LAB SHOWCASE

277

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc			•	
Resin Fibre Disc			•	
Flap Disc				
PSA Disc			•	
Belt				

ARC Products

- 71-077802W** 7 x 7/8" PREDATOR™ Resin Fibre Disc, 36 Grit
- 71-31653W** 2" PREDATOR™ Quick-Lok Disc, 60 Grit
- 59341** 2" Type R Quick-Lok Disc, CRS
- 71-30444W** 5" PREDATOR™ PSA Disc, 120 Grit



Test Method

All resin fibre discs were tested by hand using an electric angle grinder operating at 6,000 RPM. Intentions of the test were to allow each disc to remove as many 12" aluminum welds as possible.

Using a small pneumatic right angle die grinder, the coated quick change discs were tasked with removing as many 2" aluminum welds as possible before depleting their life. The surface conditioning discs were then used to clean the work area.

Each occurrence of a weld completely removed was timed and documented, as was the time to clean the areas removed after weld removal.

PSA discs were tested using a pneumatic orbital sander by hand. Unused discs were tested on both a bare aluminum plate, and a layer of two-part body filler applied to each 12 x 12 x 1/4" plate. The bare plates were ground for 10 minutes by each disc, whereas the body filler was only ground for five minutes. Surface profile measurements were taken from the bare plates every two minutes to document the finishing properties of each PSA disc. The metal work pieces were weighed before and after each test or, in some cases, every minute to determine cut rates of the various products.

Comparing performance of an existing series of aluminum applications, ranging from heavy stock removal to moderate surface finishing.

Customer


Manufacturer of custom fire trucks such as aerials, pumpers, rescues, tankers and specialty vehicles.

Competitive Products


- 7 x 7/8" Resin Fibre Disc, 36 Grit
- 2" Quick Change Disc, 60 Grit
- 2" Surface Conditioning Quick Change Disc, CRS
- 5" PSA Disc, 100 & 500 Grit

Conclusion

Performance Coated PREDATOR™ resin fibre discs were able to remove 60" of aluminum weld material quicker than the competitive material, which could remove only 10", at which point it was deemed to have stopped cutting.



PREDATOR™ quick-lok discs were able to remove 6" of weld material in 2-1/2 minutes, versus the 3 minutes taken to remove 2" of material by the competitive material. After cleaning each work area with the surface conditioning discs, the resulting finishes were extremely similar.



All PSA disc tests showed increased efficiency and performance with PREDATOR™ materials. Surface profile measurements were recorded and PREDATOR™ materials ended with a finish slightly coarser than the competitive materials.

LAB SHOWCASE

030

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc		•		
Resin Fibre Disc		•		
Flap Disc		•		
PSA Disc				
Belt				

Document an efficient process for a reproducible finish on stainless steel parts.

Customer

Appliance manufacturer of all major categories, including fabric care, cooking, refrigeration, dishwashers, countertop appliances, garage organization and water filtration.

Products Used

10817AF	4-1/2 x 5/8"-11 Zirconia Alumina Flap Disc, 120 Grit
1061578-2	4-1/2 x 5/8"-11 Aluminum Oxide Flap Disc, 120 Grit
71-10817AF	PREDATOR™ Hard Edge Flap Disc, 120 Grit
3720608	4-1/2 x 7/8" Zirconia Alumina Resin Fibre Disc, 120 Grit
31660-5	2" Compact Grain Type R Quick-Lok Disc, 320 Grit
31660Z1-5	2" Compact Grain Type R Quick-Lok Disc, 400 Grit
54140	3 x 2 x 1/4" Interleaf Mounted Flap Wheel, 180 Grit
54141	3 x 2 x 1/4" Interleaf Mounted Flap Wheel, 320 Grit
07450	6 x 9" General Purpose Handpad, AL SIL

Test Method

Our process steps involved stock removal to scratch removal and surface blending. Starting with a PREDATOR™ flap disc, welds were removed on each plane of the provided appliance control panel. The 120 grit scratches were then removed with 320 or 400 grit compact grain quick-lok discs, and blended and finished with a hook and loop film disc.

The remaining smaller welds were initially removed with compact grain quick-loks, again followed by a small diameter hook and loop film disc, using a small orbital sander.

Less severe scratch or swirl marks were finished with a general purpose handpad or, depending on the particular geometry of the piece, an interleaf mounted flap wheel.

Conclusion

Each face or outside corner of the provided range top control panel can be finished within seven steps, providing a consistent finish suitable for showroom use. The new processes can be completed in approximately 7 to 12 minutes, per face. Results were presented to the customer for comparative analysis against their current processes.

RESIN FIBRE DISCS
FLAP DISCS
QUICK-LOK DISCS
PSA DISCS
BONDED
BELTS
SURFACE CONDITIONING
CLEAN & FINISH
FLAP WHEELS
SHEETS
ROLLS
SPECIALTIES
HIG FLAP BANDS

LAB SHOWCASE

256

Mild Steel

Stainless Steel

Aluminum

Titanium




Quick-Lok Disc

Resin Fibre Disc

Flap Disc

PSA Disc

Belt



Performance testing of current products used versus our comparable offerings.

Customer

A global player in major aviation hubs that offers a spectrum of maintenance and engineering services that include airframe, engine and component maintenance, repair and overhaul; engineering design and technical services; and aviation materials.

ARC Products

- 31654W** 2" Performance Coated AO Quick-Lok Disc, 80 Grit
- 31656W** 2" Performance Coated AO Quick-Lok Disc, 120 Grit
- 59343** 2" Surface Conditioning Quick-Lok Disc, VFN
- 59342** 2" Surface Conditioning Quick-Lok Disc, MED
- 36615** 6" SPECTRA™ PSA Paper Disc, 400 Grit
- 903161403W** 3 x 1/16 x 1/4" Type 1 Cut Off Wheel, A46T
- 904161403W** 4 x 1/16 x 1/4" Type 1 Cut Off Wheel, A46T

Competitive Products

- 2" Aluminum Oxide Quick Change Discs, 80 and 120 Grit
- 2" Surface Conditioning Quick Change Discs, MED and VFN
- 6" Paper PSA Disc, 400 Grit
- 3" Reinforced Cut Off Wheel
- 4" Reinforced Cut Off Wheel

Test Method

Our customer manufactured specific work pieces to be used for our testing, consisting of aluminum, which allows us to formulate accurate performance of existing products. The quick change discs and PSA discs were tested for 10 minutes by hand using a pneumatic right angle die grinder and pneumatic orbital sander, respectively. The work pieces were weighed every minute, and a surface profile measurement was taken following the test.

The reinforced cut off wheel tests were performed with an automated flexshaft machine operating at 15,000 RPM. The weight and outside diameter of the wheel were documented before and after the test was done. Tests consisted of making 40 or 50 cuts, depending on wheel diameter, on an extruded aluminum tube of 3/4" diameter.

Conclusion

80 grit, Performance Coated aluminum oxide quick-lok discs outperformed comparable competitive discs by 73%, and the 120 grit was an improvement by 75%. The MED and VFN quick-lok discs outperformed current products by up to 33%. ARC's SPECTRA™ Paper Disc outperformed one competitive paper disc by 50% in performance. ARC's 3" Performance Coated Cut-Off Wheel made all 40 cuts, while the current Aerospace product wore away quicker and could only make 23 cuts in the same amount of time. ARC's 4" Performance Coated Cut-Off Wheel made its 50 cuts 35% faster in time than one competitor could on the same 50 cuts, and ARC's wheel wore out less than the competitor wheel.

LAB SHOWCASE

120

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc				
Resin Fibre Disc			•	
Flap Disc				
PSA Disc				
Belt				

Compare the benefits of Performance Coated zirconia alumina to untreated abrasives on aluminum applications.

Customer

Designer and manufacturer of high performance aluminum vessels specializing in fast ferries and luxury yachts.

ARC Products


37203W 4-1/2 x 7/8" Zirconia Alumina Resin Fibre Disc, 36 Grit

Competitive Products

4-1/2 x 7/8" Aluminum Oxide Resin Fibre Disc, 36 Grit

Test Method

Testing was administered by hand using a 4-1/2" angle grinder operating at 10,000 RPM. Products were used for 5 minutes each on a 12 x 2 x 1/4" 6061 aluminum bar, weighed every minute. The discs were weighed before and after testing to determine product life.



Conclusion

The Performance Coated zirconia disc performed over 250% better than the untreated aluminum oxide disc. The competitive material quickly loaded with aluminum, slowing the cutting action of the resin fibre disc.

427

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc				
Resin Fibre Disc				
Flap Disc		•		
PSA Disc				
Belt				

Direct performance comparison of PREDATOR™ against zirconia and aluminum oxide flap discs on stainless steel.

Products Used

71-10825AF 4-1/2 x 7/8" PREDATOR™ Flap Disc, 60 Grit

10825AF 4-1/2 x 7/8" Zirconia Flap Disc, 60 Grit

1061355-2 4-1/2 x 7/8" Aluminum Oxide Flap Disc, 60 Grit


Test Method

Testing was administered by hand, using a 4-1/2" angle grinder operating at 11,000 RPM for 15 minutes. The work piece, a 12 x 2 x 1/4" stainless steel bar, was weighed every minute to determine accurate cut rates. All flap discs were weighed before and after the test to help determine product life.

Conclusion

The 60 grit PREDATOR™ flap disc outperformed the zirconia product by 17% in total cut.

The aluminum oxide flap disc was unable to last the entire 15 minute test. At the end of the test, the aluminum oxide product only cut 27% of the PREDATOR™ total.



Achieve faster cut and longer life with PREDATOR™ Hard Edge Flap Discs.

www.arcabrasives.com

019

RESIN FIBRE DISCS
FLAP DISCS
QUICK-LOK DISCS
PSA DISCS
BONDED
BELTS
SURFACE CONDITIONING
CLEAN & FINISH
FLAP WHEELS
SHEETS
ROLLS
SPECIALTIES
NO LAP BANDS

LAB SHOWCASE

124

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc	•			
Resin Fibre Disc	•			
Flap Disc				
PSA Disc	•			
Belt				

Compare proposed rust removal processes and products versus materials currently used on mild steel.

Customer

Manufacturer of agricultural equipment, including tractors, combines, hay tools, sprayers, forage and tillage equipment.

ARC Products

62023CM 7" Surface Conditioning Hook & Loop Disc, XCRS
0732-0508 5" ARCSTRIP™ Finishing Disc w/ Fiberglass Backing

Competitive Products

5" Zirconia Resin Fibre Disc, 60 Grit
 5" Aluminum Oxide PSA Disc, 120 Grit
 3" Surface Conditioning Quick Change Disc, CRS

Test Method

A large plate of A36 mild steel was divided into several 6 x 6" and 12 x 12" squares and allowed to rust over a period of several weeks, mimicking the expected surface conditions of our customer.



The time needed to remove all rust from one square was documented, and video was recorded showing the process used.

Conclusion

Compared to current products used, the proposed surface conditioning, and ARCSTRIP™ discs both removed rust nearly twice as fast, while the coarse surface conditioning disc provided the finer finish of the two.

284

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc			•	•
Resin Fibre Disc				
Flap Disc				
PSA Disc				
Belt				

Document performance and aesthetic finish differences between suggested products versus current products used in a variety of aluminum and titanium applications.

Customer

Aircraft maintenance and quality control facility,

ARC Products

71-31654W 2" PREDATOR™ Type R Quick-Lok Disc, 80 Grit
31654-8 2" SC/CG Type R Quick-Lok Disc, 80 Grit
31656-8 2" SC/CG Type R Quick-Lok Disc, 120 Grit
59342 2" SCM Type R Quick-Lok Disc, MED
59343 2" SCM Type R Quick-Lok Disc, VFN

Competitive Products

2" Quick Change Disc, 80 Grit
 2" Silicon Carbide Quick Change Discs, 36 and 60 Grit
 2" Aluminum Oxide Quick Change Disc, 120 Grit
 2" Surface Conditioning Quick Change Discs, MED and VFN

Test Method

All quick change discs were tested with an automated flex shaft tool on aluminum and titanium, at 6,800 RPM and 15,000 RPM, respectively. The aluminum test piece was of 12 x 12 x 1/4" bar form, and the titanium was cut into 6 x 6 x 1/4" plates. Surface profile measurements were documented from the surface conditioning tests on aluminum.

Conclusion

On aluminum, Performance Coated PREDATOR™ quick-lok discs were able to cut 169% more than the competitive material currently used by our customer.

The 80 grit silicon carbide compact grain discs proved better than top performing competitive materials on titanium by 25%; however, the 120 grit discs improved existing performance by over 200%.

Surface conditioning materials proved to be similar in performance and finish on aluminum, with marginal maximum cut rate differences of 0.6g.

LAB SHOWCASE

267

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc	•			
Resin Fibre Disc				
Flap Disc				
PSA Disc				
Belt				

Performance comparison of Performance Coated Quick-Lok Discs versus two top competitors.

ARC Products

71-31653 2" PREDATOR™ Type R Quick-Lok Disc, 60 Grit

71-31662 3" PREDATOR™ Type R Quick-Lok Disc, 36 Grit

71-31665 3" PREDATOR™ Type R Quick-Lok Disc, 60 Grit

Competitive Products


Various 2 and 3" Quick Change Discs, 36 or 60 grit

Test Method

Testing was administered using an automated flex shaft tool, fixed at 30°, operating at 6,800 RPM. The mild steel work piece was weighed at every minute of the 20 minute test, and the discs were weighed every two minutes to determine performance margins.

Conclusion

The automated testing showed the 2" PREDATOR™ discs outperformed the competitive material by 51%, with 50g removed in 20 minutes.



The larger discs, both 36 and 60 grit, provided performance improvements ranging from 10% to over 200%, removing up to 86g in 20 minutes.

PSA Discs available in 1/2" to 36" diameters.

425

Mild Steel

Stainless Steel

Aluminum

Titanium

Quick-Lok Disc				
Resin Fibre Disc				
Flap Disc				
PSA Disc		•		
Belt				

Comparing performance and finish qualities of aluminum oxide compact grain and conventional aluminum oxide PSA discs.

ARC Products

5" Aluminum Oxide Compact Grain PSA disc, 180 Grit

Competitive Products

5" Aluminum Oxide PSA disc, 180 Grit

Test Method

Using a pneumatic orbital sander, each disc was tested by hand on 12 x 12", 16 gauge stainless steel plates. The completion of each test was determined by a substantial drop in material removal, or once a disc stopped cutting. The steel plates were weighed every minute to calculate cut rate, and discs were weighed before and after the test to determine product life. A surface scratch measurement was taken every two minutes to determine the finish.

Conclusion

The aluminum oxide compact grain PSA disc lasted 50% longer than conventional aluminum oxide, and outperformed cut rate by 81%. Consistent surface scratch measurements between the two products were taken after several readings.

RESIN FIBRE DISCS

FLAP DISCS

QUICK-LOK DISCS

PSA DISCS

BONDED

BELTS

SURFACE CONDITIONING

CLEAN & FINISH


FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS



MARKET OVERVIEW

To innovate or improve abrasive products, performance and pricing, we have dedicated ourselves to understanding the unique challenges of metalworking markets. Our research allows us to meet the needs of end users and their common applications.

Heavy Mild Steel Fabrication

Description

General steel fabricators of plate and structural steel.....	Jacobs Incorporated
Mild steel tanks and general plate fabrication	Chicago Metal Fabricators
Farm equipment manufacturers	CNH, John Deere, Kubota
Military Vehicles, including tanks.....	United Defense Systems
Earth moving equipment manufacturers.....	Caterpillar, Kobelco, Vermeer

Example

Metals Used

Primarily plate and structural mild steel grades such as A36, AR400, 4140, 8620 and PVQ.

Heavy mild steel fabrication can be broken into two major categories. The first consists of finished products such as tanks, farm equipment and earth moving vehicles. The second includes mild steel fabricators that supply the individual components of the finished products. These companies make a wide variety of weldments per print, and larger companies will typically bid hard to fabricate parts to this second group.

Both of these groups follow three main applications: removal of large MIG welds on fabricated parts; surface finishing on all parts not sandblasted before paint; and general deburring of thermal and mechanically cut parts. These three applications will include approximately 90% of the abrasives usage.

General steel fabricators have a flexible working environment to produce a wide variety of parts. Most general plate manufactures have thermal and mechanical cutting, bending, rolling, MIG welding and finishing capabilities.

Farm equipment manufacturers make a variety of combines, spreaders and general farming equipment, primarily from mild steel sheet or plate. All companies are precision fabricators with a great selection of laser, forming and MIG welding equipment. Metal conditioning equipment is also used, as final appearance is important.

Military vehicles include tanks, transports, and other ground based vehicles. The military and their contactors focus applications on general mild steel grades, but also some high alloy grades. Capable of fabricating materials from 3 inch plate to 20 gauge steel sheet, thermal and mechanical cutting equipment, MIG welding and finishing equipment are all commonplace.

Earth moving equipment manufacturers are similar to military vehicle fabricators, using plate mild steel and high alloy materials. Premier metal fabrication abilities include laser, plasma, oxy fuel and mechanical cutting, and the ability to bend, form and weld difficult to fabricate weldments.

MARKET OVERVIEW

Light Mild Steel Fabrication

Description

Lawn and garden tractors; Home lawn and garden equipment..... Kubota, John Deere, Honda
Sheet metal work Metaldyne
Automotive and other stampings Jefferson Southern Corp.

Metals Used

1018, 1008, A36, HSLA, Abrasion Resistant

Focused on cold rolled sheet fabrication, companies manufacturing lawn mowers, small tractors, work and sport utility vehicles know final appearances are critical. These companies use several abrasive products per facility. To uphold appearance, visible welds are removed to a 150 grit finish before painting. Depending on the location of the weld, a variety of flap, resin fibre or quick-lok discs, belts or PSA discs may be used.

Lawn, garden and light equipment manufacturers utilize a wide variety of fabrication processes, including state of the art thermal and mechanical cutting, and light MIG and TIG welding, all of which may require many types of grinding and finishing applications.

Automotive and other stamping companies produce a wide range of parts. Most require light finishing, but the most common application is removing burrs by hand after a part has been stamped.

Similar to fabricators of heavy plate steel, laser cutting, bending and finishing are primary processes for steel sheet fabricators. With this range of activities, many types of abrasives may be used for both light grinding and finishing applications.

General Aluminum Fabrication

Description

Architectural and ornamental metalwork Triangle Metals
Boat building and repair Tracker Boats
Truck trailers..... Great Dane

Metals Used


Aluminum; 2024, 6061, 7075

From general fabrication to industry specific, aluminum fabricators commonly see both weld removal and weld cleanup applications. More technical boat and aircraft companies will finish every aluminum part, as it will be painted and appearance is a critical aspect of the finished product. A variety of discs are used, but semi-open PSA discs are recommended for mill scale and general clean up.

Architectural and ornamental metalworking companies specialize in attaining a particular finish for fabricated parts. These parts could include railing, decorative plates or structural shapes.

Aluminum boat building and repair encompasses fishing boats and ferries to military boats and luxury yachts. The common functions are welding, fabricating and finishing of aluminum plate.

Aluminum is not exclusive to truck trailer fabrication, but is the most common metal used. Typically, parts are cleaned and painted, after heavier removal or finishing applications.



RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS



MARKET OVERVIEW

Aerospace Manufacturing

Description

Aircraft manufacturing Boeing Co.
Aircraft maintenance First Wave
Aircraft engine manufacturing General Electric Co.
Other aircraft parts Pryer Machine

Example

Metals Used

Titanium, High Nickel Alloy, Stainless, 6061 and 7075 Aluminum

Aircraft manufacturers machine and fabricate a variety of titanium, stainless and aluminum parts. Given the complexity of aircraft, several levels of fabrication and assembly are required, although engine and landing gear assemblies may be outsourced. Common abrasive applications include light material removal and blending or removal of machining marks from titanium and aluminum. Surface finishing of aluminum wing and fuselage components are also commonplace.

Repair and routine maintenance of aircraft parts, such as non-engine or wing components will usually involve some form of finishing, after the critical work has been completed.

Aircraft engine manufacturers, such as Pratt & Whitney or GE Aviation, use and machine exotic metals like proprietary high nickel alloys and various titanium grades. Most of the fabrication involves turbine blades, shrouds and airfoils. Refining machining marks and removing spot welds are the most common applications seen.

Non-Ferrous Foundry

Description

Aluminum die casting Able Die Cast
Non-ferrous die casting JL French Co.
Aluminum foundry Milwaukee Precision Casting

Example

Metals Used

Cast aluminum, brass, bronze and copper

Non-ferrous foundries specialize in melting and casting desired shapes used in automobiles, motorcycles, plumbing fixtures, train locomotives, airplanes or as decorative art pieces. Foundries are divided between sand casting and investment casting processes. Sand casting is typical for larger, less complex shapes while investment casting is for small, intricate parts. Both types of casting create flash and gate materials that need to be ground flush to the part.

Larger companies may outsource parts to a finishing specialist, who may use air tools with carbide burrs to take down parting lines and perform general shaping of the parts. An alternative to carbide burrs are small diameter coated or nonwoven discs and combination wheels, such as interleaf mounted flap wheels.

Aluminum and other soft metals can be cast using a metal die, rather than a sand or investment process. This is the cleanest form of casting, but flash, gate and parting line removal may still be necessary.

MARKET OVERVIEW

Stainless Steel Fabrication

Description

Food products machinery fabricators	Paul Mueller Co.
Special food products machinery	Stainless Fabricators Co.
Packaging machinery	Fleetwood Inc.
Industrial valves	Alfa Laval Tri-Clover
Architectural and ornamental metal work	Irving Metal Polishers

Metals Used

Stainless Steel, Austenitic, 304, 316

Stainless steel fabrication is an extremely diverse market with demanding applications. From ID bore polishing to flat finishing a specific Ra value, or roughness average, stainless fabricators follow technical requirements for their applications. The stainless fabrication industry commonly measures scratch depth and relies on the aesthetic finish of products, ranging from tanks and piping to structural components.

Food, beverage and pharmaceutical equipment fabrication is extremely specialized, and so are the processes involved. Intense finishing requirements mandated by the FDA command a specific catalog of abrasive applications. Packaging machinery is similar to food, beverage and pharmaceutical equipment, due to the similarities in materials used.

Industrial valves or fluid transfer valves also require FDA mandates, in which the internal tubing must meet a required finish to pass inspection.

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

97% on time shipping.

www.arcabrasives.com

025



COATED ABRASIVES

The cutting power of an abrasive grain is dependent on shape, hardness, toughness and orientation. All four factors control the penetration of cut and the life of the grain. The shape of the grain governs the cutting efficiency. Sharper grains produce a cleaner cut and tend to stay cooler during use. Blocky grains give a rougher cut and create more friction. It is understood that different applications require different types of abrasive grain.

* Grains shown at 1000%



* 36 Grit

Aluminum Oxide (AO)

Fused aluminum oxide is the most common abrasive grain in use today. AO is extremely tough and durable but has no clearly defined crystal structure. This means that when the grain eventually wears it produces rounded edges which reduce cutting power. Brown aluminum oxide is the usual grain for coated abrasives products but is also available in white, pink and other variants.

Suggested Applications

Aluminum and ferrous metals, including alloy steel

- Brown or brownish-red man-made abrasive
- Durable with tough cutting edges
- Wear resistant and long lasting, even under stress applications

Zirconia Alumina (ZA)

Zirconia alumina is best described as an alloy of aluminum oxide and zirconia. During manufacturing the two components are quenched from molten form which gives the grain a crystalline structure. Under heat and/or pressure the structure fractures producing new cutting edges. This gives the grain a longer cutting life and is especially suited to coarser stock removal applications.



* 36 Grit

Suggested Applications


Heavy duty grinding on all ferrous and non-ferrous metals

- Ultra rugged synthetic abrasive that self-sharpens as it cuts
- Sharper, more blocky grain than aluminum oxide with large fracture planes
- Commonly used for heavy grinding applications where a cool cut is required
- Available only in coarser grits; bluish gray in color

Compact Grain

Individual grains are clumped, or clustered together to form a larger grain shape. This type of large grain construction will give extended life when compared to conventional abrasives. Compact grain is ideal for finishing applications on any metal in belt, PSA and quick-lok disc form.

* 80 Grit



Suggested Applications


Mild and stainless steel, titanium and nickel alloys. Not suggested for non-ferrous materials.

- Long life finishing applications
- Available in belt, PSA and quick-lok disc form
- Aluminum oxide and silicon carbide options

Silicon Carbide

Silicon carbide is the hardest of all common abrasive materials. It is very sharp, but friable, leaving new sharp edges for cutting. For this reason, it is initially fast cutting, but short in life. It is ideal for use on non-ferrous metals like aluminum, brass, bronze, magnesium and titanium. For final finishing, the sharp crystal structure produces fine, straight edged grind lines that reflect light better than the rounded aluminum oxide grind lines.

* 40 Grit



Suggested Applications

Non-ferrous metals, non-metallics

- Hard, sharp, synthetic abrasive, black in color
- Grains fracture to continually expose new cutting edges
- Permits fast stock removal

Ceramic


Unlike fused aluminum oxide, ceramic aluminum oxides are formed via a chemical process. The grain from this process comprises millions of smaller crystals which fracture off during use and continuously form a new cutting surface. This self-sharpening process requires heavy pressure to ensure that the grains do not glaze.

Suggested Applications

Highly recommended for high heat applications on stainless steel, titanium and high nickel alloys. Ceramic works best in coarser grits in belt, quick-lok and resin fibre disc form.

- Self-sharpening grain
- Cuts at rated grit throughout its life
- Controls heat during the grinding process
- High cut rate

* 36 Grit



COATED ABRASIVES

Vulcanized Fibre

Vulcanized fibre is a product made from cotton rags and treated with chemicals to form a gelatinous substance which is then layered into plies. The plies are heat vulcanized and calendered to give a strong and stiff base material. Due to its high stiffness, vulcanized fibre products can only be used in disc form such as resin fibre discs. The recommended use is for heavy duty stock removal, typically in grits 80 and coarser.

Suggested Applications

Fibre is a hard, durable material with great mechanical strength, used to make resin fibre discs. Used in aggressive operations.

Cloth

The first two cloths in the U.S. market were cotton drills (X-wt.) and cotton jeans (J-wt.), both utilized a twill weave. Drill uses fewer yarns per inch but each yarn is heavier. The next advancement was a heavier weight drill commonly known as Y-wt. Sometimes an F is added as a suffix to denote extra flexing (e.g. JF and XF).


Cotton was the first cloth available. However, synthetic cloths, polyester and polyester/cotton mixes have become more prominent as they tend to be stronger and more stable in use. The synthetic polyesters are inherently waterproof while the cotton products need treatment to be waterproof.

Suggested Applications

Mechanized belt, disc or wheel applications.

Options

The two types of cloth backings offered are cotton and polyester. Cotton is lightweight and flexible, but not waterproof. Polyester backings are stronger than cotton. In addition, they are waterproof, fray resistant and they absorb shock.



Paper

Suggested Applications

Film

Suggested Applications

029

NONWOVEN ABRASIVES



To understand the cutting action of nonwovens, imagine the grit particle held by a helical spring rather than a solid block. As a nonwoven product runs over a contoured surface the “springs” compress and expand allowing the grain to constantly be in contact with the entire surface. A coated product would skip over the valleys and remove excess metal on the peaks as the force of application would be concentrated on the smaller area of the peaks. The nonwoven finishes more uniformly contoured surfaces without compromising critical tolerances obtained in earlier machine or molding operations. This feature is especially important during a finishing process.

The conventional method for removing deep scratches is to use a progression of coated abrasives, e.g. 80, 120 and 180 grit, each giving a progressively finer finish while removing the previous deeper scratch. The conforming nature of nonwovens allows deeper scratches to be removed while providing a fine finish. This reduces the number of steps in the process – a major savings in labor costs.

The wear characteristics of nonwoven abrasives are different from coated abrasives. In use, the abrasive grain within coated abrasives wears down and changes shape which results in different scratch patterns. With nonwoven abrasives, as the product wears away, the substrate breaks down and the grain is lost which reveals a new sharp grain. This process leads to uniform finishing throughout the life of the product.

In nonwoven abrasives the fibre and resin are fully waterproof so the product can be used wet or dry. The structure of a nonwoven abrasive is extremely open so that the product resists loading and is cool running.

Coated Finish vs. Nonwoven Abrasive Finish

Grit Size	Clean & Finish Range	Surface Conditioning Range	Grit Size
60			60
80	Extra Cut (Brown)		80
100			100
120			120
150	A Medium (Tan) S Medium (Black)	A Coarse (Brown)	150
180		A Medium (Maroon)	180
200			200
220	A Fine (Maroon)		220
240	General Purpose (Green)		240
320	A Very Fine (Maroon)	A Very Fine (Blue)	320
400			400
500			500
600	S Ultra Fine (Gray)	S Superfine (Gray)	600
800			800
1000			1000

Surface Conditioning

Surface conditioning materials, or SCM, have the basic nonwoven structure but are scrim reinforced and are one-sided. The scrim adds strength for use in high speed belt and disc operations.

For airfile belts, the base nonwoven is modified to give increased flexibility as the belt has to travel around a small diameter contact wheel (less than 1") without cracking. For longer belts the base has been modified to resist stretch in the length direction. Discs and quick-lok discs use a regular scrim product.

Cleaning & Finishing

Non-reinforced, or clean and finish (C&F) products are made of the nonwoven base and have not been reinforced with a woven scrim.

Performance Qualities

The performance qualities of SCM and C&F products versus coated abrasives are notable, as there is little overlap in use.


The conformability of nonwoven products leaves them less likely to gouge a work piece, avoiding disturbances to critical tolerances. The 3D structure disperses abrasive grains for a uniform scratch pattern throughout product life, and requires fewer finishing steps than coated materials.

The open structure of nonwoven material is resistant to loading. The synthetic components are also waterproof and resistant to cutting fluids and other metalworking chemicals.

Suggested Applications

Surface conditioning, which is generally performed near the end of a manufacturing process, refers to the changing of a product's surface without damaging or removing the base material. Typically used in mechanical operations, surface conditioning products include belts and discs.

Clean and finish nonwoven products are typically hand-operated type products. They are much weaker in nature than surface conditioning products, because not as much grain, fibre and resin is used in the production of these products. Clean and finish products include hand pads, sheets, rolls and flap wheels.




PRODUCT OVERVIEW

PREDATOR™

Aggressive steel applications produce substantial heat during grinding, resulting in shortened disc life. A resin fibre disc is intended for aggressive applications, but the grain structure determines product longevity.


By reconstructing our proprietary blend of PREDATOR™ grains in resin fibre disc form, we have achieved top-tier gram removal ratios for both mild and stainless steel applications. PREDATOR™ resin fibre discs provide a long-lasting, aggressive cut throughout their life and reduce heat with an integrated grinding aid.



Rapid Release

Our patent pending rapid release system was developed not only to provide a quick change process, but to challenge the industry standard of adding an expensive button. The quick change function of the resin fibre disc requires no tools and can be performed nearly 75% faster than standard disc and tooling assemblies.

Along with established labor and productivity savings, our rapid release resin fibre discs can be as little as half of the cost of competitor discs.



RESIN FIBRE DISCS

General Purpose


ALUMINUM OXIDE

Due to loading from soft metals, product disposal can be frequent. Aluminum oxide is the most affordable choice for softer metals, relieving some of the cost associated with waste. Situations in which technical grains like zirconia alumina or ceramic are excessive, aluminum oxide is the optimal choice.



ZIRCONIA ALUMINA

An affordable, general purpose material, zirconia alumina provides consistent removal rates, especially in finer grits. Zirconia alumina is not recommended for high production environments in which extra-long life and faster material removal are critical.



Performance Coating

Fabricators of soft metals are continuously frustrated by the inability to reduce loading during aggressive grinding applications. Due to the softer structure of aluminum, it overloads the functional surface area of abrasive grains, quickly ending productivity.

Performance Coated products offer exceptional cut and an ability to reduce loading, while also controlling heat during grinding. The integrated material enhancement realizes the full potential of the grain structure, allowing resin fibre discs to perform as they would on hardened steel.

In a head-to-head test, our untreated disc took 600 seconds to remove 30 grams, and only 75 seconds for the performance coated disc to remove the same amount of material.



RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

APPS & SOLUTIONS

Mild Steel


APPLICATION

Using a resin fibre disc for heavy material removal is a common application performed by many fabricators. Mild steel and its alloys do not generate enough heat during grinding to justify some full ceramic materials; however, several manufacturers promote these more expensive materials to mild steel fabricators. The cost of some full ceramic discs can nearly double for only a 10% increase in material removal.

SOLUTION

PREDATOR™ and its proprietary blend of grains were designed specifically for mild steel. With an extremely high ratio of material removal and life, PREDATOR™ works well throughout its grit range on both heavy and light mild steel removal applications.

Reference Lab Showcase 172 on Page 014



Stainless Steel


APPLICATION

Coarse grit resin fibre discs are best suited for larger stainless steel MIG welds, while smaller TIG welds may only require 50 grit or finer. Regardless of the weld type, stainless material removal applications generate large amounts of heat.

SOLUTION

PREDATOR™, and its blend of self-sharpening grains and two grinding aids easily reduces the heat generated while grinding stainless steel. PREDATOR™ resin fibre discs are an ideal choice for stainless applications, when compared to ordinary zirconia and aluminum oxide materials.

Reference Lab Showcase 395 on Page 014



Aluminum


APPLICATION

Due to the excessive loading from aluminum during grinding, several unsuccessful solutions have been considered. Beeswax or messy lubricants attempt to extend product life, and less technical abrasives are chosen to limit cost. Unfortunately, aluminum oxide grains are often used, which increases heat and loading, even compared to zirconia alumina.

SOLUTION

An integrated material enhancement can dramatically improve life and cut rate over a standard grinding aid. Performance coating has been proven to increase both life and cut rate of our PREDATOR™ resin fibre discs; in some cases by nearly 400%. Performance coated products will not contaminate welds and can be painted over without any effect to the finish.

Reference Lab Showcase 419 on Page 015



RESIN FIBRE DISCS



- Ideal for mild steel
- Self-sharpening grains
- Cost effective option to full ceramic materials



- Ideal for aluminum & non-ferrous
- Increased cut rate
- Reduced heat transfer
- Extended product life

PREDATOR™

4-1/2 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	71-047801	24
	71-047802	36
	71-047804	50
	71-047805	60
	71-047806	80
	71-047808	120
5 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	71-057801	24
	71-057802	36
	71-057804	50
	71-057805	60
	71-057806	80
	71-057808	120
7 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	71-077801	24
	71-077802	36
	71-077804	50
	71-077805	60
	71-077806	80
	71-077808	120

Performance Coated PREDATOR™

4-1/2 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	71-047801W	24
	71-047802W	36
	71-047804W	50
	71-047805W	60
	71-047806W	80
	71-047808W	120
5 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	71-057801W	24
	71-057802W	36
	71-057804W	50
	71-057805W	60
	71-057806W	80
	71-057808W	120
7 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	71-077801W	24
	71-077802W	36
	71-077804W	50
	71-077805W	60
	71-077806W	80
	71-077808W	120

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

RESIN FIBRE DISCS



- Quick changeover
- Compatible with all grinders
- No extra tooling
- Increase productivity
- No added cost

PREDATOR™ Rapid Release

7 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	71-077801R	24
	71-077802R	36
7 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	71-077804R	50
	71-077805R	60
	71-077806R	80
	71-077808R	120

Rapid Release Backup Pads

Smooth Face	Item	Max RPM
<i>Pk Qty 1; Use with Grits 24-36</i>	50410Z2-5	8,600
Air Cooled	Item	Max RPM
<i>Pk Qty 1; Use with Grits 50-120</i>	50410-5	8,600



- General purpose
- Affordable choice for soft metals

Aluminum Oxide

4-1/2 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	37110	24
	37111	36
	37112	50
	37113	60
	37114	80
	37116	120
5 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	37118	24
	37119	36
	37120	50
	37121	60
	37122	80
	37124	120
7 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	37126	24
	37127	36
	37128	50
	37129	60
	37130	80
	37132	120

RESIN FIBRE DISCS



- Affordable & efficient
- Great choice for stainless

Zirconia Alumina

4-1/2 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	37202	24
	37203	36
	37204	50
	37205	60
	37206	80
	3720608	120
5 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	37208	24
	37209	36
	37210	50
	37211	60
	37212	80
	3721208	120
7 x 7/8"	Item	Grit
<i>Pk Qty 25</i>	37214	24
	37215	36
	37216	50
	37217	60
	37218	80
	3721908	120

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

Back-Up Pads & Accessories

4-1/2 x 5/8"-11	Item	Grade	Max RPM
<i>Pk Qty 1</i>	50401Z2	MEDIUM	11,000
5"	Item	Grade	Max RPM
<i>Pk Qty 1</i>	50403	FLEXIBLE	10,000
	50404	MEDIUM	10,000
	50405	RIGID	10,000
7"	Item	Grade	Max RPM
<i>Pk Qty 1</i>	50409	FLEXIBLE	8,600
	50410	MEDIUM	8,600
	50411	RIGID	8,600
Center Nut 5/8"-11, 7 & 9"	Item		
<i>Pk Qty 1</i>	50418		
Center Nut 4 & 5"	Item		
<i>Pk Qty 1</i>	50418Z1		
Spanner Wrench	Item		
<i>Pk Qty 1</i>	50419		
Disc Cutter Assembly	Item		
<i>Pk Qty 1</i>	50601		
Lower Blade	Item		
<i>Pk Qty 1</i>	50603		
Upper Blade	Item		
<i>Pk Qty 1</i>	50602		



Additional items are available. Contact us for details.

www.arcabrasives.com

037

PRODUCT OVERVIEW

Hard Edge Geometry





Hard Edge discs have a shape similar to our Type 29, or angle faced discs, but are engineered for extremely fast material removal using a reduced amount of pressure. This is accomplished by compressing the outside rim of the flaps to eliminate flexing during the grinding process. Ordinary flap discs can flex over the work surface causing grains to shell or shed prematurely, resulting in longer grind times and shorter life. Hard edge discs provide a faster cut and longer life in coarse grits because they retain the abrasive grains so well.



PREDATOR™

Flap discs provide the added benefit of finer finishing after aggressive grinding, compared to resin fibre discs. The dimensional layering of flap discs allow the continual exposure of abrasive grains, versus one layer of grains. Flap discs contain just as much working surface as resin fibre discs, but within a much smaller diameter. This geometry is responsible for the versatility of a flap disc. The integrated grinding aids utilized in PREDATOR™ materials help with longevity and cooling.



After a 20 minute automated grinding test, our PREDATOR™ flap disc cut over 100 grams more than the next leading competitor. Although the disc may look worn, it continues to cut for extended periods of time.

FLAP DISCS

Flap Disc Options

Performance Coating

One benefit of using flap discs on soft metals is the open construction of the disc. Heat is dissipated through the layers of flaps, aiding in increased performance. When working with aluminum, flap discs are best suited for small welds or general deburring applications.

Performance Coating can be added to flap discs to complement the heat-resistant nature of the product and further enhance the life of the abrasive grains. Because of the application process, Performance Coating is not worn away immediately, but enhances the grain performance throughout the life of the disc.




General Purpose

ZIRCONIA ALUMINA

An excellent general purpose abrasive, ideal for use on steel, aluminum and composites. The cotton backing adds strength and durability to a very competitive product.

ALUMINUM OXIDE

Especially suited for use on stainless steel or cold rolled steels, aluminum oxide flap discs are self-lubricating to avoid over-heating of the work piece. The size coat and top size coat also aid reduced clogging and improve the resulting finish.



ARBOR

Several flap discs may be used in any given time period. If a quick change out is critical, a 5/8"-11 threaded hub should be considered. This option eliminates the need for a separate lock nut, as well as the accompanying tooling.




As their 3-dimensional structure allows flap discs to last longer than other abrasives products, your replacement frequency may be minimal. The added time of using a separate nut to secure the flap discs to your grinder may not affect your production. For this, you may choose the 7/8" arbor hole, which will fit on your grinder regardless of thread pitch.

BACKING PLATE

The choice of backing plate is determined by the type of application. Aluminum backing plates are heavier and more rigid, which makes them best suited for harder grinding applications. Fiberglass backing plates are most common, and can be used on a range of light to moderate removal applications.

DENSITY

Flap quantity determines the density of flap discs. Compared to standard flap discs, high density discs are assembled with more flaps in the same area, and look much less compressed. High density flap discs are less aggressive, but will last longer than discs with a standard flap count.



The high density option is only available with our general purpose materials, as the function is best utilized by casual users.

SHAPE



The workable angle of a flap disc surface is in direct relation to the shape of the backing plate. Type 27, or flat faced discs, are to be used as parallel as possible to the work piece. This is not always convenient, depending on the restrictions of the work area. To combat this restriction, Type 29, or angle faced discs, provide a 10 degree angle to the abrasive surface. Working at the given 10 degree angle provides more leverage against the work piece, allowing more aggressive grinding and faster material removal.

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

APPS & SOLUTIONS

Mild Steel


APPLICATION

Some common mild steel applications start with a 40 or 50 grit flap disc to quickly remove welds or surface imperfections. Flap discs should be versatile because they need to quickly remove material and have formidable cleaning properties. Choosing a flap disc with these performance factors may be challenging.

SOLUTION

PREDATOR™ flap discs have been designed to meet the challenges of mild steel fabricators. Not only does the unique blend of grains provide a fast cut, our exclusive hard edge construction shows the most durability and life seen by any other flap disc. PREDATOR™ flap discs will deliver fast material removal while remaining flexible for general clean up and burr removal applications.

Reference Lab Showcase 258 on Page 012



Stainless Steel


APPLICATION

Stainless fabricators may choose flap discs over resin fibre discs because of their finer finish. The added ability for flap discs to perform general clean up duties, such as spatter and mill scale removal, also make them a popular choice.

SOLUTION

The self-sharpening grains and optional hard edge shape of PREDATOR™ flap discs deliver fast material removal and excellent cleaning properties. PREDATOR™ flap discs can outlast the excessive heat generated from stainless grinding, especially compared to standard zirconia and aluminum oxide flap discs.

Reference Lab Showcase 427 on Page 019



Aluminum


APPLICATION

Although uncommon to use flap discs for heavy material or weld removal on aluminum, they can provide great control and last longer than a resin fibre disc. Flap discs are ideal when certain requirements are needed, such as a finer finish when removing a weld or a longer lasting cut while removing a burr.

SOLUTION

To further decrease loading, Performance Coating can be added to PREDATOR™ flap discs. The integrated Performance Coating will lower the grinding temperature allowing a much faster cut and longer life.

Reference Lab Showcase 261 on Page 013



FLAP DISCS

PREDATOR™



- Ideal for mild steel
- Self-sharpening grains
- Cost effective option to full ceramic materials

4-1/2 x 7/8"	Type 27	Hard Edge	Grit	Max RPM
<i>Pk Qty 10</i>	71-10823FF	71-10823AF	36	13,300
	71-10824FF	71-10824AF	40	13,300
	71-10828FF	71-10828AF	50	13,300
	71-10825FF	71-10825AF	60	13,300
	71-10826FF	71-10826AF	80	13,300
	71-10827FF	71-10827AF	120	13,300

4-1/2 x 5/8"-11	Type 27	Hard Edge	Grit	Max RPM
<i>Pk Qty 10</i>	71-10813FF	71-10813AF	36	13,300
	71-10814FF	71-10814AF	40	13,300
	71-10818FF	71-10818AF	50	13,300
	71-10815FF	71-10815AF	60	13,300
	71-10816FF	71-10816AF	80	13,300
	71-10817FF	71-10817AF	120	13,300

5 x 7/8"	Type 27	Hard Edge	Grit	Max RPM
<i>Pk Qty 10</i>	71-10843FF	71-10843AF	36	12,150
	71-10844FF	71-10844AF	40	12,150
	71-10848FF	71-10848AF	50	12,150
	71-10845FF	71-10845AF	60	12,150
	71-10846FF	71-10846AF	80	12,150
	71-10847FF	71-10847AF	120	12,150

7 x 7/8"	Type 27	Type 29	Grit	Max RPM
<i>Pk Qty 10</i>	71-10863FF	71-10863AF	36	8,600
	71-10864FF	71-10864AF	40	8,600
	71-10868FF	71-10868AF	50	8,600
	71-10865FF	71-10865AF	60	8,600
	71-10866FF	71-10866AF	80	8,600
	71-10867FF	71-10867AF	120	8,600

7 x 5/8"-11	Type 27	Type 29	Grit	Max RPM
<i>Pk Qty 10</i>	71-10853FF	71-10853AF	36	8,600
	71-10854FF	71-10854AF	40	8,600
	71-10858FF	71-10858AF	50	8,600
	71-10855FF	71-10855AF	60	8,600
	71-10856FF	71-10856AF	80	8,600
	71-10857FF	71-10857AF	120	8,600

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED
DISCS

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

FLAP DISCS



- Great for soft metals
- Performance Coating penetrates flaps
- Reduced heat transfer
- Hard edge available



Performance Coated PREDATOR™

4-1/2 x 7/8"	Type 27	Hard Edge	Grit	Max RPM
<i>Pk Qty 10</i>	71-10823FFW	71-10823AFW	36	13,300
	71-10824FFW	71-10824AFW	40	13,300
	71-10828FFW	71-10828AFW	50	13,300
	71-10825FFW	71-10825AFW	60	13,300
	71-10826FFW	71-10826AFW	80	13,300
	71-10827FFW	71-10827AFW	120	13,300

4-1/2 x 5/8"-11	Type 27	Hard Edge	Grit	Max RPM
<i>Pk Qty 10</i>	71-10813FFW	71-10813AFW	36	13,300
	71-10814FFW	71-10814AFW	40	13,300
	71-10818FFW	71-10818AFW	50	13,300
	71-10815FFW	71-10815AFW	60	13,300
	71-10816FFW	71-10816AFW	80	13,300
	71-10817FFW	71-10817AFW	120	13,300

5 x 7/8"	Type 27	Hard Edge	Grit	Max RPM
<i>Pk Qty 10</i>	71-10843FFW	71-10843AFW	36	12,150
	71-10844FFW	71-10844AFW	40	12,150
	71-10848FFW	71-10848AFW	50	12,150
	71-10845FFW	71-10845AFW	60	12,150
	71-10846FFW	71-10846AFW	80	12,150
	71-10847FFW	71-10847AFW	120	12,150

7 x 7/8"	Type 27	Type 29	Grit	Max RPM
<i>Pk Qty 10</i>	71-10863FFW	71-10863AFW	36	8,600
	71-10864FFW	71-10864AFW	40	8,600
	71-10868FFW	71-10868AFW	50	8,600
	71-10865FFW	71-10865AFW	60	8,600
	71-10866FFW	71-10866AFW	80	8,600
	71-10867FFW	71-10867AFW	120	8,600

7 x 5/8"-11	Type 27	Type 29	Grit	Max RPM
<i>Pk Qty 10</i>	71-10853FFW	71-10853AFW	36	8,600
	71-10854FFW	71-10854AFW	40	8,600
	71-10858FFW	71-10858AFW	50	8,600
	71-10855FFW	71-10855AFW	60	8,600
	71-10856FFW	71-10856AFW	80	8,600
	71-10857FFW	71-10857AFW	120	8,600

Mini Zirconia Alumina

Pk Qty 10

2"	3"	Grit
1056102	1056302	36
1056103	1056303	40
1056105	1056305	60
1056106	1056306	80
1056108	1056308	120

- Use with Type R disc holders
- Small diameter for tight areas

Additional items are available. Contact us for details.

FLAP DISCS



- General purpose flap disc
- Great for quick material removal
- High density option available

Aluminum Oxide

Size	Standard Density		High Density	Grit	Max RPM
	Type 27	Type 29	Type 29		
4 x 5/8"					
Pk Qty 10	1063242-1	1063342-2	-	36	15,150
	1063243-1	1063343-2	-	40	15,150
	1063245-1	1063345-2	-	60	15,150
	1063246-1	1063346-2	-	80	15,150
	1063248-1	1063348-2	-	120	15,150
4-1/2 x 7/8"					
Pk Qty 10	1063252-1	1063352-2	1061352-2	36	13,300
	1063253-1	1063353-2	1061353-2	40	13,300
	1063255-1	1063355-2	1061355-2	60	13,300
	1063256-1	1063356-2	1061356-2	80	13,300
	1063258-1	1063358-2	1061358-2	120	13,300
4-1/2 x 5/8"-11					
Pk Qty 10	1063152-1	1063552-2	1061552-2	36	13,300
	1063153-1	1063553-2	1061553-2	40	13,300
	1063155-1	1063555-2	1061555-2	60	13,300
	1063156-1	1063556-2	1061556-2	80	13,300
	1063158-1	1063558-2	1061558-2	120	13,300
5 x 7/8"					
Pk Qty 10	1063262-1	1063362-2	1061362-2	36	12,150
	1063263-1	1063363-2	1061363	40	12,150
	1063265-1	1063365-2	1061365-2	60	12,150
	1063266-1	1063366-2	1061366-2	80	12,150
	1063268-1	1063368-2	1061368-2	120	12,150
7 x 7/8"					
Pk Qty 10	1063272-1	1063372-2	1061372-2	36	8,600
	1063273-1	1063373-2	1061373-2	40	8,600
	1063275-1	1063375-2	1061375-2	60	8,600
	1063276-1	1063376-2	1061376-2	80	8,600
	1063278-1	1063378-2	1061378-2	120	8,600
7 x 5/8"-11					
Pk Qty 10	1063172-1	1063572-2	1061572-2	36	8,600
	1063173-1	1063573-2	1061573-2	40	8,600
	1063175-1	1063575-2	1061575-2	60	8,600
	1063176-1	1063576-2	1061576-2	80	8,600
	1063178-1	1063578-2	1061578-2	120	8,600



Mini Flap Disc Holders

2 x 1/4"	Item	Max RPM
Pk Qty 1	50259	25,000
3 x 1/4"	Item	Max RPM
Pk Qty 1	50260	20,000

Additional items are available. Contact us for details.

www.arcabrasives.com

043

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BOUNDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

FLAP DISCS



Zirconia Alumina

Fiberglass Backing Plate

- Affordable & efficient
- Great choice for stainless steel
- High density option available

4 x 5/8"	Standard Density		High Density		Grit	Max RPM
	Type 27	Type 29	Type 27	Type 29		
<i>Pk Qty 10</i>	10803FF	10803AF	-	-	36	15,150
	10804FF	10804AF	-	-	40	15,150
	10805FF	10805AF	-	-	60	15,150
	10806FF	10806AF	-	-	80	15,150
	10807FF	10807AF	-	-	120	15,150
4-1/2 x 7/8"	Type 27		Type 29		Grit	Max RPM
	Type 27	Type 29	Type 27	Type 29		
<i>Pk Qty 10</i>	10823FF	10823AF	1067252	1067352	36	13,300
	10824FF	10824AF	1067253	1067353	40	13,300
	10828FF	10828AF	1067254	1067354	50	13,300
	10825FF	10825AF	1067255	1067355	60	13,300
	10826FF	10826AF	1067256	1067356	80	13,300
	10827FF	10827AF	1067258	1067358	120	13,300
4-1/2 x 5/8"-11	Type 27		Type 29		Grit	Max RPM
	Type 27	Type 29	Type 27	Type 29		
<i>Pk Qty 10</i>	10813FF	10813AF	1068352FF	1068352	36	13,300
	10814FF	10814AF	1068353FF	1068353	40	13,300
	10818FF	10818AF	1068354FF	1068354	50	13,300
	10815FF	10815AF	1068355FF	1068355	60	13,300
	10816FF	10816AF	1068356FF	1068356	80	13,300
	10817FF	10817AF	1068358FF	1068358	120	13,300
5 x 7/8"	Type 27		Type 29		Grit	Max RPM
	Type 27	Type 29	Type 27	Type 29		
<i>Pk Qty 10</i>	10843FF	10843AF	1067362FF	1067362	36	12,150
	10844FF	10844AF	1067363FF	1067363	40	12,150
	10848FF	10848AF	1067364FF	1067364	50	12,150
	10845FF	10845AF	1067365FF	1067365	60	12,150
	10846FF	10846AF	1067366FF	1067366	80	12,150
	10847FF	10847AF	1067368FF	1067368	120	12,150
5 x 5/8"-11	Type 27		Type 29		Grit	Max RPM
	Type 27	Type 29	Type 27	Type 29		
<i>Pk Qty 10</i>	10833FF	10833AF	1068362FF	1068362	36	12,150
	10834FF	10834AF	1068363FF	1068363	40	12,150
	10838FF	10838AF	1068364FF	1068364	50	12,150
	10835FF	10835AF	1068365FF	1068365	60	12,150
	10836FF	10836AF	1068366FF	1068366	80	12,150
	10837FF	10837AF	1068368FF	1068368	120	12,150
7 x 7/8"	Type 27		Type 29		Grit	Max RPM
	Type 27	Type 29	Type 27	Type 29		
<i>Pk Qty 10</i>	10863FF	10863AF	1067272	1067372	36	8,600
	10864FF	10864AF	1067273	1067373	40	8,600
	10868FF	10868AF	1067274	1067374	50	8,600
	10865FF	10865AF	1067275	1067375	60	8,600
	10866FF	10866AF	1067276	1067376	80	8,600
	10867FF	10867AF	1067278	1067378	120	8,600
7 x 5/8"-11	Type 27		Type 29		Grit	Max RPM
	Type 27	Type 29	Type 27	Type 29		
<i>Pk Qty 10</i>	10853FF	10853AF	1068272	1068372	36	8,600
	10854FF	10854AF	1068273	1068373	40	8,600
	10858FF	10858AF	1068274	1068374	50	8,600
	10855FF	10855AF	1068275	1068375	60	8,600
	10856FF	10856AF	1068276	1068376	80	8,600
	10857FF	10857AF	1068278	1068378	120	8,600

FLAP DISCS

Zirconia Alumina

Aluminum Backing Plate



- Aluminum backing plate
- Angle face design for maximum leverage
- Available with threaded hub
- Great choice for stainless steel

4 x 5/8"	Item	Grit	Max RPM
Pk Qty 10	10803	36	15,150
	10804	40	15,150
	10805	60	15,150
	10806	80	15,150
	10807	120	15,150

4-1/2 x 7/8"	Item	Grit	Max RPM
Pk Qty 10	10823	36	13,300
	10824	40	13,300
	10825	60	13,300
	10826	80	13,300
	10827	120	13,300

4-1/2 x 5/8"-11	Item	Grit	Max RPM
Pk Qty 10	10813	36	13,300
	10814	40	13,300
	10815	60	13,300
	10816	80	13,300
	10817	120	13,300

5 x 7/8"	Item	Grit	Max RPM
Pk Qty 10	10843	36	12,150
	10844	40	12,150
	10845	60	12,150
	10846	80	12,150
	10847	120	12,150

5 x 5/8"-11	Item	Grit	Max RPM
Pk Qty 10	10833	36	12,150
	10834	40	12,150
	10835	60	12,150
	10836	80	12,150
	10837	120	12,150

7 x 7/8"	Item	Grit	Max RPM
Pk Qty 10	10863	36	8,600
	10864	40	8,600
	10865	60	8,600
	10866	80	8,600
	10867	120	8,600

7 x 5/8"-11	Item	Grit	Max RPM
Pk Qty 10	10853	36	8,600
	10854	40	8,600
	10855	60	8,600
	10856	80	8,600
	10857	120	8,600

PRODUCT OVERVIEW

PREDATOR™

PREDATOR™ Resin Fibre

Smaller diameter discs typically do not last long, due to the small amount of abrasive grain able to fit within the product surface. The self-sharpening grains of PREDATOR™ quick-lok discs outlast many others, and the two grinding aids further increase life by keeping the material cool. Aggressive grinding with quick-lok discs is easily achieved due to the proprietary construction of PREDATOR™ materials.

Tough deburring and weld removal applications may wear or tear standard quick-lok disc backing materials. PREDATOR™ resin fibre quick-lok discs are made of the same thick, rugged, heat absorbing backing of resin fibre discs. Some flexibility is lost, but cut rates and product life are unsurpassed.



Performance Coating

From the high RPM of a quick-lok disc application, excessive heat can quickly load the disc material with aluminum or other soft metals. This may be common and unavoidable with conventional quick-lok discs, but Performance Coating alleviates heat from the grinding process. Lab results have shown Performance Coated quick-lok discs cut as much as ten times faster than untreated discs.




QUICK-LOK DISCS

Compact Grain

The cluster, or agglomerate, that forms a compact grain is much different than conventional abrasives. Compact grains have multiple layers of the same grit – compared to only one layer of a conventional coated abrasive product. As an entire layer of abrasive grain is worn away, another layer is exposed. The compact grain construction results in less loading, longer life and a consistent finish.

If you were to convert conventional coated abrasives to the same compact grain grit size, compact grains will appear much coarser than their conventional abrasive equivalent; but, they are no coarser than the grit stated on the backing.



The unique manner in which compact grains wear away allow them to penetrate the hard structure of titanium and high nickel alloys, both very common materials for the aerospace industry.

In finer grits, such as 80 and 120, compact grain quick-lok discs have shown three-to-one performance over conventional aluminum oxide and silicon carbide discs. The stacked grain structure contributes less heat to the grinding process and leads to a faster cut and better life.

General Purpose

ZIRCONIA ALUMINA

As an affordable, general purpose material, zirconia alumina provides consistent removal rates, especially in finer grits. Zirconia alumina is not recommended for high production environments in which extra-long life and faster material removal are critical.


ALUMINUM OXIDE

Product disposal can be frequent, due to loading from soft metals. Aluminum oxide is the most affordable choice for softer metals, relieving some of the cost associated with waste. Situations in which technical grains like zirconia alumina or ceramic are excessive, aluminum oxide is an optimal choice.

Quick-Lok Disc Options

The small diameter of quick-lok discs leaves a small grinding footprint and allows the user to grind or polish in a space where a larger tool would not reach. A smaller footprint also allows the grind lines to stay tight to the weld area creating less secondary finishing work.

BUTTON TYPE



The quick change mechanism allows fast product change-over with minimum tool down time. There are no performance differences between Type R and Type S buttons and the correct choice is only a matter of preference. Coordinating quick-lok disc holders are available for each diameter.


MAXBAK™

Not as stiff as resin fibre quick-lok discs, MAXBAK™ quick-loks are a seamless blend of aggressive flexibility. MAXBAK™ is a proven choice for normal deburring and weld removal applications where a combination of flexibility, fast cut and long life are desired. MAXBAK™ quick-loks work well for blending corners and working on contoured surfaces.

SINGLE-PLY



Quick-lok discs with a single-ply backing are popular with steel fabricators working on inside corners and tight, contoured surfaces. The single-ply backing is extremely flexible, yet sustains high edge retention for maximum benefit.



RESIN FIBRE DISCS
FLAP DISCS
QUICK-LOK DISCS
PSA DISCS
BOUNDED
BELTS
SURFACE CONDITIONING
CLEAN & FINISH
FLAP WHEELS
SHEETS
ROLLS
SPECIALTIES
NO LAP BANDS

APPS & SOLUTIONS

Mild Steel


APPLICATION

Weld removal and deburring in coarser grits are the most common quick-lok disc applications on mild steel sheet. The ability of a product to remove material quickly and stand up to sharp burrs and welds are the most important factors.

SOLUTION

Our wide selection of backings can be utilized for high heat and tough deburring applications. The proprietary grains of PREDATOR™ provides mild steel fabricators the fastest cut available in the market. A fast cut and durable backing are critical for mild steel weld removal and deburring applications. PREDATOR™ discs offer the fast cut and long life that is essential for these applications. The wide range of backing options offer solutions for flexible to rigid applications.

Reference Lab Showcase 267 on Page 021



Stainless Steel


APPLICATION

The high heat applications of stainless steel, with the higher RPM of die grinders can quickly deteriorate the effectiveness of quick-lok discs. It is important to use a product that can control heat while delivering a high rate of removal. This requires certain use of heat resistant grains as well as heat reducing grinding aids.

SOLUTION

The high concentration of select grains, and both size and top size grinding aids of PREDATOR™ quick-lok discs, compliments stainless steel applications very well. The range of backing options allow for additional life and controlled performance during stock removal or deburring.

Reference Lab Showcase Sample on Page 011




Exotic Alloy

APPLICATION

Titanium and high nickel alloys are involved in some of the most challenging applications. These hard metals do not respond well to controlled grinding and can quickly deplete the usable life of an abrasive. Poor performance has been generally accepted by using conventional, fine grit aluminum oxide, silicon carbide, or even costly full ceramic grains in coarse grits.

SOLUTION

Forming silicon carbide into a compact grain structure alleviates the heat generated from hard metals. The manner in which compact grains breakdown during use is also beneficial to the harder exotic alloys. The layered construction of silicon carbide compact grains can provide life up to five times longer than conventional abrasive grains.



Aluminum

APPLICATION

Removal of spot welds, plasma cut burrs or machining marks are all common aluminum applications, and are all very different in nature. A diverse selection of products is needed to accomplish such a range of applications. Due to the high heat generated by using quick-lok discs, loading will also be an apparent issue.

SOLUTION

For versatility, quick-lok discs offer several backing options, from contoured conformability to speed and aggression. Single-ply, MAXBAK™, and resin fibre backings are all available for our PREDATOR™ material.

Performance Coating is integrated to ensure a cooler cut, able to reduce or completely stop loading of soft metals. The coating is baked into the PREDATOR™ material and is especially effective when using a high speed product like quick-lok discs.


Reference Lab Showcase 256 on Page 018



QUICK-LOK DISCS



- Ideal for mild steel
- Type R and Type S mechanical locking button centers disc on tool with a twist
- Self-sharpening grains
- Cost effective option to full ceramic materials



- Fibre backing provides additional strength
- Fast cutting
- For aggressive applications

Additional items are available. Contact us for details.

PREDATOR™

1-1/2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	71-31638	71-31438	36
	71-31639	71-31439	40
	71-31640	71-31440	50
	71-31641	71-31441	60
	71-31642	71-31442	80
	71-31643	71-31443	100
	71-31644	71-31444	120
2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	71-31650	71-31450	36
	71-31651	71-31451	40
	71-31652	71-31452	50
	71-31653	71-31453	60
	71-31654	71-31454	80
	71-31655	71-31455	100
	71-31656	71-31456	120
3"	Type R	Type S	Grit
<i>Pk Qty 50</i>	71-31662	71-31462	36
	71-31663	71-31463	40
	71-31664	71-31464	50
	71-31665	71-31465	60
	71-31666	71-31466	80
	71-31667	71-31467	100
	71-31668	71-31468	120
4"	Type R	Type S	Grit
<i>Pk Qty 50</i>	71-31674	71-31474	36
	71-31675	71-31475	40
	71-31676	71-31476	50
	71-31677	71-31477	60
	71-31678	71-31478	80
	71-31679	71-31479	100
	71-31680	71-31480	120


PREDATOR™ Resin Fibre

2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	71-36201	71-38201	24
	71-36202	71-38202	36
	71-36204	71-38204	50
	71-36205	71-38205	60
	71-36206	71-38206	80
	71-36208	71-38208	120
3"	Type R	Type S	Grit
<i>Pk Qty 50</i>	71-36301	71-38301	24
	71-36302	71-38302	36
	71-36304	71-38304	50
	71-36305	71-38305	60
	71-36306	71-38306	80
	71-36308	71-38308	120

QUICK-LOK DISCS



- Ideal for aluminum
- Increased cut rate
- Reduced heat transfer
- Extended product life



Performance Coated PREDATOR™

1-1/2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	71-31638W	71-31438W	36
	71-31639W	71-31439W	40
	71-31640W	71-31440W	50
	71-31641W	71-31441W	60
	71-31642W	71-31442W	80
	71-31643W	71-31443W	100
	71-31644W	71-31444W	120

2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	71-31650W	71-31450W	36
	71-31651W	71-31451W	40
	71-31652W	71-31452W	50
	71-31653W	71-31453W	60
	71-31654W	71-31454W	80
	71-31655W	71-31455W	100
	71-31656W	71-31456W	120

3"	Type R	Type S	Grit
<i>Pk Qty 50</i>	71-31662W	71-31462W	36
	71-31663W	71-31463W	40
	71-31664W	71-31464W	50
	71-31665W	71-31465W	60
	71-31666W	71-31466W	80
	71-31667W	71-31467W	100
	71-31668W	71-31468W	120

4"	Type R	Type S	Grit
<i>Pk Qty 50</i>	71-31674W	71-31474W	36
	71-31675W	71-31475W	40
	71-31676W	71-31476W	50
	71-31677W	71-31477W	60
	71-31678W	71-31478W	80
	71-31679W	71-31479W	100
	71-31680W	71-31480W	120

Performance Coated PREDATOR™ Resin Fibre

2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	71-36201W	71-38201W	24
	71-36202W	71-38202W	36
	71-36204W	71-38204W	50
	71-36205W	71-38205W	60
	71-36206W	71-38206W	80
	71-36208W	71-38208W	120

3"	Type R	Type S	Grit
<i>Pk Qty 50</i>	71-36301W	71-38301W	24
	71-36302W	71-38302W	36
	71-36304W	71-38304W	50
	71-36305W	71-38305W	60
	71-36306W	71-38306W	80
	71-36308W	71-38308W	120

QUICK-LOK DISCS



- General purpose metalworking
- Affordable choice for soft metals

Aluminum Oxide

1"	Type R	Type S	Grit
<i>Pk Qty 100</i>	31613	31413	24
	31614	31414	36
	31615	31415	40
	31616	31416	50
	31617	31417	60
	31618	31418	80
	31619	31419	100
	31620	31420	120
	31621	31421	150
	31622	31422	180
	31623	31423	240
	31624	31424	320
2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	31649	31449	24
	31650	31450	36
	31651	31451	40
	31652	31452	50
	31653	31453	60
	31654	31454	80
	31655	31455	100
	31656	31456	120
	31657	31457	150
	31658	31458	180
	31659	31459	240
	31660	31460	320
3"	Type R	Type S	Grit
<i>Pk Qty 50</i>	31661	31461	24
	31662	31462	36
	31663	31463	40
	31664	31464	50
	31665	31465	60
	31666	31466	80
	31667	31467	100
	31668	31468	120
	31669	31469	150
	31670	31470	180
	31671	31471	240
	31672	31472	320
4"	Type R	Type S	Grit
<i>Pk Qty 50</i>	31673	31473	24
	31674	31474	36
	31675	31475	40
	31676	31476	50
	31677	31477	60
	31678	31478	80
	31679	31479	100
	31680	31480	120
	31681	31481	150
	31682	31482	180
	31683	31483	240
	31684	31484	320

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BOUNDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

QUICK-LOK DISCS



- General purpose metalworking
- Added grinding aid

Aluminum Oxide PLUS

2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	31650-02	31450-1	36
	31651-02	31451-1	40
	31652-02	31452-1	50
	31653-02	31453-1	60
	31654-02	31454-1	80
	31655-02	31455-1	100
	31656-02	31456-1	120
	31657-02	31457-1	150
	31658-02	31458-1	180
3"	Type R	Type S	Grit
<i>Pk Qty 50</i>	31662-02	31462-1	36
	31663-02	31463-1	40
	31664-02	31464-1	50
	31665-02	31465-1	60
	31666-02	31466-1	80
	31667-02	31467-1	100
	31668-02	31468-1	120
	31669-02	31469-1	150
	31670-02	31470-1	180



- Compact grain structure lasts longer
- Provides consistent finish throughout product life

Compact Grain

2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	31654-5	31454-5	80
	31656-5	31456-5	120
3"	Type R	Type S	Grit
<i>Pk Qty 50</i>	31666-5	31466-5	80
	31668-5	31468-5	120

Silicon Carbide Compact Grain

2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	31654-8	31454-8	80
	31656-8	31456-8	120
	31658-8	31458-8	180
	31659-8	31459-8	240
3"	Type R	Type S	Grit
<i>Pk Qty 50</i>	31666-8	31466-8	80
	31668-8	31468-8	120
	31670-8	31470-8	180
	31671-8	31471-8	240

QUICK-LOK DISCS

Zirconia Alumina



- Affordable & efficient
- Great choice for stainless steel
- Added grinding aid



1-1/2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	31709	31522	24
	31710	31523	36
	31711	31524	40
	31712	31525	50
	31713	31526	60
	31714	31527	80
	31715	31528	100
	31716	31529	120
2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	31717	31534	24
	31718	31535	36
	31719	31536	40
	31720	31537	50
	31721	31538	60
	31722	31539	80
	31723	31540	100
	31724	31541	120
3"	Type R	Type S	Grit
<i>Pk Qty 50</i>	31725	31546	24
	31726	31547	36
	31727	31548	40
	31728	31549	50
	31729	31550	60
	31730	31551	80
	31731	31552	100
	31732	31553	120
4"	Type R	Type S	Grit
<i>Pk Qty 50</i>	31733	31556	24
	31734	31557	36
	31735	31558	40
	31736	31559	50
	31737	31560	60
	31738	31561	80
	31739	31562	100
	31740	31563	120

Quick-Lok Disc Holders

1 x 1/4"	Type R	Type S	Max RPM
<i>Pk Qty 1</i>	50257	50251	40,000
1-1/2 x 1/4"	Type R	Type S	Max RPM
<i>Pk Qty 1</i>	50258	50252	25,000
2 x 1/4"	Type R	Type S	Max RPM
<i>Pk Qty 1</i>	50259	50253	25,000
3 x 1/4"	Type R	Type S	Max RPM
<i>Pk Qty 1</i>	50260	50254	20,000
4 x 1/4"	Type R	Type S	Max RPM
<i>Pk Qty 1</i>	50261	50255	10,000

Additional items are available. Contact us for details.

www.arcabrasives.com

053

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BOUNDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

PRODUCT OVERVIEW

SPECTRA™

Available in 5" or 6" roll, hook and loop, or with tab, SPECTRA™ Premium Paper Discs utilize a sturdy paper backing combined with a premium grain and steared surface. 5" and 6" discs may be available with 6 or 8 vacuum holes.

SPECTRA™ products are a seamless blend of affordability and performance for general purpose applications on all metals.



PREDATOR™

An aggressive cloth PSA with both size and top size grinding aids, PREDATOR™ PSA discs deliver a fast cut with minimal loading. The technical grain combination of PREDATOR™ easily performs at a 3-to-1 cut rate over standard aluminum oxide and zirconia alumina discs. PREDATOR™ is available in both PSA and hook & loop backings, from 24 to 120 grit in a wide range of sizes.


PSA DISCS

Compact Grain

Compact grain is a unique product that has proven value in fine finishing applications – an ideal solution for PSA discs. While utilizing its clustered construction, expect longer life and similar finish to conventional aluminum oxide products.



Film



Film options are ideal for inside corner and sharp edge grinding applications, due to the minimal thickness of the backing. Although extremely thin, film is durable and will not tear like most paper discs, but perform similarly to cloth backed discs.


PSA Disc Options

STANDARD DISCS AND DISC ROLLS

Our paper discs are available in both disc rolls or boxed together with a liner and tab. Cloth discs are only available with a liner; no disc roll available. 5" and 6" are the most common disc roll sizes.

VACUUM HOLES

Available in 5, 6 or 8 hole format. Available in paper form.




LARGE DISCS

Large discs will always be PSA and used on stationary machines found in maintenance and repair shops.

PRESSURE SENSITIVE ADHESIVE

Regardless of the disc size, the PSA used must securely hold the disc to the pad or platen and easily be removed after the disc is finished. The disc must not leave any residue on the pad or platen as this would give an uneven grinding surface with the next disc.

If the platen is not kept clean, the adhesive from the disc will not allow it to secure properly. This will cause the disc to come apart from the platen and possibly injure the operator.



TABS

As it is sometimes difficult to remove the liner from a fine grade disc, we add a tab to make the process easier. The tab is present on 60 grit and finer discs, 2" to 6" in diameter.

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

APPS & SOLUTIONS

Mild Steel

APPLICATION


PSA and hook & loop discs are commonly used to administer the final finish of a part before painting. Different backing options are utilized depending on the geometry of the work piece. Large, rough areas with sharp burrs, corners and weld spatter would require a heavier cloth disc. Finer finishing and smoother surfaces, including paint, would use a paper disc.

SOLUTION

When working on large areas that include sharp burrs, corners, weld penetration or spatter, PREDATOR™ cloth PSA discs are recommended.

When working on smoother surfaces with less spatter, requiring minimal cleanup, SPECTRA™ Premium Paper Discs can be used. The SPECTRA™ product line was designed as a seamless blend of affordability and performance.

Reference Lab Showcase 328 on Page 013



Stainless Steel

APPLICATION


Stainless finishing contains a wide range of application factors, and your use of a particular PSA disc will depend on the size, geometry and final surface requirement. All of these factors indicate the type of grain, backing, flexibility and size needed.

SOLUTION

A definitive factor of stainless grinding is the excessive heat generated. PREDATOR™ PSA discs can control heat and extend cut with the proprietary selection of self-sharpening grains.

When seeking a finish finer than 120 grit, consider using an aluminum oxide compact grain. Compared to conventional, single layer abrasive grains, the compact grain provides a faster cut and extended life on demanding stainless steel finishing applications.

Reference Lab Showcase 425 on Page 021



Aluminum


APPLICATION


As a result of the slow action of orbital tooling on a flat surface, aluminum will quickly load into the grain structure, dramatically reducing the life and cutting power of the PSA disc.

SOLUTION

Performance Coated PSA discs have the ability to cut 10 times faster and last 10 times longer than untreated discs. The Performance Coating is an integrated enhancement, producing a resilient, long lasting PSA disc that reduces heat during grinding. Abrasive grains can be fully utilized on aluminum with this product enhancement. Many fabricators have used Performance Coated discs to greatly reduce production costs and increase efficiencies.

Reference Lab Showcase 277 on Page 016





- Ideal for mild steel
- Self-sharpening grains
- Cost effective option to full ceramic materials

PREDATOR™

5"	Item	Grit
<i>Pk Qty 50</i>	71-30438	36
	71-30439	40
	71-30440	50
	71-30441	60
	71-30442	80
	71-30444	120
6"	Item	Grit
<i>Pk Qty 50</i>	71-30450	36
	71-30451	40
	71-30452	50
	71-30453	60
	71-30454	80
	71-30456	120
8"	Item	Grit
<i>Pk Qty 50</i>	71-30474	36
	71-30475	40
	71-30476	50
	71-30477	60
	71-30478	80
	71-30480	120
10"	Item	Grit
<i>Pk Qty 25</i>	71-30498	36
	71-30499	40
	71-30500	50
	71-30501	60
	71-30502	80
	71-30504	120
12"	Item	Grit
<i>Pk Qty 25</i>	71-30510	36
	71-30511	40
	71-30512	50
	71-30513	60
	71-30514	80
	71-30516	120
20"	Item	Grit
<i>Pk Qty 10</i>	71-30558	36
	71-30559	40
	71-30560	50
	71-30561	60
	71-30562	80
	71-30564	120
24"	Item	Grit
<i>Pk Qty 5</i>	71-30570	36
	71-30571	40
	71-30572	50
	71-30573	60
	71-30574	80
	71-30576	120

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

PAPER DISCS



SPECTRA™ PSA w/ Tab

Pk Qty 100

5"	6"	Grit
31506	36606	80
31507	36607	100
31508	36608	120
31509	36609	150
31510	36610	180
31511	36611	220
31512	36612	240
31514	36614	320
31515	36615	400
31517	36617	600

- Affordable performance
- 80 - 600 grit range
- Tabbed PSA, hook & loop and disc rolls available



SPECTRA™ PSA Disc Rolls

Pk Qty 1

5"	6"	Grit
311506	311606	80B
311507	311607	100B
311508	311608	120B
311509	311609	150B
311510	311610	180B
311511	311611	220B
311512	311612	240B
311514	311614	320B
311515	311615	400B
311516	311617	600B



SPECTRA™ Hook & Loop

Pk Qty 100

5"	6"	Grit
349506	349606	80
349507	349607	100
349508	349608	120
349509	349609	150
349510	349610	180
349511	349611	220
349512	349612	240
349514	349614	320
349515	349615	400
349517	349617	600

PSA DISCS

Aluminum Oxide - Cloth



- General purpose metalworking
- Affordable choice for soft metals
- Cloth backing adds strength

1/2"	Item	Grit
<i>Pk Qty 100</i>	30354	36
	30355	40
	30356	50
	30357	60
	30358	80
	30359	100
	30360	120
	30361	150
	30362	180
	30362GR	220
	30363	240
	30364	320
	30364GR	400
3/4"	Item	Grit
<i>Pk Qty 100</i>	30366	36
	30367	40
	30368	50
	30369	60
	30370	80
	30371	100
	30372	120
	30373	150
	30374	180
	30374GR	220
	30375	240
	30376	320
	30376Z1	400
1"	Item	Grit
<i>Pk Qty 100</i>	30378	36
	30379	40
	30380	50
	30381	60
	30382	80
	30383	100
	30384	120
	30385	150
	30386	180
	30386GR	220
	30387	240
	30388	320
	30388GR	400
2"	Item	Grit
<i>Pk Qty 100</i>	30402	36
	30403	40
	30404	50
	30405T	60
	30406T	80
	30407T	100
	30408T	120
	30409T	150
	30410T	180
	30410TGR	220
	30411T	240
	30412T	320
	30412TZ2	400

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

PSA DISCS



- General purpose metalworking
- Affordable choice for soft metals
- Cloth backing adds strength

Aluminum Oxide - Cloth

3"	Item	Grit
<i>Pk Qty 50</i>	30414	36
	30415	40
	30416	50
	30417T	60
	30418T	80
	30419T	100
	30420T	120
	30421T	150
	30422T	180
	30422TZ1	220
	30423T	240
	30424T	320
	30424TGR	400

4"	Item	Grit
<i>Pk Qty 50</i>	30426	36
	30427	40
	30428	50
	30429T	60
	30430T	80
	30431T	100
	30432T	120
	30433T	150
	30434T	180
	30434Z1T	220
	30435T	240
	30436T	320
	30436Z2T	400

5"	Item	Grit
<i>Pk Qty 50</i>	30438	36
	30439	40
	30440	50
	30441T	60
	30442T	80
	30443T	100
	30444T	120
	30445T	150
	30446T	180
	30446TZ2	220
	30447T	240
	30448T	320
	30448TGR	400

6"	Item	Grit
<i>Pk Qty 50</i>	30450	36
	30451	40
	30452	50
	30453T	60
	30454T	80
	30455T	100
	30456T	120
	30457T	150
	30458T	180
	30458TZ1	220
	30459T	240
	30460T	320
	30460TGR	400


Aluminum Oxide - Cloth

8"	Item	Grit
<i>Pk Qty 50</i>	30474	36
	30475	40
	30476	50
	30477	60
	30478	80
	30479	100
	30480	120
	30481	150
	30482	180
	30482Z1	220
	30483	240
	30484	320
	30484Z1	400
10"	Item	Grit
<i>Pk Qty 25</i>	30498	36
	30499	40
	30500	50
	30501	60
	30502	80
	30503	100
	30504	120
	30505	150
	30506	180
	30506Z1	220
	30507	240
	30508	320
	30508GR	400
12"	Item	Grit
<i>Pk Qty 25</i>	30510	36
	30511	40
	30512	50
	30513	60
	30514	80
	30515	100
	30516	120
	30517	150
	30518	180
	30518Z2	220
	30519	240
	30520	320
	30520GR	400
15"	Item	Grit
<i>Pk Qty 25</i>	30522	36
	30523	40
	30524	50
	30525	60
	30526	80
	30527	100
	30528	120
	30529	150
	30530	180
	30530Z1	220
	30531	240
	30532	320
	30532GR	400

16"	Item	Grit
<i>Pk Qty 25</i>	30534	36
	30535	40
	30536	50
	30537	60
	30538	80
	30539	100
	30540	120
	30541	150
	30542	180
	30542Z1	220
	30543	240
	30544	320
	30544GR	400
18"	Item	Grit
<i>Pk Qty 10</i>	30546	36
	30547	40
	30548	50
	30549	60
	30550	80
	30551	100
	30552	120
	30553	150
	30554	180
	30554Z1	220
	30555	240
	30556	320
	30556GR	400
20"	Item	Grit
<i>Pk Qty 10</i>	30558	36
	30559	40
	30560	50
	30561	60
	30562	80
	30563	100
	30564	120
	30565	150
	30566	180
	30566Z1	220
	30567	240
	30568	320
	30568Z1	400
24"	Item	Grit
<i>Pk Qty 5</i>	30570-8	36
	30571	40
	30572	50
	30573	60
	30574	80
	30575	100
	30576	120
	30577	150
	30578	180
	30578Z1	220
	30579	240
	30580	320
	30580GR	400

RESIN FIBRE DISCS
FLAP DISCS
QUICK-LOK DISCS
PSA DISCS
BONDED
BELTS
SURFACE CONDITIONING
CLEAN & FINISH
FLAP WHEELS
SHEETS
ROLLS
SPECIALTIES
NO LAP BANDS

PSA DISCS



- Fine grinding with tight tolerances
- Ideal for technical operations

Aluminum Oxide - Film

Pk Qty 100

5"	6"	Grit
29005	29990	80
29007	29992	120
29009	29994	180
29010	29995	240
29011	29996	320
29012	29997	400
29013	29998	600
29014	29999	800
29015	31000	1000
29016	31001	1200



- Use wet or dry
- 60 to 80 grit C-weight for more aggressive applications
- 100 and finer grit for finishing applications

Silicon Carbide, Waterproof

Pk Qty 100

8"	12"	Grit
35200TPL	35203TPL	60
35201TPL	35204TPL	80
35117TPL	35205TPL	120
35119TPL	35132TPL	180
35121TPL	35134TPL	240
35123TPL	35136TPL	320
35124TPL	35137TPL	400
35126TPL	35139TPL	600
35126Z22TPL	35139Z1TPL	800/2400
35126Z23TPL	35139Z2TPL	1000/3000
35126Z24TPL	35139Z3TPL	1200/4000

PSA DISCS

Cloth Disc Holders

Pk Qty 1



Size	Item	Max RPM
1/2 X 1/8"	50201	22,000
1/2 X 1/4"	50202	22,000
3/4 X 1/8"	50203	22,000
3/4 X 1/4"	50204	22,000
1 X 1/8"	50205	22,000
1 X 1/4"	50206	22,000
1-1/2 X 1/4"	50208	22,000
2 X 1/4"	50209	22,000
3 X 1/4"	50210	12,000
4 X 1/4"	50211	7,500
4"	50212	7,500
5 X 1/4"	50213	5,500
5 x 3/8"	50214	5,500

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

Paper Disc Holders


Pk Qty 1



Size	Item	Max RPM
5 X 5/16"-24	50217	10,000
6 X 5/16"-24	50218	10,000

Hook & Loop Disc Holders

Pk Qty 1



Size	Item	Max RPM
5 X 5/16"-24	53905	10,000
5 X 5/8"-11	53905Z1	4,800
6 X 5/16"-24	53906	10,000
6 X 5/8"-11	53906SH	4,800

Additional items are available. Contact us for details.

www.arcabrasives.com

063

PRODUCT OVERVIEW


PREDATOR™ Type 1 Cut Off Wheels

Thin cut off wheels are designed for fast and accurate cutting and trimming. The accuracy of a cut depends on the thickness of the wheel. With tight tolerances, cutting or trimming with a thick wheel can disrupt accuracy, requiring more secondary work. It is important to choose the correct thickness for each application.

The industry standard in wheel thickness ranges from 0.030" to 0.125". PREDATOR™ Cut Off Wheels are offered in two widths - 0.040" and 0.0625" (or 1/16"). The thin dimensions of PREDATOR™ Cut Off Wheels prevent excessive material removal, allowing the wheel to last longer while producing finer cuts.




Type 1 Standards



Disc Material Lost vs. Speed of Cut

LONGEST LIFE
SHORTEST LIFE



FASTEST CUT

SLOWEST CUT



BONDED

Performance Coating

Cut off wheels generate a tremendous amount of heat, particularly on soft metal cutting applications. With the application of performance coating you will see a 50 to 60% increase in cutting speed when working on soft metals such as aluminum. While designed for soft metals, performance coating will deliver a 25% increase in cut and speed on all metals including mild steel, stainless steel, titanium, and nickel alloys.

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

1 PREDATOR™ Type 27 Depressed Center Grinding Wheels

When using a depressed center grinding wheel for grinding and metal shaping it is important to have a wheel that can work on a variety of metals while delivering a great cut and life. PREDATOR™ Depressed Center Grinding Wheels will deliver dependable results on mild steel with superior results on harder metals such as stainless steel and high nickel alloys.



BONDED



- Fast cut & long life
- Self-sharpening material
- Great on all metals
- No burning
- Type 1 shape
- Performance Coating available

PREDATOR™ T1 Cut Off Wheels

3" <i>Pk Qty 50</i>	Item	Grade	Max RPM
3 x .040 x 1/4"	903041405	A60T	25,500
3 x .040 x 3/8"	903043805	A60T	25,500
3 x 1/16 x 1/4"	903161403	A46T	25,500
3 x 1/16 x 3/8"	903163803	A46T	25,500
4" <i>Pk Qty 50</i>	Item	Grade	Max RPM
4 x .040 x 1/4"	904041405	A60T	19,100
4 x .040 x 3/8"	904043805	A60T	19,100
4 x 1/16 x 1/4"	904161403	A46T	19,100
4 x 1/16 x 3/8"	904163803	A46T	19,100
4-1/2" <i>Pk Qty 50</i>	Item	Grade	Max RPM
4-1/2 x .040 x 7/8"	945047805	A60T	13,600
4-1/2 x 1/16 x 7/8"	945167803	A46T	13,600
5" <i>Pk Qty 50</i>	Item	Grade	Max RPM
5 x .040 x 7/8"	905047805	A60T	12,250
5 x 1/16 x 7/8"	905167803	A46T	12,250
6" <i>Pk Qty 40</i>	Item	Grade	Max RPM
6 x 1/16 x 7/8"	906167803	A46T	10,200

Performance Coated PREDATOR™ T1 Cut Off Wheels

3" <i>Pk Qty 50</i>	Item	Grade	Max RPM
3 x .040 x 1/4"	903041405W	A60T	25,500
3 x .040 x 3/8"	903043805W	A60T	25,500
3 x 1/16 x 1/4"	903161403W	A46T	25,500
3 x 1/16 x 3/8"	903163803W	A46T	25,500
4" <i>Pk Qty 50</i>	Item	Grade	Max RPM
4 x .040 x 1/4"	904041405W	A60T	19,100
4 x .040 x 3/8"	904043805W	A60T	19,100
4 x 1/16 x 1/4"	904161403W	A46T	19,100
4 x 1/16 x 3/8"	904163803W	A46T	19,100
4-1/2" <i>Pk Qty 50</i>	Item	Grade	Max RPM
4-1/2 x .040 x 7/8"	945047805W	A60T	13,600
4-1/2 x 1/16 x 7/8"	945167803W	A46T	13,600
5" <i>Pk Qty 50</i>	Item	Grade	Max RPM
5 x .040 x 7/8"	905047805W	A60T	12,250
5 x 1/16 x 7/8"	905167803W	A46T	12,250
6" <i>Pk Qty 40</i>	Item	Grade	Max RPM
6 x 1/16 x 7/8"	906167803W	A46T	10,200

BONDED

PREDATOR™ T27 Grinding Wheels

4-1/2" Pk Qty 10	Item	Grit	Max RPM
4-1/2 x 1/4 x 7/8"	845047801	24	13,600
4-1/2 x 1/8 x 7/8"	845087805	60	13,600
4-1/2 x 1/4 x 5/8"-11	845045801	24	13,600
4-1/2 x 1/8 x 5/8"-11	845085805	60	13,600

7" Pk Qty 10	Item	Grit	Max RPM
7 x 1/4 x 7/8"	807047801	24	8,700
7 x 1/8 x 7/8"	807087805	60	8,700
7 x 1/4 x 5/8"-11	807045801	24	8,700
7 x 1/8 x 5/8"-11	807085805	60	8,700

- Depressed center design
- Reinforced with strong mesh fiberglass
- Available with 5/8"-11 hub for safety and no tool change
- Fast cut & long life
- Excellent for grinding welds
- 1/8" flexible wheels used with plastic support hub




Jet Wheel Mandrel Set

1/4 x 3/8" or 1/4"	Item
Pk Qty 1	50690

- For 4" diameter cut off wheels or smaller
- Contents includes 1/4" shank adapter, 1/4" screw, 1/4" screw with 3/8" shoulder

PRODUCT OVERVIEW

With sizes ranging from 1/8" wide to 600" in length in multiple grains and backings, we can deliver nearly any belt needed for your required application. The ARC ABRASIVES, INC. Custom Belt Program has set the industry standard. Our custom services and excellent application knowledge make it easy to deliver solutions directly to your shop floor.



PREDATOR™


Quickly becoming our fastest growing product range, PREDATOR™ belts have a heavy Y-weight backing and proprietary grain structure, ensuring quality performance on a wide range of alloys. The combination of two grinding aids only reinforces its leading gram removal ratio.

Performance Coating

Performance Coating is available for belts less than 12" in width. This product enhancement will add additional performance in aluminum applications.

Compact Grain

Compact grain belts are best for finishing applications. With a grit range of 80 to 600, the clustered design delivers 3 to 1 performance when compared to conventional aluminum oxide products. Although aluminum oxide compact grain is excellent for mild and stainless steel applications, silicon carbide compact grain offers some of the industry's best grinding ratios for harder titanium and nickel alloys.



Mild Steel


APPLICATION

The most common belt applications performed by mild steel fabricators include inside corner weld cleanup and manual deburring of thermal and mechanically cut parts. Both of these applications require particular performance factors, including flexible backing, long lasting grains and cooling agents.

SOLUTION

PREDATOR™ airfile belts are recommended for inside corner weld removal or general cleanup. To prevent breaking, PREDATOR™ belts are manufactured with a flexible backing and a strong butt joint. The technical grains used in PREDATOR™ materials will provide a fast cut, while the two grinding aids keep belts cool to increase life.

Also recommended is the use of PREDATOR™ on most benchstand applications. The durable PREDATOR™ backing is good for deburring all types of thermal and mechanically cut parts.




Stainless Steel

APPLICATION

From aesthetic to sanitary purposes, stainless steel finishing is performed on a wide variety of components. What may work well on stainless plate, may not work well on stainless sheet. Considering these factors, it is important to have a wide variety of technical grains, backings and grinding aids from which to choose.

SOLUTION

Top performing stainless materials include PREDATOR™, which contains a durable backing and self-sharpening grains. The two grinding aids assist in cooling the stainless steel while grinding.



Aluminum


APPLICATION

Aluminum fabrication consists mainly of flash and gate removal by soft metal foundries. Other common applications include flat finishing aluminum for appearance or cleaning inside corner welds. All of these applications have loading issues due to the low melting point of aluminum.

While grinding, aluminum will melt into the grain structure of the abrasive creating excessive heat and accentuating the problem. Most aluminum fabricators use any particular abrasive based on cost, not performance, as they cannot utilize the technical advantages of certain grains.

SOLUTION


Performance Coated belts decrease heat during the grinding process and dramatically increase cut and life on aluminum. It is not uncommon to see 3 or 4 times more cut and life in common aluminum belt applications. Performance Coating allows technical grains, such as zirconia alumina and ceramic, to reach their full potential on soft metals.



BELT MATERIALS

PREDATOR™

Metal	Mild Steel Stainless Steel High Alloy
Coating	Closed
Grinding Aid	Size/Top Size Active Filler
Backing	Polyester
Weight	Y-Wt
Application	Wet or Dry



Aluminum Oxide Compact Grain (AO CG)

Metal	Mild Steel Stainless Steel High Alloy
Coating	Closed
Grinding Aid	Size Active Filler
Backing	Polyester
Weight	Y-Wt
Application	Dry



Aluminum Oxide Paper (AO Paper)

Metal	Mild Steel Stainless Steel
Coating	Open
Grinding Aid	n/a
Backing	Paper
Weight	F-Wt 40-120 E-Wt 150-400
Application	Dry



Aluminum Oxide, J-Weight (AO/J)

Metal	Mild Steel Stainless Steel Soft Metals
Coating	Closed
Grinding Aid	Size
Backing	Cotton
Weight	J-Wt
Application	Dry



Aluminum Oxide, X-Weight (AO/X GP)

Metal	Soft Metals
Coating	Closed
Grinding Aid	n/a
Backing	65% Polyester 35% Cotton
Weight	X-Wt
Application	Dry



Aluminum Oxide Open Coat, X-Weight (AO/X Open Coat)

Metal	Soft Metals
Coating	Open
Grinding Aid	n/a
Backing	65% Polyester 35% Cotton
Weight	X-Wt
Application	Dry



Aluminum Oxide Plus, X-Weight (AO/X Plus)

Metal	Mild Steel Stainless Steel Soft Metals
Coating	Closed
Grinding Aid	Size/Top Size
Backing	Cotton
Weight	X-Wt
Application	Dry



Aluminum Oxide Open Coat, Y-Weight (AO/Y Open Coat)

Metal	Soft Metals
Coating	Open
Grinding Aid	n/a
Backing	65% Polyester 35% Cotton
Weight	X-Wt
Application	Wet or Dry



Aluminum Oxide Premium, Y-Weight (AO/Y Premium)

Metal	Mild Steel Soft Metals
Coating	Closed
Grinding Aid	Size
Backing	Polyester
Weight	Y-Wt 24-40 X-Wt 80-400
Application	Wet or Dry



Silicon Carbide Compact Grain (SC CG)

Metal	Titanium High Alloy
Coating	Closed
Grinding Aid	Size
Backing	Polyester
Weight	Y-Wt
Application	Wet or Dry



BELTS

Silicon Carbide (SC-Poly)

Metal	Non-Ferrous
Coating	Closed
Grinding Aid	n/a
Backing	Polyester
Weight	Y-Wt
Application	Wet or Dry



Zirconia Alumina, X-Weight (ZA/X)

Metal	Mild Steel
	Aluminum
Coating	Closed
Grinding Aid	Size/Top Size
Backing	65% Polyester
	35% Cotton
Weight	X-Wt
Application	Dry




Zirconia Alumina, Y-Weight (ZA/Y)

Metal	Mild Steel
	Stainless Steel
Coating	Closed
Grinding Aid	Size
Backing	Polyester
Weight	Y-Wt
Application	Wet or Dry



Zirconia Alumina Plus, Y-Weight (ZA/Y Plus)

Metal	Mild Steel
	Stainless Steel
Coating	Closed
Grinding Aid	Size/Top Size
Backing	Polyester
Weight	Y-Wt
Application	Wet or Dry



	24	36	40	50	60	80	100	120	150	180	220	240	320	400
PREDATOR™	•	•	•	•	•	•	•	•						
AO Compact Grain						•		•		•				
AO Paper			•		•	•	•	•	•	•				
AO/J						•	•	•	•	•	•	•	•	•
AO/X General Purpose	•	•	•	•	•	•	•	•	•	•	•	•	•	•
AO/X Open Coat					•	•	•	•	•					
AO/X Plus		•	•		•	•		•						
AO/Y Open Coat				•	•	•	•	•						
AO/Y Premium	•	•	•	•	•	•	•	•	•	•	•	•		
SC Compact Grain						•		•		•				
SC-Poly	•	•	•		•	•	•	•	•	•	•			•
ZA/X		•	•	•	•	•	•	•	•	•				
ZA/Y	•	•	•	•	•	•	•	•						
ZA/Y Plus	•	•	•	•	•	•	•	•						

Additional items are available. Contact us for details.

www.arcabrasives.com

071

RESIN FIBRE
DISCS
FLAP DISCS
QUICK-LOK
DISCS
PSA DISCS
BONDED
BELTS

SURFACE
CONDITIONING
CLEAN & FINISH
FLAP WHEELS
SHEETS
ROLLS
SPECIALTIES
NO LAP BANDS

BELTS

Airfile Belts

1/4 x 24"	PREDATOR™	AO/X GP	ZA/Y	Grit
<i>Pk Qty 50</i>	-	70049	-	36
	-	70050	-	40
	-	70051	-	50
	-	70052	-	60
	-	70053	-	80
	-	70054	-	120
	-	70054Z2	-	180

1/2 x 12"	PREDATOR™	AO/X GP	ZA/Y	Grit
<i>Pk Qty 50</i>	71-005012002	70072	71401-2	36
	71-005012003	70073	71402-2	40
	71-005012004	70074	71403-2	50
	71-005012005	70075	71404-2	60
	71-005012006	70076	71405-2	80
	71-005012008	70078	7140507-2	120
	-	70080	-	180

1/2 x 18"	PREDATOR™	AO/X GP	ZA/Y	Grit
<i>Pk Qty 50</i>	71-005018002	70081802	714051802-2	36
	71-005018003	70081803	714051803-2	40
	71-005018004	70081804	714051804-2	50
	71-005018005	70081805	714051805-2	60
	71-005018006	70081806	714051806-2	80
	71-005018008	70081808	714051808-2	120
	-	70081810	-	180

1/2 x 24"	PREDATOR™	AO/X GP	ZA/Y	Grit
<i>Pk Qty 50</i>	71-005024002	70084	71406-2	36
	71-005024003	70085	71407-2	40
	71-005024004	70086	71408-2	50
	71-005024005	70087	71409-2	60
	71-005024006	70088	71410-2	80
	71-005024008	70090	7141002408-2	120
	-	70092	-	180

1 x 12"	PREDATOR™	AO/X GP	ZA/Y	Grit
<i>Pk Qty 50</i>	71-010012002	70150	71426-2	36
	71-010012003	70151	71427-2	40
	71-010012004	70152	71428-2	50
	71-010012005	70153	71429-2	60
	71-010012006	70154	71430-2	80
	71-010012008	70156	7143008	120
	-	70158	-	180

Airfile Belts

1 x 18"	PREDATOR™	AO/X GP	ZA/Y	Grit
<i>Pk Qty 50</i>	71-010018002	701591802	714301802-2	36
	71-010018003	701591803	714301803-2	40
	71-010018004	701591804	714301804-2	50
	71-010018005	70160Z235	714301805-2	60
	71-010018006	701591806	714301806-2	80
	71-010018008	701591808	714301808-1	120
	-	70160Z253	-	180

Portable Belts

3 x 21"	PREDATOR™	AO/X GP	ZA/Y	Grit
<i>Pk Qty 10</i>	71-030021002	70522	71576-2	36
	71-030021003	70523	71577-2	40
	71-030021004	70524	71578-2	50
	71-030021005	70525	71579-2	60
	71-030021006	70526	71580-2	80
	71-030021008	70528	71582-2	120
	-	70530	-	180

3 x 24"	PREDATOR™	AO/X GP	ZA/Y	Grit
<i>Pk Qty 10</i>	71-030024002	70546	71586-2	36
	71-030024003	70547	71587-2	40
	71-030024004	70548	71588-2	50
	71-030024005	70549	71589-2	60
	71-030024006	70550	71590-2	80
	71-030024008	70552	71592-2	120
	-	70554	-	180

3-1/2 x 15-1/2"	PREDATOR™	AO/X GP	ZA/Y	Grit
<i>Pk Qty 10</i>	71-035015502	70690	71636-2	36
	71-035015503	70691	71637-2	40
	71-035015504	70692	71638-2	50
	71-035015505	70693	71639-2	60
	71-035015506	70694	71640-2	80
	71-035015508	70696	71642-2	120
	-	70698	-	180

4 x 24"	PREDATOR™	AO/X GP	ZA/Y	Grit
<i>Pk Qty 10</i>	71-040024002	70738	71656-2	36
	71-040024003	70739	71657-2	40
	71-040024004	70740	71658-2	50
	71-040024005	70741	71659-2	60
	71-040024006	70742	71660-2	80
	71-040024008	70744	71660Z02-2	120
	-	70746	-	180

Benchstand Belts

1 x 42"	PREDATOR™	AO/X GP	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 50</i>	71-010042002	70162	71431-2	70162PM	-	36
	71-010042003	70163	71432-2	70163PM	-	40
	71-010042004	70164	71433-2	70164PM	-	50
	71-010042005	70165	71434-2	70165PM	-	60
	71-010042006	70166	71435-2	70166PM	69181-2	80
	71-010042008	70168	7143608-2	70168PM	69183-2	120
	-	70170	-	70170PM	69185-2	180
2 x 48"	PREDATOR™	AO/X GP	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-020048002	70318	71496-2	70318PM	-	36
	71-020048003	70319	71497-2	70319PM	-	40
	71-020048004	70320	71498-2	70320PM	-	50
	71-020048005	70321	71499-2	70321PM	-	60
	71-020048006	70322	71500-2	70322PM	-	80
	71-020048008	70324	715021-3	70324PM	69254-2	120
	-	70326	-	70326PM	69256-2	180
2 x 60"	PREDATOR™	AO/X GP	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-020060002	70330	71501-2	70330PM	-	36
	71-020060003	70331	71502-2	70331PM	-	40
	71-020060004	70332	71503-2	70332PM	-	50
	71-020060005	70333	71504-2	70333PM	-	60
	71-020060006	70334	71505-2	70334PM	6926006	80
	71-020060008	70336	715056008-2	70336PM	6926008	120
	-	70338	-	70338PM	6926010	180
2 x 72"	PREDATOR™	AO/X GP	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-020072002	70342	71506-2	70342PM	-	36
	71-020072003	70343	71507-2	70343PM	-	40
	71-020072004	70344	71508-2	70344PM	-	50
	71-020072005	70345	71509-2	70345PM	-	60
	71-020072006	70346	71510-2	70346PM	69271-2	80
	71-020072008	70348	7151008-2	70348PM	69273-2	120
	-	70350	-	70350PM	69275	180
2-1/2 x 60"	PREDATOR™	AO/X GP	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-025060002	70438	71546-2	70438PM	-	36
	71-025060003	70439	71547-2	70439PM	-	40
	71-025060004	70440	71548-2	70440PM	-	50
	71-025060005	70441	71549-2	70441PM	-	60
	71-025060006	70442	7154906-2	70442PM	69341	80
	71-025060008	70444	7154908-2	70444PM	69343	120
	-	70446	-	70446PM	69345	180
4 x 36"	PREDATOR™	AO/X GP	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-040036002	70762	71666-2	70762PM	-	36
	71-040036003	70763	71667-2	70763PM	-	40
	71-040036004	70764	71668-2	70764PM	-	50
	71-040036005	70765	71669-2	70765PM	-	60
	71-040036006	70766	71670-2	70766PM	69510-2	80
	71-040036008	70768	716708-2	70768PM	69512-2	120
	-	70770	-	70770PM	69514-2	180

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BOUNDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

BELTS

Benchstand Belts

4 x 60"	PREDATOR™	AO/X GP	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-040060002	70798	7168202-2	70798PM	-	36
	71-040060003	70799	7168203-2	70799PM	-	40
	71-040060004	70800	7168204-2	70800PM	-	50
	71-040060005	70801	71684-2	70801PM	-	60
	71-040060006	70802	71685-2	70802PM	6952606-2	80
	71-040060008	70804	7168608-2	70804PM	69526008-2	120
	-	70806	-	70806PM	69526010-2	180
4 x 72"	PREDATOR™	AO/X GP	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-040072002	70810	716867202-2	70810PM	-	36
	71-040072003	70811	71687-2	70811PM	-	40
	71-040072004	70812	71688-2	70812PM	-	50
	71-040072005	70813	71689-1	70813PM	-	60
	71-040072006	70814	71690-2	70814PM	6949807206-2	80
	71-040072008	70816	716917208-2	70816PM	6949807208-2	120
	-	70818	-	70818PM	6949807210-2	180
6 x 48"	PREDATOR™	AO/X GP	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-060048001	70989	71745-2	70989PM	-	24
	71-060048002	70990	71746-2	70990PM	-	36
	71-060048003	70991	71747-2	70991PM	-	40
	71-060048004	70992	71748-2	70992PM	-	50
	71-060048005	70993	71749-2	70993PM	-	60
	71-060048006	70994	71750-2	70994PM	69641-2	80
	71-060048007	70995	71750Z7-2	70995PM	69642-2	100
	71-060048008	70996	71750Z2-2	70996PM	69643-2	120
	-	70997	-	-	69644-2	150
	-	70998	-	-	69645-2	180

Backstand Belts

1 x 132"	PREDATOR™	AO/X GP	ZA/X	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-010132001	70197	-	71445-2	70197PM	-	24
	71-010132002	70198	71446-3	71446-2	70198PM	-	36
	71-010132003	70199	71447-3	71447-2	70199PM	-	40
	71-010132004	70200	71448-3	71448-2	70200PM	-	50
	71-010132005	70201	71449-3	71449-2	70201PM	-	60
	71-010132006	70202	71450-3	71450-2	70202PM	6920906	80
	71-010132007	70203	-	7145007-2	70203PM	6920907	100
	71-010132008	70204	-	7145008-2	70204PM	6920908	120
	-	70205	-	-	-	6920909	150
	-	70206	-	-	-	6920910	180
2 x 132"	PREDATOR™	AO/X GP	ZA/X	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-020132001	70377	-	71520-2	70377PM	-	24
	71-020132002	70378	71521-3	71521-2	70378PM	-	36
	71-020132003	70379	71522-3	71522-2	70379PM	-	40
	71-020132004	70380	71523-3	71523-2	70380PM	-	50
	71-020132005	70381	71524-3	71524-2	70381PM	-	60
	71-020132006	70382	71525-3	71525-2	70382PM	69311-2	80
	71-020132007	70383	-	71526-2	70383PM	69312-2	100
	71-020132008	70384	-	71527-2	70384PM	69313-2	120
	-	70385	-	-	-	69314-2	150
	-	70386	-	-	-	69315-2	180

Backstand Belts

3 x 132"	PREDATOR™	AO/X GP	ZA/X	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-030132001	70641	-	7162001-2	70641PM	-	24
	71-030132002	70642	71621-3	71621-2	70642PM	-	36
	71-030132003	70643	71622-3	71622-2	70643PM	-	40
	71-030132004	70644	71623-3	71623-2	70644PM	-	50
	71-030132005	70645	71624-3	71624-2	70645PM	-	60
	71-030132006	70646	71625-3	71625-2	70646PM	69431-4	80
	71-030132007	70647	-	7162507-2	70647PM	69432-2	100
	71-030132008	70648	-	7162508-2	70648PM	69433-2	120
	-	70649	-	-	-	69434-2	150
	-	70650	-	-	-	69435-2	180
4 x 132"	PREDATOR™	AO/X GP	ZA/X	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-040132001	70881	-	7170501-2	70881PM	-	24
	71-040132002	70882	71706-3	71706-2	70882PM	-	36
	71-040132003	70883	71707-3	71707-2	70883PM	-	40
	71-040132004	70884	71708-3	71708-2	70884PM	-	50
	71-040132005	70885	71709-3	71709-2	70885PM	-	60
	71-040132006	70886	71710-3	71710-2	70886PM	69571-2	80
	71-040132007	70887	-	71712-2	70887PM	69572-2	100
	71-040132008	70888	-	71711-2	70888PM	69573-2	120
	-	70889	-	-	-	69574-2	150
	-	70890	-	-	-	69575-2	180
4 x 168"	PREDATOR™	AO/X GP	ZA/X	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-040168001	70917	-	7172101-2	70917PM	-	24
	71-040168002	70918	71721-3	71721-2	70918PM	-	36
	71-040168003	70919	71722-3	71722-2	70919PM	-	40
	71-040168004	70920	71723-3	71723-2	70920PM	-	50
	71-040168005	70921	71724-3	71724-2	70921PM	-	60
	71-040168006	70922	71725-3	71725-2	70922PM	6960168506-2	80
	71-040168007	70923	-	71726-2	70923PM	6960168507-2	100
	71-040168008	70924	-	71727-2	70924PM	6960168508-2	120
	-	70925	-	-	-	6960168509-2	150
	-	70926	-	-	-	6960168510-2	180
6 x 132"	PREDATOR™	AO/X GP	ZA/X	ZA/Y	AO/Y	AO/J	Grit
<i>Pk Qty 10</i>	71-060132001	7103601	-	717700-2	7103601PM	-	24
	71-060132002	7103602	717701-3	717701-2	7103602PM	-	36
	71-060132003	7103603	717702-3	717702-2	7103603PM	-	40
	71-060132004	7103604	717703-3	717703-2	7103604PM	-	50
	71-060132005	7103605	717704-3	717704-2	7103605PM	-	60
	71-060132006	71037	717705-3	717705-2	71037PM	69671-2	80
	71-060132007	71038	-	717706-2	71038PM	69672-2	100
	71-060132008	71039	-	717707-2	71039PM	69673-2	120
	-	71040	-	-	-	69674-2	150
	-	71041	-	-	-	69675-2	180

BELTS

Wide Belts

36 x 75"	PREDATOR™	AO/X GP	AO/CG	ZA/Y	AO/Y	Grit
<i>Pk Qty 3 (24-60 Grit)</i>	71-360075001	72228	-	72228-10	72228PM	24
<i>Pk Qty 5 (80-400 Grit)</i>	71-360075002	72229	-	72229-10	72229PM	36
	71-360075003	72230	-	72230-10	72230PM	40
	71-360075004	72231	-	72231-10	72231PM	50
	71-360075005	72232	-	72232-10	72232PM	60
	71-360075006	72233	40367506	72233-10	72233PM	80
	71-360075007	72234	-	72234-10	72234PM	100
	71-360075008	72235	40367508	72235-10	72235PM	120
	-	72236	-	-	72236PM	150
	-	72237	40367510	-	72237PM	180
	-	72238	-	-	-	220
	-	72239	-	-	-	240
	-	7223914	-	-	-	320
	-	7223915	-	-	-	400

37 x 60"	PREDATOR™	AO/X GP	AO/CG	ZA/Y	AO/Y	Grit
<i>Pk Qty 3 (24-60 Grit)</i>	71-370060001	72280	-	72280-10	72280PM	24
<i>Pk Qty 5 (80-400 Grit)</i>	71-370060002	72281	-	72281-10	72281PM	36
	71-370060003	72282	-	72282-10	72282PM	40
	71-370060004	72283	-	72283-10	72283PM	50
	71-370060005	72284	-	72284-10	72284PM	60
	71-370060006	72285	40376006	72285-10	72285PM	80
	71-370060007	72286	-	72286-10	72286PM	100
	71-370060008	72287	40376008	72287-10	72287PM	120
	-	72288	-	-	72288PM	150
	-	72289	40376010	-	72289PM	180
	-	72290	-	-	-	220
	-	72291	-	-	-	240
	-	72292	-	-	-	320
	-	72293	-	-	-	400

37 x 75"	PREDATOR™	AO/X GP	AO/CG	ZA/Y	AO/Y	Grit
<i>Pk Qty 3 (24-60 Grit)</i>	71-370075001	72303	-	72303-10	72303PM	24
<i>Pk Qty 5 (80-400 Grit)</i>	71-370075002	72304	-	72304-10	72304PM	36
	71-370075003	72305	-	72305-10	72305PM	40
	71-370075004	72306	-	72306-10	72306PM	50
	71-370075005	72307	-	72307-10	72307PM	60
	71-370075006	72308	40377506	72308-10	72308PM	80
	71-370075007	72309	-	72309-10	72309PM	100
	71-370075008	72310	40377508	72310-10	72310PM	120
	-	72311	-	-	72311PM	150
	-	72312	40377510	-	72312PM	180
	-	72312GR	-	-	-	220
	-	72313	-	-	-	240
	-	7231214	-	-	-	320
	-	72314Z2-MR	-	-	-	400

Wide Belts

52 x 75"	PREDATOR™	AO/X GP	AO/CG	ZA/Y	AO/Y	Grit
<i>Pk Qty 3 (24-60 Grit)</i>	71-520075001	72436	-	72436-10	72436PM	24
<i>Pk Qty 5 (80-400 Grit)</i>	71-520075002	72437	-	72437-10	72437PM	36
	71-520075003	72438	-	72438-10	72438PM	40
	71-520075004	72439	-	72439-10	72439PM	50
	71-520075005	72440	-	72440-10	72440PM	60
	71-520075006	72441	40527506	72441-10	72441PM	80
	71-520075007	72442	-	72442-10	72442PM	100
	71-520075008	72443	40527508	72443-10	72443PM	120
	-	72444	-	-	72444PM	150
	-	72445	40527510	-	72445PM	180
	-	72446	-	-	-	220
	-	724457512	-	-	-	240
	-	724457514	-	-	-	320
	-	724457515	-	-	-	400

52 x 103"	PREDATOR™	AO/X GP	AO/CG	ZA/Y	AO/Y	Grit
<i>Pk Qty 3 (24-60 Grit)</i>	71-520103001	72447	-	72447-10	72447PM	24
<i>Pk Qty 5 (80-400 Grit)</i>	71-520103002	72448	-	72448-10	72448PM	36
	71-520103003	72449	-	72449-10	72449PM	40
	71-520103004	72450	-	72450-10	72450PM	50
	71-520103005	72451	-	72451-10	72451PM	60
	71-520103006	72452	405210306	72452-10	72452PM	80
	71-520103007	72453	-	72453-10	72453PM	100
	71-520103008	72454	405210308	72454-10	72454PM	120
	-	72455	-	-	72455PM	150
	-	72456	405210310	-	72456PM	180
	-	72457	-	-	-	220
	-	72458	-	-	-	240
	-	72459	-	-	-	320
	-	72460	-	-	-	400

SURFACE CONDITIONING


Mild Steel

APPLICATION

Mild steel fabricators use nonwoven materials in many product forms. Discs and belts are most commonly used for rust and mill scale removal, general deburring and refining coarse scratches before painting. Against a challenging range of applications, an equal offering grades, backings and grains are needed. The key to your application success is matching the correct choice in surface conditioning material.

SOLUTION

The use of heavy duty products will produce a faster cut and longer life than ordinary nonwoven discs during mill scale removal scratch refinement. Also available is a wide range of surface conditioning belts, including no stretch and extra flexible to fit all application requirements.



Stainless Steel

APPLICATION

Stainless steel fabricators commonly use belts to achieve a desired finish on parts. Attaining a #4, #6, brushed or mirrored finish can be tiresome and involves many steps.

SOLUTION

The conforming structure of nonwoven abrasives provides a consistent finish without removing excessive material, unlike coated abrasives. The wide range of surface conditioning products absorb heat exceptionally well, due to the open structure of the material. From working on open, flat areas with discs, to inside corner weld clean up with airfile belts, there is a product specifically designed to handle the cut and durability needed for your application.

Aluminum

APPLICATION

Scratch patterns are often removed before machined parts are painted. Some parts may be small or intricate and need a small diameter disc to perform the required operation. As small as parts may be, excessive heat is still generated and can cause loading. Shortened life from loading is common in rotary applications using quick-loks and discs.

SOLUTION

Performance Coated surface conditioning products will reduce loading in all product forms, such as belts, quick-loks and discs. Applications that create the most heat, like quick-lok discs, will benefit greatly from Performance Coating.

SURFACE CONDITIONING



- Size range of 1/8 - 1" width; up to 30" length
- Premium surface conditioning material evenly coated with grit from material surface to base
- Even coating provides improved performance in deburring and edge applications
- Low stretch material for applications with high belt tension
- Performs a wide variety of tasks including deburring, flat finishing and finishing on edges
- Can be used on a variety of metals

Airfile Belts

1/4 x 18"	Item	Grade
<i>Pk Qty 20</i>	630030181	A CRS
	630030182	A MED
	630030188	A FIN
	630030183	A VFN
	630030184	S UFN
1/4 x 24"	Item	Grade
<i>Pk Qty 20</i>	630030241	A CRS
	630030242	A MED
	630030245	A FIN
	630030243	A VFN
	630030244	S UFN
3/8 x 13"	Item	Grade
<i>Pk Qty 20</i>	630040131	A CRS
	630040132	A MED
	630040138	A FIN
	630040133	A VFN
	630040134	A UFN
1/2 x 12"	Item	Grade
<i>Pk Qty 20</i>	630050121	A CRS
	630050122	A MED
	630050128	A FIN
	630050123	A VFN
	630050124	S UFN
1/2 x 18"	Item	Grade
<i>Pk Qty 20</i>	630050181	A CRS
	630050182	A MED
	630050188	A FIN
	630050183	A VFN
	630050184	S UFN
1/2 x 24"	Item	Grade
<i>Pk Qty 20</i>	630050241	A CRS
	630050242	A MED
	630050248	A FIN
	630050243	A VFN
	630050244	S UFN
3/4 x 18"	Item	Grade
<i>Pk Qty 20</i>	630080181	A CRS
	630080182	A MED
	630080185	A FIN
	630080183	A VFN
	630080184	S UFN
3/4 x 20-1/2"	Item	Grade
<i>Pk Qty 20</i>	6300802051	A CRS
	6300802052	A MED
	6300802058	A FIN
	6300802053	A VFN
	6300802054	S UFN

SURFACE CONDITIONING



- Size range of 2-1/2" - 4" width; up to 24" length
- Premium surface conditioning material is evenly coated with grit from the material surface to the base
- Low stretch material for applications with high belt tension
- Great for finishing and blending, surface preparation, gasket removal, mild cleaning, #3 and #4 finishing on stainless steel

Portable Belts

1 x 18"	Item	Grade
<i>Pk Qty 10</i>	63010181	A CRS
	63010182	A MED
	63010188	A FIN
	63010183	A VFN
	63010184	S UFN

3 x 21"	Item	Grade
<i>Pk Qty 10</i>	64030211	A CRS
	64030212	A MED
	64030218	A FIN
	64030213	A VFN
	64030214	S UFN

3 x 24"	Item	Grade
<i>Pk Qty 10</i>	64030241	A CRS
	64030242	A MED
	64030248	A FIN
	64030243	A VFN
	64030244	S UFN

3-1/2 x 15-1/2"	Item	Grade
<i>Pk Qty 10</i>	6403501551	A CRS
	6403501552	A MED
	6403501558	A FIN
	6403501553	A VFN
	6403501554	S UFN

4 x 24"	Item	Grade
<i>Pk Qty 10</i>	64040241	A CRS
	64040242	A MED
	64040248	A FIN
	64040243	A VFN
	64040244	S UFN

SURFACE CONDITIONING



- Size range of 3/4 - 6" width; 36 - 72" length
- Even coating provides improved performance in deburring and edge applications
- Performs a wide variety of tasks including deburring, flat finishing and finishing on edges
- Can be used on a variety of metals

Benchstand Belts

1 x 42"	Item	Grade
<i>Pk Qty 10</i>	64010421	A CRS
	64010422	A MED
	64010428	A FIN
	64010423	A VFN
	64010424	S UFN
2 x 48"	Item	Grade
<i>Pk Qty 10</i>	64020481	A CRS
	64020482	A MED
	64020488	A FIN
	64020483	A VFN
	64020484	S UFN
2 x 60"	Item	Grade
<i>Pk Qty 10</i>	64020601	A CRS
	64020602	A MED
	64020608	A FIN
	64020603	A VFN
	64020604	S UFN
4 x 60"	Item	Grade
<i>Pk Qty 10</i>	64040601	A CRS
	64040602	A MED
	64040608	A FIN
	64040603	A VFN
	64040604	S UFN
6 x 48"	Item	Grade
<i>Pk Qty 10</i>	64060481	A CRS
	64060482	A MED
	64060488	A FIN
	64060483	A VFN
	64060484	S UFN

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BOUNDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS


SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

SURFACE CONDITIONING



- Size range of 1 - 10" width; 70-1/2 - 335" length
- Premium surface conditioning material is evenly coated with grit from the material surface to the base
- Low stretch material for applications with high belt tension
- Great for finishing and blending, surface preparation, gasket removal, mild cleaning, #3 and #4 finishing on stainless steel

Backstand Belts

1 x 132"	Item	Grade
<i>Pk Qty 5</i>	64011321	A CRS
	64011322	A MED
	64011328	A FIN
	64011323	A VFN
	64011324	S UFN

2 x 132"	Item	Grade
<i>Pk Qty 5</i>	64021321	A CRS
	64021322	A MED
	64021328	A FIN
	64021323	A VFN
	64021324	S UFN

3 x 132"	Item	Grade
<i>Pk Qty 5</i>	64031321	A CRS
	64031322	A MED
	64031328	A FIN
	64031323	A VFN
	64031324	S UFN

4 x 168"	Item	Grade
<i>Pk Qty 5</i>	64041681	A CRS
	64041682	A MED
	64041688	A FIN
	64041683	A VFN
	64041684	S UFN

6 x 132"	Item	Grade
<i>Pk Qty 5</i>	64061321	A CRS
	64061322	A MED
	64061328	A FIN
	64061323	A VFN
	64061324	S UFN

SURFACE CONDITIONING

Wide Belts



36 x 75"	Item	Grade
<i>Pk Qty 1</i>	64360751	A CRS
	64360752	A MED
	64360758	A FIN
	64360753	A VFN
	64360754	S UFN
37 x 60"	Item	Grade
<i>Pk Qty 1</i>	64370601	A CRS
	64370602	A MED
	64370608	A FIN
	64370603	A VFN
	64370604	S UFN
37 x 75"	Item	Grade
<i>Pk Qty 1</i>	64370751	A CRS
	64370752	A MED
	64370758	A A FIN
	64370753	A VFN
	64370754	S UFN

- Size range of 12 - 52" width; any length
- Even coating provides improved performance in deburring and edge applications
- Performs a wide variety of tasks including deburring, flat finishing and finishing on edges
- Can be used on a variety of metals

SURFACE CONDITIONING



- Evenly coated with grit from material surface to the base
- Even coating provides improved performance in deburring and edge applications
- Type R and Type S mechanical locking button centers disc on tool with a twist
- Material resists loading and over-cutting
- Used on a variety of different metals



Quick-Lok Discs

1"	Type R	Type S	Grade
<i>Pk Qty 100</i>	59311	59211	A CRS
	59312	59212	A MED
	59315	59215	A FIN
	59313	59213	A VFN
1-1/2"	Type R	Type S	Grade
<i>Pk Qty 100</i>	59321	59221	A CRS
	59322	59222	A MED
	59325	59225	A FIN
	59323	59223	A VFN
2"	Type R	Type S	Grade
<i>Pk Qty 50</i>	59341	59241	A CRS
	59342	59242	A MED
	59345	59245	A FIN
	59343	59243	A VFN
	59344	59244	S UFN
2" HD	Type R	Type S	Grade
<i>Pk Qty 50</i>	59341CM	59241CM	A CRS
	59342HD	59242HD	A MED
	59342CM	59242CM	X-CRS
3"	Type R	Type S	Grade
<i>Pk Qty 25</i>	59361	59261	A CRS
	59362	59262	A MED
	59365	59265	A FIN
	59363	59263	A VFN
	59364-1	59263-1	S UFN
3" HD	Type R	Type S	Grade
<i>Pk Qty 25</i>	59361CM	59261CM	A CRS
	59362HD	59262HD	A MED
	59362CM	59262CM	X-CRS
4"	Type R	Type S	Grade
<i>Pk Qty 25</i>	59381	59281	A CRS
	59382	59282	A MED
	59385	59285	A FIN
	59383	59283	A VFN

Quick-Lok Disc Holders

Pk Qty 1

Size	Type R	Type S	Max RPM
1 x 1/4"	50257	50251	40,000
1-1/2 x 1/4"	50258	50252	25,000
2 x 1/4"	50259	50253	25,000
3 x 1/4"	50260	50254	20,000
4 x 1/4"	50261	50255	10,000

SURFACE CONDITIONING



- Hook & loop backing provides quick and easy disc attachment and removal
- Use on die grinders and right angle grinders in conjunction with disc holders

Hook & Loop Discs

3"	Item	Grade
<i>Pk Qty 25</i>	62007	CRS
	62008	MED
	62008-5	FIN
	62009	VFN

4"	Item	Grade
<i>Pk Qty 25</i>	62010	CRS
	62011	MED
	62011-5	FIN
	62012	VFN

4" HD	Item	Grade
<i>Pk Qty 25</i>	62010CM	CRS
	62011HD	MED
	62011CM	XTRA CRS

4-1/2"	Item	Grade
<i>Pk Qty 25</i>	62013	CRS
	62014	MED
	62014-5	FIN
	62015	VFN

4-1/2" HD	Item	Grade
<i>Pk Qty 25</i>	62013CM	CRS
	62014HD	MED
	62014CM	XTRA CRS


5"	Item	Grade
<i>Pk Qty 10</i>	62016	CRS
	62017	MED
	62017-5	FIN
	62018	VFN

5" HD	Item	Grade
<i>Pk Qty 25</i>	62016CM	CRS
<i>Pk Qty 10</i>	62017HD	MED
<i>Pk Qty 25</i>	62017CM	XTRA CRS

Hook & Loop Disc Holders

Pk Qty 1

Size	Item	Max RPM
3 X 1/4"	53903	18,000
4 X 1/4"	53904	10,000
4 X 5/8"-11	53904SH	4,800
4-1/2 X 5/8"-11	53904Z3	10,000
5 X 5/16"-24	53905	10,000
5 X 5/8"-11	53905Z1	4,800
6 X 5/16"-24	53906	10,000
6 X 5/8"-11	53906SH	4,800
7 X 5/8"-11	53907	6,000



Additional items are available. Contact us for details.

www.arcabrasives.com

085

RESIN FIBRE DISCS
FLAP DISCS
QUICK-LOK DISCS
PSA DISCS
BONDED
BELTS
SURFACE CONDITIONING
CLEAN & FINISH
FLAP WHEELS
SHEETS
ROLLS
SPECIALTIES
NO LAP BANDS

CLEANING & FINISHING



Quick-Lok Finishing Discs

2"	Type R	Type S	Grade
Pk Qty 50	53376	53343	A MED
	53377	53344	A FIN
	53378	53345	A VFN
3"	Type R	Type S	Grade
Pk Qty 25	53379	53346	A MED
	53380	53347	A FIN
	53381	53348	A VFN

- Made of nylon fibre mesh coated with grit and resins
- Mesh is bonded to a backing for support
- Locking button centers disc on tool with a twist
- Ideal for decorative finishing on flat surfaces
- Use on portable tools in conjunction with Quick-Lok Holders



Spindle Mounted Finishing Discs

4 x 1/2"	Item	Grade	Max RPM
Pk Qty 25	53122	A MED	6,000
	53123	A FIN	6,000
	53124	A VFN	6,000
6 x 1/2"	Item	Grade	Max RPM
Pk Qty 25	53136	A MED	3,600
	53137	A FIN	3,600
	53138	A VFN	3,600
8 x 1/2"	Item	Grade	Max RPM
Pk Qty 25	53150	A MED	2,700
	53151	A FIN	2,700
	53152	A VFN	2,700
12 x 1/2"	Item	Grade	Max RPM
Pk Qty 25	53164	A MED	1,800
	53165	A FIN	1,800
	53166	A VFN	1,800

- Aluminum oxide and silicon carbide grits available
- Used individually or stacked for varying face widths
- May be used with hook & loop disc holder
- Highly conformable to easily finish the hard-to-reach areas of a work piece

CLEANING & FINISHING



- Alternating flaps of nonwoven and coated abrasive
- Breaks down evenly providing consistent finish
- Smooth and quiet in operation

Interleaf Mounted Flap Wheels

2 x 1 x 1/4"	Item	Grit	Max RPM
Pk Qty 10	54123	120	15,000
	54124	180	15,000
	54125	320	15,000
3 x 1 x 1/4"	Item	Grit	Max RPM
Pk Qty 5	54131	120	8,600
	54132	180	8,600
	54133	320	8,600
3 x 2 x 1/4"	Item	Grit	Max RPM
Pk Qty 10	54139	120	8,600
Pk Qty 5	54140	180	8,600
Pk Qty 5	54141	320	8,600

- Used for metal finishing, oxidation and coating removal
- Ideal for uneven surfaces or flat areas
- Decorative finishes on a variety of different metals



Clean & Finish Flap Wheels

2 x 1 x 1/4"	Item	Grade	Max RPM
Pk Qty 10	54020103	A MED	15,000
	54020105	A VFN	15,000
	54020107	S ULF	15,000
3 x 2 x 1/4"	Item	Grade	Max RPM
Pk Qty 10	54030203	A MED	12,000
	54030205	A VFN	12,000
	54030207	S ULF	12,000

- Product conforms to shape of work piece
- Breaks down evenly providing consistent finish
- Smooth and quiet in operation

Finishing Rolls

4" x 30 ft.	Item	Grade
Pk Qty 1	53046	A MED
	53047	A FIN
	53048	A VFN
	53050	S VFN
	53051	S ULF

- Rolls made of nylon fibres, resins and abrasive grains
- May be used wet or dry
- Use by hand or with vibratory sanders
- Cleaning, finishing, deburring of metals and plastics

Additional items are available. Contact us for details.

www.arcabrasives.com

087

RESIN FIBRE
DISCS
FLAP DISCS
QUICK-LOK
DISCS
PSA DISCS
PSA DISCS
BONDED
BELTS
SURFACE
CONDITIONING
CLEAN & FINISH
FLAP WHEELS
SHEETS
ROLLS
SPECIALTIES
NO LAP BANDS

CLEANING & FINISHING



- Made of nylon fibres, resins and abrasive grains
- May be used wet or dry

Handpad Holder

3-1/8 x 5-5/8"

Pk Qty 1

Item

53923

6 x 9" Handpads

Tan	Item	Grade	Case Qty
Pk Qty 1 Case	07440	A MED	60
White	Item	Grade	Case Qty
Pk Qty 1 Case	07444	N-ABR	60
Maroon	Item	Grade	Case Qty
Pk Qty 1 Case	07447	A VFN	60
Gray	Item	Grade	Case Qty
Pk Qty 1 Case	07448	S ULF	60
Green	Item	Grade	Case Qty
Pk Qty 1 Case	07451	AL SIL	60
Black	Item	Grade	Case Qty
Pk Qty 1 Case	07460	S MED	40
Variety	Item	Grade	Case Qty
Pk Qty 1 Case	074391	All	6



- Hard wheels best suited for deburring
- Soft wheels for finishing
- Silicon carbide and aluminum oxide grains

Unitized Wheels

1 x 1 x 3/16"	Item	Grade	Max RPM
Pk Qty 50	54489	8A-CRS	30,000
2 x 1/4 x 1/4"	Item	Grade	Max RPM
Pk Qty 60	544897	2S-FN	18,000
	54490	2A-MED	18,000
	544903	8A-MED	18,000
3 x 1/4 x 1/4"	Item	Grade	Max RPM
Pk Qty 40	54493	2S-FN	12,000
	54492	8A-MED	12,000

Convolute Deburring Wheels

6 x 1 x 1"	Item	Grade	Max RPM
Pk Qty 3	54550	7S-FN	6,000
	54792	8S-FN	6,000
	54793	9S-FN	6,000
	54795	9S-MED	6,000
	54711	5A-FN	6,000
	54710	5A-MED	6,000

- Deburring flashings, threads or sharp edges
- Blending alloys
- Finishing and deburring aircraft and automotive parts

CLEANING & FINISHING



ARCSTRIP™ Discs

3 x 1/4"	Item	Grade	Max RPM
Pk Qty 10	0730-0303	S XCS	10,500
4 x 1/4"	Item	Grade	Max RPM
Pk Qty 10	0730-0403	S XCS	8,000
5 x 1/2"	Item	Grade	Max RPM
Pk Qty 10	0730-0505	S XCS	6,500
6 x 1/2"	Item	Grade	Max RPM
Pk Qty 10	0730-0605	S XCS	5,500
7 x 1/2"	Item	Grade	Max RPM
Pk Qty 10	0730-0705	S XCS	4,000
8 x 1/2"	Item	Grade	Max RPM
Pk Qty 10	0730-0805	S XCS	4,000

- Strong nylon filament with a mixture of grain and resin
- Uniform distribution of grit provides a consistent finish

ARCSTRIP™ Quick-Lok Discs

2"	Type R	Grade	Max RPM
Pk Qty 25	0733-0201	S XCS	25,000
3"	Type R	Grade	Max RPM
Pk Qty 25	0733-0301	S XCS	20,000

Depressed Center ARCSTRIP™ Discs

4 x 5/8"	Item	Grade	Max RPM
Pk Qty 10	0732-0406	S XCS	12,000
4-1/2 x 7/8"	Item	Grade	Max RPM
Pk Qty 10	0732-0458	S XCS	11,000
5 x 7/8"	Item	Grade	Max RPM
Pk Qty 10	0732-0508	S XCS	10,000
7 x 7/8"	Item	Grade	Max RPM
Pk Qty 10	0732-0708	S XCS	8,600

Additional items are available. Contact us for details.

www.arcabrasives.com

089

RESIN FIBRE DISCS
FLAP DISCS
QUICK-LOK DISCS
PSA DISCS
BONDED
BELTS
SURFACE CONDITIONING
CLEAN & FINISH
FLAP WHEELS
SHEETS
ROLLS
SPECIALTIES
NO LAP BANDS

FLAP WHEELS



- 100% X-Flexed Egyptian cotton especially made for mounted flap wheels
- Balanced construction gives the wheels resilience to pressure at high RPM
- Blending, finishing and deburring on very tight areas
- Cleans burrs and threads

Mounted Shank

3/4 x 5/8 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11130	60	35,000
	11131	80	35,000
	11133	120	35,000
	11135	180	35,000
3/4 x 3/4 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11139Z4	60	35,000
	11139Z5	80	35,000
	11139Z54	120	35,000
	11139Z56	180	35,000
1 x 5/8 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11156	60	30,000
	11157	80	30,000
	11159	120	30,000
	11161	180	30,000
	11163	240	30,000
	11165	320	30,000
1 x 1 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11169	60	30,000
	11170	80	30,000
	11172	120	30,000
	11174	180	30,000
	11176	240	30,000
	11178	320	30,000
1-1/2 x 1/2 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11208	60	25,000
	11209	80	25,000
	11211	120	25,000
	11213	180	25,000
	11215	240	25,000
	11217	320	25,000
1-1/2 x 1 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11234	60	25,000
	11235	80	25,000
	11237	120	25,000
	11239	180	25,000
	11241	240	25,000
	11243	320	25,000
2 x 1/2 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11260	60	25,000
	11261	80	25,000
	11263	120	25,000
	11265	180	25,000
	11267	240	25,000
	11269	320	25,000
2 x 3/4 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11273	60	25,000
	11274	80	25,000
	11276	120	25,000
	11278	180	25,000
	11280	240	25,000
	11282	320	25,000

FLAP WHEELS

Mounted Shank



- Extremely high heat-resistant epoxy
- Material easily conforms to contours
- Works great on non-ferrous and ferrous metals

2 x 1 x 1/4"	Item	Grit	Max RPM
Pk Qty 10	11286	60	25,000
	11287	80	25,000
	11289	120	25,000
	11291	180	25,000
	11293	240	25,000
	11295	320	25,000

2 x 1-1/2 x 1/4"	Item	Grit	Max RPM
Pk Qty 10	11299	60	25,000
	11300	80	25,000
	11302	120	25,000
	11304	180	25,000
	11306	240	25,000
	11308	320	25,000

2-1/2 x 1 x 1/4"	Item	Grit	Max RPM
Pk Qty 10	11338	60	20,000
	11339	80	20,000
	11341	120	20,000
	11343	180	20,000
	11345	240	20,000
	11347	320	20,000

2-1/2 x 1-1/2 x 1/4"	Item	Grit	Max RPM
Pk Qty 10	11351	60	20,000
	11352	80	20,000
	11354	120	20,000
	11356	180	20,000
	11358	240	20,000
	11360	320	20,000

3 x 1 x 1/4"	Item	Grit	Max RPM
Pk Qty 10	11390	60	20,000
	11391	80	20,000
	11393	120	20,000
	11395	180	20,000
	11397	240	20,000
	11399	320	20,000

3 x 1-1/2 x 1/4"	Item	Grit	Max RPM
Pk Qty 10	11403	60	12,000
	11404	80	12,000
	11406	120	12,000
	11408	180	12,000
	11410	240	12,000
	11412	320	12,000

3 x 2 x 1/4"	Item	Grit	Max RPM
Pk Qty 10	11416	60	9,000
	11417	80	9,000
	11419	120	9,000
	11421	180	9,000
	11423	240	9,000
	11425	320	9,000

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

FLAP WHEELS



- No tooling change for the operator
- Extremely high heat-resistant epoxy
- Balanced construction provides resilience to pressure
- Material easily conforms to contours
- Blending, finishing and deburring on very tight areas
- Cleans burrs and threads

Threaded Shank

1 x 5/8 x 1/4"-20	Item	Grit	Max RPM
<i>Pk Qty 10</i>	12137	60	30,000
	12138	80	30,000
	12140	120	30,000
	12142	180	30,000

1 x 1 x 1/4"-20	Item	Grit	Max RPM
<i>Pk Qty 10</i>	12150	60	30,000
	12151	80	30,000
	12153	120	30,000
	12155	180	30,000

1-1/2 x 1/2 x 1/4"-20	Item	Grit	Max RPM
<i>Pk Qty 10</i>	12163	60	25,000
	12164	80	25,000
	12166	120	25,000
	12168	180	25,000

1-1/2 x 1 x 1/4"-20	Item	Grit	Max RPM
<i>Pk Qty 10</i>	12189	60	25,000
	12190	80	25,000
	12192	120	25,000
	12194	180	25,000

2 x 1/2 x 1/4"-20	Item	Grit	Max RPM
<i>Pk Qty 10</i>	12215	60	25,000
	12216	80	25,000
	12218	120	25,000
	12220	180	25,000

2 x 1 x 1/4"-20	Item	Grit	Max RPM
<i>Pk Qty 10</i>	12241	60	25,000
	12242	80	25,000
	12244	120	25,000
	12246	180	25,000

3 x 1/2 x 1/4"-20	Item	Grit	Max RPM
<i>Pk Qty 10</i>	12319	60	20,000
	12320	80	20,000
	12322	120	20,000
	12324	180	20,000

3 x 1 x 1/4"-20	Item	Grit	Max RPM
<i>Pk Qty 10</i>	12345	60	20,000
	12346	80	20,000
	12348	120	20,000
	12350	180	20,000

FLAP WHEELS

Mini-Mounted Shank



- 1/8" shank for smaller tools
- Works well in small areas
- Cleans burrs and threads

3/8 x 3/8 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11082	60	25,000
	11083	80	25,000
	11085	120	25,000
	11086	180	25,000
3/4 x 3/16 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11104	60	25,000
	11105	80	25,000
	11107	120	25,000
	11109	180	25,000
3/4 x 3/8 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11117	60	25,000
	11118	80	25,000
	11120	120	25,000
	11122	180	25,000
1-3/16 x 3/16 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11182	60	25,000
	11183	80	25,000
	11185	120	25,000
	11187	180	25,000
1-3/16 x 3/8 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 10</i>	11195	60	25,000
	11196	80	25,000
	11198	120	25,000
	11200	180	25,000

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

Shank Adapter & Extenders



1 x 1/4" Adapter	Item
<i>Pk Qty 1</i>	50931
4 x 1/4"	Item
<i>Pk Qty 10</i>	50932
6 x 1/4"	Item
<i>Pk Qty 10</i>	50933
8 x 1/4"	Item
<i>Pk Qty 10</i>	50934

Additional items are available. Contact us for details.

www.arcabrasives.com

093

FLAP WHEELS



- Balanced construction provides resilience to pressure
- Consistent finishing throughout wheel life
- No dressing preparation before or during use
- Use on stationary and portable grinders
- Finishes flat and contour surfaces



Unmounted

4 x 1 x 5/8"	Item	Grit	Max RPM
Pk Qty 10	10161	40	8,600
	10163	60	8,600
	10164	80	8,600
	10166	120	8,600
6 x 1 x 1"	Item	Grit	Max RPM
Pk Qty 5	10241	40	5,700
	10243	60	5,700
	10244	80	5,700
	10246	120	5,700
6 x 1-1/2 x 1"	Item	Grit	Max RPM
Pk Qty 5	10261	40	5,700
	10263	60	5,700
	10264	80	5,700
	10266	120	5,700
6 x 2 x 1"	Item	Grit	Max RPM
Pk Qty 5	10281	40	5,700
	10283	60	5,700
	10284	80	5,700
	10286	120	5,700
8 x 1 x 1"	Item	Grit	Max RPM
Pk Qty 3	10341	40	4,300
	10343	60	4,300
	10344	80	4,300
	10346	120	4,300
8 x 2 x 1"	Item	Grit	Max RPM
Pk Qty 3	10381	40	4,300
	10383	60	4,300
	10384	80	4,300
	10386	120	4,300

Shank Adapter

4 - 8"	Item
Pk Qty 1	50937

Reducing Bushing

1 to 1/2"	Item
Pk Qty 1	10502
1 to 5/8"	Item
Pk Qty 1	10503

SHEETS



- Aluminum oxide grain
- Closed coat is designed for more surface removal
- Durable and flexible backing
- Hand operation
- Use on ferrous and non-ferrous metals

Cloth

9 x 11"	Item	Grit
<i>Pk Qty 25</i>	74101	36X
9 x 11"	Item	Grit
<i>Pk Qty 50</i>	74102	40X
	74103	50X
	74104	60J
	74105	80J
	74106	100J
	74107	120J
	74108	150J
	74109	180J
	74110	220J
	74111	240J
	74113	320J
	74114	400J
	74116	CROCUS



- Durable silicon carbide grain
- Use wet or dry
- 100 and finer grit for finishing applications

Silicon Carbide - Waterproof

9 x 11"	Item	Grit
<i>Pk Qty 50</i>	74121	60C
	74122	80C
	74123	100C
	74124	120C
	74125	150C
	74126	180C
	74128	220A
	74129	240A
	74131	320A
	74133	400A
	74134	500A
	74135	600A



Silicon Carbide - Waterproof PSA

3 x 11"	Item	Grit
<i>Pk Qty 100</i>	35145PL	180C
	35147PL	240C
	35149PL	320C
	35150PL	400C
	35152PL	600C

Additional items are available. Contact us for details.

www.arcabrasives.com

095

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

SHEETS & ROLLS



- Sharp, durable aluminum oxide grain
- Medium tensile strength J-weight cotton backing
- Multi-purpose maintenance and machine shop use
- Deburrs, cleans and polishes metal surfaces

Aluminum Oxide Glue Bond PSA

9 x 11"	Item	Grit
<i>Pk Qty 50</i>	30813	60
	30814	80
	30816	120
	30818	180
	30819	240
	30820	320

Emery Cloth

9 x 11"	Item	Grade
<i>Pk Qty 50</i>	74117	FIN
	74118	MED
	74119	CRS

Handy Rolls

1" x 50 yd.	Item	Grit
<i>Pk Qty 1</i>	73134	60J
	73135	80J
	73137	120J
	73138	150J
	73139	180J
	73140	220J
	73141	240J
	73143	320J
	73144	400J
	73193	CROCUS

1-1/2" x 50 yd.	Item	Grit
<i>Pk Qty 1</i>	73149	60J
	73150	80J
	73152	120J
	73153	150J
	73154	180J
	73155	220J
	73156	240J
	73158	320J
	73159	400J
	73194	CROCUS

2" x 50 yd.	Item	Grit
<i>Pk Qty 1</i>	73164	60J
	73165	80J
	73167	120J
	73168	150J
	73169	180J
	73170	220J
	73171	240J
	73173	320J
	73174	400J
	73195	CROCUS

ROLLS



- Made from a resin bonded aluminum oxide cloth
- Exceptional durability and flexibility
- Ideal for cleaning and finishing
- Used by mechanical workshops, cutlery and plumbing product manufacturers

Premium Shop Rolls

1" x 50 yd.	Item	Grit
<i>Pk Qty 1</i>	0901005	60
	0901006	80
	0901008	120
	0901009	150
	0901010	180
	0901011	220
	0901012	240
	0901014	320
	0901015	400

1-1/2" x 50 yd.	Item	Grit
<i>Pk Qty 1</i>	0901505	60
	0901506	80
	0901508	120
	0901509	150
	0901510	180
	0901511	220
	0901512	240
	0901514	320
	0901515	400

2" x 50 yd.	Item	Grit
<i>Pk Qty 1</i>	0902005	60
	0902006	80
	0902008	120
	0902009	150
	0902010	180
	0902011	220
	0902012	240
	0902014	320
	0902015	400



Silicon Carbide - Waterproof

3" x 75 ft.	Item	Grit
<i>Pk Qty 1</i>	35501PL	180
	35503PL	240
	35505PL	320
	35506PL	400
	35508PL	600

3-7/16" x 75 ft.	Item	Grit
<i>Pk Qty 1</i>	35509PL	180
	35511PL	240
	35513PL	320
	35514PL	400
	35516PL	600

Additional items are available. Contact us for details.

www.arcabrasives.com

097

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

CARTRIDGE ROLLS



- Multi-layer coiled construction
- Exposes sharp new cutting abrasive as each layer wears
- Ideal for finishing operations
- Irregular concaves, contours, dead-end holes, channels
- Deburring, blending tool mark removal
- Flash removal

Straight Cartridge Rolls

1/8 x 1 x 5/64"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21114Z05	60	26,000
	21115	80	26,000
	21116	100	26,000
	21117	120	26,000
	21119	180	26,000
	21120	240	26,000
	21121	320	26,000

3/16 x 1 x 3/32"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21135Z8	60	26,000
	21136	80	26,000
	21137	100	26,000
	21138	120	26,000
	21140	180	26,000
	21141	240	26,000
	21142	320	26,000

1/4 x 1 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21158Z9	50	26,000
	21159	60	26,000
	21160	80	26,000
	21161	100	26,000
	21162	120	26,000
	21164	180	26,000
	21165	240	26,000
	21166	320	26,000

1/4 x 1-1/2 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21166Z8	50	26,000
	21167	60	26,000
	21168	80	26,000
	21169	100	26,000
	21170	120	26,000
	21172	180	26,000
	21173	240	26,000
	21174	320	26,000

5/16 x 1 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21210	50	26,000
	21211	60	26,000
	21212	80	26,000
	21213	100	26,000
	21214	120	26,000
	21216	180	26,000
	21217	240	26,000
	21218	320	26,000

5/16 x 1-1/2 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21222	50	26,000
	21223	60	26,000
	21224	80	26,000
	21225	100	26,000
	21226	120	26,000
	21228	180	26,000
	21229	240	26,000
	21230	320	26,000

CARTRIDGE ROLLS

Straight Cartridge Rolls

3/8 x 1 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21270	50	26,000
	21271	60	26,000
	21272	80	26,000
	21273	100	26,000
	21274	120	26,000
	21276	180	26,000
	21277	240	26,000
	21278	320	26,000

3/8 x 1-1/2 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21282	50	26,000
	21283	60	26,000
	21284	80	26,000
	21285	100	26,000
	21286	120	26,000
	21288	180	26,000
	21289	240	26,000
	21290	320	26,000

1/2 x 3/4 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21318	50	26,000
	21319	60	26,000
	21320	80	26,000
	21321	100	26,000
	21322	120	26,000
	21324	180	26,000
	21325	240	26,000
	21326	320	26,000

1/2 x 1 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21330	50	26,000
	21331	60	26,000
	21332	80	26,000
	21333	100	26,000
	21334	120	26,000
	21336	180	26,000
	21337	240	26,000
	21338	320	26,000

1/2 x 1-1/2 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21342	50	26,000
	21343	60	26,000
	21344	80	26,000
	21345	100	26,000
	21346	120	26,000
	21348	180	26,000
	21349	240	26,000
	21350	320	26,000

1/2 x 2 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21354	50	26,000
	21355	60	26,000
	21356	80	26,000

1/2 x 2 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21357	100	26,000
	21358	120	26,000
	21360	180	26,000
	21361	240	26,000
	21362	320	26,000

5/8 x 1 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21438	50	26,000
	21439	60	26,000
	21440	80	26,000
	21441	100	26,000
	21442	120	26,000
	21444	180	26,000
	21445	240	26,000
	21446	320	26,000

5/8 x 1-1/2 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21450	50	18,000
	21451	60	18,000
	21452	80	18,000
	21453	100	18,000
	21454	120	18,000
	21456	180	18,000
	21457	240	18,000
	21458	320	18,000

5/8 x 2 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21462	50	18,000
	21463	60	18,000
	21464	80	18,000
	21465	100	18,000
	21466	120	18,000
	21468	180	18,000
	21469	240	18,000
	21470	320	18,000

3/4 x 1 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21522	50	18,000
	21523	60	18,000
	21524	80	18,000
	21525	100	18,000
	21526	120	18,000
	21528	180	18,000
	21529	240	18,000
	21530	320	18,000

3/4 x 1-1/2 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21534	50	18,000
	21535	60	18,000
	21536	80	18,000
	21537	100	18,000
	21538	120	18,000
	21540	180	18,000
	21541	240	18,000
	21542	320	18,000

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

CARTRIDGE ROLLS

Straight Cartridge Rolls

3/4 x 1-1/2 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21618	50	18,000
	21619	60	18,000
	21620	80	18,000
	21621	100	18,000
	21622	120	18,000
	21624	180	18,000
	21625	240	18,000
	21626	320	18,000

3/4 x 2 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21546	50	18,000
	21547	60	18,000
	21548	80	18,000
	21549	100	18,000
	21550	120	18,000
	21552	180	18,000
	21553	240	18,000
	21554	320	18,000

3/4 x 2 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21630	50	18,000
	21631	60	18,000
	21632	80	18,000
	21633	100	18,000
	21634	120	18,000
	21636	180	18,000
	21637	240	18,000
	21638	320	18,000

1 x 1 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21666	50	18,000
	21667	60	18,000
	21668	80	18,000
	21669	100	18,000
	21670	120	18,000
	21672	180	18,000
	21673	240	18,000
	21674	320	18,000

1 x 1-1/2 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21786	50	18,000
	21787	60	18,000
	21788	80	18,000
	21789	100	18,000
	21790	120	18,000
	21792	180	18,000
	21793	240	18,000
	21794	320	18,000

1 x 1-1/2 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21798	50	15,000
	21799	60	15,000
	21800	80	15,000
	21801	100	15,000
	21802	120	15,000
	21804	180	15,000
	21805	240	15,000
	21806	320	15,000

1 x 2 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21906	50	15,000
	21907	60	15,000
	21908	80	15,000
	21909	100	15,000
	21910	120	15,000
	21912	180	15,000
	21913	240	15,000
	21914	320	15,000

1 x 2 x 1/4"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	21918	50	15,000
	21919	60	15,000
	21920	80	15,000
	21921	100	15,000
	21922	120	15,000
	21924	180	15,000
	21925	240	15,000
	21926	320	15,000

Full Taper Cartridge Rolls

3/8 x 1 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23104	50	26,000
	23105	60	26,000
	23106	80	26,000
	23108	120	26,000
	23110	180	26,000
	23111	240	26,000
	23112	320	26,000

3/8 x 1-1/2 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23284	50	26,000
	23285	60	26,000
	23286	80	26,000
	23288	120	26,000
	23290	180	26,000
	23291	240	26,000
	23292	320	26,000

CARTRIDGE ROLLS

Full Taper Cartridge Rolls

1/2 x 1 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23140	50	26,000
	23141	60	26,000
	23142	80	26,000
	23144	120	26,000
	23146	180	26,000
	23147	240	26,000
	23148	320	26,000

1/2 x 1-1/2 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23320	50	26,000
	23321	60	26,000
	23322	80	26,000
	23324	120	26,000
	23326	180	26,000
	23327	240	26,000
	23328	320	26,000

1/2 x 2 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23464	50	26,000
	23465	60	26,000
	23466	80	26,000
	23468	120	26,000
	23470	180	26,000
	23472	240	26,000
	2347214	320	26,000

5/8 x 1 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23176	50	26,000
	23177	60	26,000
	23178	80	26,000
	23180	120	26,000
	23182	180	26,000
	23183	240	26,000
	23184	320	26,000

5/8 x 1-1/2 x 1/8"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23356	50	18,000
	23357	60	18,000
	23358	80	18,000
	23360	120	18,000
	23362	180	18,000
	23363	240	18,000
	23364	320	18,000

3/4 x 1-1/2 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23404	50	18,000
	23405	60	18,000
	23406	80	18,000
	23408	120	18,000
	23410	180	18,000
	23411	240	18,000
	23412	320	18,000

3/4 x 2 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23548	50	18,000
	23549	60	18,000
	23550	80	18,000
	23552	120	18,000
	23554	180	18,000
	23555	240	18,000
	23556	320	18,000

1 x 1 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23584	50	18,000
	23585	60	18,000
	23586	80	18,000
	23588	120	18,000
	23590	180	18,000
	23591	240	18,000
	23592	320	18,000

1 x 1-1/2 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23620	50	18,000
	23621	60	18,000
	23622	80	18,000
	23624	120	18,000
	23626	180	18,000
	23627	240	18,000
	23628	320	18,000

1 x 2 x 3/16"	Item	Grit	Max RPM
<i>Pk Qty 100</i>	23656	50	18,000
	23657	60	18,000
	23658	80	18,000
	23660	120	18,000
	23662	180	18,000
	2366412	240	18,000
	2366414	320	18,000

Mandrels

Pk Qty 1

Size	Item
A-1 5/64 X 1 X 1/8	50101
A-2 3/32 X 1 X 1/8	50102
A-4 1/8 X 3/4 X 1/8	50104
A-5 1/8 X 1 X 1/8	50105
A-6 1/8 X 1-1/2 X 1/8	50106
A-8 1/8 X 3/4 X 1/4	50108
A-9 1/8 X 1 X 1/4	50109
A-10 1/8 X 1-1/2 X 1/4	50110
A-13 3/16 X 3/4 X 1/8	50113
A-15 3/16 X 3/4 X 1/4	50115
A-16 3/16 X 1 X 1/4	50116
A-17 3/16 X 1-1/2 X 1/4	50117
A-21 1/4 X 1 X 1/4	50121
A-22 1/4 X 1-1/2 X 1/4	50122

PADS



- Multi-ply abrasive pad
- Exposes new cutting surface as each layer wears
- Three eyelet sizes available: 3-48; 8-32; 1/4-20
- Eyelet allows quick on and off of cross pad
- Deburring and cleaning the ID of a tube
- Blending small radii



Cross Pads

1 x 3/8 x 8P 3-48	Item	Grit	Max RPM
<i>Pk Qty 100</i>	27739	60	25,000
	27740	80	25,000
	27742	120	25,000
	27744	180	25,000
	27745	240	25,000
1-1/2 x 1/2 x 8P 8-32	Item	Grit	Max RPM
<i>Pk Qty 100</i>	27750	60	23,000
	27751	80	23,000
	27753	120	23,000
	27755	180	23,000
	27756	240	23,000
2 x 1/2 x 8P 8-32	Item	Grit	Max RPM
<i>Pk Qty 100</i>	27772	60	23,000
	27773	80	23,000
	27775	120	23,000
	27777	180	23,000
	27778	240	23,000
2 x 3/4 x 8P 8-32	Item	Grit	Max RPM
<i>Pk Qty 100</i>	27794	60	23,000
	27795	80	23,000
	27797	120	23,000
	27799	180	23,000
	2779912-1	240	23,000
2 x 1 x 8P 1/4-20	Item	Grit	Max RPM
<i>Pk Qty 100</i>	27816	60	23,000
	27817	80	23,000
	27819	120	23,000
	27820	180	23,000
	27822-3	240	23,000
2-1/2 x 3/4 x 8P 8-32	Item	Grit	Max RPM
<i>Pk Qty 100</i>	27904	60	18,000
	27905	80	18,000
	27907	120	18,000
	27909	180	18,000
	27910	240	18,000
3 x 1 x 8P 1/4-20	Item	Grit	Max RPM
<i>Pk Qty 100</i>	27970	60	14,000
	27971	80	14,000
	27973	120	14,000
	27975	180	14,000
	27976	240	14,000

Eyelet Mandrels

Pk Qty 10

Size	Item
3-48 x 1/4"	50328
8-32 x 1/4"	50329
1/4-20 x 1/4"	50330

Additional items are available. Contact us for details.

PADS



- Layered construction of material, formed as a square
- Chatter-free grinding
- Intermittent strokes of pad corners improve visibility
- Corners very aggressive until edges round
- When corners are round, good for polishing
- Excellent for blending welds inside of pipes



- 4/S Available
- Exceptional balance at high RPM
- Extremely flexible and durable
- Unique shape allows you to reach inaccessible areas
- Light removal of matter inside of pipe
- Blends surface imperfections within pipes

Square Pads

1-1/2 x 1/2 x 1/4-20	Item	Grit	Max RPM
<i>Pk Qty 100</i>	26445	60	23,000
	26446	80	23,000
	26448	120	23,000
2 x 1/2 x 1/4-20	Item	Grit	Max RPM
<i>Pk Qty 100</i>	26478	60	23,000
	26479	80	23,000
	26481	120	23,000
2-1/2 x 1/2 x 1/4-20	Item	Grit	Max RPM
<i>Pk Qty 100</i>	26522	60	18,000
	26523	80	18,000
	26525	120	18,000
3 x 1/4 x 1/4-20	Item	Grit	Max RPM
<i>Pk Qty 100</i>	26533	60	14,000
	26534	80	14,000
	26536	120	14,000
3 x 1/2 x 1/4-20	Item	Grit	Max RPM
<i>Pk Qty 100</i>	26555	60	14,000
	26556	80	14,000
	26558	120	14,000

2/S Spin-On Overlap Discs

2 per Set

1-1/4" 8-32	Item	Grit	Max RPM
<i>Pk Qty 100</i>	33969	60	23,000
	33970	80	23,000
	33971	100	23,000
	33972	120	23,000
	33974	180	23,000
1-1/2" 8-32	Item	Grit	Max RPM
<i>Pk Qty 100</i>	33981	60	23,000
	33982	80	23,000
	33983	100	23,000
	33984	120	23,000
	33986	180	23,000
2" 8-32	Item	Grit	Max RPM
<i>Pk Qty 100</i>	34005	60	23,000
	34006	80	23,000
	34007	100	23,000
	34008	120	23,000
	34010	180	23,000
3" 1/4-20	Item	Grit	Max RPM
<i>Pk Qty 100</i>	34053	60	14,000
	34054	80	14,000
	34055	100	14,000
	34056	120	14,000
	34058	180	14,000

Additional items are available. Contact us for details.

www.arcabrasives.com

RESIN FIBRE
DISCS

FLAP DISCS

QUICK-LOK
DISCS

PSA DISCS

BONDED

BELTS

SURFACE
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

NO LAP BANDS



- Inner cloth liner adhered to band for extra durability
- Inner liner prevents slippage while being used on an expandable drum
- No tooling for operator
- Great in curved and contoured areas
- Fast cutting yet leaves smooth, even finish

No Lap Bands

1/2 x 1"	Item	Grit
<i>Pk Qty 100</i>	76330	36
	76331	40
	76332	50
	76333	60
	76334	80
	76336	120
3/4 x 1"	Item	Grit
<i>Pk Qty 100</i>	76618	36
	76619	40
	76620	50
	76621	60
	76622	80
	76624	120
1 x 1"	Item	Grit
<i>Pk Qty 100</i>	76762	36
	76763	40
	76764	50
	76765	60
	76766	80
	76768	120
1-1/2 x 1-1/2"	Item	Grit
<i>Pk Qty 100</i>	77134	36
	77135	40
	77136	50
	77137	60
	77138	80
	77140	120
2 x 1"	Item	Grit
<i>Pk Qty 100</i>	77410	36
	77411	40
	77412	50
	77413	60
	77414	80
	77416	120
2 x 2"	Item	Grit
<i>Pk Qty 100</i>	77434	36
	77435	40
	77436	50
	77437	60
	77438	80
	77440	120

NO LAP BANDS



Solid Rubber Drums

Pk Qty 1

Size	Item	Max RPM
1/2 x 1 x 1/4"	50510	15,000
3/4 x 1 x 1/4"	50524	19,000
1 x 1 x 1/4"	50533	15,000
1-1/2 x 1-1/2 x 1/4"	50543	10,000
2 x 1 x 1/4"	50547	11,000
2 x 2 x 1/4"	50549	6,000

- For use with No Lap Bands
- Balanced for maximum performance
- Made from 60 durometer live rubber for controlled expansion

RESIN FIBRE
DISCS

FLAP DISCS
DISCS

QUICK-LOK
DISCS

PSA DISCS
DISCS

BONDED
DISCS

BELTS
DISCS

SURFACE
CONDITIONING
DISCS

CLEAN & FINISH
DISCS

FLAP WHEELS
DISCS

SHEETS
DISCS

ROLLS
DISCS

SPECIALTIES
DISCS

NO LAP BANDS
DISCS

APPENDIX

Resin Fibre Discs

Mild Steel

3M	Norton	Merit	VSM	Gemtex	SIA
785C	Blaze F980	Ceramic	SF750	X Type	siabite 4515
982C	Greenlyte F968	Zirconia	SF840	PMD	siacut 4815
983C	Norzon BlueFire F826		XF760	Zee-Type	siatop siafast 1815
985C			XF870		siamet 4924
988C			ZF713		siaral 8 4919
GreenCorp			ZF714		siaron 8 4819
501C			ZF745		
			ZF844		
Standard	Sait	Klingspor	Camel	Hermes	
Ceramic (Pinnacle)	Saitech 8S	CS661	Ceramic	CR456	
Zirconia (Zirc II)	Saitech 9S	CS565	Zirconia	RB414X	
	3Z	CS570		RB314	
	Z				

Resin Fibre Discs

Stainless Steel

3M	Norton	Merit	VSM	Gemtex	SIA
785C	Blaze F980	Ceramic	SF750	X Type	siabite 4515
982C	Greenlyte F968	Zirconia	SF840	PMD	siacut 4815
983C	Norzon BlueFire F826		XF760	Zee-Type	siatop siafast 1815
985C	Neon F766		XF870		siamet 4924
987C			ZF713		siaral 8 4919
988C			ZF714		siaron 8 4819
GreenCorp			ZF745		
501C			ZF844		
Standard	Sait	Klingspor	Camel	Hermes	
Ceramic (Pinnacle)	Saitech 8S	CS661	Ceramic	CR456	
Zirconia (Zirc II)	Saitech 9S	CS565	Zirconia	RB414X	
	3Z	CS570		RB314	
	Z				

Resin Fibre Discs

Aluminum

3M	Norton	Merit	VSM	Gemtex	SIA
785C	Blaze F980	Ceramic	SF750	X Type	siabite 4515
982C	Greenlyte F968	Zirconia	SF840	PMD	siacut 4815
983C	Norzon BlueFire F826		XF760	Zee-Type	siatop siafast 1815
985C	Metalite F220		XF870		siamet 4924
987C			ZF713		siaral 8 4919
988C			ZF714		siaron 8 4819
GreenCorp			ZF745		
501C			ZF844		
Standard	Sait	Weiler	Camel	Hermes	
Ceramic (Pinnacle)	Saitech 8S	AL-tra Cut	Ceramic	CR456	
Zirconia (Zirc II)	Saitech 9S		Zirconia	RB414X	
	3Z		AO	RB314	
	Z				

MATERIAL CROSSOVER

APPENDIX

MATERIAL
CROSSOVER

Flap Discs

Mild Steel

3M	Norton	Weiler	Camel	Pferd	Garryson	Walter
546D	Blaze	Saber Tooth	C3	Polifan SG CO	Ceramic	Enduro Flex
577F	RedHeat	Tiger	Z3	Polifan SGP CO-Cool	Zirconium	Enduro Flex Turbo
566A	Neon	Vortec Pro	Z-Stainless	Polifan SGP Zirkon-Strong	Zirc+	
	Charger	Big Cat		Polifan PSF Zirkon		
	BlueFire	Tiger Paw		Polifan SG Zirkon		
				Polifan SG Zirkon Compact		
				Polifan SGP Zirkon-Cool		
				Polifan SGP Zirkon-Power		

Flap Discs

Stainless Steel

3M	Norton	Weiler	Camel	Pferd	Garryson	Walter
747D	Blaze	Saber Tooth	C3	Polifan SG CO	Ceramic	Enduro Flex
947D	RedHeat	Tiger	Z-Stainless	Polifan SGP CO-Cool	Zirconium	Enduro Flex Stainless
546D	Neon	Vortec Pro		Polifan SGP Zirkon-Strong	Zirc+	Enduro Flex Turbo
577F		Big Cat		Polifan PSF Zirkon		
566A		Tiger Paw		Polifan SG Zirkon		
				Polifan SG Zirkon Compact		
				Polifan SG A-Cool		
				Polifan SG ZA		
				Polifan SGP Zirkon-Cool		
				Polifan SGP Zirkon-Power		

Flap Discs

Aluminum

3M	Norton	Weiler	Camel	Pferd	Garryson	Walter
546D	Neon	Saber Tooth	Z3	Polifan PSF Zirkon	Zirc	Enduro Flex Stainless
577F	Charger	Tiger	Z-Stainless	Polifan SG A-Cool	Aluminum Oxide	Enduro Flex Turbo
566A	BlueFire	Vortec Pro	A3	Polifan SGP Zirkon-Cool		

Quick-Lok Discs

Mild Steel

3M	Norton	Weiler	Standard	Merit	Superior	Pferd
984F	Blaze Plus R980P	Saber Tooth Ceramic	Ceramic Pro	Ultra Ceramic Plus	GA Ceramic	CO-COOL
988R	Blaze RFD F980	Zirconium	Ceramic	Zenith Ceramic	Rigid Kut Ceramic	Zirconia Alumina Z
988C	BlueFire Plus R884P		Zirconia	Zenith Zirconia	GA Zirc	
985C	Neon R766		A/O Extra	Zirc Plus R801	Premium Zirc	
983C				Zirc Plus R203	A/O Grinding Aid	
977F				Zirc		
963G						
501C						

■ Aluminum Oxide

■ Zirconia Alumina

■ Ceramic

■ Silicon Carbide

■ Mixed Grain

APPENDIX

Quick-Lok Discs

Stainless Steel

3M	Norton	Weiler	Standard	Merit	Superior	Pferd
984F	Blaze Plus R980P	Saber Tooth Ceramic	Ceramic Pro	Ultra Ceramic Plus	GA Ceramic	Mini Fiber Disc Ceramic
985C	Blaze RFD F980	Zirconium	Ceramic	Zenith Ceramic	Rigid Kut Ceramic	CO-COOL
785C	BlueFire Plus R884P		Zirconia Pro	Zenith Zirconia	GA Zirc	Zirconia Alumina Z
777F	Neon R766			Zirc Plus R801	Premium Zirc	
				Zirc Plus R203	A/O Grinding Aid	
				Zirc		

Quick-Lok Discs

Aluminum

3M	Norton	Weiler	Standard	Merit	Superior	Pferd
984F	BlueFire Plus R884P	Saber Tooth Ceramic	Zirconia Pro	ALO Resin Bond	Premium Zirc	Zirconia Alumina Z
	Neon R766	AL-tra Cut	A/O Extra	ALO Plus	A/O Grinding Aid	Silicon Carbide

Quick-Lok Discs

Titanium

3M	Norton	Weiler	Standard	Merit	Superior	Pferd
461F	Blaze Plus R980P	Saber Tooth Ceramic	Zirconia	Ultra Ceramic Plus	A/O Grinding Aid	Mini Fiber Disc Ceramic
459F	Blaze RFD F980	AL-tra Cut	Silicon Carbide	Zirc Plus R801	Silicon Carbide	Zirconia Alumina Z
	BlueFire Plus R884P			Silicon Carbide		Silicon Carbide
	Neon R766					

Belts

Mild Steel

3M	Norton	Weiler	VSM	Pferd	Superior	Klingspor	SIA
984F	Blaze Plus R980P	Saber Tooth Ceramic	SK875X	Ceramic Oxide CO-COOL	Ceramic	CS612	2510 Siabite
977F	Blaze Plus R940P	Zirconium	SK850X	Zirconia Alumina Z	Zirconia GA	CS610	2515 Siabite
741A	Blaze R920		SK770Z		Zirconia	CS811	2829 Siaron
741E	Neon R766		SK750X		Aluminum Oxide	CS416	2820 Siamet
931D	Norzon BlueFire Plus R887P		SK747Z			CS411	2800 Siaron
966F	Norzon BlueFire Plus R884P		KK717			CS409	1820 Siamet
967F	Norzon BlueFire Plus R823P		KK716				
577F			KK715X				
777F							

Belts

Stainless Steel

3M	Norton	Weiler	VSM	Pferd	Superior	Klingspor	SIA
984F	Blaze Plus R980P	Saber Tooth Ceramic	SK875X	Ceramic Oxide CO-COOL	Ceramic	CS612	2510 Siabite
977F	Blaze Plus R940P		SK855X		Zirconia GA	CS610	2515 Siabite
987FI	Blaze R920		SK850X		Zirconia	CS811	2800 Siaron
707E	Neon R766		SK847		Aluminum Oxide	CS416	1820 Siamet
747D	Norzon BlueFire Plus R887P		SK840Y			CS411	2707 Siawat
777F	Norzon BlueFire Plus R884P		SK770Z			CS409	
947D	Norzon BlueFire Plus R823P		SK750X				
966F			SK747Z				
977F							
464W							

MATERIAL CROSSOVER

APPENDIX

MATERIAL
CROSSOVER

Belts

Aluminum

3M	Norton	Weiler	VSM	Pferd	Superior	Klingspor	SIA
931D	Neon R766	Aluminum Oxide	KK732X	Aluminum Oxide A	Zirconia GA	CS612	2820 Siamet
960G	Norzon BlueFire Plus R887P		KK532F		Zirconia	CS610	2800 Siaron
	Norzon BlueFire Plus R884P		KK524Y		Aluminum Oxide	CS811	1820 Siamet
	Norzon BlueFire Plus R823P		KK524X			CS416	
			KK524J			CS411	
						CS409	

Belts

Titanium

3M	Norton	Weiler	VSM	Pferd	Superior	Klingspor	SIA
984F	Blaze Plus R980P	Saber Tooth Ceramic	SK875X	Ceramic Oxide CO-COOL	Aluminum Oxide	CS612	2510 Siabite
987FI	Blaze Plus R940P		SK855X		Silicon Carbide	CS610	2515 Siabite
707E	Neon R766		SK850X			CS333	2707 Siawat
966F	Norzon BlueFire Plus R887P		SK847			CS321	
967F	Norzon BlueFire Plus R884P		SK840Y			CS320	
461F			SK840F				
459F			SK840J				
			CK721X				
			CK722Y				

Paper PSA

Mild Steel, Stainless Steel, Aluminum

3M	Norton	Mirka	VSM	Indasa	Carbo
735U	H920	Bulldog Gold	KP911	Rhynalox Rhynodry White Line	Premier Red
751I	H875	Carat	MP-10	Rhynalox Rhynodry Red Line	Premier Red
763U	H822	Royal	MPG		Carbo Gold
214U	A275	Royal Coarse Cut	CP131A		Aluminum Oxide Dri-Lube Resin
216U	A290	Silver	CP501		Silicon Carbide Dri-Lube
236U	A475	Q-Silver	CP918A		
210U	A413		CP918C		
263U					
261L					
255L					
363I					
426U					
415U					

Cloth PSA

Mild Steel, Stainless Steel, Aluminum

3M	Norton	VSM
777F	R980	SK840F
348D	R938	ZK713T
248D	R821	KK715X
	R228	KK114F
	KJ370	KK511F
		KK511J
		KK532F
		KK711X

■ Aluminum Oxide

■ Zirconia Alumina

■ Ceramic

■ Silicon Carbide

■ Mixed Grain

APPENDIX

0730-0303.....	089	10346.....	094	1063266-1.....	043	1067368.....	044	10815.....	045
0730-0403.....	089	10381.....	094	1063268-1.....	043	1067368FF.....	044	10815AF.....	044
0730-0505.....	089	10383.....	094	1063272-1.....	043	1067372.....	044	10815FF.....	044
0730-0605.....	089	10384.....	094	1063273-1.....	043	1067373.....	044	10816.....	045
0730-0705.....	089	10386.....	094	1063275-1.....	043	1067374.....	044	10816AF.....	044
0730-0805.....	089	10502.....	094	1063276-1.....	043	1067375.....	044	10816FF.....	044
0732-0406.....	089	10503.....	094	1063278-1.....	043	1067376.....	044	10817.....	045
0732-0458.....	089	1056102.....	042	1063342-2.....	043	1067378.....	044	10817AF.....	044
0732-0508.....	089	1056103.....	042	1063343-2.....	043	1068272.....	044	10817FF.....	044
0732-0708.....	089	1056105.....	042	1063345-2.....	043	1068273.....	044	10818AF.....	044
0733-0201.....	089	1056106.....	042	1063346-2.....	043	1068274.....	044	10818FF.....	044
0733-0301.....	089	1056108.....	042	1063348-2.....	043	1068275.....	044	10823.....	045
074391.....	088	1056302.....	042	1063352-2.....	043	1068276.....	044	10823AF.....	044
07440.....	088	1056303.....	042	1063353-2.....	043	1068278.....	044	10823FF.....	044
07444.....	088	1056305.....	042	1063355-2.....	043	1068352.....	044	10824.....	045
07447.....	088	1056306.....	042	1063356-2.....	043	1068352FF.....	044	10824AF.....	044
07448.....	088	1056308.....	042	1063358-2.....	043	1068353.....	044	10824FF.....	044
07451.....	088	1061352-2.....	043	1063362-2.....	043	1068353FF.....	044	10825.....	045
07460.....	088	1061353-2.....	043	1063363-2.....	043	1068354.....	044	10825AF.....	044
0901005.....	097	1061355-2.....	043	1063365-2.....	043	1068354FF.....	044	10825FF.....	044
0901006.....	097	1061356-2.....	043	1063366-2.....	043	1068355.....	044	10826.....	045
0901008.....	097	1061358-2.....	043	1063368-2.....	043	1068355FF.....	044	10826AF.....	044
0901009.....	097	1061362-2.....	043	1063372-2.....	043	1068356.....	044	10826FF.....	044
0901010.....	097	1061363.....	043	1063373-2.....	043	1068356FF.....	044	10827.....	045
0901011.....	097	1061365-2.....	043	1063375-2.....	043	1068358.....	044	10827AF.....	044
0901012.....	097	1061366-2.....	043	1063376-2.....	043	1068358FF.....	044	10827FF.....	044
0901014.....	097	1061368-2.....	043	1063378-2.....	043	1068362.....	044	10828AF.....	044
0901015.....	097	1061372-2.....	043	1063552-2.....	043	1068362FF.....	044	10828FF.....	044
0901505.....	097	1061373-2.....	043	1063553-2.....	043	1068363.....	044	10833.....	045
0901506.....	097	1061375-2.....	043	1063555-2.....	043	1068363FF.....	044	10833AF.....	044
0901508.....	097	1061376-2.....	043	1063556-2.....	043	1068364.....	044	10833FF.....	044
0901509.....	097	1061378-2.....	043	1063558-2.....	043	1068364FF.....	044	10834.....	045
0901510.....	097	1061552-2.....	043	1063572-2.....	043	1068365.....	044	10834AF.....	044
0901511.....	097	1061553-2.....	043	1063573-2.....	043	1068365FF.....	044	10834FF.....	044
0901512.....	097	1061555-2.....	043	1063575-2.....	043	1068366.....	044	10835.....	045
0901514.....	097	1061556-2.....	043	1063576-2.....	043	1068366FF.....	044	10835AF.....	044
0901515.....	097	1061558-2.....	043	1063578-2.....	043	1068368.....	044	10835FF.....	044
0902005.....	097	1061572-2.....	043	1067252.....	044	1068368FF.....	044	10836.....	045
0902006.....	097	1061573-2.....	043	1067253.....	044	1068372.....	044	10836AF.....	044
0902008.....	097	1061575-2.....	043	1067254.....	044	1068373.....	044	10836FF.....	044
0902009.....	097	1061576-2.....	043	1067255.....	044	1068374.....	044	10837.....	045
0902010.....	097	1061578-2.....	043	1067256.....	044	1068375.....	044	10837AF.....	044
0902011.....	097	1063152-1.....	043	1067258.....	044	1068376.....	044	10837FF.....	044
0902012.....	097	1063153-1.....	043	1067272.....	044	1068378.....	044	10838AF.....	044
0902014.....	097	1063155-1.....	043	1067273.....	044	10803.....	045	10838FF.....	044
0902015.....	097	1063156-1.....	043	1067274.....	044	10803AF.....	044	10843.....	045
10161.....	094	1063158-1.....	043	1067275.....	044	10803FF.....	044	10843AF.....	044
10163.....	094	1063172-1.....	043	1067276.....	044	10804.....	045	10843FF.....	044
10164.....	094	1063173-1.....	043	1067278.....	044	10804AF.....	044	10844.....	045
10166.....	094	1063175-1.....	043	1067352.....	044	10804FF.....	044	10844AF.....	044
10241.....	094	1063176-1.....	043	1067353.....	044	10805.....	045	10844FF.....	044
10243.....	094	1063178-1.....	043	1067354.....	044	10805AF.....	044	10845.....	045
10244.....	094	1063242-1.....	043	1067355.....	044	10805FF.....	044	10845AF.....	044
10246.....	094	1063243-1.....	043	1067356.....	044	10806.....	045	10845FF.....	044
10261.....	094	1063245-1.....	043	1067358.....	044	10806AF.....	044	10846.....	045
10263.....	094	1063246-1.....	043	1067362.....	044	10806FF.....	044	10846AF.....	044
10264.....	094	1063248-1.....	043	1067362FF.....	044	10807.....	045	10846FF.....	044
10266.....	094	1063252-1.....	043	1067363.....	044	10807AF.....	044	10847.....	045
10281.....	094	1063253-1.....	043	1067363FF.....	044	10807FF.....	044	10847AF.....	044
10283.....	094	1063255-1.....	043	1067364.....	044	10813.....	045	10847FF.....	044
10284.....	094	1063256-1.....	043	1067364FF.....	044	10813AF.....	044	10848AF.....	044
10286.....	094	1063258-1.....	043	1067365.....	044	10813FF.....	044	10848FF.....	044
10341.....	094	1063262-1.....	043	1067365FF.....	044	10814.....	045	10853.....	045
10343.....	094	1063263-1.....	043	1067366.....	044	10814AF.....	044	10853AF.....	044
10344.....	094	1063265-1.....	043	1067366FF.....	044	10814FF.....	044	10853FF.....	044

ITEM INDEX

10854	045	11185	093	11412	091	21170	098	21360	099
10854AF	044	11187	093	11416	091	21172	098	21361	099
10854FF	044	11195	093	11417	091	21173	098	21362	099
10855	045	11196	093	11419	091	21174	098	21438	099
10855AF	044	11198	093	11421	091	21210	098	21439	099
10855FF	044	11200	093	11423	091	21211	098	21440	099
10856	045	11208	090	11425	091	21212	098	21441	099
10856AF	044	11209	090	12137	092	21213	098	21442	099
10856FF	044	11211	090	12138	092	21214	098	21444	099
10857	045	11213	090	12140	092	21216	098	21445	099
10857AF	044	11215	090	12142	092	21217	098	21446	099
10857FF	044	11217	090	12150	092	21218	098	21450	099
10858AF	044	11234	090	12151	092	21222	098	21451	099
10858FF	044	11235	090	12153	092	21223	098	21452	099
10863	045	11237	090	12155	092	21224	098	21453	099
10863AF	044	11239	090	12163	092	21225	098	21454	099
10863FF	044	11241	090	12164	092	21226	098	21456	099
10864	045	11243	090	12166	092	21228	098	21457	099
10864AF	044	11260	090	12168	092	21229	098	21458	099
10864FF	044	11261	090	12189	092	21230	098	21462	099
10865	045	11263	090	12190	092	21270	099	21463	099
10865AF	044	11265	090	12192	092	21271	099	21464	099
10865FF	044	11267	090	12194	092	21272	099	21465	099
10866	045	11269	090	12215	092	21273	099	21466	099
10866AF	044	11273	090	12216	092	21274	099	21468	099
10866FF	044	11274	090	12218	092	21276	099	21469	099
10867	045	11276	090	12220	092	21277	099	21470	099
10867AF	044	11278	090	12241	092	21278	099	21522	099
10867FF	044	11280	090	12242	092	21282	099	21523	099
10868AF	044	11282	090	12244	092	21283	099	21524	099
10868FF	044	11286	091	12246	092	21284	099	21525	099
11082	093	11287	091	12319	092	21285	099	21526	099
11083	093	11289	091	12320	092	21286	099	21528	099
11085	093	11291	091	12322	092	21288	099	21529	099
11086	093	11293	091	12324	092	21289	099	21530	099
11104	093	11295	091	12345	092	21290	099	21534	099
11105	093	11299	091	12346	092	21318	099	21535	099
11107	093	11300	091	12348	092	21319	099	21536	099
11109	093	11302	091	12350	092	21320	099	21537	099
11117	093	11304	091	21114Z05	098	21321	099	21538	099
11118	093	11306	091	21115	098	21322	099	21540	099
11120	093	11308	091	21116	098	21324	099	21541	099
11122	093	11338	091	21117	098	21325	099	21542	099
11130	090	11339	091	21119	098	21326	099	21546	100
11131	090	11341	091	21120	098	21330	099	21547	100
11133	090	11343	091	21121	098	21331	099	21548	100
11135	090	11345	091	21135Z8	098	21332	099	21549	100
11139Z4	090	11347	091	21136	098	21333	099	21550	100
11139Z5	090	11351	091	21137	098	21334	099	21552	100
11139Z54	090	11352	091	21138	098	21336	099	21553	100
11139Z56	090	11354	091	21140	098	21337	099	21554	100
11156	090	11356	091	21141	098	21338	099	21618	100
11157	090	11358	091	21142	098	21342	099	21619	100
11159	090	11360	091	21158Z9	098	21343	099	21620	100
11161	090	11390	091	21159	098	21344	099	21621	100
11163	090	11391	091	21160	098	21345	099	21622	100
11165	090	11393	091	21161	098	21346	099	21624	100
11169	090	11395	091	21162	098	21348	099	21625	100
11170	090	11397	091	21164	098	21349	099	21626	100
11172	090	11399	091	21165	098	21350	099	21630	100
11174	090	11403	091	21166	098	21354	099	21631	100
11176	090	11404	091	21166Z8	098	21355	099	21632	100
11178	090	11406	091	21167	098	21356	099	21633	100
11182	093	11408	091	21168	098	21357	099	21634	100
11183	093	11410	091	21169	098	21358	099	21636	100

APPENDIX

21637.....100	23286.....100	26479.....103	30355.....059	30427.....060
21638.....100	23288.....100	26481.....103	30356.....059	30428.....060
21666.....100	23290.....100	26522.....103	30357.....059	30429T.....060
21667.....100	23291.....100	26523.....103	30358.....059	30430T.....060
21668.....100	23292.....100	26525.....103	30359.....059	30431T.....060
21669.....100	23320.....101	26533.....103	30360.....059	30432T.....060
21670.....100	23321.....101	26534.....103	30361.....059	30433T.....060
21672.....100	23322.....101	26536.....103	30362.....059	30434T.....060
21673.....100	23324.....101	26555.....103	30362GR.....059	30434ZIT.....060
21674.....100	23326.....101	26556.....103	30363.....059	30435T.....060
21786.....100	23327.....101	26558.....103	30364.....059	30436T.....060
21787.....100	23328.....101	27739.....102	30364GR.....059	30436Z2T.....060
21788.....100	23356.....101	27740.....102	30366.....059	30438.....060
21789.....100	23357.....101	27742.....102	30367.....059	30439.....060
21790.....100	23358.....101	27744.....102	30368.....059	30440.....060
21792.....100	23360.....101	27745.....102	30369.....059	30441T.....060
21793.....100	23362.....101	27750.....102	30370.....059	30442T.....060
21794.....100	23363.....101	27751.....102	30371.....059	30443T.....060
21798.....100	23364.....101	27753.....102	30372.....059	30444T.....060
21799.....100	23404.....101	27755.....102	30373.....059	30445T.....060
21800.....100	23405.....101	27756.....102	30374.....059	30446T.....060
21801.....100	23406.....101	27772.....102	30374GR.....059	30446TZ2.....060
21802.....100	23408.....101	27773.....102	30375.....059	30447T.....060
21804.....100	23410.....101	27775.....102	30376.....059	30448T.....060
21805.....100	23411.....101	27777.....102	30376Z1.....059	30448TGR.....060
21806.....100	23412.....101	27778.....102	30378.....059	30450.....060
21906.....100	23464.....101	27794.....102	30379.....059	30451.....060
21907.....100	23465.....101	27795.....102	30380.....059	30452.....060
21908.....100	23466.....101	27797.....102	30381.....059	30453T.....060
21909.....100	23468.....101	27799.....102	30382.....059	30454T.....060
21910.....100	23470.....101	2779912-1.....102	30383.....059	30455T.....060
21912.....100	23472.....101	27816.....102	30384.....059	30456T.....060
21913.....100	2347214.....101	27817.....102	30385.....059	30457T.....060
21914.....100	23548.....101	27819.....102	30386.....059	30458T.....060
21918.....100	23549.....101	27820.....102	30386GR.....059	30458TZ1.....060
21919.....100	23550.....101	27822-3.....102	30387.....059	30459T.....060
21920.....100	23552.....101	27904.....102	30388.....059	30460T.....060
21921.....100	23554.....101	27905.....102	30388GR.....059	30460TGR.....060
21922.....100	23555.....101	27907.....102	30402.....059	30474.....061
21924.....100	23556.....101	27909.....102	30403.....059	30475.....061
21925.....100	23584.....101	27910.....102	30404.....059	30476.....061
21926.....100	23585.....101	27970.....102	30405T.....059	30477.....061
23104.....100	23586.....101	27971.....102	30406T.....059	30478.....061
23105.....100	23588.....101	27973.....102	30407T.....059	30479.....061
23106.....100	23590.....101	27975.....102	30408T.....059	30480.....061
23108.....100	23591.....101	27976.....102	30409T.....059	30481.....061
23110.....100	23592.....101	29005.....062	30410T.....059	30482.....061
23111.....100	23620.....101	29007.....062	30410TGR.....059	30482Z1.....061
23112.....100	23621.....101	29009.....062	30411T.....059	30483.....061
23140.....101	23622.....101	29010.....062	30412T.....059	30484.....061
23141.....101	23624.....101	29011.....062	30412TZ2.....059	30484Z1.....061
23142.....101	23626.....101	29012.....062	30414.....060	30498.....061
23144.....101	23627.....101	29013.....062	30415.....060	30499.....061
23146.....101	23628.....101	29014.....062	30416.....060	30500.....061
23147.....101	23656.....101	29015.....062	30417T.....060	30501.....061
23148.....101	23657.....101	29016.....062	30418T.....060	30502.....061
23176.....101	23658.....101	29990.....062	30419T.....060	30503.....061
23177.....101	23660.....101	29992.....062	30420T.....060	30504.....061
23178.....101	23662.....101	29994.....062	30421T.....060	30505.....061
23180.....101	2366412.....101	29995.....062	30422T.....060	30506.....061
23182.....101	2366414.....101	29996.....062	30422TZ1.....060	30506Z1.....061
23183.....101	26445.....103	29997.....062	30423T.....060	30507.....061
23184.....101	26446.....103	29998.....062	30424T.....060	30508.....061
23284.....100	26448.....103	29999.....062	30424TGR.....060	30508GR.....061
23285.....100	26478.....103	30354.....059	30426.....060	30510.....061

ITEM INDEX

30511.....061	30571.....061	31455.....051	31524.....053	31658-8.....052
30512.....061	30572.....061	31455-1.....052	31525.....053	31659.....051
30513.....061	30573.....061	31456.....051	31526.....053	31659-8.....052
30514.....061	30574.....061	31456-1.....052	31527.....053	31660.....051
30515.....061	30575.....061	31456-5.....052	31528.....053	31661.....051
30516.....061	30576.....061	31456-8.....052	31529.....053	31662.....051
30517.....061	30577.....061	31457.....051	31534.....053	31662-02.....052
30518.....061	30578.....061	31457-1.....052	31535.....053	31663.....051
30518Z2.....061	30578Z1.....061	31458.....051	31536.....053	31663-02.....052
30519.....061	30579.....061	31458-1.....052	31537.....053	31664.....051
30520.....061	30580.....061	31458-8.....052	31538.....053	31664-02.....052
30520GR.....061	30580GR.....061	31459.....051	31539.....053	31665.....051
30522.....061	30813.....096	31459-8.....052	31540.....053	31665-02.....052
30523.....061	30814.....096	31460.....051	31541.....053	31666.....051
30524.....061	30816.....096	31461.....051	31546.....053	31666-02.....052
30525.....061	30818.....096	31462.....051	31547.....053	31666-5.....052
30526.....061	30819.....096	31462-1.....052	31548.....053	31666-8.....052
30527.....061	30820.....096	31463.....051	31549.....053	31667.....051
30528.....061	31000.....062	31463-1.....052	31550.....053	31667-02.....052
30529.....061	31001.....062	31464.....051	31551.....053	31668.....051
30530.....061	311506.....058	31464-1.....052	31552.....053	31668-02.....052
30530Z1.....061	311507.....058	31465.....051	31553.....053	31668-5.....052
30531.....061	311508.....058	31465-1.....052	31556.....053	31668-8.....052
30532.....061	311509.....058	31466.....051	31557.....053	31669.....051
30532GR.....061	311510.....058	31466-1.....052	31558.....053	31669-02.....052
30534.....061	311511.....058	31466-5.....052	31559.....053	31670.....051
30535.....061	311512.....058	31466-8.....052	31560.....053	31670-02.....052
30536.....061	311514.....058	31467.....051	31561.....053	31670-8.....052
30537.....061	311515.....058	31467-1.....052	31562.....053	31671.....051
30538.....061	311516.....058	31468.....051	31563.....053	31671-8.....052
30539.....061	311606.....058	31468-1.....052	31613.....051	31672.....051
30540.....061	311607.....058	31468-5.....052	31614.....051	31673.....051
30541.....061	311608.....058	31468-8.....052	31615.....051	31674.....051
30542.....061	311609.....058	31469.....051	31616.....051	31675.....051
30542Z1.....061	311610.....058	31469-1.....052	31617.....051	31676.....051
30543.....061	311611.....058	31470.....051	31618.....051	31677.....051
30544.....061	311612.....058	31470-1.....052	31619.....051	31678.....051
30544GR.....061	311614.....058	31470-8.....052	31620.....051	31679.....051
30546.....061	311615.....058	31471.....051	31621.....051	31680.....051
30547.....061	311617.....058	31471-8.....052	31622.....051	31681.....051
30548.....061	31413.....051	31472.....051	31623.....051	31682.....051
30549.....061	31414.....051	31473.....051	31624.....051	31683.....051
30550.....061	31415.....051	31474.....051	31649.....051	31684.....051
30551.....061	31416.....051	31475.....051	31650.....051	31709.....053
30552.....061	31417.....051	31476.....051	31650-02.....052	31710.....053
30553.....061	31418.....051	31477.....051	31651.....051	31711.....053
30554.....061	31419.....051	31478.....051	31651-02.....052	31712.....053
30554Z1.....061	31420.....051	31479.....051	31652.....051	31713.....053
30555.....061	31421.....051	31480.....051	31652-02.....052	31714.....053
30556.....061	31422.....051	31481.....051	31653.....051	31715.....053
30556GR.....061	31423.....051	31482.....051	31653-02.....052	31716.....053
30558.....061	31424.....051	31483.....051	31654.....051	31717.....053
30559.....061	31449.....051	31484.....051	31654-02.....052	31718.....053
30560.....061	31450.....051	31506.....058	31654-5.....052	31719.....053
30561.....061	31450-1.....052	31507.....058	31654-8.....052	31720.....053
30562.....061	31451.....051	31508.....058	31655.....051	31721.....053
30563.....061	31451-1.....052	31509.....058	31655-02.....052	31722.....053
30564.....061	31452.....051	31510.....058	31656.....051	31723.....053
30565.....061	31452-1.....052	31511.....058	31656-02.....052	31724.....053
30566.....061	31453.....051	31512.....058	31656-5.....052	31725.....053
30566Z1.....061	31453-1.....052	31514.....058	31656-8.....052	31726.....053
30567.....061	31454.....051	31515.....058	31657.....051	31727.....053
30568.....061	31454-1.....052	31517.....058	31657-02.....052	31728.....053
30568Z1.....061	31454-5.....052	31522.....053	31658.....051	31729.....053
30570-8.....061	31454-8.....052	31523.....053	31658-02.....052	31730.....053

APPENDIX

31731.....	053	35139Z2TPL.....	062	37217.....	037	50329.....	102	53905Z1.....	085
31732.....	053	35139Z3TPL.....	062	37218.....	037	50330.....	102	53906.....	063
31733.....	053	35145PL.....	095	3721908.....	037	50401Z2.....	037	53906.....	085
31734.....	053	35147PL.....	095	40367506.....	076	50403.....	037	53906SH.....	063
31735.....	053	35149PL.....	095	40367508.....	076	50404.....	037	53906SH.....	085
31736.....	053	35150PL.....	095	40367510.....	076	50405.....	037	53907.....	085
31737.....	053	35152PL.....	095	40376006.....	076	50409.....	037	53923.....	088
31738.....	053	35200TPL.....	062	40377506.....	076	50410.....	037	54020103.....	087
31739.....	053	35201TPL.....	062	40377508.....	076	50410-5.....	036	54020105.....	087
31740.....	053	35203TPL.....	062	40377510.....	076	50410Z2-5.....	036	54020107.....	087
33969.....	103	35204TPL.....	062	405210306.....	077	50411.....	037	54030203.....	087
33970.....	103	35205TPL.....	062	405210308.....	077	50418.....	037	54030205.....	087
33971.....	103	35501PL.....	097	405210310.....	077	50418Z1.....	037	54030207.....	087
33972.....	103	35503PL.....	097	50101.....	101	50419.....	037	54123.....	087
33974.....	103	35505PL.....	097	50102.....	101	50510.....	104	54124.....	087
33981.....	103	35506PL.....	097	50104.....	101	50524.....	104	54125.....	087
33982.....	103	35508PL.....	097	50105.....	101	50533.....	104	54131.....	087
33983.....	103	35509PL.....	097	50106.....	101	50543.....	104	54132.....	087
33984.....	103	35511PL.....	097	50108.....	101	50547.....	104	54133.....	087
33986.....	103	35513PL.....	097	50109.....	101	50549.....	104	54139.....	087
34005.....	103	35514PL.....	097	50110.....	101	50601.....	037	54140.....	087
34006.....	103	35516PL.....	097	50113.....	101	50602.....	037	54141.....	087
34007.....	103	36606.....	058	50115.....	101	50603.....	037	54489.....	088
34008.....	103	36607.....	058	50116.....	101	50690.....	067	544897.....	088
34010.....	103	36608.....	058	50117.....	101	50931.....	093	54490.....	088
34053.....	103	36609.....	058	50121.....	101	50932.....	093	544903.....	088
34054.....	103	36610.....	058	50122.....	101	50933.....	093	54492.....	088
34055.....	103	36611.....	058	50201.....	063	50934.....	093	54493.....	088
34056.....	103	36612.....	058	50202.....	063	50937.....	094	54550.....	088
34058.....	103	36614.....	058	50203.....	063	53046.....	087	54710.....	088
349506.....	058	36615.....	058	50204.....	063	53047.....	087	54711.....	088
349507.....	058	36617.....	058	50205.....	063	53048.....	087	54792.....	088
349508.....	058	37110.....	036	50206.....	063	53050.....	087	54793.....	088
349509.....	058	37111.....	036	50208.....	063	53051.....	087	54795.....	088
349510.....	058	37112.....	036	50209.....	063	53122.....	086	59211.....	084
349511.....	058	37113.....	036	50210.....	063	53123.....	086	59212.....	084
349512.....	058	37114.....	036	50211.....	063	53124.....	086	59213.....	084
349514.....	058	37116.....	036	50212.....	063	53136.....	086	59215.....	084
349515.....	058	37118.....	036	50213.....	063	53137.....	086	59221.....	084
349517.....	058	37119.....	036	50214.....	063	53138.....	086	59222.....	084
349606.....	058	37120.....	036	50217.....	063	53150.....	086	59223.....	084
349607.....	058	37121.....	036	50218.....	063	53151.....	086	59225.....	084
349608.....	058	37122.....	036	50251.....	053	53152.....	086	59241.....	084
349609.....	058	37124.....	036	50251.....	084	53164.....	086	59241CM.....	084
349610.....	058	37126.....	036	50252.....	053	53165.....	086	59242.....	084
349611.....	058	37127.....	036	50252.....	084	53166.....	086	59242CM.....	084
349612.....	058	37128.....	036	50253.....	053	53343.....	086	59242HD.....	084
349614.....	058	37129.....	036	50253.....	084	53344.....	086	59243.....	084
349615.....	058	37130.....	036	50254.....	053	53345.....	086	59244.....	084
349617.....	058	37132.....	036	50254.....	084	53346.....	086	59245.....	084
35117TPL.....	062	37202.....	037	50255.....	053	53347.....	086	59261.....	084
35119TPL.....	062	37203.....	037	50255.....	084	53348.....	086	59261CM.....	084
35121TPL.....	062	37204.....	037	50257.....	053	53376.....	086	59262.....	084
35123TPL.....	062	37205.....	037	50257.....	084	53377.....	086	59262CM.....	084
35124TPL.....	062	37206.....	037	50258.....	053	53378.....	086	59262HD.....	084
35126TPL.....	062	3720608.....	037	50258.....	084	53379.....	086	59263.....	084
35126Z22TPL.....	062	37208.....	037	50259.....	043	53380.....	086	59263-1.....	084
35126Z23TPL.....	062	37209.....	037	50259.....	053	53381.....	086	59265.....	084
35126Z24TPL.....	062	37210.....	037	50259.....	084	53903.....	085	59281.....	084
35132TPL.....	062	37211.....	037	50260.....	043	53904.....	085	59282.....	084
35134TPL.....	062	37212.....	037	50260.....	053	53904SH.....	085	59283.....	084
35136TPL.....	062	3721208.....	037	50260.....	084	53904Z3.....	085	59285.....	084
35137TPL.....	062	37214.....	037	50261.....	053	53905.....	063	59311.....	084
35139TPL.....	062	37215.....	037	50261.....	084	53905.....	085	59312.....	084
35139Z1TPL.....	062	37216.....	037	50328.....	102	53905Z1.....	063	59313.....	084

ITEM INDEX

59315.....	084	630050121.....	079	64031321.....	082	69275.....	073	70085.....	072
59321.....	084	630050122.....	079	64031322.....	082	69311-2.....	074	70086.....	072
59322.....	084	630050123.....	079	64031323.....	082	69312-2.....	074	70087.....	072
59323.....	084	630050124.....	079	64031324.....	082	69313-2.....	074	70088.....	072
59325.....	084	630050128.....	079	64031328.....	082	69314-2.....	074	70090.....	072
59341.....	084	630050181.....	079	6403501551.....	080	69315-2.....	074	70092.....	072
59341CM.....	084	630050182.....	079	6403501552.....	080	69341.....	073	70150.....	072
59342.....	084	630050183.....	079	6403501553.....	080	69343.....	073	70151.....	072
59342CM.....	084	630050184.....	079	6403501554.....	080	69345.....	073	70152.....	072
59342HD.....	084	630050188.....	079	6403501558.....	080	69431-4.....	075	70153.....	072
59343.....	084	630050241.....	079	64040241.....	080	69432-2.....	075	70154.....	072
59344.....	084	630050242.....	079	64040242.....	080	69433-2.....	075	70156.....	072
59345.....	084	630050243.....	079	64040243.....	080	69434-2.....	075	70158.....	072
59361.....	084	630050244.....	079	64040244.....	080	69435-2.....	075	701591802.....	072
59361CM.....	084	630050248.....	079	64040248.....	080	6949807206-2.....	074	701591803.....	072
59362.....	084	630080181.....	079	64040601.....	081	6949807208-2.....	074	701591804.....	072
59362CM.....	084	630080182.....	079	64040602.....	081	6949807210-2.....	074	701591806.....	072
59362HD.....	084	630080183.....	079	64040603.....	081	69510-2.....	073	701591808.....	072
59363.....	084	630080184.....	079	64040604.....	081	69512-2.....	073	70160Z235.....	072
59364-1.....	084	630080185.....	079	64040608.....	081	69514-2.....	073	70160Z253.....	072
59365.....	084	6300802051.....	079	64041681.....	082	69526008-2.....	074	70162.....	073
59381.....	084	6300802052.....	079	64041682.....	082	69526010-2.....	074	70162PM.....	073
59382.....	084	6300802053.....	079	64041683.....	082	6952606-2.....	074	70163.....	073
59383.....	084	6300802054.....	079	64041684.....	082	69571-2.....	075	70163PM.....	073
59385.....	084	6300802058.....	079	64041688.....	082	69572-2.....	075	70164.....	073
62007.....	085	63010181.....	080	64060481.....	081	69573-2.....	075	70164PM.....	073
62008.....	085	63010182.....	080	64060482.....	081	69574-2.....	075	70165.....	073
62008-5.....	085	63010183.....	080	64060483.....	081	69575-2.....	075	70165PM.....	073
62009.....	085	63010184.....	080	64060484.....	081	6960168506-2.....	075	70166.....	073
62010.....	085	63010188.....	080	64060488.....	081	6960168507-2.....	075	70166PM.....	073
62010CM.....	085	64010421.....	081	64061321.....	082	6960168508-2.....	075	70168.....	073
62011.....	085	64010422.....	081	64061322.....	082	6960168509-2.....	075	70168PM.....	073
62011-5.....	085	64010423.....	081	64061323.....	082	6960168510-2.....	075	70170.....	073
62011CM.....	085	64010424.....	081	64061324.....	082	69641-2.....	074	70170PM.....	073
62011HD.....	085	64010428.....	081	64061328.....	082	69642-2.....	074	70197.....	074
62012.....	085	64011321.....	082	64360751.....	083	69643-2.....	074	70197PM.....	074
62013.....	085	64011322.....	082	64360752.....	083	69644-2.....	074	70198.....	074
62013CM.....	085	64011323.....	082	64360753.....	083	69645-2.....	074	70198PM.....	074
62014.....	085	64011324.....	082	64360754.....	083	69671-2.....	075	70199.....	074
62014-5.....	085	64011328.....	082	64360758.....	083	69672-2.....	075	70199PM.....	074
62014CM.....	085	64020481.....	081	64370601.....	083	69673-2.....	075	70200.....	074
62014HD.....	085	64020482.....	081	64370602.....	083	69674-2.....	075	70200PM.....	074
62015.....	085	64020483.....	081	64370603.....	083	69675-2.....	075	70201.....	074
62016.....	085	64020484.....	081	64370604.....	083	70049.....	072	70201PM.....	074
62016CM.....	085	64020488.....	081	64370608.....	083	70050.....	072	70202.....	074
62017.....	085	64020601.....	081	64370751.....	083	70051.....	072	70202PM.....	074
62017-5.....	085	64020602.....	081	64370752.....	083	70052.....	072	70203.....	074
62017CM.....	085	64020603.....	081	64370753.....	083	70053.....	072	70203PM.....	074
62017HD.....	085	64020604.....	081	64370754.....	083	70054.....	072	70204.....	074
62018.....	085	64020608.....	081	64370758.....	083	70054Z2.....	072	70204PM.....	074
630030181.....	079	64021321.....	082	69181-2.....	073	70072.....	072	70205.....	074
630030182.....	079	64021322.....	082	69183-2.....	073	70073.....	072	70206.....	074
630030183.....	079	64021323.....	082	69185-2.....	073	70074.....	072	70318.....	073
630030184.....	079	64021324.....	082	6920906.....	074	70075.....	072	70318PM.....	073
630030188.....	079	64021328.....	082	6920907.....	074	70076.....	072	70319.....	073
630030241.....	079	64030211.....	080	6920908.....	074	70078.....	072	70319PM.....	073
630030242.....	079	64030212.....	080	6920909.....	074	70080.....	072	70320.....	073
630030243.....	079	64030213.....	080	6920910.....	074	70081802.....	072	70320PM.....	073
630030244.....	079	64030214.....	080	69254-2.....	073	70081803.....	072	70321.....	073
630030245.....	079	64030218.....	080	69256-2.....	073	70081804.....	072	70321PM.....	073
630040131.....	079	64030241.....	080	6926006.....	073	70081805.....	072	70322.....	073
630040132.....	079	64030242.....	080	6926008.....	073	70081806.....	072	70322PM.....	073
630040133.....	079	64030243.....	080	6926010.....	073	70081808.....	072	70324.....	073
630040134.....	079	64030244.....	080	69271-2.....	073	70081810.....	072	70324PM.....	073
630040138.....	079	64030248.....	080	69273-2.....	073	70084.....	072	70326.....	073

APPENDIX

70326PM.....073	70525.....072	70800PM.....074	70992.....074	71-010042008.....073
70330.....073	70526.....072	70801.....074	70992PM.....074	71-010132001.....074
70330PM.....073	70527506.....077	70801PM.....074	70993.....074	71-010132002.....074
70331.....073	70527508.....077	70802.....074	70993PM.....074	71-010132003.....074
70331PM.....073	70527510.....077	70802PM.....074	70994.....074	71-010132004.....074
70332.....073	70528.....072	70804.....074	70994PM.....074	71-010132005.....074
70332PM.....073	70530.....072	70804PM.....074	70995.....074	71-010132006.....074
70333.....073	70546.....072	70806.....074	70995PM.....074	71-010132007.....074
70333PM.....073	70547.....072	70806PM.....074	70996.....074	71-010132008.....074
70334.....073	70548.....072	70810.....074	70996PM.....074	71-020048002.....073
70334PM.....073	70549.....072	70810PM.....074	70997.....074	71-020048003.....073
70336.....073	70550.....072	70811.....074	70998.....074	71-020048004.....073
70336PM.....073	70552.....072	70811PM.....074	71-005012002.....072	71-020048005.....073
70338.....073	70554.....072	70812.....074	71-005012003.....072	71-020048006.....073
70338PM.....073	70641.....075	70812PM.....074	71-005012004.....072	71-020048008.....073
70342.....073	70641PM.....075	70813.....074	71-005012005.....072	71-020060002.....073
70342PM.....073	70642.....075	70813PM.....074	71-005012006.....072	71-020060003.....073
70343.....073	70642PM.....075	70814.....074	71-005012008.....072	71-020060004.....073
70343PM.....073	70643.....075	70814PM.....074	71-005018002.....072	71-020060005.....073
70344.....073	70643PM.....075	70816.....074	71-005018003.....072	71-020060006.....073
70344PM.....073	70644.....075	70816PM.....074	71-005018004.....072	71-020060008.....073
70345.....073	70644PM.....075	70818.....074	71-005018005.....072	71-020072002.....073
70345PM.....073	70645.....075	70818PM.....074	71-005018006.....072	71-020072003.....073
70346.....073	70645PM.....075	70881.....075	71-005018008.....072	71-020072004.....073
70346PM.....073	70646.....075	70881PM.....075	71-005024002.....072	71-020072005.....073
70348.....073	70646PM.....075	70882.....075	71-005024003.....072	71-020072006.....073
70348PM.....073	70647.....075	70882PM.....075	71-005024004.....072	71-020072008.....073
70350.....073	70647PM.....075	70883.....075	71-005024005.....072	71-020132001.....074
70350PM.....073	70648.....075	70883PM.....075	71-005024006.....072	71-020132002.....074
70377.....074	70648PM.....075	70884.....075	71-005024008.....072	71-020132003.....074
70377PM.....074	70649.....075	70884PM.....075	71-007018002.....072	71-020132004.....074
70378.....074	70650.....075	70885.....075	71-007018003.....072	71-020132005.....074
70378PM.....074	70690.....072	70885PM.....075	71-007018004.....072	71-020132006.....074
70379.....074	70691.....072	70886.....075	71-007018005.....072	71-020132007.....074
70379PM.....074	70692.....072	70886PM.....075	71-007018006.....072	71-020132008.....074
70380.....074	70693.....072	70887.....075	71-007018008.....072	71-025060002.....073
70380PM.....074	70694.....072	70887PM.....075	71-007020502.....072	71-025060003.....073
70381.....074	70696.....072	70888.....075	71-007020503.....072	71-025060004.....073
70381PM.....074	70698.....072	70888PM.....075	71-007020504.....072	71-025060005.....073
70382.....074	70738.....072	70889.....075	71-007020505.....072	71-025060006.....073
70382PM.....074	70739.....072	70890.....075	71-007020506.....072	71-025060008.....073
70383.....074	70740.....072	70917.....075	71-007020508.....072	71-030021002.....072
70383PM.....074	70741.....072	70917PM.....075	71-010012002.....072	71-030021003.....072
70384.....074	70742.....072	70918.....075	71-010012003.....072	71-030021004.....072
70384PM.....074	70744.....072	70918PM.....075	71-010012004.....072	71-030021005.....072
70385.....074	70746.....072	70919.....075	71-010012005.....072	71-030021006.....072
70386.....074	70762.....073	70919PM.....075	71-010012006.....072	71-030021008.....072
70388PM.....074	70762PM.....073	70920.....075	71-010012008.....072	71-030024002.....072
70438.....073	70763.....073	70920PM.....075	71-010018002.....072	71-030024003.....072
70438PM.....073	70763PM.....073	70921.....075	71-010018003.....072	71-030024004.....072
70439.....073	70764.....073	70921PM.....075	71-010018004.....072	71-030024005.....072
70439PM.....073	70764PM.....073	70922.....075	71-010018005.....072	71-030024006.....072
70440.....073	70765.....073	70922PM.....075	71-010018006.....072	71-030024008.....072
70440PM.....073	70765PM.....073	70923.....075	71-010018008.....072	71-030132001.....075
70441.....073	70766.....073	70923PM.....075	71-010021002.....072	71-030132002.....075
70441PM.....073	70766PM.....073	70924.....075	71-010021003.....072	71-030132003.....075
70442.....073	70768.....073	70924PM.....075	71-010021004.....072	71-030132004.....075
70442PM.....073	70768PM.....073	70925.....075	71-010021005.....072	71-030132005.....075
70444.....073	70770.....073	70926.....075	71-010021006.....072	71-030132006.....075
70444PM.....073	70770PM.....073	70989.....074	71-010021008.....072	71-030132007.....075
70446.....073	70798.....074	70989PM.....074	71-010042002.....073	71-030132008.....075
70446PM.....073	70798PM.....074	70990.....074	71-010042003.....073	71-035015502.....072
70522.....072	70799.....074	70990PM.....074	71-010042004.....073	71-035015503.....072
70523.....072	70799PM.....074	70991.....074	71-010042005.....073	71-035015504.....072
70524.....072	70800.....074	70991PM.....074	71-010042006.....073	71-035015505.....072

ITEM INDEX

71-035015506.....072	71-047804W.....035	71-10816AF.....041	71-10854AFW.....042	71-30502.....057
71-035015508.....072	71-047805.....035	71-10816AFW.....042	71-10854FF.....041	71-30504.....057
7103601.....075	71-047805W.....035	71-10816FF.....041	71-10854FFW.....042	71-30510.....057
7103601PM.....075	71-047806.....035	71-10816FFW.....042	71-10855AF.....041	71-30511.....057
7103602.....075	71-047806W.....035	71-10817AF.....041	71-10855AFW.....042	71-30512.....057
7103602PM.....075	71-047808.....035	71-10817AFW.....042	71-10855FF.....041	71-30513.....057
7103603.....075	71-047808W.....035	71-10817FF.....041	71-10855FFW.....042	71-30514.....057
7103603PM.....075	71-057801.....035	71-10817FFW.....042	71-10856AF.....041	71-30516.....057
7103604.....075	71-057801W.....035	71-10818AF.....041	71-10856AFW.....042	71-30558.....057
7103604PM.....075	71-057802.....035	71-10818AFW.....042	71-10856FF.....041	71-30559.....057
7103605.....075	71-057802W.....035	71-10818FF.....041	71-10856FFW.....042	71-30560.....057
7103605PM.....075	71-057804.....035	71-10818FFW.....042	71-10857AF.....041	71-30561.....057
71037.....075	71-057804W.....035	71-10823AF.....041	71-10857AFW.....042	71-30562.....057
71037PM.....075	71-057805.....035	71-10823AFW.....042	71-10857FF.....041	71-30564.....057
71038.....075	71-057805W.....035	71-10823FF.....041	71-10857FFW.....042	71-30570.....057
71038PM.....075	71-057806.....035	71-10823FFW.....042	71-10858AF.....041	71-30571.....057
71039.....075	71-057806W.....035	71-10824AF.....041	71-10858AFW.....042	71-30572.....057
71039PM.....075	71-057808.....035	71-10824AFW.....042	71-10858FF.....041	71-30573.....057
71040.....075	71-057808W.....035	71-10824FF.....041	71-10858FFW.....042	71-30574.....057
71-040024002.....072	71-060048001.....074	71-10824FFW.....042	71-10863AF.....041	71-30576.....057
71-040024003.....072	71-060048002.....074	71-10825AF.....041	71-10863AFW.....042	71-31438.....049
71-040024004.....072	71-060048003.....074	71-10825AFW.....042	71-10863FF.....041	71-31438W.....050
71-040024005.....072	71-060048004.....074	71-10825FF.....041	71-10863FFW.....042	71-31439.....049
71-040024006.....072	71-060048005.....074	71-10825FFW.....042	71-10864AF.....041	71-31439W.....050
71-040024008.....072	71-060048006.....074	71-10826AF.....041	71-10864AFW.....042	71-31440.....049
71-040036002.....073	71-060048007.....074	71-10826AFW.....042	71-10864FF.....041	71-31440W.....050
71-040036003.....073	71-060048008.....074	71-10826FF.....041	71-10864FFW.....042	71-31441.....049
71-040036004.....073	71-060132001.....075	71-10826FFW.....042	71-10865AF.....041	71-31441W.....050
71-040036005.....073	71-060132002.....075	71-10827AF.....041	71-10865AFW.....042	71-31442.....049
71-040036006.....073	71-060132003.....075	71-10827AFW.....042	71-10865FF.....041	71-31442W.....050
71-040036008.....073	71-060132004.....075	71-10827FF.....041	71-10865FFW.....042	71-31443.....049
71-040060002.....074	71-060132005.....075	71-10827FFW.....042	71-10866AF.....041	71-31443W.....050
71-040060003.....074	71-060132006.....075	71-10828AF.....041	71-10866AFW.....042	71-31444.....049
71-040060004.....074	71-060132007.....075	71-10828AFW.....042	71-10866FF.....041	71-31444W.....050
71-040060005.....074	71-060132008.....075	71-10828FF.....041	71-10866FFW.....042	71-31450.....049
71-040060006.....074	71-077801.....035	71-10828FFW.....042	71-10867AF.....041	71-31450W.....050
71-040060008.....074	71-077801R.....036	71-10843AF.....041	71-10867AFW.....042	71-31451.....049
71-040072002.....074	71-077801W.....035	71-10843AFW.....042	71-10867FF.....041	71-31451W.....050
71-040072003.....074	71-077802.....035	71-10843FF.....041	71-10867FFW.....042	71-31452.....049
71-040072004.....074	71-077802R.....036	71-10843FFW.....042	71-10868AF.....041	71-31452W.....050
71-040072005.....074	71-077802W.....035	71-10844AF.....041	71-10868AFW.....042	71-31453.....049
71-040072006.....074	71-077804.....035	71-10844AFW.....042	71-10868FF.....041	71-31453W.....050
71-040072008.....074	71-077804R.....036	71-10844FF.....041	71-10868FFW.....042	71-31454.....049
71-040132001.....075	71-077804W.....035	71-10844FFW.....042	71-30438.....057	71-31454W.....050
71-040132002.....075	71-077805.....035	71-10845AF.....041	71-30439.....057	71-31455.....049
71-040132003.....075	71-077805R.....036	71-10845AFW.....042	71-30440.....057	71-31455W.....050
71-040132004.....075	71-077805W.....035	71-10845FF.....041	71-30441.....057	71-31456.....049
71-040132005.....075	71-077806.....035	71-10845FFW.....042	71-30442.....057	71-31456W.....050
71-040132006.....075	71-077806R.....036	71-10846AF.....041	71-30444.....057	71-31462.....049
71-040132007.....075	71-077806W.....035	71-10846AFW.....042	71-30450.....057	71-31462W.....050
71-040132008.....075	71-077808.....035	71-10846FF.....041	71-30451.....057	71-31463.....049
71-040168001.....075	71-077808R.....036	71-10846FFW.....042	71-30452.....057	71-31463W.....050
71-040168002.....075	71-077808W.....035	71-10847AF.....041	71-30453.....057	71-31464.....049
71-040168003.....075	71-10813AF.....041	71-10847AFW.....042	71-30454.....057	71-31464W.....050
71-040168004.....075	71-10813AFW.....042	71-10847FF.....041	71-30456.....057	71-31465.....049
71-040168005.....075	71-10813FF.....041	71-10847FFW.....042	71-30474.....057	71-31465W.....050
71-040168006.....075	71-10813FFW.....042	71-10848AF.....041	71-30475.....057	71-31466.....049
71-040168007.....075	71-10814AF.....041	71-10848AFW.....042	71-30476.....057	71-31466W.....050
71-040168008.....075	71-10814AFW.....042	71-10848FF.....041	71-30477.....057	71-31467.....049
71041.....075	71-10814FF.....041	71-10848FFW.....042	71-30478.....057	71-31467W.....050
71-047801.....035	71-10814FFW.....042	71-10853AF.....041	71-30480.....057	71-31468.....049
71-047801W.....035	71-10815AF.....041	71-10853AFW.....042	71-30498.....057	71-31468W.....050
71-047802.....035	71-10815AFW.....042	71-10853FF.....041	71-30499.....057	71-31474.....049
71-047802W.....035	71-10815FF.....041	71-10853FFW.....042	71-30500.....057	71-31474W.....050
71-047804.....035	71-10815FFW.....042	71-10854AF.....041	71-30501.....057	71-31475.....049

APPENDIX

71-31475W.....	050	71-31680.....	049	71-38302W.....	050	715021-3.....	073	71623-3.....	075
71-31476.....	049	71-31680W.....	050	71-38304.....	049	71502-2.....	073	71624-2.....	075
71-31476W.....	050	71-360075001.....	076	71-38304W.....	050	71503-2.....	073	71624-3.....	075
71-31477.....	049	71-360075002.....	076	71-38305.....	049	71504-2.....	073	7162507-2.....	075
71-31477W.....	050	71-360075003.....	076	71-38305W.....	050	71505-2.....	073	7162508-2.....	075
71-31478.....	049	71-360075004.....	076	71-38306.....	049	715056008-2.....	073	71625-2.....	075
71-31478W.....	050	71-360075005.....	076	71-38306W.....	050	71506-2.....	073	71625-3.....	075
71-31479.....	049	71-360075006.....	076	71-38308.....	049	71507-2.....	073	71636-2.....	072
71-31479W.....	050	71-360075007.....	076	71-38308W.....	050	71508-2.....	073	71637-2.....	072
71-31480.....	049	71-360075008.....	076	71401-2.....	072	71509-2.....	073	71638-2.....	072
71-31480W.....	050	71-36201.....	049	71402-2.....	072	7151008-2.....	073	71639-2.....	072
71-31638.....	049	71-36201W.....	050	71403-2.....	072	71510-2.....	073	71640-2.....	072
71-31638W.....	050	71-36202.....	049	71404-2.....	072	71-520075001.....	076	71642-2.....	072
71-31639.....	049	71-36202W.....	050	7140507-2.....	072	71-520075002.....	076	71656-2.....	072
71-31639W.....	050	71-36204.....	049	714051802-2.....	072	71-520075003.....	076	71657-2.....	072
71-31640.....	049	71-36204W.....	050	714051803-2.....	072	71-520075004.....	076	71658-2.....	072
71-31640W.....	050	71-36205.....	049	714051804-2.....	072	71-520075005.....	076	71659-2.....	072
71-31641.....	049	71-36205W.....	050	714051805-2.....	072	71-520075006.....	076	71660-2.....	072
71-31641W.....	050	71-36206.....	049	714051806-2.....	072	71-520075007.....	076	71660Z02-2.....	072
71-31642.....	049	71-36206W.....	050	714051808-2.....	072	71-520075008.....	076	71666-2.....	073
71-31642W.....	050	71-36208.....	049	71405-2.....	072	71-520103001.....	077	71667-2.....	073
71-31643.....	049	71-36208W.....	050	71406-2.....	072	71-520103002.....	077	71668-2.....	073
71-31643W.....	050	71-36301.....	049	71407-2.....	072	71-520103003.....	077	71669-2.....	073
71-31644.....	049	71-36301W.....	050	71408-2.....	072	71-520103004.....	077	71670-2.....	073
71-31644W.....	050	71-36302.....	049	71409-2.....	072	71-520103005.....	077	716708-2.....	073
71-31650.....	049	71-36302W.....	050	7141002408-2.....	072	71-520103006.....	077	7168202-2.....	074
71-31650W.....	050	71-36304.....	049	71410-2.....	072	71-520103007.....	077	7168203-2.....	074
71-31651.....	049	71-36304W.....	050	71426-2.....	072	71-520103008.....	077	7168204-2.....	074
71-31651W.....	050	71-36305.....	049	71427-2.....	072	71520-2.....	074	71684-2.....	074
71-31652.....	049	71-36305W.....	050	71428-2.....	072	71521-2.....	074	71685-2.....	074
71-31652W.....	050	71-36306.....	049	71429-2.....	072	71521-3.....	074	7168608-2.....	074
71-31653.....	049	71-36306W.....	050	7143008.....	072	71522-2.....	074	716867202-2.....	074
71-31653W.....	050	71-36308.....	049	714301802-2.....	072	71522-3.....	074	71687-2.....	074
71-31654.....	049	71-36308W.....	050	714301803-2.....	072	71523-2.....	074	71688-2.....	074
71-31654W.....	050	71-370060001.....	076	714301804-2.....	072	71523-3.....	074	71689-1.....	074
71-31655.....	049	71-370060002.....	076	714301805-2.....	072	71524-2.....	074	71690-2.....	074
71-31655W.....	050	71-370060003.....	076	714301806-2.....	072	71524-3.....	074	716917208-2.....	074
71-31656.....	049	71-370060004.....	076	714301808-1.....	072	71525-2.....	074	7170501-2.....	075
71-31656W.....	050	71-370060005.....	076	71430-2.....	072	71525-3.....	074	71706-2.....	075
71-31662.....	049	71-370060006.....	076	71431-2.....	073	71526-2.....	074	71706-3.....	075
71-31662W.....	050	71-370060007.....	076	71432-2.....	073	71527-2.....	074	71707-2.....	075
71-31663.....	049	71-370060008.....	076	71433-2.....	073	71546-2.....	073	71707-3.....	075
71-31663W.....	050	71-370075001.....	076	71434-2.....	073	71547-2.....	073	71708-2.....	075
71-31664.....	049	71-370075002.....	076	71435-2.....	073	71548-2.....	073	71708-3.....	075
71-31664W.....	050	71-370075003.....	076	7143608-2.....	073	7154906-2.....	073	71709-2.....	075
71-31665.....	049	71-370075004.....	076	71445-2.....	074	7154908-2.....	073	71709-3.....	075
71-31665W.....	050	71-370075005.....	076	71445-3.....	074	71549-2.....	073	71710-2.....	075
71-31666.....	049	71-370075006.....	076	71446-2.....	074	71576-2.....	072	71710-3.....	075
71-31666W.....	050	71-370075007.....	076	71446-3.....	074	71577-2.....	072	71711-2.....	075
71-31667.....	049	71-370075008.....	076	71447-2.....	074	71578-2.....	072	71712-2.....	075
71-31667W.....	050	71-38201.....	049	71447-3.....	074	71579-2.....	072	7172101-2.....	075
71-31668.....	049	71-38201W.....	050	71448-2.....	074	71580-2.....	072	71721-2.....	075
71-31668W.....	050	71-38202.....	049	71448-3.....	074	71582-2.....	072	71721-3.....	075
71-31674.....	049	71-38202W.....	050	71449-2.....	074	71586-2.....	072	71722-2.....	075
71-31674W.....	050	71-38204.....	049	71449-3.....	074	71587-2.....	072	71722-3.....	075
71-31675.....	049	71-38204W.....	050	7145007-2.....	074	71588-2.....	072	71723-2.....	075
71-31675W.....	050	71-38205.....	049	7145008-2.....	074	71589-2.....	072	71723-3.....	075
71-31676.....	049	71-38205W.....	050	71450-2.....	074	71590-2.....	072	71724-2.....	075
71-31676W.....	050	71-38206.....	049	71450-3.....	074	71592-2.....	072	71724-3.....	075
71-31677.....	049	71-38206W.....	050	71496-2.....	073	7162001-2.....	075	71725-2.....	075
71-31677W.....	050	71-38208.....	049	71497-2.....	073	71621-2.....	075	71725-3.....	075
71-31678.....	049	71-38208W.....	050	71498-2.....	073	71621-3.....	075	71726-2.....	075
71-31678W.....	050	71-38301.....	049	71499-2.....	073	71622-2.....	075	71727-2.....	075
71-31679.....	049	71-38301W.....	050	71500-2.....	073	71622-3.....	075	71745-2.....	074
71-31679W.....	050	71-38302.....	049	71501-2.....	073	71623-2.....	075	71746-2.....	074

ITEM INDEX

71747-2	074	72283PM	076	72439	077	73143	096	76622	104
71748-2	074	72284	076	72439-10	077	73144	096	76624	104
71749-2	074	72284-10	076	72439PM	077	73149	096	76762	104
71750-2	074	72284PM	076	72440	077	73150	096	76763	104
71750Z2-2	074	72285	076	72440-10	077	73152	096	76764	104
71750Z7-2	074	72285-10	076	72440PM	077	73153	096	76765	104
717700-2	075	72285PM	076	72441	077	73154	096	76766	104
717701-2	075	72286	076	72441-10	077	73155	096	76768	104
717701-3	075	72286-10	076	72441PM	077	73156	096	77134	104
717702-2	075	72286PM	076	72442	077	73158	096	77135	104
717702-3	075	72287	076	72442-10	077	73159	096	77136	104
717703-2	075	72287-10	076	72442PM	077	73164	096	77137	104
717703-3	075	72287PM	076	72443	077	73165	096	77138	104
717704-2	075	72288	076	72443-10	077	73167	096	77140	104
717704-3	075	72288PM	076	72443PM	077	73168	096	77410	104
717705-2	075	72289	076	72444	077	73169	096	77411	104
717705-3	075	72289PM	076	72444PM	077	73170	096	77412	104
717706-2	075	72290	076	72445	077	73171	096	77413	104
717707-2	075	72291	076	724457512	077	73173	096	77414	104
72228	076	72292	076	724457514	077	73174	096	77416	104
72228-10	076	72293	076	724457515	077	73193	096	77434	104
72228PM	076	72303	076	72445PM	077	73194	096	77435	104
72229	076	72303-10	076	72446	077	73195	096	77436	104
72229-10	076	72303PM	076	72447	077	74101	095	77437	104
72229PM	076	72304	076	72447-10	077	74102	095	77438	104
72230	076	72304-10	076	72447PM	077	74103	095	77440	104
72230-10	076	72304PM	076	72448	077	74104	095	807045801	067
72230PM	076	72305	076	72448-10	077	74105	095	807047801	067
72231	076	72305-10	076	72448PM	077	74106	095	807085805	067
72231-10	076	72305PM	076	72449	077	74107	095	807087805	067
72231PM	076	72306	076	72449-10	077	74108	095	845045801	067
72232	076	72306-10	076	72449PM	077	74109	095	845047801	067
72232-10	076	72306PM	076	72450	077	74110	095	845085805	067
72232PM	076	72307	076	72450-10	077	74111	095	845087805	067
72233	076	72307-10	076	72450PM	077	74113	095	903041405	066
72233-10	076	72307PM	076	72451	077	74114	095	903041405W	066
72233PM	076	72308	076	72451-10	077	74116	095	903043805	066
72234	076	72308-10	076	72451PM	077	74117	096	903043805W	066
72234-10	076	72308PM	076	72452	077	74118	096	903161403	066
72234PM	076	72309	076	72452-10	077	74119	096	903161403W	066
72235	076	72309-10	076	72452PM	077	74121	095	903163803	066
72235-10	076	72309PM	076	72453	077	74122	095	903163803W	066
72235PM	076	72310	076	72453-10	077	74123	095	904041405	066
72236	076	72310-10	076	72453PM	077	74124	095	904041405W	066
72236PM	076	72310PM	076	72454	077	74125	095	904043805	066
72237	076	72311	076	72454-10	077	74126	095	904043805W	066
72237PM	076	72311PM	076	72454PM	077	74128	095	904045805W	066
72238	076	72312	076	72455	077	74129	095	904161403	066
72239	076	7231214	076	72455PM	077	74131	095	904161403W	066
7223914	076	72312GR	076	72456	077	74133	095	904163803	066
7223915	076	72312PM	076	72456PM	077	74134	095	904163803W	066
72280	076	72313	076	72457	077	74135	095	904165803W	066
72280-10	076	72314Z2-MR	076	72458	077	76330	104	905047805	066
72280PM	076	72436	077	72459	077	76331	104	905047805W	066
72281	076	72436-10	077	72460	077	76332	104	905167803	066
72281-10	076	72436PM	077	73134	096	76333	104	905167803W	066
72281PM	076	72437	077	73135	096	76334	104	906167803	066
72282	076	72437-10	077	73137	096	76336	104	906167803W	066
72282-10	076	72437PM	077	73138	096	76618	104	945047805	066
72282PM	076	72438	077	73139	096	76619	104	945047805W	066
72283	076	72438-10	077	73140	096	76620	104	945167803	066
72283-10	076	72438PM	077	73141	096	76621	104	945167803W	066



Our Story

In 1960, Zerla and Si Stayman's dream of starting their own business came true in the Midwest town of Troy, Ohio. ARC ABRASIVES, INC. was born by using a MixMaster to create the adhesive for the company's first product – the PSA disc. Due to the success of their growing product line and dedication to quality, ARC ABRASIVES, INC. grew from a start up with five people in a rented garage, to a thriving and dynamic business in Troy, Ohio supported by nearly 100 employees. Today ARC ABRASIVES, INC., under second generation ownership by the Stayman's son, Anthony, continues to develop new technologies and products, including the highly successful PREDATOR™ line. ARC ABRASIVES, INC. is one of America's largest abrasives converters, proudly supporting American manufacturing companies.

Our Philosophy

Since 1960, ARC ABRASIVES, INC. has defined commitment as the process of understanding customer needs. We go beyond selling products – we evaluate applications to provide individual metalworking solutions. Our goal is to create cost savings and process improvements for our customers.

This catalog showcases the depth of our knowledge and experience within the metalworking markets, including detailed lab reports and case studies. Successful product development depends on our ability to work in the field to determine the needs of our customers. Understanding how our products work within our vertical segmentation of weld removal, deburring and flash removal, and surface finishing allow us to develop innovative and unique products for you.

ARC ABRASIVES, INC. 85 Marybill Drive Troy OH 45373 call.800.888.4885 fax.800.888.4969