



MINIDIN & AUDIO



MiniDIN Cables.....	208
MiniDIN Adapters.....	210
Audio Cables.....	211
Audio Adapters.....	217

MiniDIN Cable - PS/2 Extension, Male to Female

USB & IEEE
IDC &
Flat Ribbon
& Jumper
IC, PLCC, Pin
Centronics
DSub &
Waterproof



Material:
6-Wire cable, Single shielded 28AWG
Molded Housing
Pin Assignment 1:1
Color: Beige




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)	Type
AK323G-2-R	2.0	MiniDIN 6-pin Male to MiniDIN 6-pin Female
AK528G-5-R	5.0	MiniDIN 6-pin Male to MiniDIN 6-pin Female

MiniDIN Cable - PS/2 Connection, Male to Male

DVI & HDMI
Modular
Fiber-Optic
Power Cords
Wire to Board



Material:
6-Wire cable, Single shielded 28AWG
Molded Housing
Pin Assignment 1:1
Color: Beige




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)	Type
AK678-2-R	2.0	MiniDIN 6-pin Male to MiniDIN 6-pin Male
AK679-5-R	5.0	MiniDIN 6-pin Male to MiniDIN 6-pin Male

MiniDIN Cable - PS/2 Notebook Y-Adapter, Male to Female + Female

SATA &
eSATA
FFC/FC
MiniDIN &
Audio
KVM Cables



Material:
4-Wire cable, Single shielded 28AWG
Molded Housing
Pin Assignment 1:1
Color: Beige




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)	Type
AB-NAK-R	0.15	MiniDIN 6-pin Male to 2x MiniDIN 6-pin Female

MiniDIN Cable - PS/2 to DIN Connection, Male to Female



Material:

4-Wire cable, Single shielded 28AWG
Molded Housing
Pin Assignment : 1-5, 2-1, 4-3, 5-4
Color: Beige




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)	Type
AK5230-.15-R	0.15	DIN 5-pin Male to MiniDIN 6-pin Female

MiniDIN Cable - PS/2 to DIN Connection, Female to Male



Material:

4-Wire cable, Single shielded 28AWG
Molded Housing
Pin Assignment : 1-5, 2-1, 4-3, 5-4
Color: Beige




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)	Type
AK530-.15-R	0.15	DIN 5-pin Female to MiniDIN 6-pin Male

DIN Cable - Connection, Male to Male



Material:

5-Wire cable, Single shielded
Molded Housing
Pin Assignment 1:1
Color: Beige



NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US


Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)	Type
AK304-2-R	2.50	DIN 5-pin Male to DIN 5-pin Male

MiniDIN Adapter - Keyboard, Male to Female



Material:
Cable UL1007
Molded Housing
Pin Assignment: 1-5, 2-1, 4-3, 5-4
Color: Beige



AB440-R diagram*

Unit: MM


NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Assmann Part Number (Standard Stocking Item)	Type
AB961-R	MiniDIN 6-pin Female to DIN 5-pin Male
AB440-R	MiniDIN 6-pin Male to DIN 5-pin Female

MiniDIN Adapter - Mouse (only for Combo Mouse), Male to Female



Material:
DSub 9-pin with hex
Molded Housing
Color: Beige



AB405-R diagram*

Unit: MM


NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Assmann Part Number (Standard Stocking Item)	Type
AB401-R	MiniDIN 6-pin Female to DSub 9-pin Male
AB405-R	MiniDIN 6-pin Male to DSub 9-pin Male
AB406-R	MiniDIN 6-pin Female to DSub 9-pin Female

Adapter - Serial, Male to Female



Material:
With thumb screws
Molded Housing, Beige
Pin Assignment: 1-8, 2-3, 3-2, 4-20, 5-7, 6-6, 7-4, 8-5, 9-22




AB913-R diagram*

Unit: MM

NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Assmann Part Number (Standard Stocking Item)	Type
AB913-R	DSub 9-pin Male to DSub 25-pin Male
AB914-R	DSub 9-pin Female to DSub 25-pin Male
AB914F-R	DSub 9-pin Male to DSub 25-pin Female
AB915-R	DSub 9-pin Female to DSub 25-pin Female

Audio Cable - RCA Connection / Mono, Male to Male



Material:

Cable CCS, shielded, Black
Molded Housing, White




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK-AV200-R	1.50
AK-AV201-R	2.50

Audio Cable - RCA Extension / Mono, Male to Female



Material:

Cable CCS, shielded, Black
Molded Housing, White




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK-AV202-R	2.50

Audio Cable - RCA Connection / Stereo, 2x Male to 2x Male



Material:

2x RCA Male to 2x RCA Male
Cable CCS, shielded, Black
Molded Housing, White/Red




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK-CHMM-015-R	1.50
AK-CHMM-R	2.00
AK-CHMM-025-R	2.50
AK-CHMM-050-R	5.00

Audio Cable - RCA Extension / Stereo, 2x Male to 2x Female



Material:

2x RCA Male to 2x RCA Female
Cable CCS, shielded, Black
Molded Housing, White/Red




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK-CHMF-015-R	1.50
AK-CHMF-R	2.00
AK-CHMF-025-R	2.50
AK-CHMF-050-R	5.00

Audio Cable - RCA Connection / Stereo, Male to Male+Female



Material:

2x RCA Male to 2x RCA Male + Female
Cable CCS, shielded, Black
Molded Housing, White/Red




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK-AV206-R	2.50

Audio Y-Cable - RCA Extension / Mono, Male to 2x Female



Material:

RCA Male to 2x RCA Female
Cable CCS, shielded, Black
Molded Housing, Black/Red



NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM


Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK101024-R	0.20

Audio Y-Cable - RCA Extension / Mono, Female to 2x Male



Material:

RCA Female to 2x RCA Male
Cable CCS, shielded, Black
Molded Housing, Black/Red



NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM


Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK101025-R	0.20

Audio Y-Cable - RCA Extension / Mono, Male to 2x Male



Material:

RCA Male to 2x RCA Male
Cable CCS, shielded, Black
Molded Housing, Black/Red



NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM


Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK-A101076-R	1.50

USB & IEEE
IDC & Flat Ribbon
IC, PLCC, Pin & Jumpers
DSUB & Centronics
Waterproof
DVI & HDMI
Modular
Fiber-Optic
Power Cords
Wire to Board
SATA & eSATA
FFC/FFPC
MiniDIN & Audio
KVM Cables

Audio Y-Cable - 3.5MM to RCA Connection / Stereo, Male to 2x Male




Material:
3.5MM Male to 2x RCA Male
Cable CCS, shielded, Black
Molded Housing, Black/White/Red




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK243-015-R	1.50
AK243-R	2.00
AK243-025-R	2.50
AK243-050-R	5.00
AK243-10M-R	10.00

Audio Y-Cable - 3.5MM to RCA Connection / Stereo, Male to 2x Female



Material:
3.5MM Male to 2x RCA Female
Cable CCS, shielded, Black
Molded Housing, Black/White/Red




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK102001-R	2.50

Audio Y-Cable - 3.5MM to RCA Connection / Stereo, Male to Male+Female




Material:
3.5MM Male to 2x RCA Male + Female
Cable CCS, shielded, Black
Molded Housing, White/Red



NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK102008-R	1.50
AK102009-R	3.00
AK102010-R	5.00

Audio Cable - 3.5MM Connection / Stereo, Male to Male




Material:
3.5MM Male to 3.5MM Male
Cable CCS, shielded, Black
Molded Housing, Black



Unit: MM
NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK-AV100-R	1.50
AK203/MM-R	2.00

Audio Cable - 3.5MM Angled Connection / Stereo, Male to Male




Material:
3.5MM Male to 3.5MM Male
Cable CCS, shielded, Black
Molded Housing, Black



Unit: MM
NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK102018-R	1.50

Audio Cable - 3.5MM Extension / Stereo, Male to Female



Material:
3.5MM Male to 3.5MM Female
Cable CCS, shielded, Black
Molded Housing, Black




Unit: MM
NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK203-2.5-R	2.50

USB & IEEE
IDC & Flat Ribbon
IC, PLCC, Pin & Jumpers
DSub & Centronics
Waterproof
DVI & HDMI
Modular
Fiber-Optic
Power Cords
Wire to Board
SATA & eSATA
FFC/FFC
MiniDIN & Audio
KVM Cables

Audio Y-Cable - 3.5MM Connection / Stereo, Male to 2x Female

USB & IEEE
IDC &
Flat Ribbon
& Jumper
IC, PLCC, Pin
Centronics
DSub &



Material:

3.5MM Male to 2x 3.5MM Female
Cable CCS, shielded, Black
Molded Housing, Black





NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK102030-R	0.20

Audio Cable - CD-ROM Connection, Female to Female

DVI & HDMI
Modular
Fiber-Optic
Power Cords
Wire to Board
SATA &
eSATA
FFC/FFC
MiniDIN &
Audio
KVM Cables



Material:

2.54MM Pitch 4-pin Female to 2.54MM Pitch 4-pin Female
UL2547
3-wire cable type
Pin Assignment: 1-4, 3-2, 4-1




NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK2525-R	0.50

Audio Cable - Internal S/F-DIF, Female to Female



Material:

2.54MM Pitch 2-pin Female to 2.54MM Pitch 2-pin Female
UL1185
2-wire cable type
Pin Assignment 1:1



NOTE: ABOVE LAYOUT MAY CONTAIN VARIANCES. FOR A DETAILED DRAWING PLEASE CALL 1-877-277-6266 OR GO TO WWW.ASSMANN.US

Unit: MM

Assmann Part Number (Standard Stocking Item)	Length (Meters)
AK2526DVD-R	0.50

2.5MM - 3.5MM Adapter M-F



Material:
Molded Housing, Black



6.3MM - 2x 3.5MM Adapter M - 2x F



Material:
Molded Housing, Black



3.5MM - 6.3MM Adapter M - F, Mono- Stereo



Material:

AB-AV101-R: 3.5MM Mono Male <=> 6.3MM Stereo Female
AB-AV103-R: 3.5MM Stereo Male <=> 6.3MM Stereo Female
Molded Housing, Black



Assmann Part Number (Standard Stocking Item)		Assmann Part Number (Standard Stocking Item)		Assmann Part Number (Standard Stocking Item)	
AB540-R	2.5MM Male to 3.5MM Female	AB-AV104-R	6.3MM Male to 2x 3.5MM Female	AB-AV101-R	3.5MM Male to 6.3MM Female
		AB-AV105-R	3.5MM Male to 2x 3.5MM Female	AB-AV103-R	3.5MM Male to 6.3MM Female
		AK402013-R	6.3MM Male to 2x 6.3MM Female		

3.5MM - 2x RCA Adapter M - 2x F



Material:
Molded Housing, Black



3.5MM/6.3MM - RCA Adapter M - F, Mono



Material:
Molded Housing, Black



3.5MM - 6.3MM Adapter M - F, Mono



Material:
Molded Housing, Black



Assmann Part Number (Standard Stocking Item)		Assmann Part Number (Standard Stocking Item)		Assmann Part Number (Standard Stocking Item)	
AB-AV106-R	3.5MM Male to 2X RCA Female	AB-AV100-R	6.3MM Male to RCA Female	AB-AV107-R	3.5MM Male to 6.3MM Female
		AB-AV102-R	3.5MM Male to RCA Female		

USB & IEEE
IDC & Flat Ribbon
IC, PLCC, Pin & Jumpers
DSub & Centronics
Waterproof
DVI & HDMI
Modular
Fiber-Optic
Power Cords
Wire to Board
SATA & eSATA
FFC/FFC
MiniDIN & Audio
KVM Cables

Notes

- USB & IEEE
- IDC & Flat Ribbon
- IC, PLCC, Pin & Jumpers
- DSUB & Centronics
- Waterproof
- DVI & HDMI
- Modular
- Fiber-Optic
- Power Cords
- Wire to Board
- SATA & eSATA
- FFC/FPC
- MiniDIN & Audio
- KVM Cables