

Industrial Grinders, Buffers, Accessories & Replacement Parts

11G
Effective Date:
January 2, 2011



BALDOR®

TABLE OF CONTENTS

Bench and Pedestal Grinders

6 Inch & 7 inch	1
8 Inch & 10 inch	2
12 inch & 14 inch Exhaust Type Heavy Duty	3
12 Inch & 14 inch Wheels	3

Tool Grinders

6 Inch Carbide Tool Grinder	4
6 Inch Diamond Wheel Grinder	4
Wheels and Accessories	4

Belt Sanders and Buffers

Stationary Abrasive Belt Sander	5
Industrial Abrasive Belt Sander - Three Position Tilttable	5
Adjustable Speed Belt Sander	5
Combination Abrasive Belt Sander/Grinder	5
Industrial Buffers	5

Big Red Grinders

6 Inch	6
7 Inch	6
8 Inch	6
Pedestals and Lighted Eyeshields	6

Accessories 7-8

Mod Express™ Capabilities 10-11

General Information 12

Replacement Parts

Grinders 6" and 7" – Buffers – 1/4 Hp and 1/3 Hp	13
Grinders 8", 10", 12" and 14" – Buffers – 3/4 Hp thru 10 Hp	14
Carbide and Diamond Wheel Grinders	15
Abrasive Belt Grinders	16-18
Dust Control Accessories	19
Eyeshields	20
Pedestals	21

Baldor District Offices Back Cover

FULL 3 YEAR WARRANTY

ALL BALDOR GRINDER AND BUFFER PRODUCTS WARRANTED THREE FULL YEARS

Baldor grinder and buffer products are warranted against burnouts, defective materials, and workmanship for three full years.

Warranty covers all parts except those subject to normal wear such as wheels.

Industrial Grinders



600E

Cast aluminum wheel guards can be exhausted or left closed. 8-foot power cord. Base mounted on/off switch. Rubber feet minimize vibration.

Hp	RPM	Wheel Size	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
1/3	3600	6"x3/4"x1/2"	600E	259	G1	30	115	Grinder	UL	a,c
1/3	3600	6"x3/4"x1/2"	602E	259	G1	27	115	Grinder/Buffer	UL	b,c

Cast aluminum non-exhaust type wheel guards. 8-foot power cord. Base mounted on/off switch. Rubber feet to minimize vibration.

Hp	RPM	Wheel Size	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
1/3	3600	6"x3/4"x1/2"	612	293	G1	30	115	Grinder	UL, CSA	a,c
1/3	3600	6"x3/4"x1/2"	662	293	G1	29	115	Grinder/Buffer	UL, CSA	b,c



623E

Cast iron exhaust type wheel guards. 8-foot power cord. Base mounted on/off switch. Rubber feet to minimize vibration.

Hp	RPM	Wheel Size	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
1/4	1800	6"x3/4"x1/2"	632E	411	G1	47	115	Grinder		a,d
1/3	3600	6"x3/4"x1/2"	612E	364	G1	44	115	Grinder	UL, CSA	a,c
1/3	3600	6"x3/4"x1/2"	623E	411	G1	47	115	Grinder	UL	a,d
1/3	3600	6"x3/4"x1/2"	623ED	555	G1	61	115	Grinder		a,d,e
1/3	3600	6"x3/4"x1/2"	662E	364	G1	43	115	Grinder/Buffer	UL, CSA	a,c
1/3	3600	6"x3/4"x1/2"	673E	411	G1	47	115	Grinder/Buffer	UL	a,d



7306

Cast iron exhaust type wheel guards. 8-foot power cord. Base mounted on/off switch. Rubber feet to minimize vibration.

Hp	RPM	Wheel Size	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
1/2	3600	7"x1"x5/8"	712	434	G1	45	115	Grinder	UL, CSA	a,c,f
1/2	3600	7"x1"x5/8"	762	434	G1	44	115	Grinder/Buffer	UL, CSA	b,c,f
1/2	3600	7"x1"x5/8"	712E	511	G1	69	115	Grinder	UL, CSA	a,c
1/2	3600	7"x1"x5/8"	762E	511	G1	68	115	Grinder/Buffer	UL, CSA	b,c
1/2	1800	7"x1"x5/8"	7306	559	G1	71	115/230	Grinder	UL	a,d,g
1/2	3600	7"x1"x5/8"	7307	559	G1	70	115/230	Grinder	UL, CSA	a,d,g
1/2	3600	7"x1"x5/8"	7351	559	G1	68	115/230	Grinder/Buffer	UL, CSA	b,d,g
1/2	1800	7"x1"x5/8"	7308	559	G1	71	208-230-4600	Grinder	UL, CSA	a,d,h
1/2	3600	7"x1"x5/8"	7309	560	G1	72	208-230-4600	Grinder	UL, CSA	a,d,h
1/2	1800	7"x1"x5/8"	7306D	720	G1	84	115/230	Grinder	UL	a,d,e,g
1/2	3600	7"x1"x5/8"	7307D	720	G1	83	115/230	Grinder	UL	a,d,e,g
1/2	3600	7"x1"x5/8"	7309D	720	G1	87	208-230/460	Grinder	UL, CSA	a,d,e,h
1/2/1/3	1800/3600	7"x1"x5/8"	7312D	905	G1	90	115	Grinder	UL	a,d,e

NOTES:

- (a) Supplied with 36 & 60 grit wheels.
- (b) Supplied with 36 grit and 0.014 wire wheel.
- (c) Stamp steel tool rests.
- (d) Cast iron tool rests.
- (e) Deluxe model includes water pot, tool tray and lighted eyeshields.
- (f) Non-exhaust type wheel guards.
- (g) Factory connected for 115 volts, power cord supplied.
- (h) Factory connected for 208-230 volts, no power cord.



7306D


Industrial Grinders



8100W



8100WD



1022W



1022WD

All models have cast iron tool rests and exhaust type wheel guards. 8-foot power cord. Base mounted on/off switch. Rubber feet to minimize vibration.

Hp	RPM	Wheel Size	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
3/4	1800	8"x1"x3/4"	8100W	900	G1	99	115/230	Grinder	UL	a,g
3/4	1800	8"x1"x3/4"	8100WD	1028	G1	110	115/230	Grinder	UL	a,e,g
3/4	3600	8"x1"x3/4"	8107W	900	G1	99	115/230	Grinder	UL	a,g
3/4	3600	8"x1"x3/4"	8107WD	1028	G1	111	115/230	Grinder	UL	a,e,g
3/4	3600	8"x1"x3/4"	8250W	900	G1	97	115/230	Grinder/Buffer	UL	b,g
3/4	1800	8"x1"x3/4"	8102W	872	G1	98	208-230/460	Grinder	UL,CSA	a,h
3/4	1800	8"x1"x3/4"	8102WD	1012	G1	111	208-230/460	Grinder	UL,CSA	a,e,h
3/4	3600	8"x1"x3/4"	8123W	872	G1	99	208-230/460	Grinder	UL,CSA	a,h
3/4	3600	8"x1"x3/4"	8123WD	1012	G1	112	208-230/460	Grinder	UL,CSA	a,e,h
3/4	3600	8"x1"x3/4"	8252W	872	G1	95	208-230/460	Grinder/Buffer	UL	b,h
3/4	3600	8"x1"x3/4"	8125W	872	G1	99	575	Grinder	UL	a,i

All models have cast iron tool rests and exhaust type wheel guards. Base mounted on/off switch. Rubber feet to minimize vibration.

Hp	RPM	Wheel Size	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
1	1800	10"x1"x7/8"	1022W	1149	G1	133	115/230	Grinder	UL	a,J
1	1800	10"x1"x7/8"	1022WD	1316	G1	145	115/230	Grinder	UL	a,e,J
1-1/2	1800	10"x1"x7/8"	1021W	1133	G1	134	208-230/460	Grinder	UL,CSA	a,h
1-1/2	1800	10"x1"x7/8"	1021WD	1297	G1	146	208-230/460	Grinder	UL,CSA	a,e,h
1-1/2	1800	10"x1"x7/8"	105W	1133	G1	133	575	Grinder	UL,CSA	a,i

NOTES:

- (a) Supplied with 36 & 60 grit wheels.
- (b) Supplied with 36 grit and 0.014 wire wheel.
- (e) Deluxe model includes water pot, tool tray and lighted eyeshields.
- (g) Factory connected for 115 volts, power cord supplied.
- (h) Factory connected for 208-230 volts, no power cord.
- (i) 575 volt, 50//60 Hz.
- (J) Factory connected for 115 volts, no power cord.

Industrial Grinders

12 Inch



BALDOR
Catalog #1215W
with #GA20 Pedestal

Cast iron tool rests & exhaust type wheel guards. Manual starter with overload protection. Also includes lighted eyeshield (bulb not included). All three-phase units are suitable for 50/60 Hz, 1500/1800 RPM operation. Wheels sold separately. See chart below.

Hp	RPM	Wheel Size	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
2	1800	12"X2"X1-1/4"	1215W	2584	G1	253	208-230/460	Grinder	UR	k
3	1800	12"X2"X1-1/4"	1216W	2676	G1	254	208-230/460	Grinder	UR	k
2	1800	12"X2"X1-1/4"	1217W	2737	G1	259	115/230	Grinder	UR	J
3	1800	12"X2"X1-1/4"	129W	2676	G1	256	575	Grinder	UR	i

Cast iron tool rests & exhaust type wheel guards. Magnetic starter with overload protection. Also includes lighted eyeshields (bulbs not included). Suitable for 50/60 Hz operation. Wheels sold separately. See chart below.

Hp	RPM	Wheel Size	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
5	1800	14"X3"X1-1/4"	1406W	3316	G1	359	230	Grinder	UR	m
5	1800	14"X3"X1-1/4"	1410W	3316	G1	362	460	Grinder	UR	m
5	1800	14"X3"X1-1/4"	1408W	3316	G1	358	575	Grinder	UR	m
7-1/2	1800	14"X3"X1-1/4"	1407W	3617	G1	372	230	Grinder	UR	m
7-1/2	1800	14"X3"X1-1/4"	1411W	3617	G1	381	460	Grinder	UR	m
7-1/2	1800	14"X3"X1-1/4"	1409W	3617	G1	374	575	Grinder	UR	m

14 Inch



BALDOR
Catalog #1407W
with #GA20 Pedestal

Wheels for 12-Inch and 14-Inch Grinders

High quality aluminum oxide and silicon abrasive in a premium vitrified system

Catalog Number	List Price	Mult. Sym.	Diameter	Face	Bore	Grit	Shpg. Wgt.
B125	197	A8	12"	2"	1-1/4"	30	22
B126	199	A8	12"	2"	1-1/4"	46	22
B147	373	A8	14"	3"	1-1/4"	30	42
B148	373	A8	14"	3"	1-1/4"	46	41

NOTE: When installing new wheels, check wheels for possible damage. Do not use a damaged wheel. With new wheel installed, all safety guards in place and operator standing away from front of grinder, run grinder for one minute before apply work. (Wear safety glasses). **Exercise caution.** Designed to comply with OSHA standards under normal usage.

NOTES:

- (i) 575 volt, 50/60 Hz.
- (J) Factory connected for 115 volts, no power cord.
- (k) Factory connected for 230, manual starter, specify voltage when ordering.
- (m) Factory connected for 230, magnetic starter must be changed for other voltages

Industrial Tool Grinders

Diamond Wheel Grinder



Catalog #522



Baldor Diamond Wheel Tool Grinders feature all cast iron construction. Precision built, they have locked double row bearings and a maximum runout of .002 for precise tool and die work. Accommodates cup wheels with 1-1/4" center hole. Large tool tables with protractor type tool support. Light and water pot with spout and faucet that can be moved to either side are standard equipment. Diamond wheels sold separately. See chart below.

Hp	RPM	Cup Wheel Size	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
1/2	3600	6"x1"x1-1/4"	522	1446	G1	108	115	Tool Grinder	UL	g
1/2	3600	6"x1"x1-1/4"	532	1446	G1	109	208-230/460	Tool Grinder	UL	h

NOTE: Rough service bulb is suggested.

Carbide Tool Grinder



Catalog #500




Baldor Carbide Tool Grinders feature all cast iron construction. Accommodates cup wheels with 1-1/4" center hole. Large tool tables with protractor type tool support. Light and water pot with spout and faucet that can be moved to either side are standard equipment. Wheels sold separately. See chart below.

Hp	RPM	Wheel Size	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
1/2	3600	6"x1"x1-1/4"	500	1286	G1	109	115	Tool Grinder	UL	g
1/2	3600	6"x1"x1-1/4"	510	1286	G1	109	208-230/460	Tool Grinder	UL	h

NOTE: Rough service bulb is suggested



Catalog #D501



Catalog #C61

Wheels and Accessories

Catalog Number	List Price	Mult. Sym.	Face	Grit	Shpg. Wgt.	Description
D501	826	A8	3/4"	120	5	General Purpose Diamond Wheel
D502	826	A8	3/4"	220	2	Fine Finish Diamond Wheel
C61	127	A8	1"	60	5	Silicone Carbide
C121	127	A8	1"	120	3	Silicone Carbide
S46	118	A8	1"	46	3	Aluminum Oxide
S61	118	A8	1"	60	3	Aluminum Oxide
GA8	140	A8	Wheel Dresser with Diamond NIB			
GA7	84	A8	Diamond NIB for GA8 (7/16 diameter x 1" long)			

NOTE: When installing new wheels, check wheel for possible damage. Do not use a damaged wheel. With new wheel installed and all safety guards in place, and operator is standing away from front of grinder, run grinder for one minute before applying work. **(Wear safety glasses). Exercise caution.**



GA8

GA7

NOTES:

- (g) Factory connected for 115 volts, power cord supplied.
- (h) Factory connected for 208-230 volts, no power cord.

Industrial Abrasive Belt Sanders

Baldor offers several options when it comes to industrial belt sanders, fixed and tiltable belts, grinder/sanders and even an adjustable speed sander for increased flexibility. All units come with a base mounted on/off switch and one 2"x48" 80 grit belt.



Catalog #602E-MT



Catalog #248-151D



Catalog #248-181TD



Catalog #248-151TD



Catalog #248-151AS

Hp	RPM	Tiltable belt	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
1/3	3600	Multi-Position	602E-MT	687	G1	24	115	Grinder/Belt Sander	UL	g, n
1-1/2	3600	Fixed	2048-151D	1384	G1	88	115/230	Belt Sander	UL	g
1-1/2	3600	Fixed	2048-153D	1339	G1	76	208-230/460	Belt Sander	UL	h
1-1/2	3600	Three positions	248-151TD	1516	G1	95	115/230	Belt Sander	UL	g
1-1/2	3600	Three positions	248-153TD	1471	G1	84	208-230/460	Belt Sander	UL	h
1-1/2	3600	Three positions	248-181TD	1782	G1	138	115/230	Grinder/Belt Sander	UR	J, l
1-1/2	3600	Three positions	248-183TD	1731	G1	128	208-230/460	Grinder/Belt Sander	UL	h, l
1-1/2	0-3600	Three positions	248-151AS	1633	G1	105	115	Adjustable Speed	UR	g, J, l

Industrial Buffers

Buffers are designed for use with soft cloth wheels **ONLY**. Specific buffing applications may require the addition of operator safety devices. Consult with a safety engineer before installation. Price includes flanges and nuts but **does not** include wheels.



Catalog #333B



Catalog #1458
with #GA20 Pedestal

Hp	RPM	Diameter Max.	Width Min/Max	Shaft Diameter	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Agency Approval	Notes
1/4	1800	6"	0.5/0.75	1/2"	114	327	G1	24	115	UR	g
1/3	3600	6"	0.5/0.75	1/2"	111	327	G1	25	115	UR	g
3/4	1800	8"	0.38/1.25	3/4"	332B	643	G1	55	115/230	UR	g
3/4	3600	8"	0.38/1.25	3/4"	333B	643	G1	56	115/230	UR	g
3/4	1800	8"	0.38/1.25	3/4"	334B	628	G1	54	208-230/460	UR, CSA	h
3/4	3600	8"	0.38/1.25	3/4"	330B	628	G1	56	208-230/460	UR, CSA	h
1	1800	10"	0.5/1.25	7/8"	407B	853	G1	60	115/230	UR	j
1-1/2	3600	10"	0.5/1.25	7/8"	410B	839	G1	61	115/230	UR	j
1-1/2	1800	10"	0.5/1.25	7/8"	409B	819	G1	59	208-230/460	UR, CSA	h
1-1/2	3600	10"	0.5/1.25	7/8"	412B	819	G1	62	208-230/460	UR, CSA	h
2	1800	12"	2.0/2.5	1-1/4"	1250	1977	G1	164	115/230	UR	k
2	3600	12"	2.0/2.5	1-1/4"	1251	1920	G1	160	115/230	UR	k
3	1800	12"	2.0/2.5	1-1/4"	1252	1815	G1	156	208-230/460	UR, CSA	k
3	3600	12"	2.0/2.5	1-1/4"	1253	1764	G1	156	208-230/460	UR, CSA	k
5	1200	14"	2.5/3.0	1-1/4"	1457	2650	G1	228	230	UR, CSA	m
5	1800	14"	2.5/3.0	1-1/4"	1458	2256	G1	218	230	UR, CSA	m
7-1/2	1800	14"	2.5/3.0	1-1/4"	1454	2520	G1	229	230	UR, CSA	m
7-1/2	3600	14"	2.5/3.0	1-1/4"	1453	2384	G1	223	230	UR, CSA	m


NOTES:

- (g) Factory connected for 115 volts, power cord supplied.
- (h) Factory connected for 208-230 volts, no power cord.
- (j) Factory connected for 115 volts, no power cord.
- (k) Factory connected for 230, manual starter, specify voltage when ordering.
- (l) Supplied with 8"x1"x3/4" 36 grit wheel and 80 grit belt.
- (m) Factory connected for 230, magnetic starter must be changed for other voltages

Big Red Grinders



600RE



812RE

Big Red Grinders are available with 6", 7" or 8" wheels, equipped with base mounted on/off switch and 8 foot cord with plug. Rubber mounting feet help minimize vibration. Models ending in "E" have exhaust type wheel guards.

Hp	RPM	Wheel Size	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
1/3	3600	6"x3/4"x1/2"	600RE	259	G1	29	115	Grinder	UL	a,c
1/3	3600	6"x3/4"x1/2"	602RE	259	G1	27	115	Grinder/Buffer	UL	b,c
1/3	3600	6"x3/4"x1/2"	612R	293	G1	30	115	Grinder	UL,CSA	a,c,f
1/3	3600	6"x3/4"x1/2"	662R	293	G1	29	115	Grinder/Buffer	UL,CSA	b,c,f
1/2	3600	7"x1"x5/8"	712R	434	G1	46	115/230	Grinder	UL,CSA	a,c,f
1/2	3600	7"x1"x5/8"	762R	434	G1	43	115/230	Grinder/Buffer	UL,CSA	b,c,f
1/2	3600	7"x1"x5/8"	712RE	511	G1	70	115/230	Grinder	UL,CSA	a,c
1/2	3600	7"x1"x5/8"	762RE	511	G1	67	115/230	Grinder/Buffer	UL,CSA	b,c
3/4	3600	8"x1"x3/4"	812RE	851	G1	99	115/230	Grinder	UL	a,c,g
3/4	3600	8"x1"x3/4"	862RE	851	G1	95	115/230	Grinder/Buffer	UL	a,c,g

Big Red Accessories Pedestals



GA16R



GA14R

Catalog Number	Description	List Price	Mult. Sym.	Shpg. Wgt.
GA16R	Cast iron pedestal can be used on all Big Red Grinders Height is 32-7/8"	405	A8	62
GA16RE	Light industrial version, all steel construction for use on 6" & 7" only, height is 34"	264	A8	36
GA20RE	Light industrial version, all steel construction for use on 8" only, height is 34"	306	A8	54
GA14R	Fabricated steel pedestal with storage shelves can be used on all Big Red Grinders, height is 34-1/2"	306	A8	64
GA9R	2) Lighted eyeshield, 5-1/2" x 3-3/4" viewing area, 8-ft cord with plug, mounts to any Big Red Grinder	171	A8	5
GA9SR	2) Lighted eyeshield with on/off switch, 5-1/2" x 3-3/4" viewing area, 8-ft cord with plug, mounts to any Big Red Grinder	190	A8	5

Lighted Eyeshields



GA9R



GA9SR

NOTES:

- (a) Supplied with 36 & 60 grit wheels.
- (b) Supplied with 36 grit and 0.014 wire wheel.
- (c) Stamp steel tool rests.
- (d) Cast iron tool rests.
- (f) Non-exhaust type wheel guards.
- (g) Factory connected for 115 volts, power cord supplied.

Accessories

Dust Control Units for Baldor Grinders



Catalog #1022W
with DC10 and GA16

115 Volt, Single Phase, 60 Hz.

Catalog Number	Dust Control Unit Price	Mult. Sym.	Grinding Wheel Maximum		Cubic Ft/Min		Air Control Valves	Shpg. Wgt.
			Dia.	Width	Total Cap.	Required Per Wheel By OSHA ^(o)		
DC7	1216	A8	7"	1"	440	220	Yes	60
DC8	1216	A8	8"	1"	440	220	Yes	62
DC10	1216	A8	10"	1"	440	390	Yes ^(p)	60
DC12	1322	A8	12"	2"	440	390	Yes ^(p)	62
DC12-3	1322	A8	12"	2"	440	390	Yes ^(p)	57
DC14-3 ⁽ⁿ⁾	2158	A8	14"	3"	700	590	Yes ^(p)	73

⁽ⁿ⁾ DC14-3 powered with 1Hp TEFC 208-230/460 volt, three phase motor, less cord, switch, and lug.

^(o) From ventilation section 1910.94 table G-4 Federal register vol. 37 #202, 10-18-72.

^(p) Air control valve required to direct total CFM of collector to only the wheel being used to meet OSHA CFM requirements on 10" and larger grinders.

Replacement Filter Bags

Catalog Number	List Price	Mult. Sym.	Dust Control Unit
ARB-1	84	A8	DC7, 8, 10, 12, 12-3
ARB-2	118	A8	DC14-3

NOTE: Do not collect potentially reactive materials without consulting (NFPA) National Fire Protection Association Standards.

Powered by a 1/2 Hp TEFC single phase Baldor motor with cord, switch, and plug.

230 volt single phase units are available and supplied less switch, cord, and plug. Specify for 230 volt single phase operation.

Collectors with three phase motor less cord, switch, and plug are available. For 208-230/460 volt three phase, add suffix -3 to catalog number. Add \$30.00 to list price.

Mount dust control units with Grinder and GA16 or GA20 pedestal.

Accessories

Grinder and Buffer



Item Number	Catalog Number	Description	List Price	Mult. Sym.	Shpg. Wgt.
A	GA16	Pedestal "Cast Iron"	405	A8	62
	GA16E	"Steel"	264		
B	GA14	Pedestal "Steel"	306	A8	64
C	GA20	Pedestal "Cast Iron"	667	A8	125
	GA20E	"Steel"	306		
D	GA24	Water Pot	44	A8	1
E	GA3	Water Pot	69	A8	7
F	GA25	Tool Tray	44	A8	9
G	GA4	Tool Tray	70	A8	6
H	GA11	Eyeshield (pair)	56	A8	2
I	GA10	Eyeshield (pair)	51	A8	1
J	GA9	Lighted Eyeshield (less on/off switch) (pair)	171	A8	5
J-1	GA9-1	Same as GA9 except packed 1 unit per carton (pair)	94	A8	3
K	GA9S	Lighted Eyeshield (with on/off switch)	190	A8	6
L	GA13	Eyeshield for 6" Grinders	43	A8	2
M	AB248	Abrasive Belt 2" x 48" - 80 Grit	26	A8	1

(A) **GA16 Pedestal** for 6", 7", 8" and 10" grinders, carbide and diamond wheel grinders, 1/4 Hp through 1-1/2 Hp buffers and belt grinders. Height 32 7/8".

GA16RE for 6" & 7" grinders "all steel construction". Height 34".

(B) **GA14 Pedestal** - fabricated steel, for 6", 7", 8" and 10" grinders, 1/4 Hp through 1 1/2 Hp buffers. Height 34 1/2".

(C) **GA20 Pedestal** for 8", 10", 12" and 14" grinders and 3/4 through 7-1/2 Hp buffers. Height 30".

GA20RE for 8" & 10" grinders "all steel construction". Height 34".

(D) **GA24 Water Pot** for 623E, 673E, 612E, 662E, and 7" (except #712, #712R, #762, & #762R), 8" and 10" grinders. Supplied with mounting bracket and swivel arm. Capacity 1-1/2 pints.

(E) **GA3 Water Pot** for GA20 pedestal. Capacity 3 pints.

(F) **GA25 Tool Tray** for 623E, 632E, 673E, 612E, 662E and 7" (except #712, #712R, #762, & #762R), 8" and 10" grinders. Supplied with mounting bracket and swivel arm. Diameter 8". Area 48 square inches.

(G) **GA4 Tool Tray** for GA20 pedestal. Dimensions 12" x 6".

(H) **GA11 Eyeshield** - 6" x 4" shatter resistant Plexiglas®. Fits Baldor grinders 7" through 14".

(I) **GA10 Eyeshield** - 5" x 4" shatter resistant Plexiglas®. Fits Baldor 6" grinders and #712, #712R, #762 and #762R.

(J) **GA9 Lighted Eyeshield** - 5 1/2" x 3 3/4" viewing area made of shatter resistant Plexiglas®. Supplied with 8 foot 3 conductor cord with plug. Accommodates standard 115 volt 60 watt bulb. Supplied less bulb and on/off switch. Mounts to Baldor grinders except tool and belt grinders. Adjusts horizontally and vertically. U.L. listed/CSA certified.


(J-1) **GA9-1** - Same as GA9 except packed 1 per carton. 115 volt only.

(K) **GA9S Lighted Eyeshield with On/Off Switch** - 115 volt only.

(L) **GA13 Eyeshield for 600 Series 6" Grinders**

(M) **AB248 Abrasive Belt** - 2" x 48" - 80 Grit.


Accessories Wheels for Grinders



Extremely durable aluminum oxide abrasive grain. Excellent for steels and alloy steels. Ideal for numerous general purpose applications.

Catalog Number	List Price	Mult. Sym.	Diameter	Face	Bore	Grit	Shpg. Wgt.
B66	35	A8	6"	3/4"	1/2"	36	2
B67	35	A8	6"	3/4"	1/2"	60	2
B73	49	A8	7"	1"	5/8"	36	4
B74	49	A8	7"	1"	5/8"	60	3
B80	58	A8	8"	1"	3/4"	36	5
B81	58	A8	8"	1"	3/4"	60	4
B102	87	A8	10"	1"	7/8"	36	8
B103	87	A8	10"	1"	7/8"	60	6
B125	197	A8	12"	2"	1-1/4"	30	22
B126	199	A8	12"	2"	1-1/4"	46	22
B147	373	A8	14"	3"	1-1/4"	30	42
B148	373	A8	14"	3"	1 1/4"	46	41

Sewed Cotton Buffing Wheels



Features: Wheels are muslin cloth, spiral sewn. These bore sizes will fit shafts 1/8" greater diameter than bore.

Catalog Number	List Price	Mult. Sym.	Diameter	Face	Bore	Shpg. Wgt.
A65	19	A8	6"	1/4"	1/2"	1
A82	31	A8	8"	1/4"	3/4"	1
A103	37	A8	10"	1/4"	7/8"	1

NOTE: Cotton wheels are supplied in sections 1/4" wide. Two (or more) sections may be put together to make up wheel of desired width.

Wire Brush Wheels



Features: Wheels are crimped, carbon steel wire.


Catalog Number	List Price	Mult. Sym.	Diameter	Face	Bore	Diameter of Wire	Shpg. Wgt.
W64	43	A8	6"	5/8"	1/2"	0.014	1
W70	51	A8	7"	5/8"	5/8"	0.014	1
W82	57	A8	8"	3/4"	3/4"	0.014	1

NOTE: Baldor 6", 7" & 8" grinders equipped with grinding wheels can be converted to have wire brush wheels. To properly fit the wire brush wheels, flat washers or spacer must be placed on both sides of the original grinding wheel. This will accommodate the width differences between the wire brush wheel and the original grinding wheel. Order washers/spacers as follows:
6" (3) HW1000A50, 7" (2) HA2047A01, 8" (4) HW1000A75

NOTE: When installing new wheels, check wheel for possible damage. Do not use a damaged wheel. With new wheel installed and all safety guards in place, and operator standing away from front of grinder, run grinder for one minute before applying work. **(Wear safety glasses).**

Exercise Caution.

Single Phase Electronic Motor Brake



Applications: Efficient alternative to mechanical brakes, suitable for woodworking machinery, machine tools, bench grinders and buffers. Ideal for OEM equipment or for retrofitting into an existing application.


Features: Automatic braking for single-phase motors. User adjustable torque and brake time. Prevents restarts after power has been removed for 7 seconds. Accommodates frequent start/stop applications. Available in panel mount for system integration or with line cord, plug and receptacle in a NEMA 1 enclosure for easy installation.

Catalog Number	Horsepower	Amps	Voltage (60 Hz only)	List Price	Mult. Sym.
Panel Mount					
BQ1-015-CP	1	15	110-125 VAC	691	E7
BQ2-015-CP	2	15	208-230 VAC	691	E7
NEMA 1					
BQ1-015-CC	1	15	110-125 VAC	892	E7
BQ2-015-CC	2	15	208-230 VAC	892	E7

SUFFIX: CP = 6"x5"x3" module without cord, receptacle, switch or enclosure.

CC = 8"x8"x4.5" NEMA 1 enclosure with 9ft. cord, receptacle and switch.

Polishing Lathes, Chucks



Baldor polishing lathes have features preferred by Dentists, dental lab technicians, jewelers, lapidary and other for precision, trouble-free polishing. All lathes are supplied with 8-foot cord with plug, rubber feet and heavy construction to minimize vibration, provisions for mounting to a laboratory bench are provided as well.

Hp	RPM	Shaft Diameter/Taper	Catalog Number	List Price	Mult. Sym.	Shpg. Wgt.	Voltage	Style	Agency Approval	Notes
1/4	3600/1800	0.375 / 0.250	340	401	G1	32	115	Dual Speed	UR, CSA	q
1/4	3000/1500	0.375 / 0.250	342	401	G1	31	220-240	Dual Speed	UR, CSA	r
1/4	3600/1800	0.375 / 0.250	353T	440	G1	35	115	Dual Speed	UL, CSA	q
1/2	3600	0.375 / 0.250	359T	441	G1	36	115	Single speed	UL, CSA	q
1/3	3600/1800	0.375 / 0.250	380T	490	G1	42	115	Dual Speed	UL, CSA	q
1/3	3600/1800	0.375 / 0.250	380WCT	1128	G1	47	115	Dual Speed	UL, CSA	q,s
1/2	3600	0.625 / straight	LPL50	428	G1	43	115	Single speed	UR	q,t
3/4	3600	0.625 / straight	LPL75	523	G1	48	115/230	Single speed	UR	q,t

NOTES:

(q) Factory connected for 115 volts, power cord supplied.

(r) Factory connected for 220-240 volts, power cord without plug.

(s) Right side equipped with Wells Dental "Super Quick" chuck, 2 mandrels, 2 stone, 1 arbor band, 1 soft wheel chuck.

(t) Single shaft, right side.

Baldor True-Running Chucks

Made to close-tolerance specifications, keeps vibration to an absolute minimum. All chuck guaranteed to match Baldor lathes and other make with standard tapered shaft. Mounting hole 0.370" tapered 0.250 per foot.



Catalog Number	List Price	Mult. Sym.	Description	Shpg. Wgt.	
				Lbs.	Kg
R1	24	A8	Hard Wheel, Right Hand, Brass	0.2	0.09
R2	26	A8	Soft Wheel, Right Hand, Brass	0.2	0.09
L3	24	A8	Hard Wheel, Left Hand, Brass	0.1	0.05
L4	26	A8	Soft Wheel, Left Hand, Brass	0.2	0.09
R5A	82	A8	Burr Chuck, Right Hand,	0.4	0.18
R6	43	A8	Arbor Band, Right Hand, Brass	0.2	0.09
L7	48	A8	Burr Chuck, Left Hand, Stainless	0.4	0.18

NOTE: R1 & L3 hard wheel chucks accommodate up to 1/4" wide wheel with 1/4" arbor hole.

R6 arbor band chuck accommodates 1/2" wide x 3/4" diameter arbor band.

Dust Collector Bags

Catalog Number	List Price	Mult. Sym.	Description	Shpg. Wgt.	
				Lbs.	Kg
DA1	48	A8	Dust Collector Bag (1 per carton). For Baldor D60 and D61 Dust Collectors	2	0.9

FULL THREE YEAR WARRANTY

Baldor polishing lathes are warranted against burnouts, defective materials, and workmanship for three full years. Warranty covers all parts except those subject to normal wear. "Wells Quick Chuck" warranted one year by manufacturer.

MOD EXPRESS™

Stock Products Modification Program

MANUAL AND MAGNETIC STARTERS

Mounted and wired on Baldor Industrial Grinders and Buffers. Starters are in NEMA 1 Enclosure and have the push button in cover. **Available only as factory installed options.** Ask about controls for 575 volt Grinders. Controls not available for Belt Grinders and Tool Grinders.

STARTER – SINGLE PHASE FULL VOLTAGE CONTROL

Specify Voltage When Ordering



Manual Starter

Grinder	Buffer	Manual		Magnetic			
Wheel Size	Hp	115/230 Volts		115 Volts		230 Volts	
		Catalog Number	List Price	Catalog Number	List Price	Catalog Number	List Price
6"	1/3	GA27A-6	443	GA41A-6	815	N/A	N/A
7"	N/A	GA27A-7	443	GA41A-7	815	GA44A-7	815
8"	3/4	GA27A-8	443	GA41A-8	923	GA44A-8	815
10"	1	GA27A-10	443	GA41A-10	891	GA44A-10	815
N/A	1 1/2	GA27A-10	443	GA42A	891	GA45A	815
12"	2	S/E	S/E	GA43A *	1078	GA46A *	939

STARTER – THREE PHASE FULL VOLTAGE CONTROL

Specify Voltage When Ordering



Magnetic Starter

Grinder	Buffer	Manual		Magnetic			
Wheel Size	Hp	208-230/460 Volts		208-230 Volts		460 Volts**	
		Catalog Number	List Price	Catalog Number	List Price	Catalog Number	List Price
7"	N/A	GA47A-7	512	GA50A-7	815	GA53A-7	815
8"	3/4	GA47A-8	512	GA50A-8	815	GA53A-8	815
10"	1 1/2	GA47A-10	512	GA50A-10	815	GA53A-10	815
12"	2	S/E	S/E	GA51A *	573	GA54A *	573
12"	3	S/E	S/E	GA52A *	573	GA55A *	573

NOTES:

N/A = Not Available

S/E = Standard Equipment

These starters provide overload protection.

*Price includes allowance for omission of standard starter.

**Starters for 575 volts are available for the same prices

MOD EXPRESS™

Stock Products Modification Program

MANUAL AND MAGNETIC STARTERS

Mounted and wired on Baldor Industrial Grinders and Buffers. Starters are in NEMA 1 Enclosure and have the push button in cover. **Available only as factory installed options.** Ask about controls for 575 volt Grinders. Controls not available for Belt Grinders and Tool Grinders.

MAGNETIC STARTER – THREE PHASE WITH LOW VOLTAGE CONTROL

Specify Voltage When Ordering



Magnetic Starter with Low Voltage Control

Grinder	Buffer	Magnetic with 110 Volt Control Circuit Transformer					
		208-230 Volts			460 Volts**		
Wheel Size	Hp	Catalog Number		List Price	Catalog Number		List Price
7"	N/A	GA56A-7	†	1817	GA60A-7	†	2023
8"	3/4	GA56A-8	†	1817	GA60A-8	†	2023
10"	1 1/2	GA56A-10	†	1817	GA60A-10	†	2023
12"	2	GA57A-12-2	*†	1783	GA61A-12-2	*†	1833
12"	3	GA57A-12-3	*†	1783	GA61A-12-3	*†	1833
14"	5	GA58A-14-5	*†	1783	GA61A-14-5	*†	1833
14"	7 1/2	GA58A-14-7	*†	1783	GA62A-14-7	*†	1833

NOTES:

J.I.C. (Electrical Standards) controls available for some models – contact factory with complete description of control required for price and availability.

* Price includes allowance for omission of standard starter. ** Starters for 575 volts available for the same prices.

† GA9 eyeshields may be wired through magnetic starter – 100 watt extra capacity transformer is required.

Add \$155 to starter list price and designate letter "T" to starter catalog number (Example: GA56A-8T – \$1443)

N/A = Not Available. Starters provide overload protection.

MOD EXPRESS™ OVERLOAD PROTECTION FOR DUST CONTROL UNIT

(Must be used with Magnetic Control)

Dust Control Unit	Magnetic Relay	List Price
DC7, DC8, DC10, DC12	GA91A	545
DC7-3, DC8-3	GA92A	545
DC10-3, DC12-3, DC14-3	GA92A	545

NOTES:

The price of the control includes wiring and mounting of control on a combination grinder-dust control mounted on a pedestal. Example: 8107W \$658, GA41A-8 \$649, GA16 \$265, DC8 \$798, GA91A \$383. The unit is shipped completely wired and assembled, ready to install on location.

General Information

This catalog shows the most commonly requested replacement parts for Baldor grinders, buffers, dust control units and accessories. Many other replacement parts are available. For information on parts not shown, contact your Baldor District Office.

Ordering Information

For replacement parts not shown, please provide complete description and complete nameplate data, especially noting the Baldor Specification Number (Spec. No.).

Freight Policy

Shipments of stock grinders and buffers shown in this catalog are made with the selling terms of F.O.B. factory, Fort Smith Distribution Center, or a Baldor District Warehouse. International shipments – Ex Works, Non-stock items – F.O.B. factory. Baldor will prepay and absorb freight charges, on a carrier chosen by Baldor, to the first destination in the continental United States on shipments of 1500 pounds or more. Exceptions may apply on shipments of certain stock products. Contact your Baldor District Office for these exceptions.

WARRANTY FOR BALDOR GRINDER / BUFFER PRODUCTS

Baldor Grinder/Buffer products, including dust control units, are warranted for 3 full years against burnouts, defective material and workmanship. Warranty covers all parts except those subject to normal wear such as wheels. The serial number indicates the month and year of manufacture — this determines the warranty period.

TYPICAL NAMEPLATE


BALDOR®			
CAT. NO.			
H.P.	VOLTS		
PHASE	AMPS		
HZ.	R.P.M.		
FRAME	SERIAL NO.		
SPEC. NO.			
MANUFACTURED IN U.S.A. BY BALDOR ELECTRIC CO.			

Instruction sheets for Baldor Grinder/Buffer Products are available
See listing on parts page

Touch-up Paint – 12 oz. aerosol can

Battleship Gray – #MG1000G23SP	\$21.00 per can
Cardinal Red – #MG1000R22SP	\$21.00 per can

Baldor 6" & 7" Grinders 1/4 Hp & 1/3 Hp Buffers



Item #	Part Description	Part Number 6"	List Price	Part Number 7"	List Price
1	Rubber Feet	RM1005A01SP	4	RM1005A01SP	4
*	2	Tool Rest Support, Pressed Steel	HA6048A01SP	HA6048A01SP	11
*	2A	Tool Rest Support, Cast Iron	HA6064A01SP	HA6064A01SP	25
*	3	Guard, Non-Exhaust Type (Right Hand or Left Hand)	G6FH3800SP	G7FH3800SP	42
*	3A	Guard, Exhaust Type (Right Hand) Cast Iron	G6FH1802A01	G7FH1802A01SP	108
*	3B	Guard, Exhaust Type (Left Hand) Cast Iron	G6FH1800A01(SP)	G7FH1800A01SP	108
*	4	Guard Cover, Non-Exhaust Type (Right Hand or Left Hand)	G6FH3801SP	G7FH3801SP	54
*	4A	Guard Cover, Exhaust Type (Right Hand) Cast Iron	G6FH1803A01SP	G7FH1803A01SP	63
*	4B	Guard Cover, Exhaust Type (Left Hand) Cast Iron	G6FH1801A01SP	G7FH1801A01SP	63
*	5	Tool Rest, Pressed Steel (Right Hand or Left Hand)	G6AP1009A01SP	G7AP1010A01SP	18
*	5A	Tool Rest, Cast Iron, (Right Hand or Left Hand)	G6AP1008A01SP	G6AP1008A01SP	41
*	6	Arbor Nut (Left Hand)	XY5020A62SP (1/2-20)	XY6311A62SP (5/8-11)	7
*	7	Grinding Wheel	B66	B73	49
*	8	Spark Arrestor, Solid Type (use with non-exhaust wheel guards)	G6AP1003A01SP	G6AP1003A01SP	15
*	8A	Spark Arrestor, Slotted Type (use with exhaust wheel guards)	G6AP1002A01SP	G6AP1002A01SP	18
	9	Felt Washer	HA1025A01SP	HA1025A02 (C)	5
	10	Wound Stator Assembly	Specify Spec. No. (C)	Specify Spec. No. (C)	—
	11	Thru Bolt	HA3100A07 (C)	HA3100A11 (C)	7
	12	Rotor, with Shaft & Bearings	Specify Spec. No.	Specify Spec. No.	—
	13	Endplate (Right Hand or Left Hand)	G6EP3900A01 (C)	G7EP3900A01 (C)	52
	14	Bearing	BG6203E03SP	BG6203C03 (C)	32
*	15	Grinding Wheel	B67	B74	49
	16	Wheel Flange, Inside or Outside, Pressed Steel	HA6113SP	HA6115A01SP	10
	16A	Wheel Flange, Inside or Outside, Cast	HA6050A02SP	HA6096A01SP	18
	17	Arbor Nut (Right Hand)	XY5020A12SP (1/2-20)	XY6311A12 SP (5/8-11)	7
*	18	Tool Rest, Pressed Steel (Right Hand or Left Hand)	G6AP1009A01SP	G7AP1010A01SP	22
*	18A	Tool Rest, Cast Iron (Right Hand or Left Hand)	G6AP1008A01SP	G6AP1008A01SP	41
	19	Cord and Plug	LD5001A07 (C)	LD5001A07 (C)	34
	20	Base	G6BA3000SP	G7BA3000 (C)	64
	21	Base Cover	G6CB4500A01 (C)	G7CB4500 (C)	18
	22	Switch On - Off (Single Phase)	SP9017SP	SP9000 SP	34
	22A	Switch On - Off (Three Phase)	None	SP9004 (C)	40
	23	Relay	RE1020SP	None	—
N/S	Capacitor	Specify Spec. No.	—	Specify Spec. No.	—
**	N/S	Vinyl Cap	RM1010A04	None	—
N/S	Spacers for Wire Brush Wheels	(3 Req'd) HW1000A50 (C)	5	(2 Req'd.) HA2047A01 (C)	7
N/S	Spacer, Flange (for non-exhaust type)	None	—	HA2072 (C)	11
N/S	Spacer, Flange (for exhaust type)	None	—	HA2040A01SP	11

NOTES:

*Grinders only.

**Buffers only.


N/S – Not shown on diagram.

Instruction Sheet for 6" thru 14" Grinders — MN903 – #275P is available at no charge.

Instruction Sheet for Buffers — MN906 – #280F is available at no charge.

Instruction Sheet for Grinder-Buffers — MN907 – #285B is available at no charge.

Baldor 8" thru 14" Grinders 3/4 Hp thru 10 Hp Buffers




Item #	Part Description	Part Number 8"	List Price	Part Number 10"	List Price	Part Number 12"	List Price	Part Number 14"	List Price
*1	Guard (Right Hand)	G8FH1800A01SP	185	G0FH1806A01	260	G2FH1804A01	461	G4FH1800A01	688
*2	Guard (Left Hand)	G8FH1802A01SP	185	G0FH1807A01SP	260	G2FH1805A01	461	G4FH1801A01	663
*3	Guard Cover (Right Hand)	G8FH1801A01SP	94	G0FH1805A01SP	144	G2FH1806A01	199	G4FH1802A01	235
*4	Guard Cover (Left Hand)	G8FH1803A01SP	94	G0FH1804A01	144	G2FH1807A01	195	G4FH1803A01	228
*5	Tool Rest (Right Hand or Left Hand)	G8AP1003A01SP	42	G8AP1003A01SP	42	G2AP1002A01SP	61	G2AP1002A01SP	61
*6	Tool Rest Support (Right Hand or Left Hand)	HA6099A01SP	32	HA6101A01SP	32	HA6049A01SP	49	HA6049A01SP	49
7	Arbor Nut (Left Hand)	XY7510A62SP	10	XY8809A62SP	13	XZ2007A62SP	32	XZ2007A62SP	32
*8	Spark Arrestor	G6AP1002A01SP	18	G0AP1002SP	22	G2AP1001	30	G2AP1001	30
9	Wound Stator Assembly	Specify Spec. No.	—	Specify Spec. No.	—	Specify Spec. No.	0	Specify Spec. No.	0
10	Rotor with Shaft & Bearings, (Less Nuts & Flanges)	Specify Spec. No.	—	Specify Spec. No.	—	Specify Spec. No.	0	Specify Spec. No.	0
11	Endplate (Right Hand or Left Hand)	G8EP3900A01SP	83	G8EP3900A01SP	83	G2EP1900A01	197	G4EP1900A01	289
12	Bearing	BG6206E03	60	BG6206E03	60	BG6208E03	48	BG6309E03	71
13	Wheel Flange, Inside or Outside	HA6098	17	HA6100SP	30	HA6051SP	37	HA6051SP	37
14	Arbor Nut (Right Hand)	XY7510A12SP	6	XY8809A12SP	9	XZ2007A12SP	31	XZ2007A12	31
15	Base	G8BA3000A01	114	G8BA3000A01	114	G2BA1000A01	254	G4BA1000A01	268
16	Switch On - Off (Single Phase)	SP9000SP	34	SP9000SP	34	None	—	None	—
16A	Switch On - Off (Three Phase)	SP9004	40	SP9004	40	None	—	None	—
N/S	Base Cover	G8CB4500A02	10	G8CB4500A02	10	G2CB4500	28	None	—
N/S	Cord & Plug (Single Phase)	LD5001A02	34	None	—	None	—	None	—
N/S	Capacitor, Electrolytic (Single Phase)	None	—	None	—	ECI645A06SP	42	None	—
N/S	Starter Bracket	None	—	None	—	Specify Spec. No.	—	Specify Spec. No.	—
N/S	Starting Relay (Single Phase)	None	—	None	—	RE5019	192	None	—
N/S	Capacitor (Oil Type) (Single Phase)	Specify Spec. No.	—	Specify Spec. No.	—	None	—	None	—
17	Thru Bolts	HA3100A14	7	HA3100A14	7	HA3104A13	7	HA3104A14	7
N/S	Rubber Feet	RM1005A01SP	5	RM1005A01SP	5	None	—	None	—
**N/S	Bearing Retainer	RB3010	19	RB3010	19	RB1029A01	42	RB1028A01	49
**N/S	Vinyl Cap to Cover Arbor Nut	RM1010A06	5	RM1010A05SP	5	RM1010A07	7	RM1010A07	7
**N/S	Spacer	HA2048A01SP	10	HA2050A01	11	None	—	None	—
*18	Grinding Wheel								

See Page 26

NOTES: ① Guards for 812RE and 862RE. Guard (Right Hand) G8FH1800A02, Guard (Left Hand) G8FH1802A02.
 ② Cat. #812RE and #862RE are painted red. For red 8" grinder parts, order as "custom" part. Note: "Painted Red"
 Tool Rests and Supports for Cat. #812RE and 862RE are the same as 7" pressed steel on page 21.
 Instruction Sheet for 6" thru 14" grinders — MN903 — #275P is available at no charge.
 Instruction Sheet for Buffers — MN906 — #280F is available at no charge.
 Instruction Sheet for Grinder-Buffers — MN907 — #285B is available at no charge.
 N/S = Not shown on diagram.
 * Grinders only. ** Buffers only.

Baldor Carbide & Diamond Wheel Grinders



Item #	Part Description	Part Number	List Price	Shipping Weight
1	Rotor, with Shaft and Bearings	Specify Spec. No.	—	18.0
(A) 2	Ball Bearing	BG6204E03	38	1.5
(B) 3	Ball Bearing	BG5204C03	82	1.5
4	Endplate (Right Hand for Carbide Grinders)	G9EP1900A03	109	5.0
4A	Endplate (Right Hand for Diamond Wheel Grinders)	G9EP1900A10	109	5.0
5	Endplate, Left Hand	G9EP1900A02	109	5.0
6	Wound Stator Assembly	Specify Spec. No.	—	21.0
7	Guard, Wheel (Right Hand or Left Hand)	G9FH1800A01	111	9.0
8	Flange, Wheel (Right Hand or Left Hand)	HA61047A01SP	50	1.0
9	Tool Table, less Rocker (Right Hand or Left Hand)	G9AP1000A01	173	7.5
10	Rocker for Table	G9AP1003A01SP	28	1.0
11	Clamp with Handle	HA5001A01SP	24	1.0
12	Water Pot and Water Cock	G9AP5001A01	74	3.0
13	Water Tray	G9AP1001A01	61	9.5
14	Base	G8BA3000A02	105	4.0
15	Machine Tool Light	G9AP1006A01SP	99	2.5
16	Switch (115 Volt - Single Phase)	SP9019SP	38	1.0
16A	Switch (Three Phase)	SP9035SP	70	1.0
17	Tool Rest (Protractor Type)	G9AP5000A01SP	91	1.0
18	Screws for Tool Table	HA3407A01	4	1.0
19	Shade Only (For light)	G9AP1006SP	30	1.0
20	Screw for Mounting Wheel	HA3007A01SP	9	1.0
21	Screw for Mounting Diamond Wheels	91XN2520A12	4	1.0
22	Cord and Plug	LD5001A02	34	1.0
N/S	Arbor Nut (3/4 x 16 Jam Nut)(Right hand or Left hand)	HA3203A12	9	1.0
N/S	Base Cover	G8CB4500A02	10	1.0
N/S	Capacitor 12 mfd.	OC3012F12SP	35	1.0
N/S	Pointer (angle) (Right Hand)	G9AP1005A01	5	1.0
N/S	Pointer (angle) (Left Hand)	G9AP1005A02	5	1.0
N/S	Slinger for Shaft	HA1005A03SP	5	1.0
N/S	Thru Bolts	HA3100A45	9	1.0
N/S	Vinyl Cap (Arbor Nut Cover)	RM1010A06	4	1.0
N/S	Instruction Sheet	MN905 - 281H	N/C	—


NOTES:

N/S = Not shown on diagram




(A) Bearing for left and right side of Carbide Grinders and left side of Diamond Wheel Grinders

(B) Bearing for right side of Diamond Wheel Grinders only.

Baldor Abrasive Belt Grinders



Baldor Abrasive Belt Grinders

#2048-151D SPEC. #B2 - 3A
#2048-153D SPEC. #B2 - 3C
#248-151TD SPEC. #B2 - 5A
#248-153TD SPEC. #B2 - 5C
#248-181TD SPEC. #B2 - 6D
#248-183TD SPEC. #B2 - 6C
#248-151AS SPEC. #B2 - 8A
#248-251AS SPEC. #B2 - 8B


Item #									Part Description	Part Number	List Price	Shipping Weight
1	✓								Motor — #2048-151D (Spec. No. B2-3A)	35H713W811	980	47
1A		✓							Motor — #2048-153D (Spec. No. B2-3C)	35H714-82	980	39
1B			✓						Motor — #248-151TD (Spec. No. B2-5A)	35G400W811	1026	47
1C				✓					Motor — #248-153TD (Spec. No. B2-5C)	35H410-82	980	39
1D					✓				Motor — #248-181TD (Spec. No. B2-6D)	G8-0378-0350	1080	56
1E						✓			Motor — #248-183TD (Spec. No. B2-6C)	G8-319-318	1080	52
1F							✓		Motor — #248-151AS (Spec. No. B2-8A)	35P486Z331	1418	54
1G								✓	Motor — #248-251AS (Spec. No. B2-8C)	35P486Z332	1418	44
2					✓	✓			Base	G8BA3000A01	112	4
2A		✓		✓					Base	G8BA3000A07	112	4
2B	✓		✓						Base	G8BA3000A10	112	4
3	✓		✓		✓		✓	✓	On - Off Switch (Single Phase)	SP9002SP	58	1
3A		✓		✓		✓			On - Off Switch (Three Phase)	SP9004	40	1
4	✓	✓	✓	✓		✓	✓	✓	Base Cover	G8CB4500A02	10	1
4A					✓				Base Cover	G8CB4500A05	21	1
5	✓	✓	✓	✓			✓	✓	Fan Cover	35FH4005A01SP	32	1.5
6	✓	✓	✓	✓			✓	✓	Fan — External	35FN3002A05SP	31	1
7	✓	✓	✓	✓					Endplate (Left Hand for Motor)	35EP3100A02SP	93	1.5
7A					✓	✓			Endplate (Left Hand for Motor)	G8EP3900A01SP	82	2
7B							✓	✓	Endplate (Left Hand for Motor)	35EP3106A16	107	1.5
8	✓			✓	✓				Endplate (Right Hand for Motor)	35EP3300A33	107	2
8A		✓	✓						Endplate (Right Hand for Motor)	35EP3300A44	107	2
8B						✓			Endplate (Right Hand for Motor)	35EP3300A02SP	107	2
8C							✓	✓	Endplate (Right Hand for Motor)	35EP1318A04	135	2
9	✓	✓	✓	✓	✓	✓	✓	✓	Guard for Idler Wheel	B2FH2801A01SP	153	3.5
10	✓	✓	✓	✓	✓	✓	✓	✓	Guard Cover for Idler Wheel	B2FH2808A01SP	61	1
11	✓	✓	✓	✓	✓	✓	✓	✓	Idler Wheel with Bearings	B2AP3003A01SP	189	2.5
12	✓	✓	✓	✓	✓	✓	✓	✓	Tension Spring for Idler Wheel	HA7001A01SP	30	1
13	✓	✓	✓	✓	✓	✓	✓	✓	Idler Arm — Less Wheel	HA5004A01SP	121	2
14	✓	✓	✓	✓	✓	✓	✓	✓	Tracking Arm	HA6134A01SP	54	1.5
15	✓	✓	✓	✓	✓	✓	✓	✓	Latch Stop — for Idler Arm	B2AP1000A01	35	1
16	✓	✓	✓	✓	✓	✓	✓	✓	Adjusting Knob — for Tracking	HA5000A01	21	1

NOTES:


* Belt Guard Kit — to replace plastic guard on #2048-151D and 153D manufactured before 1985. See parts on page 24.

N/S = Not shown on diagram.

Instruction Sheet for Belt Grinders MN902 — #279J is available at no charge.

Baldor Abrasive Belt Grinders

#2048-151D SPEC. #B2 - 3A
#2048-153D SPEC. #B2 - 3C
#248-151TD SPEC. #B2 - 5A
#248-153TD SPEC. #B2 - 5C
#248-181TD SPEC. #B2 - 6D
#248-151AS SPEC. #B2 - 6C
#248-251AS SPEC. #B2 - 8A
#248-251AS SPEC. #B2 - 8B



Item #									Part Description	Part Number	List Price	Shipping Weight
17			✓	✓	✓	✓	✓	✓	Bracket – Idler Pivot Arm	HA6218A01	257	5
17A	✓	✓							Bracket – Idler Stationary Arm	HA6218A02	247	5
18	✓	✓	✓	✓	✓	✓	✓	✓	Tool Rest	G8AP1003A01SP	42	1.5
19	✓	✓	✓	✓	✓	✓	✓	✓	Support for Tool Rest and Platen	HA6068A02	219	2
20	✓	✓	✓	✓	✓	✓	✓	✓	Platen only	B2AP1005A02	34	1.5
21	✓	✓	✓	✓	✓	✓	✓	✓	Abrasive Belt 2" x 48" – 80 Grit	AB248	26	1
22	✓	✓	✓	✓	✓	✓	✓	✓	Contact Wheel – 7" x 2"	B2AP5001A01SP	376	2.5
23	✓	✓	✓	✓	✓	✓	✓	✓	Guard – for Contact Wheel	B2FH2806A01SP	81	1
24	✓	✓	✓	✓	✓	✓	✓	✓	Guard Cover (Inside) for Contact Wheel	B2FH2811A01	107	3
24A	✓	✓	✓	✓	✓	✓	✓	✓	Guard Cover (Outside) for Contact Wheel	B2FH2810A01	159	3
25	✓	✓	✓	✓	✓	✓	✓	✓	Belt Guard – Rear Portion	B2FH2809A01SP	61	2
26			✓	✓	✓	✓	✓	✓	Pull Knob – for Pivot Arm	HW2404A01	4	1.5
27			✓	✓	✓	✓	✓	✓	Adapter for Pivot Arm	HA6219A01	55	5
28					✓	✓			Wheel Guard (Left Hand)	G8FH1802A01SP	185	10
29					✓	✓			Guard Cover (Left Hand)	G8FH1803A01SP	93	7
30					✓	✓			Tool Rest Support	HA6099A01SP	32	1
31					✓	✓			Wheel Flange (Inside and Outside)	HA6098	16	2
32							✓	✓	Speed Control Knob Kit	BC149	15	1
33							✓		Plug-In Resistor (Speed Control)	WD3007A12	4	1
33A								✓	Plug-In Resistor (Speed Control)	WD3007A10	4	1
34							✓	✓	Potentiometer Kit (Speed Control)	BC148	13	1
36							✓		Electronic Speed Control Board	CN3000A18SP	209	1
36A								✓	Electronic Speed Control Board	CN3000A01SP	231	2
37	✓		✓						Cord with Plug (115 Volt)	LD5014	41	1
38					✓	✓			Spark Arrestor	G6AP1002A01SP	18	1
39	✓	✓	✓	✓	✓	✓	✓	✓	Arbor Nut (Right Hand)	XY7510A12SP	5	1
40					✓	✓			Arbor Nut (Left Hand)	XY7510A62	9	1
41	✓	✓	✓	✓	✓	✓	✓	✓	Pivot Shaft – for Tracking Arm	HA3504A01	22	1
42					✓	✓			Grinding Wheel – 8" x 1" x 3/4" – 36 Grit	B80	58	5
N/S							✓		Brush (Replacement Carbon Brush)	BP5000P07SP	41	1
N/S								✓	Brush (Replacement Carbon Brush)	BP5000T15SP	50	1
N/S									*Belt Guard Kit	A641	471	18


NOTES:

* Belt Guard Kit – to replace plastic guard on #2048-151D and 153D manufactured before 1985. See parts on page 24.

N/S = Not shown on diagram.


Instruction Sheet for Belt Grinders MN902 – #279J is available at no charge.

Baldor Dust Control Accessories



Item #	DC7	DC8	DC10	DC12	DC14-3	NOTE: Suffix letter (A -B) is similar to number shown above		
						Part Description	Part Number	List Price
1	✓	✓	✓	✓		Dust Bag (Treated with flame retardant)	ARB-1	84
1A					✓	Dust Bag (Treated with flame retardant)	ARB-2	118
2	✓	✓	✓	✓		Bag Clamp and Hose Clamp 4" Diameter	31379CF	10
2A					✓	Bag Clamp and Hose Clamp 6" Diameter	31244CF	10
3	✓	✓	✓	✓		Bag Elbow 4" Diameter	51269	48
3A					✓	Bag Elbow 6" Diameter	51111	48
4	✓	✓	✓	✓		Power Cord w/Switch (115 volts only)	LD5022A01	82
5	✓	✓	✓	✓		3-Phase 1/2HP Motor	VM3537	335
5A	✓	✓	✓	✓		1-Phase 1/2HP Motor	VL3503	327
5B					✓	3-Phase 1HP Motor	VM3545	430
6	✓	✓	✓	✓		Motor Side Blower Housing SPB-9	34025	398
6A					✓	Motor Side Blower Housing SPB-12	34029	N/A
7	✓	✓	✓	✓		Blower Wheel, 10-5/8" x 2-5/8", 5/8" Bore	5530602	262
7A					✓	Blower Wheel, 11" x 3" BC, 5/8" Bore	55098-02	325
8	✓	✓	✓	✓		Blower Housing, Inlet Side	34026	354
8A					✓	Blower Housing, Inlet Side	34030	364
9	✓	✓	✓	✓		Mounting Plate	03253	306
9A					✓	Mounting Plate	03255	312
10	✓	✓				Inlet Box with 3" Ports	51229	146
10A			✓			Inlet Box with 4" Ports	51230	140
10B				✓		Inlet Box with 5" Ports	51231	146
10C					✓	Inlet Box with 5" Ports	51081	146
11	✓	✓				Hose Clamp, 3" Diameter	31013SP	11
11A			✓			Hose Clamp, 4" Diameter	31379	10
11B				✓	✓	Hose Clamp, 5" Diameter	31016	11
12	✓	✓				Hose, 3" Diameter, 14" Long	31100	45
12A			✓			Hose, 4" Diameter, 14" Long	31101	52
12B				✓	✓	Hose, 5" Diameter, 18" Long	31496	58
13	✓	✓	✓	✓		Discharge Guard	29330	31
13A					✓	Discharge Guard	29318	32
14	✓	✓	✓	✓		Inlet Collar	26140	49
14A					✓	Inlet Collar	26143	49
15	✓	✓	✓	✓		Inlet Guard	29124	16
15A					✓	Inlet Guard	29125	25

Baldor Eyeshields



Item #	Part Description	GA10 (G6-220)		GA11 (A-516)		¹ GA9 (G7-236) and GA9S (G7-281)	
		Part Number	Price	Part Number	Price	Part Number	Price
1	Plexi-glass Pane	² G6AP5001A01A	20	² G7AP5003A01SP	20	G7AP1007A01SP	17
2	Mounting Arm	HA6093A01 SP	15	HA6103A01	11	HA6103A01SP	15
3	Mounting Arm Clamp	HA6094A01 SP	8	HA6094A01	7	HA6094A01SP	8
4	Frame	-	-	-	-	G7AP1006	35
5	Cord with Plug	-	-	-	-	LD5001A02	28
6	Lamp Socket	-	-	-	-	WD4003A01	9
7	On - Off Switch (GA9S and GA9SR only)	-	-	-	-	SP9026	16
8	Swivel Bracket (Bulb Socket Retainer Plate)	-	-	-	-	HA6102A01SP	16
9	Cord Strain Relief	-	-	-	-	WD4102A01	3

NOTES:


¹ Parts for GA9 and GA9S also apply to GA9R and GA9SR.

No bulbs are supplied. Rough service bulbs are suggested, maximum 60 watts.

² Plexi-glass pane on GA10 and GA11 include mounting bracket.


Instruction sheet MN909 – #283A is available at no charge.

Baldor Pedestals



Item #	Part Description	GA16		GA20	
		Part Number	Price	Part Number	Price
1	Base (Cast Iron)	G6BA1001A01	236	G8BA1002A01	486
2	Column Assembly	G8BA5000A03	167	G8BA5000A01	342
3	Top Plate (Cast Iron)	HA6069A01	93	G8BA1001A01	119

BALDOR SALES OFFICES



UNITED STATES

ARIZONA

PHOENIX

4211 S 43RD PLACE
PHOENIX, AZ 85040
PHONE: 602-470-0407
FAX: 602-470-0464

ARKANSAS

CLARKSVILLE

1001 COLLEGE AVENUE
CLARKSVILLE, AR 72830
PHONE: 479-754-9108
FAX: 479-754-9205

CALIFORNIA

LOS ANGELES

6480 FLORILLA STREET
COMMERCE, CA 90040
PHONE: 323-724-6771
FAX: 323-721-5859

HAYWARD

21056 FORBES AVENUE
HAYWARD, CA 94545
PHONE: 510-785-9900
FAX: 510-785-9910

COLORADO

DENVER

3855 FOREST STREET
DENVER, CO 80207
PHONE: 303-623-0127
FAX: 303-595-3772

CONNECTICUT

WALLINGFORD

65 SOUTH TURNPIKE ROAD
WALLINGFORD, CT 06492
PHONE: 203-269-1354
FAX: 203-269-5485

FLORIDA

TAMPA/PUERTO RICO/ VIRGIN ISLANDS

3906 EAST 11TH AVENUE
TAMPA, FL 33605
PHONE: 813-248-5078
FAX: 813-247-2984

GEORGIA

ATLANTA

62 TECHNOLOGY DRIVE
ALPHARETTA, GA 30005
PHONE: 770-772-7000
FAX: 770-772-7200

ILLINOIS

CHICAGO

340 REMINGTON BLVD.
BOLINGBROOK, IL 60440
PHONE: 630-296-1400
FAX: 630-226-9420

INDIANA

INDIANAPOLIS

5525 W. MINNESOTA STREET
INDIANAPOLIS, IN 46241
PHONE: 317-246-5100
FAX: 317-246-5110

IOWA

DES MOINES

1800 DIXON STREET, SUITE C
DES MOINES, IA 50316
PHONE: 515-263-6929
FAX: 515-263-6515

MARYLAND

BALTIMORE

6660 SANTA BARBARA RD.
SUITES 22-24
ELK RIDGE, MD 21075
PHONE: 410-579-2135
FAX: 410-579-2677

MASSACHUSETTS

BOSTON

6 PULLMAN STREET
WORCESTER, MA 01606
PHONE: 508-854-0708
FAX: 508-854-0291

MICHIGAN

DETROIT

5993 PROGRESS DRIVE
STERLING HEIGHTS, MI 48312
PHONE: 586-978-9800
FAX: 586-978-9969

MINNESOTA

MINNEAPOLIS

21080 134TH AVENUE NORTH
ROGERS, MN 55374
PHONE: 763-428-3633
FAX: 763-428-4551

MISSOURI

ST LOUIS

422 INDUSTRIAL DRIVE
MARYLAND HEIGHTS, MO 63043
PHONE: 314-298-1800
FAX: 314-298-7660

KANSAS CITY

1501 BEDFORD AVENUE
NORTH KANSAS CITY, MO 64116
PHONE: 816-587-0272
FAX: 816-587-3735

NEW YORK

AUBURN

ONE ELLIS DRIVE
AUBURN, NY 13021
PHONE: 315-255-3403
FAX: 315-253-9923

NORTH CAROLINA

GREENSBORO

1220 ROTHERWOOD ROAD
GREENSBORO, NC 27406
PHONE: 336-272-6104
FAX: 336-273-6828

OHIO

CINCINNATI

2929 CRESCENTVILLE ROAD
WEST CHESTER, OH 45069
PHONE: 513-771-2600
FAX: 513-772-2219

CLEVELAND

8929 FREEWAY DRIVE
MACEDONIA, OH 44056
PHONE: 330-468-4777
FAX: 330-468-4778

OKLAHOMA

TULSA

7170 S. BRADEN, SUITE 140
TULSA, OK 74136
PHONE: 918-366-9320
FAX: 918-366-9338

OREGON

PORTLAND

20393 SW AVERY COURT
TUALATIN, OR 97062
PHONE: 503-691-9010
FAX: 503-691-9012

PENNSYLVANIA

PHILADELPHIA

1035 THOMAS BUSCH
MEMORIAL HIGHWAY
PENNSAUKEN, NJ 08110
PHONE: 856-661-1442
FAX: 856-663-6363

PITTSBURGH

159 PROMINENCE DRIVE
NEW KENSINGTON, PA 15068
PHONE: 724-889-0094
FAX: 724-889-0094

TENNESSEE

MEMPHIS

4000 WINCHESTER ROAD
MEMPHIS, TN 38118
PHONE: 901-365-2020
FAX: 901-365-3914

TEXAS

DALLAS

2920 114TH STREET SUITE 100
GRAND PRAIRIE, TX 75050
PHONE: 214-634-7271
FAX: 214-634-8874

HOUSTON

10355 W. LITTLE YORK ROAD
SUITE 300
HOUSTON, TX 77041
PHONE: 281-977-6500
FAX: 281-977-6510

UTAH

SALT LAKE CITY

2230 SOUTH MAIN STREET
SALT LAKE CITY, UT 84115
PHONE: 801-832-0127
FAX: 801-832-8911

WISCONSIN

MILWAUKEE

1960 SOUTH CALHOUN ROAD
NEW BERLIN, WI 53151
PHONE: 262-784-5940
FAX: 262-784-1215

INTERNATIONAL SALES

FORT SMITH, AR

P.O. BOX 2400
FORT SMITH, AR 72902
PHONE: 479-646-4711
FAX: 479-648-5895

CANADA

EDMONTON, ALBERTA

4053-92 STREET
EDMONTON, ALBERTA T6E 6R8
PHONE: 780-434-4900
FAX: 780-438-2600

TORONTO

OAKVILLE, ONTARIO

2750 COVENTRY ROAD
OAKVILLE, ONTARIO L6H 6R1
PHONE: 905-829-3301
FAX: 905-829-3302

MONTREAL, QUEBEC

5155 J-ARMAND BOMBARDIER
SAINT-HUBERT, QUEBEC
CANADA J3Z 1G4
PHONE: 514-933-2711
FAX: 514-933-8639

VANCOUVER, BRITISH COLUMBIA

1538 KEBET WAY
PORT COQUITLAM,
BRITISH COLUMBIA V3C 5M5
PHONE: 604-421-2822
FAX: 604-421-3113

WINNIPEG, MANITOBA

54 PRINCESS STREET
WINNIPEG, MANITOBA R3B 1K2
PHONE: 204-942-5205
FAX: 204-956-4251

AUSTRALIA

UNIT 3, 6 STANTON ROAD
SEVEN HILLS, NSW 2147, AUSTRALIA
PHONE: (61) (2) 9674 5455
FAX: (61) (2) 9674 2495

UNIT 8, 5 KELLETTS ROAD
ROWVILLE, VICTORIA, 3178 AUSTRALIA
PHONE: (61) (3) 9753 4355
FAX: (61) (3) 9753 4366

EL SALVADOR

RESIDENCIAL PINARES DE SUIZA
POL. 15 #44,
NVA. SAN SALVADOR, EL SALVADOR
PHONE: +503 2288-1519
FAX: +503 2288-1518

CHILE

LUIS THAYER OJEDA 166,
OF 402 - PROVIDENCIA
SANTIAGO, CHILE
PHONE: +56 2 816 9900

CHINA

160 SONG SHENG ROAD
SONGJIANG INDUSTRY ZONE
SHANGHAI 201613, CHINA
PHONE: +86 21 5760 5335
FAX: +86 21 5760 5336

GERMANY

HERMANN-HEINRICH - GOSSEN 3
50858 KOLN, GERMANY
PHONE: 49-2234379410
FAX: 49-22343794164

DIESELSTRASSE 22
D-85551 KIRCHHEIM
MUNICH, GERMANY
PHONE: +49 89 90 5080
FAX: +49 89 90 50 8492

INDIA

14, COMMERCE AVENUE
MAHAGANESH COLONY
PAUD ROAD
PUNE - 411038
MAHARASHTRA, INDIA
PHONE: +91 20 25 45 27 17 / 18
FAX: +91 20 25 45 27 19

INDONESIA

TALAVERA OFFICE PARK,
28TH FLOOR, SUITE M18
JI. T.B. SIMATUPANG, KAV. 22-26
JAKARTA 12430, INDONESIA
PHONE: +62 21 7599 9679
FAX: +62 21 7599 9678

ITALY

VIA SOTTOBISIO 30
BALERNA - CH-6828
PHONE: +41 91 683 6161
FAX: +41 91 630 2633

JAPAN

DIA BLDG 802,
2-21-1 TSURUYA-CHO,
KANAGAWA-KU
YOKOHAMA, 221-0835, JAPAN
PHONE: 81-45-412-4506
FAX: 81-45-412-4507

MEXICO

LEON, GUANAJUATO

KM. 2.0 BLVD. AEROPUERTO
LEON 37545, GUANAJUATO, MÉXICO
PHONE: +52 477 761 2030
FAX: +52 477 761 2010

MIDDLE EAST & NORTH AFRICA

VSE INTERNATIONAL CORP.
P. O. BOX 5618
BUFFALO GROVE, IL 60089-5618
PHONE: 847 590 5547
FAX: 847 590 5587

PANAMA

AVE. RICARDO J. ALFARO
EDIFICIO SUN TOWERS MALL
PISO 2, LOCAL 55
CIUDAD DE PANAMÁ, PANAMÁ
PHONE: +507 236-5155
FAX: +507 236-0591

SINGAPORE

18 KAKI BUKIT ROAD 3, #03-09
ENTREPRENEUR BUSINESS CENTRE
SINGAPORE 415978
PHONE: (65) 6744 2572
FAX: (65) 6747 1708

SWITZERLAND

POSTFACH 73
SCHUTZENSTRASSE 59
CH-8245 FEUERTHALEN
SWITZERLAND
PHONE: +41 52 647 4700
FAX: +41 52 659 2394

TAIWAN

1F, NO 126 WENSHAN 3RD STREET,
NANTUN DISTRICT,
TAICHUNG CITY 408
TAIWAN R.O.C
PHONE: (886) 4 238 04235
FAX: (886) 4 238 04463

UNITED KINGDOM

6 BRISTOL DISTRIBUTION PARK
HAWKLEY DRIVE
BRISTOL BS32 0BF U.K.
PHONE: +44 1454 850000
FAX: +44 1454 859001

VENEZUELA

AV. ROMA, QTA EL MILAGRO. URB.
CALIFORNIA NORTE
CARACAS, 1070
VENEZUELA
PHONE/FAX: +58 212 272 7343
MOBILE: +58 414 114 8623

BALDOR

BALDOR ELECTRIC COMPANY

World Headquarters • P.O. Box 2400 • Fort Smith, AR 72902-2400 U.S.A.
Ph: (479) 646-4711 • Fax (479) 648-5792 • International Fax (479) 648-5895 • www.baldor.com