




BLUESEA ELECTRIC CO., LTD.

Industrial plugs, sockets/Connectors/Insulated clamp/MCB flush enclosures
工业用插头插座 / 连接器 / 绝缘缆线夹 / MCB 开关箱



AJ-013-4
AJ-023-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	122	141
	b	57	77
	c	50	64
	φ	6	8
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-013
AJ-023

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	122	141
	b	57	77
	c	50	64
	φ	6	8
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-014
AJ-024

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	122	141
	b	64	77
	c	50	64
	φ	6	8
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-015
AJ-025

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	130	144
	b	75	87
	c	64	70
	φ	8	8
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-033
AJ-043

电流 Current(A):63A,125A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	231.5	295
	b	110	123
	c	16-38	30-64
	φ	110	123
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-034
AJ-044

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67



Earth contact position Rated current(A)		6h	
		63	125
Pole		4	
Dimension(mm)	a	231.5	295
	b	110	123
	c	16-38	30-64
	φ	110	123
Cable nominal cross-section area(mm ²)		6-16	16-50



BLUESEA ELECTRIC CO., LTD.



3pol 4pol 5pol
4h 4h 4h



3pol 4pol 5pol
6h 9h 9h



3pol 4pol 5pol
9h 6h 6h



3pol 4pol 5pol
7h 7h 7h



3pol 4pol 5pol
10h 10h 10h



3pol 4pol 5pol
2h 2h 2h




AJ-035 AJ-045

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67



3P+N+E



Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	231.5	295
	b	110	123
	c	16-38	30-64
	φ	110	123
Cable nominal cross-section area(mm ²)		6-16	16-50




AJ-01 3L-4 AJ-02 3L-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44



2P+E



Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	142	171
	b	57	77
	c	50	64
	φ	7-16	7-20
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-01 3L AJ-02 3L

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



2P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	142	171
	b	57	77
	c	50	64
	φ	7-16	7-20
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-01 4L AJ-02 4L

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



3P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	142	171
	b	64	77
	c	50	64
	φ	7-16	7-20
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-01 5L AJ-02 5L

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44



3P+N+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	161	174
	b	75	87
	c	64	70
	φ	7-20	7-20
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-513 AJ-523

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



2P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	125	139
	b	71	81
	c	43	58
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




BLUESEA ELECTRIC CO., LTD.

Industrial plugs, sockets/Connectors/Insulated clamp/MCB flush enclosures
工业用插头插座 / 连接器 / 绝缘缆线夹 / MCB 开关箱



AJ-514
AJ-524

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	130	139
	b	72	81
	c	49.5	58
	φ	3-18	3-18
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-515
AJ-525

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	130	143
	b	77	83
	c	55.5	63
	φ	3-18	3-18
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-533
AJ-543

电流 Current(A):63A,125A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	193	220
	b	122	140
	c	157	185
	d	109	130
	e	19	17
	f	6	8
	g	288	330
	h	127	140
Cable nominal cross-section area(mm²)		6-16	16-50



AJ-534
AJ-544

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		4	
Dimension(mm)	a	193	220
	b	122	140
	c	157	185
	d	109	130
	e	19	17
	f	6	8
	g	288	330
	h	127	140
Cable nominal cross-section area(mm²)		6-16	16-50



AJ-535
AJ-545

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	193	220
	b	122	140
	c	157	185
	d	109	130
	e	19	17
	f	6	8
	g	288	330
	h	127	140
Cable nominal cross-section area(mm²)		6-16	16-50



AJ-613
AJ-623


电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	42	50
	b	25	32
	c	45	50
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



BLUESEA ELECTRIC CO., LTD.



3pol 4pol 5pol
4h 4h 4h



3pol 4pol 5pol
6h 9h 9h




3pol 4pol 5pol
9h 6h 6h



3pol 4pol 5pol
7h 7h 7h



3pol 4pol 5pol
10h 10h 10h



3pol 4pol 5pol
2h 2h 2h




AJ-614 AJ-624

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



3P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	44	50
	b	23	32
	c	45	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-615 AJ-625

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44



3P+N+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	44	50
	b	22	31
	c	55	61
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-633 AJ-643


电流 Current(A):63A,125A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67



2P+E



Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	100	120
	b	80	100
	c	20	22
	d	108	102
	e	109	124
	f	75	100
	g	6.5	6.5
Cable nominal cross-section area(mm ²)		6-16	16-50




AJ-634 AJ-644

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67



3P+E



Earth contact position Rated current(A)		6h	
		63	125
Pole		4	
Dimension(mm)	a	100	120
	b	80	100
	c	20	22
	d	108	102
	e	109	124
	f	75	100
	g	6.5	6.5
Cable nominal cross-section area(mm ²)		6-16	16-50




AJ-635 AJ-645

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67



3P+N+E



Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	100	120
	b	80	100
	c	20	22
	d	108	102
	e	109	124
	f	75	100
	g	6.5	6.5
Cable nominal cross-section area(mm ²)		6-16	16-50




AJ-113-4 AJ-123-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44



2P+E



Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	135	153
	b	92	102
	c	50	65
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




BLUESEA ELECTRIC CO., LTD.

Industrial plugs, sockets/Connectors/Insulated clamp/MCB flush enclosures
工业用插头插座 / 连接器 / 绝缘缆线夹 / MCB 开关箱



AJ-113
AJ-123

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	135	153
	b	92	102
	c	50	65
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-114
AJ-124

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	140	152
	b	95	104
	c	56	65
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-115
AJ-125

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	139	153
	b	96	107
	c	63	70
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-113L-4
AJ-123L-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	168	190
	b	92	102
	c	50	65
	φ	7-20	7-20
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-113L
AJ-123L

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	168	190
	b	92	102
	c	50	65
	φ	7-20	7-20
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-114L
AJ-124L


电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	170	190
	b	95	104
	c	56	64.5
	φ	7-20	7-20
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



BLUESEA ELECTRIC CO., LTD.



3pol 4pol 5pol
4h 4h 4h



3pol 4pol 5pol
6h 9h 9h



3pol 4pol 5pol
9h 6h 6h



3pol 4pol 5pol
7h 7h 7h



3pol 4pol 5pol
10h 10h 10h



3pol 4pol 5pol
2h 2h 2h




AJ-115L AJ-125L

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44



3P+N+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	166	190
	b	100	107
	c	63	70.5
	φ	7-20	7-20
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-113F-4 AJ-123F-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44



2P+E



Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	105	113
	b	92	104
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-113F AJ-123F

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



2P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	105	115
	b	92	104
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-114F AJ-124F

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



3P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	107	113
	b	95	104
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-115F AJ-125F

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44



3P+N+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	110	115
	b	96	107
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-113C-4 AJ-123C-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44



2P+E




Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	135	157
	b	82	106
	c	50	65
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-113C
AJ-123C

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	135	157
	b	82	106
	c	50	65
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-114C
AJ-124C

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position		6h	
Rated current(A)		16	32
Pole		4	
Dimension(mm)	a	140	157
	b	97	106
	c	56	65
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-115C
AJ-125C

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	140	158
	b	104	110
	c	63	70
	φ	3-18	3-18
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-133
AJ-143

电流 Current(A):63A,125A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	134	154
	b	311	338
	c	108	122
	d	111	130
	e	20	20
	f	155	187
	g	6	6.2
Cable nominal cross-section area(mm ²)		6-25	25-70



AJ-134
AJ-144

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position		6h	
Rated current(A)		63	125
Pole		4	
Dimension(mm)	a	134	154
	b	311	338
	c	108	122
	d	111	130
	e	20	20
	f	155	187
	g	6	6.2
Cable nominal cross-section area(mm ²)		6-25	25-70



AJ-1 35
AJ-1 45



电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67



Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	134	154
	b	311	338
	c	108	122
	d	111	130
	e	20	20
	f	155	187
	g	6	6.2
Cable nominal cross-section area(mm ²)		6-25	25-70



BLUESEA ELECTRIC CO., LTD.



3pol 4pol 5pol
4h 4h 4h

3pol 4pol 5pol
6h 9h 9h

3pol 4pol 5pol
9h 6h 6h

3pol 4pol 5pol
7h 7h 7h


3pol 4pol 5pol
10h 10h 10h

3pol 4pol 5pol
2h 2h 2h



AJ-313-4 AJ-323-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	62	80
	b	68	96
	c	47	60
	d	48	70
	e	36	42
	f	37	43
	g	55	75
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-313 AJ-323

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	62	80
	b	68	96
	c	47	60
	d	48	70
	e	36	42
	f	37	43
	g	55	75
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-314 AJ-324

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	76	80
	b	86	96
	c	60	60
	d	61	70
	e	47	42
	f	37	43
	g	64	75
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-315 AJ-325

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	76	82
	b	86	97
	c	60	60
	d	61	70
	e	47	42
	f	37	47
	g	72	81
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-333 AJ-343

电流 Current(A):63A,125A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	100	120
	b	113	130
	c	80	100
	d	92	108
	e	73	92
	f	78	96
	g	90	102
	h	124	135
	i	6	6
Cable nominal cross-section area(mm ²)		6-25	25-70



AJ-334 AJ-344

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		63	125
Pole		4	
Dimension(mm)	a	100	120
	b	113	130
	c	80	100
	d	92	108
	e	73	92
	f	78	96
	g	90	102
	h	124	135
	i	6	6
Cable nominal cross-section area(mm ²)		6-25	25-70




BLUESEA ELECTRIC CO., LTD.

Industrial plugs, sockets/Connectors/Insulated clamp/MCB flush enclosures
工业用插头插座 / 连接器 / 绝缘缆线夹 / MCB 开关箱



AJ-335
AJ-345

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	100	120
	b	113	130
	c	80	100
	d	92	108
	e	73	92
	f	78	96
	g	90	102
	h	124	135
	i	6	6
Cable nominal cross-section area(mm ²)		6-25	25-70



AJ-3332
AJ-3432

电流 Current(A):63A,125A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	100	120
	b	113	130
	c	80	100
	d	92	108
	e	73	92
	f	83	96
	g	90	102
	h	124	135
	i	6	6
Cable nominal cross-section area(mm ²)		6-25	25-70



AJ-3342
AJ-3442

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		4	
Dimension(mm)	a	100	120
	b	113	130
	c	80	100
	d	92	108
	e	73	92
	f	83	96
	g	90	102
	h	124	135
	i	6	6
Cable nominal cross-section area(mm ²)		6-25	25-70



AJ-3352
AJ-3452

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	100	120
	b	113	130
	c	80	100
	d	92	108
	e	73	92
	f	83	96
	g	90	102
	h	124	135
	i	6	6
Cable nominal cross-section area(mm ²)		6-25	25-70



AJ-413-4
AJ-423-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	69.5	71
	b	69.5	71
	c	56	56
	d	56	56
	e	56	56
	f	28	28
	g	48	63
	h	70	88
	i	52	56
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-413
AJ-423


电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	69.5	71
	b	69.5	71
	c	56	56
	d	56	56
	e	56	56
	f	28	28
	g	48	63
	h	70	88
	i	52	56
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



BLUESEA ELECTRIC CO., LTD.



3pol 4pol 5pol
4h 4h 4h



3pol 4pol 5pol
6h 9h 9h



3pol 4pol 5pol
9h 6h 6h



3pol 4pol 5pol
7h 7h 7h



3pol 4pol 5pol
10h 10h 10h




3pol 4pol 5pol
2h 2h 2h



AJ-414 AJ-424

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	70	71
	b	70	71
	c	56	56
	d	56	56
	e	28	28
	f	51	63
	g	80	88
	i	56	56
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-415 AJ-425

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	70	71
	b	70	71
	c	56	56
	d	56	56
	e	28	33
	f	52	63
	g	86	95
	i	56	56
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-433 AJ-443

电流 Current(A):63A,125A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	100	120
	b	100	120
	c	80	101
	d	80	101
	e	57	65
	f	86	96
	g	115	130
	h	109	124
	i	70	88
Cable nominal cross-section area(mm ²)		6-25	25-70



AJ-434 AJ-444

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		4	
Dimension(mm)	a	100	120
	b	100	120
	c	80	101
	d	80	101
	e	57	65
	f	86	96
	g	115	130
	h	109	124
	i	70	88
Cable nominal cross-section area(mm ²)		6-25	25-70



AJ-435 AJ-445

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	100	120
	b	100	120
	c	80	101
	d	80	101
	e	57	65
	f	86	96
	g	115	130
	h	109	124
	i	70	88
Cable nominal cross-section area(mm ²)		6-25	25-70



AJ-213-4 AJ-223-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44



Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	131	152
	b	69	94
	c	50.5	65
	φ	6-16	8-20
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




BLUESEA ELECTRIC CO., LTD.

Industrial plugs, sockets/Connectors/Insulated clamp/MCB flush enclosures
工业用插头插座 / 连接器 / 绝缘缆线夹 / MCB 开关箱



AJ-213
AJ-223

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	131	152
	b	69	94
	c	50.5	65
	φ	6-16	8-20
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-214
AJ-224

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	131	152
	b	79	94
	c	56	65
	φ	6-16	8-20
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-215
AJ-225

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	141	154
	b	93	101
	c	64	71
	φ	8-20	8-20
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-213L-4
AJ-223L-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	150	182
	b	69	94
	c	50.5	65
	φ	7-16	7-20
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-213L
AJ-223L

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	150	182
	b	69	94
	c	50.5	65
	φ	7-16	7-20
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-214L
AJ-224L


电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	150	182
	b	79	94
	c	56	65
	φ	7-16	7-20
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



BLUESEA ELECTRIC CO., LTD.



3pol 4pol 5pol
4h 4h 4h



3pol 4pol 5pol
6h 9h 9h



3pol 4pol 5pol
9h 6h 6h



3pol 4pol 5pol
7h 7h 7h



3pol 4pol 5pol
10h 10h 10h



3pol 4pol 5pol
2h 2h 2h




AJ-215L AJ-225L

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44



3P+N+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	171	185
	b	93	101
	c	64	71
	φ	7-20	7-20
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-233 AJ-243

电流 Current(A):63A,125A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67



2P+E



Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	240	309
	b	115	129
	c	16-38	30-64
	d	108	123
Cable nominal cross-section area(mm ²)		6-16	16-50




AJ-234 AJ-244

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67



3P+E



Earth contact position Rated current(A)		6h	
		63	125
Pole		4	
Dimension(mm)	a	240	309
	b	115	129
	c	16-38	30-64
	d	108	123
Cable nominal cross-section area(mm ²)		6-16	16-50




AJ-235 AJ-245

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67



3P+N+E



Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	240	309
	b	115	129
	c	16-38	30-64
	d	108	123
Cable nominal cross-section area(mm ²)		6-16	16-50




AJ-0132-4 AJ-0232-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP67



2P+E



Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	118	146
	b	80	93
	c	6-15	10-20
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-0132 AJ-0232

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67



2P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	118	146
	b	80	93
	C	6-15	10-20
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




BLUESEA ELECTRIC CO., LTD.

Industrial plugs, sockets/Connectors/Insulated clamp/MCB flush enclosures
工业用插头插座 / 连接器 / 绝缘缆线夹 / MCB 开关箱



AJ-0142
AJ-0242

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	124	146
	b	79	93
	c	6-15	10-20
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-0152
AJ-0252

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	133	155
	b	87	99
	c	8-16	10-20
	sw	42	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-1132-4
AJ-1232-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	155	170
	b	99	108
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-1132
AJ-1232

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	155	170
	b	99	108
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-1142
AJ-1242

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	155	170
	b	101	108
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-1152
AJ-1252


电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	155	172
	b	106	111
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



BLUESEA ELECTRIC CO., LTD.



3pol 4pol 5pol
4h 4h 4h



3pol 4pol 5pol
6h 9h 9h



3pol 4pol 5pol
9h 6h 6h



3pol 4pol 5pol
7h 7h 7h



3pol 4pol 5pol
10h 10h 10h




3pol 4pol 5pol
2h 2h 2h



AJ-2132-4 AJ-2232-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	130	163
	b	71	97
	c	6-15	10-20
	d	71	93
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-2132 AJ-2232

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	130	163
	b	71	97
	c	6-15	10-20
	d	71	93
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-2142 AJ-2242

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	138	163
	b	87	97
	c	6-15	10-20
	d	80	93
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-2152 AJ-2252

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	145	168
	b	93	104
	c	8-16	12-22
	d	87	100
	sw	42	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-3132-4 AJ-3232-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	80	80
	b	98	98
	c	60	60
	d	73	73
	e	37	45
	f	52	60
	g	57	72
	h	62	81
	i	5.5	5.5
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-3132 AJ-3232

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67



Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	80	80
	b	98	98
	c	60	60
	d	73	73
	e	37	45
	f	52	60
	g	57	72
	h	62	81
	i	5.5	5.5
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



BLUESEA ELECTRIC CO., LTD.

Industrial plugs, sockets/Connectors/Insulated clamp/MCB flush enclosures
工业用插头插座 / 连接器 / 绝缘线缆夹 / MCB 开关箱




AJ-3142
AJ-3242

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67



3P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	80	80
	b	98	98
	c	60	60
	d	73	73
	e	40	45
	f	50	60
	g	63	72
	h	70	81
	i	5.5	5.5
Cable nominal cross-section area(mm²)		1-2.5	2.5-6




AJ-3152
AJ-3252

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67



3P+N+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	80	88
	b	98	98
	c	60	60
	d	73	73
	e	43	47
	f	47	60
	g	70	78
	h	78	88
	i	5.5	5.5
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-4132-4
AJ-4232-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP67



2P+E



Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	axb	76	76
	cx	61	61
	e	18	20
	f	63	74
	g	78	96
	h	46	60
	i	5	5
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-4132
AJ-4232

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67



2P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	axb	76	76
	cx	61	61
	e	18	20
	f	63	74
	g	78	96
	h	46	60
	i	5	5
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-4142
AJ-4242

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67



3P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	axb	76	76
	cx	61	61
	e	17	20
	f	61	74
	g	84	98
	h	53	60
	i	5.5	5.5
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-4152
AJ-4252

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67





3P+N+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	axb	76	76
	cx	61	61
	e	17	22
	f	62	73
	g	91	102
	h	60	60
	i	5.5	5.5
	Cable nominal cross section area(mm²)		1-2.5




BLUESEA ELECTRIC CO., LTD.



AJ-5132 AJ-5232

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	155	170
	b	99	108
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-5142 AJ-5242

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	155	170
	b	101	108
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-5152 AJ-5252

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	155	172
	b	106	111
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-6132 AJ-6232

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	76	76
	b	61	61
	c	10	10
	d	63	74
	e	71	93
	f	46	55
	g	5.5	5.5
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-6142 AJ-6242

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	76	76
	b	61	61
	c	10	10
	d	61	74
	e	71	93
	f	46	55
	g	5.5	5.5
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-6152 AJ-6252

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	76	76
	b	61	61
	c	10	10
	d	74	74
	e	87	100
	f	55	55
	g	5.5	5.5
Cable nominal cross-section area(mm ²)		6-16	16-50




BLUESEA ELECTRIC CO., LTD.

Industrial plugs, sockets/Connectors/Insulated clamp/MCB flush enclosures
工业用插头插座 / 连接器 / 绝缘缆线夹 / MCB 开关箱



AJ-0332
AJ-0432

电流 Current(A):63A,125A
电压 Voltage(V):220-250V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	240	295
	b	115	126
	c	30	44.5
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-0342
AJ-0442

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		4	
Dimension(mm)	a	240	295
	b	115	126
	c	30	44.5
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-0352
AJ-0452

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	240	295
	b	115	126
	c	30	44.5
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-1332
AJ-1432

电流 Current(A):63A,125A
电压 Voltage(V):220-250V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	171	220
	b	170	220
	c	250	285
	d	118	140
	e	137	185
	f	104	130
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-1342
AJ-1442

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		4	
Dimension(mm)	a	171	220
	b	170	220
	c	250	285
	d	118	140
	e	137	185
	f	104	130
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-1352
AJ-1452



电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67



Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	171	220
	b	170	220
	c	250	285
	d	118	140
	e	137	185
	f	104	130
Cable nominal cross-section area(mm ²)		6-16	16-50




BLUESEA ELECTRIC CO., LTD.




AJ-2332 AJ-2432

电流 Current(A):63A,125A
电压 Voltage(V):220-250V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	261	305
	b	114	115
	c	30	44.5
	d	112	130
Cable nominal cross-section area(mm ²)		6-16	16-50




AJ-2342 AJ-2442

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		4	
Dimension(mm)	a	261	305
	b	114	115
	c	30	44.5
	d	112	130
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-2352 AJ-2452

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	261	305
	b	114	115
	c	30	44.5
	d	112	130
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-4332 AJ-4432

电流 Current(A):63A,125A
电压 Voltage(V):220-250V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		3	
Dimension(mm)	a	100	120
	b	100	120
	c	80	100
	d	80	100
	e	39	45
	f	94.5	104
	g	114	127
	h	80	90
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-4342 AJ-4442

电流 Current(A):63A,125A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67




Earth contact position Rated current(A)		6h	
		63	125
Pole		4	
Dimension(mm)	a	100	120
	b	100	120
	c	80	100
	d	80	100
	e	39	45
	f	94.5	104
	g	114	127
	h	80	90
Cable nominal cross-section area(mm ²)		6-16	16-50



AJ-4352 AJ-4452

电流 Current(A):63A,125A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP67



Earth contact position Rated current(A)		6h	
		63	125
Pole		5	
Dimension(mm)	a	100	120
	b	100	120
	c	80	100
	d	80	100
	e	39	45
	f	94.5	104
	g	114	127
	h	80	90
Cable nominal cross-section area(mm ²)		6-16	16-50




BLUESEA ELECTRIC CO., LTD.

Industrial plugs, sockets/Connectors/Insulated clamp/MCB flush enclosures
工业用插头插座 / 连接器 / 绝缘缆线夹 / MCB 开关箱



AJ-P013-4
AJ-P023-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)	Pole	4h	
		16	32
		3	
Dimension(mm)	a	118	146
	b	82	100
	c	47	63
	d	6-15	10-20
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-P013
AJ-P023

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)	Pole	6h	
		16	32
		3	
Dimension(mm)	a	118	146
	b	82	100
	c	47	63
	d	6-15	10-20
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-P014
AJ-P024

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)	Pole	6h	
		16	32
		4	
Dimension(mm)	a	124	146
	b	88	100
	c	53	63
	d	6-15	10-20
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-P015
AJ-P025

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)	Pole	6h	
		16	32
		5	
Dimension(mm)	a	131	152
	b	95	106
	c	61	70
	d	8-16	10-20
	sw	42	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-S113-4
AJ-S123-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)	Pole	4h	
		16	32
		3	
Dimension(mm)	a	149	163
	b	96	107
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-S113
AJ-S123

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



Earth contact position Rated current(A)	Pole	6h	
		16	32
		3	
Dimension(mm)	a	149	163
	b	96	107
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



BLUESEA ELECTRIC CO., LTD.



2P+E



4/3P+E



5/3P+N+E



3pol 4pol 5pol
4h 4h 4h



3pol 4pol 5pol
6h 9h 9h



3pol 4pol 5pol
9h 6h 6h



3pol 4pol 5pol
7h 7h 7h



3pol 4pol 5pol
10h 10h 10h



3pol 4pol 5pol
2h 2h 2h




AJ-S114 AJ-S124

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



3P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	150	163
	b	101	107
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-S115 AJ-S125

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44



3P+N+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	153	163
	b	103	113
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-C213-4 AJ-C223-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44



2P+E



Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	127	159
	b	75	90
	c	6-15	10-20
	d	51	66
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-C213 AJ-C223

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



2P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	127	159
	b	75	90
	c	6-15	10-20
	d	51	66
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-C214 AJ-C224

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



3P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	135	159
	b	80	90
	c	6-15	10-20
	d	57	66
	sw	38	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-C215 AJ-C225

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44



3P+N+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	142	159
	b	82	97
	c	8-16	10-20
	d	64	72
	sw	42	50
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




BLUESEA ELECTRIC CO., LTD.

Industrial plugs, sockets/Connectors/Insulated clamp/MCB flush enclosures
工业用插头插座 / 连接器 / 绝缘缆线夹 / MCB 开关箱



AJ-S313-4
AJ-S323-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	80	80
	b	98	98
	c	60	60
	d	73	73
	e	37	45
	f	50	57
	g	57	72
	h	62	81
	i	5.5	5.5
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-S313
AJ-S323

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	80	80
	b	98	98
	c	60	60
	d	73	73
	e	37	45
	f	50	57
	g	57	72
	h	62	81
	i	5.5	5.5
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-S314
AJ-S324

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	80	80
	b	98	98
	c	60	60
	d	73	73
	e	40	45
	f	46	57
	g	63	72
	h	70	81
	i	5.5	5.5
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-S315
AJ-S325

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	80	88
	b	98	98
	c	60	60
	d	73	73
	e	43	47
	f	45	55
	g	70	78
	h	78	88
	i	5.5	5.5
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-S413-4
AJ-S423-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	axb	76	76
	cx	61	61
	d	16	20
	e	60	70
	f	5.5	5.5
	g	46	61
	h	85	95
	i		
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



AJ-S413
AJ-S423

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	axb	76	76
	cx	61	61
	d	16	20
	e	60	70
	f	5.5	5.5
	g	46	61
	h	85	95
	i		
Cable nominal cross-section area(mm²)		1-2.5	2.5-6



BLUESEA ELECTRIC CO., LTD.



2P+E



4/3P+E



5/3P+N+E



3pol 4pol 5pol
4h 4h 4h



3pol 4pol 5pol
6h 9h 9h



3pol 4pol 5pol
9h 6h 6h



3pol 4pol 5pol
7h 7h 7h



3pol 4pol 5pol
10h 10h 10h



3pol 4pol 5pol
2h 2h 2h




AJ-S414 AJ-S424

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



3P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	axb	76	76
	cx d	61	61
	e	17	20
	f	60	70
	g	5.5	5.5
	h	53	61
	i	88	95
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-S415 AJ-S425

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44



3P+N+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	axb	76	76
	cx d	61	61
	e	18	22
	f	58	71
	g	5.5	5.5
	h	60	62
	i	91	98
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-P513-4 AJ-P523-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44



2P+E



Earth contact position Rated current(A)		4h	
		16	32
Pole		3	
Dimension(mm)	a	130	144
	b	74	84
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-P513 AJ-P523

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



2P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	130	144
	b	74	84
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-P514 AJ-P524

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



3P+E



Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	135	144
	b	75	84
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-P515 AJ-P525

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44



3P+N+E




Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	135	148
	b	80	86
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-P61 3-4
AJ-P623-4

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A) Pole		4h	
		16	32
		3	
Dimension(mm)	a	44	52
	b	20	20
	c	46	60
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-P613
AJ-P623

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		3	
Dimension(mm)	a	44	52
	b	20	20
	c	46	60
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6




AJ-P614
AJ-P624

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44




Earth contact position Rated current(A)		6h	
		16	32
Pole		4	
Dimension(mm)	a	46	52
	b	20	20
	c	60	60
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-P615
AJ-P625

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44



Earth contact position Rated current(A)		6h	
		16	32
Pole		5	
Dimension(mm)	a	46	52
	b	20	20
	c	60	60
Cable nominal cross-section area(mm ²)		1-2.5	2.5-6



AJ-1213

输入 Input: 1 plug
16A 220V

输出 Output: 1 connector
16A 220V



AJ-1313

输入 Input: 1 plug with fuse
16A 220V

输出 Output: 1 connector
16A 220V



AJ-1012-4

输入 Input: 1 plug
16A 110V
输出 Output: 2 sockets
16A 110V
防护等级 Protection degree: IP44



AJ-1012

输入 Input:1 plug
16A 220V
输出 Output:2 sockets
16A 220V
防护等级 Protection degree:IP44





BLUESEA ELECTRIC CO., LTD.



2P+E



4/3P+E



5/3P+N+E



3pol 4pol 5pol
4h 4h 4h



3pol 4pol 5pol
6h 9h 9h



3pol 4pol 5pol
9h 6h 6h



3pol 4pol 5pol
7h 7h 7h



3pol 4pol 5pol
10h 10h 10h



3pol 4pol 5pol
2h 2h 2h



AJ-1014-2

输入 Input:1 plug
16A 380V
输出 Output:2 sockets
16A 380V
防护等级 Protection degree:IP44



3P+E



AJ-1014

输入 Input:1 plug
16A 380V
输出 Output:3 sockets
16A 380V
防护等级 Protection degree:IP44



3P+E



AJ-1013-4

输入 Input:1 plug
16A 110V
输出 Output:3 sockets
16A 110V
防护等级 Protection degree:IP44



2P+E



AJ-1013

输入 Input:1 plug
16A 220V
输出 Output:3 sockets
16A 220V
防护等级 Protection degree:IP44



2P+E



AJ-10132

输入 Input:1 plug
16A 220V
输出 Output:3 sockets
16A 220V
防护等级 Protection degree:IP67



2P+E



AJ-10142

输入 Input:1 plug
16A 380V
输出 Output:3 sockets
16A 380V
防护等级 Protection degree:IP67



3P+E

☒



AJ-1605

输入 Input:1 CEE plug 16A 415V
输出 Output:3 sockets 10A,16A 240V
1 CEE sockets 16A 415V
防护等级 Protection degree:IP44




2P+E



3P+N+E

☒



AJ-1605A

输入 Input:1 CEE plug 16A 415V
输出 Output:3 sockets 16A
1 sockets 16A
220V-415V
防护等级 Protection degree:IP44



2P+E



3P+N+E

☒



AJ-1605B

输入 Input:1 CEE plug 220V-415V
输出 Output:2 sockets 16A 240V
1 CEE sockets 16A
415V
防护等级 Protection degree:IP44




2P+E



3P+N+E

☒



AJ-1605C

输入 Input:1 CEE plug 16A 415V
输出 Output:3 sockets 16A
1 sockets 16A
220V-415V
防护等级 Protection degree:IP44




2P+E



3P+N+E

☒



AJ-615/3x413

输入 Input:16A 220V-415V~
输出 Output:3 sockets 16A
220V-240V~
防护等级 Protection degree:IP44



2P+E



3P+N+E

☒



AJ-615/3x415

输入 Input:16A 220V-415V~
输出 Output:3 sockets 16A
220V-415V~
防护等级 Protection degree:IP44



3P+N+E

注: “☒” 可根据客户要求提供互配



013L-9
023L-9

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



2P+E



015L-9
025L-9

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



3P+N+E



113-9
123-9

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



2P+E



115-9
125-9

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



3P+N+E



213L-9
223L-9

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP44



2P+E



0142-3
0242-3

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67



3P+E



014L-9
024L-9

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



3P+E



1142-3
1242-3

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67



3P+E



114-9
124-9

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



3P+E



2142-3
2242-3

电流 Current(A):16A,32A
电压 Voltage(V):380-415V~
防护等级 Protection degree:IP67



3P+E



214L-9
224L-9

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



3P+E

3H/9H 全套系列

A whole series of 3H/9H



BLUESEA ELECTRIC CO., LTD.



3pol 4pol 5pol
4h 4h 4h



3pol 4pol 5pol
6h 9h 9h



3pol 4pol 5pol
9h 6h 6h



3pol 4pol 5pol
7h 7h 7h



3pol 4pol 5pol
10h 10h 10h




3pol 4pol 5pol
2h 2h 2h



AJ-112

电流 Current(A):16A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Pole	3
Dimension(mm)	
a	50.6
b	65
c	42
d	26
e	38.2
f	38.2
g	4.5
Cable nominal cross-section area(mm ²)	1-2.5



AJ-112R

电流 Current(A):16A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Pole	3
Dimension(mm)	
a	50.6
b	65
c	42
d	26
e	38.2
f	38.2
g	4.5
Cable nominal cross-section area(mm ²)	1-2.5




AJ-112R(护套)

电流 Current(A):16A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Pole	3
Dimension(mm)	
a	53.6
b	72
c	63.5
Cable nominal cross-section area(mm ²)	1-2.5



AJ-112D

电流 Current(A):16A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Pole	3
Dimension(mm)	
a	50.6
b	65
c	42
d	26
e	38.2
f	38.2
g	4.5
Cable nominal cross-section area(mm ²)	1-2.5



AJ-112F

电流 Current(A):16A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



Pole	3
Dimension(mm)	
a	50.6
b	65
c	42
d	26
e	38.2
f	38.2
g	4.5
Cable nominal cross-section area(mm ²)	1-2.5



AJ-112S

电流 Current(A):16A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44

尺寸图同 AJ-112F



AJ-112E

电流 Current(A):16A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44






BLUESEA ELECTRIC CO., LTD.

Industrial plugs, sockets/Connectors/Insulated clamp/MCB flush enclosures
工业用插头插座 / 连接器 / 绝缘缆线夹 / MCB 开关箱



AJ-012

电流 Current(A):16A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




Pole	3
Dimension(mm)	
a	104
b	42
c	5
Cable nominal cross-section area(mm²)	1-2.5



AJ-212

电流 Current(A):16A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44



Pole	3
Dimension(mm)	
a	131
b	57
c	5
d	46
Cable nominal cross-section area(mm²)	1-2.5



AJ-413-4S

电流 Current(A):16A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44



AJ-1132-4112R

电流 Current(A):16A,32A
电压 Voltage(V):110-130V~
防护等级 Protection degree:IP44



AJ-S1152112R

电流 Current(A):16A,32A
电压 Voltage(V):220-380V~
240-415V~
防护等级 Protection degree:IP44




AJ-S113112R

电流 Current(A):16A,32A
电压 Voltage(V):220-240V~
防护等级 Protection degree:IP44




AJCN-8

极数 No.poles:8MCB
防护等级 Protection degree:IP40




AJCN-24

极数 No.poles:24MCB
防护等级 Protection degree:IP40



AJCN-12

极数 No.poles:12MCB
防护等级 Protection degree:IP40





BLUESEA ELECTRIC CO., LTD.



2P+E



4/3P+E



5/3P+N+E



3pol 4pol 5pol
4h 4h 4h



3pol 4pol 5pol
6h 9h 9h



3pol 4pol 5pol
9h 6h 6h



3pol 4pol 5pol
7h 7h 7h



3pol 4pol 5pol
10h 10h 10h



3pol 4pol 5pol
2h 2h 2h



AJ-61253 防爆插座
Explosion proof socket



AJ-61242 联锁插座
Socket with interlock switch



AJ-0253 防爆插头
Explosion proof plug



配电箱
Distribution box
300x200x160mm
400x300x160mm
500x400x190mm
600x400x190mm
600x500x190mm

组合插座箱系列 Modular power-distributing socket box series



AJ-29391

壳体尺寸 Enclosure size: 290x390x160mm

- 1 个 CEE 插座 16A 380V 5 极
- 1 个 CEE 插座 32A 380V 5 极
- 2 个 CEE 插座 16A 220V 3 极
- 1 个空气开关 16A 3 极
- 1 个空气开关 32A 3 极
- 2 个空气开关 16A 1 极
- 1 CEE Socket 16A 380V 5 Pin
- 1 CEE Socket 32A 380V 5 Pin
- 2 CEE Socket 16A 220V 3 Pin
- 1 Circuit breaker 16A 3 Pin
- 1 Circuit breaker 32A 3 Pin
- 2 Circuit breaker 16A 1 Pin

IP66



AJ-29392

壳体尺寸 Enclosure size: 290x390x160mm

- 1 个 CEE 插座 16A 380V 5 极
- 1 个 CEE 插座 32A 380V 5 极
- 3 个 CEE 插座 16A 220V 3 极
- 1 个空气开关 16A 3 极
- 1 个空气开关 32A 3 极
- 3 个空气开关 16A 1 极
- 1 CEE Socket 16A 380V 5 Pin
- 1 CEE Socket 32A 380V 5 Pin
- 3 CEE Socket 16A 220V 3 Pin
- 1 Circuit breaker 16A 3 Pin
- 1 Circuit breaker 32A 3 Pin
- 3 Circuit breaker 16A 1 Pin

IP66



AJ-435316

壳体尺寸 Enclosure size: 430x530x160mm

- 1 个 CEE 插座 63A 380V 5 极
- 2 个 CEE 插座 32A 380V 5 极
- 2 个 CEE 插座 16A 380V 5 极
- 2 个 CEE 插座 16A 220V 3 极
- 1 个空气开关 63A 3 极
- 2 个空气开关 32A 3 极
- 2 个空气开关 16A 3 极
- 2 个空气开关 16A 1 极
- 1 CEE Socket 63A 380V 5 Pin
- 2 CEE Socket 32A 380V 5 Pin
- 2 CEE Socket 16A 380V 5 Pin
- 2 CEE Socket 16A 220V 3 Pin
- 1 Circuit breaker 63A 3 Pin
- 2 Circuit breaker 32A 3 Pin
- 2 Circuit breaker 16A 3 Pin
- 2 Circuit breaker 16A 1 Pin

IP66



AJ-152513

壳体尺寸 Enclosure size: 150x250x130mm

- 3 个 CEE 插座 16A 220V 3 极
- 2 个 CEE 插座 16A 380V 5 极
- 3 CEE Socket 16A 220V 3 Pin
- 2 CEE Socket 16A 380V 5 Pin

IP55