

Designs from Great European Homes

Bravura **FORGED**

UL Listed Commercial Locksets



Many hotel, condo, apartment and office projects require locks with a UL fire rating. Bravura offers both tubular and mortise locks with UL ratings in most popular styles (except Krystal). And, we offer keyed knobs and levers with tubular UL latches as an option.

Tubular

The primary advantages of our UL-listed tubular locks (when compared with mortise locks) are their lower cost, and simple (160 or 161 cutout) door preparation. Non-keyed Bravura tubular locks must be used with a deadbolt for privacy functions. Telluride styles offer simultaneous retraction (emergency egress) standard.



Deadbolt

910-1 shown in Satin Nickel



Passage

937 shown in Satin Nickel

Communicating



Keyed

903K shown in Satin Nickel



Bravura
FORGED

Specifications for *Commercial Tubular Locks* with UL Rating:

Trim styles:	any Bravura tubular trim, including tubular handlesets, on pages 2 and 3
Trim construction:	solid forged brass, all-metal, integral springs, no hex screws,* through-bolted
Trim finishes:	US15, US10B, US26 and Lifetime brass
Latch design:	all-metal, cad plated steel case, 45 degree rotation, ANSI Grade III
Latch bolt:	9/16" x 3/4", 1/2" throw, heavy-duty, solid brass
Latch listing:	F90 - UL file R20759
Latch backsets:	2 3/8" and 2 3/4" adjustable
Spindle size:	7mm, split
Door thicknesses:	1 3/4"
Latch face:	2 1/4" x 1" x .080"
Strike:	universal, 2 1/4" x 1 1/4" curved-lip for hollow metal and wood frames, field-reversible
Installation:	via exposed screws on trim, 160 or 161 cutouts on pre-drilled commercial doors
Privacy function:	must use a deadbolt
Warranty:	one year

* Keyed locksets have one hex screw and screw-on rosettes

Tubular Trim Available




Traditional 903 shown in Satin Nickel

Lever/Knob Styles:*
900, 900K, 903, 903K, 904, 904S, 905, 905K, 906, 906K



Moderne 937 shown in Satin Nickel

Lever Styles:*
935, 937, 938, 939, 944, 945, 949



Haute Moderne 938-6 shown in Polished Chrome

Lever Styles:*
935, 937, 938, 939, 944, 945, 949



Grande 909G-1 shown in Oil-Rubbed Dark Bronze

Lever/Knob Styles:*
900, 903, 904, 904S, 905, 906, 909, 938, 939

Escutcheon Styles:
G-1 (rectangular), G-2 (arched top)

Handlesets

916 shown in Oil-Rubbed Dark Bronze

Styles:
912, 913, 914,
915, 916, 917,
970, 971,
980G-1,
980G-2



Telluride

695 x 909G shown in Oil-Rubbed Dark Bronze

Lever/Knob Styles:*
900, 903, 904, 904S, 905, 906,
909, 938, 939


Escutcheon Styles:
695 (rectangular), 696 (arched top)



*Refer to main Bravura catalog for lever/knob photos.

Mortise

Bravura UL-listed mortise locks offer the durability and security that only a Grade 1 mortise lock can provide. They are available in all normal lock functions, and can provide simultaneous retraction (emergency egress) if specified. Installation is via an extra-strong through-bolt system.



937M shown in Satin Nickel



Specifications for *Commercial Mortise Locks* with UL Rating:

Trim styles:	any Bravura mortise trim, including mortise handlesets, on pages 4 and 5
Trim construction:	solid forged brass, all-metal, integral springs, no hex screws, through-bolted
Trim finishes:	US15, US10B, US26 and Lifetime brass
Functions:	all normal functions including: entrance, hotel, classroom and apartment (see page 6)
Mortise lock design:	heavy gauge plated steel case, Grade 1 (ACCURATE MFG.) (ANSI/BHMA-A156.3 Certified)
Latch bolt:	heavy-duty, solid brass, anti-friction type, 3/4" throw
Mortise lock listing:	3 hour - UL rating (UL #R13846)
Lock backsets:	2 1/2" and 2 3/4"
Deadbolt:	brass, with hardened steel inserts, 1" throw
Spindle size:	8mm, split
Door thicknesses:	1 3/4"
Latch face:	1 1/4" x 8", solid brass, bronze, or stainless steel, adjustable for beveled conditions
Strike:	4 7/8" ASA
Installation:	via exposed screws on trim
Warranty:	one year
Cylinder:	cylinder length required - 1 1/2" (not included)
Required Cam:	clover leaf (compatible products below)

Best® - C161 Kaba Ico® - 19 Sargent® - 13-0921 Schlage I/C® - B520-253
 Corbin® - A01 Medeco® - CT-Z00 Schlage® - B520-233 Schlage Primus® - B520-309

Bravura
FORGED

Mortise Trim Available



Traditional 904M shown in Satin Nickel

Lever/Knob Styles:*
900, 901, 902, 903, 904, 904S, 905, 906



Moderne 935M shown in Polished Chrome

Lever Styles:*
935, 937, 938, 939, 944, 945, 949



Haute Moderne 945-6M shown in Satin Nickel

Lever Styles:*
935, 937, 938, 939, 944, 945, 949



Telluride

695M x 939
shown in Oil-Rubbed
Dark Bronze

Lever/Knob Styles:*
900, 902, 903, 904, 904S, 905, 906, 938, 939




Handlesets

980GM-1
shown in Satin Nickel


Styles:
915M, 916M, 971M, 980GM-1, 980GM-2, 990M

Mortise Functions



9122
For Doors 1 3/4" Minimum (1 1/4" armor front)

Store Door Lock (ANSI/BHMA-F14)
Latch bolt by lever either side.
Dead bolt by key either side.




9124
For Doors 1 3/4" Minimum (1 1/4" armor front)

Dormitory, Entrance or Storeroom Lock (ANSI/BHMA-F21)
Latch bolt by lever either side.
Dead bolt by key outside and turn piece inside.
A turn of inside lever retracts latch and dead bolt simultaneously – automatically unlocking outside lever.




9125
For Doors 1 3/4" Minimum (1 1/4" armor front)

Passage and Closet Latch (ANSI/BHMA-F01)
Latch bolt by lever either side.




9134
For Doors 1 3/4" Minimum (1 1/4" armor front)

Hotel or Motel Lock (ANSI/BHMA-F15)
Latch bolt by lever inside and guest or master key outside.
Outside lever always RIGID.
Dead bolt by turn piece inside and emergency key only outside.
A turn of inside lever retracts latch and dead bolt simultaneously.
Auxiliary latch deadlocks latch bolt.




9139
For Doors 1 3/4" Minimum (1 1/4" armor front)

Privacy Bedroom or Bathroom Lock (ANSI/BHMA-F19)
Latch bolt by lever either side.
Dead bolt by turn piece inside and emergency key outside.
A turn of inside lever retracts latch and dead bolt simultaneously – automatically unlocking outside lever.




9142
For Doors 1 3/4" Minimum (1 1/4" armor front)

Entrance or Public Restroom Lock (ANSI/BHMA-F09)
Latch bolt by lever either side unless outside lever is locked by master key from inside.
When outside lever is locked, latch bolt by key outside and lever inside.
Auxiliary Latch Deadlocks Latch Bolt




9145
For Doors 1 3/4" Minimum (1 1/4" armor front)

Classroom Lock (ANSI/BHMA-F05)
Latch bolt by key outside and lever either side unless outside lever is locked by key outside.
Auxiliary latch deadlocks latch bolt.




9148
For Doors 1 3/4" Minimum (1 1/4" armor front)

Entrance or Apartment Lock (ANSI/BHMA-F12)
Latch bolt by key outside and lever either side unless outside lever is locked by toggle action stop.
Dead bolt by key outside and turn piece inside.
Turning inside lever retracts latch and dead bolt simultaneously.
Outside lever remains locked.



9156
For Doors 1 3/4" Minimum (1 1/4" armor front)

Classroom, Entrance or Office Lock (ANSI/BHMA-F04)
Latch bolt by key outside and lever either side.
Unless outside lever is locked by toggle action stop auxiliary latch deadlocks latch bolt.
Auxiliary latch deadlocks latch bolt.



9159
For Doors 1 3/4" Minimum (1 1/4" armor front)

Storeroom or Closet Lock (ANSI/BHMA-F07)
Latch by lever inside and key outside.
Outside lever always RIGID.
Auxiliary latch deadlocks latch bolt.



9167
For Doors 1 3/4" Minimum (1 1/4" armor front)

Entrance or Apartment Lock (ANSI/BHMA-F20)
Latch bolt by key outside and lever either side unless outside lever is locked by toggle action stop.
Dead bolt by key outside and turn piece inside.
Turning inside lever retracts latch and dead bolt simultaneously.
Outside lever remains locked.
Auxiliary latch dead locks latch bolt and prevents manipulation of locked toggle action stop.

Mortise Parts Breakdown



Cylinder Ring

(910M shown)



Interior Thumbturn

*(910M-5R shown, with 1 1/2" [37mm] thumbturn,
2" [53mm] extended ADA thumbturn available)*



ASA Strike



Lever x Lever

(937M shown)



Lock Body

How To Order

HOW TO ORDER

UL Mortise Locks

Mortise Function (less cylinder)

9122 Store Door
 9124 Dormitory, Entrance, Storeroom
 9125 Passage and Closet
 9134 Hotel
 9139 Privacy or Bathroom
 9142 Entrance or Public Restroom
 9145 Classroom
 9148 Entrance or Apartment
 9156 Classroom, Entrance or Office
 9159 Storeroom or Closet
 9167 Entrance or Apartment

Finish

PVD
 US10B
 US15
 US26

Strike

4-7/8 ASA
 Extended Lip
 Double Lip
 Roller Latch
 Protected Back

903	-	9148	-	RH	-	US15	-	1-3/4	-	4-7/8	-	EE
900				LHR				2-1/4				Non-EE
903				RHR				1-3/4				Emergency Egress
904				LH				Door Thickness				Egress
904S				RH								
905				Hand								
906												
935												
937												
941												
944												
945												
949												
etc.												
Trim Style												

HOW TO ORDER

UL Tubular Locks

Tubular Function

Keyed
 Passage
 Communicating
 Deadbolt - Cylinder x Thumbturn
 Deadbolt - Thumbturn x Blank

Finish

PVD
 US10B
 US15
 US26

Strike

4-7/8 ASA
 1 1/4" Strike Std.
 1 1/2" Ex. Strike
 1 3/4" Ex. Strike
 T-Strike

935	-	Passage	-	LH	-	US10B	-	1-3/4	-	4-7/8	-	Non-EE
900				LH				2-1/4				Non-EE
903				RH				1-3/4				Emergency Egress
904				Hand				Door Thickness				Egress
904S												
905												
906												
935												
937												
941												
944												
945												
949												
N/A												
900K												
903K												
905K												
906K												
etc.												
Trim Style												

Bravura

FORGED

IS AVAILABLE AT:

Bravura

9190 Corporation Drive • Indianapolis, IN 46256

www.BravuraBrass.com

1-800-276-1104

Fax 317-598-1020