

AUTOBODY REFINISHING PRODUCTS FOR THE AUTOMOTIVE AFTERMARKET













Carbo Medalist

4

5



Scuffing Products

18



Carborundum **Paint System** with Spillgard **Technology**

28



Premier Red



Carbo Fire Surface 20 **Strip Discs**



Ez Repair 33 **Adhesives**



Carbo Cleanair System 9



Grinding and Cutting Wheels 21



Adhesives, Sealers 38 and Coatings



12 **White Lightning**



2" And 3" Grinding Discs 22



42 **Accessories**

47



14 **Mirror Finish**



5" - 7" 24 **Grinding Discs**



Cross References 3M to Carborundum Part Number to Page



Defect Removal



15

25 **Masking Products**



Product 49 **Availability Matrix**



www.carboauto.com

2

Judge for Yourself



Carborundum is confident of the superior performance of its abrasive products. In-house tests against any other brand of abrasives are invited. To make it as easy as possible for bodyshops to make their own judgment of the time, labor, and money saving advantages of Carborundum products, and to assure bodyshop personnel that they have absolutely nothing to lose and everything to gain by conducting an in-house test

Our No-Risk Test Policy

- 1 The test will be conducted in the user's own bodyshop, on their own machines and using their own work pieces.
- If the Carborundum tested product proves completely unsatisfactory, the user will receive a full refund.
- 3 If the Carborundum tested product performs at a lower level than the product presently used, the user will receive an adjustment to make up the difference in performance.
- 4 The user is the final judge of performance.



www.carboauto.com




CARBO MEDALIST DRI-LUBE

Patented SG ceramic grain / tear-resistant backing / superior cut

Carbo Medalist is ideal for jobs that require an extremely durable abrasive that cuts fast, plus lasts extra long without generating heat. Engineered ceramic grain is the perfect abrasive to penetrate hard surfaces and achieve both cut and long life.

FEATURES	BENEFITS
 Patented SG ceramic grain 	 Faster cut rate and more durable
	 Lasts longer, especially in tougher sanding applications
Unique fiber reinforced	Maximum tear resistance
 Latex/paper backing 	Flexible and easy to work with







Discs-Stick-On, Grip-On and Clean Air

Discs with patented ceramic grain is the perfect solution for hard-to-sand and self-healing clears. Ideal for scratch resistant clears, E-coat, composites and aluminum.



		00000	20000	Comm	CO0000	Somm
	6" Stick-On Disc Roll	3" Grip-On	5" Grip-On	6" Grip-On	5" Clean Air	6" Clean Air
UPC	055395-	055395-	055395-	055395-	055395-	055395-
P1500B	_	53344	_	99444	_	_
P1000B	_	53343	_	99423	_	_
P800B	99488	53342	99501	99514	99537	99548
P600B	99489	53341*	99502	99515	99536	99547
P500B	99490	_	99503	99516	99535	99546
P400B	99491	53340	99504	99517	99534	99545
P320B	99492	53339	99505	99518	99533	99544
P280B	99493	_	99506	99519	_	_
P240B	99494	_	99507	99520	99532	99543
P220B	99495	53338	99508	99521	99531	99542
P180B	99496	53337	99509	99522	99530	99541
P150B	99497	53336	99510	99523	99529	99540
P120C	99498	53335	99511	99524	99528	99539
P100C	99499	_	99512	99525	_	_
P80C	99500	53334	99513	99526	99527	99538
PKG/CASE	100/400	50/200	50/200	50/200	50/200	50/200
* N C+!						

^{*} Non-Stock

Perforated Grip-On Sheet Rolls

Continous perforated rolls made from high performance, ceramic grain minimize excess waste for board file papers while offering the benefits of a hook and loop system that can be re-used multiple times.



Sommer Section 1		
	2-3/4" x 13 yds	
UPC	055395-	
P600B	99592	
P500B	99591	
P400B	99590	
P320B	99564	
P220B	99565	
P180B	99566	
P150B	99567	
P120C	99568	
P100C	99569	
P80C	99570	
PKG/CASE	1/4	



PREMIER RED DRI-LUBE

Ultimate choice for sanding paint and primer

Anti-loading, fast cutting and long lasting premium sandpaper for shops that want to decrease costs by increasing productivity.

EATURES	BENEFITS
 Premium, P-graded, heat-treated aluminum oxide abrasive 	Incredibly fast cut rate
	Consistent finish
Red-colored, fiber-reinforced, B-weight, latex-impregnated,	Superior resistance to delamination and tearing
paper backing	Can be used moist
Advanced bond system	Excellent grain adhesion
	Extended life
"Anti-load" stearate	Superior load resistance





Stick-On Discs and Disc Rolls

Pressure Sensitive Adhesive (PSA) discs stay in place to get the job done quickly. 100 discs per roll.

	5"	6"	8"	6" x 6 hole Vac
UPC	055395-	055395-	055395-	055395-
P1500B	_	20294*	_	-
P1200B	_	20295*	-	-
P1000B	_	20296*	_	_
P800B	18101	18162	_	_
P600B	18104	18163	_	15297
P500B	63779	63780	_	_
P400B	18105	18164	_	15298
P320B	18106	18165	61102	15300
P280B	18107	18166	_	-
P240B	18108	18167	_	15304
P220B	18109	18168	_	15311
P180B	18110	18169	61106	15312
P150B	18111	18170	_	15313
P120B	18112	18171	61108	15315
P100B	18113	18172	61109	15316
P80B	18114	18173	61110	15317
PKG/CASE	100/400	100/400	100/400	100/400

^{* 6&}quot; P1000 – P1500 are individual discs

Grip-On Discs

Hook and loop backing provides extra cushioning and air flow for a cooler cut and extended disc life.



>					
	3"	5"	6"	5" x 5 hole Vac	6" x 6 hole Vac
UPC	055395-	055395-	055395-	055395-	055395-
P1500B	69927	20252	20270	-	-
P1200B	_	20253	20271	_	_
P1000B	69926	20254	20272	_	20318
P800B	70022	20255	20274	_	20319
P600B	_	20256	20275	20305	20320
P500B	_	63781	63782	_	63784
P400B	99430	20257	20276	20306	20321
P320B	70021	20258	20277	20307	20322
P280B	_	20259	20278	_	20323
P240B	_	20260	20282	_	20324
P220B	99429	20262	20283	20310	20325
P180B	70020	20263	20284	20311	20326
P150B	99428	20264	20285	20312	20328
P120B	99427	20266	20287	-	20329
P100B	_	20267	20288	20314	20330
P80B	70019	20269	20289	20315	20331
PKG/CASE	50/200	100/400	100/400	100/400	100/400





2-3/4" Stick-On Sheet Rolls

Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board or file shoe. Excellent for dry sanding old paint, primer, primer surfacer and for shaping and finishing plastic filler and feather-edging repaired areas.

		2-3/4"
UPC	YARDS	055395-
P400B	45	20332
P320B	45	20333
P240B	45	20334
P220B	45	20335
P180B	45	20336
P150B	45	20337
P120B	30	20338
P100B	30	20339
P80B	25	20340
PKG/CASE		1/5



Body File Strips

These body file sheets are good for dry sanding old paint, primer, primer surfacer and for shaping and finishing plastic filler and feather-edging repaired areas. Water-based stearate prevents premature loading. Grip-On Hook and Loop backing provides cooler cut and extended disc life.

₹

	Grip-On 2-3/4" x 16-1/2"	Stick-On 2-3/4" x 16-1/2"
UPC	055395-	055395-
P220B	20470	-
P180B	20471	20459
P150B	20472	-
P120B	20473	20461
P100B	20474	-
P80B	20475	20463
PKG/CASE	50/500	50/500



9" x 11" Sheet

Ultimate choice for dry sanding old paint, primer, primer surfacer and between color coats. Good for shaping and finishing plastic filler and feather-edging repaired areas. Water-based stearate prevents premature loading.

	9" x 11"
UPC	055395-
P1000B	20527
P800B	14148
P600B	20528
P500B	63785
P400B	20529
P320B	20530
P280B	20531
P240B	20532
P220B	20533
P180B	20534
P150B	20535
P120B	20536
P100B	20537
P80B	20538+
PKG/CASE	100/500
	+50/250






PREMIER RED COARSE GRITS

Self-sharpening abrasive for long life and cool cut

Ultimate choice for sanding body filler, sanding bare metal and stripping paint.

FEATURES	BENEFITS
 Premium zirconia alumina abrasive 	Self-sharpening grain for super fast cut and long life
Full phenolic resin bond system plus latex	Tough yet flexible
	Excellent grain adhesion
Red colored, E-weight latex paper backing	Long life
	Resists tearing and shedding







Stick-On Discs

Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and

	6"	8"	8" x 8 hole
UPC	055395-	055395-	055395-
80-E	21300	21303	21309
40-E	21301	21304	_
36-E	21302	21305	21311
PKG/CASE	50/200	<i>25/100</i>	<i>25/100</i>



Grip-On Discs

Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat. The hook and loop backing provides air flow to minimize heat and extend the disc life.

<i>₹</i> 20000	6"	8"	8" x 8 hole
UPC	055395-	055395-	055395-
80-E	21315	21318	21324
40-E	21316	21319	21325
36-E	_	21320	_
PKG/CASE	25/100	25/100	25/100



Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat.

	8"	
UPC	055395-	
80-E	21333	
40-E	21334	
80-E 40-E 36-E	21335	
PKG/CASE	25/100	



| 7

4



Body File Sheets

Premier Red body file sheets come in Clip-On, Stick-On and Grip-On. The self-sharpening zirconia alumina grain improves cut rate, minimizes loading and reduces heat. The durable E-weight latex reinforced paper backing resists tearing and is ideal for sanding body filler.

	Doggan			Southern.	
	Stick-On	Grip-On	Clip-On	Stick-On Vac	Grip-On Vac
UPC	2-3/4" x 16-1/2" 055395-	2-3/4" x 16-1/2" 055395-	2-3/4" x 17-1/2" 055395-	2-3/4" x 16" 055395-	2-3/4" x 16" 055395-
80-E	21336	21342	21348	21339	21345
40-E	21337	21343	21349	_	_
36-E	21338	21344	21350	_	_
PKG/CASE	50/250	25/125	50/250	50/250	25/125



Sanding Boards

Stick-On Sanding Board

The Stick-On Sanding Board has a cushioned surface. There are slots at each end to securely hold 2-3/4" x 17-1/2" abrasive sheets or may be used with 2-3/4" x 16-1/2" PSA sheets.

Grip-On Sanding Board

The Grip-On Sanding Board has a lightweight, rugged design. This sanding board is designed to be used with 2-3/4" x 16-1/2" hook and loop sheets.

Grip-On Air File Shoe

The Grip-On Air File Shoe eliminates the need for clips. The quick-change backing positively locks and unlocks every time, for fast, easy-to-manage use of hook and loop file sheets.



		Comme
DESCRIPTION	055395-	055395-
Stick-On Body File Sanding Board	12013	_
Grip-On Body File Sanding Board	_	12014
Grip-On Air File Shoe	-	12015
CASE	1	1





THE CARBO CLEANAIR SYSTEM

35% to 60% productivity gain over traditional sanding

Combines the revolutionary maximum dust extraction Carbo CleanAir back-up pad with Carbo Medalist Dri-Lube Carbo CleanAir discs to optimize performance, increase productivity and eliminate dust.


	•
FEATURES	BENEFITS
 Revolutionary design for maximum vacuum assist 	 30% increase in dust extraction vs. traditional vacuum sanding
	 Cleaner working environment
	 Less dust and contamination in the shop
	Best practice for a waterborne shop
Cutting surface of disc remains clean	35% increase in productivity vs. traditional vacuum systems
	 No clogging
	 Consistent cut throughout life of disc
Premium abrasive grain	Substantially longer life and faster cut than conventional abrasives




Less Dust Means More Productivity

The Carbo CleanAir System

The overall abrasive area of a Carbo CleanAir disc is similar to that of vacuum discs with traditional 6 hole dust extraction. However, the complete coverage of 181 vacuum assist holes coupled with the Carbo CleanAir back-up pad creates a virtually dust-free sanding surface with no clogging and allows the abrasive grains to continually cut for the life of the disc. Increased productivity means more profit.









Carbo CleanAir eliminates dust.

Traditional sanding creates dust.



The Carbo CleanAir box clearly identifies the grit and is designed to access the discs easily with a flip-top opening while protecting them from contaminants.



Carbo CleanAir Self-Generating Vacuum D/A with Hose Assembly and Bag Assembly



Carbo CleanAir Self-Generating Vacuum D/A with Bag Assembly



Reduce contaminants for a cleaner working environment, which is critical for shops using waterborne.



Carbo Medalist CleanAir Grip-On Discs

Medalist Ceramic Dri-Lube on hook and loop Grip-On discs offer the longest life and fastest cut for any sanding job.

Do Ottomore		
*****	5" CleanAir	6" CleanAir
UPC	055395-	055395-
P800B	99537	99548
P600B	99536	99547
P500B	99535	99546
P400B	99534	99545
P320B	99533	99544
P240B	99532	99543
P220B	99531	99542
P180B	99530	99541
P150B	99529	99540
P120C	99528	99539
P80C	99527	99538
PKG/CASE	50/200	50/200



Carbo CleanAir Back-Up Pads

The medium pad is a durable, heat-resistant plastic with a molded-in 5/16"-24 spindle. The soft pad is packed with a Festo adapter, two threaded bolts: M8 and 5/16"-24 and three fiber ring spacers. Use soft pad on extreme contours using 320 grit and finer.

Soft	Medium	6"	RPM
GRIT		055395-	055395-
Medium		99358	12,000
Soft CASE		99338	7,700
CASE		1	



Carbo CleanAir Hose Assembly for Self-Generating Vacuum D/A

Attaches directly to the self-generating vacuum tool. The bag assembly then attaches to the end of the hose to complete the system. Length 5'.

DESCRIPTION	636425-
Hose Assembly for Self-Generating Vacuum D/A	06087
CASE	1

For Hutchins self-generating vacuum D/A sanders 06390 and 06391



Carbo CleanAir Bag Assembly for Self-Generating Vacuum D/A

www.carboauto.com

The reusable bag assembly connects either directly to the self-generating tool or to the end of the hose assembly. Bag can be emptied and re-used multiple times.

DESCRIPTION	055395-
Bag Assembly for Self-Generating Vacuum D/A	99340
CASE	1

For Hutchins self-generating vacuum D/A sanders 06390 and 06391





10

Quality tools to maximize dust extraction using Carbo CleanAir



Model 600 ProFinisher™

The 600 ProFinisher™ is for use by technicians seeking fast, smooth operation. The 3/16" offset delivers aggressive material removal with comfortable low vibration operation. Packaged with 6" hook and loop back up pad.

DESCRIPTION	636425-	
Model 600 ProFinisher™	06389	
CASE	1	





Model 610 ProFinisher™ - Self-Generating Vacuum 3/16" D/A - Coarse

The Model 610 is a Self-Generating Vacuum DA with a 3/16" offset to provide aggressive material removal with comfortable low vibration operation. Its "Venturi Driven" exhaust creates suction drawing the sanding dust into the CleanAir Bag Assembly (055395-99340, sold separately). Packaged with 6" Medium CleanAir pad.

DESCRIPTION	636425-	
Model 610 ProFinisher™	06391	
CASE	1	





Model 620 ProFinisher™ - Vacuum Only 3/16" D/A - Coarse

The 620 ProFinisher™ is for use by technicians seeking fast, smooth operation. The 3/16" offset delivers aggressive material removal with comfortable low vibration operation. The 620 does not generate vacuum and requires an external vacuum source. Packaged with 6" Medium CleanAir pad.

DESCRIPTION	636425-
Model 620 ProFinisher™	06393
CASE	1





Model 500 ProFinisher™

The ProFinisher Model 500 has a 3/32" offset with a less aggressive sanding action and is perfect for pre and post paint sanding applications. This makes the 500 ideal for all paint shop applications. The 500 offers smooth, low-vibration operation. Packaged with 6" hook and loop back up pad.

DESCRIPTION	636425-	
Model 500 ProFinisher™	06388	
CASF	1	





The ProFinisher Model 510 is a Self-Generating Vacuum DA with a 3/32" offset with a less aggressive sanding action and is perfect for pre and post paint sanding applications. The 510 offers smooth, low-vibration operation. Its "Venturi Driven" exhaust creates suction drawing the sanding dust into the CleanAir Bag Assembly (055395-99340, sold separately). Packaged with 6" Medium CleanAir pad.

DESCRIPTION	636425-	
Model 510 ProFinisher	06390	
CASE	1	





Model 520 ProFinisher™ - Vacuum Only 3/32" D/A

The ProFinisher Model 520 has a 3/32" offset with a less aggressive sanding action and is perfect for pre and post paint sanding applications. The 520 offers smooth, low-vibration operation. The 520 does not generate vacuum and requires an external vacuum source. Packaged with 6" Medium CleanAir pad.

DESCRIPTION	636425-	
Model 520 ProFinisher™	06392	
CASE	1	
_		_









WHITE LIGHTNING

Cool, fast-cutting grain / Tear-resistant / Non-loading

Ideal for sanding paint and primer.

FEATURES	BENEFITS
P-graded premium aluminum oxide abrasive	Fast cut and long life
	Consistent finish
Water-based "anti-load" stearate	Excellent load resistance
Durable B-weight backing	High tear resistance
	Flexible and conformable







Stick-On Disc Rolls & Tab Discs

Pressure Sensitive Adhesive (PSA) backing.

	5" Disc Roll	6" Disc Roll	6" Disc Roll	6" Tab Disc
UPC	055395-	055395-	055395-	055395-
P800B	-	70581	_	_
P600B	-	70580	-	_
P500B	-	70579	-	-
P400B	70554	70563	99370	70572
P320B	70553	70562	99371	70571
P240B	70552	70561	_	70570
P220B	70551	70560	99372	70569
P180B	70550	70559	99373	70568
P150B	70549	70558	_	70567
P120B	70548	70557	-	70566
P100B	70547	70556	-	70565
P80B	70546	70555	99376	70564
PKG/CASF	100/400	100/400	25/100	100/400



Grip-On Discs

Hook and loop backing provides extra cushioning and air flow for a cooler cut plus extended disc life.

<u> </u>	6"
UPC	055395-
P800B	99413
P600B	99414
P500B	99415
P400B	99416
P320B	99417
P220B	99418
P180B	99419
P150B	99420
P120B	99421
P80B	99422
PKG/CASE	50/200





Discs

Carbo White Lighting tough E-weight backing resists tearing and extends disc life. Ideal for sanding body filler.

			000000	Cooper
	6" Stick-On	8" Stick-On	6" Grip-On	8" Grip-On
UPC	055395-	055395-	055395-	666233-
P80E	99464	99467	53326	53328
P40E	99463	99466	53327	53329
P36E	99462	99465	_	_
PKG/CASE	25/125	25/125	25/100	25/100



Stick-On Sheet Rolls

Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board or file shoe. Excellent for dry sanding old paint, primer, primer surfacer and for shaping and finishing plastic filler and feather-edging repaired areas.

	2-3/4" x 25 YDS	
UPC	055395-	
P400B	99343	
P320B	99344	
P220B	99345	
P180B	99346	
P150B	99347	
P120B	99348	
P80B	99349	
PKG/CASE	1/5	



Body File Sheets

Carbo White Lighting resists tearing and extends product life. Ideal for sanding body filler.

	Grip-On 2-3/4" x 16-1/2"	Stick-On 2-3/4" x 16-1/2"
UPC	055395-	055395-
P220B	99473	_
P180B	99472	_
P150B	99471	_
P120B	99470	_
P80B	99469	_
P80E	53330	99395
P40E	53331	99394
P36E	-	99393
PKG/CASE	25/125	25/125


MIRROR FINISH

Premium grain / Specially treated backing

Ultimate choice for wet sanding to remove surface imperfections.

FEATURES	BENEFITS
Premium grain for	Consistent cut
automotive applications	Fast cut
Flexible backing	 Resists tearing and cracking
	 Resists wrinkling
 Specially treated waterproof 	No soaking required
paper backing	Curl resistent
	Will not deteriorate





Waterproof Sheet

The Mirrorfinish design works just as well wet or dry and gives the same cut no matter how you use it. If you prefer the paper to be wet, just spritz and go. Or, if you like to soak your paper, go ahead because Mirrorfinish has curl resistance built right in so it stays flat and the product will not deteriorate, no matter how long you leave it in water. Designed specifically for automotive finishes, Mirrorfinish is ideal for water and color sanding.

	5-1/2" x 9"	9" x 11"
UPC	055395-	055395-
2000B	63869	63877
1500B	63870	63878
1200B	63871	63879
1000B	63872	63880
P800B	-	63881
P600B	-	63882
P500B	-	63883
P400B	-	63884
P360B	_	63856
P320B	_	63885
P240B	_	63887
P220B	_	63888
PKG/CASE	50/250	50/250






DEFECT REMOVAL

Premium aluminum oxide grain / Smooth film backing

A flawless finish is easy with high performance Medalist Finishing Discs that quickly remove imperfections, followed by Carbo Finish Extra-Cut polish.

	·
FEATURES	BENEFITS
Smooth backing	 Consistent finish that buffs out quickly and easily
Premium aluminum oxide grain	Fast cut and long life
	Less downtime switching discs
Anti-loading agent	Eliminate pigtails and costly re-work
	 Uniform finish that buffs out faster
	Complete the job faster





Medalist Film Finishing Disc - Dry

Medalist Finishing Film Discs are engineered to remove imperfections quickly and without loading. Superior grain on a super smooth film backing provides an incredibly fast cut with no "pigtails."

Oromo.				
	3"	6"	3"	6"
	055395-	055395-	636425-	636425-
P1500	47312	47285	_	_
P1200	47311	47284	_	_
P1000	47310	47283	_	_
Thin Interface Pad	_	-	05457	42089
PKG/CASE	50/200	50/200	10/10	5/5
Back-up Pad	_	_	99306	99308
PKG/CASE			1/10	1/5



Medalist Foam Finishing Disc 3000 grit - Moist

Medalist Finishing Foam Discs, used moist, will produce a semi-polished surface that greatly reduces buffing time.

- Integrated foam backing
 Eliminates pigtails and costly re-work
 Conformable to contours
- Produces a semi-polished finish
 Quick and easy to buff out

Morana	3"	6"
	055395-	055395-
3000	99360	99361
PKG/CASE	6/24	15/60

techtip

Interface pad not required



Carbo Finish Polish

EATURES	BENEFITS
Water soluble	 VOC compliant
	 Very easy to clean up
1 polish, 3 pads	Simple system that's easy to use
	 Reduce inventory
	 The polish matches the cut of the pad for optimal performance
 Premium micro-fine abrasives 	Removes swirl marks and haze
	 Removes sand scratches quickly







Carbo Finish Extra-Cut Polish

Carbo Finish Extra-Cut is easy to use and cleans up with just water. One polish and three pads virtually eliminates the chance of cross contamination.

DESCRIPTION	055395-	055395-
Quart	01209	_
Gallon	_	47329
PKG/CASE	1/4	1/2



Carbo Finish Ultra-Fine Machine Glaze

Use on its own for fine scratch removal or as Step 3 in place of Carbo Finish Extra-Cut to eliminate swirl marks and produce a high gloss finish. Ideal for dark colored vehicles.

DESCRIPTION	055395-
Quart	99381
PKG/CASE	1/4





Carbo Finish Clean-Up/Detailer Spray

The spray detailer easily cleans up excess buffing residue and provides paint protection. Just spray it on and wipe it off with the EZ Wipe Microfiber Cloth.

DESCRIPTION	055395-	055395-
32 oz. Spray Bottle	70533	_
EZ Wipe Microfiber Cloth	_	64024
PKG/CASE	1/4	5/20



3" Pads

Engineered to work with Carbo Finish Extra-Cut polish, the 3" pads are perfect for quick spot repairs.

DESCRIPTION	055395-	055395-
Grip-On Back-Up Pad (5/16"-24)	99306	_
Natural Wool Pad – Step 1	-	01881
Medium Yellow Foam Pad – Step 2	-	69934
Soft Black Foam Pad – Step 3	-	69935
PKG/CASE	10/10	10/40



8" Buffing/Polishing Pads

These pads are engineered to work with Carbo Finish Extra-Cut Polish to achieve the optimal cut in the least amount of time while producing the best finish. No swirl marks and no cross contamination are benefits to this system.

DESCRIPTION	055395-	055395-
Grip-On Back-Up Pad (5/8"-11)	70414	_
Super Cut Wool Pad – Step 1	-	70411
Yellow Cutting Foam Pad – Step 2	-	70412
Black Finishing Foam Pad – Step 3	-	70413
PKG/CASE	1/3	1/6



8" Buffing/Polishing Waffle Pads

These pads are engineered to work with Carbo Finish Extra-Cut Polish to achieve the optimal cut in the least amount of time while producing the best finish. No swirl marks and no cross contamination are benefits to this system.

DESCRIPTION	055395-
Orange Waffle – Step 1	99460
Yellow Waffle – Step 2	99461
Black Waffle – Step 3	99468
PKG/CASE	1/6

Use with back-up pad 70414

Flexible / Tear-resistant / Perforated

Consistent cut with no wild scratches.

FEATURES	BENEFITS
Non-woven nylon impregnated with abrasive grain	 Easily conforms to irregular surfaces
	Resists tearing
	Can be used wet or dry
Advanced coating process	 Consistent coverage of grain throughout pad
Perforated	Easy pad re-sizing

Maroon (320/400)

- Quick and aggressive cut
- Tear-resistant

Gray (600/800)

- Works with or without Scuff Gel
 Ouick cut, uniform finis
- Quick cut, uniform finish
- Incredibly flexible yet tear-resistant

Gold (1000)

- Ideal for pearls and metallics
- Works with or without Scuff Gel





Fibratex Scuff Pad

Fibratex pads offer a consistently graded grain in an advanced resin system which provides a super fast cut without wild scratches. Choose a maroon pad for primer prep, a gray pad for color prep or a gold pad for pearls and metallics.

Size		6" x 9" Pad	6" x 9" Pad
DESCRIPTION	COLOR	055395-	055395-
Primer Prep	Maroon	10890	_
Color Prep	Gray	10891	_
Clear Blend Prep	Gold	_	30893
Non Abrasive	White	10892	_
PKG/CASF		20/60	10/30



Thin-Flex Scuff Pads and Discs

Thin-Flex is an incredibly flexible, yet strong product that is perfect for use on contoured surfaces and for getting into tight spaces.

Size		4-1/2' x 9" Pad	6" Disc	6" Back-up Pad
DESCRIPTION	COLOR	055395-	055395-	055395-
Primer Prep	Maroon	99425	53389	
Color Prep	Gray	99426	53390	
Back-up Pad		_	_	99323
PKG/CASE		25/100	25/100	1/1



Scuff Rolls

Tear the rolls to the exact length needed to get the job done quickly and correctly. Perforations are every 6" which yields 30 pads per roll.

Size		4-3/4" x 15'
DESCRIPTION	COLOR	055395-
Primer Prep	Maroon	10991
Color Prep	Gray	10992
PKG/CASE		1/3



Scuff Discs

For use on a D/A with a hook and loop back-up pad for faster scuffing.

Size		6'
DESCRIPTION	COLOR	055395-
Primer Prep	Maroon	20484
Color Prep	Gray	20485
PKG/CASE		10/40





Scuff Gel

Formulated for consistent abrasion for paint adhesion. Use with Fibratex gray or gold pads. Cleans, degreases and abrades in one step. Rinses off easily and completely. Water-based formula, very low in V.O.C.

DESCRIPTION	SIZE	055395-
Scuff Gel	24.7 oz / 700 grams	02023
CASE		6



Soft-Rolls

Soft-Roll Foam pre-cut sheets, conveniently packaged in a roll form 4-1/2" x 82', are ideal for fine sanding on round edges, contours and curves, providing an outstanding finish on primers and top coats. Perfect for waterborne paints. Perforated every 5-1/2".

Size	4-1/2" x 82'
GRIT	055395-
P320	99438
P400	99439
P500	99440
P600	99441
P800	99442
P1000	99443
PKG/CASE	1/2


	APPLICATION
P320, P400	Feather-edge, scuff primer, scuff new parts before painting
P500, P600	Prepare panel for base coat
P800, P1000	Sand clear coat, remove minor defects



EZTouch Sponges

The finishing action of sponges generates a finer finish than conventional coated abrasive products. The coarser grit is the finish achieved when sanding dry and the finer grit is finish achieved when sanding wet.

FEATURES	BENEFITS
Abrasive grain coated on a sponge backing	Can be used wet or dryEliminates finger marksGenerates a uniform finish
Grit printed on the back of each sponge	 Easily identify the right product to use
Highly conformable	Ideal for bumpers, jambs and small partsGreat on contours and edges



GRIT Designation	FINISH GENERATED	APPLICATION
Medium	P180/P120	Scuff, shaping filler
Fine	P400/P320	Feather-edge, scuffing primer, scuffing new parts before painting
Super Fine	P600/P500	Preparing panel for base coat
Ultra Fine	P1000/P800	Sanding base coat, removing clear coat defects
Micro Fine	P1500/P1200	Clear coat sanding removing minor defects





CARBO FIRE SURFACE STRIP DISCS

Extra-coarse ceramic grain / Aggressive cut

Surface Strip discs offer extraordinary stripping power. Ideal for hard-to-reach areas

וומוע-נט-ופמטוו מופמט.	
FEATURES	BENEFITS
 Open web construction 	 Effective on sharp, jagged surfaces
	 Great alternative to wire brushes
	Resists loading
 Synthetic web impregnated with 	Will not rust
ceramic abrasive	 Very fast, aggressive cut
Thick and durable	Extended product life





Carbo Fire Surface Strip TR+ Disc

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Rugged design provides long life and continuous cutting action.

4		
	0	
•		

	4" TR+	Back-Up Pad	RPM
DESCRIPTION	055395-	055395-	
Carbo Fire	29282	-	8,000
Back-Up Pad	_	22538	_
CASE	5	1	




Carbo Fire Surface Strip Disc with Mandrel

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Mandrel assembly will adapt the disc for use on portable tools. The assembly consists of a mandrel, nut and two washers.



	4" x 1/4" Hole	Mandrel	RPM
DESCRIPTION	776960-	055395-	
Carbo Fire	39321	_	6,000
Mandrel with 3-1/16 x 1/4" shank	-	51776	-
PKG/CASE	5/25	1/1	



Carbo Fire Speed-Lok TR Surface Strip Disc

Great for removing rust, undercoating, seam-sealers and stone guards. Use in truck beds, door jambs and hard-to-reach areas like wheel wells and under carriage. Use to remove oxidation from tire rims and to remove rust from brake assemblies.



	3" TR	Back-Up Pad	RPM
DESCRIPTION	055395-	662610-	
Carbo Fire	29280	55105	12,000
PKG/CASE	10/10	10/1	



GRINDING AND CUTTING WHEELS

Premium abrasive grain / Fiberglass reinforced

Ultimate choice for cutting out imperfections in autobody panels.

FEATURES	BENEFITS
Blend of high performance ceramic alumina and zirconia alumina abrasive	Super fast cutting
	 Cool cutting action
aiuiiiiia abrasive	 3 times the life of conventional abrasive wheels
High performance resin bond	Long wheel life
Fiberglass reinforcement	Maintains structural integrity



Premier Red Cut-Off Wheels

The ultimate choice for cool, easy, free-cutting of sheet metal, or heavy-duty cutting of muffler clamps, bolts and steel rods up to 3/4" thick, as well as spot weld grinding.

The 1/32" and 1/16" wheels come in durable plastic clam shell package. Hang them on the wall and just grab one when you need it.

	Premier Red	
SIZE	055395-	RPM
3" x 1/32" x 3/8"	03861	25,465
3" x 1/16" x 3/8"	03863	25,465
3" x 3/16" x 3/8"	04270	25,465
PKG/CASE	5/50	

DO NOT USE ON TOOL WITHOUT A GUARD.



Carbo Gold and Value Cut-Off Wheels

Good for sheet metal work, cutting clamps and rusted bolts. Follow all safety precautions.

	Carbo Gold	Value	
SIZE	055395-	055395-	RPM
3" x .035 x 3/8"	09268	-	25,465
3" x 1/16" x 3/8"	09263	01132	25,465
3" x 1/8" x 3/8"	09260	-	25,465
PKG/CASE	25/1	5/50	

DO NOT USE ON TOOL WITHOUT A GUARD.



Depressed Center Wheels

For rapid stock removal such as blending and smoothing welds.

	Premier Red	Gold	
SIZE	055395-	055395-	RPM
4" x 1/4" x 5/8"	02868	_	15,280
4-1/2" x 1/4" x 5/8-11"	02873	02843	13,580
4-1/2" x 1/4" x 7/8"	02872	02842	13,580
CASE	20	20	

DO NOT USE ON TOOL WITHOUT A GUARD.



2" AND 3" GRINDING DISCS

Premium performance / Easy twist-on / twist-off system

Ideal for fast stock removal in a small area.

FEATURES	BENEFITS
 Premium ceramic and zirconia 	Aggressive cut
alumina grain	 Self-sharpening for consistent cut and long life
Grinding aid coating	Minimal loading
	Long life
	 Burn free grinding of heat-sensitive materials
Heavy-duty backing	Long life
	Reduced edge wear





Carbo Fire™ Flex-Loc TR Discs

Ceramic self-sharpening abrasive is ideal for high-pressure, heavy metal removal applications.

Size	2" TR	3" TR
GRIT	055395-	055395-
80	99383	99387
50	99385	99389
80 50 36 <i>CASE</i>	99386	99390
CASE	<i>25</i>	25



Zirconia Flex-Loc TR Discs

Zirconia alumina self-sharpening abrasive cuts fast and cool to minimize heat build-up.

Size	2" TR	3" TR
GRIT	055395-	055395-
50	09760	69473
36	09767	69472
50 36 24	09768	69471
CASE	25	25



Aluminum Oxide Flex-Loc TR Discs

Good general purpose abrasive for light stock removal.

2" TR	3" TR
055395-	055395-
20351	20354
20352	20355
20353	20356
50	50
	055395- 20351 20352 20353



Durable backing and tough abrasives make for a great combination to tackle welds and rust removal.



Fibratex Flex-Loc TR Surface Blending Discs

Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues from automotive surfaces. Thick, reinforced non-woven backing is impregnated with tough aluminum oxide abrasive.

Size		2" TR	3" TR
GRIT	COLOR	055395-	055395-
Fine – 320	Blue	12506	12509
Medium – 120	Maroon	12507	12510
Coarse - 80	Brown	12508	12512
CASE		50	25



Carbo Fire Flex-Loc TR Rapid Blend Discs


Ideal for removing seam sealer and undercoating without loading up, blending out disc marks, and removing coatings from automotive surfaces. Thin enough to get into tight spots but durable enough to last. Ceramic grain ensures a fast cut with long life.

		()
Size	2" TR	3" TR
DESCRIPTION	055395-	055395-
Carbo Fire	53332	53333
CASE	10	10
		Available 10 2013



Flex-Loc TR Back-Up Pads

Flex-Loc TR are compatible with similar competitive attachment systems.





Carbo-Cut Grinding Discs


Zirconia grain is resin bonded to a unique backing which resists cracking and breaking and can be cut down up to the 1" core. Use the cores to grind "pinch" welds and other hard to reach areas. The 1/4" guick change mandrel is for use on automotive drills.

(0)			
THE REPORT OF THE PARTY OF THE	Size	3" Disc	Mandrel
	GRIT	055395-	055395-
	50	63891	_
The state of the s	36	63890	_
	24	63889	_
	1/4" Mandrel	-	63893
	PKG/CASE	20/80	5/50

Premium performance / Rugged backing for extended life

For grinding applications requiring aggressive cutting action, such as grinding welds, rust and bare metal and stripping paint.

welds, rust and bare metal and stripping paint.	
FEATURES	BENEFITS
Premium ceramic and zirconia alumina grain	Aggressive cut
	 Self-sharpening for consistent cut
	Extended disc life
 Grinding aid coating 	Minimal loading
	Reduces heat
Heavy fibre backing	Long life
	Strength and tear resistance





Merit Grinding Discs

High performance ceramic grain is engineered for cool, rapid stock removal with a fast initial cut rate. Superb on stainless steel and steel alloys. Zirconia alumina grain is great on stainless steel and tough jobs as it won't break down like aluminum oxide. Aluminum Oxide grain is a general purpose disc good for small jobs removing welds and imperfections.

	•		0 0			
	5" Ceramic	5" Zirconia	5" A/0	7" Ceramic	7" Zirconia	7" A/0
GRIT	666233-	666233-	666233-	666233-	666233-	666233-
50	55599	57292	57278	55595	57297	57285
36	55598	57291	57277	55594	57296	57284
24	55597	57290	57276	55578	57295	57283
CASE	25	25	25	25	25	25



Zirconia Alumina Grinding Discs

Zirconia alumina grain provides a quick initial cut and a self-sharpening action to continuously expose sharp, new cutting points. Ideal for lighter grinding or applications requiring a cool cut to minimize heat build up.

	•	•
Size	5"	7"
GRIT	055395-	055395-
80	20055	20076
50	10711	10720
36	10712	10721
24	10713	10722
CASE	25	25



Back-Up Pads for Grinding Discs

Discs are held in place by Retainer Nut #12568.

	•	
Size	5" x 7/8"	7" x 7/8"
	055395-	055395-
Medium CASE	12033	12032
CASE	1	1



MASKING PRODUCTS – MASKING TAPE

Leaves no residue / Conforms to irregular surfaces

Quick stick and stays in place with no lifting or roll-back.

FEATURES	BENEFITS
 Rubber-based adhesive 	 Superior quick stick
	Stays in place
	 Easily removed without adhesive transfer
	 Conforms to curved surfaces without lifting or tearing
Saturated crepe paper	Resists moisture and solvents
	 No bleed-through
	 No curling edges or roll-back








Tan Masking Tape

Carborundum Tan Masking Tape goes on easy, sticks fast and holds tight. It conforms easily to contours and irregular surfaces. Carborundum Tan Masking Tape can be baked up to 260°F and be exposed to wet sanding without adhesive transfer. There is no bleed-through or flaking upon removal.

	18mm	36mm	48mm
Size	(3/4")	(1-1/2")	(2")
DESCRIPTION	055395-	055395-	055395-
55m Roll	99396	99397	99398
CASE	48	24	24



Gold Masking Tape

A value masking tape recommended for all automotive finish systems and multiple bake cycles. Resistant to temperatures up to 260°F for 1 hour. Can be exposed to wet sanding without adhesive transfer. No flaking or bleed-through upon removal.

	18mm	36mm	48mm
Size	(3/4")	(1-1/2")	(2")
DESCRIPTION	055395-	055395-	055395-
55m Roll	99366	99367	99368
CASE	48	16	12



Carbo PG and Carbo AM Masking Tape

Carbo PG is a high-quality masking tape with good, quick stick and holding properties, and clean and easy removal from either hot or cold surfaces. Resistant to temperatures up to $325^{\circ}F$.

Carbo AM is a cost-effective masking tape with a rubber-based adhesive that provides secure adhesion to painted/bare matals and plastics and removes cleanly without adhesive residue, paint "flaking" from backside, or surface staining. Resistant to temperatures up to 212°F.

Both work well with both solvent and waterborne paints.

	18mm x 54.8m	36mm x 54.8m	48mm x 54.8m
	(3/4")	(1-1/2")	(2")
DESCRIPTION	055395-	055395-	055395-
Carbo PG	99584	99585	99586
Carbo AM	99587	99588	99589
CASE	48	24	24



A complete masking system from Carborundum for full protection of a vehicle inside the shop and outside.



Foam Masking Tape

Foam masking tape fills gaps and produces a soft paint edge. Easy application reduces masking time. The 20mm premium foam tape split design and offset adhesive allows for use on both fixed and moving parts. The 13mm foam tape is for use on fixed parts.

	13mm	20mm
Size	(1/2")	(3/4")
DESCRIPTION	055395-	055395-
50m Roll	99363	99362
CASE	1	1






Premium Perforated Trim Masking Tape

Trim masking tape is designed to lift the molding away from the surface to be painted and protect the molding from paint and overspray. Trim tape provides full paint coverage without paint "bridging" to the molding. Eliminate the cost of removing and installing moldings by simply protecting them properly during the painting process.

	50mm	
Size	(2")	
DESCRIPTION	055395-	
10m Roll	99359	
CASE	6	





Fine Line Tape

Fine Line Tape adheres to and conforms easily to contours and irregular surfaces. This tape's unique thinness allows for minimum edge build-up and leaves no residue when removed. Resistant to temperatures up to 180°F.

- "Pucker-free" cornering
- Straight edges on long runs
- Stays in place
- No curling edges or rollback

Size	1/8"	1/4"	1/2"	3/4"
DESCRIPTION	055395-	055395-	055395-	055395-
36 Yard Roll	30152	30153	30154	99364
CASE	12	12	12	12



White "Paint Check" Masking Paper

Premium white masking paper is corona-treated so paint won't flake off, polycoated to protect against bleed-through and has a built-in "Paint Check" for convenience. Masking tape can be repositioned without tearing the paper. White paper will not distort lighting during the painting process. This paper is stronger than standard blue paper, but is thinner to better conform to tight curves without tearing.

Size	6"	12"	18"	24"	36"
DESCRIPTION	055395-	055395-	055395-	055395-	055395-
750' Roll	70582	70583	70584	99424**	70585
CASE	1	1	1	1	1

Each 750' boxed case is a 36" log. Dimensions are approximate.

* * 24" is a single 24" log.



Mobile Masker

The premium white paper, while incredibly strong, is thinner than standard blue paper and fits perfectly on the masker. The top two tiers can hold up to 12" and the bottom two tiers can hold up to 18".

DESCRIPTION	662610-
Stand	89212
CASE	1



MASKING PRODUCTS – PLASTIC

Paintable / Corona-treated so paint will not flake off

One person can easily cover a vehicle by using the self-dispensing box and the specially folded plastic for guick application.

box and the specially folded plastic for quick application.		
BENEFITS		
 Clings, even after repositioning 		
 Easy to handle – fast application 		
Paint won't flake off		
Resists tearing		
Resistant to solvents		
No bleed-through		





EZ Sheet Paintable Plastic

Paint will adhere to the outside layer of plastic, eliminating flake-off. The cling ensures material adheres to the area that is to be protected. EZ Sheet can be cut and painted along the critical edge. Tri-layer plastic is .4 mil thick.

Size	12' x 400'	14' x 350'	16' x 350'	20' x 350'
DESCRIPTION	055395-	055395-	055395-	055395-
EZ Sheet	63770	63896	63769	63895
CASE	1	1	1	1



Overspray Sheeting

"Value" paintable overspray sheeting is a medium-density, corona-treated plastic.

Size	12' x 400'	16' x 400'
DESCRIPTION	055395-	055395-
Overspray Sheeting	70530	06728
CASE	1	1



EZ Wrap Protective Plastic - Self-Adhesive Weather Barrier

Clear film with built in UV inhibitors for interior protection. Don't leave on more than 30 days.

Do not expose above 170° F. Do not install on wet or damp surfaces.

DESCRIPTION	055395-
Weather Barrier 36" x 100' (9 lbs.) 3 mil thick	68509
CASE	1



EZ Wrap Protective Plastic - Wheel Maskers

Tri-layer plastic, Paintable – NO Flaking, Fully covers both sides of the wheel, Covers wheels up to 17"

DESCRIPTION	055395-	
Wheel Maskers (50/roll) Paintable	68511	
CASE	1	



EZ Wrap Protective Plastic - Bucket Seat Covers

Full coverage from headrest to floor. Will not slip or bunch up. Protects seats from grease, dust and chemicals. Perforated roll

i dildialda idii.	
DESCRIPTION	055395-
Bucket Seat Covers (125/roll) Non-Slip	68510
CASE	1




EZ Wrap Protective Plastic - Floor Mats

Will not slip or tear. Protects floor from dirt. grease and chemicals. Perforated roll. Generous size: 16-1/2" x 21".

Will not only of tour. I rototto noor from ant, groups and onormalist rototated for. admired of the 172 X21.		
DESCRIPTION	055395-	
Floor Mats (125/roll) Non-Slip	68512	
CASE	1	



CARBORUNDUM PAINT SYSTEM






CARBORUNDUM PAINT SYSTEM

Unitized construction / Clean and easy disposal

Reduce cleaning solvent use by switching from metal cups to disposable plastic cups. Eliminate the mess.

aropodasio piaotro dapor Emirina	
FEATURES	BENEFITS
 Unitized construction 	 Can store unused paint
	 Can dispose of easily in accordance with local regulations
Disposal system	 New threads every time so no gunked up paint from repeated use
 Plastic components 	Will not rust
	 Can be used with waterborne and solvent-based paints
 Valve with actuator 	Will not leak
	Paint only flows when attached to the gun






Take the "pain" out of painting

The unitized lid/liner assembly is guaranteed never to come apart which eliminates the hazard and mess of spilled paint. The self-sealing lid, with SpillGard technology, guarantees the system is securely sealed since the unique valve system, used with the Carborundum actuated adapter, releases paint only when attached to the gun. The self-sealing, spring-loaded valve eliminates the need for plugs for transporting, storing, or shaking. No matter how you handle it, the unitized leak-proof lid/liner assembly is guaranteed to remain securely sealed during disposal or storage.

SpillGard Technology

- Triple seal protection
- Unitized lid/liner
- · Quick-connect lid
- · Self-sealing valve

- · Actuated adapter
- Extended filter area and space between tower and filter for optimal flow



Feel the Difference

When you twist the self-sealed, unitized system onto the adapter, you can feel it engage and lock into the notches on the valve and lid. This tactile information lets you know that all seals are engaged, the valve has been opened, and you are ready to paint.

NOTCHES LINE UP AND PROVIDE TACTILE **FEEDBACK TO FEEL THE UNIT ENGAGE.**

SELF-SEALING, SPRING-LOADED VALVE IS ACTIVATED BY THE ACTUATOR IN THE ADAPTER.







Unitized self-sealing system is ready when you are

Load and Go!

The Carborundum Paint System with SpillGard Technology eliminates the problem of gunked up threads because each unit comes with a fresh set of threads. The only reusable component to keep track of is the hard mixing cup with pre-printed measurements, so there are no inserts to keep track of either. The unitized lid/liner assembly is guaranteed not to come apart during disposal or storage which eliminates the hazard and mess of spilled paint. And, the self-sealing lid keeps any remaining paint fresh for later use. No matter how you handle it, the unitized leak-proof lid/liner assembly is guaranteed to remain securely sealed. We've sealed the deal on ease and efficiency when it comes to disposal paint cups.





Thread the Carborundum adapter to the spray gun.



Seat the ring into the reusable mixing cup.



Insert the liner into the ring.

Load the paint by weight or by using the pre-printed mixing ratio scales on the reusable mixing cup.



Mix the paint by stirring (if not using a mechanical shaker) and clean the liner/flange area of any spilled paint before attaching the lid.



Seat the lid onto ring and rotate lid twice to attach:

A 1/4 turn counter-clockwise until you

B Then rotate lid clockwise until tight.

*The tower has a self-sealing valve

hear a "click".

so no plug is needed.



If using a mechanical shaker, add the shaker cap and shake the paint.



After shaking, check the lid and tighten if needed.



Lift the unitized system out of the reusable mixing cup.



Turn the unitized system upside down and screw the lid assembly into the adapter (clockwise) until you feel and hear it click/lock.



Connect the air line to the gun, adjust the spray pattern and you're ready to spray.



After you are done spraying, disconnect the air hose, turn the gun upside down and pull the trigger to purge the gun of any remaining paint.



Twist the unit clockwise to release the unit from the adapter for storage or disposal.



^{*} Please consult your local and state laws for proper disposal

Unitized construction / Clean and easy disposal



Lid Dispenser Pack

Each self-dispensing pack comes with lids for Small or Medium/Large units. To allow for easy dispensing, the pack has 2 re-closable doors on the front. The self-sealing lids come in three mesh sizes: 80µ mesh (white), 125µ mesh (blue), 190µ mesh (white) and no-filter. The self-dispensing pack can be wall-mounted to keep the lids clean and handy.

NOTE: Refer to the paint manufacturer's recommendation for the correct filter mesh.

Size	80µ Filter	125µ Filter	190µ Filter	No Filter	
DESCRIPTION	055395-	055395-	055395-	055395-	USE WITH
Small	99575	99576	99577	99578	47321
Medium/Large	99579	99580	99581	99582	47322 or 47323
CASE	24	24	24	24	



Liner/Ring Dispenser Pack

Each self-dispensing pack comes with liners and rings for Small, Medium and Large units. The pack is divided to allow for easy dispensing of the liners from the bottom and the rings are accessed from the re-closable door on the front. The self-dispensing pack can be wall-mounted to keep the liners and rings clean and handy.

SIZE	DESCRIPTION	055395-	USE WITH
Small	8oz / 250ml (Max Fill 6.5 oz / 190 ml)	99572	47321
Medium	25oz / 750ml (Max Fill 22 oz / 650 ml)	99573	47322
Large	32oz / 950ml (Max Fill 30 oz / 888 ml)	99574	47323
CASE		24	



Reusable Mixing Cups

The reusable mixing cup has pre-printed mixing ratio scales on the cup for greater convenience. The mixing cups are used to hold the liner/ring when measuring/weighing paint.

adda to field the lifely ring when meadaring, weighting paint.			
SIZE	DESCRIPTION	055395-	055395-
Small	8oz / 250ml	47321	_
Medium	25oz / 750ml	47322	_
Large	32oz / 950ml	_	47323
PKG/CASE		2/4	1/4



Shaker Cap

The shaker cap fits both the Medium and Large Cups when using a mechanical shaker to mix the paint.

www.carboauto.com

SIZE	DESCRIPTION	055395-
One size	Fits both Medium and Large cups	82012
CASE		24





ADAPTERS FOR THE MOST POPULAR GUNS

Allow most spray guns to be easily adapted to the Carbo Paint System.

techtip

- With solvent based paints, once the cup is attached to the gun, purge some air out of the liner to relieve pressure.
- To ensure a good seal, clean off any spilled paint from the ring/liner rim area after filling.
- When mixing paint by weight, it's important not to over-fill the liner.
 - Set the small cup at 6.5 oz / 190 ml
 - Set the medium cup at 22 oz / 650 ml
 - Set the large cup at 30 oz / 888 ml
- To prevent cross threading, always invert the cup when screwing it onto the adapter/gun.
- When tinting or refilling, always remove the lid with the gun attached.
- An aerosol gun cleaner in conjunction with small brushes work best for cleaning the adapter.

Availability

Carborundum adapters must be used with the Carborundum Paint System.

Carborundum adapters must be used with the Carborundum Fami System.				
636425-	DESCRIPTION	ADAPTER		
06282	16mm Female, 1.5mm Thread	2B		
06283	12mm Female, 1.0mm Thread	4B		
06284	12mm Male 1.5mm Thread	5B		
06285	1/4 Male, 19 Thread	6B	BSP	
06286	3/8 Female, 18 Thread	7B	BSP	
06287	12mm Male, 1.0mm Thread	8B		
06288	16mm Male, 1.5mm Thread	9B		
06289	Elbow Swivel Nut-1/4 Female-19 Thread	10B	BSP	
06290	3/8 Male, 18 Thread	11B	NPS	
06291	10mm Male, 1.0mm Thread	12B		
06292	7/16 Male, 14 Thread	14B	UNC	
06293	3/8 Male, 19 Thread	15B	BSP	
06294	3/8 Female, 19 Thread	16B	BSP	
06295	1/4 Female, 19 Thread	17B	BSP	
06296	3/8 Female, 18 Thread	18B	NPS	
06297	3/8 Female, 19 Thread	19B	BSP	
06298	1/8 Male, 27 Thread	20B	UPSM	
06299	14mm Female, 1.0mm Thread	21B		
06300	8mm Male, 0.75mm Thread	22B		
06301	1/4 Female, 18 Thread	23B	NPS	
06302	Elbow Swivel Nut-1/4 Female-18 Thread	24B	NPS	
06303	1/4 Female, 19 Thread	25B	BSP	
06312	11mm Male, 1.0mm Thread	26B		
06304	(modified) 16mm Male, 1.5mm Thread	27B		
06305	1/8 Male, 28 Thread	31B	BSP	
06306	18mm Female, 1.5mm Thread	32B		
06307	5/8-11 Modified Thread	37B		
06310	Trapezoidal Thread (One Piece Adapter)	40B		
06311	Trapezoidal Thread (One Piece Adapter)	41B		
06308	(modified) 1/4 Male, 19 Thread	43B	BSP	
076607-	DESCRIPTION	ADAPTER		
21880	Quick Connect for SATA Mini-Jet 4		use with 12B	
21752	Quick Connect for SATA Jet 3000, 4000		use with 5B	

1 PER PACKAGE / 4 PER CASE NOTE: RED PART NUMBERS DENOTE MOST POPULAR SKUS.



Adapter Guide

These are the adapters needed for the most popular guns.

וווטטט מוט נווט	adaptors nooded for the most popular	guiio.
MANUFACTURER	SPRAY GUN	CARBO ADAPTER
Airgunsa	AZ3, AZ5, AZ30 HTE, AZ40 HTE	6B
DeVilbiss	PRI, GTI, GTI Pro, GFG, GFV,GFHV 510, FLG4	15B
IWATA	W 400, WR 400, LPA 94	2B
	VXL Primer Gun, LPH 400, LPH 440	2B
	W300, LPH 300	6B
	Supernova WS400, LS400	43B
	LPH-80 Mini Spray Gun	31B
Sagola	475 Mini-Gun	12B
	403 G, 433 G, 434 G, 444 G, 450 G	5B
	4100 G, 4200 G, 4300	5B
	4400 Xtreme, 4500 Xtreme	32B
SATA	SATAjet 2000 HVLP w/o QCC	9B
	SATAjet RP w/o QCC	9B
	SATA LM 2000 HVLP/RRP	9B
	SATA KLC HVLP/RRP, KLC P	9B
	SATAjet 90	9B
	SATA 3000 and 4000 with Quick Connect	5B
	SATA 3000, SATA 4000	40B
	SATAjet B, SATAjet B NR 92, NR 95 HVLP	2B
	SATAjet B NR 92,NR 95 HVLP	2B
	SATA LM B 92	5B
	SATA Mini-Jet 1, 2, 3	12B
	SATA Mini-Jet 4	41B
TEKNA	TEKNA Cooper, Prolite, Quick Clean	15B
Sharpe	GT1,Platinum, Titanium, Cobalt, SGF 98	11B
Walcom	FX GEO, FX HVLP	8B







Ideal for metal bonding / Lifetime warranty

Minimal inventory handles multiple applications. Full range of products for any job on any substrate.

any job on any substrate.	
FEATURES	BENEFITS
 Acrylic Adhesives 	 Best choice for metal-to-metal bonding
	 No welding required
	 Lifetime corrosion and performance warranty
	 Glass bead technology for correct panel spacing and bond control
Urethane Adhesives	Best choice for plastic repairs
	 Easy to sand
	 Will not lift or roll up
	 100% solids so zero shrinkage
Epoxy Adhesives	 Ideal for undetectable SMC Repairs
	 Easy to sand
	Will not lift or roll up






€OEM

Metal Door Skin Bonding Adhesive - 45 Minutes

Two-part acrylic (2:1) for panel bonding of door panels, other body sheet metal, steel and aluminum.

- Bonds door panels to door frames without welding
- Work time 45 minutes
- Clamp time 1-1/2 hours
- Guaranteed corrosion protection

DESCRIPTION	SIZE	055395-
Metal Door Skin Bonding Adhesive 2:1	220 ml	99405
CASE		6



OEM

Metal Panel/Weld Bonding Adhesive - 75 Minutes

Two-part acrylic (2:1) for panel bonding and weld bonding of quarter panels, rear body panels, roof panels, door panels, van side panels and outer truck bed panels on bare metals, including aluminum.

- Long work time of 75 minutes for bonding large areas
- Guaranteed corrosion protection
- Perfect for high temperatures

DESCRIPTION	SIZE	055395-
Metal Panel/Weld Bonding Adhesive 2:1	220 ml	99404
CASE		6





Ideal for plastic repair / Stronger than original plastics



EZ REPAIR - 1 minute

Two-part urethane (1:1) used for structural and cosmetic repairs of all plastic bumpers including TPE, TPO, TEO, PP and ABS and can be used to bond SMC or fiberglass panels.

- One product for all structural and cosmetic repairs on bumpers
- · Easy to sand
- Will not lift or roll up
- No plastic identification required with use of 99410 / 99411 adhesion promoter

DESCRIPTION	SIZE	055395-
EZ Repair - 1 minute (1:1)	220 ml	99400
CASE		6



EZ REPAIR - 5 minutes

Two-part urethane (1:1) adhesive used for structural and cosmetic repairs of all plastic bumpers, bumper tabs, emblems, door trims, interior and exterior plastic repairs and cosmetic repairs including TPE, TPO, TEO, PP and ABS and can also be used to bond SMC or fiberglass panels.

- One product for all structural and cosmetic repairs on bumpers
- Easy to sand to a feather edge
- Good for elevated temperatures
- Will not lift or roll up
- No plastic identification required with use of 99410 / 99411 adhesion promoter
- Accelerate cure with heat (3 min @ 140°F)

DESCRIPTION	SIZE	055395-
EZ Repair - 5 minute (1:1)	220 ml	99401
CASE		6



EZ REPAIR - 15 minutes

Two-part urethane (1:1) adhesive used for installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, head lamp buckets and other body panels. For bonding fiberglass, SMC, carbon fiber and other plastics to itself and to primed metal.

- · Easy to gun out
- One product for all structural and cosmetic repairs on bumpers
- Work window allows for larger repairs
- Perfect for elevated temperatures
- Easy to sand to a feather edge
- Non-sag formulation
- No plastic identification required with use of 99410 / 99411 adhesion promoter
- Accelerate cure with heat (10 min @140°F)

DESCRIPTION	SIZE	055395-
EZ Repair - 15 minute (1:1)	220 ml	99402
CASE		6





Vvoc

Adhesion Promoter

Available in both aerosol and brush top. No need to identify plastic type — just simply apply to all plastics once, no need to re-apply. Allow for a 10 minute flash time.

• No plastic identification required.

·		
DESCRIPTION	SIZE	055395-
Brush Top	118 ml	99410
Aerosol	333 grams	99411
CASE		12







Ideal for SMC and plastic repair / Works on various substrates



Skim Coat Epoxy Repair/Filler

Two-part epoxy (1:1) used to repair most plastic parts, including bumper covers and other plastic body panels including PP, fiberglass, Metton®, Telene®, SMC, TEO and urethane. Formulated to finish the front side of flexible repairs used over the top of urethane adhesives.

- Incredibly easy to sand in 20 minutes or less
- Designed to be used for minor scratches, gouges and pinholes
- No plastic identification required
- No Adhesion Promoter needed
- Mix with either a spreader #06396 or mix tip (included)

DESCRIPTION	SIZE	055395-
Skim Cost Epoxy Repair/ Filler (1:1)	220 ml	99403
CASE		6



Epoxy Multi-Bonder

Two-part epoxy (2:1) used to bond SMC, FRP, fiberglass, steel, aluminum body panels to each other and to metal frames (no primer required).

- Minimal odor
- · Automatic mixing
- Outstanding sag resistance
- Long work time for bonding large areas
- · Glass beads for adequate spacing
- 2:1 mixing ratio

DESCRIPTION	SIZE	055395-	
Epoxy Multi-Bonder (2:1)	220 ml	99406	
CASE		6	







Seam Sealer

Two-part epoxy (1:1) used to seal interior and exterior seams, joints and voids. It will not shrink, harden or crack and retains its flexibility. For use on vertical or horizontal seams.

- Paintable in 30 minutes
- Will not shrink or crack
- Matches OEM seams
- Non-sagging, non-flowing sealer

DESCRIPTION	SIZE	055395-
Seam Sealer (1:1)	220 ml	99407
CASE		6



Seam Sealer-Self Leveling

Two-part epoxy (1:1) is formulated for use on drip rails, trunk seams and roof channels. It will not shrink, harden or crack and retains its flexibility. For use on horizontal seams.

- Paintable in 30 minutes
- Will not shrink or crack
- Offers building characteristics that reduce running
- Matches OEM seams

DESCRIPTION	SIZE	055395-
Self-Leveling Seam Sealer (1:1)	220 ml	99408
CASE		6




Bare Metal Seam Sealer

Gray, two-part epoxy (1:1) used to seal interior and exterior seams, joints and voids. It will not shrink, harden or crack and retains its flexibility. For use on vertical or horizontal seams.

- Paintable in 45 minutes
- · Will not shrink or crack
- Matches OEM seams
- Non-sagging, non-flowing sealer
- Can be used over bare or primed metal

DESCRIPTION	SIZE	055395-
Bare Metal Seam Sealer (1:1)	220 ml	99409
CASE		6



Sprayable Seam Sealer Starter Kit and Mixing Tips

The S-4 [Sprayable Seam Sealer System] Starter Kit includes one S-4 Atomization Unit with a standard M style air fitting (which can be changed out), a bag of six S-4 Mixing Tips and instructions for use.

The S-4 Atomization Unit attaches to the bottom of the Pneumatic Applicator Gun (#41399) and can easily adjust the air pressure as needed. Either Seam Sealer (#99407) or Bare Metal Seam Sealer (#99409) can be used with this system to replicate textured OEM seals. The unique S-4 Mixing Tip (#06404) screws onto the cartridge, and the opposite end of the tip attaches to the hose on the S-4 Unit.

Because of the unique design of the S-4 Mixing Tip, this system also helps increase efficiency as there is virtually no clean-up. Simply replace the tip for the next job and follow the same instructions. Additional tips are also sold separately from the starter kit.

DESCRIPTION	636425-	636425-
S-4 Starter Kit (Includes 6 tips)	06403	_
S-4 Mixing Tips	-	06404
PKG/CASE	1/1	6/60





Right tools for the job / Minimal inventory required



Applicator Gun

For either 200 ml or 220 ml cartridges 1:1 or 2:1

DESCRIPTION	636425-
Heavy Duty Manual Applicator Gun 1:1 and 2:1	41400
CASE	1



Pnematic Applicator Gun

Can be used for either 200 ml or 220 ml cartridges.

DESCRIPTION	636425-
Pneumatic Applicator Gun 1:1 & 2:1	41399
CASE	1



Mixing Tips

24-element mixing tips are used for all 220ml cartridges to ensure automatic mixing. The tips are green.


	-	-
DESCRIPTION	SIZE	636425-
Mixing Tips - 24 Element (green)	220 ml	04628
PKG/CASE		6/60



Nylon Reinforcing Tape

Self-adhesive backing tape for repairing and filling holes and plastic gouges. It can be used for both urethane and epoxy adhesives.

DESCRIPTION	SIZE	636425-
Nylon Reinforcing Tape	2" x 65"	04632
PKG/CASE		1/6



Mixing Spreader with Tapered Edges

For use with #99403 Skim Coat Epoxy Repair/Filler.

DESCRIPTION	SIZE	636425-
Mixing Spreader with Tapered Edges	3" x 4"	06396
PKG/CASE		25/100



EZ REPAIR Technical Help Line **1 866 879-3761 /** For repair techniques and procedures, visit **www.carboauto.com**



ADHESIVES, SEALERS AND COATINGS

VOC Compliant / High Quality

Protecting a vehicle against the elements is part of a quality repair. Sealing out wind, water and noise is no easy task, but VOC compliant, high quality products from the Carborundum line of Adhesives, Sealers and Coatings are up to the challenge.

,	
FEATURES	BENEFITS
 High quality components 	 Match OEM color or texture
	 High strength bond
	 Ultra-fast application and dry time
Complete line	 Multiple applications with minimal inventory
 V.O.C. compliant 	Safer work environment





✓voc

Heavy Duty Spray Trim Adhesive

A fast drying, non-staining super strength adhesive in an aerosol can. Used to bond carpeting, urethane foam, insulation, supported vinyl, wood, paper, hood pads, and headliners to most substrates. Convenient adjustable spray nozzle for varied applications.

For best results, use at room temperature. This product is 50 state compliant and meets all regulations for sale in the USA.

DESCRIPTION	SIZE	055395-
Spray Trim Adhesive	24 oz / Net 15.75 oz	99446
CASE		12



VVOC

Urethane Windshield Sealer

A one-part urethane adhesive sealant for windshield and backlite installations. Easy handling, fast-set properties, excellent shelf life. Passes Motor Vehicle Safety Standard #212 windshield barrier test and #216 crush test.

DESCRIPTION	SIZE	055395-
Urethane Windshield Sealer	11 oz / Net 10.5 oz	99447
CASE		12



Vvoc

Zinc-Rich Weld-Through Primer

Aerosol primer for use on bare metal parts before welding. This zinc rich primer provides excellent conductivity to minimize weld spatter. It is fast drying, resists sags and settling, is water resistant after 15 minutes and may be topcoated, if desired. Heat resistant up to 500°F. Apply to metal surface either before or after welding to restore OEM zinc corrosion protection. It is formulated to be V.O.C. compliant in California.

DESCRIPTION	SIZE	055395-
Zinc-Rich Weld-Through Primer	16 oz / Net 13.75 oz	99452
CASE		12



Versatile applications / Easy-to-use



VVOC

Quick-Set Seam Sealer, Beige

Quick-Set Seam Sealer can be used to seal any body seam against moisture or dust and to finish skin panels. Applies easily and skins over in 2 minutes and is paintable in 30. Outstanding tooling and sanding properties. It will remain flexible once dry, withstands temperature changes and vibration, and resists penetration of moisture. Excellent adhesion to clean, bare metal, primed metal and paint surfaces.

DESCRIPTION	SIZE	055395-
Quick-Set Seam Sealer, Beige	11 oz	99449
CASE		12



√voc

Urethane Seam Sealer

A one-component, polyurethane seam sealer that cures quickly to a permanent, flexible sealant designed for sealing interior and exterior automotive and RV body joints and seams and duplicates OEM appearance. Can be smoothed to a featheredge and/or brushed and will not shrink or crack. Paintable in 1 hour. Flexible foil package eliminates product waste. Use with Application Gun #82786.

DESCRIPTION	SIZE	055395-
Urethane Seam Sealer	10.3 oz	99450
CASE		6



Application Gun for 99450

Designed for use with Carborundum Urethane Seam Sealer (#99450). This is a fully enclosed metal unit, which provides fast and efficient application of seam sealer material. Low ratio mechanism allows for easy pumping and precise application of sealant.

DESCRIPTION	076607-
Application Gun for 99450	82786
CASE	1



✓voc

Automotive Panel Waterborne Cleaner/Degreaser

A non-hazardous, solvent free cleaner and degreaser for cleaning automotive surfaces prior to applying primer, sealer, basecoat, clearcoat or other coatings. Intended for use as a final wash for metal, plastics, and coatings. It cleans sanding dust and grime from these substrates. Works well removing road grime, salt dust, insects, bird droppings, silicone oils, waxes and masking tape residue. When used as directed, it leaves no harmful residue and assists in proper coating adhesion.

DESCRIPTION	SIZE	055395-
Waterborne Cleaner/ Degreaser	32 oz	99458
CASE		6



VVOC

Panel and Adhesive Cleaner

Removes adhesives, tar, grease, wax, body sealers, undercoating sprays, and silicone from most surfaces. Aggressive cleaner is safe to use on most paint applications. Packaged with squirt dispenser. Use as directed.

DESCRIPTION	SIZE	055395-
Panel and Adhesive Cleaner	32 oz	99459
CASE		12



Match OEM Textures / Increase productivity



✓voc

Rocker-Panel Texture Coat

A rapid drying, flexible, abrasion resistant protective coating that can be varied to match OEM textures found on rocker panels and valances. Paintable in 60 minutes. Highly chip resistant.

DESCRIPTION	SIZE	055395-
Rocker-Panel Texture Coat (White)	16 oz / Net 13 oz	99453
Rocker-Panel Texture Coat (Black)	16 oz / Net 13 oz	99454
CASE		6



€voc

Premium Rubberized Undercoat - Paintable

Paintable and fast-drying rubberized undercoat for rust-prevention, sound deadening and chip resistance to fenders, undercarriages, quarter panels, wheel wells, decks and hoods. Excellent adhesion to painted and unpainted surfaces. Resists rust and abrasion as it seals out dust and moisture.

DESCRIPTION	SIZE	055395-
Premium Rubberized Undercoat – Paintable	24 oz / Net 17.75 oz	99455
CASE		6



✓voc

Rubberized Undercoat

Seals out rust, fumes, heat and cold while protecting underbody areas. Excellent adhesion that won't crack or chip under normal conditions. Engineered to protect underbody areas from moisture and abrasion while deadening sound. Fast drying and economical.

DESCRIPTION	SIZE	055395-
Rubberized Undercoat	20 oz / Net 16 oz	99456
CASE		6



✓voc

Carbon Black Guide Coat

Provides the technician with a visual aid to ensure primed surfaces are totally smooth and even. A quick and efficient method to find uneven and low spots on body filler, primer, glazing putties and other repair components.

DESCRIPTION	SIZE	055395-
Carbon Black Guide Coat	16 oz / Net 10.5 oz	99457
CASE		6



Adhesives and Sealers Cabinet

Heavy-gauge steel will hold all of the Carborundum adhesives and sealers, keeping them clean, dry, and secure.

DESCRIPTION	SIZE	055395-
Adhesives and Sealers Cabinet	30" x 10" x 26"	99365
CASE		1



CONTENTS

Instant pressure-sensitive bonding



Premium Automotive Attachment Tape

High-density gray foam tape coated with high strength acrylic adhesive on both sides and a red polyethylene release liner is designed for bonding medium to large moldings and accessories. High strength acrylic adhesive provides superior adhesion to plastics, metal, glass and painted vehicle surfaces.

- Used for attaching body side moldings, cladding, door edges, emblems, interior trim, rocker panel moldings, and pillar covers
- Instant pressure-sensitive bonding
- · Remains flexible at low temperatures

Size	1/4"	1/2"	7/8"
DESCRIPTION	055395-	055395-	055395-
20 Yard Roll .045" Thick	67381	67378	67379
CASE	12	12	12



Attachment Tape Adhesion Promoter

Molding Tape Adhesion Promoter is a liquid primer to improve the adhesion of Carborundum automotive attachment tapes to exterior and interior trims involving injection molded and/or plastics (TPO, PPO, PP, PG, PC and ABS).

Size	220 ml Can
DESCRIPTION	055395-
Molding Tape Adhesion Promoter	67380
220ml brush top can	
CASE	12



High quality construction / Designed to improve productivity

Designed to enhance autobody applications.

•	3 11
FEATURES	BENEFITS
 High-quality, durable 	 Long lasting
components	 Cost effective
Ergonomic design	Minimize fatigue





Carborundum Autobody Utility Cabinet

Rugged, heavy gauge steel with two adjustable shelves and a security latch for locking doors. Store abrasives, tapes and chemicals, while keeping them clean, dry and secure. Weight: 55 pounds.

DESCRIPTION	SIZE	055395-
Automotive Utility Cabinet	31-1/2"w x 26"h x 12-1/2"deep	33867
CASE		1



Carbo Cart

The Carbo Cart is made of heavy gauge steel painted "Carbo" red. The front panel is a "hook" design to attach all "hook and loop" products. Pre-drilled holes in the back panel allow attachment of all Carbo dispenser systems.

DESCRIPTION	SIZE	055395-
Carbo Cart	31"h x 22"l x 14-1/4"deep	20486
CASE		1



Automotive Disc Roll and Sheet Roll Dispensers

These bright red dispensers feature heavy duty construction and a rubberized finish, designed to protect your product as well as the finish of your workpiece. They are versatile, for use with any 5" or 6" disc roll or 2-3/4" sheet roll. They can be attached to a wall, mounted on a Carborundum Utility Cabinet or Cart or stacked upon other Carborundum dispensers.

DESCRIPTION	055395-
Single Disc Roll Dispenser	20361
Double Disc Roll Dispenser	20299
Sheet Roll Dispenser	20523
CASE	1







Ergonomic Sanding Blocks

Stick-On - Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. The embossed rubber face allows for good adhesion of PSA sheet rolls.

Stick-On - Firm

Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. The embossed rubber face allows for good adhesion of PSA sheet rolls.

Grip-On - Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. Works with standard hook and loop sheets.

Grip-On – Firm

Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. Works with standard hook and loop sheets.

Size	2-3/4" x 5"	2-3/4" x 7-3/4"	2-3/4" x 5"	2-3/4" x 7-3/4"
DESCRIPTION	055395-	055395-	055395-	055395-
Soft – PSA	70401	_	_	_
Firm – PSA	70402	70405	_	_
Soft – Grip-On	_	_	70403	_
Firm – Grip-On	_	_	70404	70406
CASE	5	5	5	5



Ergonomic Hand Sanding Block for 6" Discs

The unique design quickly converts a 6" diameter PSA or hook and loop disc into a hand sander. The ergonomic design of the pad fits the user's fingers for added comfort and reduced fatigue.

		Commen.
DESCRIPTION	055395-	055395-
For 6" Stick-On Discs	63898	_
For 6" Grip-On Discs	-	63897
CASE	5	5



Dual Density Wet Sanding Sof-Block

Because of the "grabbing" power of these blocks, no adhesive is required, simply wrap the paper around the block. The dense side is for more aggressive blocking, while the soft side is for color sanding. These blocks come in a "point of purchase" display pack

paronaso alopiaj paok.	
DESCRIPTION	055395-
Sof-Block	63899
CASE	12



E7 Block

A rugged, semi-rigid, multi-purpose sanding block engineered for flat to medium curved surfaces. A tactical hole patter side provides numerous cutting edges to create a 30% faster cut rate. The plain side provides firmness and a comfortable, easy-to-hold surface. These blocks come in a "point of purchase" display plack.

DESCRIPTION	055395-
EZ Block	63900
CASE	8





Stick-On Sanding Board

The Stick-On Sanding Board has a cushioned surface. There are slots at each end to securely hold 2-3/4" x 17-1/2" abrasive sheets or may be used with 2-3/4" x 16-1/2" PSA sheets.

DESCRIPTION	055395-
Stick-On Body File Sanding Board	12013
CASE	1



Grip-On Sanding Board

The Grip-On Sanding Board has a lightweight, rugged design. This sanding board is designed to be used with 2-3/4" x 16-1/2" hook and loop sheets.

DESCRIPTION	055395-
Grip-On Body File Sanding Board	12014
CASE	1



Grip-On Air File Shoe

The Grip-On Air File Shoe eliminates the need for clips. The quick-change backing positively locks and unlocks every time, for fast, easy-to-manage use of hook and loop file sheets.

DESCRIPTION	055395-
Grip-On Air File Shoe	12015
CASE	1

A consistent surface for increased productivity when sanding.



Carbo Back-Up Pads

Two back-up pad profiles and two densities give you all the options you need for any sanding job.

Durable polyurethane foam on a fiberglass backing plate provides a consistent surface for a consistent finish. All pads are individually spin-balanced for better control and performance on all tools.

Each pad is protected by a sturdy, clam shell package ready for pegboard display. A cap protects the threaded spindle and two washers are included for proper fit and spacing on any D/A tool.

Define the Job, Then Pick the Pad



Low Profile, Soft Density

For Medium To Fine Grit Sanding (Soft, thicker foam for contours)

Grits - 320 and Finer

12,000 rpm



Low Profile, Medium Density

For Coarse to Medium Grit Sanding (Hard edge)

Grits - 320 and Coarser

15,000 rpm



Tapered Edge, Medium Density

For Coarse to Medium Grit Sanding (Flexible edge, easy to reach small contours)

Grits - 320 and Coarser

15,000 rpm

	LOW PROFILE – SOFT / 320 AND FINER		LOW PROFILE – MEDIUM / 320 AND COARSER		TAPERED / 320 AND COARSER	
		00000		Solo Otoro		000000
	PSA	Grip-On	PSA	Grip-On	PSA	Grip-On
DESCRIPTION	055395-	055395-	055395-	055395-	055395-	055395-
5" Plain Face	99304	99307	99309	99313	99317	99321
6" Plain Face	99305	99308	99311	99315	99319	99323
5" Vacuum	_	_	99310	99314	99318	99322
6" Vacuum	_	_	99312	99316	99320	99324
CASE	5	5	5	5	5	5

MOST POPULAR SKU'S ARE SHOWN IN REL

MUSI PUPULAR SRU'S ARE SHUWN IN RED PADS HAVE A RIVETED 5/16"-24 THREADED SPINDLE AND ARE MADE WITH POLYURETHANE FOAM WITH A FIBERGLASS BACK PLATE.





8" Back-Up Pads

All pads have 5/8-11 threaded shank.

		00000	OUUUU	
DESCRIPTION	055395-	055395-	636425-	RPM
8" x 1/2" Stick-On	12023	_	_	6,000
8" x 1/2" Grip-On	_	12030	_	4,800
8" VAC/Non-VAC Grip-On 5 Screw	_	-	43712	1,500
8" VAC/Non-VAC Grip-On 6 Screw	_	-	43714	1,500
CASE	5	5	1	



Foam Interface Pads

Constructed of soft, durable foam for use with Grip-On back-up pads. The interface pad allows the technician to get in closer to most edges and to better follow contours.

		Dogga	o o o o o o o o o o o o o o o o o o o	Doggo
DESCRIPTION	THICKNESS	055395-	055395-	055395-
3" Thin Interface Pad	1/2"	05457	_	-
6" Thin Interface Pad	1/2"	_	42089	_
5" Foam Interface Pad	3/4"	_	_	20521
6" Foam Interface Pad	3/4"	_	_	20520
PKG/CASE		10/10	5/5	2/20



Disc Hand Pads

The 3/8" thick pad is composed of neoprene and foam, for excellent conformability. Each pad has an elastic hand strap to hold it firmly in place when used with a 6" Grip-On disc for scuff sanding flat or contoured surfaces.

The half moon pad uses a 6" Grip-On disc which adheres to the hooks on the pad face. The straight edge of the pad allows the technician to sand contours and narrow crevices.

	So ₁₀₁₀₁
DESCRIPTION	636425-
6" x 3/8" Thick Soft Foam Grip-On with strap	00906
6" Half Moon Grip-On	00904
CASE	10



Pin Stripe Removal Wheel

This wheel is designed to remove pinstripes, decals and molding adhesive without damage to the underlying surface. Tan colored, it is 4" diameter, 5/8" thick with a 1/16" step and has a 5/16-24 attached threaded mandrel.

DESCRIPTION	055395-	055395-	RPM
4" x 5/8" x 5/16"-24 Mandrel	67390	_	4,000
3/8" Drill Adapter for #67390	-	60773	
CASE	5	1	

There has never been a better time to take Carborundum for a test drive!

3M CARBO	3M CARBO	3M CARBO	3M CARBO	3M CARBO	3M CARBO
00371 21300	01069 20318	01261 99422	01443 18173	01923 10722	02546 20535
00373 21301	01070 20319	01318 20295	01485 61102	01928 10749	02547 20536
00374 21302	01071 20320	01319 20296	01489 61106	01929 10782	02548 20537
00377 21303	01072 20319				02549 20538
		01320 18162	01491 61108		
00379 21304	01073 20321	01321 18163	01493 61110	01944 55598	02590 20332
00380 21305	01075 20322	01323 18164	01506 21300	01945 55597	02591 20333
00391 21336	01076 20323	01325 18165	01547 21301	01951 55595	02593 20334
00393 21337	01077 20324	01326 18166	01548 21302	01952 55594	02594 20335
00394 21338	01078 20325	01327 18167	01549 21303	01953 55578	02595 20336
00512 21315	01079 20326	<u>01328 18168 </u>	01550 21304	01988 01132	02596 20337
00515 21316	01080 20328	01329 18169	01569 21309	01989 03861	02597 20338
00521 21318	01081 20329	01330 18170	01602 70554	01990 03863	02598 20339
00524 21319	01082 20330	01331 18171	01603 70553	01991 04270	02599 20340
00525 21320	01083 20331	01332 18172	01605 70551	02001 63883	02600 70125
00539 21342	01100 99467	01333 18173	01606 70550	02002 63884	02601 70124
00542 21343	01101 99466	01344 99390	01607 70549	02003 63856	02602 70123
00543 21344	01105 70581	01345 99389	01608 70548	02004 63885	02604 70122
	01106 70580	01346 99387		02006 63887	02606 70121
00624 21325	<u>01107 70579</u>	<u>01352 63780</u>	01610 70546	02007 63888	02621 63872
00639 21345	01108 70563	01353 18164	01624 63609	02020 63877	02622 63871
00907 47312	01109 70562	01355 18165	01628 63612	02021 63872	02623 63870
00908 47311	01110 70561	01356 18166	01634 15298	02022 63871	02624 63869
00909 47310	01111 70560	01357 18167	01635 15300	02023 63870	02669 20470
00910 70022	01112 70559	<u>01358 18168</u>	01637 15304	02032 63878	02702 21345
00913 99430	01113 70558	01359 18169	01638 15311	02033 63879	04240 99400
00914 70021	01114 70557	01360 18170	01639 15312	02034 63880	04247 99400
00916 99429	01115 70556	01361 18171	01640 15313	02035 63881	05440 70402
		01301 10171	01040 10010		
00917 70020	01116 99464	01362 18172	01641 15315	02036 63882	05441 70405
00918 99428	01117 99463	01363 18173	01642 15316	02037 63883	05442 70401
00919 99427	01178 99473	01373 15298	01643 15317	02038 63884	05450 20299
00921 70019	01179 99472	01375 15300	01661 21311	02039 63856	05539 55103
00950 47285	01180 99471	01377 15304	01679 99395	02040 63885	05540 55105
00951 20252	<u>01181 99469</u>	01378 15311	01680 99394	02042 63887	05546 99305
00952 20253	01184 47285	01379 15312	01681 99343	02043 63888	05551 99324
00953 20254	01185 47284	01380 15313	01682 99344	02044 63869	05555 99317
00954 20256	01186 47283	01381 15315	01684 99345	02085 99361	05556 99311
00955 20255	01187 99413	01382 15316	01685 99346	02087 99360	05575 99317
00956 63781	01188 18105	01383 15317	01686 99347	02088 47285	05576 99319
00957 20257	01189 06227	01396 99385	01687 99348	02103 30475	05579 12023
00959 20258	01190 18106	01397 99386	01688 99349	02104 30476	05655 99311
00961 20260	01193 18109	01398 09768	01743 21318	02112 10868	05656 99312
00962 20262	01194 18110	01406 99389	01744 21319	02113 10870	05711 70411
00963 20263	01195 18111	01407 99390	01745 21320	02114 10871	05717 70414
00964 20264	01196 18112	01408 69471	01791 21342	02115 10872	05719 70411
00965 20266	01197 18113	01417 63779	01793 21343	02135 10905	05723 99460
	01198 18114	01419 18105	01794 21344	02138 10907	
00967 20269	01202 63780	01420 18106	01810 99546	02139 10908	05733 99468
00968 47284	01203 18164	<u>01421 18107 </u>	<u>01811 99545</u>	02220 21348	05740 70404
00969 47283	01205 18165	01422 18108	01812 99544	02221 21349	05741 70406
00970 20274	01206 18166	01423 18109	01814 99543	02222 21350	05742 70403
00971 20275	01208 18168	01424 18110	01815 99542	02230 21336	05748 12015
00070 00700			01010 99042	00001 01007	00140 12010
00972 63782	01209 18169	01425 18111	01816 99541	02231 21337	05755 99313
00973 20276	01210 18170	01426 18112	01817 99540	02232 21338	05756 99315
00975 20277	01211 18171	01427 18113	01818 99539	02258 21349	05759 69934
00976 20278	01212 18172	01428 18114	01819 20288	02260 21339	05775 99321
00977 20282	01213 18173	01429 63891	01819 20330	02469 20470	05776 99323
00978 20283	01218 99416	01430 63890	01820 99538	02470 20471	05777 42089
00979 20284	01219 99417	01431 63889	01850 21324	02472 20472	05791 00906
00980 20285	01221 99418	01432 63780	01852 21325	02473 20473	05792 00904
00981 20287	01222 99419	01434 18164	01862 20470	02536 14148	05855 99314
00982 20288	01223 99420	01435 18165	01863 20471	02537 20528	05865 99316
00983 20289	01224 99421	<u>01436 18166</u>	01864 20472	02538 63785	05885 99402
01057 20306	01225 20133	01437 18167	01865 20473	02539 20529	05887 99403
01059 20307	01251 99370	01438 18168	01913 10711	02541 20530	05907 99411
01062 20310	01252 99371	01439 18169	01914 10712	02542 20531	05910 99453
01063 20311	01253 99372	01440 18170	01915 10713	02543 20532	05911 99453
01064 20312	01254 99373	<u>01441 18171 </u>	01921 10720	02544 20533	05917 99452
01067 20315	01260 99464	01442 18172	01922 10721	02545 20534	05973 01209

3M TO CARBORUNDUM CROSS REFERENCE

Better performance + Better price = Better value! Switch to Carborundum!


3M	CARBO	
05974	47329	
06013	02023	
06016	64024	
06018	64024	
06060	01209	
06061	47329	
06064	99381	
06065	47329	
06068	01209	
06069	47329	
06070	01209	
06085	01209	
06086	47329	
06293	99362	
06297	99363	
06298	99362	
06300	30152	
06334	99396	
06338	99397	
06340	99398	
06345	99359	
06347	99359	
06348	99359	
06349	99359	
06377	67378	
06378	67379	
06380	67378	
06381	67379	
06382	67378	
06383	67379	
06384	67378	
06385	67381	
06386	67381	
06396	67380	

3M	CARBO
06404	30152
06405	30153
06408	30154
06506	70582
06512	70583
06518	70584
06537	70582
06538	70583
06539	70584
06540	70585
06541	99396
06542	99397
06543	99398
06652	99366
06654	99367
06656	99368
06706	70582
06712	70583
06718	70584
06723	70530
06724	06728
06727	63770
06728	63769
06732	70583
06736	70585
06738	70584
06742	63895
06975	29216
07445	10892
07447	10890
07448	10891
07460	39321
07461	29280
07466	29282

3M	CARBO	
07470	29282	
07471	39321	
07480	12508	
07481	12507	
07485	12512	
07486	12510	
07499	67390	
07521	99425	
07522	99426	
07745	30893	
07747	10890	
07748	10891	
07777	10890	
08090	99446	
08115	99406	
08116	99406	
08193	04628	
08219	99402	
08223	99401	
08227	99401	
08235	99400	
08237	99401	
08239	99400	
08243	99400	
08307	99408	
08308	99407	
08310	99409	
08360	99450	
08370	99450	
08500	99449	
08505	99449	
08609	99447	
08881	99456	
08883	99455	

3M	CARBO
08984	99459
16000	99573/99581
16001	47322
16023	47323
16024	99574/99581
16114	99572/99577
16115	47321
16199	99580
16200	99581
16201	99577
16202	99580
16203	99576
16300	99573/99580
16301	99573/99580
16314	99572/99576
16324	99574/99580
16325	99574/99580
20356	99315
20427	99306
21210	99446
26334	99396
26338	99397
26340	99398
30260	70022
30273	99430
30275	70021
30278	99429
30279	70020
30280	99428
30281	99427
30283	70019
30460	99501
30461	99502
30472	99503

3M	CARBO
30473	99504
30475	99505
30477	99507
30478	99508
30479	99509
30481	99511
30482	99512
30483	99513
30567	20252
30568	20253
30569	20254
30667	47285
30668	47284
30669	47283
30670	20274
30671	20275
30684	21315
30686	21316
30701	99592
30702	99591
30703	99590
30705	99564
30708	99565
30709	99566
30710	99567
30711	99568
30713	99570
30716	21344
30760	99548
30761	99547
30769	47283
30771	20320
30784	99538



Disc and Body File Sheets - Fine Grits

			(:(-	. (1	1
		490					1			
		CARBO MEDALIST	CARBO MEDALIST	CARBO MEDALIST	CARBO MEDALIST	PREMIER RED	TTER PREMIER RED	WHITE LIGHTNING	GOOD WHITE LIGHTNING	WHITE LIGHTNING
		FOAM GRIP-ON	FILM GRIP-ON	GRIP-ON	STICK-ON	GRIP-ON	STICK-ON	GRIP-ON	STICK-ON	TAB STICK-ON
3" DISC	UP C 3000	055395- 99360	055395-	055395-	055395-	055395-	055395-	055395-	055395-	055395-
	P1500	-	47312	53344	-	69927	-	-	-	-
	P1200 P1000	-	47311 47310	53343	-	69926	-	-	-	-
	P800	-	-	53342	-	70022	-	-	-	-
	P400	-	-	53340	-	99430				
	P320 P220	-	-	53339 53338	-	70021 99429	-	-	-	-
	P180	-	-	53337	-	70020	-	-	-	-
	P150	-	-	53336	-	99428				
	P120	-	-	53335	-	99427				
5" DISC	P80 P1500	-	-	53334	-	70019 20252	-	-	-	-
3 5.00	P1200	-	-	-	-	20253	-	-	-	-
	P1000	-	-	-	-	20254	-	-	-	-
	P800 P600	-	-	99501 99502	-	20255 20256	18101 18104	-	-	-
	P500	-	-	99503	-	63781	63779	-	-	-
	P400	-	-	99504	-	20257	18105	-	70554	-
	P320	-	-	99505	-	20258	18106	-	70553	-
	P280 P240	-	-	99506 99507	-	20259 20260	18107 18108	-	-	-
	P220	-	-	99508	-	20262	18109	-	70551	-
	P180	-	-	99509	-	20263	18110	-	70550	-
	P150 P120	-	-	99510 99511	-	20264 20266	18111 18112	-	70549 70548	-
	P100	-	<u> </u>	99511	-	20267	18113	-	70547	-
	P80	-	-	99513	-	20269	18114	-	70546	-
6" DISC	3000	99361	47005	-	-	-	-	-	-	-
	P1500 P1200	-	47285 47284	99444	-	20270 20271	20294 20295	-	-	
	P1000	-	47283	99423	-	20272	20296	-	-	-
	P800	-	-	99514	99488	20274	18162	99413	70581	-
	P600 P500	-	-	99515 99516	99489 99490	20275 63782	18163 63780	99414 99415	70580 70579	-
	P400	-	-	99517	99490	20276	18164	99416	70579	70572
	P320	-	-	99518	99492	20277	18165	99417	70562	70571
	P280	-	-	99519	99493	20278	18166	-	-	-
	P240 P220	-	-	99520 99521	99494 99495	20282 20283	18167 18168	99418	70561 70560	70570 70569
	P180	-	-	99522	99496	20284	18169	99419	70559	70568
	P150	-	-	99523	99497	20285	18170	99420	70558	70567
	P120	-	-	99524	99498	20287	18171	99421	70557	70566
	P100 P80	-	-	99525 99526	99499 99500	20288 20289	18172 18173	99422	70556 70555	70565 70564
8" DISC	P320	-	-	-	-	-	61102	-	-	-
	P180	-	-	-	-	-	61106	-	-	-
	P120 P100	-	-	-	-	-	61108 61109	-	-	-
	P80	-	-	-	-	-	61110	-	-	-
BODY FILE	P220	-	-	-	-	20470	-	99473	•	-
	P180 P150	-	-	-	-	20471 20472	20459	99472 99471	-	-
	P120	-	-	-	-	20472	20461	99471	-	-
	P100	-	-	-	-	20474	-	-	-	-
DACKING	P80	- 	- -	-	-	20475	20463	99469	- D.u.t. 1.1	-
BACKING TEAR RESIS	STANCE	Foam High	Film High	B-C wt. Latex High	B-C wt. Latex High		itex Paper ligh		B wt. Latex Pape Standard	r
GRAIN		Prem. A/O	Prem. A/O	Ceramic	Ceramic		t-Treated A/O		Aluminum Oxide)
WET/DRY		Moist	Dry	Dry/Moist	Dry		r Moist		Dry	

Discs and Body File Sheets - E-Weight






				BEST			GO	OD .
				PREMIER RED			WH	ITE
					GRIP-ON	STICK-ON	LIGHT	TNING
		GRIP-ON	STICK-ON	PLAIN	VACUUM	VACUUM	STICK-ON	GRIP-ON
	UPC	055395-	055395-	055395-	055395-	055395-	055395-	055395-
6" DISC	80-E	21315	21300	-	-	-	99464	53326
	40-E	21316	21301	-	-	-	99463	53327
	36-E	-	21302	-	-	-	99462	-
8" DISC	80-E	21318	21303	21333	21324	21309	99467	53328
	40-E	21319	21304	21334	21325	-	99466	53329
	36-E	21320	21305	21335	-	21311	99465	-
BODY FILE	80-E	21342	21336	21348	21345	21339	99395	53330
	40-E	21343	21337	21349	-	-	99394	53331
	36-E	21344	21338	21350	-	-	99393	-
BACKING		E wt. Latex Paper				E wt.	Paper	
TEAR RESIST	TANCE			High			Stan	dard
GRAIN		Zirconia Alumina				A	0	

Carbo CleanAir and Vacuum Discs







		ALC: NO.		
		BEST	BET	TER
		CARBO MEDALIST	PREMI	ER RED
		GRIP-ON CARBO CLEANAIR	GRIP-ON Vacuum	STICK-ON VACUUM
	UPC	055395-	055395-	055395-
5" DISC	P800	99537	-	-
	P600	99536	20305	-
	P500	99535	-	-
	P400	99534	20306	-
	P320	99533	20307	-
	P240	99532	-	-
	P220	99531	20310	-
	P180	99530	20311	-
	P150	99529	20312	-
	P120	99528	-	-
	P100	-	20314	-
	P80	99527	20315	-
6" DISC	P1000	-	20318	-
	P800	99548	20319	-
	P600	99547	20320	15297
	P500	99546	63784	-
	P400	99545	20321	15298
	P320	99544	20322	15300
	P280	-	20323	-
	P240	99543	20324	15304
	P220	99542	20325	15311
	P180	99541	20326	15312
	P150	99540	20328	15313
	P120	99539	20329	15315
	P100	-	20330	15316
	P80	99538	20331	15317
BACKING		B-C wt. Latex Paper	B wt. Lat	ex Paper
TEAR RESIST	TANCE	High	High	
GRAIN		Ceramic Alumina	Premium Hea	t Treated A/O

Foam Sanding Pads



		RESI
		PREMIER RED
	UPC	055395-
4-1/2" X 82'	P1000	99443
PERFORATED	P800	99442
EVERY 5-1/2"	P600	99441
	P500	99440
	P400	99439
	P320	99438
DAOKING		Foam and B-wt.
BACKING		Latex Paper
TEAR RESISTANCE		High
GRAIN		Heat Treated A/O

Sanding Sponges




		DESI
		EZ TOUCH
	UPC	055395-
4-1/2" X 5-1/2"	Med	70121
	Fine	70122
	Super F	70123
	Ultra F	70124
	Micro F	70125
BACKING		Foam
TEAR RESISTANCE		High
GRAIN		A/0

There has never been a better time to take Carborundum for a test drive!

Sheet Rolls



Sheets



		DE	<i>ा</i>
		PREMIER RED	MIRRORFINISH
	UPC	055395-	055395-
5-1/2" X 9"	2000	-	63869
SHEET	1500	-	63870
	1200	-	63871
	1000	-	63872
9" X 11"	2000	-	63877
SHEET	1500	-	63878
	1200	-	63879
	1000	20527	63880
	800	14148	63881
	600	20528	63882
	500	63785	-
	400	20529	63884
	360	-	63856
	320	20530	63885
	280	20531	-
	240	20532	63887
	220	20533	63888
	180	20534	-
	150	20535	-
	120	20536	-
	100	20537	-
	80	20538	-
BACKING		B-wt Latex Paper	A & B wt Paper
TEAR RESISTANCE		High	Standard
GRAIN		Heat Treated A/O	A/O and S/C
WET/DRY		Dry or Moist	Wet or Dry
TEAR RESISTA	180 150 120 100 80	20534 20535 20536 20537 20538 B-wt Latex Paper High Heat Treated A/O	- - - - - A & B wt Paper Standard A/O and S/C

CONTENTS

2" - 3" Grinding Discs



BETTER UPC 055395-2" TR DISC Very Fine 12506 **BACK-UP PAD** 12507 Medium 662610-55103 Coarse 12508 3" TR DISC Very Fine 12509 12510 Medium BACK-UP PAD 662610-55105 Coarse 12512



		BEITEK
		CARBO-CUT
	UPC	055395-
3" DISC	50	63891
MANDREL 1/4" HEX	36	63890
055395-63893	24	63889
BACKING		Plastic
GRAIN		Zirconia Alumina

Carbo Fire Surface Strip Discs

		BEST
		CARBO FIRE
	UPC	666233-
3" TR	X-Coarse	29280
	UPC	666233-
4" X 1/2" TR+	X-Coarse	29282
BACK-UP PAD		
#055395-22538		
	UPC	776960-
4" X 1/2" X 1/4"	X-COARSE	39321
MANDREL		
#066395-51776		
BACKING		Nylon Web
GRAIN		Ceramic Alumina

5" - 7" Grinding Discs



Trademarks

Registered Trademarks:

Carborundum logo, Dri-Lube, Fibratex, Grip-On, Medalist, Merit

Trademarks: Carbo Cut, Carbo Finish, Carbo Gold, Carbo Premier Red, Carbo White Lightning, Carborundum Paint System, Carbo CleanAir, Carbo Fire, Clip-On, CPS, EZ Block, EZ Sheet, EZ Touch, EZ View, EZ Wipe, EZ Wrap, Flex-Loc, Legendary Innovation, Legendary Performance, Mirror Finish, Paint Check, ProPack, ScuffGel, Sof-Block, Stick-On, Surface Strip, Thin-Flex. All trademarks, registered trademarks and logos are property of their respective holders.

www.carboauto.com

TAKE CARBORUNDUM FOR A TEST DRIVE. NOW IS A GREAT TIME TO LOOK AT WAYS TO SAVE TIME AND MONEY.



BETTER PERFORMANCE + BETTER PRICE = BETTER VALUE!



Carborundum is 100% committed to bringing the **best performing products** to body shops at a **fair price**.

You can test drive Carborundum products in your shop when it's convenient for you. Simply let your Carborundum salesperson know when you'd like to test Carborundum in your shop. Our test drive program allows the technicians do their regular work, without interruption, using Carborundum products at no cost in "real

world" conditions. You're the final judge of performance. At the end of the day, the Carborundum salesperson will review the results, provide you with potential cost savings and convert the shop to Carborundum products if you like what you see.

There has never been a better time to look at ways to **increase productivity** and to **reduce costs** at absolutely no risk to you. There has never been a better time to **take Carborundum for a Test Drive!** If you'd like to take a test drive please email **carbo.automotive@saint-gobain.com**





CONTENTS

legendary **performance** legendary **innovation**









Cut Problems Down to Size

Carbo Fire TR Discs

Carbo Fire Flex-Loc TR discs are ideal for fast stock removal in a small area. Their self-sharpening design is ideal for high pressure, heavy metal removal applications. The engineered, laminated backing is extremely durable for the most rugged applications.

Less Dust Means More Productivity!

Carbo CleanAir System

Eliminating dust and increasing the surface cutting area improves productivity by 35% versus traditional vacuum sanding and by 60% versus non-vacuum sanding. The superior dust extraction of the Carbo CleanAir system keeps the abrasive grain exposed to cut through paint and primer by continually removing the dirt that can clog paper and leave wild scratches. The end result is that Carbo CleanAir discs cut faster and last longer so productivity gets a boost and dust takes a hike.

Repairs... Good as New!

EZ Repair Adhesives

Repair any substrate "good as new" with acrylic, urethane or epoxy adhesives.
Whether it's metal-to-metal, plastic repair or a composite material, EZ Repair has just the right product you need without excess inventory. State-of-the-art technology with for any repair.

Carborundum Has You Covered!

Complete Masking System

Properly masking a car while protecting the interior is a great way to ensure a quality job is delivered to a satisfied customer. Carborundum has a full line of masking products from seat covers and floor mats to weather barrier, paintable plastic sheeting, coronatreated masking paper and rubberbased adhesive masking tape. The complete line of masking products from Carborundum has you covered.



HEADQUARTERS: Saint-Gobain Abrasives, Inc. Automotive Sales PO Box 15008, 1 New Bond Street Worcester, MA 01615-0008 U.S. CUSTOMER SERVICE:
Phone Toll Free: 1877 447-5359
Fax Toll Free: 1888 383-2249
Local Phone: (254) 918-2302
Local Fax: (254) 918-2303

TEST POLIC

CANADA CUSTOMER SERVICE:
Phone Toll Free: 1 800 263-6565
Fax Toll Free: 1 800 561-9490



www.carboauto.com | www.facebook.com/carboauto | www.youtube.com/carboauto

CA5000 REV. 03/13 © Saint-Gobain Abrasives, Inc., March 2013

