



# ADAPTERS & KITS PRODUCT

# CATALOG

Please accept our invitation to join our newsletter updates to stay current with new product releases and current information. This invitation can be found on the home page of our website.

**[www.catlow.com](http://www.catlow.com)**

REV.9.11

CATLOW, INC.  
2750 US RT 40  
TIPP CITY, OHIO 45371 USA  
Phone (800) 222-8569 Fax (937) 898-8631  
[www.catlow.com](http://www.catlow.com)

**ALL PRODUCTS MADE IN USA**


Please reference individual product sheets for ordering specifications





## 200PV Coaxial Splitter Valve 200BI Conversion Adapter

---



### 200PV Coaxial Splitter Valve


The 200PV Coaxial Splitter Valve separates the flow of vapor and gasoline between the dispenser and the hose. Easy to install during the retrofitting of balance assist systems to Stage II. The 200PV makes the job easier.

#### Features

- C.A.R.B. certified
- UL Listed
- Tested to the highest quality standards

#### Materials

Cast aluminum



### 200BI Conversion Adapter

The 200BI Conversion Adapter is designed to allow a dispenser plumbed for a balance vapor recovery application to be fitted with inverted hanging hardware. The 200BI is easy to install between the dispenser outlet and curb hose. Electroless nickel plating on the cast aluminum body of the 200BI make it durable and reliable.

#### Features

- C.A.R.B. certified
- UL Listed
- Tested to the highest quality standards

#### Materials

Cast aluminum plated with electroless nickel (for M85)

CATLOW Inc. Sales Desk (800) 222-8569  
Sales Fax (937) 898-8631 Phone (937) 898-3236  
2750 US RT 40, Tipp City, OH 45371

©1999 CATLOW Inc. All Rights reserved





[www.catlow.com](http://www.catlow.com)

The ADAPTER is used where **Stage II Vapor Recovery Systems are no longer required.**

This Catlow adapter converts BALANCE Vapor Recovery Systems that use 1 7/8-12 Coaxial fitting to a standard 3/4" NPT thread. This adapter blocks the vapor path and allows a standard 3/4" NPT thread to be connected and permit fuel flow.

#### FEATURES and BENEFITS:

- \* Small and lightweight
- \* Cost effective way to convert to standard equipment
- \* 1 7/8-12 threads to 3/4" NPT (F)
- \* Easy to install
- \* 1 year warranty

#### MATERIALS:

- \* BODY Aluminum
- \* O'RINGS Viton

Also sold in a KIT!

Check with your local Distributor

*Creating INNOVATIVE products for our ever changing environment*

CATLOW, INC.  
2750 US RT 40  
TIPP CITY, OHIO 45371 USA  
Phone (800) 222-8569 Fax (937) 898-8631  
[www.catlow.com](http://www.catlow.com)

**ALL PRODUCTS MADE IN USA**

CAT511 R0711 c2011 CATLOW INC. ALL RIGHTS RESERVED

## 200XV

BALANCE SYSTEM TO CONVENTIONAL



200XV Adapter

VAPOR RECOVERY

#### ORDERING SPECIFICATIONS

PART NUMBER	DESCRIPTION
200XV	ADAPTER TO CONVERT BALANCE SYSTEMS TO CONVENTIONAL





[www.catlow.com](http://www.catlow.com)

The Governor is specifically designed to meet the 1996 Federal EPA 10 GPM requirement. Both adapters fit manufacturers' standard automatic nozzles by restricting the flow to meet requirements.

### MATERIALS 10G-1:

- \* Body is zinc-plated steel
- \* Spring is stainless steel
- \* Install in dispenser outlet

### FEATURES and BENEFITS:

- \* Controls the flow of gasoline at 9.5 GPM—10 GPM
- \* Light weight and maintenance free
- \* Spring loaded piston design
- \* One year warranty

### MATERIALS 10G:

- \* Body is zinc-plated aluminum
- \* Spring is stainless steel
- \* Install at the nozzle inlet

CATLOW, INC.  
2750 US RT 40  
TIPP CITY, OHIO 45371 USA  
Phone (800) 222-8569 Fax (937) 898-8631  
[www.catlow.com](http://www.catlow.com)

## THE GOVERNOR ADAPTER

*Model 10G-1 Flow Limiter (Male to Female)*

INSTALL  
DIRECTLY IN THE  
DISPENSER  
OUTLET



THE GOVERNOR ADAPTER

Standard

### ORDERING SPECIFICATIONS

PART NUMBER	DESCRIPTION
10G-1	3/4" MALE TO FEMALE
10G	3/4" FEMALE TO MALE

*Model 10G Flow Limiter (Female to Male)*

INSTALL AT THE  
NOZZLE INLET



**ALL PRODUCTS MADE IN USA**



[www.catlow.com](http://www.catlow.com)

## M3418

Vac-Assist ADAPTER

1-1/4" -18 STRAIGHT THREAD to M34 METRIC

The ADAPTER is designed to convert 1-1/4"-18 straight threads to M-34 metric threads used in Vac-assist vapor recovery systems.

The ADAPTER enables hanging hardware to be used with more common M-34 Metric threads.

Application as approved by TCEQ for  
Cam Twist Vac-assist breakaway



M3418 Vac-Assist ADAPTER

STANDARD

VAPOR RECOVERY

### FEATURES and BENEFITS:

- \* Adapts 1-1/4"-18 straight thread to M-34 metric thread
- \* Used in dispenser outlet casting and hanging hardware components
- \* Better selection of M-34 style equipment
- \* Easy to connect
- \* C.A.R.B. Certified, Executive Order Number G-70-191-AA, for use in Texas
- \* 1 year warranty

### MATERIALS:

- \* Nickel plated aluminum
- \* Aluminum Vapor spool piece
- \* Viton O'rings

### ORDERING SPECIFICATIONS

PART NUMBER	DESCRIPTION
M3418	ADAPTER FROM STRAIGHT TO METRIC

*Creating INNOVATIVE products for our ever changing environment*

CATLOW, INC.  
2750 US RT 40  
TIPP CITY, OHIO 45371 USA  
Phone (800) 222-8569 Fax (937) 898-8631  
[www.catlow.com](http://www.catlow.com)

**ALL PRODUCTS MADE IN USA**

CAT508 R0611 c2011 CATLOW INC. ALL RIGHTS RESERVED



www.catlow.com

The CONVERTER is used where **Stage II Vapor Recovery Systems are no longer required.**

The Catlow CONVERTER converts Vac-Assist Vapor Recovery Systems that use M-34 Metric Coaxial fitting to a standard 3/4" NPT thread. The center piece plugs the vapor path and allows a standard 3/4" NPT thread to be connected and permit fuel flow.

#### FEATURES and BENEFITS:

- \* Small and lightweight
- \* Cost effective way to convert to standard equipment
- \* M-34 metric to 3/4" NPT (F)
- \* Easy to install
- \* 1 year warranty

#### MATERIALS:

- \*BODY Aluminum
- \*O'RINGS Viton

## VA34

CONVERTER M-34 Metric to 3/4" NPT




VA34 Converter

STANDARD

VAPOR RECOVERY

#### ORDERING SPECIFICATIONS

PART NUMBER	DESCRIPTION
VA34	CONVERTS M-34 METRIC TO 3/4" NPT



*Creating INNOVATIVE products for our ever changing environment*

CATLOW, INC.  
2750 US RT 40  
TIPP CITY, OHIO 45371 USA  
Phone (800) 222-8569 Fax (937) 898-8631  
[www.catlow.com](http://www.catlow.com)

**ALL PRODUCTS MADE IN USA**

CAT507 R0611 c2011 CATLOW INC. ALL RIGHTS RESERVED



[www.catlow.com](http://www.catlow.com)

*The BALANCE CONVERSION KIT is used where  
Balance Stage II Vapor Recovery Systems are no longer required*

Convert Balanced Vapor Recovery dispensers to 3/4" Conventional fueling. All you need to do is use your own brand of 3/4" hose (whip & main) and you're ready for conventional fueling. This conversion allows the end user the advantage of lighter, less expensive conventional equipment.

(Consult with local authorities having jurisdiction to determine approval to remove Stage II Vapor Recovery systems)

#### KIT CONTAINS:

- 1 200XV Adapter (1 7/8-12 to 3/4" NPT)
- 1 CTM75 Cam Twist Breakaway
- 1 C720 3/4 Twister Swivel
- 1 NEPNL Elite New PREPAY Unleaded

***Reduce your cost ~ BUY A KIT***



200XV



CTM75



C720 3/4



ELITE

BALANCE CONVERSION KIT

#### ORDERING SPECIFICATIONS

PART NUMBER	DESCRIPTION
200XVPK	CONVERTS BALANCE SYSTEMS TO CONVENTIONAL

*Creating INNOVATIVE products for our ever changing environment*

CATLOW, INC.  
2750 US RT 40  
TIPP CITY, OHIO 45371 USA  
Phone (800) 222-8569 Fax (937) 898-8631  
[www.catlow.com](http://www.catlow.com)

**ALL PRODUCTS MADE IN USA**

CAT236 R0711 c2011 CATLOW INC. ALL RIGHTS RESERVED



[www.catlow.com](http://www.catlow.com)

## M3418K ASSIST ADAPTER KIT

The "Adapter Kit" is designed to convert 1-1/4" - 18 straight threads to M-34 Metric threads for the installation of the Catlow "Cam Twist" Vac-Assist Breakaway.

### Features & Benefits:

- Adapts 1-1/4" - 18 straight thread to M-34 metric thread
- Used in dispenser outlet casting and hanging hardware components
- Better and larger selection of M-34 style equipment
- Easy to connect
- As approved by California Air Resource Board of Executive Order Number G-70-191-AA

### Kit Contains:

- 2 - #M3418 (Vac-Assist Adapters)
- 1 - #CTMVA (Cam Twist Assist Breakaway)

### Ordering Specifications:

- M3418K Kit to adapt 1-1/4" - 18 straight thread to M34 metric threads



M3418



CTMVA



M3418

*All Catlow products are "Made In The USA"*

CATLOW Inc. Sales Desk (800) 222-8569  
Sales Fax (937) 898-8631 Phone (937) 898-3236  
2750 US RT 40, Tipp City, OH 45371

©2011 CATLOW Inc. All Rights reserved





[www.catlow.com](http://www.catlow.com)

## VA34K CONVERTER KIT

The "Converter Kit" is used where Stage II Vapor Recovery Systems are no longer required. The Catlow "Converter Kit" converts Vac-Assist Vapor Recovery Systems that use M-34 Metric Coaxial fitting to a standard  $\frac{3}{4}$ " NPT thread complete conventional system.

### Kit Contains:

- 1 - #VA34 (Converter Adapter)
- 1 - #CTM75 (Cam Twist Breakaway  $\frac{3}{4}$ " )
- 1 - #C7203/4" (Twister Swivel  $\frac{3}{4}$ " )
- 1 - #NENL (Elite New unleaded) or #NEPNL (Elite New unleaded PREPAY)

### Ordering Specifications:

- VA34K      Kit to convert M-34 Metric fitting to a standard  $\frac{3}{4}$ " NPT thread NENL
- VA34KP    Kit to convert M-34 Metric fitting to a standard  $\frac{3}{4}$ " NPT thread NEPNL



VA34



CTM75



C7203/4



ELITE

*All Catlow products are "Made In The USA"*

CATLOW Inc. Sales Desk (800) 222-8569

Sales Fax (937) 898-8631 Phone (937) 898-3236

2750 US RT 40, Tipp City, OH 45371

©2011 CATLOW Inc. All Rights reserved