

CDS RENTAL EQUIPMENT

As the premier supplier of rental equipment to the professional moving industry, CDS offers quality equipment with unparalleled service. Since our beginnings in 1981, our commitment to our customers has been paramount. We realize that the best service we can provide is to listen to your needs and find a way to meet them. With our own manufacturing facilities, we are able to provide innovative products to meet the needs of the modern office move while ensuring the highest of quality control. Our fleet of CDS trucks ensure that you get the equipment you need when and where you need it. When you need the best rental moving equipment with quality customer service, look no further than CDS Moving Equipment.

Fleet of Delivery Vehicles **Job Site Delivery** **Quality Equipment** **Huge Inventory** **Rent-To-Own** **Experienced Staff**



PLASTIC BIN MOVING SYSTEM

27" x 17" x 12"
4 box rental includes
1 plastic dolly.
Hanging bars for files
available by request.

ROL-A-LIFT

Model # M4
4,000 lb. capacity
2 straps included
with rental



RENTAL EQUIPMENT
MOVING EQUIPMENT
FURNITURE PADS
WAREHOUSE EQUIPMENT
APPLIANCE DOLLIES
HAND TRUCKS
VAN EQUIPMENT
CARGO CONTROL
RAMPS/
WALK BOARDS
FORMS
LABELS
BOXES
PACKING MATERIAL



LIBRARY CARTS
3 shelves on each side
(six shelves total)
non-marring
swivel casters
24" D x 45" W x 54" H



MACHINE CARTS
3 shelves
non-marring
swivel casters
21" D x 45" W x 54" H
24" D x 48" W x 54" H
(24" in No. Calif only)



WOODEN TUBS
non-marring
swivel casters
26" L x 48" W x 29" D



COMPUTER CARTS
2 fully carpeted shelves
non-marring
swivel casters
25" D x 40" W x 40" H



KICK PLATE CARTS
6 bins
non-marring
swivel casters
48" L x 28" W x 52 1/2" H



HAND TRUCKS
500 lb. capacity



APPLIANCE DOLLIES
750 lb. capacity



HEAVY DUTY APPLIANCE DOLLIES
1,200 lb. capacity



ESCALERA MANHANDLERS
Battery-powered
stair-climbing
appliance hand truck



4-WHEEL DOLLIES
19" x 32"
carpeted platforms
non-marring
swivel casters



RUBBER CAPPED 4-WHEEL DOLLIES
18" x 30"
non-marring
swivel casters
(Available in Chicago only)



DESK RISERS
19" L x 32" W x 7" H
fits our carpeted
4-wheel dolly



PANEL DOLLIES
3 bars with
carpeted base
non-marring
swivel casters
27" x 31" base




MASONITE WITH CART
32" x 48" sheets
with panel dolly
non-marring
swivel casters



PLATFORM TRUCKS
6" casters
2 rigid, 2 swivel
24" x 48"



FURNITURE PADS
72" X 80"
premium pads
blue/blue



PALLET JACKS
5,500 lb. capacity
27" W x 48" L



RAMPS
10', 12', 14', 16'
aluminum ramps
39" outer width
37" inside width



LIFTING PLATFORMS
48" x 96"
or 60" x 120"
can be loaded
from 3 sides



RENTAL EQUIPMENT
MOVING EQUIPMENT
FURNITURE PADS
WAREHOUSE EQUIPMENT
APPLIANCE DOLLIES
HAND TRUCKS
VAN EQUIPMENT
CARGO CONTROL
RAMPS/
WALK BOARDS
FORMS
LABELS
BOXES
PACKING MATERIAL

- A -

A-Frame 7
Air Freight Containers 83
All Purpose Strap 52, 61
Almond Stick 53
Aluminum Curb Ramp 49, 69
Aluminum Platform Trucks 26
Aluminum Ramps 70-72
Auto-Loader Ramps 72
Auto Tie Downs 60

- B -

Beam Sockets 65
Bicycle Box 83
Black Box 15
Boxes 82
Box Hand Trucks 43
Branding Iron 31
Brass Stencils 31
Bubble Wrap 84-85

- C -

California Movers' Forms . . . 78-80
Canvas Floor Runner 52
Cargo Hoops 66
Carpet Shield (Carpet Mask) . . 53
Casters 11
Carpet Runners 52
CDS Locations 91
Chair Cover 23
Chusa Dolly 11
Colson Casters 11
Commercial Movers' Labels . 16, 81
Computer Cart 8
Computer Keyboard Bags . 12, 84
Computer Monitor Bags . . 12, 84
Container Security Seals 25
Corner Clamps (For Vaults) . . . 24
Corrugated Boxes 82
Corrugated Sheets 85
Crating Lumber 25
Curb Ramps 48, 69
Cushion Foam 85
Custom Strap Assemblies . . . 62-63

- D -

Decking Beams 65
Deluxe Hardwood 4-wheel Dolly . 7
Dock boards 75
Dolphin Foam 85
Dolly A-Frame 7
Dolly Tow Hook 7
Double Numbered Inventory Tape . 81
Dutro Appliance Dollies . . . 38-41
Dutro Hand Trucks 42

- E -

Economy 4-wheel Dolly 7
Economy Hand Truck 43
Emtek Ramps 71-72
Escalera Manhandler 32
Appliance Dolly 32
Escort Appliance Dollies 36
E-Track Rails 65
Extra Heavy Duty 4-wheel Dolly . 6
Extra Heavy Duty Hand Truck . 43
EZ Off Hand Truck 43
EZ Picture Foam Corners 85
EZ Wrapper Rings (For Stretch Wrap) . 84

- F -

Fairbanks Pry Bars 17
Fiberglass Ladder 51
Flat-bed Straps 66-67
Flat Screen Monitor Bags . . 12, 84
Flat Screen Monitor Cart 8
Floor Runners 52
Fiberglass Ramps 72-73
Fire Extinguishers 54
First Aid Kits 54
Foam Picture Corners 85
Forearm Forklift 50
Form Holder 53
Forms 78-80
Four-wheel Dollies 6
Furniture Covers (Cloth) . . . 22-23
Furniture Covers (Polyethylene) . 87
Furniture Pads 20-23
Furniture Pad Pallet 51
Furniture Skates 16

- G -

Gemini Handtrucks 46, 47

- H -

H-Style Dolly 6
Hand Trucks 43
Hardwood 4-wheel Dolly 7
Heavy-Duty 4-wheel Dolly 6
Hold Baggage Containers . . . 83
Hump Strap 53

- I -

Inventory Tape 81
Iron Bound Platform Trucks . . 26

- J -

Johnson Bars (J-Bars) 17

- K -

Karry King Lever Lift 13
Keyboard Bags 12, 84
Kick Plate Cart 9
King-Pin Lock 56
Kraft Paper 85

- L -

Labels 16, 81
Ladders 51
Library Cart 9
Lifting Platforms 17
Liftkar Powered Hand
Truck (Magliner) 47
Lift Van (Type II) 25
Load Binders 68
Load Lifter 18
Load Lock Bars 66
Locks 56
Lock Chains 56
Long Rail Rubber Capped Dolly . 6
Love Seat Cover 22
Lumber 25

- M -

Machine Cart 8
Magliner Hand Trucks 44-47
Magliner Components 48-49
Magliner Ramps 70
Maps (To CDS) 91
Manhandler Appliance Dolly . 32
Masonite 3
Masterlocks 54
Mattress Carrier 50

Melcher Ramps 72-73
Mini Cargo Ratchet Strap 61
Mighty King Desk Lift 12
Mobile Strapping Dispenser . 28, 29
Mobile Dock 74
Monitor Bags 12, 84
Motorcycle Straps 61
Movers' Labels 16, 81
Mover's Forms 78-80
Moving Boxes 82

- N -

Newsprint 84

- O -

Office Dolly Riser 7
Office Machine Cart 8
Office Moving Dolly 6
Office Moving Labels 16, 81
Overseas Container
(Type II/Lift Van) 25

- P -

PacEase Retail Packing Material . 88-89
Packing Material 84-85
Packing Tape 86
Pad Pallet 51
Padlocks 56
Padlock Chains 56
Pallet Jacks 27
Pallet Puller 27
Pan Fittings 61
Panel Dolly 10
Panel Dolly Covers 10
Paper Pads 84
Parts Bags 87
Peanut Pack 85
Pedestal Attachment 13
Piano Board 19
Picture Cart/Tub 9
Picture Corners (Foam) 85
Plastic Box Moving System . . . 15
Plastic Curb Ramp 48, 69
Plastic Sheets/Furniture Covers . 87
Plastic Strapping 29
Platforms (Lifting) 17
Platform Trucks 26
Poly Mask 53
Polyethylene Covers 87
Pocket Dolly 11, 19

Portable Dock boards 75
Pry Bars 17

- Q -

Quick Pack 13

- R -

Ramps 69-73
Refrigerator Cover 23
Rental Equipment 1-3
Retail Packing Material . . . 88-89
Rigger's Set 17
Roll-A-Lift 18
Rolled Corrugated 85
Rope 64
Rope Tie Offs 60
Rubber Bands 51
Rubber Band Holder 51
Rubber Capped Dolly 6
Rubber Floor Runner 52
Rubber Tension Ties 61
Rug Runners 52

- S -

Safe Jack 17
Safe Stride 69
Safety Cones 55
Safety Triangles 55
Security Seals
(Paper, for Containers) 25
Security Seals
(Metal for Trailers) 57
Shipping Containers 83
Shoulder Dolly 50
Single Pedestal Attachment . . . 13
Sofa Carton 83
Sofa Cover 22
Sofa Vault 24
Speed Pack 13
Split Ramps 72
Steel Piano Dolly (4-wheel) . . . 19
Steel Plates 57
Steel Strapping 28
Stencil Supplies 30-31
Stencil (Brass) 31
Stencil Machine 31
Storage Vault 24
Strap Assemblies 58-63
Strapping Tools 28-29
Stretch Wrap 84

- T -

Stretch Wrap Dispenser Handles . 84
Styrofoam Sheets 85

Table Top Cover 22
Tape 86
Tape Dispenser 86
Tarps 67
Three-Wheel Dolly 11, 19
Tie-Down Chains 68
Tie Webbing 64
Tissue 85
TL Plates 76-77
Toggle Bolts 16
Tow Hook 7
Trailer Winches 67
Truck-Loader Plates (TL Plate) . 76-77
Truck rope 64
Tubs (Wooden) 9
Type II (Lift Van) 25

- V -

V-board 84
Vault 24
Vault Clamps 24
Vault Pallet Jack 27
Velcro 86
Vinyl Floor Runner 52
Visqueen 87

- W -

Walk Boards 57, 69
Washer Locks 85
Waterproof Kraft Paper 85
Web Belt 19
Wheels (Magliner) 49
Wheel Chocks 55
Winches (For Trailers) 67
Winch Bar 68
Wooden Platform Trucks 26
Wooden Storage Vault 24
Wooden Tub 9

- Y -

Yeats Dollies 33-34
Yeats Parts 35



**DELUXE HARDWOOD DOLLY**

Tough hardwood construction with 5 1/2" x 18" carpeted end platforms.

Overall size 18" x 30". 900 lb. capacity.

Model # CE-C40 4" gray Colson non-marring, swivel, dual ball bearing casters.

ECONOMY HARDWOOD DOLLY

Tough hardwood construction with 5 1/2" x 18" carpeted end platforms.

Overall size 18" x 30". 600 lb. capacity.

Model # CE-E3 3" hard rubber swivel casters.

OFFICE DOLLY RISER

Fully carpeted, heavy-duty office dolly riser is designed for use on our most popular 4-wheel dollies. Fits securely. Will not shift during moves. Designed for easy stacking. 900 lb. capacity

Model # DR2032-5 5" high. Fits 19" x 32" dollies

Model # DR2032-7 7" high. Fits 19" x 32" dollies

Model # DR1830-5 5" high. Fits 18" x 30" dollies

Model # DR1830-7 7" high. Fits 18" x 30" dollies

DOLLY A-FRAME

A-frame fits securely on our Office Moving Dolly. Carpeted top and lower sides offer extra protection. Great for moving mirrors, picture frames, metal sheeting and masonite

Overall size 33" L x 22" W x 39" H. 900 lb. capacity.


Model # AF-2032 Fits 19" x 32" dollies.
*Shown on 4-wheel dolly.
Dolly not included.

DOLLY TOW HOOK

Durable steel hook allows use for easy pulling of loaded dollies over doorsills, up walk ramps, over gaps in elevators, etc.

Approximately 32" long.

Model # DTH-1

**OFFICE MOVING DOLLY**

THE BEST DOLLY ON THE MARKET! Frame is made from selected 2" x 4" fir, securely bolted together with fully carpeted 12" x 19" plywood platforms on each side. Designed for easy stacking and long, trouble-free life. Overall size 19" x 32". 900 lb. capacity.

Model # CD-C35 3 1/2" gray Colson non-marring, swivel, dual ball bearing casters.

Model # CD-C40 4" gray Colson non-marring, swivel, dual ball bearing casters.

RUBBER CAPPED DOLLY

Durable hardwood constructed frame, with extra-thick end rails covered with a molded rubber cap. Keeps furniture or pianos from sliding.

Overall size 18" x 30". 900 lb. capacity

Model # RCTD-C40 4" gray Colson non-marring, swivel, dual ball bearing casters.

CHICAGO LONG RAIL RUBBER CAPPED DOLLY

Durable hardwood constructed frame, with extra-thick end rails covered with a molded rubber cap. Keeps furniture or pianos from sliding.

Overall size 18" x 32". 900 lb. capacity

Model # LRRCBD-C35 3 1/2" gray Colson non-marring, swivel, dual ball bearing casters.

"H" STYLE DOLLY

Constructed of select hardwood and fitted with full length rubber tread for excellent gripping of metal file cabinets and desks.

Overall size 18" x 30". 900 lb. capacity.

Model # H-C35 3 1/2" gray Colson non-marring, swivel, dual ball bearing casters.

Model # H-C40 4" gray Colson non-marring, swivel, dual ball bearing casters.

EXTRA HEAVY DUTY DOLLY

Constructed of select hardwood rails with reinforced 12" x 19" carpeted ends.

Overall size 19" x 32". 1,600 lb. capacity

Model # CDHD-F4HD 4" heavy-duty Colson non-marring, swivel, polyurethane casters.





OFFICE MACHINE CART

A sturdy wooden cart designed for office and library. Overall size 48" W x 54" H. 900 lb. capacity

Model # MC20-C35
(21" Deep)

3 1/2" gray Colson non-marring, swivel, dual ball bearing casters.
18.72 sq. ft.

Model # MC24-C35
(24" Deep)
(24" in No. Calif only)

3 1/2" gray Colson non-marring, swivel, dual ball bearing casters.



COMPUTER CART

Similar to our machine cart, this cart is designed with the modern computer office move in mind. This two-shelf cart is fully carpeted to protect delicate computer equipment.

Overall size 25" D x 48" W x 40" H. 900 lb. capacity

Model # CMC24-C40

4" gray Colson non-marring, swivel, dual ball bearing casters.
(24" x 45 1/2" shelf size)



FLAT-SCREEN MONITOR CART

Our monitor carts are custom designed for new flat-style LCD monitors. Separate bays for each monitor prevents damage incurred when using traditional moving methods. 3 1/2" non-marring Colson casters provide a smooth ride.

Overall size 24" D x 48" W x 53" H. 900 lb. capacity

Model # MCF12-C35

4" gray Colson non-marring, swivel, dual ball bearing casters.
(24" x 45 1/2" shelf size)

LIBRARY CART

This cart is designed specifically for the moving of books. There are three reinforced shelves on each side for the ease of loading. Shelves are back slanted to hold books in place. (21.5 linear feet of shelf space)

Overall size 24" D x 45" W x 54" H. 900 lb. capacity.

Model # LIB-C35

3 1/2" gray Colson non-marring, swivel, dual ball bearing casters.
(11 3/4" x 43" shelf size)



PICTURE CART/TUB

This all purpose cart can help make moving those troublesome items easy to move. Fill this cart with empty mirror boxes on your next move, and rapidly move pictures and mirrors safely, or load bulky items quickly on an industrial move.

Overall size 30 1/2" L x 40" W x 29" D. 900 lb. capacity.

Model # PC-C35

4" gray Colson non-marring, swivel, dual ball bearing casters.



KICK PLATE CART

Designed to move long, narrow items such as maps, rolled drawings, etc. Great for modular office furniture pieces such as kick plates and end caps.

Overall size 48" L x 28" W x 52 1/2" H.

6 bins are 14 1/2" x 12 1/2" each. 900 lb. capacity

Model # KPC-C35

3 1/2" gray Colson non-marring, swivel, dual ball bearing casters.





PANEL DOLLY

Designed exclusively for the professional office and industrial mover and installer. Moves office partitions and panels fast and efficiently. Will hold up to 10 panels, or can be used for desk floor mats. Comes with protective carpeted base.

Overall size 27" L x 31" W x 38 1/2" H. 900 lb. capacity

Model # PD-C40 4" gray Colson non-marring, swivel, dual ball bearing casters.



PANEL DOLLY WITH REMOVABLE BARS

These dollies have the same size and features as our regular panel dollies, but with removable bars. This allows you to reconfigure the bars to meet different moving needs, or remove all of the bars and use it as a large flat dolly.

Overall size 27" L x 31" W x 38 1/2" H. 900 lb. capacity.

Model # PDR-C40 4" gray Colson non-marring, swivel, dual ball bearing casters.



PANEL DOLLY COVERS

Quilt-stitched covers fit on panel dolly bars to help protect delicate items during moves. Velcro closures allow use on panel dollies without removable bars. Show your customers you care while reducing damage claims.

Model # PD-C

CHUSA DOLLY

Using a flat 4-wheel dolly for a base, the CHUSA DOLLY utilizes two side bars to secure the load. Each side has an adjustable arm which ratchets to the center of the dolly. This stabilizes items in a safe, secure, upright position for safe movement. Use the e-track strap over the top, to secure the load.

Includes: Carpeted 4-wheel dolly, side bars w/ quick-release mounts and one pull-tight strap

Model # CHUSA



3-WHEEL POCKET DOLLY

The most versatile dolly on the market. Cupped design holds furniture legs in the center, or use it as a flat dolly. Durable steel construction. Three 2" swivel casters.

Overall size 7" x 7" x 7". 375 lb. capacity.

Model # P303



CASTERS

Model # E-3

Swivel caster with 3" x 1 1/4" hard rubber wheel. 150 lb. capacity

Model # T60

Dual ball bearing swivel caster with 6" x 2" mold-on rubber wheel. 440 lb. capacity



Model # E-3

Model # T60

COLSON RUBBER CASTERS

Colson wheels roll easily and are very durable, like a hard wheel, yet they roll quietly, cushion the ride and protect floors like a soft wheel. The non-marring rubber tire is permanently bonded to a durable polyolefin wheel core.

Model # C35

Dual ball bearing swivel caster with 3 1/2" x 1 1/4" wheel. 250 lb. capacity

Model # C40

Dual ball bearing swivel caster with 4" x 1 1/4" wheel. 300 lb. capacity

Model # C4HD

Dual ball bearing swivel caster with 4" x 1 1/2" wheel. 400 lb. capacity

Model # C50

Dual ball bearing swivel caster with 5" x 1 1/4" wheel. 325 lb. capacity



Model # C35

Model # C40

Model # C4HD

Model # C50





COMPUTER MONITOR BAGS

Protect the delicate screens on today's flat screen LCD and plasma monitors. Slip-over bags are offered in either foam or bubble wrap styles. Large sizes are designed to accommodate the most popular size monitors found in most office moves. 100 per case.

- Model # FOAMFSMB2317.5 Foam Bag 23" X 17 1/2"
- Model # FOAMFSMB3020 Foam Bag 30" x 20"
- Model # FSMB2317.5 Bubble Bag 23" X 17 1/2"
- Model # FSMB3327 50 per case Bubble Bag 33 1/2" X 27 1/2"



KEYBOARD BAGS

Reusable anti-static keyboard bags are a must for office moves, offering dirt and liquid damage protection for computer keyboards. Zip-lock closure seals bag and allows you to reuse bags. Large 14" x 24" size accommodates the variety of computer keyboards found in today's office moves. 4 mil. 200 per case

Model # KB-1424



MIGHTY KING DESK LIFT


Engineered for easy, safe moving of all types of office desks by one person. Simply roll the MIGHTY KING desk lift beneath desk, depress handle and elevate desk. In seconds, desk can be pushed in any direction. Platform size 22" x 32". 600 lb. capacity

Model #	Lowered Height	Raised Height	Caster Size
2000	4 1/4"	9 3/4"	2 1/2"
2300	4 3/4"	10 1/4"	3"
3500	5 1/2"	10 3/4"	3 1/2"
4000	6"	11 1/4"	4"

SINGLE PEDESTAL ATTACHMENT

Attached to all Might King Desk Lifts in seconds for lifting either right or left handed pedestal desks. Unit acts as substitute pedestal and distributes weight evenly. Adjustable support adapts to any height with thumb screws securing proper height. Overall size 18" x 18". 250 lb. capacity

Model # 1800



KARRY KING LEVER LIFT

Move file cabinets fast and efficiently! Lever lifts and counter balances your load. Non-skid bonded vinyl finish protects your load. Two non-marring 3" wheels and two 2 1/2" full-swivel casters for ease in moving load in any direction. 600 lb. capacity.

- Model # 3215 Letter size, 15" x 32", 22 lbs.
- Model # 3218 Legal size, 18" x 32", 25 lbs.



QUICK PACK/SPEED PACK

Constructed of heavy duty corrugated cardboard. Designed for moving odd sized pieces on office and industrial moves. Folds flat for storage.

- Model # .QP-1 42" x 26" x 29 3/8" O.D.
450 lb. test double walled
- Model # .SP-1 38" x 27 1/2" x 29" O.D.
900 lb. test double walled
(SP-1 Available in Chicago Only)



THE PLASTIC CRATE MOVING SYSTEM

by
CDS MOVING EQUIPMENT

EFFICIENCY

With a large 3 cu ft. of storage space, the CDS Plastic Crate provides increased truckload capacity, reducing transportation and labor costs. No fumbling with collapsed boxes. Just load, lock and roll.

- Recessed Dolly and Box Top Holds Load Securely
- 70 lb. Weight Capacity
- One Year Warranty
- Ergonomic Handles
- Environmentally Friendly
- Easy to Secure with Lock or Zip Ties
- Revenue Producing - Rent to Your Customers
- Foul Weather Protection

AFFORDABILITY

The CDS Black Box is reusable, durable, easy to use and efficient. This translates into a significant overall cost savings that contributes to your overall bottom line.

Pack, Stack & Move

with the **Plastic Crate Moving System**
by **CDS Moving Equipment**



The Plastic Crate Moving System is the complete stackable plastic office moving box system, with lightweight molded plastic dolly.

The Black Box is designed to enhance the efficiency and performance of your moving service at half the cost of other products.

- Molded dolly and box system holds load securely, allowing boxes to be stacked 4 HIGH
- Large size: 27" x 17" x 12" = less trips
- One Black Box is equivalent to 2 auto-bottom boxes. (1 stack = 8 auto-bottom boxes)
- 3 1/2" Colson non-marring casters provide durability and a smooth ride
- Reusable, crushproof design



Available in custom colors with hot-stamped logo. Minimum order required.



Hanging file rails make the CDS Plastic Crate Moving System perfect for office file moves.



Reinforced tie holes allow you to seal boxes with security seals, zip ties, or locks.

Safe, Secure and Always Survives . . .
it's the PLASTIC CRATE MOVING SYSTEM
by **CDS Moving Equipment**





FURNITURE SKATES

Industrial grade for commercial use. A 5-inch disk of plastic with a slick base and a rubber nonskid top that slides office furniture on carpeted and other surfaces. Place a skate at every other glide and move entire work stations or build new furniture and panels on skates and move into place just two on the ways that the skate will make your move easier!

Model # FS-10 Package of 10




COMMERCIAL MOVERS' LABELS

Easy to see - easy to read - easy to use! Saves you time and money. Eliminate lost time and prevent placement problems on all commercial moves. Special adhesive is removable on most surfaces. (Always test before use) Pressure sensitive. Packaged & sold by the pack of 1,000 each color. Ten attractive colors to choose from: black, blue, brown, green, grey, orange, pink, purple, red and yellow.

Model # 1012 3" x 2" sheets

Custom printed labels are available with minimum quantity orders.



TOGGLER® TOGGLE BOLTS

The patented Togglers Toggle Bolt operates like no other. Each anchor has a one-piece steel anchoring channel, pivoted on durable installation legs. The sliding cap ratchets down the legs to securely "capture" the wall between the channel and the cap. The legs snap off easily, flush with the wall. Togglers brand toggle bolts are approved for use in critical U.S. Government installations. Easy to use - pre-installs without bolts.

Model # TBA 3/16" Togglers Bolt
100 pieces per box
(screws sold separately)

Model # 1024300 10-24 screws
100 per bag



TOGGLER® SNAPSKRU™


The SnapSkrus is a self-drilling drywall anchor that locks on the wall. Allows easy installation with a screwdriver or screw gun. Use on walls from 3/8" to 5/8"

Model # 30010 100 pieces per box
#8 1 1/2" combo head screws included

LIFTING PLATFORMS

When its not practical to move items on a freight elevator, or steel lifting platforms are the answer. Saves time and manpower. Allows movement from upper floors directly to your truck! With our exclusive design, loading can be accomplished from three directions.

2,000 lb. capacity
Model # LP-4896 48" x 96"
Model # LP-60120 60" x 120"



FAIRBANKS PRY BARS

Our pry bars are made of kiln dried selected hardwood, finished to 1 3/4" thickness and coated with a lacquer finish. Wheels are steel, rib reinforced, precision bored, lubricated and smooth running. 5" diameter by 2" width. The lifting plate is 5/8" thick, 6" wide, 9" long, with a 3" nose and a beveled end.

With steel wheels	Length	Height	Capacity
Model # VE-25	5'	8"	3,500 lbs.
Model # VE-26	6'	8"	4,250 lbs.
Model # VE-27	7'	8"	5,000 lbs.
With rubber wheels	Length	Height	Capacity
Model # VE-25RW	5'	8"	3,500 lbs.
Model # VE-26RW	6'	8"	4,250 lbs.
Model # VE-27RW	7'	8"	5,000 lbs.



RIGGERS' SET

Move machinery and equipment with incredible ease and low cost economy. All models come standard with two handles and steel carrying case.

	Capacity/Set	Features
Model # K3RS-4	3 tons	4 swivel rollers
Model # K3RS-2/2	3 tons	2 rigid / 2 swivel
Model # K8RS-4	8 tons	4 swivel rollers





ROL-A-LIFT

Roll-A-Lift is the practical way of moving bulky hard to handle loads. Use it to move safes, machines, crates, switch gear and more. Features heavy-duty steel construction. Swivel casters allow for ease of maneuverability. Hand operated hydraulic jacks offer easy lifting and controlled lowering of loads. Use optional ratchet straps with e-track to secure loads for stable moving. Straps not included.

Optional polyurethane wheels available.



Model # MJ Replacement Jack
Model # SJH Jack Handle
Model # 5N7H7H-12-144P2 12' Ratchet Strap

Model #	M-2	M-4	M4-6	M-6	M-8	M-10	M-2
Capacity/Pair	2,000 lbs.	4,000 lbs.	4,000-6,000 lbs.	6,000 lbs.	8,000 lbs.	10,000 lbs.	12,000 lbs.
Lift Height	5 1/8"	12"	12" - 6"	6"	6"	6"	6"
Wheels	Phenolic	Phenolic	Phenolic	Phenolic	Steel	Steel	Forged Steel
Wheel Size	5" x 2"	6" x 2"	6" x 2"	6" x 2"	8" x 2 1/2"	8" x 2 1/2"	8" x 2 1/2"
Overall Height	47 1/2"	44"	44"	42 1/2"	45"	45 1/2"	45 1/2"
Overall Width	22"	23"	23"	23"	23 1/8"	24"	24"
Weight	160 lbs.	325 lbs.	340 lbs.	335 lbs.	400 lbs.	438 lbs.	470 lbs.

LOAD LIFTER SET

Set of 2 steel dollies for transporting pianos, vending machined or other bulky items with ease. Attach one dolly to each side and secure with the two 1" x 20' ratchet straps (included). Two handles on each truck allow for easy maneuvering. Step-on foot bar raises cargo 1 1/2" off of the ground. 2 straps included. 1,000 lb. capacity per set.

Model # P6BS
Model # 43887-11 straps



STEEL PIANO DOLLY

Heavy-duty steel four-wheel dolly is perfect for moving pianos. Tube steel construction features two carpeted 18 3/4" x 6" platforms. 2" x 5" rubber wheels. Overall size 25" x 18 3/4". 950 lb. capacity

Model # SCD-1350 with 4 rigid wheels
Model # SCD-1355 with 2 rigid and 2 swivel casters



3-WHEEL POCKET DOLLY

The most versatile dolly on the market. Cupped design holds furniture legs in the center, or use it as a flat dolly. Durable steel construction. Three 2" swivel casters. Overall size 7" x 7" x 7". 375 lb. capacity each

Model # P303



PIANO BOARD

Solid hardwood bolted with rust-proof hardware. Canvas covered top and end pieces. Grip handles on both sides. E-track fittings for secure strapping. Standard length 6'.

Model # PB-6ET



WEB BELT

Extra heavy-duty 2" wide, 3-ply white cotton webbing, complete with roller buckle. 15' length.

Model # VE-15S Standard strap for piano boards with slot holes
Model # VE-14ET Strap with e-track fittings for piano boards with e-track



RENTAL
EQUIPMENT
MOVING
EQUIPMENT

FURNITURE
PADS

WAREHOUSE
EQUIPMENT

APPLIANCE
DOLLIES

HAND
TRUCKS

VAN
EQUIPMENT

CARGO
CONTROL

RAMPS/
WALK BOARDS

FORMS

LABELS

BOXES

PACKING
MATERIAL



THE SUPER LONG HAUL VAN PAD

For those who want the very best. Constructed of an extremely strong polyester/cotton blend of fabrics, providing the strength of polyester and the claim-reducing softness of cotton. Very plump, cushion soft, and zig-zag lock stitched for long-lasting wear. Double stitched cloth binding for durability.

Cut size 72" x 80". Extra heavy weight.

Model # FP-55 Blue/Blue with a Blue Border



THE NATIONAL ACCOUNTS VAN PAD

This furniture pad is made the way top of the line pads should be constructed. Strong polyester/cotton fabrics, controlled from the mill, dyed to our specifications. Plump, cushion soft, full weight inner filling, and double stitched cloth binding all around for full protection and long wear. The pad for those who want protection, good looks and durability.

Cut size 72" x 80". Heavy weight.

Model # FP-51 Blue/Blue with a Red Border



THE INTERSTATE VAN PAD

The ultimate in value and protection is available with our interstate movers' pad. Double stitched cloth binding and soft polyester/cotton outer fabric. The industry standard.

Cut size 72" x 80". Medium weight.

Model # FP-41 Blue/Blue with a Yellow Border



THE LOCAL MOVE FURNITURE PAD

Solid outer fabric on both sides with the same lock-stitching as found on all of our pads. Double stitched cloth binding for firmness and strength. For the mover who wants double-color pads at a great price.

Cut size 72" x 80". Medium weight.

Model # FP-90B Blue/Blue with a Black Border

THE ECONOMY FURNITURE PAD

We are always trying to find special values to pass on to our customers. A lightweight pad built to the same quality specifications as our FP-90B pad. Perfect for the local mover.

Cut size 72" x 80". Light weight.

Model # FP-9SP Blue/Blue with a Blue Border

THE DELUXE PALLET PAD

Our research has developed the new standard in pallet pads for the moving industry. It's snag proof, dust proof non-shedding and long wearing. Made of spun-bond, non-woven cloth on both sides. Heavily quilted and firmly bound all around.

Cut size 72" x 54" and 72" x 80".

SNAG PROOF! DUST PROOF! NON-SHEDDING!

Model # PP-109 Cut size 72" x 54"

Model # PP-109-80 Cut size 72" x 80"

THE HEAVY DUTY SPACE SAVER

We have improved on the old standard with our new space savers. Durable burlap has been quilted between two sheets of polyester/cotton fabric without the bulk of inner filling. The strength of burlap and the protection of fabric are lock-stitched together for lasting wear. Pads have double stitched cloth binding for uniformity and durability.


Model # SS-19D Cut size 72" x 54"

Model # SS-20D Cut size 72" x 72"

DOOR JAMB PROTECTOR PAD

Improve customer satisfaction! Reduce claims! Allows the movement of furniture and office equipment through doorways without damage. Three spring steel rings are covered with polyester webbing and sewn into our premium style furniture pad. Show your customers you care while providing the ultimate protection available.

Model # DJP



RENTAL
EQUIPMENT
MOVING
EQUIPMENT

FURNITURE
PADS

WAREHOUSE
EQUIPMENT

APPLIANCE
DOLLIES

HAND
TRUCKS

VAN
EQUIPMENT

CARGO
CONTROL

RAMPS/
WALK BOARDS

FORMS

LABELS

BOXES

PACKING
MATERIAL





View of FP-206C-108 underside with fold-under flaps and rope tie-off

SOFA COVERS

Form fitting sofa cover offers unparalleled protection. Heavily padded quilted cover is made of a cotton/polyester blend for the best combination of durability and softness. Fold cover under sofa with rope tie for complete coverage and security. Clear 8" x 9" document pouch is sewn onto the pad.

Overall size 108" L x 44" W x 40" H

Model # FP-206C-108 Blue with a Green Border



LOVE SEAT COVER

Form fitting love seat cover offers unparalleled protection. Heavily padded quilted cover is made of a cotton/polyester blend for the best combination of durability and softness. Fold cover under sofa with rope tie for complete coverage and security. Clear 8" x 9" document pouch is sewn onto the pad.

Overall size 72" L x 44" W x 40" H

Model # FP-206C-72 Blue/Blue with a Yellow Border



TABLE TOP COVER

Form fitting table top cover offers unparalleled protection. Heavily padded quilted cover is made of a cotton polyester blend for the best combination of durability and softness. Drawstring securely holds cover in place.

Overall size 65" L x 51" W x 5" D

Model # FP-203C-76 Blue/Blue with a Blue Border



CHAIR COVERS

Form fitting chair cover offers unparalleled protection. Heavily padded quilted cover is made of a cotton/polyester blend for the best combination of durability and softness. Cover one chair or use our tall cover for a whole stack of chairs. Clear 8" x 9" document pouch is sewn onto pad.

Model # FP-202C 21" L x 21" W x 53" H
Blue with a Black Border

Model # FP-202C-61 21" L x 21" W x 61" H
Blue with a Red Border

REFRIGERATOR COVER

Form fitting refrigerator cover offers unparalleled protection. Heavily padded quilted cover is made of a cotton/polyester blend for the best combination of durability and softness. Standard with three adjustable straps.

Overall size 43" 3/8" W x 32 5/8" D x 70" H

Model # FP-201-A Blue/Blue





WOODEN STORAGE VAULT

Our storage vaults are built to the highest quality standards with 1" x 4" lumber frame, 5/16" plywood walls and one-piece 1/2" plywood floor. Four-way forklift entry and anti-tip runners. Sized to hold king mattresses. Corner 4" x 4" floor skid blocks are notched to allow clamp placement close to corners providing the most secure fit possible. Designed to stack 3 high.
7' L x 5' W x 7' 10" H. 274 cu. ft. O.D.
2,000 lb. capacity

Model # VAULT

Specially designed, reinforced or designed to stack 4 high vaults are available upon request.




SOFA VAULT

Built to hold 4 sofas at a time, our sofa vault is made to the same high standards as our standard vault. 1" x 4" lumber frame, 5/16" plywood walls and 1/2" plywood floor. Corner 4" x 4" floor skid blocks are notched to allow clamp placement close to corners.
9' L x 7' W x 6' 9"H. 425 cu. ft. O.D.

Model # C-VAULT

Custom sizes available upon request



CORNER CLAMPS

These fasteners, made of spring steel, are designed for easy assembly and disassembly of vaults. 500 per carton. Enough for approximately 15 vaults.

Model # CC-4

LIFT VAN/TYPE II

Our Lift Van/Type II overseas containers are MTMC approved for military overseas shipments. 3/8" plywood walls with 2" x 4" lumber frame. All lumber is kiln-dried/heat treated to meet international standards. HT certified.
85"L x 45"W x 86 1/2"H. 192 cu. ft. O.D.
Model # TYPE II Approx 330 lbs.



CONTAINER SECURITY SEALS

Security container seals meet MTMC requirements for ITGBL household goods shipments. Seals are packaged with 50 sets/200 seals each pack.
Model # 1007



LUMBER

Due to volume purchasing power of a variety of different types of lumber, we are pleased to offer these items to our customers at substantial savings over your local available sources. Compare our quality and price on:
1" x 4", 1" x 6" and 2" x 4" lumber and plywood





PLATFORM TRUCKS

Our platform trucks are made with a durable hardwood deck, steel handle and back supports. 6" dual ball bearing swivel and dual rigid wheels are standard. 2,000 lb. capacity.

- Model # WPT-2448 24" x 48"
- Model # WPT-3060 30" x 60"
- Model # WPT-2448-PE 24" x 48"
With corner wheel bumper to prevent wall damage.
- Model # WPT-3060-PE 24" x 48"
With corner wheel bumper to prevent wall damage.



IRON BOUND PLATFORM TRUCK

Durable wooden deck platform truck is angle-iron bound for years of trouble-free service. 6" deluxe casters are standard. 2,000 lb. capacity.

- Model # CDS-2448 24" x 48"



MAGLINER® ALUMINUM PLATFORM TRUCKS

Light weight aluminum platform trucks are designed for the tough jobs. Reinforced underside for strength and durability. Single 26 1/2" high handle is removable. Mix and match your choice of platform deck and wheel style for your perfect dolly. 1,240-3,600 capacity depending on the casters. *Casters sold separately.

SMOOTH PLATE		DIAMOND PLATE	
Model #	Size	Model #	Size
PT2448S	24" x 48"	PT2448T	24" x 48"
PT3060S	30" x 60"	PT3060T	30" x 60"

CASTERS

Model #	Description	Size	Capacity
86159	Pneumatic w/Steel Hub	4" x 8"	1,240 lb.
86150	Balloon Cushion w/Aluminum Hub	2 1/8" x 6"	1,400 lb.
86135	Mold-on Rubber w/Plastic Hub	2" x 5"	1,400 lb.
86155	Mold-on Rubber w/Aluminum Hub	2" x 6"	2,000 lb.
86151	Mold-on Rubber w/Plastic Hub	2" x 8"	2,000 lb.
86153	Mold-on Rubber w/Aluminum Hub	2" x 8"	2,000 lb.
86152	Mold-on Polyurethane w/Plastic Hub	2" x 8"	3,600 lb.



BIG JOE PALLET JACK

Big Joe pallet jacks have polyurethane wheels, hydraulic lift unit - proven reliability, full function control handle

- 5,500 lb. capacity
- Model # BJ2036 20" x 36"
- Model # BJ2042 20" x 42"
- Model # BJ2048 20" x 48"
- Model # BJ2748 27" x 48"



MIGHTY LIFT PALLET JACK

Mighty Lift pallet jacks have polyurethane wheels, hydraulic lift unit - proven reliability, full function control handle and foot release.

- 5,500 lb. capacity
- Model # ML2036 20" x 36"
- Model # ML2042 20" x 42"
- Model # ML2048 20" x 48"
- Model # ML2748 27" x 48"



VAULT PALLET JACK

Vault jacks have high pressure rollers and polyurethane wheels with sealed bearings. 7" wide 3/16" steel forks come in widths from 42" to 48" and lengths from 72" to 96".

- Model # PVJ-5500 5,500 lb. capacity, 72" x 84"
- Model # PVJ-6500 6,500 lb. capacity, 72" x 84"



PALLET PULLER

Durable steel construction for long life. Scissor design clamps securely on pallet when you pull the chain. 20" long. 4 1/2" opening. 5,000 capacity.

- Model # PP-20





STEEL STRAPPING

Commercial grade steel strapping for securing big loads. Average coil weight, 100 lbs.

- Model # SS-12 1/2" x .020, 29 ft. per lb.
- Model # SS-34 3/4" x .020, 20 ft. per lb.

STEEL STRAPPING COILETTES

Packaged in a handy dispenser box. Great for job sites. Easier to carry than bulk coils.

- Model # SSB-200 1/2" x .020, 200'

STEEL STRAPPING SEALS

Made for use with a steel strapping tensioner and sealer. 2,500 open seals per case.

- Model # OS-12 1/2"
- Model # OS-34 3/4"

STEEL STRAPPING TOOLS

- Model # SS-58F Strapping tensioner handles 3/8" - 3/4" strapping
- Model # SS-4F Front action double notch sealer for 1/2" steel strapping
- Model # SS-6F Front action double notch sealer for 3/4" steel strapping
- Model # SS-C Steel strapping cutter

MOBILE STEEL STRAPPING DISPENSER

Accepts up to 2" wide coils and 16" inner core. Includes a strap troller, tool tray and sturdy wheels.

Model # SD-20

PLASTIC STRAPPING

Commercial grade plastic strapping.

- Model # PS-9000 1/2" x .015 x 9,000' 300 lb. breaking strength lb.
- Model # HPD1260 1/2" x .020 x 7,200' 600 lb. breaking strength lb. (3,600' per roll, 2 rolls per case)

PLASTIC STRAPPING SEALS

1/2" metal seals. Made for use with a plastic strapping tensioner and sealer. 1,000 seals per case.

- Model # OMS-12

PLASTIC STRAPPING BUCKLES

1/2" wire buckles. For PS-9000 only. Made for use with a hand pull tensioner.

- Model # PB

PLASTIC STRAPPING TOOLS

- Model # PS-58F Plastic strapping tensioner Handles 3/8" - 3/4" strapping
- Model # HI-1 Hand pull tensioner
- Model # PS-5F Sealer

MOBILE PLASTIC STRAPPING DISPENSER

- Model # PD-10

P-KIT

1,500' of 1/2" plastic strapping. 100 - 1/2" steel buckles. 1 - hand pull tensioner. Dispenses from its own box. Complete, with everything you need. 300 lb. breaking strength.

- Model # P-KIT

P-KIT DELUXE

3,000' of 1/2" plastic strapping. 300 - 1/2" steel buckles. 1 - hand pull tensioner. Dispenses from its own box. Complete, with everything you need. 300 lb. breaking strength.

- Model # P-KIT-D





BLACK STENCIL INK

Permanent, waterproof, standard black ink.

- Model # K-1** Quart
- Model # K-1G** Gallon



SPRAY STENCIL INK

Permanent, quick drying, waterproof.
13 oz. aerosol spray

- Model # K-2** Black Ink
- Model # K-2R** Red Ink
- Model # K-2T** Tan (Markover)



OIL-TREATED STENCIL BOARD

Canary oil board for all your stencil applications.
7" x 24". 50 lbs. per case.

- Model # 1500-724** .015 thickness



STENCIL ROLLER SYSTEM

Fast and easy for the best legible marks. Ink supply stores in handle. Button pumps ink to roller. 3" roller. Kit includes 1 qt. Rolmark black ink.

- Model # RFR-200-30**
- Model # RFR-250-30** Replacement Roller



MARSH STENCIL BRUSH


Fast and easy for the best legible marks. Ink supply stores in handle. Button pumps ink to brush. Marks metal drums, steel tubing, pipe, wood crates and boxes.

- Model # FB-26** Brush with Cover
- Model # FB-15** Replacement Tip

STENCIL MACHINES

Marsh quality equipment. Simple, easy operation, rugged construction. Prints 4 lines.

- Model # R-1** 1" Stencil Size
- Model # S-1** 3/4" Stencil Size



BRASS STENCILS

Brass stencils are easily joined together by means of a simple interlocking edge.
LETTER ONLY SETS include:
ABCDEFGHIJKLMNOPQRSTUVWXYZ& and
1 beginner, 1 period ender, 1 space, 1 period,
1 comma and 1 dash. (33 pieces total)
NUMBER ONLY SETS include:
12345678900 and 1 beginner, 1 plain ender,
1 period, and 1 dash (35 pieces total)



LETTER & NUMBER SETS

- Model # LF-1** 1" Stencil Size
- Model # LF-2** 2" Stencil Size
- Model # LF-3** 3" Stencil Size
- Model # LF-4** 4" Stencil Size
- Model # LF-5** 5" Stencil Size
- Model # LF-6** 6" Stencil Size

LETTER ONLY SETS

- Model # L-1** 1" Stencil Size
- Model # L-2** 2" Stencil Size
- Model # L-3** 3" Stencil Size
- Model # L-4** 4" Stencil Size
- Model # L-5** 5" Stencil Size
- Model # L-6** 6" Stencil Size

NUMBER ONLY SETS

- Model # F-1** 1" Stencil Size
- Model # F-2** 2" Stencil Size
- Model # F-3** 3" Stencil Size
- Model # F-4** 4" Stencil Size
- Model # F-5** 5" Stencil Size
- Model # F-6** 6" Stencil Size

BRANDING IRONS

Permanently brand dollies, machine carts, pallets, vaults, etc. Gas heated iron requires a propane tank.
Model # 57-A
Up to 12, 1/2" interchangeable characters sold separately.





**ESCALERA MANHANDLER SUPREME
BATTERY-POWERED STAIR CLIMBING HAND TRUCK**

Escalera stair climbing appliance dollies are constructed of a tough tempered aluminum alloy, making them stronger than magnesium but lighter than steel. All Escalera stair climber hand trucks are 24 inches wide and range in size from 60" to 72" tall. Every Escalera Manhandler ships with the sealed gell-cell battery, automatic battery charger and one automatic rewind safety strap included. There are two weight capacities of Escalera stair climbers, 700 lbs. and 1,200 lbs.

- Tempered aluminum alloy inter-locking box frame
- 24" W x 4" D nose plate
- Lifts 700 lbs. up a flight of stairs in 1 minute
- 12 volt motor with 1/2 horsepower
- Charges from standard 110v outlet
- Automatic rewind strap standard
- Gell-cell maintenance free battery
- Overnight recharge will run for several hours

700 lb. CAPACITY


- Model # MS-60** 60" H
- Model # MS-66** 66" H
- Model # MS-72** 72" H

1,200 lb. CAPACITY

- Model # MS-1-66** 66" H
- Model # MS-1-72** 72" H

ACCESSORIES

- BWA-1** Big Wheel Attachment. Converts truck to a tilt-back 4-wheel hand truck with 10" x 4" pneumatic tires.
- RLS-1** Retractable Load Supporter. Converts truck to a tilt-back hand truck with retractable swivel casters.
- SCA-1** Swivel Caster Attachment. Attaches to the top of the hand truck, allowing it to be laid down as a flat dolly.
- RW-1** Factory Installed Rewind Strap. 12' x 2" nylon strap.
- BAR-1** Barrel Attachment. Concave braces stabilizes barrels and drums.
- 621** Sealed Replacement Battery.



YEATS STANDARD APPLIANCE DOLLY

Aluminum alloy modular construction with I-beam frame rails. Curved cross members, ratchet controlled strap, roller bearing wheels, caterpillar glide belts, top and side hand holds, with heavy felt padding. The industry standard.

59" high. 37.5 lbs. 500 lb. capacity

- Model # M7** With felt padded rails
- Model # M7P** With plastic padded rails

YEATS DELUXE APPLIANCE DOLLY

Designed for both short and tall appliances, this two-strap model holds any size appliance firmly against the frame. Featuring two ratchets and straps. Aluminum alloy modular construction with I-beam frame rails. Curved cross members, ratchet controlled strap, roller bearing wheels, caterpillar glide belts, top and side hand holds, with heavy felt padding.

59" high. 40.5 lbs. 500 lb. capacity

- Model # M14** With felt padded rails
- Model # M14P** With plastic padded rails

YEATS SHORTY DOLLY

The shorty is made especially for handling TV sets, room air conditioners and similar appliances. Extra handy for use with small trucks, pick-ups and SUV's. Has all the construction features of the standard YEATS models.

- Model # M5** With felt padded rails



RENTAL EQUIPMENT
MOVING EQUIPMENT
FURNITURE PADS
WAREHOUSE EQUIPMENT
APPLIANCE DOLLIES
HAND TRUCKS
VAN EQUIPMENT
CARGO CONTROL
RAMPS/WALK BOARDS
FORMS
LABELS
BOXES
PACKING MATERIAL

RENTAL EQUIPMENT
MOVING EQUIPMENT
FURNITURE PADS
WAREHOUSE EQUIPMENT
APPLIANCE DOLLIES
HAND TRUCKS
VAN EQUIPMENT
CARGO CONTROL
RAMPS/WALK BOARDS
FORMS
LABELS
BOXES
PACKING MATERIAL



YEATS FREEZER DOLLY

This extra tall dolly is perfect for those taller, heavy loads. Aluminum alloy modular construction with I-beam frame rails. Curved cross members, ratchet controlled strap, roller bearing wheels, caterpillar glide belts, top and side hand holds, with heavy felt padding. Equipped with two straps and ratchets, plus four wheels for rolling heavy loads.

72" high. 50 lbs. 500 lb. capacity
Model # M9 With felt padded rails



YEATS LONG FRAME DOLLY

Designed for large freezers and refrigerators. Excellent for large commercial boxes. Aluminum alloy modular construction with I-beam frame rails. Curved cross members, ratchet controlled strap, roller bearing wheels, caterpillar glide belts, top and side hand holds, with heavy felt padding. Equipped with two straps and ratchets.

64" high. 44 lbs. 500 lb. capacity
Model # M16 With felt padded rails



BIG WHEEL ATTACHMENT

Ease the handling of extra heavy loads with this balloon tire attachment. 10" wheels with long wearing ball bearings. Large turnbuckle allows quick attachment in the field. Rolls heavy loads smoothly and easily. Fits all Yeats appliance dollies.


Model # 33

**ON & OFF
IN 30 SECONDS!**



YEATS APPLIANCE DOLLY PARTS

- Y1** Top Handle
- Y2** Side Rail w/ Top and Side Handles (Specify Left or Right)
- Y3** Spacer
- Y3-A** Spacer Bolt
- Y4** Cross Member
- Y6** Side Handles
- Y7** Ratchet Handle (w/ Spring)
- Y7-A** Ratchet Return Spring
- Y8** Cross Member (w/ Thumb Latch)
- Y9** Thumb Latch (w/ Bracket & Spring)
- Y9-A** Thumb Latch Spring
- Y10** Shaft & Holding Gear (Specify Model & Location)
- Y10-A** Holding Gear w/ Pin
- D14-1** Dolly Strap (Webbing)
- Y12** Strap Support Rod
- Y14** Top Pulley
- Y15** Glide Belt Slide
- Y16** Glide Belt
- Y17** Axle Bracket
- Y18** Nose Plate Extension (Not Shown 24" W x 8" D)
- Y19L** Side Rail Base, Left
- Y19R** Side Rail Base, Right
- Y20** Lower Pulley
- Y21** Axle
- Y22** Wheel, Complete w/ Bearing
- Y22-AB** Wheel Bearing & Sleeve
- Y23** Nose Plate
- Y24-A** Felt Pad Set (Complete w/ Cement)
- Y24-B** Lower Felt Pad (For Nose Plate)
- Y24-C** Upright Felt Pad
- Y24-D** Center Felt Pad
- Y25-C** Upright Plastic Pad (Specify Left or Right)
- Y26** Thumb Latch w/ Spring
- Y27** Replacement Top Handle





ESCORT MAGNESIUM DOLLIES

Lighter than steel or aluminum, the MRT appliance dolly features a two piece web strap with an automatic recoil ratchet strap tightener. Non-marking rubber rail pads and felt covered cross members offer superior protection. Roller bearing stair crawler tread.

2" x 6" rubber wheels. 500 lb. capacity

Model # MRT-60 60" H 35 lbs.

Model # MRT-66 66" H 48 lbs.



ESCORT STEEL APPLIANCE DOLLY

Durable welded tube-steel construction for durability. Two-piece web strap with an automatic recoil ratchet strap tightener. Non-marking rubber rail padding offers superior protection. Roller bearing crawler tread.

2" x 6" rubber wheels. 48 lbs. 750 lb capacity

Model # SRT-60



ESCORT 'BIG RED' APPLIANCE DOLLY WITH KICK BACK WHEELS

This appliance dolly features two retractable 3 1/2" swivel casters to aid in balancing heavy loads. Durable welded tube-steel construction for durability. Two-piece web strap with an automatic recoil ratchet strap tightener. Non-marking rubber rail padding offers superior protection. Roller bearing crawler tread.

2" x 6" rubber wheels. 1,200 lb. capacity

*Kick back wheels aid with load balance only, not for load bearing.

Model # SRT-M-60 60" H 70 lbs.

Model # SRT-M-66 66" H 72 lbs.

Model # SRT-M-72 72" H 74 lbs.

ESCORT APPLIANCE DOLLY PARTS

CRAWLER TREAD

Model # D23 V-belt (#50200)

PADDING

Model # EP-2 Rubber and Felt Set (For SRT-M-60, S2SM-60)

Model # EP-2A Rubber and Felt Set (For SRT-M-66, S2SM-66)

Model # EP-2B Rubber and Felt Set (For SRT-M-72, S2SM-72)

Model # EP-3 Rubber and Felt Set (For MRT, M2ST, MR, MRT-2R, MRT-M-60)

Model # EP-3A Rubber and Felt Set (For MRT-M-66)

Model # EP-9 Footplate Felt w/ Glue

Model # EP-11 Rubber Strip each (For SRT, S2ST)

Model # EP-12 Rubber Strip each (For MRT-60)

Model # EP-13 Rubber Strip each (For SRT-M-66)

Model # SRT-M-STRIPS Rubber Strip each (1" X 63" For all SRT-M dollies)

RATCHETS

Model # ER-1A 17" Ratchet Assembly w/o Paw (For MR and SR)

Model # ER-1B 20" Ratchet Assembly w/o Paw (For MR and SR)

Model # ER-3 Holding Paw w/ Hardware (#50209)

Model # ER-5 Recoil Spring (#50210)

Model # ER-6 Handle Return Spring

Model # ER-7 Collar w/ Set Screw

Model # ER-8A Spring Housing and Cap

Model # EBWA-S Crank Tightner (For S2ST)

FRAME PARTS

Model # 50254 Magnesium Right Side Rail w/ Handles (For MRT, MR)

Model # 50255 Magnesium Left Side Rail w/ Handles (For MRT, MR)

Model # EF-4 Top Handle w/ Hardware (#50215)

Model # EF-5 Side Handle w/ Hardware (#50262)

WHEELS AND CASTERS

Model # 50213 6" x 2" x 5/8" (For SRT, SST)

Model # EW-16 8" x 2" x 3/4" (For SRT-MM, S2SM_

Model # EW-6 3 1/2" Swivel Caster w/ Hardware

STRAPS

Model # S-2 2" Strap w/ Roller Buckle (#50206) (For M2ST, S2ST)

Model # ES-3 2" Strap w/ Hook Buckle (#50207) (For MRT, SRT, SRT-M)



RENTAL EQUIPMENT | MOVING EQUIPMENT | FURNITURE PADS | WAREHOUSE EQUIPMENT | APPLIANCE DOLLIES | HAND TRUCKS | VAN EQUIPMENT | CARGO CONTROL | RAMPS/WALK BOARDS | FORMS | LABELS | BOXES | PACKING MATERIAL



DUTRO APPLIANCE DOLLY WITH KICK BACK WHEELS

Welded tube-steel construction. Ratchet style strap assembly easily secures load. Tread and bearing stair rollers. Rubber rail padding. Retractable 3 1/2" swivel casters aid in balancing heavy loads. 800 lb. capacity
*Kick back wheels aid with load balance, not for load bearing.
Model # D1420SO 58" H 78 lbs.



HEAVY DUTY DUTRO APPLIANCE DOLLY WITH KICK BACK WHEELS

Welded tube-steel construction. Ratchet style strap assembly easily secures load. Tread and bearing stair rollers. Rubber rail padding. Retractable 3 1/2" swivel casters aid in balancing heavy loads. 1,200 lb. capacity
*Kick back wheels aid with load balance, not for load bearing.
Model # D1166A 66" H 85 lbs.

HEAVY DUTY TALL DUTRO TWO-STRAP APPLIANCE DOLLY WITH KICK BACK WHEELS

The appliance dolly for moving taller items. Made to the same great specs as the D1166A, only taller. Two straps hold big loads securely in place. 1,200 lb. capacity
*Kick back wheels aid with load balance, not for load bearing.
Model # D1172B 72" H 8905 lbs.




'BRUTE' EXTRA HEAVY DUTY DUTRO APPLIANCE DOLLY WITH KICK BACK WHEELS

The special heavy duty appliance dolly from Dutro. Welded tube-steel construction. Two offset style strap assemblies easily secure heavy loads. Tread and bearing stair rollers. Rubber rail padding. Retractable 2 1/2" x 10" wheels can support the entire load, allowing the user to tilt back the truck to clear doorways, curbs and other obstacles. Wide kick back wheels offer superior stability. 1,600 lb. capacity
Model # D1872 72" H 105 lbs.



'BRAWNY BRUTE' EXTRA HEAVY DUTY DUTRO APPLIANCE DOLLY WITH KICK BACK WHEELS

The special heavy duty appliance dolly from Dutro. Welded tube-steel construction. Top ratchet arm style strap assembly easily secures heavy loads. The only truck with a standard safety brake. Tread and bearing stair rollers. Rubber rail padding. Retractable 2 1/2" x 10" wheels can support the entire load, allowing the user to tilt back the truck to clear doorways, curbs and other obstacles. Wide kick back wheels offer superior stability. 1,600 lb. capacity
Model # D1888 72" H 105 lbs.



RENTAL EQUIPMENT | MOVING EQUIPMENT | FURNITURE PADS | WAREHOUSE EQUIPMENT | APPLIANCE DOLLIES | HAND TRUCKS | VAN EQUIPMENT | CARGO CONTROL | RAMPS/WALK BOARDS | FORMS | LABELS | BOXES | PACKING MATERIAL



**DUTRO 1500 SERIES
APPLIANCE DOLLY**

Quality arc-welded construction. Light, extra-strength, tubular steel. Smooth, flat, durable, all weather, non-marking bumpers. Stair rollers with V belts on roller bearings. Ratchet style strap assembly. 2" x 5" mold-on rubber wheels. 700 lb. capacity

Model # D1504 58" H 47 lbs.



**DUTRO 1400 SERIES
APPLIANCE DOLLY**

Quality arc-welded construction. Light, extra-strength, tubular steel. Smooth, flat, durable, all weather, non-marking bumpers. Stair rollers with V belts on roller bearings. Ratchet style strap assembly. 2 1/2" x 8 1/2" solid rubber wheels. 800 lb. capacity

Model # D1404 58" H 59 lbs.



**DUTRO 1280 SERIES
APPLIANCE DOLLY**

Quality arc-welded construction. Light, extra-strength, tubular steel. Smooth, flat, durable, all weather, non-marking bumpers. Stair rollers with V belts on roller bearings. Offset style strap assembly. 2 1/2" x 8 1/2" solid rubber wheels. 700 lb. capacity

Model # D1289 58" H 58 lbs.



**DUTRO ALL-PURPOSE
ECONOMY APPLIANCE DOLLY**

The affordable, multi-use hand truck. All steel construction. Smooth, flat, durable, all weather, non-marking bumpers. Stair rollers with V belts on roller bearings. Offset style strap assembly. 2 1/2" x 8 1/2" solid rubber wheels. 700 lb. capacity

Model # D1720 59" H 57 lbs.

**DUTRO 1600 SERIES
ALUMINUM APPLIANCE DOLLY**

One of the most sturdy and efficient aluminum appliance trucks available. Aluminum alloy modular construction with I-beam frame rails. Ratchet style strap assembly. Smooth, flat durable, all-weather, non-marking bumpers. Stair rollers with V belts on roller bearings. Two side handles on each side make moving up and down stairs a breeze. 2" x 5" mold-on rubber wheels. 700 lb. capacity


Model # D1604 58" H 40 lbs.



THE
BEST VALUE
IN ALUMINUM
APPLIANCE
HAND TRUCKS

DUTRO REPLACEMENT PARTS

- | | |
|-----------------------|--|
| Model # D14 | Adjustable Strap Holder |
| Model # D14-1 | Strap |
| Model # D21 | Stair Roller |
| Model # D23 | V-belt (Replacement Glide Belt) |
| Model # D30 | Ratchet Handle |
| Model # D31 | Ratchet Handle Spring |
| Model # D32 | Gear Holding Pawl |
| Model # D35 | Hex Bar Ratchet Shaft |
| Model # D38 | Ratchet Complete Assembly |
| Model # D40 | Hex Shaft w/ Slide Bar |
| Model # D40-1 | Ratchet Gear |
| Model # D40-4 | Slide Bar Ratchet Assembly (parts 14 & 32) |
| Model # D70 | Upright Bumpers |
| Model # D71 | Cross Piece Bumpers |
| Model # DW1500 | 5" x 2" x 5/8" Roller Bearing Wheels |
| Model # DW1400 | 8" x 2 1/2" x 5/8" Roller Bearing Wheels |





DUTRO 3-WAY CONVERTIBLE HAND TRUCK

The multi-purpose hand truck. Converts to a platform truck or a tripod truck instantly. Fold out tube-steel nose extension assists with balancing large loads. 4" casters allow freedom of movement in kick-back or platform modes. 1 5/8" x 8" mold-on rubber wheels. 50" high upright. 800 lb. capacity as a hand truck. 600 lb. capacity as a kick-back dolly. 800 lb. capacity as a platform truck.
Model # D120 50" H 62 lbs.



DUTRO 808 SHOVEL NOSE HAND TRUCK

The perfect dolly for moving furniture in your warehouse. 3/4" tube steel construction for durability. Shovel nose toe plate (17 1/2" x 14" x 14") allows for larger loads. Taller frame gives more leverage over heavy loads. 2 1/2" x 8" balloon tires. 900 lb. capacity
Model # D808B 49 1/2" H 55 lbs.

DUTRO 828 SHOVEL NOSE HAND TRUCK

Similar to the 808 hand truck, the 828B has a taller frame for those taller loads.. 3/4" tube steel construction for durability. Shovel nose toe plate (17 1/2" x 14" x 14") allows for larger loads. Taller frame gives more leverage over heavy loads. 2 1/2" x 8" balloon tires. 900 lb. capacity
Model # D828B 61 3/4" H 55lbs.

HAND TRUCKS

Commercial grade delivery trucks for the man on the job. Rugged tube steel or aluminum construction. Designed for easier carton handling. 7" x 13" nose plate. 8" rubber wheels. Metal stair glides. 500 lb. capacity.

Double Loop Handles

Model # 600 Steel 55" H 37 lbs.
Model # A-600 Alum. 55" H 22 lbs.

Single Pin Handle


Model # 601 Steel 55" H 32 lbs.
Model # A-601 Alum. 55" H 21 lbs.



600



A-600



601



A-601

EXTRA HEAVY DUTY HAND TRUCK

Designed for rugged use and heavier loads. Tube steel construction. Reinforced 9" x 14" nose plate provides maximum strength. Popular single loop handle. 10" rubber wheels with stair glides. 1,000 lb. capacity.

Model # 2783 51" H 40.5 lbs.



HAND TRUCK COVER

Made of the same fine material and durable construction as our furniture pads. Pad has velcro straps on the back to secure it to the dolly frame.


Model # HTC-S 14" x 51"
Model # HTC-L 16" x 61"



EZ-OFF HAND TRUCK

Load and unload quicker with no gaps between stacks. Step down EZ-off bar backs truck out from under boxes with ease. Load can be stationed right against another stack to save valuable space. Tube steel construction. 7" x 13" nose plate. 8" mold-on rubber wheel with metal stair glides. 800 lb. capacity

Model # 100 55" H 34 lbs.



ECONOMY HAND TRUCK

A quality steel hand truck at an affordable price. 8" rubber wheels. 600 lb. capacity

Model # 5506-8 51" H





117-UM-1060
Single pin handle. 18" W x 7 1/2" D nose plate.
10" full pneumatic tires. 500 lb. capacity.
Model # 117-UM-1060 52" H 23 lbs.



115A-UM-1060
Single loop handle. 18" W x 7 1/2" D nose plate.
10" full pneumatic tires. 500 lb. capacity.
Model # 115A-UM-1060 52" H 23 lbs.



112-UM-1060
Horizontal loop handle with "U" brace for extra load support. 18" W x 7 1/2" D nose plate.
10" full pneumatic tires. 500 lb. capacity.
Model # 112-UM-1060 44" H 21 lbs.



311-AM-1025
Horizontal loop handle with curved back frame.
14" W x 7 1/2" D nose plate. 10" semi-pneumatic tires.
500 lb. capacity.
Model # 311-AM-1025 40" H 26 lbs.

THE ULTIMATE IN LIGHTWEIGHT RUGGED CONSTRUCTION

112-AM-825-C1
Horizontal loop handle with "U" brace for extra load support. 14" W x 7 1/2" D nose plate.
8" semi-pneumatic tires. Aluminum C-1 stair glides.
500 lb. capacity.
Model # 112-AM-825-C1 44" H 26 lbs.

135B-AM-830
Double loop handles with high back loop design.
14" W x 7 1/2" D nose plate. 8" balloon tires.
500 lb. capacity.
Model # 135B-AM-830 55" H 19 lbs.

211-UM-815
Horizontal loop handle. 18" W x 7 1/2" D nose plate.
8" mold-on rubber tires. 500 lb. capacity.
Model # 211-UM-815 40" H 20 lbs.

111-AM-815
Horizontal loop handle. 14" W x 7 1/2" D nose plate.
8" mold-on rubber tires. 500 lb. capacity.
Model # 111-AM-815 40" H 18 lbs.



MAGLINER GEMINI CONVERTIBLE HAND TRUCKS

2 IN 1 Hand Truck Converts from 2 Wheels to 4 Wheels in Seconds
Modular Design means Easy Repairs for Long Dolly Life
Half-Ton Platform Truck Capacity
Strong Lightweight Construction



GEMINI SR.

- Overall Width: 21"
- Frame Width: 12"
- Overall Length: 55 3/4"
- Height (hand truck) 61"
- Height (platform truck) 45 1/8"
- Platform Bed Length 51"
- Capacity (hand truck) 500 lbs.
- Capacity (platform truck) 1,000 lbs.
- Wheels (hand truck) 10" x 3 1/2"
- Casters (swivel) 5" x 1 1/4"
- Nose 18" x 7 1/2"

Model # GMA81UM4



GEMINI JR.

- Overall Width: 21"
- Frame Width: 11"
- Overall Length: 47 1/2"
- Height (hand truck) 51"
- Height (platform truck) 40"
- Platform Bed Length 38"
- Capacity (hand truck) 500 lbs.
- Capacity (platform truck) 1,000 lbs.
- Wheels (hand truck) 10" x 3 1/2"
- Casters (swivel) 5" x 1 1/4"
- Nose 18" x 7 1/2"

Model # GMA16UM4

MAGLINER GEMINI CONVERTIBLE HAND TRUCKS



GEMINI XL

- Overall Width: 22"
- Frame Width: 14"
- Overall Length: 57 1/4"
- Height (hand truck) 62 3/4"
- Height (platform truck) 45 3/4"
- Platform Bed Length 53 3/4"
- Capacity (hand truck) 500 lbs.
- Capacity (platform truck) 1,250 lbs.
- Wheels (hand truck) 10" x 4"
- Casters (swivel) 6" x 2"
- Nose 18" x 8 7/16"

Model # XLAP-1060

GEMINI ACCESSORIES

GEMINI SNAP ON DECK

Formed from strong embossed aluminum. Form fitted top end, spring steel center clip and aluminum extrusion at the base holds deck in place securely. Snaps in place quickly and removes easily. Great for carrying small packages.

- Model # 301651 Gemini Jr. Deck
- Model # 301650 Gemini Sr. Deck



GEMINI SR. ACCESSORY BAG

Convenient bag straps to Gemini Sr. hand truck with 6 adjustable straps with buckles. Ideal for tools, cleaning supplies and small packages.
12" W x 30" H
1 top pocket (12" W x 9" D)
1 front pocket (10" W x 6" D)
1 back pocket (10" W x 6" D)
2 bottom pockets (6" W x 11" D)
For Gemini Sr. Only
Model # 302684





TYPE 11 HANDLE
Popular "U" loop handle is ergonomically designed to provide comfort to the wrist and easy operation of the hand truck.
Model # 11



TYPE 12 HANDLE
Basic loop handle with "U" brace for extra load support.
Model # 12



TYPE 15 HANDLE
Single vertical loop handle.
Model # 15



TYPE 16 HANDLE
Standard double pistol grip handle. Curved out to meet the operator's hands for two-handed control.
Model # 16



TYPE 17 HANDLE
Single pin handle with ergonomic pistol grip for easier leverage.
Model # 17



FRAME STYLE #1
Straight back frame to provide structure and support to the hand truck.
Model # 1



FRAME STYLE #2
Straight lattice back for general use and transporting smaller packages.
Model # 2




FRAME STYLE #3
Curved lattice back frame for carrying round or flat loads.
Model # 3



FRAME STYLE #5
Curved back frame with molded cross members for transporting barrels and kegs.
Model # 5



TYPE 35 HANDLE EXTENSION
Dual loop handles. Extra tall 55" height.
Model # 35



PLASTIC CURB RAMP
Molded plastic curb ramps are light and portable. Aggressive non-skid surface. Good for curbs up to 8" H. 27" x 27"
Model # KR-215




ALUMINUM CURB RAMP
Lightweight, corrosion-resistant aluminum. Safety walk strips for secure footing. Hand hole for easy handling. Good for curbs up to 6" H. 27" x 27"
Model # KR2727



"U" FRAME EXTENSION
Your choice of 3 "Hi-U" frame extensions for additional load height. Intermediate "U" included.
Model # 52 52" H
Model # 60 60" H
Model # 68 68" H



TYPE A NOSE
Die-Cast Magnesium
14" W x 7 1/2" D
Model # A



TYPE H NOSE
Die-Cast Magnesium
14" W x 12" D
Model # H



TYPE C NOSE
Extruded aluminum.
14" W x 7 1/2" D.
Model # C



TYPE J NOSE
Extruded aluminum.
16" W x 12" D.
Model # J



TYPE D NOSE
Extruded aluminum.
18" W x 7 1/2" D.
Model # D



TYPE U NOSE
Die-Cast Magnesium
18" W x 7 1/2" D
Model # U



STAIR CLIMBER
Heavy-duty cast magnesium sliders. Great for moving over curbs or stairs.
Model # C1



STAIR CLIMBER
Cast magnesium sliders with replaceable low-friction polymer skid bars.
Model # C5
Replacement sliders for C5 stair climber.
Model # 302115



PLATE NOSE EXTENSION
Low profile formed plate extension.
Model # F1 24" L x 12" W



EXTRUDED CHANNEL EXTENSION
Model # F2 20" L x 12" W
Model # F3 30" L x 12" W



PNEUMATIC WHEEL
Pneumatic tire on a bolt together rim with ball bearing hub. 10"
Model # M121060



FOAM WHEEL
Foam tire with ball bearing hub. Performs like a pneumatic tire but doesn't go flat. 10"
Model # M1010



RUBBER WHEEL
Solid rubber tire on one-piece polyolefin rim with ball bearing hub. 10"
Model # M1025



RUBBER WHEEL
Solid rubber tire on one-piece polyolefin rim with ball bearing hub. 8"
Model # 825



BALLOON WHEEL
Mold-on rubber tire on die-cast magnesium rim with ball bearing hub. 8"
Model # 815

REPLACEMENT INNER TUBES FOR PNEUMATIC WHEEL Model # 121060T





MATTRESS CARRIER

Canvas bag with sewn webbing handles on the ends allows for easy transportation of mattresses. Bag also protects mattress from damage or dirt. Sewn webbing handles extend 42" down each side and under carrier to increase durability and strength. Show your customers you care while reducing damage claims.
Model # MC-1



FOREARM FORKLIFT

Lifting straps for the professional mover. 2" webbing straps run under the item you are carrying with end loops for your forearms to go through to aide with lifting and balance of large bulky items. Designed to take the strain off of your back. Makes every item you carry seem lighter. Perfect for washers & dryers, refrigerators, hutches, mattresses, big screen T.V.s and more.
Model # FF



SHOULDER DOLLY

Webbing harness attaches to upper body and shoulders with straps that run underneath larger items to make moving them a breeze. The Shoulder Dolly system utilizes safe lifting technique, substantially reducing risk of injury to the lower back. Perfect for washers & dryers, refrigerators, hutches, mattresses, big screen T.V.s and more. 400 lb. weight capacity.
Model # SD101



RUBBER BANDS

Oversized rubber bands hold your furniture pads and covers securely in place. Three sizes ensure you will have the fit you need. Sold by the dozen.

- Model # MRB-S** Small (Beige)
Approx 50" slack circumference
- Model # MRB-M** Medium (Green)
Approx 60" slack circumference
- Model # MRB-L** Large (Blue)
Approx 72" slack circumference



RUBBER BAND HOLDER

Triple hook holder hooks on to your truck's e-track. Keep your rubber bands easy to reach and off of the floor, while keeping your sizes separated.
Model # RBH-1

FIBERGLASS LADDER

Heavy-duty movers' ladder has steps on both sides permitting two men to work together. Available in wood or fiberglass. Non-slip rubber shoes on bottom of legs help keep ladder stable. 250 lb. capacity.

- Model # FL-6** 6' Tall
- Model # WL-6** 6' Tall



PAD PALLET

Stack furniture pads neatly in your van. 1/2" plywood top with 2" x 2" runners keep pads off of the floor and dry. Use part #46328-15, all purpose strap to help secure pads in place during drives.

- Model # VE-19** 24" x 40"
- Model # VE-21** 18" x 40"





ALL PURPOSE STRAP

All purpose strap with alligator style buckle. Perfect for strapping bundles of pads, securing furniture pads or covers to furniture or securing large items to hand trucks.

Model # 46328-15

VINYL FLOOR RUNNER

Show your customers you care while reducing cleaning claims. Rugged red vinyl runner has a foam cushion backing reducing runner slippage. Clings to most surfaces. Wipes clean with a damp cloth. Safe to use on carpeting, floor tile, and wood flooring. 27" wide. Sold by the case.

Model # 156-A 15' long, 6 pieces/case 21 lbs.

Model # 157-A 20' long, 4 pieces/case 18 lbs.

RUBBER FLOOR RUNNER

Our top of the line floor runners look as good as they work. Non-slip neoprene is perfect for hardwood, tile and carpets. Available in red or blue. 27" wide rolls.

Model # RR-20 Red - 20'

Model # BR-20 Blue - 20'

Model # RR Red - Cut to Length

Model # BR Blue - Cut to Length

CANVAS FLOOR RUNNER

Natural canvas color tug runners offer quality all-purpose floor protection. 30" W x 20' L runners are the perfect size for your moving protection needs. Light blue piping sewn to runner edges prevents canvas fraying.

Model # VE-20

CARPET SHIELD

Three-mil thick polyethylene film with a pressure sensitive adhesive applied to one side. Once you put it down, it stays where you put it, until you pull it up. Lay down one strip to create a lane or side-by-side rows to cover wider areas. For carpet use only. 30" W x 200' L

Model # PM-30

FORM HOLDER

Aluminum form holder keeps your forms neat, clean and business like. Cover keeps top sheets clean. Spring loaded safety back holds forms securely in place. Storage compartment opens only when safety lock is released. Close the top cover for the perfect writing surface.

Model # 149H 8 1/2" x 14"

Model # 56H 8 1/2" x 12"

ALMOND STICK

The movers' standard for in-field furniture scratch repair. One easy stroke and minor scratches disappear. Perfect on fine woodwork and antiques.

Model # AS-1

HUMP STRAP

Maximum strength is provided by rugged 4-ply burlap. Ends are stitched and securely bound to prevent fraying.

Model # VE-7





FIRE EXTINGUISHER

Dry chemical fire extinguisher with vehicle bracket. A must for your van or warehouse. 2.5 lb. capacity. 15.3/4" high. U/L Rating ABC

Model # 34981



FIST AID KIT

Compact first aid kit includes all the necessary items for emergency first aid requirements. slotted screw holes allow case to be mounted to the wall and easily removed for an emergency.

Model # VE-4

SAFETY TRIANGLES

Kit consists of three reflector triangles in a protective container. Designed for truckers. Sets up in seconds. Meets DOT standard MVSS 125 for highway warning devices.

Model # VE-3




SAFETY CONES

Constructed of durable bright orange vinyl. Easy stacking and weatherproof. Weighted bottom to withstand traffic generated winds.

Model # SC-12 12" High

Model # SC-18 18" High



WHEEL CHOCKS

These rubber wheel chocks are built to OSHA requirements and will not gouge tires if run over. Designed for maximum traction on almost any surface.

Model # 44203





X-TYPE LOCKS

2" wide laminated steel body with 5 anti-pick solid brass pins. Dual locking hardened steel shackle. Shackle clearance 1 1/4" Vertical, 1" Horizontal. Includes 1 key.

Model # XTKA
SUPER SAVINGS!



MASTERLOCK PRO LOCK

Masterlock Pro Series Weather Tough™ padlock with 2 1/8" wide steel case and 5-pin W6000 removable cylinder. Replaceable 5/16" diameter case-hardened boron alloy steel shackle. Shackle clearance 1 1/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover. Include 2 brass keys.

Model # 6121KA



MASTERLOCK LAMINATED LOCK

1 3/4" wide laminated case. 4-pin tumbler security. Dual hardened steel levers lock both sides of case. 5/16" diameter steel shackle. Shackle clearance 1 1/2" Vertical, 3/4" Horizontal. Includes two brass keys.

Model # 1LKA



PADLOCK CHAINS

Securely chain your lock to your truck. Prevent lock loss or theft. 12 per box

Model # 71-CH



KINGPIN LOCK

Steel king-pin lock fits all king pins. Prevent your trailer from getting stolen. Heavy duty lock is easy to use.

Model # KPL-1

SECURITY SEALS

Seals for trailers and bobtails prevent tampering and theft. Aluminum seals are 8 1/2" long. Embossed seal numbers allow easy tracking. Seals can be embossed with company name with minimum order.

Model # TS-8 100/set



STEEL PLATES

Metal plates are perfect to help roll over floor cracks, elevator cracks and door thresholds.

Model # SP2436 24" x 36"
Model # SP3636 36" x 36"



WALK BOARDS

Lightweight walk boards are designed for one person to handle with ease. 36" wide fits easily in the back of any van. Made with sturdy 1/2" plywood top, 1 1/4" tubing support underneath and 1/8" steel end plates. Coated with grip tread.

Model # 1377 7' 6" 700 lb. cap. 70 lbs.
Model # 1378 8' 8" 600 lb. cap. 85 lbs.



STRAP ASSEMBLIES

CDS Moving Equipment manufactures and supplies the transportation industry with the highest quality cargo control equipment available. If your cargo restraint requirements are unique please contact us. We can design a system to suit your needs.

Please read the important information regarding what load capacities really mean. We believe that purchasers and the user must understand the correct application and the strength of the strap assemblies purchased. The user should evaluate working load requirements before selecting appropriate hardware and strap assemblies. Remember, all strap assemblies or systems are as strong as their weakest component, including the point of attachment.

WHAT IS WORKING LOAD CAPACITY? This is the maximum load a component or assembly should be subjected to during routine use. For your safety, CDS recommends that "working load capacity" not exceed one-third (1/3) the component an/or assembly "breaking strength capacity".

WHAT IS A RATED LOAD CAPACITY? Ratings are generally established and/or regulated by industry or legislative standards and may vary from industry to industry. For example, the 1387 California Highway Patrol rating for flatbed tie-downs is established at 70% of the breaking strength capacity of web binders or 80% of the breaking strength capacity or force required to cause permanent distortion of component hardware, whichever is less.

IT IS THE OWNERS' AND USERS' RESPONSIBILITY TO DETERMINE SUITABILITY OF A PRODUCT FOR ANY PARTICULAR USE. CHECK ALL APPLICABLE INDUSTRY, TRADE ASSOCIATION, FEDERAL, STATE AND LOCAL REGULATIONS. READ ALL OPERATING INSTRUCTIONS AND WARNINGS CAREFULLY.

All ratings shown in this catalog are based on the product being new, and applied in normal environmental conditions. Special consideration must be given to item selection when unusual conditions can be expected. Particular caution should be exercised to avoid exposing the product to sharp or abrasive edges or acids.

Products are subject to age, wear and deterioration, all of which cause a reduction in the products' breaking strength capacity. We recommend that all products be regularly inspected. ANY WORN, DEFORMED, MISUSED OR OVERLOADED PRODUCTS SHOULD BE REPLACED IMMEDIATELY.

REMEMBER: The component with the lowest breaking strength capacity in the entire system will probably fail first. Each component of the entire systems plays an important part in restraining cargo. It is important that tie-downs be attached to components that are of sufficient strength to properly secure the load. For example, if one anchors a standard web binder assembly with a rated load capacity of 12,000 lbs. to a device with a breaking strength capacity of 5,000 lbs., then that system will fail at 5,000 lbs.

This information is provided to you because we believe that purchasers and the user must understand the correct application and strength of products purchased.

STANDARD STRAP ASSEMBLIES

This line of standard pull tight cam buckle straps is designed to meet virtually all of your load securing needs. Designed for use with trucks equipped with E-track rails. Durable 2" wide webbing has a 4 foot fixed end length. 1,000 lb. working load capacity.

- Model # 40602-17 12' yellow
- Model # 40602-18 16' gray
- Model # 40602-19 20' blue



STANDARD STRAP ASSEMBLIES WITH DOUBLE FIXED ENDS

Designed to the same specs of our Standard Strap Assemblies, this strap has two fixed ends allowing you to place the pull cam closer to or further away from the wall, depending on your needs. Designed for use with trucks equipped with E-track rails. Equipped with one 42" fixed end and 6" fixed end. 1,000 lb. working load capacity.

- Model # 40602-17-3 12' yellow
- Model # 40602-18-3 16' gray
- Model # 40602-19-3 20' blue



STANDARD STRAP ASSEMBLIES WITH SLAT HOOK

Designed to the same specs of our Standard Strap Assemblies, this strap is designed to be used with trucks without E-track. Slat hooks on both ends of the strap allows you to hook the straps to the slats on the inside walls of your trucks. 1,000 lb. working load capacity.

- Model # 40602-23 12' yellow
- Model # 40602-24 16' gray
- Model # 40602-25 20' blue





RATCHET STRAP ASSEMBLIES

This line of ratchet straps is designed to meet virtually all of your load securing needs. Designed for use with trucks equipped with E-track rails. Durable 2" wide webbing has a 4 foot fixed end length. 1,000 lb. working load capacity.

- Model # 5N7H7H-144P2** 12' yellow
- Model # 5N7H7H-192P2** 16' gray
- Model # 5N7H7H-240P2** 20' blue



AUTO TIE DOWNS

Our auto tie down strap was designed specifically for securing automobiles while in transport. Unique cluster hook provides multiple hook styles to fit a wide variety of automobiles. Fixed end of strap utilizes a spring loaded E-track fitting. Durable 2" wide webbing with a 1' fixed end length is 8' long overall. Ratchet buckle ensures load is properly secured.

- 1,000 working load capacity per strap.
- Model # 96P2-SP** yellow



ROPE TIE OFFS

E-track rope tie off allows rope or tie webbing to be used with an E-track system. Click the rope tie off into the E-track rail and the fixed D-ring provides the perfect tie down loop. Flexible webbing between E-track fitting and D-ring allows tie off to twist or flex to fit a variety of tie down situations. 1,000 working load capacity.

- Model # 40386-11**



DELUXE END FITTING SWIVEL D-RING

The deluxe end fitting swivel D-ring allows rope or tie webbing to be used with an E-track system. Click into the E-track rail and the fixed D-ring provides the perfect tie down loop. 1,000 working load capacity.

- Model # SP**

PAN FITTINGS

Pan fittings provide you with the perfect permanent rope tie down D-ring. Designed for low profile mounting in trucks and cargo containers. Our pan fittings are made from high quality corrosion-resistant material and zinc plated steel. Trim plate collar is made of high density polyethylene. 500 lb. working load capacity.

- Model # 45545-15**

MINI CARGO STRAPS

The mini cargo strap is a ratchet buckle cargo strap for medium-weight loads. 1" webbing is secured with a heavy-duty ratchet buckle. 1" narrow hook and keeper ends make securing your strap or load easy. 1' fixed end. 3,300 breaking strength, 1,100 working load capacity

- Model # 43887-10** 16'
- Model # 43887-11** 20'

MOTORCYCLE STRAPS

Our motorcycle straps are made of durable 1" webbing with plastic coated open hooks on both ends. Pull tight buckle provides easy use and load security. Ideal for motorcycles and bicycles or a variety of multi-use situations . 6' overall length. 400 lb. working load capacity.

- Model # 41048-10**

ALL PURPOSE STRAP


All purpose strap with one alligator style buckles gives you all the versatility to secure bundles of items. Perfect for bundles of pads, boxes, rug runners and more. 1" wide webbing x 15'

- Model # 46328-15**

RUBBER TENSION TIES

Produced from the finest synthetic EPT rubber, our rubber tension ties have exceptional ozone resistance and stretch resiliency. Maintains constant uniform tension. Holds tarps securely. Quickly and easily secure rugs, appliance and hand trucks, van pads, dollies, piano boards, etc. much faster than using rope.

	LENGTH	WITH HOOKS	SPAN
Model # 41569-10	14"	15"	20"
Model # 41569-11	19"	20"	30"
Model # 41569-12	25"	30"	40"
Model # 41569-13	35"	40"	55"



CUSTOM STRAP ASSEMBLIES

CDS can create custom cargo control strap assemblies to meet your unique needs. Using our list of parts and webbing, you can design you own straps, which we custom sew in our facility. To design your custom strap, follow the instructions below to create your strap code. All straps are manufactured in our Compton, California location. Call your custom strap code in to our Compton customer service department and you are on your way to creating your own custom cargo control strap assembly.

DESIGNING A CUSTOM CARGO CONTROL STRAP ASSEMBLY

Buckle Number Code	End Fitting on Fixed End	End Fitting on Adjustable End	Fixed End Length Inches	Overall Length Inches	Type of Webbing
XX	XX	XX	XX	XX	XXX

STRAP WEBBING


2" Yellow	2" Yellow	2" Blue	2" Gray	4" Yellow	1" Black
12,000 lb. breaking strength	6,000 lb. breaking strength	6,000 lb. breaking strength	6,000 lb. breaking strength	24,000 lb. breaking strength	4,500 lb. breaking strength
4,000 lb. working load cap.	2,000 lb. working load cap.	2,000 lb. working load cap.	2,000 lb. working load cap.	12,000 lb. working load cap.	1,500 lb. working load cap.
Model # P1Y	Model # P2Y	Model # P2B	Model # P2G	Model # P5Y	Model # N4B




2" E-TRACK FITTING
1,000 lb. working load cap.
Model # 7H



2" SLAT HOOK
1,000 lb. working load cap.
Model # 30



2" FLAT HOOK
3,300 lb. working load cap.
Model # 02



2 3/4" FLAT HOOK
5,000 lb. working load cap.
Model # 2D

2" SNAP HOOK
1,600 lb. working load cap.
Model # 01



2" DELUXE END FITTING
1,000 lb. working load cap.
Model # SP



2" HOOK & KEEPER
1,600 lb. working load cap.
Model # 03



2" NARROW HOOK
1,600 lb. working load cap.
Model # 2L



2" NARROW HOOK
4,400 lb. working load cap.
Model # 5L



1" NARROW HOOK
1,000 lb. working load cap.
Model # 21




2" D RING
1,600 lb. working load cap.
Model # 12A



1" D RING
1,600 lb. working load cap.
Model # 18



1" OPEN HOOK
400 lb. working load cap.
Model # 42



1" CAM BUCKLE
600 lb. working load cap.
Model # 5K



2" CAM BUCKLE
1,000 lb. working load cap.
Model # 6G



1" RATCHET
1,400 lb. working load cap.
Model # 2H



2" RATCHET
1,600 lb. working load cap.
Model # 3P



2" RATCHET
3,300 lb. working load cap.
Model # 4N



CLUSTER HOOK
Model # 2P





TIE WEBBING

Superior to rope for tying loads inside trucks. Flat webbing reduces rope damage to items.

- Model # VE-1** 1" nylon webbing 150' roll
- Model # VE-1-15** 1" nylon webbing 15' w/ sewn loop on one end
- Model # VE-2** 2" cotton webbing 100' roll
- Model # VE-2-15** 2" cotton webbing 15' w/ sewn loop on one end



CALIFORNIA POLY TRUCK ROPE

Heavy duty three-strand rope that will last three times longer than manila rope. Will not rot or mildew. Black with orange.

- Model # CT3800** 3/8" x 600'
- Model # CT3800-1200** 3/8" x 1,200'
- Model # CT7600** 7/16" x 600'
- Model # CT1200-50** 1/2" x 50'
- Model # CT1200** 1/2" x 600'
- Model # CT5800** 5/8 x 600'



SISAL TWINE


Strong and soft sisal rope is perfect for general purpose tying and packing.

- Model # SR1450** 1/4" x 50' 3-ply
- Model # VE-16** 10 lb. ball 2-ply (approx. 300')

E-TRACK RAILS

The standard in the shipping industry. E-track rails are designed to accept Series E end fittings, beam sockets and decking beams. Made from 12 gauge steel. Minimum yield stress of 45,000 psi. 10' lengths.


- Model # 40837-10** Horizontal rail
- Model # 40838-10** Vertical rail



BEAM SOCKETS

Designed to click into E-track rails. Socket holds 2" wide beams. Using a commercial grade douglas fir, a 2 x 4 can safely carry 80 lbs. for decking. A 2 x 6 can carry 200 lbs. with a dynamic load of 5 G's. For shoring applications a 2 x 4 will hold 100 lbs. A 2 x 6 will hold 1,500 lbs. with a dynamic load of 2 G's.

- Model # 44019-10**



DECKING BEAM

Designed for use with E-track systems. These decking beams retract and expand from 90" to 102" to fit most standard truck sizes.


- Model # DB102** 2,200 lb. cap. (Standard Duty)
- Model # DBHD102** 3,000 lb. cap. (Heavy Duty)






LOAD LOCK BAR

Made of high strength aluminum, our cargo bar extends to fit tight against the sides of the inside of truck walls and locks in place without excessive pressure. Molded rubber feet grip the walls to provide cargo holding ability. Adjusts from 89" to 105".
Model # 10088



CARGO HOOPS

Hoops attach to our load lock bars to help restrain small packages over a large area. Set of two hoops and all attachment hardware for easy mounting to load lock. **Model # 10096**



RATCHET BUCKLE STRAPS

Designed for exterior or flat-bed trucks, ratchet buckle binders are versatile tie-downs. They can be positioned on the load for maximum load security. Simple to operate standard ratchet binders are supplied with a 2" polyester webbing. 2" flat hooks on both strap ends. 30' long
Model # 45983-11 1,600 lb. working load cap.
Model # 45982-11 3,300 lb. working load cap.

WINCH STRAP ASSEMBLIES

Designed for use on trucks with built-in strap winches. 4" wide webbing is approved for highway use. 12,000 lb. rating.

- Model # 43795-10-30** 30' long with flat hook
- Model # 43795-11-30** 30' long with D-ring
- Model # 43795-13-30** 30' long with sewn loop

TRAILER WINCHES


Designed to be used with web straps up to 4" wide.

- Model # LP-C** Low profile combination winch. Use with cable or web. (weld on)
- Model # LP-C-P** Low profile combination winch. Use with cable or web (bolt on)
- Model # L-P** Low profile winch. Use with web. (weld on)
- Model # LP-P** Low profile winch. Use with web. (bolt on)
- Model # HP** High profile winch. Use with web. (weld on)
- Model # HP-C** High profile combination winch. Use with cable or web. (weld on)
- Model # HP-C-P** High profile combination winch. Use with cable or web. (bolt on)
- Model # HP-P** High profile winch. Use with web. (bolt on)

TARPS

Extra heavy duty polypropylene tarps. Metal gromits allow tarps to be tied down securely.

- Model # 070685** 12' x 24'
- Model # 070686** 18' x 24'
- Model # 070690** 20' x 20'
- Model # 070696** 20' x 40'





WINCH BAR

Steel winch bar is angled with a tapered tip for easy operation. Heat treated tip for maximum service life. 35" overall length.

- Model # 42313-10** Standard winch bar
- Model # 42313-11** Combination winch bar



LOAD BINDERS

Load binders are constructed of curable 70 grade steel. 16" lever has a 4 1/2" takeup. 4,700 lb. working load limit.

- Model # BX-320** Leverage binder
- Model # BXR-310** Ratcheting binder



TIE-DOWN CHAINS

Forged grade 70 chain with clevis grab hooks on each end.


- Model # 45881-10** 5/16" x 20' 4,700 lb. load limit
- Model # 45881-10-14** 5/16" x 14' 4,700 lb. load limit
- Model # 45881-11** 3/8" x 20' 6,600 lb. load limit



SAFE STRIDE

Anti-slip covering for walk boards and ramps. One gallon covers approximately 80 sq. ft.

Model # VE-9



WALK BOARDS

Lightweight walk boards are designed for one person to handle with ease. 36" wide fits easily in the back of any van. Made with sturdy 1/2" plywood top, 1 1/4" tubing support underneath and 1/8" steel end plates. Coated with grip tread.


- Model # 1377** 7' 6" 700 lb. cap. 70 lbs.
- Model # 1378** 8' 8" 600 lb. cap. 85 lbs.



PLASTIC CURB RAMP

Molded plastic curb ramps are light and portable. Aggressive non-skid surface. Good for curbs up to 8" high. 27" x 27"

Model # KR-215



ALUMINUM CURB RAMP

Lightweight, corrosion-resistant aluminum. Safety walk strips for secure footing. Hand hole for easy handling. Good for curbs up to 6" high. 27" x 27"

Model # KR2727






2900 SERIES
29" Overall Width
26" Inside Width
4" Side Rail Height
3" Curb Height

3900 SERIES
39" Overall Width
37" Inside Width
4" Side Rail Height
3" Curb Height

MAGLINER ALUMINUM VAN RAMPS

Portable and strong Magliner ramps have a twin toothed deck for better traction when traveling in either direction. All apron models come complete with 8" apron, 3 1/4" position stop and safety chains. All hook models complete with two heavy duty safety hooks



RAMP HEIGHT GUIDE

Matching the length of a ramp to the service height is important. Too short of a ramp will create a steep slope making it hard to move and control heavy items. Magliner ramps are designed with a slanted lip at the top of the ramp to match the ramp angle to the flat platform at the top. Using the incorrect length ramp may prevent a smooth transition at the top of the ramp. Use the Ramp Height Guide to assist you with selecting the correct ramp for your situation.

Apron Models

Ramp Length	Height Range	Weight Cap lbs.	2900 Series Model #	Weight lbs.	3900 Series Model #	Weight lbs.
3'	9"	3,000	VR3029032	36	VR3039032	45
4'	12"	3,000	VR3029042	43	VR3039042	53
5'	18"	3,000	VR3029052	56	VR3039052	69
6'	21"	2,800	VR2829062	62	VR2839062	77
7'	27"	2,800	VR2829072	75	VR2839072	94
8'	31"	2,500	VR2529082	82	VR2539082	102
9'	34"	2,500	VR2529092	88	VR2539092	110
10'	37"	2,200	VR2229102	95	VR2239102	118
12'	46"	1,900	VR1929122	114	VR1939122	142
14'	52"	1,600	VR1629142	127	VR1639142	158
16'	61"	1,000	VR1029162	147	VR1039162	183

Hook Models

Ramp Length	Height Range	Weight Cap lbs.	2900 Series Model #	Weight lbs.	3900 Series Model #	Weight lbs.
3'	13"	3,000	VR3029031	33	VR3039031	41
4'	16"	3,000	VR3029041	40	VR3039041	49
5'	22"	3,000	VR3029051	53	VR3039051	65
6'	25"	2,800	VR2829061	59	VR2839061	73
7'	32"	2,800	VR2829071	72	VR2839071	90
8'	35"	2,500	VR2529081	79	VR2539081	98
9'	38"	2,500	VR2529091	85	VR2539091	106
10'	41"	2,200	VR2229101	92	VR2239101	114
12'	50"	1,900	VR1929121	111	VR1939121	138
14'	56"	1,600	VR1629141	124	VR1639141	154
16'	66"	1,000	VR1029161	144	VR1039161	179

EMTEK ALUMINUM STANDARD DUTY APRON RAMPS

Emtek ramps are made from 6061 "hard" aluminum for strength and durability. A 20° grade angle gives you a gradual incline for easy cargo control. The anti-slip floor design ensures sure footing. 3 1/8" curb height

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Weight lbs.	Overall Width	Inside Width
6'	21"	1,500	40630 MVR	65	30"	28"
8'	30"	1,500	40830 MVR	87	30"	28"
10'	38"	1,500	41030 MVR	109	30"	28"
12'	46"	1,500	41230 MVR	130	30"	28"
14'	54"	1,200	41430 MVR	150	30"	28"
6'	21"	1,500	40636 MVR	85	36"	34"
8'	30"	1,500	40836 MVR	105	36"	34"
10'	38"	1,500	41036 MVR	130	36"	34"
12'	46"	1,500	41236 MVR	150	36"	34"
14'	54"	1,200	41436 MVR	180	36"	34"



EMTEK HEAVY DUTY VAN RAMPS

Emtek ramps are made from 6061 "hard" aluminum for strength and durability. A 20° grade angle gives you a gradual incline for easy cargo control. The anti-slip floor design ensures sure footing. 3 1/8" curb height 4,000 lb. capacity

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Weight lbs.	Overall Width	Inside Width
6'	16"	4,000	40639 HDMVR	94	39"	37"
8'	22"	4,000	40839 HDMVR	125	39"	37"
10'	28"	4,000	41039 HDMVR	157	39"	37"
12'	35"	4,000	41239 HDMVR	188	39"	37"
14'	41"	4,000	41439 HDMVR	220	39"	37"
16'	48"	4,000	41639 HDMVR	251	39"	37"





EMTEK ALUMINUM SPLIT LOCK LOADING RAMP

- Engineered for safety, strength and handling ease
- Manufactured with 6061 "hard" aluminum
- Use two halves for auto loading, or lock together to make 1 ramp for equipment loading
- 3 1/8" curb height
- 6,000 lb. capacity per pair (rated load for 8' wheel base or longer)

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Weight Split	Overall Locked	Inside Locked	Overall Split	Inside Split
10'	20"-28"	6,000	41038 SLR	75 lbs.	38"	36"	19"	18"
12'	25"-34"	6,000	41238 SLR	90 lbs.	38"	36"	19"	18"
14'	29"-40"	6,000	41438 SLR	102 lbs.	38"	36"	19"	18"

MELCHER FIBERGLASS SPLIT RAMPS

Make loading simple and safe with the original Melcher fiberglass ramp. Over 30 models to choose from, single and dual, sizes 6' to 16'. Exclusive computerized fiberglass application process and high quality materials have made Melcher the industry leader. All ramps feature improved super traction non-skid surface and self storing ball locking pin.



MELCHER FIBERGLASS AUTO LOADER RAMPS

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Ramp Width	Weight lbs.
6'	12"-18"	4,000	636AL	36"	75
8'	16"-24"	4,000	836AL	36"	95
10'	20"-30"	5,000	1036AL	36"	135
12'	26"-35"	5,000	1236AL	36"	155
14'	30"-45"	5,000	1436AL	36"	175
16'	34"-50"	5,000	1636AL	36"	220

MELCHER REPLACEMENT AUTO LOADER HALVES

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Ramp Width	Weight lbs.
12'	26"-35"	2,500	1218AL	36"	78
14'	30"-45"	2,500	1418AL	36"	88
16'	34"-50"	2,500	1618AL	36"	110

When ordering replacement halves, please specify male or female pin set



MELCHER SINGLE FIBERGLASS RAMPS

HEAVY DUTY SINGLE FIBERGLASS RAMP

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Ramp Width	Weight lbs.
6'	12"-18"	3,000	636	36"	75
7.5'	13"-22"	3,000	7530	30"	75
8'	16"-24"	3,000	836	36"	95
10'	20"-30"	3,000	1030	30"	103
10'	20"-30"	3,000	1036	36"	130
12'	26"-35"	3,000	1230	30"	134
12'	26"-35"	3,000	1236	36"	150
14'	30"-45"	3,000	1436	36"	170

LIGHTER DUTY SINGLE FIBERGLASS RAMP

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Ramp Width	Weight lbs.
7'	12"-28"	1,500	726	26"	50
10'	12"-30"	1,500	1026	26"	84
10'	12"-30"	1,500	1029	29"	95
12'	16"-38"	1,500	1226	26"	98
12'	16"-38"	1,500	1229	29"	110
14'	18"-46"	1,500	1426	26"	116

LITE LOADER SINGLE AND DUAL FIBERGLASS RAMPS

Ramps can be used as one ramp, or separate into 2 separate 13" wide ramps. Perfect for loading riding mowers, golf carts, go-carts or other small vehicles.

Ramp Length	Height Range	Weight Cap lbs.	Ramp Model #	Ramp Width	Weight lbs.
10'	20"-30"	1,500	1026DR	26"	89
12'	26"-35"	1,500	1226DR	26"	101
14'	30"-45"	1,500	1426DR	26"	121

MELCHER RAMP RESURFACING KIT

Resurface your worn Melcher ramps with a resurfacing kit.

Model # SK

MOBILE DOCK

THE ONE-MAN
LOADING SYSTEM
FOR TRUCKS OR
FOR RAIL CARS

- Full length 8" high safety curbs
- All-weather serrated traction grating
- Painted steel construction
- Usable ramp width,
62" on 70" models,
76" on 84" models
- Height range:
37" to 62" with standard suspension
39" to 62" with air springs (optional)




Ramp Length	Level Off	Weight Cap lbs.	Dock Model #	Weight lbs. *	Dock Width
36'	6'	16,000	ME167036	4,020	70"
38'	8'	16,000	ME167038	4,215	70"
36'	6'	16,000	ME168436	4,590	84"
38'	8'	16,000	ME168436	4,820	84"
36'	6'	20,000	ME207036	4,095	70"
38'	8'	20,000	ME207038	4,285	70"
36'	6'	20,000	ME208436	4,680	84"
38'	8'	20,000	ME208436	4,945	84"
36'	6'	25,000	ME257036	4,240	70"
38'	8'	25,000	ME257038	4,645	70"
36'	6'	25,000	ME258436	4,910	84"
38'	8'	25,000	ME258436	5,185	84"

* All weights less tow bar

PORTABLE DOCK BOARDS

- Steel or Aluminum
- Beveled Edges
- Taper-Lock Position Stop
- Custom Crowning
- Tread Plate Deck
- Tire Saver Curbs with Cast Curb Ends



STEEL DOCKBOARDS

10,000 lb. Axle Load Capacity

Board Size	Height Range	Board Model #	Weight lbs.
60" W x 48" L	5" - 7"	10SC6048	276
60" W x 54" L	6" - 8"	10SC6054	311
60" W x 60" L	7" - 9"	10SC6060	345
60" W x 66" L	8" - 10"	10SC6066	380
60" W x 72" L	8.5" - 11"	10SC6072	414
72" W x 60" L	7" - 9"	10SC7260	414

15,000 lb. Axle Load Capacity

Board Size	Height Range	Board Model #	Weight lbs.
60" W x 48" L	5" - 7"	15TFL6048	430
60" W x 60" L	7" - 9"	15TFL6060	540
60" W x 66" L	8" - 10"	15TFL6066	580
60" W x 72" L	8.5" - 11"	15TFL6072	625
60" W x 78" L	9" - 12"	15TFL6078	710
60" W x 84" L	10" - 13"	15TFL6084	750
72" W x 60" L	7" - 9"	15TFL7260	625
72" W x 66" L	8" - 10"	15TFL7266	670
72" W x 78" L	9" - 12"	15TFL7278	820
72" W x 84" L	10" - 13"	15TFL7284	870

ALUMINUM DOCK

10,000 lb. Axle Load Capacity

Board Size	Height Range	Board Model #	Weight lbs.
54" W x 36" L	3" - 5"	AC5436	118
54" W x 42" L	4" - 6"	AC5442	136
54" W x 48" L	5" - 7"	AC5448	154
54" W x 54" L	6" - 8"	AC5454	171
54" W x 60" L	7" - 9"	AC5460	188
60" W x 36" L	3" - 5"	AC6036	127
60" W x 42" L	4" - 6"	AC6042	146
60" W x 48" L	5" - 7"	AC6048	165
60" W x 54" L	6" - 8"	AC6054	183
60" W x 60" L	7" - 9"	AC6060	202
60" W x 72" L	8.5" - 11"	AC6072	240
72" W x 36" L	3" - 5"	AC7236	144
72" W x 48" L	5" - 7"	AC7248	187
72" W x 60" L	7" - 9"	AC7260	230

15,000 lb. Axle Load Capacity

Board Size	Height Range	Board Model #	Weight lbs.
60" W x 36" L	3" - 5"	BC6036	138
60" W x 48" L	5" - 7"	BC6048	186
60" W x 60" L	7" - 9"	BC6060	247
60" W x 72" L	8.5" - 11"	BC6072	294
72" W x 36" L	3" - 5"	BC7236	177
72" W x 48" L	5" - 7"	BC7248	230
72" W x 60" L	7" - 9"	BC7260	284



T-L PLATES

3/8" Thick Tread Plate


Plate Size	Height Range	Weight Cap lbs.	Plate Model #	Weight lbs.
36" W x 24" L	3"	4,720	A3624M	45
36" W x 30" L	4"	3,913	A3630M	53
36" W x 36" L	5"	3,238	A3636M	63
36" W x 48" L	7"	1,764	A3648M	82
48" W x 24" L	3"	6,210	A4824M	56
48" W x 30" L	4"	5,218	A4830M	67
48" W x 36" L	5"	4,383	A4836M	79
48" W x 42" L	6"	3,507	A4842M	91
48" W x 48" L	7"	2,388	A4848M	104
48" W x 54" L	8"	2,022	A4854M	116
48" W x 60" L	9"	1,656	A4860M	128
60" W x 24" L	3"	6,820	A6024M	66
60" W x 30" L	4"	6,208	A6030M	80
60" W x 36" L	5"	5,297	A6036M	95
60" W x 42" L	6"	4,378	A6042M	110
60" W x 48" L	7"	3,158	A6048M	125
60" W x 54" L	8"	2,786	A6054M	140
60" W x 60" L	9"	2,414	A6060M	155

1/2" Thick Tread Plate

Plate Size	Height Range	Weight Cap lbs.	Plate Model #	Weight lbs.
48" W x 24" L	3"	9,079	B4824M	71
48" W x 30" L	4"	8,067	B4830M	86
48" W x 36" L	5"	6,265	B4836M	102
48" W x 42" L	6"	5,398	B4842M	117
48" W x 48" L	7"	4,532	B4848M	134
48" W x 54" L	8"	3,568	B4854M	150
48" W x 60" L	9"	2,604	B4860M	166
60" W x 24" L	3"	11,788	B6024M	85
60" W x 30" L	4"	9,505	B6030M	104
60" W x 36" L	5"	8,544	B6036M	124
60" W x 42" L	6"	5,832	B6042M	144
60" W x 48" L	7"	4,268	B6048M	163
60" W x 54" L	8"	3,609	B6054M	183
60" W x 60" L	9"	3,248	B6060M	203

T-L PLATES

- ECONOMICAL
- CONVENIENT
- TIME SAVERS
- Plate comes with two handles standard to provide easy convenient handling (Meets OSHA regulation 1910-30)
- Tread plate surface for good traction, extended service life
- Painted "Safe-T-Lane" edges for high visibility
- 11" apron plus stops for safe in-position anchoring
- Machine beveled entry and exit edges for smooth bump free operation
- All plates provide broad height difference service range




LIFTING CHAINS


Attachable/Detachable chains, used for forklift handling of plates.

Model # LC

SELECTING THE PROPER PLATE

- Determine the minimum width required. Width of the plate should be 12" wider than the loads or the equipment being moved across the T-L plate.
- Determine the height difference service range. Height difference is the greatest difference, in inches, between your dock height and truck levels





**ESTIMATED COST OF SERVICES/
TABLE OF MEASUREMENTS**

Model # CDS-2088R 8 1/2" X 15 3/8"
3-part carbon copy
snap out set

**IMPORTANT INFORMATION FOR
PERSONS MOVING BOOKLET**

Model # CDS-2095R 5 1/4" x 8 1/4"

CHANGE ORDER OF SERVICE

Model # CDS-2098 8 1/2" X 11"
3-part carbon copy
snap out set

Model # CDS-2098P 8 1/2" X 11"
Pad format
100 sheets per pad

WAREHOUSE RECEIPT

Model # CDS-360-1 8 1/2" X 14"
4-part NCR

SHORT BILL OF LADING

Model # CDS-2060R 8 1/2" X 8 1/2"
6-part carbon copy
snap out set

**COMBINATION BILL OF LADING/
AGREEMENT FOR SERVICE**

Model # CDS-2062 8 1/2" x 14"
4-part carbon copy
snap out set


Model # CDS-2066 8 1/2" x 14"
6-part carbon copy
snap out set


WEIGHT CERTIFICATE

Model # CDS-104 8 1/2" X 4 3/4"
4-part carbon copy
snap out set

NOT TO EXCEED FORM

Model # CDS-465 8 1/2" X 11"
2-part NCR





DESCRIPTIVE INVENTORY

- Model # CDS-1190** 8 1/2" X 14"
list for 40 items
5-part carbon copy
snap out set
- Model # CDS-1190S** 8 1/2" X 11"
list for 30 items
5-part carbon copy
snap out set

PUBLIC VOUCHER FOR TRANSPORTATION CHARGES

- Prescribed form for billing government shipments.
- Model # CDS-1113** 8 1/2" x 14"
6-part carbon copy
snap out set

JOINT STATEMENT OF LOSS OR DAMAGE

- Notice of loss or damage for deliveries of military household goods.
- Model # DD-1840** 8 1/2" X 11"
5-part carbon copy
snap out set

ACCESSORIAL SERVICES

- Notice of loss or damage for deliveries of military household goods.
- Model # DD-619** 8 1/2" X 11"
For services performed at origin.
5-part carbon copy
snap out set
- Model # DD-619-1** 8 1/2" X 11"
For SIT delivery and reweigh.
5-part carbon copy
snap out set

COMMERCIAL MOVERS LABELS

- Easy to see - easy to read - easy to use!
- Saves you time and money. Eliminate lost time and prevent placement problems on all commercial moves. Special adhesive is removable on most surfaces. (Always test before use.)
- Pressure sensitive. 1,000 per pack (1-color per pack)
- Model # 1012-COLOR** 3" x 2" sheets

- 10 Colors to Choose From
 - Black
 - Blue
 - Brown
 - Green
 - Grey
 - Orange
 - Pink
 - Purple
 - Red
 - Yellow

Custom printed labels are available with minimum quantity orders.



DOUBLE NUMBERED INVENTORY TAPE

- A complete inventory control, simple to use and complies with all MTMC regulations. Each tape roll is consecutively numbered for easy tracking.
- List tape lot number and tape color on inventory to ensure proper identification.
- Place inventory tape on item.
- Record and note tape piece number, item and condition on the inventory form.
- Apply MTMC tape number to one general area I.E. on the back of each piece for easy identification.
- Check off inventory sheet to ensure each article is accounted for at destination.

- Model # 1002** 1-200
- Model # 1003** 1-300
- Model # 1005** 1-500

Custom printed tape rolls are available with minimum quantity orders.



REUSABLE TAPE DISPENSER

- Designed for use with our inventory tape.
- Model # 1006**



PACKING & MOVING BOXES

Model #	Description	Dimensions	Bundle	Skid	Cu. Ft.
.15	Small Book/ Record	16 3/8" x 12 5/8" x 12 5/8"	20	560	1.5
.30	Medium	18 1/8" x 18" x 16"	20	280	3.0
.45	Large	18" x 18" x 24"	15	270	4.5
.60	Extra Large/Lamp Shade	22" x 22" x 21 1/2"	10	140	6.0
.61	Extra Large (Tall)	24 1/8" x 18" x 24"	10	140	6.1
.50	Dish Pack	18" x 18" x 27"	10 Each/10	180	5.06
.MD	Mini Dish Pack	18" x 18" x 14"	Each	180	
.C7	7" Cells for Dish Pack	6 Pieces per Set	10	480	
.C14	14" Cells for Dish Pack	4 Pieces per Set	10	480	
.DIV	Divider Sheets for Dish Pack	17 3/4" x 17 3/4"	50	1800	6.7
.51S	T.V./Microwave (Double Walled)	24" x 24" x 19 5/8"	Each/10	90	
.TV27	27" T.V. Box (Double Walled)	30" x 24" x 24"	Each/10	90	
.LAMP	Lamp Carton	12" x 12" x 40"	15	300	
.35MB	Mighty Box	18" x 18" x 20"	10	150	3.5
.EB	Electronics Box (Double Walled)	20" x 20" x 12"	Each	80	
.GCB	Grandfather Clock Box	16 1/2" x 25" x 80"	Each	Each	
.SB100	Sofa Box (Triple Walled)	100" x 40" x 40"	Each	Each	

OFFICE MOVING BOXES

.15AB	Auto Bottom Book with Handles	17 1/2" x 12 3/8" x 12 1/2"	10	360	1.5
.RST	Record Storage Top	15 5/16" x 12"	25	1.200	
.RSB	Record Storage Bottom w/ Handles	15 5/16" x 12" x 10"	25	600	1.04

WARDROBE BOXES

.WD24	24" Wardrobe w/ Handles	24" x 20" x 47 3/8"	Each/5	80	13.3
.WD24S	24" Shorty Wardrobe Box	24" x 20" x 36"	Each/5	80	
.BAR24	24" Hanger Bar	24"	Each/5	80	
.WD20	20" Wardrobe w/ Handles	20" x 19 3/4" x 45 3/4"	Each/5	80	10.6
.WD20S	20" Shorty Wardrobe Box	20" x 20" x 34"	Each/5	80	
.BAR20	20" Wardrobe Bar	20"	Each/5	80	
.LDWD	Lay Down Wardrobe	39" x 19" x 9"	15	300	3.4

MATTRESS BOXES

.CRIB	Crib Mattress	27" x 5 1/2" x 52 1/2"	Each	130	
.3/3	Twin/Single Mattress	39" x 7" x 75"	Each	130	
.4/6	Full Double Mattress	54" x 7" x 75"	Each	130	
.Q	Queen	61" x 7 1/2" x 80"	Each	130	
.KQS	King - Queen Split (Telescope 2 pieces)	84 3/16" x 7 3/16" x 35 3/8"	Each	130	
.KOSPT	K - Q Split Pillow top (Telescope 2 pieces)	84 3/8" x 15" x 35 3/8"	Each	130	

MIRROR BOXES

.M2S	Small Mirror (Telescope 2 pieces)	24" x 4" x 26" Each Piece	10 pieces	240	
.M2	Medium Mirror (Telescope 2 pieces)	37 5/16" x 4 5/16" x 26 7/8" Each Piece	10 pieces	140	
.M2UL	Large Mirror (Telescope 2 pieces)	48" x 4 3/8" x 32 3/4" Each Piece	10 pieces	140	
.M4	Four-Piece Mirror (Set of 4 pieces)	35" x 4" x 47 3/4" Each Piece	5 sets	75 sets	

BIKE CARTON

44 ECT w/ handles
52" x 9" x 28"
Model # .BIKE

SOFA CARTON

1,100# test, tri-wall
100" x 40" x 40"
Model # .SB100

AIR FREIGHT CONTAINERS

· Heavy Duty double wall construction
· Easy to knock down for storage
· Approved for domestic and international shipping

D CONTAINER

275# test, double-wall, w/ pallet
58" x 41" x 45" - Certified Wood
Model # D-CONT

E CONTAINER

275# test, double-wall
41" x 29" x 26"
Model # E-CONT

EH CONTAINER

275# test, double-wall
35" x 20 3/4" x 20 1/4"
Model # EH-CONT

LDN CONTAINER

350# test, double-wall
54" x 54" x 56" - Certified Wood
Model # LDN-CONT

HOLD BAGGAGE CONTAINERS

· Heavy Duty double wall construction
· Military approved
· Replaces wood crates

6.92 CUBE H.B.C.

37 3/4" x 19 3/4" x 17 5/8"
Model # .HBC-692

10 CUBE H.B.C.

24" x 24" x 30"
Model # .HBC-100

13.8 CUBE H.B.C.

200# test, double-wall
37" x 19" x 33 5/8"
Model # .HBC-138

15 CUBE H.B.C.

37" x 19" x 37"
Model # .HBC-150

15.67 CUBE H.B.C.

60" x 19" x 23"
Model # .HBC1567

17.97 CUBE H.B.C.

42" x 29" x 25 1/2"
Model # .HBC-1797

20.4 CUBE H.B.C.

37" x 26" x 37"
Model # .HBC-204

BIKE/CRIB H.B.C.

67" x 12 1/2" x 40"
Model # .HBC-BIKE

HD TV TRANSPORTER

This heavy duty corrugated cardboard crating and moving system is designed specifically for large flat screen T.V.s. Move flat screen T.V.s easier and safer than you ever thought possible.




Place the T.V. in the reinforced base



Put foam blockers and walls in place



Secure w/ plastic strapping or webbing



Optional foam blockers shown with section removed to accommodate T.V.

Bottom - 450# Double-wall w/ extra corrugated pad
Top - 450# Double-wall
Sides - 600# Double-wall
Lined with 1.5# foam liner
OD - 72" L X 20" W X 40" H
Model # PLASMA-LG

Optional foam blocks stabilize any size TV for easy packing. Perforated foam allows you to break out different sections, creating any shape of foam blocker to secure any size TV. 6 per set
Model # BSB6



RENTAL EQUIPMENT
MOVING EQUIPMENT
FURNITURE PADS
WAREHOUSE EQUIPMENT
APPLIANCE DOLLIES
HAND TRUCKS
VAN EQUIPMENT
CARGO CONTROL
RAMPS/WALK BOARDS
FORMS
LABELS
BOXES
PACKING MATERIAL

RENTAL EQUIPMENT
MOVING EQUIPMENT
FURNITURE PADS
WAREHOUSE EQUIPMENT
APPLIANCE DOLLIES
HAND TRUCKS
VAN EQUIPMENT
CARGO CONTROL
RAMPS/WALK BOARDS
FORMS
LABELS
BOXES
PACKING MATERIAL

PACKING MATERIAL

30 LB. NEWSPRINT

Great for wrapping dishes and other breakables. Clean white unprinted newspaper. Approx. 27" x 30". Rolled bundle. 66 per skid (1,980 lb.)
Model # .NR27

25 LB. NEWSPRINT

Approx. 25" x 30". Tri-folded in a poly bag. 80 per skid (2,000 lb.)
Model # .NR25
(Chicago only)

PAPER PADS

Protect furniture and other large delicate items by wrapping with paper pads. The practical solution for shipping overseas or long term storage.

30# kraft outer sleeve
1 chip, 1 non-woven inner layer approx. 54" x 64"
25 per bundle, 1,000 per skid
Model # .PPS

30# kraft outer sleeve
1 ply, 1 non-woven inner layer approx. 60" x 72"
25 per bundle, 1,000 per skid (Chicago area only)
Model # .PPC-6072

30# kraft outer sleeve
1 chip insert approx. 54" x 62"
25 per bundle, 1,000 per skid
Model # .PPSVP

20" STRETCH WRAP

80 gauge film, 1,000' L x 20" W w/ extended core handles
4 rolls per case
Model # SW-20

18" STRETCH WRAP

80 gauge film, 1,500' L x 18" W no handles
4 rolls per case
Model # SW-18

EZ WRAPPER RINGS

Reusable dispenser handles for SW-18
Model # SW-DR

V - BOARD

Manufactured by laminating paperboard into a rigid right-angle configuration. V - board can provide a wide range of packaging functions including protection, containment, stabilization and strengthening.
Model # VB-48 48" x 2 1/2" x 2 1/2"
Model # VB-72 72" x 3" x 3"

COMPUTER KEYBOARD BAGS

Reusable, anti-static, zip-lock bags 14" x 24", 200 per case
Model # KB-1424

COMPUTER MONITOR BAGS

Protect the delicate screens on today's flat screen LCD and plasma monitors. Slip-over bags are offered in either foam or bubble wrap styles. Large sizes are designed to accommodate the most popular size monitors found in most office moves. 100 per case.
Model # FOAMFSMB2317.5
Foam 23" X 17 1/2"
Model # FOAMFSMB3020
Foam 30" x 20"
Model # FSMB2317.5
Bubble Bag 23" X 17 1/2"
Model # FSMB3327
Bubble Bag 33 1/2" X 27 1/2"

CUSHIONING MATERIAL

Polyethylene foam, cellulose wadding, tissue and kraft paper all are handy for packing and shipping. They help absorb vibrations and keep fragile items stationary during handling. They're clean too, which saves from mess and cleanup for both the shipper and the receiver.

12" LARGE ROLLED BUBBLE

Light barrier polyethylene 1/2" thick bubble, perf. 12" 250' L x 12" W
Model # BP-12

24" LARGE ROLLED BUBBLE

Light barrier polyethylene 1/2" thick bubble, perf. 12" 250' L x 24" W
Model # BP-24

48" LARGE ROLLED BUBBLE

Light barrier polyethylene 1/2" thick bubble, perf. 12" 250' L x 48" W
Model # BP-48

12" LARGE ROLLED BUBBLE SHORT ROLL

Light barrier polyethylene 1/2" thick bubble, perf. 12" 125' L x 12" W
Model # BP-12R

24" LARGE ROLLED BUBBLE SHORT ROLL

Light barrier polyethylene 1/2" thick bubble, perf. 12" 125' L x 24" W
Model # BP-24R

12" SMALL ROLLED BUBBLE

Light barrier polyethylene 3/16" thick bubble, perf. 12" 750' L x 12" W
Model # BPS-12

24" SMALL ROLLED BUBBLE

Light barrier polyethylene 3/16" thick bubble, perf. 12" 750' L x 24" W
Model # BPS-24

48" SMALL ROLLED BUBBLE

Light barrier polyethylene 3/16" thick bubble, perf. 12" 750' L x 48" W
Model # BPS-48

12" SMALL ROLLED BUBBLE SHORT ROLL

Light barrier polyethylene 3/16" thick bubble, perf. 12" 150' L x 12" W
Model # BPS-12RS

24" ANTISTATIC LARGE ROLLED BUBBLE

Light barrier polyethylene 1/2" thick bubble, perf. 12" 250' L x 24" W
Model # BP-24AS

48" ANTISTATIC LARGE ROLLED BUBBLE

Light barrier polyethylene 1/2" thick bubble, perf. 12" 250' L x 48" W
Model # BP-48AS

48" ANTISTATIC SMALL ROLLED BUBBLE

Light barrier polyethylene 3/16" thick bubble, perf. 12" 750' L x 48" W
Model # BPS-48AS

12" LARGE BOXED BUBBLE

Light barrier polyethylene 1/2" thick bubble, perf. 12" In retail box 50' L x 12" W
Model # BP-12BOX

12" MEDIUM BOXED BUBBLE

Light barrier polyethylene 5/16" thick bubble, perf. 12" In retail box 100' L x 12" W
Model # BPM-12BOX

12" SMALL BOXED BUBBLE

Light barrier polyethylene 3/16" thick bubble, perf. 12" In retail box 175' L x 12" W

PACKING MATERIAL

Model # BPS-12BOX
12" CUSHION FOAM

Polyethylene foam 1/8" thick, perf. 12" 450' L x 12" W
Model # CF-12

24" CUSHION FOAM

Polyethylene foam 1/8" thick, perf. 12" 450' L x 24" W
Model # CF-24

48" CUSHION FOAM

Polyethylene foam 1/8" thick, perf. 12" 450' L x 48" W
Model # CF-48

48" DOLPHIN FOAM

.8 mil laminated gray foam Punctured for ventilation 3/16" thick 250' L x 48" W
Model # DF-48

60" DOLPHIN FOAM

.8 mil laminated gray foam Punctured for ventilation 3/16" thick 250' L x 60" W
Model # DF-60-1

KRAFT PAPER

50# basis weight 1025' L x 48" W
Model # KP-48

WATERPROOF KRAFT PAPER

Asphalt laminated kraft 600' L x 48" W
Model # WKP

CUSHION PACK

1/4" thick w/ 30# kraft back 200' L x 48" no perf.
Model # CP-448K

48" ROLLED CORRUGATED

Single face kraft corrugated paper 250' L x 48" W
Model # RC-48

72" ROLLED CORRUGATED

Single face kraft corrugated paper 250' L x 72" W
Model # RC-72

CORRUGATED SHEETS

Kraft corrugated sheets 200 lb. test, 300 per skid 96" L x 48" W
Model # .CS-4896 48" x 96"
Model # .CS-4048 40" x 48"
Model # .CS-4896DW 48" x 96" (double walled)

PEANUT PACK

Pink styrofoam loose fill 14 cu. ft. per bag
Model # PP

ANTI-STATIC PEANUT PACK

Styrofoam loose fill 14 cu. ft. per bag
Model # PP-AS

TISSUE

#1 white tissue paper 1 ream per package 10 reams per case 24" x 36" sheets
Model # T

1" STYROFOAM SHEETS

1" x 24" x 48" 24 per bundle
Model # .FS1

2" STYROFOAM SHEETS

2" x 24" x 48" 12 per bundle
Model # .FS2

WASHER LOCKS

Styrofoam Y" shaped agitator stabilizer 25 per case
Model # WL

EZ-PACK FOR PICTURES

4 foam corners with plastic strapping For use with picture boxes, 4" thick
Model # EZ-P



TAPE

TAPE DISPENSER

Accommodates 3" core x 2" wide tape with clutch
Model # MTD-101

TAN VINYL PACKING TAPE

Hot melt
1.6 mil thick
55 yd. x 2"
36 rolls per case
Model # VE-8
Available in 110 yd. x 2"
Model # VE-8110

CLEAR VINYL PACKING TAPE

Hot melt
1.6 mil thick
55 yd. x 2"
36 rolls per case
Model # VE-8C
Available in 110 yd. x 2"
Model # VE-8110C

TAN NATURAL RUBBER PACKING TAPE

1.8 mil thick
55 yd. x 2"
36 rolls per case
Model # 501-T
Available in 110 yd. x 2"
Model # 501-110T

CLEAR NATURAL RUBBER PACKING TAPE

1.8 mil thick
55 yd. x 2"
36 rolls per case
Model # 501-C
Available in 110 yd. x 2"
Model # 501-110C

PAPER PACKAGING TAPE

Kraft flat back paper
USPS/UPS approved
7.4 mil thick
1 7/8" wide
Model # PT30 30 yds.
30 rolls per case
Model # PT55 55 yds.
24 rolls per case

MASKING TAPE

Natural color crepe paper
5.6 mil thick
60 yd. per roll
Model # MSK1 1"
36 rolls per case
Model # MSK15 1 1/2"
24 rolls per case
Model # MSK2 2"
24 rolls per case

2" PAINTERS TAPE

Blue
60 yd. x 2"
12 rolls per case
Model # PMT

FILAMENT TAPE

Natural color polyester, reinforced with fiberglass yarn filament
Rubber blend adhesive
5.6 mil thick
60 yd. per roll
Model # NT12 1/2"
72 rolls per case
Model # NT34 3/4"
48 rolls per case
Model # NT 1"
36 rolls per case
Model # NT20 2"
24 rolls per case

DUCT TAPE

Polyethylene coated cloth
Rubber blend adhesive
Silver-gray
10.5 mil thick
24 rolls per case
60 yd. x 2"
Model # DUT

VELCRO

Hook and loop fastener tape rolls
Model # V-BF58
5/8" x 25 yd. Black Loop
Model # V-BM58
5/8" x 25 yd. Black Hook
Model# V-BF34
3/4" x 25 yd. lack Loop
Model# V-BM34
3/4" x 25 yd. Black Hook
Model# V-BF1
1" x 25 yd. Black Loop
Model# V-BM1
1" x 25 yd. Black Hook
Model# V-WF58
5/8" x 25 yd. White Loop
Model# V-WM58
5/8" x 25 yd. White Hook
Model# V-WF34
3/4" x 25 yd. White Loop
Model# V-WM34
3/4" x 25 yd. White Hook
Model# V-WF1
1" x 25 yd. White Loop
Model# V-WM1
1" x 25 yd. White Hook



CLEAR POLYETHYLENE FURNITURE COVERS

Protect chairs, sofas and mattresses from soil and water damage.
Keeps upholstery looking fresh and new. A must for movers or storage warehouses.
Easy to use perforated rolls. Simply tear off one at a time at perforations.

Model #	Description	Dimensions	Quantity per Roll
CC-100	Chair Cover - 1 mil	42" x 76"	100
SC-100	Sofa Cover - 1 mil	134" x 42"	100
MCT-200	Twin Bed - 2 mil	39" x 10" x 87"	50
MCF-200	Full Bed - 2 mil	54" x 10" x 85"	50
MCO-200	Queen Bed - 2 mil	60" x 10" x 90"	50
MCK-200	King Bed - 2 mil	74 1/2" x 12" x 94 1/2"	50

CLEAR POLYETHYLENE SHEETS 4.0 MIL THICK

Model #	Dimensions	Weight
104C	10' x 100'	20 lbs.
124C	12' x 100'	24 lbs.

CLEAR VISQUEEN

Model #	Dimensions	Weight
108C	10' X 100'	8 mil
122C	12' X 200'	2 mil
213C	12' X 100'	3 mil
221C	21' X 100'	3.75 mil

PARTS BAG

Eliminate claims for misplaced parts. Simply tie the bag onto the furniture where parts belong.
Super strong, clear polyethylene bags with draw string to provide quick positive closure.
5" x 8" each. 500 per box.
Model # 120A



RETAIL PACKING MATERIAL

Our PacEase line of packing material is designed to improve your profits. Don't send your self packing customers to a box store. PacEase products are designed by professional movers to ensure the safest easiest move.

CUSTOM GLASS AND DISH SETS

Designed to use with a standard 1.5 book box. Includes foam pouches and corrugated divider dells.

Custom Glass Set includes:
12 - 7" x 11" glass pouches complete with cell dividers
Model # CGS

Custom Dish Set includes:
6 - 12" x 12" dinner plate pouches
6 - 9" x 9" salad plate pouches
6 - 7" x 11" glass pouches
6 - 7" x 7" saucer pouches complete with cell dividers
Model # CDS



PEANUT PACK

Retail packaged peanut pack, prevents shifting during moves.
3/4 cu ft. bag
Model # PP121



BUBBLE PACK

Retail packaged bubble wrap, perforated every 12" for ease of use.

Large Bubble
12" x 20" x 1/2" bubbles
Model # 12201

Small Bubble
12" x 30" x 3/16" bubbles
Model # 12301



CUSHION FOAM

Retail packaged cushion foam, perforated every 12" for ease of use.

Model # 12401



BOXED NEWSPAPER

A standard for any packing job. Your customers will appreciate the easy to transport box.
10 lb. bundle
Model # BN




PAPER MATS

Multi-use paper pads, protects and cushions.
50" X 65"
Model # PM-PE

BOX CELL KIT

Designed for use with standard 5.0 dish-pack boxes. Corrugated cells and dividers keep items separated. For additional protection, use with newsprint or foam pouches. (not included)

Kit includes:
1 set of 14" high corrugated cells
2 sets of 17" high corrugated cells
2 - 17 3/4" x 17 3/4" divider sheets
Model # BCK2



RETAIL PACKING MATERIAL

For more information on our full line of PacEase retail packing and storage products, call the CDS location nearest you and ask for a free catalog. Keep your customers coming back with our custom private label program.

CARPET DEFENSE

Small rolls of poly mask floor protection keeps your customers' floors clean.
9 rolls per box
24" x 50' per roll
Model # CD-PE



FOAM POUCHES

Perfect for packing dishes, glasses and breakables safely.
Model # PEF1212 12" X 12"
(10 per pack, 6 packs per case)
Model # PEF99 9" x 9"
(10 per pack, 9 packs per case)
Model # PEF711 7" X 11"
(10 per pack, 9 packs per case)
Model # PEF77 7" X 7"
(10 per pack, 7 packs per case)



TAPE

A basic necessity for every move is tape. Our professional tape is retail packaged for easy sales.
Model # 6RT-PE
6 pack, 6 per case
Model # 3RWD-PE
3 pack w/ dispenser, 12 per case



DRI-IT

Humidity absorber helps prevent moisture damage during long distance moves or storage.
Model # DRI



MOVING KIT

This kit contains everything your self-packing customer needs to do the job right. Includes boxes, tape and bubble wrap. The retail box is easy to sell and easy for your customers to pack in their car.
Model # MK-PE



MATTRESS BAGS

A standard necessity for all moves.
Model # MTB-CDS Twin
Model # MFB-CDS Full
Model # MQB-CDS Queen
Model # MKB-CDS King



FURNITURE BAGS

Perfect protection for your customers' chairs and sofas.
Model # CB-CDS Chair
Model # SCB-CDS Sofa



BOXED BUBBLE

A standard necessity for all moves
Model # BP-12BOX
50' L x 12" W
Model # BPM-12BOX
100' L x 12" W
Model # BPS-12BOX
175' L x 12" W



ORDERING INFORMATION

The quickest and easiest way to place your order is to call the CDS location nearest you. Your order will receive our prompt attention. Due to our large inventory, your order will usually ship the next day.

Our Pricing Policy:

It is our goal to provide you with the highest quality products at the most affordable prices available. Due to factor beyond our control ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Delivery:

We offer FREE DELIVERY within a 100 mile radius of our warehouses on purchase orders exceeding \$350. Call the CDS branch nearest you for information regarding rental minimums.

Return Policy:

Unused goods returned to our facility for any reason, within 10 days of purchase, will be accepted for exchange or credit at the discretion of CDS Moving Equipment. Please call CDS in advance, on all returns, to receive a return authorization number.

Applicable state sales tax will be collected on all orders, unless CDS holds a valid resale exemption certificate from the purchaser.

Although we strive to keep all of our customers advised of changes in our pricing, we cannot absorb manufactures' price increases which are beyond our control. ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. Invoices will be bill with the price in effect at the time of delivery.


SOUTHERN CALIFORNIA

375 W. Manville St.
Compton, CA 90220
800-225-3659
310-631-1100
Fax: 310-631-2235
e-mail: cds-usa@cds-usa.com



SAN FRANCISCO BAY AREA

26511 Danti Court
Hayward, CA 94545
800-323-6559
510-670-0234
Fax: 510-670-0244
e-mail: hayward@cds-usa.com



SACRAMENTO/RENO

925 National Drive #103
Sacramento, CA 95834
800-439-3934
916-419-1604
Fax: 916-419-1201
e-mail: sacramento@cds-usa.com



LAS VEGAS/ARIZONA

4171 Distribution Circle #103
N. Las Vegas, NV 89030
888-323-6559
702-639-0337
Fax: 702-639-0475
e-mail: lasvegas@cds-usa.com



MIDWEST

2636 S. Clearbrook Dr.
Arlington Heights, IL 60005
888-795-0199
847-437-9334
Fax: 847-437-9335
e-mail: chicago@cds-usa.com



RECOMMENDED VAN EQUIPMENT

26-FOOT MOVING VAN

- 10 - Dozen full-size 72" x 80" furniture pads
- 4 - Dozen 54" 72" space savers
- 12 - 12' logistic straps with spring ends
- 2 - 16' logistic straps with spring ends
- 18 - Rope tie-offs with spring ends
- 6 - Dozen rubber bands
- 1 - 8' or 10' walk board
- 4 - Carpeted 4-wheel furniture dollies
- 1 - Rubber capped 4-wheel piano dolly
- 1 - Appliance hand truck
- 1 - Set of three highway safety reflectors
- 1 - 6' dual step ladder
- 2 - 150' tie webbing
- 1 - Piano board
- 2 - 15' floor runners
- 1 - Set of wheel chocks
- 1 - fire extinguisher
- 1 - Rubber band holder
- 2 - Door jam protector pads
- 6 - Padlocks

53-FOOT MOVING VAN

- 24 - Dozen full-size 72" x 80" furniture pads
- 10 - Dozen 54" 72" space savers
- 12 - 12' logistic straps with spring ends
- 20 - 16' logistic straps with spring ends
- 10 - 20' logistic straps with spring ends
- 30 - Aluminum shoring beams
- 6 - Dozen rubber bands
- 1 - 8' or 10' walk board
- 1 - 14' or 16' auto-loader ramp set
- 4 - Carpeted 4-wheel furniture dollies
- 2 - Rubber capped 4-wheel piano dolly
- 1 - Appliance hand truck
- 1 - Set of three highway safety reflectors
- 1 - 6' dual step ladder
- 2 - 150' tie webbing
- 1 - Piano board
- 2 - 20' floor runners
- 1 - Set of wheel chocks
- 1 - fire extinguisher
- 1 - Rubber band holder
- 2 - Door jam protector pads
- 14 - Padlocks
- 8 - Auto tie downs



NOTES

[illegible]