


CHALFANT

Manufacturing Company



TECHNICAL INFORMATION



Finishes

- S** Electro-Galvanized
- G** Hot Dipped
- T** Stainless Steel 304
- Z** Stainless Steel 316
- E** Electrostatic Painted
- P** Polyethylene
- A** Aluminum

S = Electro - Galvanized Steel to ASTM B 633

G = Hot Dipped Galvanized after Fabrication to ASTM A 123

T = 304L Stainless Steel to ASTM A 380

Z = 316L Stainless Steel to ASTM A 380

E = Electrostatic Painted Steel available in a variety of colors.

P = Polyethylene Temp resistance: hard types permanently up to about 90° C, briefly up to about 105° C. Soft types permanently up to about 80° C, briefly up to about 100° C and to minus 40° C. Resistant to: alkalis and inorganic acids. Conditionally resistant to: acetone, organic acids, petrol, benzene, diesel oil, most oils. Not resistant to: chlorine, hydrocarbons, oxidizing acids.

A = Aluminum

Why Choose Wire Mesh Cable Tray ?

Wire Mesh Cable Tray has quickly become the industry's favored means of wire management. Its versatility and light weight make it a perfect solution for a wide variety of applications. Along with this light weight comes the ability to span great lengths with strength and security as well as easily configuring to navigate around corners, up and down sloped surfaces, and even level changes

Why Look to Chalfant?

Chalfant is among the most trusted names in cable management. With over 65 years of outstanding service our success can be traced to providing quality cable tray that meets your needs on time and within budget. From production to distribution, our sales and factory personnel have the technical and engineering experience to help you select and design a cable tray system to meet your specific application requirements. This personal attention to your order continues every step of the way, including follow-up after delivery. Chalfant's large selection of cable tray products and accessories makes it easy to select the right solution for your cabling management applications. With industry leading advancement like our time saving TAB System and self-connecting wire mesh cable tray, Chalfant is always on the cutting edge, making cable management more efficient.

Chalfant Manufacturing Company is active in NEMA's cable tray section - 5CT and a founding member of the Cable Tray Institute (CTI).



Chalfant's Cable Tray and Products meet the following industry standards.



INDEX

TRAY.....1-2

CONNECTORS.....3-4

MOUNTING.....5-12

ACCESSORIES.....12-14

BARRIER STRIPS.....14-15

UNDERFLOOR.....16



1



Page 1

2



Page 12

3



Page 7

4




Page 3

5



Page 3

6








Page 5-6

7




Page 14






Tray

Tray



1" WIRE MESH TRAY

Width	Finish S	Finish G
4"	WMGR104S	WMGR104G
6"	WMGR106S	WMGR106G
8"	WMGR108S	WMGR108G
12"	WMGR112S	WMGR112G



2" WIRE MESH TRAY

Width	Finish S	Finish G	Finish T	Finish Z
4"	WMGR204S	WMGR204G	WMGR204T	WMGR204Z
6"	WMGR206S	WMGR206G	WMGR206T	WMGR206Z
8"	WMGR208S	WMGR208G	WMGR208T	WMGR208Z
12"	WMGR212S	WMGR212G	WMGR212T	WMGR212Z
18"	WMGR218S	WMGR218G	WMGR218T	WMGR218Z
24"	WMGR224S	WMGR224G	WMGR224T	WMGR224Z



4" WIRE MESH TRAY

Width	Finish S	Finish G	Finish T	Finish Z
4"	WMGR404S	WMGR404G	WMGR404T	WMGR404Z
6"	WMGR406S	WMGR406G	WMGR406T	WMGR406Z
8"	WMGR408S	WMGR408G	WMGR408T	WMGR408Z
12"	WMGR412S	WMGR412G	WMGR412T	WMGR412Z
18"	WMGR418S	WMGR418G	WMGR418T	WMGR418Z
24"	WMGR424S	WMGR424G	WMGR424T	WMGR424Z

6" WIRE MESH TRAY

Width	Finish S	Finish G
12"	WMST612S	WMST612G
18"	WMST618S	WMST618G
24"	WMST624S	WMST624G



Tee Bolts WMTB620S sold separately. (Page 3)




Tray

2" C- PROFILE WIRE MESH TRAY

Width	Finish G	Finish T
2"	WMCP202G	WMCP202T
4"	WMCP204G	WMCP204T
8"	WMCP208G	WMCP208T
12"	WMCP212G	-
16"	WMCP216G	-



Tee Bolts WMTB620G sold separately. (Page 3)



COVERS

Width	Finish S	Finish T
2"	WM7S02118	WM7T02118
4"	WM7S04118	WM7T04118
6"	WM7S06118	WM7T06118
8"	WM7S08118	WM7T08118
12"	WM7S12118	WM7T12118
18"	WM7S18118	WM7T18118
24"	WM7S24118	WM7T24118



COVER CLIP

Part Number	Finish	Pkg. Qty.
WM7CLAMPT	T	120

Z Stainless Steel 316 available upon request




Connectors



TEE BOLT ASSEMBLY

Part Number	Finish	Pkg. Qty.
WMTB620S	S	25
WMTB620G	G	25
WMTB620T	T	25


Z Stainless Steel 316 available upon request



EXPANDING SPLICE CONNECTOR

Part Number	Finish	Pkg. Qty.
WMTB201S	S	100
WMTB201G	G	100
WMTB201T	T	100


Z Stainless Steel 316 available upon request



BOLT ASSEMBLY

Part Number	Finish	Pkg. Qty.
WMBC250S	S	100
WMBC250G	G	100
WMBC250T	T	100


Z Stainless Steel 316 available upon request



BARRIER STRIP CLAMP

Part Number	Finish	Pkg. Qty.
WMBSS	S	100
WMBSG	G	100
WMBST	T	100

Z Stainless Steel 316 available upon request



BONDING CLIP

Part Number	Finish	Pkg. Qty.
WMGCLIPSM	S	1
WMGCLIPLG	S	1



3 Chalfant WM PG 2011 Rev 1

GROUNDING LUGS




Part Number	Finish	Wire Size
WMGC-00	BRASS	8 STR.- 1/0 SER. CU
WMGC-01	BRASS	10 SOL.- 1 STR. CU

Mount to Bonding Clip

AWG Diameter:
 10 AWG - 0.1019" (2.588mm)
 8 AWG - 0.1285" (3.264mm)
 1 AWG - 0.2893" (7.348mm)
 1/0 AWG - 0.3249" (8.25mm)



REINFORCING SPLICE BAR



Part Number	Finish	Length
WMREMFKIT	G	10.5"(KIT)

Kit Includes: (1) Bar, (4) WMBC250G




Connectors

90° SPLICE BRACKET



Part Number	Finish	Length
WM90BKG	G	9"x9" (KIT)

Kit Includes: (1) Bar (4) WMBC250G (2) WMHDC38G (1) WMSB05-6S




ASSEMBLY ANGLE 45°




Part Number	Finish	Pkg. Qty.
WM45ASMG	G	2
WM45ASMT	T	2



ASSEMBLY ANGLE 90°



	Part Number	Finish	Pkg. Qty.
170	WM90ASM1G	G	2
230	WM90ASM2G	G	2
170	WM90ASM1T	T	2
230	WM90ASM2T	T	2





Mounting



C- TAB BRACKET TAB SYSTEM

Part Number	Finish	For Tray Width
WMTSC04	S	4"
WMTSC06	S	6"
WMTSC08	S	8"
WMTSC12	S	12"

End Caps sold separately.. WMENDCAP (page 7) 



L- TAB BRACKET TAB SYSTEM


Part Number	Finish	For Tray Width
WMTSL04	S	4"
WMTSL06	S	6"
WMTSL08	S	8"
WMTSL12	S	12"

End Caps sold separately. WMENDCAP (page 7) 




C- BRACKET

Part Number	Finish	For Tray Width
WMCBKT04	S	4"
WMCBKT08	S	8"
WMCBKT12	S	12"

Mounting hardware sold separately. WMBC250S (page 3) 

End Caps sold separately. WMENDCAP (page 7) 



L- BRACKET

Part Number	Finish	For Tray Width
WMLBKT04	S	4"
WMLBKT06	S	6"
WMLBKT08	S	8"
WMLBKT12	S	12"


Mounting hardware sold separately. WMBC250S (page 3) 

End Caps sold separately. WMENDCAP (page 7) 



BRACKET EXTENDER

Part Number	Finish	For Tray Width
WMEBKT18	S	17.5"
WMEBKT22	S	21.5"
WMEBKT26	S	25.5"

End Caps sold separately. WMENDCAP (page 7) 

TAB SYSTEM

TAB PROFILE BRACKET

CENTER HANG

Part Number	Finish	For Tray Width
WM06263	S	6"
WM08263	S	8"
WM12263	S	12"
WM16263	S	16"
WM18263	S	18"
WM20263	S	20"
WM24263	S	24"

TRAPEZE

Part Number	Finish	For Tray Width
WM04323	S	4"
WM06323	S	6"
WM08323	S	8"
WM12323	S	12"
WM16323	S	16"
WM18323	S	18"
WM20323	S	20"
WM24323	S	24"

Hardware sold separately. WM38KIT, WM12KIT (page 6) 

Holes support up to 1/2" threaded rod.

SUPPORT PLATE KIT

Hole
Diameter
3/8"
1/2"

Part Number	Finish	Pkg. Qty.
WM38KIT	S	10
WM12KIT	S	10



Threaded rod sold separately.

Mounting




SPACER

Part Number	Finish	Pkg. Qty.
WMSPACERS	S	20
WMSPACERG	G	20




END CAP

Part Number	Finish	Pkg. Qty.
WMENDCAP	P	10



HOLD DOWN CLAMP


Part Number	Finish	Pkg. Qty.	Hole Diameter
WMHDC14S	S	50	1/4"
WMHDC38S	S	50	3/8"
WMHDC14G	G	50	1/4"
WMHDC38G	G	50	3/8"
WMHDC38T	T	50	3/8"



Bolt Assembly sold separately. (Page 13)

WALL BRACKET

Part Number	Finish	Length
WM04322	G	4.5"
WM06322	G	6"
WM08322	G	8"
WM12322	G	12"
WM16322	G	16"
WM20322	G	20"
WM24322	G	24"



Mounting hardware sold separately. WMBC250S (page 3) or WMHDC14S (page 7)



U SUPPORT

US3	US5	US7	Finish	Length
WMUS308	WMUS508	WMUS708	G	8"
WMUS312	WMUS512	WMUS712	G	12"
WMUS316	WMUS516	WMUS716	G	16"
WMUS320	WMUS520	WMUS720	G	20"
WMUS324	WMUS524	WMUS724	G	24"
WMUS328	WMUS528	WMUS728	G	28"
WMUS332	WMUS532	WMUS732	G	32"
WMUS336	WMUS536	WMUS736	G	36"
WMUS340	WMUS540	WMUS740	G	40"
WMUS344	WMUS544	WMUS744	G	44"
WMUS348	WMUS548	WMUS748	G	48"

US7 available up to 79"

End Caps sold separately. WMU3ENDCAP (page 9)



U SUPPORT EXTENDER

US3	US5	US7	Finish	Length
WMUE308	WMUE508	WMUE708	G	8"
WMUE312	WMUE512	WMUE712	G	12"
WMUE316	WMUE516	WMUE716	G	16"
WMUE320	WMUE520	WMUE720	G	20"
WMUE324	WMUE524	WMUE724	G	24"
WMUE328	WMUE528	WMUE728	G	28"
WMUE332	WMUE532	WMUE732	G	32"
WMUE336	WMUE536	WMUE736	G	36"
WMUE340	WMUE540	WMUE740	G	40"
WMUE360	WMUE560	WMUE760	G	60"
WMUE378	WMUE578	WMUE778	G	78"
WMUE32F	WMUE52F	WMUE72F	G	20'

US7 available in lengths between 78" and 20'

End Caps sold separately. WMU3ENDCAP (page 9)



Mounting



U SUPPORT ANGLE HEAD

Part Number	Finish	Use With
WMUSHA5G	G	US5
WMUSHA7G	G	US7

Use WMBB32-10G (sold separately, Page 13) bolts to connect to US5 Supports
 Use WMBB40-12G (sold separately, Page 13) bolts to connect to US7 Supports



U SUPPORT INVERSE HEAD

Part Number	Finish	Use With
WMUSHV5G	G	US5

Use WMBB32-10G (sold separately, Page 13) bolts to connect to US5 Supports



U SUPPORT STRAIGHT HEAD

Part Number	Finish	Use With
WMUSH3G	G	US3
WMUSH5G	G	US5
WMUSH7G	G	US7

Use WMBB32-10G (sold separately, Page 13) bolts to connect to US5 Supports
 Use WMBB40-12G (sold separately, Page 13) bolts to connect to US7 Supports
 US3 includes bolts



U SUPPORT CONNECTOR

Part Number	Finish	Use With
WMU3CONN	G	US3
WMU5CONN	G	US5
WMU7CONN	G	US7



U SUPPORT END CAP

Part Number	Finish	Use With
WMU3ENDCAP	P	US3
WMU5ENDCAP	P	US5
WMU7ENDCAP	P	US7




U SUPPORT SPACER



Part Number	Finish	Use With
WMU3SPACER	G	US3
WMU5SPACER	G	US5
WMU7SPACER	G	US7




HORIZONTAL BEAM SUPPORT



Part Number	Finish	For Tray Width
WMHBS4G	G	4" - 6"
WMHBS8G	G	8"
WMHBS4T	T	4" - 6"
WMHBS8T	T	8"



Mount tray using (1) Hold Down Clamp WMHDC (sold separately, Page 7)



VERTICAL BEAM SUPPORT




Part Number	Finish	For Tray Width
WMVBS4G	G	4" - 6"
WMVBS8G	G	8"
WMVBS4T	T	4" - 6"
WMVBS8T	T	8"



Mount tray using (1) Hold Down Clamp WMHDC (sold separately, Page 7)



SIDE HANGER



Part Number	Finish	Pkg. Qty.
WMSH249S	S	50
WMSH249G	G	50
WMSH249T	T	50

Z Stainless Steel 316 available upon request


Supports a 3/8" threaded rod. Threaded rod and nuts sold separately




JUNCTION BOX MOUNT

Part Number	Finish	Pkg. Qty.
WMJBMOUNT	S	1

Supports up to a 4.5" Junction Box




Mounting



WALL TERMINATION BRACKET

Part Number	Finish	For Tray Width
WM04WT	G	4"
WM06WT	G	6"
WM08WT	G	8"
WM12WT	G	12"
WM18WT	G	18"
WM24WT	G	24"



STANDOFF BRACKET

Part Number	Finish	For Tray Width
WM04FS	S	4"
WM08FS	S	8"
WM12FS	S	12"
WM16FS	S	16"


Standoff Bracket height is 0.8"



GMA / (1/4 - 3/8)


Part Number	Finish	Pkg. Qty.	
WMGMA14S	S	25	1/4"
WMGMA516S	S	25	5/16"
WMGMA38S	S	25	3/8"
WMGMA38G	G	25	3/8"

For 4 and 6 inch wide tray only.



BEAM CLAMP

Part Number	Finish	Pkg. Qty.
WMBC	G	10



Mounting

MOUNTING BASE

Part Number	Finish	Tray Height
WMOUNT65G	G	2"
WMOUNT90G	G	4"
WMOUNT65T	T	2"
WMOUNT90T	T	4"

Box Qty. 1




Accessories

CONDUIT ADAPTOR

Part Number	Finish	Conduit Size
WMCA12S	S	1/2"
WMCA34S	S	3/4"
WMCA01S	S	1"
WMCA114S	S	1 1/4"
WMCA112S	S	1 1/2"

Conduit Sizes are based on EMT Conduit.
WMCA34S, WMCA01S feature a knock out opening




90° BENDS

2" High	4" High	Finish	For Tray Width
WM29004G	WM49004G	G	4"
WM29006G	WM49006G	G	6"
WM29008G	WM49008G	G	8"
WM29012G	WM49012G	G	12"
WM29018G	WM49018G	G	18"
WM29024G	WM49024G	G	24"



Use Tee Bolt Assemblies WMTB620S (sold separately, page 3) to mount.




Accessories

SIDE DROP OUT

Part Number	Finish	Pkg. Qty.
WMCDSM	S	1




Accessories



END DROP OUT

Part Number	Finish	For Tray Width
WMCD04	A	4"
WMCD06	A	6"
WMCD08	A	8"
WMCD12	A	12"
WMCD18	A	18"
WMCD24	A	24"


Hardware included



STANDARD BOLTING ASSEMBLY

1/4"	3/8"	Finish	Length
WMSB05-6S	-	S	(.5")
WMSB75-6S	WMSB75-10S	S	(.75")
-	WMSB10+10S	S	(1")
-	WMSB12-10S	S	(1.2")
WMSB05-6G	-	G	(.5")
WMSB75-6G	WMSB75-10G	G	(.75")
-	WMSB10-10G	G	(1")
WMSB12-6G	WMSB12-10G	G	(1.2")


Other sizes available upon request




BACK TO BACK BOLTING ASSEMBLY

3/8"	1/2"	Finish	Length
WMBB23-10G	WMBB23-12G	G	(2.3")
WMBB32-10G	WMBB32-12G	G	(3.2")
WMBB35-10G	-	G	(3.5")
WMBB40-10G	WMBB40-12G	G	(4")
-	WMBB45-12G	G	(4.5")
WMBB45-10G	-	S	(4.5")

Other sizes available upon request





J HOOKS

Part Number	Finish	Height
WMQG-15	P	1.5"
WMQG-30	P	3"
WMQG-40	P	4"



Use (1) WMBSS (sold separately, Page 3) to mount on cable tray

color- light gray



METAL J HOOKS

Part Number	Finish	Height
WMQGM-15	S	2"
WMQGM-30	S	3"
WMQGM-40	S	5"




Use (1) WMBSS (sold separately, Page 3) to mount on cable tray



END PLATE KITS

2" High	4" High	Finish	For Tray Width
WMEPKIT04-2	WMEPKIT04-4	S	4"
WMEPKIT06-2	WMEPKIT06-4	S	6"
WMEPKIT08-2	WMEPKIT08-4	S	8"
WMEPKIT12-2	WMEPKIT12-4	S	12"
WMEPKIT18-2	WMEPKIT18-4	S	18"
WMEPKIT24-2	WMEPKIT24-4	S	24"

Kit includes: (1) endplate, (2) WMBSS, (1) WMHDC38S and hardware



Accessories



RADIUS BEND

Part Number	Finish	For Tray Height
WMRBKIT-2	S	2"
WMRBKIT-4	S	4"
WMRBKIT-6	S	6"



Barrier Strips

1" - BARRIER STRIP

Part Number	Finish	Height
WMBS118-1S	S	1"
WMBS118-1G	G	1"

Requires (3) WMBSS (sold separately, page 16) for mounting



2" - BARRIER STRIP

Part Number	Finish	Height
WMBS118-2S	S	2"
WMBS118-2G	G	2"
WMBS118-2T	T	2"

Z Stainless Steel 316 available upon request

Requires (3) WMBSS (sold separately, page 16) for mounting



4" - BARRIER STRIP

Part Number	Finish	Height
WMBS118-4S	S	4"
WMBS118-4G	G	4"
WMBS118-4T	T	4"

Z Stainless Steel 316 available upon request

Requires (3) WMBSS (sold separately, page 21) for mounting



6" - BARRIER STRIP

Part Number	Finish	Height
WMBS118-6S	S	6"
WMBS118-6G	G	6"


Requires (3) WMBSS (sold separately, page 16) for mounting

6" Barrier Strip nominal height is 4.33"



1" - BARRIER STRIP CONNECTOR

Part Number	Finish	Pkg. Qty.
WM1TB620-BS	S	25
WM1TB620-BG	G	25



BARRIER STRIP CLAMP

Part Number	Finish	Pkg. Qty.
WMBSS	S	100
WMBSG	G	100
WMBST	T	100

Z Stainless Steel 316 available upon request



UNDERFLOOR SUPPORT CLAMP

Part Number	Finish	Pkg. Qty.
WMUFSC	S	1


Clamp includes U bolt and truss head bolt for mounting Bracket

Z Stainless Steel 316 available upon request



TAB BRACKET STAND

Part Number	Finish	Height
WM06TBS	S	6"
WM08TBS	S	8"
WM12TBS	S	12"



STANDOFF BRACKET

Part Number	Finish	For Tray Width
WM04FS	S	4"
WM08FS	S	8"
WM12FS	S	12"
WM16FS	S	16"

Standoff Bracket height is 0.8"



UNDERFLOOR STAND

Part Number	Finish	Pkg. Qty.
WMUFS	S	1



Wire Mesh Tray 2"

Part Number	Tray Size		Number of Cables			
	inch	mm	Cat. 3	Cat. 5	Cat. 6	Cat. 6A
WMGR204S	2x4	50x100	142	122	81	50
WMGR206S	2x6	50x150	215	184	123	76
WMGR208S	2x8	50x200	288	246	164	101
WMGR212S	2x12	50x300	439	376	251	155
WMGR216S	2x16	50x400	589	505	337	208
WMGR218S	2x18	50x450	665	570	380	235
WMGR220S	2x20	50x500	740	635	423	261
WMGR224S	2x24	50x600	891	764	509	315

Wire Mesh Tray 4"

Part Number	Tray Size		Number of Cables			
	inch	mm	Cat. 3	Cat. 5	Cat. 6	Cat. 6A
WMGR404S	4x4	100x100	296	256	169	104
WMGR406S	4x6	100x150	451	386	258	159
WMGR408S	4x8	100x200	605	519	346	214
WMGR412S	4x12	100x300	923	791	527	326
WMGR416S	4x16	100x400	1240	1063	709	438
WMGR418S	4x18	100x450	1399	1199	800	494
WMGR420S	4x20	100x500	1558	1335	890	550
WMGR424S	4x24	100x600	1875	1608	1072	662

Wire Mesh Tray 6"

Part Number	Tray Size		Number of Cables			
	inch	mm	Cat. 3	Cat. 5	Cat. 6	Cat. 6A
WMST612S	6x12	150x300	1407	1206	792	497
WMST616S	6x16	150x400	1891	1621	1067	668
WMST618S	6x18	150x450	2133	1829	1204	753
WMST620S	6x20	150x500	2375	2036	1341	838
WMST624S	6x24	150x600	2860	2451	1616	1009

Fill rates are applicable to all tray finishes for the listed size.

Fill rates are based on a 50% fill capacity as per NEMA standards. Some industry standards require a 40% fill rate.



Category 3 cables are based on a 0.175 diameter, Category 5 cables are based on a 0.188 diameter, Category 6 cables are based on a 0.233 diameter, Category 6A cables are based on a 0.295

Installation of any of the displaced or listed products should be performed only by properly qualified and trained personnel in compliance with all applicable national, state and local electrical standards, building codes, and other law and regulations. Proper installation and product selection must take into consideration conditions and materials at the installation site, environmental conditions, manufacturer establish parameters for the use of the relevant product. The buyer and installer are responsible for selecting the appropriate product for their application. Failure to comply with the manufacturer instructions or usage parameters, including cutting or modifying any of the products, may result in reduced product life or product failure, potentially resulting in damage to person and property, and will void any manufacturer warranty or approves, certifications, listings which the product was designed and tested for.

© 2011 Chalfant Manufacturing Company

Part Number	Page						
WM04322	7	WM7S02118	2	WMCA112S	12	WMGR106S	1
WM04FS	11	WM7S04118	2	WMCA114S	12	WMGR108G	1
WM04WT	11	WM7S06118	2	WMCA12S	12	WMGR108S	1
WM06263	6	WM7S08118	2	WMCA34S	12	WMGR112G	1
WM06322	7	WM7S12118	2	WMCBKT04	5	WMGR112S	1
WM06WT	11	WM7S18118	2	WMCBKT08	5	WMGR204G	1
WM08263	6	WM7S24118	2	WMCBKT12	5	WMGR204S	1
WM08322	7	WM7T02118	2	WMCD04	13	WMGR204T	1
WM08FS	11	WM7T04118	2	WMCD06	13	WMGR204Z	1
WM08WT	11	WM7T06118	2	WMCD08	13	WMGR206G	1
WM12263	6	WM7T08118	2	WMCD12	13	WMGR206S	1
WM12322	7	WM7T12118	2	WMCD24	13	WMGR206T	1
WM12FS	11	WM7T18118	2	WMCDSM	12	WMGR206Z	1
WM12KIT	6	WM7T21118	2	WMCP202G	2	WMGR208G	1
WM12WT	11	WM90ASM1G	4	WMCP202T	2	WMGR208S	1
WM16322	7	WM90ASM1T	4	WMCP204G	2	WMGR208T	1
WM16FS	11	WM90ASM2G	4	WMCP204T	2	WMGR208Z	1
WM18263	6	WM90ASM2T	4	WMCP208G	2	WMGR212G	1
WM18WT	11	WM90BKG	4	WMCP208T	2	WMGR212S	1
WM1TB620-BG	15	WMBB23-10G	13	WMCP212G	2	WMGR212T	1
WM1TB620-BS	15	WMBB23-12G	13	WMEBKT18	6	WMGR212Z	1
WM20322	7	WMBB32-10G	13	WMEBKT22	6	WMGR218G	1
WM24263	6	WMBB32-12G	13	WMEBKT26	6	WMGR218S	1
WM24322	7	WMBB35-10G	13	WMENDCAP	7	WMGR218T	1
WM24WT	11	WMBB40-10G	13	WMEPKIT04-2	14	WMGR218Z	1
WM29004G	12	WMBB40-12G	13	WMEPKIT04-4	14	WMGR224G	1
WM29006G	12	WMBB45-10G	13	WMEPKIT06-2	14	WMGR224S	1
WM29008G	12	WMBB45-12G	13	WMEPKIT06-4	14	WMGR224T	1
WM29012G	12	WMBC	11	WMEPKIT08-2	14	WMGR224Z	1
WM29024G	12	WMBC250G	3	WMEPKIT08-4	14	WMGR404G	1
WM2TB620-BG	15	WMBC250T	3	WMEPKIT12-2	14	WMGR404S	1
WM2TB620-BS	15	WMBS118-1G	14	WMEPKIT12-4	14	WMGR404T	1
WM2TB620-BT	15	WMBS118-1S	14	WMEPKIT18-2	14	WMGR404Z	1
WM38KIT	6	WMBS118-2G	14	WMEPKIT18-4	14	WMGR406G	1
WM45ASMG	4	WMBS118-2S	14	WMEPKIT24-2	14	WMGR406S	1
WM45ASMT	4	WMBS118-2T	14	WMEPKIT24-4	14	WMGR406T	1
WM49004G	12	WMBS118-4G	15	WMGC-00	4	WMGR406Z	1
WM49006G	12	WMBS118-4S	15	WMGC-01	4	WMGR408G	1
WM49008G	12	WMBS118-4T	15	WMGCLIPLG	3	WMGR408S	1
WM49012G	12	WMBS118-6G	15	WMGCLIPSM	3	WMGR408T	1
WM49024G	12	WMBS118-6S	15	WMGMA14S	11	WMGR408Z	1
WM4TB620-BG	15	WMBSG	3	WMGMA18S	11	WMGR412G	1
WM4TB620-BS	15	WMBSG	16	WMGMA38G	11	WMGR412S	1
WM4TB620-BT	15	WMBSS	3	WMGMA38S	11	WMGR412T	1
WM6TB620-BG	16	WMBSS	16	WMGMA518S	11	WMGR412Z	1
WM6TB620-BS	16	WMBST	3	WMGR104G	1	WMGR418G	1
WM7CLAMPT	2	WMBST	16	WMGR104S	1	WMGR418S	1
		WMCA01S	12	WMGR106G	1	WMGR418T	1

WMGR418Z	1	WMST612S	2	WMUE528	8	WMUS736	8
WMGR424G	1	WMST618G	2	WMUE52F	8	WMUS740	8
WMGR424S	1	WMST618S	2	WMUE532	8	WMUS744	8
WMGR424T	1	WMST620G	2	WMUE536	8	WMUS748	8
WMGR424Z	1	WMST620S	2	WMUE540	8	WMUSH3G	9
WMHBS4G	10	WMST624G	2	WMUE560	8	WMUSH5G	9
WMHBS4T	10	WMST624S	2	WMUE578	8	WMUSH7G	9
WMHBS8G	10	WMTB201G	3	WMUE708	8	WMUSHA5G	9
WMHBS8T	10	WMTB201S	3	WMUE712	8	WMUSHA7G	9
WMHDC14G	7	WMTB201T	3	WMUE716	8	WMUSHV5G	9
WMHDC14S	7	WMTB620G	3	WMUE720	8	WMVBS4G	10
WMHDC38G	7	WMTB620S	3	WMUE724	8	WMVBS4T	10
WMHDC38S	7	WMTB620T	3	WMUE728	8	WMVBS8G	10
WMHDC38T	7	WMTBC250S	3	WMUE72F	8	WMVBS8T	10
WMJBMount	10	WMTSC04	5	WMUE732	8		
WMLBKT04	5	WMTSC06	5	WMUE736	8		
WMLBKT06	5	WMTSC08	5	WMUE740	8		
WMLBKT08	5	WMTSC12	5	WMUE760	8		
WMLBKT12	5	WMTSL04	5	WMUE778	8		
WMMOUNT65G	12	WMTSL06	5	WMUS308	8		
WMMOUNT65T	12	WMTSL08	5	WMUS312	8		
WMMOUNT90G	12	WMTSL12	5	WMUS316	8		
WMMOUNT90T	12	WMU3CONN	9	WMUS320	8		
WMQG-15	14	WMU3ENDCAP	9	WMUS324	8		
WMQG-30	14	WMU3SPACER	10	WMUS328	8		
WMQG-40	14	WMU5CONN	9	WMUS332	8		
WMRBKIT-2	14	WMU5ENDCAP	9	WMUS336	8		
WMRBKIT-4	14	WMU5SPACER	10	WMUS340	8		
WMRBKIT-6	14	WMU7CONN	9	WMUS344	8		
WMREMFKIT	4	WMU7ENDCAP	9	WMUS348	8		
WMSB05-6G	13	WMU7SPACER	10	WMUS508	8		
WMSB05-6S	13	WMUE308	8	WMUS512	8		
WMSB10-10G	13	WMUE312	8	WMUS516	8		
WMSB10-10S	13	WMUE316	8	WMUS520	8		
WMSB12-10G	13	WMUE320	8	WMUS524	8		
WMSB12-10S	13	WMUE324	8	WMUS528	8		
WMSB12-6G	13	WMUE328	8	WMUS532	8		
WMSB75-10G	13	WMUE32F	8	WMUS536	8		
WMSB75-10S	13	WMUE332	8	WMUS540	8		
WMSB75-6G	13	WMUE336	8	WMUS544	8		
WMSB75-6S	13	WMUE340	8	WMUS548	8		
WMSH249G	10	WMUE360	8	WMUS708	8		
WMSH249S	10	WMUE378	8	WMUS712	8		
WMSH249T	10	WMUE508	8	WMUS716	8		
WMSPACERG	7	WMUE512	8	WMUS720	8		
WMSPACERS	7	WMUE516	8	WMUS724	8		
WMST216G	2	WMUE520	8	WMUS728	8		
WMST612G	2	WMUE524	8	WMUS732	8		





Pg. 2



Pg. 14



Pg. 14



Pg. 10



Pg. 12





www.chalfantcabletray.com

Phone: (330) 273-3510