



**CHICAGO
FAUCETS** 
a Geberit company



ECAST® Products Catalog

February, 2012





**The finest quality commercial products
delivered faster than ever before.**



**New 5-Day Standard Shipment on
all catalog items!**

Chicago Faucets is committed to providing the highest quality commercial products and the customer support you need to complete your projects on-time and on-budget.

Products featured in this catalog will **ship within 5 days** of receipt of your order unless otherwise noted.

CFNow! Shipping

Products designated **CFNow!** are available for shipment within **24 hours** of your order. If you need a product quickly, be sure to look for the **CFNow!** logo.

Prices listed in this catalog are effective February 1, 2012. Refer to chicagofaucets.com for terms, conditions, and updates to product pricing. Possession of this catalog does not constitute an offer to sell Chicago Faucets product.

Your single-source solution.

Chicago Faucets offers single-source solutions for water flow at each of your sink locations. From the stops to the aerator, you can count on Chicago Faucets to provide durable, high-performance products. We offer the broadest product selection in our industry, backed by the strongest warranties and unparalleled customer support. Our **CFNow!**™ shipping program allows you to receive our most popular faucets right when you need them.



Be sure to visit us on the web at www.chicagofaucets.com for the most current product information and our new online Product Configurator.

SHIPPING OPTIONS	2
ECAST® PRODUCTS	4-5
SUSTAINABILITY	6-7
NEW PRODUCTS	8-9
ELECTRONIC FAUCETS	10-21
ECAST® PRODUCTS	22-65
COMPLIANCE	66
INDEX	67-69
LIMITED WARRANTY	70-71



ECAST® — Leading The Way To New Standards

New laws regarding lead content in plumbing products that deliver water for human consumption are taking effect in multiple states. Once again, Chicago Faucets is leading the way to respond to these new low lead initiatives with ECAST®.



ECAST, from Chicago Faucets, is the line of durable, high-quality brass faucets and fixtures that are designed and manufactured with one quarter of one percent (0.25%) or less total lead content by weighted average. ECAST faucets are certified by an ANSI-approved, third party testing facility. These products are intended for installation in locations where state laws and local codes mandate lead content levels or where lead content is a concern. We control the entire manufacturing process including casting, ensuring that all laws are followed.

Chicago Faucets and the CALGreen Building Standards Code —

On January 1, 2011, the California Building Standards Commission implemented the nation's first mandatory state-wide green building code, intended to encourage more sustainable and environmentally friendly building practices. The Green Building Standards Code, or CALGreen:

- Impacts all new non-residential buildings
- Impacts all new residential buildings up to 3 stories, including motels, hotels, and apartments
- Requires an overall reduction of potable water consumption by at least 20%
- Applies to faucets, as well as water closets and multiple shower head installations

Once again, Chicago Faucets is leading the way to support this new and important initiative:

- We offer almost 200 products designed to meet the new CALGreen code
- Our CALGreen compliant faucets feature low flow rates from .35 GPM to 1.5 GPM
- These products are from our ECAST® line and meet the latest California laws regarding lead content

We are proud to continually take a leadership position on product quality, innovation, conservation, and safety. ECAST – combined with our water conservation and sustainability initiatives – will allow you to specify, install, and use the highest quality commercial grade products that meet or exceed the latest laws, codes, and environmental initiatives.





A Commitment To Conservation and Sustainability

At Chicago Faucets, we believe that sustainability is an opportunity to travel down new roads. Our goal is to be a role model for the industry in sustainability and conservation through ongoing environmental initiatives throughout our company.



Our commitment to sustainability is demonstrated in the quality of our products – they're built to last. Longer faucet life means fewer replacements, reduced use of raw materials to build new products, and fewer obsolete faucets in landfills.

Ongoing sustainability efforts at Chicago Faucets include the implementation of permanent mold casting that dramatically reduces landfill waste associated with traditional sand cast manufacturing. We utilize recycled brass in the casting of all of our faucet bodies and recycle all of our scrap brass, as well as corrugated packaging and other paper at our factories. The wastewater system designed for our finishing line was recognized by the City of Milwaukee for outstanding implementation and environmental effectiveness.



Chicago Faucets is a member of the U.S. Green Building Council and supports the Leadership in Energy and Environmental Design (LEED) Green Building Rating System™, to measure the efficiency and sustainability of buildings in the U.S. and Canada.




We are proud to be a partner with WaterSense, sponsored by the EPA and designed to protect the future of our nation's water supply by promoting efficiency and enhancing the market for water efficient products, programs and practices.



We are a charter sponsor of the Alliance for Water Efficiency, a non-profit organization that is dedicated to the efficient and sustainable use of water. It brings together a diverse range of stakeholders to advocate water efficiency and conservation.





New Products For 2012

At Chicago Faucets, we are constantly developing new products and improving our existing product lines. Every product is engineered to the highest standards to meet our commitment to providing the finest commercial faucets and fittings. Here are some new additions to the Chicago Faucets product family. Be sure to visit our website to see new product additions throughout the year.



The 3500 Series Metering Faucets

We're bringing a whole new look to our line of water conserving metering faucets. The new 3500 Series offers adjustable cycle times, ECAST® construction, and external temperature control.



The 420 & 430 Series Single Control Faucets

We're building on the success of our durable and affordable 420 Series with a new kitchen faucet and a new lavatory model with pop-up drain assembly. Now, it's easier than ever before to bring Chicago Faucets commercial quality to everyday applications.



Commander™ Handheld Programming Unit

We put programming, maintaining and monitoring our electronic faucet line in the palm of your hand with our new Commander programming unit. Ruggedized housing, infrared communications, and touch screen technology for durable, hassle-free operation. Compatible with all HyTronic and E-Tronic faucets with our time-tested Commander software pre-loaded.



Reliable and Smart — HyTronic® and E-Tronic® 40

Our **HyTronic and E-Tronic 40** sensor operated lines continue to redefine electronic faucets. Extensive ongoing testing, including over 4 million faultless operations, proves their reliability, while water tight electronics, vandal proof features, and a long-life lithium battery help provide years of trouble-free operation. The twin-beam infrared system responds quickly, adjusts to changes, and minimizes false activations. In addition, above-deck components and remote diagnostic technology allow for easy installation and maintenance.



The new **SSPS Self-Sustaining Power System** brings enhanced energy efficiency to our line of high-performance electronic faucets by using water to create and store power. Offered in combination with any Chicago Faucets electronic product, SSPS provides years of worry-free faucet performance.



Easy to install

Above-deck design and pre-installed free spinning hoses for a 'plug-and-play' installation that is fast and straightforward. Chicago Faucets legendary modular design provides additional flexibility for easy product modifications.



Easy to adjust

Remote control technology puts you in charge. With our exclusive Commander™ software and handheld programming unit, you can switch modes, monitor battery level, and even troubleshoot with the touch of a button.



Easy to service

Components are located above-deck, logically placed and easily accessible – while retaining water-tight, anti-vandalism features.



Putting water to work

The new SSPS Self-Sustaining Power System features an internal turbine and rechargeable storage device that constantly create and store energy generated by the flow of water. SSPS installs easily on our lavatory, gooseneck, deck mount, or wall mount electronic fittings.



116.101.AB.1
Traditional spout



116.102.AB.1
Contemporary spout



116.121.AB.1
Traditional spout, user adjustable mixer



116.122.AB.1
Contemporary spout, user adjustable mixer



116.706.AB.1

AC Deck Mount Electronic Lavatory Faucets

Model	Spout	Outlet	Water Temperature Control					List Price
116.101.AB.1	Traditional 5 1/2" Integral	E2805	Single Supply for Tempered Water	•	•	•	•	\$723.08
116.102.AB.1	Contemporary 5 1/8" Integral	E2805	Single Supply for Tempered Water	•	•	•	•	\$722.87
116.111.AB.1	Traditional 5 1/2" Integral	E2805	Concealed Internal Temperature Control Mixer	•	•	•	•	\$747.19
116.112.AB.1	Contemporary 5 1/8" Integral	E2805	Concealed Internal Temperature Control Mixer	•	•	•	•	\$746.98
116.121.AB.1	Traditional 5 1/2" Integral	E2805	User Adjustable Temperature Control Mixer	•	•	•	•	\$772.13
116.122.AB.1	Contemporary 5 1/8" Integral	E2805	User Adjustable Temperature Control Mixer	•	•	•	•	\$771.92
116.706.AB.1	4" Integral	E2805	Single Supply for Tempered Water	•	•	•	•	\$491.68

Product Features

- Single hole, optional cover plates available
- 12 volt AC transformer required (order separately)
- Bank installation adapter wire required for 116.706.AB.1
- Stainless steel hoses included, except 116.706.AB.1
- Multiple field adjustable modes and ranges
- Commander™ software compatible

Outlet Description

E2805 0.5 GPM (1.9 L/min) vandal proof non-aerating spray, includes optional 2.2 GPM (8.3 L/min) aerator insert (except 116.706.AB.1)



116.103.AB.1
GN2AH8 spout



116.428.AB.1
GN2H8FC spout



116.123.AB.1
GN2AH8 spout, user adjustable mixer



116.429.AB.1
GN2H8FC spout, user adjustable mixer



116.303.AB.1
Less spout



116.323.AB.1
Less spout, includes user adjustable mixer

AC Deck Mount Electronic Goosneck Faucets

Model	Spout	Outlet	Water Temperature Control					List Price
116.103.AB.1	GN2AH8	E2805-5	Single Supply for Tempered Water	•	•	•	•	\$701.22
116.113.AB.1	GN2AH8	E2805-5	Concealed Internal Temperature Control Mixer	•	•	•	•	\$725.35
116.123.AB.1	GN2AH8	E2805-5	User Adjustable Temperature Control Mixer	•	•	•	•	\$750.28
116.303.AB.1	N/A	N/A	Single Supply for Tempered Water	•	•	•	•	\$647.36
116.313.AB.1	N/A	N/A	Concealed Internal Temperature Control Mixer	•	•	•	•	\$672.44
116.323.AB.1	N/A	N/A	User Adjustable Temperature Control Mixer	•	•	•	•	\$698.38
116.427.AB.1	GN2H8FC	N/A	Single Supply for Tempered Water	•	•	•	•	\$701.22
116.428.AB.1	GN2H8FC	N/A	Concealed Internal Temperature Control Mixer	•	•	•	•	\$725.35
116.429.AB.1	GN2H8FC	N/A	User Adjustable Temperature Control Mixer	•	•	•	•	\$750.28

Product Features

- Single hole, optional cover plates available
- 12 volt AC transformer required (order separately)
- Multiple field adjustable modes and ranges
- Commander™ software compatible

Spout and Outlet Descriptions

- GN2AH8** 5 1/4" goosneck spout
- GN2AH8FC** 5 1/4" 1.5 GPM flow control goosneck spout
- E2805-5** 0.5 GPM (1.9 L/min) vandal proof non-aerating spray, includes optional 2.2 GPM (8.3 L/min) aerator insert



116.114.AB.1
GN2AH8 spout



116.124.AB.1
GN2AH8 spout, user adjustable
mixer



116.304.AB.1
Less spout



116.324.AB.1
Less spout

AC Wall Mount Electronic Gooseneck Faucets

Model	Spout	Outlet	Water Temperature Control					List Price
116.104.AB.1	GN2AH8	E2805-5	Single Supply for Tempered Water	•	•	•	•	\$769.00
116.114.AB.1	GN2AH8	E2805-5	Concealed Internal Temperature Control Mixer	•	•	•	•	\$793.57
116.124.AB.1	GN2AH8	E2805-5	User Adjustable Temperature Control Mixer	•	•	•	•	\$821.28
116.304.AB.1	N/A	N/A	Single Supply for Tempered Water	•	•	•	•	\$717.83
116.314.AB.1	N/A	N/A	Concealed Internal Temperature Control Mixer	•	•	•	•	\$743.40
116.324.AB.1	N/A	N/A	User Adjustable Temperature Control Mixer	•	•	•	•	\$806.22

Product Features

- Single hole, optional cover plates available
- 12 volt AC transformer required (order separately)
- Multiple field adjustable modes and ranges
- Commander™ software compatible

Spout and Outlet Descriptions

- GN2AH8** 5 1/4" gooseneck spout
- E2805-5** 0.5 GPM (1.9 L/min) vandal proof non-aerating spray, includes optional 2.2 GPM (8.3 L/min) aerator insert



116.211.AB.1
Traditional spout



116.212.AB.1
Contemporary spout



116.221.AB.1
Traditional spout, user
adjustable mixer



116.222.AB.1
Contemporary spout, user
adjustable mixer



116.606.AB.1

DC Deck Mount Electronic Lavatory Faucets

Model	Spout	Outlet	Water Temperature Control					List Price
116.201.AB.1	Traditional 5 1/2" Integral	E2805	Single Supply for Tempered Water	•	•	•	•	\$692.16
116.202.AB.1	Contemporary 5 1/8" Integral	E2805	Single Supply for Tempered Water	•	•	•	•	\$691.95
116.211.AB.1	Traditional 5 1/2" Integral	E2805	Concealed Internal Temperature Control Mixer	•	•	•	•	\$716.27
116.212.AB.1	Contemporary 5 1/8" Integral	E2805	Concealed Internal Temperature Control Mixer	•	•	•	•	\$716.08
116.221.AB.1	Traditional 5 1/2" Integral	E2805	User Adjustable Temperature Control Mixer	•	•	•	•	\$741.22
116.222.AB.1	Contemporary 5 1/8" Integral	E2805	User Adjustable Temperature Control Mixer	•	•	•	•	\$741.00
116.606.AB.1	4" Integral	E2805	Single Supply for Tempered Water	•	•	•	•	\$464.37

Product Features

- Single hole, optional cover plates available
- 6 volt lithium CR-P2 battery (included)
- Stainless steel hoses included, except 116.706.AB.1
- Multiple field adjustable modes and ranges
- Commander™ software compatible

Outlet Description

- E2805** 0.5 GPM (1.9 L/min) vandal proof non-aerating spray, includes optional 2.2 GPM (8.3 L/min) aerator insert (except 116.606.AB.1)



116.203.AB.1
GN2AH8 spout



116.430.AB.1
GN2H8FC spout



116.223.AB.1
GN2AH8 spout, user adjustable mixer



116.432.AB.1
GN2H8FC spout, user adjustable mixer



116.413.AB.1
Less spout



116.423.AB.1
Less spout, includes user adjustable mixer

DC Deck Mount Electronic Gooseneck Faucets

Model	Spout	Outlet	Water Temperature Control					List Price
116.203.AB.1	GN2AH8	E2805-5	Single Supply for Tempered Water	•	•	•	•	\$670.31
116.213.AB.1	GN2AH8	E2805-5	Concealed Internal Temperature Control Mixer	•	•	•	•	\$694.42
116.223.AB.1	GN2AH8	E2805-5	User Adjustable Temperature Control Mixer	•	•	•	•	\$719.36
116.403.AB.1	N/A	N/A	Single Supply for Tempered Water	•	•	•	•	\$615.20
116.413.AB.1	N/A	N/A	Concealed Internal Temperature Control Mixer	•	•	•	•	\$640.28
116.423.AB.1	N/A	N/A	User Adjustable Temperature Control Mixer	•	•	•	•	\$666.22
116.430.AB.1	GN2H8FC	N/A	Single Supply for Tempered Water	•	•	•	•	\$670.31
116.431.AB.1	GN2H8FC	N/A	Concealed Internal Temperature Control Mixer	•	•	•	•	\$694.42
116.432.AB.1	GN2H8FC	N/A	User Adjustable Temperature Control Mixer	•	•	•	•	\$719.36

Product Features

- Single hole, optional cover plates available
- 6 volt lithium CR-P2 battery (included)
- Multiple field adjustable modes and ranges
- Commander™ software compatible

Spout and Outlet Descriptions

- GN2AH8** 5 1/4" gooseneck spout
- GN2AH8FC** 5 1/4" 1.5 GPM flow control gooseneck spout
- E2805-5** 0.5 GPM (1.9 L/min) vandal proof non-aerating outlet spray, includes optional 2.2 GPM (8.3 L/min) aerator insert



116.214.AB.1
GN2AH8 spout



116.224.AB.1
GN2AH8 spout, user adjustable mixer



116.404.AB.1
Less spout



116.424.AB.1
Less spout, includes user adjustable mixer

DC Wall Mount Electronic Lavatory Faucets

Model	Spout	Outlet	Water Temperature Control					List Price
116.204.AB.1	GN2AH8	E2805-5	Single Supply for Tempered Water	•	•	•	•	\$738.07
116.214.AB.1	GN2AH8	E2805-5	Concealed Internal Temperature Control Mixer	•	•	•	•	\$762.66
116.224.AB.1	GN2AH8	E2805-5	User Adjustable Temperature Control Mixer	•	•	•	•	\$784.24
116.404.AB.1	N/A	N/A	Single Supply for Tempered Water	•	•	•	•	\$685.67
116.414.AB.1	N/A	N/A	Concealed Internal Temperature Control Mixer	•	•	•	•	\$711.25
116.424.AB.1	N/A	N/A	User Adjustable Temperature Control Mixer	•	•	•	•	\$767.27

Product Features

- Single hole, optional cover plates available
- 6 volt lithium CR-P2 battery (included)
- Multiple field adjustable modes and ranges
- Commander™ software compatible

Spout and Outlet Descriptions

- GN2AH8** 5 1/4" gooseneck spout
- E2805-5** 0.5 GPM (1.9 L/min) vandal proof non-aerating outlet spray, includes optional 2.2 GPM (8.3 L/min) aerator insert



116.901.AB.1
Traditional spout, SSPS



116.911.AB.1
Traditional spout, SSPS,
mechanical mixer



116.921.AB.1
Traditional spout, SSPS,
thermostatic mixer



116.906.AB.1
SSPS




116.902.AB.1
Contemporary spout, SSPS



116.912.AB.1
Contemporary spout, SSPS,
mechanical mixer



116.922.AB.1
Contemporary spout, SSPS,
thermostatic mixer



116.916.AB.1
SSPS, mechanical mixer

SSPS Deck Mount Electronic Lavatory Faucets

Model	Spout	Outlet	Water Temperature Control					List Price
116.901.AB.1	Traditional 5 1/2" Integral	E64VP	Single Supply for Tempered Water	•	•	•	•	\$939.36
116.902.AB.1	Contemporary 5 1/8" Integral	E64VP	Single Supply for Tempered Water	•	•	•	•	\$939.15
116.906.AB.1	4" Integral	E64VP	Single Supply for Tempered Water	•	•	•	•	\$711.57
116.911.AB.1	Traditional 5 1/2" Integral	E64VP	242.165.AB.1	•	•	•	•	\$993.87
116.912.AB.1	Contemporary 5 1/8" Integral	E64VP	242.165.AB.1	•	•	•	•	\$993.66
116.916.AB.1	4" Integral	E64VP	242.165.AB.1	•	•	•	•	\$766.07
116.921.AB.1	Traditional 5 1/2" Integral	E64VP	131-ABNF	•	•	•	•	\$1,069.66
116.922.AB.1	Contemporary 5 1/8" Integral	E64VP	131-ABNF	•	•	•	•	\$1,069.45
116.926.AB.1	4" Integral	E64VP	131-ABNF	•	•	•	•	\$841.86

Product Features

- Single hole, optional cover plates available
- Self-charging SSPS generator kit
- Stainless steel hoses included, except E-Tronic models
- Multiple field adjustable modes and ranges
- Commander™ software compatible

Outlet and Mixing Valve Descriptions

- E64VP** 1.0 GPM (3.8 L/min) vandal proof laminar outlet
- 242.165.AB.1** Concealed external mechanical mixing valve
- 131-ABNF** 3-port thermostatic mixing valve



116.903.AB.1
GN2AH8 spout, SSPS



116.913.AB.1
GN2AH8 spout, SSPS,
mechanical mixer



116.923.AB.1
GN2AH8 spout, SSPS,
thermostatic mixer



116.905.AB.1
GN2H8FC spout, SSPS



116.915.AB.1
GN2H8FC spout, SSPS,
mechanical mixer



116.925.AB.1
GN2H8FC spout, SSPS,
thermostatic mixer

SSPS Deck Mount Electronic Gooseneck Faucets

Model	Spout	Outlet	Water Temperature Control					List Price
116.903.AB.1	GN2AH8	E65VP	Single Supply for Tempered Water	•	•	•	•	\$917.51
116.905.AB.1	GN2H8FC	N/A	Single Supply for Tempered Water	•	•	•	•	\$917.51
116.913.AB.1	GN2AH8	E65VP	242.165.AB.1	•	•	•	•	\$972.02
116.915.AB.1	GN2H8FC	N/A	242.165.AB.1	•	•	•	•	\$972.02
116.923.AB.1	GN2AH8	E65VP	131-ABNF	•	•	•	•	\$1,047.81
116.925.AB.1	GN2H8FC	N/A	131-ABNF	•	•	•	•	\$1,047.81

Product Features

- Single hole, optional cover plates available
- Self-charging SSPS generator kit
- Stainless steel hoses included
- Multiple field adjustable modes and ranges
- Commander™ software compatible

Spout, Outlet and Mixing Valve Descriptions

GN2AH8	5 1/4" gooseneck spout
GN2H8FC	5 1/4" 1.5 GPM flow control gooseneck spout
E65VP	1.0 GPM (3.8 L/min) vandal proof laminar outlet
242.165.AB.1	Concealed external mechanical mixing valve
131-ABNF	3-port thermostatic mixing valve



116.904.AB.1
GN2AH8 spout, SSPS



116.914.AB.1
GN2AH8 spout, SSPS,
mechanical mixer



116.924.AB.1
GN2AH8 spout, SSPS,
thermostatic mixer

SSPS Wall Mount Electronic Gooseneck Faucets

Model	Spout	Outlet	Water Temperature Control					List Price
116.904.AB.1	GN2AH8	E65VP	Single Supply for Tempered Water	•	•	•	•	\$985.27
116.914.AB.1	GN2AH8	E65VP	242.165.AB.1	•	•	•	•	\$1,039.77
116.924.AB.1	GN2AH8	E65VP	131-ABNF	•	•	•	•	\$1,115.56

Product Features

- Single hole, optional cover plates available
- Self-charging SSPS generator kit
- Stainless steel hoses included
- Multiple field adjustable modes and ranges
- Commander™ software compatible

Spout, Outlet and Mixing Valve Descriptions

GN2AH8	5 1/4" gooseneck spout
E65VP	1.0 GPM (3.8 L/min) vandal proof laminar outlet
242.165.AB.1	Concealed external mechanical mixing valve
131-ABNF	3-port thermostatic mixing valve




116.585.00.1
Commander™ handheld
programming unit



240.627.21.1 / 240.628.21.1
4" or 8" cover plate for HyTronic
faucets



242.340.00.1
Bank installation adapter wire




240.632.00.1
3/8" O.D. copper supply tube for
HyTronic faucets



240.630.00.1
Single use plug-in transformer



242.559.00.1
Multi-use plug-in transformer,
BAA compliant



240.631.00.1
Multi-use plug-in transformer



242.659.00.1
Multi-use plug-in transformer,
BAA compliant

Electronic Accessories and Parts

Model	Description	BUY AMERICAN ACT TODAY	CF NOW!	List Price
116.585.00.1	Commander™ Handheld Programming Unit	•	-	\$250.00
240.627.21.1	4" Cover Plate with Locating Pin and Mounting Hardware for HyTronic Faucets	-	-	\$64.67
240.628.21.1	8" Cover Plate with Locating Pin and Mounting Hardware for HyTronic Faucets	-	-	\$75.33
242.164.21.1	8" Cover Plate with Locating Pins for E-Tronic 40 Faucets	-	-	\$48.95
242.340.00.1	Bank Installation Adapter Wire	-	-	\$22.80
240.630.00.1	Plug-in, Single Use Transformer	-	-	\$48.23
240.631.00.1	Hard-wire, Multi-use Transformer	-	-	\$60.16
240.632.00.1	3/8" O.D. Copper Supply Tube for HyTronic Faucets	•	-	\$12.83
242.559.00.1	Plug-in, Multi-use Transformer	•	-	\$50.65
242.659.00.1	Hard-wire, Multi-use Transformer	•	-	\$63.17
242.560.00.1	Lithium Batteries, CR-P2, 6V, Qty. 6	-	-	\$127.93
242.566.AB.1	SSPS Generator Kit	-	-	\$247.20
242.568.00.1	Green Power Adapter	-	-	\$64.89
242.574.00.1	HyTronic Turbine Module	-	-	\$113.30
242.575.00.1	E-Tronic 40 Turbine Module	-	-	\$144.87



50-317ABCP
With GN2A spout, 317 handles



50-GN8AE3ABCP
With GN8A spout, 369 handles



50-TABCP
With GN2A spout, 369 handles
and inlet tee connection



51-ABCP
With S6 spout, 369 handles

50/51 Series – 3/8" O.D. copper supply tube inlets, unless noted

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
50-317ABCP	GN2A	E3	317	XT	•	•	•	-	-	\$280.78
50-ABCP	GN2A	E3	369	XT	•	•	•	-	-	\$258.30
50-E2805-5ABCP	GN2A	E2805-5	369	XT	•	•	-	•	-	\$331.90
50-E35-317ABCP	GN2A	E35	317	XT	•	•	-	•	-	\$280.78
50-E35ABCP	GN2A	E35	369	XT	•	•	-	•	-	\$258.30
50-E35VPABCP	GN2A	E35VP	369	XT	•	•	-	•	•	\$313.72
50-GN2FC317ABCP	GN2FC	N/A	317	XT	•	•	-	•	-	\$340.89
50-GN8AE35ABCP	GN8A	E35	369	XT	•	•	-	•	-	\$322.88
50-GN8AE3ABCP	GN8A	E3	369	XT	•	•	-	-	-	\$322.88
50-LESSSPTABCP	N/A	N/A	369	XT	-	•	-	-	-	\$196.98
50-TABCP*	GN2A	E3	369	XT	•	•	•	-	-	\$286.14
50-TE35ABCP*	GN2A	E35	369	XT	•	•	-	•	-	\$286.14
50-VPAABCP	GN2A	E3VP	369	XT	•	•	-	-	•	\$313.72
51-ABCP	S6	E3	369	XT	•	•	-	-	-	\$270.85
51-E35ABCP	S6	E35	369	XT	•	•	-	•	-	\$270.85

*3 1/2" inlet connection tee with 1/2" NPSM supply inlets and coupling nut for 3/8" or 1/2" flexible riser.

Spout, Outlet, Handle and Cartridge Descriptions

GN2A	5 1/4" rigid/swing gooseneck spout
GN2FC	5 1/4" flow control rigid/swing gooseneck spout
GN8A	8" rigid/swing gooseneck spout
S6	6" swing cast brass spout
E1	Full flow Quixtop outlet
E3	2.2 GPM (8.3 L/min) aerator
E3VP	2.2 GPM (8.3 L/min) vandal proof aerator
E12	2.2 GPM (8.3 L/min) aerator
E12VP	2.2 GPM (8.3 L/min) vandal proof aerator
E35	1.5 GPM (5.7 L/min) aerator
E2805	0.5 GPM (1.9 L/min) vandal proof non-aerating spray

317	4" wristblade handle
369	2 3/8" lever handle
335	1 1/2" push-tilt handle
336	2 13/16" push-tilt handle
665	1 3/4" push handle
XT	Quarturn™ compression operating cartridge
XK	Ceramic operating cartridge
333-X	NAIAD metering adjustable cycle time cartridge
335-X	NAIAD metering adjustable cycle time cartridge
MVP	MVP metering adjustable cycle time cartridge



333-336PSHABCP
With 336 handle



333-665PSHABCP
With 665 handle



333-SLOE12COLDABCP
With push-button handle



335-E12PSHABCP
With 335 handle

333/335 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
333-336COLDABCP	3 3/8" Integral	E12	336-402K	335-X	•	•	-	-	-	\$214.52
333-336PSHABCP	3 3/8" Integral	E12	336-404K	335-X	•	•	-	-	-	\$214.52
333-336PSHVPAABCP	3 3/8" Integral	E12VP	336-404K	335-X	•	•	-	-	•	\$259.97
333-665PSHABCP	3 3/8" Integral	E12	665	MVP	•	•	•	-	-	\$163.38
333-665PSHVPAABCP	3 3/8" Integral	E12VP	665	MVP	•	•	-	-	•	\$204.82
333-E12PSHABCP	3 3/8" Integral	E12	N/A	333-X	-	•	-	-	-	\$178.77
333-E2805-665PSHABCP	3 3/8" Integral	E2805	665	MVP	•	•	-	•	-	\$217.56
333-SLOE12COLDABCP	3/8" Integral	E12	N/A	333-X	-	•	-	-	-	\$155.47
333-SLOE12PSHABCP	3 3/8" Integral	E12	N/A	333-X	-	•	-	-	-	\$155.47
335-E12COLDABCP	3 3/8" Integral	E12	335-107K	335-X	-	•	-	-	-	\$206.07
335-E12PSHABCP	3 3/8" Integral	E12	335-207K	335-X	-	•	-	-	-	\$206.07



349-ABCP
With S6 spout, 369 handle



350-317ABCP
With GN2A spout, 317 handle



350-DB6AE3ABCP
With DB6A spout, 369 handle



350-GN8AE3ABCP
With GN8A spout, 369 handle

349/350 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
349-ABCP	S6	E3	369	XT	•	•	-	-	-	\$188.98
349-E35ABCP	S6	E35	369	XT	•	•	-	•	-	\$188.98
349-LESSSPTABCP	N/A	N/A	369	XT	-	•	-	-	-	\$141.22
350-244ABCP	GN2A	E3	369	826	•	•	-	-	-	\$229.82
350-317ABCP	GN2A	E3	317	XT	•	•	-	-	-	\$221.55
350-317VPAABCP	GN2A	E3VP	317	XT	•	•	-	-	•	\$231.32
350-ABCP	GN2A	E3	369	XT	•	•	•	-	-	\$183.60
350-DB6AE35ABCP	DB6A	E35	369	XT	•	•	-	•	-	\$193.16
350-DB6AE3ABCP	DB6A	E3	369	XT	•	•	-	-	-	\$193.16
350-E35-244ABCP	GN2A	E35	369	826	•	•	-	•	-	\$229.82
350-E35-317ABCP	GN2A	E35	317	XT	•	•	-	•	-	\$221.55
350-E35ABCP	GN2A	E35	369	XT	•	•	-	•	-	\$183.60
350-E35VP317ABCP	GN2A	E35VP	317	XT	•	•	-	•	•	\$231.32
350-E35VPABCP	GN2A	E35VP	369	XT	•	•	-	•	•	\$221.83
350-E35VPCABCP	GN2A	E35VP	369VP	XT	•	•	-	•	•	\$223.83
350-GN8AE35ABCP	GN8A	E35	369	XT	•	•	-	•	-	\$231.02
350-GN8AE3ABCP	GN8A	E3	369	XT	•	•	-	-	-	\$231.02
350-LHABCP	GN2A	E3VP	369	XT	•	•	-	-	-	\$212.09
350-LHE35ABCP	GN2A	E35	369	XT	•	•	-	•	-	\$212.09
350-VPAABCP	GN2A	E3VP	369	XT	•	•	-	-	•	\$221.83
350-VPCABCP	GN2A	E3VP	369VP	XT	•	•	-	-	•	\$223.83
350-VPPABCP	GN2A	E3VP	369	XT	•	•	-	-	•	\$221.66
350-VPPE35ABCP	GN2A	E35	369	XT	•	•	-	•	•	\$221.66

*Left-hand operation.

Spout, Outlet, Handle and Cartridge Descriptions

DB6A 6 1/4" rigid/swing double bend spout
GN2A 5 1/4" rigid/swing gooseneck spout
GN8A 8" rigid/swing gooseneck spout
S6 6" swing cast brass spout

E3 2.2 GPM (8.3 L/min) aerator
E3VP 2.2 GPM (8.3 L/min) vandal proof aerator
E12 2.2 GPM (8.3 L/min) aerator
E35 1.5 GPM (5.7 L/min) aerator

317 4" wristblade handle
369 2 3/8" lever handle
633 3" cross handle

XT Quatern™ compression operating cartridge
XK Ceramic operating cartridge
826-X Klo-Self self-closing operating cartridge



430-ABCP
9 1/2" integral spout



700-HOTABCP
With 633 handle



701-COLDABCP
With 633 handle



730-COLDABCP
With 369 handle

430 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
430-ABCP	9 1/2" Integral	E34	N/A	430-X	•	-	•	•	-	\$128.00

700/701/730 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
700-COLDABCP	3 3/8" Integral	E12	317	XT	-	•	-	-	-	\$133.36
700-HOTABCP	3 3/8" Integral	E12	633	XT	-	•	-	-	-	\$133.36
701-COLDABCP	3 3/8" Integral	E12	633	826	-	•	-	-	-	\$157.16
701-HOTABCP	3 3/8" Integral	E12	633	826	-	•	-	-	-	\$157.16
730-COLDABCP	3 3/8" Integral	E12	369	XT	•	•	-	-	-	\$146.83



807-665PSHABCP
E15 outlet



807-E12-665PSHABCP
E12 outlet



2200-ABCP
4 3/4" integral spout, 2200 handle



2300-ABCP
10" integral spout, 2300 handle

807 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
807-665PSHABCP	N/A	E15	665	MVP	•	•	-	-	-	\$185.78
807-E12-665PSHABCP	N/A	E12	665	MVP	•	•	-	-	-	\$164.12

2200/2300 Series – 3/8" O.D. copper supply tubes

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
2200-ABCP	4 3/4" Integral	E12	2200	2300-X	•	•	•	-	-	\$346.11
2300-ABCP	10" Integral	E12	2300	2300-X	•	•	-	-	-	\$443.08
2300-E34ABCP	10" Integral	E34	2300	2300-X	•	•	-	•	-	\$443.08

Spout, Outlet, Handle and Cartridge Descriptions

GN2A 5 1/4" rigid/swing gooseneck spout
GN8A 8" rigid/swing gooseneck spout

E3 2.2 GPM (8.3 L/min) aerator

E12 2.2 GPM (8.3 L/min) aerator

E15 2.0 GPM (7.6 L/min) spray

E34VP 1.5 GPM (5.7 L/min) aerator

E35 1.5 GPM (5.7 L/min) aerator

E2805 0.5 GPM (1.9 L/min) vandal proof non-aerating spray

665 1 3/4" push handle

2200 2 3/4" lever handle

2300 2 5/8" lever handle

MVP

2300-X MVP metering adjustable cycle time cartridge

Ceramic operating cartridge



2200-ABCP
4 3/4" integral spout, 2200 handle



2300-ABCP
10" integral spout, 2300 handle



3500-E2805ABCP
Single supply for tempered water



3502-E2805ABCP
External temperature adjustment

2302/2304 Series – 3/8" O.D. copper supply tubes

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
2302-ABCP	GN2A	E3	2300	2300-X	•	•	•	-	-	\$365.24
2302-E35ABCP	GN2A	E35	2300	2300-X	•	•	-	•	-	\$365.24
2304-ABCP*	GN8A	E3	2300	2300-X	-	•	-	-	-	\$567.66
2304-E35ABCP*	GN8A	E35	2300	2300-X	-	•	-	•	-	\$567.66

*With side spray.

3500 Series

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
3500-E2805ABCP	4" Integral	E2805	N/A	MVP	•	•	•	•	•	\$186.00
3501-E2805ABCP*	4" Integral	E2805	N/A	MVP	•	•	•	•	•	\$196.00
3502-E2805ABCP**	4" Integral	E2805	N/A	MVP	•	•	•	•	•	\$228.00

*Internal temperature adjustment. **External temperature adjustment.



772-ABCP
S6 spout, 369 handles



420-ABCP
Single lever handle



420-POABCP
Single lever handle

772 Series – Straight 2" inlet supply arm with integral flange with 1/2" NPT female thread inlet, 3 3/8" centers

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
772-ABCP	S6	E3	369	XT	•	•	-	-	-	\$270.85
772-E35ABCP	DJ18	E35	369	XT	•	•	-	•	-	\$270.85

420 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
420-ABCP	4 5/8" Integral	E37	N/A	420-X	•	-	•	-	-	\$147.51
420-E2805ABCP	4 5/8" Integral	E2805	N/A	420-X	•	-	•	•	-	\$161.41
420-E39VPABCP	4 5/8" Integral	E39VP	N/A	420-X	•	-	-	•	•	\$161.41
420-POABCP*	4 5/8" Integral	E37	N/A	420-X	-	-	•	-	-	\$186.69

*With pop-up assembly.

Spout, Outlet, Handle and Cartridge Descriptions

S6	6" swing cast brass spout	317	4" wristblade handle
DJ18	18" double-jointed swing spout	336	2 13/16" push-tilt handle
E3	2.2 GPM (8.3 L/min) aerator	369	2 3/8" lever handle
E12	2.2 GPM (8.3 L/min) aerator	390	2 3/8" lever handle
E12VP	2.2 GPM (8.3 L/min) vandal proof aerator	1000	2" single wing canopy handle
E35	1.5 GPM (5.7 L/min) aerator	XT	Quatern™ compression operating cartridge
E37	1.5 GPM (5.7 L/min) non-aerating laminar outlet	XK	Ceramic operating cartridge
E39VP	0.35 GPM (1.3 L/min) non-aerating vandal proof outlet	335-X	NAIAD metering adjustable cycle time cartridge
E2805	0.5 GPM (1.9 L/min) vandal proof non-aerating spray	420-X	Ceramic operating cartridge



797-1000ABCP
1000 handles



797-317ABCP
317 handles



797-ABCP
390 handles



797-V336ABCP
336 handles

797 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser, all with pop-up

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
797-1000ABCP	4" Integral	E12	1000	XT	•	•	-	-	-	\$251.29
797-317ABCP	4" Integral	E12	317	XT	•	•	-	-	-	\$293.90
797-ABCP	4" Integral	E12	390	XT	•	•	-	-	-	\$277.03
797-V1000ABCP	4" Integral	E12VP	1000VP	XT	•	•	-	-	•	\$251.29
797-V317ABCP	4" Integral	E12	317	XT	•	•	-	-	•	\$293.90
797-V336ABCP	4" Integral	E12VP	336	335-X	•	•	-	-	•	\$450.69
797-VABCP	4" Integral	E12VP	390	335-X	•	•	-	-	•	\$277.03


802-1000ABCP
1000 handles

802-317ABCP
317 handles

802-V335ABCP
335 handles

802-336ABCP
336 handles

802 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
802-1000ABCP	4" Integral	E12	1000	XT	•	•	-	-	-	\$192.33
802-317ABCP	4" Integral	E12	317	XT	•	•	•	-	-	\$206.58
802-317XKABCP	4" Integral	E12	317	XK	•	•	-	-	-	\$206.58
802-336ABCP	4" Integral	E12	336	335-X	•	•	-	-	-	\$356.18
802-665ABCP	4" Integral	E12	665	MVP	•	•	•	-	-	\$287.02
802-ABCP	4" Integral	E12	390	XT	•	•	•	-	-	\$185.69
802-LESSHDLABCP	4" Integral	E12	N/A	XT	-	•	-	-	-	\$176.28
802-V1000ABCP	4" Integral	E12	1000VP	XT	•	•	-	-	•	\$189.56
802-V317ABCP	4" Integral	E12VP	317VP	XT	•	•	•	-	•	\$206.58
802-V317XKABCP	4" Integral	E12	317	XK	•	•	-	-	•	\$206.58
802-V335ABCP	4" Integral	E12	335	335-X	-	•	-	-	•	\$339.39
802-V336ABCP	4" Integral	E12	336	335-X	•	•	-	-	•	\$356.18
802-V665ABCP	4" Integral	E12	665	MVP	•	•	•	-	•	\$303.56
802-VABCP	4" Integral	E12	390	XT	•	•	•	-	•	\$186.16
802-VE2805-317ABCP	4" Integral	E2805	317	XT	•	•	-	•	•	\$258.49
802-VE2805-336ABCP	4" Integral	E2805	336	335-X	•	•	-	•	•	\$383.18

Spout, Outlet, Handle and Cartridge Descriptions

E12	2.2 GPM (8.3 L/min) aerator
E12VP	2.2 GPM (8.3 L/min) vandal proof aerator
E15	2.0 GPM (7.6 L/min) spray multi-stream
E34VP	1.5 GPM (5.7 L/min) vandal proof aerator
E39VP	0.35 GPM (1.3 L/min) vandal proof non-aerating outlet pressure compensating econo-flow
E2805	0.5 GPM (1.9 L/min) vandal proof non-aerating spray
317	4" wristblade handle
335	1 1/2" push-tilt handle

336	2 13/16" push-tilt handle
336VP	Vandal proof 2 13/16" push-tilt handle
390	2 3/8" lever handle
665	1 3/4" push handle
1000VP	Vandal proof 2" single wing canopy handle
XT	Quaturn™ compression operating cartridge
XK	Ceramic operating cartridge
335-X	NAIAD metering adjustable cycle time cartridge
MVP	MVP metering adjustable cycle time cartridge



802-665ABCP
665 handles



802-ABCP
390 handles



844-665PSHABCP
665 handle, E15 outlet



857-E12665PSHABCP
665 handle

802 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
802-VE2805-665ABCP	4" Integral	E2805	665	MVP	•	•	•	•	•	\$305.90
802-VE2805ABCP	4" Integral	E2805	390	XT	•	•	-	•	•	\$233.55
802-VE39VP317ABCP	4" Integral	E39VP	317	XT	•	•	-	•	•	\$258.49
802-VE39VPABCP	4" Integral	E39VP	390	XT	•	•	-	•	•	\$233.55
802-VLESSHDLABCP	4" Integral	E12	N/A	XT	-	•	-	-	•	\$176.28
802-VXKABCP	4" Integral	E12	390	XK	•	•	•	-	•	\$186.16
802-XKABCP	4" Integral	E12	390	XK	•	•	-	-	-	\$185.69

844/857 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
844-665PSHABCP*	4 1/8" Integral	E15	665	MVP	•	•	-	-	-	\$331.47
844-E12-665PSHABCP*	4 1/8" Integral	E12	665	MVP	•	•	-	-	-	\$310.21
857-665PSHABCP	4 1/8" Integral	E15	665	MVP	•	•	•	-	-	\$287.02
857-E12-665PSHABCP	4 1/8" Integral	E12	665	MVP	•	•	•	-	-	\$260.69
857-E12-665PSHVPAABCP	4 1/8" Integral	E12VP	665	MVP	•	•	-	-	•	\$312.57
857-E2805-665PSHABCP	4 1/8" Integral	E2805	665	MVP	•	•	-	•	-	\$325.33

*1/4" NPT supply inlets



526-ABCP
DB6A spout, 369 handles



891-ABCP
S6 spout, 369 handles



895-L12ABCP
L12 spout, 369 handle



895-GN2AE3ABCP
GN2A spout, 369 handles

526/891/894/895 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
526-ABCP	DB6A	E1	369	XT	•	•	-	-	-	\$216.44
891-ABCP	S6	E3	369	XT	•	•	-	-	-	\$232.05
891-E35ABCP	S6	E35	369	XT	•	•	-	•	-	\$232.05
894-317ABCP*	GN1A	E3	317	XT	•	•	-	-	-	\$355.19
895-317ABCP	GN1A	E3	317	XT	•	•	•	-	-	\$238.18
895-317E2805-5ABCP	GN1A	E2805-5	317	XT	•	•	-	•	-	\$266.73
895-317E29ABCP	GN1A	E29	317	XT	•	•	-	-	-	\$296.11
895-317E29VPABCP	GN1A	E29VP	317	XT	•	•	-	-	•	\$308.20
895-317E35ABCP	GN1A	E35	317	XT	•	•	-	•	-	\$238.18
895-317E35XKABCP	GN1A	E35	317	XK	•	•	-	•	-	\$238.18
895-317E36ABCP	GN1A	E36	317	XT	•	•	-	•	-	\$296.11
895-317E36VPABCP	GN1A	E36VP	317	XT	•	•	-	•	•	\$308.20
895-317FCABCP	GN1FC	N/A	317	XT	•	•	•	•	-	\$261.55
895-317FCXKABCP	GN1FC	N/A	317	XK	•	•	-	•	-	\$261.55
895-317GN2AABCP	GN2A	N/A	317	XT	•	•	-	-	-	\$287.71
895-317GN2AE35ABCP	GN2A	E35	317	XT	•	•	-	•	-	\$289.80
895-317GN2AE36ABCP	GN2A	E36	317	XT	•	•	-	•	-	\$303.99

*With pop-up assembly.

Spout, Outlet, Handle and Cartridge Descriptions

GN1A 3 1/2" rigid/swing gooseneck spout
GN1FC 3 1/2" flow control rigid/swing gooseneck spout
GN2A 5 1/4" rigid/swing gooseneck spout
GN2AFC 5 1/4" flow control rigid/swing gooseneck spout
GN2FC 5 1/4" flow control rigid/swing gooseneck spout
GN8A 8" rigid/swing gooseneck spout
GNRGD1 3 1/2" rigid gooseneck spout
GNRGD2 5 1/4" rigid gooseneck spout
L12 12" swing L type spout
S6 6" swing cast brass spout

XT Quatern™ compression operating cartridge
XK Ceramic operating cartridge
MVP MVP metering adjustable cycle time cartridge

E1 Full flow Quixtop outlet
E3 2.2 GPM (8.3 L/min) aerator
E3VP 2.2 GPM (8.3 L/min) vandal proof aerator
E12 2.2 GPM (8.3 L/min) aerator
E29 2.2 GPM (8.3 L/min) non-aerating laminar outlet
E29VP 2.2 GPM (8.3 L/min) vandal proof non-aerating laminar outlet
E35 1.5 GPM (5.7 L/min) aerator
E36 1.5 GPM (5.7 L/min) non-aerating laminar outlet
E36VP 1.5 GPM (5.7 L/min) vandal proof non-aerating laminar outlet
E2805-5 0.5 GPM (1.9 L/min) vandal proof non-aerating spray

317 4" wristblade handle
369 2 3/8" lever handle
665 1 3/4" push handle
1000 2" single wing canopy handle



895-317GN2AFCABCP
GN2AFC spout, 317 handles



895-317GN8AE3ABCP
GN8A spout, 317 handles



895-665ABCP
GN1A spout, 665 handles



1895-ABCP
GN1A spout, 1000 handles

895/1895 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
895-317GN2AE3ABCP	GN2A	E3	317	XT	•	•	-	-	-	\$289.80
895-317GN2AFCABCP	GN2AFC	N/A	317	XT	•	•	-	•	-	\$306.27
895-317GN2FCABCP	GN2FC	N/A	317	XT	•	•	•	•	-	\$272.25
895-317GN8AE35ABCP	GN8A	E35	317	XT	•	•	-	•	-	\$307.21
895-317GN8AE3ABCP	GN8A	E3	317	XT	•	•	-	-	-	\$307.21
895-317LESSSPTABCP	N/A	N/A	317	XT	•	•	-	-	-	\$184.80
895-317RGD1ABCP	GNRGD1	E3	317	XT	•	•	-	-	-	\$241.71
895-317RGD1E35ABCP	GNRGD1	E35	317	XT	•	•	-	•	-	\$241.71
895-317XKABCP	GN1A	E3	317	XK	•	•	•	-	-	\$238.18
895-665ABCP	GN1A	E3	665	MVP	•	•	-	-	-	\$344.26
895-ABCP	GN1A	E3	369	XT	•	•	•	-	-	\$221.74
895-E35-665ABCP	GN1A	E35	369	MVP	•	•	-	•	-	\$344.26
895-E35ABCP	GN1A	E35	369	XT	•	•	-	•	-	\$221.74
895-E35LESSHDLABCP	GN1A	E35	N/A	XT	-	•	-	•	-	\$248.26
895-E35XKABCP	GN1A	E35	369	XK	•	•	-	•	-	\$221.74
895-GN2AE35ABCP	GN2A	E35	369	XT	•	•	-	•	-	\$268.21
895-GN2AE3ABCP	GN2A	E3	369	XT	•	•	-	-	-	\$268.21
895-GN2FCABCP	GN2FC	N/A	369	XT	•	•	-	•	-	\$288.84
895-L12ABCP	L12	E3	369	XT	•	•	-	-	-	\$268.21
895-L12E35ABCP	L12	E35	369	XT	•	•	-	•	-	\$268.21
895-LESSHDLABCP	GN1A	E3	N/A	XT	-	•	-	-	-	\$248.26
895-LESSSPTABCP	N/A	N/A	369	XT	-	•	-	-	-	\$167.86
895-LESSSPTXKABCP	N/A	N/A	369	XK	-	•	-	-	-	\$167.86
895-RGD1ABCP	GNRGD1	E3	369	XT	•	•	-	-	-	\$258.49
895-RGD1E35ABCP	GNRGD1	E35	369	XT	•	•	-	•	-	\$258.49
895-XKABCP	GN1A	E3	369	XK	•	•	-	-	-	\$221.74
1895-ABCP	GN1A	E3	1000	XT	•	•	-	-	-	\$233.94
1895-E35ABCP	GN1A	E35	1000	XT	•	•	-	•	-	\$233.94



2200-4ABCP
2200 handle



3300-ABCP
Temperature adjusting handle



3500-4E2805ABCP
Single Supply For Tempered Water



3502-4E2805ABCP
External temperature adjustment

2200 Series – 3/8" O.D. copper inlet supply tubes

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
2200-4ABCP	4 3/4" Integral	E12	2300	2300-X	•	•	•	-	-	\$388.27
2200-4E2805ABCP	4 3/4" Integral	E2805	2200	2300-X	•	•	•	•	-	\$415.42
2200-4E39VPABCP	4 3/4" Integral	E39VP	2200	2300-X	•	•	-	•	•	\$415.42
2201-4ABCP*	4 3/4" Integral	E12	2200	2300-X	•	•	-	-	-	\$472.64

*With pop-up assembly.

3300/3400 Series – 1/2" NPSM supply inlets and coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
3300-ABCP	4 3/4" Integral	E2805	N/A	MVP	•	•	•	•	-	\$378.02
3400-ABCP	4 3/4" Integral	E2805	N/A	MVP	•	•	•	•	-	\$228.37
3400-TABCP*	4 3/4" Integral	E2805	N/A	MVP	•	•	-	•	-	\$286.79

*Inlet tee connection assembly, 1/4" NPT supply inlets.

3500 Series

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
3500-4E2805ABCP	4" Integral	E2805	N/A	MVP	•	•	•	•	•	\$231.00
3501-4E2805ABCP*	4" Integral	E2805	N/A	MVP	•	•	•	•	•	\$241.00
3502-4E2805ABCP**	4" Integral	E2805	N/A	MVP	•	•	•	•	•	\$273.00

*Internal temperature adjustment. **External temperature adjustment.

Spout, Outlet, Handle and Cartridge Descriptions

HA8A 5 1/4" rigid/swing high arch spout
GN8A 8" rigid/swing gooseneck spout
L8 8" rigid/swing gooseneck spout
L9 9 1/2" swing cast brass spout

E3 2.2 GPM (8.3 L/min) aerator
E12 2.2 GPM (8.3 L/min) aerator
E35 1.5 GPM (5.7 L/min) aerator
E37 1.5 GPM (5.7 L/min) aerator
E39VP 0.35 GPM (1.3 L/min) non-aerating vandal proof outlet
E2805 0.5 GPM (1.9 L/min) vandal proof non-aerating spray

317 4" wristblade handle
369 2 3/8" lever handle
1000 1 1/2" push-tilt handle
2200 2 13/16" push-tilt handle

XT Quatern™ compression operating cartridge
XK Ceramic operating cartridge
2300-X Ceramic mixing cartridge
MVP MVP metering adjustable cycle time cartridge



200-AABCP
L9 spout, 369 handles



200-AGN8AE3317ABCP
GN8A spout, 317 handles



200-AHA8-1000ABCP
HA8 spout, 369 handles



200-AL8-317ABCP
L8 spout, 317 handles

200 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser, all with side spray

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
200-A1000ABCP	L9	E3	1000	XT	•	•	-	-	-	\$346.34
200-A317ABCP	L9	E3	317	XT	•	•	-	-	-	\$444.92
200-AABCP	L9	E3	369	XT	•	•	-	-	-	\$369.85
200-AE35-1000ABCP	L9	E35	1000	XT	•	•	-	•	-	\$346.34
200-AE35-317ABCP	L9	E35	317	XT	•	•	-	•	-	\$444.92
200-AE35ABCP	L9	E35	369	XT	•	•	-	•	-	\$369.85
200-AGN8AE3-317ABCP	GN8A	E3	317	XT	•	•	•	-	-	\$403.92
200-AGN8AE3-317XKABCP	GN8A	E3	317	XK	•	•	-	-	-	\$403.92
200-AGN8AE35-317ABCP	GN8A	E35	317	XT	•	•	-	•	-	\$403.92
200-AGN8AE35-317XKABCP	GN8A	E35	317	XK	•	•	-	•	-	\$403.92
200-AL8-317ABCP	L8	E3	317	XT	•	•	-	-	-	\$464.51
200-AL8ABCP	L8	E3	369	XT	•	•	-	-	-	\$444.92
200-AL8E35-317ABCP	L8	E35	317	XT	•	•	-	•	-	\$464.51
200-AL8E35ABCP	L8	E35	369	XT	•	•	-	•	-	\$444.92



201-A1000ABCP
L9 spout, 1000 handles



201-AABCP
L9 spout, 369 handles



201-AGN8AE3-317ABCP
GN8A spout, 317 handles



201-AGN8AE35-319ABCP
GN8A spout, 319 handles

201 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
201-A1000ABCP	L9	E3	1000	XT	•	•	-	-	-	\$298.70
201-A317ABCP	L9	E3	317	XT	•	•	-	-	-	\$296.75
201-AABCP	L9	E3	369	XT	•	•	-	-	-	\$286.89
201-AE35-1000ABCP	L9	E35	1000	XT	•	•	-	•	-	\$298.70
201-AE35-317ABCP	L9	E35	317	XT	•	•	-	•	-	\$296.75
201-AE35ABCP	L9	E35	369	XT	•	•	-	•	-	\$286.89
201-AGN8AE2805-5-317ABCP	GN8A	E2805-5	317	XT	•	•	-	•	-	\$391.53
201-AGN8AE2805-5ABCP	GN8A	E2805-5	369	XT	•	•	-	•	-	\$329.78
201-AGN8AE29-317ABCP	GN8A	E29	317	XT	•	•	-	-	-	\$379.42
201-AGN8AE3-317ABCP	GN8A	E3	317	XT	•	•	•	-	-	\$316.64
201-AGN8AE3-317VPAABCP	GN8A	E3VP	317	XT	•	•	-	-	•	\$373.34
201-AGN8AE3-317XKABCP	GN8A	E3	317	XK	•	•	-	-	-	\$316.64
201-AGN8AE3-319ABCP	GN8A	E3	319	XT	•	•	-	-	-	\$391.53
201-AGN8AE35-317ABCP	GN8A	E35	317	XT	•	•	-	•	-	\$316.64
201-AGN8AE35-317XKABCP	GN8A	E35	317	XK	•	•	-	•	-	\$316.64
201-AGN8AE35-319ABCP	GN8A	E35	319	XT	•	•	-	•	-	\$391.53
201-AGN8AE35ABCP	GN8A	E35	369	XT	•	•	-	•	-	\$344.69
201-AGN8AE35VP317ABCP	GN8A	E35VP	317	XT	•	•	-	•	•	\$373.34

Spout, Outlet, Handle and Cartridge Descriptions

GN2ARS 5 1/4" restricted swing gooseneck spout
GN8A 8" rigid/swing gooseneck spout
GN8AFC 8" flow control rigid/swing gooseneck spout
GN8ARS 8" restricted swing gooseneck spout
HA8A 5 1/4" rigid/swing high arch spout
HA8ARS 5 1/4" restricted swing high arch spout
L9 9 1/2" swing cast brass spout
L9ARS 9 1/2" restricted swing swing cast brass spout

XT Quatern™ compression operating cartridge
XK Ceramic operating cartridge

E3 2.2 GPM (8.3 L/min) aerator
E3VP 2.2 GPM (8.3 L/min) vandal proof aerator
E29 2.2 GPM (8.3 L/min) non-aerating laminar outlet
E35 1.5 GPM (5.7 L/min) aerator
E35VP 1.5 GPM (5.7 L/min) vandal proof aerator
E36 1.5 GPM (5.7 L/min) non-aerating laminar outlet
E2805-5 0.5 GPM (1.9 L/min) vandal proof non-aerating spray

317 4" wristblade handle
319 6" wristblade handle
369 2 3/8" lever handle
369VP 2 3/8" vandal proof lever handle
1000 1 1/2" push-tilt handle
1000VP Vandal proof 1 1/2" push-tilt handle



201-AGN8AE3ABCP
GN8A spout, 369 handles



201-AHA8ABCP
HA8A spout, 369 handles



201-RSGN2AE35VPABCP
GN2ARS spout, 369 handles



201-RSL9E35VPABCP
L9ARS spout, 369 handles

201 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
201-AGN8AE35VPABCP	GN8A	E35VP	369	XT	•	•	-	•	•	\$354.41
201-AGN8AE36-317ABCP	GN8A	E36	317	XT	•	•	-	•	-	\$379.42
201-AGN8AE3ABCP	GN8A	E3	369	XT	•	•	-	-	-	\$344.69
201-AGN8AE3VPAABCP	GN8A	E3VP	369	XT	•	•	-	-	•	\$354.41
201-AGN8AFC317ABCP	GN8AFC	N/A	317	XT	•	•	-	•	-	\$381.57
201-AHA8ABCP	HA8A	E3	369	XT	•	•	-	-	-	\$335.33
201-AHA8AE35ABCP	HA8A	E35	369	XT	•	•	-	•	-	\$334.30
201-AL9E35VP1000ABCP	L9	E35VP	1000	XT	-	•	-	•	•	\$353.60
201-AVPA1000ABCP	L9	E3VP	1000	XT	-	•	-	-	•	\$353.60
201-RSGN2AE35VPABCP	GN2ARS	E35VP	369VP	XT	•	•	-	•	•	\$393.66
201-RSGN2AE35VPXKABCP	GN2ARS	E35VP	369VP	XK	•	•	-	•	•	\$393.66
201-RSGN8AE35VPABCP	GN8ARS	E35VP	369VP	XT	•	•	-	•	•	\$423.12
201-RSGN8AE35VPXKABCP	GN8ARS	E35VP	369VP	XK	•	•	-	•	•	\$423.12
201-RSHA8AE35VPABCP	HA8ARS	E35VP	369VP	XT	•	•	-	•	•	\$407.69
201-RSHA8AE35VPXKABCP	HA8ARS	E35VP	369VP	XK	•	•	-	•	•	\$411.89
201-RSL9E35VPABCP	L9ARS	E35VP	369VP	XT	•	•	-	•	•	\$344.27
201-RSL9E35VPXKABCP	L9ARS	E35VP	369VP	XK	•	•	-	•	•	\$344.27



404-1000ABCP
5" spout, 1000 handles



404-633ABCP
5" spout, 633 handles



404-636ABCP
5" spout, 636 handles



404-ABCP
5" spout, 390 handles

404 Series –1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
404-1000ABCP	5" Integral	E12	1000	XT	•	•	-	-	-	\$345.85
404-317ABCP	5" Integral	E12	317	XT	•	•	•	-	-	\$357.33
404-633ABCP	5" Integral	E12	633	XT	-	•	-	-	-	\$274.94
404-636ABCP	5" Integral	E12	636	XT	•	•	-	-	-	\$354.33
404-665ABCP	5" Integral	E12	665	MVP	•	•	•	-	-	\$385.18
404-950ABCP	5" Integral	E12	950	XT	-	•	-	-	-	\$356.03
404-ABCP	5" Integral	E12	390	XT	•	•	•	-	-	\$337.78
404-LESSHDLABCP	5" Integral	E12	N/A	XT	-	•	-	-	-	\$331.45
404-V1000ABCP	5" Integral	E12VP	1000VP	XT	•	•	-	-	•	\$345.85
404-V317ABCP	5" Integral	E12VP	317VP	XT	•	•	•	-	•	\$357.85

Spout, Outlet, Handle and Cartridge Descriptions

E12	2.2 GPM (8.3 L/min) aerator
E12VP	2.2 GPM (8.3 L/min) vandal proof aerator
E34	1.5 GPM (5.7 L/min) aerator
E39VP	0.35 GPM (1.3 L/min) vandal proof non-aerating outlet
E2805	0.5 GPM (1.9 L/min) vandal proof non-aerating spray
MVP	MVP metering adjustable cycle time cartridge
XT	Quaturn™ compression operating cartridge
XK	Ceramic operating cartridge
430-X	Ceramic operating cartridge

317	4" wristblade handle
317VP	4" vandal proof wristblade handle
390	2 3/8" lever handle
390VP	Vandal proof 2 3/8" lever handle
633	3" cross handle
636	2 1/2" single-wing canopy handle
665	1 3/4" push handle
950	2 1/2" 3-wing canopy handle
950VP	2 1/2" vandal proof 3-wing canopy handle
1000	1 1/2" push-tilt handle
1000VP	1 1/2" vandal proof push-tilt handle



404-V317ABCP
5" spout, 317 handles



404-V665ABCP
5" spout, 665 handles



431-ABCP
Integral spout



432-ABCP
9 1/2" integral spout, side spray

404 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
404-V665ABCP	5" Integral	E12VP	665	MVP	•	•	•	-	•	\$395.12
404-V950ABCP	5" Integral	E12VP	950VP	XT	-	•	-	-	•	\$356.03
404-VABCP	5" Integral	E12VP	390	XT	•	•	•	-	•	\$351.80
404-VE2805-665ABCP	5" Integral	E2805	665	MVP	•	•	•	•	•	\$412.45
404-VE2805ABCP	5" Integral	E2805	390	XT	•	•	-	•	•	\$430.58
404-VE39VPABCP	5" Integral	E39VP	390	XT	•	•	-	•	•	\$430.58
404-POABCP*	5" Integral	E12	390	XT	•	•	-	-	-	\$355.49
404-V950POABCP*	5" Integral	E12VP	950VP	XT	-	•	-	-	•	\$396.39

*With pop-up.

431/432 Series

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
431-ABCP	9 1/2" Integral	E34	N/A	430-X	•	-	•	•	-	\$135.00
432-ABCP	9 1/2" Integral	E34	N/A	430-X	•	-	•	•	-	\$144.00



786-GN1AE3-665ABCP
GN1A spout, 665 handles



786-GN1FCABCP
GN1FC spout, 317 handles



786-ABCP
GN2B spout, 317 handles



786-E3-319ABCP
GN2A spout, 319 handles

786 Series –1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
786-L9E29ABCP	L9	E29	317	XT	•	•	-	-	-	\$377.27
786-L9E36ABCP	L9	E36	317	XT	•	•	-	•	-	\$377.27
786-GN1AE3-665ABCP	GN1A	E3	665	MVP	•	•	-	-	-	\$449.78
786-GN1AE35ABCP	GN1A	E35	317	XT	•	•	-	•	-	\$334.71
786-GN1AE35XKABCP	GN1A	E35	317	XK	•	•	-	•	-	\$334.71
786-GN1AE3ABCP	GN1A	E3	317	XT	•	•	•	-	-	\$334.71
786-GN1AE3XKABCP	GN1A	E3	317	XK	•	•	-	-	-	\$334.71
786-GN1FCABCP	GN1FC	N/A	317	XT	•	•	-	•	-	\$351.94
794-317ABCP	GN1A	E3	317	XT	•	•	-	-	-	\$442.09
786-ABCP	GN2B	E4	317	XT	•	•	•	-	-	\$335.99
786-E29ABCP	GN2A	E29	317	XT	•	•	•	-	-	\$327.04
786-E29VPABCP	GN2A	E29VP	317	XT	•	•	-	-	•	\$346.67
786-E29XKABCP	GN2A	E29	317	XK	•	•	-	-	-	\$356.96
786-E3-319ABCP	GN2A	E3	319	XT	•	•	-	-	-	\$397.19
786-E3-369ABCP	GN2A	E3	369	XT	•	•	-	-	-	\$348.49
786-E3-665ABCP	GN2A	E3	665	MVP	•	•	-	-	-	\$368.59
786-E35-319ABCP	GN2A	E35	319	XT	•	•	-	•	-	\$397.19
786-E35-369ABCP	GN2A	E35	369	XT	•	•	-	•	-	\$348.49
786-E35-665ABCP	GN2A	E35	665	MVP	•	•	-	•	-	\$368.59

Spout, Outlet, Handle and Cartridge Descriptions

GN1A	3 1/2" rigid/swing gooseneck spout
GN1FC	3 1/2" flow control rigid/swing gooseneck spout
GN2A	5 1/4" rigid/swing gooseneck spout
GN2AFC	5 1/4" flow control rigid/swing gooseneck spout
GN2ARS	5 1/4" restricted swing gooseneck spout
GN2B	5 1/4" rigid/swing gooseneck spout
GN2FC	5 1/4" flow control rigid/swing gooseneck spout
GN8A	8" rigid/swing gooseneck spout
GN8ARS	8" restricted swing gooseneck spout
GN8FC	8" flow control rigid/swing gooseneck spout
HA8ARS	5 1/4" restricted swing high arch spout
L9	9 1/2" swing cast brass spout
L9ARS	9 1/2" restricted swing swing cast brass spout
XT	Quaturn™ compression operating cartridge
XK	Ceramic operating cartridge
MVP	MVP metering adjustable cycle time cartridge

E3	2.2 GPM (8.3 L/min) aerator
E3VP	2.2 GPM (8.3 L/min) vandal proof aerator
E4	2.0 GPM (7.6 L/min) rose spray
E29	2.2 GPM (8.3 L/min) non-aerating laminar outlet
E29VP	2.2 GPM (8.3 L/min) vandal proof non-aerating laminar outlet
E35	1.5 GPM (5.7 L/min) aerator
E35VP	1.5 GPM (5.7 L/min) vandal proof aerator
E36	1.5 GPM (5.7 L/min) non-aerating laminar outlet
E36VP	1.5 GPM (5.7 L/min) vandal proof non-aerating laminar outlet
E2805-5	0.5 GPM (1.9 L/min) vandal proof non-aerating spray
317	4" wristblade handle
317VP	4" vandal proof wristblade handle
319	6" wristblade handle
369	2 3/8" lever handle
665	1 3/4" push handle



786-GN2AFCABCP
GN2AFC spout, 317 handles



786-GN8AE3-369ABCP
GN8A spout, 369 handles



786-RSHA8AE3VP317CP
HA8ARS spout, 317 handles



786-TWABCP
GN8FC spout, 317 handles, third water inlet connection

786 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge						List Price
786-E35ABCP	GN2A	E35	317	XT	•	•	-	•	-	\$316.34
786-E35VPCABCP	GN2A	E35VP	317VP	XT	•	•	-	•	•	\$322.71
786-E35XKABCP	GN2A	E35	317	XK	•	•	-	•	-	\$317.49
786-E36ABCP	GN2A	E36	317	XT	•	•	-	•	-	\$327.04
786-E36VPABCP	GN2A	E36VP	317	XT	•	•	-	•	•	\$346.67
786-E36XKABCP	GN2A	E36	317	XK	•	•	-	•	-	\$356.96
786-E3ABCP	GN2A	E3	317	XT	•	•	•	-	-	\$316.34
786-E3VPCABCP	GN2A	E3VP	317VP	XT	•	•	-	-	•	\$322.71
786-E3XKABCP	GN2A	E3	317	XK	•	•	-	-	-	\$317.49
786-E2805-5ABCP	GN2A	E2805-5	317	XT	•	•	-	-	-	\$334.50
786-GN2AFCABCP	GN2AFC	N/A	317	XT	•	•	-	•	-	\$379.49
786-GN2FCABCP	GN2FC	N/A	317	XT	•	•	•	•	-	\$318.56
786-GN2FCXKABCP	GN2FC	N/A	317	XK	•	•	•	•	-	\$317.79
786-GN8AE29ABCP	GN8A	E29	317	XT	•	•	•	-	-	\$404.30
786-GN8AE3-319ABCP	GN8A	E3	319	XT	•	•	-	-	-	\$416.89
786-GN8AE3-369ABCP	GN8A	E3	369	XT	•	•	-	-	-	\$368.17
786-GN8AE35-319ABCP	GN8A	E35	319	XT	•	•	-	•	-	\$416.89
786-GN8AE35-369ABCP	GN8A	E35	369	XT	•	•	-	•	-	\$368.17
786-GN8AE35ABCP	GN8A	E35	317	XT	•	•	-	•	-	\$337.28
786-GN8AE36ABCP	GN8A	E36	317	XT	•	•	-	•	-	\$404.30
786-GN8AE3ABCP	GN8A	E3	317	XT	•	•	•	-	-	\$337.28
786-GN8FCABCP	GN8FC	N/A	317	XT	•	•	-	•	-	\$406.55
786-RSGN2AE35VP317ABCP	GN2ARS	E35VP	317VP	XT	•	•	-	•	•	\$389.10
786-RSGN2AE35VP317XKABCP	GN2ARS	E35VP	317VP	XK	•	•	-	•	•	\$389.10
786-RSGN8AE35VP317ABCP	GN8ARS	E35VP	317VP	XT	•	•	-	•	•	\$414.24
786-RSGN8AE35VP317XKABCP	GN8ARS	E35VP	317VP	XK	•	•	-	•	•	\$414.24
786-RSHA8AE35VP317ABCP	HA8ARS	E35VP	317VP	XT	•	•	-	•	•	\$421.86
786-RSHA8AE35VP317XKABCP	HA8ARS	E35VP	317VP	XK	•	•	-	•	•	\$421.86
786-RSL9E35VP317ABCP	L9ARS	E35VP	317VP	XT	•	•	-	•	•	\$434.31
786-RSL9E35VP317XKABCP	L9ARS	E35VP	317VP	XK	•	•	-	•	•	\$434.31
786-TWABCP*	GN2B	E4	317	XT	•	•	-	-	-	\$375.11
786-TWGN2AE35ABCP*	GN2A	E35	317	XT	•	•	-	•	-	\$362.94
786-TWGN2AE3ABCP*	GN2A	E3	317	XT	•	•	-	-	-	\$362.94

*3/8" NPT female third water inlet



527-ABCP
DB6A spout, 369 handles



1100-ABCP
L8 spout, 1000 handles



1100-GN2AE3-317ABCP
GN2A spout, 317 handles



1100-GN8AE3-317ABCP
GN8A spout, 317 handles

527/1100 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
527-ABCP	DB6A	E1	369	XT	•	•	-	-	-	\$255.25
1100-317ABCP	L8	E3	317	XT	•	•	-	-	-	\$310.69
1100-317VPAABCP	L8	E3VP	317	XT	•	•	-	-	•	\$367.48
1100-369ABCP	L8	E3	369	XT	•	•	-	-	-	\$337.48
1100-ABCP	L8	E3	1000	XT	•	•	•	-	-	\$298.91
1100-E2805-5-369ABCP	L8	E2805-5	369	XT	•	•	-	•	-	\$366.69
1100-E35-317ABCP	L8	E35	317	XT	•	•	-	•	-	\$310.69
1100-E35-369ABCP	L8	E35	369	XT	•	•	-	•	-	\$337.48
1100-E35ABCP	L8	E35	1000	XT	•	•	-	•	-	\$298.91
1100-E35LESSHDLABCP	L8	E35	N/A	XT	-	•	-	•	-	\$327.13
1100-E35VP317ABCP	L8	E35VP	317	XT	•	•	-	•	•	\$367.48
1100-E35XKABCP	L8	E35	1000	XK	•	•	-	•	-	\$298.91
1100-GN2AE3-317ABCP	GN2A	E3	317	XT	•	•	-	-	-	\$308.00
1100-GN2AE35-317ABCP	GN2A	E35	317	XT	•	•	-	•	-	\$308.00

Spout, Outlet, Handle and Cartridge Descriptions

DB6A	6 1/4" rigid/swing double bend spout	E1	Full flow Quixtop outlet
GN2A	5 1/4" rigid/swing gooseneck spout	E3	2.2 GPM (8.3 L/min) aerator
GN8A	8" rigid/swing gooseneck spout	E3VP	2.2 GPM (8.3 L/min) vandal proof aerator
HA8A	5 1/4" rigid/swing high arch spout	E35	1.5 GPM (5.7 L/min) aerator
L8	8" swing cast brass spout	E35VP	1.5 GPM (5.7 L/min) vandal proof aerator
L9	9 1/2" swing cast brass spout	E2805-5	0.5 GPM (1.9 L/min) vandal proof non-aerating spray
XT	Quatum™ compression operating cartridge	317	4" wristblade handle
XK	Ceramic operating cartridge	369	2 3/8" lever handle
		1000	1 1/2" push-tilt handle



1100-HA8-317ABCP
HA8A spout, 317 handles



1100-L9ABCP
L9 spout, 369 handles



1100-LESSSPTABCP
1000 handles



1102-ABCP
L8 spout, 1000 handles

1100/1102 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
1100-GN8AE3-317ABCP	GN8A	E3	317	XT	•	•	-	-	-	\$303.96
1100-GN8AE35-317ABCP	GN8A	E35	317	XT	•	•	-	•	-	\$303.96
1100-HA8-317ABCP	HA8A	E3	317	XT	•	•	-	-	-	\$344.50
1100-HA8ABCP	HA8A	E3	1000	XT	•	•	-	-	-	\$335.65
1100-HA8AE35-317ABCP	HA8A	E35	317	XT	•	•	-	•	-	\$344.50
1100-HA8AE35ABCP	HA8A	E35	1000	XT	•	•	-	•	-	\$335.65
1100-L9ABCP	L9	E3	1000	XT	•	•	-	-	-	\$327.13
1100-L9E35ABCP	L9	E35	1000	XT	•	•	-	•	-	\$327.13
1100-LESSHDLABCP	L8	E3	N/A	XT	-	•	-	-	-	\$327.13
1100-LESSSPTABCP	N/A	N/A	1000	XT	•	•	-	-	-	\$213.92
1100-XKABCP	L8	E3	1000	XK	•	•	-	-	-	\$298.91
1102-ABCP*	L8	E3	1000	XT	•	•	-	-	-	\$363.21
1102-E35ABCP*	L8	E35	1000	XT	•	•	-	•	-	\$363.21

*With side spray.



1888-ABCP
1888 spout, 1000 handles



2300-8ABCP
10" spout, 2300-225K handle



3500-8E2805ABCP
Single supply for tempered water



3502-8E2805ABCP
External temperature adjustment

1888 Series – For stainless steel mounting. 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
1888-ABCP	1888-001K	E3	1000	XT	•	•	-	-	-	\$219.81
1888-E35ABCP	1888-001K	E35	1000	XT	•	•	-	-	-	\$219.81

2300 Series – 3/8" O.D. copper tubes.

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
2300-8ABCP	10" Integral	E12	2300-225K	2300-X	•	•	-	-	-	\$516.90
2300-8E34ABCP	10" Integral	E34	2300-225K	2300-X	•	•	-	•	-	\$516.90
2301-8ABCP	10" Integral	E12	2300-225K	2300-X	-	•	-	-	-	\$566.10
2301-8E34ABCP	10" Integral	E34	2300-225K	2300-X	-	•	-	•	-	\$566.10

3500 Series

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
3500-8E2805ABCP	4" Integral	E2805	N/A	MVP	•	•	•	•	•	\$259.00
3501-8E2805ABCP*	4" Integral	E2805	N/A	MVP	•	•	•	•	•	\$269.00
3502-8E2805ABCP**	4" Integral	E2805	N/A	MVP	•	•	•	•	•	\$301.00

*Internal temperature adjustment. **External temperature adjustment.

Spout, Outlet, Handle and Cartridge Descriptions

1888-001K 9 1/2" swing tube spout with integral flange

E3 2.2 GPM (8.3 L/min) aerator
E12 2.2 GPM (8.3 L/min) aerator
E12VP 2.2 GPM (8.3 L/min) vandal proof aerator
E34 1.5 GPM (5.7 L/min) aerator
E35 1.5 GPM (5.7 L/min) aerator
E2805 0.5 GPM (1.9 L/min) vandal proof non-aerating spray

390 2 3/8" lever handle
665 1 3/4" push handle
1000 1 1/2" push-tilt handle
2300-225K 4 5/8" lever handle

2300-X Ceramic operating cartridge
MVP MVP metering adjustable cycle time cartridge
XT Quatern™ compression operating cartridge



404-HZCW665ABCP
5" spout, 665 handle



404-HZCWABCP
5" spout, 390 handle

404 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
404-HZCW665ABCP	5" Integral	E12	665	MVP	•	•	-	-	-	\$261.26
404-HZCWABCP	5" Integral	E12	390	XT	•	•	-	-	-	\$226.16



404-HZ317ABCP
5" spout, 317 handles



404-HZABCP
5" spout, 390 handles



786-HZGN2BE4-317ABCP
GN2B spout, 317 handles



786-HZGN2FC-317ABCP
GN2FC spout, 317 handles

404 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
404-HZ317ABCP	5" Integral	E12	317	XT	•	•	-	-	-	\$353.78
404-HZABCP	5" Integral	E12	390	XT	•	•	-	-	-	\$373.48

786 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
786-HZGN2AE3-317ABCP	GN2A	E3	317	XT	•	•	-	-	-	\$320.13
786-HZGN2BE4-317ABCP	GN2B	E4	317	XT	•	•	-	-	-	\$333.35
786-HZGN2FC-317ABCP	GN2FC	N/A	317	XT	•	•	-	•	-	\$364.02

Spout, Outlet, Handle and Cartridge Descriptions

GN2A	5 1/4" rigid/swing gooseneck spout	317	4" wristblade handle
GN2B	5 1/4" rigid/swing gooseneck spout	369	2 3/8" lever handle
GN2FC	5 1/4" flow control rigid/swing gooseneck spout	390	2 3/8" lever handle
S6	6" swing cast brass spout		
E3	2.2 GPM (8.3 L/min) aerator	XT	Quatern™ compression operating cartridge
E4	2.0 GPM (7.6 L/min) Rose spray		
E12	2.2 GPM (8.3 L/min) aerator		



332-ABCP
S6 spout, 369 handle



332-LESSSPTABCP
369 handle

332 Series – 1/2" NPT female thread inlet with integral wall flange

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
332-ABCP	S6	E3	369	XT	•	•	-	-	-	\$197.43
332-LESSSPTABCP	N/A	N/A	369	XT	•	•	-	-	-	\$150.85



65-ABCP
With 369 handles



225-ABCP
3 3/8" spout, 369 handles



521-ABCP
DB6A spout, 369 handles

65 Series – Straight inlet arm with 1/2" NPT female thread inlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
65-261ABCP	Integral	E1	369	XT	•	•	-	-	-	\$272.75
65-261ABRCF*	Integral	E1	369	XT	•	•	-	-	-	\$227.65
65-ABCP**	Integral	E1	369	XT	•	•	-	-	-	\$219.34

*Rough chrome finish. **3/4" male thread inlets.

225 Series – Straight inlet arm with 1/2" NPT female thread inlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
225-261ABCP	3 3/8" Integral	E4	369	XT	•	•	-	-	-	\$351.21
225-ABCP*	3 3/8" Integral	E4	369	XT	•	•	-	-	-	\$309.54

*3/4" male thread inlets.

521 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
521-ABCP	DB6A	E1	369	XT	•	•	-	-	-	\$323.33

Spout, Outlet, Handle and Cartridge Descriptions

897-S	5 3/4" rigid vacuum breaker spout with pail hook	369	2 3/8" lever handle
DB6A	6 1/4" rigid/swing double-bend spout		
L12	12" swing L type spout	XT	Quatern™ compression operating cartridge
E1	Full flow Quixtop outlet		
E4	2.0 GPM (7.6 L/min) rose spray		
1-159	Full flow spout end ring		



540-LD897SWXFABCP
897-S spout, 369 handles



540-LDL12-1-159-3/4ABCP
L12 spout, 369 handles

540 Series – Straight 2" inlet arm with wall flange with 1/2" NPT female thread inlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
540-LD897SWXFABCP	897-S	N/A	369	XT	•	•	-	-	-	\$401.17
540-LDL12-1-159-3/4ABCP*	L12	1-159	369	XT	•	•	-	-	-	\$475.74
540-LDL12E1WXFABCP	L12	E1	369	XT	•	•	-	-	-	\$264.94

*Straight 3/4" inlet supply arm with 3/4" NPT female thread inlet.



445-ABCP
S6 spout, 369 handles



445-DJ13ABCP
DJ13 spout, 369 handles



445-L12ABCP
L12 spout, 369 handles



445-L8ABCP
L8 spout, 369 handles

445 Series – 2 1/2" offset inlet supply arm with 1/2" NPT female thread inlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
445-ABCP	S6	E3	369	XT	•	•	-	-	-	\$293.22
445-DJ13ABCP	DJ13	E3	369	XT	•	•	-	-	-	\$376.78
445-DJ13E35ABCP	DJ13	E35	369	XT	•	•	-	•	-	\$376.78
445-DJ18ABCP	DJ18	E3	369	XT	•	•	-	-	-	\$385.15
445-DJ18E35ABCP	DJ18	E35	369	XT	•	•	-	•	-	\$385.15
445-E1ABCP	S6	E1	369	XT	•	•	-	-	-	\$309.39
445-E35ABCP	S6	E35	369	XT	•	•	-	•	-	\$293.22
445-L12ABCP	L12	E3	369	XT	•	•	•	-	-	\$316.18
445-L12E1ABCP	L12	E1	369	XT	•	•	-	-	-	\$365.05
445-L12E35ABCP	L12	E35	369	XT	•	•	-	•	-	\$316.18
445-L15ABCP	L15	E3	369	XT	•	•	-	-	-	\$392.98
445-L15E35ABCP	L15	E35	369	XT	•	•	-	•	-	\$392.98
445-L8ABCP	L8	E3	369	XT	•	•	•	-	-	\$333.22
445-L8E35ABCP	L8	E35	369	XT	•	•	-	•	-	\$333.22
445-L9ABCP	L9	E3	369	XT	•	•	-	-	-	\$316.18
445-L9E1ABCP	L9	E1	369	XT	•	•	-	-	-	\$365.05
445-L9E35ABCP	L9	E35	369	XT	•	•	-	•	-	\$316.18
445-LESSSPTABCP	N/A	N/A	369	XT	•	•	-	-	-	\$233.01

Spout, Outlet, Handle and Cartridge Descriptions

GN1A 3 1/2" rigid/swing gooseneck spout
DJ13 13" double-jointed swing spout
DJ18 18" double-jointed swing spout
L8 8" swing cast brass spout
L9 9 1/2" swing cast brass spout
L12 12" swing L type spout
L15 15" swing L type spout
S6 6" swing cast brass spout

E1 Full flow Quixtop outlet
E3 2.2 GPM (8.3 L/min) aerator
E35 1.5 GPM (5.7 L/min) aerator
369 2 3/8" lever handle
XT Quatern™ compression operating cartridge



540-LDABCP
S6 spout, 369 handles



540-LDL8ABCP
L8 spout, 369 handles



540-LDL9ABCP
L9 spout, 369 handles



631-ABCP
GN1A spout, 317 handles

540/631 Series – 3/8" offset inlet supply arm with 1/2" NPT female thread inlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
540-LDABCP	S6	E3	369	XT	•	•	-	-	-	\$287.29
540-LDE35ABCP	S6	E35	369	XT	•	•	-	•	-	\$287.29
540-LDL12ABCP	L12	E3	369	XT	•	•	-	-	-	\$287.29
540-LDL12E35ABCP	L12	E35	369	XT	•	•	-	•	-	\$287.29
540-LDL8ABCP	L8	E3	369	XT	•	•	-	-	-	\$304.16
540-LDL8E35ABCP	L8	E35	369	XT	•	•	-	•	-	\$304.16
540-LDL9ABCP	L9	E3	369	XT	•	•	-	-	-	\$287.29
540-LDL9E35ABCP	L9	E35	369	XT	•	•	-	•	-	\$287.29
540-LDESSSPTABCP	N/A	N/A	369	XT	•	•	-	-	-	\$222.34
631-ABCP	GN1A	E3	317	XT	•	•	-	-	-	\$304.58
631-E35ABCP	S6	E35	317	XT	•	•	-	•	-	\$304.58
631-LESSSPTABCP	N/A	N/A	317	XT	•	•	-	-	-	\$282.50


626-ABCP

626-E3ABCP

626-FCABCP

626-E29VPABCP
626 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Spout	Outlet					Vandal Proof	List Price
626-ABCP	GN2	N/A	-	•	-	-	-	\$102.23
626-E29ABCP	GN2A	E29	-	•	-	-	-	\$140.80
626-E29VPABCP	GN2A	E29VP	-	•	-	-	•	\$154.80
626-E35ABCP	GN2A	E35	-	•	-	•	-	\$105.26
626-E36ABCP	GN2A	E36	-	•	-	•	-	\$140.80
626-E36VPABCP	GN2A	E36VP	-	•	-	•	•	\$154.80
626-E3ABCP	GN2A	E3	-	•	•	-	-	\$105.26
626-FCABCP	GN2FC	N/A	-	•	•	•	-	\$121.00
626-GN2BE4ABCP	GN2B	E4	-	•	-	-	-	\$145.50
626-GN8AE29ABCP	GN8A	E29	-	•	-	-	-	\$160.40
626-GN8AE29VPABCP	GN8A	E29VP	-	•	-	-	•	\$174.39
626-GN8AE35ABCP	GN8A	E35	-	•	-	•	-	\$144.04
626-GN8AE36ABCP	GN8A	E36	-	•	-	•	-	\$160.40
626-GN8AE36VPABCP	GN8A	E36VP	-	•	-	•	•	\$174.39
626-GN8AE3ABCP	GN8A	E3	-	•	-	-	-	\$144.04
626-GN8AFCABCP	GN8AFC	N/A	-	•	-	•	-	\$162.65
626-GN8FCABCP	GN8FC	N/A	-	•	-	•	-	\$162.65

Spout, Outlet and Handle Descriptions

GN1	3 1/2" rigid/swing gooseneck spout	E3	2.2 GPM (8.3 L/min) aerator
GN1A	3 1/2" rigid/swing gooseneck spout	E4	2.0 GPM (7.6 L/min) rose spray
GN1FC	3 1/2" flow control rigid/swing gooseneck spout	E29	2.2 GPM (8.3 L/min) non-aerating laminar outlet
GN2	5 1/4" rigid/swing gooseneck spout	E29VP	2.2 GPM (8.3 L/min) vandal proof non-aerating laminar outlet
GN2A	5 1/4" rigid/swing gooseneck spout	E35	1.5 GPM (5.7 L/min) aerator
GN2FC	5 1/4" flow control rigid/swing gooseneck spout	E36	1.5 GPM (5.7 L/min) non-aerating laminar outlet
GN2B	5 1/4" rigid/swing gooseneck spout	E36VP	1.5 GPM (5.7 L/min) vandal proof non-aerating laminar outlet
GN8A	8" rigid/swing gooseneck spout		
GN8AFC	8" flow control rigid/swing gooseneck spout	293-006	2 1/4" tee tapered square handle

**629-E3ABCP****629-FCABCP****1771-ABCP****629 Series** – 1/2" NPT female thread inlet

Model	Spout	Outlet					Vandal Proof	List Price
629-ABCP	GN1	N/A	-	•	-	-	-	\$114.80
629-E35ABCP	GN1A	E35	-	•	-	•	-	\$120.55
629-E36ABCP	GN1A	E36	-	•	-	•	-	\$157.24
629-E3ABCP	GN1A	E3	-	•	-	-	-	\$120.55
629-FCABCP	GN1FC	N/A	-	•	-	•	-	\$159.44

1771 Series – Straight valve with 1/2" NPT female thread inlet, 1/2" NPT female thread outlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
1771-ABCP	N/A	N/A	293-006	217-XT	-	•	-	-	-	\$116.40




628-ABCP



625-ABCP



625-SLOABCP



745-VOABCP

625/628 Series – Short pedal valves with two 1/2" NPT female thread inlets, 3/8" NPT female thread outlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
625-ABCP	N/A	N/A	N/A	628-X	-	•	•	-	-	\$295.33
625-ABRCF	N/A	N/A	N/A	628-X	-	•	-	-	-	\$254.41
625-SLOABCP	N/A	N/A	N/A	628-XSLO	-	•	-	-	-	\$303.55
628-ABCP	N/A	N/A	N/A	628-X	-	•	-	-	-	\$216.28

745 Series – Knee valve with straight 1/2" NPT female thread inlet service stops, 3/8" NPT female thread outlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
745-VOABCP	N/A	N/A	N/A	745-X	-	•	-	-	-	\$877.24

Cartridge Descriptions



625-XSLO NAIAD metering adjustable cycle time closure cartridge

625-X NAIAD metering fast cycle time closure cartridge

628-X NAIAD metering fast cycle time closure cartridge

628-XSLO NAIAD metering adjustable cycle time closure cartridge

745-X Cam type knee valve fast cycle time closure cartridge

**625-LPCP****806-CP****834-EPCP****834-EPSLOCP**

625-L Series – Long pedal valves with two 1/2" NPT female thread inlets, 3/8" NPT female thread outlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
625-LPABCP	N/A	N/A	N/A	628-X	-	•	-	-	-	\$311.25
625-LPSLOABCP	N/A	N/A	N/A	628-XSLO	-	•	-	-	-	\$317.31

806/834 Series – Extended pedal valves with two 1/2" NPT female thread inlets, 3/8" NPT female thread outlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
806-ABCP	N/A	N/A	N/A	625-X	-	•	-	-	-	\$407.81
834-EPABCP	N/A	N/A	N/A	625-X	-	•	-	-	-	\$623.60
834-EPSLOABCP	N/A	N/A	N/A	625-XSLO	-	•	-	-	-	\$623.60



748-665ABCP
All metal projector head, 665 handle



748-665FHABCP
Flexible mouth guard, 665 handle



748-ABCP
All metal projector head, push button handle

748 Series – 1/2" NPSM supply inlet with coupling nut for 3/8" or 1/2" flexible riser

Model	Projector Head	Handle	Cartridge					Vandal Proof	List Price
748-665ABCP	All metal	665	MVP	•	•	•	-	•	\$292.66
748-665FHABCP	Anti-microbial flexible mouth guard	665	MVP	•	•	•	-	•	\$312.65
748-ABCP	All metal	N/A	333-X	-	•	-	-	•	\$249.30

Handle and Cartridge Descriptions

665 1 3/4" push handle
293-006 2 1/4" tee handle
318 Wheel handle

333-X NAIAD metering adjustable cycle time cartridge
MVP MVP metering adjustable cycle time cartridge
217-XM Slow compression metal to metal operating cartridge
217-XT Slow compression operating cartridge



1005-ABCP
293-006 handle



1016-ABCP
293-006 handle



1017-MMABCP
293-006 handle



1019-ABCP
318 handle

Angle Stops with Risers

Model	Inlet Description	Outlet Description	Handle	Cartridge	BUY AMERICAN ACT CONFIDENT	CF NOW!	List Price
1006-ABCP	1/2" NPT Female Thread Inlet	1/2" O.D. Female Compression Outlet	293-006	217-XT	•	•	\$69.92
1017-ABCP	1/2" NPT Female Thread Inlet	3/8" O.D. Female Compression Outlet	293-006	217-XT	•	•	\$69.92
1017-MMABCP	1/2" NPT Female Thread Inlet	3/8" O.D. Female Compression Outlet	293-006	217-XM	•	-	\$85.77
1019-ABCP	1/2" NPT Female Thread Inlet	3/8" O.D. Female Compression Outlet	318	217-XT	•	-	\$66.15
1005-ABCP	3/8" NPT Female Thread Inlet	1/2" O.D. Female Compression Outlet	293-006	217-XT	•	-	\$69.16
1016-ABCP	3/8" NPT Female Thread Inlet	3/8" O.D. Female Compression Outlet	293-006	217-XT	•	-	\$69.16
1027-ABCP	5/8" O.D. Compression Inlet	1/2" O.D. Female Compression Outlet	293-006	217-XT	•	-	\$87.32

ECAST® Straight Stops



45-ABCP
633 handle



45-LKABCP
293-006 handle



375-LKABCP
293-006 handle



699-ABCP
293-006 handle

Straight Stops

Model	Inlet Description	Outlet Description	Handle	Cartridge	BUY AMERICAN ACT	CF NOW	List Price
45-ABCP	1/2" NPT Female Thread Inlet	1/2" NPT Female Thread Outlet	633	217-XT	•	-	\$82.66
45-LKABCP	1/2" NPT Female Thread Inlet	1/2" NPT Female Thread Outlet	293-006	217-XT	•	-	\$79.29
45-LKABCP	1/2" NPT Female Thread Inlet	1/2" NPT Female Thread Outlet	293-006	376-CX	•	-	\$145.34
699-ABCP	1/2" NPT Female Thread Inlet	1/2" NPT Male Thread Outlet	293-006	217-XT	•	-	\$118.08
375-LKABCP	3/4" NPT Female Thread Inlet	3/4" NPT Female Thread Outlet	293-006	217-XT	•	-	\$124.17

Handle and Cartridge Descriptions

293-006
318
633

2 1/4" tee handle
Wheel handle
3" cross handle

217-XT
376-CX

Slow compression operating cartridge
Slow compression metal to metal
operating cartridge with integral check



442-ABCP
633 handle



698-ABCP
293-006 handle



1015-ABCP
318 handle



1025-ABCP
293-006 handle

Angle Stops

Model	Inlet Description	Outlet Description	Handle	Cartridge	BUY AMERICAN ACT NOW!	CF NOW!	List Price
442-ABCP	1/2" NPT Female Thread Inlet	1/2" NPT Female Thread Outlet	633	217-XT	•	-	\$69.16
442-LKABCP	1/2" NPT Female Thread Inlet	1/2" NPT Female Thread Outlet	293-006	217-XT	•	-	\$65.79
698-ABCP	1/2" NPT Female Thread Inlet	1/2" NPT Male Thread Outlet	293-006	217-XT	•	-	\$118.08
993-ABCP	1/2" NPT Female Thread Inlet	1/2" O.D. Female Compression Outlet	318	217-XT	•	-	\$80.34
995-ABCP	1/2" NPT Female Thread Inlet	1/2" O.D. Female Compression Outlet	293-006	217-XT	•	-	\$62.43
1012-ABCP	3/8" NPT Female Thread Inlet	3/8" O.D. Female Compression Outlet	293-006	217-XT	•	-	\$69.16
1013-ABCP	1/2" NPT Female Thread Inlet	3/8" O.D. Female Compression Outlet	293-006	217-XT	•	•	\$69.92
1014-ABCP	3/8" NPT Female Inlet	3/8" O.D. Female Compression Outlet	318	217-XT	•	-	\$76.03
1015-ABCP	1/2" NPT Female Thread Inlet	3/8" O.D. Female Compression Outlet	318	217-XT	•	-	\$66.15
1023-ABCP	5/8" O.D. Compression Inlet	1/2" O.D. Female Compression Outlet	293-006	217-XT	•	-	\$69.16
1025-ABCP	5/8" O.D. Compression Inlet	3/8" O.D. Female Compression Outlet	293-006	217-XT	•	-	\$69.16

ECAST® Glass & Kettle Fillers/Adapta Faucets



324-665PSHABCP
665 handle



324-ABCP
Push button handle



332-E35ABCP
S6 spout, 369 handle



919-STFABCP
99TF spray



515-ABCP
DJ18 spout, 369 handle



613-AABCP
L9 spout, 369 handle



613-ALESSSPTABCP

324/332/334/515 Series – 1/2" flanged female inlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
324-665PSHABCP	Integral	N/A	665	MVP	•	•	-	-	•	\$226.68
334-ABCP	L12	E1	369	XT	•	•	-	-	-	\$198.69
332-E35ABCP	S6	E35	369	XT	•	•	-	•	-	\$197.43
515-ABCP	DJ18	E31	369	XT	•	•	-	-	-	\$370.17

613/919 Series – 3/8" NPT female outlet in tee, 1 1/16" - 18 UNEF female thread inlet

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
613-AABCP	L9	E1	369-PL	XT	•	•	-	-	-	\$191.71
613-ALESSSPTABCP	N/A	N/A	369-PL	XT	•	•	-	-	-	\$145.08
919-STFABCP*	N/A	99TF	N/A	N/A	-	•	-	•	-	\$598.43

* Fits 1-1/16" - 18 UNEF female body outlet

Spout, Spray, Outlet, Handle and Cartridge Descriptions

DJ18	18" double-jointed swing spout	E1	Full flow Quixtop outlet
L9	9 1/2" swing cast brass spout	E31	Full flow outlet control valve with E1 Quixtop screen
L12	12" swing L type spout	E35	1.5 GPM (5.7 L/min) aerator
L15	15" swing L type spout		
S6	6" swing S type spout	665	1 3/4" push handle
		369	2 3/8" lever handle
99TF	0.91/0.99 GPM @ 60 PSI Triple Force™ low-flow pre-rinse	MVP	MVP metering adjustable cycle time cartridge
		XT	Quaturn™ compression operating cartridge



919-TFABCP
369 handle, 99TF spray



923-HCTFABCP
99TF spray, 369 handles



510-GCTFABCP
99TF spray, 369 handles



509-GCTFABCP
90-LABCP spray, 369 handles

919 Series – 3 1/2" inlet tee connection, 1/4" NPT check stop tailpieces, 23" riser, 44" stainless steel hose, insulated handle

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
919-TFABCP	N/A	99TF	369	XT	-	•	-	•	-	\$809.65

923 Series – 1/2" NPT female supply arms

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
923-HCTFABCP*	N/A	99TF	369	XT	-	•	-	•	-	\$818.08
923-TFABCP	N/A	99TF	369	XT	-	•	-	•	-	\$782.40

* With integral checks.

510 Series – 1/2" NPT female supply arms

Model	Spout	Outlet	Handle	Cartridge					Vandal Proof	List Price
509-GCTFABCP	L9	E1	369	XT	-	•	-	-	-	\$939.55
510-GCTFABCP	N/A	99TF	369	XT	-	•	-	•	-	\$812.39


686-124KJKABCP

DJ13JKABCP

GN1AJKABCP

GN2AFCJKABCP

Spouts

Model	Description	List Price
686-124KJKABCP	7" Double-jointed Swing Spout Extension	\$71.81
686-126KJKABCP	11 3/4" Double-jointed Swing Spout	\$80.84
DJ13JKABCP	13" Double-jointed Swing Spout	\$140.96
DJ18JKABCP	18" Double-jointed Swing Spout	\$149.92
GN1AE3JKABCP	3 1/2" Rigid / Swing Gooseneck Spout	\$57.92
GN1AJKABCP	3 1/2" Rigid / Swing Gooseneck Spout	\$51.86
GN1FCJKABCP	3 1/2" Rigid / Swing Gooseneck Spout	\$74.36
GN1JKABCP	3 1/2" Rigid / Swing Gooseneck Spout	\$51.86
GN2AE3JKABCP	5 1/4" Rigid / Swing Gooseneck Spout	\$66.56
GN2AFCJKABCP	5 1/4" Rigid / Swing Gooseneck Spout	\$93.01
GN2AJKABCP	5 1/4" Rigid / Swing Gooseneck Spout	\$62.29
GN2BFCJKABCP	5 1/4" Rigid / Swing Gooseneck Spout	\$83.00
GN2BJKABCP	5 1/4" Rigid / Swing Gooseneck Spout	\$62.29

Outlets

Model	Description	List Price
919-152JKABNF	Pre-Rinse Nozzle	\$39.40
919-158JKABNF	Stabilizer Nozzle	\$39.40
E15JKABCP	Multi-Stream Spray	\$40.27
E1JKABRCF	Quixtop Outlet with Single Screen Design	\$10.91
E4JKABCP	Male Rose Spray	\$49.35

**1-099XKJKABNF****335-XJKABNF****XKRHJKABNF****826-XJKABNF****Cartridges**

Model	Description	List Price
1-099XKBL12JKABNF	Ceramic 1/4-Turn Operating Cartridge (Box Lot 12)	\$317.16
1-099XKJKABNF	Ceramic 1/4-Turn Operating Cartridge	\$27.26
1-099XTBL12JKABNF	Quatern Compression Operating Cartridge (Box Lot 12)	\$268.53
1-099XTJKABNF	Quatern Compression Operating Cartridge	\$23.09
1-100XKBL12JKABNF	Ceramic 1/4-Turn Operating Cartridge (Box Lot 12)	\$317.16
1-100XKJKABNF	Ceramic 1/4-Turn Operating Cartridge	\$27.26
1-100XTBL12JKABNF	Quatern Compression Operating Cartridge (Box Lot 12)	\$268.53
1-100XTDBL12JKABNF	Quatern Compression Operating Cartridge (Display Packaging - Box Lot 12)	\$293.41
217-XTLHBL12JKABNF	Slow Compression Operating Cartridge (Box Lot 12)	\$268.53
217-XTLHJKABNF	Slow Compression Operating Cartridge	\$23.09
217-XTRHBL12JKABNF	Slow Compression Operating Cartridge (Box Lot 12)	\$268.53
217-XTRHJKABNF	Slow Compression Operating Cartridge	\$23.09
333-XPSHJKABNF	NAIAD Metering Cartridge, Fast Cycle Time Closure	\$76.17
333-XSLOCOLDJKABNF	NAIAD Metering Cartridge, Adjustable Cycle Time Closure	\$76.17
333-XSLOPSHJKABNF	NAIAD Metering Cartridge, Adjustable Cycle Time Closure	\$76.17
335-XJKABNF	NAIAD Metering Cartridge, Adjustable Cycle Time Closure	\$80.77
376-CXJKABNF	Slow Compression Cartridge, Integral Check	\$97.99
377-XKLHBL12JKABNF	Ceramic 1/4-Turn Operating Cartridge (Box Lot 12)	\$411.36
377-XKLHJKABNF	Ceramic 1/4-Turn Operating Cartridge	\$35.34
377-XKRHBL12JKABNF	Ceramic 1/4-Turn Operating Cartridge (Box Lot 12)	\$411.36
377-XKRHJKABNF	Ceramic 1/4-Turn Operating Cartridge	\$35.34
377-XTLHBL12JKABNF	Quatern Compression Operating Cartridge (Box Lot 12)	\$316.86
377-XTLHJKABNF	Quatern Compression Operating Cartridge	\$27.20
377-XTRHBL12JKABNF	Quatern Compression Operating Cartridge (Box Lot 12)	\$316.86
377-XTRHJKABNF	Quatern Compression Operating Cartridge	\$27.20
625-XJKABNF	NAIAD Metering Cartridge, Fast Cycle Time Closure	\$76.69
625-XSLOJKABNF	NAIAD Metering Cartridge, Adjustable Cycle Time Closure	\$76.69
628-XJKABNF	NAIAD Metering Cartridge, Fast Cycle Time Closure	\$89.33
628-XSLOJKABNF	NAIAD Metering Cartridge, Adjustable Cycle Time Closure	\$91.00
745-XJKABNF	Cam Type Knee Valve Cartridge, Fast Cycle Time Closure	\$79.59
825-XJKABNF	Klo-Self Metering Cartridge, Cam and Cap Design	\$91.63
826-XJKABNF	Klo-Self Metering Cartridge, Cam and Cap Design	\$81.48


90-ANGABCP

90-HABCP

90-ANGE3ABCP

90-GNABCP

Pre-Rinse Sprays

Model	Description	List Price
90-ANGABCP	Water Conserving Pre-Rinse Spray Valve	\$120.39
90-HABCP	Hose Reel Pre-Rinse Spray Valve	\$80.07
90-LABCP	Water Conserving Pre-Rinse Spray Valve	\$78.69

Glass and Kettle Filler Valves

Model	Description	List Price
90-ANGE3ABCP	Pre-Rinse Glass Filler	\$95.10
90-GNABCP	Kettle Filler Valve	\$145.22

Pre-Rinse Hose

Model	Description	List Price
83-44ABNF	44" Stainless Steel Hose/Handle Assembly	\$92.99

**HJKABCP****RJKABCP****122-ABNF****131-ABNF****Supply Arms**

Model	Description	List Price
GCJKABCP	3/8" Offset Inlet Supply Arm	\$56.37
GJKABCP	3/8" Offset Inlet Supply Arm	\$48.12
HCJKABCP	2 1/2" Offset Supply Arm with Integral Check	\$79.62
HJKABCP	2 1/2" Offset Inlet Supply Arm with Integral Check	\$72.72
RCJKABCP	2 1/2" Offset Supply Arm with Integral Shut-off Stop and Check Valve	\$101.87
RJKABCP	2 1/2" Offset Supply Arm with Integral Shut-off Stop	\$93.96
RJKABRCF	2 1/2" Offset Supply Arm with Integral Shut-off Stop	\$81.75

Mixing Valves

Model	Description	List Price
122-ABNF	ECAST® Thermostatic Mixing Valve	\$274.64
131-ABNF	ECAST® Thermostatic Mixing Valve	\$132.87
131-CABNF	ECAST® Thermostatic Mixing Valve	\$150.38
242.165.AB.1	ECAST® Concealed Mechanical Mixing Valve	\$59.96

Compliance

Code/Standard Compliance

ASME A112.18.1M

All Chicago Faucets plumbing supply fittings are designed and manufactured to meet or exceed the ASME A112.18.1 standard for plumbing fittings. Consult factory for details.

CSA B125.1

All Chicago Faucets plumbing supply fittings are designed and manufactured to meet or exceed the ASME A112.18.1 standard for plumbing fittings. Consult factory for details.

CALIFORNIA HEALTH AND SAFETY CODE 116875 (AB 1953-2006)

ECAST®, from Chicago Faucets, is the line of durable, high-quality brass faucets and fixtures that are designed and manufactured with one quarter of one percent (0.25%) or less total lead content by weighted percentage.

NSF/ANSI 61, Section 9

Applies to all drinking water and lavatory faucets and states that leaching of lead into drinking water may not exceed 5 parts per billion at 1 liter dilution. Chicago Faucets has one of the largest listings of faucets certified to ANSI/NSF 61, Section 9 by CSA.



ADA/ANSI/ICC A117.1

Chicago Faucets offers over 150 products designed and manufactured to meet ADA requirements.

ANSI Z1.5A / CGA 9.1M

Gas valves are tested and certified to ANSI Z1.5A / CGA 9.1M.

ASSE 1016/ASSE 1001

Chicago Faucets pressure balancing and combination thermostatic and pressure balancing shower valves comply with ASSE 1016. Chicago Faucets vacuum breakers comply with ASSE 1001, ASSE1035 and CSA B64.1.1.

ISO 9001

Chicago Faucets meets ISO 9001 international standards based on the ability to establish and maintain a uniform quality management system to better meet the needs of our customers.

ISO 14001

Chicago Faucets takes a systematic approach in its environmental management system to verify hazard potentials, control them and thus prevent critical incidents, therefore meeting ISO 14001 standards.

Vermont Bill S.152

Vermont Lead in Consumer Products Law, effective January 1, 2010, regulates the lead content in plumbing products that deliver water for human consumption.

Product Index

50-317ABCP.....	22	116.423.AB.1.....	26	333-SLOE12PSHABCP.....	23	420-POABCP*.....	28
50-ABCP.....	22	116.430.AB.1.....	26	335-E12COLDABCP.....	23	797-1000ABCP.....	29
50-E2805-5ABCP.....	22	116.431.AB.1.....	26	335-E12PSHABCP.....	23	797-317ABCP.....	29
50-E35-317ABCP.....	22	116.432.AB.1.....	26	349-ABCP.....	24	797-ABCP.....	29
50-E35ABCP.....	22	116.204.AB.1.....	27	349-E35ABCP.....	24	797-V1000ABCP.....	29
50-E35VPABCP.....	22	116.214.AB.1.....	27	349-LESSSPTABCP.....	24	797-V317ABCP.....	29
50-GN2FC317ABCP.....	22	116.224.AB.1.....	27	350-244ABCP.....	24	797-V336ABCP.....	29
50-GN8AE35ABCP.....	22	116.404.AB.1.....	27	350-317ABCP.....	24	797-VABCP.....	19
50-GN8AE3ABCP.....	22	116.414.AB.1.....	27	350-317VPAABCP.....	24	802-1000ABCP.....	30
50-LESSSPTABCP.....	22	116.424.AB.1.....	27	350-ABCP.....	24	802-317ABCP.....	30
50-TABCP*.....	22	116.901.AB.1.....	28	350-DB6AE35ABCP.....	24	802-317XKABCP.....	30
50-TE35ABCP*.....	22	116.902.AB.1.....	28	350-DB6AE3ABCP.....	24	802-336ABCP.....	30
50-VPAABCP.....	22	116.906.AB.1.....	28	350-E35-244ABCP.....	24	802-665ABCP.....	30
51-ABCP.....	22	116.911.AB.1.....	28	350-E35-317ABCP.....	24	802-ABCP.....	30
51-E35ABCP.....	22	116.912.AB.1.....	28	350-E35ABCP.....	24	802-LESSHDLABCP.....	30
116.101.AB.1.....	12	116.916.AB.1.....	28	350-E35VP317ABCP.....	24	802-V1000ABCP.....	30
116.102.AB.1.....	12	116.921.AB.1.....	28	350-E35VPABCP.....	24	802-V317ABCP.....	30
116.111.AB.1.....	12	116.922.AB.1.....	28	350-E35VPCABCP.....	24	802-V317XKABCP.....	30
116.112.AB.1.....	12	116.926.AB.1.....	28	350-GN8AE35ABCP.....	24	802-V335ABCP.....	30
116.121.AB.1.....	12	116.903.AB.1.....	29	350-GN8AE3ABCP.....	24	802-V336ABCP.....	30
116.122.AB.1.....	12	116.905.AB.1.....	29	350-LHABCP.....	24	802-V665ABCP.....	30
116.706.AB.1.....	12	116.913.AB.1.....	29	350-LHE35ABCP.....	24	802-VABCP.....	30
116.103.AB.1.....	13	116.915.AB.1.....	29	350-VPAABCP.....	24	802-VE2805-317ABCP.....	30
116.113.AB.1.....	13	116.923.AB.1.....	29	350-VPCABCP.....	24	802-VE2805-336ABCP.....	30
116.123.AB.1.....	13	116.925.AB.1.....	29	350-VPPABCP.....	24	802-VE2805-665ABCP.....	31
116.303.AB.1.....	13	116.904.AB.1.....	30	350-VPPE35ABCP.....	24	802-VE2805ABCP.....	31
116.313.AB.1.....	13	116.914.AB.1.....	30	430-ABCP.....	25	802-VE39VP317ABCP.....	31
116.323.AB.1.....	13	116.924.AB.1.....	30	700-COLDABCP.....	25	802-VE39VPABCP.....	31
116.427.AB.1.....	13	116.585.00.1.....	31	700-HOTABCP.....	25	802-VLESSHDLABCP.....	31
116.428.AB.1.....	13	240.627.21.1.....	31	701-COLDABCP.....	25	802-VXKABCP.....	31
116.429.AB.1.....	13	240.628.21.1.....	31	701-HOTABCP.....	25	802-XKABCP.....	31
116.104.AB.1.....	14	242.164.21.1.....	31	730-COLDABCP.....	25	844-665PSHABCP*.....	31
116.114.AB.1.....	14	242.340.00.1.....	31	807-665PSHABCP.....	26	844-E12-665PSHABCP*.....	31
116.124.AB.1.....	14	240.630.00.1.....	31	807-E12-665PSHABCP.....	26	857-665PSHABCP.....	31
116.304.AB.1.....	14	240.631.00.1.....	31	2200-ABCP.....	26	857-E12-665PSHABCP.....	31
116.314.AB.1.....	14	242.559.00.1.....	31	2300-ABCP.....	26	857-E12-665PSHVPAABCP.....	31
116.324.AB.1.....	14	242.659.00.1.....	31	2300-E34ABCP.....	26	857-E2805-665PSHABCP.....	31
116.201.AB.1.....	15	242.566.AB.1.....	31	2302-ABCP.....	27	526-ABCP.....	32
116.202.AB.1.....	15	242.568.00.1.....	31	2302-E35ABCP.....	27	891-ABCP.....	32
116.211.AB.1.....	15	242.574.00.1.....	31	2304-ABCP*.....	27	891-E35ABCP.....	32
116.212.AB.1.....	15	242.575.00.1.....	31	2304-E35ABCP*.....	27	894-317ABCP*.....	32
116.221.AB.1.....	15	333-336COLDABCP.....	33	3500-E2805ABCP.....	27	895-317ABCP.....	32
116.222.AB.1.....	15	333-336PSHABCP.....	33	3501-E2805ABCP*.....	27	895-317E2805-5ABCP.....	32
116.606.AB.1.....	15	333-336PSHVPAABCP.....	33	3502-E2805ABCP**.....	27	895-317E29ABCP.....	32
116.203.AB.1.....	16	333-665PSHABCP.....	33	772-ABCP.....	28	895-317E29VPABCP.....	32
116.213.AB.1.....	16	333-665PSHVPAABCP.....	33	772-E35ABCP.....	28	895-317E35ABCP.....	32
116.223.AB.1.....	16	333-E12PSHABCP.....	33	420-ABCP.....	28	895-317E35XKABCP.....	32
116.403.AB.1.....	16	333-E2805-665PSHABCP.....	33	420-E2805ABCP.....	28	895-317E36ABCP.....	32
116.413.AB.1.....	16	333-SLOE12COLDABCP.....	33	420-E39VPABCP.....	28	895-317E36VPABCP.....	32

Product Index

895-317FCABCP	32	200-AGN8AE3-317ABCP.....	35	404-ABCP.....	38	786-GN8AE35-319ABCP.....	41
895-317FCXKABCP	32	200-AGN8AE3-317XKABCP.....	35	404-LESSHDLABCP	38	786-GN8AE35-369ABCP.....	41
895-317GN2AABCP	32	200-AGN8AE35-317ABCP.....	35	404-V1000ABCP.....	38	786-GN8AE35ABCP	41
895-317GN2AE35ABCP	32	200-AGN8AE35-317XKABCP.....	35	404-V317ABCP.....	38	786-GN8AE36ABCP	41
895-317GN2AE36ABCP	32	200-AL8-317ABCP	35	404-V665ABCP.....	39	786-GN8AE3ABCP	41
895-317GN2AE3ABCP.....	33	200-AL8ABCP.....	35	404-V950ABCP.....	39	786-GN8FCABCP	41
895-317GN2AFCABCP.....	33	200-AL8E35-317ABCP.....	35	404-VABCP.....	39	786-RSGN2AE35VP317ABCP.....	41
895-317GN2FCABCP	33	200-AL8E35ABCP	35	404-VE2805-665ABCP	39	786-RSGN2AE35VP317XKABCP.....	41
895-317GN8AE35ABCP	33	201-A1000ABCP	36	404-VE2805ABCP	39	786-RSGN8AE35VP317ABCP.....	41
895-317GN8AE3ABCP	33	201-A317ABCP	36	404-VE39VPABCP	39	786-RSGN8AE35VP317XKABCP.....	41
895-317LESSSPTABCP.....	33	201-AABCP	36	404-POABCP*.....	39	786-RSHA8AE35VP317ABCP.....	41
895-317RGD1ABCP	33	201-AE35-1000ABCP.....	36	404-V950POABCP*.....	39	786-RSHA8AE35VP317XKABCP.....	41
895-317RGD1E35ABCP	33	201-AE35-317ABCP	36	431-ABCP	39	786-RSL9E35VP317ABCP.....	41
895-317XKABCP	33	201-AE35ABCP	36	432-ABCP.....	39	786-RSL9E35VP317XKABCP.....	41
895-665ABCP.....	33	201-AGN8AE2805-5-317ABCP.....	36	786-L9E29ABCP.....	40	786-TWABCP*.....	41
895-ABCP.....	33	201-AGN8AE2805-5ABCP.....	36	786-L9E36ABCP.....	40	786-TWGN2AE35ABCP*.....	41
895-E35-665ABCP	33	201-AGN8AE29-317ABCP.....	36	786-GN1AE3-665ABCP	40	786-TWGN2AE3ABCP*.....	41
895-E35ABCP	33	201-AGN8AE3-317ABCP.....	36	786-GN1AE35ABCP	40	527-ABCP	42
895-E35LESSHDLABCP	33	201-AGN8AE3-317VPAABCP.....	36	786-GN1AE35XKABCP.....	40	1100-317ABCP.....	42
895-E35XKABCP	33	201-AGN8AE3-317XKABCP.....	36	786-GN1AE3ABCP	40	1100-317VPAABCP	42
895-GN2AE35ABCP	33	201-AGN8AE3-319ABCP.....	36	786-GN1AE3XKABCP.....	40	1100-369ABCP.....	42
895-GN2AE3ABCP	33	201-AGN8AE35-317ABCP.....	36	786-GN1FCABCP	40	1100-ABCP.....	42
895-GN2FCABCP	33	201-AGN8AE35-317XKABCP.....	36	794-317ABCP	40	1100-E2805-5-369ABCP.....	42
895-L12ABCP	33	201-AGN8AE35-319ABCP.....	36	786-ABCP.....	40	1100-E35-317ABCP	42
895-L12E35ABCP.....	33	201-AGN8AE35ABCP	36	786-E29ABCP.....	40	1100-E35-369ABCP	42
895-LESSHDLABCP	33	201-AGN8AE35VP317ABCP.....	36	786-E29VPABCP	40	1100-E35ABCP.....	42
895-LESSSPTABCP.....	33	201-AGN8AE35VPABCP	37	786-E29XKABCP	40	1100-E35LESSHDLABCP.....	42
895-LESSSPTXKABCP.....	33	201-AGN8AE36-317ABCP.....	37	786-E3-319ABCP	40	1100-E35VP317ABCP	42
895-RGD1ABCP	33	201-AGN8AE3ABCP	37	786-E3-369ABCP	40	1100-E35XKABCP	42
895-RGD1E35ABCP	33	201-AGN8AE3VPAABCP.....	37	786-E3-665ABCP	40	1100-GN2AE3-317ABCP.....	42
895-XKABCP	33	201-AGN8AFC317ABCP.....	37	786-E35-319ABCP	40	1100-GN2AE35-317ABCP.....	42
1895-ABCP.....	33	201-AHA8ABCP	37	786-E35-369ABCP	40	1100-GN8AE3-317ABCP	43
1895-E35ABCP.....	33	201-AHA8AE35ABCP	37	786-E35-665ABCP	40	1100-GN8AE35-317ABCP.....	43
2200-4ABCP	34	201-AL9E35VP1000ABCP.....	37	786-E35ABCP.....	41	1100-HA8-317ABCP.....	43
2200-4E2805ABCP.....	34	201-AVPA1000ABCP.....	37	786-E35VPABCP.....	41	1100-HA8ABCP	43
2200-4E39VPABCP	34	201-RSGN2AE35VPABCP.....	37	786-E35XKABCP	41	1100-HA8AE35-317ABCP.....	43
2201-4ABCP*	34	201-RSGN2AE35VPXKABCP.....	37	786-E36ABCP	41	1100-HA8AE35ABCP.....	43
3300-ABCP.....	34	201-RSGN8AE35VPABCP	37	786-E36VPABCP	41	1100-L9ABCP	43
3400-ABCP.....	34	201-RSGN8AE35VPXKABCP.....	37	786-E36XKABCP	41	1100-L9E35ABCP.....	43
3400-TABCP*	34	201-RSHA8AE35VPABCP	37	786-E3ABCP.....	41	1100-LESSHDLABCP	43
3500-4E2805ABCP.....	34	201-RSHA8AE35VPXKABCP.....	37	786-E3VPCABCP.....	41	1100-LESSSPTABCP.....	43
3501-4E2805ABCP*	34	201-RSL9E35VPABCP.....	37	786-E3XKABCP	41	1100-XKABCP	43
3502-4E2805ABCP**.....	34	201-RSL9E35VPXKABCP	37	786-E2805-5ABCP	41	1102-ABCP*	43
200-A1000ABCP	35	404-1000ABCP.....	38	786-GN2AFCABCP.....	41	1102-E35ABCP*	43
200-A317ABCP	35	404-317ABCP.....	38	786-GN2FCABCP	41	1888-ABCP.....	44
200-AABCP	35	404-633ABCP	38	786-GN2FCXKABCP.....	41	1888-E35ABCP.....	44
200-AE35-1000ABCP	35	404-636ABCP	38	786-GN8AE29ABCP	41	2300-8ABCP.....	44
200-AE35-317ABCP	35	404-665ABCP	38	786-GN8AE3-319ABCP.....	41	2300-8E34ABCP.....	44
200-AE35ABCP	35	404-950ABCP.....	38	786-GN8AE3-369ABCP.....	41	2301-8ABCP.....	44

Product Index

2301-8E34ABCP.....	44	631-ABCP.....	51	699-ABCP.....	58	1-100XTBL12JKABNF.....	63
3500-8E2805ABCP.....	44	631-E35ABCP.....	51	375-LKABCP.....	58	1-100XTDBL12JKABNF.....	63
3501-8E2805ABCP*.....	44	631-LESSSPTABCP.....	51	442-ABCP.....	59	217-XTLHBL12JKABNF.....	63
3502-8E2805ABCP**.....	44	626-ABCP.....	52	442-LKABCP.....	59	217-XTLHJKABNF.....	63
404-HZCW665ABCP.....	45	626-E29ABCP.....	52	698-ABCP.....	59	217-XTRHBL12JKABNF.....	63
404-HZCWABCP.....	45	626-E29VPABCP.....	52	993-ABCP.....	59	217-XTRHJKABNF.....	63
404-HZ317ABCP.....	46	626-E35ABCP.....	52	995-ABCP.....	59	333-XPSHJKABNF.....	63
404-HZABCP.....	46	626-E36ABCP.....	52	1012-ABCP.....	59	333-XSLOCOLDJKABNF.....	63
786-HZGN2AE3-317ABCP.....	46	626-E36VPABCP.....	52	1013-ABCP.....	59	333-XSLOPSHJKABNF.....	63
786-HZGN2BE4-317ABCP.....	46	626-E3ABCP.....	52	1014-ABCP.....	59	335-XJKABNF.....	63
786-HZGN2FC-317ABCP.....	46	626-FCABCP.....	52	1015-ABCP.....	59	376-CXJKABNF.....	63
332-ABCP.....	47	626-GN2BE4ABCP.....	52	1023-ABCP.....	59	377-XKLHBL12JKABNF.....	63
332-LESSSPTABCP.....	47	626-GN8AE29ABCP.....	52	1025-ABCP.....	59	377-XKLHJKABNF.....	63
65-261ABCP.....	48	626-GN8AE29VPABCP.....	52	324-665PSHABCP.....	60	377-XKRHBL12JKABNF.....	63
65-261ABRCF*.....	48	626-GN8AE35ABCP.....	52	334-ABCP.....	60	377-XKRHJKABNF.....	63
65-ABCP**.....	48	626-GN8AE36ABCP.....	52	332-E35ABCP.....	60	377-XTLHBL12JKABNF.....	63
225-261ABCP.....	48	626-GN8AE36VPABCP.....	52	515-ABCP.....	60	377-XTLHJKABNF.....	63
225-ABCP*.....	48	626-GN8AE3ABCP.....	52	613-AABCP.....	60	377-XTRHBL12JKABNF.....	63
521-ABCP.....	48	626-GN8AFCABCP.....	52	613-ALESSSPTABCP.....	60	377-XTRHJKABNF.....	63
540-LD897SWXFABCP.....	49	626-GN8FCABCP.....	52	919-STFABCP*.....	60	625-XJKABNF.....	63
540-LDL12-1-159-3/4ABCP*.....	49	629-ABCP.....	53	919-TFABCP.....	61	625-XSLOJKABNF.....	63
540-LDL12E1WXFABCP.....	49	629-E35ABCP.....	53	923-HCTFABCP*.....	61	628-XJKABNF.....	63
445-ABCP.....	50	629-E36ABCP.....	53	923-TFABCP.....	61	628-XSLOJKABNF.....	63
445-DJ13ABCP.....	50	629-E3ABCP.....	53	509-GCTFABCP.....	61	745-XJKABNF.....	63
445-DJ13E35ABCP.....	50	629-FCABCP.....	53	510-GCTFABCP.....	61	825-XJKABNF.....	63
445-DJ18ABCP.....	50	1771-ABCP.....	53	686-124KJKABCP.....	62	826-XJKABNF.....	63
445-DJ18E35ABCP.....	50	625-ABCP.....	54	686-126KJKABCP.....	62	90-ANGABCP.....	64
445-E1ABCP.....	50	625-ABRCF.....	54	DJ13JKABCP.....	62	90-HABCP.....	64
445-E35ABCP.....	50	625-SLOABCP.....	54	DJ18JKABCP.....	62	90-LABCP.....	64
445-L12ABCP.....	50	628-ABCP.....	54	GN1AE3JKABCP.....	62	90-ANGE3ABCP.....	64
445-L12E1ABCP.....	50	745-VOABCP.....	54	GN1AJKABCP.....	62	90-GNABCP.....	64
445-L12E35ABCP.....	50	625-LPABCP.....	55	GN1FCJKABCP.....	62	83-44ABNF.....	64
445-L15ABCP.....	50	625-LPSLOABCP.....	55	GN1JKABCP.....	62	GCJKABCP.....	65
445-L15E35ABCP.....	50	806-ABCP.....	55	GN2AE3JKABCP.....	62	GJKABCP.....	65
445-L8ABCP.....	50	834-EPABCP.....	55	GN2AFCJKABCP.....	62	HCJKABCP.....	65
445-L8E35ABCP.....	50	834-EPSLOABCP.....	55	GN2AJKABCP.....	62	HJKABCP.....	65
445-L9ABCP.....	50	748-665ABCP.....	56	GN2BFCJKABCP.....	62	RCJKABCP.....	65
445-L9E1ABCP.....	50	748-665FHABCP.....	56	GN2BJKABCP.....	62	RJKABCP.....	65
445-L9E35ABCP.....	50	748-ABCP.....	56	919-152JKABNF.....	62	RJKABRCF.....	65
445-LESSSPTABCP.....	50	1006-ABCP.....	57	919-158JKABNF.....	62	122-ABNF.....	65
540-LDABCP.....	51	1017-ABCP.....	57	E15JKABCP.....	62	131-ABNF.....	65
540-LDE35ABCP.....	51	1017-MMABCP.....	57	E1JKABRCF.....	62	131-CABNF.....	65
540-LDL12ABCP.....	51	1019-ABCP.....	57	E4JKABCP.....	62	242.165.AB.1.....	65
540-LDL12E35ABCP.....	51	1005-ABCP.....	57	1-099XKBL12JKABNF.....	63		
540-LDL8ABCP.....	51	1016-ABCP.....	57	1-099XKJKABNF.....	63		
540-LDL8E35ABCP.....	51	1027-ABCP.....	57	1-099XTBL12JKABNF.....	63		
540-LDL9ABCP.....	51	45-ABCP.....	58	1-099XTJKABNF.....	63		
540-LDL9E35ABCP.....	51	45-LKABCP.....	58	1-100XKBL12JKABNF.....	63		
540-LDLESSSPTABCP.....	51	45-LKCABCP.....	58	1-100XKJKABNF.....	63		

Limited Warranty

TO WHOM DOES THIS WARRANTY APPLY?

The Company extends the following limited warranty to the original user only.

WHAT DOES THIS WARRANTY COVER AND HOW LONG DOES IT LAST?

This warranty covers the following Commercial Products:

LIFETIME FAUCET WARRANTY

The "Faucet," defined as any metal cast, forged, stamped or formed portion of the Product, not including electronic or moving parts or other products separately covered by this Limited Warranty or water restricting components or other components, is warranted against material manufacturing defects for the life of the Product.

FIVE YEAR FAUCET WARRANTY

Certain Products and portions of the Product are warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase. Products warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase are referred to by the product numbers 42X, 43X, 15XX and E-Tronic™ - 4X, 5X, 6X, 7X, 8X and 9X. All zinc die cast portions of Product are warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase.

FIVE YEAR CARTRIDGE WARRANTY

The "Cartridge", defined as the metal portion of any Product typically referred to by the product numbers containing 1-099, 1-100, 1-310, 377X, 217X and 274X, excluding any rubber or plastic components, is warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase. All Cartridges included in the Company's Single Control or Shower Products also are warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase.

ONE YEAR FINISH WARRANTY – COMMERCIAL

For Products used in commercial applications, the finish of the Product is warranted against material manufacturing defects for a period of one (1) year from the date of Product purchase.

ELECTRONIC FAUCETS AND METERING MECHANICALS WARRANTY

Electronic and metering faucets mechanicals are warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase.

ELECTRONIC FAUCETS ELECTRONICS AND SOLENOID WARRANTY

Electronic faucets electronics and solenoid are warranted against material manufacturing defects for a period of three (3) years from the date of Product purchase. This warranty does not cover the life of the battery. The Company offers **NO WARRANTY** for Product batteries.

THIRTY DAY WARRANTY – PALM DEVICES

Palm devices are reconditioned and are warranted against material manufacturing defects for a period of thirty days from the date of device purchase. The Company offers **NO WARRANTY** for batteries, software (on a CD or from a website), damage the Palm device or software allegedly causes to any system, set-up instructions, adaptors or other equipment used with the device.

OTHER WARRANTIES

All other Products not covered above are warranted against material manufacturing defects for a period of one (1) year from the date of Product purchase.

WHAT THIS WARRANTY DOES NOT COVER

The Company will not be liable for any labor, transportation or consequential expenses not specifically stated above. There is **NO WARRANTY** in cases of damage in transit, negligence, abuse, abnormal usage, misuse, accidents, normal wear and tear, damage due to environmental or natural elements, failure to follow the Company's instructions, unauthorized repair, incorrectly performed maintenance or repair, improper installation or storage or use of acidic, abrasive cleaning materials. In order for this Warranty to apply, Buyer must retain and provide to the Company receipts showing date of Product purchase and documenting proper maintenance. Any oral or written description of the Products is for the sole purpose of identifying the Products and shall not be construed as an express warranty. **THE COMPANY SHALL NOT BE LIABLE TO BUYER, OR TO ANYONE CLAIMING UNDER BUYER, FOR ANY OTHER OBLIGATIONS OR LIABILITIES, INCLUDING, BUT NOT LIMITED TO, OBLIGATIONS OR LIABILITIES ARISING OUT OF BREACH OF CONTRACT OR WARRANTY, NEGLIGENCE OR OTHER TORT OR ANY THEORY OF STRICT LIABILITY, WITH RESPECT TO THE PRODUCTS OR THE COMPANY'S ACTS OR OMISSIONS OR OTHERWISE. THE COMPANY AND BUYER AGREE THAT THE EXPRESS WARRANTIES DESCRIBED ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES. ALL OTHER EXPRESS WARRANTIES ARE DISCLAIMED. FOR COMMERCIAL PRODUCTS, ALL WARRANTIES IMPLIED BY LAW, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED. FOR CONSUMER PRODUCTS, WARRANTIES IMPLIED BY LAW, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXPRESSLY LIMITED TO THE PERIOD OF THE EXPRESS LIMITED WARRANTY STATED ABOVE FOR THE RELEVANT PRODUCT.** Some States do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Any assistance the Company provides to or procures for Buyer outside the terms, limitations or exclusions of this warranty will not constitute a waiver of the terms, limitations or exclusions of this limited warranty, nor will such assistance extend or revive the warranty. The Company will not reimburse Buyer for any expenses incurred by Buyer in repairing, correcting or replacing any defective Products, except for expenses incurred with the Company's prior written permission.

HOW TO GET SERVICE

For complete warranty details, or to provide notice of a warranty claim or request warranty service, contact your Chicago Faucets Sales Representative or The Chicago Faucet Company, Customer Service, 2100 S. Clearwater Drive, Des Plaines, Illinois 60018 or 847-803-5000. As the Company's sole and exclusive obligation under this warranty (and Buyer's sole and exclusive remedy), upon prompt written notice of breach from Buyer during the warranty period, the Company will either replace or repair the defective Product or refund the wholesale purchase price, at its option, if an inspection by the Company discloses defects in material or workmanship covered by this warranty. These warranty provisions do not cover the battery shipped with the electronic products.

LIMITATION ON DAMAGES

IN NO EVENT SHALL THE COMPANY BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT OR SPECIAL DAMAGES. WITHOUT LIMITING THE FOREGOING, THE COMPANY SHALL NOT BE LIABLE FOR ANY DAMAGE A PALM DEVICE OR ANY SOFTWARE OR RELATED EQUIPMENT ALLEGEDLY CAUSES TO A SYSTEM OR OTHERWISE. THE COMPANY'S AGGREGATE LIABILITY WITH RESPECT TO A DEFECTIVE PRODUCT AND THIS CONTRACT SHALL BE LIMITED TO AN AMOUNT EQUAL TO THE MONIES PAID TO THE COMPANY FOR THAT DEFECTIVE PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

HOW DOES STATE LAW APPLY?

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Restrictions Apply.

Palm is trademarked by Palm Inc. and is not affiliated with The Chicago Faucet Company.



**CHICAGO
FAUCETS®** 

a Geberit company

Chicago Faucets, a member of the Geberit Group, is the leading brand of commercial faucets and fittings in the United States, offering a complete range of products for schools, laboratories, hospitals, office buildings, food service, airports, and sports facilities. Whatever your requirements may be, Chicago Faucets offers standard and made-to-order products that are designed to meet any commercial application.



The Chicago Faucet Company
2100 South Clearwater Drive
Des Plaines, IL 60018
Phone: 847/803-5000
Fax: 847/803-5454
Technical: 800/832-8783
www.chicagofaucets.com

 Contains 10% post-consumer recycled paper

© 2012 The Chicago Faucet Company. Product specifications subject to change without notice.

CF1049 02/12