

IRRIGATION/PUMP



A tradition of excellence...

Exceptional Performance.

Coleman Cable Inc. is a worldwide leader in the development, design, manufacture, marketing & distribution of wire and cable products. A Broad Range of Products, Innovative Solutions, Recognized Brands, and a Solid Service Platform are the foundation that Coleman Cable's Dedicated, Professional People build upon to create Customer Value. These characteristics, combined with strategic acquisitions, such as Copperfield, establish and strengthen Coleman Cable's leadership position as a one of the premier US-based manufacturers of electrical, electronic and assembled wire and cable products.

The **Coleman Cable Baron**[®] brand is one of the most trusted names in the irrigation and pump markets for reliability, innovation and quality performance. Our product offering provides cable solutions for virtually every application. Coleman Cable's technical expertise and commitment to innovation ensure the most advanced and highest quality cable on the market.

The Baron Baro-Pak™ self-dispensing package is the only irrigation wire package in the market today that is engineered to save you time and money. It eliminates the need for heavy cumbersome reels while offering superior protection, effortless payout and efficient storage for unused wire. Baro-Pak's unique stacking ability allows you to pull 2, 3 or more constructions at the same time, with minimal set up.

Whatever your application, you'll find a Coleman Cable product that meets your needs. The list of applications is virtually endless...from the factory floor to mining and heavy-duty construction... from welding to diesel locomotives...from portable lighting for theaters to the harsh demands of the process industries and oil and gas drilling rigs... you'll find Coleman Cable industrial products on the job, performing well, day-in and day-out.









18 AWG Solid BC PE Barogation™ Sprinkler Cable

Part Number	Description	Wt/ 1000'
54702	18/2	20
54703	18/3	26
54704	18/4	33
54705	18/5	39
54706	18/6	46
54707	18/7	59
54708	18/8	65
54709	18/9	72
54710	18/10	79
54712	18/12	88
54713	18/13	94
54716	18/16	114
54719	18/19	133
54725	18/25	179

Direct Burial Solid BC 30 Volt • PE Jacket with Ripcord

· Sequentially Footage Marked



CANADIAN 18 AWG Solid BC PE Barogation™ Sprinkler Cable

Part Number	Description	Wt/ 1000'
59702	18/2	22
59703	18/3	28
59704	18/4	35
59705	18/5	41
59706	18/6	48
59707	18/7	61
59708	18/8	68
59709	18/9	75
59710	18/10	82
59712	18/12	91
59713	18/13	97



RoHS


Low-Voltage Underground Lighting Cable

Part Number	Description	Stranding	Wt/ 1000'
55264	18/2	16/30	29
55266	16/2	26/30	41
55267	14/2	41/30	54
55269	12/2	65/30	77
55272	10/2	104/30	105
55271	8/2	7x24/30	161

Stranded Low Energy Lighting Cable • Sequentially Footage Marked



Part Number	Description	Wt/ 1000'
54489	18 Solid	11
54490	16 Solid	15
54491	14 Solid	19
54492	12 Solid	27
54493	10 Solid	42
54494	8 Solid	70



Sequentially Footage Marked



Single-Conductor UF Underground Feeder

Part Number	Description	Wt/ 1000'
54499*	18 Solid	13
54500*	16 Solid	17
54501	14 Solid	27
54502	12 Solid	37
54503	10 Solid	50
54514	8 Solid	88
54505	6 Stranded	134
54506	4 Stranded	189
54507	2 Stranded	285



UL Listed Underground Feeder Cable 600 Volt

* No UL Classification

Striped UF

Part Number	Description	Wt/ 1000'
54501	14 Solid	27
54502	12 Solid	37

UL Listed Underground Feeder Cable 600 Volt











20 AWG Solid BC UL Thermostat Cable

Part Number	Description	Wt/ 1000'
55202	20/2	11
55203	20/3	14
55204	20/4	18
55205	20/5	23
55206	20/6	27
55207	20/7	30
55208	20/8	33
55209	20/9	37
55210	20/10	40
55212	20/12	47

c(ETL) US Type CL2, CMH, FT1 Sunlight Resistant



18 AWG Solid BC UL Thermostat Cable

Part Number	Description	Wt/ 1000'
55302	18/2	15
55303	18/3	21
55304	18/4	27
55305	18/5	33
55306	18/6	38
55307	18/7	44
55308	18/8	50
55309	18/9	55
55310	18/10	61
55312	18/12	75

c(ETL) US Type CL2, CMHFT1 Sunlight Resistant
• NEC Article 725



Water Resistant Fountain Cable

Part Number	Description	Wt/ 1000'
23225	18/2	44
23325	18/3	55
23425	18/4	66
23226	16/2	54
23326	16/3	67
23426	16/4	78
23227	14/2	68
23327	14/3	84
23427	14/4	104
23228	12/2	97
23328	12/3	123
23428	12/4	157
23229	10/2	166
23329	10/3	216
23429	10/4	276

UL/CSA Listed Type SJEOOW/SJTOOW (TPE)
• Nec Article 400 • 300 Volt

Direct Burial Animal Containment Wire



Polyethylene Single Conductor • UL Listed 600 Volt Solid PE • Sequentially Footage Marked



RoHS

Tracer Wire for Water, Natural Gas, and Fiber Optic Lines

Part Number	Description	Wt/ 1000'
54489	18 Solid	11
54490	16 Solid	15
54491	14 Solid	19
54492	12 Solid	27
54493	10 Solid	42
54494	8 Solid	70

Polyethylene Single Conductor • UL Listed 600 Volt solid PE • Sequentially Footage Marked

Blue (06) for Water Pipe Lines, Yellow (02) for Natural Gas Pipe Lines, Orange (03) for Fiber Optic Lines





Irrigation Products





Grounding Materials

Part Number	Description
93005	Ultra Fill 50# Bag
93004	Flint Igniter
93003	Ground Plate (4"X96")
93002	Unishot Connector 3WR
93001	Unishot Connector 2WR



Grounding Rods

Part Number	Description	Wt/ 1000'
93101	1/2" x 8'	55
93250	1/2" Clamp	1.5
93104	5/8" x 8'	71
93251	5/8" Clamp	1.5

Copper Plated High Carbon Steel • Sold in Bundles of 10



Bare Copper

Part Number	Description	Wt/ 1000'
54590	18 Solid	6
54600	16 Solid	8
54601	14 Solid	14
54602	12 Solid	21
54603	10 Solid	34
54604	8 Solid	53
54685	6 Solid	85
54605	6 Stranded	87
54606	4 Stranded	133
54607	2 Stranded	220



(Pigtails) Right-Angle Plugs

Part Number	Description	Wt/ 1000'	Std Pkg
55243	3' 16/3 SPT-2	25	50
55244	4' 16/3 SPT-2	30	50
55245	5' 16/3 SPT-2	36	50
55246	6' 16/3 SPT-2	50	50
55248	8' 16/3 SPT-2	60	50
55225	5' 14/3 SPT-3	36	50
55226	6' 14/3 SPT-3	43	50

UL/CSA Listed Type SPT-2/SPT-3



Connectors

Part Number	Description	Wt	Std Pkg
10202	Bagged kit containing: (2) Yellow Wire Nuts & (2) Gel-filled Tubes	12	100 Kits of 2
10212	Bulk Pack (100/box) containing: (1) Yellow Wire Nut & (1) Gel-filled Tube	6	100
10204	Bagged kit containing: (2) Red Wire Nuts & (2) Gel-filled Tubes	12	100 Kits of 2
10214	Bulk Pack (100/box) containing: (1) Red Wire Nut & (1) Gel-filled Tube	6	100



Communication Control Cable

Part Number	Description	Wt
	18/2pr Tinned Copper Shielded	
54552	Hunter/Weatherstation	57
	16/2 Tinned Copper Shielded	
55607	Toro Control	50
	14/2 Tinned Copper Rainbird	
51452	Maxi Control	78



Decoder Cable - Solid Twisted

Part Number	Description	Wt
55613	14/2 Unjacketed Blue/Red Hunter	53
55612	12/2 Unjacketed Blue/Red Hunter	60
55611	14/2 Unjacketed Black/Red Toro	53
54495	12/2 Unjacketed Black/Red Toro	60
55601	14/2 Jacketed Toro	74
55602	12/2 Jacketed Toro	94
55803	14/2 Jacketed Hunter	74
55603	12/2 Jacketed Hunter	94



Part Number	Description	Wt/ 1000'	Std Pkg
55233	3' 16/3 SPT-2	25	50
55234	4' 16/3 SPT-2	30	50
55235	5' 16/3 SPT-2	36	50
55236	6' 16/3 SPT-2	50	50
55238	8' 16/3 SPT-2	60	25
09733	3' 16/3 SPT-3	6	25
09734	4' 16/3 SPT-3	9	25
09736	6' 16/3 SPT-3	20	25
09743	3' 14/3 SPT-3	10	25
09746	6' 14/3 SPT-3	18	25

(Pigtails) Straight Plugs





Pump Cable Products





Flat Parallel Pump Cable

Part			Wt/
Number	Description	Stranding	1000'
42237	14/2 w/Grnd	19	72
42337	14/3 w/Grnd	19	99
42238	12/2 w/Grnd	19	104
42338	12/3 w/Grnd	19	136
42239	10/2 w/Grnd	19	147
42339	10/3 w/Grnd	19	196
42240	8/2 w/10 Grnd	19	212
42340	8/3 w/10 Grnd	19	289
42341	6/3 w/8 Grnd	19	425
42342	4/3 w/8 Grnd	19	588
42288	12/2 w/o Grnd	19	69
42388	12/3 w/o Grnd	19	104
42289	10/2 w/o Grnd	19	97
42389	10/3 w/o Grnd	19	147
42390	8/3 w/o Grnd	19	258



Twisted Pump Cable

Part Number	Description	Stranding	Wt/ 1000'
42257	14/2 w/Grnd	solid	74
42357	14/3 w/Grnd	solid	97
42258	12/2 w/Grnd	solid	102
42358	12/3 w/Grnd	solid	134
42259	10/2 w/Grnd	solid	143
42359	10/3 w/Grnd	solid	193
42260	8/2 w/10 Grnd	19	214
42360	8/3 w/10 Grnd	19	304
42361	6/3 w/8 Grnd	19	441
42362	4/3 w/8 Grnd	19	620
42363	2/3 w/6 Grnd	19	882
42308	12/3 w/o Grnd	19	102
42309	10/3 w/o Grnd	19	144




Heavy Duty Flat Jacketed (PVC/PVC) Pump Cable

Part			Wt/
Number	Description	Stranding	1000'
42267	14/2 w/Grnd	19	116
42367	14/3 w/Grnd	19	154
42268	12/2 w/Grnd	19	132
42368	12/3 w/Grnd	19	201
42269	10/2 w/Grnd	19	202
42369	10/3 w/Grnd	19	268
42370	8/3 w/10 Grnd	19	377
42371	6/3 w/10 Grnd	19	526
42372	4/3 w/8 Grnd	19	715
42373	2/3 w/6 Grnd	19	1034
42374	1/O-3 w/6 Grnd	19	1554
42375	2/O-3 w/6 Grnd	19	1865



Dual Purpose Round Jacketed Pump Cable

Part			Wt/
Number	Description	Stranding	1000'
42468	12/3 w/Grnd	19	205
42469	10/3 w/Grnd	19	278
42470	8/3 w/Grnd	19	386
42471	6/3 w/Grnd	19	582
42472	4/3 w/Grnd	19	731
42454	12/3 w/o Grnd	19	1011
42455	10/3 w/o Grnd	19	217
42456	8/3 w/o Grnd	19	330
42457	6/3 w/o Grnd	19	449
42458	4/3 w/o Grnd	19	718



(儿) RoHS

Supreme Flexible Blue Flat Jacketed w/Ground

Part			Wt/
Number	Description	Stranding	1000'
44257	14/2 w/Grnd	41/30	72
44357	14/3 w/Grnd	41/30	95
44258	12/2 w/Grnd	65/30	99
44358	12/3 w/Grnd	65/30	133
44259	10/2 w/Grnd	104/30	143
44359	10/3 w/Grnd	104/30	189
44360	8/3 w/10 Grnd	7 x 24/30	338
44361	6/3 w/8 Grnd	7 x 37/30	502
44362	4/3 w/8 Grnd	7 x 60/30	651



UF-B Underground Feeder Flat Parallel w/Ground

Part			Wt/
Number	Description	Stranding	1000'
55560	14/2 w/Grnd	solid	83
55561	14/3 w/Grnd	solid	186
55562	12/2 w/Grnd	solid	132
55563	12/3 w/Grnd	solid	169
55564	10/2 w/Grnd	solid	176
55566	10/3 w/Grnd	solid	225
55565	8/2 w/10 Grnd	7	250
55567	8/3 w/10 Grnd	7	300
55575	6/2 w/10 Grnd	7	340
55576	6/3 w/10 Grnd	7	593





Coleman Cable Irrigation Products

Marketed under the Baron™ Brand name, Coleman Cable manufactures one of the most comprehensive lines of Irrigation cable and related products available today. Our product offering

Why Coleman Cable?

- Industry Leader Baron™ Brand
- Manufactured in ISO-9000 facilities
- Multi-vendor friendly
- Inventory availability:
- Full Line
- Multiple Color
- Reliable Delivery

provides cable solutions for virtually every Irrigation and Pump application.
Coleman Cable's technical expertise and commitment to innovation ensure the most advanced and highest quality cable on the market.



Packaging Options*

Coleman Cable offers six types of packaging options



• Reels

• Knock-Out Box

• Reel-in-Box

Pull-Out Box


Signa-Coil





All provide fast and easy cable access. Kinks and twists are eliminated. You get tangle-free cable delivery each and every time. These durable, compact designs save on installation time while reducing waste and material costs. They can be easily stacked to save room.

Coleman Cable Part Legend



Put-ups	Code
Reel, 250 ft	04
Reel, 500 ft	05
Reel, 1,000 ft	06
Reel-in-box, 1,000 ft	16
RabbitPull™ Pull-Box, 500 ft	45
RabbitPull™ Pull-Box, 1,000 ft	46
Baro-Pak™ 250 ft	54
Baro-Pak™ 500 ft	55
Baro-Pak™ 1,000 ft	56
·	

Colors	Code
White	01
Yellow	02
Orange	03
Red	04
Green	05
Blue	06
Brown	07
Black	08
Gray	09

Pink	11
Purple	13
Clear	18
Fluorescent	
Pink	21
Ivory	22
Natural	23
Beige	33
Red Striped	
CorraClad™	44





^{*}Not all options are available for each product

Exceptional Performance

is reflected in everything we do.

Coleman Cable Inc. customers know they can rely on us to consistently deliver a broad range of wire and cable products and innovative solutions backed by recognized brands. These characteristics combined with a solid service platform and dedicated professional people, create a dynamic customer value that's exclusive to Coleman Cable.

Broad Range of Products -

We provide one of the most extensive and diverse lines of electrical, electronic and assembled products in the industry. Through research, development and strategic acquisitions, such as Copperfield, we continue to enhance our product mix to meet customer needs.

Innovative Solutions -

From custom cables for industrial, aerospace or military applications to the latest in electronic cables for security systems, you'll find Coleman Cable at the forefront of product and technology innovation.

Recognized Brands -

Seoprene®, Royal®, Baron™, Road Power®, Signal®, Copperfield®, Excelene™ and Polar/Solar® all are leaders in their respective markets. Our distributors know that when they provide these leading brands to their customers, they receive instant acceptance and credibility in the marketplace.

Solid Service Platform -

We utilize more than 2 million sq ft of strategically located, state-of-the-art, ISO-certified manufacturing and distribution facilities. This national footprint and extensive investment in service systems powers us to deliver more than 70,000 SKUs with a better than 97% first-fill rate.

Dedicated Professional People -

We deliver strong performance because our people deliver strong performance every day. We've built a culture that puts customer needs first, making us easy to do business with and placing us at the top of our customers' list of suppliers.

Customer Value -

A Broad Range of Products, Innovative Solutions, Recognized Brands, and a Solid Service Platform are the foundation that Coleman Cable's Dedicated, Professional People build upon to create Customer Value.





