



PRODUCT CATALOG

Dependable products for
maximum safety
on the road.



C O N T E N T S

A-FRAME BARRIER SYSTEMS.....	13-14
BANNERS	40
BARRICADE COMPONENTS.....	19-20
BARRICADE SIGN LEGENDS	17-18
COLORED SPORT CONES	28-29
CONSPICUITY TAPES	37
DELINEATOR POSTS.....	21-23
EZ-IMS	26-27
FENCING	32
FLEET SAFETY KITS	3-4
FUSEE KITS AND HOLDERS.....	5-6
I-BEAMS.....	15-16
LIGHTING PRODUCTS.....	40
LIGHTSTICKS	6
M-CADES	9-10
MOTORIST SAFETY KIT.....	4
N-CADE SYSTEMS.....	17-18
PADDLES/BATONS	30-31
PARKING BLOCKS	39
PLASTX BARRICADES.....	7-8
REFLECTORS	38
SPEED BUMPS	39
STEELCADES	11-12
TRAFFIC CONES/COLLARS	24-25
TRIANGLE WARNING KITS	1-2
TYPE III BARRICADES	16
WARNING FLAGS / PENNANTS	35
WHEEL CHOCKS	39



www.cortinaco.com



Products that make
work-zones
and people **safer.**

For over 40 years, Cortina's brands and products have been recognized as "Best-in-Class." Keeping workers safer as they repair our roads and keeping citizens safer as they travel.

Whether your work-zone is along a stretch of new highway, responding to a disabled tractor-trailer, guiding pedestrians or simply running a large distribution complex, we are proud to offer you some of the most dependable products manufactured for today's demanding needs. Each is designed for maximum safety, with features and capabilities most desired by customers and the reliability you would expect from the market leader.

This catalog represents our current line of traffic delineation products, safety accessories and gear as well as a helpful specification and focus section on several key product types, all designed to help you and your customer select the right products.

WARNING KITS

The Cortina Triangle Reflector Warning Kits meet or exceed all DOT FMVSS125 requirements, thus ensuring that your fleet and the motoring public have the finest product available. The triangle's wire form support guarantees tilt compliance of 40 mph wind test. Opaque container protects fluorescent color from UV deterioration. The unique living hinge box, wire support, and tabs are available ONLY by Cortina. The living hinge box ensures that the lid won't separate from the box. A heavier weighted base ensures that triangles won't move by wind gusts caused by passing traffic. Furthermore, it guarantees compliance to Federal Specifications. Air flow louvers allow for lower wind resistance. Cortina Triangle Reflector Warning Kits meet and exceed all DOT standards and requirements of FMVSS 125. The unique One-Piece living hinge box allows for thousands of openings and closings and eliminates all hinge problems that the industry has faced for years.




219 KIT
95-03-009

INTERIOR STRIPS OF MOLDED
FLUORESCENT PLASTIC
PROVIDE EFFECTIVE WARNING
FOR DAYTIME USE



THREE FRONT LIVING
HINGE CLOSURES

LIVING HINGE, ONE-PIECE BOX



ACRYLIC PLASTIC STRIP
REFLECTORS, HERMETICALLY
SEALED AND IMPERVIOUS
TO DUST AND MOISTURE,
UNFOLDS TO A TRIANGULAR
SHAPE AND ARE HELD FIRMLY
IN PLACE WITH A STURDY
LOCKING DEVICE

EASY TO ERECT, SINGLE TRIANGLE
FLARE UNFOLDS FROM A WEIGHTED
BLOW-MOLDED TUBE THAT SERVES
AS A BASE AND IS EQUIPPED WITH
NON-SLIP FOAM PADS.

WIRE BRACING ENSURES COMPLIANCE
OF 40MPH WIND TEST

**A** BOXES

Mfr. No.	Product Description
13-01-005-01	SCHOOL BUS TRIANGLE BOX
13-01-005-02	LIVING HINGE 219 BOX
13-01-005-05	PLASTIC CASE WITH HANDLE FOR 3 TRIANGLES
13-01-009	PLASTIC CASE FOR 1 TRIANGLE
13-01-013	PLASTIC CASE FOR 2 TRIANGLES

B AUTO KIT

Mfr. No.	Product Description
95-02-001	SINGLE (1) TRIANGLE FLARE

C 319 KIT

Mfr. No.	Product Description
95-02-002-01	ONE (1) TRIANGLE IN PLASTIC BOX*
95-02-002-02	TWO (2) TRIANGLES IN PLASTIC BOX

**D** 219 KIT

Mfr. No.	Product Description
95-02-002-03	THREE (3) TRIANGLES IN PLASTIC BOX WITH HANDLE
95-03-009	THREE (3) TRIANGLES IN LIVING HINGE BOX-1 PK.*
95-03-010	THREE (3) TRIANGLES IN LIVING HINGE BOX-4 PK.*

**E** DISTRESS ALERT TRIANGLES

Using the same technology found in truck triangles, the patented Distress Alert provides a quick, efficient and inexpensive tool to inform other motorists of your presence on the roadway. Our unique, patented window hook allows the triangle to mount on any car window in the universally recognized upright position. No tools required! Simply unfold and hang on your window. DONT GET ON THE ROAD WITHOUT ONE!

Mfr. No.	Product Description
95-2000-1	DISTRESS ALERT WINDOW TRIANGLE RETAIL WRAPPED
95-2000-B	DISTRESS ALERT WINDOW TRIANGLE BULK*
96-1025-9001	BRACKET FOR TRIANGLE KIT WITH VELCRO*

* HIGH MOVING ITEM

SAFETY KITS

Cortina's metal and plastic case, fleet kits offer a single kit to meet CFR49 Requirements, eliminates clutter in the vehicle, and offers additional storage space. The high-quality, powder-coated box ensures years of use. Fleet Safety kits may contain the following: Three triangle reflectors, one fire extinguisher, three 20 minute fusees or three 20 minute lightsticks. One hold down strap and brackets included inside one heavy-duty, steel carrying case. The best value custom safety kit contains the following: Three triangle warning flares, One fire extinguisher, Three 20 minute fusees and One heavy-duty plastic carrying case with handle.



A SCHOOL BUS KITS

Mfr. No.	Product Description
95-03-006	SCHOOL BUS TRI KIT WITH 6 20MIN. FUSEES
95-03-007	SCHOOL BUS TRI KIT WITH 6 30MIN. FUSEES

B 229 KITS

Mfr. No.	Product Description
03-229-3420	METAL CASE FOR SAFETY KIT
95-04-001-02	FLEET SAFETY KIT WITH LIGHTSTICKS
95-04-002	FLEET SAFETY KIT W/O FIRE EXTINGUISHER
95-04-003	FLEET SAFETY KIT 5 LB. FIRE EXTINGUISHER
95-04-004	FLEET SAFETY KIT 2 3/4 LB. FIRE EXTINGUISHER-REFILLABLE*

B

229 KIT
95-04-004

C

230 KIT
95-04-06

C 230 KITS

Mfr. No.	Product Description
03-229-3422	PLASTIC CASE FOR SAFETY KIT
95-04-06	FLEET SAFETY KIT-PLASTIC BOX*
95-04-06-01	FLEET SAFETY KIT-PLASTIC BOX W/O FIRE EXTINGUISHER
95-04-09	FLEET SAFETY KIT PLASTIC W/ LIGHTSTICKS*

D MOTORIST SAFETY KIT

This kit, which fits conveniently under most seats contains: Two 30 minute lightsticks, One warning triangle, One reflective safety vest, One bright orange bag to hold contents with custom silk screening available at an upcharge.

Mfr. No.	Product Description
95-06-03	MOTORIST SAFETY KIT*

D

MOTORIST SAFETY KIT
95-06-03

* HIGH MOVING ITEM

FUSEE KITS & HOLDERS

A FUSEE KITS

Heavy duty, injection-molded, plastic boxes hold four or twelve 20 minute, moisture resistant fusee. Compact design for tight storage space.

Mfr. No.	Product Description
95-07-001	SAFETY FUSEE KIT-4 UNITS
95-07-002	SAFETY FUSEE KIT-12 UNITS



B FUSEE HOLDERS

Heavy duty Emergency Fusee holders are designed to hold 20 or 30 minute fusee. Holders are constructed from heavy Duty Polypropylene, with a handle and no-roll design.

Mfr. No.	Product Description
95-07-003	FUSEE HOLDER CASE 12/20 MIN.*
95-07-004	FUSEE HOLDER CASE 12/30 MIN.*





C FUSEES


Safety fusees available in 20 and 30 minute types.

Moisture resistant fusees are available with either a spike, non-spike, or a wire stand.

Mfr. No.	Product Description
95-07-20	20 MINUTE FUSEE SPIKE TYPE
95-07-21	20 MINUTE FUSEE W/O SPIKE
95-07-22	20 MINUTE FUSEE W/WIRE STAND
95-07-30	30 MINUTE FUSEE SPIKE TYPE
95-07-31	30 MINUTE FUSEE W/O SPIKE
95-07-32	30 MINUTE FUSEE W/WIRE STAND

D LIGHTSTICKS

In an instant, lightsticks provide intense, dependable light. Bend-snap-shake for instant light. Dependable lighting with no heat, no flame, no sparks. Lightstick is lightweight, waterproof, windproof and non-toxic. One-half mile visibility. Ideal for highway traffic safety, dense smoke, fire and rescue, tunnels, rail tracks, confined spaces, marine safety and personnel marker lights. Lightsticks last from 30 minutes to 12 hours depending on size and type. Shelf life 2-4 years.




Mfr. No.	Product Description
03-229-3550G	12 HR. DURATION, GREEN 6"
03-229-3550O	12 HR. DURATION, ORANGE 6"
03-229-3550R	12 HR. DURATION, RED 6"
03-229-3550Y	12 HR. DURATION, YELLOW 6"
03-229-3551R	30 MIN. DURATION, RED 6"
03-229-3551W	30 MIN. DURATION, WHITE 6"
03-229-3551Y	30 MIN. DURATION, YELLOW 6"
03-229-3554B	8 HR. DURATION, BLUE 6"
03-229-3554W	8 HR. DURATION, WHITE 6"
03-229-3558G	12 HR. DURATION, GREEN 15"
03-229-3558R	12 HR. DURATION, RED 15"
03-229-3558Y	12 HR. DURATION, YELLOW 15"
03-229-3564G	6 HR. DURATION, GREEN 4"
03-229-3564O	6 HR. DURATION, ORANGE 4"

* HIGH MOVING ITEM

PLASTX BARRICADES

Offering many industry-only features such as: a recessed light bracket to protect light from impact. Recessed and replaceable sheeted panels providing flexibility and savings. Designed for easy nesting and stacking. Plastx Barricades are 100% Recyclable. All barricades are NCHRP-350 certified and meet MUTCD specifications. Custom imprinting available.



A UNSHEETED PLASTIC BARRICADES

Mfr. No.	Product Description	Specifications
13-01-010**	PLASTX BARRICADE TYPE I	12T/4B NO SHEETING
13-01-010-01**	PLASTX BARRICADE TYPE II	8T/8B NO SHEETING
13-01-010-02**	PLASTX BARRICADE TYPE 84	8T/4B NO SHEETING
13-01-010-03**	PLASTX BARRICADE TYPE BARR. ELIM.	12T/8B NO SHEETING



B
TYPE I
97-01-001

B TYPE I BARRICADES

Mfr. No.	Product Description	Specifications
97-01-001**	PLASTX TYPE I BARRICADE	12T/4B EGR. SHEETING*
97-01-001-01**	PLASTX TYPE I BARRICADE	12T/4B H.I. SHEETING
97-01-002-05**	PLASTX TYPE I BARRICADE	8T/8B EGR SHEETING TOP ONLY
97-01-001-11**	PLASTX TYPE I BARRICADE	PRISMATIC FLUOR. ORANGE W/ DIRECT ARROW 12/4



D
TYPE II
BARRICADES
97-01-002

C ECONO 84F

Mfr. No.	Product Description	Specifications
97-01-001-05**	PLASTX TYPE 84F BARRICADE	8T/4B EGR. SHEETING
97-01-001-06**	PLASTX TYPE 84F BARRICADE	8T/4B H.I. SHEETING

D TYPE II BARRICADES

Mfr. No.	Product Description	Specifications
97-01-002**	PLASTX TYPE II BARRICADE	8T/8B EGR. SHEETING*
97-01-002-01**	PLASTX TYPE II BARRICADE	8T/8B H.I. SHEETING*
97-01-002-02	PLASTX TYPE II BARRICADE	8T/4B H.I. SHEETING
97-01-002-03	PLASTX TYPE II BARRICADE	8T/4B EGR. SHEETING

E TYPE II BARREL ELIMINATOR BARRICADES

Mfr. No.	Product Description	Specifications
97-01-003-01**	PLASTX BARREL ELIMINATOR	12T/8B EGR. SHEETING*
97-01-003-02**	PLASTX BARREL ELIMINATOR	12T/8B H.I. SHEETING*
97-01-003-11**	PLASTX BARREL ELIMINATOR	PRISMATIC FLUOR. ORANGE W/ DIRECT. ARROW 12/8
...



E
BARREL ELIM.
97-01-003-11

*HIGH MOVING ITEM

**NEW AND IMPROVED PANEL MOUNTING CLIPS.

M-CADES

The most versatile barricade system on the market today. Universal plastic leg available in 44" & 60" height. No cutting, drilling or painting! Unique leg "knuckle & lock" (patent pending) eliminates the worry of over spreading. Folds flat to a closed thickness of 3". Molded holes in legs and panels eliminates the guess work and provides for quick and easy assembly. Panels available in three sizes: 12"x24", 8"x24", and 4"x24".

NEW 12" X 24" SAND/WATER FILLABLE PANEL

Injection plastic molded components are stronger than hollow legs and panels. Modular design allows for quick and simple replacement of damaged components. Optional sand bar accommodates a 35lb. sand bag in front and back. Universal mix & match parts allow for simple unit reconfiguration. Ability to purchase system components or assembled products. Stenciling is available on all barricades. Contact Cortina.

UNIQUE KNUCKLE ELIMINATES THE NEED FOR BOLTS, MAKING ASSEMBLY EASY.

MODULAR PANEL ALLOWS YOU TO CONVERT TO A TYPE I, TYPE II OR N-CADE USING THE SAME COMPONENTS AND FACILITIES PANEL REPLACEMENT

SUPERIOR HIGH-STRENGTH RESIN WITHSTANDS TEMPERATURE EXTREMES AND HAS A UV PROTECTION PACKAGE FOR YEAR-ROUND USE.

UNIVERSAL LEFT/RIGHT LEGS

MOLDED HOLES FOR EASY PANEL MOUNTING. (NO DRILLING REQUIRED.)

PLASTIC PANELS ARE MODULAR, HOLES ARE MOLDED AND WILL NOT ROT OR SPLINTER. STRONGER THAN HOLLOW CORE BLOW-MOLDED PANELS.

FOLDS FLAT FOR EASY STORAGE





A TYPE I M-CADE

Mfr. No.	Product Description	Specifications
97-11-001-11	MODULAR BARRICADE TYPE I	12/8 PRISMATIC FLUOR. ORG. W/ DIRECT. ARROW
97-11-001-44	MODULAR BARRICADE TYPE I	44" EGR*
97-11-001-45	MODULAR BARRICADE TYPE I	44" H.I.*

B TYPE II 12/8 PANELS

Mfr. No.	Product Description	Specifications
97-11-002-11	MODULAR BARRICADE TYPE II	8/8 PRISMATIC FLUOR ORG. W/ DIRECT ARROW
97-11-003	MODULAR BARRICADE TYPE II	12T/8B PLAIN
97-11-003-11	MODULAR BARRICADE TYPE II	12T/8B PRIS. FLUOR. ORG. W/ DIRECT ARROW
97-11-003-44	MODULAR BARRICADE TYPE II	12T/8B EGR
97-11-003-45	MODULAR BARRICADE TYPE II	12T/8B HI

C TYPE II 8/8 PANELS

Mfr. No.	Product Description	Specifications
97-11-002-44	MODULAR BARRICADE TYPE II	44" EGR*
97-11-002-45	MODULAR BARRICADE TYPE II	44" H.I.*

D TYPE III M-CADE

Mfr. No.	Product Description	Specifications
97-1300	MODULAR ADAPTOR TYPE III	60"

E M-CADE-IB

IB-internal ballast bottom panel holds up to 15lbs. of sand. M-Cade is totally adaptable to be used as a Type I or Type II Barricade. Available with Engineer grade EG or Hi-Intensity grade sheeting. Material is hi-impact co-polyolefin structural resin. Weight empty is 14lbs. Meets all MUTCD requirements recognized by the FHWA, meets NCHRP-350, letter WZ-185. Folds flat with stacking pins for ease of storage. Available with custom legends, silk screened or hot stamped to bottom panel. Full open interlock eliminates sag. Unique "bolt-less" knuckle design.

Mfr. No.	Product Description	Specifications
97-12-001-44	IB EG TYPE I	12"X24" SHEETED TOP PANEL, PLAIN BOTTOM PANEL*
97-12-001-45	IB HIGH INTENSITY TYPE I	12"X24" SHEETED TOP PANEL, PLAIN BOTTOM PANEL
97-12-002-44	IB EG TYPE II	8"X24" SHEETED TOP PANEL, 12"X24" BOTTOM W/ 8" REFLECTIVE
97-12-002-45	IB HIGH INTENSITY TYPE II	8"X24" SHEETED TOP PANEL, 12"X24" BOTTOM W/ 8" REFLECTIVE*

* HIGH MOVING ITEM

STEELCADES

Cost-effective metal/plastic barricade is built using 12 gauge painted, steel legs and M-Cade plastic panels. Provides a superior cost-effective option that eliminates wood boards that rot, warp and peel. Stronger than blow-molded panels. Recessed holes for panel mounting. No drilling required. 8" bottom panel for identification 45" high x 24" wide.



A TYPE I STEELCADE

Mfr. No.	Product Description	Specifications
97-03-001	STEELCADE BARRICADE TYPE I	12/8 EGR TOP ONLY*
97-03-001-01	STEELCADE BARRICADE TYPE I	12/8 H.I. TOP ONLY
97-03-001-11	STEELCADE BARRICADE TYPE I	12/8 PRISMATIC FLUOR. ORG. W/ DIRECT. ARROW



B
TYPE II
97-03-002



B
TYPE II 12/8
97-03-003-01-11

B TYPE II STEELCADE

Mfr. No.	Product Description	Specifications
97-03-002	STEELCADE BARRICADE TYPE II	8/8 EGR*
97-03-002-01	STEELCADE BARRICADE TYPE II	8/8 H.I.
97-03-003-01	STEELCADE BARRICADE TYPE II	ELIMINATOR 12/8 EGR.
97-03-003-01-11	STEELCADE BARRICADE TYPE II	12/8 PRISMATIC, FLUOR. ORG. W/ DIRECT. ARROW
97-03-003-02	STEELCADE BARRICADE TYPE II	12/8 H.I.

* HIGH MOVING ITEM

BARRIER SYSTEMS

Whether you need a long term or temporary system to cordon off an area, the Patented PLASTX A-Frame Barrier System offers an easy and convenient solution. The unique A-Frame leg won't rot, rust, crack or peel. Its unique design will hold I-Beam configured boards, wood planks or our exclusive Expand-A-Panel. Will hold all manufacturers boards.

A - FRAME LEGS

(I-Beam not included) Injection molded, structural foam A-Frame legs are the most durable units available on the market. Mounting holes accommodate virtually all boards on the market today. Superior to blow-molded units.



A | BALLASTED A-FRAME SYSTEM NEW!

Optional weight cartridges can be attached to A-Frame legs.

Provides up to 7 lbs. of additional weight. Flexible A-Frame can be used as standard system or with ballast cartridges for applications that need additional weight. Unique A-Frame design holds I-Beam or wood planks.

Mfr. No.	Product Description
97-01-004	A-FRAME W/ SLOTS FOR WEIGHT CARTRIDGE
97-01-004-CE	A-FRAME W/ PRE-FILLED WEIGHT CARTRIDGE



B | COLOR A-FRAMES: 1 BOARD

Mfr. No.	Product Description
97-01-004-02	A-FRAME, 1 BOARD, WHITE*
97-01-004-02B	A-FRAME, 1 BOARD, BLUE*
97-01-004-02G	A-FRAME, 1 BOARD, GREEN
97-01-004-02O	A-FRAME, 1 BOARD, ORANGE*
97-01-004-02R	A-FRAME, 1 BOARD, RED
97-01-004-02Y	A-FRAME, 1 BOARD, YELLOW*



B
ONE BOARD FRAMES
97-01-004-02 (WHITE)

C | A-FRAME TYPE III

Mfr. No.	Product Description	Specifications
97-01-004-3	A-FRAME FOR USE WITH TYPE III	NON-ADA COMPLIANT



D | COLOR A-FRAMES: 2 BOARDS

Mfr. No.	Product Description	Specifications
97-01-004	A-FRAME 2 BOARD, WHITE	ADA COMPLIANT TO MUTCD 6F.58*
97-01-004B	A-FRAME 2 BOARD, BLUE	ADA COMPLIANT TO MUTCD 6F.58*
97-01-004G	A-FRAME 2 BOARD, GREEN	ADA COMPLIANT TO MUTCD 6F.58
97-01-004O	A-FRAME 2 BOARD, ORANGE	ADA COMPLIANT TO MUTCD 6F.58*
97-01-004R	A-FRAME 2 BOARD, RED	ADA COMPLIANT TO MUTCD 6F.58
97-01-004Y	A-FRAME 2 BOARD, YELLOW	ADA COMPLIANT TO MUTCD 6F.58



E | EXPAND-A-PANELS

Our patented Expand-A-Panel extends from 5' to 9'. Allows for easy storage and multiple applications. Eliminates the need for stock of multiple units. A-Frame Barrier System marks parade routes, parking restrictions and other special circumstances such as crowd control at special events. The bright, unique, colored A-Frames are ideal to color code parking lots, school teams, corporate logos, or amusement parks. Logos available upon request. Call for quote.

Mfr. No.	Product Description	Specifications
97-01-005	EXPAND-A-PANEL	PLAIN
97-01-005-01	EXPAND-A-PANEL EGR.	SHEETING 1 SIDE
97-01-005-02	EXPAND-A-PANEL EGR.	SHEETING 2 SIDES
97-01-005-03	EXPAND-A-PANEL HI-INTENSITY	SHEETING 1 SIDE
97-01-005-04	EXPAND-A-PANEL HI-INTENSITY	SHEETING 2 SIDES

* HIGH MOVING ITEM



I-BEAMS AND T-BOARDS

A PLASTX T-BOARD

T for TOUGH! Made of extruded exterior grade PVC, UV Stabilized white color custom compounded in the board. There are 2 styles - thin 1" x 8" or standard 2" x 8" profiles. Stocked in 6' & 8' lengths and minimal lead-time for longer lengths. They won't rot, crack or peel and the smooth exterior is chemical resistant which reduces maintenance. 7 years UV package protects against deterioration. Withstands extreme temperatures. Available plain or striped with engineer grade or hi-intensity grade sheeting on 1 or 2 sides.

Mfr. No.	Product Description
97-01-0113	1X8X4 FT PLAIN
97-01-018	1x8x6 FT PLAIN
97-01-018-01	1x8x6 FT EGR 1 SIDE
97-01-018-02	1x8x6 FT EGR 2 SIDES
97-01-018-03	1x8x6 FT HI 2 SIDES
97-01-018-04	1x8x6 FT HI 1 SIDE
97-01-019	1x8x8 FT PLAIN
97-01-019-01	1x8x8 FT EGR 1 SIDE
97-01-019-02	1x8x8 FT EGR 2 SIDES
97-01-019-03	1x8x8 FT HI 2 SIDES
97-01-019-04	1x8x8 FT HI 1 SIDE
97-01-0213	2X8X4 FT PLAIN
97-01-028	2x8x6 FT PLAIN
97-01-028-01	2x8x6 FT EGR 1 SIDE
97-01-028-02	2x8x6 FT EGR 2 SIDES
97-01-028-03	2x8x6 FT HI 2 SIDES
97-01-028-04	2x8x6 FT HI 1 SIDE
97-01-029	2x8x8 FT PLAIN
97-01-029-01	2x8x8 FT EGR 1 SIDE
97-01-029-02	2x8x8 FT EGR 2 SIDES
97-01-029-03	2x8x8 FT HI 2 SIDES
97-01-029-04	2x8x8 FT HI 1 SIDE

Mfr. No.	Product Description
97-01-0110	1x8x10 FT PLAIN
97-01-0110-01	1x8x10 FT EGR 1 SIDE
97-01-0110-02	1x8x10 FT EGR 2 SIDES
97-01-0110-03	1x8x10 FT HI 2 SIDES
97-01-0110-04	1x8x10 FT HI 1 SIDE
97-01-0112	1x8x12 FT PLAIN
97-01-0112-01	1x8x12 FT EGR 1 SIDE
97-01-0112-02	1x8x12 FT EGR 2 SIDES
97-01-0112-03	1x8x12 FT HI 2 SIDES
97-01-0112-04	1x8x12 FT HI 1 SIDE
97-01-0210	2x8x10 FT PLAIN
97-01-0210-01	2x8x10 FT EGR 1 SIDE
97-01-0210-02	2x8x10 FT EGR 2 SIDES
97-01-0210-03	2x8x10 FT HI 2 SIDES
97-01-0210-04	2x8x10 FT HI 1 SIDE
97-01-0212	2x8x12 FT PLAIN
97-01-0212-01	2x8x12 FT EGR 1 SIDE
97-01-0212-02	2x8x12 FT EGR 2 SIDES
97-01-0212-03	2x8x12 FT HI 2 SIDES
97-01-0212-04	2x8x12 FT HI 1 SIDE





B
I-BEAM
97-01-008-01

B I-BEAMS

I-Beams are manufactured using exterior grade PVC providing year round, all weather durability. 7 year UV package protects from deterioration. "I"-Beam design protects sheeting.

Mfr. No.	Product Description	Specifications
97-01-008	6' I BEAM	PLAIN
97-01-008-01	6' I BEAM EGR. SHEETING	1 SIDE
97-01-008-02	6' I BEAM EGR. SHEETING	2 SIDES*
97-01-008-03	6' I BEAM HI-INTENSITY SHEETING	1 SIDE
97-01-008-04	6' I BEAM HI-INTENSITY SHEETING	2 SIDES
97-01-008-06	6' I BEAM	1 SIDE LIME
97-01-008-07	6' I BEAM	2 SIDES LIME
97-01-009	8' I BEAM	PLAIN
97-01-009-01	8' I BEAM EGR. SHEETING	1 SIDE
97-01-009-02	8' I BEAM EGR. SHEETING	2 SIDES*
97-01-009-03	8' I BEAM HI-INTENSITY SHEETING	2 SIDES*
97-01-009-04	8' I BEAM HI-INTENSITY SHEETING	1 SIDE
97-01-009-06	8' I BEAM	1 SIDE LIME
97-01-009-07	8' I BEAM	2 SIDES LIME
97-01-010	10' I BEAM	PLAIN
97-01-010-01	10' I BEAM EGR SHEETING	1 SIDE
97-01-010-02	10' I BEAM EGR SHEETING	2 SIDES
97-01-010-03	10' I BEAM HIGH INTENSITY SHEETING	1 SIDE
97-01-010-04	10' I BEAM HIGH INTENSITY SHEETING	2 SIDES
97-01-012	12' I BEAM	PLAIN
97-01-012-01	12' I BEAM EGR SHEETING	1 SIDE
97-01-012-02	12' I BEAM EGR SHEETING	2 SIDES
97-01-012-03	12' I BEAM HI SHEETING	1 SIDE
97-01-012-04	12' I BEAM HI SHEETING	2 SIDES
97-01-013-02	4' I BEAM EGR SHEETING	2 SIDES

C TYPE III KITS

The Type III Barricade System is designed to meet Type III requirements of MUTCD specifications for a barricade device. All plastic construction won't rot, rust, crack or peel. Uses standard Cortina I-Beams, A-Frames and M-Cade legs. Provides years of use. Patent Pending.

Mfr. No.	Product Description	Specifications
97-1300-101-E	TYPE III KIT 10' EGR	1 SIDE
97-1300-101-H	TYPE III KIT 10' HI	1 SIDE
97-1300-102-E	TYPE III KIT 10' EGR	2 SIDES
97-1300-102-H	TYPE III KIT 10' HI	2 SIDES
97-1300-121-E	TYPE III KIT 12' EGR	1 SIDE
97-1300-121-H	TYPE III KIT 12' HI	1 SIDE
97-1300-122-E	TYPE III KIT 12' EGR	2 SIDES
97-1300-122-H	TYPE III KIT 12' HI	2 SIDES
97-1300-61-E	TYPE III KIT 6' EGR	1 SIDE
97-1300-61-H	TYPE III KIT 6' HI	1 SIDE
97-1300-62-E	TYPE III KIT 6' EGR	2 SIDES
97-1300-62-H	TYPE III KIT 6' HI	2 SIDES
97-1300-81-E	TYPE III KIT 8' EGR	1 SIDE
97-1300-81-H	TYPE III KIT 8' HI	1 SIDE
97-1300-82-E	TYPE III KIT 8' EGR	2 SIDES*
97-1300-82-H	TYPE III KIT 8' HI	2 SIDES*



C
TYPE III KIT
97-1300-101-E

* HIGH MOVING ITEM

N-CADE SYSTEMS

A | N-CADES

Designed to meet requirements of MUTCD specifications for barricade devices in narrow applications. Panel size: 24" H x 12" W. Available in two sizes: 36" (9lbs) and 44" (10lbs). Recessed weight cartridge area in legs. 100% Recyclable. Lights sold separately. NCHRP-350 certified.



A
N-CADE
97-01-007-03SX



A
N-CADE
97-01-006

A
N-CADE
97-01-007

Mfr. No.	Product Description	Specification
97-01-006	N-CADE 36"	EGR SHEETING*
97-01-006-01	N-CADE 36"	PLAIN
97-01-006-02	N-CADE 36"	H.I. SHEETING
97-01-006-05	N-CADE 36"	SCHOOL CROSSING LIME SHEETING
97-01-006-06	N-CADE 36"	PEDESTRIAN WARNING LIME/GREEN
97-01-006-07	N-CADE 36"	"CLOSED FOR CLEANING"
97-01-006-08	N-CADE 36"	"SLIPPERY WHEN WET"
97-01-007	N-CADE 44"	EGR SHEETING*
97-01-007-01	N-CADE 44"	H.I. SHEETING
97-01-007-03	N-CADE 44"	PLAIN
97-01-007-03CC	N-CADE 44"	"CLOSED FOR CLEANING"
97-01-007-03CL	N-CADE 44"	"CAUTION" LIME
97-01-007-03DN	N-CADE 44"	"DO NOT ENTER"
97-01-007-03EO	N-CADE 44"	"ELEVATOR OUT OF ORDER"
97-01-007-03KL	N-CADE 44"	"KEEP LEFT" ARROW
97-01-007-03KLR	N-CADE 44"	"KEEP LEFT/KEEP RIGHT" NON-REFLECTIVE
97-01-007-03KR	N-CADE 44"	"KEEP RIGHT" ARROW
97-01-007-03PR	N-CADE 44"	"POLICE ROAD CHECK AHEAD" NON-REFLECTIVE
97-01-007-03RC	N-CADE 44"	"ROAD CLOSED"
97-01-007-03SP	N-CADE 44"	"STOP POLICE CHECK POINT"*
97-01-007-03SW	N-CADE 44"	"SLIPPERY WHEN WET"*
97-01-007-03SX	N-CADE 44"	"SCHOOL X-ING" LIME*
97-01-007-03TA	N-CADE 44"	"TREE WORK AHEAD"
97-01-007-03TW	N-CADE 44"	"TWO WAY TRAFFIC SLOW DOWN"
97-01-007-03YT	N-CADE 44"	"YIELD TRUCK TRAFFIC"

B | DIRECTIONAL I-BEAMS

Unique vertical panel & recycled rubber base offers high visibility portable delineation. Ideal for parking lots, crosswalks, schools and industrial plants.



B
I-BEAM
14-007-06

B
I-BEAM
14-002

Mfr. No.	Product Description	Specification
14-002	DIRECTIONAL I-BEAM BARRICADE	4' EGR
14-003	DIRECTIONAL I-BEAM BARRICADE	4' HI
14-004	DIRECTIONAL I-BEAM BARRICADE	4' FLUORESCENT ORANGE
14-005	DIRECTIONAL I-BEAM BARRICADE	4' LIME
14-006	DIRECTIONAL I-BEAM BARRICADE	RUBBER BASE
14-007-06	DIRECTIONAL I-BEAM BARRICADE	FLUORESCENT LIME REFLECTIVE
...	SCHOOL CROSSING, PRISMATIC	W/ 15# RUBBER BASE

* HIGH MOVING ITEM

SIGN LEGENDS

Sign legends ideal for a wide variety of work zone, institutional or industrial delineation.

Designed for PLASTX Type I Barricades and 36" or 44" PLASTX N-Cades.



BARRICADE SIGN LEGENDS

Mfr. No.	Product Description	Specification
13-01-010AL	BARRICADE TYPE I "THIS WAY"	ARROW LEFT*
13-01-010AR	BARRICADE TYPE I "THIS WAY"	ARROW RIGHT*
13-01-010C	BARRICADE TYPE I "CAUTION"	...
13-01-010DH	BARRICADE TYPE I "DANGER HIGH VOLTAGE"	...
13-01-010DL	BARRICADE TYPE I "DETOUR"	ARROW LEFT*
13-01-010DOP	BARRICADE TYPE I "DANGER OVERHEAD POWER LINES"	...
13-01-010DR	BARRICADE TYPE I "DETOUR"	ARROW RIGHT*
13-01-010SC	BARRICADE TYPE I "SIDEWALK CLOSED"	...
13-01-010SM	BARRICADE TYPE I "STOP MEN WORKING"	...
97-02-001	SIGN: ELEVATOR OUT OF ORDER	(2C) FOR N-CADE
97-02-002	SIGN: CLOSED FOR CLEANING	(2C) FOR N-CADE
97-02-003	SIGN: SLIPPERY WHEN WET	(2C) FOR N-CADE
97-02-004	SIGN: DANGER HIGH VOLTAGE	(2C) FOR TYPE I BARRICADE
97-02-005L	SIGN: THIS WAY ARROW LEFT	(1C) FOR TYPE I BARRICADE
97-02-005R	SIGN: THIS WAY ARROW RIGHT	(1C) FOR TYPE I BARRICADE
97-02-006	SIGN: ROAD CLOSED AHEAD	(1C) FOR N-CADE
97-02-007	SIGN: 2WAY TRAFFIC SLOW DOWN	(1C) FOR TYPE I BARRICADE
97-02-008	SIGN: YIELD TRUCK TRAFFIC	(2C) FOR N-CADE
97-02-009	SIGN: STOP MEN WORKING	(2C) FOR TYPE I BARRICADE
97-02-010L	SIGN: DETOUR ARROW LEFT	(1C) FOR TYPE I BARRICADE
97-02-010R	SIGN: DETOUR ARROW RIGHT	(1C) FOR TYPE I BARRICADE
97-02-011	SIGN: CAUTION	(1C) FOR TYPE I BARRICADE
97-02-012	SIGN: KEEP RIGHT ARROW	(1C) FOR N-CADE
97-02-013	SIGN: KEEP LEFT ARROW	(1C) FOR N-CADE
97-02-014	SIGN: DO NOT ENTER	(2C) FOR N-CADE
97-02-015	SIGN: STOP POLICE CHECKPOINT	(2C) FOR N-CADE
97-02-016	SIGN: SCHOOL CROSSING	(LIME) (1C) FOR N-CADE
97-02-017	SIGN: CAUTION	FLUORESCENT LIME REFLECTIVE
...	...	(1C) FOR N-CADE
97-02-018	SIGN: TREE WORK AHEAD	(1C) FOR N-CADE
97-02-019	SIGN: SIDEWALK CLOSED	(1C) FOR TYPE I BARRICADE
97-02-020	SIGN: MEN WORKING	(2C) FOR N-CADE
97-02-021	SIGN: ROAD CLOSED 12" X 24"	(1C) FOR TYPE I BARRICADE
97-02-022L	SIGN: DETOUR ARROW LEFT 12" X 24"	(1C) FOR N-CADE
97-02-022R	SIGN: DETOUR ARROW RIGHT 12" X 24"	(1C) FOR N-CADE
97-02-023	SIGN: CAUTION MEN WORKING SLOW DOWN	(1C) FOR N-CADE
97-02-024	12" X 24" PANEL SCREEN	YELLOW
97-02-025	SIGN: HOUSE FOR SALE	FOR TYPE I BARRICADE
97-02-026	SIGN: OPEN HOUSE	FOR N-CADE
97-02-027	SIGN: STATE LAW YIELD TO CROSSWALK	FLUORESCENT LIME REFLECTIVE

* HIGH MOVING ITEM

COMPONENTS



BARRICADE LIGHTS

Meets all MUTCD and ITE specifications in 12 volt configuration. Reliable chip circuit is weather resistant. 7" polycarbonate lens provides extreme durability. Attaches to all barricades. State of the art optics. UV stabilized polycarbonate. 10 lights, 1 wrench and 10 bolts are included in a package.



BARRICADE COMPONENTS

From legs to panels, fasteners to sheeting, we stock a full compliment of parts to rebuild, repair, or build the entire line of Cortina Barricades.

BARRICADE COMPONENTS

Mfr. No.	Product Description	Specification
03-10-001	BARRICADE LIGHT BOLT	BOLT
03-10-002	BARRICADE LIGHT WRENCH / COMBO TOOL	WRENCH/SWITCH PIN COMBO TOOL
03-10-007-L	PLASTX TYPE I REPLACEMENT PANEL	EGR LEFT SLANT 12" X 24"
03-10-007-R	PLASTX TYPE I REPLACEMENT PANEL	EGR RIGHT SLANT 12" X 24"
03-10-008-30	EGR BARR. TAPE	8" X 50 YD L
03-10-008-31	EGR BARR. TAPE	8" X 50 YD R
03-10-008-32	EGR BARR. TAPE	12" X 50 YD L
03-10-008-33	EGR BARR. TAPE	12" X 50 YD R
03-10-008-34	H.I. BARR. TAPE	8" X 50 YD L
03-10-008-35	H.I. BARR. TAPE	8" X 50 YD R
03-10-008-36	H.I. BARR. TAPE	12" X 50 YD L
03-10-008-37	H.I. BARR. TAPE	12" X 50 YD R
03-10-008-38	EGR BARR. TAPE	6" X 50 YD. L
03-10-008-39	EGR BARR. TAPE	6" X 50 YD. R
03-10-008-L	PLASTX TYPE I REPLACEMENT PANEL	HI LEFT 12" X 24"
03-10-008-R	PLASTX TYPE I REPLACEMENT PANEL	HI RIGHT 12" X 24"
03-10-009-L	PLASTX TYPE II REPLACEMENT PANEL	EGR LEFT SLANT 8" X 24"
03-10-009-R	PLASTX TYPE II REPLACEMENT PANEL	EGR RIGHT SLANT 8" X 24"
03-10-3WAY6V	BARRICADE LIGHT, 6V W/ PHOTOCELL	3-WAY SWITCH, YELLOW CASE/AMBER LENS*
03-10-3WRY6V	BARRICADE LIGHT, 6V W/ PHOTOCELL	3-WAY SWITCH, YELLOW CASE/RED LENS
03-10-3WAYDC	BARRICADE LIGHT, D-CELL W/PHOTOCELL	3-WAY SWITCH, YELLOW CASE/AMBER LENS*
03-10-3WRYDC	BARRICADE LIGHT, D-CELL W/PHOTOCELL	3-WAY SWITCH, YELLOW CASE/RED LENS
03-10-BLAY6V	BARRICADE LIGHT, 6V, TYPE B LIGHT	YELLOW CASE/AMBER LENS*
03-10-BLRY6V	BARRICADE LIGHT, 6V, TYPE B LIGHT	YELLOW CASE/RED LENS
03-10-BLAYDC	BARRICADE LIGHT, D-CELL, TYPE B LIGHT	YELLOW CASE/AMBER LENS*
03-10-BLRYDC	BARRICADE LIGHT, D-CELL, TYPE B LIGHT	YELLOW CASE/RED LENS
03-10-010-L	PLASTX TYPE I REPLACEMENT PANEL	HI LEFT 8" X 24"
03-10-010-R	PLASTX TYPE I REPLACEMENT PANEL	HI RIGHT 8" X 24"
03-10-013	METAL LEG FOR BARRICADE	12 GA. PAINTED WHITE
03-10-018	M-CADE PANEL	FLUORESCENT ORANGE
...	...	BLACK DIRECTION ARROW 12" X 24"
03-219-1036F	WEIGHT CARTRIDGES	SNAPS INTO ALL FOUR BARRICADE LEGS
13-01-011	PLASTX BARRICADE LIGHT	BRACKET ONLY
13-10-006	PLASTIC PANEL FASTENERS	6 PACK
13-10-006B	PLASTIC PANEL FASTENERS	BULK
13-10-007	PLAIN BLACK PANEL	12" X 24"
13-10-009	PLAIN BLACK PANEL	8" X 24"
13-10-012	M-CADE PANEL 12" X 24"	FL. ORANGE PRISMATIC W/ DIRECTIONAL ARROW
13-10-013	M-CADE PANEL 8" X 24"	FL. ORANGE PRISMATIC W/ DIRECTIONAL ARROW
97-1100	MODULAR BARRICADE LEG	44"
97-1400	M-CADE SAND BAR FOR BARRICADES	3"X24"
97-1500	M-CADE PANEL 8"X24"	NO SHEETING
97-1500-L	M-CADE PANEL, 8" X 24"	EGR LEFT
97-1500-R	M-CADE PANEL, 8" X 24"	EGR RIGHT
97-1500-1	M-CADE PANEL, 8" X 24"	HI LEFT
97-1500-2	M-CADE PANEL, 8" X 24"	HI RIGHT
97-1600	M-CADE PANEL 12"X24"	NO SHEETING
97-1600-L	M-CADE PANEL, 12" X 24"	EGR LEFT
97-1600-R	M-CADE PANEL, 12" X 24"	EGR RIGHT
97-1600-1	M-CADE PANEL, 12" X 24"	HI LEFT
97-1600-2	M-CADE PANEL, 12" X 24"	HI RIGHT
97-1650SF	SANDFILLABLE PANEL FOR M-CADE	...


* HIGH MOVING ITEM

DELINEATOR POSTS

The Cortina EZ Grab Delineator Post is made from 100% impact-resistant, linear low density polyethylene material. Its EZ Grab handle provides portability and ease of movement. UV inhibitors resist fading. Each post comes with two 3" high intensity reflective bands. Bands are recessed inside post for protection. The base is 100% recycled rubber and is extremely durable. Post is NCHRP-350 Certified and stands 45" high. Optional oval reflex reflector or strobe adds extra measure of safety. Colored posts available for customization.

EZ GRAB
HANDLE

EZ GRAB DELINEATOR POSTS



A EZ-GRAB WIDE BODY DELINEATOR NEW!

Cortina Safety Products Group is pleased to introduce a revolutionary new temporary traffic control device. Lower profile design takes up less warehouse, truck and road surface space. Stepped sides prevent sticking when stacked providing for faster set up. EZ-Grab handle makes it easier to transport and store. Built to withstand repeated impacts and temperature extremes. Provides high visibility target value within a smaller space. Constructed of HDPE with UV inhibitors. EZ-Grab handle design makes moving and stacking it a breeze. Handle has built in holder for traffic control batons. Handle has center mount light bolt hole for streamlined delineation. Available with Hi-Intensity or Fluorescent Prismatic sheeting in 4" and 6" configurations. 44.12" tall 13" diameter at top tier, 16.5" diameter at bottom shoulder. Meets NCHRP-350 crash test requirements.

Mfr. No.	Product Description	Specification
03-755-P	BARREL ONLY	...
03-755-24HI	WIDE BODY DELINEATOR	2-4" HI INTENSITY STRIPES
03-755-4HI	WIDE BODY DELINEATOR	4-4" HI INTENSITY STRIPES
03-755-6HI	WIDE BODY DELINEATOR	4-6" HI INTENSITY STRIPES
03-755-4FP	WIDE BODY DELINEATOR	4-4" FLUORESCENT STRIPES
03-755-6FP	WIDE BODY DELINEATOR	4-6" FLUORESCENT STRIPES
03-732	RECYCLED RUBBER BASE	20 LBS.

B DELINEATOR BASES

Mfr. No.	Product Description	Specification
03-730	DELINEATOR BASE	RUBBER 10#*
03-731	DELINEATOR BASE	RUBBER 15#*
03-733	ALUMINUM BASE	FOR EZ-GRAB DELINEATOR



C DELINEATOR POSTS

Mfr. No.	Product Description	Specification
03-734	EASY GRAB DELINEATOR POST	FLARED 45" W/2 EA. 3" H.I COLLARS*
03-734RBC	DELINEATOR POST FLARED	45" W/ 2 EA. 3" HI COLLARS, 10# RUBBER BASE IN BOX*
03-735	DELINEATOR POST STRAIGHT	2 EA. 3" RFL. BANDS FOR USE WITH PERMANENT BASE
03-737	EASY GRAB DELINEATOR POST FLARED	45" W/ 2 EA. 3" HI COLL. & OVAL REFLECTORS*
03-738	EASY GRAB DELINEATOR POST FLARED	45" W/ 2 EA. STROBES
03-739	EASY GRAB DELINEATOR POST FLARED	45" W/ 2 EA. 3" HI COLLARS AND 2 EA. STROBES*
03-740	EASY GRAB DELINEATOR POST FLARED	45" PLAIN
03-744	EASY GRAB DELINEATOR POST FLARED	45" W/ 2 EA. 3" HI COLLARS AND 1 STROBE
03-745AB	PERM. MOUNT DELINEATOR POST	2 EA. 3" REFL. BANDS, ALUMINUM BASE
03-746ABC	PERM. MOUNT DELINEATOR POST	2 EA. 4" REFL. BANDS, ALUMINUM BASE*
03-747BRBC	EASY GRAB DELINEATOR POST FLARED	45", BLUE W/2 3" HI COLLARS W/10# RUBBER BASE IN BOX
03-747FGRBC	EASY GRAB DELINEATOR POST FLARED	45", FOREST GREEN W/2 3" HI COLLARS W/10# RUBBER BASE IN BOX
03-747RBC	EASY GRAB DELINEATOR POST FLARED	45", ORANGE W/3" COLLARS, W/10# RUBBER BASE IN BOX
03-747WRBC	EASY GRAB DELINEATOR POST FLARED	45", WHITE W/2 3" HI COLLARS W/10# RUBBER BASE IN BOX
03-747YRBC	EASY GRAB DELINEATOR POST FLARED	45", YELLOW W/2 3" HI COLLARS W/10# RUBBER BASE IN BOX

* HIGH MOVING ITEM

A COLORED DELINEATOR POSTS

Mfr. No.	Product Description	Specification
03-747B	EASY GRAB DELINEATOR POST FLARED	45" W/2 EA. 3" HI COLLARS - BLUE*
03-747FG	EASY GRAB DELINEATOR POST FLARED	45" W/2 EA. 3" HI COLLARS - FOREST GREEN*
03-747W	EASY GRAB DELINEATOR POST FLARED	45" W/2 EA. 3" HI COLLARS - WHITE*
03-747Y	EASY GRAB DELINEATOR POST FLARED	45" W/2 EA. 3" HI COLLARS - YELLOW*

B OPEN TOP DELINEATOR POSTS

Mfr. No.	Product Description	Specification
03-741	OPEN TOP DELINEATOR POST AND BASE	26", ORANGE W/ 1" REFLECTIVE BAND
03-742	OPEN TOP DELINEATOR POST AND BASE	32", ORANGE W/ 1" REFLECTIVE BAND
03-743	BASE, GLASS-FILLED POLYCARBONATE	5" DIAMETER FOR OPEN TOP DELINEATOR

* HIGH MOVING ITEM



C EZ-GRAB TRIM LINE CHANNELIZER

42" low density polyethylene material is durable and impact resistant. Patented, reinforced EZ-Grip handle allows for ease of movement and placement. Stackable for storage and transport requires less space than standard traffic control barrels. Will accept standard barricade lights. Meets MUTCD standards and is certified crashworthy to NCHRP-350. Recycled rubber bases available in 16lb., 25lb. and 30lb weights. Available with hi-intensity or fluorescent prismatic 4" or 6" reflective sheeting in 2 or 4 stripe configurations.



C
EZ-GRAB TRIM LINE
CHANNELIZER
03-750-4HI

Mfr. No.	Product Description	Specification
03-750	42" TLC	PLAIN
03-750-4HI	42" TLC	(4) 4" HI INTENSITY STRIPES
03-750-6HI	42" TLC	(4) 6" HI INTENSITY STRIPES
03-750-4FP	42" TLC	(4) 4" FLUORESCENT PRISMATIC STRIPES
03-750-6FP	42" TLC	(4) 6" FLUORESCENT PRISMATIC STRIPES
03-750-64HI	42" TLC	(1) 6" & (1) 4" HI-I STRIPES
03-752	RECYCLED RUBBER BASE	30LB.
03-750-B	RECYCLED RUBBER BASE	25LB.
03-751	RECYCLED RUBBER BASE	16LB.

CONES

All vinyl construction assures durability and flexibility in all weather conditions. Long lasting, brilliant fluorescent color provides High visibility protection. Ultraviolet stabilized color provides maximum resistance to fading. High density base creates low center of gravity for maximum stability. Engineered to meet MUTCD specifications. Meets NCHRP-350 category requirements. Slim body and wide body designs available. Stenciling available on all cones at an upcharge.



E
COLLAPSIBLE
CONE
03-500-80



D TRAFFIC CONES ALL CONES ARE NOW BLACK BASED

Mfr. No.	Product Description	Specification
03-500-05	CONE 18"	RED/ORANGE*
03-500-06	CONE 36"	6"/4" COLLAR, RED/ORANGE*
03-500-07	CONE 28"	RED/ORANGE*
03-500-08	CONE 36"	RED/ORANGE*
03-500-09	CONE 12"	RED/ORANGE*
03-500-10	CONE 28"	6" UPPER/4" LOWER COLLAR, RED/ORANGE*
03-500-18	TRAFFIC CONE	ORANGE 28" 10#
03-500-19	TRAFFIC CONE	ORANGE 36" 12#

E REFLECTIVE COLLAPSIBLE CONE WITH LED LIGHT

Portable, collapsible, 28" reflective cone is ideal for hazardous areas, police departments, school zones, industrial plants and for use by emergency responders. Collapses to 2" height and easily stores under the seat or in the trunk. Provides quick and easy set-up and take-down. Heavy-duty, polyester cone construction is resistant to most chemicals. Durable base is manufactured of heavy duty ABS. 6" & 4" highly reflective collars (permanently attached) and LED safety light (removable) provide additional visibility of 850' at night. Usable temperature is -40° F to 130° F.

Mfr. No.	Product Description	Specification
03-500-80	REFLECTIVE CONE 28"	ORANGE/SILVER
03-500-80KT	COLLAPSIBLE CONE	5 PACK ORANGE/SILVER

A REFLECTIVE COLLARS

Collared cones come in 18", 28" and 36" cone sizes. Collar sizes are 6" upper and 4" lower. Stenciling available on all cones.

Mfr. No.	Product Description	Specification
03-500-20	TRAFFIC CONE	ORANGE 18" W/4" COLLAR
03-500-21	TRAFFIC CONE	ORANGE, 18" W/6" UPPER COLLAR
03-500-24	TRAFFIC CONE	ORANGE 28" 10# 6"/4" COLLAR
03-500-25	TRAFFIC CONE	ORANGE 36" 12# 6"/4" COLLAR
03-500-26	TRAFFIC CONE	ORANGE 36" 12 LBS. W/6"/4" COLLAR (D.O.T.)
03-500-27	CONE 36"	ORANGE 12LBS. (D.O.T.)
03-500-28	CONE 28"	SLIMLINE, 6"/4" COLLAR, 5.5 LBS.
03-500-29	CONE 28"	ORANGE, 10# W/4" UPPER COLLAR
03-500-99	TRAFFIC CONE HOLDER	...
03-502	REFLECTIVE CONE COLLAR	6" UPPER FOR 28" STANDARD CONE
03-503	REFLECTIVE CONE COLLAR	4" LOWER FOR 28" STANDARD CONE
03-505	COLLAR 6"	UPPER FOR 28" SLIMLINE CONE
03-506	COLLAR 4"	LOWER FOR 28" SLIMLINE CONE
03-507	CONE STICK GLUE	1 QT.
03-508	COLLAR 4" LOWER	FOR 36" CONE
03-509	COLLAR 4" UPPER	FOR 28" CONE
03-510	COLLAR 6" UPPER	FOR 36" CONE
03-512	COLLAR 6" UPPER	FOR 18" CONE
03-513	COLLAR 4" UPPER	FOR 18" CONE
03-520	REFLECTIVE CONE COLLAR	13", LIME
03-521	REFLECTIVE CONE COLLAR	13", YELLOW
03-522	REFLECTIVE CONE COLLAR,	13", FLUORESCENT PINK
03-523	REFLECTIVE CONE COLLAR	13", WHITE
03-524	REFLECTIVE CONE COLLAR	6" UPPER FOR 28" CONE W/SELF ADHESIVE
03-526	REFLECTIVE CONE COLLAR	4" LOWER FOR 28" CONE W/SELF ADHESIVE
03-736	7# CONE WEIGHT	...

A
CONE HOLDER
03-500-99



A
COLLARS



B RETRACTABLE CONE BAR

The Cortina Safety Products Retractable Cone Bar is designed to be used with any and all PVC traffic cones. The Retractable bar is extremely versatile for road and utility work sites, great for parking lots and pedestrian crossways, and many more areas that need a fast and unique barrier system.

B
CONE BAR
03-824CB



Mfr. No.	Product Description	Specification
03-824CB	RETRACTABLE CONE BAR	ORANGE

C CONE BAR BARRICADE

The Cortina Safety Products Cone Bar Barricade is a quick set up ADA cone bar barrier system for use around man holes, sidewalk repair, crowd control, etc. It is extremely portable and easy to assemble and requires limited storage space.

C
CONE BAR BARRICADE
03-824CBKT



Mfr. No.	Product Description	Specification
03-824CBKT	CONE BAR BARRICADE	ORANGE
* HIGH MOVING ITEM		

Attaches to all manufacturers cones and delineators

- Durable UV resistant ABS Plastic
- Withstands wide range of temperature extremes

• Custom legends available.

CALL FOR QUOTE

1 . 8 0 0 . 2 2 5 . 5 2 0 6



A ABS STOP SLOW PADDLE AND CONE SIGN BLANKS NEW!

Injection molded one piece design, not cut or trimmed to size. Clean crisp edges, no flaking or splintering. Won't warp or bend. Excellent surface for adhesive application or screening. Longer life than aluminum. UV color protection package. A .125 thick high impact ABS resin. Excellent in extreme weather conditions rain, snow, sleet or hot weather conditions up to 200 degrees.

Mfr. No.	Product Description
03-650	18" STOP SLOW PADDLE BLANK
03-601	24" STOP SLOW PADDLE BLANK
13-03-550	ORANGE CONE SIGN BLANK
13-03-550-1	WHITE CONE SIGN BLANK
03-550-BL	ORANGE CONE SIGN BLANK WITH BLACK BORDER



SIGN BLANKS
03-650



A EZ-IMS

Mfr. No.	Product Description	Specification
03-550-AKL	EZ-IMS - KEEP LEFT W/ ARROW SYMBOL	BLACK ON ORANGE*
03-550-AKLW	EZ-IMS - KEEP LEFT W/ ARROW SYMBOL	BLACK ON WHITE
03-550-AKR	EZ-IMS - KEEP RIGHT W/ ARROW SYMBOL	BLACK ON ORANGE*
03-550-AKRW	EZ-IMS - KEEP RIGHT W/ ARROW SYMBOL	BLACK ON WHITE
03-550-AL	EZ-IMS - ARROW SYMBOL - LEFT	BLACK ON ORANGE*
03-550-AR	EZ-IMS - ARROW SYMBOL - RIGHT	BLACK ON ORANGE
03-550-ARL	EZ-IMS - ARROW SYMBOL - DOUBLE	BLACK ON ORANGE
03-550-BL	EZ-IMS - BLANK WITH BORDER	BLACK ON WHITE
03-550-C	EZ-IMS - CAUTION	BLACK ON ORANGE
03-550-DET	EZ-IMS - DETOUR	BLACK ON ORANGE
03-550-DNE	EZ-IMS - DO NOT ENTER	WHITE ON RED
03-550-FWA	EZ-IMS - FORWARD ARROW POINTING UP	BLACK ON ORANGE
03-550-GCAF	EZ-IMS - GOLF CART ARROW FORWARD	BLACK ON WHITE
03-550-GCAL	EZ-IMS - GOLF CART ARROW LEFT	BLACK ON WHITE
03-550-GCAR	EZ-IMS - GOLF CART ARROW RIGHT	BLACK ON WHITE
03-550-H	EZ-IMS - HANDICAP SYMBOL	WHITE ON BLUE*
03-550-LC	EZ-IMS - LANE CLOSED	BLACK ON WHITE
03-550-LF	EZ-IMS - LOT FULL	BLACK ON ORANGE
03-550-MW	EZ-IMS - MEN WORKING	BLACK ON ORANGE
03-550-NES	EZ-IMS - ELECTIONEERING PROHIBITED AT THIS SITE	BLACK ON ORANGE
03-550-NP	EZ-IMS - NO PARKING	BLACK ON ORANGE*
03-550-NTT	EZ-IMS - NO THRU TRAFFIC	BLACK ON ORANGE
03-550-R	EZ-IMS - RESERVED	BLACK ON ORANGE
03-550-RC	EZ-IMS - ROAD CLOSED	BLACK ON ORANGE
03-550-RES	EZ-IMS - RESERVED (WHITE)	BLACK ON WHITE
03-550-S	EZ-IMS - SLOW	BLACK ON ORANGE
03-550-SC	EZ-IMS - SIDEWALK CLOSED	BLACK ON ORANGE
03-550-SSC	EZ-IMS - STREET CLOSED	BLACK ON WHITE
03-550-WA	EZ-IMS - WORKERS ABOVE	BLACK ON ORANGE
03-550-WAH	EZ-IMS - WORKERS AHEAD	BLACK ON ORANGE
03-550-WP	EZ-IMS - WET PAINT	BLACK ON ORANGE
03-550-2WA	EZ-IMS - REVERSIBLE ARROW SYMBOL	BLACK ON ORG. W/ NOTCH ON TOP & BOTTOM*
03-550-3WAR	EZ-IMS - REFLECTIVE, 2 WAY ARROW	BLACK ON ORANGE

* HIGH MOVING ITEM

SPORT CONES

B SPORT CONES

Sport cones are made from lightweight, durable injection-molded polyethylene. 18" height with a 12"x12" base. Ideal for amusement parks, schools, sporting events, parking lots and temporary traffic control. Special colors and stenciling available. (minimums required)

Mfr. No.	Product Description	Specification
03-500-34	SPORT CONE	5" ORANGE
03-500-36	SPORT CONE	18" RED*
03-500-37	SPORT CONE	18" WHITE*
03-500-38	SPORT CONE	18" YELLOW*
03-500-39	SPORT CONE	18" BLUE*
03-500-40	SPORT CONE	18" GREEN*
03-500-41	SPORT CONE	18" FLUORESCENT LIME
03-500-42	SPORT CONE	18" FLUORESCENT ORANGE*



B
SPORT CONES



A | COLORED CONES

One piece construction on all PVC cones. UV and color stabilizers resist fading and provide uniform color. Ideal for emergency response, police, fire, animal training and special functions. Stenciling and cone collars available.

Mfr. No.	Product Description	Specification
03-500-44	CONE "SLIM LINE"	28" ORANGE 5-1/2 LBS.
03-500-45	CONE "SLIM LINE"	28" ORANGE 10 LBS.
03-500-46	CONE "SLIM LINE"	28" ORANGE 10 LBS. 6" / 4" COLLAR
03-500-60	TRAFFIC CONE*	18" BLUE PVC
03-500-61	PVC TRAFFIC CONE*	18" GREEN (FLUORESCENT)
03-500-62	PVC TRAFFIC CONE	18" WHITE
03-500-63	PVC TRAFFIC CONE	18" YELLOW
03-500-64	PVC TRAFFIC CONE*	28" BLUE
03-500-65	PVC TRAFFIC CONE*	28" GREEN (FLUORESCENT)
03-500-66	PVC TRAFFIC CONE*	28" WHITE
03-500-67	PVC TRAFFIC CONE*	28" YELLOW
03-500-68	PVC TRAFFIC CONE	28" GREEN (FLUORESCENT) W/ 6" UP 4" LOW*
03-500-69	CONE PVC	28" BLUE W/ 6" UP 4" LOW COLLARS*
03-500-70	CONE PVC	28" BLUE W/ 6" UPPER COLLAR
03-500-71	CONE PVC	18" BLUE W/ 6" UPPER COLLAR
03-500-72	CONE PVC	28" WHITE W/ 6" UPPER COLLAR
03-500-73	CONE PVC	18" FLUORESCENT GREEN W/ 6" UPPER COLLAR
03-500-74	CONE PVC	18" BLUE W/ 4" COLLAR
03-500-75	CONE PVC	28" YELLOW W/ 6" UPPER & 4" LOWER COLLARS

* HIGH MOVING ITEM



 STOP/SLOW
PADDLE
03-827P



C PADDLES

Paddles meet MUTCD requirements. Octagon-shaped paddles are available silk-screened or reflective with Engineer Grade or Hi-Intensity sheeting. Letter size: 8" for 24" paddles, 6" for 18" paddle. Handle sold separately. 81" High-Viz orange plastic handle.

18" x 18" silk-screened aluminum or ABS hand held, octagon paddles are ideal for school crossing guards, police and plant security guards. .080 aluminum with scratch resistant paint finish or extremely durable ABS material. Polygrip handle is included.

Mfr. No.	Product Description	Specification
03-820	PADDLE, STOP/GO ALUMINUM	18" W/ 9" POLYGRIP HANDLE*
03-822	PADDLE, STOP/SLOW PLASTIC	24" EGR SHEETING
03-822P	PADDLE, STOP/SLOW PLASTIC	24" EGR SHEETING W/ 81" PLASTIC HANDLE*
03-823	PADDLE, STOP/SLOW PLASTIC	24" HI SHEETING
03-823P	PADDLE, STOP/SLOW, PLASTIC	24" HI SHEETING W/ 81" PLASTIC HANDLE*
03-826	PADDLE, STOP/SLOW PLASTIC	24" DIAMOND GRADE
03-826P	PADDLE, STOP/SLOW PLASTIC	24" DIAMOND GRADE W/ 81" PLASTIC HANDLE*
03-827	PADDLE, STOP/SLOW PLASTIC	24" SILK-SCREENED
03-827P	PADDLE, STOP/SLOW PLASTIC	24" SILK-SCREENED W/ 81" PLASTIC HANDLE*
03-830	PADDLE, STOP/SLOW, ALUMINUM	18" W/ 9" POLYGRIP HANDLE
03-831	PADDLE, STOP/STOP, ALUMINUM	18" W/ 9" POLYGRIP HANDLE
03-835	PADDLE, STOP/SLOW, PLASTIC	18" EGR SHEETING
03-836	PADDLE, STOP/SLOW, PLASTIC	18" HI SHEETING
03-837	PADDLE, STOP/SLOW, PLASTIC	18" DIAMOND GRADE SHEETING
03-838	PADDLE, STOP/SLOW, PLASTIC	18" SILK-SCREENED
03-851	PADDLE, STOP/SLOW, PLASTIC	18" SILK-SCREENED W/ 9" POLYGRIP HANDLE*
03-852	PADDLE, STOP/SLOW, PLASTIC	18" EGR SHEETING W/ 9" POLYGRIP HANDLE
03-853	PADDLE, STOP/SLOW, PLASTIC	18" HI SHEETING W/ 9" POLYGRIP HANDLE
03-854	PADDLE, STOP/STOP, PLASTIC	18" SILK SCREENED W/ 9" POLYGRIP HANDLE
03-855	PADDLE, STOP/STOP, PLASTIC	18" EGR W/ 9" POLYGRIP HANDLE
03-856	PADDLE, STOP/STOP, PLASTIC	18" HI-I SHEETING W/ 9" POLYGRIP HANDLE
13-01-01	BOLT KIT FOR PADDLE	

 STOP/SLOW
PADDLE
03-827P

D PADDLE HANDLES

Mfr. No.	Product Description	Specification
03-824	PADDLE HANDLE, PLASTIC 81"*	...
03-824-MI	PADDLE HANDLE, PLASTIC 81"	W/ RED REFLECTIVE STRIP UPPER HANDLE
03-850	9" POLYGRIP HANDLE ONLY	FOR STOP/SLOW PADDLES

* HIGH MOVING ITEM



A
STOP SIGN
03-747QD

A QUICK DEPLOY STOP SIGN **NEW!**

System is a quick set up, effective traffic control system designed to be used in industrial plants, 4 way intersections, parking lots, schools, airports, hospitals, intersections where stop light is inoperable due to natural disasters, etc. The highly visible system provides 4 way stop visibility. The QDtm System is easy to set up and use. Each kit includes 1 white delineator post, 1-15lb recycled rubber base, and 2-18" ABS plastic STOP signs. Lightweight, easy to set up and move.

Mfr. No.	Product Description
03-730	RUBBER BASE 10#
03-731	RUBBER BASE 15#
03-747QD	NON-REFLECTIVE
03-747QDHI15	18" HIGH INTENSITY RFL
03-747QDDG15	18" FLUORESCENT ORANGE PRISMATIC



B
BATON
03-300, 301, 303


B ELECTRONIC SAFETY BATON

Pulsating high intensity LED lights. Water and impact resistant construction.


Mfr. No.	Product Description	Specification
03-300	LED BATON 12" C-CELL	STEADY ON / SLOW FLASH / FAST FLASH
03-301	LED BATON W/ BELT CLIP 9" C-CELL	STEADY ON / FAST FLASH
03-303	LED BATON W/ BELT CLIP 12" D-CELL	STEADY ON / FAST FLASH

* HIGH MOVING ITEM

FENCING AND TAPE




BARRIER FENCE
03-902




DIAMOND MESH
03-900

C FENCING

Orange polyethylene. Highly visible. UV stabilized. Rugged and reusable.

Mfr. No.	Product Description	Specification
03-900	PLASTIC FENCE DIAMOND MESH	ORANGE 4' X 50'*
03-901	PLASTIC FENCE DIAMOND MESH	ORANGE 4' X 100'
03-902	LIGHTWEIGHT BARRIER FENCE	ORANGE 4' X 100'*

A
BARRICADE TAPE
CLIPS
03-500-BTC



A BARRICADE TAPE CLIPS

For attaching tape to traffic cones and posts. Fits all manufacturers traffic cones. Provides a quick, easy set up visual barrier around hazardous areas.

Mfr. No.	Product Description	Specification
03-500-BTC	BARRICADE TAPE CLIP	SOLD IN 5 PACKS ONLY

A | PENNANTS

9" x 12" on a 100' or 60' string. Tensile strength - 107lbs. Available in orange, yellow, red, alternating red/white, orange/white, or multi-colored. Standard pack of 25 each.

Mfr. No.	Product Description	Specification
03-400	PENNANT VINYL	100' RED
03-400-60	PENNANT VINYL	60' RED
03-401	PENNANT VINYL	100' RED/WHITE
03-401-60	PENNANT VINYL	60' RED/WHITE
03-402	PENNANT VINYL	100' ORANGE
03-402-60	PENNANT VINYL	60' ORANGE
03-403	PENNANT VINYL	100' MULTI-COLORED
03-403-60	PENNANT VINYL	60' MULTI-COLORED
03-404	PENNANT VINYL	100' ORANGE / WHITE
03-404-60	PENNANT VINYL	60' ORANGE/WHITE
03-405	PENNANT VINYL	100' YELLOW
03-405-60	PENNANT VINYL	60' YELLOW



B | WINDSOCKS

International orange color with UV inhibitors. High quality PVC over nylon material for increased durability. Double stitched at all seams. Weather proof and durable for a wide variety of applications. Frames are corrosion resistant aluminum that mounts on a standard 1.25" outside diameter pipe. Windsock mounts quickly to frame via lock ties and pre-installed brass grommets.

Mfr. No.	Product Description	Specification
03-WS-3KT	WINDSOCK W/ HARDWARE	10" OPENING X 3'
03-WS-4KT	WINDSOCK W/ HARDWARE	18" OPENING X 4'
03-WS-8KT	WINDSOCK W/ HARDWARE	18" OPENING X 8'
03-WS-3	WINDSOCK ONLY	3'
03-WS-4	WINDSOCK ONLY	4'
03-WS-8	WINDSOCK ONLY	8'

BANNERS / SMV SIGNS

C
BANNER
03-11-000



D
SLOW MOVING
05-099-10
05-099-12



C BANNER

18" x 18" with 5' rope ties in each corner. Wide load / Oversize load combination: front and back. Bright yellow reinforced vinyl material with black letters. Letter size = 12".

Mfr. No.	Product Description	Specification
03-11-000	HWY. BANNER	WIDE LOAD / OVERSIZE LOAD BANNER COMBO

D SLOW MOVING VEHICLE SIGNS

Slow Moving emblem on pre-punched metal or molded plastic backings.
Meets new ASAE S276.5 & ASAE S279.10 standards.

Mfr. No.	Product Description	Specification
05-099-10	SLOW MOVING VEHICLE SIGN	(METAL) ASAE 276.5
05-099-11	SLOW MOVING VEHICLE DECAL	ASAE 276.5
05-099-12	SLOW MOVING VEHICLE SIGN	(PLASTIC) ASAE 276.5

E SPADE


Mfr. No.	Product Description	Specification
05-099-13	SPADE MOUNTING BRACKET	SLOW MOVING VEHICLE BRACKET

A CONSPICUITY MATERIAL

Constructed entirely of tough, clear acrylics, with a UV absorbing top film.

Superior outdoor durability and protection against weather, dirt and time. Bright red surface protected from fading or degrading from exposure to harsh solvents or washing detergents. Exceeds requirements of the NHTSA (49CRF571), and every roll carries the “DOT-CZ” Certification for compliance.

Mfr. No.	Product Description	Specification
03-500-82	7 YEAR CONSPICUITY	150' ROLL
03-500-92	3 YEAR CONSPICUITY	150' ROLL



B SCHOOL BUS CONSPICUITY

Features superior nighttime reflectivity and long distance visibility with high reflectivity from 1000' or more. Effective through rain, snow or fog. Meets ASTM D4956-94, Type III, Type VIII, FMVSS131 and FMVSS17.

Mfr. No.	Product Description	Specification
03-501-80	PREMIUM CONSPICUITY	SCHOOL BUS 1" X 150'
03-501-83	PREMIUM CONSPICUITY	SCHOOL BUS 2" X 150'

REFLECTIVE PRODUCTS

C DRIVEWAY MARKERS

Ideal for home, farm, construction and municipal areas. Available in four colors and in both 36" and 48" stake lengths. Reflector housing made from unbreakable ABS material. Lens is sonic welded and locks out moisture. Display tab molded in white fiberglass stake.

Mfr. No.	Product Description	Specification
05-099-01-A	36" DRIVEWAY MARKER	PLASTIC ROD, AMBER
05-099-01-B	36" DRIVEWAY MARKER	PLASTIC ROD, BLUE
05-099-01-C	36" DRIVEWAY MARKER	PLASTIC ROD, CLEAR
05-099-01-R	36" DRIVEWAY MARKER	PLASTIC ROD, RED
05-099-02-A	48" DRIVEWAY MARKER	PLASTIC ROD, AMBER
05-099-02-B	48" DRIVEWAY MARKER	PLASTIC ROD, BLUE
05-099-02-C	48" DRIVEWAY MARKER	PLASTIC ROD, CLEAR
05-099-02-R	48" DRIVEWAY MARKER	PLASTIC ROD, RED



C
DRIVEWAY
05-009

D RETAIL DISPLAY

Rich, colorful graphics for custom display. Box contains:

- 3-1/8" diameter, self-adhesive, Red, 18 pieces
- 3-1/8" diameter, self-adhesive, Amber, 12 pieces
- 4-1/4" x 1-3/4" oblong, self-adhesive, Red, 28 pieces
- 4-1/4" x 1-3/4" oblong, self adhesive, Amber, 28 pieces
- 3-3/8" diameter, center hole mount, Red, 12 pieces
- 3-3/8" diameter, center hole mount, Amber, 10 pieces

Total pieces in box: 108

Mfr. No.	Product Description	Specification
13-099	REFLECTOR	MERCHANDISING DISPLAY



E BULK REFLECTORS

All sizes and colors available in 100 piece packs.

Mfr. No.	Product Description	Specification
13-099-02	OBLONG REFLECTOR	DUAL MOUNT, RED-BULK
13-099-06	OBLONG REFLECTOR	DUAL MOUNT, AMBER-BULK
13-099-09	OBLONG REFLECTOR	DUAL MOUNT, BLUE-BULK
13-099-12	2 1/8" DIA. REFLECTOR S/ADH	BLUE-BULK
13-099-13	2 1/8" DIA. REFLECTOR S/ADH	AMBER-BULK
13-099-21	2 1/8" DIA. REFLECTOR S/ADH	RED-BULK
13-099-25	2 1/8" DIA. REFLECTOR S/ADH	CLEAR-BULK
13-099-31	3 1/8" DIA. REFLECTOR S/ADH	RED-BULK
13-099-32	3 3/8" DIA. REFLECTOR	CTR. HOLE MOUNT, RED-BULK
13-099-34	3 1/8" DIA. REFLECTOR S/ADH.	AMBER-BULK
13-099-35	3 3/8" DIA. REFLECTOR	CTR. HOLE MOUNT, AMBER-BULK
13-099-37	3 1/8" DIA. REFLECTOR S/ADH	BLUE-BULK
13-099-38	3 3/8" DIA. REFLECTOR	CTR. HOLE MOUNT, BLUE-BULK
13-099-40	3 1/8" DIA. REFLECTOR S/ADH	CLEAR-BULK
13-099-41	3 3/8" DIA. REFLECTOR	CTR. HOLE MOUNT, CLEAR-BULK




E
BULK REFLECTORS

WHEEL CHOCKS PARKING BLOCKS SPEED BUMPS

A WHEEL CHOCKS

Most popular design rubber wheel chock affords maximum durability and skid protection. Especially under adverse weather conditions. Zinc-plated eyebolt. Weighs 9 lbs.

Mfr. No.	Product Description	Specification
2048C	12' 10# JACK CHAIN	...
2048WC	HEAVY DUTY	WHEEL CHOCK
2048WCC	WHEEL CHOCK	W/12' CHAIN



B PARKING BLOCKS

Maintenance free. Recycled rubber will not warp, crack or rot. Resistant to oil, UV and moisture. Stands up in wide temperature extremes. Painted yellow stripes are reflective. Easily installed by one person. 36" block requires 2 spikes, 48" block requires 3 spikes and 72" block requires 4 spikes. Spikes are sold separately.

Mfr. No.	Product Description	Specification
2049PB	4' PARKING BLOCK	STRIPED YELLOW, RUBBER
2050PB	6' PARKING BLOCK	STRIPED YELLOW, RUBBER
2057PB	3' PARKING BLOCK	STRIPED YELLOW, RUBBER



C SPEED BUMPS

Maintenance free. Extremely durable recycled rubber will not warp, crack or rot. Withstands wide temperature extremes. Painted with polyurethane yellow reflective paint. Built in catseye reflectors for added visibility. Two 1.25" underside channels allow for cables and provide drainage. 48" speed bump requires 3 spikes, 72" speed bump requires 4 spikes. Good for weights up to 6000 lbs.

Mfr. No.	Product Description	Specification
2054SB	4' SPEED BUMP	STRIPED YELLOW/RUBBER
2055SB	6' SPEED BUMP	STRIPED YELLOW/RUBBER
2056SB	3' SPEED BUMP	STRIPED YELLOW/RUBBER

D SPIKE

Mfr. No.	Product Description	Specification
2053S	14" SPIKE, PAINTED	STEEL SPIKE

LIGHTING

LOW PROFILE TEAR DROP LIGHT

Whether you are upfitting a single unit or an entire fleet, we offer the industries highest quality and dependable line of amber lights; all of which meet or exceed applicable SAE requirements.

Mfr. No.	Product Description	Specification
22-56525	AMBER, ROTATING HALOGEN TEAR DROP	12 V, MAG MOUNT
22-56526	RED, ROTATING HALOGEN TEAR DROP	12V MAG MOUNT
22-56527	BLUE, ROTATING HALOGEN TEAR DROP	12V MAG MOUNT





10706 WEST GRAND AVENUE
FRANKLIN PARK, IL 60131

P H O N E :

8 0 0 - 2 2 5 - 5 2 0 6

8 4 7 - 4 5 5 - 2 8 0 0

FAX: 847-451-7247

DISTRIBUTION:

United States
FRANKLIN PARK, IL 60131
SAN DIEGO, CA 92110
DALLAS, TX 75220
MARTINSBURG, WV 25402
AND
Canada
ST. THOMAS, ONTARIO
PHONE: 519-631-2900

www.cortinaco.com

[email: sales@cortinaco.com](mailto:sales@cortinaco.com)