

UTILITY MAINTENANCE CHEMICALS





Power Generation

Applications:

High Voltage Generator Cleaning, Motor Degreasing,
Preventative Maintenance & Lubrication
Control Room Maintenance, Switchgear Maintenance
Hot Dip Galvanizing Repair,
Worker Personal Care Products



Transmission & Distribution

Applications:

High Voltage Termination & Splice, Transformer Cleaning, Meter
Cleaning, Substation Cleaning,
Vault & Manhole Applications, Hot Dip Galvanizing Repair,
Telemetry Equipment Cleaning,
Switchgear Maintenance, Worker Personal Care Products



Vehicle Maintenance

Applications:

Brake Cleaning, Fuel Additives, Lubricants

Table of Contents

Power Generation

CLEANERS & DEGREASERS	4
PRECISION CLEANERS	6
LUBRICANTS	7
GREASES	8
CUTTING OILS	9
TOOL & EQUIPMENT OILS	10
CORROSION INHIBITORS	10
SEALANTS AND ADHESIVES	11
THREADLOCKERS	12

Transmission & Distribution

CABLE CLEANERS	14
CLEANERS & DEGREASERS	14
PRECISION CLEANERS	16
LUBRICANTS	17
CORROSION INHIBITORS	18
WORKER PERSONAL CARE PRODUCTS	18
HAND CLEANERS	19
TOOL & EQUIPMENT OILS	19

Vehicle Maintenance

CLEANERS & DEGREASERS	20
FUEL ADDITIVES	21
CORROSION INHIBITORS	22
WINTER PRODUCTS	22

Power Generation

CLEANERS & DEGREASERS

SUPER DEGREASER™

- Quickly dissolves grease, oil, and sludge
- Non-chlorinated, non-conductive, non-corrosive, non-staining
- No flash or fire point
- Evaporates rapidly and leaves no residue
- High dielectric strength of 26,800 volts
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
03110®	20 oz Aerosol	12
03111®	1 Gallon Can	4
03112®	5 Gallon Pail	1
03113®	55 Gallon Drum	1
03114®	16 oz Non-Aerosol Spray Can	12
03510	20 oz Aerosol	12
03910	20 oz Aerosol	12

HEAVY DUTY DEGREASER

- Quickly and effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances
- No flash or fire point
- Non-corrosive and non-staining
- Fast evaporating and leaves no residue
- High dielectric strength of 36,800 volts
- High cleaning strength of 117 KB
- Use caution on some plastics
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
03095®	20 oz Aerosol	12
03095T®	20 oz Aerosol w/Trigger	12
03096	1 Gallon Bottle	4
03097	5 Gallon Pail	1
03098	55 Gallon Drum	1
03995	20 oz Aerosol	12

NATURAL DEGREASER™ CITRUS BASED DEGREASER

- Unique advanced technology blend of natural citrus and organic solvents
- Non-corrosive and effective for use on all metals
- High dielectric strength of 28,400 volts (aerosol)
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
14005	20 oz Aerosol	12
14007	5 Gallon Pail	1
14008	55 Gallon Drum	1

CITRUS DEGREASER

- A unique, heavy duty degreaser that is extremely effective for dissolving and removing grease, oil, lubricants and contaminants without requiring water wash off
- d-Limonene and petroleum blended cleaner
- Moderate evaporation, leaves no residue
- High dielectric strength of 53,600 volts (aerosol)
- Non-corrosive, non-abrasive and non-staining

Part Number	Container Size	Units per Case
14170®	20 oz Aerosol	12
14171	16 oz Non-Aerosol Can w/ Trigger	12
14172	1 Gallon Bottle	4
14173	5 Gallon Pail	1
14174	55 Gallon Drum	1
14970	20 oz Aerosol	12

QUICK CLEAN™ SAFETY SOLVENT & DEGREASER

- Effective heavy duty degreaser
- Non-flammable
- Fast evaporation, leaves no residue
- Non-staining, non-corrosive and non-conductive
- High dielectric strength of 37,500 volts
- Use caution on plastics, test small area before use
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
03180®	20 oz Aerosol	12
03183	5 Gallon Pail	1
03184	55 Gallon Drum	1

GASKET REMOVER PAINT AND DECAL REMOVER

- Solvent-based, high strength cleaner
- Removes baked-on fiber gaskets, gasket adhesives and sealants
- Loosens carbon deposits
- Protects equipment surfaces by reducing the need for excessive scraping
- Excellent paint, varnish, and graffiti remover
- Contains no methylene chloride

Part Number	Container Size	Units per Case
03017	16 oz Aerosol	12

T-FORCE® DEGREASER

- Revolutionary formula – does not contain TCE, Perc or nPB
- Evaporates quickly, leaves no residue
- Reduced VOC formula
- No flash or fire point
- Non-corrosive, non-staining and non-conductive
- High dielectric strength of 39,000 volts
- Contains no Class I or Class II Ozone Depleting Chemicals
- Not for use in California

Part Number	Container Size	Units Per Case
03115®	20 oz aerosol	12

BATTERY CLEANER

- Water soluble formula designed to remove corrosion quickly while neutralizing acid spills
- Use to restore battery output and reduce voltage leakage due to contaminants
- Promotes longer battery life
- Assures maximum battery current flow

Part Number	Container Size	Units per Case
03176	12 oz Aerosol	12

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized. ® - Not for use in California

® 360° spray valve – can be sprayed from any position

HYDROFORCE® ALL PURPOSE DEGREASER

- Aqueous cleaner for grease busting strength with maximum versatility
- Breaks up and lifts-off grease, oil, and dirt deposits
- Biodegradable and concentrated
- Non-corrosive, non-abrasive
- Non-flammable
- Safe on most plastics
- Low-foaming – perfect for hand-held pressure washers & industrial high pressure parts washers

Part Number	Container Size	Units per Case
14406	20 oz Aerosol	12
14407	32 oz Spray Bottle	12
14408	1 Gallon Bottle	4
14409	5 Gallon Pail	1
14410	55 Gallon Drum	1
14421	275 Gallon Tote	1

HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

- Aqueous cleaner for solvent strength cleaning and degreasing
- Instantly breaks-up heavy deposits of grease, oil, and dirt
- Concentrated, non-abrasive
- Non-flammable
- Safe on most plastics
- Low foaming – perfect for hand-held pressure washers & industrial high pressure parts washers
- Perfect for machinery, motors, concrete and non-porous surfaces
- Use caution on soft metals and painted surfaces

Part Number	Container Size	Units per Case
14414	20 oz Aerosol	12
14415	32 oz Spray Bottle	12
14416	1 Gallon Bottle	4
14417	5 Gallon Pail	1
14418	55 Gallon Drum	1
14420	275 Gallon Tote	1

HYDROFORCE® ZERO VOC GENERAL PURPOSE CLEANER

- Zero VOC formula
- Non-flammable
- Residual cleaning action
- Biodegradable and concentrated
- Non-corrosive, non-abrasive
- Plastic safe
- Floor wax safe
- Contains no phosphates, ammonia or bleach
- NSF A1 registered for use in meat and poultry plants

Part Number	Container Size	Units Per Case
14446	32 oz trigger spray bottle	12
14447	1 gallon bottle	4
14448	5 gallon pail	1
14449	55 gallon drum	1

HYDROFORCE® SUPER CITRUS™ DEGREASER

- Naturally formulated d-Limonene and soy based aqueous cleaner
- Effectively dissolves grease, oil, ink, grime and many other industrial residues
- Non-flammable
- Non-combustible
- Safe on most plastics
- Non-abrasive
- Industrial strength

Part Number	Container Size	Units per Case
14440	20 oz Aerosol	12
14441	1 Gallon Bottle	4
14442	5 Gallon Pail	1
14443	55 Gallon Drum	1

HYDROFORCE® FOAMING CITRUS ALL PURPOSE CLEANER

- Eliminates dirt, dust, ink and grime deposits
- Biodegradable and butyl-free
- Non-flammable
- Non-corrosive, non-abrasive
- Safe on most plastics
- Industrial strength, non-ozone depleting
- Thick foam prevents drips and runs on vertical or inverted surfaces
- Pleasant citrus scent

Part Number	Container Size	Units per Case
14400	20 oz Aerosol	12

HYDROFORCE® GLASS CLEANER PROFESSIONAL STRENGTH

- Ammonia-fortified formula
- For professional strength, streak-free glass cleaning
- Ready to use
- Non-abrasive foaming action
- Non-flammable, non-ozone depleting

Part Number	Container Size	Units per Case
14412	20 oz Aerosol	12
14411	32 oz Spray Bottle	12
14413	1 Gallon Bottle	4
14427	55 Gallon Drum	1



Power Generation



PRECISION CLEANERS

CONTACT CLEANER 2000® PRECISION CLEANER

- Fast cleaning action for the removal of dirt, light oils and other contaminants
- No flash or fire point
- Non-conductive and non-corrosive
- Contains no Class I or Class II Ozone Depleting Chemicals
- Not recommended for use on Noryl® or polycarbonate type plastics

Noryl® is a registered trademark of General Electric Corporation

Part Number	Container Size	Units per Case
03150 ☼	16 oz Aerosol	12
03152 ☼	5 Gallon Pail	1
03153 ☼	55 Gallon Drum	1

CONTACT CLEANER

- Evaporates quickly and leaves no residue
- Plastic safe
- Non-flammable, non-chlorinated, non-staining and non-corrosive
- High dielectric strength of 27,600 volts
- VOC exempt
- Contains no Class I or Class II Ozone Depleting Chemicals
- Will not damage sensitive modern plastics such as Noryl®, ABS and Lexan®

Noryl® and Lexan® are registered trademarks of General Electric Corporation

Part Number	Container Size	Units per Case
03070 ☼	16 oz Aerosol	12

XT-2000™ PRECISION CLEANER

- No flash point
- Evaporates rapidly leaving no residue
- Chemically stable, non-conductive and non-corrosive
- Safe on most plastics
- NSF K2 Registered for use in meat and poultry plants

Part Number	Container Size	Units Per Case
03155 ☼	16 oz aerosol	12
03157 ☼	5 gallon pail	1

NT™ PRECISION CLEANER

- Patented formula relies on advanced COzol® technology to effectively remove dirt, light oils, and other contaminants
- No flash point
- Fast evaporation, leaves no residue
- Non-corrosive and non-conductive
- High dielectric strength of 30,800 volts
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
03205 ☼	16 oz Aerosol	12
03207 ☼	5 Gallon Pail	1
03208 ☼	55 Gallon Drum	1

ELECTRONIC DEGREASER

- Utilizes advanced COzol® technology
- No flash point
- Contains no chlorinated solvents
- Fast evaporation, leaves no residue
- Non-corrosive and non-conductive, non-staining
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
03215 ☼	16 oz Aerosol	12
03217 ☼	1 Gallon Bottle	4
03515	16 oz Aerosol	12

PF™ PRECISION CLEANER

- Strong cleaning action
- No flash or fire point
- Fast evaporation and leaves no residue
- Plastic safe
- Contains no Class I Ozone Depleting Chemicals
- VOC exempt
- Contains HCFC (141b) which has use restrictions and may only be sold to commercial users for applications consistent with the regulation

Part Number	Container Size	Units per Case
03190 ☼	16 oz Aerosol	12

DUSTER™ AEROSOL DUST REMOVAL SYSTEM

- Blast away dirt and dust without damaging sensitive components
- Non-flammable
- No residue
- Non-abrasive
- Safe on all plastics

Part Number	Container Size	Units per Case
14085	12 oz Aerosol w/ Trigger	12

☼ - Not for use in California ☼ 360° spray valve – can be sprayed from any position

LUBRICANTS

KNOCK'ER LOOSE® PENETRATING SOLVENT

- Industrial strength, low viscosity lubricant and penetrant
- Dissolves rust, grease, gum and corrosion
- Facilitates fast and easy disassembly of mechanical components, fittings, assemblies and other fasteners
- Lubricating residue prevents corrosion
- VOC compliant

Part Number	Container Size	Units per Case
03020	16 oz Aerosol	12
03021	1 Gallon Drum	4
03022	5 Gallon Pail	1
03023	55 Gallon Drum	1
03024	16 oz Non-Aerosol Can w/ Trigger	12
03025	8 oz Spout Can	24

SCREWLOOSE® SUPER PENETRANT

- Penetrates through rust and corrosion
- Facilitates fast and easy disassembly of mechanical components, fittings, assemblies and other fasteners
- Clear formula contains no dyes and leaves no mess
- VOC compliant

Part Number	Container Size	Units per Case
03060	16 oz Aerosol	12
03062	1 Gallon Bottle	4
03064	55 Gallon Drum	1

3-36® MULTI-PURPOSE LUBRICANT AND CORROSION INHIBITOR

- Lubricates, penetrates and loosens corrosion
- Prevents corrosion by displacing moisture
- Leaves a thin, long lasting film
- Penetrates through corrosion to loosen frozen parts
- Lubricates without leaving a sticky residue
- VOC compliant

Part Number	Container Size	Units per Case
03004	6 oz Aerosol	12
03005	16 oz Aerosol	12
03006	1 Gallon Bottle	4
03007	16 oz Spray Bottle	12
03009	5 Gallon Pail	1
03011	55 Gallon Drum	1

POWER LUBE® HIGH PERFORMANCE LUBRICANT WITH PTFE

- Contains PTFE for long-lasting lubrication and protection
- Withstands extreme load carrying situations
- Displaces moisture and seals out corrosion
- Surpasses 3,750 lbs on Falex Load Test (ASTM D-3233)

Part Number	Container Size	Units per Case
03045*	16 oz Aerosol	12

FOOD GRADE BELT DRESSING

- Provides a temporary, food grade, synthetic treatment for worn belts
- Tacky, non-drying, water-resistant film minimizes drive belt slippage
- Resists water wash-off
- Maintains belt flexibility and prevents loads from slipping on conveyor systems
- Colorless – will not stain finished goods transported on conveyor systems

Part Number	Container Size	Units per Case
03065*	16 oz Aerosol	12

ULTRA-LITE 3-36®

- Ultra-thin, non-staining lubricant
- Displaces moisture – excellent for drying out electrical/electronic components
- Resists oil, dust and dirt build-up
- Prevents corrosion with an ultra-light protective film

Part Number	Container Size	Units per Case
03160	16 oz Aerosol	12
03161	1 Gallon Bottle	4
03162	5 Gallon Pail	1
03163	55 Gallon Drum	1

COPPER ANTI-SEIZE AND LUBRICATING COMPOUND

- General purpose anti-seize lubricant that prevents seizing and galling caused by high temperature, heavy loads, vibration and corrosion
- Copper-based, safe for use on both ferrous and non-ferrous metals
- High temperature resistance protects parts up to 1800°F
- Electrically conductive – does not insulate and interrupt current flow
- Does not compromise integrity of soft metals
- Will not harden; heat aging won't affect lubricity of product

Part Number	Container Size	Units per Case
14095*	16 oz Aerosol	12
SL35901	8 oz Brush-Top Bottle	12
SL35903	16 oz Brush-Top Bottle	12

NICKEL ANTI-SEIZE AND LUBRICATING COMPOUND

- Protects metal-to-metal applications from seizing and galling caused by high temperature, heavy loads, vibration, chemicals and corrosion
- Nickel-based formulation free of copper, lead, sulfides and chlorides
- Use where a clean, chemically inert and stable lubricant is required
- High temperature resistivity protects parts up to 2400°F
- Safe for use on ferrous and non-ferrous metals
- Will not harden - heat aging won't affect lubricity of product
- Resistant to mild detergents and alkaline wash to protect against rust and corrosion

Part Number	Container Size	Units per Case
SL35911	8 oz Brush-Top Bottle	12
SL35913	16 oz Brush-Top Bottle	12



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Power Generation



NUCLEAR GRADE ANTI-SEIZE AND LUBRICATING COMPOUND

- Formulated for use in Class 1, 2, and 3 nonwetted applications for auxiliary equipment in nuclear power plants
- Contains no lead or copper
- Extremely high temperature resistance up to 2600°F
- Chemical and oxidation resistant

Part Number	Container Size	Units Per Case
SL35920	8 oz Brush-top Bottle	12
SL35921	16 oz Brush-top Bottle	12

EXTREME DUTY SILICONE

- Premium grade silicone fluid that exhibits superior lubrication and temperature viscosity characteristics
- Reduces friction and galling even on metal-to-metal contact areas
- High temperature (-100° to 450°F), high pressure (withstands 1200 lbs. Falex test)
- High grade release and parting agent
- Clear, non-staining, odorless film resists moisture

Part Number	Container Size	Units per Case
03030*	16 oz Aerosol	12

FOOD GRADE SILICONE

- Multi-purpose silicone spray
- Colorless, odorless, non-staining
- Eliminates binding and sticking while protecting most surfaces
- Harmless to most rubbers and plastics
- Wide effective temperature range (-40°F to 400°F)
- Excellent release agent and lubricant for all surfaces

Part Number	Container Size	Units per Case
03039*	16 oz Non-Aerosol Can w/ Trigger	12
03040*	16 oz Aerosol	12
03041*	5 Gallon Pail	1
03042*	55 Gallon Drum	1



GREASES

PERMATHERM™ SYNTHETIC GREASE

- High performance, synthetic NLGI #1.5 grease
- Contains rust and oxidation inhibitors to increase service life and protect against corrosion
- Withstands constant operating temperature up to 450°F and intermittent temperatures of 500° - 600°F
- Beyond 600°F, base fluid slowly evaporates with no carbon residue

Part Number	Container Size	Units per Case
SL3580	14 oz Cartridge	10
SL3585	35 lb Pail	1

SUPER WHITE™ MULTI-PURPOSE GREASE

- Lithium base, NLGI #2 grease
- Contains anti-wear and anti-friction additives; excellent water resistance
- Typical drop point: 380°F

Part Number	Container Size	Units per Case
SL3150	14 oz Cartridge	10
SL3151	14 oz Can	12
SL3155	35 lb Pail	1
SL3159	400 lb Drum	1
SL3360	10 oz Tube	6
SL3361	1.75 oz Squeeze Tube	24

HEAVY DUTY DRUM BRAKE WHEEL BEARING GREASE

- Sodium-base, NLGI #2.5 grease
- For autos/trucks with drum brake systems and slow-speed industrial bearings
- Fibrous and heat resistant
- Typical drop point: 360°F

Part Number	Container Size	Units per Case
SL3131	14 oz Can	12
SL3135	35 lb Pail	1
SL3136	7 lb Can	4

* 360° spray valve – can be sprayed from any position

CUTTING OILS

TRUETAP® HD

- Heavy duty cutting fluid for severe applications
- Excellent for use on tough stainless steel and exotic metals
- Thick fluid clings to vertical surfaces
- Provides excellent finish and accurate threads
- Contains no 1,1,1-Trichloroethane

Part Number	Container Size	Units per Case
03400	16 oz Bottle	12
03401	1 Gallon Bottle	4
03403	55 Gallon Drum	1

TRUETAP® FOAMY

- Excellent extreme duty cutting fluid developed for ease of application
- Works well on both ferrous and non-ferrous metals
- Foam thoroughly coats cutting tool
- Contains no 1,1,1-Trichloroethane

Part Number	Container Size	Units per Case
03410	16 oz Aerosol	12

TRUETAP® LV

- Effective, light viscosity, heavy duty cutting fluid
- Perfect for re-circulating systems
- Use on difficult to machine metals
- Contains no 1,1,1-Trichloroethane

Part Number	Container Size	Units per Case
03420	16 oz Bottle	12
03421	1 Gallon Bottle	4

TRUETAP® NTL

- Biodegradable, natural cutting fluid
- Contains no solvents, low VOC content
- Effective in cutting both ferrous and non-ferrous metals
- Low odor
- Contains no 1,1,1-Trichloroethane

Part Number	Container Size	Units per Case
03430	16 oz Bottle	12
03431	1 Gallon Bottle	4

TRUETAP® AQUA

- Water-soluble, suitable replacement for solvent or oil-based cutting fluids
- Exhibits excellent cooling and lubrication properties
- Ideal for ferrous and non-ferrous metals

Part Number	Container Size	Units per Case
03440	16 oz Bottle	12
03441	1 Gallon Bottle	4

TRUETAP® EV

- Evaporates quickly, leaves no residue
- Performance mirrors 1,1,1-Trichloroethane cutting fluids
- For use on all ferrous metals
- Provides a high quality finish

Part Number	Container Size	Units per Case
03450	16 oz Bottle	12
03451	1 Gallon Bottle	4

TRUETAP® AL

- Designed specifically for use in cutting aluminum and its alloys
- Exceptional cooling and lubricity
- Evaporates quickly
- Low VOC content

Part Number	Container Size	Units per Case
03460	16 oz Bottle	12
03461	1 Gallon Bottle	4

TRUETAP® EP

- Excellent extreme pressure, anti-wear and lubricity characteristics
- Ideal for ferrous and non-ferrous metals
- Low odor
- Can be used with all drop applicators

Part Number	Container Size	Units per Case
03470	16 oz Bottle	12
03471	1 Gallon Bottle	4

TRUETAP® WAX STICK LUBRICANT

- Convenient stick is easy to use and mess-free
- Capable of withstanding extreme pressure
- Multi-purpose lubricant works on all metals
- Can be used as a replacement for cutting fluids and oils

Part Number	Container Size	Units per Case
03480	16 oz Stick	10

CUTTING OIL

- Superior thread cutting lubricant for use on all types of both ferrous and non-ferrous metals
- Reduces heat and friction to ease cutting and increase cutting tool life
- Sulfur-free, low odor formula
- Excellent anti-weld properties
- Foaming aerosol formulation clings to vertical surfaces
- Compatible with all manual and motor-driven threading equipment

Part Number	Container Size	Units per Case
14050	16 oz Aerosol	12
14051	1 Gallon Bottle	4
14052	5 Gallon Pail	1

HONING & CUTTING OIL

- All-purpose metal cutting/machining oil extends tool life and improves the finish of machined surfaces
- Contains extreme pressure, anti-weld, lubricity, wetting agent and anti-corrosion additives to allow higher machine speeds and feed rates
- Better Falex values than those produced by Sulfur-Chlorine systems
- Contains no chlorine

Part Number	Container Size	Units per Case
SL2523	1 Gallon Bottle	4



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Power Generation

TOOL & EQUIPMENT OILS

AIR TOOL OIL

- Lubricates and protects pneumatic equipment
- Increases torque; assures long tool life
- Reduces rust, varnish, sludge and acids

Part Number	Container Size	Units per Case
SL2531	15 oz Bottle	12
SL2533	1 Gallon Bottle	4

HYDRAULIC & JACK OIL

- Protects all parts in hydraulic jacks over a wide temperature range
- Prevents foaming, rust, oxidation, corrosion and seal swell

Part Number	Container Size	Units per Case
SL2621	15 oz Bottle	12
SL2552	1 Quart Bottle	12
SL2553	1 Gallon Bottle	4
SL2555	5 Gallon Pail	1

BAR & CHAIN LUBRICANT

- Reduces wear and friction
- Remains fluid in cold temperatures
- Performs well on equipment subjected to loads, water and high speeds

Part Number	Container Size	Units per Case
SL2612	1 Quart Bottle	12

GL-4 MULTI-PURPOSE GEAR OIL SAE 85W90

- Provides lubrication over a wide temperature range
- Protects against corrosion in industrial drives, worm and hypoid gear sets
- Good high temperature properties
- Reduces wear; extends life of gear teeth

Part Number	Container Size	Units per Case
SL24229	1 Quart Bottle	12
SL24239	1 Gallon Bottle	4
SL24259	5 Gallon Pail	1



CORROSION INHIBITORS

SP-350™ CORROSION INHIBITOR

- Provides both superior lubrication and heavy duty corrosion protection for metal parts and assemblies that are stored indoors
- Displaces moisture and protects all metals with a thin non-drying film
- Protects equipment and parts in storage, shipment and in process for up to 2 years indoors
- Promotes easy equipment start-up
- Convenient 360° spray valve – can be sprayed from any position
- High pressure lubricant that withstands up to 1,250 lbs of pressure in Falex test method

Part Number	Container Size	Units per Case
03262 ☼	16 oz Aerosol	12
03266	5 Gallon Pail	1
03268	55 Gallon Drum	1

SP-400™ CORROSION INHIBITOR

- Firm, waxy film is highly resistant to humidity and salt spray and never becomes brittle
- Long term protection (up to 2 years outdoors) for all metals during shipment or extended storage
- Waxy film seals out moisture completely
- Easily removable film that will provide protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres

Part Number	Container Size	Units per Case
03282*	16 oz Aerosol	12
03286	5 Gallon Pail	1
03288	55 Gallon Drum	1

BATTERY TERMINAL PROTECTOR

- Enhances battery life and power by preventing corrosion-related leakage
- Soft, flexible film completely encapsulates exposed surfaces and will not become brittle, crack or peel
- Red color provides easy visual inspection of application
- Dries quickly and protects instantly

Part Number	Container Size	Units per Case
03175*	12 oz Aerosol	12

ZINC-IT® INSTANT COLD GALVANIZE™

- Actively fights rust and corrosion with a film of 95% pure zinc
- Protects base metal even when scratched or abraded
- Fast-drying, dries to the touch in 15 minutes
- Excellent weldability

Part Number	Container Size	Units per Case
18412*	16 oz Aerosol	12
18413	1 Gallon Can	4

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized. ☼ 360° spray valve – can be sprayed from any position

BRIGHT ZINC-IT® INSTANT COLD GALVANIZE™

- Epoxy-ester based, light duty sacrificial zinc coating that inhibits corrosion and provides the beauty of a high shine bright metallic finish
- Recommended for touch-up and repair of bright finish, hot-dip galvanized surfaces
- Protects base metal even when scratched or abraded
- Fast drying, dries to touch in 15 minutes

Part Number	Container Size	Units per Case
18414*	16 oz Aerosol	12

SEAL COAT® URETHANE COATING

- Polyurethane coating that insulates electrical equipment
- Seal out water and moisture
- Dries quickly to a hard, durable, flexible and non-conductive film
- High dielectric strength, high surface and volume resistivity make it ideal for electrical/electronics applications
- Effective temperature range of -90°F - 250°F
- Abrasion resistant insulator for electrical and electronic equipment and components
- Available in Clear or Red formulations

Part Number	Container Size	Units per Case
18410*	Red 16 oz Aerosol	12
18411*	Clear 16 oz Aerosol	12

SEALANTS & ADHESIVES

FOAM MINIMAL EXPANSION AEROSOL SEALANT

- Polyurethane foam forms a permanent, waterproof and airtight bond to masonry, wood, glass, metal & most plastics
- Stops drafts, dust, moisture, insects and rodents
- When cured, foam can be sanded, painted or stained
- The low expansion formula expands 50% when fully cured
- Cured foam insulates to R-5 for each inch of foam
- UL classified as a caulking sealant
- Foam and propellant are non-flammable
- Reusable for up to 30 days after initial use

Part Number	Container Size	Units per Case
14077	16 oz Aerosol	12

MINUTE MEND™ EPOXY PUTTY

- Permanently repairs scratches, gouges and holes in drums, tanks, pipes, castings, molds, sinks, tubs and leaky gaskets
- Can be used in plumbing, electrical, ceramic, vehicle and machinery repair
- Specially formulated to bond to both wet and dry surfaces and can even be applied under water
- A two-part epoxy putty packaged in a convenient one piece stick
- Ready to use in less than one minute
- Can be tapped, sawed, drilled, machined, stained or painted.

Part Number	Container Size	Units per Case
14070	4 oz Stick	24
14071	2 oz Stick	40

RTV SILICONE ADHESIVE/ SEALANTS

- Seal, bond, waterproof and protect
- Cure at room temperature – no special curing methods required
- The chemically stable formulations show little change in physical properties after exposure to rain, snow, temperature extremes and weathering

Clear – Forms a barely visible water-tight seal

White – Designed for high moisture, indoor/outdoor applications

Blue – Heavy duty industrial gasket sealant

Red – High temperature, low odor, non-corrosive gasket sealant

Black – High pressure low odor, non-corrosive gasket sealant

RTV SILICONE PRESSURIZED TUBES

- Revolutionary packaging that's a convenient alternative to caulking tubes
- Dispenses a uniform bead for consistent results
- Pressurized package keeps silicone fresh so it won't dry out
- Self-sealing plug – Simply pull out to re-use the product

Part Number	Container Size	Units per Case
14055	CLEAR- 8 oz Pressurized Tube	12
14056	WHITE - 8 oz Pressurized Tube	12
14057	BLUE - 8 oz Pressurized Tube	12
14059	RED - 8 oz Pressurized Tube	12
14072	BLACK - 8 oz Pressurized Tube	12

RTV SILICONE CARTRIDGES

- Economical for large jobs
- Convenient screw-on nozzle
- Fast dispensing for applications that require less precision
- For use with CRC Caulk Gun (#14054)

Part Number	Container Size	Units per Case
14073	CLEAR - 12 oz Cartridge	12
14074	WHITE - 12 oz Cartridge	12
14075	RED - 12 oz Cartridge	12
14054	Caulk Gun for RTV Cartridges	12



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Power-Generation

THREADLOCKERS

SCREW LOCK – LOW STRENGTH THREADLOCKER (PURPLE)

- Low strength threadlocker designed for fasteners 1/4" (6mm) and smaller that require occasional adjustment
- Compare to Loctite® 222
- Prevents loosening and leakage
- Low strength formula allows easy disassembly with hand tools
- Fast cure time

Part Number	Container Size	Units per Case
04502	1 oz Bottle	10
04500	4 oz Bottle	10
04501	16 oz Bottle	10

NUT LOCK – MEDIUM STRENGTH THREADLOCKER (BLUE)

- Medium Strength general purpose threadlocker
- Designed for fasteners between 1/4" to 3/4" (6mm to 20mm)
- Compare to Loctite® 242®
- Prevents loosening and leakage
- Medium strength formula allows easy disassembly with hand tools
- Fast cure time

Part Number	Container Size	Units per Case
04507	1 oz Bottle	10
04505	4 oz Bottle	10
04506	16 oz Bottle	10

BOLT LOCK – SHOCK RESISTANT THREADLOCKER (RED)

- High Strength for permanent applications
- High viscosity allows for easy application control
- Excellent for large diameter fasteners between 3/8" to 1" (10mm to 25mm)
- Designed for use in harsh environments where heavy shock and vibration are common
- Compare to Loctite® 262
- Prevents loosening and leakage
- Fast cure time

Part Number	Container Size	Units per Case
04512	1 oz Bottle	10
04510	4 oz Bottle	10
04511	16 oz Bottle	10



Loctite® and 242® are registered trademarks of Henkel Corporation

STUD LOCK – HIGH STRENGTH THREADLOCKER (RED)

- Excellent for heavy duty applications
- Permanently locks studs up to 1" (25mm)
- Compare to Loctite® 271
- Designed for the permanent locking and sealing of threaded fasteners
- Prevents loosening and leakage
- Fast cure time

Part Number	Container Size	Units per Case
04517	1 oz Bottle	10
04515	4 oz Bottle	10
04516	16 oz Bottle	10

LARGE DIAMETER – HIGH STRENGTH THREADLOCKER (RED)

- Ideal for sealing and locking threaded assemblies 1" (25mm) or larger in diameter
- Resists temperature up to 475° F
- High viscosity allows for easy application control.
- Compare to Loctite® 277
- Designed for the permanent locking and sealing of threaded fasteners
- High strength, thermally resistant sealant
- Prevents loosening and leakage
- Fast cure time

Part Number	Container Size	Units per Case
04522	1 oz Bottle	10
04520	4 oz Bottle	10
04521	16 oz Bottle	10

PENETRATING THREADLOCKER (GREEN)

- High strength low viscosity threadlocker that penetrates preassembled parts through capillary action
- Ideal for fasteners ranging from #2 to 1/2" (2.2mm to 12mm)
- Compare to Loctite® 290
- Formulated to penetrate / wick into preassembled fasteners
- Prevents loosening and leakage
- Fast cure time

Part Number	Container Size	Units per Case
04527	1 oz Bottle	10
04525	4 oz Bottle	10
04526	16 oz Bottle	10

GENERAL PURPOSE RETAINING COMPOUND (GREEN)

- High strength low viscosity rapid setting retaining compound
- Augment press fits and slip fit assemblies with a gap fill up to .005" in diameter
- Compare to Loctite® 609
- Designed for the bonding of cylindrical fitting parts
- Prevents fretting and corrosion
- Fast cure time

Part Number	Container Size	Units per Case
04532	1 oz Bottle	10
04530	4 oz Bottle	10
04531	16 oz Bottle	10

SLEEVE RETAINING COMPOUND (GREEN)

- High strength for slip fit and press fit assemblies with a gap fill up to .010" in diameter.
- Medium viscosity allows for greater gap filling.
- Compare to Loctite® 640
- Designed for the bonding of cylindrical fitting parts
- Prevents fretting and corrosion
- Fast cure time

Part Number	Container Size	Units per Case
04535	4 oz Bottle	10
04536	16 oz Bottle	10

BEARING MOUNT FOR RELAXED FITS (GREEN)

- High strength and high viscosity for threadlocking and retaining cylindrical assemblies with a gap fill up to .015".
- Augments replacement bearings.
- Compare to Loctite® 680
- Designed for the bonding of cylindrical fitting parts
- Prevents fretting and corrosion
- Fast cure time

Part Number	Container Size	Units per Case
04542	1 oz Bottle	10
04540	4 oz Bottle	10
04541	16 oz Bottle	10



Loctite® is a registered trademark of Henkel Corporation

Transmission & Distribution

CABLE CLEANERS

CABLE CLEAN® DEGREASER

- Prevents current leakage, excessive resistance, reduced performance and arcing at splice and termination junctions by quickly removing grease, oil, wax, dirt, silicone lubricants and other contaminants
- Contains no 1,1,1-Trichloroethane
- No flash or fire point
- Evaporates rapidly, leaves no residue
- Non-chlorinated, non-conductive, non-staining

Part Number	Container Size	Units per Case
02064®	20 oz Aerosol	12
02066®	1 Gallon Bottle	4
02067®	5 Gallon Pail	1

CABLE CLEAN® HIGH VOLTAGE SPLICE CLEANER

- HFC/COzol® based cleaner
- Aggressively removes contaminants from the semi-conductive core of high voltage cables during splicing and termination
- No flash or fire point
- Non-corrosive, non-conductive, and non-staining
- Evaporates rapidly, leaves no residue

Part Number	Container Size	Units per Case
02069	20 oz Aerosol	12

CABLE CLEAN® NT™

- Chlorinated solvent based cleaner with advanced COzol™ technology for the removal of contaminants from high voltage cables
- Non-flammable
- Evaporates rapidly, leaves no residue
- High PEL
- Safe for use on all cable substrates
- High dielectric strength of 30,800 volts

Part Number	Container Size	Units per Case
02040	16 oz Aerosol	12

CABLE CLEAN® HF™ (HIGH FLASH)

- Petroleum distillate-based cleaner for the removal of contaminants from the semi-conductive core of high voltage cables
- Perfect for splicing and termination applications that require a high flashpoint of >200°F
- Contains no 1,1,1-Trichloroethane or any other chlorinated solvents
- Non-corrosive, non-conductive and non-staining
- * Zero VOCs

Part Number	Container Size	Units per Case
02170	16 oz Aerosol	12

CABLE CLEAN® RD™ (RAPID DRY)

- Chlorinated solvent based cleaner
- Removes wire pulling compounds, antioxidant compounds, semi-conductive particles and other contaminants which can remain on cable after removal of insulation
- Non-flammable
- Rapid evaporation and leaves no residue
- Non-corrosive, non-conductive and non-staining

Part Number	Container Size	Units per Case
02150	16 oz Aerosol	12
02152	1 Gallon Bottle	4

CLEANERS & DEGREASERS

HYDROFORCE® ALL PURPOSE DEGREASER

- Aqueous cleaner for grease busting strength with maximum versatility
- Breaks up and lifts-off grease, oil, and dirt deposits
- Biodegradable and concentrated
- Non-corrosive, non-abrasive
- Non-flammable
- Safe on most plastics
- Unique spreadability that cleans up to three times the surface area as competing aqueous cleaners
- Low-foaming – perfect for hand-held pressure washers & industrial high pressure parts washers

Part Number	Container Size	Units per Case
14406	20 oz Aerosol	12
14407	32 oz Spray Bottle	12
14408	1 Gallon Bottle	4
14409	5 Gallon Pail	1
14410	55 Gallon Drum	1
14421	275 Gallon Tote	1



® - Not for use in California



HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

- Aqueous cleaner for solvent strength cleaning and degreasing
- Instantly breaks-up heavy deposits of grease, oil, and dirt
- Concentrated, non-abrasive
- Non-flammable
- Safe on most plastics
- Low foaming – perfect for hand-held pressure washers & industrial high pressure parts washers
- Perfect for machinery, motors, concrete and non-porous surfaces
- Use caution on soft metals and painted surfaces

Part Number	Container Size	Units per Case
14414	20 oz Aerosol	12
14415	32 oz Spray Bottle	12
14416	1 Gallon Bottle	4
14417	5 Gallon Pail	1
14418	55 Gallon Drum	1
14420	275 Gallon Tote	1

HYDROFORCE® SUPER CITRUS™ DEGREASER

- Naturally formulated d-Limonene and soy based aqueous cleaner
- Effectively dissolves grease, oil, ink, grime and many other industrial residues
- Non-flammable
- Non-combustible
- Safe on most plastics
- Non-abrasive
- Industrial strength

Part Number	Container Size	Units per Case
14440	20 oz Aerosol	12
14441	1 Gallon Bottle	4
14442	5 Gallon Pail	1
14443	55 Gallon Drum	1

HYDROFORCE® FOAMING CITRUS ALL PURPOSE CLEANER

- Eliminates dirt, dust, ink and grime deposits
- Butyl-free
- Non-flammable
- Non-corrosive, non-abrasive
- Safe on most plastics
- Industrial strength, non-ozone depleting
- Thick foam prevents drips and runs on vertical or inverted surfaces
- Pleasant citrus scent

Part Number	Container Size	Units per Case
14400	20 oz Aerosol	12

HYDROFORCE® GLASS CLEANER PROFESSIONAL STRENGTH

- Ammonia-fortified formula
- For professional strength, streak-free glass cleaning
- Ready to use
- Non-abrasive foaming action
- Non-flammable, non-ozone depleting

Part Number	Container Size	Units per Case
14412	20 oz Aerosol	12
14411	32 oz Spray Bottle	12
14413	1 Gallon Bottle	4
14427	55 Gallon Drum	1

NATURAL DEGREASER™ CITRUS BASED DEGREASER

- Unique advanced technology blend of natural citrus and organic solvents
- Non-corrosive and effective for use on all metals
- High dielectric strength of 28,400 volts (aerosol)
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
14005	20 oz Aerosol	12
14007	5 Gallon Pail	1
14008	55 Gallon Drum	1

LECTRA CLEAN® HEAVY DUTY ELECTRICAL PARTS DEGREASER

- Quickly and effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances to increase operating efficiency of equipment.
- No flash or fire point
- Non-corrosive and non-staining
- High dielectric strength of 37,500 volts
- Use caution on some plastics
- Fast evaporation and leaves no residue
- Contains no 1,1,1-Trichloroethane
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
02018	20 oz Aerosol	12
02020	1 Gallon Bottle	4
02021	5 Gallon Pail	1
02023	55 Gallon Drum	1

Transmission & Distribution

LECTRA CLEAN® II NON-CHLORINATED HEAVY DUTY DEGREASER

- Excellent alternative for cleaning electric motor and equipment where chlorinated solvents are not acceptable
- Removes soils and cleans surfaces
- High flashpoint: >180°F
- Leaves no residue
- Non-chlorinated, non-conductive and non-corrosive
- High dielectric strength of 42,100 volts
- Low odor compound, unlike citrus-based products
- Contains no 1,1,1-Trichloroethane or any other chlorinated solvents
- Contains no Class I or Class II Ozone Depleting Chemicals
- Zero VOC formula

Part Number	Container Size	Units per Case
02120	20 oz Aerosol	12
02121	1 Gallon Bottle	4
02122	5 Gallon Pail	1
02124	55 Gallon Drum	1

ELECTRICAL PARTS CLEANER

- Effective heavy duty degreaser provides strong degreasing action
- Non-flammable
- Fast evaporation, leaves no residue
- Non-staining, non-corrosive and non-conductive
- High dielectric strength of 37,500 volts
- Contains no 1,1,1-Trichloroethane
- No Class I or Class II Ozone Depleting Chemicals
- Use caution on most plastics

Part Number	Container Size	Units per Case
02180	20 oz Aerosol	12
02183	5 Gallon Pail	1
02184	55 Gallon Drum	1



PRECISION CLEANERS

PRECISION PLUS® CLEANER

- Prevents contact failure or malfunction by dissolving and rinsing away dust, lint, dirt, light oils, and other contaminants
- Non-flammable, chemically stable, non-conductive and non-corrosive
- Evaporates quickly and leaves no residue
- Safe on most plastics
- Contains no Class I Ozone Depleting Chemicals
- Contains HCFC 225 which may only be sold to commercial user

Part Number	Container Size	Units per Case
02210	16 oz Aerosol	12
02211	12 oz Aerosol	12

CONTACT CLEANER 2000® PRECISION CLEANER

- Fast cleaning action for the removal of dirt, light oils and other contaminants
- No flash or fire point
- Non-conductive and non-corrosive
- Contains no Class I or Class II Ozone Depleting Chemicals
- Not recommended for use on Noryl® or polycarbonate type plastics

Noryl® is a registered trademark of General Electric Corporation

Part Number	Container Size	Units per Case
02140	16 oz Aerosol	12
02142	5 Gallon Pail	1
02143	55 Gallon Drum	1

CO® CONTACT CLEANER

- Evaporates quickly and leaves no residue
- Non-flammable, non-chlorinated, non-staining and non-corrosive
- Will not damage sensitive modern plastics such as Noryl®, ABS and Lexan®
- High dielectric strength of 27,600 volts
- VOC exempt
- Contains no Class I or Class II Ozone Depleting Chemicals

Noryl® and Lexan® are registered trademarks of General Electric Corporation

Part Number	Container Size	Units per Case
02016	16 oz Aerosol	12
02017	16 oz Non-Aerosol Can w/Trigger	12

NT™ PRECISION CLEANER

- Patented formula relies on advanced COzol® technology to effectively remove dirt, light oils, and other contaminants
- No flash point
- Fast evaporation, leaves no residue
- Non-corrosive and non-conductive
- High dielectric strength of 30,800 volts
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
02205	16 oz Aerosol	12
02207	5 Gallon Pail	1
02208	55 Gallon Drum	1

☼ 360° spray valve – can be sprayed from any position

ELECTRONIC DEGREASER

- Utilizes advanced COzol® technology
- No flash point
- Contains no chlorinated solvents
- Fast evaporation, leaves no residue
- Non-corrosive and non-conductive, non-staining
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
02215	16 oz Aerosol	12

PF™ PRECISION CLEANER

- Strong cleaning action
- No flash or fire point
- Fast evaporation and leaves no residue
- Plastic safe
- Contains no Class I Ozone Depleting Chemicals
- VOC exempt
- Contains HCFC (141b) which has use restrictions and may only be sold to commercial users for applications consistent with the regulation

Part Number	Container Size	Units per Case
02190	16 oz Aerosol	12

DUSTER™ AEROSOL DUST REMOVAL SYSTEM

- Blast away dirt and dust without damaging sensitive components
- Penetrates into cracks and crevices to remove contaminants
- Non-flammable
- No residue
- Non-abrasive
- Safe on all plastics

Part Number	Container Size	Units per Case
14085	12 oz Aerosol w/ Trigger	12

LUBRICANTS

2-26® MULTI-PURPOSE PRECISION LUBRICANT

- Cleans, lubricates, penetrates and loosens corrosion
- Prevents corrosion by displacing moisture
- Restores resistance values and helps stop current leakage
- Helps restore water damaged electrical equipment
- Leaves a thin, long lasting film to protect against corrosion
- Cleans light soils and contaminants
- Will not harm modern plastics, including polycarbonates, ABS and Noryl®

Noryl® is a registered trademark of General Electric Corporation

Part Number	Container Size	Units per Case
02004	6 oz Aerosol	12
02005	16 oz Aerosol	12
02006	1 Gallon Bottle	4
02007	16 oz Spray Bottle	12
02009	5 Gallon Pail	1
02011	55 Gallon Drum	1

ELECTRICAL SILICONE LUBRICANT

- Lubricates, waterproofs, and protects
- Superior lubricity for metal and non-metal surfaces
- Thin, clear, non-staining film
- Non-hardening lubricant minimizes corrosion
- Wide effective temperature range (-40°F to 400°F)
- Low surface tension permits better coverage and deeper penetration

Part Number	Container Size	Units per Case
02094*	16 oz Aerosol	12
02096*	5 Gallon Pail	1
02097*	55 Gallon Drum	1



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized. Ⓢ - Not for use in California

Transmission & Distribution



CORROSION INHIBITORS

LECTRA SHIELD™ LONG-TERM CORROSION INHIBITOR

- Firm, waxy film is highly resistant to humidity heat, chemical or severely corrosive atmosphere
- Long term protection (up to 2 years outdoors) for all metals during shipment or extended storage
- Waxy film seals out moisture completely

Part Number	Container Size	Units per Case
02031*	16 oz Aerosol	12

STOR & LUBE® CORROSION INHIBITOR

- Provides both superior lubrication and heavy duty corrosion protection for metal parts & assemblies that are stored indoors
- Promotes easy start-up
- Protects equipment and parts in storage, shipment, and in-process for up to 2 years indoors

Part Number	Container Size	Units per Case
02061*	16 oz Aerosol	12

SEAL COAT® URETHANE COATING

- Polyurethane coating that insulates electrical equipment and seals out moisture
- Dries quickly to a hard, durable, flexible and non-conductive film
- High dielectric strength, high surface and volume resistivity make it ideal for electrical/electronics applications
- Effective temperature range of -90°F - 250°F
- Abrasion resistant insulator for electrical and electronic equipment and components
- Available in Clear or Red formulations

Part Number	Container Size	Units per Case
18410*	Red 16 oz Aerosol	12
18411*	Clear 16 oz Aerosol	12

WORKER PERSONAL CARE PRODUCTS

INSECT MANAGEMENT

WASP & HORNET KILLER PLUS™ INSECTICIDE

- Fast acting, high strength insecticide that knocks down and kills on contact
- Contains no chlorinated solvents
- Plastic-safe – will not damage plastic connectors and other insulating materials
- CRC trigger provides a dense, accurate spray that will reach over 20 feet to drench harmful insects and their nests
- Material Safety Data Label (MSD[L]™), a current MSDS printed on the reverse side of the product label
- High dielectric strength of 47,600 volts
- Includes extension tube - Use to spray into tight spaces or as a locking mechanism under the trigger to prevent inadvertent spray of product

Part Number	Container Size	Units per Case
14010	20 oz Aerosol w/ Trigger	12

BEE BLAST® W/RESIDUAL WASP & HORNET KILLER

- Kills with residual action as wasps and hornets return to nest
- Fast acting, high strength insecticide
- High output 22' jet blast
- Plastic safe
- Contains no chlorinated solvents
- Material Safety Data Label (MSD[L]™) right on the can – a CRC exclusive
- High dielectric strength of over 53,000 volts

Part Number	Container Size	Units per Case
14009	20 oz Aerosol	12

INSECT REPELLENT

- High strength formula to repel up to twice as long as common consumer insect repellents
- Convenient aerosol package
- Protects outdoor workers by reducing the risk of contracting Lyme Disease from ticks when sprayed on exposed skin and clothing
- Material Safety Data Label (MSD[L]™) right on the can – a CRC exclusive
- Contains over 25% DEET

Part Number	Container Size	Units per Case
14011*	8 oz Aerosol	12

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

☞ 360° spray valve – can be sprayed from any position

HAND CLEANERS

MECHANIX ORANGE™ CITRUS LOTION HAND CLEANER WITH PUMICE

- Formulated with the natural cleaning power of citrus
- Contains no harsh solvents
- Biodegradable formula, pH balanced
- Quickly and effectively removes the toughest soil
- Fortified with pumice for deep cleaning power
- Conditions skin to leave hands feeling clean and fresh
- Use with or without water
- Fresh citrus scent

Part Number	Container Size	Units per Case
SL1712	16 oz Squeeze Bottle	12
SL1717	1/2 Gallon Bottle w/ Pump	6
SL1719	1 Gallon Bottle w/ Pump	4

LANOLIN CREAM HAND CLEANER

- Gentle, odorless soap that removes grease, oil, ink, grime, paint, carbon stains, tar, pitch and other stubborn stains
- Can be used with or without water
- Quickly removes the toughest soils

Part Number	Container Size	Units per Case
SL1210	5 oz Squeeze Tube	12
SL1211	14 oz Tub	12
SL1217	7 lb Can	6

LANOLIN PUMICE HAND CLEANER

- Extra-tough formula with buffing-grade pumice for deep cleaning power
- Use with or without water
- Removes embedded and stubborn grease, oil, printer's ink, tar, cement, paint and other tough stains
- Leaves hands feeling clean with lanolin and lemon scent
- Out-cleans regular soaps

Part Number	Container Size	Units per Case
SL1621	14 oz Tub	12
SL1627	7 lb Can	6



TOOL & EQUIPMENT OILS

AIR TOOL OIL

- Lubricates and protects pneumatic equipment
- Increases torque; assures long tool life
- Reduces rust, varnish, sludge and acids

Part Number	Container Size	Units per Case
SL2531	15 oz Bottle	12
SL2533	1 Gallon Bottle	4

HYDRAULIC & JACK OIL

- Protects all parts in hydraulic jacks over a wide temperature range
- Prevents foaming, rust, oxidation, corrosion and seal swell

Part Number	Container Size	Units per Case
SL2621	15 oz Bottle	12
SL2552	1 Quart Bottle	12
SL2553	1 Gallon Bottle	4
SL2555	5 Gallon Pail	1

BAR & CHAIN LUBRICANT

- Reduces wear and friction
- Remains fluid in cold temperatures
- Performs well on equipment subjected to loads, water and high speeds

Part Number	Container Size	Units per Case
SL2612	1 Quart Bottle	12

GL-4 MULTI-PURPOSE GEAR OIL SAE 85W90

- Provides lubrication over a wide temperature range
- Protects against corrosion in industrial drives, worm and hypoid gear sets
- Good high temperature properties
- Reduces wear; extends life of gear teeth

Part Number	Container Size	Units per Case
SL24229	1 Quart Bottle	12
SL24239	1 Gallon Bottle	4
SL24259	5 Gallon Pail	1

Vehicle Maintenance



CLEANERS & DEGREASERS

BRÄKLEEN® BRAKE PARTS CLEANER

- Removes brake fluid, grease, oil and other contaminants from brake linings and pads
- Cleans fast, dries fast, leaves no residue
- Degreases instantly
- Non-flammable
- Works without disassembly

Part Number	Container Size	Units per Case
05089 [Ⓢ]	20 oz Aerosol	12
05089T [Ⓢ]	20 oz Aerosol w/ Trigger	12
05090 [Ⓢ]	1 Gallon Bottle	4
05091 [Ⓢ]	5 Gallon Pail	1
05093 [Ⓢ]	55 Gallon Drum	1

BRÄKLEEN® 50 STATE FORMULA BRAKE PARTS CLEANER

- Non-chlorinated
- Degreases instantly
- Leaves no residue
- Meets all state & federal VOC regulations
- Low VOC formula

Part Number	Container Size	Units Per Case
05050	20 oz aerosol	12
05051	1 gallon bottle	4
05052	5 gallon pail	1
05053	55 gallon drum	1

BRÄKLEEN® NON-CHLORINATED FORMULA BRAKE PARTS CLEANER

- Contains no chlorinated solvents
- Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads
- Cleans fast, dries fast, leaves no residue
- Degreases instantly
- Works without disassembly

Part Number	Container Size	Units per Case
05084* [Ⓢ]	20 oz Aerosol	12
05088* [Ⓢ]	20 oz Aerosol	12
05085* [Ⓢ]	1 Gallon Bottle	4
05086* [Ⓢ]	5 Gallon Pail	1
05087* [Ⓢ]	55 Gallon Drum	1

BRÄKLEEN® ULTRA LOW-VOC NON-CHLORINATED FORMULA BRAKE PARTS CLEANER

- Cleans fast, dries fast, leaves no residue
- Degreases instantly
- SCAQMD Rule #1171 compliant
- Contains no chlorinated solvents
- Low VOC formula

Part Number	Container Size	Units per Case
05151*	20 oz Aerosol	12

LECTRA MOTIVE® ELECTRIC PARTS CLEANER

- Provides fast, thorough cleaning for non-sensitive electrical equipment
- Dissolves grease, oil, dirt and wax
- Leaves no residue
- Non-flammable
- Low VOC

Part Number	Container Size	Units per Case
05018	20 oz Aerosol	12
05019	1 Gallon Bottle	4
05024	55 Gallon Drum	1

CLEAN-R-CARB™ CARBURETOR CLEANER

- Instantly dissolves deposits on venturies, linkages, butterflies and PCV systems
- Improves fuel system performance
- Harmless to catalytic converters and oxygen sensors

Part Number	Container Size	Units per Case
05081 [Ⓢ]	16 oz Aerosol	12
05379	16 oz Aerosol	12
05381	20 oz Aerosol	12

BATTERY CLEANER

- Water soluble formula
- Removes corrosion quickly while neutralizing acid spills
- Assures maximum battery current flow
- Promotes longer battery life
- Use CRC Battery Terminal Protector (#03175) for extended protection

Part Number	Container Size	Units per Case
03176	12 oz Aerosol	12

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized. [Ⓢ] - Not for use in California

1 - Restricted from sale in CA, CT, DC, DE, IL, MA, MD, ME, MI, NH, NJ, NY, OH, PA, RI, VA, 2 - Restricted from sale in CA, & NJ



FUEL ADDITIVES

FUEL INJECTOR & CARBURETOR CLEANER

- Removes deposits from injectors, carburetor and intake system
- With regular use, eliminates hard starts, rough idling, dieseling and excessive emissions
- Reduces engine demand for high octane fuel
- Harmless to catalytic converters and oxygen sensors

Part Number	Container Size	Units per Case
05061	12 oz Bottle	12

DIESEL FUEL ADDITIVES

FUEL THERAPY® DIESEL FUEL INJECTOR CLEANER PLUS

- Reliquifies gelled fuel
- Lubricates upper cylinders
- Reduces emission and smoke
- Dissolves varnish and gum accumulation
- Improves fuel economy
- Disperses water
- Contains no harmful alcohol
- Compliant with ULSD Fuel requirements

Part Number	Container Size	Units per Case
05212	12 oz Bottle	12
05232	1 Quart Bottle	12
05228	1 Gallon Bottle	4
05225	5 Gallon Pail	1
05255	55 Gallon Drum	1

FUEL THERAPY® DIESEL FUEL INJECTOR CLEANER W/ ANTI-GEL

- Lowers cold filter plug point by as much as 31° F
- Cleans injectors
- Reliquifies gelled diesel fuel
- Lubricates upper cylinders
- Disperses water
- Contains no harmful alcohol
- Compliant with ULSD Fuel requirements

Part Number	Container Size	Units per Case
05412	12 oz Bottle	12
05432	1 Quart Bottle	12
05428	1 Gallon Bottle	4
05425	5 Gallon Pail	1
05455	55 Gallon Drum	1

DIESEL DRY™ DIESEL WATER REMOVER

- Dissipates water to minimize smoke and improve fuel economy
- Prevents corrosion
- Keeps injectors clean
- Compliant with ULSD fuel requirements

Part Number	Container Size	Units per Case
05670	12 oz Bottle	12

BIO-CON™ SLUDGE SEDIMENT REMOVER

- Keeps injectors clean
- Removes sludge and sediment from diesel fuel & furnace oils
- Absorbs and disperses moisture
- Improves storage stability of fuel

Part Number	Container Size	Units per Case
05557	12 oz Bottle	12
05558	5 Gallon Pail	1

GUARANTEED TO PASS® DIESEL COMPLETE FUEL SYSTEM CLEANER

- Up to 50% improvement in injector air flow
- Reduces smoke by up to 50%
- Use only 3 times a year – not with every fill up
- Super cleans injectors and entire fuel system
- Compliant with ULSD Fuel requirements

Part Number	Container Size	Units per Case
05832	1 Quart Bottle	12

Vehicle Maintenance

CORROSION INHIBITORS

BATTERY TERMINAL PROTECTOR

- Enhances battery life and power by preventing corrosion-related leakage
- Prevents hard starts and battery failure
- Soft, flexible film completely encapsulates exposed surfaces and will not become brittle, crack or peel
- Red color provides easy visual inspection of application
- Dries quickly and protects instantly

Part Number	Container Size	Units per Case
03175*	12 oz Aerosol	12



WINTER PRODUCTS

JUMP START® STARTING FLUID W/LUBRICITY

- Assures fast, economical starts in extremely cold or humid climates
- Upper cylinder lubricant minimizes wear during cold starts
- Effective to -65°F
- For diesel and gasoline engines

Part Number	Container Size	Units per Case
05671*	16 oz Aerosol	12

COLD FLOW™ ANTI-GEL W/ LUBRICITY

- Prevents fuel gelling and waxing
- Contains lubricity additive for low sulfur fuels
- Formulated for cold weather use in all diesel equipment
- Compliant with ULSD fuel requirements

Part Number	Container Size	Units per Case
05612	12 oz Bottle	12
05632	1 Quart Bottle	12
05625	5 Gallon Pail	1
05655	55 Gallon Drum	1

QUICK FLOW™ EMERGENCY FUEL-GEL RELIEF

- Instantly works to dissolve gelled fuel
- Thaws frozen fuel filters
- Lowers pour point by as much as 35°F
- Compliant with ULSD fuel requirements

Part Number	Container Size	Units per Case
05911	1 Quart Bottle	12

CRC FOR GAS TANKS ISOPROPANOL FORMULA

- Removes water from gasoline
- Protects up to -50°F
- Inhibits rust in gas tank
- Prevents fuel line freezing

Part Number	Container Size	Units per Case
05343	12 oz Bottle	12

ICE-OFF® WINDSHIELD SPRAY DE-ICER

- Melts ice, snow and frost on contact
- Harmless to car finish
- Thaws frozen locks
- Effective to sub-zero temperatures

Part Number	Container Size	Units per Case
05346	16 oz Aerosol	12

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

***Think maintenance
chemicals only cost
money and cause
headaches?***
Think Again ...



At **CRC**, we understand that the administration of **maintenance chemicals**, including storage, paperwork and more, may actually be costing you more than the product itself. With our award-winning **Risk Reduction Partnership Plan™ (R2P2)™**, we can help you reduce those costs and achieve savings through:

- ☒ SKU Reduction
- ☒ Lower Transaction Costs
- ☒ Application Savings
- ☒ Process Improvements
- ☒ Training Costs
- ☒ Less Regulatory Reporting



As experts in MRO maintenance chemicals, **CRC** is there every step of the way. From the initial meeting through the savings documentation, **CRC** makes sure you receive the maximum benefit the Plan has to offer.



CRC Industries, Inc. • 885 Louis Drive • Warminster, Pennsylvania 18974

Telephone: (215) 674-4300 • Facsimile: (800) 272-4560 • Customer Service: (800) 272-4620

Technical Assistance: (800) 521-3168 • MSDS Faxback System: (215) 442-6260 • www.crcindustries.com/ei



CRC Industries, Inc.

885 Louis Drive, Warminster, PA 18974 • Customer Service: 800-272-4620
Fax: 800-272-4560 • Technical Assistance: 800-521-3168 • www.crcindustries.com/ei