



You'll find us in all the right places.®

Measure after measure, both pros & do-it-yourselfers name DAP as their #1 brand. Be sure to stock the brands your customers prefer.



DAP is the number one brand associated with cartridges. Without knowing the nature of the industry or category, when asked, “What brand is associated with this symbol?” more pros & do-it-yourselfers named DAP than any other brand.




Pros and do-it-yourselfers ranked DAP highest on several key criteria:


- Long lasting
- Good value for the money
- Provides the right amount of information on the package.
- Offers a range of products that are right for the job.
- Offers products with excellent overall performance.

When it comes to caulks & sealants *and* spackling products, no other brands have higher awareness than DAP.

Total Awareness of Caulking Brands



Total Awareness of Spackling Brands



Sources: Data is based on DAP sponsored studies conducted from 2004 to 2006 as well as independent studies conducted by *Professional Remodeler* and *Professional Builder Magazine*. Best in Class Symbols are used with permission of Reed Business Information.

DAP is the caulk & sealant brand used most!

In a 2006 proprietary study, DAP was named as the caulk brand used most by:

- Painters
- Remodelers
- New Home Builders
- Do-it Yourselfers




DAP has #1 sellers in each of the segments we serve: Caulks & Sealants, General Patching & Repair and Adhesives.



We rely on you, our industry partners, to provide all of our customers with the products they need to ensure successful job completion. DAP products are often the determining factor in guaranteeing a professional finish.

From sealing the home to conserve energy, caulking a bathtub to prevent water damage, painting a room, laying a subfloor, installing windows, or fixing a crack in a driveway, DAP has the products your customers look for.



- DAP was voted "Best in Class" in a 2006 study conducted by *Professional Builder* magazine.



- Builders cited quality, customer service and warranties as the key reasons they selected specific brands.

- DAP was voted "Best in Class" in a 2006 study conducted by *Professional Remodeler* magazine.



- Remodelers cited quality, customer service and product selection as the reasons why they chose a specific brand.

- DAP was honored by the home retailing industry's leading publication, *Home Channel News*, with the gold level 2007 Golden Hammer Award for Caulking and Sealants





General Information

Minimum order requirement is \$200.
Each product is identified by size and color with a case code number. Please use this number when ordering.

Order Codes

DAP manufacturer's code No: 70798

Customer Service Information

Call our Customer Service Department for assistance on order placement, deliveries, billing inquiries and authorization to return materials.

Mail correspondence and confirming purchase orders to:

DAP Products Inc.
2400 Boston Street, Suite 200
Baltimore, MD 21224
Fax order to: 410-558-1068
E-mail order to: orders@dap.com

Customer Service Department

800-DAP-3339
410-675-2100
(8:00 a.m. – 6:00 p.m. Eastern Time)

International Customer Service

800-323-0645
(8:00 a.m. – 6:00 p.m. Eastern Time)

Technical Customer Service

888-327-8477 or 888-DAP-TIPS
(8:00 a.m. – 7:00 p.m. Eastern Time)

Corporate Office

800-543-3840
410-675-2100

Supplemental Price Lists

For a copy of a current price list and conditions of sale, please contact your sales representative.

MSDS Requests

To obtain an MSDS for any DAP product, please visit our website www.dap.com or call 888-DAP-TIPS.

Reduce Environmental Impact by Choosing Low VOC Content Products



DAP is dedicated to the development of adhesives and sealants with low volatile organic compound (VOC) content. Many of our products actually have a low enough VOC content, indicated by this symbol, to meet one or more of the guidelines outlined below:

- The South Coast Air Quality Management District (SCAQMD) Rule # 1168
- The Bay Area Air Quality Management District Regulation 8, Rule 51
- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction & Major Renovations Version 2.2, EQ Credit 4.1 (Indoor Environmental Quality – Low Emitting Materials: Adhesives & Sealants)
- NAHB Model GREEN Home Building Guideline Section 7.1.3 (Global Impact - Products)

Increase Energy Efficiency by Sealing the Building Envelope



In order to meet green building guidelines for energy efficiency you will need to take an integrated and comprehensive approach to energy efficient design of the building site, the building envelope and mechanical space conditioning systems. Utilize products highlighted with this symbol when sealing the building envelope in accordance with the following guidelines:

- U.S. Green Building Council® LEED® - NC Green Building Rating System for New Construction and Major Renovations Version 2.2, EA Pre requisite 2 for Minimum Energy Performance. (Energy & Atmosphere – Minimum Energy Performance)
- NAHB Model GREEN Home Building Guidelines Section 3.3.1 Building Envelope (PP) B. (Energy Efficiency – Implement an Integrated and Comprehensive Approach to Energy – Efficient Design of Building Site, Building Envelope and Mechanical Space Conditioning Systems)
- ANSI/ASHRAE/IESNA Standard 90.1-2004 – Energy Standard for Buildings Except Low Rise Residential Buildings SI Edition – Section 5.4 and 5.5 (Building Envelope)



Retail Product Guide

Table of Contents

DAP® Caulks & Sealants

1-18

Indoor/Outdoor Caulks	1
Kitchen/Bath Caulks	4
Specialty Sealants	5
Specialty Sealants - Fire System Sealants	9
Insulating Foams	10
Indoor/Outdoor Silicones	13
Kitchen/Bath Silicones	14
Specialty Silicones	15
Miscellaneous Products	17
Accessories	18

DAP® Repair Products

19-38

Spackling Compounds	19
Glazing Compounds	24
Wood Fillers	25
Concrete & Masonry Products	28
Joint Compounds	33
Plasters & Stuccos	34
Miscellaneous Products	37

DAP® Construction Adhesives

39-57

Contact Cements	39
Industrial Contact Cements	40
Specialty Adhesives	42
Cartridge & Canned Construction Adhesives	48
VOC-Compliant Construction Adhesives	51
Floor Covering Adhesives	55

Merchandising Racks

58



This catalog was printed using soy inks on 30% post-consumer waste paper stock. Paper certified to Forest Stewardship Council standards. Product group from well-managed forests, controlled sources and recycled wood or fiber.



**DAP® RELY-ON®
Vinyl Latex Caulk**

Economical vinyl latex for general caulking purposes. Paintable. Easy water clean-up. 7 Year Durability Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18260	10.1 OZ	WHITE	18250	14.00	12	8"x6"x12"	0.33	9	108

**DAP® ALEX®
Painter's Acrylic Latex Caulk**

All-purpose acrylic latex painter's caulk. Applies smoothly and easily. Adheres to wood, plaster, drywall and masonry. Resists cracking and chalking. Interior/exterior use. Paintable. Easy water clean-up. 25 Year Durability Guarantee. Meets ASTM Specification C 834 for extrudability, artificial weathering, extension-recovery and slump.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18670	10.1 OZ	WHITE	18065	14.25	12	8"x6"x12"	0.33	9	108
18609	10.1 OZ	WHITE	18065	34.75	30	12"x10"x12"	0.83	9	48

**DAP® ALEX®
Painter's Acrylic Latex Caulk Contractor Pack**

Designed for purchase by the case by professional contractors. Each pack contains 12 cartridges of ALEX® Painter's Acrylic Latex Caulk.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18618	10.1 OZ	WHITE	18065	14.25	12	8"x6"x12"	0.33	9	108



DAP® ALEX PLUS® Acrylic Latex Caulk Plus Silicone



Superior quality, multi-purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew resistant. Interior/exterior use. Paintable. Easy water clean-up. 35 Year Durability Guarantee. Exceeds ASTM Specification C 834.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18128	5.5 OZ	WHITE	18128	7.35	12	9.5"x7.25"x4.25"	0.17	1	240
18152	10.1 OZ	WHITE	18101	14.50	12	8"x6"x12"	0.33	4	108
18103	10.1 OZ	WHITE	18101	36.50	30	12"x10"x12"	0.83	4	48
18156	10.1 OZ	CLEAR	18071	9.75	12	8"x6"x12"	0.33	0	108
18072	10.1 OZ	CLEAR	18071	24.00	30	12"x10"x12"	0.83	0	48
18120	10.1 OZ	BROWN	18112	14.50	12	8"x6"x12"	0.33	0	108
18118	10.1 OZ	SLATE GRAY	18110	14.45	12	8"x6"x12"	0.33	6	108
18122	10.1 OZ	CEDAR TAN	18111	14.40	12	8"x6"x12"	0.33	3	108
18124	10.1 OZ	DARK BRONZE	18109	14.50	12	8"x6"x12"	0.33	0	108
18126	10.1 OZ	BLACK	18107	14.25	12	8"x6"x12"	0.33	6	108
18130	10.1 OZ	ALMOND	18135	14.50	12	8"x6"x12"	0.33	9	108
18401	10.1 OZ	CRYSTAL CLEAR	18401	9.75	12	8"x6"x12"	0.33	5	108
18172	10.1 OZ	ANTIQUE WHITE	18172	14.50	12	8"x6"x12"	0.33	4	108

DAP® ALEX PLUS® Acrylic Latex Caulk Plus Silicone Contractor Pack



Designed for purchase by the case by professional contractors. Each pack contains 12 cartridges of ALEX PLUS® Acrylic Latex Caulk Plus Silicone.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18656	10.1 OZ	WHITE	18101	14.50	12	8"x6"x12"	0.33	4	108
18660	10.1 OZ	CLEAR	18071	9.75	12	8"x6"x12"	0.33	0	108

DAP® ALEX PLUS® Easy Caulk Acrylic Latex Caulk Plus Silicone



ALEX PLUS® formula in a convenient, easy-to-use aerosol can. NO CAULK GUN NEEDED. Gives perfect control for a smooth, consistent bead with no messy overflow. Ideal for use in tight spaces and for smaller jobs. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18725	16 OZ	WHITE	18725	15.25	12	9"x7.5"x10.75"	0.43	2	100



DAP® ALEX Fast Dry™ Acrylic Latex Caulk Plus Silicone

For a professional-looking paint job, caulk before you paint, and when time is short, reach for ALEX Fast Dry™. It's ready to paint in 40 minutes. No need to worry about paint cracking; this durable, flexible sealant is made to last and comes with a 35 Year Durability Guarantee. Easy water clean-up. Interior/exterior use. Exceeds ASTM Specification C 834.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18425	10.1 OZ	WHITE	18425	14.50	12	8"x6"x12"	0.33	1	108

DAP® ALEX Fast Dry™ Acrylic Latex Caulk Plus Silicone Contractor Pack

Designed for purchase by the case by professional contractors. Each pack contains 12 cartridges of ALEX Fast Dry™ Acrylic Latex Caulk Plus Silicone.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18426	10.1 OZ	WHITE	18425	14.50	12	8"x6"x12"	0.33	1	108

DAP® DYNAFLEX 230® Premium Elastomeric Latex Sealant

DAP's most advanced latex sealant technology. It combines the superior flexibility and durability of a silicone with the easy tooling, excellent paintability and low odor of a latex. Provides excellent adhesion and a watertight, weatherproof seal. Cured caulk is mildew resistant. Interior/exterior use. Easy water clean-up. 50 Year Durability Guarantee. Meets Federal Specification TT-S-00230C, Type II, Class A and ASTM Specification C 920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18285	5.5 OZ	WHITE	18285	11.00	18	11"x4"x11"	0.28	1	99
18275	10.1 OZ	WHITE	18300	13.00	12	8"x6"x12"	0.33	1	108
18607	10.1 OZ	WHITE	18300	32.25	30	12"x10"x12"	0.83	1	48
18412	10.1 OZ	CEDAR TAN	18412	13.50	12	8"x6"x12"	0.33	1	108
18286	10.1 OZ	ALUMINUM GRAY	18301	12.25	12	8"x6"x12"	0.33	8	108
18418	10.1 OZ	BROWN	18302	13.50	12	8"x6"x12"	0.33	5	108
18420	10.1 OZ	DARK BRONZE	18303	13.50	12	8"x6"x12"	0.33	2	108
18304	10.1 OZ	CLEAR	18305	9.75	12	8"x6"x12"	0.33	6	108
18355	10.1 OZ	CLEAR	18305	24.20	30	12"x10"x12"	0.83	6	48
18288	10.1 OZ	ALMOND	18306	13.00	12	8"x6"x12"	0.33	3	108
18280	10.1 OZ	BLACK	18280	13.00	12	8"x6"x12"	0.33	6	108



DAP® KWIK SEAL® Tub & Tile Adhesive Caulk



Bonds like a glue and seals like a caulk. Provides a durable, watertight seal. Excellent adhesion and flexibility. Tools easily. Cured caulk is mildew resistant. Paintable. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18001	5.5 OZ	WHITE	18001	7.00	12	9.5"x7.25"x4.25"	0.17	7	240
18013	5.5 OZ	ALMOND	18013	7.00	12	9.5"x7.25"x4.25"	0.17	0	240
18008	5.5 OZ	CLEAR	18008	5.00	12	9.5"x7.25"x4.25"	0.17	6	240
18032	10.1 OZ	WHITE	18002	13.75	12	8"x6"x12"	0.33	4	108

DAP® KWIK SEAL PLUS® Premium Kitchen & Bath Adhesive Caulk with MICROBAN® Antimicrobial Product Protection

Premium adhesive caulk with MICROBAN® Antimicrobial Product Protection fights the growth of stain and odor-causing bacteria, mold and mildew on the caulk. Specially formulated siliconized latex provides maximum adhesion and flexibility for a watertight seal. Paintable. Easy water clean-up. Low odor. Backed by a Crack-Proof Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18546	5.5 OZ	CLEAR	18546	5.00	12	9.5"x7.25"x4.25"	0.17	3	240
18539	5.5 OZ	BISCUIT	18539	7.00	12	9.5"x7.25"x4.25"	0.17	5	240
18526	5.5 OZ	WHITE	18526	6.75	12	9.5"x7.25"x4.25"	0.17	5	240
18510	10.1 OZ	WHITE	18510	11.00	12	8"x6"x12"	0.33	4	108
18519	10.1 OZ	BISCUIT	18519	11.00	12	8"x6"x12"	0.33	7	108
18516	10.1 OZ	CLEAR	18516	10.00	12	8"x6"x12"	0.33	6	108

DAP® KWIK SEAL PLUS® Easy Caulk Premium Kitchen & Bath Adhesive Caulk with MICROBAN® Antimicrobial Product Protection

KWIK SEAL PLUS® with MICROBAN® Antimicrobial Product Protection formula in a convenient, easy-to-use aerosol can. NO CAULK GUN NEEDED. Gives perfect control for a smooth, consistent bead with no messy overflow. Ideal for use in tight spaces and smaller jobs.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18775	9 OZ	WHITE	18775	9.75	12	9"x7.5"x9"	0.35	7	125



DAP® SIDE WINDER® Advanced Polymer Siding & Window Sealant

Advanced polymer formula siding and window sealant delivers excellent performance on vinyl, fiber cement, aluminum, wood siding and windows. Permanently flexible. Wet weather and low temperature application. No shrink and virtually no VOC's (<1%). Low odor. Interior/exterior use. Paintable. Meets ASTM Specification C 920.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00801	10.1 OZ	WHITE	00801	13.00	12	8"x 6"x 12"	0.33	4	108
00804	10.1 OZ	CLAY	00804	13.75	12	8"x 6"x 12"	0.33	5	108
00807	10.1 OZ	LIGHT GRAY	00807	13.75	12	8"x 6"x 12"	0.33	6	108
00810	10.1 OZ	TAN	00810	13.75	12	8"x 6"x 12"	0.33	6	108
00813	10.1 OZ	ALMOND	00813	13.75	12	8"x 6"x 12"	0.33	7	108
00823	10.1 OZ	CEDAR	00823	13.75	12	8"x 6"x 12"	0.33	6	108
00835	10.1 OZ	MEDIUM GRAY	00835	13.75	12	8"x 6"x 12"	0.33	9	108
00840	10.1 OZ	OFF WHITE	00840	13.75	12	8"x 6"x 12"	0.33	3	108
00843	10.1 OZ	CANVAS	00843	13.75	12	8"x 6"x 12"	0.33	4	108
00846	10.1 OZ	TERRA BRONZE	00846	13.75	12	8"x 6"x 12"	0.33	5	108
00849	10.1 OZ	SANDTONE	00849	13.75	12	8"x 6"x 12"	0.33	6	108

DAP® SIDE WINDER® Advanced Polymer Siding & Window Sealant Contractor Pack

Designed for purchase by the case. Each pack contains 12 cartridges of SIDE WINDER® Advanced Polymer Siding & Window Sealant.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00802	10.1 OZ	WHITE	00801	13.00	12	8"x 6"x 12"	0.33	1	108

DAP® SIDE WINDER® Crystal Clear Siding & Window Sealant

Crystal clear siding sealant delivers excellent performance on vinyl, fiber cement, aluminum and wood siding. Permanently flexible. Wet weather and low temperature application. Interior/exterior use. Paintable. Meets the performance characteristics of ASTM Specification C 920.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00816	10.1 OZ	CRYSTAL CLEAR	00816	9.25	12	8"x 6"x 12"	0.33	8	108

**DAP® Premium Polyurethane Adhesive Sealant**

A one-part, moisture-curing, commercial grade sealant. Specially formulated to provide a permanent, waterproof seal when filling exterior gaps, joints and cracks. Offers superior adhesion to a wide variety of substrates and remains permanently flexible. Paintable. 50 Year Durability Guarantee. Meets or exceeds Federal Specification TT-S 00230C, Type II, Class A and ASTM Specification C 920, Type S, Grade NS, Class 25. Use NT, M, A and O.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18810	10.1 OZ	WHITE	18810	12.85	12	8"x6"x12"	0.33	5	132

DAP® Premium Polyurethane Roof & Flashing Sealant

A one-part, moisture-curing, commercial grade sealant. Specially formulated to provide a permanent, waterproof seal when filling exterior gaps and joints in a variety of roof surfaces. Offers superior adhesion to a wide variety of substrates and remains permanently flexible. Paintable. 50 Year Durability Guarantee. Meets or exceeds Federal Specification TT-S 00230C, Type II, Class A and ASTM Specification C 920, Type S, Grade NS, Class 25. Use NT, M, A and O.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18816	10.1 OZ	BLACK	18816	14.10	12	8"x6"x12"	0.33	7	132

DAP® Premium Polyurethane Concrete & Masonry Sealant

A one-part, moisture-curing, fast-skinning commercial grade sealant. Specially formulated to provide a permanent, waterproof seal when filling exterior gaps and cracks in concrete, stone and masonry. Offers superior adhesion to a wide variety of substrates and remains permanently flexible. Paintable. 50 Year Durability Guarantee. Meets or exceeds Federal Specification TT-S 00230C, Type II, Class A and ASTM Specification C 920, Type S, Grade NS, Class 25. Use NT, M, A, G and O.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18814	10.1 OZ	GRAY	18814	14.50	12	8"x6"x12"	0.33	3	108

**DAP® Clear Flexible Sealant**

High performance, elastomeric clear sealant. Excellent adhesion even on damp surfaces. Stays crystal clear and permanently flexible. Excellent UV resistance. Cured sealant is mildew resistant. Interior/exterior use. Paintable. Meets ASTM Specification C 920.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18384	10.1 OZ	CRYSTAL CLEAR	18376	9.25	12	8"x6"x12"	0.33	6	105

DAP® Roof Watertight Asphalt Filler & Sealer

High performance, asphalt-based sealant for sealing roof gaps and joints, spotting shingles and repairing minor roof leaks. Forms a durable, flexible, weather resistant and watertight seal. Can be used for both wet and dry applications. Will not run or bubble. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18268	10.1 OZ	BLACK	18270	13.75	12	8"x6"x12"	0.33	7	108

DAP® Blacktop Asphalt Filler & Sealer

High performance, asphalt-based compound for filling and sealing cracks in driveways, parking lots and other asphalt surfaces. Forms a durable, flexible and watertight seal. Resists gas, oil grease and salt. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18020	10.1 OZ	BLACK	18017	15.00	12	8"x6"x12"	0.33	8	108

DAP® Blacktop Asphalt VOC-Compliant Filler & Sealer

Asphalt-based, low solvent formulation for the quick and easy repair of cracks in asphalt surfaces. Perfect for playgrounds, driveways, pavement and parking lots. Provides a durable, watertight, elastic seal. Repairs are ready for traffic in 24 hours. Textured for a professional looking finish. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27065	10.1 OZ	TEXTURED BLACK	27065	15.00	12	8"x6"x12"	0.33	7	108

**DAP® Gutter & Flashing BUTYL-FLEX® Sealant**

Butyl rubber formula provides a durable, flexible and watertight seal for gutters, drainspouts, lap joints, flashings, roof vents, aluminum siding and other metal joints. Stands up to weather and temperature extremes. Meets ASTM Specification C 1085.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18182	10.1 OZ	WHITE	18184	13.75	12	8"x6"x12"	0.33	7	108
18188	10.1 OZ	ALUMINUM GRAY	18185	13.75	12	8"x6"x12"	0.33	4	108

DAP® BUTYL-FLEX® Gutter & Flashing VOC-Compliant Adhesive

Butyl rubber-based, lower solvent formula provides a durable, flexible and watertight bond for gutters, drainspouts, lap joints, flashing, roof vents, aluminum siding and other metal joints. Stands up to weather and temperature extremes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27062	10.1 OZ	WHITE	27062	13.75	12	8"x6"x12"	0.33	6	108

DAP® Watertight Concrete Filler & Sealant

High performance, latex-based sealant formulated to repair cracks and holes in concrete, mortar and masonry. Contains silicone additives for improved adhesion and water resistance. Forms a durable, flexible and watertight seal. Resists gas, oil, grease and salt. Interior/exterior use. Paintable. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18096	10.1 OZ	GRAY	18021	14.00	12	8"x6"x12"	0.33	5	108

DAP® SEAL 'N PEEL® Removable Weatherstrip Caulk

Unique, removable weatherstrip caulk to seal drafty windows and doors. Provides a temporary watertight and weatherproof seal. Peels away easily when removal is desired. Won't damage painted surfaces. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18324	10.1 OZ	CRYSTAL CLEAR	18324	17.15	24	12"x8"x12"	0.67	7	45

**DAP® High Heat Mortar**

A non-combustible silicate cement for applications in wood frame construction where an ASTM E 136 sealant is required. Can also be used for patching and sealing around fireplaces and wood-burning stoves. Withstands temperatures up to 2000°F. Sets rock hard when fired. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18854	10 OZ	BLACK	18854	15.60	12	8"x6"x12"	0.33	9	102

DAP® Fire Stop Fire-Rated Silicone Sealant

Meets ASTM E 814/UL 1479 and UL 2079 Specifications. Classified for sealing fire-rated non-combustible service penetrations and construction joints in horizontal and vertical fire separations. Elastomeric—capable of $\pm 25\%$ dynamic joint movement.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18806	10.1 OZ	LIMESTONE GRAY	18806	12.75	12	8"x6"x12"	0.33	8	132

DAP® BLOCKADE® Fire-Rated High Performance Intumescent Acrylic Latex Sealant

Meets ASTM E 814/UL 1479 Specifications. Intumescent product expansion fills voids created by combustible materials burned during a fire. Treats general firestopping applications for combustible and non-combustible penetrations. Excellent adhesion to unprimed surfaces. Red color for easy inspection.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18858	10.1 OZ	RED	18858	12.25	12	8"x6"x12"	0.33	7	132

DAP® Fireblock Foam Polyurethane Foam Sealant

Quickly fill and seal large gaps around vents, pipes, ducts and wires; and at wall-to-floor or ceiling-to-floor joints. For use in Type V residential construction, the foam is bright orange for easy code identification and expands 2-1/2 to 3 times its dispensed size. Just one can of this expanding foam yields up to fifteen large caulk tubes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
44242	12 OZ	ORANGE	44242	9.7	9	9.25"x9.13"x9.13"	0.45	9	100

**DAPtex® Plus
Window & Door
Foam Sealant**

Designed to meet the tough standards demanded for professional window & door installations while effectively sealing large cracks, gaps and voids. This high-performance sealant is formulated with CoVinyl-X9000® for superior weather resistance plus added toughness and durability. When applied properly, this patented formula helps reduce energy loss and damage that can be caused by rain and pest infiltration. Just like original DAPtex®, DAPtex® Plus is paintable, toolable, won't overexpand, and the easy water clean-up formula won't leave a mess. This interior/exterior formula also works great for other sealing projects around your home.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18836	12 OZ	WHITE	18836	13.50	12	11"x 9"x 9.5"	0.54	5	90

**DAPtex®
Latex Multi-Purpose
Insulating Foam Sealant**

Innovative latex polymer foam technology. Seals out drafts, eliminates energy loss and prevents pest infiltration. Will not overexpand like polyurethane foam and is the best choice for sealing around windows and doors during installation. Proven not to bow, buckle or distort window and door frames. Also ideal for filling, sealing and insulating cracks and gaps around pipes, vents, outlets and above-ground foundations and crawlspaces. Non-clogging applicator and easy soap and water clean-up. Toolable and moldable. Paintable with latex paints once cured. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18826	12 OZ	WHITE	18826	13.50	12	11"x8.75"x9"	0.50	6	90

**DAP® KWIK FOAM® Polyurethane
Insulating
Foam Sealant**

A one-part, moisture-curing polyurethane foam that expands to fill and seal large gaps and cavities. Stops air infiltration and will not shrink or degrade. Contains a flame retardant. Waterproof.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18230	12 OZ	TAN	18230	13.10	12	12"x9.25"x8.5"	0.55	1	75
18232	24 OZ	TAN	18232	23.50	12	11.75"x9.5"x11.75"	0.76	5	48

The foam without the fear

DAPtex® Plus is specially formulated to meet the demands of window and door installations.



DAPtex® Plus with CoVinyl-X9000® not only sounds like a breakthrough product, it is. That's what gives DAPtex® Plus the ability to resist water and maintain toughness.

Unlike other foam sealants which can require sand paper to get your hands clean, DAPtex® Plus cleans up easily with water.



La espuma sin miedo.

DAPtex® Plus est formulado especialmente para satisfacer las exigencias de las instalaciones de puertas y ventanas.



DAPtex® Plus con CoVinyl-X9000® no solamente suena como un producto de delantera, sino que lo es. Es lo que le otorga a DAPtex® Plus la habilidad de resistir al agua y mantener su fortaleza.

Al contrario de otros sellantes de espuma que requieren el uso de papel de lija para limpiar sus manos, DAPtex® Plus se limpia fácilmente con agua.





DAP® TITANIUM® Premium Window & Door Silicone Sealant

Revolutionary Titanium-enriched silicone offers maximum flexibility and strength, making it up to 50% more flexible than other premium silicones. Offers superior adhesion to difficult surfaces such as PVC, vinyl siding, windows and painted wood. Low odor. Interior/exterior use. Lifetime Durability Guarantee. Meets ASTM Specification C 920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08671	10.1 OZ	CLEAR	08671	9.75	12	8"x6"x12"	0.33	5	108
08680	10.1 OZ	WHITE	08680	10.00	12	8"x6"x12"	0.33	7	108

DAP® 100% Silicone Rubber Sealant

Superior quality, multi-purpose sealant. Offers long-lasting flexibility and excellent adhesion. Provides a weatherproof, watertight seal. Resists cracking, crumbling and chalking. Interior/exterior use. 50 Year Durability Guarantee. Meets Federal Specification TT-S-001543A, Class A.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00683	2.8 OZ	WHITE	00683	3.40	12	8.5"x6.5"x8.5"	0.27	6	165
00684	2.8 OZ	CLEAR	00684	3.50	12	8.5"x6.5"x8.5"	0.27	3	165
08646	10.1 OZ	WHITE	08646	9.75	12	8"x6"x12"	0.33	3	108
08641	10.1 OZ	CLEAR	08641	9.75	12	8"x6"x12"	0.33	8	108
08642	10.1 OZ	BLACK	08642	9.70	12	8"x6"x12"	0.33	5	108
08643	10.1 OZ	ALUMINUM	08643	9.50	12	8"x6"x12"	0.33	2	108
08647	10.1 OZ	BRONZE	08647	9.70	12	8"x6"x12"	0.33	0	108
08649	10.1 OZ	ALMOND	08649	10.20	12	8"x6"x12"	0.33	4	108



DAP® KWIK SEAL® 3.0
Advanced Kitchen & Bath
Adhesive Caulk with
KWIK DRY™ Technology and
MICROBAN® Antimicrobial
Product Protection

An advanced kitchen & bath adhesive caulk specially formulated with KWIK DRY™ Technology allowing it to be exposed to water and moisture after only three hours without washing out. It won't crack or shrink and provides excellent adhesion, flexibility and durability for a waterproof seal. MICROBAN® Antimicrobial Product Protection fights the growth of stain and odor-causing bacteria, mold and mildew on the caulk. Paintable. Lifetime Guarantee.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00790	9.8 OZ	GLOSS WHITE	00790	12.25	12	8"x6"x12"	0.33	1	108

DAP® TITANIUM®
Premium Kitchen & Bath
Silicone Sealant

Revolutionary Titanium-enriched silicone offers maximum flexibility and strength, making it up to 50% more flexible than other premium silicones. Offers superior adhesion to difficult surfaces such as PVC, tub surround plastic, painted wood and Formica® countertops. Cured sealant is mildew resistant. Low odor. Lifetime Durability Guarantee. Meets ASTM Specification C 920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08681	10.1 OZ	CLEAR	08681	9.90	12	8"x6"x12"	0.33	4	108
08670	10.1 OZ	WHITE	08670	10.70	12	8"x6"x12"	0.33	8	108
08685	10.1 OZ	ALMOND	08685	10.70	12	8"x6"x12"	0.33	2	108

DAP® Kitchen & Bath
100% Silicone Sealant

Superior quality tub and tile sealant. Offers long-lasting flexibility and excellent adhesion. Provides a watertight seal around non-porous surfaces, such as ceramic tile and plumbing fixtures. Safe for incidental food contact. Cured sealant is mildew resistant.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00680	2.8 OZ	WHITE	00680	3.50	12	8.5"x6.5"x8.5"	0.27	5	165
08640	10.1 OZ	WHITE	08640	9.75	12	8"x6"x12"	0.33	1	108
08648	10.1 OZ	CLEAR	08648	9.70	12	8"x6"x12"	0.33	7	108



DAP® TITANIUM® Premium Concrete & Masonry Silicone Sealant

Revolutionary Titanium-enriched silicone offers maximum flexibility and strength, making it up to 50% more flexible than other premium silicones. Offers superior adhesion to difficult surfaces such as PVC, plastics and painted wood. Low odor. Interior/exterior use. Lifetime Durability Guarantee. Meets ASTM Specification C 920, Class 25.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08675	10.1 OZ	GRAY	08675	10.00	12	8"x6"x12"	0.33	3	108

DAP® Household Adhesive

Multi-purpose 100% silicone rubber adhesive forms a strong, watertight seal. Excellent adhesion. Ideal for quick household repairs and projects.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00698	1 OZ	CLEAR	00698	1.50	12	8"x5.5"x5.5"	0.14	0	270

DAP® Aquarium Sealant

Long-lasting 100% silicone rubber helps build and repair aquariums. Provides a waterproof and watertight seal. Stays flexible. Won't crack or shrink. Non-toxic to fresh and saltwater fish when cured.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00688	2.8 OZ	CLEAR	00688	3.30	12	8.5"x6.5"x8.5"	0.27	1	200

**DAP® Auto/Marine Sealant**

Long-lasting 100% silicone rubber seals and bonds for automotive and marine maintenance and repair applications. Provides a waterproof and weather-proof seal. Stays flexible. Won't crack or shrink. Resists vibration, expansion and contraction.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00694	2.8 OZ	CLEAR	00694	3.40	12	8.5"x6.5"x8.5"	0.27	2	200

DAP® Gasket Sealant

Easily forms 100% silicone rubber gaskets for mechanical repair and household use. Provides a waterproof seal. Stays flexible. Won't crack, crumble or dry out. Requires no mixing.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00686	2.8 OZ	BLACK	00686	3.30	12	8.5"x6.5"x8.5"	0.27	7	200

**DAP® CAULK-BE-GONE®
Caulk Remover**

Specially formulated gel softens many types of caulks and sealants for easy removal. Fast-acting formula works in as little as two hours. Has a fresh scent and will not harm most surfaces. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18026	5.5 OZ	GREEN	18025	5.00	12	9.5"x7.25"x4.25"	0.19	3	240

**DAP® Easy Solutions®
Home Repair Products**

Complete line of easy-to-use home repair products created specifically for the light DIYer. No caulk gun needed. Job specific formulations target the most common household repair projects: sealing kitchens and bathtubs, spackling and repairing tile grout. All products are safe, latex-based and provide easy water clean-up.



Case Code	Size	Product	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12333	4 OZ	Dry Dex® Spackling (RTU)	12334	3.60	6	9.5"x5.25"x3.25"	0.09	2	468
10725	4 OZ	Tile Grout Repair	10726	3.50	6	9.5"x5.25"x3.25"	0.09	7	468



18887	4 OZ	Kitchen & Bath Caulk	18888	3.05	6	9.5"x5.25"x3.25"	0.09	4	468
-------	------	----------------------	-------	------	---	------------------	------	---	-----



DAP®
DAP CAP™
Caulk Finishing Tool

Smooths and finishes bead of caulk for a professional-looking appearance. Reseals cartridge for storage and reuse.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18570	1 EA	YELLOW	18570	0.50	12	8.5"x6"x4.5"	0.13	8	240

**DAP® Vinyl Spackling (RTU)**

All-purpose, heavy-duty formula that is perfect for household repairs and professional jobs. Resists cracking, sands easily, and spreads smoothly. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12008	5.5 OZ	WHITE	12008	8.75	12	9.5"x7.25"x4.25"	0.17	2	240
12002	5.5 OZ	WHITE	12008	10.50	18	11"x4"x11"	0.28	2	99
12130	0.5 PT	WHITE	12130	11.50	12	11.5"x10.5"x3.75"	0.26	0	154
12132	1 QT	WHITE	12132	22.25	6	15"x10"x5.25"	0.46	4	96
12133	1 GA	WHITE	12133	31.00	2	16"x8"x8.25"	0.61	1	75

DAP® Vinyl Spackling Comfort-Grip Container with Putty Knife

All-purpose, heavy-duty formula packaged in an innovative, efficient and easy-to-use container that is perfect for household repairs and professional jobs. The container comes complete with putty knife. Resists cracking, sands easily and spreads smoothly. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12135	24 OZ	WHITE	12135	18.50	6	14.25"x6.75"x7.25"	0.40	5	108



DAP® DRYDEX® Dry Time Indicator Spackling (RTU)

Contains a patented Dry Time Indicator causing the product to change color when optimum dry time is achieved. It goes on pink and dries white. This unique feature is the signal that it is ready to sand and paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12336	2.0 OZ	WHITE	12336	4.25	12	7.75"x4.25"x8.75"	0.17	6	285
12328	0.5 PT	WHITE	12328	12.38	12	11.50"x10.50"x3.75"	0.26	1	154
12330	1 QT	WHITE	12330	24.50	6	15"x10"x5.25"	0.46	4	96
12346	5.5 OZ	WHITE	12346	12.75	18	11"x4"x11"	0.28	5	99

DAP® Wall Repair Patch Kit Featuring DRYDEX® Spackling

A complete project solution. Repairs holes up to 3" in diameter in drywall, plaster and masonry surfaces. Includes all the necessary tools:

- DRYDEX® Spackling - Goes on pink, dries white.
- 4" x 4" flexible, self-adhesive perforated aluminum patch
- 4" x 3" 100-grit sand paper
- Putty knife



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12341	1 EA - 2 OZ	WHITE	12341	5.50	12	24.50"x6"x7.25"	0.62	0	99
12345	1 EA - 0.5 PT	WHITE	12345	6.75	6	21.38"x7.25"x8.25"	0.74	8	60



DAP® CRACKSHOT® High Performance Spackling Paste (RTU)

Professional knife-grade spackling paste for easy application and superior paintability. Its creamy texture applies smoothly, dries hard and sands effortlessly, delivering quality results every time. This professional formula will not shrink and will not “flash” paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12372	5.5 OZ	WHITE	12372	13.50	18	11"x4"x11"	0.28	4	99
12374	0.5 PT	WHITE	12374	12.50	12	11.5"x10.5"x3.75"	0.26	8	120
12378	1 QT	WHITE	12378	23.75	6	15"x10"x5.25"	0.46	6	96
12380	1 GA	WHITE	12380	34.00	2	16"x8"x8.25"	0.61	9	75

DAP® FAST 'N FINAL® Lightweight Spackling (RTU)

One-step, lightweight spackling for repairing walls, ceilings and woodwork in one fill. Lightweight formula delivers superior durability and performance. No sanding required. Dries quickly. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12140	0.5 PT	WHITE	12140	3.50	12	11.5"x10.5"x3.75"	0.26	9	154
12141	1 PT	WHITE	12141	7.50	12	15.5"x12"x4.75"	0.51	6	80
12142	1 QT	WHITE	12142	7.25	6	15"x10"x5.25"	0.46	3	96
12143	1 GA	WHITE	12143	18.25	4	16"x16"x8"	1.19	0	30

**DAP® PATCH STICK®
Nail Hole & Crack Filler
(RTU)**

Quick and easy spackling stick, conveniently sized for filling nail holes and small dents or cracks in interior surfaces. Dries in minutes and does not require sanding. Won't shrink. Comes complete with finishing tool. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12324*	2.8 OZ	WHITE	12316	6.00	24	9.25"x13.50"x8.25"	0.59	8	90
*stick display case									

**DAP® Spackling Paste
(RTU)**

Heavy-duty spackling compound. Ideal for do-it-yourself and professional projects. Fills and conceals small cracks, nail holes and blemishes in plaster, wallboard and wood. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10200	0.5 PT	WHITE	10200	12.50	12	11.5"x10.5"x3.75"	0.26	2	154
10204	1 QT	WHITE	10204	24.00	6	15"x10"x5.25"	0.46	0	96



DAP® ELASTOPATCH® Smooth Flexible Patching Compound (RTU)

High performance, elastomeric spackling compound eliminates recurring cracks by providing a permanently flexible fill. Excellent for use on smooth surfaces including masonry, brick, plaster, drywall or any surface requiring a permanently flexible seal. Superior paintability—won't flash paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12276	10.1 OZ	WHITE	12276	14.75	12	8"x6"x12"	0.33	5	108
12278	1 QT	WHITE	12278	21.25	6	15"x10"x5.25"	0.46	9	96
12280	1 GA	WHITE	12280	28.25	2	16"x8"x8.25"	0.61	2	75

DAP® ELASTOPATCH® Textured Flexible Patching Compound (RTU)

High performance, elastomeric spackling compound eliminates recurring cracks by providing a permanently flexible fill. Excellent for use on textured surfaces including stucco, masonry, brick, plaster, drywall or any surface requiring a permanently flexible seal. Superior paintability—won't flash paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12286	10.1 OZ	OFF WHITE	12286	13.50	12	8"x6"x12"	0.33	4	108
12288	1 QT	OFF WHITE	12288	18.00	6	15"x10"x5.25"	0.46	8	96
12290	1 GA	OFF WHITE	12290	23.75	2	16"x8"x8.25"	0.61	1	75



DAP® '33'® Glazing Window Glazing (RTU)

For glazing wood and metal sashes. Outlasts ordinary putty. Smooth and ready-mixed. Excellent weather resistance. Knife grade.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12120	0.5 PT	WHITE	12120	14.50	12	11.5"x10.5"x3.75"	0.26	1	154
12121	1 PT	WHITE	12121	30.75	12	15.5"x12"x4.75"	0.51	8	80
12122	1 QT	WHITE	12122	28.25	6	15"x10"x5.25"	0.46	5	96
12019	1 GA	WHITE	12019	37.25	2	16"x8"x8.25"	0.61	8	75
12124	3.5 GA	WHITE	12124	62.00	1	12"x12"x10.75"	0.90	9	36

DAP® Latex Window Glazing (RTU)

Smooth, easy-working compound for glazing wood, metal and aluminum sashes. Resists cracking, sagging and chalking. Gun grade.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12108	10.1 OZ	WHITE	12049	16.00	12	8"x6"x12"	0.33	5	108

DAP® '1012'® Glazing (RTU)

Professional quality glazing compound for face glazing metal sashes. No painting required. Knife grade. Meets Federal Specifications TT-G-410E, CID-A-A-373A, ASTM C 669.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12067	1 QT	ALUMINUM GRAY	12067	28.00	6	15"x10"x5.25"	0.46	9	96
12059	1 GA	ALUMINUM GRAY	12059	36.00	2	16"x8"x8.25"	0.61	4	75
12056	3.5 GA	ALUMINUM GRAY	12056	54.00	1	12"x12"x10.75"	0.90	3	36



DAP® PLASTIC WOOD® Solvent Wood Filler (RTU)



High performance, solvent-based wood filler that hardens to give a surface and body that looks and acts like real wood. Can be sanded, stained, cut, drilled, planed, varnished, painted or lacquered. For use on furniture, doors, paneling, molding, plywood and other wood surfaces. Available in popular wood shades. Meets Federal Specification TT-F-340C. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
21500	1.87 OZ	NATURAL	21500	2.05	12	5"x5.5"x6.5"	0.11	9	336
21510	1.87 OZ	NATURAL	21510	1.30	6	9.31"x4.43"x7.68"	0.18	8	208
21502	4 OZ	NATURAL	21502	4.75	12	7.5"x5.25"x4.25"	0.10	3	378
21506	16 OZ	NATURAL	21506	17.50	12	14"x10.5"x4.5"	0.38	1	117
21400	4 OZ	LIGHT OAK	21400	4.75	12	7.5"x5.25"x4.25"	0.10	2	378
21404	4 OZ	PINE	21404	4.75	12	7.5"x5.25"x4.25"	0.10	0	378
21408	4 OZ	GOLDEN OAK	21408	4.75	12	7.5"x5.25"x4.25"	0.10	8	378
21412	4 OZ	WHITE	21412	4.75	12	7.5"x5.25"x4.25"	0.10	5	378
21420	4 OZ	RED OAK	21420	4.75	12	7.5"x5.25"x4.25"	0.10	0	378
21424	4 OZ	RED MAHOGANY	21424	4.75	12	7.5"x5.25"x4.25"	0.10	8	378
21430	4 OZ	MAPLE	21430	4.75	12	7.5"x5.25"x4.25"	0.10	9	378
21434	4 OZ	WALNUT	21434	4.75	12	7.5"x5.25"x4.25"	0.10	7	378

DAP® Latex Wood Filler by PLASTIC WOOD® (RTU)

High quality latex wood filler that hardens to give a surface and body that looks and acts like real wood. Easy water clean-up formula. Low odor. For use on furniture, doors, paneling, molding and other wood surfaces. Can be sanded, stained, cut, drilled, planed, varnished or painted. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
08111	4 OZ	NATURAL	08111	5.50	12	8.5"x6"x6"	0.18	6	312
08114	4 OZ	GOLDEN OAK	08114	5.50	12	8.5"x6"x6"	0.18	7	312
08116	4 OZ	RED OAK	08116	5.50	12	8.5"x6"x6"	0.18	1	312
08118	4 OZ	WALNUT	08118	5.50	12	8.5"x6"x6"	0.18	5	312
08135	8 OZ	NATURAL	08135	5.50	6	10.25"x6.87"x3.75"	0.15	2	280
00527	1 PT	NATURAL	00527	21.75	12	16"x12"x4.75"	0.53	3	80

**DAP® BLEND STICK®
(Blister Card)**

The quick, easy way to repair nail holes, scratches and other minor blemishes in finished wood surfaces. Its unique teardrop shape makes it easier to use than other blending products. It is ideal for wood and simulated wood surfaces such as paneling, woodwork, molding, furniture and cabinets. It will not shrink, stain or discolor and is available in 12 colors to match most wood surfaces. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
04038	1 EA	CHERRY	04038	0.75	12	7"x6"x5"	0.12	0	400
04010	1 EA	LIGHT OAK	04010	0.75	12	7"x6"x5"	0.12	6	400
04012	1 EA	NATURAL OAK	04012	0.75	12	7"x6"x5"	0.12	0	400
04020	1 EA	PICKLED OAK	04020	0.75	12	7"x6"x5"	0.12	5	400
04022	1 EA	RED OAK	04022	0.75	12	7"x6"x5"	0.12	9	400
04028	1 EA	LIGHT MAPLE	04028	0.75	12	7"x6"x5"	0.12	1	400
04030	1 EA	MAPLE	04030	0.75	12	7"x6"x5"	0.12	4	400
04032	1 EA	WHITE	04032	0.75	12	7"x6"x5"	0.12	8	400
04040	1 EA	MAHOGANY	04040	0.75	12	7"x6"x5"	0.12	3	400
04042	1 EA	NATURAL PINE	04042	0.75	12	7"x6"x5"	0.12	7	400
04048	1 EA	WALNUT	04048	0.75	12	7"x6"x5"	0.12	9	400
04050	1 EA	EBONY	04050	0.75	12	7"x6"x5"	0.12	2	400
04080	1 EA	LIGHT WOODS	04080	1.5	12	7.75"x4"x6.75"	0.12	9	360
04085	1 EA	DARK WOODS	04085	1.5	12	7.75"x4"x6.75"	0.12	4	360
04083	1 EA	RED WOODS	04083	1.5	12	7.75"x4"x6.75"	0.12	0	360

**DAP® WOOD FINISH
REPAIR KIT™**

WOOD FINISH REPAIR KIT™ features two Wood Stain Pens (Light and Dark), each with a premium felt tip, ideal for color-blending and the repair of scratches on woodwork, furniture and paneling. Also included are four colored blending sticks and application tools to repair minor defects in any finished wood surface. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
97500	1 EA	MULTICOLOR	97500	2.00	6	8.87"x3.87"x4.75"	0.09	2	576

**DAP® Finishing Putty (RTU)**

Smooth, easy-working putty that quickly repairs minor scratches and holes in interior surfaces. Resists oil bleeding. Recommended for filling and hiding countersunk nail holes, gouges, scratches and mitre joints. Available in 12 tones to match most finished wood surfaces. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
21245	3.7 OZ	WHITE	21245	1.75	6	7.5"x4.75"x2.25"	0.05	9	900
21247	3.7 OZ	LIGHT OAK	21247	1.75	6	7.5"x4.75"x2.25"	0.05	3	900
21250	3.7 OZ	CHERRY	21250	1.75	6	7.5"x4.75"x2.25"	0.05	3	900
21251	3.7 OZ	LIGHT WALNUT	21251	1.75	6	7.5"x4.75"x2.25"	0.05	0	900
21255	3.7 OZ	DARK WALNUT	21255	1.75	6	7.5"x4.75"x2.25"	0.05	8	900
21262	3.7 OZ	RED OAK	21262	1.75	6	7.5"x4.75"x2.25"	0.05	6	900
21266	3.7 OZ	EBONY	21266	1.75	6	7.5"x4.75"x2.25"	0.05	4	900
21268	3.7 OZ	RED MAHOAGANY	21268	1.75	6	7.5"x4.75"x2.25"	0.05	8	900
21270	3.7 OZ	MAPLE	21270	1.75	6	7.5"x4.75"x2.25"	0.05	1	900
21272	3.7 OZ	NATURAL PINE	21272	1.75	6	7.5"x4.75"x2.25"	0.05	5	900
21274	3.7 OZ	PICKLED OAK	21274	1.75	6	7.5"x4.75"x2.25"	0.05	9	900
21276	3.7 OZ	NATURAL OAK	21276	1.75	6	7.5"x4.75"x2.25"	0.05	3	900

DAP® Painter's Putty '53'® (RTU)

Smooth, easy-working putty designed for the special needs of professional painters. Ideal for filling nail holes, dents and cracks in wood surfaces. May also be used to glaze wood sashes. Resists oil bleeding. Paintable. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
12240	0.5 PT	WHITE	12240	15.50	12	11.5"x10.5"x3.75"	0.26	6	154
12242	1 PT	WHITE	12242	28.00	12	15.5"x12"x4.75"	0.51	0	80
12244	1 QT	WHITE	12244	28.00	6	15"x10"x5.25"	0.46	4	96

DAP® Water Putty (Dry Mix)

Premium quality, all-purpose patching product for the repair of cracks, holes and defects on interior wood surfaces. This easy-to-use, economical formula won't shrink and may be tinted, stained, painted or varnished. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
56001	1 LB	OFF WHITE	56001	7.00	6	9"x4"x5.75	0.12	7	279
56004	4 LB	OFF WHITE	56004	25.75	6	12.5"x8.5"x8.5"	0.52	8	90



DAP® Concrete Floor Leveler (Dry Mix)

General purpose, concrete-based floor leveling product for concrete and masonry surfaces. Ideal for patios, sidewalks, garages, and preparing surfaces for vinyl sheet good installation. For use with DAP® Bonding Liquid & Floor Leveler Additive. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10414	5 LB	GRAY	10414	32.00	6	12"x8"x8"	0.44	3	90
10416	25 LB	GRAY	10416	25.00	1	16"x10"x4"	0.37	7	96

DAP® Concrete Patcher & Resurfacer (Dry Mix)

A fast-setting, polymer-fortified Portland cement patch. An economical product for the repair of cracks, chips and breaks in concrete and masonry. It adheres to concrete, brick, stone, stucco, wood subfloors and other clean masonry surfaces. Crack-resistant formula.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10466	5 LB	GRAY	10466	33.75	6	12.5"x8.5"x8.5"	0.52	2	90
10468	10 LB	GRAY	10468	43.25	4	16.5"x8.5"x12"	0.97	6	30

DAP® Bonding Liquid & Floor Leveler Additive

Versatile product that can be used as an additive to increase adhesion and flexibility in plaster, mortar, concrete, floor leveler, stucco and weatherproof cement paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
35082	1 PT	WHITE	35082	7.50	6	8"x5.5"x8"	0.20	3	152
35090	1 GA	WHITE	35090	34.50	4	13"x13"x13"	1.27	8	27

**DAP® Concrete Bonding Additive**

Bonds old concrete to new. Perfect for concrete patching, resurfacing and leveling. Excellent for capping walls, patching steps and tuck pointing. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
02131	32 OZ	WHITE	02131	28.00	12	14.75"x11.81"x10.75"	1.04	0	33
02132	1 GA	WHITE	02132	36.00	4	13"x13"x13"	1.27	7	27

DAP® Flexible Floor Patch and Leveler (RTU)

Ready-to-use, latex-based product used to fill cracks, fastener or knot holes and level low areas in plywood subfloors or concrete surfaces. The floor patch and leveler will remain flexible, allowing the plywood subfloor to flex without cracking the filled-in areas. Ideal for filling and leveling surfaces prior to the installation of carpeting, vinyl floor tile or sheeting, as well as ceramic or mosaic floor tile.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
59184	1 QT	LIGHT GRAY	59184	24.00	6	15"x10.25"x5.25"	0.46	4	96
59190	1 GA	LIGHT GRAY	59190	63.50	4	16"x15.5"x8"	1.15	5	30

DAP® Liquid Cement Crack Filler (RTU)

Easy-to-use, ready-mixed product for the repair of cracks in concrete. Repairs are ready for traffic in 30-45 minutes. It is self-leveling and dries gray to match most existing concrete. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
37584	1 QT	GRAY	37584	22.00	6	10.75"x7.5"x10.5"	0.49	0	84



DAP® Ready-Mixed Concrete Patch (RTU)

Use to patch small cracks and breaks, or spot level concrete and masonry surfaces such as basement walls, patios, steps, sidewalks and driveways. It dries to a durable, hard finish and is non-shrinking. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
31084	1 QT	LIGHT GRAY	31084	22.75	6	15"x10.25"x5.25"	0.46	1	96
31090	1 GA	LIGHT GRAY	31090	64.00	4	16"x15.5"x8"	1.15	2	30

DAP® Ready-Mixed Concrete Patch (RTU)

Use to patch small cracks and breaks, or spot level concrete and masonry surfaces such as basement walls, patios, steps, sidewalks and driveways. It dries to a durable, hard finish and is non-shrinking. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10430	5.5 OZ	GRAY	10430	11.65	18	11"x4"x11"	0.28	3	99
10432	5.5 OZ	GRAY	10430	3.88	6	9.5"x5.25"x3.25"	0.09	3	468

DAP® Anchor Fast Anchoring Cement (Dry Mix)

Anchor Fast Anchoring Cement is a rapid-setting, non-shrink, pourable cement used for setting bolts, posts, handrails, small equipment, fences, columns or non-structural anchors in cement. It sets hard in 15 minutes, expanding to fill all voids and locking itself securely in place. When completely dry, the cement may actually be stronger than the original concrete. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
32086	5 LB	GRAY	32086	31.00	6	12.5"x8.5"x8.5"	0.52	4	90
32090	10 LB	GRAY	32090	43.00	4	16.5"x16.5"x8.25"	1.30	1	30



**DAP® QUICK PLUG®
Hydraulic Cement
(Dry Mix)**

High performance patching compound formulated to stop running water through deep cracks, holes and imperfections in concrete surfaces. It creates a watertight seal in 3-5 minutes. Works both above and below ground level. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
14084	2.5 LB	GRAY	14084	16.50	6	12.25"x7.25"x4"	0.21	4	180
14086	5 LB	GRAY	14086	31.75	6	12.5"x8.5"x8.5"	0.52	8	90
14090	10 LB	GRAY	14090	43.00	4	16.5"x16.5"x8.25"	1.30	5	30

**DAP® KWIK SEAL PLUS®
Basement Paint
with MICROBAN®
(Latex-RTU)**

A low odor, ready-mixed, latex paint that waterproofs and beautifies interior or exterior concrete, stucco, brick, cement and similar masonry surfaces. Easy to apply with a brush, roller or sprayer. Penetrates deep into porous concrete to stop water infiltration. Plus, the MICROBAN® built-in product protection continuously fights the growth of stain and odor-causing bacteria, mold and mildew on the dried paint film. Water clean-up. Meets federal specifications described in TT-P-1411A. Bright White can be tinted.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
15300	1 GA	BRIGHT WHITE	15300	54.00	4	14.25"x14.25"x8.25"	0.97	4	30
15305	3.5 GA	BRIGHT WHITE	15305	47.00	1	12.5"x12.5"x 10.75"	0.97	9	36
15310	1 GA	BEIGE	15310	54.00	4	14.25"x14.25"x8.25"	0.97	3	30
15313	1 GA	GRAY	15313	54.00	4	14.25"x14.25"x8.25"	0.97	4	30

THE NEXT BIG THING. ○

IT'S PINK

With DAP's exclusive DryDex® dry time indicator, the compound dries from pink to white so there's no guesswork when it comes to reapplying or sanding.



IT'S SMOOTH

The lightweight formula is de-aired so you can expect an ultra-smooth finish with no bubbles.

IT'S SQUARE

The square container is sized perfectly for a 6" taping knife. No transfer to messy mud pans.

IT'S DAP® PREMIUM LIGHTWEIGHT JOINT COMPOUND.

The result: no wasted time and a better looking finished job. For do-it-yourselfers and home remodelers, it just doesn't get any better than this. ○



**DAP® Wallboard Joint Compound (RTU)**

For smooth, high quality finishing of gypsum panel joints. Easy-to-use, ready-mixed formula is easily applied, has minimal shrinkage and sands easily. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10100	3 LB	WHITE	10100	22.00	6	15"x10"x5.25"	0.46	5	96
10102	12 LB	WHITE	10102	51.50	4	16"x16"x8"	1.19	9	30

DAP® Lightweight Wallboard Joint Compound (RTU)

Finishes gypsum panel joints with less work, easy sanding and lightweight handling. Saves time on the job. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10114	1 GA	WHITE	10114	38.75	4	16"x16"x8"	1.19	2	30

DAP® Premium Lightweight Joint Compound with DRYDEX® Dry Time Indicator (RTU)

Premium lightweight joint compound for the smooth, high-quality finishing of gypsum panel joints. Goes on PINK and dries WHITE indicating when additional coats can be applied or it's ready for finishing. De-aired formula eliminates the formation of pinhole bubbles for an ultra smooth finish. Sands effortlessly and weighs up to 25% less than conventional compounds for easier handling. Square tub eliminates need for a mud pan. Saves time on the job. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10122	2 GA	WHITE	10122	22.00	1	10"x10"x7.75"	0.43	7	64

**DAP® All-Purpose Stucco Patch (RTU)**

Professional quality for repairs in stucco and textured surfaces. Durable and permanent. Easy to tool and paint. Convenient ready-mixed formula. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10504	1 QT	WHITE	10504	24.00	6	15"x10"x5.25"	0.46	1	96
60590	1 GA	WHITE	60590	62.00	4	16"x16"x8"	1.19	9	30

DAP® All-Purpose Stucco Patch (Dry Mix)

Professional quality for repairs in stucco and textured surfaces. Durable and permanent. Easy to tool and paint. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10502	25 LB	WHITE	10502	25.50	1	19.5"x10.5"x4"	0.47	7	96

DAP® Plaster Wall Patch (Dry Mix)

Professional quality formula for repairs in plaster walls and ceilings. Provides longer working time of 2-3 hrs. Easy to mix, use and sand. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10304	25 LB	WHITE	10304	25.50	1	19.5"x10.5"x4"	0.47	7	96



DAP® WEBPATCH™ 90 Floor Leveler and Patch (Dry Mix)

General purpose, gypsum-based floor leveler and patch. Use to patch cracks and holes in dry wall, wood, concrete and masonry. Prepares surfaces for carpet, rubber, wood flooring and other materials. Can also be used on walls and ceilings. Ready to mix with water or DAP® Bonding Liquid & Floor Leveler Additive. Note: Not for use under vinyl sheet goods. Use Concrete Floor Leveler & Patch or Concrete Patcher & Resurfacer.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10314	4 LB	OFF WHITE	10314	25.50	6	12.5"x8.5"x8.5"	0.52	6	90
63050	25 LB	OFF WHITE	63050	25.50	1	19.5"x10.5"x4"	0.47	5	96

DAP® PRESTO PATCH® Multi-Purpose Patching Compound (Dry Mix)

All-purpose, high performance patching compound formulated to set fast and dry hard. Set time is 5-10 minutes and is ready to paint in 30 minutes. Great for all interior wall, ceiling and floor projects.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
58505	4 LB	WHITE	58505	26.00	6	12.5"x8.5"x8.5"	0.52	8	90
58552	25 LB	WHITE	58552	25.50	1	19.5"x10.5"x4"	0.47	2	96

DAP® PRESTO PATCH® Ready-Mixed Multi-Purpose Patching Compound (RTU)


Ready-mixed, multi-purpose patching compound for filling, leveling or patching cracks and holes in concrete, masonry, plaster, wallboard, wood and stucco. This high performance patching compound has a smooth working consistency and dries quickly. Once dry, it can be drilled, nailed, filed or painted. Saves time - NO MIXING REQUIRED. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
58555	1 GA	OFF WHITE	58555	30.50	2	16"x8"x8.25"	.61	3	75
58556	2 GA	OFF WHITE	58556	30.50	1	10"x10"x 7.75"	.43	0	64

**DAP® Plaster of Paris
(Dry Mix)**


For general wall and ceiling repair. Sets fast in 20-30 minutes without shrinking. Smooth formula provides great results every time. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
10308	4 LB	WHITE	10308	27.25	6	19.5"x13.5"x7"	1.07	5	42
10310	8 LB	WHITE	10310	34.75	4	16.5"x9"x15.5"	1.33	8	36
10312	25 LB	WHITE	10312	25.50	1	19.5"x10.5"x4"	0.47	2	96
10318	4 LB BOX	WHITE	10318	28.25	6	12.5"x8.5"x8.5"	0.52	4	90

**DAP® Plaster of Paris
Hobby & Craft
(Dry Mix)**

Ideal for hobby, molds and casts. Sets fast in 20-30 minutes without shrinking. Smooth formula provides great results every time. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
53005	4.4 LB	WHITE	53005	28.50	6	12.5"x8.5"x8.5"	0.52	8	90

**DAP® Patching Plaster
(RTU)**

Economical plaster patching product for everyday household repairs to plaster and drywall. Dries hard with minimal shrinkage. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
52084	1 QT	WHITE	52084	23.00	6	15"x10"x5.25"	0.46	4	96

**DAP® KWIK SEAL®
Grout Repair (RTU)**

A ready-to-use, water-resistant compound for small interior ceramic and mosaic wall tile installation and repair jobs. It offers superior stain resistance and requires no sealing. Cleans up easily with soap and water. Non-sanded.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
18372	4 OZ	ARCTIC WHITE	18372	3.75	6	9.5"x5.25"x3.25"	0.09	8	468

DAP® T.S.P.


The all-purpose cleaner used by professionals prior to painting exterior surfaces. It removes mold and de-glosses surfaces that are oil-base painted. Ideal for cleaning garage or basement floors, it can also be used to restore dried, used paintbrushes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
63001	1 LB	WHITE	63001	7	6	5.75"x4"x9"	0.12	7	279
63004	4 LB	WHITE	63004	26	6	12.5"x8.5"x8.5"	0.52	8	90

**DAP® T.S.P.
Substitute**

The ideal cleaner for preparing surfaces prior to decorating. It will clean walls, ceilings and finished woodwork, removing dust, dirt, oil, grease and old wall paper paste. Can be used to dull and etch painted surfaces to provide an excellent surface to be painted. As a general purpose cleaner, will remove oil and grease from basement or garage floors, driveways and machinery.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
60001	1 LB	WHITE	60001	7	6	5.75"x4"x9"	0.12	0	279
60004	4 LB	WHITE	60004	25	6	12.5"x8.5"x8.5"	0.52	1	90

**DAP® Wall Repair Patch**

Repair wall holes and cracks easily—just clean the surface, apply the patch, spackle and finish. Patches are self-adhesive so there's no pre-pasting required, and they are repositionable. The no-rust mesh aluminum backing provides a sturdy surface while allowing more air circulation for quicker drying time. The patch is strong enough to repair wall holes, yet cuts easily with scissors to match the size of the hole.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09146	6"x6"	WHITE/METALLIC	09146	3.20	12	8.38"x5.25"x7.75"	0.20	7	225

DAP® Drywall Joint Tape


Easy-to-use, fiberglass joint tape is self-adhesive so there's no pre-pasting required. This repositionable mesh system is compatible with both drywall and painted drywall making fast work of sealing drywall seams—just tape, apply joint compound, and sand as needed. It can also be used to repair cracks and small holes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
09140	2"x180'	WHITE	09140	6.50	12	5.37"x12.75"x9.75"	0.39	5	120


**DAP® WELDWOOD®
Original Contact Cement**



Premium quality, brush grade, neoprene-based contact cement that meets the stringent requirements of the professional user. High strength and initial grab make it ideal for most projects. Fast-drying formula dries in 15-20 minutes. Offers high heat and water resistance when dry. Exceeds industry performance requirements.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00271	1 PT	TAN	00271	13.75	12	14"x10.5"x4.5"	0.38	5	130
00272	1 QT	TAN	00272	12.75	6	13.5"x9"x5"	0.35	2	144
00273	1 GA	TAN	00273	31.75	4	13.5"x13.5"x8"	0.84	9	45

**DAP® WELDWOOD®
Gel Formula
Contact Cement**



WELDWOOD® Original Contact Cement formula in an easy-to-use gel that won't drip. No mess. Ideal for vertical and overhead surfaces. Easy spread provides excellent coverage. Long assembly/open time.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25310	1 PT	TAN	25310	13.00	12	14"x10.5"x4.5"	0.38	0	130
25312	1 QT	TAN	25312	13.00	6	13.5"x9"x5"	0.35	4	144
25316	1 GA	TAN	25316	32.25	4	13.5"x13.5"x8"	0.84	2	45

**DAP® WELDWOOD®
Nonflammable
Contact Cement**


High solids polychloroprene, waterborne contact adhesive that meets the stringent requirements of the professional user. Complies with all current VOC requirements. Dries in 30-40 minutes, allowing for extra bonding time. Water resistant when dry. Exceeds industry performance requirements. Low odor. Easy water clean-up.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25330	1 PT	NATURAL	25330	16.75	12	14"x10.5"x4.5"	0.38	8	130
25332	1 QT	NATURAL	25332	15.75	6	13.5"x9"x5"	0.35	2	144
25336	1 GA	NATURAL	25336	39.25	4	13.5"x13.5"x8"	0.84	0	45

**Extremely Flammable—Brush Grade****DAP® 0308 Premium Brush Grade High Heat Resistant Contact Adhesive**

Superior quality adhesive designed to allow maximum application of

adhesive with minimum strokes of brush or roller. 0308 Premium has developed a broad range of applications in industry. Dries rapidly with high strength and high heat resistance.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00094	5 GA	NATURAL		1	36.75

DAP® 2056 Professional Brush Grade Contact Adhesive

A medium viscosity formulation which meets the requirements of

many applications. A general purpose contact adhesive, 2056 Professional is often the choice of shops and tradesmen engaged in a variety of projects requiring contact adhesive. Easy to apply. Fast drying.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00241	5 GA	NATURAL		1	35.00

Extremely Flammable—Spray Grade**DAP® Landau Top & Trim High Heat Resistant Contact Cement**

The ideal contact cement for automotive interior applications.

Its high heat resistance is well suited for adhering headliners, fabric and many other materials during automobile refurbishment. Easy to apply with hot or cold spray equipment.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00233	1 GA	NATURAL		4	29.50
00234	5 GA	NATURAL		1	36.00
00235	55 GA	NATURAL		1	404.00
00237	5 GA	RED		1	36.00

DAP® Landau Top & Trim High Heat Resistant High Solids Contact Adhesive

Offers up to 33% greater coverage than traditional products. Bond strength increases with age. Excellent chemical and water resistance. Ideal for applications

such as automotive, marine or aeronautical interiors, including headliners, vinyl trim, dash coverings, door coverings, floor coverings, panel coverings and upholstery. Ideal for bonding Landau tops constructed of non-penetrable fabric backing.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00250	5 GA	NATURAL		1	38.00

*(T.H.) Tight Head *(O.H.) Open Head

Extremely Flammable—Spray Grade**DAP® 1145 High Solids High Heat Resistant Spray Grade Contact Adhesive**

Offers a number of benefits over standard grade adhesives which is attributable to its high solids, low solvent formula. This allows for a

faster drying time, lower glue line cost, less solvent escapement, lower odor and potential savings, with fewer drums to dispose. 1145 has superior green strength and qualifies for a Class A Flame Spread rating when tested in accordance with ASTM E81 Tunnel Test.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
04120	5 GA	NATURAL		1	38.00
04121	55 GA	NATURAL	O.H.*	1	419.00
04140	5 GA	RED		1	38.00
04141	55 GA	RED	O.H.*	1	419.00

DAP® 0306/0307 High Heat Resistant Contact Adhesive

This industry standard, used with confidence for years, meets the requirements of a wide range of

applications. Features ease of use and excellent end results. May be applied with standard hot or cold spray equipment.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00095	5 GA	NATURAL		1	37.00
00097	5 GA	RED		1	37.00
00098	55 GA	RED	T.H.*	1	404.00
04051	55 GA	NATURAL	O.H.*	1	414.00
04054	55 GA	RED	O.H.*	1	424.00

DAP® RELY-ON® High Heat Resistant Economy Grade Contact Adhesive

A good quality adhesive for many spray applications. May be applied

with standard hot or cold spray equipment. A better adhesive at an economical cost.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
03505	5 GA	RED		1	38.00
03506	55 GA	RED	O.H.*	1	413.00
03510	5 GA	NATURAL		1	38.00
03511	55 GA	NATURAL	O.H.*	1	413.00

Flammable Solvent**DAP® 0901 Standard Solvent**

The ideal solvent for use in conjunction with WELDWOOD® flammable brush and spray grade contact adhesives. Its uses include thinning products back to their

original viscosity, delaminating bonded surfaces, reactivating dried adhesives, cleaning spray gun tips and air caps, and cleaning general overspray and spillages. WELDWOOD® 0901 Standard Solvent is a flammable solvent.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
00091	5 GA	CLEAR		1	35.25
00092	55 GA	CLEAR	T.H.*	1	377.00

For more detailed information, request the technical data sheet for any of our products by calling 1 888 327 8477 or visit our website at www.dap.com

**Nonflammable—Spray Grade****DAP® 2146 M.C. High Solids Nonflammable Spray Grade Contact Adhesive**

This product provides solutions to many problems affecting cabinet shops, laminators, furniture manufacturers and other industries where an alternative to the extremely flammable products must be found for insurance reasons,

state regulations, storage restrictions and OSHA requirements. 2146 M.C. offers excellent green strength and the many benefits of a high solids product. These benefits include faster drying time, lower glue line costs, less solvent escapement, reduced odor and potential savings, with fewer drums to dispose.

Case Code	Size	Color	Drum Type	Case Pack	Case Weight (lbs.)
04652	5 GA	NATURAL		1	54.00
04654	55 GA	NATURAL	O.H.*	1	595.00
04662	5 GA	GREEN		1	54.00
04664	55 GA	GREEN	T.H.*	1	595.00

Description			Solids (percent)	Viscosity, CPS	Density, lbs./gal.	Color(s)	Sq. Ft. Coverage (2–3 gms. dry)	Shelf Life	VOC Less H ₂ O/ Exempt g/L	Sizes (Gallons)
Brush Grade (Flammable Solvent)										
0308	Premium	HHR*	24	900–1200	6.8	NATURAL	309	1 yr	592/475	5–55
2056	Prof.	HHR*	20	550–800	6.7	NATURAL	253	1 yr	606/490	5–55
Spray Grade (Flammable Solvent)										
1145	High Solids	HHR*	24	350–450	6.8	RED NATURAL	309	6 mos	540/345	5–55
0307	Std.	HHR*	19	130–200	6.6	RED	237	1 yr	621/499	5–55
0306	Std.	HHR*	19	130–200	6.6	NATURAL	237	1 yr	621/499	5–55
RELY-ON	Economy	HHR*	18	130–200	6.6	RED	237	1 yr	621/499	5–55
LANDAU	Std.	HHR*	19	130–200	6.6	NATURAL RED NATURAL	237	1 yr	621/499	1–5–55
Spray Grade (Nonflammable Solvent)										
2146 MC	High solid specialty		25	180–280	10.1	NATURAL GREEN	478	1 yr	14/5	5–55
2044 MC	Fast Dry	HHR*	10	200–350	10.9	RED	206	1 yr	54/6	5–55
2004 MC	Fast Dry	HHR*	10	200–350	10.9	NATURAL	206	1 yr	54/6	5–55

*(HHR) High Heat Resistance

*(T.H.) Tight Head *(O.H.) Open Head

For more detailed information, request the technical data sheet for any of our products by calling 1 888 327 8477 or visit our website at www.dap.com

**DAP® WELDWOOD®
Carpenter's Glue**

Professional quality aliphatic resin wood and multi-purpose glue providing a high strength bond. Sets fast, grips tight and sands easily when dry. Heat, water and solvent resistant. Non-toxic. Low VOC.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00490	8 OZ	YELLOW	00490	17.50	24	13"x10"x7.5"	0.56	0	56
00491	1 PT	YELLOW	00491	16.00	12	12.5"x8.5"x9"	0.55	7	72
00492	1 QT	YELLOW	00492	32.00	12	17.5"x9.5"x10"	0.96	4	40
00493	1 GA	YELLOW	00493	37.50	4	13"x12.5"x11.5"	1.08	1	27
00494	5 GA	YELLOW	00494	46.00	1	12.25"x12.25"x14.75"	1.28	8	36
00495	55 GA	YELLOW	00495	541.50	1	23.5"x23.5"x34.25"	10.95	5	4

**DAP® WELDWOOD®
Multipurpose
Spray Adhesive**

DAP® WELDWOOD® Multipurpose Spray Adhesive is a mist formula that can be used for the temporary or permanent bonding of lightweight materials including foils, carpeting, papers, foams and felt. Fast tack. VOC compliant with all current regulations.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00118	16.0 OZ	CLEAR	00118	17.00	12	12"x9.5"x9.75"	0.64	3	80

**DAP® WELDWOOD®
High Strength
Spray Adhesive**

DAP® WELDWOOD® High Strength Spray Adhesive web formula is a high-strength, high-temperature resistant formulation that bonds wood, metal and plastic. Long open time.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00121	16.0 OZ	CLEAR	00121	17.00	12	12"x9.5"x9.75"	0.64	3	80



DAP® BLUESTIK™ Reusable Adhesive Putty

Reusable, removable blue adhesive putty that replaces tape, tacks, staples and magnets. No more holes in walls and no more chipped, peeled paint. Sticks just about anything to slick or hard surfaces such as wood, tile, glass, concrete, porcelain, metal and painted surfaces. Use to fasten decorations, posters, notes and paintings. Can be used time and time again. Non-toxic. Conforms to ASTM D 4236.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01201	1 OZ	BLUE	01201	1.25	12	6."x4.25"x4.5"	0.07	1	528

DAP® ONE STIK® Crystal Clear Permanent Adhesive

One Stik® Crystal Clear Permanent Adhesive offers two convenient easy-to-use precision dispensers, one thin "pen" tip for more precise applications and a wide tip for spreading a broader film. Special no-clog closures for easy re-use. Permanent holding power on vertical or horizontal surfaces including paper, wood, cardboard, plastic, fabric, polystyrene foam, or pottery. Photo safe. Dries to a glossy crystal clear finish.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01323	1.7 OZ	CLEAR	01323	2.40	12	5.7"x7.5"x8.1"	0.20	0	210

DAP® ONE STIK® Permanent or Repositionable Adhesive

One Stik® Permanent or Repositionable Adhesive offers two convenient easy-to-use precision dispensers, one thin "pen" tip for more precise applications and a wide tip for spreading a broader film. Special no-clog closures for easy re-use. Permanent or temporary holding power on vertical or horizontal surfaces including paper, wood, cardboard, plastic, fabric, polystyrene foam, or pottery. For temporary applications allow to dry before application. Use to prevent items from slipping around on countertops, to secure items in place prior to nailing, or for temporary mounting of posters, photos & notes.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01320	0.88 OZ	CLEAR	01320	1.50	12	5.7"x7.5"x8.1"	0.20	9	210



BLUESTIK™ replaces tape and tacks when hanging posters, photos or drawings. It's reusable and leaves no mess or nail holes behind.

GLUING MADE EASIER.™

ONE STIK²® features broad and fine tips. Two formulas mean you can bond items permanently or create your own repositionable sticky surfaces. Use it all around the house.

GLUING MADE PRECISE.™

SPRAY 'N STIK® is the first aerosol spray with Waterstik™ technology so you can clean up with water. For strong, permanent bonds nothing else comes close.

GLUING MADE CLEANER.™



Forget the
hammer and nails.

STRONGSTIK® instant grab adhesive
works where nails dare not go. Many
projects require no bracing or clamping,
indoors and out.

GLUING MADE POWERFUL.™

There's no end to the things
that can be glued with **STIKAROUNDS**®.
In the shop, around the house, anywhere you
need a second hand or a quick no-mess bond.

GLUING MADE EASIER.™



You'll find us in all the right places.®

**DAP® SPRAY 'N STIK®
All-Purpose Spray Glue**

An all-purpose aerosol spray glue with exclusive Waterstik™ technology, provides superior adhesion for strong, permanent bonds with the added benefits of low odor and easy water clean up. The unique foaming action sprays on white so you can see exactly where you've applied it and helps eliminate overspray. It dries clear, is non-yellowing and is safe for most surfaces. Can be used for bonding porous and non-porous substrates such as paper, cardboard, newsprint, photos, fabric, plastic, metal, wood and more.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00124	7 OZ	DRIES CLEAR	00124	11.25	12	11"x8"x9"	0.46	4	102

**DAP® STIKAROUNDS®
Clear Adhesive Spots
& Lines**

Double-sided, pressure sensitive adhesive spots and continuous lines. They are cleaner and easier to use than liquid glues, tacks or magnets and are safer and more convenient than hot glue guns. Just stick and peel for an instant bond – no long set up or dry times. They are non-toxic, acid free, archival quality and adhere to a wide variety of surfaces. Ideal for all types of hobby and craft, school, office and around-the-home uses, such as mounting pictures or artwork, hanging posters, adhering loose wallpaper, securing collectibles, keeping cords and cables in place, and more. Conforms to ASTM D 4236.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01220	200 1/2" DIA. SPOTS	ADHESIVE SPOTS	01220	1.90	9	9.75"x7.25"x3.5"	0.14	2	300
01229	24 LIN. FT.	CONTINUOUS LINE	01229	1.90	9	9.75"x7.25"x3.5"	0.14	5	300

**DAP® STRONGSTIK®
Instant Grab Adhesive**

An instant grab adhesive that replaces nails and screws by holding projects in place instantly, yet it is repositionable for up to 15 minutes. Can be used for some vertical or overhead applications. Just one ounce can hold a three pound object. The slim 5.5 fluid ounce tube is easy to hold with a stand-up flip top cap for convenience. Works on most household surfaces and cleans up with soap & water. Indoor/Outdoor.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01310	5.5 OZ	WHITE	01310	6.35	12	9.44"x7"x4.75"	0.18	0	225

**DAP® EPOXY STIK®
2 Minute Adhesive**

EPOXY STIK® 2 Minute Epoxy Adhesive is a fast-setting, high performance, two-component epoxy adhesive that dries clear in two minutes. It comes in an easy-to-use, single-dose pack for quick repairs anywhere with no waste. Provides a permanent, waterproof bond. Excellent adhesion to ceramics, china, glass, plastic, wood, concrete, metal and most plastics.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
01300	.07 OZ	CLEAR	01300	0.50	12	5.75"x3.25"x4.25"	0.05	1	744

**DAP® WELDWOOD®
Contact Cement**

Instantly bonds on contact. Can be used on a variety of materials. Provides a durable, water resistant bond. Handy applicator included in 1 oz. bottle.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00102	1 OZ	TAN	00102	2.50	12	7"x7"x4.5"	0.13	2	240
00107	3 OZ	TAN	00105	5.00	12	8"x6"x4"	0.11	3	430

**DAP® WELDWOOD®
Plastic Resin Glue**

Powdered, ureaformaldehyde wood glue activated by mixing with water. Forms a bond stronger than the wood itself. Meets Federal Specification A-A-3052. Low VOC.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00203	1 LB	TAN	00203	8.00	6	15"x10"x5"	0.43	6	54
00204	4.5 LB	TAN	00204	21.50	4	16"x16"x8"	1.19	3	30
00208	300 LB	TAN	00208	317.00	1	23.5"x23.5"x34.25"	10.95	1	4

**DAP® WELDWOOD®
Waterproof
Resorcinol Glue**

Two-component glue ideal for exterior structural applications. 100% waterproof and weatherproof. Meets MIL-A-46051 (Type I, Grade A) (Type II, Grade C) and MIL-A-22397 (Grade A).



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00227	1 PT	PURPLE	00227	12.00	6	10.5"x7"x8"	0.34	2	100



DAP® BEATS THE NAIL®
All-Purpose
Construction Adhesive

For general construction, remodeling, maintenance and repair projects. Quick-grab formula provides a high-strength, heat and water-resistant bond to a variety of substrates. Meets ASTM Specification C 557. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25098	10.3 OZ	GRAY	25082	13.50	12	8"x6"x12"	0.33	6	108
25082	10.3 OZ	GRAY	25082	27.00	24	12"x8"x12"	0.66	6	54
25084	28 OZ	GRAY	25084	35.50	12	10.5"x8"x17"	0.83	0	40

DAP® BEATS THE NAIL®
All-Purpose
Construction Adhesive

For general construction, remodeling, maintenance and repair projects. Quick-grab formula provides a high-strength, heat and water-resistant bond to a variety of substrates. Meets ASTM Specification C 557. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25498	10.3 OZ	GRAY	25498	13.50	12	8"x6"x12"	0.33	5	108
25484	28 OZ	GRAY	25484	35.50	12	10.5"x8"x17"	0.82	8	40

DAP® BEATS THE NAIL®
All-Purpose Trowelable
Construction Adhesive

An all-purpose, trowelable construction adhesive for bonding bath panel, tub enclosures and other types of wall panels to drywall, hardboard, plywood, plaster, masonry and other structurally-sound surfaces. It may be used to repair loose ceramic tiles, sink tops, backsplashes and moulding or to install Fiberglass Reinforced Panels (FRP). It provides a water and moisture-proof barrier between wall and panel. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25488	1 GA	TAN	25488	44.25	4	13.5"x13.5"x8"	0.84	6	45



**DAP® 4000®
Subfloor & Deck
Construction Adhesive**

A premium grade, weatherproof formulation that meets APA AFG-01, ASTM Specification D 3498 and conforms to HUD UM-60a. It reduces nailing requirements, floor squeaks and nail pops. Forms a permanent bond on wet, frozen and treated lumber. Easy gunning. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25028	10.3 OZ	TAN	25020	11.50	12	8"x6"x12"	0.33	8	108
25117	28 OZ	TAN	25117	28.66	12	10.5"x8"x17"	0.83	5	40

**DAP® BEATS THE NAIL®
Subfloor & Deck
Construction Adhesive**

A premium grade, weatherproof formulation that meets APA AFG-01, ASTM Specification D 3498 and conforms to HUD UM-60a. It reduces nailing requirements, floor squeaks and nail pops. Forms a permanent bond on wet, frozen and treated lumber. Easy gunning. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25428	10.3 OZ	TAN	25428	11.50	12	8"x6"x12"	0.33	2	108
25417	28 OZ	TAN	25417	28.66	12	10.5"x8"x17"	0.83	6	40

**DAP® BEATS THE NAIL®
Drywall Construction Adhesive**

Specially formulated for bonding drywall, paneling and plywood to wood or steel framing. Reduces fastener use. Quick-grab formula requires less bracing. Meets ASTM Specification C 557. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25037	28 OZ	TAN	25037	29.00	12	10.5"x8"x17"	0.83	6	40



**DAP® BEATS THE NAIL®
Paneling & Foam
Construction Adhesive**

A high quality, dual-purpose adhesive designed to bond paneling or foamboard insulation to a variety of substrates. Quick-grab formula reduces nailing requirements. Won't etch or burn through. Meets ASTM Specification C 557. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25403	10.3 OZ	GRAY	25403	13.75	12	8"x6"x12"	0.33	9	108

**DAP® BEATS THE NAIL®
Tub Surround & Shower Wall
Construction Adhesive**

Specifically formulated for the installation of tub surrounds and shower wall enclosures to a variety of substrates. Quick-grab formula provides a strong steam, heat and water-resistant bond. Won't harm most plastic tub surrounds and shower walls. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25420	10.3 OZ	GRAY	25420	12.50	12	8"x6"x12"	0.33	6	108

DAP® FRP Adhesive

Trowel grade, latex-based formula for bonding FRP panels to concrete, plaster, plywood and gypsum wallboard. For interior use. Nonflammable, fast-setting and water resistant.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
60480	1 GA	WHITE	60480	54	4	15.5"x15.5"x7.75"	1.08	3	30
60481	4 GA	WHITE	60481	54	1	12"x12"x14"	1.17	0	36



DAP® BEATS THE NAIL®
VOC-Compliant
All-Purpose
Construction Adhesive

This latex-based formula provides the same superior performance as the solvent-based ALL-PURPOSE Adhesive. VOC-compliant. Meets ASTM Specification C 557. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27050	10.3 OZ	WHITE	27050	14.00	12	8"x6"x12"	0.33	3	108
27058	28 OZ	WHITE	27058	35.00	12	10.5"x8"x17"	0.83	9	40

DAP® BEATS THE NAIL®
VOC-Compliant
All-Purpose
Construction Adhesive

This latex-based formula provides the same superior performance as the solvent-based ALL-PURPOSE Adhesive. VOC-compliant. Meets ASTM Specification C 557. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27401	3.5 OZ	TRANSLUCENT	27401	7.00	18	11"x4"x11"	0.28	3	99
27480	3.5 OZ	WHITE	27480	8.50	18	11"x4"x11"	0.28	8	99
27450	10.3 OZ	WHITE	27450	14.00	12	8"x6"x12"	0.33	1	108
27458	28 OZ	WHITE	27458	35.25	12	10.5"x8"x17"	0.83	7	40

DAP® BEATS THE NAIL®
Heavy-Duty Projects
VOC-Compliant
Construction Adhesive

A high-strength, weatherproof adhesive specifically formulated for heavy-duty general construction, remodeling, maintenance and repair projects. VOC compliant. Instant Grab formulation holds projects in place instantly, reducing bracing requirements. It bonds to a wide variety of substrates and provides a heat and water-resistant bond. Meets ASTM Specification C 557. It is low odor and cleans up easily with soap and water. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27404	10.3 OZ	WHITE	27404	14.00	12	8"x6"x12"	0.33	4	108
27407	28 OZ	WHITE	27407	31.25	12	10.5"x8"x17"	0.83	5	40



**DAP® 4000®
VOC-Compliant
Subfloor & Deck
Construction Adhesive**

This latex-based formula provides the same superior performance as the solvent-based 4000® SUBFLOOR & DECK Adhesive. It is VOC-compliant and meets APA AFG-01, ASTM Specification D 3498 and conforms to HUD UM-60a. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27030	10.3 OZ	TAN	27030	12.00	12	8"x6"x12"	0.33	5	108
27038	28 OZ	TAN	27038	33.00	12	10.5"x8"x17"	0.83	1	40

**DAP® BEATS THE NAIL®
VOC-Compliant
Subfloor & Deck
Construction Adhesive**

This latex-based formula provides the same superior performance as the solvent-based SUBFLOOR & DECK Adhesive. VOC-compliant. Meets APA AFG-01, ASTM Specification D 3498 and conforms to HUD UM-60a. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27430	10.3 OZ	TAN	27430	12.00	12	8"x6"x12"	0.33	3	108
27438	28 OZ	TAN	27438	33.00	12	10.5"x8"x17"	0.83	9	40

**DAP® 7000®
VOC-Compliant
Subfloor & Deck
Construction Adhesive**

A solvent-based, VOC-compliant formula that meets APA AFG-01, ASTM Specification D 3498. Premium grade, weatherproof formulation reduces nailing requirements, floor squeaks and nail pops. Forms a permanent bond on wet, frozen and treated lumber. Easy gunning. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27044	10.3 OZ	TAN	27044	12.00	12	8"x6"x12"	0.33	2	108
27042	28 OZ	TAN	27042	28.50	12	10.5"x8"x17"	0.83	8	40



DAP® BEATS THE NAIL®
Paneling & Foam
VOC-Compliant
Construction Adhesive

This latex-based formula provides the same superior performance as the solvent-based PANELING & FOAM Construction Adhesive. VOC compliant. Won't damage polystyrene foam. Low odor and easy water clean-up. Interior/exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27425	10.3 OZ	WHITE	27425	14.00	12	8"x6"x12"	0.33	9	108

DAP® BEATS THE NAIL®
Cove Base
VOC-Compliant
Construction Adhesive

This latex-based adhesive is specially formulated for the rapid installation of vinyl or rubber cove base to most interior wall surfaces. VOC compliant. Non-staining and water resistant when dry. It is low odor and cleans up easily with soap and water. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25032	10.3 OZ	OFF WHITE	10934	13.25	12	8"x6"x12"	0.33	6	108

DAP® BEATS THE NAIL®
Tub Surround & Shower Wall
VOC-Compliant
Construction Adhesive

This latex-based formula provides the same superior performance as the solvent-based TUB SURROUND & SHOWER WALL adhesive. VOC compliant. Won't harm plastic tub surrounds and shower walls. Low odor and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27420	10.3 OZ	CLEAR	27420	9.75	12	8"x6"x12"	0.33	4	108



DAP® BEATS THE NAIL®
Moulding & Trim
VOC-Compliant
Construction Adhesive

Ideal for installing decorative moulding, medallions, domes, niches and other trim to ceilings and walls. VOC compliant. Instant Grab formulation holds projects in place instantly and reduces bracing requirements. Repositionable for up to 15 minutes. Meets ASTM Specification C 557. It is low odor and cleans up easily with soap and water. Paintable. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
27410	10.3 OZ	WHITE	27410	14.00	12	8"x6"x12"	0.33	5	108



DAP® WELDWOOD® Multi-Purpose Floor Adhesive

High strength, trowel grade, latex-based adhesive for bonding many types of floor coverings over a variety of surfaces. Formula provides greater shrink resistance and allows for easy repositioning during installation. Water resistant. Low odor, Low VOC, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00141	1 QT	OFF WHITE	00141	16.75	6	15.25"x10.25"x5"	0.45	1	84
00142	1 GA	OFF WHITE	00142	43.25	4	15.5"x15.5x7.75"	1.08	8	30
00144	4 GA	OFF WHITE	00144	43.00	1	12"x12"x14"	1.17	2	36

DAP® WELDWOOD® Sheet Flooring Adhesive

Trowel grade, latex-based, water resistant adhesive designed for the installation of synthetic felt-backed resilient sheet goods. Allows for easy repositioning during installation. Low odor, Low VOC, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25176	1 QT	OFF WHITE	25176	16.75	6	15.25"x10.25"x5"	0.45	2	84
25178	1 GA	OFF WHITE	25178	43.25	4	15.5"x15.5x7.75"	1.08	6	30

DAP® WELDWOOD® Wood Floor Adhesive

High solids, trowel grade, water-based synthetic adhesive developed specifically for installation of prefinished wood flooring. For use on, above or below grade. Allows for normal expansion and contraction of wood floor. Good initial grab and firm-setting. Excellent water resistance. Low VOC, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25133	1 GA	OFF WHITE	25133	48.00	4	15.5"x15.5x7.75"	1.08	5	30
25136	4 GA	OFF WHITE	25136	47.75	1	12"x12"x14"	1.17	6	36



DAP® WELDWOOD® Multi-Purpose Ceramic Tile Adhesive

High strength, trowel grade, latex-based adhesive for installing ceramic and mosaic tile to floors, walls and countertops. Easy to spread, quick-grab formula requires no bracing. Provides excellent water resistance. Nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25190	1 QT	OFF WHITE	25190	21.50	6	15.25"x10.25"x5"	0.45	8	84
25192	1 GA	OFF WHITE	25192	56.25	4	15.5"x15.5"x7.75"	1.08	2	30

DAP® WELDWOOD® Cove Base Adhesive

Trowel grade, latex-based adhesive for installing vinyl rubber cove base. Provides good initial tack and easy spreading for rapid installation. No bracing required. Non-staining and excellent water resistance. Low odor, low VOC, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
25032	10.3 OZ	OFF WHITE	10934	13.25	12	8"x6"x12"	0.33	6	108
25053	1 QT	OFF WHITE	25053	19.50	6	15.25"x10.25"x5"	0.45	6	84
25054	1 GA	OFF WHITE	25054	51.25	4	15.5"x15.5"x7.75"	1.08	3	30



DAP® WELDWOOD® Carpet Adhesive

High strength, trowel grade, latex-based adhesive designed for the installation of most interior carpets. Water resistant when dry. Low odor, low VOC, nonflammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00185	1 QT	TAN	00185	16.75	6	15.25"x10.25"x5"	0.45	5	84
00186	1 GA	TAN	00186	43.25	4	15.5"x15.5"x7.75"	1.08	2	30



**DAP® WELDWOOD®
All Weather Outdoor
Carpet Adhesive**

High strength, trowel grade, solvent-based adhesive for the installation of most outdoor carpets and artificial turfs. Weatherproof formula withstands rain, snow, ice and freezing. Use in cool or hot weather. Fast-grab. Resists curling. Exterior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00442	1 QT	TAN	00442	18.00	6	13.5"x9"x5"	0.35	9	144
00443	1 GA	TAN	00443	44.00	4	13.5"x13.5"x8"	0.84	6	45

**DAP® WELDWOOD®
Floor Tile Adhesive**

Trowel grade, latex-based, pressure-sensitive adhesive for the installation of interior floor tile. Offers longer working time for easy repositioning. Dries transparent, eliminating dark lines between tiles. Water resistant. Low odor, low VOC, non-flammable and easy water clean-up. Interior use.



Case Code	Size	Color	Product Code	Case Weight (lbs.)	Case Pack	Case Dimensions LxWxH	Case Volume (cu.ft.)	UPC Check Digit	Cases per Pallet
00136	1 QT	CLEAR	00136	14.50	6	15.25"x10.25"x5"	0.45	7	84
00137	1 GA	CLEAR	00137	37.75	4	15.5"x15.5"x7.75"	1.08	4	30
00139	4 GA	CLEAR	00139	37.50	1	12"x12"x14"	1.17	8	36



DAP® Finishing Putty Display 12 Colors, 72 Jars UPC 17940

Display Dimensions:

17" wide x 14" deep x 25" high

Contains six jars of each of the following:

Case Code	Color
21245	WHITE
21247	LIGHT OAK
21250	CHERRY
21251	LIGHT WALNUT
21255	DARK WALNUT
21262	RED OAK
21266	EBONY
21268	RED MAHOGANY
21270	MAPLE
21272	NATURAL PINE
21274	PICKLED OAK
21276	NATURAL OAK



DAP® PLASTIC WOOD® Assortment Rack 8 colors, 108 cans UPC 17200

Display Dimensions:

28" wide x 21" deep x 15.5" high

Contains 12 cans of each of the following:

Case Code	Color	Size
21502	NATURAL	4 OZ
21400	LIGHT OAK	4 OZ
21404	PINE	4 OZ
21408	GOLDEN OAK	4 OZ
21420	RED OAK	4 OZ
21424	RED MAHOGANY	4 OZ
21430	MAPLE	4 OZ
21434	WALNUT	4 OZ
21506	NATURAL	16 OZ











An **RPM** Company

DAP Products Inc.

2400 Boston Street
Suite 200
Baltimore, MD 21224
(800) 543-3840
www.dap.com

'33', '1012', 2000, 4000, 7000, Alex, Alex Plus, Beats The Nail, the Black Band, Blend Stick, Blockade, Bondex, Butyl-Flex, Caulk-Be-Gone, CoVinyl X-9000, CrackShot, DAP, DAPtex, DAPtex Plus, DryDex, Dynaflex 230, Easy Solutions, Elastopatch, Epoxy Stik, Fast 'N Final, Kwik Foam, Kwik Seal, Kwik Seal 3.0, Kwik Seal Basement Paint, Kwik Seal Grout Repair, Kwik Seal Plus Basement Paint, Kwik Seal Plus, One Stik², Patch Stick, Painter's Putty '53, Partial Putty Knife, Plastic Wood, Presto Patch, Project Solutions, Quick Plug, Rely-On, Seal 'N Peel, SIDE Winder, Spray 'N Stik, StikARounds, StrongStik, Ti, the Putty-Knife Logo, Titanium, Weatherflex, Weldwood and You'll find us in all the right places. ® are registered trademarks of DAP Brands Company.

Alex Fast DryTM, BlueStikTM, DAP CAPTM, Wood Finish Repair KitTM and Wood Swell & LockTM are trademarks of DAP Brands Company.

WebpatchTM 90 is a trademark of Bostik Findley Inc., Wauwatosa, WI.

MICROBAN® and the MICROBAN symbol are registered trademarks of the Microban Products Company, Huntersville, NC.



UPC #Page

00000 - 000999

00091	4 0
00092	4 0
00094	4 0
00095	4 0
00097	4 0
00098	4 0
00102	4 7
00107	4 7
00118	4 2
00121	4 2
00124	4 6
00136	5 7
00137	5 7
00139	5 7
00141	5 5
00142	5 5
00144	5 5
00185	5 6
00186	5 6
00203	4 7
00204	4 7
00208	4 7
00227	4 7
00233	4 0
00234	4 0
00235	4 0
00237	4 0
00241	4 0
00250	4 0
00271	3 9
00272	3 9
00273	3 9
00442	5 7
00443	5 7
00490	4 2
00491	4 2

UPC #Page

00492	4 2
00493	4 2
00494	4 2
00495	4 2
00527	2 5
00680	1 4
00683	1 3
00684	1 3
00686	1 6
00688	1 5
00694	1 6
00698	1 5
00790	1 4
00801	5
00802	5
00804	5
00807	5
00810	5
00813	5
00816	5
00823	5
00835	5
00840	5
00843	5
00846	5
00849	5

01000 - 04999

01201	4 3
01220	4 6
01229	4 6
01300	4 7
01310	4 6
01320	4 3
01323	4 3
02131	2 9
02132	2 9
03505	4 0

UPC #Page

03506	4 0
03510	4 0
03511	4 0
04010	2 6
04012	2 6
04020	2 6
04022	2 6
04028	2 6
04030	2 6
04032	2 6
04038	2 6
04040	2 6
04042	2 6
04048	2 6
04050	2 6
04051	4 0
04054	4 0
04080	2 6
04083	2 6
04085	2 6
04120	4 0
04121	4 0
04140	4 0
04141	4 0
04652	4 1
04654	4 1
04662	4 1
04664	4 1

05000 - 09999

08111	2 5
08114	2 5
08116	2 5
08118	2 5
08135	2 5
08640	1 4
08641	1 3
08642	1 3

UPC #Page

08643	1 3
08646	1 3
08647	1 3
08648	1 4
08649	1 3
08670	1 4
08671	1 3
08675	1 5
08680	1 3
08681	1 4
08685	1 4
09140	3 8
09146	3 8

10000 - 11999

10100	3 3
10102	3 3
10114	3 3
10122	3 3
10200	2 2
10204	2 2
10304	3 4
10308	3 6
10310	3 6
10312	3 6
10314	3 5
10318	3 6
10414	2 8
10416	2 8
10430	3 0
10432	3 0
10466	2 8
10468	2 8
10502	3 4
10504	3 4
10725	1 7

12000 - 17999

12002	1 9
-------	----------



UPC #Page	UPC #Page	UPC #Page	UPC #Page
120081 9	123782 1	182853	188589
120192 4	123802 1	182863	188871 7
120562 4	140843 1	182883	20000 - 24999
120592 4	140863 1	183043	2124527, 58
120672 4	140903 1	183248	2124727, 58
121082 4	153003 1	183553	2125027, 58
121202 4	153053 1	183723 7	2125127, 58
121212 4	153103 1	183847	2125527, 58
121222 4	153133 1	184012	2526227, 58
121242 4	18000 - 18499	184123	2126627, 58
121301 9	180014	184183	2126827, 58
121321 9	180084	184203	2127027, 58
121331 9	180134	184253	2127227, 58
121351 9	180207	184263	2127427, 58
121402 1	180261 7	18500 - 18999	2127627, 58
121412 1	180324	185104	2140025, 58
121422 1	180722	185164	2140425, 58
121432 1	180968	185194	2140825, 58
122402 7	181032	185264	214122 5
122422 7	181182	185394	2142025, 58
122442 7	181202	185464	2142425, 58
122762 3	181222	185701 8	2143025, 58
122782 3	181242	186073	2143425, 58
122802 3	181262	186091	215002 5
122862 3	181282	186181	2150225, 58
122882 3	181302	186562	2150625, 58
122902 3	181522	186602	215102 5
123242 2	181562	186701	25000 - 26999
123282 0	181722	187252	250284 9
123302 0	181828	187754	2503253, 56
123331 7	181888	188069	250374 9
123362 0	182301 0	188106	250535 6
123412 0	182321 0	188146	250545 6
123452 0	182601	188166	250824 8
123462 0	182687	188261 0	250844 8
123722 1	182753	188361 0	250984 8
123742 1	182803	188549	251174 9



UPC #Page

251335 5
251365 5
251765 5
251785 5
251905 6
251925 6
253103 9
253123 9
253163 9
253303 9
253323 9
253363 9
254035 0
254174 9
254205 0
254284 9
254844 8
254884 8
254984 8
27000 - 30999
270305 2
270385 2
270425 2
270445 2
270505 1
270585 1
270628
270657
274015 1
274045 1
274075 1
274105 4
274205 3
274255 3
274305 2
274385 2
274505 1

UPC #Page

274585 1
274805 1
31000 - 50999
310843 0
310903 0
320863 0
320903 0
350822 8
350902 8
375842 9
442429
51000 - 59999
520843 6
530053 6
560012 7
560042 7
585053 5
585523 5
585553 5
585563 5
591842 9
591902 9
60000 - 74999
600013 7
600043 7
604805 0
604815 0
605903 4
630013 7
630043 7
630503 5
75000 - 98000
975002 6