

MAINTENANCE CHEMICALS

Accessories	221
Air Filter Products	227
Coil Cleaners	217-218, 224-225
Coil Cleaning Aerosols	212, 225
Deodorizers and Degreasers	229
DiversiTech Aerosol Cleaners	218
DiversiTech Leak Detectors	218
Drain Pan Disinfectant, Sealant	226
Flushing Products	222
Glycols	219, 230-231
Heating Products	231
Hoses, Sprayers	232
Ice Machine Products	228
Leak Detectors	226
Odor Neutralizers	229
Pan Treatments	227
Pan Treatments/Disinfectants	219-220
Refrigeration Oils	228
System Cleaners	226
Test Kits, Strips, and Prevention	222
Thread Sealants	221
Vacuum Pump Oil	229




Triple “D”™ Universal Coil Cleaner™

Triple “D”™ is a Universal Coil Cleaner™ suitable for use on condenser and evaporator coils. It is metal safe and does not attack aluminum or copper coil components, extending equipment life and diminishing potential for refrigerant leaks. Triple “D”™ is a safer, more versatile product than conventional acid or non-acid coil cleaners. One product does it all — truly a Universal Coil Cleaner™.

FEATURES	BENEFITS
Universal Coil Cleaner™	One product for multiple applications reduces inventory and eliminates potential product mis-application.
Metal Safe	Conventional foaming acid coil cleaners actually attack and chemically react with the aluminum coil components. This reaction is exhibited by a foaming action. Conventional foaming non-acid coil cleaners are so strong (because they lack the unique inhibitor in Triple “D”™) they also attack the aluminum coil components. The attack/reaction dissolves the aluminum, destroying the heat-transfer ability of the coil, and creates the potential for refrigerant leaks. Over time, the reduction in heat transfer ability for the coil increases energy consumption significantly.
Super Concentrated	Lower cost per mixed gallon. Triple “D”™ is a 6:1 dilution ratio, making 7 gallons of usable product per gallon of concentrate.
Multiple Packages/Forms	Available as a concentrated liquid, pre-diluted liquid, aerosol, or Granular Coil Cleaner™. Same product — different packages.
NSF Registered	Assurance that Triple “D”™ is safe as a cleaner in restaurants, hospitals, government institutions, and any food preparation area. Rinse thoroughly after use.
Safe for Rubber Roofs	Does not damage engineered polymeric or rubber roofing.
Corrosion Inhibited	Conventional foaming acid and non-acid coil cleaners actually attack and chemically react with the aluminum (and sometimes copper) coil components. This reaction is exhibited by a foaming action. The reaction dissolves the aluminum, destroying the heat-transfer ability of the coil, and creates the potential for refrigerant leaks.
Biodegradable	Triple “D”™ is manufactured from chemicals that break down naturally in the environment. When a coil is cleaned, the rinse water is typically washed into the storm sewer.
Non-Foaming	Foaming of coil cleaners is exhibited when the cleaner chemically reacts with the aluminum (and sometimes the copper) coil components. This reaction is exhibited by a foaming action. The reaction dissolves the aluminum, destroying the heat-transfer ability of the coil, and creates the potential for refrigerant leaks. Additionally, foaming action on foaming coil cleaners is an exothermic (heat generating) chemical reaction. This heat is extreme and can damage coils.
Non-Toxic	Triple “D”™ is manufactured from chemicals that break down naturally in the environment. When a coil is cleaned, the rinse water is typically washed into the storm sewer. Conventional acid coil cleaners contain dangerous hydrofluoric acid that is extremely toxic to humans and animals. For complete details of how hazardous hydrofluoric acid is to humans and animals, download an independent acid exposure treatment guide at www.diversitech.com/literature/hfacid.pdf
Inhibited Non-Acid Formulation	Triple “D”™ contains a unique inhibitor that allows for a very strong alkaline (non-acid) formulation that effectively cleans coils. Other non-acid coil cleaners are either too weak to effectively clean a coil, or are so strong (and hence foaming) that they attack the aluminum coil.

Aluminum Loss of Foaming Coil Cleaners vs. Triple "D"TM



As shown above, conventional foaming acid coil cleaners and foaming non-acid coil cleaners actually attack and chemically react with the aluminum coil components. This reaction is exhibited by a foaming action. The attack/reaction dissolves the aluminum, destroying the heat-transfer ability of the coil and creating the potential for refrigerant leaks.

Pro-Flush™ HVAC Flushing Solvent

Pro-Flush™ answers your need for a professional quality flushing solvent with the components to match.

- Formulated for R-410A retrofits, refrigerant conversions and compressor burnouts
- Lower cost solution than competitive pre-charged kits
- Solvents are non-VOC, conform to EPA SNAP standards, and are non-HAZMAT
- Low toxicity and residue free
- Flash Point: No flash point to boiling (41°C/106°F) - TAG Closed Cup (per ASTM D-56)
- Kit includes reusable tank with a pressure relief valve for added safety, a hose, and an injector trigger nozzle
- Better delivery system



FREQUENTLY ASKED QUESTIONS

Q: What refrigerants is Pro-Flush™ compatible with?

A: Pro-Flush™ is compatible with CFC and HFC refrigerants and compressor oils.

Q: Is Pro-Flush™ safe to use?

A: Pro-Flush™ is safe, nontoxic, and residue free. In addition, Pro-Flush™ conforms to EPA's Significant New Alternatives Program (SNAP) standards.

Q: Is Pro-Flush™ HAZMAT?

A: Pro-Flush™ is not HAZMAT for storage or ground transportation.

Q: What is the advantage of the reusable injector tank?

A:

1. The reusable tank lowers cost since you only need to buy the Pro-Flush™ refill cans.
2. Pre-charged cans include refrigerant propellants which are more expensive to use than nitrogen.
3. The trigger assembly allows for infinite control of dosage insuring more economical use of the solvent.
4. Using nitrogen as the propellant is less expensive and more environmentally friendly than using HFC-134A. HFC-134A is a powerful greenhouse gas. One kilogram of HFC-134A has the same global warming impact as 1,430 kilograms of carbon dioxide (<http://www.epa.gov/cpd/mac/service>).

Q: Can the injector tank be over pressurized during nitrogen pressurization?

A: Over pressurization is highly unlikely but possible. The injector valve has a reseating pressure relief safety valve set at 200 psi. This helps prevent potential bursting and resultant injury.

Q: What if I don't require the entire can of Pro-Flush™ Solvent to clean a system or line set?

A: The injection nozzle allows you to control the dose rate and any left over solvent can be stored in the injector for future use.

Q: How does the dose rate for Pro-Flush™ for burnouts and retrofits compare with the competitors?

A: For R22 to 410A conversions, we recommend 3-second bursts of solvent. A 16-ounce can of Pro-Flush™ will treat up to 500 feet of liquid line. For burnouts, we recommend 2-3 oz. per ton. Pro-Flush™ uses less solvent per application than Nu-Calgon. Treatment results will vary depending on the application and conditions of the line set when serviced.

Q: Why do you recommend only charging the injector tank to 50psi, then injecting in 3 second bursts?

A: Tests are conclusive that injecting the solvent at lower pressure assures longer solvent to oil contact time. In addition, the smaller volume delivered in short bursts assists in completely dissolving contaminants. In this case, less is better.

Q: Is nitrogen necessary for use with Pro-Flush™?

A: Nitrogen is used as the propellant for Pro-Flush™. Nitrogen is required with all flushing systems to purge any residual solvent and contaminants through the system.

Q: Do pre-charged canister systems dispense 100% of the flushing solvent?

A: In many cases pre-charged canister systems will not fully dispense the flushing solvent depending on temperature. At lower temperatures, the R-134a propellant provides less pressure and may leave solvent in the canister. The Pro-Flush™ system allows contractors to add additional nitrogen if there is still solvent left, regardless of temperature.



Power Sprayer

***Stop pumping up your old sprayer
and enjoy the freedom and speed
of the new DiversiTech Power Sprayer.***





DiversiTech's new Power Sprayer makes coil cleaning easier and faster than ever before. This new unit is designed as a backpack sprayer and holds up to 4 gallons of coil cleaning solution. The battery powered unit will spray continuously for 10 hours on a single charge. Included are three different nozzles to give you the right spray for any situation. Other features include padded backpack straps for a comfortable fit, plug-in charger for fast recharging, and a convenient center mount handle. The sprayer also comes with an extra long spray wand with curved tip for accurate application of cleaner and a large on/off valve which can lock in position for easier spraying of big jobs. The large tank opening also makes it easy to add coil cleaner and mix to the correct ratio. The Power Sprayer has been tested and is compatible with all DiversiTech coil cleaners.



HVAC Maintenance Chemical Comparison Chart

DIVERSiTECH

Specialty Chemical
A DiversiTech Company

Product Name	Product Name	Product Color	Product Description	Nu-Calgon
TRIPLE-D	TRIPLE-D	amber	Universal Coil Cleaner	NO EQUIVALENT
PRO-GREEN	POWER-PLUS	green	Alkaline Evaporator Coil and System Cleaner, Degreaser	Evap Pow'r-C
PRO-BLUE	SUPER-FOAM	blue	Maximum Foaming Alkaline Condenser Coil Cleaner, Degreaser and Brightener	Nu-Brite
PRO-BROWN	SUPER-BRITE	brown	Ultra High Foaming Alkaline Condenser Coil Cleaner, Degreaser and Brightener	Alka-Brite Plus
	COIL-KLEEN	red	Foaming Acid Coil Cleaner and Brightener (contains no hydrofluoric [HF] acid)	Cal-Brite
PRO-BUBBLE	BUBBLE -N- TROUBLE	pink	Freeze-Protected Polymer Based Spray Leak Detector	Cal-Blue & Fluorescent Gas Leak Detectors
SANI C-N-D	SANI C-N-D	blue	Air Handler and Drain Pan Disinfectant	Bio-Fresh
FLOW-PLUS	FLOW-PLUS	blue	Long Lasting Polymer Pan Treatment	Pan Pads

This information is available as a contractor handout.
Order item number LIT-FLY-CHEMX.

Virginia KMP	Stewart Hall	Rectorseal	Hydro-Balance	Ace	Vapco
THERE IS NO EQUIVALENT TO TRIPLE "D"					
Acti-Kleen	Coil-Rite	Concentrated Evaporator	Hydro-Coil	Non-Rinse Evaporator Cleaner	H.P. Cleaner
Alki-Foam	Renewz	Alkaline Extra Strength	Hydro-Kleen	Alkaline Coil Cleaner	Foaminator
Foam-Max	Foam-A-Coil	NO EQUIVALENT	Black Max	Foam-n-Clean	Foamtastic
Acti-Brite	Con-Coil	Condenser Coil Cleaner	Hydro-Foam	Supreme Coil Cleaner	Brite-Alum
Locator Leak Detector	NO EQUIVALENT	Better Bubble	NO EQUIVALENT	Fast Find Leak Detector LT	Low Temp Bubbles
NO EQUIVALENT	Coil & Duct Disinfectant	NO EQUIVALENT	NO EQUIVALENT	Bacti-Gard	NO EQUIVALENT
CDC Anti-Clog	Actabs	NO EQUIVALENT	Slime Away	Pan Protector	Pan Pills



Authorized by USDA for use in Federally inspected meat and poultry plants



EPA Registered

Condensate Pan Treatments - SIMPLIFIED

THE NEED

Environmental debris, slime, rust, etc. accumulate in condensate drain pans resulting in:

- Indoor Air Quality problems including musty odors and Dirty Sock Syndrome
- Pan overflows caused by plugged drain lines
- Equipment malfunction

THE SOLUTION

Use pan treatment products as part of a regular preventive maintenance program to:

- Eliminate one of the causes of Sick Building Syndrome
- Stop costly overflow problems that damage floors, ceilings, and furniture
- Reduce unscheduled service calls

THE PRODUCTS

EXTENDED RELEASE TREATMENTS

- Several manufacturers produce various time release products
- Highest value — most active ingredient per dollar
- Easiest maintenance program — dose only once every three months or longer
- Only effective solution for equipment larger than six tons

RAPID RELEASE TREATMENTS

- Lowest cost per tablet
- Shortest time between dosing



Flow-Plus™ Condensate Pan Treatment

- A true water activated, time release treatment
- Water soluble polymer leaves no residue or carrier to be removed
- Adheres to drain pans – eliminates product floating and blocking the drain line
- No corrosive vapors – safe for computer rooms
- Recommended dosage – choose size according to equipment tonnage. Each size is designed to last a minimum of three months.

SCM-183-16 – 1/2 to 3 tons

SCM-181-06 – 3-5 tons

SCM-184-MT – 5-20 tons

SCM-182-HT – 20-50 tons

STACKABLE!
*This unique feature
increases the time
between main-
tenance visits.*



Pro-Treat® 151 Premium Condensate Drain Pan Treatment

- EPA Registered
- Kills algae and eliminates odors
- Fast acting
- Residual effect of the clean pan lasts for a month
- No corrosive vapors – safe for computer rooms
- Recommended dosage: 1 tablet for every 3 tons each month

Pro-Treat® 161 Condensate Drain Pan Treatment

- More active ingredient than the economy version
- Fast acting
- Residual effect of the clean pan lasts for about a month
- No corrosive vapors – safe for computer rooms
- Recommended dosage: 2 tablets for every 3 tons each month

Pro-Treat® 200 Condensate Drain Pan Treatment

- Lowest cost product per tablet
- Sufficient active ingredient to treat the pan
- No corrosive vapors – safe for computer rooms
- Recommended dosage: 3 tablets for every 3 tons each month

3-STEP PROCESS for Solving IAQ Problems



STEP 1: CLEAN

TRIPLE-D™ Degreaser • Detergent • Deodorant

Clean the evaporator coil and condensate pan with TRIPLE-D™, a USDA authorized non-foaming alkaline coil cleaner. Cleaning the dirt from the coil and pan not only improves equipment efficiency, but also removes an important source of contamination that can create slime and sludge in the drain pan and cause pan overflow.



STEP 2: DISINFECT

SANI C-N-D™ Coil and Drain Pan Disinfectant

Disinfect and deodorize the evaporator coil and drain pan with SANI C-N-D™, an EPA registered biocide, fungicide, viricide, and mildewstat. The broad spectrum biocide in SANI C-N-D™ assures control of many airborne pathogens that can be spread via contaminated air handling equipment.



The American Lung Association states that most people spend 90% of their time indoors¹. DiversiTech offers the 3-STEP PROCESS to help control IAQ problems caused by the micro-organisms in the atmosphere in which we live and work.

¹www.lungusa.org

STEP 3: MAINTAIN

FLOW-PLUS™ Condensate Pan Treatment

Place FLOW-PLUS™ in the condensate pan (choose size according to equipment tonnage below). FLOW-PLUS™ is a totally soluble long term polymer treatment that keeps the drain pan and condensate lines clean for a minimum of three months. This prevents pan overflow problems.

PRODUCT NO.	EQUIPMENT TONNAGE
SCM-183	1/2 to 3 tons
SCM-181	3 to 5 tons
SCM-184	5 to 20 tons
SCM-182	20 to 50 tons
SCM-185	Over 50 tons

3




Why clean coils?

CONDENSER COIL

Cleaning the condenser coil does one thing — improves the heat transfer efficiency between the refrigerant inside the coil and the ambient air outside. The more efficient this heat transfer, the more efficiently the cooling system operates.

With efficient heat transfer and an efficiently operating condensing unit, the system consumes less energy because it draws less current. By lowering current consumed in the unit, the life of the equipment is extended.




EVAPORATOR COIL

Cleaning the evaporator coil improves indoor air quality. It addresses building related illness and sick building syndrome.

How frequently should coils be cleaned?

We recommend a minimum of twice per year, more frequently if there is dirty ambient air.



New Look—Same Great Results



The new DiversiTech chemical line is ready for you. This enhanced product line features all new color-coded packaging to make it stand out on shelf and even easier to sell in your store. With bold new graphics and easy to read labels, DiversiTech chemicals provide your customers with the quality solutions they need for their business. Enhance your showroom and your sales with the new look of DiversiTech.



COIL CLEANERS

Pro-Red Plus™

Pro-Red Plus™ Non-Acid Coil Cleaner and Brightener is an easy to use, concentrated, fast-acting product that foams and lifts away stubborn deposits from air-cooled condensers and coils. It removes tarnish and corrosion deposits, and leaves a bright clean shine on aluminum and copper coils.

Pro-Red Plus™ Non-Acid Coil Cleaner and Brightener cleans by chemical action. Its brightening properties are as effective as conventional acid coil cleaners, but Pro-Red Plus™ does not contain extremely toxic hydrofluoric acid. The vigorous foaming action eliminates the need for prolonged soaking, steam cleaning or scrubbing coils. Non-acid formula does not emit corrosive fumes, and will not rust ferrous metals.

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PRO-RED+32	Pro-Red Plus™ Cleaner and Brightener (non-acid) – 32 oz. bottle	EA	12
PRO-RED+	Pro-Red Plus™ Cleaner and Brightener (non-acid) – 1 gallon container	EA	4
PRO-RED+5	Pro-Red Plus™ Cleaner and Brightener (non-acid) – 5 gallon pail	EA	1

PRO-RED+



Pro-Yellow™

Pro-Yellow™ is an easy to apply, non-acid coil cleaner and brightener. This effective formula quickly removes dirt and grime from outdoor coils and leaves them clean and bright. It's strong foaming action removes even stubborn deposits easily.

PRO-YELLOW




CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PRO-YELLOW-32	Pro-Yellow™ (non-toxic) – 32 oz. bottle	EA	12
PRO-YELLOW	Pro-Yellow™ (non-toxic) – 1 gallon container	EA	4
PRO-YELLOW-5	Pro-Yellow™ (non-toxic) – 5 gallon pail	EA	1

Pro-Brown™

An ultra-high foaming formula that pulls out deeply embedded dirt. The fast, dual-action formula cleans and brightens. Pro-Brown™ is biodegradable and safer than foaming hydrofluoric acid cleaners.

PRO-BROWN



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PRO-BROWN-32	Pro-Brown™ Foaming Coil Cleaner – 32 oz. bottle	EA	12
PRO-BROWN	Pro-Brown™ Foaming Coil Cleaner – 1 gallon container	EA	4
PRO-BROWN-5	Pro-Brown™ Foaming Coil Cleaner – 5 gallon pail	EA	1

Pro-Blue™

The Pro-Blue™ is a heavy-foaming, alkaline-based coil cleaner which will assist in removing the build-up on your air-cooled condenser. Buy the Pro-Blue™ and help your condenser look as good as new.

PRO-BLUE




CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PRO-BLUE-32	Pro-Blue™ Foaming Concentrate (non-acid) – 32 oz. bottle	EA	12
PRO-BLUE	Pro-Blue™ Foaming Concentrate (non-acid) – 1 gallon container	EA	4
PRO-BLUE-5	Pro-Blue™ Foaming Concentrate (non-acid) – 5 gallon pail	EA	1

Eco-Coil™ Environmentally Friendly Coil Cleaner

Eco-Coil™ is an effective, environmentally friendly coil cleaner and brightener. Eco-Coil™ uses biodegradable, earth-friendly components to quickly clean away dirt and deposits. This formula is effective on both indoor and outdoor coils and cleans while protecting the environment from harsh chemicals.

ECO-COIL



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ECO-COIL-32	Eco-Coil™ Environmentally Friendly Coil Cleaner – 32 oz. bottle	EA	12
ECO-COIL	Eco-Coil™ Environmentally Friendly Coil Cleaner – 1 gallon container	EA	4
ECO-COIL-5	Eco-Coil™ Environmentally Friendly Coil Cleaner – 5 gallon pail	EA	1

Pro-Green™

The Pro-Green™ is a non-toxic, self rinsing evaporative coil cleaner which is a safe-to-use product on your evaporator coils. This coil cleaner can also be used on air-cooled condensers, electronic filters and fan blades.

PRO-GREEN



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PRO-GREEN-32	Pro-Green™ No Rinse (non-toxic) – 32 oz. bottle	EA	12
PRO-GREEN	Pro-Green™ No Rinse (non-toxic) – 1 gallon container	EA	4
PRO-GREEN-5	Pro-Green™ No Rinse (non-toxic) – 5 gallon pail	EA	1

Triple-D™ Universal Coil Cleaner

Triple-D™ is a Universal Coil Cleaner suitable for use on condenser *and* evaporator coils. Metal safe and does not attack aluminum or copper coil components, extending equipment life and diminishing potential for refrigerant leaks. Safe for rooftop units.


Triple-D™ is available in a package to fit any contractors needs – super concentrated liquid, pre-mixed trigger sprayer, convenient aerosol, and industry leading Granular Coil Cleaner. In liquid form, Triple-D™ is super concentrated. A single gallon of concentrate makes 75% more mixed coil cleaner than conventional concentrations. The liquid concentrate is also NSF Registered, assuring that it is safe as a cleaner in restaurants, hospitals, government institutions, and any food preparation area (rinse thoroughly after use). Triple-D™ is a safer, more versatile product than conventional acid or non-acid coil cleaners. One product does it all – truly a Universal Coil Cleaner.

TRIPLE-D



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
TRIPLE-D	Triple-D™ – 1 gallon concentrate	EA	4
TRIPLE-D-5	Triple-D™ – 5 gallon concentrate	EA	1
TRIPLE-D-AER	Triple-D™ – 19 oz. Aerosol	EA	12
TRIPLE-D-GRAN	Triple-D™ – 1 lb. Granular	EA	12
TRIPLE-D-32	Triple-D™ – 32 oz. bottle – concentrate	EA	12
TRIPLE-D-RTU	Triple-D™ – 1 quart trigger sprayer – pre-diluted	EA	12

ALUMINUM LOSS OF FOAMING COIL CLEANERS VS. TRIPLE-D™



Conventional foaming acid and non-acid coil cleaners attack and chemically react with the aluminum coil components. This reaction is exhibited by a foaming action. The attack/reaction dissolves the aluminum, destroying the heat-transfer ability of the coil and creating the potential for refrigerant leaks.

DIVERSITECH AEROSOL CLEANERS

Case-Care

Case-Care is a hard case and diffuser cleaner that is safe and effective for use on all fan set units. Use Case-Care to remove smudge marks from fingers on cases and cassettes as well as nicotine, grease and other soils.

NEW!

CASE-CARE



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CASE-CARE	Case and Diffuser Cleaner – 17 oz.	EA	12

Coil-Care

Coil-Care is a safe and effective evaporator cleaner and disinfectant formulated to contain a bactericide and fungicide. Coil-Care removes unpleasant odors. This non-rinse product means you can spray and walk away!

NEW!

COIL-CARE



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
COIL-CARE	Evaporator cleaner and disinfectant – 17 oz.	EA	12

DIVERSITECH LEAK DETECTORS

Leak-Seek

Leak-Seek is a leak detector spray that when applied, creates long lasting bubbles that are ideal for identifying slow low pressure leaks. Leak-Seek produces fast and accurate results by clinging to surfaces – even upside down – and contains fluorescent to aid visibility. Leak-Seek is alcohol and solvent free.

NEW!

LEAK-SEEK



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
LEAK-SEEK	Leak Detector Spray – 13.5 oz.	EA	12



Literature – Download all literature from the DiversiTech website using the Form ID shown in the icon. The URL is www.diversitech.com/literature/FORMID.pdf

GLYCOLS

DiversiTech produces the most complete line of industrial coolant and heat transfer products in the HVAC/R Industry. Our product line includes ProTek PG propylene glycol products formulated with food-grade corrosion inhibitors and ProTek EG ethylene glycol products for industrial applications. Both product groups are designed to provide freeze and burst protection and are formulated with inhibitors and antifoam agents to provide long-term stability against system corrosion and fouling.

ProTek™ Closed Loop Heat Transfer Fluid

ProTek™ for closed loop water recirculation systems is a blue liquid. Available in three concentrations: original ProTek-100™, ProTek-50™, and ProTek-Plus™. Each concentration may be further diluted to alter freeze and burst temperatures. Refer to the technical data sheet for specific information.

PG-50



CATALOG NO.	DESCRIPTION	GLYCOL/ WATER RATIO	UOM	ORDER MULTIPLE
PG-50	ProTek-50™ – 1 Gallon Jug	35/65	EA	4
PG-50-5	ProTek-50™ – 5 Gallon Pail	35/65	EA	1
PG-50-55	ProTek-50™ – 55 Gallon Drum	35/65	EA	1
PG-100	ProTek-100™ – 1 Gallon Jug	70/30	EA	4
PG-100-5	ProTek-100™ – 5 Gallon Pail	70/30	EA	1
PG-100-55	ProTek-100™ – 55 Gallon Drum	70/30	EA	1
PG-PLUS	ProTek-Plus™ – 1 Gallon Jug	95/5	EA	4
PG-PLUS-5	ProTek-Plus™ – 5 Gallon Pail	95/5	EA	1
PG-PLUS-55	ProTek-Plus™ – 55 Gallon Drum	95/5	EA	1

ProTek-BG™ for Cast Iron Water Boilers

A red liquid boiler grade product formulated specifically with corrosion inhibitors necessary for use in water boilers.

PG-BG



CATALOG NO.	DESCRIPTION	GLYCOL/ WATER RATIO	UOM	ORDER MULTIPLE
PG-BG	ProTek-BG™ – 1 Gallon Jug	70/30	EA	4
PG-BG-5	ProTek-BG™ – 5 Gallon Pail	70/30	EA	1
PG-BG-55	ProTek-BG™ – 55 Gallon Drum	70/30	EA	1

ProTek EG™

An inhibited ethylene glycol based heat transfer fluid designed for use in hydronic, chilled and closed water.

EG



CATALOG NO.	DESCRIPTION	GLYCOL/ WATER RATIO	UOM	ORDER MULTIPLE
EG	ProTek EG™ – 1 Gallon Jug	95/5	EA	4
EG-5	ProTek EG™ – 5 Gallon Pail	95/5	EA	1
EG-55	ProTek EG™ – 55 Gallon Drum	95/5	EA	1

ProTek™ PG-AL – Safe for Aluminum Heat Exchangers

Universal heat transfer fluid. An inhibited heat transfer fluid that is safe for use in boilers and hydronic systems including aluminum heat exchangers. Operating range is -100°F to 190°F. ProTek™ PG-AL is an orange liquid.

PG-AL



CATALOG NO.	DESCRIPTION	GLYCOL/ WATER RATIO	UOM	ORDER MULTIPLE
PG-AL	ProTek™ PG-AL – 1 Gallon Jug	70/30	EA	4
PG-AL-5	ProTek™ PG-AL – 5 Gallon Pail	70/30	EA	1
PG-AL-55	ProTek™ PG-AL – 55 Gallon Drum	70/30	EA	1

PAN TREATMENTS/DISINFECTANTS

Sani C-N-D™ Coil and Drain Pan Disinfectant

Sani C-N-D™ is an EPA registered disinfectant, fungicide, mildewstat and viricide. It is ready-to-use and assures consistent, effective results. Sani C-N-D™ destroys "dirty sock," mildew and other malodors.

SANI-CND



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SANI-CND-32	Sani C-N-D™ Disinfectant – 32 oz. Container	EA	12
SANI-CND	Sani C-N-D™ Disinfectant – 1 Gallon Container	EA	4
SANI-CND-5	Sani C-N-D™ Disinfectant – 5 Gallon Pail	EA	1
SANI-CND-55	Sani C-N-D™ Disinfectant – 55 Gallon Drum	EA	1

Pro-Treat® 151 Premium Condensate Drain Pan Treatment

Pro-Treat® 151 premium tablets penetrate and help remove sludge that can plug drain pans and drain lines and foul humidifier pans. Kills odors associated with slime and sludge, minimizing maintenance problems from overflow and water damage caused by fouled pans, plugged traps, or drain lines. Tablets are 100% soluble, easy-to-use, and do not form any deposits in the pan or drain line. Approved for computer rooms. Dosage: 1 tablet per 3 tons each month. PROTREAT-151 is EPA registered.

PROTREAT-151



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PROTREAT-151	Pro-Treat® 151 Premium Drain Pan Treatment – 100 Tablets/Jar	EA	12

Pro-Treat® 200 Economy Condensate Drain Pan Treatment

Economical with 200 tablets per jar. Safe, non-corrosive, odor-free and 100% soluble. Approved for computer rooms. Convenient, easy-to-use tablet form provides prolonged cleaning action. Dosage: 3 tablets per 3 tons per month.

PROTREAT-200

PROTREAT-217


CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PROTREAT-200	Pro-Treat® 200 Economy Drain Pan Treatment – 200 Tablets/Jar	EA	12
PROTREAT-217	Pro-Treat® 217 Economy Drain Pan Treatment – 200 Tablets/Jar	EA	12

Flow-Plus™ Condensate Pan Treatment

A unique polymer formula that maintains condensate flow and prevents drain pan overflow. 100% active. Flow-Plus™ leaves no residue, no waste, and is nonclogging. Effective, long-term condensate activated release. Environmentally safe, non-toxic, and non-corrosive. Also economical with sizes to meet all tonnage requirements.

CATALOG NO.	EQUIPMENT TONNAGE
FLOW-PLUS-25	1/2 to 3 tons
FLOW-PLUS-200	1/2 to 3 tons
FLOW-PLUS-6	3 to 5 tons
FLOW-PLUS-10	5 to 20 tons
FLOW-PLUS-125	20 to 50 tons

FLOW-PLUS-25

FLOW-PLUS-200


CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
FLOW-PLUS-25	Flow-Plus™ Condensate Pan Treatment – 25 Tabs/Jar	EA	12
FLOW-PLUS-200	Flow-Plus™ Condensate Pan Treatment – 200 Tabs/Jar	EA	4
FLOW-PLUS-6	Flow-Plus™ Condensate Pan Treatment – 6 oz. Clamshells	EA	24
FLOW-PLUS-10	Flow-Plus™ Condensate Pan Treatment – 10 oz. Tubs	EA	18
FLOW-PLUS-125	Flow-Plus™ Condensate Pan Treatment – 1.25 lb. Tubs	EA	8

Pro-Treat® 152 King-Size Premium Condensate Drain Pan Treatment

Economical, safe, effective king-size tablets last three times longer. Safe, non-corrosive, odor-free and 100% soluble. Computer room approved. Keeps drain pans and condensate lines clean and free flowing. Dosage: 1 tablet per 3 tons per 3 months.

PROTREAT-152


CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PROTREAT-152	Pro-Treat® 152 King-Size Premium Drain Pan Treatment – 12 Tablets/Jar	EA	6

Pro-Treat® 161 Condensate Drain Pan Treatment

Controls odors and eliminates condensate drain pan overflows and the resulting water damage. 100% soluble, easy-to-use, non-corrosive, and non-toxic. Use regularly to assure season-long, trouble-free condensate drain pan performance. Approved for computer rooms. Dosage: 2 tablets per 3 tons each month.

PROTREAT-161


CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PROTREAT-161	Pro-Treat® 161 Drain Pan Treatment – 100 Tablets/Jar	EA	12

Pro-Treat® 350 Condensate Drain Pan Treatment

Place a Pro-Treat® 350 tablet in a condensate drain pan and condensed moisture will slowly dissolve the tablet, thinly coating the pan surface to give prolonged cleaning action on sludge. Dosage: one or two tablets are recommended in each pan per month. For industrial use only!

PROTREAT-350


CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PROTREAT-350	Pro-Treat® 350 Condensate Pan Treatment – 100 Tablets per Jar	EA	24

Flow-Plus™ Pump Treatment Tablets for Condensate Pumps

A unique polymer pan treatment in tablet form for use exclusively in DiversiTech's condensate pump. The tablet dispensing drawer in the pump holds 3 tablets. A dosage lasts up to 3 months depending on the volume of condensate generated. Even when fully dissolved, the tablets provide a lasting treatment in the pump and downstream drain line. Provides long-lasting treatment that controls slime growth over time and can extend the life of the pump.

FLOW-PLUS-CP


CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
FLOW-PLUS-CP	Flow-Plus™ for Condensate Pumps – 6 Tablets/Clamshell	EA	36

ACCESSORIES

Pro-Bubble™ Leak Detector

Easy-to-use, high-bubbling, viscoelastic blue leak detector. New improved formula.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PRO-BUBBLE-32	Pro-Bubble™ Leak Detector – 32 oz. bottle with Spray Top	EA	12

Coil Guard™

Ideally used in coastal areas, where salt air accelerates rust and decay. Highly recommended for use in all geographical areas to prolong the life of a unit. When applied properly, Coil Guard™ dries quickly and immediately resists salt spray, alcohol, acids, and soap solutions. Weather will not blacken it. Coil Guard™ has high dielectric properties and has no effect on heat transfer. Our blue tinted product is used to ensure complete coverage of coating.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CG-AER	Clear Coil Guard™ – 20 oz. Aerosol	EA	12
CGB-AER	Blue Coil Guard™ – 20 oz. Aerosol	EA	12

Radiant Leak Finder™

Radiant color and viscous clinging formula exposes the smallest leaks. Freeze-protected – remains effective down to 0° F.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
RLF-8	Radiant Leak Finder™ – 8 oz. Container	EA	12

Pan-Patch™

Pan-Patch™ is a two part epoxy coating with anti-microbial additives designed for HVAC applications. It is a self leveling formula that is ideal in a damp or wet environment. Pan-Patch™ resists corrosion and stops pan leaks without replacing the pan. Light gray in color, one gallon covers about 160 square feet with 10 mil thickness.



CATALOG NO.	DESCRIPTION	COVERAGE	UOM	ORDER MULTIPLE
PANPATCH-BAG	Pan-Patch™ Pan Sealant – bag, pack of 10	8 sq. ft.	PK	1
PANPATCH-32	Pan-Patch™ Pan Sealant – 1 quart	40 sq. ft.	EA	9
PANPATCH	Pan-Patch™ Pan Sealant – 1 gallon	160 sq. ft.	EA	4

Cool-Weld™ Heat Barrier Spray

Spray on thick gel formula that protects surfaces from heat and damage. Odorless, non-toxic gel coats rubber, plastic, and painted surfaces to shield them during welding or soldering.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
COOLWELD-32	Cool-Weld™ Heat Barrier Spray – 32 oz. Container	EA	12

THREAD SEALANTS

PRO-TITE™ Resin Based Thread Sealant

Resin based thread sealant that adheres to internal surfaces, fills voids while forming a flexible fluid tight seal. Specifically formulated for use on metals and plastics subject to extreme vibration. Serviceable at temperatures from -100°F (-73°C) to 400°F (204°C) and from full vacuum to 10,000 PSI. Pro-Tite™ is impervious to most chemicals including refrigerants, petroleum products, gases, steam, etc. Alcohol based.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CLL-1	Pro-Tite™ Thread Sealant – 1-1/3 oz. Squeeze Tube	EA	12
CLL-4	Pro-Tite™ Thread Sealant – 4 oz. Brush Top	EA	12
CLL-16	Pro-Tite™ Thread Sealant – 16 oz. Brush Top	EA	12
NEW 61028	Pro-Tite™ Thread Sealant – 1 Gallon Can	EA	1

Glycol Testing Strips

DiversiTech's glycol test strip is used to measure the flow and/or burst rating of a system with glycol added. Differing types and concentrations of glycol provide different levels of protection for a system. This easy to use test strip shows what temperature your system is protected to.


SCM-PG-TEST

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-PG-TEST	Glycol Test Strip, pack of 10	PK	1

Acid Test Kit™

Detects acid in refrigeration oil. Convenient, one-step test means no chemicals to mix. Easy to evaluate. Color change indicates acidity; color intensity reveals the amount of acid present in the oil sample.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ATK-4	Acid Test Kit™, pack of 4	PK	1
ATK-1	Acid Test Kit™	EA	1
ATK-1P	Acid Test Kit™ for POE Oil	EA	1

Acid Eliminator

Keeps acid away; compatible with all refrigerants and oils. Chemically neutralizes and prevents acids that are formed in air conditioning and refrigeration systems due to refrigerant and refrigeration oil break-down, moisture, and compressor burnout. Easy-to-use, no complicated charts. Works fast, circulates quickly, and leaves no solids or solid residuals. Will not harm system components. Can prevent system breakdown.


CAN-4

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CAN-4	Acid Eliminator – 4 oz. Plastic Bottle	EA	12

Pro-Thaw™ Liquid Dryer for Refrigerants

Chemically dries all refrigerants (R-12, R-22, R-134a, etc.), methyl chloride and methylene chloride. Frees up systems frozen due to moisture contamination in 5 minutes and prevents refreezing. Does not contain any dissolved solids, leaves no residue and works with or without solid dryers.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
CTZ-1	Pro-Thaw™ – 1 oz. Plastic Jar	EA	24
CTZ-4	Pro-Thaw™ – 4 oz. Plastic Jar	EA	12
CTZ-16	Pro-Thaw™ – 16 oz. Plastic Jar	EA	6

FLUSHING PRODUCTS

Pro-Flush™ HVAC Flushing Solvent

A flushing solvent for A/C and refrigeration systems formulated for R-410A retrofits, refrigerant conversions and compressor burnouts. Compatible with all refrigerants and compressor oils. All solvents in Pro-Flush™ are non-VOC and conform to EPA SNAP standards: low toxicity and residue-free.

Available as a kit or in a 16 oz. solvent refill. The kit makes servicing quick, easy, and safe, as well as assuring you get to the job site with all necessary hardware in hand for 1-stop servicing. The kit includes: 16 oz. container of Pro-Flush™ solvent, refillable Pro-Flush™ injector tool pressure tank, pressure relief valve for added safety, large rubber adapter that flushes up to 1-1/4" line sets, service hose.


PF-KIT


CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PF-KIT	Pro-Flush™ Kit – injector, 16 oz. refill, nozzle adapter and hose	EA	1
PF-16	Pro-Flush™ HVAC Flushing Solvent – 16 oz. Refill	EA	6
NEW PF-ADAPTER	Pro-Flush™ Line Set Adapter	EA	1
NEW PF-IGUN	Replacement Injector Tool	EA	1
NEW PF-IHOSE	2' Replacement Hose	EA	1



Literature – Download all literature from the DiversiTech website using the Form ID shown in the icon. The URL is www.diversitech.com/literature/FORMID.pdf

Quality Manufacturing means Quality Products.

Part of the DiversiTech family since 1998, Specialty Chemical produces a host of quality chemical solutions for HVAC customers. The Specialty Chemical brand has always meant exceptional quality and innovative products to solve the toughest industry problems. From dependable products like Flow-Plus™ to the improved coil cleaner Triple-D™, Specialty Chemical delivers the results customers demand. Trust the brand that combines technology and innovation to help your business succeed even more.

**Specialty
Chemical** 
A DiversiTech Company

Triple-D™ Universal Coil Cleaner

Triple-D™ is a Universal Coil Cleaner suitable for use on condenser and evaporator coils. Metal safe and does not attack aluminum or copper coil components, extending equipment life and diminishing potential for refrigerant leaks. Safe for rooftop units.

Triple-D™ is available in a package to fit any contractors needs – super concentrated liquid, pre-mixed trigger sprayer, convenient aerosol, and industry leading Granular Coil Cleaner. In liquid form, Triple-D™ is super concentrated. A single gallon of concentrate makes 75% more mixed coil cleaner than conventional concentrations. The liquid concentrate is also NSF Registered, assuring that it is safe as a cleaner in restaurants, hospitals, government institutions, and any food preparation area (rinse thoroughly after use). Triple-D™ is a safer, more versatile product than conventional acid or non-acid coil cleaners. One product does it all – truly a Universal Coil Cleaner.




CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-707-RTU	Triple-D™ – 1 quart trigger sprayer – pre-diluted	EA	12
SCM-707-20	Triple-D™ – 19 oz. Aerosol	EA	12
SCM-707-GRAN	Triple-D™ – 1 lb. Granular	EA	12
SCM-707-32	Triple-D™ – 32 oz. container	EA	12
SCM-707-01	Triple-D™ – 1 gallon concentrate	EA	4
SCM-707-05	Triple-D™ – 5 gallon concentrate	EA	1
SCM-707-30	Triple-D™ – 30 gallon concentrate	EA	1
SCM-707-55	Triple-D™ – 55 gallon concentrate	EA	1

Power-Plus™ Alkaline Evaporator Coil Cleaner

Power-Plus™ is inhibited, thus will not attack aluminum or other soft metals when mixed as directed. It is also self-rinsing, saving cleaning time. Power-Plus is fragrance-free, making it the product of choice in hypoallergenic situations. USDA AUTHORIZED



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-703-32	Power-Plus™ Alkaline Evaporator Coil Cleaner – 32 oz. Container	EA	12
SCM-703-01	Power-Plus™ Alkaline Evaporator Coil Cleaner – 1 Gallon Container	EA	4
SCM-703-05	Power-Plus™ Alkaline Evaporator Coil Cleaner – 5 Gallon Pail	EA	1
SCM-703-30	Power-Plus™ Alkaline Evaporator Coil Cleaner – 30 Gallon Drum	EA	1
SCM-703-55	Power-Plus™ Alkaline Evaporator Coil Cleaner – 55 Gallon Drum	EA	1



Conventional foaming acid and non-acid coil cleaners attack and chemically react with the aluminum coil components. This reaction is exhibited by a foaming action. The attack/reaction dissolves the aluminum, destroying the heat-transfer ability of the coil and creating the potential for refrigerant leaks.

Super-Brite™ Brown Foaming Coil Cleaner

An ultra-high foaming formula that pulls out deeply embedded dirt. The fast, dual-action formula cleans and brightens. Super-Brite™ is biodegradable and safer than foaming hydrofluoric acid cleaners.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-720-32	Super-Brite™ Brown Foaming Coil Cleaner – 32 oz. Container	EA	12
SCM-720-01	Super-Brite™ Brown Foaming Coil Cleaner – 1 Gallon Container	EA	4
SCM-720-05	Super-Brite™ Brown Foaming Coil Cleaner – 5 Gallon Pail	EA	1
SCM-720-30	Super-Brite™ Brown Foaming Coil Cleaner – 30 Gallon Drum	EA	1
SCM-720-55	Super-Brite™ Brown Foaming Coil Cleaner – 55 Gallon Drum	EA	1

Super-Foam™ Maximum Power Foaming Coil Cleaner

Heavy-duty foaming formula penetrates, breaks down, and foams out oil, grease, and dirt. Fortified with LA-544 to quickly suspend and float away soil. Dense, expanding foam efficiently cleans and brightens even the thickest, dirtiest condenser coils.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-718-32	Super-Foam™ Foaming Coil Cleaner – 32 oz. Container	EA	12
SCM-718-01	Super-Foam™ Foaming Coil Cleaner – 1 Gallon Container	EA	4
SCM-718-05	Super-Foam™ Foaming Coil Cleaner – 5 Gallon Pail	EA	1
SCM-718-30	Super-Foam™ Foaming Coil Cleaner – 30 Gallon Drum	EA	1
SCM-718-55	Super-Foam™ Foaming Coil Cleaner – 55 Gallon Drum	EA	1

COIL CLEANERS cont'd

Foam-Power™ Alkaline Expanding Foam Coil Cleaner

Concentrated high foaming formula creates pressure generating foam to force deep soils to coil surfaces. High foaming action removes oxides and soils as it cleans and brightens. Powerful penetrating formula emulsifies grease and oil, allowing fast and easy rinsing. USDA AUTHORIZED

SCM-712-01



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-712-32	Foam-Power™ Alkaline Foam Coil Cleaner – 32 oz. Container	EA	12
SCM-712-01	Foam-Power™ Alkaline Foam Coil Cleaner – 1 Gallon Container	EA	4
SCM-712-05	Foam-Power™ Alkaline Foam Coil Cleaner – 5 Gallon Pail	EA	1
SCM-712-30	Foam-Power™ Alkaline Foam Coil Cleaner – 30 Gallon Drum	EA	1
SCM-712-55	Foam-Power™ Alkaline Foam Coil Cleaner – 55 Gallon Drum	EA	1

Coil-Kleen™ Foaming Acid Condenser Cleaner

Less hazardous because it contains no dangerous hydrofluoric acid. High-foaming action and easy rinsing minimizes cleaning time. Effectively removes salts and scale as it brightens. USDA AUTHORIZED

SCM-706-01



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-706-32	Coil-Kleen™ Foaming Acid Condenser Cleaner – 32 oz. Container	EA	12
SCM-706-01	Coil-Kleen™ Foaming Acid Condenser Cleaner – 1 Gallon Container	EA	4
SCM-706-05	Coil-Kleen™ Foaming Acid Condenser Cleaner – 5 Gallon Pail	EA	1
SCM-706-30	Coil-Kleen™ Foaming Acid Condenser Cleaner – 30 Gallon Drum	EA	1
SCM-706-55	Coil-Kleen™ Foaming Acid Condenser Cleaner – 55 Gallon Drum	EA	1

Free-Foam™ Alkaline Coil and Filter Cleaner

Concentrate is especially effective on baked-on grease and oils. Controlled foaming allows safe use on indoor equipment. Deodorizes and neutralizes obnoxious odors found in air handling equipment. USDA AUTHORIZED

SCM-702-01



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-702-32	Free-Foam™ Alkaline Coil and Filter Cleaner – 32 oz. Container	EA	12
SCM-702-01	Free-Foam™ Alkaline Coil and Filter Cleaner – 1 Gallon Container	EA	4
SCM-702-05	Free-Foam™ Alkaline Coil and Filter Cleaner – 5 Gallon Pail	EA	1
SCM-702-30	Free-Foam™ Alkaline Coil and Filter Cleaner – 30 Gallon Drum	EA	1
SCM-702-55	Free-Foam™ Alkaline Coil and Filter Cleaner – 55 Gallon Drum	EA	1

COIL CLEANING AEROSOLS

Saf-N-Kleen™ Aerosol Solvent Coil Cleaner

High-solveny formula quickly and easily dissolves dirt, grease, oil or other residue while the blasting nozzle separates the materials from the surface. Non-flammable, non-conductive formula is safe to use on live equipment.

357-20



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
357-20	Saf-N-Kleen™ Solvent Coil Cleaner – 18 oz. Aerosol	EA	12

Foam-Plus™ Aerosol Foaming Coil Cleaner

Heavy-duty foaming detergent coil cleaner in an aerosol can. Non-flammable and water-based with no chlorinated solvents. Blasting foam stream reaches into tight areas for maximum cleaning. The foaming alkaline detergent quickly liquifies dirt, grease, oil or other residue and is completely self-rinsing on condensate producing coils.

358-20



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
358-20	Foam-Plus™ Foaming Coil Cleaner – 19 oz. Aerosol	EA	12

DRAIN PAN DISINFECTANT, SEALANT

Sani C-N-D™ Coil and Drain Pan Disinfectant

Sani C-N-D™ is an EPA registered disinfectant, fungicide, mildewstat and viricide. It is ready-to-use and assures consistent, effective results. Sani C-N-D™ destroys "dirty sock," mildew and other malodors.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-810-32	Sani C-N-D™ Disinfectant – 32 oz. Container	EA	12
SCM-810-01	Sani C-N-D™ Disinfectant – 1 Gallon Container	EA	4
SCM-810-05	Sani C-N-D™ Disinfectant – 5 Gallon Pail	EA	1
SCM-810-30	Sani C-N-D™ Disinfectant – 30 Gallon Drum	EA	1
SCM-810-55	Sani C-N-D™ Disinfectant – 55 Gallon Drum	EA	1

Pan-Kote Heavy Duty Drain Pan Patch

A super-durable rubberized coating used to fill-in and patch HVAC drain pans. Seals out rust and corrosion. Stays flexible in variable weather conditions.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
641-14	Pan-Kote Drain Pan Patch – 14 oz. Aerosol	EA	12

LEAK DETECTORS

Bubble-N-Trouble™ Freeze Protected Spray-On Leak Detector

Non-corrosive, non-toxic, and biodegradable. Does not attack metal or interfere with brazing or soldering. Spray-on application allows easy access for hard to reach places. Tacking agent holds solution on test surface making Bubble-N-Trouble™ very economical. USDA AUTHORIZED



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-806-32	Bubble-N-Trouble™ Freeze Protected Leak Detector – 32 oz. Spray	EA	12
SCM-806-01	Bubble-N-Trouble™ Freeze Protected Leak Detector – 1 Gallon Container	EA	4

Detecto™ Iridescent Leak Detector

Detecto™ clings to the surface to allow detection of slow leaks. Detecto™ creates highly-visible, easy-to-see iridescent bubbles. Non-toxic, non-corrosive, and safe for use in food service applications.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-805-08	Detecto™ Iridescent Leak Detector – 8 oz. Container	EA	24
SCM-805-01	Detecto™ Iridescent Leak Detector – 1 Gallon Container	EA	4

SYSTEM CLEANERS

D'Scale™ Acid Scale Remover for Cooling Towers

D'Scale™ will not create corrosive acidic foam. D'Scale™ has pH indicating dye. The color changes to yellow when acid has been consumed. Each gallon dissolves 3 pounds of scale.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-709-01	D'Scale™ Acid Scale Remover – 1 Gallon Container	EA	4
SCM-709-05	D'Scale™ Acid Scale Remover – 5 Gallon Pail	EA	1
SCM-709-30	D'Scale™ Acid Scale Remover – 30 Gallon Drum	EA	1
SCM-709-55	D'Scale™ Acid Scale Remover – 55 Gallon Drum	EA	1

PAN TREATMENTS

Flow-Plus™ Condensate Pan Treatment

A unique polymer formula that maintains condensate flow and prevents drain pan overflow. 100% active. Flow-Plus™ leaves no residue, no waste, and is nonclogging. Effective, long-term condensate activated release. Environmentally safe, non-toxic, and non-corrosive. Also economical with sizes to meet all tonnage requirements.



CATALOG NO.	EQUIPMENT TONNAGE
SCM-183	1/2 to 3 tons
SCM-181	3 to 5 tons
SCM-184	5 to 20 tons
SCM-182	20 to 50 tons
SCM-185	Over 50 tons

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-183-16	Flow-Plus™ Condensate Pan Treatment – 25 Tabs/Jar	EA	12
SCM-183-200	Flow-Plus™ Condensate Pan Treatment – 200 Tabs/Jar	EA	4
SCM-181-06	Flow-Plus™ Condensate Pan Treatment – 6 oz. Clamshells	EA	24
SCM-184-MT	Flow-Plus™ Condensate Pan Treatment – 10 oz. Tubs	EA	18
SCM-182-HT	Flow-Plus™ Condensate Pan Treatment – 1.25 lb. Tubs	EA	8
SCM-185-8	Flow-Plus™ Condensate Pan Treatment – 7.5 lb. Tubs	EA	1

Flow-Plus™ Pump Treatment Tablets for Condensate Pumps

A unique polymer pan treatment in tablet form for use exclusively in DiversiTech's condensate pump. The tablet dispensing drawer in the pump holds 3 tablets. A dosage lasts up to 3 months depending on the volume of condensate generated. Even when fully dissolved, the tablets provide a lasting treatment in the pump and downstream drain line. Provides long-lasting treatment that controls slime growth over time and can extend the life of the pump.



SCM-186-6



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-186-6	Flow-Plus™ for Condensate Pumps – 6 Tablets/Clamshell	EA	36

Pro-Treat® Pan Strips

Pro-Treat® Pan Strips kill odor causing bacteria and last up to 6 months. Use in the primary drain pan of cooling units such as air conditioners and refrigerators. Pro-Treat® Pan Strips control foul-smelling odors caused by mildew, fungi, bacteria, algae, and slime. For use in hotels, schools, colleges, hospitals, nursing homes, airports, and many other locations.



CATALOG NO.	DESCRIPTION	STRIPS/PACK	UOM	ORDER MULTIPLE
PS-075	Pro-Treat® Pan Strips – for up to 3/4 Ton	10	EA	12
PS-01	Pro-Treat® Pan Strips – for 1 to 2 Ton	10	EA	12
PS-03	Pro-Treat® Pan Strips – for 3 to 5 Ton	6	EA	24
PS-07	Pro-Treat® Pan Strips – for 7 to 12 Ton	2	EA	24
PS-20	Pro-Treat® Pan Strips – for 20 to 25 Ton	1	EA	24
PS-40	Pro-Treat® Pan Strips – for 40 to 50 Ton	1	EA	12

EPA Registration #6836-254-69966

DiversiTech Pro-Treat Pan Strips	Pan Guard	Hydrobalance Sta-Clean	Ace Pan Protectors	Trane Time Release	Vapco Sani-Pan Strips
PS-075	AG4/.75H	CS-50 & 50B	TR14	CHM00256	SPS-1T
PS-01	AG6/1.50H	CS-100	TR28	CHM00257	SPS-3T
PS-03	AG12/1.5H	CS-250	TR65	CHM00258	SPS-5T
PS-07	AG-N2	CS-600	TR150	CHM00259	SPS-10T
PS-20	AG-N	CS-1200	TR300	CHM00260	SPS-20T
PS-40	AG-D		TR300D	CHM00264	SPS-50T

AIR FILTER PRODUCTS

Filter-Aide™ AC and Furnace Filter Enhancer

Polymer-charged formula enhances filter performance by helping filter triggering pollutants. Improves indoor air quality. Will not support bacteria growth. Prolongs equipment life and is compatible with all air filters.



SCM-713-32

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-713-32	Filter-Aide™ AC and Furnace Filter Enhancer – 32 oz. Container	EA	12
SCM-713-01	Filter-Aide™ AC and Furnace Filter Enhancer – 1 Gallon Container	EA	4



Literature – Download all literature from the DiversiTech website using the Form ID shown in the icon. The URL is www.diversitech.com/literature/FORMID.pdf

ICE MACHINE PRODUCTS

Super-Kool™ Nickel-Safe and Metal-Safe Ice Machine Cleaner

An economical, fast-acting, non-foaming acid sequestrant formula that quickly removes soil and mineral buildup. This safe, highly-concentrated, inhibited formula will not attack nickel or other metal components. USDA AUTHORIZED

SCM-705-16



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-705-16	Super-Kool™ Ice Machine Cleaner – 16 oz. Bottle	EA	12
SCM-705-01	Super-Kool™ Ice Machine Cleaner – 1 Gallon Container	EA	4
SCM-705-05	Super-Kool™ Ice Machine Cleaner – 5 Gallon Pail	EA	1
NEW SCM-705-30	Super-Kool™ Ice Machine Cleaner – 30 Gallon Drum	EA	1

REFRIGERATION OILS

Pro-Lube™ Mineral Oil

Specialty Chemical mineral oil (by Calumet) is a superior mineral naphthenic refrigeration oil designed to meet the operating requirements of modern residential and commercial air conditioning and refrigeration compressors. These oils have a low pour point, low wax floc temperature and are chemically and thermally stable in the presence of refrigerants. OEM approved by Copeland, Carlyle, Trane, and other major compressor manufacturers. Always follow compressor manufacturer's oil viscosity recommendations. Mineral oil is specially recommended for lubrication of compressors containing ammonia, R-11, 12, 13, 22, 113, 114, 123, 500 and 502 refrigerants in residential, industrial and commercial service. DO NOT USE WITH HFC REFRIGERANTS SUCH AS R-134A.

3WF-01



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
3WF-01	SUS150 ISO32 Pro-Lube™ Mineral Oil – 1 Gallon Jug	EA	4
3WF-05	SUS150 ISO32 Pro-Lube™ Mineral Oil – 5 Gallon Pail	EA	1
3WF-55	SUS150 ISO32 Pro-Lube™ Mineral Oil – 55 Gallon Drum	EA	1
4WF-01	SUS300 ISO68 Pro-Lube™ Mineral Oil – 1 Gallon Jug	EA	4
4WF-05	SUS300 ISO68 Pro-Lube™ Mineral Oil – 5 Gallon Pail	EA	1
4WF-55	SUS300 ISO68 Pro-Lube™ Mineral Oil – 55 Gallon Drum	EA	1

Pro-Lube-ALK™ Alkylbenzene

Specialty Chemical alkylbenzene is recommended for refrigeration, air conditioning, and heat pump applications using HCFC and CFC refrigerants. An excellent choice when retrofitting to the new refrigerants which are HCFC based such as R-401A (MP-39), R-401B (MP-66), R-402A (HP-80), R-402B (HP-81). OEM approved by Copeland and other compressor manufacturers.

ALK150-01



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
ALK150-01	SUS150 ISO32 Pro-Lube™ Alkylbenzene – 1 Gallon Jug	EA	4
ALK150-05	SUS150 ISO32 Pro-Lube™ Alkylbenzene – 5 Gallon Drum	EA	1
ALK200-01	SUS200 ISO46 Pro-Lube™ Alkylbenzene – 1 Gallon Jug	EA	4
ALK300-01	SUS300 ISO68 Pro-Lube™ Alkylbenzene – 1 Gallon Jug	EA	4
ALK300-05	SUS300 ISO68 Pro-Lube™ Alkylbenzene – 5 Gallon Drum	EA	1

Pro-Lube-POE™ Polyolester

Specialty Chemical POE is custom formulated for use in refrigeration compressors. This series contains no ozone depleting substances and is compatible with new HFC refrigerants as well as existing CFC and HCFC refrigerants. POE is also compatible with traditional mineral oil lubricants.

POE32-32



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
POE32-32	SUS150 ISO32 Pro-Lube-POE™ Polyolester – 1 Quart Can	EA	12
POE32-01	SUS150 ISO32 Pro-Lube-POE™ Polyolester – 1 Gallon Can	EA	6
POE68-32	SUS300 ISO68 Pro-Lube-POE™ Polyolester – 1 Quart Can	EA	12
POE68-01	SUS300 ISO68 Pro-Lube-POE™ Polyolester – 1 Gallon Can	EA	6
POE100-32	SUS500 ISO100 Pro-Lube-POE™ Polyolester – 1 Quart Can	EA	12
POE100-01	SUS500 ISO100 Pro-Lube-POE™ Polyolester – 1 Gallon Can	EA	6

VACUUM PUMP OIL

Pro-Lube-VAC™ Vacuum Pump Oil

Specialty Chemical VP-68 Premium Vacuum Pump Oil is now based on a highly refined paraffinic based stock. This new improved formulation is lighter in color and provides better viscosity and oxidation stability than the previous formulation. VP-68 provides excellent cold start performance; formulated to meet minimum moisture content specifications.

VP-68-01



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
VP68-32	Pro-Lube-VAC™ Vacuum Pump Oil – 1 Quart Jug	EA	12
VP68-01	Pro-Lube-VAC™ Vacuum Pump Oil – 1 Gallon Jug	EA	4
VP68-05	Pro-Lube-VAC™ Vacuum Pump Oil – 5 Gallon Pail	EA	1
VP68-55	Pro-Lube-VAC™ Vacuum Pump Oil – 55 Gallon Drum	EA	1

DEODORIZERS AND DEGREASERS

Blue Blitz™ New Concept Cleaner-Deodorizer-Degreaser

Blue Blitz™ is a unique, fast-acting formula that cuts through tough grime and grease as it cleans and deodorizes. It is easy-to-use and cleans smudges and stains in one step.

SCM-815-01



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-815-32	Blue Blitz™ Cleaner-Deodorizer-Degreaser – 32 oz.	EA	12
SCM-815-01	Blue Blitz™ Cleaner-Deodorizer-Degreaser – 1 Gallon	EA	4

Saf-T-Kleen II™ Safety Solvent Degreaser

Non-conductive Saf-T-Kleen II™ is safe for use on motors and electrical circuitry. The fast-drying formula has powerful dissolving action that leaves no residue. It is a no-flash formula eliminating fire hazards.

SCM-816-01



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-816-01	Saf-T-Kleen II™ Solvent Degreaser – 1 Gallon	EA	4

ODOR NEUTRALIZERS

Duct-Fresh Gel

A non-toxic, super-effective odor neutralizer for HVAC ducts, proficient at destroying stubborn odors including pet, smoke, and musty smells in residential, industrial and commercial applications. Effective for up to 6 months.

SCM-832-08



Duct-Fresh Spray

A non-toxic, instantaneous, super-effective odor neutralizer for HVAC ducts. Destroys stubborn pet odors, smoke, and musty smells in residential, industrial and commercial applications. Great for spot-treating malodor problem areas.

SCM-831-32



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-832-08	Duct-Fresh Gel – 8 oz.	EA	12
SCM-832-16	Duct-Fresh Gel – 16 oz.	EA	8
NEW SCM-831-32	Duct-Fresh Spray – 32 oz.	EA	12
SCM-832-48	Duct-Fresh Gel – 48 oz.	EA	8

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-831-32	Duct-Fresh Spray – 1 Quart	EA	12

Specialty Chemical produces the most complete line of industrial coolant and heat transfer products in the HVAC/R Industry. Our product line includes ProTek PG propylene glycol products formulated with food-grade corrosion inhibitors and ProTek EG ethylene glycol products for industrial applications. Both product groups are designed to provide freeze and burst protection and are formulated with inhibitors and antifoam agents to provide long-term stability against system corrosion and fouling.

ProTek™ Closed Loop Heat Transfer Fluid

ProTek™ for closed loop water recirculation systems is a blue liquid. Available in three concentrations: original ProTek-100™, ProTek-50™, and ProTek-Plus™. Each concentration may be further diluted to alter freeze and burst temperatures. Refer to the technical data sheet for specific information.

SCM-129-01



CATALOG NO.	DESCRIPTION	GLYCOL/ WATER RATIO	UOM	ORDER MULTIPLE
SCM-126-01	ProTek-50™ – 1 Gallon Jug	35/65	EA	4
SCM-126-05	ProTek-50™ – 5 Gallon Pail	35/65	EA	1
NEW SCM-126-30	ProTek-PG™-50 – 30 Gallon Drum	35/65	EA	1
SCM-126-55	ProTek-50™ – 55 Gallon Drum	35/65	EA	1
SCM-129-01	ProTek-100™ – 1 Gallon Jug	70/30	EA	4
SCM-129-05	ProTek-100™ – 5 Gallon Pail	70/30	EA	1
NEW SCM-129-30	ProTek-100™ – 30 Gallon Drum	70/30	EA	1
SCM-129-55	ProTek-100™ – 55 Gallon Drum	70/30	EA	1
SCM-129-275	ProTek-100™ – 275 Gallon Tote	70/30	EA	1
SCM-128-01	ProTek-Plus™ – 1 Gallon Jug	95/5	EA	4
SCM-128-05	ProTek-Plus™ – 5 Gallon Pail	95/5	EA	1
NEW SCM-128-30	ProTek-PG™-Plus – 30 Gallon Drum	95/5	EA	1
SCM-128-55	ProTek-Plus™ – 55 Gallon Drum	95/5	EA	1
NEW SCM-140-01	ProTek PG™ 5050 – 1 Gallon Jug	50/50	EA	1
NEW SCM-140-55	ProTek PG™ 5050 – 55 Gallon Drum	50/50	EA	1
NEW SCM-140-275	ProTek PG™ 5050 – 275 Gallon Tote	50/50	EA	1
NEW SCM-127-55	ProTek PG™ 6040 – 55 Gallon Drum	60/40	EA	1

ProTek EG™

An inhibited ethylene glycol based heat transfer fluid designed for use in hydronic, chilled and closed water.

SCM-123-01



CATALOG NO.	DESCRIPTION	GLYCOL/ WATER RATIO	UOM	ORDER MULTIPLE
SCM-123-01	ProTek EG™ – 1 Gallon Jug	95/5	EA	4
SCM-123-05	ProTek EG™ – 5 Gallon Pail	95/5	EA	1
SCM-123-30	ProTek EG™ – 30 Gallon Pail	95/5	EA	1
SCM-123-55	ProTek EG™ – 55 Gallon Drum	95/5	EA	1
NEW SCM-124-01	ProTek EG™-30 – 1 Gallon Jug	30/70	EA	4
NEW SCM-124-05	ProTek EG™-30 – 5 Gallon Pail	30/70	EA	1
NEW SCM-124-55	ProTek EG™-30 – 55 Gallon Drum	30/70	EA	1
NEW SCM-137-01	ProTek EG™ 4060 Bulk – 1 Gallon Jug	40/60	EA	4
NEW SCM-138-01	ProTek EG™ 5050 Bulk – 1 Gallon Jug	50/50	EA	4
NEW SCM-138-05	ProTek EG™ 5050 Bulk – 5 Gallon Pail	50/50	EA	1

ProTek™ PG-AL – Safe for Aluminum Heat Exchangers

Universal heat transfer fluid. An inhibited heat transfer fluid that is safe for use in boilers and hydronic systems including aluminum heat exchangers. Operating range is -100°F to 190°F. ProTek™ PG-AL is an orange liquid.

SCM-134-01



CATALOG NO.	DESCRIPTION	GLYCOL/ WATER RATIO	UOM	ORDER MULTIPLE
SCM-134-01	ProTek™ PG-AL – 1 Gallon Jug	70/30	EA	4
SCM-134-05	ProTek™ PG-AL – 5 Gallon Pail	70/30	EA	1
SCM-134-30	ProTek™ PG-AL – 30 Gallon Drum	70/30	EA	1
SCM-134-55	ProTek™ PG-AL – 55 Gallon Drum	70/30	EA	1

ProTek-RV™ for Recreational Vehicles

An economical, effective solution to prevent freeze and burst of water lines in RV's, boats, and vacation homes.

SCM-132-01



CATALOG NO.	DESCRIPTION	GLYCOL/ WATER RATIO	UOM	ORDER MULTIPLE
SCM-132-01	ProTek-RV™ – 1 Gallon Jug	28/72	EA	4
SCM-132-05	ProTek-RV™ – 5 Gallon Pail	28/72	EA	1
NEW SCM-132-30	ProTek-PG™-RV – 30 Gallon Drum	28/72	EA	1
SCM-132-55	ProTek-RV™ – 55 Gallon Drum	28/72	EA	1

ProTek-BG™ for Cast Iron Water Boilers

A red liquid boiler grade product formulated specifically with corrosion inhibitors necessary for use in water boilers.

SCM-130-01



CATALOG NO.	DESCRIPTION	GLYCOL/ WATER RATIO	UOM	ORDER MULTIPLE
SCM-130-01	ProTek-BG™ – 1 Gallon Jug	70/30	EA	4
SCM-130-05	ProTek-BG™ – 5 Gallon Pail	70/30	EA	1
NEW SCM-130-30	ProTek-PG™-BG – 30 Gallon Drum	70/30	EA	1
SCM-130-55	ProTek-BG™ – 55 Gallon Drum	70/30	EA	1

Glycol Inhibitors

Extend the service life of glycols with Pro-Tek™ Inhibitor. Pro-Tek™ Inhibitor is a glycol corrosion inhibitor additive designed for use in both propylene and ethylene glycol heat transfer/antifreeze solutions. Pro-Tek™ Inhibitor extends the glycol service life by restoring residual alkalinity and neutralization of acids. Pro-Tek™ Inhibitor is both non-toxic and food safe.

SCM-117-16



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
SCM-117-16	Glycol Corrosion Inhibitor Additive – 16 oz.	EA	12

GLYCOL cont'd

Specialty Chemical Glycol Cross Reference Chart

Specialty Chemical	Product No.	Description	Color	Hercules	Noble	Interstate	Houghton	Utility	Harvey	Black Swan	Whitlam	Nu-Calgon	Va. KMP	Camco	ComStar	SOS
ProTek-PG-Plus	SCM-128	Concentrate 95%	Blue	Cryo-tek AG	Super No Burst	Intercool P-300	Safe-T-Therm	Super Polar No-Freeze		Freeze-Guard Sub Artic	Freeze-Fighter				ProFrost	SOS Antifreeze
ProTek-PG-100	SCM-129	-100 F Burst 70%	Blue	Cryo-tek -100	No Burst -100			No-Freeze	Harvey Heat 100	Freeze-Guard AG		Freez Kontr'l	Pipe-Saver	Winter Ban 100	Freeze-Safe	
ProTek-PG-BG Boiler Grade	SCM-130	-100 F Burst 70%	Red											Boiler Antifreeze AL		
ProTek-PG-AL Aluminum Safe	SCM-134	-100 F Burst 70%	Orange		No Burst AL					Freeze-Guard						
ProTek-PG-50	SCM-126	-50 F Burst 35%	Blue	Cryo-tek Original	No Burst LC			Pipe Guard	Harvey Heat 50							
ProTek-PG-RV	SCM-132	RTU 28%	Blue		RV			RV Guard	Harvey Heat RV			Burst Kontr'l		RV		
ProTek-PG-60/40	SCM-127	60% glycol	Blue			Intercool NFE	Wintrex					freez-therm				
ProTek EG	SCM-123	Concentrate 95%	Pink													
ProTek EG 50/50	SCM-138	50% glycol	Pink											Frost Free		
ProTek EG 40/60	SCM-137	40% glycol	Pink													

HEATING PRODUCTS

Sure Burn™ Concentrated Fuel Oil Treatment

A state-of-the-art fuel oil treatment designed to insure oil burner ignition even in the most extreme weather conditions. Sure Burn™ acts as a water dispersant and promotes cleaner, more efficient combustion. Also inhibits sludge formation and combats fuel tank corrosion.

HP-SB-16



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
HP-SB-16	Sure Burn™ Concentrated Heating Fuel Treatment – 16 oz.	EA	12

Spill Kill™ Powder – Fuel Spill Deodorant and Absorbent

A one-step liquid absorbent and deodorant with a convenient shaker top. Multi-functional Spill Kill™ absorbs and deodorizes fuel oil and other liquid spills. The unique granular formula soaks up liquids and entraps odors much faster than dusty powders. The quick-absorbing action minimizes the slip hazards associated with liquid spills.

HP-SKDP-20



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
HP-SKDP-20	Spill Kill™ Granular Fuel Oil Deodorant and Absorbent – 20 oz.	EA	12

Spill Kill™ Liquid – Fuel Spill Deodorant Spray

Neutralizes noxious fuel oil odors while imparting a pleasant residual fragrance. Using the trigger spray applicator, spray directly on the spill and mist into the air as a space deodorant. The safe, non-flammable formula lends itself to other deodorizing applications where noxious odors are a problem.

HP-SKDS-16



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
HP-SKDS-16	Spill Kill™ Fuel Spill Deodorant Spray – 16 oz.	EA	12

Soot Kill™ – Catalytic Soot Remover

Ready-to-use, non-flammable, non-corrosive catalytic soot remover cleans the combustion chamber. Catalytic cleaning action reduces time-consuming vacuuming of the burner chamber. Residual action slows soot accumulation.

HP-SK-16




CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
HP-SK-16	Soot Kill™ Catalytic Soot Remover Spray – 16 oz.	EA	12

Garden Hose

High quality product priced for high volume sales. Soft-Flex formulation makes the 5 ply Hose easy to handle. Withstands 500 psi water pressure. Heavy duty solid brass couplings and collar. Full Lifetime Guarantee!

5-IG5850



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-IG5850	Green Flexon 5-Ply Forever Garden Hose	EA	5

Hot Water Hose

High burst strength. 500 PSI. Withstands hot water up to 160°F. EPDM tube. Heavy duty solid brass couplings.

5-HW5850



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-HW5850	5/8" x 50' Hot Water Hose	EA	5

Power Sprayer

DiversiTech's new Power Sprayer makes coil cleaning easier and faster! Designed as a backpack sprayer, it holds up to 4 gallons of coil cleaning solution. The battery powered unit will spray continuously for 10 hours on a single charge. Included are three different nozzles to give you the right spray for any situation. It also features: padded backpack straps for a comfortable fit, plug-in charger for fast recharging, a convenient center mount handle, an extra long spray wand with curved tip for accurate application, and a large on/off valve which can lock in position for easier spraying of big jobs. The large tank opening also makes it easy to add coil cleaner and mix to the correct ratio. The Power Sprayer is compatible with all DiversiTech coil cleaners.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PS-1	Battery powered/rechargeable backpack sprayer for coil cleaning	EA	1
PS-1W	Replacement Wand for Power Sprayer	EA	1

Compression Sprayers

Acid impervious poly design with a 36" (91cm) reinforced hose, shut-off with lock-on feature for continuous spraying, a 2-piece nozzle that's detachable for easy clean up and fits directly to the shut-off or extension wand. The Hand-Held Sprayer has a 48 oz. (1.4 l) capacity, perfect for small areas. All sprayers have a full 5 year warranty.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
1002	Hand Held Sprayer	EA	1
2601	1 Gallon Wand Sprayer	EA	1
2602	2 Gallon Wand Sprayer	EA	1
2603	3 Gallon Wand Sprayer	EA	1

All Purpose Sprayers

Lightweight, versatile gallon size bottle has a 28" flexible hose and easy-to-carry handle. Best for big jobs in hard- to-reach places. Adjustable nozzle will atomize any low viscosity liquid. Adjusts from a mist to a 12' jet stream or anything in between. One pint container has a measured ounce guide. Ideal for water treatment chemicals.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
BS-64	Gallon Size Sprayer	EA	6
BS-16	Pint Size Sprayer	EA	12
BS-32	Quart Size Sprayer	EA	12

Dial-a-Mix Sprayer

Save time and money by dialing in the exact mix ratio to properly clean the coil. This sprayer features 5 mix ratios, a 1/2 gallon capacity bottle and a quick disconnect for fast and easy rinsing.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
540-GUN	Dial-a-Mix Sprayer	EA	6

Pistol Grips & Water Nozzle

Pistol Grip – 572 Insulated:
For spraying hot or cold water. Heavy-duty, self adjusting "duck" packing for lifetime proof seal.
Water Nozzle – 573 Un-insulated:
Heavy-duty and holds open clip for continuous spraying. Self-adjusting "duck" for leak proof seal.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
540-572	Insulated Pistol Grip	EA	12
540-573	Uninsulated Water Nozzle	EA	12



Literature – Download all literature from the DiversiTech website using the Form ID shown in the icon. The URL is www.diversitech.com/literature/FORMID.pdf