

PLUMBING

CPVC-CTS Pipe and Fittings	181
Nylon Fittings	181-182
Oatey® Products	184
PVC Condensate Pipe	176
PVC DWV Fittings.....	180
PVC Primer and Cement.....	183
PVC Schedule 40 Pressure Fittings.....	176-179
Supports.....	180
Tapes and Sealing.....	185
Tubing, Clamps, and Kits.....	185



PVC CONDENSATE PIPE

Polyvinyl Chloride, white PVC 1120

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-2001	1/2" PVC – PSI 315 – 10' Straight End	EA	500'
5-2002	3/4" PVC – PSI 200 – 10' Straight End	EA	500'
5-2005	3/4" PVC – PSI 200 – 20' Belled End	EA	500'
5-401	3/4" PVC – Sch. 40 – 10' Straight End	EA	500'
NEW 5-406	3/4" PVC – Sch. 40 – 20' Straight End	EA	500'
5-407	3/4" PVC – Sch. 40 – 20' Belled End	EA	500'
5-404	2" PVC – Sch.40/DWV, ASTM 2665 – 10' Straight End	EA	100'
5-405	3" PVC – Sch.40/DWV, ASTM 2665 – 10' Straight End	EA	50'
NEW 5-402	1" PVC – Sch. 40 – 10' Plain End	EA	100'
5-416	1" PVC – Sch. 40 – 20' Belled End	EA	200'
5-417	1-1/4" PVC – Sch. 40 – 20' Belled End	EA	200'
5-418	1-1/2" PVC – Sch. 40 – 20' Belled End	EA	200'

**5-2001****PVC SCHEDULE 40 PRESSURE FITTINGS****90 Ell (Slip x Slip)****5-406005**

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-406005	1/2" 90 Ell	EA	50
5-406007	3/4" 90 Ell	EA	50
5-406010	1" 90 Ell	EA	50
5-406012	1-1/4" 90 Ell	EA	25
5-406015	1-1/2" 90 Ell	EA	25
5-406020	2" 90 Ell	EA	25
5-406025	2-1/2" 90 Ell	EA	10
5-406030	3" 90 Ell	EA	10

90 Ell (Slip x FIPT)**5-407005**

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-407005	1/2" 90 Ell	EA	50
5-407007	3/4" 90 Ell	EA	50
5-407010	1" 90 Ell	EA	50
5-407012	1-1/4" 90 Ell	EA	25
5-407015	1-1/2" 90 Ell	EA	25
5-407020	2" 90 Ell	EA	10
5-407025	2-1/2" 90 Ell	EA	10
5-407030	3" 90 Ell	EA	10

90 Ell Reducing (Slip x Slip)**5-406101**

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-406101	3/4" x 1/2" 90 Ell Reducing	EA	50
5-406130	1" x 1/2" 90 Ell Reducing	EA	50
5-406131	1" x 3/4" 90 Ell Reducing	EA	50

90 Ell Reducing (Slip x FIPT)**5-407074**

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-407074	1/2" x 3/4" 90 Ell Reducing	EA	50
5-407101	3/4" x 1/2" 90 Ell Reducing	EA	50
5-407130	1" x 1/2" 90 Ell Reducing	EA	50
5-407131	1" x 3/4" 90 Ell Reducing	EA	50

90 Ell (FIPT x FIPT)**5-408007**

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
NEW 5-408007	90 Ell (FIPT x FIPT)	EA	50

90 Street Ell (MIPT x Slip)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-410005	1/2" 90 Street Ell	EA	50
5-410007	3/4" 90 Street Ell	EA	50
5-410010	1" 90 Street Ell	EA	50
5-410012	1-1/4" 90 Street Ell	EA	25
5-410015	1-1/2" 90 Street Ell	EA	25

Female Adapter Reducing (Slip x FIPT)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-435074	1/2" x 3/4" Female Adapter Reducing	EA	50
5-435075	1/2" x 1" Female Adapter Reducing	EA	50
5-435101	3/4" x 1/2" Female Adapter Reducing	EA	50
5-435102	3/4" x 1" Female Adapter Reducing	EA	50
5-435131	1" x 3/4" Female Adapter Reducing	EA	50

90 Street Ell (SPIG x Slip)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-409005	1/2" 90 Street Ell	EA	50
5-409007	3/4" 90 Street Ell	EA	50
5-409010	1" 90 Street Ell	EA	50
5-409012	1-1/4" 90 Street Ell	EA	25
5-409015	1-1/2" 90 Street Ell	EA	25
5-409020	2" 90 Street Ell	EA	10

Male Adapter Reducing (MIPT x Slip)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-436074	1/2" x 3/4" Male Adapter Reducing	EA	50
5-436101	3/4" x 1/2" Male Adapter Reducing	EA	50
5-436102	3/4" x 1" Male Adapter Reducing	EA	50
5-436131	1" x 3/4" Male Adapter Reducing	EA	50

45 Ell (Slip x Slip)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-417005	1/2" 45 Ell	EA	50
5-417007	3/4" 45 Ell	EA	50
5-417010	1" 45 Ell	EA	50
5-417012	1-1/4" 45 Ell	EA	25
5-417020	2" 45 Ell	EA	25
5-417025	2-1/2" 45 Ell	EA	10
5-417030	3" 45 Ell	EA	10

Male Adapter (MIPT x Slip)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-436005	1/2" Male Adapter	EA	100
5-436007	3/4" Male Adapter	EA	50
5-436010	1" Male Adapter	EA	50
5-436012	1-1/4" Male Adapter	EA	25
5-436015	1-1/2" Male Adapter	EA	25
5-436020	2" Male Adapter	EA	25
5-436025	2-1/2" Male Adapter	EA	10
5-436030	3" Male Adapter	EA	10

Female Adapter (Slip x FIPT)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-435005	1/2" Female Adapter	EA	100
5-435007	3/4" Female Adapter	EA	50
5-435010	1" Female Adapter	EA	50
5-435012	1-1/4" Female Adapter	EA	25
5-435015	1-1/2" Female Adapter	EA	25
5-435020	2" Female Adapter	EA	25
5-435025	2-1/2" Female Adapter	EA	10
5-435030	3" Female Adapter	EA	10

Adapter (Insert x Slip)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-474007	3/4" Adapter (Insert x Slip)	EA	50

PVC SCHEDULE 40 PRESSURE FITTINGS *cont'd*

Coupling (Slip x Slip)



5-492005

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-429005	1/2" Coupling	EA	100
5-429007	3/4" Coupling	EA	50
5-429010	1" Coupling	EA	50
5-429012	1-1/4" Coupling	EA	25
5-429015	1-1/2" Coupling	EA	25
5-429020	2" Coupling	EA	25
5-429025	2-1/2" Coupling	EA	10
5-429030	3" Coupling	EA	10

Tee (Slip x Slip x Slip)



5-401005

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-401005	1/2" Tee	EA	50
5-401007	3/4" Tee	EA	50
5-401010	1" Tee	EA	50
5-401012	1-1/4" Tee	EA	25
5-401015	1-1/2" Tee	EA	25
5-401020	2" Tee	EA	25
5-401025	2-1/2" Tee	EA	10
5-401030	3" Tee	EA	10

Cap (Slip)



5-447005

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-447005	1/2" Cap	EA	100
5-447007	3/4" Cap	EA	100
5-447010	1" Cap	EA	50
5-447012	1-1/4" Cap	EA	25
5-447020	2" Cap	EA	25
5-447030	3" Cap	EA	10

Tee (Slip x FIPT x Slip)



5-403005

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-403005	1/2" Tee (S x FIPT x S)	EA	50
5-402007	3/4" Tee (S x S x FIPT)	EA	50
5-403007	3/4" Tee (S x FIPT x S)	EA	50

Cap (FIPT)



5-448005

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-448005	1/2" Cap	EA	100
5-448007	3/4" Cap	EA	100
5-448010	1" Cap	EA	50
5-448015	1-1/2" Cap	EA	25
5-448020	2" Cap	EA	10
5-448025	2-1/2" Cap	EA	10
5-448030	3" Cap	EA	10

Tee (Slip x Slip x FIPT)



5-402007

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
NEW 5-402007	3/4" Tee (S x S x FIPT)	EA	50

Clean Out Tee



510-3400

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
NEW 510-3400-10	3/4" Clean Out Tee	EA	10
510-3400	3/4" Clean Out Tee	EA	50

Cross (Slip x Slip x Slip x Slip)



5-420007

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
NEW 5-420007	Cross (Slip x Slip x Slip x Slip)	EA	50

Reducing Bushing (MIPT X FIPT)



5-439131

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
NEW 5-439131	Reducing Bushing 1" MIPT x 3/4"	EA	100

Reducer Bushing (SPIG X FIPT)



5-438101

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-438101	3/4" x 1/2" Reducer Bushing	EA	100
5-438130	1" x 1/2" Reducer Bushing	EA	100
5-438131	1" x 3/4" Reducer Bushing	EA	100


Reducer Bushing (SPIG x Slip)



5-437101

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-437101	3/4" x 1/2" Reducer Bushing	EA	100
5-437130	1" x 1/2" Reducer Bushing	EA	100
5-437131	1" x 3/4" Reducer Bushing	EA	100
5-437210	1-1/2" x 3/4" Reducer Bushing	EA	25
5-437251	2" x 1-1/2" Reducer Bushing	EA	10
5-437339	3" x 2-1/2" Reducer Bushing	EA	10

Traps (Slip x Slip)



5-409

5-408

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-408	3/4" "P" Trap (Slip x Slip)	EA	100
5-409	3/4" Running Trap (Slip x Slip)	EA	100
5-410	3/4" Mini "P" Trap (Slip x Slip)	EA	100
5-411	1" "P" Trap (Slip x Slip)	EA	50
5-412	1/2" "P" Trap (Slip x Slip)	EA	100
5-414	3/4" "J" Trap (Slip x Slip)	EA	100
5-415	1" "R" Trap (Slip x Slip)	EA	50

Plug (Slip)



5-449005

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-449005	1/2" Plug	EA	50
5-449007	3/4" Plug	EA	50
5-449010	1" Plug	EA	50
5-449015	1-1/2" Plug	EA	25
5-449020	2" Plug	EA	10
5-449025	2-1/2" Plug	EA	10
5-449030	3" Plug	EA	10

Plug (MIPT)



5-450005

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-450005	1/2" Plug	EA	50
5-450007	3/4" Plug	EA	50
5-450010	1" Plug	EA	50
5-450015	1-1/2" Plug	EA	25
5-450020	2" Plug	EA	10
5-450025	2-1/2" Plug	EA	10
5-450030	3" Plug	EA	10

KwikRepair™ Coupler

Helps repair PVC lines quickly and easily. It does the job without using more than one fitting; no O-rings to fail. Significantly helps lower labor costs. It is especially effective when applications require limited space. The sleeves slide and glue onto the pipe, eliminating bending of the pipe for repair or replacement.



5-PRC-34

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-PRC-34	KwikRepair™ Coupler	EA	10

3/4" Rubber Elbow

Allows for quick disconnect and reconnect of drain lines. Made of 60 DURO EPDM.



5-520

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-520	3/4" Rubber Elbows	EA	50

PVC DWV FITTINGS

45 Elbows

5-321020



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-321020	2" 45 Elbow (Hub x Hub)	EA	50
5-321030	3" 45 Elbow (Hub x Hub)	EA	20
510-D323020	2" 45 Street Elbow (Hub x SPIG)	EA	50
510-D323030	3" 45 Street Elbow (Hub x SPIG)	EA	20

90 Elbow (Hub x Hub)

510-D304020



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-300020	2" 90 Elbow (Hub x Hub)	EA	50
510-D304020	2" Long Sweep 90 Elbow (Hub x Hub)	EA	25
5-300030	3" 90 Elbow (Hub x Hub)	EA	25
510-D304030	3" Long Sweep 90 Elbow (Hub x Hub)	EA	10

DWV Vent Tee

510-D441020



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
510-D441020	2" Vent Tee	EA	25
510-D441030	3" Vent Tee	EA	10

Couplings (Hub x Hub)

5-100020



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-100020	2" Couplings (Hub x Hub)	EA	100
5-100030	3" Couplings (Hub x Hub)	EA	60
510-D102251	2" x 1-1/2" Couplings (Hub x Hub)	EA	25
510-D102338	3" x 2" Couplings (Hub x Hub)	EA	20

DWV Bend Fittings

510-D300050



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-300050	2" H x SPG Long Sweep	EA	25
5-300060	2 1/4" Bend SPG x H STR	EA	50
510-D309020	2" Street Ell SPG x H	EA	25
510-D309030	3" Street Elbow SPG x H	EA	10

DWV Bushings

510-437338



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
510-D441020	2" Vent Tee	EA	25
510-D441030	3" Vent Tee	EA	10
NEW 510-437292	2.5" x 2" Reducing Bushing (SPIG x HUB)	EA	10
510-437338	3" x 2" Reducing Bushing (SPIG x SLIP)	EA	10
510-438338	3" x 2" Bushing (SPIG x FIPT)	EA	10

SUPPORTS

Plastic DWV J-Hooks

515-J2000



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
515-J2000	2" x 7-1/2" DWV Swiveling J-Hook	EA	25
515-J3000	3" x 7-1/2" DWV Swiveling J-Hook	EA	25
NEW 515-NS2000	2" DWV Non-swiveling J-Hook	EA	50
NEW 515-NS3000	3" DWV Non-swiveling J-Hook	EA	25

Strapping Hanger Iron

Galvanized 3/4" vent strapping, hanger iron, plumber's tape, pipe hanger tape and many other uses. 1/4" centers for bolts or nails.

710-A1710



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
710-A1710	Hanger Iron (Galv.) - 10' Rolls - 28 Gauge	EA	50
710-A1650	Hanger Iron (Galv.) - 50' Rolls - 28 Gauge	EA	10
710-A16100	Hanger Iron (Galv.) - 100' Rolls - 28 Gauge	EA	6

CPVC-CTS PIPE AND FITTINGS BY FLOWGUARD® GOLD™

Flowguard Gold is a patented CPVC formulated compound developed by BF Goodrich to improve the impact resistance of CPVC hot and cold water plumbing products.

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
4700-12	1/2" x 10' CPVC Pipe, 500'	EA	1
4701-12	1/2" Coupling S x S	EA	20'
4704-12	1/2" Adapter M x S	EA	20'
4703-12	1/2" Adapter F x S	EA	25'
4707-12	1/2" 90° Elbow S x S	EA	20'
4706-12	1/2" 45° Elbow S x S	EA	20'
4711-12	1/2" Tee S x S x S	EA	20'
NEW 4718-12	3/4" x 1/2" CPVC Bushing	EA	10'
47072-12	1/2" 90° Street Ell S x S	EA	10'
4700-34	3/4" x 10' CPVC Pipe, 250'	EA	1
4701-34	3/4" Coupling S x S	EA	20'
4704-34	3/4" Adapter M x S	EA	10'
4703-34	3/4" Adapter F x S	EA	25'
4707-34	3/4" 90° Elbow S x S	EA	20'
4706-34	3/4" 45° Elbow S x S	EA	20'
4711-34	3/4" Tee S x S x S	EA	20'
47072-34	3/4" 90° Street Ell S x S	EA	10'



NYLON FITTINGS*

Elbow (Barb x Barb)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
701-018	Elbow – 1/2 Barb, pack of 2	PK	1
701-023	Elbow – 3/4 Barb, pack of 2	PK	1
701-040	Elbow – 5/8 Barb, pack of 2	PK	1
NEW 701-046	Elbow – 3/8 Barb, pack of 2	PK	1

Female Adapter (Barb x FIPT)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
701-006	Adapter – 3/4 Barb x 3/4 FIPT, pack of 2	PK	1
701-041	Adapter – 1/2 Barb x 1/2 FIPT, pack of 2	PK	1
NEW 701-053	Adapter – 1/2 Barb x 3/4 FIPT, pack of 2	PK	1

Elbow (FIPT x FIPT)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
NEW 701-047	Elbow – 3/4 FIPT, pack of 2	PK	1

Female Adapter Elbow (Barb x FIPT)



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
701-019	Elbow – 1/2 Barb x 3/4 FIPT, pack of 2	PK	1
701-024	Elbow – 3/4 Barb x 3/4 FIPT, pack of 2	PK	1
701-055	Elbow – 1/2 Barb x 3/4 FIPT Bottom Drain, pack of 2	PK	1

*All fittings packaged with identification. To order nylon fittings in bulk, enter catalog number followed by the letter "B." For example, 701-001B is the bulk part number for 701-001. Bulk sold in packs of 100.

NYLON FITTINGS* cont'd

Male Adapter Elbow
(Barb x MIPT)

701-020

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
701-020	Elbow – 1/2 Barb x 3/4 MIPT, pack of 2	PK	1
701-021	Elbow – 1/4 Barb x 1/4 MIPT, pack of 2	PK	1
701-022	Elbow – 1/4 Barb x 3/8 MIPT, pack of 2	PK	1
701-025	Elbow – 3/4 Barb x 3/4 MIPT, pack of 2	PK	1
701-026	Elbow – 3/8 Barb x 1/2 MIPT, pack of 2	PK	1
701-027	Elbow – 3/8 Barb x 3/8 MIPT, pack of 2	PK	1
701-028	Elbow – 5/8 Barb x 3/4 MIPT, pack of 2	PK	1
701-044	Elbow – 1/2 Barb x 3/4 MIPT, pack of 2	PK	1

Tee (Barb x Barb x Barb)



701-034

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
701-034	Tee – 1/2 Barb, pack of 2	PK	1
701-035	Tee – 1/2 x 3/4 x 1/2 Barb, pack of 2	PK	1
701-036	Tee – 1/4 Barb, pack of 2	PK	1
701-037	Tee – 3/4 Barb, pack of 2	PK	1
701-038	Tee – 3/8 Barb, pack of 2	PK	1
701-039	Tee – 5/8 Barb, pack of 2	PK	1

Male Adapter (Barb x MIPT)



701-001

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
701-001	Adapter – 1/2 Barb x 1/2 MIPT, pack of 2	PK	1
701-002	Adapter – 1/2 Barb x 3/4 MIPT, pack of 2	PK	1
701-003	Adapter – 1/2 Barb x 3/8 MIPT, pack of 2	PK	1
701-004	Adapter – 1/4 Barb x 1/4 MIPT, pack of 2	PK	1
701-005	Adapter – 1/4 Barb x 3/8 MIPT, pack of 2	PK	1
701-007	Adapter – 3/4 Barb x 3/4 MIPT, pack of 2	PK	1
701-012	Adapter – 3/8 Barb x 1/2 MIPT, pack of 2	PK	1
701-013	Adapter – 3/8 Barb x 3/8 MIPT, pack of 2	PK	1
701-014	Adapter – 5/8 Barb x 3/4 MIPT, pack of 2	PK	1
701-042	Adapter – 3/8 Barb x 1/4 MIPT, pack of 2	PK	1
701-043	Adapter – 3/8 Barb x 3/4 MIPT, pack of 2	PK	1

Garden Hose Adapters



701-008

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
701-008	Adapter – 3/4 MGHT x 3/4 FGHT, pack of 2	PK	1
701-009	Adapter – 3/4 MGHT x 3/4 FIPT, pack of 2	PK	1
701-010	Adapter – 3/4 MGHT x 3/4 MIPT, pack of 2	PK	1
701-011	Adapter – 3/4 MIPT x 3/4 FGHT, pack of 2	PK	1

Hose Mender (Barb x Barb)



701-029

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
701-029	Hose Mender – 1/2 Barb, pack of 2	PK	1
701-030	Hose Mender – 1/4 Barb, pack of 2	PK	1
701-031	Hose Mender – 3/4 Barb, pack of 2	PK	1
701-032	Hose Mender – 3/8 Barb, pack of 2	PK	1
701-033	Hose Mender – 5/8 Barb, pack of 2	PK	1

Bushing (MIPT x FIPT)



701-015

	CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
NEW	701-015	Bushing – 1 MIPT x 3/4 FIPT, pack of 2	PK	1
NEW	701-016	Bushing – 1/2 MIPT x 3/8 FIPT, pack of 2	PK	1
NEW	701-017	Bushing – 3/4 MIPT x 1/2 FIPT, pack of 2	PK	1

*All fittings packaged with identification. To order nylon fittings in bulk, enter catalog number followed by the letter "B." For example, 701-001B is the bulk part number for 701-001. Bulk sold in packs of 100.

Pro-Weld™ PVC Cement (Regular Body)

Pro-Weld™ PVC Cement is a clear, regular bodied solvent cement designed to be used on Type I and II PVC pipe and fittings up to and including 4 inch diameter. Pro-Weld™ meets ASTM Standard D-2564.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PW-4	Pro-Weld™ – 4 oz. Brush-Top Container – Regular Body	EA	24
PW-8	Pro-Weld™ – 8 oz. Brush-Top Container – Regular Body	EA	24
PW-16	Pro-Weld™ – 16 oz. Brush-Top Container – Regular Body	EA	24
PW-32	Pro-Weld™ – 32 oz. Brush-Top Container – Regular Body	EA	12

Pro-Weld™ PVC Cement (Heavy Body)


Pro-Weld™ Heavy Body is a clear, heavy bodied, very high strength industrial grade PVC cement. It has a medium setting time and works with all rigid schedule 40 and 80 pipe diameters up to 12 inches. Complies with ASTM D2564 and NSF.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PWH-4	Pro-Weld™ – 4 oz. Brush-Top Container – Heavy Body	EA	24
PWH-8	Pro-Weld™ – 8 oz. Brush-Top Container – Heavy Body	EA	24
PWH-16	Pro-Weld™ – 16 oz. Brush-Top Container – Heavy Body	EA	24

Pro-Weld™ PVC Cement (Pool and Turf – Blue)

Pro-Weld™ Blue Pool and Turf is a blue colored, medium bodied, high strength PVC cement for welding rigid or flexible PVC in wet conditions where the system needs to be pressurized quickly. Pro-Weld Blue Pool and Turf sets up very fast and works with all rigid and flexible schedule 40 and 80 pipe diameters up to 6 inches. Complies with ASTM D2564 and NSF.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PWB-4	Pro-Weld™ – 4 oz. Brush-Top Container – Pool and Turf – Blue	EA	24
PWB-8	Pro-Weld™ – 8 oz. Brush-Top Container – Pool and Turf – Blue	EA	24
PWB-16	Pro-Weld™ – 16 oz. Brush-Top Container – Pool and Turf – Blue	EA	24

Pro-Weld™ PVC Cement (Universal – PVC/ABS/CPVC)

Pro-Weld™ Universal Cement is a clear, medium bodied, high strength cement for use on PVC to PVC, CPVC to CPVC, and ABS to ABS connections. Pro-Weld Universal sets up fast and works with all rigid schedule 40 and 80 piping up to 6 inches in diameter. Complies with ASTM D2564, D2235, and F493.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PWU-4	Pro-Weld™ – 4 oz. Brush-Top Container – Universal – PVC/ABS/CPVC	EA	24
PWU-8	Pro-Weld™ – 8 oz. Brush-Top Container – Universal – PVC/ABS/CPVC	EA	24
PWU-16	Pro-Weld™ – 16 oz. Brush-Top Container – Universal – PVC/ABS/CPVC	EA	24

Pro-Prime™ PVC Primer (Purple)

A purple-tinted primer formulated to remove dirt and oil from the surface of Type I and II PVC piping, as well as soften the piping in preparation for solvent welding. Pro-Prime™ contains purple pigment which provides verification that the primer has been applied to the pipe surface. Pro-Prime™ meets ASTM Standard F-656.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PP-4	Pro-Prime™ – 4 oz. Brush-Top Container	EA	24
PP-8	Pro-Prime™ – 8 oz. Brush-Top Container	EA	24
PP-16	Pro-Prime™ – 16 oz. Brush-Top Container	EA	24
PP-32	Pro-Prime™ – 32 oz. Can	EA	12

NEW

Pro-Prime™ Clear PVC Primer

Clear primer that removes dirt and oil from the surface of Type I and II PVC piping. Softens the piping to prepare for solvent welding. Pro-Prime Clear primer meets ASTM Standard F-656.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PPC-4	Pro-Prime™ Clear – 4 oz. Brush-Top Container	EA	24
PPC-8	Pro-Prime™ Clear – 8 oz. Brush-Top Container	EA	24
PPC-16	Pro-Prime™ Clear – 16 oz. Brush-Top Container	EA	24
PPC-32	Pro-Prime™ Clear – 32 oz. Can	EA	12

OATEY® PRODUCTS

All-purpose Clear Cement for ABS, PVC and CPVC Pipe and Fittings

Heavy-bodied clear cement recommended for use on ABS, PVC, and CPVC pipe and fittings up to 12" in diameter. Flows freely and provides a thick layer of cement on the pipe. Apply at temperatures 40° to 90°F.



530-30821

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
530-30818	Clear Cement – 4 oz.	EA	24
530-30821	Clear Cement – 8 oz.	EA	24
530-30834	Clear Cement – 16 oz.	EA	24

PVC Gray Cement for High Efficiency Furnaces, Vent and Make-Up Air

Medium-bodied gray colored cement for use on Sch. 40 conduit, drain waste, and vent pipe. Flows freely and covers with a thicker layer than regular PVC. Can be applied at temperatures 40° to 100°F.



530-30884

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
530-30883	Gray Cement – 4 oz.	EA	24
530-30884	Gray Cement – 8 oz.	EA	24
530-30885	Gray Cement – 16 oz.	EA	24

NSF and UPC listed. Exceeds ASTM D-2564.

PVC Cement – Clear

PVC Cement is clear. All cans have brushtop applicator.



5-12

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
5-14	Oatey #31012 – 1/4 Pint	EA	24
5-12	Oatey #31013 – 1/2 Pint	EA	24
5-10	Oatey #31014 – 1 Pint	EA	24
5-32	Oatey #31015 – 32 oz.	EA	12

All Weather PVC Cement

Medium bodied cement for PVC pipe and fittings up to 6". Formulated for fast initial set-up from -15°F to 100°F. Exceeds ASTM D-2564.




530-31132

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
530-31132	All Weather Cement – 16 oz.	EA	24
530-31133	All Weather Cement – 32 oz.	EA	12

Heavy Duty PVC Cement

Heavy bodied clear cement recommended for use on PVC pipe and fittings up to 12" in diameter for Sch. 40 and Sch. 80 potable water pressure pipe, gas, conduit, drain waste and vent pipe. Exceeds ASTM D-2564.



530-30863

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
530-30850	Heavy Duty Cement – 4 oz.	EA	24
530-30863	Heavy Duty Cement – 8 oz.	EA	24
530-30876	Heavy Duty Cement – 16 oz.	EA	24

Rain-R-Shine Blue Cement

Medium bodied blue colored cement for PVC pipe and fittings up to 6 inches in diameter. A very fast setting cement formulated for wet conditions and/or when quick pressurization and fast installation is needed. Exceeds ASTM D-2564.




530-30891

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
530-30890	Rain-R-Shine Cement – 4 oz.	EA	24
530-30891	Rain-R-Shine Cement – 8 oz.	EA	24
530-30893	Rain-R-Shine Cement – 16 oz.	EA	24

Purple Primer for PVC Pipe and Fittings (Black Label)

Recommended for all PVC and CPVC installations – all sizes/schedules. Purple tinted primer formulated to remove surface dirt and grease as well as soften the pipe surface to allow for a fast, secure and permanent solvent weld. For use in areas where codes call for primer verification.



530-30756

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
530-30755	Purple Primer – 4 oz.	EA	24
530-30756	Purple Primer – 8 oz.	EA	24
530-30757	Purple Primer – 16 oz.	EA	24

NSF and UPC listed. Exceeds ASTM F-656.

PVC Primer – Clear

Recommended for all PVC and CPVC applications. Can be used on all sizes and schedules. Formulated to remove all surface dirt, grease, and grime as well as soften the pipe in preparation for solvent cement. This primer can be used when you want a cleaner installation. Meets ASTM F-656 and is NSF listed.



530-30752

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
530-30752	PVC Primer – Clear – 16 oz.	EA	24
530-30753	PVC Primer – Clear – 32 oz.	EA	12

TUBING, CLAMPS, AND KITS

Polyethylene Tubing

F.D.A. approved, flexible, non-toxic tubing. Tasteless and odorless, lightweight, low density. Ideal for drinking water lines, evaporative coolers, and radiant heating. I.D.: 11/64", O.D.: 1/4", Wall: 0.040, Max. W/P (in.) 150 PSI @ 70F.



PE-104

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
PE-104	Polyethylene Tubing, 100'	EA	1

Icemaker Kit

Supplies water to most refrigerators with automatic icemakers, humidifiers and evaporative coolers. Contains self-tapping valve and all necessary fittings.



750-402

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
750-401	Icemaker Kit – Poly Tube – 25'	EA	1
750-402	Icemaker Kit – Copper – 25'	EA	1

Hose Clamps

Partial stainless, worm drive, adjustable. 300 series stainless steel 1/2" band with plated 5/16" slotted hex head screw and housing, except the B-4H which has a 5/16" band and 1/4" nut. Recommended for most applications. 100% interlock construction features one-piece housing which directly locks into band. Spot weld free design.



B-4H

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
B-4H	No. 4, 7/32" – 5/8" dia., 3/16" – 5/16" hose I.D.	EA	10
B-6H	No. 6, 3/8" – 7/8" dia., 1/4" – 3/8" hose I.D.	EA	10
B-8H	No. 8, 7/16" – 1" dia., 5/16" – 1/2" hose I.D.	EA	10
B-10H	No. 10, 9/16" – 1-1/16" dia., 3/8" – 5/8" hose I.D.	EA	10
B-12H	No. 12, 9/16" – 1-1/4" dia., 5/8" – 3/4" hose I.D.	EA	10
B-16H	No. 16, 11/16" – 1-1/2" dia., 3/4" – 1" hose I.D.	EA	10
B-20H	No. 20, 3/4" – 1-3/4" dia., 1" – 1-1/4" hose I.D.	EA	10
B-24H	No. 24, 1-1/16" – 2" dia., 1-1/4" – 1-1/2" hose I.D.	EA	10
B-28H	No. 28, 1-5/16" – 2-1/4" dia., 1-1/4" – 1-3/4" hose I.D.	EA	10
B-32H	No. 32, 1-9/16" – 2-1/2" dia., 1-1/2" – 2" hose I.D.	EA	10
B-36H	No. 36, 1-13/16" – 2-3/4" dia., 1-3/4" – 2-1/4" hose I.D.	EA	10

Self Tapping Water Valve

Installs on all copper tube lines from 3/8" O.D. to 1-1/8" O.D. without shutting off water. No drilling required. Features 1/4" compression fitting. Stainless steel piercing needle. Special molded gasket seals on both tubing and valve. Will not slip or turn on tubing.



QAV-2

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
QAV-2	Self Tapping Water Tap Valve	EA	1

TAPES AND SEALING

Teflon Tape

Made of pure white Teflon. Non-toxic. For use with chemicals, solvents, oxygen, and on food lines. Withstands up to 2000 psi of pressure.



6-733

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6-733	Teflon Tape – 1/2" x 520"	EA	100
6-734	Teflon Tape – 1/2" x 260"	EA	100
6-735	Teflon Tape – 3/4" x 520"	EA	100
6-736	Teflon Tape – 3/4" x 260"	EA	100

DiversiGum™ Sealing Compound

Non-hardening. For plugging openings through foundations or around refrigeration tube entry.



6-202-1

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6-202-1	DiversiGum™ Sealing Compound – 1 lb. Slug	EA	24
6-202-2	DiversiGum™ Sealing Compound – 2 lb. Slug	EA	20
AG-25	DiversiGum™ Sealing Compound – 3/8" x 25' Caulking Cord	EA	12

one purchase order. **multiple advantages.**

Save **TIME**, **EFFORT** and **MONEY** With Consolidated Purchasing.



- Thousands of SKUs
- Installation and Maintenance Parts & Services
- Equipment Pads, Chemicals and Accessories



800.995.2222
WWW.DIVERSITECH.COM