

Ref.	Model	No.of Pole	Rated Current (A)	Rated Volt. (V)	Protection Degree	Case Qty.(Pcs)	Item Code
013-4	013-4	2P + E	16	110-130~	IP44	100	0601304
	023-4	2P + E	32	110-130~	IP44	60	0602304
013	013	2P + E	16	220-250~	IP44	100	0601300
	023	2P + E	32	220-250~	IP44	60	0602300
014	014	3P + E	16	380-415~	IP44	100	0601400
	024	3P + E	32	380-415~	IP44	60	0602400
015	015	3P+N+E	16	220-380~	IP44	60	0601500
	025	3P+N+E	32	240-415~	IP44	60	0602500
033	033	2P + E	63	220-250~	IP67	10	0603300
	043	2P + E	125	220-250~	IP67	10	0604300
034	034	3P + E	63	380-415~	IP67	10	0603400
	044	3P + E	125	380-415~	IP67	10	0604400
035	035	3P+N+E	63	220-380~	IP67	10	0603500
	045	3P+N+E	125	240-415~	IP67	10	0604500
013L-4	013L-4	2P+E	16	110-130~	IP44	100	0601374
	023L-4	2P+E	32	110-130~	IP44	60	0602374
013L	013L	2P+E	16	220-250~	IP44	100	0601370
	023L	2P+E	32	220-250~	IP44	60	0602370

Ref.	Model	No.of Pole	Rated Current (A)	Rated Volt. (V)	Protection Degree	Case Qty.(Pcs)	Item Code
014L	014L	3P + E	16	380-415~	IP44	100	0601470
	024L	3P + E	32	380-415~	IP44	60	0602440
015L	015L	3P + N + E	16	220-380~	IP44	60	0601570
	025L	3P + N + E	32	240-415~	IP44	60	0602570
013N-4	013N-4	2P + E	16	110-130~	IP44	60	0601384
	023N-4	2P + E	32	110-130~	IP44	60	0602384
013N	013N	2P + E	16	220-250~	IP44	100	0601380
	023N	2P + E	32	220-250~	IP44	60	0602380
014N	014N	3P + E	16	380-415~	IP44	100	0601480
	024N	3P + E	32	380-415~	IP44	60	0602480
015N	015N	3P + N + E	16	220-380~	IP44	60	0601580
	025N	3P + N + E	32	240-415~	IP44	60	0602580
012	012	2P+E	16	220-250~	IP44	300	0601200
113-4	113-4	2P+E	16	110-130~	IP44	60	0611304
	123-4	2P+E	32	110-130~	IP44	60	0612304
113	113	2P + E	16	220-250~	IP44	60	0611300
	123	2P+E	32	220-250~	IP44	60	0612300

Ref.	Model	No.of Pole	Rated Current (A)	Rated Volt. (V)	Protection Degree	Case Qty.(Pcs)	Item Code
114	114	3P + E	16	380-415~	IP44	60	0611400
	124	3P + E	32	380-415~	IP44	60	0612400
115	115	3P+N+E	16	220-380~	IP44	60	0611500
	125	3P+N+E	32	240-415~	IP44	60	0612500
133	133	2P + E	63	220-250~	IP67	10	0613300
	143	2P + E	125	220-250~	IP67	10	0614300
134	134	3P + E	63	380-415~	IP67	10	0613400
	144	3P + E	125	380-415~	IP67	10	0614400
135	135	3P+N+E	63	220-380~	IP67	10	0613500
	145	3P+N+E	125	240-415~	IP67	10	0614500
112	112	2P + E	16	220-250~	IP44	300	0611200
213-4	213-4	2P + E	16	110-130~	IP44	100	0621304
	223-4	2P + E	32	110-130~	IP44	60	0622304
213	213	2P + E	16	220-250~	IP44	100	0621300
	223	2P + E	32	220-250~	IP44	60	0622300
214	214	3P + E	16	380-415~	IP44	100	0621400
	224	3P + E	32	380-415~	IP44	60	0622400

Ref.	Model	No.of Pole	Rated Current (A)	Rated Volt. (V)	Protection Degree	Case Qty.(Pcs)	Item Code
215	215	3P+N+E	16	220-380~	IP44	60	0621500
	225	3P+N+E	32	240-415~	IP44	60	0622500
233	233	2P + E	63	220-250~	IP67	10	0623300
	243	2P + E	125	220-250~	IP67	10	0624300
234	234	3P + E	63	380-415~	IP67	10	0623400
	244	3P + E	125	380-415~	IP67	10	0624400
235	235	3P + N + E	63	220-380~	IP44	10	0623500
	245	3P + N + E	125	240-415~	IP44	10	0624500
213L-4	213L-4	2P + E	16	110-130~	IP44	100	0621374
	223L-4	2P + E	32	110-130~	IP44	60	0622374
213L	213L	2P + E	16	220-250~	IP44	100	0621370
	223L	2P + E	32	220-250~	IP44	60	0622370
214L	214L	3P + E	16	380-415~	IP44	100	0621470
	224L	3P + E	32	380-415~	IP44	60	0622470
215L	215L	3P + N + E	16	220-380~	IP44	60	0621570
	225L	3P + N + E	32	240-415~	IP44	60	0622570
213N-4	213N-4	2P + E	16	110-130~	IP44	100	0621384
	223N-4	2P + E	32	110-130~	IP44	60	0622384

Ref.	Model	No.of Pole	Rated Current (A)	Rated Volt. (V)	Protection Degree	Case Qty.(Pcs)	Item Code
213N	213N	2P + E	16	220-250~	IP44	100	0621380
	223N	2P + E	32	220-250~	IP44	60	0622380
214N	214N	3P + E	16	380-415~	IP44	100	0621480
	224N	3P + E	32	380-415~	IP44	60	0622480
215N	215N	3P + N + E	16	220-380~	IP44	60	0621580
	225N	3P + N + E	32	240-415~	IP44	60	0622580
313-4	313-4	2P + E	16	110-130~	IP44	120	0631304
	323-4	2P + E	32	110-130~	IP44	60	0632304
313	313	2P + E	16	220-250~	IP44	120	0631300
	323	2P + E	32	220-250~	IP44	60	0632300
314	314	3P + E	16	380-415~	IP44	120	0631400
	324	3P + E	32	380-415~	IP44	60	0632400
315	315	3P + N + E	16	220-380~	IP44	60	0631500
	325	3P + N + E	32	240-415~	IP44	60	0632500
333	333	2P + E	63	220-250~	IP67	20	0633300
	343	2P + E	125	220-250~	IP67	20	0634300
334	334	3P + E	63	380-415~	IP67	20	0633400
	344	3P + E	125	380-415~	IP67	20	0634400

Ref.	Model	No.of Pole	Rated Current (A)	Rated Volt. (V)	Protection Degree	Case Qty.(Pcs)	Item Code
335	335	3P + N + E	63	220-380~	IP67	20	0633500
	345	3P + N + E	125	240-415~	IP67	20	0634500
413-4	413-4	2P + E	16	110-130~	IP44	100	0641304
	423-4	2P + E	32	110-130~	IP44	60	0642304
413	413	2P + E	16	220-250~	IP44	100	0641300
	423	2P + E	32	220-250~	IP44	60	0642300
414	414	3P + E	16	380-415~	IP44	60	0641400
	424	3P + E	32	380-415~	IP44	60	0642400
415	415	3P + N + E	16	220-380~	IP44	60	0641500
	425	3P + N + E	32	240-415~	IP44	60	0642500
513	513	2P + E	16	220-250~	IP44	60	0651300
	523	2P + E	32	220-250~	IP44	60	0652300
514	514	3P + E	16	380-415~	IP44	60	0651400
	524	3P + E	32	380-415~	IP44	60	0652400
515	515	3P + N + E	16	220-380~	IP44	60	0651500
	525	3P + N + E	32	240-415~	IP44	60	0652500
613	613	2P + E	16	220-250~	IP44	120	0661300
	623	2P + E	32	220-250~	IP44	120	0662300

Ref.	Model	No.of Pole	Rated Current (A)	Rated Volt. (V)	Protection Degree	Case Qty.(Pcs)	Item Code
614	614	3P + E	16	380-415~	IP44	120	0661400
	624	3P + E	32	380-415~	IP44	120	0662400
615	615	3P + N + E	16	220-380~	IP44	120	0661500
	625	3P + N + E	32	240-415~	IP44	120	0662500
1012	1012	2P+E	16	220	IP44	20	0610120
1012-4	1012-4	2P+E	16	110	IP44	20	0610124
1013	1013	2P+E	16	220	IP44	20	0610130
1013-4	1013-4	2P+E	16	110	IP44	20	0610134