

DYMO®

DYMO Industrial Labeling Full-Line Catalog

Time is money. Save more of both.





Leave **any job** looking better than you found it.

Designed based on input from professional installers, DYMO® industrial labelers and labels are tough, affordable and long-lasting. They're loaded with convenient features that speed up your productivity – and help you save time and money every day.

The Rhino™ Product Line-up:



Rhino™ M1011



Rhino™ 4200



Rhino™ 5200



Rhino™ 6000

Thermal transfer printing means labels won't smudge, smear or fade. Choose up to a one-inch label width in a broad assortment of materials and colors that meet OSHA, ANSI, and ISO standards.

All DYMO Industrial labels are distributed from an easy-to-load cartridge, and with a split-back design, peeling and applying is quick and easy.



DYMO Industrial Labels

DYMO Industrial Labels are available in:

- Flexible Nylon
- Permanent Polyester
- Indoor/Outdoor Vinyl
- Heat-Shrink Tube
- Non-Adhesive Tag
- Self-Laminating

Complete your work with pride and professionalism.

No matter what industry you work in, DYMO® Industrial products give your installation work a clean, professional look that enhances your reputation. Our label printers and labels make it easier than ever to get results that meet industry standards – as well as yours. All our products stand up to the toughest conditions your industry can dish out.

One-touch "Hot Keys" — a DYMO exclusive — save you time.



Wire & Cable Wraps

Advanced wrap function automatically selects the right label and text size, based on the wire guage, cable diameter or cable type.



Panels & Blocks

Instantly format and serialize labels for patch panels, terminal blocks and modular components.



Flags

Create perfectly spaced flag labels allowing visibility from any angle.



Fixed-Length & Vertical

Fixed-length key automatically centers and prints fixed-length labels to your requirements. With the press of a button, align text vertically for easy-to-read labels.



Electrical Features

Pre-formatted for creating electrical panel, breaker, and module labels.



Symbols & Terms Library

Provides fast access to common datacom, electrical, pro AV, security and safety symbols; including: ohms, earth, phone, data and fax. Select and print 150+ industry terms from a built-in library.

HOT KEYS

Exclusive, one-touch "HOT KEYS"

Shortcut keys for creating and formatting wire and cable wraps, flags and barcodes, patch panel, electrical panel, terminal and 110 block, vertical and fixed-length labels.



Wire & Cable Wraps
Panels & Blocks
Flags
Fixed Length & Vertical
Electrical Features
Symbols & Terms Library

Online resources:

Designed for end users, installers and distributors.

Visit | www.dymo.com/industrial

And check out our comprehensive resource collection for the full line of products. Learn about features, get step-by-step product trainings, view educational videos, industry blogs, upcoming events and more.

We've created templates for equipment from Belden, Honeywell, Leviton and other leading manufacturers.

Online resources include:

- 1 Manufacturer Templates**
Download templates with exact label spacing for Patch Panels, 110 and Terminal blocks
- 2 Upcoming Tradeshows**
Find a tradeshow near you and stop by to check us out
- 3 Training Classes**
Sign up for online training classes led by industry experts
- 4 Software***
Download the latest version of Rhino Connect™ Software
* Compatible with Rhino 6000
- 4 Industrial Labels**
Learn about our broad label assortment, including compliance with industry standards and certifications
- 6 Product Training**
Watch step-by-step product trainings and educational videos



TEMPLATES

Download Manufacturer Templates

Just download the template, open in Rhino Connect™ software, and add text to create labels that fit the equipment perfectly – no measuring required. New templates added regularly.

Honeywell
Security &
Communications



COMMSCOPE®



Advanced Datacom

Rhino™ 6000

Advanced Labeling Tool with PC Connectivity

Feature-packed industrial labeler with PC connection.

Bring the tough, portable Rhino 6000 to any jobsite – it's packed with time-saving shortcuts for labeling any installation quickly and professionally. Connect it to your PC, and use RHINO CONNECT™ software to create labels on your computer, and download them to your labeling tool for even faster labeling on site. Works with 32- and 64-bit Windows® XP, Windows Vista® and Windows® 7.

DYMO Rhino 6000 features:

- 1 **Connects to PC via USB cable.** Use RHINO CONNECT™ software to create labels on your PC and download them to the labeler for printing on site
- 2 **Meets all ANSI and TIA/EIA-606-A** industry labeling standards
- 3 **Exclusive, one-touch "Hot Keys"** provide shortcuts to size, shape and format label text for electrical and patch panels, terminal and 110 blocks, wire and cable flags, horizontal and vertical wraps, vertical and fixed-length applications including 5 line print capability
- 4 **Prints 6 different barcode types** including Code 39 and Code 128
- 5 **Powerful serialization**—Built-in wizards for simple and advanced serialization
- 6 **Symbol library** with more than 250 pre-programmed industry symbols, terms, fractions and punctuation marks
- 7 **Last-label memory** and storage for up to 1000 of the labels you use most



Included

Up to



Item No: 1734519

RHINO 6000 SINGLE UNIT

Box includes:

- Rhino 6000 printer
- 1" black on white flexible nylon tape
- Rechargeable lithium-ion battery
- AC adapter
- Quick Reference Guide
- Registration card

Rhino 6000 Hard Case Kit

The ultimate in portable, professional labeling.

The Rhino 6000 Hard Case Kit offers leading technology in an all-in-one package. Included RHINO CONNECT™ Software offers the ultimate versatility to plan installations ahead of time and implement directly at the worksite.



Item No: 1734520

RHINO 6000 HARD CASE KIT

Kit includes the Rhino 6000 printer, PLUS:

- Rhino CONNECT™ Software*
- Durable hard carry case
- 1" black on white flexible nylon tape
- 3/8" black on white vinyl tape
- Rechargeable lithium-ion battery
- AC adapter and USB cable
- Quick Reference Guide
- Registration card

* Software only in the Hard Case Kit

Datacom and Facility

Advanced Labeling Tool

Rhino™ 5200

Outperforms industrial labelers costing twice as much.

The portable, affordable Rhino 5200 saves you time and money on every job! Press one "Hot Key" to format text into perfect patch panel labels; press another to print matching cable flags or face plate tags, without retyping! It's just as easy to print cable wraps, terminal/110 block labels, barcodes & more.

DYMO Rhino 5200 features:

- 1 **Meets all ANSI and TIA/EIA-606-A** industry labeling standards
- 2 **Exclusive one-touch "Hot Keys"** automatically size, space and format label text for electrical and patch panels, terminal and 110 blocks, wire and cable flags, wire and cable wraps, vertical and fixed-length applications
- 3 **Prints Code 39 and Code 128 barcodes** on 3/4"-wide labels – ideal for asset management
- 4 **Uses DYMO Industrial labels** with chemical-, heat- and UV-resistant materials; also prints directly on heat-shrink tubes and non-adhesive labels
- 5 **Large 14-character, two-line backlit display**
- 6 **100-label memory** for storing commonly used labels



Li-ion
Capable

Up to
3/4"
19 mm

Item No: 1755749

RHINO 5200 SINGLE UNIT

Box includes:

- Rhino 5200 printer
- 3/4" white flexible nylon tape
- Quick Reference Guide
- User Manual on CD-rom

Rhino 5200 Hard Case Kit

The "ready-to-go" labeling solution.

For the fastest, easiest way to use the Rhino 5200 professional portable labeler, get hold of this complete kit, including rugged carry case. It has all you need to hit the ground running.



Item No: 1756589

RHINO 5200 HARD CASE KIT

Kit includes the Rhino 5200 printer, PLUS:

- Durable hard carry case
- Rechargeable lithium-ion battery
- 3/4" black on white flexible nylon tape
- 3/8" black on white vinyl tape
- AC adapter
- Quick Reference Guide
- User Manual on CD-rom

Facility, Security, and Pro AV

Rhino™ 4200


All-Purpose Labeling Tool with QWERTY Keyboard

Compact, time-saving labeling for on-the-go pros.

The DYMO Rhino 4200 gets labeling jobs done fast – and done right. Easily navigate the familiar QWERTY keyboard. Use one-touch “Hot Key” shortcuts to quickly create and format wire/cable wraps, flags, fixed-length labels and more. Print labels up to 3/4" wide in a variety of materials and colors – PLUS print directly on heat-shrink tubes.

DYMO Rhino 4200 features:

- 1 Easy to navigate computer-style QWERTY keyboard**
Quick and comfortable text entry
- 2 One-Touch “Hot Keys” – a DYMO exclusive**
Shortcut keys for creating and formatting wire/cable wraps, flags, Code 39 and Code 128 bar codes, fixed-length, general and breaker labels
- 3 Industrial-strength labeling versatility**
Print 1/4", 3/8", 1/2" and 3/4" wide labels in a variety of materials and colors – PLUS print directly on heat-shrink tubes
- 4 NEW “Favorites” key**
Single-key access to your most commonly used labels, symbols and terms
- 5 NEW “Custom” key prevents needless repetition**
Customize and save settings for individual label formats




Item No: **1801611**

RHINO 4200 SINGLE UNIT

Box includes:

- Rhino 4200 printer
- 3/4" black on white flexible nylon tape
- Quick Reference Guide



QWERTY

Rhino™ 4200 Hot Keys



Breaker/Module



Code 39/Code 128



Wire/Cable/Flag



Rotate/Align



General/Fixed



Easy to navigate computer-style QWERTY keyboard

Quick and comfortable text entry

Accessories

Rhino™

Rhino CONNECT™ Software

For use with the Rhino 6000 labeler.

Item No: 1738636

On-site industrial labeling, made quicker.

The fastest, most cost-effective solution for panel builders, harness shops, and any other business that labels in high volume on a daily basis.

System requirements:

PC Windows® 2000, Windows® XP, or Windows Vista®

Mac® OS® 10.2.8, 10.3.x, 10.4.x

USB port, 10MB of hard disk space, and CD-ROM Drive

Laptop and Rhino printer NOT INCLUDED



Rhino Hard Carry Cases

Store and protect your Rhino in a durable case.



Item No: 1738638

RHINO 6000 Hard Carry Case



Item No: 1760413

RHINO 5200 Hard Carry Case

Rhino AC Adapter and Rechargeable Lithium-ion Batteries

Run or recharge your Rhino labeler and eliminate AA battery cost and waste.



Item No: 15519

Universal AC Adapter

For Rhino 4200, 5200, and 6000



Item No: 1759398

Rechargeable Battery

For Rhino 4200 and 5200
(Requires AC Adapter for charging)



Item No: 1738637

Rechargeable Battery

For Rhino 6000
(Requires AC Adapter for charging)



Printer Selection Guide

Rhino™




IND	Overview	Rhino 6000 Item No: 1734519	Rhino 5200 Item No: 1755749	Rhino 4200 Item No: 1801611
	Barcodes	6	Code 39 + Code 128	Code 39 + Code 128
	Patch Panels	YES	YES	-
	110 Blocks	YES	YES	-
	Terminal Blocks	YES	YES	-
	Flags & Cable Wraps	YES	YES	YES
	Fixed & General	YES	YES	YES
	Breakers & Modules	YES	YES	YES
	Self Laminating	YES	-	-
	Serialization	Advanced	Advanced	Simple
	Pre-programed Symbol Library	YES	YES	YES
	Pre-programed Term Library	YES	-	YES
	Customizable Library	YES	YES	YES
	Memory	1000 Labels	100 Labels	25 Labels
	PC Connectivity (USB)	YES	-	-
	Rhino Connect™ Software Compatible	YES	-	-
	Import Graphics	YES	-	-
	Import Data from Excel	YES	-	-
	Import DataCom Templates	YES	-	-
	Li-ion Rechargeable Battery	Included	Capable	Capable
	Cutter Type	Electronic	Manual	Manual
	Keyboard Type	ABC	ABC	QWERTY
	Backlit Display	YES	YES	YES
	Integrated Rubber Bumper	YES	YES	Partial
	Multi-Label View	YES	YES	YES
	Lanyard Loop	YES	YES	-
	Number of Styles	5	5	5
	Maximum Lines of Print	5	5	5
	Number of Character Sizes	7	7	7
	Printing Process	Thermal Transfer	Thermal Transfer	Thermal Transfer
	Print Resolution	180 dpi	180 dpi	180 dpi
	Languages	11	17	20
	Dimensions	9.7"H x 5.4"W x 2.5"D	9.2"H x 4.9"W x 2.5"D	7"H x 4.6"W x 2.25"D
	Weight	4 Lbs	2 Lbs	2 Lbs
	Tape System	Rhino Industrial Labels	Rhino Industrial Labels	Rhino Industrial Labels
	Tape width in inches	1/4", 3/8", 1/2", 3/4", 1"	1/4", 3/8", 1/2", 3/4"	1/4", 3/8", 1/2", 3/4"

Industrial Embosser

Metal Embossing Tool

Rhino™ M1011



Innovation that began over 40 years ago and continues today.

The Rhino™ M1011 embosses 1/2" stainless steel and aluminum labels – with or without adhesive – that resist corrosion due to extreme weather, temperature, chemical, and UV exposure. This tough, durable embosser features an easy-to-use label cutting handle (cuts rounded edges), hole and cable tie punches, a trailing edge measuring gauge, and much more.

DYMO Rhino M1011 features:

- 1 **Uses 1/2" Stainless Steel & Aluminum labels**
- 2 **Built-in hole punch** for creating hanging, screw-on or nail-on labels
- 3 **Built-in cable tie slot punch** for cable marking
- 4 **Built-in measuring gauge** – accurately set length of leading and trailing label edge
- 5 **Easy-to-use cutting handle** makes cutting stainless steel labels effortless - Cuts square or rounded edges
- 6 **Print mirror script labels** with included reverse image character wheel



1/2"
12 mm



Item No: **1011-05**

RHINO M1011 KIT

Box includes:

- Rhino M1011 Metal Tape Embosser
- Horizontal .188" Character Wheel
- Reverse Image Wheel
- 1/2" x 12' Non-Adhesive Aluminum Tape
- 1/2" x 16' Non-Adhesive Stainless Steel Tape
- Hard Carry Case


Rhino M1011 Embossing Labels

For heavy-duty, extreme-condition labeling.

Aluminum and stainless steel labels have excellent resistance to chemicals, extreme weather conditions, high and low temperatures and abrasion. Ideal for marking pipelines, underground cables, engine parts, building materials and much more.

Metal Labels (Box of 10 Rolls)			1/2" (12mm)
Part #	Description	Length	Color
310-00	Non-Adhesive Aluminum 1/2" (12mm)	16' (4,80m)	Aluminium
325-00	Non-Adhesive Stainless Steel 3/4" (19mm)	21' (6,40m)	Stainless
358-00	Adhesive Aluminum 1/2" (12mm)	12' (3,65m)	Aluminium

The right label for virtually every situation and surface.



Indoor/Outdoor Vinyl

For general labeling or extreme conditions. Vinyl labels offer moisture, chemical and UV resistance, making them ideal for labeling both indoors and outdoors. Available in the widest range of colors that adhere to OSHA, ANSI and ISO color standards.

UL recognized as a component to UL 969

Flexible Nylon

For labeling wires, cables and rounded surfaces. Flexible Nylon labels conform and stick tightly to wires, cables, curved and textured surfaces. Tear-proof material resists damage when pulled through tight spaces or conduits.

UL recognized as a component to UL 969

Permanent Polyester

For labeling panels, blocks, faceplates, shelves, bins, beams and more. Permanent Polyester labels have a polished finish that leaves your work looking professional. Available in smaller widths that fit most patch panels, blocks and other distribution panels.

UL recognized as a component to UL 969

Heat-Shrink Tube

For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables. Print directly on Heat-Shrink Tubes with any DYMO Industrial labeling tool.

Meets MIL-M-81531, MIL-STD-202G, SAE-DTL- 23053/5 (Class 1 & 3)

UL recognized as a component to UL 224

Non-Adhesive Tag

For sliding into racks or faceplates that do not require adhesive. Made from polyester for increased durability.

Self-Laminating

Self-Laminating labels protect your printed area from exposure to oil, solvents, water and abrasion when applied to wires and cables.

All DYMO Industrial labels are RoHS compliant.

For technical specifications on all DYMO Industrial label types, please visit our website at:

www.dymo.com/industrial

How to choose the right DYMO Industrial label:

ENVIRONMENT							
SURFACE		Heat/Cold Resistant	UV Light Resistant	Oil Resistant	Water Resistant	Chemical Resistant	Color Coding
	Cable/Wire	Flexible Nylon Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl
	Curved Surface	Flexible Nylon Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl Flexible Nylon	Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl Flexible Nylon	Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl
	Flat Surface	Permanent Polyester Flexible Nylon	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl
	Textured Surface	Permanent Polyester Flexible Nylon	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl

Top = Best Option Bottom = Alternate Option

Available DYMO® Industrial label widths and colors:



IND		LABEL APPLICATIONS		LABEL COLOR	1/4" 6 mm	3/8" 9 mm	1/2" 12 mm	3/4" 19 mm	1" 24 mm
Labels that stick and stay stuck. DYMO Industrial labels are tough— jobsite tested and UL recognized. Labels won't smear or fade and are built with industrial-strength adhesives to resist moisture, UV light and extreme temperatures. Whether you are labeling to OSHA, ISO and ANSI color standards or labeling in harsh conditions, DYMO Industrial labels have you covered. DYMO Industrial labels are designed to work exclusively with Rhino™ printers and to perform on a variety of surfaces. LEARN MORE: www.dymo.com/industrial				BLACK ON WHITE	–	18443	18444	18445	1805430
				BLACK ON YELLOW	–	–	18432	18433	1805431
				BLACK ON ORANGE	–	–	18435	18436	1805427
				BLACK ON GREY	–	–	1805413	1805419	1805425
				WHITE ON RED	–	–	1805416	1805422	1805429
				WHITE ON BLACK	–	1805437	1805435	1805436	1805432
				WHITE ON GREEN	–	–	1805414	1805420	1805426
VINYL Length 18' 5.5 m - UL Recognized Component to UL969 - RoHS compliant 				WHITE ON BLUE	–	–	1805243	1805417	1805423
				WHITE ON PURPLE	–	–	1805415	1805421	1805428
				WHITE ON BROWN	–	–	1805412	1805418	1805424
				PERMANENT POLYESTER Length 18' 5.5 m - UL Recognized Component to UL969 - RoHS compliant 				BLACK ON WHITE	1805442
BLACK ON CLEAR	1805440	18508DMO	622289					622290	1805433
BLACK ON METALLIC	1805441	18485	18486					18487	1805434
HEAT-SHRINK TUBE Length 5' 1.5 m - UL Recognized Component to UL224 - Meets MIL-STD-202G, MIL-M-81531 & SAE-DTL 23053/5 (Class 1 & 3) - RoHS compliant 				BLACK ON WHITE	18051	18053	18055	18057	–
				BLACK ON YELLOW	18052	18054	18056	18058	–
FLEXIBLE NYLON Length 11.5' 3.5 m - UL Recognized Component to UL969 - RoHS compliant 				BLACK ON WHITE	–	–	18488	18489	1734524
				BLACK ON YELLOW	–	–	18490	18491	1734525
NON-ADHESIVE TAG Length 18' 5.5 m - RoHS compliant 				BLACK ON WHITE	18111	–	18113	–	–
SELF-LAMINATING Length 18' 5.5 m - RoHS compliant 				BLACK ON WHITE	–	–	–	–	1734821



A *NewellRubbermaid* Brand

©2011 DYMO. All rights reserved.
Atlanta, GA 30328
800-426-7827
www.dymo.com