



EAGLE MANUFACTURING COMPANY

Catalog

COMPLIANCE SOLUTIONS



SAFETY CABINETS



SAFETY CANS



SPILL CONTAINMENT



GUARDS & PROTECTORS



POLY DRUMS



CIGARETTE DISPOSAL

EAGLE MANUFACTURING COMPANY

- Since 1894 -

PRODUCT INDEX

SAFETY CABINETS

- 3 Standard Cabinet Features
- 4 Flammable Storage Cabinets
- 5 Flammable Storage Cabinets
- 6 Tower™ Cabinets
- 7 Paint and Ink Cabinets
- 8 Metal Acid & Corrosive Cabinets
- 9 Poly Acid & Corrosive Cabinets
- 10 Drum Storage & Haz-Mat Cabinets
- 11 Pesticide Cabinets
- 12 Office Cabinets & Cabinet Accessories
- 13 Cabinet Accessories
- 14 Combo Cabinets

SPILL CONTAINMENT

- 15 Standard Platform Features
- 16 Budget Basins & Modular Spill Platforms
- 17 Spill Pallets & Platforms
- 18 IBC Containment Units
- 19 Outdoor Drum Storage & Workstations
- 20 Drum Stackers, Single Drum Containment Unit & Utility Tray
- 21 Drum Bogie, Platform & Drum Accessories

POLY DRUMS

- 22 Lab and Overpack Drums
- 23 Salvage Drums

GUARDS & PROTECTORS

- 24 Bollard Posts, Machine Guards & Combos
- 25 Column Protectors, Wall & Corner Guards
- 26 Bollard Post Sleeves
- 27 Smooth & Decorative Post Sleeves
- 28 Parking Stops, Speed Bump, Poly Guide-Post Delineators™ & Poly Bollards
- 29 Clearance Bars & Collapsible Barricades
- 30 Poly Dockplates - Fixed & Portable
- 31 Poly Curb Ramp & Shipping Container Ramp

SAFETY CANS

- 32 Cantastic - Standard Safety Can Features
- 33 Type I Galvanized Safety Cans
- 34 Type I Poly & Type II Safety Cans
- 35 Lab & Faucet Cans - Specialty Use Cans
- 36 Plunger, Bench & DOT Cans
- 37 Poly Waste Cans & Disposal Cans

CIGARETTE DISPOSAL


- 38 Decorative SafeSmoker™
- 39 Butt Cans & SafeSmoker™

Manufacturing quality products for safety, protection and conservation for over 115 years.

Founded in 1894 as a decorative glass factory, Eagle Manufacturing has grown and changed with the times. The technology that let Eagle make metal lids for glass jars led the way into the manufacturing of metal supply cans for the railroad industry in 1907. These cans led to the current safety container line. Eagle also became well known for their pump oilers. As the need for products to meet Federal OSHA safety regulations grew in the 1970s, Eagle expanded

production to include cabinets for the storage of flammables. In the late 1980s, Eagle again diversified their product line to include a new line of Haz-Mat containment products and in 2000 expanded their line to include a complete range of guards and protectors. Throughout its 115 year history, Eagle has depended on the talents of the finest employees and craftsman available. Eagle is a market leader, offering consistent value throughout their entire line!

Eagle's CLAWS Program



is a compliance evaluation system utilized to promote employee and public safety, property protection and environmental conservation by specifying approved products that meet specific federal regulations concerning Containment, Liquid Handling, Waste Management and Safety Storage of Hazardous Materials. Go to our website to request a free CLAWS handbook - www.eagle-mfg.com

Eagle Sales Team - We're here to help!



Mark | Lois | Matt | Kelly | John Mitchell | Tracy | Cheryl | Joyce | Jessica | Cindy | Ingrid
Vice President & Sales Manager



EAGLE
MANUFACTURING
COMPANY

© EAGLE MANUFACTURING COMPANY, 2009/2010
Eagle Manufacturing Company reserves the right to change construction, specifications, prices and terms without notice, and without obligation as to products already shipped.

SAFETY CABINETS



Eagle Features Industry-Leading Safety Cabinets

Since 1967 Eagle Manufacturing has been setting the pace for cabinets for the storage of flammables and other liquids. In 1997 Eagle designed a new state-of-the-art production facility and created a new cabinet design incorporating many new convenience and safety features. Cabinets are now available from 2 gallons to 110 gallons with

many sizes in between to meet your needs. Eagle engineers are working constantly to develop new cabinets to meet the ever changing needs of today's business, industry and laboratories.

We invite you to look at the many types of cabinets we make on the following pages.



Flammable Storage Cabinets



Paint/Ink Storage Cabinets




Acid/Corrosive Storage Cabinets



Pesticide Storage Cabinets

STANDARD FEATURES



THREE DOOR STYLES TO CHOOSE FROM



1947 2-Door
Manual Close



4510 2-Door
Self Closing




1945 Sliding Door
Self Closing
30 & 45 gallon only



Eagle cabinets are available in the following colors:

SAFETY CABINETS

FLAMMABLE LIQUID SAFETY CABINETS

									
									
Capacity (Gal.)		2gal.	4gal.	12gal.	15gal.	16gal.	22gal.	24gal.	24gal.
Common Name		Bench Top	Bench Top	Space Saver	ADD-ON	Space Saver	Under Counter	Wall-Mount	Space Saver
Model Numbers									
Door Styles	Self Close:	1900	1903	1924	ADD 14	1905	1970	1975	2310
	Manual Close:	1901	1904	1925	ADD 15	1906	1971	1976	1923
	Sliding Self Close:	—	—	—	—	—	—	—	—
Outside Dimensions		Width: 17 1/2"W Depth: 18" D Height: 17 1/4"H	Width: 17 1/2"W Depth: 18" D Height: 22 1/2"H	23" W 18" D 35" H	43" W 18" D 22 1/4"H	23" W 18" D 44" H	35" W 22" D 35" H	43" W 12" D 44" H	23" W 18" D 65" H
Inside Dimensions		Width: 14 1/2"W Depth: 15" D Height: 14 1/4"H	Width: 14 1/2"W Depth: 15" D Height: 19 1/2"H	20" W 15" D 32" H	40" W 15" D 19 1/4"H	20" W 15" D 41" H	32" W 19" D 32" H	40" W 9" D 41" H	20" W 15" D 62" H
No. of Shelves		1	1	1	Optional	1	1	3	3
Extra Shelf Model No.		1902	1902	1919	1915	1919	1972	1977	1919
Shelf Depth		14 3/4"	14 3/4"	14 3/4"	14 3/4"	14 3/4"	18 3/4"	8 3/4"	14 3/4"
Maximum Weight		66 lbs.	74 lbs.	126 lbs.	152 lbs.	152 lbs.	191 lbs.	224 lbs.	208 lbs.
Compliance		OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30
Approvals		—	—	—	—	—	—	—	—

All Cabinets Include Standard Features & Benefits Shown On Page 3

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.

- 2 – 24 gal cabinets are ideal for storage of smaller containers of flammable liquids
- Larger cabinets are suitable for storage of up to 5-gal sized containers of flammable liquids
- All cabinets feature adjustable shelves to accommodate various sized containers



Eagle's CLAWS Program

is a compliance evaluation system utilized to promote employee and public safety, property protection and environmental conservation by specifying approved products that meet specific federal regulations concerning Containment, Liquid Handling, Waste Management and Safety Storage of Hazardous Materials.



30 gal.	45 gal.	48 gal.	60 gal.	60 gal.	60 gal.	90 gal.
Standard 30	Standard 45	Deep Space Saver	Single Door 60	Standard 60	Work Bench	Standard 90
3010 1932 1930	4510 1947 1945	4610 1946 —	6110 1961 —	6010 1962 —	6410 1964 —	9010 1992 —
43" W 18" D 44" H	43" W 18" D 65" H	23" W 34" D 65" H	31 1/4"W 31 1/4"D 65" H	31 1/4"W 31 1/4"D 65" H	43" W 34" D 44" H	43" W 34" D 65" H
40" W 15" D 41" H	40" W 15" D 62" H	20" W 31" D 62" H	28 1/4"W 28 1/4"D 62" H	28 1/4"W 28 1/4"D 62" H	40" W 31" D 41" H	40" W 31" D 62" H
1 1915	2 1915	3 1919(2)	2 1911	2 1911	1 1915(2)	2 1915(2)
14 3/4"	14 3/4"	30"	28"	28"	30"	30"
231 lbs.	312 lbs.	315 lbs.	330 lbs.	332 lbs.	327 lbs.	434 lbs.
OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30
FM*	FM*	FM*	FM*	FM*	FM*	FM*

DID YOU KNOW?

*FM Designates Factory Mutual Tested & Approved.

- Improper storage and handling of flammable liquids is the leading cause of industrial fires.
- The use of approved safety cans is your first layer of protection against fire. Storage of safety cans in approved safety cabinets provides your second layer of protection.
- Safety cabinets are designed to protect the contained flammable liquids for a period of 10-minutes, giving personnel time to exit in case of fire.



SAFETY CABINETS

TOWER™ SAFETY CABINETS (Yellow Only)



PAINT/INTERIOR



Capacity (Gal.)	12gal.	16gal.	30gal.	45gal.	60gal.	90gal.	40gal.
Common Name	Space Saver	Space Saver	Tower 30	Tower 45	Tower 60	Tower 90	Tower 40
Model No.	1924LEGS	1905LEGS	3010LEGS	4510LEGS	6010LEGS	9010LEGS	Cabinet
Door Styles	Self Close: Manual Close: Sliding Self Close:	1925LEGS -	1906LEGS -	1932LEGS -	1947LEGS -	1962LEGS -	1992LEGS -
Outside Dimensions	Width: 23" W Depth: 18" D Height: 39" H	Width: 23" W Depth: 18" D Height: 48" H	Width: 43" W Depth: 18" D Height: 48" H	Width: 43" W Depth: 18" D Height: 69" H	Width: 31 1/4" W Depth: 31 1/4" D Height: 69" H	Width: 43" W Depth: 34" D Height: 69" H	Width: 43" W Depth: 18" D Height: 48" H
Inside Dimensions	Width: 20" W Depth: 15" D Height: 32" H	Width: 20" W Depth: 15" D Height: 41" H	Width: 40" W Depth: 15" D Height: 41" H	Width: 40" W Depth: 15" D Height: 62" H	Width: 28 1/4" W Depth: 28 1/4" D Height: 62" H	Width: 40" W Depth: 31" D Height: 62" H	Width: 40" W Depth: 15" D Height: 41" H
No. of Shelves	1	1	1	2	2	2	3
Extra Shelf Model No.	1919	1919	1915	1915	1911	1915(2)	1915
Shelf Depth	14 3/4"	14 3/4"	14 3/4"	14 3/4"	28"	30"	14 3/4"
Maximum Weight	148 lbs.	174 lbs.	254 lbs.	335 lbs.	354 lbs.	467 lbs.	265 lbs.
Compliance	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30
Approvals	-	-	FM*	FM*	FM*	FM*	FM*

All Cabinets Include Standard Features & Benefits Shown On Page 3

****PI-32LEGS**
is Manual Close

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.

Tower cabinets include 4" adjustable legs for the added benefits of:

- Placing cabinets over floor or wall ventilation
- Providing easy cleaning under cabinet
- Protecting the cabinet in areas where floor moisture is a concern
- Moving with a fork lift or pallet jack





PAINT/INK TOWER™ SAFETY CABINETS

PAINT/INK SAFETY CABINETS



60gal.	96gal.	24gal. (168 Aerosol Cans)	30gal. (252 Aerosol Cans)	40gal.	60gal.	96gal.
Tower 60	Tower 96	Aerosol Can Storage	Aerosol Can Storage	Standard 40	Standard 60	Standard 96
are available in yellow - when ordering add a "Y" before model number (to order 1975 or 1976 in yellow drop the RED from the model number)						
- PI-47LEGS -	- PI-62LEGS -	1975-RED 1976-RED -	PI-7710 PI-77 -	PI-3010 PI-32 PI-30	PI-4510 PI-47 PI-45	PI-6010 PI-62 -
43" W 18" D 69" H	31 1/4"W 31 1/4"D 69" H	43" W 12" D 44" H	43" W 12" D 65" H	43" W 18" D 44" H	43" W 18" D 65" H	31 1/4"W 31 1/4"D 65" H
40" W 15" D 62" H	28 1/4"W 28 1/4"D 62" H	40" W 9" D 41" H	40" W 9" D 62" H	40" W 15" D 41" H	40" W 15" D 62" H	28 1/4"W 28 1/4"D 62" H
5 1915	5 1911	3 1977	5 1977	3 1915	5 1915	5 1911
14 3/4"	28"	8 3/4"	8 3/4"	14 3/4"	14 3/4"	28"
363 lbs.	382 lbs.	224 lbs.	300 lbs.	253 lbs.	351 lbs.	374 lbs.
OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30
FM*	FM*	-	FM*	FM*	FM*	FM*

*FM Designates Factory Mutual Tested & Approved.

- Paint/Ink Tower Cabinets have all the features of the Tower Cabinets on page 6.

- Additional shelves for storage of 1-gallon paint or ink cans or for aerosol cans
- Capacity is based upon the number of 1-gallon paint cans

- Aerosol cabinets include wall-mounting brackets. 24 gallon cabinet is designed to hold up to 168 12 oz. aerosol cans and the 30 gallon cabinet is designed to hold up to 252 12 oz. aerosol cans

SAFETY CABINETS

ACID & CORROSIVE CABINETS



Capacity (Gal.)	4gal.	12gal.	15gal.	16gal.	22gal.	24gal.	30gal.
Common Name	Bench Top	Space Saver	ADD-ON	Space Saver	Under Counter	Space Saver	Standard 30
Model Numbers							
Door Styles	Self Close: CRA-1903 Manual Close: CRA-1904 Sliding Self Close: -	CRA-1924 CRA-1925 -	ADD-CRA14 ADD-CRA -	CRA-1905 CRA-1906 -	CRA-70 CRA-71 -	CRA-2310 CRA-1923 -	CRA-3010 CRA-32 CRA-30
Outside Dimensions	Width: 17 1/2"W Depth: 18" D Height: 22 1/2"H	23" W 18" D 35" H	43" W 18" D 22 1/4"H	23" W 18" D 44" H	35" W 22" D 35" H	23" W 18" D 65" H	43" W 18" D 44" H
Inside Dimensions	Width: 14 1/2"W Depth: 15" D Height: 19 1/2"H	20" W 15" D 32" H	40" W 15" D 19 1/4"H	20" W 15" D 41" H	32" W 19" D 32" H	20" W 15" D 62" H	40" W 15" D 41" H
No. of Shelves Extra Shelf Model No.	1 CRA-1902	1 CRA-1909	Optional CRA-1914	1 CRA-1909	1 CRA-72	3 CRA-1909	1 CRA-1914
Shelf Depth	14 3/4"	14 3/4"	14 3/4"	14 3/4"	18 3/4"	14 3/4"	14 3/4"
Maximum Weight	74 lbs.	128 lbs.	154 lbs.	154 lbs.	195 lbs.	212 lbs.	234 lbs.
Compliance	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30
Approvals	-	-	-	-	-	-	FM*

All Cabinets Include Standard Features & Benefits Shown On Page 3

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.

- Special corrosion resistant powder coat finish on all internal and external surfaces, including shelves
- Includes poly shelf and bottom trays to help contain small spills and provide extra corrosion protection
- Steel cabinets are not recommended for the storage of aggressive acids such as nitric, sulfuric and hydrochloric
- Also available in 100% polyethylene construction for storage of aggressive acids





POLY ACID & CORROSIVE CABINETS

															
															
45gal.		60gal.		4gal.		22gal.		44gal.		4gal.		22gal.		44gal.	
Standard 45		Standard 60		Bench Top		Under Counter		Standard		Bench Top		Under Counter		Standard	
CRA-4510 CRA-47 CRA-45		CRA-6010 CRA-62 -		- CRA-P04 -		- CRA-P22 -		- CRA-P44 -		- CRA-P04W -		- CRA-P22W -		- CRA-P44W -	
43" W 18" D 65" H		31 1/4"W 31 1/4"D 65" H		18" W 18" D 22" H		35" W 22" D 36" H		35" W 22" D 65" H		18" W 18" D 22" H		35" W 22" D 36" H		35" W 22" D 65" H	
40" W 15" D 62" H		28 1/4"W 28 1/4"D 62" H		15" W 15" D 19" H		32" W 19" D 33" H		32" W 19" D 58" H		15" W 15" D 19" H		32" W 19" D 33" H		32" W 19" D 58" H	
2 CRA-1914		2 CRA-1918		1 CRA-PS04		2 CRA-PS22		4 CRA-PS22		1 CRA-PS04		2 CRA-PS22		4 CRA-PS22	
14 3/4"		28"		12"		12"		12"		12"		12"		12"	
328 lbs.		352 lbs.		35 lbs.		100 lbs.		178 lbs.		35 lbs.		100 lbs.		178 lbs.	
OSHA/NFPA Code 30		OSHA/NFPA Code 30		100% polyethylene construction for storage of aggressive acids such as nitric, sulfuric and hydrochloric.											
FM*		FM*													

*FM Designates Factory Mutual Tested & Approved.

Poly Acid Cabinets have the following features:

- Sealed internal and top spill sumps, adjustable shelves and storage in the door for small bottles
- Lockable doors provide secure storage of dangerous acids
- Includes 2-2" poly vents with caps, 4-poly leveling legs and specific warning labels

SAFETY CABINETS

DRUM SAFETY CABINETS



Capacity (Gal.)	55gal.	55gal.	110gal.	55gal.	110gal.	60gal.
Common Name	One Drum Vertical	One Drum Horizontal	Two Drum Vertical	HAZ One Drum Vertical	HAZ Two Drum Vertical	HAZ Two Drum (30 gal. Drums)
Model Numbers						
Door Styles	Self Close: 2610 Manual Close: 1926	2810 1928	5510 1955	HAZ2610 HAZ1926	HAZ5510 HAZ1955	HAZ9010 HAZ1992
Outside Dimensions	Width: 31 1/4"W Depth: 31 1/4"D Height: 65" H	31 1/4"W 48 1/4"D 50" H	58" W 31 1/2"D 65" H	31 1/4"W 31 1/4"D 65" H	58" W 31 1/2"D 65" H	43" W 34" D 65" H
Inside Dimensions	Width: 28 1/4"W Depth: 28 1/4"D Height: 62" H	28 1/4"W 45 1/4"D 47" H	55" W 28 1/2"D 62" H	28 1/4"W 28 1/4"D 62" H	55" W 28 1/2"D 62" H	40" W 31" D 62" H
No. of Shelves	1	—	1	1	1	1
Extra Shelf Model No.	1921	—	1922	1921	1922	1915(2)
Shelf Depth	14 3/4"	—	14 3/4"	14 3/4"	14 3/4"	14 3/4"
Maximum Weight	332 lbs.	349 lbs.	515 lbs.	366 lbs.	583 lbs.	525 lbs.
Compliance	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30
Approvals	FM*	—	FM*	FM*	FM*	FM*

All Cabinets Include Standard Features & Benefits Shown On Page 3

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.

- Drum Safety Cabinets include drum support-guides in the bottom and 1 shelf (vertical cabinets only)
- Haz-Mat Cabinets include roller conveyors in the bottom, 1 shelf and Hazardous Waste labels
- Regulations require not more than 60 gal of Class I and Class II liquids and not more than 120 gal of Class III liquids in any one safety cabinet





PESTICIDE SAFETY CABINETS



POLY PESTICIDE CABINETS



Capacity (Gal.)	12gal.	30gal.	45gal.	55gal.	60gal.	4gal.	22gal.
Common Name	Space Saver	Standard 30	Standard 45	One Drum Vertical	Standard 60	Bench Top	Under Counter
Model Numbers							
Door Styles	Self Close: Manual Close:						
Outside Dimensions	Width: 23" W Depth: 18" D Height: 35" H	Width: 43" W Depth: 18" D Height: 44" H	Width: 43" W Depth: 18" D Height: 65" H	Width: 31 1/4" W Depth: 31 1/4" D Height: 65" H	Width: 31 1/4" W Depth: 31 1/4" D Height: 65" H	Width: 18" W Depth: 18" D Height: 22" H	Width: 35" W Depth: 22" D Height: 36" H
Inside Dimensions	Width: 20" W Depth: 15" D Height: 32" H	Width: 40" W Depth: 15" D Height: 41" H	Width: 40" W Depth: 15" D Height: 62" H	Width: 28 1/4" W Depth: 28 1/4" D Height: 62" H	Width: 28 1/4" W Depth: 28 1/4" D Height: 62" H	Width: 15" W Depth: 15" D Height: 19" H	Width: 32" W Depth: 19" D Height: 33" H
No. of Shelves	1	1	2	1	2	1	2
Extra Shelf Model No.	1919	1915	1915	1922	1911	CRA-PS04	CRA-P22
Shelf Depth	14 3/4"	14 3/4"	14 3/4"	14 3/4"	28"	12"	12"
Maximum Weight	128 lbs.	234 lbs.	332 lbs.	332 lbs.	352 lbs.	35 lbs.	100 lbs.
Compliance	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30	-	-
Approvals	-	FM*	FM*	FM*	FM*	-	-

*FM Designates Factory Mutual Tested & Approved.

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.

- Safe, secure, lockable storage of pesticides including herbicides, insecticides, fungicides and other poisons
- Excellent protection for companies specializing in lawn care, golf course or agricultural management

- Includes poly shelf and bottom trays to help contain small spills and provide extra corrosion protection
- Also available in 100% polyethylene construction for storage of highly corrosive pesticides or poisons

- Sealed internal and top spill sumps, adjustable shelves and storage in the door for small bottles
- Lockable doors provide secure storage of dangerous acids
- Includes 2-2" poly vents with caps, 4-poly leveling legs and specific warning labels

SAFETY CABINETS

OFFICE SUPPLY CABINETS



Capacity (Gal.)

21.5cu.ft.

Common Name

Office Supply Cabinet

Model Numbers

Door Styles Self Close:
Manual Close:

—
1947-4BE & 1947-4GR

Outside Dimensions

Width: 43" W
Depth: 18" D
Height: 65" H

Inside Dimensions

Width: 40" W
Depth: 15" D
Height: 62" H

No. of Shelves
Extra Shelf Model No.

4
1915BEIGE & 1915GRAY

Shelf Depth

14³/₄"

Maximum Weight

371 lbs.

Compliance

OSHA/NFPA**
Code 30

Approvals

FM*

** Office Supply Cabinets require flammable labels to comply with this standard.

- Office Supply Cabinets provide secure, fire-resistant storage of software, financial records, supplies, toner, adhesives, etc.
- Office Supply Cabinets have 4-painted shelves.

* FM Designates Factory Mutual Tested & Approved.

- These cabinets are not Fire-Proof


Cabinet Accessories



1918 Horizontal Drum Cradle



3045 Kit Poly Trays




1915 Metal Shelves



1950/1951 Bonding Wires (3')
1953 Brass Horizontal Drum Vent
1974B Brass Faucet



1957 Galvanized Drum Cabinet Ramp




1910G Self Closing Adaptor Kit



1794 Poly Drum Cabinet Ramp



1916G Shelf Dividers



1920 Roller Conveyors - 2 Shown (Sold Individually)



Cabinet Accessories, Shelves & Parts

SHELVES, POLY TRAYS, DOLLY CARTS, PARTS

1902	Metal Shelf for	4 gallon cabinets
1908G	3" Divider for	60 gallon cabinets
1909G	5" Divider for	60 gallon cabinets
1910G	Self Closing Adaptor Kit for	15, 30, 45, 90 gallon & Wall Mount cabinets
1911	Metal Shelf for	60 gallon cabinets
1912G	Self Closing Kit for . All Single Door 4, 12, 16 and 24 gal. cabinets	
1915	Metal Shelf for	15, 30 & 45 gallon cabinets
1916G	3" Divider for . 4, 12, 15, 16, 30, 45 gal. cabinets	
1917G	5" Divider for . 4, 12, 15, 16, 30, 45 gal. cabinets	
1918	Cradle for	Horizontal Drum Cabinets
1919	Metal Shelf for	12, 16 & 24 gallon cabinets
1920	2" Roller Conveyor	HAZ1926 & HAZ1955
1921	Metal Shelf for	HAZ1926 & HAZ2610
1922	Metal Shelf for	HAZ 1955
1934	Cabinet Dolly Cart for . . .	12 & 16 gallon cabinets
1935	Cabinet Dolly Cart for . . .	15 & 30 gallon cabinets
1950	Grounding Wire w/Alligator Clips	36" length
1951	Bonding Wire w/C Clip.	36" length
1953	Brass Horizontal Drum Vent	
1957	Galvanized Drum Cabinet Ramp	
1794	Poly Ramp for use with vertical Drum Cabinets	
1966G	Self Closing Adaptor Kit for 60 gallon Flammable, PI 60 Series & Vertical One Drum Cabinet	
1967G	Self Closing Adaptor Kit for	2 Drum Cabinet
1972	Metal Shelf for	Under Counter Cabinets
1974B	Brass Faucet	
1994	2" Roller Conveyor	HAZ1992 & HAZ9010
1977	Metal Shelf for	Wall Mount Cabinets
1978G	Self Closing Adaptor Kit for Under Counter Cabinet	
1979GN	Self Closing Adaptor Kit for	HAZ9010
CRA-1900	Poly Bottom Tray for	2 & 4 gallon cabinets
CRA-1901	Poly Tray for	2 & 4 gallon cabinets
CRA-1902	Coated Metal Shelf for	2 & 4 gallon Cabinets
CRA-1907	Poly Bottom Tray for . 12, 16 & 24 gallon cabinets	
CRA-1908	Poly Shelf Tray for . . . 12, 16 & 24 gallon cabinets	
CRA-1909	Coated Metal Shelf for 12, 16 & 24 gallon cabinets	
CRA-1912	Poly Bottom Tray for . 15, 30 & 45 gallon cabinets	
CRA-1913	Poly Shelf Tray for . . . 15, 30 & 45 gallon cabinets	
CRA-1914	Coated Metal Shelf for 15, 30 & 45 gallon cabinets	
CRA-1916	Poly Bottom Tray for	60 gallon cabinets
CRA-1917	Poly Shelf Tray for	60 gallon cabinets
CRA-1918	Coated Metal Shelf for	60 gallon cabinets
CRA-72	Coated Metal Shelf for	CRA-70 & CRA-71

CRA-73	Poly Bottom Tray for.	CRA-70 & CRA-71
CRA-74	Poly Shelf Tray for	CRA-70 & CRA-71
CRA-PS04	Poly Cabinet Shelf for	4 gallon poly cabinet
CRA-PS22	Poly Cabinet Shelf for	22 & 44 gallon poly cabinets
3045 Kit	Universal Poly Tray Kit	3 trays
C-80	Fusible Link Round Sliding Door Models Only	
C-80N	Fusible Link Rectangular 1 & 2 Door Self-Closing Models	
C-82N	Door Lock with Keys - All Models	
C-83N	Key Set (2 keys)	
C-89-1	Door Lock Assembly for	30 gallon cabinets (w/rods)
C-89-2	Door Lock Assembly for . 45 & 60 gallon cabinets	(w/rods)

Please call Eagle Customer Service at
304-737-3171

Replacement doors available upon request.



SAFETY CABINETS

COMPLIANCE SOLUTION
COMBOS for the
HANDLING & STORAGE
of FLAMMABLE LIQUIDS

These Cantastic new combos bring you Eagle's best selling Safety Cabinets filled with Eagle 5 Gallon, Type I Safety Cans with funnels! Now one easy purchase can meet your compliance needs.



Capacity (Gal.)	30gal.	45gal.	60gal.
Common Name	30 Gallon Combo Cabinet	45 Gallon Combo Cabinet	60 Gallon Combo Cabinet
Model Numbers Manual Close:	1932SC6 (Includes 6 UI-50-FS Cans)	1947SC9 (Includes 9 UI-50-FS Cans)	1962SC12 (Includes 12 UI-50-FS Cans)
Outside Dimensions Width: Depth: Height:	43" W 18" D 44" H	43" W 18" D 65" H	31 1/4"W 31 1/4"D 65" H
Inside Dimensions Width: Depth: Height:	40" W 15" D 41" H	40" W 15" D 62" H	28 1/4"W 28 1/4"D 62" H
No. of Shelves Extra Shelf Model No.	1 1915	2 1915	2 1911
Shelf Depth	14 3/4"	14 3/4"	28"
Maximum Weight	263 lbs.	365 lbs.	406 lbs.
Compliance	OSHA/NFPA Code 30	OSHA/NFPA Code 30	OSHA/NFPA Code 30
Approvals	FM*	FM*	FM*



And I'm proud of it. My name is Gary Byers and I'm on the production line that makes Eagle Flammable Safety Storage Cabinets, and we make them right here in the USA! When you buy a cabinet from Eagle you are giving your company the best defense in safety and fire prevention. *I want to make a cabinet for you!*



EAGLE
MANUFACTURING
COMPANY
SINCE 1884

2400 Charles St. | Wellsburg, WV 26070
304-737-3171 | FAX 304-737-1752

Go to...
www.eagle-mfg.com
For a FREE Regulatory Compliance Guide



Eagle CLAWS Program is a compliance evaluation system utilized to promote employee and public safety, property protection and environmental conservation by specifying approved products that meet specific federal regulations concerning Containment, Liquid Handling, Waste Management and Safety Storage of Hazardous Materials. Go to our website for a free CLAWS brochure - www.eagle-mfg.com

All steel cabinets meet NFPA Code 30 and OSHA specifications. Self-closing models meet Uniform Fire Code and NFPA Code One requirements.

**NEW
PRODUCT**


*Now order Eagle
Combos to get the
Cabinet and Type I
Cans you need to meet
your compliance needs!*

SPILL CONTAINMENT



SPILL CONTAINMENT *FEATURES*

STANDARD PLATFORM FEATURES



NEW and Improved Products



Eagle has redesigned the 2 Drum (1632) Modular Platform and 4 Drum (1634) Modular Platform. They now feature several improvements. Both products now have fork lift pockets, a redesigned flat top grating and Eagle's new built-in U-channel connectors. They still are compatible with Eagle's Poly Ramp (Model 1689) for easy loading and unloading. Eagle has also redesigned the best selling 4 Drum (1645) pallet with a

new lower 8" high profile and the 2 Drum Pallet (1620) is now lower at 13³/₄". The 4 Drum In-Line Platform (1647) has also been redesigned.

*Note: 1647 is not suitable for use with a forklift




SPILL CONTAINMENT

	BUDGET BASINS		MODULAR SPILL PLATFORMS			SP
						
						
Model Number	1631	1638	1633	1632	1634	1620
Common Name	2 Drum Budget Basin	4 Drum Budget Basin	1 Drum Modular Platform	2 Drum Modular Platform	4 Drum Modular Platform	2 Drum Pallet
Dimensions	W D H 26 1/4" 51 1/2" 6 1/2"	51 1/2" 51 1/2" 7"	26 1/4" 26" 6 1/2"	26 1/4" 51 1/2" 6 1/2"	51 1/2" 52 1/2" 6 1/2"	51" 26 1/4" 13 3/4"
Sump Capacity Drain Plug	34 Gal. —	66 Gal. Yes	12 Gal. —	30 Gal. —	30 Gal. per side —	66 Gal. Yes
Weight	20 lbs.	25 lbs.	16 lbs.	32 lbs.	65 lbs.	52 lbs.
Load Capacity	5,000 lbs.	5,000 lbs.	2,000 lbs.	5,000 lbs.	10,000 lbs.	4,000 lbs.
Fork Pockets	No	No	No	Yes	Yes	Yes
Compliance	—	—	EPA 40 CFR 264.175	EPA 40 CFR 264.175	EPA 40 CFR 264.175	EPA 40 CFR 264.175 SPCC
Use w/1689 Ramp	No	No	No	Yes	Yes	No

Add low cost spill protection to your workplace

Typical Configurations

All Eagle Pallets and Platforms feature:
High Performance Engineered Plastic construction for excellent chemical resistance and impact durability for long life. Removable grating for easy cleaning






Modular design allows for multiple configurations. Easy to connect with built-in U-channel. Low profile for easy loading and unloading

Convenient
Storage Center

SPILL CONTAINMENT PALLETS

SPILL CONTAINMENT PLATFORMS

					
					
1645	1640	1646	1647	1686	1688
4 Drum Pallet	4 Drum Pallet	4 Drum Nestable Pallet	4 Drum In-Line Platform	6 Drum Platform	8 Drum Platform
51½" 51½" 8"	51½" 51½" 18½"	58½" 58½" 7¾"	103½" 26¼" 6½"	77" 51½" 6½"	102" 51½" 6½"
66 Gal. Yes	90 Gal. Yes	66 Gal. Yes	66 Gal. –	88 Gal. –	90 Gal. –
67 lbs.	88 lbs.	72 lbs.	64 lbs.	85 lbs.	112 lbs.
8,000 lbs.	4,000 lbs.	6,000 lbs.	8,000 lbs.	8,000 lbs.	10,000 lbs.
Yes	Yes	Yes	No	No	No
EPA40 CFR 264.175 SPCC	EPA 40 CFR 264.175 SPCC	EPA 40 CFR 264.175 SPCC	EPA 40 CFR 264.175 SPCC	EPA 40 CFR 264.175 SPCC	EPA 40 CFR 264.175 SPCC
Yes	No	Yes	Yes	Yes	Yes

Low Profile for easy loading and unloading

Poly Pallet Ramp



1689 - Poly Ramp
45½" L x 32" W x 8" H
Weight: 32 lbs. – Capacity: 1,500 lbs.

For use with 1632, 1634, 1645,
1646, 1647, 1686, 1688,
1646RTC and 1649.



EPA 40 CFR 264.175: Container storage areas must have a containment system that has sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.



This marker indicates compliance with EPA spill prevention, control and counter-measures regulations.

SPILL CONTAINMENT

IBC CONTAINMENT UNITS



Model Number	1680	1683	1684
Common Name	IBC Containment Unit with Steel Platform	IBC Containment Unit with Poly Platform (Tank not included)	Double All Poly IBC Containment Unit (Tank not included)
Dimensions	W 67" D 67" H 26"	67" 67" 26"	118" 77 1/2" 20"
Sump Capacity	400 Gal.	400 Gal.	400 Gal.
Weight	270 lbs.	245 lbs.	450 lbs.
Load Capacity	10,000 lbs.	10,000 lbs.	20,000 lbs. (10,000 lbs. per platform)
Fork Pockets	No	No	No
Compliance	EPA 40 CFR 264.175 SPCC	EPA 40 CFR 264.175 SPCC	EPA 40 CFR 264.175 SPCC



IBC Spill Units come with 100% polyethylene containment tub and your choice of metal or poly platforms.

1684 includes 2 front bucket wells for easy dispensing.



EPA 40 CFR 264.175: Container storage areas must have a containment system that has sufficient capacity to contain 10% of the volume of containers or the volume of the largest container, whichever is greater.



This marker indicates compliance with EPA Spill Prevention, Control and Countermeasures regulations.



OUTDOOR DRUM STORAGE

WORKSTATIONS

			
1646RTC	1649	1626	1628
Rotary Top Containment Unit	4 Drum Poly Storage Building	2 Drum Low-Profile Workstation	2 Drum High-Profile Workstation
59½" 73½" 68"	57½" 57½" 72"	60" 34" 46"	60" 34" 64"
66 Gal.	66 Gal.	110 Gal.	220 Gal.
295 lbs.	250 lbs.	89 lbs.	120 lbs.
6,000 lbs.	8,000 lbs.	4,000 lbs.	4,000 lbs.
Yes	Yes	Yes	Yes
EPA 40 CFR 264.175 SPCC	EPA 40 CFR 264.175 SPCC	EPA 40 CFR 264.175 SPCC	EPA 40 CFR 264.175 SPCC



Rotary Top Containment

Protect up to four 55 gallon drums from the elements with this rotary style pallet. The height of the cover allows storage with drum pumps in place.

Usable with poly ramp (1689). 100% polyethylene construction resists corrosion & weathering. Access through front and top only.

4 Drum Poly Storage Building

Securely store up to four 55 gallon drums. Features four-way forklift pockets, vented door louvers, removable grating and top hooks for moving.

Note: top hooks are intended only for moving empty building. Door opening accepts up to a 48" x 48" pallet.



2 Drum Workstations

A secure way to store drums inside or outside. Available in low (1626) or high (1628) profile for the storage of two drums. Units are forkliftable and have optional dolly allowing for easier movement on worksite. Includes locks for secure storage.

1629 - Workstation Dolly



1,500 lb.
Capacity

SPILL CONTAINMENT



1677BLACK Containment Utility Tray
18" x 36" x 2"



Horizontal Drum Stacking System Single Drum Containment, Utility Tray

Eagle's Horizontal Drum Stacking System is ideal for storage and dispensing of chemicals and helps keep your work area free and clean of environmental contamination. Used in combination with Eagle's spill containment platforms, this stacking system meets [EPA Secondary Containment Storage requirements \(40 CFR 264.175\)](#). All components are 100% polyethylene for durable chemical resistance. Units are designed to lock into spill pallet grating for stable drum storage. Shelf attaches easily and allows for filling more than one container at a time. Stackers let you double up on storage in the same floor space and the Double Stackers are

forkliftable.

The 1612 is a **Single Drum Containment Unit** that is ideal for use as a spill containment unit, a mobile pumping station or waste collection station. With the addition of the 1698 drum dolly you can easily move the drum for dispensing or collection.

Compliance:
[EPA 40 CFR 264.175](#)

Containment Utility Tray
This HDPE tray is an affordable way to contain small spills up to 5 gallons. Ideal for counter top use for the working storage of lab chemicals, as a drip pan under dispensers or as a floor tray under machinery. These trays are nestable for easy storage and feature a ribbed bottom.




Does not include drum funnel or dolly

Model	Item	Dimensions	Weight	Load Capacity
1605	Cradle*	29" x 26½" x 22½"	30 lbs.	2,000 lbs.
1606	Single Stacker*	27" x 26½" x 29"	30 lbs.	1,000 lbs.
1607	Double Stacker*	48" x 26½" x 13"	30 lbs.	2,000 lbs.
1608	Shelf	19" x 23" x 19"	15 lbs.	100 lbs.
1612	Single Drum Unit	31" x 33"	30 lbs.	-
1698	Overpack Dolly	27½" x 7"	30 lbs.	-
1958	Horizontal Drum Lifter	-	5 lbs.	1,000 lbs.
1677	Containment Utility Tray (Yellow)	18" x 36" x 2"	9 lbs.	-
1677BLACK	Containment Utility Tray (Black)	18" x 36" x 2"	9 lbs.	-

* Use with pallets for compliance

Grating Available for Other Uses



Drum Bogie, Mobile Spill Platform and Drum Accessories

Drum Bogie

Mobile dispensing unit protects against incidental spills and leaks - for 30, 55 and 95 gallon drums. The durable polyethylene Bogie resists corrosion; has 5 swivel casters for maximum stability, load capacity and maneuverability; and features a poly push-pull handle. Ships via UPS.

Drum Tray and Drip Pan

Our drum tray is ideal under drums where dispensing or filling takes place—available with grating for use with smaller containers. The drip pan catches up to 1 gallon of oils, coolants, water or other non-aggressive liquids.

Drum Funnel and Cover

18" wide drum funnel fits both 55 and 30 gallon drums. 6" high side walls reduce splashing and spout fits any 2" NPT bung. The optional funnel cover keeps out dirt and contaminants.

Compliance: EPA 40 CFR 265.173.

Drum Covers

HDPE construction, covers for closed (1666) or open (1667) head drums.

Mobile Spill Control Platform

The safety of a spill containment platform with the convenience of mobility - safely transfer containers between workstations.

Pallet Tarps

for 2 and 4 drums available.



1613 Drum Bogie - 1,250 lb. load capacity - Height 9½"
Five 3" Casters - 12 gallon capacity



1637 Mobile Spill Platform - 30 gallon capacity
Lab Pack and Drum not Included




1660 Drum Funnel
1664 Drum Funnel Cover


Model	Item	Dimensions	Weight
1613	Drum Bogie	35½" x 42"	30 lbs.
1614	Drum Tray	31" x 6"	20 lbs.
1615	Drum Tray with Grating	31" x 6"	24 lbs.
1618	Drum Tray Dolly	31" x 7"	32 lbs.
1637	Mobile Spill Control Platform	28" x 56" x 41"	92 lbs.
1622	2 Drum Pallet Tarp	52" x 27" x 41"	4 lbs.
1644	4 Drum Pallet Tarp	54" x 54" x 40"	6 lbs.
1952	Overpack Hand Truck	-	84 lbs.
1954	Drum Lifter	-	20 lbs.
1958	Horizontal Drum Lifter	-	5 lbs.
1660	Drum Funnel	18" x 7"	11 lbs.
1662	Drum Funnel with Screen	18" x 7"	11 lbs.
1664	Drum Funnel Cover	18½" x 5"	1 lb.
1666	Drum Cover - Closed Head	23" x 5"	2.5 lbs.
1667	Drum Cover - Open Head	24" x 5"	2.5 lbs.
1670	Drip Pan	10½" x 10½" x 3"	1 lb.
1698	Overpack Dolly	27½" x 7"	30 lbs.



1666 Drum Covers **1667**



1958 Drum Lifter



1954 Drum Lifter



1670 Drip Pan
Filled with Polypropylene



1614 Drum Tray & optional
1618 Drum Tray Dolly
w/3" Casters
10 gallon capacity



1644 Pallet Tarp
54" x 54" x 40"



1952 Overpack Hand Truck

POLY DRUMS

All Drums Feature:

- Blow-molded HDPE construction
- Chemical and weather resistant
- HDPE incinerates completely
- United Nations (UN) Certified to HM-181
- Operating temperature range (-30° F to 130° F)
- Drop tested – max weight @ 0°F (48 hrs) – 6' drop
- Approved for use with Packing Groups I, II, and III
- UV Protection Package
- UL 94HB Flammability Rating
- Nestable for ideal storage
- FDA 21 CFR 177.1520 Food Grade Quality
- Stack tested- 3 high at maximum weight capacity (24 hours)



Model #	1610	1610MB	1650	1652	1654	1600SL	1601	1601M
Style	Lab pack	Lab pack	Lab pack	Lab pack	Salvage drum	Lab pack	Lab pack	Lab pack
Closure Type	Plastic lever-lock	Metal lever-lock	Screw-on lid	Plastic lever-lock	Metal lever-lock	Screw-on lid	Plastic lever-lock	Metal lever-lock
Inside Dimensions	Top: 13½" Bottom: 12¾" Height: 25"	Top: 13½" Bottom: 12¾" Height: 25"	Top: 19¾" Bottom: 16⅝" Height: 20"	Top: 19" Bottom: 16⅝" Height: 19"	Top: 19" Bottom: 16⅝" Height: 19"	Top: 19⅞" Bottom: 16¼" Height: 27"	Top: 19" Bottom: 16¼" Height: 26⅝"	Top: 19" Bottom: 16¼" Height: 26⅝"
Outside Dimensions	Top: 15" Bottom: 12¾" Height: 26½"	Top: 15" Bottom: 12¾" Height: 26½"	Top: 20⅜" Bottom: 16¾" Height: 20¼"	Top: 20⅞" Bottom: 16⅞" Height: 20⅞"	Top: 20⅞" Bottom: 16⅞" Height: 20⅞"	Top: 22½" Bottom: 16⅝" Height: 28¼"	Top: 21⅞" Bottom: 16⅝" Height: 28½"	Top: 21⅞" Bottom: 16⅝" Height: 28½"
Maximum Capacity	143 lbs. 65 kg.	220 lbs. 100 kg.	125 lbs. 57 kg.	88 lbs. 40 kg.	165 lbs. 75 kg.	396 lbs. 180 kg.	220 lbs. 100 kg.	396 lbs. 180 kg.
Total Capacity	14 gal. 52.2 l.	14 gal. 52.2 l.	20 gal. 76 l.	20 gal. 76 l.	20 gal. 76 l.	30 gal. 114 l.	30 gal. 114 l.	30 gal. 114 l.
Maximum Container Size	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.
Weight	9 lbs. 3.6 kg.	10 lbs. 4.1 kg.	13 lbs. 5.85 kg.	15 lbs. 5.85 kg.	16 lbs. 6.75 kg.	18 lbs. 6.3 kg.	16 lbs. 6.3 kg.	18 lbs. 7.2 kg.
Pallet Quantity	54	54	24	40	40	24	40	40
Truckload Quantity	1,404	1,404	528	1,000	1,000	720	1,000	1,000
UN/DOT Rating	1H2/X65/S	1H2/X65/S 1H2/Y100/S	1H2/X57/S	1H2/X40/S	1H2/X75/S	1H2/X120/S 1H2/Y180/S	1H2/X100/S	1H2/X120/S 1H2/Y180/S

Lid Styles:

- Lids feature closed cell foam or silicone gaskets
- Lid closure instructions included in each drum
- Plastic ring models include a poly bag
- Salvage Drums pass 3 psi pressure test



SCREW TOP



PLASTIC LEVER-LOCK



METAL LEVER-LOCK



METAL BAND W/BOLT



Lab Packs - for use with smaller non-damaged bottles, cans, carboys and 5 gallon pails of non-leak ing hazardous materials - if leaking, must pack with suff cient sorbents for - NO FREE LIQUIDS.

Over Packs - for use with larger non-damaged containers, cans and drums of non-leak ing hazardous materials - if leaking, must pack with suff cient sorbents for - NO FREE LIQUIDS.

Salvage Drums - for use with damaged or leaking containers of hazardous materials or used absorbent materials contaminated with a hazardous substance. Require "Salvage Drum" labeling and must pass a 3-PSI pressure test.



1601MB	1602	1661	1665	1690	1695
Lab pack	Salvage drum	Overpack	Salvage drum	Overpack	Salvage drum
Metal lever-lock	Metal lever-lock	Screw-on lid	Metal band w/bolt	Screw-on lid	Metal band w/bolt
19" 16¼" 26⅝"	19" 16¼" 26⅝"	27⅞" 25⅛" 31¼"	27⅞" 25½" 35⅞"	27⅞" 25⅞" 39"	27½" 25¼" 38"
21⅞" 16⅝" 28½"	21⅞" 16⅝" 28½"	31" 26⅞" 33¾"	31" 26" 38⅞"	31" 26⅞" 41¼"	31" 25¾" 44⅞"
396 lbs. 180 kg.	220 lbs. 100 kg.	660 lbs. 300 kg.	440 lbs. 200 kg.	660 lbs. 300 kg.	748 lbs. 340 kg.
30 gal. 114 l.	30 gal. 114 l.	65 gal. 247 l.	65 gal. 247 l.	95 gal. 361 l.	95 gal. 361 l.
5 gal.	5 gal.	30 gal.	55 gal.	55 gal.	55 gal.
18 lbs. 7.2 kg.	18 lbs. 7.2 kg.	45 lbs. 20.25 kg.	53 lbs. 23.85 kg.	50 lbs. 22.5 kg.	58 lbs. 26.1 kg.
40	40	3	4	3	4
1,000	1,000	180	192	180	192
1H2/X120/S 1H2/Y180/S	1H2/X100/S	1H2/X300/S	1H2/X200/S	1H2/X300/S	1H2/X340/S

Eagle Drums are Ideal for:

- Safe storage, handling and transportation of hazardous materials
- Spill containment and cleanup of hazardous materials
- Spill kit containers
- Original shipping containers
- Bio-waste disposal and incineration




REGULATORY COMPLIANCE

Lab Packs: DOT 49 CFR 173.12

Overpacks: DOT 49 CFR 173.25

Salvage Drums: DOT 49 CFR 173.3

GUARDS & PROTECTORS



Bollard Posts and Machine Guards

Bollard Posts add protection to your facility and prevent damage. Posts feature a durable baked on powder coat in safety yellow to provide high visibility. Each post is made of 1/4" thick (schedule 40) steel mounted on 3/8" steel plates, pre-drilled (3/4") for easy installation. The black HDPE post caps are included and can be



removed to fill posts with concrete for extra protection.

Machine Guards

Our machine guards provide superior protection for facilities and equipment. Create barriers between traffic areas and your valuable machinery.

- Anchor hardware not included

Bollard Posts				
Model	Description	Dimensions	Plate Size	Weight
1742	4" Round Bollard Post	24" h x 4.5"	8" x 8" x 3/8"	35 lbs.
1743	4" Round Bollard Post	36" h x 4.5"	8" x 8" x 3/8"	45 lbs.
1744	4" Round Bollard Post	42" h x 4.5"	8" x 8" x 3/8"	50 lbs.
1749	4" Round Post Cap	5" Dia.	NA	2 lbs.
1755	5" Round Bollard Post	24" h x 5.6"	10" x 10" x 3/8"	45 lbs.
1756	5" Round Bollard Post	36" h x 5.6"	10" x 10" x 3/8"	60 lbs.
1757	5" Round Bollard Post	42" h x 5.6"	10" x 10" x 3/8"	67 lbs.
1758	5" Round Post Cap	5.85" Dia.	NA	2 lbs.
1752	5" Square Bollard Post	24" h x 5"	10" x 10" x 3/8"	35 lbs.
1753	5" Square Bollard Post	36" h x 5"	10" x 10" x 3/8"	47 lbs.
1754	5" Square Bollard Post	42" h x 5"	10" x 10" x 3/8"	53 lbs.
1759	5" Square Post Cap	5.25" Sq.	NA	2 lbs.
1763	6" Round Bollard Post	36" h x 6.625"	10" x 12" x 3/8"	65 lbs.
1764	6" Round Bollard Post	42" h x 6.625"	10" x 12" x 3/8"	72 lbs.
1769	6" Round Post Cap	7" Dia.	NA	2 lbs.

Machine Guards				
Model	Item	Dimensions	Plate Size	Weight
1765	4" Low Profile Rack Guard	9" h x 36" w	8" x 8" x 3/8"	52 lbs.
1745	4" Low Profile Rack Guard	9" h x 48" w	8" x 8" x 3/8"	62 lbs.
1772	4" Rack Guard	16" h x 36" w	8" x 8" x 3/8"	72 lbs.
1773	4" Rack Guard	16" h x 48" w	8" x 8" x 3/8"	82 lbs.
1746	4" Machine Guard (Low)	24" h x 36" w	8" x 8" x 3/8"	82 lbs.
1770	4" Machine Guard (Low)	24" h x 48" w	8" x 8" x 3/8"	92 lbs.
1774	4" Machine Guard	36" h x 36" w	8" x 8" x 3/8"	100 lbs.
1775	4" Machine Guard	36" h x 48" w	8" x 8" x 3/8"	110 lbs.
1771	4" Machine Guard (High)	42" h x 36" w	8" x 8" x 3/8"	110 lbs.
1747	4" Machine Guard (High)	42" h x 48" w	8" x 8" x 3/8"	112 lbs.

All in one Steel Bollard Post & Poly Post Sleeve Combos!

NEW PRODUCT

These combos bring you the security of our 1/4" thick steel Bollard packaged with the protection and zero maintenance of our smooth Poly Post Sleeve. The combos are available in round 4"

and 6" bollard/sleeves 36" high and 42" high. Each combo includes a foam installation kit for perfect fit! Kit may be ordered separately.



Bollard Post & Sleeve Combos				
Model	Description	Dimensions	Sleeve Dim.	Item Weight
1743PS	4" Bollard w/Sleeve	36" h x 4.5" dia.	5" dia. x 36" h	2 50 lbs.
1744PS	4" Bollard w/Sleeve	42" h x 4.5" dia.	5" dia. x 42" h	2 55 lbs.
1763PS	6" Bollard w/Sleeve	36" h x 6.625" dia.	7" dia. x 36" h	2 70 lbs.
1764PS	6" Bollard w/Sleeve	42" h x 6.625" dia.	7" dia. x 42" h	2 77 lbs.
1739KIT	Installation Kit for Post Sleeves			



Column Protectors

Column Protectors

Affordable protection for warehouse and factory columns, posts and beams. Absorbs impact from tow motors, minimizing column, fork truck, and personnel damage and injury. These blow-molded 100% high density polyethylene protectors are resistant to most chemicals

and feature key-lock to prevent slippage and assist installation alignment. Available to fit 4", 6", 8", 10" and 12" round or square supports. No tools required. Two halves attach with easy-to-install straps. Yellow with black straps and orange and lime green with Hi-Vis reflective straps.



1725 42" Corner Protector
42" x 6" x 10" (each)
(Sold as set of 2)
IM 4" x 8" - OM 6" x 10"

Wall & Corner Guards


HDPE
CONSTRUCTION



1726 6" Wall Protector
6" x 42" x 2" (each) (Sold as set of 2)
(Anchors not included)



1708 8" Column Protector
24" x 42"



Narrow Column Protector



1704

Hi-Vis Column Protectors



1712 1712OR 1712LM

Yellow Column Protectors			
Model	Item	Dimensions	Weight
1704	Column Protector for 4-6" Column	13" x 13" x 42"	16 lbs.
1706	Column Protector for 6" Column	24" x 24" x 42"	40 lbs.
1708	Column Protector for 8" Column	24" x 24" x 42"	40 lbs.
1710	Column Protector for 10" Column	24" x 24" x 42"	40 lbs.
1712	Column Protector for 12" Column	24" x 24" x 42"	40 lbs.

Hi-Vis Column Protectors			
Model	Item	Dimensions	Weight
1706LM	Column Protector for 6" Column-Lime w/Reflective	24" x 24" x 42"	40 lbs.
1706OR	Column Protector for 6" Column-Orange w/Reflective	24" x 24" x 42"	40 lbs.
1708LM	Column Protector for 8" Column-Lime w/Reflective	24" x 24" x 42"	40 lbs.
1708OR	Column Protector for 8" Column-Orange w/Reflective	24" x 24" x 42"	40 lbs.
1710LM	Column Protector for 10" Column-Lime w/Reflective	24" x 24" x 42"	40 lbs.
1710OR	Column Protector for 10" Column-Orange w/Reflective	24" x 24" x 42"	40 lbs.
1712LM	Column Protector for 12" Column-Lime w/Reflective	24" x 24" x 42"	40 lbs.
1712OR	Column Protector for 12" Column-Orange w/Reflective	24" x 24" x 42"	40 lbs.

Corner Protectors			
Model	Item	Dimensions	Weight per set
1720	21" Corner Protector(set of 2)	21" h x 6"x10" w	10 lbs.
1725	42" Corner Protector(set of 2)	42" h x 6"x10" w	20 lbs.

Wall Protectors			
Model	Item	Dimensions	Weight per set
1726	6" Wall Protector (set of 2)	6"w x 42"L x 2"d	8 lbs.
1728	10" Wall Protector (set of 2)	10"w x 42"L x 2"d	14 lbs.

GUARDS & PROTECTORS



1738 8" x 57"
1738-72 8" x 72"
1730 6" x 56"
1730-72 6" x 72"
1732 4" x 56"

Eagle now offers the widest selection of HDPE Bollard Post Sleeves available!

Original Ribbed Post Sleeves

The original ribbed sleeves provide extra impact protection and are available to fit 4", 6" and 8" NPT pipe. Post sleeves are 56" long in all sizes and colors and

are available in 72" length in yellow to fit 6" and 8" posts.

Choose from lime, brown, green, red, blue, orange, yellow, white and black. Post sleeves may be easily trimmed for an exact fit.



1730BR - 6" Bollard Post Sleeve
6.875 I.D." x 56"



1730BL 6" (Handicap Blue) Bollard Post Sleeve



1730R
6" Bollard
Post Sleeve
6.875 I.D." x 56"



Poly Base

Poly bases available for 4" and 6" post sleeves to convert into poly bollard



1732BASE 1730BASE

Bumper Post Sleeves													
Size	I.D.	O.D.	Height	Red	White	Yellow	Green	Orange	Lime	Brown	Black	Blue	Weight
4"	4.75"	5.75"	56"	1732R	1732W	1732	1732GN	1732OR	1732LM	1732BR	1732BLK	1732BL	5 lbs.
6"	6.875"	7.875"	56"	1730R	1730W	1730	1730GN	1730OR	1730LM	1730BR	1730BLK	1730BL	8 lbs.
8"	8.875"	10.00"	57"	1738R	1738W	1738	1738GN	1738OR	1738LM	1738BR	1738BLK	1738BL	9 lbs.
6"	6.875"	7.875"	72"	-	-	1730-72	-	-	-	-	-	-	11 lbs.
8"	8.875"	10.00"	72"	-	-	1738-72	-	-	-	-	-	-	15 lbs.

Smooth Post Sleeves

Smooth Post Sleeves

The new smooth post sleeves are available to fit over 4", 6" and 8" NPT pipe and you may choose either yellow or red (available in other colors for quantity orders).

The smooth sleeves are 56" in length and provide the same maintenance free protection as the original ribbed post sleeves. These sleeves may be easily trimmed for an exact fit.



1736R - 6" Smooth Post Sleeve
6.875 I.D." x 56"

Smooth Post Sleeves						
Size	I.D.	O.D.	Height	Red	Yellow	Weight
4"	4.75"	5.25"	56"	1735R	1735	4 lbs.
6"	6.875"	7.375"	56"	1736R	1736	6 lbs.
8"	8.875"	9.375"	57"	1737R	1737	8 lbs.

Additional colors available in quantity orders



1736 - 6" Smooth Post Sleeve
6.875 I.D." x 56"



1735
4" Smooth Post Sleeve
6.875 I.D." x 56"



ArmorKraft™

DECORATIVE POST SLEEVES


Decorative Post Sleeves

Vertical flutes, horizontal rings and distinctive finials compliment and add value to any building or landscaping project. Posts are also used to delineate human or vehicular traffic and to mark

boundaries. Sturdy HDPE construction is resistant to weather, UV rays, chemicals, insects, cracks and dents. Choose from 3 distinctive styles: Classic, Golf Traditions or Hitching Post. Slip over 4"x4" wooden post or steel post.



Golf Traditions also available in white for use as 150 yd. marker



Installation Options


SECURITY
Fit over maximum 29"H post

Post Mount

Bollard Mount

Base Mount

Portable



Anchor directly to concrete or asphalt



Free standing with optional 10 lb. rubber base



Slips over 4" x 4" treated wooden post



Slips over 4" metal bollard post for maximum security

ArmorKraft Decorative Post Sleeve			
Model	Description	Dimensions	Weight
1713BLK	Classic	12.5" base dia x 37"h	10 lbs.
1714BLK/1714WHT	Golf Traditions	12.5" base dia x 37"h	10 lbs.
1715BLK	Hitching Post	12.5" base dia x 43"h	10 lbs.
1719BLK/1719WHT	Replacement Chain Kit	6.0' long	1 lbs.
1718BASE	Rubber Base Kit	12" dia x 4"h	10 lbs.

GUARDS & PROTECTORS

Load Tested to 10,000 lbs/Pneumatic Tire



1790Y Parking Stop - Yellow
8"wx4"Hx72"L



1792 6' Speed Bump - Cable Guard
10"wx2"Hx72"L

Inside channel dimensions:
1.25"wx0.875"H

**Load Tested to 20,000 lbs.
per Pneumatic Tire**



Includes 8 anchor spikes and
1 tube of asphalt adhesive

1793 9' Speed Bump - Cable Guard Kit
10"wx2"Hx108"L - Two 4.5' Sections

Protective Parking Stops & Speed Bump-Cable Protectors



Eagle Parking Stops, designed with safety and durability in mind, eliminate the need for seasonal painting. Flexible enough to fit parking lot contours - the rugged HDPE are weather and chemical resistant. Eagle offers four colors - the high-vis yellow, blue designates handicapped areas and the gray or black. Anchor kit included.

Eagle Speed Bump/Cable Protectors add safety to your facility. The high-vis yellow bumps are engineered at the perfect angle. They also act as a dual channel cable protector, feature a non-skid surface and are weather and chemical resistant. HDPE construction means you eliminate the need to continually paint bumps. Anchor kit included.



1790BLK Parking Stop - Black
8"wx4"Hx72"L
All Parking Stops include
3 anchor spikes

Protective Parking Stops			
Model	Description	Dimensions	Weight
1790Y	Parking Stop-Yellow	8"wx4"Hx72"L	15 lbs.
1790B	Parking Stop-Blue	8"wx4"Hx72"L	15 lbs.
1790G	Parking Stop-Gray	8"wx4"Hx72"L	15 lbs.
1790BLK	Parking Stop-Black	8"wx4"Hx72"L	15 lbs.

Speed Bump-Cable Protector				
Model	Description	Dimensions	Weight	Load
1792	6' Speed Bump-Cable Guard	10"wx72"Lx2"H	20 lbs.	20,000 lbs.
1793	9' Speed Bump-Cable Guard	10"wx108"Lx2"H	25 lbs.	20,000 lbs.

Poly Guide-Post Delineators™



Poly Guide-Post Delineators™ & Poly Bollard Posts



Poly Guide-Post Delineators™
Lightweight, portable, yieldable HDPE posts used to warn, guide and delineate. Feature 3" wide reflective bands for increased visibility and are MUTCD compliant. Posts are mounted on a 10" sq poly plate with anchor slots for permanent use or used with steel base for portable stability.

Poly Bollard Posts
Create a low cost, maintenance free caution zone. These 42" high poly bollards are available in a 5" or 7" model with poly base that can be anchored for maximum stability or use with optional weighted steel base.

Poly Guide-Post Delineators			
Model	Description	Dimensions	Weight
1734Y	Poly Guide-Post Delineator-Yellow	5.75"wx42"H	6 lbs.
1734LM	Poly Guide-Post Delineator-Lime	5.75"wx42"H	6 lbs.
1734OR	Poly Guide-Post Delineator-Orange	5.75"wx42"H	6 lbs.

Poly Bollards			
Model	Description	Dimensions	Weight
1731	5" Poly Bollard	5"wx42"H	5 lbs.
1733	7" Poly Bollard	7"wx42"H	8 lbs.
1731BASE	Steel Weighted Base for 1731, 1733 & 1734	10"wx10"Lx3.75"H	11 lbs.



Poly Bollard

**NEW
PRODUCT**

Clearance Bars

Clearance Bars

Eagle introduces two new clearance bars for use in drive-thrus, parking garages and much more. Clearance Bars provide an early warning for motorists reducing structural and vehicle damage. This is even more necessary as

SUV's and Pick-ups have grown in size. The Clearance Bars are constructed of high visibility yellow polyethylene and are available in 72" lengths in either 5" or 7" outside diameter. Both come with eye bolts for easy installation (chain not included).



1780 Clearance Bar
5" DIA X 76" L



1781 Clearance Bar
7" DIA X 77" L

Clearance Bars			
Model	Description	Dimensions	Weight
1780	5" Clearance Bar	5" DIA. X 76"	7 lbs.
1781	7" Clearance Bar	7" DIA. X 77"	9 lbs.

Collapsible Barricades

Eagle offers five barricades for specific uses. Each features ergonomic handling that makes cordoning of work and safety zones easier and more productive. A revolutionary ball and detent design snaps the unit in place with a simple twist of the handle. High visibility night or day! All units fold to 4.5" flat for shipping and storage.

YellowJacket™ - perfect for plant or construction site
Ped-X - warns drivers to beware of pedestrian traffic

- High visibility night or day
- Ships flat and assembled
- High density polyethylene
- Sturdy lightweight construction
- Folds flat for out of the way storage

Yellow-Jacket			
Model	Description	Dimensions	Weight
1820NS	YellowJacket, Yellow, w/No Sheeting	24"wx24"dx42.5"H	14 lbs.
1820CAUTION	YellowJacket, Yellow, w/Caution Sheeting	24"wx24"dx42.5"H	14 lbs.

Ped-X-ing			
Model	Description	Dimensions	Weight
1840NS	Ped-X, Lime w/No Sheeting	24"wx24"dx42.5"H	14 lbs.
1840PEDX	Ped-X, Lime w/Sheeting	24"wx24"dx42.5"H	14 lbs.



GUARDS & PROTECTORS



1795 Portable Poly Dockplate
35"wx36"Lx5"H



1795 750 lb. load capacity

Portable Poly Dockplate

These new durable HDPE dock plates are designed for use with two and four wheeled dollies, hand trucks and carts. They feature a lightweight ergonomic design, a raised non slip

surface, beveled entry and exit edges, high visibility yellow and integrated guardrails. Compliance: Meets OSHA 1910.30(a)

Portable Dockplate Also Features:

- Two integrated handles for easy handling
- Powder coated steel legs for durability and strength
- Light weight for easy use (30 lbs.)
- 4" height differential capability
- 750 lb. load capacity



1795 Portable Poly Dockplate
35"wx36"Lx5"H



Portable Poly Dockplate & Fixed Poly Dockplate				
Model	Description	Dimensions	Weight	Load
1795	Portable Poly Dockplate	35"wx36"Lx5"H	37 lbs.	750 lbs.
1796	Fixed Poly Dockplate	35"wx26"Lx5"H	20 lbs.	1,000 lbs.
1796KIT	Fixed Poly Dockplate Installation Kit		30 lbs.	—

Fixed Poly Dockplate

Fixed Dockplate Also Features:

- Lift-n-lower ergonomic design helps reduce injuries and comp claims
- Features molded-in handle, raised non-slip surface, and integrated side rails
- Coated steel installation kit installs easily on metal or concrete dock facings
- 6' slide bar for easy truck centering or out-of-the-way storage
- 4" height differential capability
- 1,000 lb. load capacity



1796KIT Fixed Poly Dockplate
Installation Kit - Galvanized
Steel Parts



1796 Fixed Poly Dockplate
with 1796KIT (sold separately)




1796 Fixed Poly Dockplate - 35"wx26"Lx5"H



Poly Curb Ramp

New Poly Curb Ramp for use with hand trucks or wheeled carts provides a safe and ergonomically correct method to move heavy loads over curbs or up steps with ease. The raised non-slip surface with 1" side rails provides for excellent traction in all weather conditions on

curbs or steps up to 8" high. Constructed of high visibility safety yellow HDPE for durable use with up to 1,000 lbs. load. Lightweight (9 lb) ramp has 2 handles with rounded edges for easy pick-up, carrying and handling.



Poly Curb Ramp				
Model	Description	Dimensions	Weight	Load
1794	Poly Curb Ramp	27"wx27"Lx4"H	9 lbs.	1,000 lbs.



1,000 lb. Load Capacity

1794 Poly Curb Ramp
27"wx27"Lx4"H

Shipping Container Ramp

This new product provides a portable, lightweight and durable, ground level entry method for accommodating hand trucks and dollies loading and unloading materials up to 750 lbs. The ramp has a hook-rail that attach-

es to the doorkeepers for secure, 3-point contact and support across the width of the ramp and a tab that inserts into the keepers preventing lateral movement of the ramp during use.



3 point attachment



Works well on higher applications (10" high entry)

Shipping Container Ramp				
Model	Description	Dimensions	Weight	Load
1795CR	Shipping Container Ramp	35"wx36"Lx6"H	25 lbs.	750 lbs.



(6" high entry)

SAFETY CANS

Can'tastic!

Patented Comfort Grip Trigger Release

Baked On Powder Coat Finish

Spring Closing Lid With Neoprene Gasket Vents at 5 psi Internal Pressure

Fixed Handle

Non-Sparking Flame Arrestor and Pour Spout

Baked on Powder Coat Finish

Available in 1, 2 & 5 Gallon Sizes

Double Interlock No-Weld Bottom Seam

Meet OSHA & NFPA Code 30 Requirements, FM, UL & ULC Approved

Lead-Free Technology featuring environmentally friendly hot dipped 24-gauge galvanized steel.

Optional F-15 HDPE Funnel Fits Unleaded Fuel Tanks

The Only Deep Drawn Seamless Can Made

Deep Drawn Construction Means No Top or Side Seam

Trilingual Label

100% Leak Tested



UI-50-FS 12½" x 13½"

FLAMMABLE



DIESEL



KEROSENE






Type I Safety Cans

Eagle Type I Safety Cans

Eagle galvanized Type I cans meet OSHA and NFPA Code 30 requirements and are UL and ULC listed and FM approved for safe handling and storage of gasoline and other flammable liquids.

Eagle cans feature environmentally friendly **Lead Free Technology**, constructed of 24-gauge hot dipped galvanized steel. Other manufacturers' safety cans use lead coated terne steel.



F-15 Funnel

Capacity	WxH	Type I w/o Funnel	w/Funnel	Weight
1 quart	5½" x 8"	UI-2-S	-	1.96 lbs.
2 quarts	6¾" x 8¾"	UI-4-S	-	2.59 lbs.
1 gallon	9" x 8"	UI-10-S	UI-10-FS	3.52 lbs.
2 gallons	11¼" x 9½"	UI-20-S	UI-20-FS	5.25 lbs.
5 gallons	12½" x 13½"	UI-50-S	UI-50-FS	7.00 lbs.
Funnel	-	F-15	-	0.25 lbs.

The above cans are available in Blue for the storage of Kerosine, Yellow for the storage of Diesel & Green for the storage of Combustible liquids, such as oils.

When ordering, add a "B", "Y" or "G" at the end of the model number.
UL, ULC and FM Approved.

Compliance: OSHA 29 CFR 1910.106, 1925.152 and NFPA Code 30

FLAMMABLES



UI-2-S 1 Quart
5½" x 8"

UI-10-S 1 Gallon
9" x 8"

UI-4-S 2 Quarts
6¾" x 8¾"



FLAMMABLES



UI-20-FS 2 Gallons
11¼" x 9½"

UI-50-S 5 Gallons
12½" x 13½"

DIESEL



UI-20-FSY 2 Gallons
11¼" x 9½"

UI-50-SY 5 Gallons
12½" x 13½"

KEROSENE



UI-20-FSB 2 Gallons
11¼" x 9½"

UI-50-SB 5 Gallons
12½" x 13½"

COMBUSTIBLES



UI-20-FSG 2 Gallons
11¼" x 9½"

UI-50-SG 5 Gallons
12½" x 13½"

SAFETY CANS

FLAMMABLES

Type II Cans



U2-26-S 2 Gallons
11¼" x 9½"

U2-51-S 5 Gallons
12½" x 13½"

KEROSENE



U2-26-SB 2 Gallons
11¼" x 9½"

U2-51-SB 5 Gallons
12½" x 13½"

DIESEL



U2-26-SY 2 Gallons
11¼" x 9½"

U2-51-SY 5 Gallons
12½" x 13½"

The above cans are available in Blue for the storage of Kerosine and Yellow for the storage of Diesel.

When ordering, add a "B" or "Y" at the end of the model number. UL, ULC and FM Approved.

Type I and Type II Safety Cans

100% Leak Tested

HDPE & Stainless Type I Cans

Eagle Type I Polyethylene Safety Cans are impervious to many liquid chemicals, acids, caustics, solvents and corrosives and help reduce the danger of explosions. These high density polyethylene cans are dent and puncture resistant and feature corrosion resistant stainless steel fittings and flame arrestors and have brass grounding connectors. Optional F-16 HDPE funnel aids in filling and dispensing. Eagle Type I Stainless Steel Safety Cans feature 24-gauge Type 316 Stainless Steel construction and are ideal when high solvent purity is essential. Both types of cans are FM approved and meet OSHA and NFPA Code 30 requirements.

Type II Cans

Eagle Type II Galvanized Steel Safety Cans feature two openings, one with a pressure-relief spring closing lid for filling, one with an actuated pour valve with a flexible metal spout for safer controlled dispensing. The filler spout and flame arrestors in both openings are a non-sparking design for flashback protection. Cans are available with 5/8" and 7/8" flexible metal spouts.

These cans are FM, UL and ULC approved and meet OSHA and NFPA Code 30 requirements. Compliance: OSHA 29 CFR 1910.106, 1925.152 and NFPA Code 30

Capacity	Dimensions	Type II		Weight
		7/8" Spout	5/8" Spout	
2 gallons	11¼" x 9½"	U2-26-S	U2-26-SX5	8 lbs.
5 gallons	12½" x 13½"	U2-51-S	U2-51-SX5	10 lbs.

UL and FM Approved.

Capacity	Dimensions	Type I Stainless		Weight
		Model		
2½ gallons	11¼" x 9½"	1313		8 lbs.
5 gallons	11¼" x 15½"	1315		10 lbs.

FM Approved.

Capacity	Dimensions	Type I Poly			Weight
		White	Red	Yellow	
3 gallons	12½" x 13"	1535	1537	1533	6 lbs.
5 gallons	12½" x 17"	1541	1543	1539	7 lbs

Funnel - F-16 - - 0.25 lbs

FM Approved



1535 3 Gallons
12½" x 13"

1541 5 Gallons
12½" x 17"



1537 3 Gallons
12½" x 13"

1543 5 Gallons
12½" x 17"



1533 3 Gallons
12½" x 13"

1539 5 Gallons
12½" x 17"



1313 2½ Gallons
11¼" x 9½"

1315 5 Gallons
11¼" x 15½"



Lab & Faucet Cans

Eagle Laboratory Safety Cans reduce the danger of explosions resulting from the ignition of vapors of flammable liquids. Cans are available in coated metal, Stainless Steel and high density polyethylene for safe storage and handling of most chemical compounds.

Faucet Safety Cans help control dispensing of flammable liquids into small capacity vessels with a variety of drip-free faucet styles.

Compliance: OSHA 29CFR 1910.106, 1925.152 and NFPA Code 30

Lab Cans					
Capacity	Dimensions	Metal Red		Stainless	Weight
1 gallon	6" x 8" x 13"	1401		1301	3.75 lbs.

Polyethylene Lab Cans					
Capacity	Dimensions	Red	White	Yellow	Weight
½ gallon	6" x 8½" x 9½"	1510	1512	1508	2.50 lbs.
1 gallon	6" x 8½" x 13"	1511	1513	1509	2.80 lbs.
Funnel	-	-	F-16	-	0.25 lbs.

All lab cans are FM Approved.

Faucet Cans				
Capacity	Dimensions	Faucet Type		Weight
		Brass	Stainless	
5 gallons	12½" x 13½"	1417*	-	12 lbs.
5 gallons	11¼" x 15½"	-	1327*	9 lbs.

* FM Approved.

1417 Galvanized; 1327 Stainless

Special Use Cans

Lift Oil Drain Can is a quality 5 gallon capacity lift oil drain can. For use in auto and truck work bays, service stations and garages. Large funnel (11.5" dia.) on a telescoping tube is 66" when raised, 38" when lowered. Thumb set screw for tightening. Eagle red powder coat.

Optional Lift Oil Dolly makes drain can mobile.

The Eagle Tallow Pot features a 4 pint capacity and is ideal for maintaining and lubricating machinery and equipment. The pot has a 6.25" rigid spout. Also available in other configurations.

Lift Oil Drain Can				
Capacity	Model No.	Diameter	Height	Weight
5 gallons	605	11½"	38"	10 lbs.
Lift Oil Dolly	606	12"	3"	3 lbs.

Tallow Pot				
Capacity	Model No.	Diameter	Spout	Weight
4 pts.	211	5¼"dia x 7½"h	6¼" rigid	2 lbs.

FAUCET CANS



1327 5 Gallons
11¼" x 15½"

1417 5 Gallons
12½" x 13½"

LAB CANS



1301, 1401 1 Gallon
6" x 8" x 13"

POLY LAB CANS



1512 ½ Gallon
6" x 8½" x 9½"

1513 1 Gallon
6" x 8½" x 13"

1511 1 Gallon
6" x 8½" x 13"

1510 ½ Gallon
6" x 8½" x 9½"



F-16 Funnel

POLY LAB CANS



1508 ½ Gallon
6" x 8½" x 9½"

1509 1 Gallon
6" x 8½" x 13"

LIFT OIL DRAIN CAN



TALLOW POT



211 Tallow Pot
4 pints capacity
6¼" rigid spout
5¼" x 7½"

605 Lift Oil Drain Can
5 gallon capacity
12" x 38"

SAFETY CANS

POLY PLUNGER CANS



P-712 6½" x 11"
P-714 7¾" x 13"
P-711 5¼" x 9¾"

METAL PLUNGER CANS



P-701 6¼" x 8"
P-704 8" x 10¾"
P-702 8" x 8½"

BENCH & DAUB CANS



B-602 2 Quarts
w/Optional Cleaning Basket
8" x 4¼"
B-604 4 Quarts
8" x 6½"

B-600-D ½ Pint

DOT TRANSPORT CAN



1215 5 Gallons
12½" x 15¾"

sales@eagle-mfg.com

Plunger, Bench, & DOT Safety Cans

Eagle Safety Plunger Cans

Eagle's Factory Mutual Approved Safety Plunger Cans are ideal for cleaning with flammable or volatile fluids. They feature brass flame arrestor dasher screens and pump assemblies and comply with OSHA standards. Available in galvanized steel and high density polyethylene for more aggressive solvents. When the dasher plate is pushed down, the safety can dispenses a small amount of liquid to easily moisten sponges or rags without messy or dangerous spills.

Safety Bench & Daub Cans for safer cleaning of small parts or swabbing of larger ones. Dasher screens act as fire baffle. Optional parts cleaning basket. FM

approved and meet OSHA standards.

DOT Transport Safety Can

This Eagle Type II style Safety Can helps reduce the danger of explosion while dispensing flammable liquids through a flexible metal spout. Can has double-walled brass flame arrestors in filler opening and pour spout. Heavy duty roll bars protect both spouts and a thumb screw mechanism assures that the filler opening stays closed while being transported.

Compliance: OSHA 29 CFR 1910.106, 1925.152 & NFPA Code 30
[UN/DOT-1A1/Y1.2/100/08/USA/M4990/0.6mm](#)

		Plunger Cans			
Capacity	Dimensions	Metal	Weight	Poly	Weight
1 quart	6½" x 8"	P-701	2.34 lbs.	P-711	2.00 lbs.
2 quarts	8" x 8½"	P-702	3.00 lbs.	P-712	3.00 lbs.
4 quarts	8" x 10¾"	P-704	3.67 lbs.	P-714	4.00 lbs.

All are FM Approved and feature a 5½" wide dasher.

		Bench and Daub Cans			
Capacity	Model No.	Diameter	Height	Weight	
1/2 pint	B-600-D	Daub	4½"	3½"	1.00 lb.
1 quart	B-601	Bench	6½"	3½"	2.17 lbs.
2 quarts	B-602*	Bench	8"	4½"	3.00 lbs.
4 quarts	B-604*	Bench	8"	6½"	3.50 lbs.
6 quarts	B-606	Bench	7½"	9½"	3.67 lbs.
6 quarts	B-606-NL	Bench	7½"	9½"	3.67 lbs.
8 quarts	B-608	Bench	11½"	7"	8.25 lbs.

* Parts cleaning basket available as necessary (shown at right)
All are FM Approved

		DOT Transport Can		Weight
Capacity	Dimensions	7/8" O.D. Spout	5/8" O.D. Spout	
5 gallons	12½" x 15¾"	1215	1215-SX5	13 lbs.



POLY PLUNGER CAN



BENCH CAN





Poly Waste Cans

Eagle Poly Oily Waste Cans offer fire safe temporary storage of solvent, waste rags, shavings and other materials subject to spontaneous combustion. Polyethylene Oily Waste Cans won't rust or dent and are resistant to most chemical compounds. Eagle's cans feature self closing lid with foot lever and are available in either red or high visibility yellow.

Compliance: OSHA 29 CFR 1910.108 and OSHA 29 CFR 1910.106.

Polyethylene Biohazardous Waste Cans, available in red only, advise workers of potential biohazards and meet OSHA requirements for exposure to blood borne pathogens. The foot lever feature creates a hands-free operation.

Compliance: 29 CFR 1910.1030



Capacity	Dimensions	Poly Waste Cans			Weight
		Red Oily	Yellow Oily	Bio-Haz	
6 gallons	16½" x 13½" x 16"	933-FL	933-FLY	943BIO	9 lbs.
10 gallons	22" x 18" x 18"	935-FL	935-FLY	945BIO	14 lbs.
14 gallons	22" x 18" x 21"	937-FL	937-FLY	947BIO	16 lbs.



Disposal Cans

Eagle Waste Disposal Cans provide an intermediate station for temporary storage of liquid chemical wastes. All cans are FM approved and feature wide 4" spout and cap that locks open to 80 degree angle for easy filling. All cans have a flame arrestor, a free-swing handle and auto vent cap.

High Density Polyethylene Cans resist dents and punctures, have

Stainless Steel fittings and are ideal for more aggressive chemicals and corrosives. **Galvanized Steel** is ideal for disposal of flammable petroleum based wastes. **Type 316 Stainless Steel** is recommended for use with most alcohols, ethers, aromatics, hydrocarbons and chlorinated hydrocarbon wastes.

Capacity	Dimensions	Disposal Cans		Weight
		Stainless	Galvanized	
2½ gallons	11½" x 12"	1323	-	8 lbs.
5 gallons	11½" x 18"	1325	-	10 lbs.
2½ gallons	11½" x 12"	-	1423*	8 lbs.
5 gallons	12½" x 18"	-	1425*	10 lbs.

* Galvanized Flame Arrestor

Capacity	Dimensions	Yellow Poly	White Poly	Red Poly	Weight
3 gallons	12½" x 14½"	1515	1517	1519	7 lbs.
5 gallons	12½" x 18½"	1521	1523	1525	8 lbs.

All disposal cans are FM Approved and feature Stainless Flame Arrestor unless marked.

RED POLY WASTE CANS



937-FL 14 Gallons 22" x 18" x 21"
935-FL 10 Gallons 22" x 18" x 18"
933-FL 6 Gallons 16½" x 13½" x 16"

YELLOW POLY WASTE CANS



937FLY 14 Gallons 22" x 18" x 21"
935FLY 10 Gallons 22" x 18" x 18"
933FLY 6 Gallons 16½" x 13½" x 16"

BIO-HAZARD POLY WASTE CANS



947BIO 14 Gallons 22" x 18" x 21"
945BIO 10 Gallons 22" x 18" x 18"
943BIO 6 Gallons 16½" x 13½" x 16"

DISPOSAL CANS



1423 2½ Gallons 11½" x 12"
1425 5 Gallons 11½" x 18"

DISPOSAL CANS



1323 2½ Gallons 11½" x 12"
1325 5 Gallons 11½" x 18"

POLY DISPOSAL CANS



1521 5 Gallons 12½" x 18½"
1515 3 Gallons 12½" x 14½"

POLY DISPOSAL CANS



1525 5 Gallons 12½" x 18½"
1519 3 Gallons 12½" x 14½"

POLY DISPOSAL CANS



1517 3 Gallons 12½" x 14½"
1523 5 Gallons 12½" x 18½"

CIGARETTE DISPOSAL

STANDARD CIGARETTE RECEPTACLE FEATURES

- All Metal
- All Poly
- Poly/Metal
- Multiple Sizes
- 27 Models to Choose from
- Multiple Colors
- Low Maintenance
- Easy to Access
- Extinguishes Butts Quickly
- Easy to Empty



Decorative SAFESMOKER™

There's a new member in the SafeSmoker™ family of products, our new Decorative SafeSmokers. They are available in the Classic, Golf or Hitching Post and you have your choice of black, gray or beige. These distinctive cigarette receptacles are high density polyethylene with UV inhibitors and feature vertical flutes, horizontal rings and beautiful finials that blend with

the nicest buildings and facilities. The Decorative SafeSmoker™ includes a 10 pound rubber base, set screws for easy access and a galvanized steel receptacle that is easy to empty.

**NEW
PRODUCT**

Container top removes easily to empty internal galvanized steel receptacle.



Model	Decorative SafeSmoker™ Cigarette Receptacle Description	Dimensions	Weight
1212BEIGE	SafeSmoker™ Hitching Post	12½" base dia. x 44½"h	18 lbs.
1212BLACK	SafeSmoker™ Hitching Post	12½" base dia. x 44½"h	18 lbs.
1212GRAY	SafeSmoker™ Hitching Post	12½" base dia. x 44½"h	18 lbs.
1213BEIGE	SafeSmoker™ Classic	12½" base dia. x 37"h	18 lbs.
1213BLACK	SafeSmoker™ Classic	12½" base dia. x 37"h	18 lbs.
1213GRAY	SafeSmoker™ Classic	12½" base dia. x 37"h	18 lbs.
1214BEIGE	SafeSmoker™ Golf Traditions	12½" base dia. x 37"h	18 lbs.
1214BLACK	SafeSmoker™ Golf Traditions	12½" base dia. x 37"h	18 lbs.
1214GRAY	SafeSmoker™ Golf Traditions	12½" base dia. x 37"h	18 lbs.

SHIPPING SIZES:

1212 13"x12½"x45½"

1213 13"x13"x37½"

1214 13"x13"x37½"

All cans ship UPS.





SAFESMOKER™ & Butt Cans

SAFESMOKER™ Cigarette Receptacle is made of high density polyethylene with UV inhibitors, with a galvanized steel collection bucket inside. Design restricts oxygen to quickly extinguish burning butts. Top of container removes easily to access and empty internal bucket. Rain protective design keeps water out and eliminates odor. Includes integrated hold-down tabs for security and wind protection.

Eagle Butt Cans are ideal for “designated smoking areas” inside or outside. Features poly tube and galvanized can base. Yellow for in-plant use and beige for office or commercial areas.

Original Butt Cans

This all metal galvanized steel can is excellent for smoking areas in industrial settings. 5 gallon capacity in yellow or beige.

Model	SafeSmoker™ Cigarette Receptacle Description	Dimensions	Weight
1208BEIGE	SafeSmoker™-Beige	17 1/4" dia. x 43 1/4" h	10 lbs.
1208BROWN	SafeSmoker™-Brown	17 1/4" dia. x 43 1/4" h	10 lbs.
1208GRAY	SafeSmoker™-Gray	17 1/4" dia. x 43 1/4" h	10 lbs.
1208BLACK	SafeSmoker™-Black	17 1/4" dia. x 43 1/4" h	10 lbs.
1208BLUE	SafeSmoker™-Blue	17 1/4" dia. x 43 1/4" h	10 lbs.
1208GREEN	SafeSmoker™-Green	17 1/4" dia. x 43 1/4" h	10 lbs.
1206BEIGE	SafeSmoker™-Beige	15 1/4" dia. x 37 1/4" h	7 lbs.
1206BROWN	SafeSmoker™-Brown	15 1/4" dia. x 37 1/4" h	7 lbs.
1206GRAY	SafeSmoker™-Gray	15 1/4" dia. x 37 1/4" h	7 lbs.
1206BLACK	SafeSmoker™-Black	15 1/4" dia. x 37 1/4" h	7 lbs.
1206BLUE	SafeSmoker™-Blue	15 1/4" dia. x 37 1/4" h	7 lbs.
1206GREEN	SafeSmoker™-Green	15 1/4" dia. x 37 1/4" h	7 lbs.

Capacity	Dimensions	Yellow	Beige	Weight
2 gallons	11" x 35"	1202	1202BEI	5 lbs.
5 gallons	12" x 40"	1205	1205BEI	7 lbs.

Capacity	Dimensions	Yellow	Beige	Weight
5 gallons	12" x 33"	1200YELLOW	1200BEIGE	7 lbs.

SHIPPING SIZES:

1200	13"x13"x20"
1202	13"x13"x28"
1205	13"x13"x28"
1206	16"x16"x21"
1208	17 1/2"x17 1/2"x25"

All cans ship UPS.



1206BLACK
5 Quart
15 1/4" x 37 1/4"

1208BLACK
4 Gallons
17 1/4" x 43 1/4"



1202
2 Gallons
11" x 35"



Container top removes easily to empty internal galvanized steel bucket.



* All cans are FM approved.





- Since 1894 -

Eagle Manufacturing Company, a family owned business established in 1894, is a prime manufacturer of Safety Cans, Safety Cabinets, Secondary Spill Containment Pallets, Polly Drums, Material Handling Protective Products and Cigarette Receptacles. Eagle designs and manufactures all of its own products. Eagle is certified to the ISO-9001 Quality System and is the most respected brand name for consistent quality and value. All of Eagle's products are "Made in the USA."

Eagle is the leading supplier of these products, offering a large selection of industrial safety and material handling products for contractors, manufacturers, utilities, military, professional, government, printing,

chemical, transportation, fabricators, textile mills, automotive, agricultural, medical, oil & gas, electrical and other industrial and commercial customers. Eagle products are "Compliance Solutions" that help industry meet strict State and Federal Regulations concerning the handling and storage of hazardous materials. Eagle provides easy-to-use sales tools such as its CLAWS Compliance Analysis Guide, Eagle CD ROM, Compliance Solutions Product Catalog and website at www.eagle-mfg.com. For technical or sales information, call Eagle at 304-737-3171 or fax at 304-737-1752.



**EAGLE
MANUFACTURING
COMPANY**

2400 Charles Street
Wellsburg, West Virginia 26070
304-737-3171 • FAX 304-737-1752
EMAIL sales@eagle-mfg.com
www.eagle-mfg.com

