


DIE Set	Crimp die profile	Application	Crimp Size	Terminals	Description	Model No.
New 		HDTV BNC/TNC 3-piece coaxial connectors	SQ .042", HEX.178", .275" SQ 1.07mm, HEX4.52, 6.99mm		Lunar frame w/die	300-184
					Ergo-Lunar frame w/die	300-185
					CrimPro frame w/die	300-186
					Die only	1PK-3003D33
New 		HDTV, SMA, True 75-ohm BNC/TNC & mini-UHF, RG174, RG59/62, mini-coaxial & Belden 1855A	SQ .042", HEX.068, .178", .197, .255" SQ 1.07mm, HEX1.73, 4.52, 5.00, 6.48mm		Lunar frame w/die	300-187
					Ergo-Lunar frame w/die	300-188
					CrimPro frame w/die	300-189
					Die only	1PK-3003D34
New 		RG174, mini RG59 BNC/TNC connectors	HEX.068", .128", .178" HEX 1.73, 3.25, 4.52mm		Lunar frame w/die	300-190
					Ergo-Lunar frame w/die	300-191
					CrimPro frame w/die	300-192
					Die only	1PK-3003D7
New 		Open Barrel Contacts Molex/Tyco	AWG30-24/22-18 DIN 0.05-0.25/0.5-1.0mm ²		Lunar frame w/die	300-164
					Ergo-Lunar frame w/die	300-169
					CrimPro frame w/die	300-174
					Die only	9PK-3003D36
New 		For Yellow and Blue insulated Flag Terminals	AWG16-14/12-10 DIN 1.5-2.5/4.0-6.0mm ²		Lunar frame w/die	902-332
					Ergo-Lunar frame w/die	902-331
					CrimPro frame w/die	902-330
					Die only	9PK-3003D42
New 		Multi-Contact (MC3)Ø3mm solar contacts	AWG14/12/10 DIN 2.5/4.0/6.0mm ²		Lunar frame w/die	300-165
					Ergo-Lunar frame w/die	300-170
					CrimPro frame w/die	300-175
					Die only	CP-5S1D
New 		Multi-Contact (MC4)Ø4mm solar contacts	AWG14/12/10 DIN 2.5/4.0/6.0mm ²		Lunar frame w/die	300-166
					Ergo-Lunar frame w/die	300-171
					CrimPro frame w/die	300-176
					Die only	CP-5S2D

Solar Series Crimpers



Material	OAL (mm/inch)	Individual packing
S45C	203/8.12	Blister card

DIE Set	Crimp die profile	Application	Description	Model No.
		D-Subminiature contacts, RS232 pins & sockets AWG 30-18	Completed set with die	300-009
			Die only	300-086
			Frame only	300-087
		Open Barrel contacts (Molex/AMP style)	Completed set with die	300-010
			Die only	300-105
			Frame only	300-087
		Wire Ferrules AWG 22-10	Completed set with die	300-010
			Die only	300-105
			Frame only	300-087

902-337 PowerPole® Crimper



Phillips long screw that holds the locator in place

New



PowerPole® is a registered trademark of Anderson Power products

Material	Application	OAL (mm/inch)	Individual packing
S45C	PowerPole® modular connector #15(20~16 AWG/0.5~1.0mm ²) #30(16~12 AWG/1.0~2.5mm ²) #45(14~10 AWG/1.5~4.0mm ²)	260/10.2	Blister card

300-064 Professional Modular Crimps Strips & Cuts Tool



For AMP style connectors only

- For crimping modular plugs in parallel action.
- Cuts, strips, and crimps modular plugs without changing modular (DIE) set.
- Smooth ratcheting mechanism ensures positive connections.
- Integrated with round cable stripper for stripping round wires effectively in one operation.
- Middle carbon steel frame, hardened & black oxide finish.
- Lightweight, durable and compact.
- Includes lock to keep closed for storage.
- Strips round cables.



10P10C, AMP
8P8C/RJ-45



Stripping twisted
pair round cable



300-004 4P/6P/8P Telecom Crimping Tool




300-004B
(6pcs/pack)



New round cable
stripping feature

Green: PP
Black: T.P.R



Ratcheting
release knob



4/6/8P
Crimping



Strips twisted
pair wire



Cutting



Ratchet system



Strips flat
telephone
wire

CP-376M Modular Crimping Tool



900-078
(2pcs/pack)



Stripping




Cutting



Crimping


300-063 Modular Crimping Tool



900-078
(2pcs/pack)



300-018 Modular Crimping Tool




200-053 (2pcs/pack)




Lock for easy
storage

300-028/300-078 Economy All-In-One Modular Plug Crimper



200-053 (2pcs/pack)




200-053 (2pcs/pack)



Model No.	Material	Handle	HRC	Application	Replacement blade	O.A.L.(mm/inch)	Individual packing
300-064	S45C	Black:T.P.R Green:PP	45°±3°	10P10C, AMP 8P8C/RJ45, 6P6C/RJ12, 6P4C/RJ11, 4P4C & 4P2C/RJ22 plugs, and DEC/Offset 6P6C plugs	-	205/8.1	Blister card
300-004	S45C	Black:T.P.R Green:PP	45°±3°	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs, RJ-22 4P2C/4P4C handset modular plugs	300-004B (6pcs/pack)	190/7.5	Blister card
CP-376M	S45C	Black:T.P.R Green:PP	HV 555~650°	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs, RJ-22 4P2C/4P4C handset modular plugs	900-078 (2pcs/pack)	225/8.9	Blister card
300-063	S45C	Black:T.P.R Green:PP	HV 555~650°	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs	900-078 (2pcs/pack)	216/8.5	Blister card
300-018	Low carbon steel	PP	45°±3°	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs	200-053 (2pcs/pack)	200/7.9	Blister card
300-028	S45C	PP	45°±3°	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11, DEC/MMJ modular plugs	200-053 (2pcs/pack)	200/7.9	Blister card
300-078	S45C	PP	45°±3°	6P2C/6P4C/6P6C RJ11 modular plugs, RJ-22 4P2C/4P4C handset modular plugs	200-053 (2pcs/pack)	200/7.9	Blister card



300-037

Pro-Crimper Modular Tool


Crimping



Wire Stripper




Cutting



Stripping


Wire Cutter



902-086

Pro-Crimper Modular Tool

300-088/300-089/300-090

Modular Crimping Tool


For 300-088



For 300-089



For 300-090



For 300-090


Safety Guide



Model No.	Material	Handle	HRC	Application	Replacement blade	O.A.L (mm/inch)	Individual packing
300-037	Nylon+Fiber	-	-	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs, RJ-22 4P2C/4P4C handset modular plugs	200-053(2pcs/pack)	166/6.5	Blister card
902-086	ABS + carbon steel	-	-	8P8C/RJ45, 6P2C/6P4C/6P6C RJ11 modular plugs, RJ-22 4P2C/4P4C handset modular plugs	300-004B (6Pcs/pack)	160/6.3	Blister card
300-088	Low carbon steel	PVC	HR30N 55~65	RJ-22 4P2C/4P4C handset modular plugs	900-117(6pcs/pack)	190/7.5	Blister card
300-089	Low carbon steel	PVC	HR30N 55~65	6P2C/6P4C/6P6C RJ11 modular plugs	900-117(6pcs/pack)	190/7.5	Blister card
300-090	Low carbon steel	PVC	HR30N 55~65	8P8C/RJ45 modular plugs	300-004B (6Pcs/pack)	200/8	Blister card



902-270

Heavy Duty Coaxial Crimping Tool


Adjustable Disc



300-074

"F" Type Crimper

902-087

Fiber Optic Crimping Tool

Adjustable Disc



CP-231

N Connectors LMR600 Coaxial Crimping Tool

Model No.	Material	Handle	HRC	Application	O.A.L(mm/inch)	Individual packing
902-270	S45C DIE: AISI 4140	PP	45°±3°	RG58, RG59, 6, 11 & UHF-58, 8 Cables and BNC, TNC Connectors HEX: .100", .359", .406	225/9	Blister card
300-074	S45C DIE: AISI 4140	PP	46°±3°	RG59, 6, 62 Cables and CATV Connectors HEX: .322", .255"	225/9	Blister card
902-087	S45C DIE: AISI 4140	PP	45°±3°	SC & ST fiber optic connectors HEX .122", .133", .151", .188" HEX 3.10, 3.38, 3.84, 4.78mm	240/9.4	Blister card
CP-231	S45C DIE: AISI 4140	PP	46°±3°	N connector, LMR 600 Cable HEX .610", HEX 15.5mm	228/9	Blister card

TESTERS

PRECISION PLIERS
& CUTTERSELECTRICAL PLIERS
& CUTTERSKNIVES, SCISSORS
& SAWS

CRIMPERS

STRIPPERS

PUNCHDOWN
TOOLSSOLDERING /
ASSEMBLYSCREWDRIVERS/
BITSHEX KEY/
WRENCHES

TWEZERS

▶ CP-808

**Waterproof Connector
Crimping Tool**

- For F, BNC & RCA compression connectors.
- With adjustment for crimping different length of connectors.
- With ratchet mechanism




▶ 300-091

**Waterproof Connectors
Crimping Tool**

Before crimping

After crimping



▶ 902-265

**Compression Connector
Crimping Tool**

- Crimps RG58/59/6/6 Quad F-Compression Connectors.
- Crimps RG7/8/11 Riser F-Compression Connectors.
- Fully adjustable to fit common connector sizes.

▶ 300-156

**Compression Connector
Crimping Tool**

- Universal tool for all F, BNC, and RCA connectors.
- Works on RG58/59/6/6Q and large RG7/11 Riser Cable Connectors.

▶ CP-315

Adjustable Compression Tool**New**

Provides a quick, cost-effective solution to meet the termination needs in CATV, HDTV, satellite system and component video applications.



▶ 902-245

**Compression Connector
Crimping Tool**

▶ CP-313

**Adjustable Compression
Crimping Tool**

- Fast and reliable solution to home theater, CATV, satellite systems and security applications
- Permanent and best quality connection
- Universal design works with most compression connectors



Model No.	Material	Handle	HRC	Application	O.A.L (mm/inch)	Individual packing
CP-808	Middle carbon steel	PP	45°±3°	RG-58, 59, 6 (3C, 4C, 5C), F / BNC / RCA Connectors	195/7.7	Blister card
300-091	S45C	PVC	45°±3°	RG-58, 59, 6 (3C, 4C, 5C), F Connectors	215/8.5	Blister card
902-265	Carbon steel + ABS	-	40°±5°	RG-58, 59, 6, 8, 11 / F Connector	174/6.8	Blister card
300-156	Aluminum	-	45°±3°	RG-58, 59, 6, 8, 11 / F, BNC, RCA Connectors	170/6.7	Blister card
CP-315	Carbon steel	Nylon	40°±5°	Connecting waterproof connectors F, BNC, RCA on RG-58, RG-59 and RG-6 coaxial cables	120/4.7	Blister card
902-245	Carbon Steel + ABS	-	40°±5°	RG-58, 59, 6 / F Connector	143/5.6	Blister card
CP-313	Carbon steel	-	40°±5°	RG-58, 59, 6 (3C, 4C, 5C), F / BNC / RCA Connectors	152/6.0	Blister card

▶ 300-016

Precision Crimping Tool With Wire Ferrules



Including wire ferrules

- 0.5x6mm: 40pcs
- 0.75x6mm: 40pcs
- 1.0x6mm: 30pcs
- 1.5x7mm: 20pcs
- 2.5x7mm: 20pcs



▶ 300-149

Crimper Insulated and Non-Insulated Wire Ferrules



▶ CP-416

Cutter/Stripper & Crimper Insulated and Non-Insulated Wire Ferrules



Wire ferrules crimper



Wire cutter



Wire stripper



▶ 300-092

Plier Style Economy Crimper



- For RG59/62/6 F-connectors



▶ 300-075

D-Sub, 2-Stage, Open Barrel Crimper



▶ 300-035

Multi-Purpose Crimper



▶ CP-463 D-Sub Contact Crimping Tool



- For use on solid barrel type (screw machine) contacts used in RS232 style connectors.
- Ergonomic handle design provides low-effort operation
- Superior pull strength results
- High quality crimping standard ensures repetitive, reliable crimping action
- 4-Way Indent crimper for AWG 12-20 (0.50-4.0 mm²) D-sub contacts
- Adjustable pin height locator

For Larger Wire Size



▶ 300-015 4 Way Indent Crimping Tool



- Used to crimp closed barrel, screw machine pin and socket style contacts.
- Performs a simultaneous 4 indent crimp for superior contact retention.



Model No.	Material	Handle	HRC	Application	O.A.L (mm/inch)	Individual packing
300-016	S45C	PVC	45°±3°	Non-insulated wire ferrules AWG 23/22/20/18/17/15/13, 0.25/ 0.34/0.5/ 0.75/1.0/1.5/2.5mm ²	160/6.3	Blister card
300-149	S45C	PP	45°±3°	For Insulated and Non-Insulated Wire Ferrules and AWG20-12 wire	205/8.1	Blister card
CP-416	S45C	PVC	45°±3°	Crimping, Wire Ferrules 0.25~2.5 mm ² , Stripping wire AWG 26~14	200/8	Blister card
300-092	Carbon steel	PP	45°±3°	RG59/62, 6 hex type, Fconnector	200/8	Blister card
300-075	Carbon steel	PP	45°±3°	For crimping D-Sub AWG.20/24/28	175/6.9	Blister card
300-035	Carbon steel	PP	45°±3°	For computer pins & sockets, D-Sub 26-28 AWG wire, For butt-Insulated connectors, 22-26 AWG wire, For telephone piercing spade lugs, 22-26 AWG wire, For open barrel connectors, 20-22 AWG wire, For open barrel connectors, 14-18 AWG wire, For non-insulated terminals, 10-14,16-18 and 20-22 AWG wire	185/7.3	Blister card
CP-463	Carbon steel	PVC	-	AWG 12-20(0.50-4.0 mm ²)	165/6.5	Blister card
300-015	S50C	PVC	-	RS-232 D-sub round barrel contacts,pins or sockets AWG 26-20, DIN 0.2-0.5mm ² , JIS 0.2-0.5mm ²	162/6.4	Blister card

CP-415 Cutter Stripper and Crimper



Stripper



Cutter

Pivot Point
DesignNon-insulated
Terminal Crimper

902-088 Multi-Purpose Crimping Tool




Wire stripper



Pliers nose

Wire cutter

Bolt Cutter

Crimp insulated
and non-insu-
lated terminalsCushioned
handles


Model No.	Material	Hardness	Handle	Application			O.A.L. (mm/inch)	Individual packing
				Strip	Cutter	Crimp		
CP-415	SK7	HRC: 53°±3°	TPR	10~30 AWG (5.5~0.05mm²)	Cutter: 12~30 AWG (2.0~0.25 mm) Cutter: 10~30 AWG (5.5~0.05 mm²)	AWG: 12-10/16-14/22-18 JIS: 5.5-3.5/2.0/1.25mm² DIN: 6-4/2.5/0.9 mm²	175/6.9	Blister card
902-088	S45C	HRC: 45°±3°	PVC	10, 12, 14, 16, 18, 20, 22, AWG	Bolt cutter: 4-40, 5-40, 6-32, 8-32, 10-32, 10-24	10~16, 18~22AWG	210/8.3	Blister card

CP-412G/CP-413G Heavy Duty Wire Strippers/Crimpers


100-002 Crimping Tool



CP-412G



Wire cutter





Wire stripper



Bolt cutter

CP-413G



Crimp insulated
And non-insulated
TerminalsCrimp insulated
Terminals

Model No.	Material	Handle	HRC	Application			OAL. (mm/inch)	Individual packing
				Wire strip	Bolt cutter	Crimp		
CP-412G	S50C	PVC	45°±3°	Stranded wire: 10-24AWG Solid wire: 10-24AWG	5-40, 8-32, 6-32, 10-32, 10-24	10-22 AWG (Barrel-type insulated and Non-Insulated terminal)	206/8.1	Blister card
CP-413G	S50C	PVC	45°±3°	Stranded Wire: 26-24, 22-20, 18, 16, 14, 12, 10 AWG Solid Wire: 22-20, 18, 16, 14, 12, 10, 8 AWG	4-40, 10-32, 10-24, 8-32, 6-32	26-14, 12-10 AWG (Insulated Terminal) 22-10 AWG (Non-Insulated Terminal)	215/8.5	Blister card
100-002	SAE1008	PVC	HV 450~800	AWG: 10, 12, 14, 16, 18, 20-22	4-40, 6-32, 10-24, 10-32	Insulation: 16-14, 12-10 Non-insulation: 22-18, 16-14, 12-10 AWG	235/9.3	Blister card


300-011 IDC Crimp Tool



- For crimping IDC-type of connectors onto flat cables

Crimping Distance
6~27.5mm

100-008 Splices & Crimp Tool



Material	Handle	HRC	Application	O.A.L (mm/inch)	Individual packing
S45C DIE:AISI 4140	PP	45°±3°	IDC-type connectors Height: 6mm~27.5mm Width(Max): 55mm	240/9.4	Blister card

Application		O.A.L (mm/inch)	Individual packing
UR,UY,UG connectors	Solid copper wire UR 19 to 26 AWG UY 22 to 26 AWG UG 19 to 26 AWG	150/5.9	Blister card

500-037 Insulated Terminal Crimp Kit




- Ratcheted Crimper
- Ring insulated Terminal (22-16 AWG & Stud size: #6) X 50 pcs
- Ring insulated Terminal (16-14 AWG & Stud size : #8) X 40 pcs
- Ring insulated Terminal (12-10 AWG & Stud size : #10) X 20 pcs
- Butt Splice insulated (22-16 AWG) x 30 pcs
- Butt Splice insulated (16-14 AWG) x 20 pcs
- Butt Splice insulated (12-10 AWG) x 15 pcs



300-055 Non-Insulated Terminal Crimper



(For Non-Insulated Terminal)



- Energy saving ratcheting crimper designed for non-insulated spade/ring terminals
- High leverage handles, compound action mechanism provide superior mechanical advantage.

CP-351B Ratchet Crimping Tool



New



Material: 4340
HRC 40°~42°

Material: S50C
HRC 43°~45°

Material: TRP

300-107 Heavy Duty Crimping Tool



Model No.	Material	HRC	Application	O.A.L (mm/inch)	Individual packing
300-055	Frame:S45C Die:SK-5	39°±2°	For Solderless, Non-Insulated terminals and AWG.22-16/16-14/12-10/8/6	185/7.3	Blister card
CP-351B	Body: S50C Die: 4340	Body: 40°±42° Die: 43°±45°	For crimping AWG 8, 6, 4, 2, JIS 8, 14, 22, 38 mm², DIN 10, 16, 25, 35mm²	350/13.8	Inner box+ color label
300-107	Body: FCD45 Die: SK5	Die: HRC38-40	AWG 8, 6, 4, 2, 1/0, 2/0, 3/0, 4/0, 250MCM	570/22.4	Inner box+ color label

- The best crimping solution for heavy duty tinned terminals
- Adjustable crimp nests with clearly marked gauges
- Lightweight and easy for operation
- Rugged cast steel construction for durability
- For terminating insulated and non-insulated cable lugs from AWG 8 to 250MCM copper and AWG 8 to 4/0 Aluminum

TESTERS

PRECISION PLIERS
& CUTTERS

ELECTRICAL PLIERS
& CUTTERS

KNIVES, SCISSORS
& SAWS

CRIMPERS

STRIPPERS

PUNCHDOWN
TOOLS

SOLDERING /
ASSEMBLY

SCREWDRIVERS/
BITS

HEX KEY/
WRENCHES

TWEEZERS



STRIPPERS

Pro'sKit® Strippers


All Pro'sKit® precision strippers pass strict quality control using precision instruments and ensuring accurate stripping with much less effort against injury and long service life.

Pro'sKit® offers a complete range of strippers, including precision wire strippers, automatic wire strippers, coaxial cable strippers, round cable slitting & ringing tools, for most applications, such as electrical wire, hook-up wire, multi-conductor cable, flat telephone cable, twisted pair round cables, coaxial cables, fiber optics cables...etc.




Gripping

Mainly used in holding, pulling and bending wires.



Cutting wires



With cutting edge for soft wires from Ø0.25 to Ø1.2mm(AWG 30 to 16), not for hard or thick objects.



Wire spring



The spring design is very important! It allows handles to self-open to make work faster with much less effort.




Stripping flat telephone cables

For stripping electronic flat cable, wire width up to 12mm.



Stripping wires



Pro'sKit® precision strippers are processed by CNC lathe to guarantee the accurate size of notches for accurate stripping, without damage.



Pro'sKit® end-action wire stripper comes with V type design and screw adjustment to preset wire size up to 3.9mm.



Pro'sKit® automatic wire stripper requires much less effort to strip wires quickly. The notch size could be custom made upon special request.



2 blade stripping coaxial cables

2 blade coaxial cable stripper usually used in stripping braided shields coaxial cables



3 blade stripping coaxial cables

3 blade coaxial cable stripper usually used for stripping foil/braided shields coaxial cables

Pro'sKit® coaxial cable strippers and twisted pair round cable strippers are designed with lever action that requires much less force for operating as effectively as possible. Blades made from special grade steel provide sharp and durable edges. Some of Pro'sKit strippers come with adjustable wire size function to preset wire size to meet applications requirement.



Cutting wires

Coaxial & twisted pair round cable strippers With cutting edge for cutting soft wires from Ø0.25 to Ø1.0mm(AWG 30 to 18), not for hard or thick objects.



Stripping flat telephone cables

For stripping flat telephone cables



Stripping wires

For stripping electrical wires



Stripping twisted pair round cables

For stripping twisted pair round cables.



Wire spring

Safety Caution



- Blades are very sharp, please use carefully and keep them out of reach of children.
- Blades are consumables, please replace when worn or damaged.

▶ 200-007/ 200-007W

Adjustable Cutter with spring/ Stripper without spring



▶ CP-301G

Precision Wire Stripper



Heat-treated sharp angle w/fine laser marking



Safety lock design

Material: S50C

Material: PVC

New



▶ 200-085

Wire Stripper-Cutter W/Spring



▶ CP-302G

Precision Wire Stripper



Heat-treated sharp angle w/fine laser marking



Safety lock design

Material: S50C

Material: PVC

New



▶ 902-247

Adjustable Stripper



- For removing insulation from electrical wire.
- Rotating dial allows effortless changes between wire sizes.
- Hardened steel cutting jaws for clean wire cuts.
- Spring-opening jaws for repetitive stripping and cutting.
- Jaw lock protects cutting edges when tool is not in use.
- Vinyl cushion handles.



▶ 902-090

Precision Wire Stripper



- Plier nose
- Cutter jaws
- Soft handles
- Spring return



Model No.	Material	Hardness	Handle	Application	O.A.L (mm/inch)	Individual packing
200-007	S45C	45°±2°	PVC	Stripping wire From10~30 AWG/4~0.5mm (with spring)	127/5.0	Blister card
200-007W	S45C	45°±2°	PVC	Stripping wire From10~30 AWG/4~0.5mm (without spring)	127/5.0	Blister card
200-085	S45C	45°±3°	PVC	For cutting and stripping AWG.24-10	132/5.2	Blister card
902-247	S45C	45°±3°	PVC	For stripping AWG.26-12	140/5.5	Blister card
CP-301G	S50C	45°±3°	PVC	30,28,26,24,22,20 AWG / 0.2,0.3,0.4,0.5,0.6,0.8 mm	165/8.1	Blister card
CP-302G	S50C	45°±3°	PVC	20,18,16,14,12,10 AWG / 0.8,1.0,1.3,1.6,2.0,2.6 mm	165/8.5	Blister card
902-090	SK7	50°±3°	PP	For cutting and stripping AWG 16, 14, 12, 10, 8	156/6.1	Blister card

200-047 Fiber Optic Stripper



CP-367A Self-Adjusting Insulation Stripper



Cutting under Ø2.0mm(0.08")



Stripping AWG 24~10 (0.2~6.0mm²)



Model No.	Material	Application	O.A.L (mm/inch)	Individual packing
200-047	Blade:S50C	Strips 125 micron glass fiber with 250 micron buffer coating without scratching or nicking glass fiber.	148/5.8	Blister card
CP-367A	Blade: SK5 Body: Nylon	Stripping: AWG 24~10/0.2~6.0mm ² ,Cutter: under Ø 2.0mm(0.08")	115/4.5	Blister card

200-091 Wire Stripping Tool



Ideal for flat cable stripping



Cutting



200-003 Wire Stripping Tool



200-072 Automatic Wire Stripper & Crimper



Stripping



Crimping



Stripping



Cutting



200-070 Automatic Wire Stripper & Crimper



Micro adjuster knob & wire stopper



Crimping



Stripping



Cutting



The EASY STRIPPER cutters are made by precision machines for long life use. 15N 88°~90° (HRC55°~60°) blade cuts wire fast and smoothly. Plastic insulated handles keep your work safe.

- Micro adjusting the swivel knob to strip electrical wire gauge smaller than AWG24 (0.2mm²)
- Adjustable stopper is swiveled if user does not use this function.

Model No.	Material			Blade HRC	Application	O.A.L (mm/inch)	Individual packing
	Body	Blade	Handle				
200-091	ABS & low carbon steel	65Mn	-	45°~55°	Stripping flexible cable from 0.2 ~4mm ² (AWG 24-12)	172/6.8	Blister card
200-003	Zinc alloy	S45C	PVC	45°~55°	Stranded/Solid wire: AWG 22, 18-20, 14-16, 12, 10, 8 Stripper range: AWG 24-10 (0.2~6.0mm ²) For insulated terminals AWG 22-10 (0.5-6.0mm ²) For non-insulated terminals AWG 22-10 (0.5-6.0mm ²) For auto ignition terminals 7-8mm	170/6.7	Blister card
200-072	SS 41	Alloy steel	PVC	52°~57°	Stripper range: AWG 10-24 (0.2~6.0mm ²) For insulated terminals AWG 22-10(0.5-6.0mm ²) For non-insulated terminals AWG 22-10(0.5-6.0mm ²) For auto ignition terminals 7-8mm	210/8.3	Blister card
200-070	SS 41	Alloy steel	ABS+TPR	52°~57°	Stripping range: AWG 10-24 (0.2~6.0mm ²) For insulated terminals AWG 22-10(0.5-6.0mm ²) For non-insulated terminals AWG 22-10(0.5-6.0mm ²) For auto ignition terminals 7-8mm	210/8.3	Blister card

CP-511A Universal Stripping Tool



Stripping low volt
cable Ø8~13mm



Stripping regular cable AWG 20~10(0.5~6mm²)
and RG59, RG6 Coaxial Cable



New

200-009/200-048 Rotary Cable Slitter



Cable slitting and stripping




Replacement blade:
200-036

200-016 Wire Stripper Tool



Replacement blade:
900-117(6 pcs/pack)



200-090 Coax Stripper



- Strips cables in 2 easy steps.

Model No.	Material		Application	Replacement blade	O.A.L. (mm/inch)	Individual packing
	Blade	Body				
CP-511A	SK5	ABS+TPR	Regular cable AWG 20/18/16/14/12/10(0.5/1.0/2.5/4.0/6.0 mm ² , RG59/RG6 coaxial cable, Ø8~13mm low-volt cable	-	125/4.9	Blister card
200-009	Blade: SWP spring steel Blade holder: Metal	Nylon+Fiber	Range 0.18"~1.0" diameter	200-036	140/5.5	Blister card
200-048	Blade: SWP spring steel Blade holder: Metal	Nylon+Fiber	Range 1.0"~1.4" diameter	200-036	140/5.5	Blister card
200-016	-	ABS	Wire(UTP/STP) or wire & multiconductor cable from Ø3.2-9mm(0.13"~0.35") max.	900-117(6 pcs/pack)	112/4.4	Blister card
200-090	-	ABS	RG-58,59,62,6	-	100/4	Blister card

200-084 Coax Stripper



- Clothespin design
- Strip configuration for RG6, 58 and 59
- Adjustable blades

Model No.	Material		O.A.L. (mm/inch)	Individual packing
	Blade	Body		
200-084	SK5	ABS	120/4.7	Blister card
902-323	SK5	ABS	120/4.7	Blister card

902-323 Coax Cable Stripper




Optional replacement
cassettes: 902-324,
902-325, 902-326



- For stripping RG-58, RG-59, RG6 coaxial cable


Model No.	Cassette color	Application
902-324	Red	3 Step strips for dual crimp N series connectors Strips braid 0.236 in. (6mm) and Dielectric 0.236 in. (6 mm);
902-325	Green	2 Step strips for twinax and UHF connectors Strips braid 0.480 in. (12mm);
902-326	Blue	2 Step strips for F-type and single crimp BNC/TNC connectors Strips braid 0.250 in. (6.35mm);

200-064 Multi-Function Wire Stripper




- Compact and lightweight design for easy operation.
- Provide multifunction for cutting and stripping RG-58/59/62 coaxial cable, flat telephone cable, 26-16 AWG precision wire.
- Blades are made for precision stripping and are quality built with carbon steel and finished with black oxide to prevent corrosion.

200-005/200-081 Rotary Coaxial Cable Stripper



Replacement blade:
900-027

200-050 Rotary Coaxial Stripper



• 2-Blade Model

200-051 Rotary Coaxial Stripper



• 3-Blade model RG-59/62/6

902-334 Rotary Coaxial Stripper



New



- Compact and lightweight design for stripping RG-174 coaxial cable easily.
- Made of ABS handle with SK5 blade.
- Rotary stripping, one-squeeze cutting action.
- Includes a small hex wrench in handle for blade depth adjustment.



200-004 Rotary Coaxial Cable Stripper



Used for removing the outer sheath from PVC and Plenum types of coaxial cable. 2 Blade design.

Model No.	Material	Application	Replacement blade	O.A.L (mm/inch)	Individual packing
200-064	ABS	Stripping: RG-58/59/62 coaxial cable, 26-16 AWG(0.13~1.3mm ²) precision wire, flat telephone cable, cutting: 3.5~9mm ² (12-18 AWG)	-	125/4.9	Blister card
200-005	ABS	RG-58/59/62/3C/4C	900-027(6 pcs/pack)	107/4.2	Blister card
200-081	ABS	For big cable O.D. around 10.5mm such as RG213	900-027(6 pcs/pack)	105/4.1	Blister card
200-050	ABS	RG-59/62/6	900-027(6 pcs/pack)	105/4.1	Blister card
200-051	ABS	3-Blade model RG-59/62/6	900-027(6 pcs/pack)	105/4.1	Blister card
902-334	ABS	Stripping RG-174 coaxial cable	902-334-BLADES	98.5/3.9	Blister card
200-004	ABS	RG-58/59/62/6/3C2V/4C/5C	900-026(6 pcs/pack)	98.5/3.9	Blister card

**200-065****Rotary Coaxial Cable Stripper**

New design for stripping ethernet, thinnet RG-62/58/59/6 coax cable and other cable size. Each tool does 2 or 3 step strips without any adjustment.

**902-229 Universal Stripping Tool**

2 blade stripping coaxial cables

Cutter

Stripping flat telephone cable

Stripping UTP/STP twisted pair round cables.

Replacement blade:
902-269 (4 pcs/pack)Replacement
Cassettes: 902-268**200-042****Economy UTP Stripper**

- A simple tool for UTP/STP cable.
- Rotate stripper just three times to extract the jacket of cable.
- Also a function for 110 punch down tool.


**200-042-100****Economy UTP Stripper (100pcs/jug)****MS-3207 Advanced 3 in 1 Connector Tool**

One end of this tool is for flaring the braid and the other for screwing on a twist-on F-Connector to the cable.

- Length: 4.3x2.4x0.4" (110x60x9.5mm)
- Material: 12L14
- Finish: Nickel Plating
- Users can use one end to enlarge space between shield and insulation for RG59, another end for RG6 and the other end locks F connector into tool socket and twists it onto a stripped cable end.



Model No.	Material	Application	Replacement	O.A.L.(mm/inch)	Individual packing
200-065	ABS	Thinnet RG-62/58/59/6 coax cable and other cable size	-	108/4.3	Blister card
902-229	ABS	Stripping UTP/STP twisted pair round cable, flat telephone cable, RG-59/11/7/6 coaxial cable	Blade: 902-269 Cassette: 902-268	125/4.9	Blister card
200-042	Poly-Resin	Stripping UTP/STP cable & 110 punch down	-	94/3.7	Blister card
200-042-100	Poly-Resin	Stripping UTP/STP cable & 110 punch down	-	94/3.7	Color Label
MS-3207	PP	RG59, RG6, F connectors	-	100/3.9	Blister card



PUNCHDOWN TOOLS

CP-3150 Impact And Punchdown Tool



Impact



Storage for a spare blade

Twist-Lock
type holder

- Ergonomic cushion grip with duplex color design, molded to shape of hand provides comfort and easy operation, non-slip grip.
- Spare blade storage chamber in handle.
- Increased HI/LOW forces to meet demands of all Category cables through Cat6.

700-010/700-011/ 700-012/700-007 Punchdown Tool



Impact




Storage for a spare blade

Twist-Lock
type holder

- Spring loaded impact
- Hi-Lo settings
- Spare blade storage in handle
- Blades/Handle inter-changeable with Harris Dracon and Fluke 814 tool and other industry standard tools

700-020/700-021/ 700-022/700-023 Impact Punchdown Tool



Wire-pull



Wire-push



Impact



Storage for a spare blade

Twist-Lock
type holder

- A built-in combination hook/spudger for tracing and removing wires.
- Twist-lock style holder provides quick, easy blade changes and prevents pullout.
- An additional safe storage for one more spare blade

700-027 Punchdown Tool-Locking Collar



Impact



Storage for a spare blade



Hex type	Model No.	For terminal block
	700-026	Dual 110/88 type, one end with cut function (Hex type)
	700-028	Dual 66 type, one end with cut function (Hex type)

Spare Blades

Twist-Lock
type holder

700-008



700-009



700-015



700-017

Model No.	Material	For terminal block
700-008	SAE 4140	Dual 66 type, one end with cut function
700-009	SAE 4140	Dual 110/88 type, one end with cut function
700-015	SAE 4140	Dual KRONE 110 type, one end with cut function
700-017	SNM-21	BIX, with cut function

Model No.	Material	Application	Standard Blade type	Optional blade	O.A.L.(mm/inch)	Individual packing
CP-3150	ABS+TPR	Hi-low adjust pressure (Hi: 40lbs 178N, Low: 30lbs /133N)	66 & 110		162/6.4 (w/o blade)	Blister card
700-007			Handle Only(no blades)			Blister card
700-010			w/110 & 66 Blades			Blister card
700-011	ABS	Hi-low adjust pressure (Hi: 15±2kg, Low: 10±2kg)	w/110 Blades		146/5.7(w/o blade)	Blister card
700-012			w/66 Blade			Blister card
700-020			Handle Only(no blades)			Blister card
700-021			w/110 & 66 Blades	700-008 700-009 700-015 700-017		Blister card
700-022	TPR+PP (Anti-slip) (w/o Blade)	Hi-low adjust pressure (Hi: 15±2kg, Low: 10±2kg)	w/110 Blades		168/6.6(w/o blade)	Blister card
700-023			w/66 Blade			Blister card
700-027	ABS	Hi-low adjust pressure (Hi: 15±2kg, Low: 10±2kg)	110/88	700-026 700-028	186/7.3(w/o blade)	Blister card



700-025/700-024 Mini Punchdown Tool



Punch and cut cable terminals



Economic Type



700-025-25/700-024-25 Mini Punchdown Tool

- Holds 25 pcs for retail display.

Mini Punchdown Tool



Model No.	Description
700-025-25	66 Blade Type in display jug shown at right
700-024-25	110 Blade Type in display jug shown at right



CP-3145A PunchDown Tool



Punch and cut cable terminals



- Rotatable blade holder
- Blade on both ends


New



900-140 Spudger



- Probe & Pick
- Tough nylon glass fiber construction
- Non-conductive - prevents shorting



Model No.	Material		Application	Standard blade type	O.A.L.(mm/inch)	Individual packing
	Blade	Body				
700-025	SNCM-21	Rubber(Anti-slip)	Fixed blade , not changable	66 (with cutter)	129/5.1	Blister card
700-024	SNCM-21	Rubber(Anti-slip)	Fixed blade , not changable	110 (with cutter)	129/5.1	Blister card
CP-3145A	S45C	ABS	-	110/88 blade, one end with, one end without cut function	128/5.1	Blister card
900-140	Nylon+Fiber glass		-	-	142/5.6	Blister card



700-014/700-029 110 Punchdown Tool



- For use on LAN and telecom, seating 5 pairs or 4 pairs UTP (24 AWG) at a time.
- Suitable for both 110 type cable side and cross-connect side terminals blocks.
- The termination block heel w/blades are changeable and reversible
- One end for seating and cutting off wires, and the other end for seating wires only.
- Patented: Taiwan.

700-018	700-016
(4 pairs) For 110 type	(5 pairs) For 110 type

Model No.	Material		Application	Standard blade type	Optional blade	O.A.L.(mm/inch)	Individual packing
	Blade	Body					
700-014	SNCM-21	T.P.R (Anti-slip)	Hi-low adjust pressure (Hi: 15±2kg, Low: 10±2kg)	110 (5 pairs)	700-016 700-018	140/5.5(w/o blade)	Blister card
700-029	SNCM-21	T.P.R (Anti-slip)	Hi-low adjust pressure (Hi: 15±2kg, Low: 10±2kg)	110 (4 pairs)		140/5.5(w/o blade)	Blister card

TESTERS

PRECISION PLIERS & CUTTERS

ELECTRICAL PLIERS & CUTTERS

KNIVES & SCISSORS & SAW

CRIMPERS

STRIPPERS

PUNCHDOWN TOOLS

SOLDERING / ASSEMBLY

SCREWDRIVERS/ BITS

HEX KEY/ WRENCHES

TWEEZERS



SOLDERING/ASSEMBLY



900-066N 50W Soldering Station




902-093



Temperature Controlled Soldering Station





Replacement heater:



Replacement tip:





• Offered by 5 pcs in a bag



902-132
(Standard)

902-133



902-134

902-135

Model No.	Voltage	Consumption	Temperature	Replacement heater	Standard plug	Station size LxWxH (mm/inch)	Individual packing
900-066N	110~120V	50W	250~480°C	902-174	E	175x103x90/ 6.9x4.1x3.5	Color box
902-093	110~120V	50W	250~480°C	902-174	E	175x103x90/ 6.9x4.1x3.5	Color box

902-091 Soldering Station



LED display



902-092 Soldering Station




Digital display



Replacement heater:




Replacement tip:



902-129
(Standard)

902-130



902-131

• Offered by 5 pcs in a bag

Model No.	Voltage	Consumption	Temperature	Replacement heater	Standard plug	Station size LxWxH (mm/inch)	Individual packing
902-091	110~120V	48W	150~420°C	902-173	E	70x116x96/ 6.7x4.6x3.8	Color box
902-092	110~120V	48W	160~480°C	902-173	E	70x116x96/ 6.7x4.6x3.8	Color box

TESTERS

PRECISION PLIERS
& CUTTERS

ELECTRICAL PLIERS
& CUTTERS

KNIVES & SCISSORS
& SAW

CRIMPERS

STRIPPERS

PUNCHDOWN
TOOLS

SOLDERING /
ASSEMBLY

SCREWDRIVERS/
BITS

HEX KEY/
WRENCHES

TWEZERS

900-259 Mini Soldering Station



Mini Ceramic
Heater & Tip



AC 110/220V
Switch

Replacement tip:



900-245

- Precision temperature control: ~330°C (~626°F)
- Super slim, pen-like style for greater control and visibility
- Specially designed for repairs to cell phones and PC boards
- Conductive soldering stand
- Dual voltage AC 110/220V

Voltage	Consumption	Temperature	Standard plug	Individual packing
110V	4~14W	~330°C (~626°F)	E	Color box

900-035 20W~40W Soldering Station



Replacement tip:



900-036
(Chisel type)



900-146
(Pencil type)

- 20W~40W switchable solder station
- UL approved
- Comes with pencil tip

Voltage	Consumption	Temperature	Standard plug	Individual packing
110V	20~40W	400°C±30%	A	Color box

SS-611A Heat Gun



- Smart protection design, if the appliance overheats, it switches off automatically.
- 2 position switch
- Temperature setting from 380°C~500°C
- 4 free nozzles and 1 scraping tool included
- With carrying box, easy to carry and store



Included 4 Nozzles + 1 Scraper



Caution:

- For safety, after using this product for one hour, please shut-off for 10 minutes to cool down temperature
- If this product is overheating after shut-off, the protection function will be coercively booted and shut this appliance off for 10 minutes. To prevent any overheating problem, never put the appliance down on its air outlet nozzle. Always keep its outlet nozzle upward or put it on one of its sides.

Voltage	Power	Dual temperature range	Individual packing
110~120V 60Hz	I-900W II-1300W	I-380°C II-500°C	Color sleeve + shrink pack

902-187 Digital Ultrasonic Cleaner



- Tightened lid design for effective noise reduction
- Improved products durability and safety by water resistance capability enhancement
- Cleans discs such as CDs, VCDs, DVDs, etc.
- Use only plain tap water to clean
- Remove dirt effectively; results can be seen with bare eyes!
- Clean articles to shine just like new


Power supply	Power	Timer setting	Standard plug
AC 110~120V 50/60Hz	35W	5 cycles: 180s, 280s, 380s, 480s, 90s	A
Tank size	Size LxWxH (mm/inch)		Individual packing
750ml	210x158x125/8.3x6.2x4.9		Color box

SI-125A-15/ SI-125A-20 Mini Soldering Iron



New

Replacement tip:



- Specifically for areas that require small size and fine application work.
- Lightweight and triangle shape plastic handle for user comfort.
- Heats up fast but less wattage required.
- Tips screw on and off for easy changing.
- Safety stand included
- Optional replacement tips for various applications.

Model No.	Voltage	Consumption	Temperature	Heater	Handle color	Standard plug	OAL(mm/inch)	Individual packing
SI-125A-15	110-120V	15W	360°C±10%	Ceramic heater	Orange	A	168/6.6	Blister card
SI-125A-20	110-120V	20W	410°C±10%	Ceramic heater	Orange	A	168/6.6	Blister card
900-044	110V	15W	320°C	-	Yellow	E	-	Blister card

900-044 15W Soldering Iron



Replacement tip:

900-050 (Pencil type)



Caution:


- Work only in a dry area that is away from flammable materials.
- Arrange a secure resting place for the soldering iron stand. Be sure the hot tip does not contact a flammable surface, your body, or the power cord.
- Do not attempt to touch the tip of a hot soldering iron or remove solder from its surface with your hands.
- Do not use the soldering iron continuously for more than one hour to prevent damage.
- Store the soldering iron in a dry, secure place where children can not reach it.

900-018N 30W Soldering Iron


CB



Replacement tip:



- offered by 10 pcs in a bag



- Converts easily from pen to gun configuration.
- When not in use handle covers tip for storage protection.

Voltage	Consumption	Temperature	Standard plug	Individual packing
110~120V	30W	400°C±10%	E	Blister card

900-115 Glue Gun



Decoration and much more...



Toy



Models



Artificial flowers



- Solid state electric glue provides a fast, easy way to dispense hot melt adhesive for hundreds of fastening and repair jobs.
- Specially designed feed mechanism, spring-tensioned nozzle and silicone sleeve assure precise control of adhesive flow for neater work.

Voltage	Power	Preheat time	Flow of glue	Standard plug	Individual packing
120V	30-80W	10 min	14-16g per min	A	Double blister

900-118A Glue Stick

- 6pcs per pack



TESTERS

PRECISION PLIERS
& CUTTERS

ELECTRICAL PLIERS
& CUTTERS

KNIVES & SCISSORS
& SAW

CRIMPERS

STRIPPERS

PUNCHDOWN
TOOLS

SOLDERING /
ASSEMBLY

SCREWDRIVERS/
BITS

HEX KEY/
WRENCHES

TWEEZERS

GS-200K Gas Soldering Iron Kit-Auto Ignition



Hot air for SMD reworking

Soldering

Hot blow

Torching

New



- Butane is easy to refill and check with see-through fuel window
- Auto ignition is easy to start and operate under any condition
- Adjustable flame control for precision use
- The kit includes, blow pen torch, protection cap, soldering head, needle soldering tip, 2.4mm soldering tip, double sharp tip, hot knife tip, hot air blower, polyfoam cutter, tube of solder, tip-cleaning sponge with safety stand and tool rest packed in rugged plastic case.

GS-210

Professional Soldering Iron & Gas Torch



New

- Butane is easy to refill and check with see-through fuel window
- Auto ignition is easy to start and operate under any condition
- Adjustable flame control for precision use
- Built-in stand for safety and easy placement during work
- Needle soldering tip and soldering head included
- Optional tips available for different applications

GS-520

Professional Torch

CE Pb

New



- Auto ignition is easy to start and operate under any condition
- Power butane blue torch flame.
- Anti-flare flame.
- Fingertip adjustable flame control.
- Child-resistant ignition for safety
- Includes detachable base for hands free work.

Model No.	Soldering temperature	Hot blow temperature	Torch temperature	Fuel cap.	Time	Size (mm/inch)	Individual packing
GS-200K	400 °C	500 °C	1300 °C	26 ml	100~120 min	220×Ø30/8.7xØ1.2	Color box
GS-210	370 °C	500 °C	1300 °C	7 ml	30~40 min	170×Ø 24/6.7xØ.94	Blister card
GS-520	-	-	1300 °C	20 ml	60~90 min	130×73×155/5.1x2.9x6.1	Blister card

900-016 Soldering Stand



Individual Packing
Color box

6S-2 Soldering Stand



Pb



Individual Packing
Color box

900-099 Soldering Stand




Individual Packing
Color box

902-095 Mini Soldering Stand

Pb

- 2 position iron holder stand
- Built-in sponge tray



Individual Packing
Blister card (2 pcs/pack)

900-242 Soldering Tip Cleaner



Pb

- Made of low abrasive brass shavings.
- No water necessary.
- No temperature drop as in conventional sponges.
- Cleans better than conventional sponges.
- Anti-slip pad.



Model No.	Description	Spec	Individual packing
900-242	Soldering tip cleaner	Ø83x 27mm/ Ø3.3"x1.1"	Blister card
900-243	Replacement tip cleaner	25g	Hanger (5 pcs/pack)

902-335 Cut To Size Soldering Sponge



New



Material	Size(mm/inch)	Individual packing
Cellulose	100x110/3.9x7.8	Hanger (3 pcs/pack)

900-101 Soldering Tool Stand



- Bottom: Anti-slip design

900-206 Helping Hands



902-227 Helping Hands Octopus Clamp Kit

- Maximum thickness of table or bench edge: 1.5"(40mm)
- Includes magnifier arm x1, magnet arm x1, stayput arms x4



Multi function



902-094 Helping Hands

- The practical helper for soldering work for electronics and model-making.
- Holding clamps adjustable in many ways, complete with magnifying glass 3.5"(90mm) dia: 2X.
- Sturdy stand.



900-037 Helping Hands



900-015 Helping Hands



Model No.	Magnification	Individual packing
900-101	2.5X	Color box
900-206	2.5X	Color box
902-227	2.5X	Blister card
900-094	2X	Color box
900-037	2.5X	Color box
900-015	-	Color box

TESTERS

PRECISION PLIERS
& CUTTERS

ELECTRICAL PLIERS
& CUTTERS

KNIVES & SCISSORS
& SAW

CHIMMERS

STRIPPERS

PUNCHDOWN
TOOLS

SOLDERING /
ASSEMBLY

SCREWDRIVERS/
BITS

HEX KEY/
WRENCHES

TWEEZERS

▶ 900-004

ESD Mini-Desolder Pump

▶ 900-008



▶ DP-366D

Desoldering Pump

▶ 5DP-366D-T



▶ 900-161

Mini Desolder Pump

▶ 900-175



▶ 900-001N

Desoldering Pump

▶ 900-006N



Model No.	Material	Suction Capability	Replacement Tip	OAL(mm/inch)	Individual packing
900-004	Aluminum	30cm-Hg	900-008	163/6.4	Blister card
DP-366D	ABS	32cm-Hg	5DP-366D-T	210/8.3	Blister card
900-161	ABS	36cm-Hg	900-175	210/8.3	Blister card
900-001N	ABS	40cm-Hg	900-006N	330/13.0	Blister card

▶ 900-238 **Vacuum Pick-Up Tool**

- The hand-held SMD vacuum pick-up tool is ideal for picking up and moving electronic components, large or small.
- With fountain pen dimensions, it fits easily into your hand or pocket.
- The new high-power probes have longer holding action.

Individual packing

Color box

▶ 902-115 **Vacuum Pick-Up Tool****Individual packing**

Blister card

**Function:**

- The hand-held SMD vacuum pick up tool is ideal for picking up and moving large or small electronic components.
- Lightweight, portable and suitable for the picking and placing small components weighing up to 50 grams and having a flat surface, dip packages and surface mount components, etc. The new high-power probes have longer holding action.

Operation:

- Held like a pen, the vacuum is operated by a simple press and supplied with 2 angled and 3 straight pick-up hands with a choice 4mm, 6mm, or 10mm cap diameters.

▶ 900-270 **Mini Vacuum Cleaner****Individual packing**

Blister card


▶ 900-254 **Blowing Brush**

- Blowing air effectively clears hard-to-reach areas

**Individual packing**

Blister card

900-100 Solder Aid Tools



- This kit contains specialized tools you need for soldering:
Assisting rods for P.C.board soldering work.

Individual Packing

Blister card

900-250 Solder Aid Tools



Individual Packing

Blister card

900-058/900-181/900-059/900-222

Stainless Steel Forceps



Model No.	Product Name	Individual packing
900-058	5" Straight forceps	Blister card
900-181	6" Straight forceps	Blister card
900-059	5" Curved forceps	Blister card
900-222	6" Curved forceps	Blister card



900-230 Flux Bottle

- Dispenses flux evenly with a fine tipped needle.



Individual packing

Poly bag + Hanger (2 pcs/pack)

900-251/900-252/900-253 Liquid Dispenser Bottles

- Polyethylene bottles are not chemically reactive
- Purity pump to prevent backwash of contaminants into container



Model No.	Description	Individual packing
900-251	4 oz/114 ml	Poly bag + Hanger
900-252	6 oz/170 ml	Poly bag + Hanger
900-253	8 oz/227 ml	Poly bag + Hanger

TESTERS

PRECISION PLIERS
& CUTTERS

ELECTRICAL PLIERS
& CUTTERS

KNIVES & SCISSORS
& SAW

CRIMPERS

STRIPPERS


PUNCHDOWN
TOOLS

SOLDERING /
ASSEMBLY

SCREWDRIVERS/
BITS

HEX KEY/
WRENCHES

TWEZERS

**900-247****Round Hole Bread Board****840 tie points**

- 840 tie points
- Round hole socket designed for easy plug and pull
- Expandable by combining several boards together to meet your different requirement
- Waterproof material made of ABS & phosphor bronze with good flexibility and electric conductivity




Excellent expandability

Friendly graduations

Individual packing

Blister card

**900-248****Round Hole Bread Board****1580 tie points
(Demo only)**

Edge plate can easily fold up

Model No.	Tie points	Individual packing
900-248	1580	Blister card
900-249	2420	Blister card

**900-249****Round Hole Bread Board****2420 tie points
(Demo only)**

TAIWAN PATENT NO. 215526
CHINA PATENT ZL 03231122.2

Application:

Used as a simulated layout for R&D and students.

Features:

- Round hole socket designed for easy plug and pull
- Expandable by combining several boards together to meet your different requirement
- Wearproof material made of ABS & phosphor bronze with good flexibility and electric conductivity

**900-271****Bread Board Accessory**

- 70 pcs of 22 AWG solid wires
- Pre-cut, pre stripped and pre-formed on each end
- Variety of colors
- Completely reusable
- 14 lengths x 5 pcs each
- (2, 5, 7, 10, 12, 15, 17, 20, 22, 25, 50, 75, 100 and 125mm)

Individual packing

Poly bag+Hanger

**900-272****Bread Board Accessory**

- 350pcs of 22 AWG solid wires
- Pre-cut, pre stripped and pre-formed on each end
- Variety of colors
- Completely reusable
- 14 lengths x 25 pcs each
- (2, 5, 7, 10, 12, 15, 17, 20, 22, 25, 50, 75, 100 and 125mm)

Individual packing

Poly bag+Hanger



SCREWDRIVERS/BITS

Screwdrivers/Bits


Pro'sKit® screwdrivers with ergonomic handles , high quality blades and super hardened finished tip feature the maximum torque and user comfort.

Handle styles:

Pro'sKit® screwdrivers come in various handle styles to meet requirements of most applications, including PVC, ABS, dual color non-slip ABS&TPR, ESD safe, VDE 1000V insulated handles..



PVC / ABS handles



Dual color ABS&TPR handles, non-slip



ESD safe handle



VDE 1000V Insulated handles



Ratchet types:

Pro'sKit® screwdrivers have a variety of styles. Some come with ratchet mechanism design, and some are articulated handles. Ratchet screwdrivers require less force but more torque than conventional handles. It comes with 3 adjustable positions adjustment; forward, reverse rotation and fixed. The articulated handles allow adjustment of the reverse angle up to 180° for quick screwing, especially in narrow working spaces.



Material of bits and blades:

Pro'sKit® screwdriver blades and bits are made from high grade steel to meet most of applications, including Chrome-Vanadium steel(Cr-V), Chrome-Molybdenum Vanadium steel(Cr-Mo-V), S2 alloy steel(S2). Tips with special hardened finish for perfect fit in screw slots and lasting durability.

Black tip

Black tip with hardened finish guarantees a long service life and increased corrosion protection.




Magnetic

Magnetic tip for greater fastener control and guarantees a perfect fit every time.



Symbols for blade and bit shapes

Pro'sKit® screwdrivers combination with many bit specifications for applying almost every screws.



* Torx® is a trademark of Camcar Textron


Safety Caution



• Don't use tools on live or energized circuits or equipment.



SD-083 Series ESD Precision Screwdriver



ESD-Safe for maximum protection of static sensitive components



Model No.	Spec.	Working length (inch)
SD-083-S3	⊖	2.0
SD-083-S4	⊖	2.4
SD-083-S5	⊖	3.0
SD-083-P2	⊕	#00
SD-083-P3	⊕	#0
SD-083-P4	⊕	#1
SD-083-T4	⊗	T4
SD-083-T5H	⊗	T5H
SD-083-T6H	⊗	T6H

Individual packing: Blister card



800 Series Precision Screwdriver



Fast Turning Swivel cap

Hang Up Hole

Handle: TPR+ABS, Non-Slip Design

Blade: High Grade 60CrV



Tip: Black/Hardened Finish

Model No.	Spec.	Working length (inch)
800-135	⊖	1.0
800-136	⊖	1.6
800-137	⊖	2.0
800-138	⊖	2.4
800-139	⊖	3.0

Model No.	Spec.	Working length (inch)
800-131	⊕	#000
800-132	⊕	#00
800-133	⊕	#0
800-134	⊕	#1

Model No.	Spec.	Working length (inch)
800-141	⊗	T3
800-142	⊗	T4
800-143	⊗	T5H
800-144	⊗	T6H
800-145	⊗	T7H
800-146	⊗	T8H
800-147	⊗	T9H
800-140	⊗	T10H

Individual packing: Blister card



SD-0839 ESD Precision Screwdriver Set




Contents

- ⊕ SD-083-P2, SD-083-P3, SD-083-P4
- ⊖ SD-083-S3, SD-083-S4, SD-083-S5
- ⊗ SD-083-T4
- ⊗ SD-083-T5H, SD-083-T6H

Individual packing: Pouch





800 Series Ceramic Driver



RF coils & trimmers

Handle: ABS

Bit: Zirconia



Model No.	Spec.
800-114	⊖ 0.4x0.9mm (0.015"x0.035")
800-115	⊖ 0.4x1.2mm (0.015"x0.047")
800-116	⊖ 0.4x1.4mm (0.015"x0.055")
800-117	⊖ 0.4x1.8mm (0.015"x0.070")
800-118	⊖ 0.4x2.0mm (0.015"x0.078")
800-119	⊖ 0.4x2.4mm (0.015"x0.094")
800-120	⊖ 0.7x2.4mm (0.027"x0.094")
800-121	⊕ PH0
800-122	⊕ PH1.7

Individual packing: Double blister

TESTERS

PRECISION PLIERS & CUTTERS

ELECTRICAL PLIERS & CUTTERS

KNIVES & SCISSORS & SAW

CRIMPERS

STRIPPERS

PUNCHDOWN TOOLS

SOLDERING / ASSEMBLY

SCREWDRIVERS/ BITS

HEX KEY/ WRENCHES

TWEEZERS

1PK-081-TRI Series

Precision Screwdriver



800-075 7 Pc Precision Screwdriver



New

Model No.	Spec.	Working length (mm/inch)
1PK-081-TRI000	⚙ No.000	50/2.0"
1PK-081-TRI00	⚙ No.00	50/2.0"
1PK-081-TRI0	⚙ No.0	50/2.0"

Individual packing: Hanger



Contents

- 1.6x2.0", 2.0x2.0", 2.4x2.0", 3.0x2.0"
- No.00x2.0", No.0x2.0", No.1x2.0"

Carrying case

Individual packing: Plastic box + Color box

SD-081E 12 IN 1 Precision Screwdriver Set w/Bit

800-129 33 PCS Screwdriver Set W/Bits





New



Contents

- SL2.0, 2.5, 3.0, 4.0
- PH000, PH00, PH0, PH1
- T6, T7, T8, T9

Individual packing: Plastic box + Color label



Contents

- 32 pcs bits, OAL 28mmx Ø4mm (1.12"xØ0.16")
- PH000, PH00, PH0, PH1
- SL1.0, SL1.5, SL2.0, SL2.5, SL3.0, SL3.5, SL4.0
- T4, T5, T6, T7, T8, T9, T10, T15, T20
- H0.7, H0.9, H1.3, H1.5, H2.0, H2.5, H3.0, H4.0
- PZ1, PZ0
- Socket: M5, M6
- Shaft: M4

Handle, Carrying Case

Individual packing: Plastic box + Color label

500-024 7 PC Cellular Phone Tool Kit

500-041 9 PC Cellular Kit



Contents

- #0,
- T5, T6, T7,
- Back panel opener
- Folding cover opener
- Security screwdriver

Individual packing: Plastic box+Color label



Contents	Bit length (mm/inch)	Case size (mm/inch)
T4	50 /2.0	202x125x30/ 7.95x4.92x1.18
T5H, T6H, T7H, T8H	50/2.0	
1.9, 2.9	50/2.0	
#00	50/2.0	
3.0	50/2.0	

Individual packing: Plastic box + Color label



▶ 902-222

11 Pc Cellular Phone Maintenance Tool Kit



Contents

- 0.5, 2.0mm
- #1
- T5, T6, T8
- 5mm
- T-Grip holder
- Antenna repair tool
- Pressing blade
- Panel pry bar

Individual packing:
Plastic box + Color label



▶ 800-073

15 PC Precision Screwdriver Set



Rotating cap
Anti-Slip handle
Black tip
Material SNCM alloy steel



- Working length: 40mm/1.57"
- Overall length: 132mm/5.2"

Contents

- 1.0, 2.0, 3.0, 3.5
- #000, #00, #0
- 1.5x, 2.0, 2.5, 3.0
- T6, T8, T10, T15

Individual packing:
Plastic box + Color label

▶ SD-9811 18-IN-1 Precision Screwdriver Set



New

Fast Turning Swivel Caps
Aluminum
90mm/3.54"
20mm/0.79"
8660 Cr-Mo-V steel with chrome plated



Change bits easily



Fast turning swivel cap



8660Cr-Mo-V steel

Contents				Bit length (mm/inch)	
1.5	PH000	52/2.0			
2.0	PH00	52/2.0			
2.5	PH0	52/2.0			
3.0	PH1	52/2.0			
T5	T10	52/2.0			
T6	T8	52/2.0			
T7	T9	52/2.0			
H1.5	H2.5	52/2.0			
H2.0	H1.3	52/2.0			

Individual packing: Plastic box + shrink

▶ SD-9815 Precision Screwdriver Set



New



Fast turning swivel cap
Quality steel
Carbon steel
B
A

Bit size	A(mm/inch)	B(mm/inch)	OAL(mm/inch)
#0	29/1.1	76/3.0	105/4.1
#1	31/1.2	81/3.2	112/4.4
1.4mm	18/0.7	63/2.5	81/3.2
1.8mm	25/0.1	68/2.7	93/3.7
2.4mm	29/1.1	75/3.0	104/4.1
3.0mm	31/1.2	81/3.2	112/4.4

Individual packing: Color box

▶ SD-9824 24-IN-1 Screwdriver Set



3 Positions Ratchet
Non-slip Handle
Retainer
8660Cr-Mo-V Steel
Adjustable length 28~129mm/1.10"~5.08"



Contents											
Bit length: 160mm/6.3"											
T8H	T10H	H2.5	H4.0	PH1	4.0						
T7H	T9H	H2.0	H3.5	PH0	3.0						
T6H	T15H	H1.5	H3.0	PH00	2.0						
T5H	T20H	PZ1	PZ#0	PH000	1.5						

Individual packing: Plastic box + Color box

TESTERS

PRECISION PLIERS & CUTTERS

ELECTRICAL PLIERS & CUTTERS

KNIVES & SCISSORS & SAW

CRIMPERS

STRIPPERS

PUNCHDOWN TOOLS

SOLDERING / ASSEMBLY

SCREWDRIVERS/ BITS

HEX KEY/ WRENCHES

TWEEZERS



Precision Screwdriver

Features:

- Rotating cap to facilitate support and rotation control.
- The handle is made by durable ABS material with anti-slip strip for easy operation.
- Blade made of high quality alloy Ni-Cr-Mo steel, heat-treated and black.



800-007 6 PC Precision Screwdriver Set




- A 6 piece screwdriver set with 3 flat blades and 3 crosspoint screwdrivers.
- The screwdrivers have long shafts and are ideal for reaching recessed screws in electronic equipment.
- Handles are made from molded plastic and incorporate finger grips.
- Shafts are made from nickel chrome molybdenum.

Contents	Bit length (mm/inch)
⊕ #0 (Ø 2.4)	75/3.0
⊕ #1 (Ø 3.0)	100/3.9
⊕ #1 (Ø 3.8)	150/5.9
⊖ 2.4mm	75/3.0
⊖ 3.0mm	100/3.9
⊖ 3.8mm	150/5.9

Individual packing: Blister card



800-009 6 PC Precision Screwdriver Set




Contents	Bit length (mm/inch)
⊕ #0-3	40/1.6
⊕ #0-2	75/3.0
⊕ #0	75/3.0
⊖ 0.08	40/1.6
⊖ 0.10"	75/3.0
⊖ 0.12"	75/3.0

Individual packing:
Plastic box + Color label



800-077 7 PC Electronic Screwdriver Set



Contents	Bit length (mm/inch)
⊕ #1	150/5.9
⊕ #0	100/3.9
⊕ #0 (Ø 2)	75/3.0
⊖ 2.4mm	75/3.0
⊖ 3.0mm	100/3.9
⊖ 4.0mm	150/5.9

3.5" Stainless micro cutting plier

Individual packing:
Plastic box + Color label



800-149 Screwdriver Set



Contents	Bit length (mm/inch)
⊕ #0, #00, #1	20 mm/0.78
⊖ 2.0, 2.4, 3.0mm	20 mm/0.78

Individual packing: Color box



SD-3102 Screwdriver Set



Contents	Bit length (mm/inch)
⊕ T4	20 mm/0.78
⊕ T5H, T6H, T7H, T8H, T9H	20 mm/0.78

Individual packing: Color box



800-150 Screwdriver Set



Contents	Bit length (mm/inch)
⊕ T5H, T6H, T7H, T10H, T15H, T20H	20 mm/0.78

Individual packing: Color box



SD-9313 29 IN 1 Video Game Screwdriver Set



SD-9313 Video Game Screwdriver Set is a complete kit that allows opening of most branded video game systems and happy meal toys without any damage such as Microsoft, Nintendo, Sony, Sega handhelds, video games and more...



New




Contents

- PH000, PH00, PH0, PH1, PH2
 - 2.0, 3.0, 4.0, 5.0, 6.0mm
 - T5H, T6H, T8H, T10H, T15H, T20H
 - T4
 - H0.7
 - TS3.8, TS4.5
 - TRI 0, TRI 1, TRI 00
 - 1.7, 2.0, 2.3mm
 - 6, 8mm
 - 1 pc ratchet handle
 - Extension blade: 4.53"/115mm
 - 1.75" adaptor for 4mm to 1/4"
- Individual packing: Color box



SD-9312 14 PCS Ratchet Precision Screwdriver Set



Contents	Bit length (mm/inch)
#00, #0, #1	30 / 1.2
1.0, 1.5, 2.5mm	30 / 1.2
4.0, 5.0mm	30 / 1.2
T5, T6, T7, T8	30 / 1.2

Extension blade: 120mm/4.7" ratchet handle

Individual packing: Color sleeve




SD-9812 12 IN-1 Reversible Ratchet Precision Screwdriver Set



- Transparent PC handle with 6 double-end precision bits inside
- Adjustable blade lengths, good for hard to reach areas
- Ratchet action with 3 positions: Forward, reverse and lock
- Retainer lock system prevents the end cap from accidental slip damage

Contents	
T4	T8
T6	T10
T7	T15
1.5	#000
2.0	#00
2.5	#0

Individual packing: Blister card



SD-9814 9 IN 1 Aluminum Handle Precision Screwdriver Set



New

Bits storage chamber in handle

Handy pocket clip design



Contents

9pcs bits:

- #000, #00, #0, #1
- 2.0, 3.0mm
- T4, T5, T6

Anodized aluminum alloy handle x 1

Individual packing: Double Blister

Anodized aluminum alloy handle

Chrome Vanadium driver bits



SD-9813M 18PCS Aluminum Handle Precision Screwdriver Set



New



Contents

16pcs bits:

- #000, #00, #0, #1
- 1.5, 2.0, 2.5, 3.0mm
- T4, T5, T6, T7
- 0.7, 0.9, 1.3, 1.5mm

Anodized aluminum alloy handle x 2
Individual packing: Double Blister

TESTERS

PRECISION PLIERS & CUTTERS

ELECTRICAL PLIERS & CUTTERS

KNIVES & SCISSORS & SAW

CRIMPERS

STRIPPERS

PUNCHDOWN TOOLS

SOLDERING / ASSEMBLY


SCREWDRIVERS/ BITS

HEX KEY/ WRENCHES

TWEEZERS




SD-9810A 10 in 1 Auto Loading Ratchet Screwdriver Set



- Precision screwdriver features 3 ways gearless ratchet with twist reverse for efficient operation
- Pump-action design for quick and easy auto bit exchange
- Ergonomically non-slip handle provides user comfort
- Rotatable marked barrel for 6pcs bits pre-loading and storage
- Includes ten high quality Chrome Molybdenum Vanadium steel bits with satin finish

New



**10 in 1
Change bits
in a second**



Available only in 25pcs display box

Contents	
10 pcs 4mm Hex screwdriver bits	
⊖ 1.5, 2.0, 3.0	
⊕ #00, #0, #1	
⊗ T5, T6, T8, T10	
Individual packing: Color box (25pcs/box)	



800-092/ 800-092-50 4-In-1 Screwdriver



- Two double-ended, reversible tips
- Material: Blade: Cr-V, Handle: ABS
- HRC: 52±3



Contents		O.A.L.(mm/inch)
⊖ 1/16", 1/8"	⊕ #00, #0	131/5.2
Model No.	Individual packing	
800-092	Single pc	
800-092-50	50 pcs display pack	



SD-804/SD-804-1 5-In-1 Screwdriver With LED Flashlight



- Two double-ended, reversible tips
- Material: Blade: Cr-V, Handle: ABS
- HRC: 52±3



LED light



Contents		O.A.L.(mm/inch)
⊖ 3mm, 1.6mm	⊕ #00, #0	131/5.2
Model No.	Individual packing	
SD-804	50 pcs display pack	
SD-804-1	Blister card	

TESTERS

PRECISION PLIERS
& CUTTERS

ELECTRICAL PLIERS
& CUTTERS

KNIVES & SCISSORS
& SAW

CRIMPERS

STRIPPERS

PUNCHDOWN
TOOLS

SOLDERING /
ASSEMBLY

SCREWDRIVERS/
BITS

HEX KEY/
WRENCHES

TWEEZERS

**800 Series Soft-Handled Screwdrivers****RoHS**
COMPLIANT

Molded propylene handle

High grade chrome vanadium steel

Satin finish and black oxide tip

Special inlaid blade
insert; safe and durable

Molded propylene handle

High grade chrome vanadium steel

Satin finish and black oxide tip




Model No.	A	B(mm)	C	D	E
800-001	3	3.2	3.3	1/8	6.3
800-003	3	5.0	4.3	3/16	7.3
800-010	4	3.2	3.3	1/8	7.3
800-012	6	3.2	3.3	1/8	9.3
800-005	2.3	6.0	6.0	1/4	8.3
800-014	4	5.0	4.3	3/16	8.3
800-020	10	5.0	4.3	3/16	14.3
800-022	4.3	6.0	6.0	1/4	10.3
800-024	6.3	6.0	6.0	1/4	12.3
800-018	8	5.0	4.3	3/16	12.3
800-016	6	5.0	4.3	3/16	10.3
800-026	8.3	6.0	6.0	1/4	14.3

Individual packing: Hanger

Model No.	A	B	C	D	E
800-002	3	#0	3.3	1/8	6.3
800-004	3	#1	4.3	3/16	7.3
800-011	4	#0	3.3	1/8	7.3
800-013	6	#0	3.3	1/8	9.3
800-006	2.3	#2	6.0	1/4	8.3
800-015	4	#1	4.3	3/16	8.3
800-021	10	#1	4.3	3/16	14.3
800-023	4.3	#2	6.0	1/4	10.3
800-025	6.3	#2	6.0	1/4	12.3
800-019	8	#1	4.3	3/16	12.3
800-017	6	#1	4.3	3/16	10.3
800-027	8.3	#2	6.0	1/4	14.3

Individual packing: Hanger



Unit: inch

Star Screwdriver Include Tamper Proof Holes


Model No.	A	B	C	D	E
800-032	2	T5	3.3	5/32	5.3
800-033	2	T6	3.3	5/32	5.3
800-034	2	T7	3.3	5/32	5.3
800-035	3	T8	3.3	5/32	6.3
800-036	3	T9	3.3	5/32	6.3
800-037	3	T10	3.3	5/32	6.3
800-038	3	T15	3.3	5/32	6.3
800-043	2	T7H	3.3	5/32	6.3
800-044	3	T8H	3.3	5/32	6.3
800-045	3	T9H	3.3	5/32	6.3
800-046	3	T10H	3.3	5/32	6.3
800-047	3	T15H	3.3	5/32	6.3

Individual packing: Hanger

Tri-wing Type Screwdriver

Model No.	A	B	C	D	E
800-123	2	TRI	3.3	1/8	5.3

Individual packing: Blister card

**1PK-9402****RoHS**
COMPLIANTThe outer diameter of head is made
narrow for use with D-Sub connector
standoffs.Individual packing:
Pouch**7 PCS Electronic Hex Nut Driver Set**

Contents

M3, M3.5, M4, M4.5, M5, M5.5, M6

**800-030****11 PCS Star Screwdriver Set****RoHS**
COMPLIANTIndividual packing:
Inner box + Color label shrink

Contents

T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



SD-800 Series 1000V Insulated VDE Screwdrivers



1000V 05
IEC 60900 : 2004



- Certified to IEC 60900: 2004, VDE, and DIN 1000V safety standards and bear the GS sign.
- High visibility molded ergonomic cushion grip handles for maximum comfort.
- The insulation of the handle is molded directly onto the blade for permanent bonding.



High visibility
molded
ergonomic
cushion grip
handles



Heavy insulated
shank

SNCM alloy steel
AISI: 8660
HRC:55°±2°

Model No.	Spec.	Blade length (mm/inch)
902-212	⊖ 0.4x2.5mm	75/3
SD-800-S3.0	⊖ 0.5x3.0mm	100/4
902-214	⊖ 0.8x4.0mm	100/4
SD-800-S5.5	⊖ 1.0x5.5mm	125/5
902-216	⊖ 1.2x6.5mm	150/6
902-217	⊖ 1.2x8.0mm	175/7
902-209	⊕ PH0	60/2.4
902-210	⊕ PH1	80/3.2
902-211	⊕ PH2	100/4
902-220	⊕ PH3	150/6

Individual packing: Double blister card



902-213 Insulated Screwdrivers Set



7 piece set. VDE safety screwdriver set with SNCM alloy steel AISI: 8660 tips. This essential kit is a must when working with electrical items. Supplied in a case.

Contents

S2.5, S3.0, S5.5, S6.5,
PH0, PH1, PH2

Individual packing:
Inner box+Color label shrink



902-099 6 PCS Insulated Precision Screwdriver Set



1000V 05
IEC 60900 : 2004



- Provides shock protection to 1000V AC
- Meet VDE standards for safety to 1000V AC
- Comes complete with a plastic storage case
- Material (Blade): Cr-Mo

Contents	O.A.L.(mm/inch)
⊖ 0.4x2.0x65mm(2.6")	159/6.3
⊖ 0.23x1.5x65mm(2.6")	159/6.3
⊖ 0.4x2.5x65mm(2.6")	159/6.3
⊕ PH00x65mm(2.6")	159/6.3
⊕ PH0x65mm(2.6")	159/6.3
⊕ PH1x65mm(2.6")	159/6.3

Individual packing: Shrink

TESTERS

PRECISION PLIERS
& CUTTERS

ELECTRICAL PLIERS
& CUTTERS

KNIVES & SCISSORS
& SAW

CRIMPERS

STRIPPERS

PUNCHDOWN
TOOLS

SOLDERING /
ASSEMBLY

SCREWDRIVERS/
BITS

HEX KEY/
WRENCHES

TWEZERS

SD-807 7 in 1 Insulated Driver Set Interchangeable VDE 1KV



1000V 05
IEC 60900 : 2004



Special Design for Easy and Quick Change



- Certified to IEC/DIN EN 60900 1000V VDE safety standards
- Includes 7 interchangeable screwdriver blades with 1 handle

Spec	Blade length(mm/inch)	Materials
⌀ 0.5x3.0mm	100/3.9	AISI 8660
⌀ 0.8x4.0mm	100/3.9	AISI 8660Cr-Mo-V
⌀ 1.2x6.5mm	100/3.9	AISI 8660Cr-Mo-V
⊕ PH0, PH1, PH2	100/3.9	AISI 8660Cr-Mo-V
⊕ T10	100/3.9	S2 alloy steel

Individual packing: Inner box+Color label shrink

902-215 1000V Insulated Screwdriver & Plier Set



1000V
IEC 60900



Contents

- ⌀ 0.4x2.5x75mm (3")
- ⌀ 0.5x3.0x100mm (4")
- ⌀ 1.0x5.5x125mm (5")
- ⊕ PH1x80mm (3.1")
- ⊕ PH2x100mm (4")
- 6.3" Insulated wire stripping plier
- 6.3" Insulated side cutter
- 6.3" Insulated long nose plier
- Zippered carrying bag
- Case size: 255x175x50/10.0x6.9x2.0 (mm/inch)
- Individual packing: Inner box & Color label shrink

902-218 1000V Insulated Plier & Screwdriver Set



1000V
IEC 60900




Contents

- ⌀ 0.4x2.5x75mm (3")
- ⌀ 0.8x4.0x100mm (4")
- ⌀ 1.0x5.5x125mm (5")
- ⌀ 1.2x6.5x150mm (6")
- ⊕ PH0x60mm (2.4")
- ⊕ PH1x80mm (3.1")
- ⊕ PH2x100mm (4")
- 7.9" Insulated combination plier
- 6.3" Insulated side cutter
- 7.9" Insulated long nose plier
- 6.3" Insulated long nose plier
- Zippered carrying bag
- Case size: 294x240x50 / 11.6x9.4x2.0(mm/inch)
- Individual packing: Inner box & Color label shrink

SD-2400 Series Spanner Type Security Screwdriver




New



Model No.	D	OAL (mm/inch)
SD-2400-S4	1.5mm	186/7.3
SD-2400-S6	2.3mm	186/7.3
SD-2400-S8	2.5mm	186/7.3
SD-2400-S10	3.1mm	186/7.3
SD-2404	Contents: SD-2400-S4, SD-2400-S6, SD-2400-S8, SD-2400-S10	

Individual packing: Blister card

SD-72 Series Go Through Screwdriver




New



The steel cap withstands hammer blows

The hex shaft and bolser fit any brand of wrench which can loosen tight screws easily.



Model No.	A (mm/inch)	B	C (mm/inch)	D (mm/inch)	E (mm/inch)
SD-7213A	150/5.9	6.0mm	109/4.3	6/0.23	259/10.2
SD-7213B	150/5.9	#2	109/4.3	6/0.23	259/10.2
SD-7222A	150/5.9	8.0mm	121/4.8	8/0.31	271/10.7
SD-7222B	150/5.9	#3	121/4.8	8/0.31	271/10.7

Individual packing: Hanger

902-096/902-097 Pro-soft Screwdriver Set



Elastomer resin fitting exactly and double structure. Non-slip.



Model No.	Contents
902-096	3.0x75mm(3"), 5x75mm (3"), 6x100mm (4")
902-097	T5HX50mm(2"), T6HX50mm(2"), T7HX50mm(2"), T8HX50mm(2"), T9HX50mm(2"), T10HX75mm(3"), T15HX75mm(3")

Individual packing: Color box

800-028/800-029 Stubby Screwdriver

Stubby Screwdriver



New design fits your hand shape, provides comfortable and powerful grip.

High grade chrome-molybdenum vanadium steel.



Exact fit to screws and high accuracy hardened finished.



Model No.	Contents
800-028	6.0x40mm (1.6")
800-029	#2x40mm (1.6")

Individual packing: Hanger

TESTERS

PRECISION PLIERS & CUTTERS

ELECTRICAL PLIERS & CUTTERS

KNIVES & SCISSORS & SAW

CRIMPERS

STRIPPERS

PUNCHDOWN TOOLS


SOLDERING / ASSEMBLY

SCREWDRIVERS/ BITS

HEX KEY/ WRENCHES

TWEEZERS

800-041/800-042 Pocket Clip Screwdriver



3mm



#0



Model No.	Spec.
800-041	⊖ 3x135mm (5.31")
800-042	⊕ #0x135mm (5.31")

Individual packing: Hanger

800-148 Double-end Reversible Screwdriver



6mm

CR-V



#2



Material	HRC	Working length
Chrome vanadium steel	48°±8°	100 mm/3.9"

Individual packing: Blister card

800-072/ 800-079 CATV Install/Extract Tool

- Installs and removes F-Type connectors in hard to reach places
- Handle contains male F-Type holder



800-049/ 800-050 BNC Connector Insertion/ Removal Tool

- Provides easy access to difficult to reach, high density connectors



900-055 Double End Socket Can Wrench



- 3/8" & 7/16" hex double end. Plastic handle.



Model No.	Material	Handle	HRC	O.A.L (mm/inch)	Individual packing
800-072	Cr-V	PVC	45°±3°	300/12	Polybag+header card
800-079	Cr-V	PVC	45°±3°	150/6	Polybag+header card
800-049	Cr-V	PVC	45°±3°	300/12	Polybag+header card
800-050	Cr-V	PVC	45°±3°	200/8	Polybag+header card
900-055	S45C	Plastic	45°±3°	180/7.1	Blister card

800-039 20 in 1 Screwdriver With Telescoping Pick-Up Tool



Magnetic pick-up: 250g(Max.)

- (A) Regular screwdriver with 13-pcs. screw bits
5-pcs. sockets and 1 pc socket adaptor for all
kinds of jobs.
- (B) Telescoping magnetic pick-up tool (up to 17-1/2"
long/440mm) stored inside the tube pulling out
to pick up small metal objects.

Individual packing

Blister card



800-074

Ratcheted Screwdriver Handle

- Ratcheting
- Swiveling
- Reversible
- Heavy-duty rubber grip
- Your bits can be stored in handle holder

Individual packing

Blister card

800-048/
800-048E**33PCS Security Bit Kit**

- Available in lower grade SAE 6150 CR-V steel for a lower price-part#: 800-048E
- 800-048 Material: S2 , alloy steel bits

**Contents**

- 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 1/4"
- T8H, T10H, T15H, T20H, T25H, T27H, T30H, T35H, T40H
- #4, #6, #8, #10
- #6, #8, #10
- #1, #2, #3, #4
- #1, #2, #3, #4

Individual packing: Blister card



800-068

Twin Wrench Driver Set

SAE 6150



Design with tips at both ends for horizontal and vertical use.

Contents

- 4, 5, 6mm
- No.1, No.2
- No.1, No.2
- T10, T15, T20

Individual packing: Blister card



902-069

Twin Wrench Driver Set

SAE 6150

T6 to T30H have tamper proof holes for preventing tampering for cordless telephones and wireless equipment.



Design with tips at both ends for horizontal and vertical use.

Contents

- T6
- T8H, T10H, T15H, T20H, T25H, T27H, T30H
- No.1, No.2
- 4.5, 6.0mm

Individual packing: Blister card



800-078

17 PCS Offset Ratchet & Socket Drivers Set

Double end design and a direction switch for clockwise or counter-clockwise.

Contents**Socket**

- 3/8", 11/32", 5/16", 1/4", 7/32", 3/16"

Bit

- 4, 5, 6mm
- No.1, No.2
- No.1, No.2
- T10, T15, T20

Individual packing: Blister card



800-076

Flexible Ratchet Driver Set

Flexible shaft gets into hard to reach areas.

Contents

- 4, 5, 6mm
- No.1, No.2
- No.1, No.2
- T10, T15, T20
- Flexible shaft
- Mini ratchet handle

Individual packing: Blister card

TESTERS

PRECISION PLIERS
& CUTTERSELECTRICAL PLIERS
& CUTTERSKNIVES & SCISSORS
& SAW

CRIMPERS

STRIPPERS

PUNCHDOWN
TOOLSSOLDERING /
ASSEMBLYSCREWDRIVERS/
BITSHEX KEY/
WRENCHES

TWEEZERS

**SD-9701M****20 IN 1 T-handle Driver
Sockets & Bits Set****New****Contents**

- | | |
|-------------------------------------|--------------|
| ⊕ PH2, PH3 | ⊕ PZ1, PZ2 |
| ⊖ 4.0, 5.0mm | ● 4.0, 5.0mm |
| ⊗ T15, T20 | |
| ● Socket: 5,6,7,8,9,10,11,12,13mm | |
| T handle with bits holder blade x 1 | |
| 50mm(2.0") length adaptor | |

Individual packing: Blister card

**900-194****23 PCS 1/4" Driver Socket Set****Contents**

- 18 pcs 1/4" DR: 4, 5, 6, 7, 8, 9, 10, 11, 12mm
3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 140mm(5.5") ratchet handle
- Adaptor: 75mm(3.5"), 150mm(5.9")
- Steel box

Individual packing: Color label shrink

**800-080****6 In 1 Magnetic Quick Change
Screwdriver**

Double ended socket




Flash interchangeable

- Industrial quality with maximum versatility.
- Shock proof T.P.R + P.P. and S2 alloy steel bit.
- O.A.L: 200mm (7.9")

Contents

- 8mm socket
- 6mm socket
- ⊖ 3/16", 1/4"
- ⊕ #1, #2

Individual packing: Blister card

**SD-2313 30-Piece Do-It-All Kit**

Magnetic storage case



Triangle bits case

Bits

- SQ1, SQ2
- ⊕ PH0, PH1, PH2, PH3
- ⊕ PZ0, PZ1, PZ2, PZ3
- ⊖ SL3.5, 4.5, 5.5, 6, 8mm
- HX2, 2.5, 3, 4, 5, 6, 8
- ⊗ T5, T6, T7, T8, T10, T15, T20, T35

Individual packing: Hanger


**SD-2306M****21 PCS 1/4" & 3/8" Dual Function
Ratchet Handle Sockets Set**

- Handy, all-in-one 21-piece ratchet set!
- Chrome vanadium steel bits.
- Includes a custom storage case.
- Light weight design, 1063g per set.
- 18 bits with one stubby ratchet handle, and two extension bars.

Contents

- 8 pcs 3/8" DR socket: 10, 11, 12, 13, 14, 15, 17, 19mm
- 10 pcs 1/4" DR socket: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 1 pc 1/4" DR & 3/8" DR stubby ratchet handle
- 1 pc extension bar 1/4" DR x2"
- 1 pc extension bar 3/8" DR x3"

Individual packing: Color sleeve shrink

**800-081****62 PCS Security Bit Set****Contents**

- | | | |
|--|--|-------------------|
| ● M5, M6, M8 | ⊖ C1, C2, C3 | ⊕ 6, 8, 10 |
| ⊖ 1/8", 3/16" | ▲ TA2.0 | ⊖ 4, 6, 8, 10, 12 |
| ● S0, S1, S2, S3 | ▲ 1, 2, 3, 4, 5 | ⊕ PZ0, PZ1, PZ2 |
| ⊕ #0, #1, #2 | ○ Wing nut driver | |
| ⊗ T-5H, T-6H, T-7H, T-8H, T-9H, T-10H, T-15H, T-20H, T-25H, T-27H, T-30, H T-40H | | |
| ● 2, 2.5, 3, 4, 5, 6, 8mm, 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" | | |
| 1 pc socket adapter | 1 pc 1/4" x 60mm(2.36") magnetic bits holder | |
| 1 pc bits holder socket | 1 pc ratchet screwdriver | |

Individual packing: Shrink packing

SD-2307M 35 PCS 1/4" DR Socket & Screwdriver



- Featuring ratchet lock function, and two unique handles for more flexible works.
- Handy, all-in-one 35-piece ratchet set!
- Chrome vanadium steel bits.
- Includes a custom storage case.
- Light weight design, 679g per set.

Contents

11 pcs 1/4" DR sockets:

● 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

20 pcs bits:

⊕ PH0, PH1, PH2, PH3

⊖ 3, 5, 7mm

● 2.5, 3, 4, 5, 6, 8mm

⊗ T10, T15, T20, T25, T30, T40

⊕ PZ2

1 pc ratchet handle 1/4" DR

1 pc bit holder

1 pc handle driver

1pcs 1/4" x 2" ext bar

Individual packing: Color sleeve + Shrink pack

SD-2309 40 PCS Reversible Ratchet Screwdriver W/Bits & Sockets Set



- Handy, all-in-one 40-piece ratchet set!
- Featuring dual-color rotatable ratchet handle.
- Chrome vanadium steel bits.
- Includes a custom storage case.
- Light weight design, 733g per set.

Contents

11 pcs 1/4" DR sockets:

● 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

26 pcs bits:

⊕ PH0, PH1, PH2, PH3

⊖ 3, 4, 5, 6, 8mm

● 2, 2.5, 3, 4, 5, 6, 7mm

⊗ T10, T15, T20, T25, T30, T40

⊕ PZ0, PZ1, PZ2, PZ3


1 pc adapter

1 pc magnetic bit holder 100mm(3.9")

1 pc 3-position reversible ratchet screwdriver

Individual packing: Color sleeve + Shrink pack

SD-2308M 35 PCS 1/4" DR Socket & Screwdriver W/Long Nose Plier Set



Double-sided design reversible storage case.

- Featuring ratchet lock function, universal joint, and adjustable T-bar.
- Chrome vanadium steel bits.
- Light weight design, 908g per set.
- Handy, all-in-one 35-piece variety of tools!
- Includes a patented reversible storage case.

Contents

11 pcs 1/4" DR sockets:

● 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

12 pcs bits:

⊕ PH1, PH2, PH3

⊖ 3, 4, 5, 6mm

⊗ T10, T15, T20, T25, T30

4 pcs 50mm bit

⊕ PH2, PH3

⊖ 6, 7mm

2 pcs ext bar 1/4"x3" , 1/4"x6"

1 pc long nose plier (135mm/5.3")

1 pc ratchet handle

1 pc 1/4" DR adjustable T-bar

1 pc bit holder

1 pc handle driver

1 pc 1/4" x 1/4" universal joint

Individual packing: Color sleeve + Shrink pack

SD-2310 100 PCS Assorted Power Bits Set



- Handy, all-in-one 100-piece ratchet set!
- Chrome vanadium steel bits.
- Includes a custom storage case.
- Light weight design, 669g per set.

Contents

96 pcs bits:

⊕ PH1, PH2

⊖ C1, C2, C3

⊕ 1, 2, 3, 4, 5

⊕ PZ0, PZ1, PZ2, PZ3

● M5, M6, M8

⊖ 4, 6, 8, 10, 12

● 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"

● 2, 3, 4, 5, 6, 7, 8mm, 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"

⊕ T5H, T6H, T8H, T10H, T15H, T20H, T25H, T27H, T30H, T35H, T40H

⊕ T5, T6, T8, T10, T15, T20, T25, T27, T30, T40

1 pc sockets adapter

1 pc dry wall stopper

1 pc bits holder


1 pc magnetic bit holder

Individual packing: Color sleeve + Shrink pack



High Quality Bits Series

- High quality bits at an economical price
- Made from S-2 tool steel with a Hardness of HRC 59°~61°



Slotted Bits 1/4" Hex drive power bits



Part No.	A	B
SL12X1-15/16	1-2	1-15/16"
SL23X1-15/16	2-3	1-15/16"
SL34X1-15/16	3-4	1-15/16"
SL45X1-15/16	4-5	1-15/16"
SL56X1-15/16	5-6	1-15/16"
SL68X1-15/16	6-8	1-15/16"
SL810X1-15/16	8-10	1-15/16"
SL1012X1-15/16	10-12	1-15/16"
SL1214X1-15/16	12-14	1-15/16"

Pozidrive Bits 1/4" Hex drive power bits.



Part No.	A	B
PZ0X1-15/16	0	1-15/16"
PZ1X1-15/16	1	1-15/16"
PZ2X1-15/16	2	1-15/16"
PZ3X1-15/16	3	1-15/16"
PZ4X1-15/16	4	1-15/16"

Phillips Bits 1/4" Hex drive insert bits



Part No.	A	B
PH0X1	#0	1"
PH1X1	#1	1"
PH2X1	#2	1"
PH3X1	#3	1"

Philips Bits 1/4" Hex drive power bits.



Part No.	A	B
PH0X1-15/16	#0	1-15/16"
PH1X1-15/16	#1	1-15/16"
PH2X1-15/16	#2	1-15/16"
PH3X1-15/16	#3	1-15/16"

Special 5-lobe Security Star Tip

1/4" Hex drive insert bits



Part No.	A	B
TS10HX1	TS10H	1"
TS15HX1	TS15H	1"
TS20HX1	TS20H	1"



Star-Tip Bits 1/4" Hex drive insert bits.



Part No.	A	B
T5X1	T-5	1"
T6X1	T-6	1"
T7X1	T-7	1"
T8X1	T-8	1"
T9X1	T-9	1"
T10X1	T-10	1"
T15X1	T-15	1"
T20X1	T-20	1"
T25X1	T-25	1"
T27X1	T-27	1"
T30X1	T-30	1"

Star-Tip Bits 1/4" Hex drive power bits



Part No.	A	B
T5X1-15/16	T-5	1-15/16"
T6X1-15/16	T-6	1-15/16"
T7X1-15/16	T-7	1-15/16"
T8X1-15/16	T-8	1-15/16"
T9X1-15/16	T-9	1-15/16"
T10X1-15/16	T-10	1-15/16"
T15X1-15/16	T-15	1-15/16"
T20X1-15/16	T-20	1-15/16"
T25X1-15/16	T-25	1-15/16"
T27X1-15/16	T-27	1-15/16"
T30X1-15/16	T-30	1-15/16"

Tamper Resistant Star-Tip Bits

1/4" Star-Tip drive insert bits: tamper resistant. Tamper resistant Star-Tip screws feature a post in the center of the recess. This post will only fit into a tamper resistant Star-Tip bit.



Part No.	A	B
T7HX1	T-7H	1"
T8HX1	T-8H	1"
T9HX1	T-9H	1"
T10HX1	T-10H	1"
T15HX1	T-15H	1"
T20HX1	T-20H	1"
T25HX1	T-25H	1"
T27HX1	T-27H	1"
T30HX1	T-30H	1"

Tamper Resistant Star-Tip Bits

1/4" Hex drive power bits.



Part No.	A	B
T7HX1-15/16	T-7H	1-15/16"
T8HX1-15/16	T-8H	1-15/16"
T9HX1-15/16	T-9H	1-15/16"
T10HX1-15/16	T-10H	1-15/16"
T15HX1-15/16	T-15H	1-15/16"
T20HX1-15/16	T-20H	1-15/16"
T27HX1-15/16	T-27H	1-15/16"
T30HX1-15/16	T-30H	1-15/16"

Hex Head Bits 1/4" Hex drive insert bits; SAE.



Part No.	A	B
HX1/16X1	1/16"	1"
HX5/64X1	5/64"	1"
HX3/32X1	3/32"	1"
HX7/64X1	7/64"	1"
HX1/8X1	1/8"	1"
HX9/64X1	9/64"	1"
HX5/32X1	5/32"	1"
HX3/16X1	3/16"	1"
HX7/32X1	7/32"	1"
HX1/4X1	1/4"	1"

Hex Head Bits 1/4" Hex drive insert bits: Metric.



Part No.	A	B
HX1.5X1	1.5mm	1"
HX2X1	2mm	1"
HX2.5X1	2.5mm	1"
HX3X1	3mm	1"
HX4X1	4mm	1"
HX5X1	5mm	1"
HX6X1	6mm	1"
HX7X1	7mm	1"

Hex Head Bits 1/4" Hex drive power bits; SAE.



Part No.	A	B
HX1/16X1-15/16	1/16"	1-15/16"
HX5/64X1-15/16	5/64"	1-15/16"
HX3/32X1-15/16	3/32"	1-15/16"
HX7/64X1-15/16	7/64"	1-15/16"
HX1/8X1-15/16	1/8"	1-15/16"
HX9/64X1-15/16	9/64"	1-15/16"
HX5/32X1-15/16	5/32"	1-15/16"
HX3/16X1-15/16	3/16"	1-15/16"
HX7/32X1-15/16	7/32"	1-15/16"
HX9/32X1-15/16	9/32"	1-15/16"

Ball Hex Head Bits 1/4" Hex drive power bits : SAE



Part No.	A	B
BHX5/64X3-1/2	5/64"	3-1/2"
BHX3/32X3-1/2	3/32"	3-1/2"
BHX7/64X3-1/2	7/64"	3-1/2"
BHX1/8X3-1/2	1/8"	3-1/2"
BHX9/64X3-1/2	9/64"	3-1/2"
BHX5/32X3-1/2	5/32"	3-1/2"
BHX3/16X3-1/2	3/16"	3-1/2"
BHX7/32X3-1/2	7/32"	3-1/2"
BHX1/4X3-1/2	1/4"	3-1/2"

Ball Hex Head Bits 1/4" Hex drive power bits; Metric



Part No.	A	B
BHX2X3-1/2	2mm	3-1/2"
BHX2.5X3-1/2	2.5mm	3-1/2"
BHX3X3-1/2	3mm	3-1/2"
BHX4X3-1/2	4mm	3-1/2"
BHX5X3-1/2	5mm	3-1/2"
BHX6X3-1/2	6mm	3-1/2"

Spanner Security Bits 1/4" Hex drive insert



Part No.	A	B
SSP4X1	#4	1"
SSP6X1	#6	1"
SSP8X1	#8	1"
SSP10X1	#10	1"

TESTERS

PRECISION PLIERS
& CUTTERS

ELECTRICAL PLIERS
& CUTTERS

KNIVES & SCISSORS
& SAW

CRIMPERS

STRIPPERS

PUNCHDOWN
TOOLS

SOLDERING /
ASSEMBLY

SCREWDRIVERS/
BITS

HEX KEY/
WRENCHES


TWEEZERS



HEX KEY / WRENCHES


800-124/
800-066

7 PCS Folding Hex Key Set



800-052

8 PCS Folding Star Key Set



902-100 8 PCS Folding Star Key Set



902-226 9 PCS Folding Hex Key Set



Model No.	Key Material	Contents	Case	Key	Individual packing
800-124	SAE6150	1.5, 2, 2.5, 3, 4, 5, 6mm (Metric size)	Green lacquered	Satin finish	Blister card
800-066	SAE6150	1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4" (Inch size)	Green lacquered	Satin finish	Blister card
800-052	SAE8660	T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H	Green lacquered	Satin finish	Blister card
902-100	SAE6150	T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H	T.P.R. Anti-slip	Satin finish	Hanger
902-226	SAE6150	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" (Inch size)	T.P.R. Anti-slip	Satin finish	Hanger

902-101 16 Pcs Hex Key Wrench Set



- Material: SAE6150 chrome vanadium steel
- Portable packaging.
- Case can be hung for storage or display



Individual packing: Blister card

Tip size(mm)	S (mm/inch)	L (mm/inch)	Tip size(inch)	S (mm/inch)	L (mm/inch)
1.5	14/0.55	45/1.8	1/16"	14/0.55	46/1.8
2	16/0.62	51/2.0	5/64"	17/0.62	48/1.9
2.5	19/0.74	57/2.2	3/32"	17/0.62	52/2.0
3	20/0.78	65/2.6	1/8"	20/0.78	58/2.3
4	24/0.94	70/2.8	5/32"	22/0.86	65/2.6
5	29/1.14	80/3.1	3/16"	25/0.98	72/2.8
5.5	29/1.14	88/3.5	7/32"	28/1.10	77/3.0
6	33/1.3	94/3.7	1/4"	29/1.14	86/3.4

900-038 30 PCS Metric & Inch Combination Hex Key Set



- Material: SAE6150 chrome vanadium steel
- Portable packaging.
- Case can be hung for storage or display



Hanger




Individual packing: Blister card

Tip size(mm)	S (mm/inch)	L (mm/inch)	Tip size(inch)	S (mm/inch)	L (mm/inch)
0.7	8/0.31	35/1.4	0.028"	8/0.31	65/2.6
0.9	10/0.39	38/1.5	0.035"	10/0.39	68/2.68
1.3	12/0.47	41/1.6	0.050"	12/0.47	72/2.83
1.5	14/0.55	45/1.8	1/16"	14/0.55	77/3.0
2	17/0.66	50/2.0	5/64"	15/0.59	82/3.23
2.5	19/0.74	56/2.2	3/32"	18/0.70	89/3.5
3	20/0.78	65/2.6	7/64"	18/0.70	93/3.7
4	25/0.98	70/2.8	1/8"	19/0.74	98/3.86
4.5	27/1.06	77/3.0	9/64"	20/0.78	103/4.1
5	29/1.14	81/3.2	5/32"	22/0.87	107/4.21
5.5	31/1.2	86/3.4	3/16"	25/0.98	117/4.6
6	33/1.3	93/3.7	7/32"	28/1.10	127/5.0
7	36/1.4	100/3.9	1/4"	29/1.14	138/5.43
8	37/1.5	103/4.1	5/16"	35/1.4	155/6.1
10	44/1.7	117/4.6	3/8"	36/1.4	177/6.97

TESTERS
PRECISION PLIERS & CUTTERS
ELECTRICAL PLIERS & CUTTERS
KNIVES & SCISSORS & SAW
CRIMPERS
STRIPPERS
PUNCHDOWN TOOLS
SOLDERING / ASSEMBLY
SCREWDRIVERS/ BITS
HEX KEY/ WRENCHES
TWEZERS

800-125/800-065

9 PCS Ball-Point Long Arm Hex Key Set



- Material: SAE6150 chrome vanadium steel with satin finish

Individual packing: Blister card



HW-928 1/2" T-Handle Hex Key



- Long reach design with T-handle for greater torque and ease of use
- Hardened S2 steel alloy

Individual packing: Hanger

800-125 (Metric)			800-065 (Inch)		
Tip size(mm)	S (mm/inch)	L (mm/inch)	Tip size(inch)	S (mm/inch)	L (mm/inch)
1.5	13.5/0.53	77/3.0	1/16	14/0.55	76/2.99
2	15.5/0.61	82/3.2	5/64	15/0.59	81/3.19
2.5	17.5/0.68	88.5/3.5	3/32	17/0.66	86/3.39
3	19/0.74	98.5/3.9	1/8	19/0.74	95/3.74
4	24/0.94	104/4.1	5/32	21/83	105/4.13
5	27/1.1	116/4.6	3/16	24/0.94	114/4.49
6	31/1.2	138/5.4	1/4	28/1.10	133/5.24
8	35/1.4	157.5/6.2	5/16	32/1.26	152/5.98
10	39/1.5	167/6.6	3/8	35/1.4	171/6.73



800-067 10 pc T-Handle Hex Key Set



- 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

Individual packing: Blister card



800-091 7 pc T-Handle Hex Key Set



- Long reach design with T-handle for greater torque and ease of use
- Hardened S2 steel alloy
- Set comes in a durable blow-molded case
- 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" and 3/8"

Individual packing: Shrink wrap



HW-312S/HW-312B/HW-5912E

12 in 1 Type Ratcheting Box End Reversible Wrench



New

12 in 1



72-teeth gear, only 5° space for each turn

- 12 sizes in one reversible ratcheting wrench for superior versatility and ease of use
- 72-teeth gear design delivers 5 degree effective swing arc which makes work more efficient in limited areas
- Made of heat treated Cr-V steel with full polish for durability
- High torque capacity
- With forward, fixed and reversible function for easy operation



HW-312S



HW-312B

Model No.	Contents	OAL(mm/inch)	Individual packing
HW-312S	8, 10, 11, 13mm	160/6.3	Blister card
	5/16", 3/8", 7/16", 1/2"		
	E10, E12, E14, E16		
HW-312B	14, 16, 17, 19mm	230/9.06	Blister card
	9/16", 5/8", 11/16", 3/4"		
	E18, E20, E22, E24		
HW-5912E	Contents: HW-312S, HW-312B	160/230 (6.3/9.06)	Blister card



900-070 / 900-217

10 PCS Electronic Combination Wrench



• Material: AISI 1045



Model No.	Spec.
900-070 Inch Size	Closed end 7/16", 11/32", 3/8", 9/32", 5/16", 1/4", 15/64", 7/32", 5/32", 3/16"
	Open end 3/8", 5/16", 11/32", 1/4", 9/32", 15/64", 7/32", 13/64", 3/16", 5/32"
900-217 Metric Size	Closed end 11, 10, 9, 8, 7, 6, 6, 5.5, 4.5, 4mm
	Open end 10, 9, 8, 7, 6, 5.5, 5, 4, 4.5mm

Individual packing: Pouch





900-067/900-068/900-069/900-223/900-224

Adjustable Wrenches



900-067 900-068 900-069 900-223 900-224



- Economy type
- Knurled adjustable screw
- Drop forged
- PVC coating handles

Model No.	Material	Jaw open (Max)	OAL.	Individual packing
900-067	S50C	1/2"(13mm)	4"(100mm)	Blister card
900-068	S50C	13/16"(19mm)	6"(150mm)	Blister card
900-069	S50C	1"(25mm)	8"(200mm)	Blister card
900-223	S50C	1-3/16"(30mm)	10"(250mm)	Hanger
900-224	S50C	1-7/16"(36mm)	12"(300mm)	Hanger

TESTERS

PRECISION PLIERS
& CUTTERS

ELECTRICAL PLIERS
& CUTTERS

KNIVES & SCISSORS
& SAW

CRIMPERS

STRIPPERS

PUNCHDOWN
TOOLS

SOLDERING /
ASSEMBLY

SCREWDRIVERS/
BITS

HEX KEY/
WRENCHES

TWEEZERS




TWEEZERS


ESD Safe Ergo-Grip Tweezer

- Light weight design.
- Precise tip offers safe access to hard-to-reach areas.
- Cushioned handle increases operation comfort with less fatigue.
- Constructed on high-quality stainless steel, chemical resistance; tough, non-magnetic.


TZ-202N Super Fine Tip Straight Tweezer




TZ-204N Fine Tip Curved Tweezer





TZ-205N Fine Tip Straight Tweezer



TZ-212N Extremely Fine And Sharp Tip



TZ-225N Super Fine Tip Straight



Model No.	Material	Magnetic	OAL(mm/inch)	Individual packing
TZ-202N	AISI304	Non	120.5/4.7	Blister card
TZ-204N	AISI304	Non	120.5/4.7	Blister card
TZ-205N	AISI304	Non	140.5/5.5	Blister card
TZ-212N	AISI304	Non	129/5.1	Blister card
TZ-225N	AISI304	Non	120.5/4.7	Blister card