



Download Latest Catalog (5.73 M8 PDF)

Get a Quote Tutorial (999 KB PDF)



What's New

- · Request for Quote
- . EGA Product Powerpoint
- Testimonial
- Industrial Truck Ladder
- Ladder Usage Poster

more>>









Partitions

Cylinder Capinets:

Post Protectors

Rack Shelves/ Bay Dividers

TRANSPORT/STORE

Move It / Store It!









Stacking Racks

Highd Containers

Dollles/Carts

Trucks

CUSTOM FABRICATION









Returnable Racks

Custom Packing Bench

Custom Stack Rack

Component Staging





4275 N. 127th St. | Brookfield, WI 53005-0366 | Phone: 800-937-3427 | Fax: 262-781-3586 | info@egaproducts.com



*Quality Products For Over 28 Years! *Manufactured in Wisconsin and North Carolina *We Would Love to Earn Your Business!

General Information to all Distributors

Pricing

Prices are as indicated in this catalog and are subject to change without notice. All prices are F.O.B. our plant, Brookfield, WI or Mooresville, NC.

Terms

Terms of payments are net 30 days from date of invoice with approved credit. Any orders from any company with open invoices over 45 days old will be placed on hold until past due invoices are paid. All order and terms are subject to approval of EGA Products, Inc. A charge of 1% per month will be applied to all invoices past due. This will be calculated from the 31st day.

Routing of Shipments

Unless your order specifies a preferred routing, shipment will be made the best way (rail, commercial truck or UPS) with freight charges collect. Freight classification for each product is shown in this catalog.

Field Incurred Charges

Company policy is to provide customer satisfaction; however, we will recognize no costs incurred in the field unless authorized by us in advance and in writing.

Damaged Goods

- Before accepting goods from a transportation company, be sure each itemized article is received as per original bill of lading and our invoice. If there is any shortage or damage, have the agent of the carrier, or his representative, state in writing on the freight bill(s) exactly what the shortage or damage is before accepting the goods.
- If discovery of loss or concealed damage is made after you have received the goods, notify the agent of the carrier within 48 hours in the case of apparent damage or loss, or within 15 days in case of concealed damage.

Cancellation Policy

- We will cancel any order within 2 days of the order without cancellation charge; beyond that, cancellation charges will be requred
 to cover the cost incurred.
- · Cancellations cannot be accepted after material has been cut to size or started in the manufacturing process.

Return Policy

- The following complete, as new, products are returnable if authorized in writing by EGA, subject to inspection at the factory to determine that the product is resalable as new.
- A restocking charge of 20% will be made and return freight will not be paid by EGA. Original freight bill from EGA to customer will not be EGA's responsibility.
- Materials which can be made resalable as new by simple additions or repainting will be salvaged at returner's expense.

Returnable Items

- Carts (Casters subject to inspection for wear).
- Partition Panels-Standard Only.
- -SG1000 Standard wall panels.
- -SG100 Vari-panels.
- -Line Posts.
- -Corner Hardware.
- Steel Roll EZY Ladders B or G tread without accessories or modifications.

- Office Ladders without modifications.
- Post Protectors.
- Cylinder Cabinets
- Custom Work Platforms (3'x3' only).
- \bullet Boxed KD products are subject to an additional 15% in restocking charges.

Discount Policy

EGA's discount schedule is applicable only in conjunction with the EGA terms just described, unless specifically written by EGA Products. Discount will be applied to distributors that

- (1) have and meet sales volume committments and
- (2) actively market and sell EGA Products as their primary or exclusive supplier.

Minimum Billing is \$25.00.

Dimensions and speficifactions contained within this catalog are subject to change without notice. Weights are approximate and may not be final shipping weight. EGA will not pay freight based on actual weight differences from application.

Table of Contents



INDUSTRIAL ROLLING LADDERS (6-13)



STATIONARY PLATFORMS (20-23)



MOBILE WORK PLATFORMS
(14-17)



SECURITY (24-29)



FIXED LADDERS (18-19)



STORAGE (30-35)

Design ~ Prototype ~ Production




















EGA Products

Designed with access in mind.

With more than 360 standard models to choose from, EGA offers 10 full ladder lines to meet your retail, warehousing and manufacturing application needs. Whether it's a dock ladder or an industrial truck ladder, every product in the EGA line is designed for optimum performance and safety at an affordable price. Whatever the application, our experts can provide the right ladder solution.

All EGA products - ladders, storage racks, carts, dollies and partitions - are made entirely in the U.S. to ensure you receive the highest quality product for years of dependable service.

STANDARD FEATURES

- Choose from steel, aluminum, or stainless construction.
- Select from Grip Strut®, EZY tread, or Anti-Slip vinyl treads for step and platform surfaces.
- Select from a variety of step widths to fit your application.
- Steel reinforced rubber feet, foot/bumper pads and super durable casters utilized.
- Floor locking systems designed and tailored for each specific style.
- Models that ship knocked-down, factory-erect (set-up), or fold-away.
- All ladders meet or exceed OSHA/ANSI standards with Cal-OSHA ladders available.
- Ability to add double or triple top steps, and fold down tray to most models.

EZY TREAD®

- Choose for standard duty or cleaner areas.
- Perforated tread design formed from a solid steel sheet.
- Eliminates sagging problems and front edge wear which are common with most expanded metal treads
- Available in steel models only.
- Self cleaning, sure footed, and economical.

GRIP STRUT®

- A must when oily or wet surfaces can be underfoot.
- A serrated tooth surface formed from a solid steel sheet.
- Acclaimed by all ladder manufacturers.
- Steel or aluminum construction.
- Aggressive, strong, sure footed and self cleaning.

RUBBER SURFACE TREADS

- Best choice if a solid tread surface is desired.
- Soft, resilient surface that will last.
- Slip-resistant textured surface for sure footing.

FLOOR LOCKING SYSTEMS

- Spring-loaded casters retract automatically under individual's weight.
 Durable steel reinforced rubber tips grip floor and secure ladder when in use. Steel inserts in tips provide strength and lengthen rubber tip life (A & B).
- EZY-Lock actually is a carriage providing mobility in transport, stability when in use. Minimum of moving parts assures long service life. Four casters located on the corners of the carriage/ladder provide mobile stability to the ladder. The first ladder step disengages carriage which puts ladder firmly on floor before being used. Step on one of two convenient foot pedals and the ladder is again mobile. No other ladder has a system with these safety orientated features (C & D).











Call (800)-937-3427 or visit www.egaproducts.com for more information

How to Select the Right Ladder for You (We Have 100's!)

- 1. Select platform height based on operations to be performed. Maximum convenient working height is generally 5' 0" above top platform.
- 2. Select as wide a ladder as space permits. Take into account whether people must pass ladder in aisle and where ladder must rest when not in use.
- 3. Consider limitations on ladder dimensions imposed by doorways, overhead obstructions, corners that ladder must turn, etc.
- 4. Consider some of our special "optional" features to insure the complete effectiveness of your EGA ladder.
- 5. For unusual conditions not illustrated in this brochure, we can provide custom engineering.

How to Order

- 1. Select the model that best fits your application and performance requirements (see Select the Right Ladder above).
- 2. Review accessories and options to complete the effectiveness of your EGA Ladder. Include items on order.
- 3. When available, specify KD (knocked-down) if desired. Models ordered without KD option will be supplied as all-welded SU set-up.

Usage Tips for Ladders


- 1. Proper selection
- Inspect before each use.
- 3. Follow USE suggestions.
- 4. If assembly required, follow instructions.
- 5. Follow maintenance guidelines.

EXAMPLE:


WORKING HEIGHT = 160"

- MINUS 60" (5' 0")
- = EQUALS PLATFORM HEIGHT = 100"

SINCE 10" = 1 TREAD HEIGHT NUMBER OF STEPS = 10



EGA Available Colors



☐ Industrial Rolling Ladders △60°

Square Tube

These ladders roll with ease, yet lock securely in place while in use. They are ideal for a wide variety of warehouse, stockroom, maintenance and shop floor applications. Rugged square tube construction is 40% stronger than round tubing and welded sub assemblies for extra strength. 450lb capacity. Rigid 1" square tubing. 2 – 4 Steps have spring-loaded 3" casters which provide mobility while rubber-tipped legs add traction while in use. 5 – 16 Steps have an Ezy-Lock that features 4" casters which are released putting ladder legs firmly on the floor when pressure is applied to bottom step. 16", 24", & 30" wide steps. Steps are 7" deep with a deeper 14" top step. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards.

							EZY Tread®		Grip Strut®		
		STEP ETY LA	ADDE	RS					11	/ /	
	# Of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	EGA#	Price	Lead Time Days
	2	20	17	N	22x25x20	28	L001	\$135	L010	\$166	5
_	2	20	17	Υ	22x25x56	31	L002	\$163	L011	\$198	5
AT TOP	3	30	17	N	22x34x30	34	L003	\$169	L012	\$209	5
ΑT	3	30	17	Υ	22x34x66	38	L004	\$190	L013	\$231	5
	4	40	17	N	22x44x40	50	L005	\$195	L014	\$242	5
WIDE	4	40	17	Υ	22x44x76	55	L006	\$226	L015	\$274	5
20"	5	50	17	Υ	24x43x86	65	L007	\$293	L016	\$359	5
	6	60	17	Υ	25x50x96	78	L008	\$386	L017	\$464	5
	7	70	17	Υ	27x57x106	88	L009	\$427	L018	\$508	5



							EZY 1	Γread [®]	Grip	Strut®	
									111		
	# Of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	EGA#	Price	Lead Time Days
	2	20	24	N	28x25x20	30	L019	\$151	L028	\$179	5
	2	20	24	Υ	28x25x56	33	L020	\$175	L029	\$218	5
TOP	3	30	24	N	28x34x30	37	L021	\$186	L030	\$226	5
AT	3	30	24	Υ	28x34x66	41	L022	\$213	L031	\$259	5
	4	40	24	N	28x44x40	55	L023	\$223	L032	\$271	5
WIDE	4	40	24	Υ	28x44x76	60	L024	\$245	L033	\$328	5
26"	5	50	24	Υ	31x43x86	72	L025	\$351	L034	\$416	5
``	6	60	24	Υ	32x50x96	84	L026	\$432	L035	\$498	5
	7	70	24	Υ	33x57x106	100	L027	\$460	L036	\$562	5

									110		
	# Of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	EGA#	Price	Lead Time Days
	2	20	30	N	34x25x20	31	L037	\$251	L046	\$290	5
	2	20	30	Υ	34x25x56	34	L038	\$275	L047	\$316	5
TOP	3	30	30	N	34x34x30	38	L039	\$288	L048	\$331	5
AT	3	30	30	Υ	34x34x66	43	L040	\$303	L049	\$348	5
DE/	4	40	30	N	34x44x40	63	L041	\$334	L050	\$385	5
WIDE	4	40	30	Υ	34x44x76	68	L042	\$401	L051	\$474	5
32"	5	50	30	Υ	37x43x86	82	L043	\$466	L052	\$537	5
,	6	60	30	Υ	38x50x96	96	L044	\$531	L053	\$612	5
	7	70	30	Υ	39x57x106	114	L045	\$581	L054	\$678	5

INDUSTRIAL ROLLING LADDER

MOBILE WORK PLATFORMS

EZY Tread® Grip Strut®



							EZY T	read®	Grip	Strut [®]	ı
	8-16	STEP							11		
	# Of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	EGA#	Price	Lead Time Days
	8	80	24	Υ	32x63x117	112	L055	\$595	L064	\$705	5
	9	90	24	Υ	33x70x127	124	L056	\$613	L065	\$719	5
P	10	100	24	Υ	34x76x137	136	L057	\$672	L066	\$800	5
AT TOP	11	110	24	Υ	36x83x147	148	L058	\$704	L067	\$823	5
WIDE A	12	120	24	Υ	37x90x157	160	L059	\$765	L068	\$962	5
26" WI	13	130	24	Υ	38x96x167	175	L060	\$1,029	L069	\$1,261	5
26	14	140	24	Υ	39x103x177	190	L061	\$1,142	L070	\$1,362	5
	15	150	24	Υ	40x109x187	210	L062	\$1,203	L071	\$1,438	5
	16	160	24	Υ	41x116x197	235	L063	\$1,235	L072	\$1,541	5
	8	80	28	Υ	38x63x117	128	L073	\$681	L082	\$783	5
	9	90	28	Υ	39x70x127	142	L074	\$714	L083	\$839	5
P	10	100	28	Υ	40x76x137	156	L075	\$806	L084	\$946	5
AT TOP	11	110	28	Υ	41x83x147	170	L076	\$879	L085	\$1,022	5
	12	120	28	Υ	42x90x157	184	L077	\$962	L086	\$1,124	5
32" WIDE	13	130	28	Υ	43x96x167	201	L078	\$1,186	L087	\$1,396	5
32	14	140	28	Υ	45×103×177	218	L079	\$1,347	L088	\$1,608	5
	15	150	28	Υ	46x109x187	240	L080	\$1,506	L089	\$1,790	5
	16	160	28	Υ	47x116x197	246	L081	\$1,650	L090	\$1,969	5


^{*} NOTE: EZY Lock bottom step standard on 5 step ladders and above.

Shipping Info

Starting Zip	Freight Class
53005	All Steps 150 to 250

☐ 360 Degree Rotating △60° **Rolling Ladders**

Square Tube





Starting Zip	Freight Class
53005	All Steps 150 to 250

60 DEGREE INCLINE 360 DEGREE ROTATING LADDER

								1000			
	# Of Steps	Top Step height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	EGA#	Price	
	7	70	24	Υ	31x57x106	183	K001	\$553	K101	\$599	10
	8	80	24	Υ	33x63x116	198	K002	\$623	K102	\$740	10
	9	90	24	Υ	34x70x126	212	K003	\$639	K103	\$756	10
TOP	10	100	24	Υ	35x76x136	227	K004	\$701	K104	\$835	10
AT	11	110	24	Υ	36x83x146	269	K005	\$749	K105	\$927	10
≥	12	120	24	Υ	37x90x162	284	K006	\$844	K106	\$983	10
26"	13	130	24	Υ	38x96x172	299	K007	\$1,033	K107	\$1,229	10
	14	140	24	Υ	39x103x182	313	K008	\$1,059	K108	\$1,245	10
	15	150	24	Υ	40x109x192	328	K009	\$1,111	K109	\$1,312	10
	16	160	24	Υ	42x116x202	342	K010	\$1,138	K110	\$1,348	10

Grip Strut®

EZY Tread®

_											
	7	70	30	Υ	37x57x106	198	K011	\$596	K111	\$694	10
	8	80	30	Υ	38x63x116	218	K012	\$661	K112	\$841	10
	9	90	30	Υ	39x70x126	234	K013	\$711	K113	\$846	10
TOP	10	100	30	Υ	40x76x136	246	K014	\$762	K114	\$954	10
AT T	11	110	30	Υ	41x83x146	291	K015	\$825	K115	\$986	10
≥	12	120	30	Υ	42x90x162	307	K016	\$899	K116	\$1,077	10
32"	13	130	30	Υ	43x96x172	324	K017	\$1,136	K117	\$1,344	10
	14	140	30	Υ	44x103x182	340	K018	\$1,181	K118	\$1,396	10
	15	150	30	Υ	46x109x192	356	K019	\$1,302	K119	\$1,545	10
	16	160	30	Υ	47x116x202	372	K020	\$1,414	K120	\$1,677	10

50 DEGREE INCLINE	
360 DEGREE ROTATING	LADDER

		EGREE DEGRE			G LADDER		,		1			
	# Of Steps	Top Step height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	EGA#	Price	Lead Times Days	
	7	70	24	Υ	31x73x106	154	K201	\$630	K301	\$696	10	
TO _P	8	80	24	Υ	33x82x116	177	K202	\$684	K302	\$878	10	
AT 1	9	90	24	Υ	34x91x126	193	K203	\$716	K303	\$904	10	
}	10	100	24	Υ	35x100x136	209	K204	\$784	K304	\$1,004	10	
26"	11	110	24	Υ	35x109x146	225	K205	\$802	K305	\$1,026	10	
	12	120	24	Υ	37x118x162	241	K206	\$930	K306	\$1,130	10	

EZY Tread®

Grip Strut®

	7	70	30	Υ	37x73x106	172	K211	\$698	K311	\$861	10
TOP	8	80	30	Υ	38x82x116	194	K212	\$792	K312	\$997	10
AT T	9	90	30	Υ	39x91x126	212	K213	\$815	K313	\$1,051	10
>	10	100	30	Υ	40x100x136	230	K214	\$887	K314	\$1,059	10
32"	11	110	30	Υ	41x109x146	248	K215	\$970	K315	\$1,201	10
	12	120	30	Υ	42x118x162	266	K216	\$1,059	K316	\$1,250	10

INDUSTRIAL ROLLING LADDER

MOBILE WORK PLATFORMS

FIXED LADDERS STATIONARY PLATFORMS SECURITY STORAGE

☐ Multi-directional Rolling △500 **Ladders**

Square Tube

EGA multi-directional rolling ladders have four swivel casters which allows precision steering - enabling easier positioning of ladder in tight areas. Double Ezy-Lock mechanism easily lifts ladder to the rolling position. Stepping on the bottom step secures ladder to floor with large 2-1/2" diameter pads on each leg. 50 degree incline safety angle on stair makes ascending/descending more comfortable and with less effort. Tough 1" square tube construction with ergonomic round tube handrails. Weight capacity is 450lbs. Meets OSHA standards



INDUSTRIAL ROLLING LADDER

		EGREE TI-DIRI			ROLLING LA	ADDER	Á		1, 6		
	# Of Steps	Top Step height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	EGA#	Price	Lead Times Days
TOP	5	50	17	Υ	24x54x86	120	J001	\$506	J101	\$606	10
W AT	6	60	17	Υ	26x64x96	134	J002	\$558	J102	\$644	10

27x73x106 148 J003

J103

10

	5	50	24	Υ	31x54x86	133	J011	\$553	J111	\$625	10
	6	60	24	Υ	32x64x96	149	J012	\$563	J112	\$656	10
ОС	7	70	24	Υ	33x73x106	165	J013	\$596	J113	\$706	10
AT TOP	8	80	24	Υ	35x82x116	188	J014	\$754	J114	\$835	10
>	9	90	24	Υ	36x91x126	204	J015	\$801	J115	\$882	10
26"	10	100	24	Υ	37x100x136	220	J016	\$882	J116	\$947	10
	11	110	24	Υ	38x109x146	236	J017	\$902	J117	\$1,067	10
	12	120	24	Υ	39x119x162	252	J018	\$1,049	J118	\$1,240	10

	5	50	30	Υ	37x54x86	148	J021	\$572	J121	\$644	10
	6	60	30	Υ	38x64x96	166	J022	\$601	J122	\$682	10
TOP	7	70	30	Υ	39x73x106	183	J023	\$634	J123	\$725	10
AT TC	8	80	30	Υ	40x82x116	205	J024	\$782	J124	\$919	10
≥	9	90	30	Υ	41x91x126	223	J025	\$835	J125	\$975	10
32"	10	100	30	Υ	42x100x136	241	J026	\$916	J126	\$1,129	10
	11	110	30	Υ	44x109x146	259	3027	\$952	J127	\$1,154	10
	12	120	30	Υ	45x119x162	277	J028	\$1,006	J128	\$1,283	10

Shipping Info

Starting Zip	Freight Class
53005	All Steps 150 to 250

☐ EZY Climb △50°

Unlike other steeper industrial warehouse ladders, the safety angle is designed with a more gradual incline for the feel and comfort of a stairway. Incorporating a deeper run, it allows workers to easily carry stock items while ascending/descending more quickly. 450 lbs capacity. Rigid 1" square tubing. 2 - 4 steps: Spring loaded 3" casters provide mobility while rubber tipped legs adds traction while in use. 5 - 10 steps: Ezy-Locks features 4" casters, which are released putting ladder legs firmly on the floor when pressure is applied to bottom step. 16", 24" & 30" wide steps available. Steps are 7" deep with a deeper 14" top step. Perforated or Grip Strut Tread for slip-resistant footing. Meets OSHA standards.

	EZY Tread®	Grip Strut®
EZY ANGLE SAFETY LADDERS		

	EZT ANOLE SALETT LADDERS						100	1000		\sim	
	# Of Steps	Top Step height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	EGA#	Price	Lead Times Days
	2	20	17	N	22x25x20	25	Z001	\$150	Z010	\$182	5
	2	20	17	Υ	22x25x44	36	Z002	\$179	Z011	\$218	5
	3	30	17	N	22x34x30	38	Z003	\$186	Z012	\$229	5
10P	3	30	17	Υ	22x34x54	40	Z004	\$209	Z013	\$254	5
W AT	4	40	17	N	22x44x40	42	Z005	\$215	Z014	\$266	5
20"	4	40	17	Υ	22x44x64	60	Z006	\$249	Z015	\$301	5
	5	50	17	Υ	22x54x86	71	Z007	\$288	Z016	\$348	5
	6	60	17	Υ	23x63x96	86	Z008	\$385	Z017	\$460	5
	7	70	17	Υ	24x72x106	95	Z009	\$425	Z018	\$502	5

							EZY	Γread [®]	Grip	Strut [®]	
									116	///	
	2	20	24	N	25×28×20	29	Z019	\$166	Z028	\$198	5
	2	20	24	Υ	25x28x44	38	Z020	\$193	Z029	\$239	5
	3	30	24	N	28x34x30	40	Z021	\$205	Z030	\$249	5
TOP	3	30	24	Υ	28x34x54	42	Z022	\$234	Z031	\$285	5
W AT	4	40	24	N	28x44x40	44	Z023	\$245	Z032	\$298	5
26" V	4	40	24	Υ	28x44x64	62	Z024	\$270	Z033	\$361	5
	5	50	24	Υ	29x54x86	76	Z025	\$340	Z034	\$434	5
	6	60	24	Υ	30x63x96	90	Z026	\$431	Z035	\$524	5
	7	70	24	Υ	31x72x106	102	Z027	\$469	Z036	\$569	5



Shipping Info

Starting Zip	Freight Class
53005	All Steps 150 to 250



* NOTE: EZY Lock bottom step standard on 5 step ladders and above.

Shipping Info

Starting Zip	Freight Class
53005	All Steps 150 to 250


\Box Office Ladders $\triangle^{60^{\circ}}$

Built with 100% square tube framework for a clean look, Office Ladders come in four standard colors to match your office decor. 450lb capacity. Rigid 1" square tubing. Spring-loaded 3" casters provide mobility while rubber-tipped legs add traction while in use. 16" and 24" wide steps available.

Steps are 7" deep with a deeper 14" top step. Anti-Slip Vinyl

Solid treads coated with anti-slip vinyl. Meets OSHA standards.

						A STATE OF	5.3	
# Of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA #	BL=Black A=Almond B=Blue G=Gray	Lead Times Days
1	10	16	N	22×20×10	21	F001	\$205	5
2	20	16	N	22x23x20	29	F002	\$222	5
2	20	16	Υ	22x23x44	37	F003	\$254	5
3	30	16	N	22x27x30	37	F004	\$281	5
3	30	16	Υ	22x29x54	45	F005	\$296	5
4	40	16	N	22x35x40	51	F006	\$344	5
4	40	16	Υ	22x36x64	61	F007	\$358	5
5	50	16	Υ	23x50x80	77	F008	\$419	5
6	60	24	Υ	32x57x90	82	F009	\$499	5



EZY Tread®

Grip Strut®

5
5
5
5
5
5
)



Shipping Info

Starting Zip	Freight Class
53005	1-4 Steps 150 to 250
53005	5-6 Steps 300 to 400

INDUSTRIAL ROLLING LADDER

MOBILE WORK PLATFORMS

FIXED LADDERS STATIONARY PLATFORMS

○ Industrial Rolling Ladders

Round Tube

Industrial-grade ROLL-EZY ladders are constructed of durable, welded steel and are suited to a wide variety of stockroom, warehouse, maintenance and shop floor applications. These ladders are available standard with your choice of EZY tread. Grip Strut® or Anti-Slip Vinyl surface tread. Ideal for general industrial use, stock picking, and maintenance needs.

FEATURES

- 1. 450 lbs. (1 person) capacity.
- 2. Rigid 1" diameter steel tubular frame designed for strength and security
- 3. Standard widths available for most models are 16", 24" and 30".
- 4. Steps are 7" deep with the top step 9½"
- 5. 3" spring-loaded casters provide portability while rubber tips hold ladder in place during use (1-7 steps standard).
- 6. EZY-Lock provides mobility and holds ladder in place during use (8-16 steps standard). Also standard on 6020H, 7020H plus 6 and 7 steps with deep top step.
- 7. KD models incorporate a steel sleeve and pin joint connection secured by a set screw with nyloc patch which provide four-fold safety.



∡ ⁶⁰ º		EZY T	read [®]	Grip Strut®		
CET UP		8.3	100			
SET-UP		7 3	No.			
# Of Top Step St	tep Overall	/t. Lb. EGA#	Price	EGA#	Price	

					1007-100	87			
# Of Steps	Top Step Height	Step Width	Overall W x L x H	Wt. Lb.	EGA#	Price	EGA#	Price	Lead Times Days
1	12"	16"	20x16x12	13	B1220SU+	\$110	G1220SU+	\$132	5
1	12"	24"	27x16x12	16	B1226SU+	\$115	G1226SU+	\$141	5
2	20"	16"	21x19x20	22	B2020SU+	\$125	G2020SU+	\$152	5
2	20"	24"	27x19x20	26	B2026SU+	\$139	G2026SU+	\$166	5
2	20"	16"	21x19x44	29	B2020HSU+	\$151	G2020HSU+	\$183	5
2	20"	24"	27x19x44	34	B2026HSU	\$161	G2026HSU	\$200	5
3	30'	16"	21x27x30	33	B3020SU+	\$156	G3020SU+	\$193	5
3	30"	24"	29x27x30	39	B3026SU	\$172	G3026SU	\$207	5
3	30"	16"	21x28x54	41	B3020HSU+	\$175	G3020HSU+	\$212	5
3	30"	24"	29x27x54	48	B3026HSU	\$196	G3026HSU	\$239	5
4	40"	16"	21x36x40	42	B4020SU	\$178	G4020SU	\$222	5
4	40"	24"	29x36x40	51	B4026SU	\$205	G4026SU	\$249	5
4	40"	30"	33x36x40	58	B4032SU	\$307	G4032SU	\$354	5
4	40"	16"	21x33x70	51	B4020HSU	\$207	G4020HSU	\$251	5
4	40"	24"	29x33x70	64	B4026HSU	\$227	G4026HSU	\$301	5
4	40"	30"	33x33x70	73	B4032HSU	\$369	G4032HSU	\$435	5
5	50"	16"	21x40x80	64	B5020HSU	\$241	G5020HSU	\$292	5
5	50"	24"	29x40x80	76	B5026HSU	\$285	G5026HSU	\$363	5
5	50"	30"	33x40x80	84	B5032HSU	\$407	G5032HSU	\$471	5
6	60"	16"	23x44x90	80	B6020HSU	\$321	G6020HSU	\$384	5
6	60"	24"	29x47x90	82	B6026HSU	\$361	G6026HSU	\$438	5
6	60"	30"	33x47x90	102	B6032HSU	\$467	G6032HSU	\$536	5
7	70"	16"	24x52x100	89	B7020HSU	\$356	G7020HSU	\$419	5
7	70"	24"	29x54x100	104	B7026HSU	\$391	G7026HSU	\$476	5
7	70"	30"	33x54x100	116	B7032HSU	\$509	G7032HSU	\$595	5
8	80"	24"	33x56x112	154	B8026HSU	\$496	G8026HSU	\$618	5
8	80"	30"	38x56x112	174	B8032HSU	\$627	G8032HSU	\$720	5
9	90"	24"	33x63x122	179	B9026HSU	\$565	G9026HSU	\$662	5
9	90"	30"	38x63x122	193	B9032HSU	\$656	G9032HSU	\$772	5
10	100"	24"	33x69x132	207	B10026HSU	\$618	G10026HSU	\$736	5
10	100"	30"	38x69x132	222	B10032HSU	\$742	G10032HSU	\$873	5
11	110"	24"	33x75x142	228	B11026HSU	\$648	G11026HSU	\$757	5
11	110"	30"	38x75x142	245	B11032HSU	\$808	G11032HSU	\$941	5
12	120"	24"	33x82x157	241	B12026HSU	\$704	G12026HSU	\$884	5
12	120"	30"	38x82x157	259	B12032HSU	\$925	G12032HSU	\$1,033	5

(+) UPS Shippable - Add \$8.50 WI only.

Shipping Info

Starting Zip	Freight Class
53005 or 28115	2 - 4 Steps 150 to 250
53005 or 28115	5 - 12 Step 300 to 400

INDUSTRIAL ROLLING LADDER

MOBILE WORK PLATFORMS FIXED LADDERS

STATIONARY PLATFORMS

KNOCKED DOWN

	701121				7.00	100	-		
# Of Steps	Top Step Height	Step Width	Overall W x L x H	Wt. Lb.	EGA#	Price	EGA#	Price	Lead Times Days
5	50"	16"	21x40x80	64	B5020HKD	\$272	G5020HKD	\$331	5
5	50"	24"	29x40x80	76	B5026HKD	\$323	G5026HKD	\$384	5
5	50"	30"	33x40x80	84	B5032HKD	\$429	G5032HKD	\$497	5
6	60"	16"	23x44x90	80	B6020HKD	\$358	G6020HKD	\$427	5
6	60"	24"	29x47x90	91	B6026HKD	\$400	G6026HKD	\$461	5
6	60"	30"	33x47x90	102	B6032HKD	\$491	G6032HKD	\$565	5
7	70"	16"	24x52x100	89	B7020HKD	\$396	G7020HKD	\$467	5
7	70"	24"	29x54x100	104	B7026HKD	\$425	G7026HKD	\$518	5
7	70"	30"	33x54x100	116	B7032HKD	\$536	G7032HKD	\$628	5
8	80"	24"	33x56x112	154	B8026HKD	\$550	G8026HKD	\$651	5
8	80"	30"	38x56x112	174	B8032HKD	\$658	G8032HKD	\$759	5
9	90"	24"	33x63x122	179	B9026HKD	\$586	G9026HKD	\$700	5
9	90"	30"	38x63x122	193	B9032HKD	\$693	G9032HKD	\$811	5
10	100"	24"	33x69x132	207	B10026HKD	\$649	G10026HKD	\$778	5
10	100"	30"	38x69x132	222	B10032HKD	\$781	G10032HKD	\$917	5
11	110"	24"	33x75x142	228	B11026HKD	\$700	G11026HKD	\$817	5
11	110"	30"	38x75x142	215	B11032HKD	\$853	G11032HKD	\$989	5
12	120"	24"	33x82x157	241	B12026HKD	\$759	G12026HKD	\$897	5
12	120"	30"	38x82x157	287	B12032HKD	\$932	G12032HKD	\$1,089	5
13	130"	24"	34x88x167	259	B13026HKD#	\$947	G13026HKD#	\$1,160	10
13	130"	30"	39x88x167	298	B13032HKD#	\$1,091	G13032HKD#	\$1,284	10
14	140"	24"	37x94x177	299	B14026HKD#	\$1,050	G14026HKD#	\$1,254	10
14	140"	30"	39x94x177	311	B14032HKD#	\$1,240	G14032HKD#	\$1,480	10
15	150"	24"	39x104x187	345	B15026HKD#	\$1,108	G15026HKD#	\$1,322	10
15	150"	30"	39x104x187	359	B15032HKD#	\$1,386	G15032HKD#	\$1,646	10
16	160"	24"	41x113x197	394	B16026HKD#	\$1,137	G16026HKD#	\$1,418	10
16	160"	30"	41x113x197	406	B16032HKD#	\$1,519	G16032HKD#	\$1,812	10

(#) Welded; split horizontallty (Ships Class 300).

* NOTE: EZY Lock bottom step begins at 8 step ladders and above. Also, 7 step, 20" wide; and double and triple top step 6 and 7 step ladders.

Casters	
1 to 7 steps	3" ball bearing swivel
8 to 16 steps	4" ball bearing swivel and 4" rigid on rear

Freight Class	
150	For all 1-4 step and KD models 5-12 step DTS
300	For all set-up models 5-12 step and KD models 12 step TTS-16 step



INDUSTRIAL ROLLING LADDER

Industrial Truck Ladder

Finally, a ladder that provides secure, safer access to semi-trailers when docking bays are full or unavailable. Ideal for retail and stand alone facilities, this ladder offers the "trailer jumpers" a safer alternative. The Industrial Truck Ladder has a 55-degree angle and provides a deeper run which allows workers to ascend/descend more quickly. Rugged, 10-inch semi-pneumatic wheels enable easy transport over rough surfaces - just lift the front bumpers and go.

Features

- 450 lbs. (1 person) capacity.
- Rigid 1" diameter all welded steel tubular frame.
- 10" rear wheels roll easily over the toughest surfaces (e.g., bar grating).
- 2 1/2 " heavy duty rubber bumpers/pads on front legs holds ladder secure during use.
- Steps are 36" W x 7" D.
- Top step is 36" W x 19" D.
- Top step height of 47 1/2" allows access to standard semi-trailers.
- Grip Strut® tread provides sure footing and self cleaning on steps.
- Safety chain at both the top and bottom of ladder for added safety.

Plus

- Ladder can be moved in no time with a simple lift and go.
- All-welded construction for the toughest industrial use.
- Meets OSHA standards.
- · Gray enamel finish standard.



Shipping Info: Wisconsin or NC

471/2

5

Starting Zip	Freight Class	Lead Time
53005	300	10 Days
28115	300	10 Days

45 x 51

72 1/2

TG4838H

\$619

☐ Stockpicking Ladders △50°

This versatile ladder can be used as a combination ladder as well as a carrying cart/stock-picker. It allows multiple items to be pulled from stock at the same time, reducing your response times. 450lb capacity. Rigid 1" square tubing. Ezy-Lock features 4" casters which are released putting ladder legs firmly on the floor when pressure is applied to bottom step. 24" wide steps. Steps are 7" deep with a deeper 21" top step. Perforated or Grip Strut tread for slip-resistant footing. Shelves are 23" x 25". Meets OSHA standards. EZY Tread® Grip Strut®

								1, 1		
# Of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Weight Lbs.	EGA#	Price	EGA#	Price	Lead Times Days
6	60	24	Υ	30x70x97	175	P001	\$635	P007	\$689	14
7	70	24	Υ	31x79x107	185	P002	\$705	P008	\$754	14
8	80	24	Υ	32x88x117	195	P003	\$767	P009	\$865	14
9	90	24	Υ	33x98x127	205	P004	\$807	P010	\$935	14
10	100	24	Υ	34x107x137	210	P005	\$835	P011	\$981	14
11	110	24	Υ	36x116x147	230	P006	\$872	P012	\$1,032	14



	ing	

Starting Zip	Freight Class
53005	All Steps 300-400

INDUSTRIAL ROLLING LADDER

MOBILE WORK PLATFORMS

FIXED LADDERS

STATIONARY PLATFORMS

☐ Mechanics / Maintenance Ladders △60°

Ideal for a variety of applications around the production or shop floor. A 21" deep top platform with a detachable chain at rear allows full access to work areas. Plus convenient handles at ladder front allow instant mobility. Perfect for the worker on the go. Rigid 1" square tubing. 4" casters provide mobility and rubber-tipped legs add traction while in use. 24" wide steps. Steps are 7" deep with a deeper 21" step at top. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards. 450lb weight capacity.

						EZY T	read®	Grip S	_	
								1		
# Of Steps	Top Step Height	Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	EGA#	Price	Lead Times Days
4	40	24	Υ	28x49x70	63	M001	\$426	M005	\$477	10
5	50	24	Υ	29x55x80	78	M002	\$486	M006	\$543	10
6	60	24	Υ	30x62x90	88	M003	\$523	M007	\$585	10
7	70	24	Υ	31x69x100	101	M004	\$589	M008	\$659	10



Shipping Info

Starting Zip	Freight Class
53005/28115	All Steps 150 to 250

☐ Folding Ladders △60°

Designed to fold into a convenient, compact package for storage and transport with just 4 screws and still perform in the toughest industrial situations. The ladder tilts on large, 10" diameter wheels to pass underneath overhead obstacles or through doorways. 16" wide steps. Steps are 7" deep with a deeper 14" top step. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards. 450lb weight capacity.

								11.0		
# Of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	EGA#	Price	Lead Times Days
5	50	16	Υ	28x46x87	90	S001	\$359	S009	\$389	10
6	60	16	Υ	29x53x99	110	S002	\$407	S010	\$445	10
7	70	16	Υ	30x59x107	125	S003	\$476	S011	\$518	10
8	80	16	Υ	31x66x117	135	S004	\$540	S012	\$587	10
9	90	16	Υ	32x72x127	140	S005	\$586	S013	\$637	10
10	100	16	Υ	33x79x137	160	S006	\$646	S014	\$703	10
11	110	16	Υ	34x86x147	185	S007	\$719	S015	\$781	10
12	120	16	Υ	36x92x157	205	S008	\$780	S016	\$849	10



Shipping Info

Starting Zip	Freight Class
53005	All Steps 150 to 250

□ Mobile Work Platforms △^{60°}

Platforms provide a secure, movable work space at a variety of heights above floor level. 500lb capacity. Rigid 1" square tubing. 4" rear casters provide mobility and rubber-tipped legs add traction while in use. Steps are 7" deep. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards.


						EZY T	read®	Grip :	Strut [®]	_
								11.0		
	# of Steps	Step Width	Platform W x D x H	Base W x L	Wt. Lbs.	EGA#	Price	EGA #	Price	Lead Time Days
	3	24	24x35x30	27x49	75	W025	\$405	W033	\$461	10
=	3	24	24x49x30	27x64	86	W026	\$480	W034	\$545	10
DRA	3	30	30x35x30	32x49	88	W027	\$454	W035	\$515	10
HANDRAIL	3	30	30x49x30	32x64	100	W028	\$555	W036	\$630	10
TUC	4	24	24x35x40	27x55	90	W029	\$481	W037	\$547	10
WITHOUT	4	24	24x49x40	27x69	101	W030	\$547	W038	\$621	10
>	4	30	30x35x40	32x55	103	W031	\$526	W039	\$597	10
	4	30	30x49x40	32x69	116	W032	\$637	W040	\$724	10
	32" Op	tional Ho	ındrail for Above	e Models				W050	\$70	10
_	5	24	24x35x50	27x61	106	W041	\$655	W045	\$745	10
RAIL	5	24	24x49x50	27x75	117	W042	\$716	W046	\$813	10
WITH	5	30	30x35x50	32x61	119	W043	\$688	W047	\$780	10
_	5	30	30x49x50	32x75	132	W044	\$786	W048	\$893	10



Shipping Info

Starting Zip	Freight Class
53005 or 28115	300

□ Mobile Aluminum Work Platforms △^{60°}



Aluminum Ribbed

# Of Steps	Step Width	Platform W x D x H	Base W x L	Wt. Lbs.	EGA #	EGA #	EGA #	Price	Lead Times Days
2	24	24x35x20	27x47	38	A001	\$747	A010	\$837	10
2	24	24x42x20	27x54	42	A002	\$848	A011	\$975	10
2	24	24x49x20	27x61	45	A003	\$881	A012	\$986	10
3	24	24x35x30	27x53	48	A004	\$837	A013	\$936	10
3	24	24x42x30	27x60	51	A005	\$905	A014	\$1,014	10
3	24	24x49x30	27x67	55	A006	\$921	A015	\$1,030	10
4	24	24x35x40	27x59	57	A007	\$1,032	A016	\$1,156	10
4	24	24x42x40	27x66	60	A008	\$1,120	A017	\$1,256	10
4	24	24x49x40	27x73	64	A009	\$1,130	A018	\$1,265	10
30" O	ptional l	nandrail for Abo	ve Models		A019	\$168			

^{*} NOTE: All aluminum products designed by EGA are designed for function and normal use for industrial applications. Mill finish is standard.



Shipping Info

Starting Zip	Freight Class
53005	All Stairways 300

INDUSTRIAL ROLLING LADDER

MOBILE WORK PLATFORMS

FIXED LADDERS STATIONARY PLATFORMS

□ Crossovers

Crossover halves simply bolt together for assembly. 300lb capacity. Rigid 1" square tubing. 24" wide steps. Steps are 7" deep with a deeper 21", 28" or 35" platform at top. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards. Grip Strut®

EZY Tread®

					1 1			\sim	
# Of Steps	Step Width	Clearance W x H	WxLxH	Wt. Lbs.	EGA#	Price	EGA#	Price	Lead Times Days
4	24	22x37	29x76x70	84	C001	\$612	C010	\$697	10
4	24	29x37	29x84x70	89	C002	\$682	C011	\$775	10
4	24	36x37	29x91x70	96	C003	\$695	C012	\$790	10
5	24	22x47	29x88x80	145	C004	\$732	C013	\$832	10
5	24	29x47	29x95x80	151	C005	\$769	C014	\$873	10
5	24	36x47	29x102x80	160	C006	\$811	C015	\$922	10
6	24	22x57	29x100x90	180	C007	\$830	C016	\$944	10
6	24	29x57	29x107x90	186	C008	\$892	C017	\$1,013	10
6	24	36x57	29x114x90	199	C009	\$926	C018	\$1,054	10

Shipping Info

Starting Zip	Freight Class
53005/28115	150-300

☐ Dual Access Mobile Platforms △60°

Platforms provide movable work surface accessible from either side. Rigid 1" square tubing. Each end has an Ezy-Lock that features 4" casters which are released putting ladder legs firmly on the floor when pressure is applied to bottom step Steps are 7" deep with a deeper 49" platform. Handrail on (1) side only. Grip Strut tread for slip-resistant footing. Meets OSHA standards. 300lb weight capacity.

					1		
# of Steps	Step Width	Platform W x D x H	Overall W x L x H	Wt. Lbs.	EGA#	Price	Lead Times Days
3	24	24x50x30	27x75x60	198	D001	\$1,017	10
4	24	24x50x40	27x86x70	225	D004	\$1,130	10
5	24	24x50x50	27x98x80	252	D007	\$1,368	10

Shipping Info

Starting Zip	Freight Class
53005	150-300





□ Double Entry Platforms



EZY Tread®

With access from either side, these mobile platforms are perfect for narrow aisles or congested areas. 300lb. capacity. Rigid 1" square tubing. Spring-loaded 3" casters provide mobility while rubber-tipped legs add traction while in use. Steps are 7" deep with a deeper 21" platform at top. Perforated Tread for slip-resistant footing. Meets OSHA standards.

						× 1		
# of Steps	Rails	Step Width	Platform W x D x H	Base W x L	Wt. Lbs.	EGA#	Price	Lead Times Days
3	N	16	16x21x30	22x46	45	E001	\$338	10
3	Υ	16	16x21x30	22x46	53	E002	\$458	10
4	Υ	16	16x21x40	22x57	70	E003	\$618	10
5	Υ	16	16x21x50	22x69	95	E004	\$714	10

Shipping Info

Starting Zip	Freight Class
53005	300-400



INDUSTRIAL ROLLING LADDER

MOBILE WORK PLATFORMS

FIXED LADDERS STATIONARY PLATFORMS

○Aluminum Rolling Ladders △60°

Constructed of lightweight, all-welded aluminum alloy tubing, these ladders provide the same high performance as our other rolling ladders without the extra weight. 300lb capacity. Rigid 1" diameter tubing. Spring-loaded 3" casters provide mobility while rubber-tipped legs add traction while in use. 16" and 24" wide steps available. Steps are 7" deep with a deeper 14" top step. Extruded solid ribbed aluminum tread. Meets OSHA standards.

Channel

A5020H

Aluminum Ribbed Channel

\$607

	# Of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	Lead Times Days
	2	20	17	N	20x18x20	15	A2020	\$319	10
AT TOP	2	20	17	Υ	20x18x44	18	A2020H	\$377	10
AT 1	3	30	17	N	20x26x30	20	A3020	\$384	10
WIDE ,	3	30	17	Υ	20x26x54	23	A3020H	\$470	10
≷	4	40	17	N	20x32x40	24	A4020	\$480	10
20"	4	40	17	Υ	20x32x70	28	A4020H	\$536	10

20x39x80

	# Of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA#	Price	Lead Times Days
	2	20	22	N	28x18x20	20	A2026	\$362	10
	2	20	22	Υ	28x18x44	23	A2026H	\$418	10
9 O	3	30	22	N	28x29x30	26	A3026	\$429	10
at top	3	30	22	Υ	28x29x54	29	A3026H	\$507	10
WIDE /	4	40	22	N	28x32x40	32	A4026	\$509	10
≷	4	40	22	Υ	28x32x70	36	A4026H	\$597	10
24"	5	50	22	Υ	28x39x80	43	A5026H	\$702	10
	6	60	22	Υ	28x46x90	49	A6026H	\$813	10
	7	70	22	Υ	28x53x100	55	A7026H	\$931	10

* NOTE: All aluminum products designed by EGA are designed for function and normal use for industrial applications. Mill finish is standard.

* NOTE: Grip Strut Adder available at \$10.00 per tread.

Shipping Info

Starting Zip	Freight Class
53005	2-4 Steps 150 to 250
53005	5-12 Steps 300 to 400





Ladder Replacement Parts Casters Kits

EGA#	Description			
CK2Y	Replacement 2" caster, rubber tips, Yellow springs & hardware (set of 4/older models 12/95 & earlier	\$42		
CK2S	Replacement 2" caster, rubber tips, Silver springs & hardware (set of 4/older models 12/95 & earlier	\$42		
CK2B	Replacement 2" caster, rubber tips, Black springs & hardware (set of 4/older models 12/95 & earlier	\$42		
CK2U	Replacement 2" caster, rubber tips, Uncoated springs & hardware (set of 4/older models 12/95 & earlier	\$42		
CK3Y	Replacement 3" casters, rubber tips, Yellow springs & hardware	\$51		
CK3S	Replacement 3" casters, rubber tips, Silver springs & hardware	\$51		
CK3B	Replacement 3" casters, rubber tips, Black springs & hardware	\$51		
CK3U	Replacement 3" casters, rubber tips, Uncoated springs & hardware	\$51		
CK4M-P	Replacement 4" casters (set of 4, 2, plate and 2 rigid fork casters)	\$63		
CK4M-S	Replacement 4" casters (set of 4, 2, stem and 2 rigid fork casters)	\$63		
CK4D	Replacement 4" casters (set of 4 swivel plate casters), with 2 1/2" bumpers (set of 4) & hdwe.	\$63		

Ladder Replacement Parts

EGA#	Description			
Y-SPRING	Replacement Yellow springs (set of 4)	\$10		
S-SPRING	Replacement Silver springs (set of 4)	\$10		
B-SPRING	Replacement Black springs (set of 4)	\$10		
U-SPRING	Replacement Uncoated springs (set of 4)	\$10		
RBUSH	Set of 4 bushings (stem caster insterts)	\$10		
RSCKTS	Replacement sockets (set of 4 stem casters)	\$24		
RUBTS-R	Replacement rubber tips (set of 4 round tips)	\$7		
RUBTS-S	Replacement rubber tips (set of 4 square tips)	\$7		
RUBPD	Replacement rubber pads 2 1/2" diamteter (pair with hardware)	\$17		
R10	Replacement 10" wheels (pair)	\$75		
ELS	EZY-Lock Spring (each)	\$6		
W4	Replacement 4" wheels (no rigs) & hardware	\$26		
BS	Bottom step assembly	\$56		
NMRUBPD	Non-Marking Pads (Pair)	\$27		

Work Platform Caster Kit

EGA#	Description	Price
CK4WP	Work Platform 4" casters (set of 2 rigid)	\$42

Accessories

	EGA#	Description	# of Step	Price	Price
		D 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1-7	\$131	\$157
ROUND TUBE	DTS	Double top step (19" deep)	8-11	\$158	\$189
I			12-16	\$186	\$221
	7.1.1	T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1-7	\$189	\$228
S S	TTS	Triple top step (29" deep)	8-11	\$228	\$269
			12-16	\$277	\$330
		T 01	1-7	\$131	\$157
	21TS	Top Step (21" Deep)	8-11	\$158	\$189
BE			12-16	\$186	\$221
TUBE		T 0:	1-7	\$189	\$228
SQUARE	28ts	Top Step (28" deep)	8-11 \$228	\$269	
חַל		, ,,	12-16	\$277	\$330
SC		Ton Cton	1-7	\$247	\$286
	35TS	Top Step (35" deep)	8-11	\$286	\$335
			12-16	\$335	\$393

EGA#	Description	Price
FDT	Fold down tray (12" deep)***	\$109
EL	EZY-Lock (39" base length req'd)	\$132
RT	Rubber covered tread	\$9.00/Step
RR	Removable chain on Side * +	\$212
RC	Removable chain on Rear *	\$55
PT	Perimeter toe plate on top step*	\$74
NM	Non-marking casters **	\$74

^{*} Add additional 5 days to lead time

^{**} Not available on spring loaded ladders

^{* 28&}quot; TS required for square tube ladders

^{*} TTS required for round tube ladders


^{***} FDT Lead: 3-4 weeks

Fixed Dock Ladders

Built with tough, all-weld construction for years of service, Walk-Thru and Side Step ladders provide easier access to docks, platforms and mezzanines. The Walk-Thru model features a handrail extending 42" above the top rung to help guide you safely up and down. The Side Step has 4 ladder rungs at the top for easy movement up and down. Both ladders rest 6" away from mounting surface for foot clearance when climbing. 300lb capacity. Rigid 1" diameter tubing for handrails. 19" wide steps. One-diamond Grip Strut tread for slip-resistant footing. Meets OSHA standards.

DS₆

	# Of Steps	# Of Steps & Rungs	Overall Length	Wt. Lbs.	EGA#	Price	Lead Times Days
	2	6	5' 6"	43	DS2	\$161	5
	3	7	6' 6"	46	DS3	\$177	5
	4	8	7' 6"	53	DS4	\$200	5
DS LADDER	5	9	8' 6"	58	DS5	\$218	5
AD.	6	10	9' 6"	66	DS6	\$239	5
1 SQ	7	11	10' 6"	71	DS7	\$251	5
	8	12	11' 6"	76	DS8	\$275	5
	9	13	12' 6"	80	DS9	\$292	5
	10	14	13' 6"	86	DS10	\$310	5



Step Step Wt. Lbs. EGA # Price Time Da	DT4							
Step Step Wt. Lbs. EGA # Price Time Da								
3 2'6" 46 DT3 \$185 5			Step	Wt. Lbs.	EGA#	Price	Lead Times Days	
		2	1' 6"	43	DT2	\$166	5	
4 71 (II 57 DT4 0004 5		3	2' 6"	46	DT3	\$185	5	
		4	3' 6"	53	DT4	\$204	5	
5 4' 6" 58 DT5 \$226 5	DER	5	4' 6"	58	DT5	\$226	5	
Q 6 5'6" 66 DT6 \$241 5	AD.	6	5' 6"	66	DT6	\$241	5	
5 4' 6" 58 DT5 \$226 5 6 5' 6" 66 DT6 \$241 5 7 6' 6" 71 DT7 \$253 5	1	7	6' 6"	71	DT7	\$253	5	
		8	7' 6"	76	DT8	\$276	5	
9 8'6" 80 DT9 \$290 5		9	8' 6"	80	DT9	\$290	5	
10 9'6" 86 DT10 \$309 5		10	9' 6"	86	DT10	\$309	5	

Shipping Info

Starting Zip	Freight Class
53005 or 28115	All Steps 70 to 85

Wall-Mount Walk-through Steel Dock Ladder

*500 lbs. rated capacity

Our highest weight capacity dock ladder. All welded 1-1/16 steel tube construction. Durable Yellow powder coated. Rungs are 18" wide. Hand rails continue 42" beyond top rung and are capped witha red vinyl hand grip. 8" for toe clearance. Mounting brackets have 3/8" mounting hole. (Fastening hardware not included)

Two Step Wall-Mount Ladder

*Grip Strut Treads

All welded steel construction. Treads are 18" wide grip strut for traction and self-cleaning. Better for slippery or wet conditions. Four mounting holes for secure fastening to wall. Painted EGA grey enamel. Tread rise is 12". 300lb capacity.





				Grip Strut®				
				111				
TWO STEP WALL-	UNT LADDER	# Of Steps	Dimensions	EGA#	Price	Lead Times Days		
ž	Θ	2	18"x24"	WML	\$209	5		

INDUSTRIAL ROLLING LADDER

MOBILE WORK PLATFORMS

FIXED LADDERS

STATIONARY PLATFORMS

^{*}Meets OSHA requirements

^{*}Meets OSHA requirements

Fixed Vertical & Cage Ladders

Designed specifically for roof and platform access, Fixed Cage Ladders meet all known building codes. A sure way to make your facility safer. These ladders feature a Walk-Thru handrail extending 42" above the top rung to help guide you safely up and down. Cage begins 8' from ground extending to ladder top. Cage flared at bottom for easy access. 300lb capacity. 18" wide steps. Sturdy, 1" diameter wall rungs ensure long life and durability. Meets OSHA standards

# Of Rungs	Overall Length	With Cage Wt. Lbs.	Without Cage Wt. Lbs.	EGA #	With Cage	EGA#	Without Cage	Cage Only	Lead Times Days
10	12' 8"	187	124	FC10+	\$667	FV10	\$380	\$331	20
12	14' 8"	223	142	FC12	\$770	FV12	\$433	\$338	20
14	16' 8"	261	161	FC14	\$893	FV14	\$487	\$469	20
16	18' 8"	299	181	FC16	\$1,053	FV16	\$552	\$578	20
18	20' 8"	338	194	FC18	\$1,182	FV18	\$600	\$671	20
20	22' 8"	368	213	FC20	\$1,260	FV20	\$653	\$700	20
22	24' 8"	405	-	FC22	\$1,385	N/A	N/A	\$770	20
24	26' 8"	442		FC24	\$1,505	N/A	N/A	\$847	20

^{*} Other lengths available. Call for prices.

☐ All-Welded Access Stairways △60°


Create strong, reliable access to elevated areas. Sturdy All-Welded stairways ship set-up and ready to go. Simply locate and secure stairway in place with convenient mounting plates at the top and bottom. Mounting plates have pre-punched holes for fasteners. Rigid 1" square tubing. 24" wide steps. Steps are 7" deep with a deeper 14" step at top. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards. 300lb weight capacity.

					EZY T	read®	Grip S	Strut®	
							111		
# Of Steps	Total Rise	Total Run	Overall W x L x H	Wt. Lbs.	EGA#	Price	EGA #	Price	Lead Times Days
4	40	35	29x35x70	40	H001	\$247	H010	\$280	10
5	50	41	29x41x80	50	H002	\$280	H011	\$313	10
6	60	46	29x46x90	60	H003	\$331	H012	\$370	10
7	70	52	29x52x100	71	H004	\$337	H013	\$418	10
8	80	58	29x58x110	82	H005	\$448	H014	\$502	10
9	90	64	29x64x120	93	H006	\$487	H015	\$547	10
10	100	70	29x70x130	105	H007	\$520	H016	\$583	10
11	110	75	29x75x140	122	H008	\$556	H017	\$623	10
12	120	82	29x82x156	132	H009	\$593	H018	\$665	10

Shipping Info


INDUSTRIAL ROLLING LADDER

Starting Zip	Freight Class
53005/28115	All Steps 150 to 250



* NOTE: Stand off platform required every 30'

Options	Price
Floor Mount Legs	\$40
Security panel 6'/8'	\$152/\$294
Security gate	\$371
Grip Strut Rungs	\$5/Rung



☐ Industrial Stairways △36.4°

Create strong, reliable access to mezzanines and elevated platforms with our Industrial Stairways. Fully assembled, all-welded construction offers more rigidity than bolt-together designs and eliminates the headaches of do-it-yourself assembly. Safely carries a 500lb moving load. Units have 10" channel stringer for strength and rigidity. 1-1/2" square tubing handrails. Stair treads are a generous 36" wide. Meets OSHA standards. Grip Strut®

					unp o		ı
					1, 1		
Total Rise	Total Run	# Of Treads	#Of Risers	Wt. Lbs.	EGA#	Price	Lead Times Days
42	47.5	5	6	223	IS42-36	\$873	20
49	57.0	6	7	260	IS49-36	\$929	20
56	66.5	7	8	309	IS56-36	\$992	20
63	76.0	8	9	346	IS63-36	\$1,118	20
70	85.5	9	10	382	IS70-36	\$1,200	20
77	95.0	10	11	419	IS77-36	\$1,308	20
84	104.5	11	12	468	IS84-36	\$1,406	20
91	114.0	12	13	505	IS91-36	\$1,456	20
98	123.5	13	14	541	IS98-36	\$1,515	20
105	133.0	14	15	577	IS105-36	\$1,671	20
112	142.5	15	16	626	IS112-36	\$1,687	20
119	152.0	16	17	663	IS119-36	\$1,699	20



^{*} NOTE: Additional handrail available at \$15.00 per linear foot.



□ Industrial Stairways Platform

Length	Width	Wt. Lbs.	EGA #	Price	Lead Times Days
36	36	194	PLA3636	\$724	20
36	48	236	PLA3648	\$781	20
48	48	272	PLA4848	\$822	20

Shipping Info


Starting Zip	Freight Class
53005/28115	All Stairways 300



□ One-Step Adjustable Height Platforms

Unique platforms adjust in height by simply twisting the threaded feet for a variety of application and worker requirements. 500lb capacity. Rigid 1" square tubing. Grip Strut tread for slip-resistant footing. Meets OSHA standards.

				unp sti	ut	
WxD	Adjust. Height	Max. Height	Wt. Lbs.	EGA#	Price	Lead Times Days
24x24	5"-8"	8	30	AHW-L-2424	\$196	5
24x36	5"-8"	8	40	AHW-L-2436	\$212	5
24x60	5"-8"	8	60	AHW-L-2460	\$254	5
24×24	9"-14"	14	30	AHW-H-2424	\$210	5
24x36	9"-14"	14	40	AHW-H-2436	\$229	5
24x60	9"-14"	14	61	AHW-H-2460	\$265	5



☐ Two-Step Access Platforms

	_						
# of Steps	Step W x D	Overall W x D	Top Step Height	Wt. Lbs.	EGA#	Price	Lead Times Days
2	24x24	25x47	18	60	FHW24	\$461	5
2	36×24	37x47	18	80	FHW36	\$508	5
2	48×24	48x47	18	90	FHW48	\$584	5
2	60x24	61x47	18	120	FHW60	\$642	5



☐ Steel Step Stools

Platform Is 16" W x 14" D. 350lb capacity. Rigid 1" square tubing. Perforated or Solid tread covered with nonslip adhesive rubber for slip-resistant footing. Meets OSHA standards.

				EZY T	read®	Anti-Sli	p Vinyl	
						1		
Top Step W x D	Overall W x D	Step Height	Wt. Lbs.	EGA#	Price	EGA#	Price	Lead Times Days
16x14	18.5x16.5	10 1/2"	16	PSS	\$66	RSS	\$76	5



Shipping Info

Starting Zip	Freight Class
28115	All Steps UPS

INDUSTRIAL ROLLING LADDER MOBILE WORK PLATFORMS FIXED LADDERS STATIONARY PLATFORMS SECURITY STORAGE

Custom Work Platforms

Our custom platforms allow you to choose the style, step type, height and configuration to perfectly fit your application. Select a single platform, or choose an extension unit which allows you to add 3' to the width of select platform styles. This unit can be at the same height, or function as a step-down area below existing platforms. Multiple options enable you to build a large surface area that surrounds machinery or spans the entire shop, factory or warehouse floor. 500lb capacity. Rigid 1-1/4" diameter tubing. 36" wide steps. Steps are 7" deep with a deeper 36" platform at top. Grip Strut tread for slip-resistant footing. Meets OSHA standards.



CW0-27-0-3 w/ CW7-27-3-3 Style 7 and Style 0



CW0-27-0-3 Style 0



CW1-27-3-3 Style 1



CW2-27-3-3 Style 2



CW3-27-3-Style 3



CW4-27-3-3 Style 4



CW5-27-3-3 Style 5



3-27-3 W6-27 Style 6





CW8-27-3-Style 8



Style 9

INDUSTRIAL ROLLING LADDER

MOBILE WORK PLATFORMS

FIXED LADDERS

STATIONARY PLATFORMS

				1101131011							
Style	# of Steps*	OAW	OAL	ОАН	PW	PL	PH	EGA #	Price	Lead Time Days	Weight
0	n/a	39	39	21	35	39	21	CW0-21-0-3	\$344	5	100
0	n/a	39	39	27	35	39	27	CW0-27-0-3	\$400	5	115
0	n/a	39	39	33	35	39	33	CW0-33-0-3	\$403	5	115
0	n/a	39	39	39	35	39	39	CW0-39-0-3	\$409	5	115
0	n/a	39	39	45	35	39	45	CW0-45-0-3	\$415	5	115
1	2	39	48	21	35	39	21	CW1-21-2-3	\$532	5	120
1	2	39	86	21	35	77	21	CW1-21-2-6	\$950	5	187
1	3	39	57	33	35	39	33	CW1-33-3-3	\$696	5	140
1	3	39	95	33	35	77	33	CW1-33-3-6	\$1,196	5	230
2	2	39	48	60	35	39	21	CW2-21-2-3	\$692	5	150
2	2	39	86	60	35	77	21	CW2-21-2-6	\$1,256	5	235
3	2	39	57	60	35	39	21	CW3-21-2-3	\$743	5	150
3	2	39	95	60	35	77	21	CW3-21-2-6	\$1,237	5	225
4	2	39	48	60	35	39	21	CW4-21-2-3	\$630	5	145
4	2	39	86	60	35	77	21	CW4-21-2-6	\$1,122	5	225
5	3	39	57	66	35	39	27	CW5-27-3-3	\$938	5	185
5	3	39	95	66	35	77	27	CW5-27-3-6	\$1,602	5	285
5	3	39	57	72	35	39	33	CW5-33-3-3	\$955	5	185
5	3	39	95	72	35	77	33	CW5-33-3-6	\$1,647	5	290
6	3	39	75	72	35	39	33	CW6-33-3-3	\$1,180	5	207
6	3	39	113	72	35	77	33	CW6-33-3-6	\$1,779	5	290
6	4	39	93	84	35	39	45	CW6-45-4-3	\$1,557	5	245
6	4	39	131	84	35	77	45	CW6-45-4-6	\$2,165	5	335
7	3	39	57	66	35	39	27	CW7-27-3-3	\$854	5	180
7	3	39	95	66	35	77	27	CW7-27-3-6	\$1,435	5	260
7	3	39	57	72	35	39	33	CW7-33-3-3	\$1,054	5	175
7	3	39	95	72	35	77	33	CW7-33-3-6	\$1,652	5	265
7	4	39	66	84	35	39	45	CW7-45-4-3	\$1,067	5	200
7	4	39	104	84	35	77	45	CW7-45-4-6	\$1,676	5	290
8	4	39	66	78	35	39	39	CW8-39-4-3	\$1,142	5	205
8	4	39	104	78	35	77	39	CW8-39-4-6	\$1,839	5	310
8	4	39	66	84	35	39	45	CW8-45-4-3	\$1,147	5	205
8	4	39	104	84	35	77	45	CW8-45-4-6	\$1,846	5	310
9	3	39	75	72	35	39	33	CW9-33-3-3	\$1,313	5	235
9	3	39	113	72	35	77	33	CW9-33-3-6	\$2,005	5	340

Dimensions (inches)




Chart Key
OAW = Overall Width
OAL = Overal Length
OAH = Overal Height
PW = Platform Width
PL = Platform Length
PH = Platform Height

Shipping Info

Starting Zip	Freight Class
28115	70

INDUSTRIAL ROLLING LADDER MOBILE WORK PLATFORMS FIXED LADDERS STATIONARY PLATFORMS SECURITY STORAGE

 $^{^{\}star}-$ # of steps is # of risers to top of platform. # of step treads is actually 1 less than riser.

O Pallet Rack Bay Dividers

Easily organize pallet racks. Can be installed temporarily or permanently with prepunched mounting holes. Made of 1" diameter tubing for durable performance. Painted EGA yellow. Fits any 3" rack beam.

Dimensions	Dimensions		Price	Lead Times Days	
36"x54"BD	BD54-36	9.5	\$36	10	
42"x54"BD	BD54-42	10.5	\$39	10	
48"x54"BD	BD54-48	11.5	\$43	10	



Shipping Info


Starting Zip	Freight Class
53005	70



Swing gates are an easy, inexpensive solution to enclosing handrail openings. Available in two sizes which are adjustable to fit almost any opening. Gate opens a full 90 degrees. Hardware for multiple mounting options included with each gate. All models are self actuated with a heavy duty stainless steel spring. Available in yellow powder coat, hot dipped galvanized or stainless steel.

Description	Fits Opening	Wt. Lbs.	EGA#	Price	Lead Times Days
Self Closing Gate-narrow-Yellow Powder Coat	16"-26"	36	SCG-N-Y	\$234	5
Self Closing Gate-narrow-Hot Dipped Galvanized	16"-26"	37	SCG-N-G	\$262	15
Self Closing Gate-narrow-Stainless Steel	16"-26"	36	SCG-N-S	\$529	15
Self Closing Gate-wide-Yellow Powder Coat	24"-40"	38	SCG-W-Y	\$243	5
Self Closing Gate-wide-Hot Dipped Galvanized	24"- 40"	39	SCG-W-G	\$272	15
Self Closing Gate-wide-Stainless Steel	24"- 40"	38	SCG-W-S	\$568	15






Shipping Info

Starting Zip	Freight Class
53005	UPS Ground

Die Shelves for Pallet Rack Beams

Designed for standard 1-5/8" step beams, EGA's Die Shelves provide a solid sheet steel deck for increased utility of existing pallet rack locations and durability. The die shelves are available with a low to high capacity of 2,000 to 6,000 pounds. Options include waterfall edges, back stop with lip up corners, colors (standard is grey enamel finish), and custom designs available.

	2,000 Lbs. Capacity			4,000 Lbs	4,000 Lbs. Capacity			6,000 Lbs. Capacity		
D"xW"	EGA #	10 Qty. Price	Wt. Lb.	EGA#	10 Qty. Price	Wt. Lb.	EGA#	10 Qty. Price	Wt. Lb.	Lead Times Days
36x48	2DS 3648	\$103	62	4DS 3648	\$125	78	6DS 3648	\$163	101	10
36x60	2DS 3660	\$110	71	4DS 3660	\$132	87	6DS 3660	\$167	110	10
36x72	2DS 3672	\$115	80	4DS 3672	\$139	96	6DS 3672	\$174	119	10
44x48	2DS 4448	\$113	76	4DS 4448	\$137	95	6DS 4448	\$177	125	10
44x60	2DS 4460	\$120	87	4DS 4460	\$146	106	6DS 4460	\$184	136	10
44x72	2DS 4472	\$129	99	4DS 4472	\$154	118	6DS 4472	\$193	178	10



Starting Zip	Freight Class
53005	70

INDUSTRIAL ROLLING LADDER MOBILE WORK PLATFORMS FIXED LADDERS

STATIONARY PLATFORMS

SECURITY

STORAGE

Partitions

Use EGA's mesh partitions to build enclosures without sacrificing visibility or rerouting existing air ducts, piping and lighting systems. Expanded metal mesh allows pass-through holes without unraveling. Plus, smooth expanded metal mesh won't catch clothing or cause scratches. Choose from a variety of panel, door and hardware configurations to meet vour needs.

Standard Panels

Standard panel widths are 1 - 5 feet in three standard heights of 7, 8 and 10 feet. For maximum security at an affordable price, use panels 5 feet wide and 7 feet high. The large panels cost less per linear foot than any other known system and provide almost unlimited configurations for safety, security, convenience and privacy. Best of all, your crew can put them up quickly, with or without power tools.

Two types of doors

Single sliding door available in standard 3', 4', 5', and 6' widths for partitions 7', 8', and 10' high. Service window available. Single swinging door available in standard 3' and 4' widths for partitions 7', 8', and 10' high. Service window available.

Two Locking Systems

For hinged or slide gate doors. Standard is pick-proof, fully reversible multi-lock with high impact die cast aluminum case, brass cylinder, tongues and recessed knurled finger operating knob. Five pin. 1" standard cylinder secured by nut inside lock. Keys can be; door unique, keyed alike, or master keyed. Rugged padlock-type has welded hasp. Security opening accommodates various types of locks.

Industry's best shipping protection Palletized, banded, shipping unit eliminates handling damage and lost parts.

Features

- Constructed of 13-gauge expanded metal in 1 1/2" diamonds.
- Least expensive system to erect because unique fasteners permit use of power tools.
- Lower cost because corner posts are unnecessary.
- Lowest freight costs due to extremely light weight despite unusual strength.
- Palletized shipping minimizes freight damage and eliminates missing parts.

- Fully reversible: both sides of mesh are finished thanks to special perimeter design.
- No burrs: surface is brushed and blasted.
- No unraveling when pass-through cuts are made.
- EZY and true vertical alignment with adjustable floor sockets.
- Solid panel or wainscot, top or bottom, integral with panel not merely "tacked on".

Plus

- Wide range of sizes and configurations.
- Doors have mortise-type cylinder locks operated by key or optional padlock hasp.
- Changeable configurations by rearranging, adding or removing units.
- Special colors available.
- Doors keyed individually, alike or master keyed.
- Super-durable, gray enamel finish is standard.

Accessories

- 1. Ceiling for all enclosures provides maximum
- 2. Extension panels to increase enclosure height up to 20'. Each panel spans two bottom panels.
- 3. Sliding door, described at left.
- 4. Hinged door, described at left.
- 5. Slide-up service windows. Standard 3' 10" x 18" opening with optional 12' steel shelf.
- 6. Wainscotting. 18 gauge sheet steel, half or full
- 7. Cutouts will not unravel thanks to our specially fabricated expanded metal.
- 8. Vari-panel is the most economical solution to incremental widths or non-square dimensions.





How to Order

EGA standard size wall panels in widths of 1 ft., 2 ft., 3 ft., 4 ft., and 5 ft., greatly reduce the need for special width panels. However, if required, EGA can produce special sizes for an additional charge.

- 1. Make a rough floor plan of the area to be enclosed. Note overall inside dimensions on the drawing.
- 2. Select type of partition (SG-1000, SG-2000, SG-3000).
- 3. Select height of partition (7'0", 8'0", and 10'0 standard).
- 4. Indicate on drawing the location and size of all doors and service windows:
 - a) show direction doors swing or slide.
 - b) show key side.
 - c) indicate whether locks are to be keyed alike, different, master keyed or padlockattachment.
- 5. Location of reinforcing posts (every 20' recommended for 7' and 8' high panels; every 10' for 10' high panels).
- 6. Color of paint if other than standard gray enamel.

Wall panels


Identical both sides. Price includes all necessary hardware and extra-high adjustable cast aluminum floor sockets. Floor anchors supplied by installer.


Solid panels

18 gauge metal replaces mesh. Specify solid panels when ordering wall panels or doors.

Vari-panel

This adjustable panel is use when an enclosure can't be completed with a standard panel. Simply slide to appropriate width and bolt together. Kit includes... (A) top and bottom perimeter bars, (B) two 7" wide panels, (C) panels are 7', 8', or 10' high, (D) bolts and washers, (E) sheet metal screws.





Whenever possible, furnish drawings or simple sketches such as the one shown here.


		7 Ft	. Heig	ht	8 Ft	. Heig	ht	10 Ft. Height		
LL PANEL	Width	EGA#	Price	Wt. Lb.	EGA#	Price	Wt. Lb.	EGA#	Price	Wt. Lb.
WALL	5'	SP75	\$163	46	SP85	\$181	51	SP105	\$213	64
RD	4'	SP74	\$159	37	SP84	\$173	40	SP104	\$199	51
NDA	3'	SP73	\$143	28	SP83	\$151	30	SP103	\$175	38
STANDARD	2'	SP72	\$123	18	SP82	\$127	20	SP102	\$141	27
	1'	SP71	\$101	9	SP81	\$102	10	SP101	\$108	13

		7 Ft	. Heig	ht	8 F1	. Heig	ht	10 Ft. Height		
PANEL	Width	EGA#	Price	Wt. Lb.	EGA#	Price	Wt. Lb.	EGA#	Price	Wt. Lb.
SIZE P	4'-5'	OP74	\$285	41	OP84	\$307	45	OP104	\$345	58
	3'-4'	OP73	\$265	33	OP83	\$283	35	OP103	\$312	44
ODD	2'-3'	OP72	\$247	23	OP82	\$256	25	OP102	\$276	32
	1'-2'	OP71	\$223	13	OP81	\$230	05	OP101	\$245	19
	4"-1'	OP70	\$199	7	OP80	\$206	10	OP100	\$222	12

Any width available in 1/4" increments

립		7 Ft. Height			8 Ft	. Heig	ght	10 Ft. Height		
*VARI-PANEL	Width	EGA #	Price	Wt. Lb.	EGA#	Price	Wt. Lb.	EGA#	Price	/t. Lb.
¥	>	ш		>	ш	_ ₽_	>	ш		>
*	Adj. 3"-1'	VP7	\$102	9	VP8	\$105	10	VP10	\$111	13

Adjustable width panels from 3" to 1'



INDUSTRIAL ROLLING LADDER STATIONARY PLATFORMS SECURITY **MOBILE WORK PLATFORMS FIXED LADDERS**

STORAGE

	7 F	t. Heig	ht	8 Ft	. Heigh	nt	10 Ft.	. Heigh	nt		
Width	EGA#	Price	Wt. Lb.	EGA#	Price	Wt. Lb.	EGA#	Price	Wt. Lb.		
Hinged Door (With Transom)											
3'	DH73	\$512	43	DH83	\$524	45	DH103	\$548	53		
4'	DH74	\$536	52	DH84	\$544	55	DH104	\$584	66		
Slid	Sliding Door (Standard)										
3'	DS73	\$652	58	DS83	\$666	60	DS103	\$686	68		
4'	DS74	\$676	67	DS84	\$688	70	DS104	\$716	81		
5'	DS75	\$698	76	DS85	\$712	80	DS105	\$747	94		
6'	DS76	\$717	85	DS86	\$738	90	DS106	\$777	106		
Slid	ling Do	or (Full	Heigh	t Option)							
5'	DSH75	\$878	76	DSH85	\$893	80	DSH105	\$928	94		
6'	DSH76	\$897	85	DSH86	\$911	90	DSH106	\$956	106		
8'	DSH78	\$1,118	104	DSH88	\$1,137	110	DSH108	\$1,197	132		
10'	DSH710	\$1,162	122	DSH810	\$1,186	113	DSH1010	\$1,258	157		

7 F	t. Heig	ht	8 Ft	. Heig	ht	10 Ft. Height				
EGA#	Price	Wt. Lb.	EGA#	EGA # Price Wt. Lb.		EGA#	Price	Wt. Lb.		
Line Post (Standard)										
LP7	\$50	14	LP8	\$55	16	LP10	\$68	20		
Line Po	st (Ext	ra Hea	ıvy)							
LPE7	\$65	18	LPE8	\$78	20	LPE10	\$97	25		
Adjusta	ble Co	rner P	ost (Non	90 In	tersect	tions)				
LPA7	\$61	16	LPA8	\$65	17	LPA10	\$86	21		

CEILING OR WALL EXTENSION PANELS


	5 Ft.W	4 Ft.W	3 Ft.W	2 Ft.W	1 Ft.W
10 Ft.H	\$303	\$245	\$186	\$123	\$61
9 Ft.H	\$273	\$219	\$163	\$105	\$61
8 Ft.H	\$245	\$195	\$148	\$97	\$61
7 Ft.H	\$213	\$168	\$127	\$89	\$61
6 Ft.H	\$186	\$148	\$105	\$71	\$61
5 Ft.H	\$151	-	-	-	-
4 Ft.H	\$123	\$102	-	-	-
3 Ft.H	\$93	\$71	\$61	-	-
2 Ft.H	\$61	\$61	\$61	\$61	-
1 Ft.H	\$61	\$61	\$61	\$61	\$61


CORNER HARDWARE

Model	Wt. Lb.	Price
СН	2	\$35
TH	3	\$39

Shipping Info

- 11 0			
Starting Zip	Freight Class		
53005	150		





Doors

Includes all necessary hardware, floorplate, and mortised tumbler lock with 2 keys. Door opening 2 1/2" less than nominal door width. Standard opening height is 6' 6" for 7' high doors and 7'3" for 8' and 10' high doors.

Hinged Door

Standard door opens out of room and has 3 butt hinges on left side when looking at door from outside. Specify different arrangements if required...provided at no additional charge.

Sliding Door (standard)

Standard door is outside room and slides to the right when looking at the door from outside. Specify different arrangements if required... provided at no additional charge. Includes separate mounted floor door guide and door frame protector.

Sliding Door (full height opening)

Clear open height is 6" less than overall height.

STRUCTURAL REQUIREMENTS

Line Post (standard)

Required for every 20' run of 7' and 8' high partition without corners or doors. Required for every 10' run of 10' high partition without corners or doors.

Line Post (extra heavy)

Use for extra rigidity on walls or in heavy traffic areas.

Adjustable Corner Post

Required for corners other than 90 degree.

Corner Hardware

CH required for each 90 degree corner in system. TH required for joining wall panels in a "T" configuration.

Ceiling or Wall Extension Panels

Provides maximum security. Odd size panel, use larger size + \$12.

ORDER INSTRUCTIONS:

Use Model# CE HW

Key: H is height; W is width.

Panels can be oriented either way.

Example: CE 105 is 10' high x 5' wide.

Panel weight is 1.3 lbs. per sq. ft.

Ceiling Truss - Use when ceiling span exceeds 10 ft.

Accessories

- *PADLOCK LUGS Deduct \$19 instead of mortised tumbler lock on all doors. Specify when ordering.
- *KEYED ALIKE (multiple doors) No charge.
- *MASTER KEYED (multiple doors) Add \$48 for each locking system.

SERVICE WINDOW UNIT - 32" opening in 3' and wider wall panels or doors. Add \$244 to wall panel or door price. SHELF - 8" wide shelf centered on window. Add \$33 to service window.

INDUSTRIAL ROLLING LADDER

MOBILE WORK PLATFORMS

FIXED LADDERS STATIONARY PLATFORMS SECURITY

STORAGE

Post Protectors

Post protectors help prevent serious personal injury and damage to rack posts, shelving corners, partitions, overhead door track bases and more. Inexpensive and easy to install, post protectors are one of the least expensive ways of reducing costs related to damaged racks.

Features

- Protects materials as well as shelves and racks.
- Sizes available for both 3" and 4" diameter columns.
- Several heights to accommodate various shelf, rack and column designs.
- Fabricated from rugged 1/4" steel plate for durability.

Plus

- Low cost way to reduce expensive damage.
- Quick, simple installation.
- The original and still the best design.
- Finished in EGA safety yellow.
- Ships UPS. Shipped from factory stock approximately 5 working days. Choose from a variety of sizes developed to accommodate virtually every shelf and rack column.

Easy to install

 Simply position Post Protectors around rack posts, shelving corners, partitioning or track base. Drill proper size holes in floor. Anchor with 1/2" fasteners (not provided)

Your Column Size	A Overall Height	B Plate Width	C Plate Depth	D Column Opening	E Base Plate Opening	Wt.	EGA#	Price	Lead Times Days
3	8	7 5/8	6	4	3 3/8	7	5208	\$27	5
3	12	7 5/8	6	4	3 3/8	10	5212	\$29	5
3	18	7 5/8	6	4	3 3/8	14	5218	\$34	5
3	24	7 5/8	6	4	3 3/8	19	5224	\$42	5
3	36	7 5/8	6	4	3 3/8	28	5236	\$53	5
4	8	7 5/8	6	5	4 3/8	8	6208	\$45	5
4	12	7 5/8	6	5	4 3/8	11	6212	\$51	5
4	18	7 5/8	6	5	4 3/8	16	6218	\$60	5
4	24	7 5/8	6	5	4 3/8	21	6224	\$67	5
4	36	7 5/8	6	5	4 3/8	32	6236	\$71	5

dimensions are in inches

Shipping Info: Wisconsin or North Carolina


Starting Zip	Freight Class
28115	All Post Protectors 70



Proof Positive

This EGA Post Protector (Fig 1.) withstood three rammings from an overloaded, 2,500-pound lift truck in a large Midwest manufacturing facility.

A 12-inch post protector was secured by a 3/8" x 3" Rawl plugs for the test. The rack and its contents were undisturbed.





Cylinder Cabinets

Store common fuel and welding gas cylinders indoors or outdoors in cabinets that meet OSHA standards. Cabinets provide organized storage, secure from unauthorized use or tampering.

Features

- Cabinets are constructed of 13 gauge expanded metal in 11/2" diamonds.
- Shipped KNOCKED DOWN in a protective box.
- EZY-ERECT hardware speeds erection, reducing manpower requirements.
- HCC models for horizontal storage of 4 to 16 tanks weighing up to 43 Lbs. each.
- VCC models for upright storage of cylinders. One or two labeled compartments store empty and/or full cylinders.

Plus

- Frame provides super strength, yet is lightweight.
- Quick, visual inventory control.
- Painted safety yellow (Indoor paint standard).
- · Identification sign and NO SMOKING decals provided per regulations.

Options

- Pre-assembled or fully welded units.
- · Custom Cabinets? Send us your RFQ.

w	D	H+	Cylinder Capacity	Shipping Weight	EGA#	Price	Lead Times Days
30"	38"	42"	4	147	HCC4	\$467	5
30"	38"	72"	8	250	HCC8	\$686	5
45"	38"	72"	12	300	HCC12	\$813	5
60"	38"	72"	16	300	HCC16	\$1,136	5
30"	38"	72"	1 compartment	176	VCC10	\$622	5
60"	38"	72"	2 compartment	309	VCC20	\$965	5





Starting Zip	Freight Class
53005	Knocked down 85






Portable Stacking Racks


Portable Stacking Racks are known for their versatility - ours are no exception. Whether it's storage, handling, or transporting, EGA Portable Stacking Racks perform where and when they are needed. Racks not in use can be broken down for convenient, compact storage freeing up floor space normally occupied by bulky, permanent rack systems. Materials can now move through your entire production process...all on the same rack.

Stacking racks give you the best of both worlds: weight load capacities rivaling wood pallets...combined with the positive stacking and product protection only plug/post joint racks can deliver. EGA has designed portable stacking racks for a variety of applications including: textiles, wire coils, automotive parts, tires, and more. Available in open frame, wood, steel, welded wire mesh or perforated steel decks.



- Stackable.
- Welded tubular and structural steel construction provides reliable load carrying strength.
- Standard duty 2,000 lbs. or heavy duty 4,000 lbs. capacity.
- Standard target is 4" square tube and mounted on removable stacking posts.
- Standard end or side frames is a steel framework of horizontal and vertical angles welded between pairs of posts.
- Standard post is 1.5" square tube on 2000 lbs. capacity units and 2.17" square tube on 4000 lbs. units.
- Standard plug is base mounted.
- Designed for fork lift handling with Two-Way, Four-Way, or Full Four-Way accessibility.
- Select from a broad range of deck surfaces (open frame, wood, steel, welded wire mesh, or perforated sheet steel).
- Standard sizes change in 6" increments (custom made to any size).
- Store heavy or irregular shaped pieces that can not be stacked on top of each other.
- Virtually unlimited configurations possible due to a wide range of bases, sides, and ends.
- Custom engineering available for over-the-road shipping, product protection, etc.





Plus

- Store compactly when not in use.
- Free up valuable floor space.
- Return more empties in less space.
- Flexible plant layout possible because these racks are portable.
- Change size, shape and location of storage areas as space or work load dictates.
- Use for intra-plant as well as interplant materials movement.
- Coil racks, fixed posts, interstacking with existing units, and nestable racks.

Options

- Floor skid runners for unit conveyability.
- Fork stirrups or pockets to prevent shifting of racks on fork tines.
- Custom design? Send your RFQ.

Shipping Info: Wisconsin or North Carolina

Starting Zip	Freight Class	
53005 or 28115	70	

FOB EGA WI & NC CLASS 150

Custom Engineered Returnable Racks

Caring about workers and the environment.

When this tier 1 supplier needed a transport rack for their rearsuspension assemblies, they were precise. The racks needed to be both returnable and ergonomically designed to minimize worker fatigue. Working with the supplier, EGA designed and built custom stackable racks that allow random loading at the supplier and permit easy random unloading at the automotive assembly line. And because all painted surfaces are protected by the racks during transit, hard-to-dispose-of-packaging waste was eliminated.



Why Custom Engineered Returnable Racks?

Manufacturers have had to settle for something less than the best way to store and transport their products. They've had to use packaging, pallets and racks that left their products every which way AND loose. The results have been needless waste of space, product, labor and material dollars.

EGA provides you with the better way. Our Custom Engineered Returnable Racks incorporate the features and characteristics of your products and processes into rack design that saves you space, product, labor and money.

Using EGA's Custom Engineered Returnable Racks, you change the size, shape and location of staging and inventory areas. And by leaving material on Returnable Racks, you easily move workin-process around the plant, or between plants, to better meet scheduling or seasonal needs. Then by using a design feature that allows you to fold them when not in use, you compactly store or return empty Returnable Racks to free up floor or trailer space.

Don't settle for anything less than the best way to store and transport your product. Get the material handling solution that truly meets your needs, again and again. EGA Custom Engineered Returnable Racks.

Benefits of Returnable Rack Send your custom specifications and we will return a quote within 2-3 business days.

INDUSTRIAL ROLLING LADDER





Bulk Containers

Visualtainers

No more looking up at racks and guessing at what's inside. Visualtainers™ let you actually see your materials inventory. Critical to today's JIT production processes, Visualtainers help you keep a high volume of parts close to the production line - accessible and easy to transport. These versatile units can be stacked six high at a rated capacity of 2,000 lbs. or 4,000 lbs. Available in both standard and custom designs to meet your special applications.


Solid-Sided

Solid-Sided dunnage containers are designed to store small items or granular materials and are available in corrugated or flat steel sides in gauges seven through 16. Standard sizes are offered in height increments of two inches; floor clearance ranges from four to 12 inches. Top flanges can be turned in or out depending on the application.

Send your custom specifications and We will return standard quotes within one business day. More complex or higher quantity quotes may take 2-3 business days.

Shipping Info: Wisconsin or North Carolina

Starting Zip	Freight Class
53005 or 28115	150





BULK CONTAINER



Trucks/Dollies/Carts

EGA Steel Trucks, Dollies and Carts are ideal for use in stock rooms, shipping and receiving, production and warehouse operations. Standard and special features on every truck and cart make these a smart choice for any application.

Features

- 1,000, 2,500, and 3,200 lbs. capacities.
- All-welded construction for long service life.
- 14 gauge deck and shelving standard.
- Two rigid and two swivel casters standard in 5", 6" and 8" sizes.



Plus

- Sturdy steel decking.
- Rigid frame.
- Rugged, easy rolling casters.
- Sizes and types for every use.
- Easily replaceable ball bearing casters.
- Gray enamel finish.



Options

- Four swivel casters.
- 2" lips up or down on shelves.
- Colors.
- Handles 1 or both ends.
- Custom design Send your RFQ.

Replacement Casters and Options For Carts

Description

Carts Lips Down 1000 Lb. Capabilities

5" Hard Rubber Caster

2000 Lb. Capabilities

3200 Lb. Capabilities

8" Pneumatic



Replacement Caster for Carts

or our to		
Description	Price	
1,000 Lb. Capabilities		
5" Hard Rubber Casters	\$78	
2,500 Lb. Capabilities		
6" Heavy Duty Plastic	\$137	
3,200 Lb. Capabilities		
8" Heavy Duty Phenolic	\$176	
3,200 Lb. Capabilities		
8" Pneumatic	\$250	

6" Heavy Duty Plastic	\$137
3200 Lb. Capabilities	
8" Heavy Duty Phenolic	\$176

\$250

Price

\$35

\$78

Shipping Info: North Carolina

Starting Zip	Freight Class	
28115	150	

	W''	Ľ	Wt. Lbs.	1,000 Lbs. Capacity	Price	Lead Times Days
PLATFORM TRUCKS	24	36	65	C1-2436-1R	\$140	10
	24	48	92	C1-2448-1R	\$157	10
	30	48	86	C1-3048-1R	\$175	10
	30	60 1		C1-3060-1R \$188		10
		Deck Ht.		7 1/2"		

Shipping Info: North Carolina

Starting Zip	Freight Class
28115	70

	W"	Ľ"	Wt. Lbs.	1,000 Lbs. Capacity	Price	Lead Times Days
	24	36	91	C2-2436-1	\$243	10
RTS	24	48	112	C2-2448-1	\$267	10
CARTS	30	48	128	C2-3048-1	\$275	10
SHOP	30	60	153	C2-3060-1	\$337	10
SH	Top Shelf Height			31"		
	Ove	erall Hei	ght	41"		

	W"	Ľ	Wt. Lbs.	1,000 Lbs. Capacity	Price	Lead Times Days
S	24	36	52	C1-2436-1	\$134	10
DOLLIES	24	48	79	C1-2448-1	\$150	10
	30	48	86	C1-3048-1	\$167	10
STEEL	30	60	101	C1-3060-1	\$179	10
ST	ı	Deck Ht		7 1/2		

Shipping Info: North Carolina

Starting Zip	Freight Class				
28115	70				

Additional Capacity

- 2,500 lbs. capacity add \$78 to 1,000 lbs. price and 1 1/4" to listed heights.
- 3,200 lbs. capacity add \$106 to 1,000 lbs. price and 3 1/2" to listed heights.

			3 Shelf Trucks			4 Shelf Trucks			5 Shelf Trucks		
W"	Ľ"	Wt. Lbs.	1,000 Lbs. Capacity	Price	Wt. Lbs	1,000 Lbs. Capacity	Price	Wt. Lbs.	1,000 Lbs. Capacity	Price	Lead Times Days
24	36	98	C3-2436-1	\$330	129	C4-2436-1	\$416	10	C5-2436-1	\$532	10
24	48	122	C3-2448-1	\$375	161	C4-2448-1	\$587	10	C5-2448-1	\$596	10
30	48	157	C3-3048-1	\$394	202	C4-3048-1	\$478	10	C5-3048-1	\$720	10
30	60	196	C3-3060-1	\$440	252	C4-3060-1	\$550	10	C5-3060-1	\$784	10
Top Shelf & OA Ht. 37"			51"			65"					

INDUSTRIAL ROLLING LADDER

MOBILE WORK PLATFORMS

FIXED LADDERS

STATIONARY PLATFORMS





EGA Products, Inc.

4275 North 127th Street Brookfield, Wisconsin 53005


Fax: 262-781-3586 Phone: 800-937-3427

Website: www.egaproducts.com



Swing Gates

Swing gates are an easy, inexpensive solution to enclosing handrail openings. Available in two sizes which are adjustable to fit almost any opening. Gate opens a full 90 degrees. Hardware for multiple mounting options included with each gate. All models are self actuated with a heavy duty stainless steel spring. Available in yellow powder coat, hot dipped galvanized or stainless steel.



□ 360 Degree Rotating Rolling Ladders △ **Square Tube**

EGA 360 degree rotating rolling ladders are the perfect solution for tight warehouse aisles. These ladders can spind on their own axis while still being able to track in a straight line. Unique 4 wheel, double Ezy-lock design. 2-1/2" pads on each ladder leg for secure feel in the climbing position. Rugged 1" square tube construction with comfortable 1" round tube hand rails. Available in 60 degree incline angle for a more compact foot print or ezy-angle 50 degree incline. Meets OSHA standards. Weight capacity is 450 lbs.



□ Multi-directional Rolling Ladders △50°

Square Tube



EGA multi-directional rolling ladders have four swivel casters which allows precision steering - enabling easier positioning of ladder in tight areas. Double Ezy-Lock mechanism easily lifts ladder to the rolling position. Stepping on the bottom step secures ladder to floor with large 2-1/2" diameter pads on each leg. 50 degree incline safety angle on stair makes ascending/ descending more comfortable and with less effort. Tough 1" square tube construction with ergonomic round tube handrails. Weight capacity is 450lbs. Meets OSHA standards