

commercial products



Foodservice Products for Plumbing Wholesale

(Part number format modified Jan. 3, 2011)





Why Elkay SSP Foodservice Equipment for Plumbing Wholesale?

Complementary Line - The Elkay SSP product line expands and supplements the existing Elkay foodservice offering.

Lead Times - Elkay SSP's large product inventory allows us to serve customers quickly and efficiently.

One Source - Whether you need one table or a complete kitchen, Elkay SSP can serve all your needs.

Easy Cleanup - Elkay SSP sinks are seamlessly welded, dipped and die stamped to ensure proper drainage and cleanup.

Certifications - NSF and CSA.

Quality - Our commitment to our clients ensures that you not only get the best quality product in the industry but the best customer service at the most competitive price.

Table of Contents	Page
Sinks	3-19
Dish Tables	20-22
Tables and Stands	23-31
Storage	32-35







Elkay SSP Difference

Uniform satin finish on welded surfaces enhances the sinks appearance, provides superior cleanability and makes sanitation easy.

Coved corners provide increased styling and making cleaning easier

High quality, Type 300 stainless steel won't crack, chip or peel and ensures long-lasting operation

Legs are attached to the underside of the tubs, which allows for maximum use of space under the drainboards.

Note: Most Elkay SSP Commercial Stainless Steel Sinks include the above features (see descriptions specific to each sink family throughout this catalog). Most of these sinks can be equipped with an Elkay faucet.

Member of USBC Green Building Council



or food Service Application

Visit us at Elkayusa.com for most current warranty information.





The Elkay SSP **16 Gauge Scullery Sink** line is the standard in the foodservice arena for medium to high volume locations.

14" Standard Series

The standard series are 14" deep sculleries which satisfy the vast majority of product specifications for the foodservice industry. Constructed of durable 16 gauge 300 Series stainless steel, these sinks are designed to serve all of your customers needs. All sink bowls are solid welded construction which supplies consistent metal gauge thickness throughout the total depth of the bowl. Available in a large variety of sizes to meet your specific needs.

12" Standard Series

This 16 gauge line of scullery sinks offers all of the same features and benefits as the above Standard Series, but with a shallower tub depth of 12". While most specifications will require 14" deep sinks, there are applications where 12" is acceptable.

Deli Series

This smaller footprint line of sinks are ideal for deli, mini mart and bar applications.



- 16 gauge 300 series stainless steel construction
- Welded construction for consistent metal gauge thickness throughout
- 14" deep tubs with 34" coved radius corners
- 2" divider between tubs
- All drain boards are die stamped for positive drainage
- 9" backsplash with tile ledge for easy installation
- 1-1/2" edge rim design
- 3-1/2" drain with basket strainers included
- 1-5/8" galvanized legs with 1" adjustable feet





14-1C16X20-0X

	Bowl Dimensions (inches)			Overall Size (inches)			Draiı Size	nboard				
Model Number	Length	Width	Depth	Length	Width	Height	(inches)	Location	Weight (lbs)			
SINGLE COMPARTMENT												
14-1C16X20-0X	16	20	14	21	25.8	43.75	0	None	31			
14-1C16X20-L-18X	16	20	14	36.5	25.8	43.75	18	Left	40			
14-1C16X20-R-18X	16	20	14	36.5	25.8	43.75	18	Right	40			
14-1C16X20-2-18X	16	20	14	52	25.8	43.75	18	L&R	47			
14-1C18X24-0X	18	24	14	23	29.8	43.75	0	None	37			
14-1C18X24-L-18X	18	24	14	38.5	29.8	43.75	18	Left	47			
14-1C18X24-R-18X	18	24	14	38.5	29.8	43.75	18	Right	47			
14-1C22X22-0X	22	22	14	27	27.8	43.75	0	None	40			
14-1C24X24-0X	24	24	14	29	29.8	43.75	0	None	42			



14-1C16X20-L-18X



14-C16X20-2-18X



14-1C16X20-R-18X





	Bowl Dimensions (inches)			Overa	II Size (inches)	Drainboard		
Model Number	Length	Width	Depth	Length	Width	Height	Size (inches)	Location	Weight (lbs)
		DO	UBLE	COM	PART	MENT			
14-2C16X20-0X	16	20	14	39	25.8	43.75	0	None	58
14-2C16X20-L-18X	16	20	14	54.5	25.8	43.75	18	Left	65
14-2C16X20-R-18X	16	20	14	54.5	25.8	43.75	18	Right	65
14-2C16X20-2-18X	16	20	14	70	25.8	43.75	18	L&R	72
14-2C18X24-0X	18	24	14	43	29.8	43.75	0	None	68
14-2C18X24-L-18X	18	24	14	58.5	29.8	43.75	18	Left	77
14-2C18X24-R-18X	18	24	14	58.5	29.8	43.75	18	Right	77
14-2C18X24-2-18X	18	24	14	74	29.8	43.75	18	L&R	87
14-2C24X24-L-24X	24	24	14	76.5	29.8	43.75	24	Left	105
14-2C24X24-R-24X	24	24	14	76.5	29.8	43.75	24	Right	96
14-2C24X24-2-24X	24	24	14	98	29.8	43.75	24	L&R	85





14-2C16X20-L-18X





	Bowl Dimensions (inches)			Overa	II Size (inches)	Drainboard Size		
Model Number	Length	Width	Depth	Length	Width	Height	(inches)	Location	Weight (lbs)
		TF	RIPLE	COMP	ARTI	JENT			
14-3C16X20-0X	16	20	14	57	25.8	43.75	0	None	85
14-3C16X20-L-18X	16	20	14	72.5	25.8	43.75	18	Left	94
14-3C16X20-R-18X	16	20	14	72.5	25.8	43.75	18	Right	94
14-3C16X20-2-18X	16	20	14	88	25.8	43.75	18	L&R	99
14-3C16X20-2-24X	16	20	14	100	25.8	43.75	24	L&R	105
14-3C18X24-0X	18	24	14	63	29.8	43.75	0	None	100
14-3C18X24-L-18X	18	24	14	78.5	29.8	43.75	18	Left	108
14-3C18X24-R-18X	18	24	14	78.5	29.8	43.75	18	Right	108
14-3C18X24-2-18X	18	24	14	94	29.8	43.75	18	L&R	118
14-3C18X24-L-24X	18	24	14	84.5	29.8	43.75	24	Left	113
14-3C18X24-R-24X	18	24	14	84.5	29.8	43.75	24	Right	113
14-3C18X24-2-24X	18	24	14	106	29.8	43.75	24	L&R	125
14-3C20X20-2-20X	20	20	14	104	25.8	43.7	20	L&R	100
14-3C24X24-L-24X	24	24	14	102.5	29.8	43.75	24	Left	132
14-3C24X24-R-24X	24	24	14	102.5	29.8	43.75	24	Right	132
14-3C24X24-2-24X	24	24	14	124	29.8	43.75	24	L&R	147











- 16 gauge 300 series stainless steel
- Welded construction for consistent metal gauge thickness throughout
- 12" deep tubs with 34" coved radius
- 2" divider between each tub
- All drain boards are die stamped for positive drainage
- 10" backsplash with tile ledge for easy installation
- 1-1/2" edge rim design
- 3-1/2" drain with basket strainers included
- 1-5/8" galvanized legs with 1" adjustable feet



	Bowl Dimensions (inches)			Overa	II Size (inches)	_	nboard	
Model Number	Length	Width	Depth	Length	Width	Height	Size (inches)	Location	Weight (lbs)
		SI	NGLE	COM	PART	MEN 1	Γ		
1C18X18-0X	18	18	12	23	23.8	44.75	0	None	29
1C18X18-L-18X	18	18	12	38.5	23.8	44.75	18	Left	36
1C18X18-R-18X	18	18	12	38.5	23.8	44.75	18	Right	36
1C18X18-2-18X	18	18	12	54	23.8	44.75	18	L&R	45
1C18X24-0X	18	24	12	23	29.8	44.75	0	None	33
1C18X24-L-18X	18	24	12	38.5	29.8	44.75	18	Left	43
1C18X24-R-18X	18	24	12	38.5	29.8	44.75	18	Right	43
1C18X24-2-18X	18	24	12	54	29.8	44.75	18	L&R	52
1C18X24-L-24X	18	24	12	44.5	29.8	44.75	24	Left	45
1C18X24-R-24X	18	24	12	44.5	29.8	44.75	24	Right	45
1C18X24-2-24X	18	24	12	66	29.8	44.75	24	L&R	60
1C24X24-0X	24	24	12	29	29.8	44.75	0	None	40
1C24X24-L-24X	24	24	12	50.5	29.8	44.75	24	Left	52
1C24X24-R-24X	24	24	12	50.5	29.8	44.75	24	Right	52
1C24X24-2-24X	24	24	12	72	29.8	44.75	24	L&R	65











	Bowl Dir	mensions	6 (inches)	Overa	ıll Size (inches)	Draiı	nboard	
Maralal Maranta an		147 - 141 -	Daniel		VA /* -14.1-		Size	Lagation	Majadat (II)
Model Number	Length	Width	Depth			Height		Location	Weight (lbs)
		DC	DUBLE		IPAR [*]	IMEN	Т		
2C18X18-0X	18	18	12	43	23.8	44.75	0	None	50
2C18X18-L-18X	18	18	12	58.5	23.8	44.75	18	Left	58
2C18X18-R-18X	18	18	12	58.5	23.8	44.75	18	Right	58
2C18X18-2-18X	18	18	12	74	23.8	44.75	18	L&R	68
2C18X18-L-24X	18	18	12	64.5	23.8	44.75	24	Left	61
2C18X18-R-24X	18	18	12	64.5	23.8	44.75	24	Right	61
2C18X18-2-24X	18	18	12	86	23.8	44.75	24	L&R	72.5
2C18X24-0X	18	24	12	43	29.8	44.75	0	None	58
2C18X24-L-18X	18	24	12	58.5	29.8	44.75	18	Left	68
2C18X24-R-18X	18	24	12	58.5	29.8	44.75	18	Right	68
2C18X24-2-18X	18	24	12	74	29.8	44.75	18	L&R	79
2C18X24-L-24X	18	24	12	64.5	29.8	44.75	24	Left	72
2C18X24-R-24X	18	24	12	64.5	29.8	44.75	24	Right	72
2C18X24-2-24X	18	24	12	86	29.8	44.75	24	L&R	87
2C24X24-0X	24	24	12	55	29.8	44.75	0	None	69
2C24X24-L-24X	24	24	12	76.5	29.8	44.75	24	Left	84
2C24X24-R-24X	24	24	12	76.5	29.8	44.75	24	Right	84
2C24X24-2-24X	24	24	12	98	29.8	44.75	24	L&R	99









	Bowl Dimensions (inches)			Overa	II Size (i	inches)		nboard	
Model Number	Length	Width	Depth	Length	Width	Height	Size (inches)	Location	Weight (lbs)
		T	RIPLE	COM	PART	MENT	•		
3C16X20-2-18X	16	20	12	88	25.8	44.75	18	L&R	71
3C18X18-0X	18	18	12	63	23.8	44.75	0	None	73
3C18X18-L-18X	18	18	12	78.5	23.8	44.75	18	Left	82
3C18X18-R-18X	18	18	12	78.5	23.8	44.75	18	Right	82
3C18X18-2-18X	18	18	12	94	23.8	44.75	18	L&R	89
3C18X18-2-24X	18	18	12	106	23.8	44.75	24	L&R	97
3C18X24-0X	18	24	12	63	29.8	44.75	0	None	85
3C18X24-L-18X	18	24	12	78.5	29.8	44.75	18	Left	96
3C18X24-R-18X	18	24	12	78.5	29.8	44.75	18	Right	96
3C18X24-2-18X	18	24	12	94	29.8	44.75	18	L&R	103
3C18X24-L-24X	18	24	12	84.5	29.8	44.75	24	Left	98
3C18X24-R-24X	18	24	12	84.5	29.8	44.75	24	Right	98
3C18X24-2-24X	18	24	12	106	29.8	44.75	24	L&R	112
3C20X28-2-20X	20	28	12	107	29.8	44.75	20	L&R	106
3C20X28-2-24X	20	28	12	115	29.8	44.75	24	L&R	130
3C24X24-0X	24	24	12	81	29.8	44.75	0	None	103
3C24X24-L-24X	24	24	12	102.5	29.8	44.75	24	Left	118
3C24X24-R-24X	24	24	12	102.5	29.8	44.75	24	Right	118
3C24X24-2-24X	24	24	12	124	29.8	44.75	24	L&R	129









Deli Series

- 16 gauge 300 series stainless steel
- Welded construction for consistent metal gauge thickness throughout
- 10" deep tubs with 34" coved radius
- 2" divider between each tub
- All drain boards are die stamped for positive drainage
- 9" backsplash with tile ledge for easy installation
- 1-1/2" edge rim design
- 3-1/2" drain with basket strainers included
- 1-5/8" galvanized legs with 1" adjustable feet





	Bowl Dimensions (inches)			Overa	II Size (inches)	Draiı Size	nboard				
Model Number	Length	Width	Depth	Length	Width	Height	(inches)	Location	Weight (lbs)			
TRIPLE COMPARTMENT												
3C10X14-0X	10	14	10	39	19.8	43.75	0	None	43			
3C10X14-L-12X	10	14	10	48.5	19.8	43.75	12	Left	48			
3C10X14-R-12X	10	14	10	48.5	19.8	43.75	12	Right	48			
3C10X14-2-12X	10	14	10	58	19.8	43.75	12	L&R	51			
3C10X14-2-16X	10	14	10	66	19.8	43.75	16	L&R	58			
3C12X16-0X	12	16	10	45	21.8	43.75	0	None	43			
3C12X16-2-12X	12	16	10	64	21.8	43.75	12	L&R	61			
3C12X16-2-16X	12	16	10	72	21.8	43.75	16	L&R	66			







The Elkay SSP **18 Gauge Scullery Sink** line is the benchmark with foodservice customers who have budgetary constraints.

Economy Series

The economy series are 12" deep sculleries that are constructed of 18 gauge 300 series stainless steel. All sink bowls are solid welded construction which supplies consistent metal gauge thickness throughout the total depth of the bowl. Our large variety of sizes allows you to pick the best product for the available space.

Super Economy Series

This 18 gauge 300 series stainless steel sink is offered in both 14" deep and 11" deep tubs. The scullery tubs are welded together so there is no 2" divider between each tub. Again, this style sink is offered in a variation of sizes to meet your requirements.



Economy Series

- 18 gauge 300 series stainless steel
- Welded construction for consistent metal gauge thickness throughout
- 12" deep tubs with 34" coved radius
- 2" divider between each tub
- All drain boards are die stamped for positive drainage
- 9" backsplash with tile ledge for easy installation
- 1-1/2" edge rim design
- 3-1/2" drain with basket strainers included
- 1-5/8" galvanized legs with 1" adjustable feet





E1C16X20-0X

	Bowl Dimensions (inches)			Overa	ıll Size (inches)	Draiı	nboard				
Model Number	Length	Width	Depth	Length	Width	Height	Size (inches)	Location	Weight (lbs)			
SINGLE COMPARTMENT												
E1C16X20-0X	16	20	12	21	25.8	43.75	0	None	22			
E1C16X20-L-18X	16	20	12	36.5	25.8	43.75	18	Left	28			
E1C16X20-R-18X	16	20	12	36.5	25.8	43.75	18	Right	28			
E1C20X20-0X	20	20	12	25	25.8	43.75	0	None	24			
E1C20X20-L-20X	20	20	12	42.5	25.8	43.75	20	Left	36			
E1C20X20-R-20X	20	20	12	42.5	25.8	43.75	20	Right	36			
E1C24X24-0X	24	24	12	29	29.8	43.75	0	None	30			
E1C24X24-L-24X	24	24	12	50.5	29.8	43.75	24	Left	42			
E1C24X24-R-24X	24	24	12	50.5	29.8	43.75	24	Right	42			



E1C16X20-L-18X



E1C16X20-R-18X



Economy Series



	Bowl Dimensions (inches			Overa	II Size (i	nches)	Draiı	nboard	
Model Number	Length	Width	Depth	Length	Width	Height	Size (inches)	Location	Weight (lbs)
		DC	UBLE	COM	IPAR 1	IMEN	Т		
E2C16X20-0X	16	20	12	39	25.8	43.75	0	None	41
E2C16X20-L-18X	16	20	12	54.5	25.8	43.75	18	Left	49
E2C16X20-R-18X	16	20	12	54.5	25.8	43.75	18	Right	49
E2C16X20-2-18X	16	20	12	70	25.8	43.75	18	L&R	52
E2C20X20-0X	20	20	12	47	25.8	43.75	0	None	45
E2C20X20-L-20X	20	20	12	65.5	25.8	43.75	20	Left	56
E2C20X20-R-20X	20	20	12	65.5	25.8	43.75	20	Right	56
E2C20X20-2-20X	20	20	12	82	25.8	43.75	20	L&R	63
E2C24X24-0X	24	24	12	53	29.8	43.75	0	None	56
E2C24X24-L-24X	24	24	12	74.5	29.8	43.75	24	Left	67
E2C24X24-R-24X	24	24	12	74.5	29.8	43.75	24	Right	67
E2C24X24-2-24X	24	24	12	96	29.8	43.75	24	L&R	72







Economy Series



	Bowl Dimensions (inches)			Overa	II Size (i	nches)	Drainboard		
Model Number	Length	Width	Depth	Length	Width	Height	Size (inches)	Location	Weight (lbs)
		T	RIPLE	COM	PART	MENT			
E3C16X20-0X	16	20	12	57	25.8	43.75	0	None	59
E3C16X20-L-18X	16	20	12	72.5	25.8	43.75	18	Left	74
E3C16X20-R-18X	16	20	12	72.5	25.8	43.75	18	Right	74
E3C16X20-2-18X	16	20	12	88	25.8	43.75	18	L&R	78
E3C20X20-L-20X	20	20	12	86.5	25.8	43.75	20	Left	78
E3C20X20-R-20X	20	20	12	86.5	25.8	43.75	20	Right	78
E3C20X20-2-20X	20	20	12	104	25.8	43.75	20	L&R	87
E3C24X24-0X	24	24	12	81	29.8	43.75	0	None	86
E3C24X24-L-24X	24	24	12	99.5	29.8	43.75	24	Left	95
E3C24X24-R-24X	24	24	12	99.5	29.8	43.75	24	Right	95
E3C24X24-2-24X	24	24	12	121	29.8	43.75	24	L&R	101











14" Super Economy Sinks

- 18 gauge 300 series stainless steel
- Welded construction for consistent metal gauge thickness throughout
- 14" & 11" deep tubs with 34" coved radius
- All drain boards are die stamped for positive drainage
- 9" backsplash with tile ledge for easy installation
- 1-1/2" edge rim design
- 3-1/2" drain with basket strainers included
- 1-5/8" galvanized legs with 1" adjustable feet



	Bowl Dimensions (inches)			Overa	II Size (inches)	Drainboard		
Model Number	Length	Width	Depth	Length	Width	Height	Size (inches)	Location	Weight (lbs)
		SI	NGLE	COMI	PART	MENT			
S1C18X18-0X	18	18	14	23	23.8	43.75	0	None	26
S1C18X18-L-18X	18	18	14	38.5	23.8	43.75	18	Left	33
S1C18X18-R-18X	18	18	14	38.5	23.8	43.75	18	Right	33
S1C18X18-2-18X	18	18	14	54	23.8	43.75	18	L&R	36
S1C24X24-0X	24	24	14	29	29.8	43.75	0	None	34
		DC	UBLE	СОМ	PART	MEN	Γ		
S2C18X18-L-18X	18	18	14	56.5	23.8	43.75	18	Left	50
S2C18X18-R-18X	18	18	14	56.5	23.8	43.75	18	Right	50
S2C18X18-2-18X	18	18	14	72	23.8	43.75	18	L&R	57
		TF	RIPLE	COM	PART	MENT	•		
S3C18X18-L-18X	18	18	14	74.5	23.8	43.75	18	Left	72
S3C18X18-R-18X	18	18	14	74.5	23.8	43.75	18	Right	72
S3C18X18-2-18X	18	18	14	90	23.8	43.75	18	L&R	79
S3C24X24-2-24X	24	24	14	120	29.8	43.75	24	L&R	120









	Bowl Dimensions (inches)		Overa	Overall Size (inches)			nboard		
Model Number	Length	Width	Depth	Length	Width	Height	Size (inches)	Location	Weight (lbs)
		SI	NGLE	COM	PART	MENT	•		
SE1C18X18-0X	18	18	11	23	23.8	43.75	0	None	24
SE1C18X18-L-18X	18	18	11	38.5	23.8	43.75	18	Left	31
SE1C18X18-R-18X	18	18	11	38.5	23.8	43.75	18	Right	31
SE1C18X18-2-18X	18	18	11	54	23.8	43.75	18	L&R	36
SE1C24X24-0X	24	24	11	29	29.8	43.75	0	None	31
		DC	DUBLE	COM	IPAR	LMEN.	Т		
SE2C18X18-L-18X	18	18	11	56.5	23.8	43.75	18	Left	47
SE2C18X18-R-18X	18	18	11	56.5	23.8	43.75	18	Right	47
SE2C18X18-2-18X	18	18	11	72	23.8	43.75	18	L&R	54
		T	RIPLE	COM	PART	MENT			
SE3C18X18-L-18X	18	18	11	74.5	23.8	43.75	18	Left	65
SE3C18X18-R-18X	18	18	11	74.5	23.8	43.75	18	Right	65
SE3C18X18-2-18X	18	18	11	90	23.8	43.75	18	L&R	70
SE3C24X24-2-24X	24	24	11	120	29.8	43.75	24	L&R	101



SE1C18X18-L-18X







We offer a full line of **Utility, Mop** and **Handwash Sinks** to round out our sinks portfolio of products for foodservice applications.

Our **Utility sinks** are similar in design to the sculleries in the previous section except that they have square corners instead of coved and do not carry an NSF listing. The sinks are designed for general purpose use (i.e., non-food zone applications).

The **Mop Sinks** are designed for heavy duty janitorial purposes.

Elkay SSP **Handwash Sinks** are specifically designed to meet health code requirements for foodservice applications. All hands sinks include a strainer and faucet. Our offering consists of a variety of hand sinks as well as different accessories and options to meet your needs. Whether requiring a hand sink with knee valves, side splashes, or soap and towel dispensers, we have what you are looking for.



Utility Sinks

- 16 gauge 200 series stainless steel
- Welded construction for consistent metal gauge thickness throughout
- 12" deep tubs with square corners
- 9" backsplash with tile ledge for easy installation
- 1-1/2" edge rim design
- 3-1/2" drain with basket strainers included
- 1-5/8" galvanized legs with 1" adjustable feet



	Bowl Dir	mension	S (inches)	Overa	ıll Size (inches)		nboard	
Model Number	Length	Width	Depth	Length	Width	Height	Size (inches)	Location	Weight (lbs)
		SI	NGLE	COM	PART	MENT	Г		
B1C18X18X	18	18	12	21	21.5	42	0	None	25
B1C18X21X	18	21	12	21	24.5	42	0	None	29
B1C24X24X	24	24	12	27	27.5	42	0	None	34
		DC	UBLE	COM	IPAR1	MEN'	Т		
B2C18X21X	18	21	12	39	24.5	42	0	None	47
B2C24X24X	24	24	12	51	27.5	42	0	None	60
		TF	RIPLE	СОМІ	PART	MENT	•		
B3C12X21X	12	21	12	39	24.5	42	0	None	51
B3C18X21X	18	21	12	57	24.5	42	0	None	67
B3C24X24X	24	24	12	75	27.5	42	0	None	91



B1C24X24X



FLR-1X

Mop Sinks

- 16 gauge 300 series stainless steel top and tub
- 18 gauge stainless steel skirt
- Welded construction for consistent metal gauge thickness throughout
- 3-1/2" drain with basket strainers included

Bowl Dimensions (inches) **Overall Size** (inches) Model Number Length Width Depth Length Width Height Weight (lbs) **MOP SINKS** 20 16 6 24 20 10 28 FLR-1X 28 20 6 32 24 10 34 FLR-2X 20 16 12 24 20 16 34 FLR-3X 28 20 12 32 24 16 50 FLR-4X





Handwash Sinks

- 18 gauge 300 series stainless steel
- Full length 6" backsplash
- Easy to clean and sanitize
- 1-1/2" drain opening
- Strainer and faucet included

Options:

- **SX** Side splash
- SSX-Side splash at left and right
- KVX- Knee valve
- PEDX- Pedestal base and foot valve
- STDX- Soap and towel dispenser
- **SDX** Side splash at left and right, lever waste, overflow, and P-trap
- TSX- Soap and towel dispenser, skirt, and P-trap
- TDX- Towel Dispenser





EHS-14-PEDX

	Bowl Dimensions (inches)			Overa	all Size (inches)	
Model Number	Length	Width	Depth	Length	Width	Height	Weight (lbs)
		HAN	ID SINI	KS			
EHS-14X	10	12	5	16	16.5	11	12
EHS-14-PEDX	10	12	5	16	16.5	11	25
EHS-18X	14	10	5	18	14.5	11	13
EHS-18-PEDX	14	10	5	18	14.5	11	31
EHS-18-SX	14	10	5	18	14.5	11	16
EHS-18-SSX	14	10	5	18	14.5	11	16
EHS-18-KVX	14	10	5	18	14.5	11	20
EHS-18-STDX	14	10	5	18	14.5	23.375	21
EHS-18-SDX	14	10	5	18	14.5	23.375	21
EHS-18-TDX	14	10	5	18	14.5	23.375	21
EHS-18-TSX	14	10	5	18	14.5	23.375	21
SEHS-17X	14	10	5.5	15	17	10	11



EHS-14X



EHS-18-SDX



EHS-18-STDX



EHS-18-KVX





Dish Tables

Elkay SSP **Dish Tables** are constructed of 16 gauge 300 series stainless steel. Our dish tables will fit most common style of dishwashers. We offer Soiled, Clean, and Under Counter Dish Tables. Fully fabricated tops and bowls guarantee the same thickness and durability throughout the dish table.

Soiled Dish Tables provide an integrated sink to allow initial rinsing of dishes before entering the dishwasher.

Under Counter Dish Tables are similar to soiled dish tables, but are designed for saving space. Instead of connecting to the side of the dishwasher it is installed under the stainless counter top. The user receives all the same benefits of the soiled dish table, and saves space.

Clean Dish Tables are designed to allow for connection to the outlet of commercial dishwashers.







- 16 gauge 300 series stainless
- Welded construction for consistent metal gauge thickness throughout the bowl
- Sink bowls are 6" deep with ¾" coved radius (DDT & UDT)
- All drain boards are die stamped for positive drainage
- 10" backsplash (DDT & CDT) and 8" backsplash (UDT) with tile ledge for easy installation
- 1-1/2" edge rim design
- 1-5/8" galvanized legs with 1" adjustable feet



Model Number		all Size Width	•	Weight (lbs)
CL	EAN C	DISH T	TABLES	
CDT-24-LX	24	30	44.75	20
CDT-24-RX	24	30	44.75	20
CDT-36-LX	36	30	44.75	28
CDT-36-RX	36	30	44.75	28
CDT-48-LX	48	30	44.75	36
CDT-48-RX	48	30	44.75	36
CDT-60-LX	60	30	44.75	47
CDT-60-RX	60	30	44.75	47
CDT-72-LX	72	30	44.75	55
CDT-72-RX	72	30	44.75	55
CDT-84-LX	84	30	44.75	65
CDT-84-RX	84	30	44.75	65
CDT-96-RL	96	30	44.75	75
CDT-96-RX	96	30	44.75	75



RSPB-20

Rack Slides and Scrap Baskets

- 18 gauge 300 series stainless steel
- Scrap Basket can be purchased in either plastic or stainless steel
- · Compatible with all of our Dish Tables





	Overa			
Model Number	Length	Width	Height	Weight (lbs)
RACK S	LIDES A	ND SCR	AP BASI	KETS
RS-20	21.75	19	0.5	3
RSPB-20	19.75	22	5	25
RSSB-20	19.75	22	5	30







	Bowl Di	imensior	1S (inches)	Overall	Size (inc	hes)	
Model Number	Length	Width	Depth	Length	Width	Height	Weight (lbs)
	UND	ER C	DUNTE	R DISH	TABL	ES	
UDT-50-LX	20.25	20.25	6	50	30	42.75	42
UDT-50-RX	20.25	20.25	6	50	30	42.75	42
UDT-60-LX	20.25	20.25	6	60	30	42.75	47
UDT-60-RX	20.25	20.25	6	60	30	42.75	47





			ns (inches)		Size (inc		
Model Number	Length	Width	Depth	Length	Width	Height	Weight (lbs)
		SOIL	ED DIS	H TABL	ES		
DDT-36-LX	20.25	20.25	6	36	30	44.75	35
DDT-36-RX	20.25	20.25	6	36	30	44.75	35
DDT-48-LX	20.25	20.25	6	48	30	44.75	42
DDT-48-RX	20.25	20.25	6	48	30	44.75	42
DDT-60-LX	20.25	20.25	6	60	30	44.75	49
DDT-60-RX	20.25	20.25	6	60	30	44.75	49
DDT-72-LX	20.25	20.25	6	72	30	44.75	61
DDT-72-RX	20.25	20.25	6	72	30	44.75	61





Elkay SSP has a large offering of **Work Tables, Equipment Stand** and **Mixer Stands** to meet your needs. We also offer optional casters and a variety of drawer styles that can be added to the work table upon request.

Deluxe Work Tables

Constructed of high-quality 16 gauge 300 series stainless steel, these work tables can be used in all three work zones of a foodservice location: Food, Non-food, and Splash Zones.

Budget Work Tables

Constructed of 16 gauge 400 series stainless steel, these work tables can only be used in Non-food zones. This allows for a more economical approach for non-critical foodservice applications.

Economy Work Tables

Same as Deluxe and Budget, but constructed of 18 gauge stainless steel.

Equipment & Mixer Stands

Elkay SSP Equipment and Mixer Stands are designed to handle various sizes of common foodservice equipment and mixers.



Deluxe Work Table

- 16 gauge 300 series stainless steel
- Two galvanized hat channels per table
- 1-5/8" heavy gauge tubing with fully adjustable 1" feet
- Available with undershelf or cross bracing
- 18 gauge under shelves are welded to adjustable galvanized leg rings that are secured with allen screws, wrench supplied
- Undershelf, cross bracing and legs available in stainless steel (STSX or BSX) or galvanized (STGX or BGX)
- Tables are shipped knocked down
- Work tables larger than 72" have 6 legs
- Backsplash models are 4" with 1" return





	Over			
Model Number	Length	Width	Height	Weight (lbs)
WORK TABLI	E WITH	CROS	SBRACI	NG (S/S) *
WT24X30-STSX	30	24	36	46
WT24X36-STSX	36	24	36	51
WT24X48-STSX	48	24	36	61
WT24X60-STSX	60	24	36	71
WT24X72-STSX	72	24	36	79
WT24X84-STSX	84	24	36	101
WT24X96-STSX	96	24	36	111
WT24X108-STSX	108	24	36	112
WT24X120-STSX	120	24	36	115
WT30X30-STSX	30	30	36	57
WT30X36-STSX	36	30	36	64
WT30X48-STSX	48	30	36	74
WT30X60-STSX	60	30	36	84
WT30X72-STSX	72	30	36	108
WT30X84-STSX	84	30	36	115
WT30X96-STSX	96	30	36	130
WT30X108-STSX	108	30	36	141
WT30X120-STSX	120	30	36	155

^{*}Table is also available with galvanized legs and cross bracing, replace STSX with STGX when ordering.



Deluxe Work Table



	Over			
Model Number	Length	Width	Height	Weight (lbs)
U	NDERS	HELF	(S/S) *	
WT24S30-STSX	30	24	36	46
WT24S36-STSX	36	24	36	51
WT24S48-STSX	48	24	36	61
WT24S60-STSX	60	24	36	71
WT24S72-STSX	72	24	36	79
WT24S84-STSX	84	24	36	101
WT24S96-STSX	96	24	36	111
WT24S108-STSX	108	24	36	112
WT24S120-STSX	120	24	36	115
WT30S30-STSX	30	30	36	57
WT30S36-STSX	36	30	36	64
WT30S48-STSX	48	30	36	74
WT30S60-STSX	60	30	36	84
WT30S72-STSX	72	30	36	108
WT30S84-STSX	84	30	36	115
WT30S96-STSX	96	30	36	130
WT30S108-STSX	108	30	36	141
WT30S120-STSX	120	30	36	155

^{*}Table is also available with galvanized legs and undershelf, replace STSX with STGX when ordering.



	Over			
Model Number	Length	Width	Height	Weight (lbs)
4" BACKSPL	ASH &	CROSS	BRACI	NG (S/S) *
WT24X30-BSX	30	24	40	46
WT24X36-BSX	36	24	40	52
WT24X48-BSX	48	24	40	58
WT24X60-BSX	60	24	40	67
WT24X72-BSX	72	24	40	75
WT24X84-BSX	84	24	40	102
WT24X96-BSX	96	24	40	112
WT24X108-BSX	108	24	40	119
WT24X120-BSX	120	24	40	125
WT30X30-BSX	30	30	40	50
WT30X36-BSX	36	30	40	57
WT30X48-BSX	48	30	40	64
WT30X60-BSX	60	30	40	74
WT30X72-BSX	72	30	40	84
WT30X84-BSX	84	30	40	108
WT30X96-BSX	96	30	40	115
WT30X108-BSX	108	30	40	130
WT30X120-BSX	120	30	40	141

^{*}Table is also available with galvanized legs and cross bracing, replace BSX with BGX when ordering.



Deluxe Work Table

	Over			
Model Number	Length	Width	Height	Weight (lbs)
4" BACKSP	LASH 8	& UNDI	ERSHEL	.F (S/S) *
WT24S30-BSX	30	24	40	48
WT24S36-BSX	36	24	40	54
WT24S48-BSX	48	24	40	66
WT24S60-BSX	60	24	40	75
WT24S72-BSX	72	24	40	92
WT24S84-BSX	84	24	40	102
WT24S96-BSX	96	24	40	122
WT24S108-BSX	108	24	40	132
WT24S120-BSX	120	24	40	145
WT30S30-BSX	30	30	40	52
WT30S36-BSX	36	30	40	61
WT30S48-BSX	48	30	40	73
WT30S60-BSX	60	30	40	88
WT30S72-BSX	72	30	40	110
WT30S84-BSX	84	30	40	124
WT30S96-BSX	96	30	40	148
WT30S108-BSX	108	30	40	151
WT30S120-BSX	120	30	40	168



Casters

- 4" casters
- Locking and non-locking
- Compatible with Work Tables, Equipment Stands, Mixer Stands, and Dish Tables









CT-19-4

Model Number	Description	Weight (lbs)
	CASTERS	
CT-19-4	Casters-Set of 4 (2 locking)	7
CT-19-6	Casters set of 6 (2 locking)	10

^{*}Table is also available with galvanized legs and undershelf, replace BSX with BGX when ordering.



Budget Series Work Table

- 16 gauge 400 series stainless steel
- Two galvanized hat channels per table
- 1-5/8" heavy gauge galvanized tubing with fully adjustable
 1" feet
- Available with undershelf or cross bracing
- 18 gauge under shelves are welded to adjustable galvanized leg rings that are secured with allen screws, wrench supplied
- Undershelf, cross bracing and legs available in stainless steel (STSX or BSX) or galvanized (STGX or BGX)
- Tables are shipped knocked down
- Work tables larger than 72" have 6 legs
- Backsplash models are 4" with 1" return



BWT30S72-STSX

	Over			
Model Number	Length	Width	Height	Weight (lbs)
WORK TAB	LE WITI	H UND	ERSHEL	_F (S/S) *
BWT24S24-STSX	24	24	36	40
BWT24S30-STSX	30	24	36	46
BWT24S36-STSX	36	24	36	51
BWT24S48-STSX	48	24	36	61
BWT24S60-STSX	60	24	36	71
BWT24S72-STSX	72	24	36	79
BWT24S84-STSX	84	24	36	101
BWT24S96-STSX	96	24	36	111
BWT24S108-STSX	108	24	36	112
BWT24S120-STSX	120	24	36	115
BWT30S30-STSX	30	30	36	57
BWT30S36-STSX	36	30	36	64
BWT30S48-STSX	48	30	36	74
BWT30S60-STSX	60	30	36	84
BWT30S72-STSX	72	30	36	108
BWT30S84-STSX	84	30	36	115
BWT30S96-STSX	96	30	36	130
BWT30S108-STSX	108	30	36	141
BWT30S120-STSX	120	30	36	155

^{*}Table is also available with galvanized legs and undershelf, replace STSX with STGX when ordering.



Budget Series Work Table

	Over			
Model Number	Length	Width	Height	Weight (lbs)
4" BACKSP	LASH 8	& UNDE	ERSHEL	.F (S/S) *
BWT24S24-BSX	24	24	40	42
BWT24S30-BSX	30	24	40	48
BWT24S36-BSX	36	24	40	54
BWT24S48-BSX	48	24	40	66
BWT24S60-BSX	60	24	40	75
BWT24S72-BSX	72	24	40	92
BWT24S84-BSX	84	24	40	102
BWT24S96-BSX	96	24	40	122
BWT24S108-BSX	108	24	40	132
BWT24S120-BSX	120	24	40	145
BWT30S30-BSX	30	30	40	52
BWT30S36-BSX	36	30	40	61
BWT30S48-BSX	48	30	40	73
BWT30S60-BSX	60	30	40	88
BWT30S72-BSX	72	30	40	110
BWT30S84-BSX	84	30	40	124
BWT30S96-BSX	96	30	40	148
BWT30S108-BSX	108	30	40	151
BWT30S120-BSX	120	30	40	168



Drawers

- 18 gauge 300 series stainless steel
- Offer poly slide drawers and roller bearing drawers
- Includes either plastic or stainless liner
- Compatible with our Work Tables

	Over				
Model Number	Length	Width	Height	Weight (lbs)	
DRAWERS					
CT-11-1520E	17.75	23	6,875	25	
CT-11-1520P	17.75	23	6,875	29	
CT-11-1520S	17,75	23	6,875	33	







CT-11-1520S

^{*}Table is also available with galvanized legs and undershelf, replace BSX with BGX when ordering.





Economy Work Table

- 18 gauge 300 or 400 series stainless steel
- Two galvanized hat channels per table
- 1-5/8" heavy gauge galvanized tubing with fully adjustable 1" feet
- Available with undershelf or cross bracing
- 18 gauge under shelves are welded to adjustable galvanized leg rings that are secured with allen screws, wrench supplied
- Tables are shipped knocked down
- Work tables larger than 72" have 6 legs
- Available with a 2" turned up edge (p. 30)



		all Size (i	•	
Model Number	Length	Width	Height	Weight (lbs)
300	O SERIE	ES FLA	ГТОР	
EWT24S24-STG-4X	24	24	34	37
EWT24S30-STG-4X	30	24	34	42
EWT24S36-STG-4X	36	24	34	48
EWT24S48-STG-4X	48	24	34	57
EWT24S60-STG-4X	60	24	34	67
EWT24S72-STG-4X	72	24	34	76
EWT24S96-STG-4X	96	24	34	108
EWT30S30-STG-4X	30	30	34	46
EWT30S36-STG-4X	36	30	34	53
EWT30S48-STG-4X	48	30	34	66
EWT30S60-STG-4X	60	30	34	78
EWT30S72-STG-4X	72	30	34	89
EWT30S96-STG-4X	96	30	34	119

Model Number	Over Length	all Size (i Width	nches) Height	Weight (lbs)
400	SERIE	S FLA	ГТОР	
EWT24S24-STGX	24	24	34	37
EWT24S30-STGX	30	24	34	42
EWT24S36-STGX	36	24	34	48
EWT24S48-STGX	48	24	34	57
EWT24S60-STGX	60	24	34	67
EWT24S72-STGX	72	24	34	76
EWT24S96-STGX	96	24	34	108
EWT30S30-STGX	30	30	34	46
EWT30S36-STGX	36	30	34	53
EWT30S48-STGX	48	30	34	66
EWT30S60-STGX	60	30	34	78
EWT30S72-STGX	72	30	34	89
EWT30S96-STGX	96	30	34	119



Economy Work Table

	Over			
Model Number	Length	Width	Height	Weight (lbs)
300 SERIES	S TABLI	E WITH	2" TUR	N UP
EWT24S24-STG-24X	24	24	36	37
EWT24S30-STG-24X	30	24	36	42
EWT24S36-STG-24X	36	24	36	48
EWT24S48-STG-24X	48	24	36	57
EWT24S60-STG-24X	60	24	36	67
EWT24S72-STG-24X	72	24	36	76
EWT24S96-STG-24X	96	24	36	108
EWT30S30-STG-24X	30	30	36	46
EWT30S36-STG-24X	36	30	36	53
EWT30S48-STG-24X	48	30	36	66
EWT30S60-STG-24X	60	30	36	78
EWT30S72-STG-24X	72	30	36	89
EWT30S96-STG-24X	96	30	36	119



	Over			
Model Number	Length	Width	Height	Weight (lbs)
400 SERIES	S TABLI	E WITH	2" TUR	N UP
EWT24S24-STG-2X	24	24	36	37
EWT24S30-STG-2X	30	24	36	42
EWT24S36-STG-2X	36	24	36	48
EWT24S48-STG-2X	48	24	36	57
EWT24S60-STG-2X	60	24	36	67
EWT24S72-STG-2X	72	24	36	76
EWT24S96-STG-2X	96	24	36	108
EWT30S30-STG-2X	30	30	36	46
EWT30S36-STG-2X	36	30	36	53
EWT30S48-STG-2X	48	30	36	66
EWT30S60-STG-2X	60	30	36	78
EWT30S72-STG-2X	72	30	36	89
EWT30S96-STG-2X	96	30	36	119





Equipment Stand

- 16 gauge 300 series stainless steel
- 2" turn up on three sides
- Comes with stainless steel (STSX) or galvanized (STGX) undershelf.
- 2 galvanized hat channel per table
- 1 5/8" diameter heavy gauge galvanized tubing with plated galvanized leg gussets and high impact corrosion resistant fully adjustable 1" feet




Model Number	Over Length	all Size (i Width	inches) Height	Weight (lbs)
E	QUIPM	ENT ST	AND	
SES30S36-STSX	36	30	26	53
SES30S48-STSX	48	30	26	66
SES30S60-STSX	60	30	26	81
SES30S72-STSX	72	30	26	100
SES30S36-STGX	36	30	26	53
SES30S48-STGX	48	30	26	66
SES30S60-STGX	60	30	26	81
SES30S72-STGX	72	30	26	100




- 16 gauge 300 series stainless steel
- Comes with stainless steel (STSX) or galvanized (STGX) undershelf.











Storage

Elkay SSP stocks a variety of different styles of **Wall Shelves** and **Pot Racks**. Our offering consists of **wall shelves**, **microwave shelves**, **slant racks**, and **pot racks**. Our assortment of shelves allows you to pick the best product for your kitchen.

Elkay SSP **Aluminum Pan Racks** are designed to accommodate standard tray sizes. They are available in front or side loading, depending on the space available and specific functions needed.

Health Code regulations require that perishable goods are not stored on the ground. Our **Dunnage Racks** are used to keep food off the ground so you can meet the required regulations. They come in a variety of heights and sizes to best fit the space available.





WMMS-18-24X





Microwave Shelves

- 18 gauge 400 series stainless steel
- Wall brackets Included
- Does not include mounting hardware



	Over			
Model Number	Length	Width	Height	Weight (lbs)
M	ICROW	AVE SI	HELF	
WMMS-18-24X	24	18	10	9
WMMS-24-24X	24	24	10	10

Economy Wall Shelves

- 18 gauge 400 series stainless steel
- Wall brackets included
- Shipped knocked down
- Does not include mounting hardware



	Over			
Model Number	Length	Width	Height	Weight (lbs)
ECC	YMONG	WALL	SHELF	
EWMS-12-24X	24	12	11.5	8
EWMS-12-36X	36	12	11.5	11
EWMS-12-48X	48	12	11.5	14
EWMS-12-60X	60	12	11.5	16
EWMS-12-72X	72	12	11.5	20
EWMS-12-80X	80	12	11.5	23
EWMS-12-96X	96	12	11.5	26
EWMS-14-24X	24	14	13.5	10
EWMS-14-36X	36	14	13.5	13
EWMS-14-48X	48	14	13.5	16
EWMS-14-60X	60	14	13.5	18
EWMS-14-72X	72	14	13.5	23
EWMS-14-80X	80	14	13.5	27
EWMS-14-96X	96	14	13.5	31

Slant Racks

- 18 gauge 300 series stainless steel
- Wall brackets included
- Shipped knocked down
- Does not include mounting hardware



	Over			
Model Number	Length	Width	Height	Weight (lbs)
	SLAN	T RAC	K	
SLANT-21X	21	12	12	14
SLANT-42X	42	12	12	21
SLANT-63X	63	12	12	33
SLANT-84X	84	12	12	46



Wall Shelves with Pot Rack

- 18 gauge 300 series stainless steel
- 1/4"x2" stainless steel flat bar pot rack
- Pot hooks(1 per foot)
- Shipped knocked Down
- Does not include mounting hardware





SLW-S-72X

	Over			
Model Number	Length	Width	Height	Weight (lbs)
WALL S	SHELF '	WITH F	POT RAC	CK
SLW-S-48X	48	12	11.5	14
SLW-S-60X	60	12	11.5	21
SLW-S-72X	72	12	11.5	30

Single Line Pot Rack

- 1/4"x2" stainless steel flat bar pot rack
- Pot hooks(1 per foot)- not shown
- Does not include mounting hardware



SLW-72X



	Overall Size (inches)				
Model Number	Length	Width	Height	Weight (lbs)	
SINGLE LINE POT RACK					
SLW-48X	48	10	12	7	
SLW-60X	60	10	12	11	
SLW-72X	72	10	12	20	

Double Line Pot Rack

- 1/4"x2" stainless steel flat bar pot rack
- Pot hooks(1 per foot)- not shown
- Does not include mounting hardware





DLW-72X

	Overall Size (inches)			
Model Number	Length	Width	Height	Weight (lbs)
DOU	BLE LI	NE PO	T RACK	
DLW-48X	48	10	14	12
DLW-60X	60	10	14	19
DLW-72X	72	10	14	29





Aluminum Pan Rack

- Reinforced gussets ensure strength and durability for medium duty commercial use
- 20 pan capacity
- Available as end load (APR1820-LX) or side load (APR1826-LX)
- 5" polyurethane casters with swivel stems
- Heavy duty 6063 aluminum
- Uprights and runners are fully welded
- Vertical posts are 1" square aluminum tubing (.063" thick)
- Replacement casters available

	Overall Size (inches)			
Model Number	Length	Width	Height	Weight (lbs)
ALI	JMINU	M PAN	RACK	
APR1820-LX	18	20	69	35
APR1826-LX	18	26	69	45

Aluminum Dunnage Rack

- Sturdy construction ensures strength and durability in any environment
- Load capacity of 1500 lbs
- Available in 8" or 12" heights
- Plastic feet included
- Heavy duty 6063 aluminum
- Top is constructed of 1-1/2" x1-1/2"x5/8" square aluminum tubing welded horizontally on 4-1/2" centers
- Legs are 1-1/2" x1-1/2"x5/8" mitered aluminum
- Great for use in coolers and freezers



	Overall Size (inches)			
Model Number	Length	Width	Height	Weight (lbs)
ALUM	INUM D	UNNA	GE RAC	K
ADR362008-MX	20	36	8	7
ADR482008-MX	20	48	8	9
ADR602008-MX	20	60	8	12
ADR362012-MX	20	36	12	8
ADR482012-MX	20	48	12	10
ADR602012-MX	20	60	12	12
ADR362408-MX	24	36	8	8
ADR482408-MX	24	48	8	11
ADR602408-MX	24	60	8	14
ADR362412-MX	24	36	12	9
ADR482412-MX	24	48	12	13
ADR602412-MX	24	60	12	15





Coast-To-Coast Elkay Sales Network

Our national sales presence and extensive distributor base provide excellent service and convenience. For the name of your nearest Elkay Sales Rep or Wholesaler:

- Visit the "Where to Buy" area on elkayusa.com
- Call our customer service department at 630.572.3192

Elkay Technical Support

- Help is always just "One Call" away.
- Trained factory technicians available during business hours, 5 days a week
- 98% of technical service inquiries handled on the first call

Visit elkayusa.com

- Up-to-date product specification sheets
- Current catalog and pricing
- Local sales rep locator
- Warranty information
- Where to buy our products
- Service information
- How to contact Elkay

Throughout the birth and growth of the Elkay plumbing products group, the leadership and vision of Elkay's founders has always been maintained: provide better customer service, higher quality and more innovation than our competitors. Our sinks are no exception. We invite you to learn more about our products and services.

Contact Information

Web Site: elkayusa.com Corporate Headquarters:

630.574.8484

Customer Service: 630.572.3192

Fax: 630.574.5012

2222 Camden Court Oak Brook, Illinois 60523