



#### 60's looks meets New Age technology

#### Classic Street Styles from the '60s & '70s...

Reborn using modern technology. We have created all new tooling and are machining and finishing these wheels to the highest quality.

Offered in a variety of finishes, sizes, bolt patterns and off-sets...
Gleaming 100% Chrome, Machine Finish, Hi-Gloss, Matte and Satin Painted Finishes or Polished.

The finishing touch for your new ride or totally transform the look of your Classic Volkswagen with a new set of EMPI Wheels.

#### **EMPI Bead-Lock Wheels...**

Pressure-Cast Aluminum with Forged Bead-Lock Rings and Grade 8 Hardware. These wheels are built for the Dirt...and Sand. Machine finished Wheels with Rings available in your choice of Polished Aluminum, Red, Blue or Black.

For Off-Road Use Only.

#### TABLE OF CONTENTS

Bead-Lock Wheels	4-5	Sprintstar Wheels-	- 20-21
BRM Wheels	6-9	GT-5 Wheels	-22-23
911 Alloy Wheels	10-13	GT-8 Wheels	24
914 Alloy Wheels	14	Riviera Wheels	25
5-Rib Wheels	15	Studs / Caps Lug Nuts /	26 20
Torque Star Wheels	16	Wheel Locks	20-23
Raider Wheels	17	Tires	-30-35
EMPI Dish Wheels	18-19		

#### **EMPI Wheel Patterns. or PCDs:**

5 X 205 - VW to 1967 (12mm Lug Bolt)

4 X 130 - VW 68 & Later (14 mm Lug Bolt)

5 X 112 - VW Bus 71 & Later (14mm Lug Bolt)


5 X 100 – New Beetle (14mm Lug Bolt)

5 X 130 - Porsche Pattern (14mm Lug Nut) (which will require wheel adaptors or

modified drums/rotors for use on a VW)

#### Wheel Off-set or ET

Off-set is the distance in mm between the center line of the wheel rim, and the hub mounting surface of the wheel. You can have positive (+), negative (-) or neither (0). Off-set determines the position of the wheel under the fender



#### **Lug Nuts / Bolts**

60° Conical (Tapered) Lug Nuts/Bolts All EMPI Wheels (except 911 Alloy) are made for 60° Conical (Tapered) Lug Nuts/Bolts.



#### **Ball Seat (Rounded) Lug Nuts/Bolts**

Most EMPI 911 Alloy Wheels are made, like the original Fuchs design, for Ball Seat (Rounded) Lug Nuts/Bolts (Except 5 X 112 PCD Wheels).



#### **Small Diameter or "Tuner" Lug Nuts/Bolts**

EMPI 5 X 112 PCD Wheels are made for Small Diameter or "Tuner" Lug Nuts/Bolts. The PCD is small and close to the center hub, requiring a smaller Lug Nut Bore.



It is imperative that the correct Lug Nuts/Bolts are used to secure the wheel to the vehicle. All Lug Bolts need to be checked to be certain that they are not interfering with internal brake parts. Grinding for clearance may be necessary and is the responsibility of the installer.

All Lug Nuts need to be checked to be certain that they are in fact tightening the wheel to the rotor/drum and not bottoming out on the stud leaving the wheel loose. This is the responsibility of the installer.

Weight of Wheels listed in this catalog are approximate and are the wheel only.

#### LEGEND











Early Bug / Ghia

Late Bug / Ghia



# RACE-TRIM BEAD-LOCK WHEELS

SIZE	(i n.)	STYLE	ET	SEAT	PCD	P/N
	4	Machine Finished (Wheel Only)	19	Bal l	5x205	9764
1.5	7	Machine Finished (Wheel Only)	32	Bal l	5x205	9765
15	10	Machine Finished (Wheel Only)	32	Bal l	5x205	9766
	12	Machine Finished (Wheel Only)	32	Bal l	5x205	9767
17	8	Machine Finished (Wheel Only)	32	Bal l	5x205	9768

- Pressure Cast Aluminum Wheels
- Ball Seat Lugs
- Forged Bead-Lock Rings (Sold Separately)
- Grade 8 Bolts w/ Hardened Washers
- For Off-Road Use Only

Hardware Sold Separately



24 Grade 8 Bolts, Zinc 24 Hardened Washers, Zinc For One Wheel and Ring



SIZE	(IN) Rings for Bead-Lock Wheels	P/N
15	Polished Ring w/o Hardware, Each	9769
15	Red Anodized Ring w/o Hardware, Each	9774
15	Blue Anodized Ring w/o Hardware, Each	9775
15	Black Anodized Ring w/o Hardware, Each	9776
15	Hardware Kit for 15" Wheel (24 pairs)	9782
17	Polished Ring w/o Hardware, Each	9777
17	Red Anodized Ring w/o Hardware, Each	9778
17	Blue Anodized Ring w/o Hardware, Each	9779
17	Black Anodized Ring w/o Hardware, Each	9781
17	Hardware Kit for 17" Wheel (24 pairs)	9782

















	46			16		71011	<b>D O I</b> I O
SIZ	E (in.)	STYLE	ET	SEAT	PCD	WEI GHT	P/N
	7	All Chrome	40	60°	5x100	21	9737 <b>*</b>
17	7	Gloss Black w/ Polished Lip & Spoke Edges	40	60°	5x100	20. 5	9736*

\* Comes with chrome cap w/ EMPI logo and chrome valve stem.







4x130

Late Bug / Ghia

į.	SI ZE	(i n.)	STYLE	ET	SEAT	PCD	WEI GHT	P/N
	15	4. 5	Gloss Black w/ Polished Lip & Spoke Edges	15	60°	4x130	12. 5	9734
	15	5. 5	Gloss Black w/ Polished Lip & Spoke Edges	15	60°	4x130	13. 5	9735

All wheels come with cap and chrome valve stem.











# 5x205 Early Bug / Ghia, Early Bus

	2/1			, _			
SIZE	(i n.)	STYLE	ET	SEAT	PCD	WEI GHT	P/N
	5	All Chrome	14	60°	5x205	14. 5	9722*
	5	Gloss Black w/ Polished Lip & Spoke Edges	14	60°	5x205	14	9676
15	5	Matte Black w/ Matte Silver Lip & Spoke Edges	14	60°	5x205	14	9675
	6. 5	All Chrome	12	60°	5x205	17. 5	9730*
	6. 5	Gloss Black w/ Polished Lip & Spoke Edges	12	60°	5x205	17	9729

All wheels come with cap and chrome valve stem.

<sup>\*</sup> Comes with chrome cap and chrome valve stem.



SI	ZE (	i n. )	STYLE	ET	SEAT	PCD	WEI GHT	P/N
		5. 5	All Chrome	12	60°	5x112*	16. 5	9731*
1	5	5. 5	Gloss Black w/ Polished Lip & Spoke Edges	12	60°	5x112*	16	9697

All wheels come with cap and chrome valve stem.

\* Comes with chrome cap and chrome valve stem.

\* Requires Special Lug Nuts - See Page 26

CAP STYLE					
Low Cap w/ BRM, EMPI, & Speedwell **	9705				
Chrome Low Cap w/ BRM, EMPI, & Speedwell **	9715				


\*\* These two styles of caps are supplied with Wheels






Back c

ack of Cap Ring















SI ZE	(i n.)	STYLE	ET	SEAT	PCD V	WEI GHT	P/N
15	5. 5	All Chrome	20	60°	5x112*	16. 5	9694
13	5. 5	Matte Black w/Matte Silver*	20	60°	5x112*	15. 5	9728
17	7	All Chrome	40	60°	5x112*	22	9744
17	7	Matte Black w/Matte Silver*	40	60°	5x112*	21	9745

Chrome & Polished wheels come w/ chrome logo cap & chrome valve stem.

Black/Silver wheels come w/ silver logo cap & chrome valve stem.

\* Clear-Coated w/ matching Silver Cap.

\* Requires Special Lug Nuts - See Page 26





# Early Bug, Late Bug / Ghia Early Bus, Late Bus / Porsche

SI ZE	(i n.)	STYLE	ET	SEAT	PCD	WEI GHT	P/N
	4. 5	All Chrome	45	Bal l	5x130	15	9677
	4. 5	Pol i shed	45	Bal l	5x130	14.5	9678
15	4. 5	Matte Black w/Matte Silver*	45	Bal l	5x130	14. 5	9726
15	5. 5	All Chrome	45	Bal l	5x130	16	9679
	5. 5	Pol i shed	45	Bal l	5x130	15. 5	9680
	5. 5	Matte Black w/Matte Silver*	45	Bal l	5x130	15. 5	9727

Chrome & Polished wheels come w/ chrome logo cap & chrome valve stem. Black/Silver wheels come w/ silver logo cap & chrome valve stem.






5x130

Early Bug, Late Bug / Ghia Early Bus, Late Bus / Porsche

SI ZE	(i n.)	STYLE	ET	SEAT	PCD	WEI GHT	P/N
17	7	All Chrome	40	Bal l	5x130	22	9738
17	7	Matte Black w/Matte Silver*	40	Bal l	5x130	21	9739

Chrome & Polished wheels come w/ chrome logo cap & chrome valve stem.

Black/Silver wheels come w/ silver logo cap & chrome valve stem.











SI ZE	(i n.)	STYLE	ET	SEAT	PCD	WEI GHT	P/N
	5. 5	All Chrome	35	60°	4x130	16	9723
15	5. 5	Gloss Black w/ Polished Lip & Spokes	35	60°	4x130	15	9681

All wheels come with chrome cap w/ logo and chrome valve stem.







				200	,, 0111	u, Lu	my Duo
SIZE	(i n.)	STYLE	ET	SEAT	PCD V	WEI GHT	P/N
	5. 5	All Chro	ome 12	60°	5x205	16. 5	9751
15	5. 5	Anthraci te Polished	19	60°	5x205	15. 5	9750

All wheels come with chrome cap w/ logo, chrome valve stem, and stainless steel cap screws.









# TORQUESTAR

Early Bug / Ghia, Early Bus X205

SIZE (in.)		STYLE	ET	SEAT	PCD	WEI GHT	P/N
	5	All Chrome	16	60°	5x205	14	9755
15	5	Anthracite w/ Polished Lip	16	60°	5x205	13	9754

All wheels come with chrome cap w/ logo and chrome valve stem.







# Early Bug / Ghia, Early Bus

SIZE (in.)		(i n.)	STYLE	ET	SEAT	PCD V	WEI GHT	P/N
		5	All Chrome	20	60°	5x205	14	9753
	15	5	Anthracite w/ Polished Lip	20	60°	5x205	13	9752

All wheels come with chrome cap and chrome valve stem







# EMPI DISH

Early Bug / Ghia, Late Bug / Ghia, Late Bus

SIZE (in.)		STYLE	ET	SEAT	PCD	WEI GHT	'P/N
	5. 5	Machine Finished	17	60°	4x130	14.5	9748
15	5. 5	Machine Finished	23	60°	5x112*	14.5	9749
	5. 5	Machi ne Fi ni shed	23	60°	5x205	12	9747

All wheels come with chrome cap w/ logo and chrome valve stem.

<sup>\*</sup> Requires Special Lug Nuts - See Page 26





# SPRINTSTAR

Early Bug / Ghia, Early Bus, Late Bug / Ghia

						and the state of t	enniniiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	Marie Committee of the
SIZE (in.)			SIZE (in.) STYLE		SEAT	PCD V	WEI GHT	P/N
		5	All Chrome (8 Spoke)	25	60°	4x130	15	9724
	15	5	Gloss Black w/ Polished Lip & Spokes (8 Spoke)	25	60°	4x130	14. 5	9688
	15	5	All Chrome (5 Spoke)	20	60°	5x205	16	9725
		5	Gloss Black w/ Polished Lip & Spokes (5 Spoke)	20	60°	5x205	15	9689

All wheels come with chrome cap w/ logo and chrome valve stem.







SIZE (in.)			STYLE	ET	SEAT	PCD	WEI GHT	P/N
		5. 5	All Chrome	20	60°	5x205	16	9686
		5. 5	Pol i shed	20	60°	5x205	15	9687
	15	5. 5	Gloss Black w/ Polished Lip	20	60°	5x205	15	9690
	13	5. 5	Silver w/ Polished Lip	20	60°	5x205	15	9691
		5. 5	All Chrome	20	60°	5x112*	16	9696
		5. 5	Silver w/ Polished Lip	20	60°	5x112*	15	9695

All wheels come with chrome cap w/ logo, chrome valve stem, and stainless steel cap screws.

<sup>\*</sup> Requires Special Lug Nuts - See Page 26





All wheels come with chrome cap w/ logo, chrome valve stem, and stainless steel cap screws.





Late Bug / Ghia

45	X1	3	

SIZE (in.)		STYLE	ET	SEAT	PCD '	WEI GHT	P/N
	5. 5	All Chrome	17	60°	4x130	15	9746
15	5. 5	Gloss Black w/ Polished Lip & Spokes	17	60°	4x130	14. 5	9732

All wheels come with chrome cap w/ logo and chrome valve stem.



#### LUG NUTS / LUG NUT KITS

Note	Part #
14mm Small Dia, 60°, for all 5x112 Wheels Chrome w/ tool, Set of 5	9547
14mm-1.5 x 1¼Long, Ball Seat for 911 Alloys, Aluminum, Black Anodized, Set of 5	70-2865
14mm-1.5 x 1¼Long, Ball Seat for 911 Alloys, Aluminum, Aluminum Finish, Set of 5	70-2866
14mm-1.5 x 1¼Long, Ball Seat for 911 Alloys, Chromed Aluminum. Set of 5	70-2867









70-2850

# WHEEL STUDS Note Part # 12mm-1. 5 to 12mm-1. 5, Zinc, Set of 5 9516 14mm-1. 5 to 14mm-1. 5, Zinc, Set of 5 9517





BEAD-LOCK WHEEL STUDS & LUG NUTS	
Note	Part #
14mm-1.5, Porsche-Style, Zinc, Ball Seat, Set of 5	70-2860
Press-In Stud-Drum, M14-1.5 x 2.20" Long, Black, Set of 5	70-2810

Press-In Stud-Disc, M14-1.5 x 1.855" Long, Black, Set of 5





LUG BOLTS / STUDS MAY REQUIRE GRINDING / SHORTENING FOR SOME DRUM BRAKE CLEARANCE See Pages 172-173 of 2010 Catalog for additional lugs/studs

#### LUG BOLTS & WHEEL LOCKS

#### LUG BOLTS

Note									Part #
12mm,	60°,	Chrome,	Set of	5 -	For	<b>EMPI</b>	5x205	Wheels	9711
14mm,	60°,	Chrome,	Set of	4 -	For	EMPI	4x130	Wheels	9712





#### WHEEL LOCKS

Note			Part #
12mm-1.5, 60°	, Acorn Nut, Set	of 4	70-2705
12mm- 1. 5, 60°	, Bolt, Set of 4		70-2706
14mm- 1. 5, 60°	, Bolt, Set of 4		70-2707
14mm-1.5, Bal	l Seat for 911 A	lloys, Bolt, Set of	4 70-2708









#### **VALVE STEMS**

Note		Part #	
Chrome Valve Stems.	Set of 4	9710	




LUG BOLTS / STUDS MAY REQUIRE GRINDING / SHORTENING FOR SOME DRUM BRAKE CLEARANCE See Pages 172-173 of 2010 Catalog for additional lugs/studs



# BRM REPLACEMENT CAPS Note Low Cap w/ BRM, EMPI, & Speedwell, Cap Only \* 9705 Chrome Low Cap w/ BRM, EMPI, & Speedwell, Cap Only \* 9715 Tall Cap (30.75mm) w/ BRM, EMPI, & Speedwell, Cap Only 9704 Low Cap w/ BRM Logo Only, Cap Only 9702 Low Cap, Plain, No Print, Cap Only (Not Pictured) 9703 Chrome Low Cap w/ EMPI Logo, New Beetle Only \* 9733

\* Supplied with Wheels















\* Push-On Chrome Plated Plastic Cap with Metal Ring

911 ALLOY REPLACEMENT CAPS			
Note	Part #		
Polished S/S Cap (Plain), Cap Only	9706		
Chrome Cap (EMPI Logo), Cap Only *	9718		
Silver Cap (EMPI Logo), Cap Only *	9717		





#### SPRINTSTAR, RIVIERA, & 914 REPLACEMENT CAP

Note

Part #

Cap Only w/ EMPI Logo

9707

Push-On Chrome Plated Plastic with Ring

#### 5-RIB & GT-5 REPLACEMENT CAP

Part #

Cap Only w/ EMPI Logo and S/S Hardware **9709** Chrome Plated Plastic





#### TORQUE STAR & EMPI DISH REPLACEMENT CAP

Note

Part #

Cap Only w/ EMPI Logo

9720

Push-On Chrome Plated Plastic with Ring

#### RAIDER REPLACEMENT CAP

Note

Part #

Cap Only (Plain)

9721

Push-On Chrome Plated Plastic with Ring





#### GT-8 REPLACEMENT CAP

Not

Part #


Cap Only w/ EMPI Logo and S/S Hardware 9708 Chrome Plated Plastic



#### TIRES

Dry & Wet Traction, Safety, Ouiet Ride, Maneuverability and Reasonable Prices are the main factors in choosing tires for your ride. EMPI offers a variety of tires - incorporating all of these features

- in all the popular sizes.



Measurements are approximate and were

#### **IMPORTANT NOTE:**

ALWAYS CHECK THE TIRE AND THE MANUFACTURER'S WEBSITE FOR THE LATEST LISTING FOR YOUR TIRE'S LOAD CAPACITY AND MAXIMUM AIR PRESSURE, AIR PRESSURE, LOAD AND TIRE CLEARANCE ARE CRITICAL TO YOUR SAFETY.

### **Kumho Power Star 758**

Delivers good mileage, even wear, low noise and improved wet handling and traction. The Power Star 758 utilizes Kumho's ESCOT design technology for excellent uniformity and performance.



Part #	10-4028	
Si ze	165/80-R15	
Load Wei ght	12011 bs	
Max PSI (Cold)	44	
Di ameter	25"	
Tread Width	5. 5"	
Profile	4. 75"	
Tread	1 Polyester 2 Steel	
Si de	1 Polyester	

# Federal Formoza FD1

Made from an advanced rubber compound, the Formoza FD1 has a long tread life, delivers a superior ride comfort and produces minimal noise for a quiet ride. Maximized wet and dry performance

and steering response.



10-4031

Load Weight         6951 bs         8041 bs           Max PSI (Cold)         36         36           Diameter         20.9"         21.6"           Tread Width         6.6"         6.7"           Profile         2"         2.5"           Tread         1 Polyester - 2 Steel	Part #	10-4030	10-4031
Weight         6951 bs         8041 bs           Max PSI (Col d)         36         36           Diameter         20.9"         21.6"           Tread Width         6.6"         6.7"           Profile         2"         2.5"           Tread         1 Polyester - 2 Steel	Si ze	165/45-R15	165/50-R15
(Col d)     36       Diameter     20.9"       21.6"       Tread Width     6.6"       Profile     2"       2.5"       Tread     1 Polyester - 2 Steel		695lbs	8041 bs
Tread Wi dth         6. 6"         6. 7"           Profile         2"         2. 5"           Tread         1 Polyester - 2 Steel		36	36
Width         6.6"         6.7"           Profile         2"         2.5"           Tread         1 Polyester - 2 Steel	Di ameter	20. 9"	21. 6"
Tread 1 Polyester - 2 Steel		6. 6"	6. 7"
l Iread I °	Profile	2"	2. 5"
- 1 Nyl On	Tread	1 Polyester - 2 Steel - 1 Nyl on 2 Polyester	
Si de 2 Pol yester	Si de		



# Nankang CX668

Computer-designed tread pattern to reduce hydroplaning and increase maneuverability on wet roads, while reducing noise and

providing better comfort.

Part #	10-4020 10-4021		10-4022	
Si ze	135/SR15	165/80-R15		
Load Weight	8031 bs	1199lbs		
Max PSI (Col d)	44 44 44			
Di ameter	24" 24" 25"			
Tread Width	4. 5" 4. 75" 5. 75"			
Profile	3. 75" 3. 75" 4. 75"			
Tread	1 Polyester - 2 Steel			
Si de	1 Polyester			



10-4021

10-4020

# Nankang NS-1

"H" Speed Rated, ULTRA High Performance Directional style tread design for improved handling. Features straight center grooves for superior handling on wet roads.



Part #	10-4041 10-4042		10-4043
Size	205/40-R17	215/40-R17	215/45-R17
Load Weight	1102lbs	12011 bs	
Max PSI (Cold)	44	44	
Di ameter	23. 5"	23. 8"	24. 6"
Tread Width	7. 5"	8"	8"
Profile	2. 25" 2. 25" 3"		
Tread	1 Polyester - 2 Steel - 1 Nylon		
Si de	1 Polyester		





## Nankang Geostar RX-615

Non-directional touring tread design improves handling and performance. The new generation tread design significantly reduces road noise. Steel belted construction for improved durability and performance.

ı					
	Part #	10-4035	10-4036	10-4037	XIII
	Si ze	185/65-R15	195/50-R15	195/60-R15	
	Load Wei ght	1235l bs	1047lbs	1235lbs	
	Max PSI (Cold)	51	51	51	
	Di ameter	24. 4"	22. 7"	24. 2"	
	Tread Width	7"	7. 75"	7. 375"	
	Profile	4"	3"	4"	
	Tread	1 Polyeste	er - 2 Steel	- 1 Nylon	
ı	Si de		1 Polyester		Maria Kar
					10-4037

10-4035


# Nankang Geostar RX-615



Part #	10-4038 10-4039		10-4040	
Size	195/65-R15	205/65-R15		
Load Weight	1356l bs	15211 bs		
Max PSI (Cold)	51	51	51	
Di ameter	25"	24. 7"	25. 5"	
Tread Width	7. 25"	7. 75"	7. 875	
Profile	4. 25"	4. 5"		
Tread	1 Polyester - 1 M	2 Polyester 2 Steel 1 Nylon		
Si de	1 Poly	2 Polyester		







#### EMPI INC.

301 E. Orangethorpe Ave. Anaheim, CA USA 92801 E-Mail: empi.usa@empius.com www.empius.com © 2010 EMPI INC.