



TAKE YOUR FREE COPY



**POLY HEATED
WATER BOWLS**



**STORAGE
TANKS**



**DIESEL AND DEF
EQUIPMENT**



**NURSE
TRAILERS**



2013

PRODUCT GUIDE

EDITION #16

endura plas

GET WITH THE STRENGTH

1.877.877.4370 | enduraplas.com

INDEX

12 Volt Pumps	63	Nurse Trailer Accessories.....	36-37
All Poly Troughs.....	78-79	Nurse Trailers.....	32
ATV Sprayers	42-45	Cone Style.....	33,35
ATV Toolboxes	42	Nurse Trailers –	
Auger Hopper.....	73	Pin Mount Style	34
Baffle Balls	27	Pet Feeders.....	74
Boomless Nozzles.....	60	Poly booms.	60
Burial Tanks.....	30	Poly Water Bowls	81-83
Calf Sled	72	Pro Series Sprayers.....	46-48
Cone Bottom Tanks.....	10-13	Professional	
DEF Tanks	70-71	Spot Sprayers	47-48
Diesel Tanks.....	66-68	Professional	
Feed Scoop.....	74	Trailer Sprayers	49-51
Fence Feeders.....	75	Round Water Troughs	76-77
Firefighters.....	58	Sight Glass Kit.	40
Freestanding		Spray Marshal	
Horizontal Tanks	14-19	Sprayers.....	55-56
Hose Reels.....	40, 65	Sprayer Accessories	60-61
Knapsack Compression		Sprayer Tanks	29-30
Sprayers.....	52-53	Sump Bottom	
Knapsack Sprayer-		Horizontal Tanks	20-26
12 Volt	53	Tank Accessories.....	40-41
Long Line Troughs	79	Three Point Hitch Sprayers.....	51
Milk Feeders.....	75	Transfer Pump.....	39
Mineral Feeders	73	Valves.....	76
Mixing Cones.....	31	Versatile Boom.....	61
Motorized Field Sprayers	54-59	Vertical tanks	4-9
Motorized Tree Sprayers	57		



VERTICAL TANKS



PAGES 4-9



HORIZONTAL TANKS



PAGES 14-19



NURSE TRAILERS



PAGES 32-35



ACCESSORIES



PAGES 36, 37 & 40-41



SPRAYERS



PAGES 55-61



DIESEL AND DEF TANKS



PAGE 66-71



LIVESTOCK EQUIPMENT



PAGES 56-67



INTRODUCTION TO ENDURAPLAS

Enduraplas is no newcomer in the marketplace. For 10 years now, we have worked extensively with industry specialists to design and develop agricultural liquid management products that are second to none. Whether it is our legendary ribbed tank design that is known for its strength and durability, or our innovative Diesel and DEF transfer solution tried and tested globally, we lead the market. A US based company, Enduraplas manufactures products and ships to a broad dealer network throughout USA and Canada

We pride ourselves in providing customers with liquid storage and handling solutions that exceed their expectations. Our product specialists will guide you to the product you need to ensure your liquid investment is handled in the most effective way.

Whether you need Fertilizer Grade Storage Tanks, Liquid Transport Nurse Wagons, Utility Spraying and firefighting equipment, Portable diesel units or a complete Diesel Exhaust Fluid (DEF) Transfer solution, Enduraplas has the answer for you. Join the thousands of satisfied customers that have chosen Enduraplas. We look forward to serving you.

The Enduraplas Team


FREE FREIGHT DETAILS

Enduraplas is committed to supplying FREE FREIGHT to your local dealer in as many areas as possible. To achieve this there may be some delays in delivery. Urgent deliveries may incur a shipping charge. Please contact your local dealer to discuss. \$300.00 minimum order required for free shipping. Other restrictions may apply - check at time of order for complete details.

WARRANTY DETAILS

- Vertical and Horizontal tanks 150 gallons and up are covered by our 5 year warranty 2 year free replacement with an additional 3 year pro-rate on manufacture defects.
- All other plastic manufactured by Enduraplas: Sprayer tanks, Livestock equipment, Diesel and DEF tanks, etc. are covered by 2 year warranty.
- All add on components such as pumps, valves, hoses, etc. are covered by 1 year warranty unless expressly stated that they have a longer original manufacturer warranty

NEW PRODUCTS IN THIS PRODUCT GUIDE



3200 Gallon Horizontal Tank
See pages 17 and 22




TL16SS Stainless Steel Tank Lid
See pages 40




2800 Gallon Horizontal Tank
See pages 16 and 22



75 Gallon Sprayers
See pages 47, 48, 50, 55



1900 Gallon Horizontal Tank
See pages 17 and 23



DEF Transport Tanks
See pages 70





VERTICAL TANKS



Stiffening ribs are an especially important design detail on rotationally molded plastic parts. Relatively speaking rotationally molded parts frequently have walls which are quite thin in comparison to their size. The skilful use of stiffening ribs can increase the part's stiffness by keeping the nominal wall to a minimum. The correct use of stiffening ribs can result in strong lightweight parts.

Rounded stiffening ribs are frequently specified as they are easier to produce in the mold. However for the same amount of added plastic material used the rectangular-shaped reinforcing rib shown in this figure will provide more stiffness due to the perpendicular positioning.

Rotational molding is a plastics processing technique that is ideally suited to producing relatively large hollow seamless parts which are partially or totally enclosed. This process has been in existence since the early 1930s.

The low processing pressure involved in rotational molding has the added advantage of producing parts which are relatively stress free as compared to other high pressure processes. This advantage of the process is especially important when considering large load-bearing parts in applications which must provide corrosion or stress-crack resistance.



The endura Plus

- + Enduratanks are extremely durable and impact resistant.
- + “Crosshairs” rib structure in tank roof for best support and overall strength
- + Strong hinged tank lid with vent ensures efficient liquid transfer
- + Four positive tie down points
- + Molded in calibration numbers
- + Extremely Sturdy Robust Ribbed tank design provides sturdy sidewall suitable for storage of heavy material
- + One-piece construction ensures long term structural strength
- + Banjo tank fittings and siphon tubes are standard equipment

ENDURATANK

Everyone that has had to do with liquid storage and transfer knows a good tank is essential to providing desirable results. The Enduratank is manufactured with maximum value for money in mind and is widely renowned as the highest quality poly tank on the market today.

- Enduraplas poly tanks will never rust or corrode providing you with years of reliable service
- Enduratanks are available in four colors and are all made with virgin poly for uncompromising quality



en·dur·a·tank (noun)

poly containment structure for storing liquids known for its unfailing performance over a long period of time.

endura plas

GET WITH THE STRENGTH

AVAILABLE IN 5 TANK
DIAMETERS TO WORK
IN YOUR APPLICATION:
80" 85" 90" 110"
AND 144"

"Crosshairs" rib structure in tank roof design provides the best support and overall strength

Strong hinged tank lid with vent ensures efficient liquid transfer and easy access point

Four positive tie down points molded through the roof ribs for safely securing tank

Manufactured from UV stabilized polyethylene Enduratanks are extremely durable and impact resistant.

Robust Ribbed tank design provides an extremely sturdy sidewall suitable for storage of heavy material

Molded in calibration numbers for easily tracking liquid levels with gallon and liter markings

Guaranteed one-piece tank construction ensures long term structural strength

Our carefully programmed manufacturing process ensures maximum wall thickness at the base of the tank



Bolt Through Flanges

Standard on 5000-10000 Gallon Tanks

High quality Banjo tank fittings and siphon tubes are standard equipment in the Endur tank

*Note: Tanks must be mounted on a firm flat surface.
Manufacturer's specifications must be followed or warranty may be void





EVT10000



EVT8000



EVT7011

CODE	CAPACITY (U.S. Gallons)	DIMENSIONS (W x H)	FITTING SIZE	RETAIL PRICE
EVT10000	10,400 gallons	144" W x 178" H	3"	
EVT8000	8,150 gallons	144" W x 142" H	3"	
EVT7011	7011 gallons	144" W x 120" H	3"	



EVT6011



EVT6000



EVT5000

CODE	CAPACITY (U.S. Gallons)	DIMENSIONS (W x H)	FITTING SIZE	RETAIL PRICE
EVT6011	6011 gallons	144" W x 104" H	3"	
EVT6000	6500 gallons	110" W x 179" H	3"	
EVT5000	5500 gallons	110" W x 150" H	3"	



EVT4000



EVT3200



EVT3000

CODE	CAPACITY (U.S. Gallons)	DIMENSIONS (W x H)	FITTING SIZE	RETAIL PRICE
EVT4000	4100 gallons	110" W x 124" H	3"	
EVT3200	3300 gallons	110" W x 103" H	3"	
EVT3000	3126 gallons	90" W x 125" H	3"	



EVT2520



EVT2500



EVT2100

CODE	CAPACITY (U.S. Gallons)	DIMENSIONS (W x H)	FITTING SIZE	RETAIL PRICE
EVT2520	2600 gallons	110" W x 86" H	2"	
EVT2500	2680 gallons	90" W x 113" H	2"	
EVT2100	2208 gallons	85" W x 100" H	2"	



EVT2020



EVT2000



EVT1750

CODE	CAPACITY (U.S. Gallons)	DIMENSIONS (W x H)	FITTING SIZE	RETAIL PRICE
EVT2020	2100 gallons	110" W x 73" H	2"	
EVT2000	2276 gallons	90" W x 93" H	2"	
EVT1750	2009 gallons	85" W x 89" H	2"	



EVT1650



EVT1550



EVT1400

CODE	CAPACITY (U.S. Gallons)	DIMENSIONS (W x H)	FITTING SIZE	RETAIL PRICE
EVT1650	1731 gallons	90" W x 73" H	2"	
EVT1550	1700 gallons	85" W x 80" H	2"	
EVT1400	1450 gallons	80" W x 100" H	2"	





CODE	CAPACITY (U.S. Gallons)	DIMENSIONS (W x H)	FITTING SIZE	RETAIL PRICE
EVT1350	1530 gallons	85" W x 71" H	2"	
EVT1000	1125 gallons	80" W x 65" H	2"	
EVT600	600 gallons	40" W x 120" H	2"	


COMING SOON!

CODE	DIMENSIONS (W x H)
EVT050	30" W x 25" H
EVT100	30" W x 43" H
EVT150	30" W x 61" H
EVT200	30" W x 79" H
EVT210	40" W x 47.5" H
EVT340	40" W x 74" H
EVT450	40" W x 94" H





CONE BOTTOM TANKS



*15° cone bottom tanks
supplied with full
drain fitting*

Cone tanks require an approved stand to support the base of the tank. We recommend using Enduraplas field-tested cone stands.



The endura Plus

- + 16" Hinged and Vented lid
- + 4 Positive tie down points
- + Heavy Duty finish on steel frames
- + Banjo fittings installed standard on all tanks
- + Ribbed sidewall tanks for extra strength
- + 15° cone with full drain fitting for total evacuation



Ribbed sidewall tanks for extra strength



CB10000



CB8000

CODE	CAPACITY	DESCRIPTION	DIMENSIONS (W x H)	RETAIL PRICE
CB10000WS	10,400 gallons	Tank with CBST144-15 stand	144 x 202	
CB10000TO	10,400 gallons	10,400 Gallon cone tank only	144 x 193	
CB8000WS	8,150 gallons	Tank with CBST144-15 stand	144 x 166	
CB8000TO	8,150 gallons	8,150 Gallon cone tank only	144 x 158	



CODE	CAPACITY	DESCRIPTION	DIMENSIONS (W x H)	RETAIL PRICE
CB7011WS	7011 gallons	Tank with CBST144-15 stand	144 x 145	
CB7011TO	7011 gallons	7011 Gallon cone tank only	144 x 138	
CB6011WS	6011 gallons	Tank with CBST144-15 stand	144 x 132	
CB6011TO	6011 gallons	6011 Gallon cone tank only	144 x 123	
CB5000WS	5500 gallons	Tank with CBST110-15 stand	110 x 175	
CB5000TO	5500 gallons	5500 Gallon cone tank only	110 x 166	



CODE	CAPACITY	DESCRIPTION	DIMENSIONS (W x H)	RETAIL PRICE
CB4000WS	4100 gallons	Tank with CBST110-15 stand	110 x 146	
CB4000TO	4100 gallons	4100 Gallon cone tank only	110 x 135	
CB3200WS	3300 gallons	Tank with CBST110-15 stand	110 x 126	
CB3200TO	3300 gallons	3300 Gallon cone tank only	110 x 126	
CB3000WS	3126 gallons	Tank with CBST90-15 stand	90 x 146	
CB3000TO	3126 gallons	3126 Gallon Tank only	90 x 136	





CB2520



CB2500



CB2020

CODE	CAPACITY	DESCRIPTION	DIMENSIONS (W x H)	RETAIL PRICE
CB2520WS	2600 gallons	Tank with CBST110-15 stand	110 x 108	
CB2520TO	2600 gallons	2600 Gallon Tank only	110 x 99	
CB2500WS	2680 gallons	Tank with CBST90-15 stand	90 x 130	
CB2500TO	2680 gallons	2680 Gallon Tank only	90 x 120	
CB2020WS	2100 gallons	Tank with CBST110-15 stand	110 x 96	
CB2020TO	2100 gallons	2100 Gallon Tank only	110 x 87	



CB2000



CB1600



CB1200

CODE	CAPACITY	DESCRIPTION	DIMENSIONS (W x H)	RETAIL PRICE
CB2000WS	2276 gallons	Tank with CBST90-15 stand	90 x 113	
CB2000TO	2276 gallons	2276 Gallon Tank only	90 x 102	
CB1600WS	1700 gallons	Tank with CBST90-15 stand	90 x 96	
CB1600TO	1700 gallons	1700 Gallon Tank only	90 x 86	
CB1200WS	1250 gallons	Tank with CBST90-15 stand	90 x 83	
CB1200TO	1250 gallons	1250 Gallon Tank only	90 x 73	



HORIZONTAL TANKS



PIN MOUNT SYSTEM



CUTAWAY OF PIN MOUNT

OPTIONAL COLORS

- Optional colors will incur a surcharge of 5%.

Translucent -

Yellow

Natural

Opaque -

Black

- If water is being stored in tank we recommend using opaque to prevent algae growth.



The endura Plus

- + Self supporting heavy duty tank walls require no steel reinforcements
- + Four integral baffles reduce liquid surge and increase stability
- + Durable impact resistant UV Stabilized Polyethylene for long outdoor life
- + 16" hinged and vented lid
- + Smooth tank walls make decontamination of tanks easier for changing liquid types

LIQUID TRANSPORT MADE SAFER

Our freestanding horizontal tanks mount directly to any solid flat surface with heavy duty steel pins eliminating all wear points and making it the safest transport tank of its type on the market.

THE POLY TANK ADVANTAGE

Regardless of wall thickness polyethylene tanks are still lightweight when compared to steel or fiberglass tanks - with poly you can choose a larger tank without a weight penalty.





ST4500FS




ST3500FS

CODE	CAPACITY	DIMENSIONS	FITTING SIZE	PINS REQUIRED	RETAIL PRICE
ST4500FS	4500 gallons	179" L x 94" W x 84"	3"	8 (STA04)	
ST3500FS	3500 gallons	179" L x 94" W x 70"	3"	8 (STA04)	



ST3000FS



ST2800FS

CODE	CAPACITY	DIMENSIONS	FITTING SIZE	PINS REQUIRED	RETAIL PRICE
ST3000FS	3000 gallons	130" L x 87" W x 90"	3"	8 (STA04)	
ST2800FS	2800 gallons	145" L x 97" W x 75"	3"	8 (STA04)	



ST2500FS




ST2200FS

CODE	CAPACITY	DIMENSIONS	FITTING SIZE	PINS REQUIRED	RETAIL PRICE
ST2500FS	2500 gallons	130" L x 87" W x 75"	3"	8 (STA04)	
ST2200FS	2200 gallons	130" L x 71" W x 72"	2"	8 (STA04)	




**NEW
ITEM**

ST3200FS



CODE	CAPACITY	DIMENSIONS	FITTING SIZE	PINS REQUIRED	RETAIL PRICE
ST3200FS	3200 gallons	145" L x 97" W x 79" H	3"	8 (STA04)	



ST1900FS



ST1600FS

CODE	CAPACITY	DIMENSIONS	FITTING SIZE	PINS REQUIRED	RETAIL PRICE
ST1900FS	1900 gallons	130" L x 70" W x 65" H	2"	8 (STA04)	
ST1600FS	1600 gallons	130" L x 71" W x 59" H	2"	8 (STA04)	



**All 1600 gallon up to 4500 gallon tanks
include Heavy Duty Stainless Steel Lids.**



ST1400FS



ST1200FS

CODE	CAPACITY	DIMENSIONS	FITTING SIZE	PINS REQUIRED	RETAIL PRICE
ST1400FS	1400 gallons	102" L x 70" W x 66" H	2"	6 (STA04)	
ST1200FS	1200 gallons	102" L x 70" W x 59" H	2"	6 (STA04)	



ST1000FS



ST800FS

CODE	CAPACITY	DIMENSIONS	FITTING SIZE	PINS REQUIRED	RETAIL PRICE
ST1000FS	1100 gallons	94" L x 60" W x 63" H	2"	6 (STA03)	
ST800FS	800 gallons	94" L x 60" W x 48" H	2"	6 (STA03)	



ST500FS



ST400FS

CODE	CAPACITY	DIMENSIONS	FITTING SIZE	PINS REQUIRED	RETAIL PRICE
ST500FS	550 gallons	80" L x 57" W x 40" H	2"	6 (STA03)	
ST400FS	400 gallons	74" L x 46" W x 37" H	2"	4 (STA02)	





ST300FS



ST250FS

CODE	CAPACITY	DIMENSIONS (WL x W x H)	FITTING SIZE	PINS REQUIRED	RETAIL PRICE
ST300FS	340 gallons	74"L x 46"W x 31"H	2"	4 (STA02)	
ST250FS	260 gallons	55"L x 47"W x 34"H	2"	4 (STA02)	



ST200FS



ST150FS

CODE	CAPACITY	DIMENSIONS (L x W x H)	FITTING SIZE	PINS REQUIRED	RETAIL PRICE
ST200FS	200 gallons	55"L x 47"W x 27"H	2"	4 (STA02)	
ST150FS	160 gallons	46"L x 41"W x 28"H	2"	4 (STA01)	



ST100FS

OPTIONAL COLORS

- Optional colors will incur a surcharge of 5%.

Translucent -

Yellow

Natural

Opaque -

Black


- If water is being stored in tank we recommend using opaque to prevent algae growth.

CODE	CAPACITY	DIMENSIONS (L x W x H)	FITTING SIZE	PINS REQUIRED	RETAIL PRICE
ST100FS	110 gallons	46"L x 41"W x 21"H	2"	4 (STA01)	



SUMP BOTTOM TANKS

The positive draining tank base and sump makes this large range very popular. Suitable for chemicals, milk, liquid fertilizers and much more.



Sump bottom tanks with capacities 500 gallon and larger have sump drain located directly under the lid and between the baffles



Cutaway of horizontal tank showing full drain sump. 100-400 gallon tanks have sump drain centered in base of the tank





- + Smooth tank walls make decontamination of the tanks easier for changing liquid types
- + Durable impact resistant UV stabilized polyethylene for long outdoor life
- + Prime polyethylene construction makes these tanks impervious to most chemicals

THIS INGENUOUS PIN MOUNTING SYSTEM HAS REVOLUTIONIZED THE LIQUID TRANSPORT MARKET!


Our horizontal sump bottom tanks are mounted to a galvanized steel framework with heavy duty steel pins eliminating all wear points and creating a 100% success rating with thousands of satisfied customers.




PIN MOUNT SYSTEM



CUTAWAY OF PIN MOUNT





**NEW SUMP
BOTTOM**

**NEW
ITEM**

3200 Gallon

CODE	CAPACITY	DIMENSIONS (L x W x H)	MOUNTING	LID SIZE	PINS REQUIRED	RETAIL PRICE
ST3200LP	3200 gallons	145" x 97" x 83"	No Frame	16"	8 (STA04)	
ST3200LS	3200 gallons	145" x 97" x 84"	With Frame	16"	8 (STA04)	



3000 Gallon



2800 Gallon

CODE	CAPACITY	DIMENSIONS (L x W x H)	MOUNTING	LID SIZE	PINS REQUIRED	RETAIL PRICE
ST3000LP	3000 gallons	130" x 87" x 93"	No Frame	16"	8 (STA04)	
ST3000LS	3000 gallons	130" x 87" x 94"	With Frame	16"	8 (STA04)	
ST2800LP	2800 gallons	145" x 97" x 75"	No Frame	16"	8 (STA04)	
ST2800LS	2800 gallons	145" x 97" x 76"	With Frame	16"	8 (STA04)	






2500 Gallon



2200 Gallon

CODE	CAPACITY	DIMENSIONS (L x W x H)	MOUNTING	LID SIZE	PINS REQUIRED	RETAIL PRICE
ST2500LP	2500 gallons	130" x 87" x 77"	No Frame	16"	8 (STA04)	
ST2500LS	2500 gallons	130" x 87" x 78"	With Frame	16"	8 (STA04)	
ST2200LP	2200 gallons	130" x 71" x 75"	No Frame	16"	8 (STA04)	
ST2200LS	2200 gallons	130" x 71" x 76"	With Frame	16"	8 (STA04)	




1900 Gallon



1600 Gallon

CODE	CAPACITY	DIMENSIONS (L x W x H)	MOUNTING	LID SIZE	PINS REQUIRED	RETAIL PRICE
ST1900LP	1900 Gallons	130" x 70" x 69"	No Frame	16"	8 (STA04)	
ST1900LS	1900 Gallons	130" x 70" x 69"	With Frame	16"	8 (STA04)	
ST1600LP	1600 gallons	130" x 71" x 59"	No Frame	16"	8 (STA04)	
ST1600LS	1600 gallons	130" x 71" x 60"	With Frame	16"	8 (STA04)	



All 1600 gallon up to 4500 gallon tanks include Heavy Duty Stainless Steel Lids.



ST1400LP



ST1400DBL

CODE	CAPACITY	DIMENSIONS (L x W x H)	MOUNTING	LID SIZE	PINS REQUIRED	RETAIL PRICE
ST1400LP	1400 gallons	102" x 70" x 70"	No Frame	16"	8 (STA04)	
ST1400LS	1400 gallons	102" x 70" x 71"	With Frame	16"	8 (STA04)	
ST1400DBL	2800 gallons	102" x 144" x 71"	With Frame	16"	16 (STA04)	



ST1200LP




ST1200DBL

CODE	CAPACITY	DIMENSIONS (L x W x H)	MOUNTING	LID SIZE	PINS REQUIRED	RETAIL PRICE
ST1200LP	1200 gallons	102" x 70" x 63"	No Frame	16"	8 (STA04)	
ST1200LS	1200 gallons	102" x 70" x 64"	With Frame	16"	8 (STA04)	
ST1200DBL	2400 gallons	102" x 144" x 63"	With Frame	16"	8 (STA04)	





CODE	DESCRIPTION	RETAIL PRICE
ST500-3000PP	Optional tank frame pump mounting plate	



OPTIONAL COLORS

- Optional colors will incur a surcharge of 5%.

Translucent -

Yellow

Natural

Opaque -

Black

- If water is being stored in tank we recommend using opaque to prevent algae growth.



1000 Gallon

CODE	CAPACITY	DIMENSIONS (L x W x H)	MOUNTING	LID SIZE	PINS REQUIRED	RETAIL PRICE
ST1000LP	1100 gallons	94" x 60" x 70"	No Frame	16"	6 (STA03)	
ST1000LS	1100 gallons	94" x 60" x 71"	With Frame	16"	6 (STA03)	



800 Gallon




500 Gallon

CODE	CAPACITY	DIMENSIONS (L x W x H)	MOUNTING	LID SIZE	PINS REQUIRED	RETAIL PRICE
ST800LP	800 gallons	94" x 60" x 55"	No Frame	16"	6 (STA03)	
ST800LS	800 gallons	94" x 60" x 56"	With Frame	16"	6 (STA03)	
ST500LP	550 gallons	80" x 57" x 48"	No Frame	16"	6 (STA03)	
ST500LS	550 gallons	80" x 57" x 49"	With Frame	16"	6 (STA03)	



400 Gallon



300 Gallon

CODE	CAPACITY	DIMENSIONS (L x W x H)	MOUNTING	LID SIZE	PINS REQUIRED	RETAIL PRICE
ST400LP	400 gallons	74" x 46" x 42"	No Frame	16"	4 (STA02)	
ST400LS	400 gallons	74" x 46" x 45"	With Frame	16"	4 (STA02)	
ST300LP	340 gallons	74" x 46" x 34"	No Frame	16"	4 (STA02)	
ST300LS	340 gallons	74" x 46" x 36"	With Frame	16"	4 (STA02)	



250 Gallon



200 Gallon

CODE	CAPACITY	DIMENSIONS (L x W x H)	MOUNTING	LID SIZE	PINS REQUIRED	RETAIL PRICE
ST200LP	200	55" x 47" x 31"	No Frame	16"	4 (STA02)	
ST200LS	200	55" x 47" x 32"	With Frame	16"	4 (STA02)	
ST250LP	260	55" x 47" x 37"	No Frame	16"	4 (STA02)	
ST250LS	260	55" x 47" x 38"	With Frame	16"	4 (STA02)	



150 Gallon



100 Gallon

CODE	CAPACITY	DIMENSIONS (L x W x H)	MOUNTING	LID SIZE	PINS REQUIRED	RETAIL PRICE
ST150LP	160	46" x 41" x 33"	No Frame	8"	4 (STA01)	
ST150LS	160	46" x 41" x 34"	With Frame	8"	4 (STA01)	
ST100LP	110	46" x 41" x 21"	No Frame	8"	4 (STA01)	
ST100LS	110	46" x 41" x 28"	With Frame	8"	4 (STA01)	



ASK FOR THE ONLY "APPROVED" BALL BAFFLE SYSTEM STEEL TANKERS NEED BALL BAFFLES TOO!

BENEFITS

- Reduce fluid movement for improved load stability during transit
- Suitable for use with all tanks: steel, poly, fiberglass, aluminum, etc.
- Food Grade quality material - suitable for use with potable water
- Baffle Balls can be used with water, diesel and many other liquids
- Simple to install - just clip together and place inside tank
- No rust ever - lightweight and durable
- Low liquid displacement
- Large ball displaces 14oz and weighs only 0.8 pounds
- Small ball displaces 5oz and weighs only 0.25 pounds
- Recommend use quantity:
 - 7.5" is one baffle ball per 2 gallons of total tank capacity
 - 14" is one baffle ball per 10 gallons of total tank capacity



**INNOVATIVE LIQUID SURGE PROTECTION FOR SAFER
LIQUID CARTAGE IN ANY TYPE OF TANKS**

**SAVE MONEY SAVE ON FUEL
SAVE ON MAINTENANCE**

Independent Transport Engineer's
Test Reports Available - Visit
www.ENDURAPLAS.com



CODE	DESCRIPTION	DIAM.	WEIGHT	RETAIL PRICE
STBBS19	Small Baffle Ball	7.5 inch	0.25 lbs.	
STBBS35	Large Baffle Ball	14 inch	0.8 lbs.	



SPRAYER TANKS

Enduraplas sprayer tanks are ready to use for your custom build projects. These tanks are rotationally molded using prime grade polyethylene for maximum strength. Enduraplas listens to and learns from its customers, then applies that knowledge to continually improve our product line.



The endura Plus

- + Rotational molded tanks for maximum strength
- + Smooth interior for easy cleaning
- + Available in a wide range of style and sizes

SPRAYER TANKS



15 Gallon

CODE	DIMENSIONS	RETAIL PRICE
ATV15TO	30"L x 40"W x 12"H	



22 Gallon

CODE	DIMENSIONS	RETAIL PRICE
ATV22TO	30"L x 40"W x 16"H	



25 Gallon

CODE	DIMENSIONS	RETAIL PRICE
ATV25TO	30"L x 40"W x 16"H	



60 Gallon

CODE	DIMENSIONS	RETAIL PRICE
UT60TO	36"L x 28"W x 20"H	




100 Gallon

CODE	DIMENSIONS	RETAIL PRICE
UT100TO	63"L x 28"W x 20"H	




CODE	CAPACITY	DIMENSIONS	RETAIL PRICE
SS25TF	25 gallons	41"L x 19.5"W x 21"H	
SS55TF	55 gallons	44"L x 26.5"W x 24.5"H	
SS75TF	75 gallons	39"L x 31.5"W x 28"H	
SS100TF	100 gallons	51"L x 35.5"W x 28.5"H	



CODE	DIMENSIONS	RETAIL PRICE
SS05TO	24"L x 13"W x 11"H	
SS15TO	32"L x 17"W x 14"H	

BURIAL TANKS





EMT30F



EMT45F



EMT60F



EMT30-24F

CODE	DESCRIPTION	CAPACITY	DIMENSIONS (W x H)	RETAIL PRICE
EMT30F	mixing tank for 2" or 3" plumbing	30 gallons	20" X 45"	
EMT30-24F	mixing tank for 2" or 3" plumbing	30 gallons	24" x 42"	
EMT45F	mixing tank for 2" or 3" plumbing	45 gallons	30" x 33"	
EMT60F	mixing tank for 2" or 3" plumbing	60 gallons	30" x 45"	

BURIAL TANKS

MODEL	CAPACITY (GAL)	LENGTH	BURIAL DEPTH
M LP180	216	72x48x20	0
M LP180UR	216	72x20x48	0
M LP 1200	1585	152x91x35	6
M LP1200B	1585	152x91x35	24
M LP1800	2341	152x91x49	6
M LP1800B	2341	152x91x49	24
MLF1000HD	1200	152x88x24	0



CODE	DESCRIPTION	RETAIL PRICE
MIS220AA	2" venturi option for mixing tank	
MIS300AA	3" venturi option for mixing tank	



STORAGE TRAILERS

Keep your delivery truck moving by storing contents in one of these portable storage trailers at the application site. With so many options on storage capacity and plumbing packages, we can build a trailer that works best for you in your application and maximize your productivity.





NURSE TRAILERS

- + Storage Trailer can be moved from site to site when empty
- + Hydraulic jack manually lowers trailer frame onto ground for filling
- + 15° cone-bottom and full drain bung for total evacuation of contents
- + Heavy Duty finish on steel frames for superior durability
- + Available with your choice of pump & plumbing packages

CODE	DESCRIPTION
DCBTR5000	2500 gallon tanks, trailer and tires
DCBTR6000	3000 gallon tanks, trailer and tires
DCBTR90-15	Double 90" - 15° cone bottom trailer
TCBTR90-15	Triple 90" - 15° cone bottom trailer
TCBTR7500	2500 gallon tanks, trailer and tires
TCBTR9000	3000 gallon tanks, trailer and tires

**5000, 6000,
7500 AND 9000
GALLONS**



PIN MOUNTED NURSE TRAILERS



OPTIONAL ACCESSORIES

- 4' wood platform in front of tank with safety rail
- 2" or 3" poly or cast iron pump with choice of motor
- Choice of several plumbing packages or we will customize
- Choice of 16 gauge or heavier duty steel fenders
- Internally wired light kit with DOT approved lights
- Choice of ribbed implement or high-speed truck tires



CODE	DESCRIPTION
STNT800	800 gal. Tank, Trailer & Tires
STNT1000	1000 gal. Tank, Trailer & Tires
STNT1200	1200 gal. Tank, Trailer & Tires
STNT1400	1400 gal. Tank, Trailer & Tires
STNT1600	1600 gal. Tank, Trailer & Tires
STNT-6	Nurse Trailer Only for 800-1000 gal. tanks
STNT-7	Nurse Trailer Only for 1200-1400 gal tanks
STNT-8	Nurse Trailer Only for 1600 gal. tanks

**AVAILABLE WITH 2" AND 3" PUMP
AND PLUMBING OPTIONS. SEE
PAGE 37 AND 39 FOR DETAILS.**



The endura Plus

- + 15° cone-bottom for total evacuation of contents
- + Heavy Duty finish on steel frames
- + Long-lasting heavy duty finish on steel
- + Ribbed sidewall tank for extra strength
- + Green color deters algae growth in water
- + Slipper-spring suspension using leaf springs for smoother ride

CONE BOTTOM NURSE TRAILERS

OPTIONAL ACCESSORIES

- 4' wood platform in front of tank with safety rail
- Heavy Duty 11 gauge steel fenders
- 2" or 3" poly or cast iron pump with choice of motor
- Choice of several plumbing packages and we will customize
- Internally wired light kit with DOT approved lights
- Choice of ribbed implement or high-speed truck tires

AVAILABLE WITH 2" AND 3" PUMP AND PLUMBING OPTIONS. SEE PAGE 37 AND 39 FOR DETAILS.

CODE	DESCRIPTION
CBNT1200	1200 gal. Tank, Trailer & Tires
CBNT	Cone Bottom Nurse Trailer Only

15° cone bottom tanks supplied with full drain fitting





NURSE TRAILER ACCESSORIES

STNT1000 with 4 foot wood deck, ag tires, light kit and fenders

STNT1200 with 2 inch pump and plumbing kit, ag tires, light kit and fenders




STNT800 with highway tires, light kit, hose rack and fenders



PLUMBING OPTIONS AVAILABLE



NTSTR



NTSFK




NTRC



NTRC



NTRC



NTRC

CODE	PRICE	DESCRIPTION
NTSTR		2 inch Y strainer kit
NTSFK		2 inch side fill kit
NTRC		2 inch recirculation kit
NTLK		Internally wired light kit with DOT approved lights
NTWD4		4 foot wood deck for shuttle tanks
NTHDF-1		Heavy duty fenders for 800, 1000 and 1200 gallon
NTHDF-2		Heavy duty fenders for 1400 and 1600 gallon
NTPK-2		2 inch plumbing kit with Banjo manifold fittings (no pump)
NTPK-3		3 inch plumbing kit with Banjo manifold fittings (no pump)
NTHEB-1		Highway axles and electric brakes for 800, 1000, 1200 gallon
NTHEB-2		Highway axles and electric brakes for 1400 gallon
NTSB1		Surge brakes installed only one (1) axle on 1600 gallon only
NTSB2		Surge brakes installed on both (2) axles on 1600 gallon only



PUMPS AND ACCESSORIES

Enduraplas offers a wide range of accessories to help you improve your liquid handling experience. All of our accessories have been field tested and proven to work very well with our products. We make it easy to customize your storage tank or trailer with the options you need to increase productivity while saving time and money.





END1543P130SP

1543P-130SP, 1543P-130ESP							
US Standard							
GPM at 8 PSI	GPM at 15 PSI	GPM at 25 PSI	GPM at 30 PSI	GPM at 40 PSI	GPM at 50 PSI	GPM at 54 PSI	
440	400	310	250	190	130	90	0

1543P-130SP, 1543P-130ESP							
Metric							
LPM at 0.8 BAR	LPM at 1.0 BAR	LPM at 1.4 BAR	LPM at 2.1 BAR	LPM at 2.8 BAR	LPM at 3.4 BAR	LPM at 3.7 BAR	
1660	1514	1179	946	717	497	337	0




END1543P130ESP

1542P-65SP							
US Standard							
GPM at 8 PSI	GPM at 15 PSI	GPM at 25 PSI	GPM at 30 PSI	GPM at 40 PSI	GPM at 50 PSI	GPM at 54 PSI	
200	182	152	130	100	70	50	0

1542P-65SP							
Metric							
LPM at 0.8 BAR	LPM at 1.0 BAR	LPM at 1.4 BAR	LPM at 2.1 BAR	LPM at 2.8 BAR	LPM at 3.4 BAR	LPM at 3.7 BAR	
757	689	559	473	378	267	188	0

CODE	DESCRIPTION	RETAIL PRICE
END1543P130SP	3" Hypro pump w/13HP recoil PowerPro	
END1543P130ESP	3" Hypro pump w/13HP elec start PowerPro	
END1542P65SP	2" Hypro pump w/6.5HP recoil PowerPro	




END200PH5



END300PH6

CODE	DESCRIPTION	RETAIL PRICE
END300PH6	3" Banjo pump w/ 6HP recoil Honda	
END200PH5	2" Banjo pump w/ 5.5HP recoil Honda	



PUMP COVER

Protect your pump engine from the outdoor elements

CODE	DESCRIPTION	DIMENSIONS (WxHxD)	RETAIL PRICE
PCVR	Pump Cover	20"x17"x14"	

TANK LIDS

TL16



TL16PRO



TL06



TL04



TL08

CODE	DESCRIPTION	RETAIL PRICE
TL16	16" Hinged – 2" Vented Tank Lid	
TL08	8" Threaded – Vented Tank Lid	
TL06	6" Threaded – Vented Tank Lid	
TL04	4" Threaded – Vented Tank Lid	
TL16PRO	16" Hinged – 3" Vented Tank Lid	
TL16SS	16" Stainless Steel Lid	



TL16SS

SIGHT GLASS

Track your tank liquid level easily!



CODE	DESCRIPTION	RETAIL PRICE
SGKIT	Sight Glass Kit	

HOSE REEL



CODE	DESCRIPTION	RETAIL PRICE
HR300	Hose reel for 50 feet of 3" hose	
HR200	Hose reel for 50 feet of 2" hose	



HOSE

CODE	DESCRIPTION	RETAIL PRICE
12082966	3" Reinforced flexible suction hose	
12012810	3" Black and yellow flexible suction hose	
12012964	2" Reinforced flexible suction hose	
12012805	2" Black and yellow flexible suction hose	
AG20034	3/4" EPDM spray hose 200 psi	
AG20012	1/2" EPDM spray hose 200 psi	
AG20038	3/8" EPDM spray hose 200 psi	
15007008	3/4" Clear vinyl SG hose	





ST200



ST300



VSMT204FP



VSFMT204FP



VSMT300



VSFMT300



TF200



TF300



TF400



BF330



BF330BD



BF235BD



BF235



B200SS



B300SS



B400SS

BANJO FITTINGS

PART NUMBER	DESCRIPTION
ST200	2" Polypropylene Siphon Tube
ST300	3" Polypropylene Siphon Tube
VSMT204FP	2"FP Male NPT x Fml NPT Thread
VSFMT204FP	2"FP Mle Adptr x Mle NPT Thrds
VSFMT300	3"Male npt x 3" male adptr lng hndl
VSMT300	3" MT Stby Vlv w/ Long Handle
TF200	2" Poly Tank Flng Assy 3" DIA
TF300	3" Polypro Tank Flange Assy
TF400	4" POLY TANK FLANGE ASSY
BF330	3"Bltd Tnk Flng-3" All Thrd Bolt
BF330BD	BF300BD with 3-1/2" Bolts
BF235	2"Blt Flng-3-1/2" All Thrd Bolt
BF235BD	2"Btm Drain Flg w/3-1/2" Bolts
B200SS	2" Stainless Steel Bulkhead
B300SS	3" Stainless Steel Bulkhead
B400SS	4" Stainless Steel Bulkhead



SPRAYERS

ATV BOX

ATV890



*Tools are shown for demonstrative purposes and not included with ATV Box.

ATVBT



CODE	DESCRIPTION	DIMENSIONS (L x W x H)	RETAIL PRICE
ATVBT	Box and Tray Combination	45" x 22" x 9"	
ATV890	Tool Box	36" x 15" x 9"	



A multi purpose all poly construction accessory designed for farmers and ATV enthusiasts

- + ATVBT Tray can be used as a tray only or as a lid for the toolbox/icebox compartment
- + Poly has insulative qualities and is water resistant
- + No worry of rust rattles or color scratching off
- + Ultra modern grip design



The endura Plus

- + 24 ft. coverage with a single nozzle
- + Excellent for fenceline and pasture application
- + Field and farm spot spraying made easy
- + Nozzle comes with both deflector plates for switching to 90° or 180° spray pattern

SPRAYER INTRO


A great range of 12 volt sprayers representing best value and quality in today's demanding market. These extremely versatile sprayers can be used in most any application to provide you with the control you need to get the job done right the first time.

ATV SPRAYER WITH BOOMLESS NOZZLE

CODE	DESCRIPTION	RETAIL PRICE
ATV15BN24	15 gal. Boomless Sprayer 2.0 gpm	
ATV22BN24	22 gal. Boomless Sprayer 2.0 gpm	
ATV25BN24	25 gal. Boomless Sprayer 2.0 gpm	



BN24



180° Swaths
(90° Swaths are half of these measurements)

ATV SPRAYERS



BENEFITS

- Low profile self contained 12 volt sprayer for front or rear mounting to ATV
- Built in 1 gallon fresh water tank for cleaning purposes on 15 and 22 gallon sizes
- Complete with wiring loom lance coiled hose and tie down straps
- 3 tank sizes available to suit rack loading specs
- Integral tank baffle to increase stability
- 15' coiled hose and lance standard



CODE	DESCRIPTION	WEIGHT (lbs)	RETAIL PRICE
ATV15D	15 US gal Deluxe 2 gpm. Delavan Pump	25	
ATV22D	22 US gal Deluxe 2 gpm. Delavan Pump	26	
ATV25D	25 US gal Deluxe 2 gpm. Delavan Pump	29	



PRO SERIES SPRAYER – ATV STYLE

Great for roadside and ditch spraying

ATVPRO25BN



The advanced


PRO SERIES SPRAYERS

are well suited to covering large areas of rugged terrain with amazing accuracy and reliability. Available in two styles to meet every requirement.


BENEFITS

- All controls easily accessible from operator seat
- Manual bypass regulator to maintain steady line pressure
- 12 volt Delavan pump
- Excellent for fenceline and pasture application


CODE	DESCRIPTION	DIMENSIONS (LxWxH)	RETAIL PRICE
ATVPRO25BN	25 US gal Professional sprayer with PROBN30	30" x 40" x 16"	



PRO SERIES fitted with
30' Coverage Hypo
Boomless Nozzle Kit



**ADJUSTABLE WIDTH SPRAY PATTERN WITH SEPARATE
LEFT AND RIGHT BOOM CONTROLS INCLUDED**



30 FOOT BOOMLESS SPRAYING


PRO SERIES SPRAYER -
SKID MOUNT STYLE

Ideal for UTV's

The advanced **PRO SERIES SPRAYERS** are well suited to covering large areas of rugged terrain with amazing accuracy and reliability. Available in two styles to meet every requirement.


BENEFITS

- All controls easily accessible from operator seat
- Manual bypass regulator to maintain steady line pressure
- 12 volt Delavan pump
- Excellent for fenceline and pasture application



PRO55UBN

PRO SERIES fitted with
30' Coverage Hypo
Boomless Nozzle Kit



PRO75UBN

CODE	DESCRIPTION	DIMENSIONS (LxWxH)	RETAIL PRICE
PRO25UBN	25 gal unit with 12V pump and PROBN30	41" x 19.5" x 21"	
PRO55UBN	55 gal unit with 12V pump and PROBN30	44" x 26.5" x 24.25"	
PRO75UBN	75 gal unit with 12V pump and PROBN30	39" x 32" x 28"	
PRO100UBN	100 gal unit with 12V pump and PROBN30	51" x 35.25" x 28.5"	



The endura Plus

A compact Spot Sprayer for targeting those problem areas

- + Calibrations clearly marked on tank to determine content level
- + Pump cover for pump protection
- + Bypass valve with pressure gauge facilitates agitation
- + UV stabilized low profile tank for good stability and visibility
- + Includes 13ft electrical leads fuse battery clips and switch
- + Steel base for effective tank protection
- + Hose - 15ft coiled chemical resistant hose standard
- + Tank is designed to drain to sump ensuring easy cleaning and complete evacuation of chemicals
- + Accessible suction filter is easy to clean
- + 12V Delavan Pump delivers 2 gpm



PROFESSIONAL SPOT SPRAYERS

CODE	DESCRIPTION	DIMENSIONS (LxWxH)	RETAIL PRICE
SS2512V	25 gal unit with 12V pump	41" x 19.5" x 21"	
SS5512V	55 gal unit with 12V pump	44" x 26.5" x 24.25"	
SS7512V	75 gal unit with 12V pump	39" x 32" x 28"	
SS10012V	100 gal unit with 12V pump	51" x 35.25" x 28.5"	



CODE	RETAIL PRICE
SS2512V-R	
SS5512V-R	
SS7512V-R	
SS10012V-R	




**Available with
Boom Options shown
on page 48/49**

Shows the hose reel option available on the Professional Spot Sprayers. Comes standard with 100ft. of 3/8" hose and spray lance for getting into those hard to reach application areas. This provides you with the mobility you need when you cannot drive on sensitive areas of turf to apply spray.



PROFESSIONAL TRAILER SPRAYERS





Optional
Kickstand Now
Available



CODE	DESCRIPTION	RETAIL PRICE	W/HOSE REEL
55 gallon			
STT5512V	Trailer Sprayer		
STT5512V-PB	Trailer with 13' Poly Boom		
STT5512V-VB	Trailer with Versatile Boom		
STT5512V-BN	Trailer with Boomless Nozzle		
75 gallon			
STT7512V	75 Gallon Trailer Sprayer Only		
STT7512V-PB13	Trailer with 13' Poly Boom		
STT7512V-VB	Trailer with Versatile Boom		
STT7512V-BN	Trailer with Boomless Nozzle		
100 gallon			
STT10012V	100 Gallon Trailer Sprayer Only		
STT10012V-PB13	Trailer with 13' Poly Boom		
STT10012V-PB20	Trailer with 20' Poly Boom		



THREE POINT LINK SPRAYERS

- + Heavy duty UV stabilized polyethylene tank
- + Hot-dipped galvanized sturdy steel frame
- + Standard with STAL26 Spray Wand
- + All controls easily accessible from operator seat
- + Right and left boom control valves are now standard equipment



SPRAYERS

BUILD YOUR OWN SPRAYER TO SUIT YOUR APPLICATIONS

CHOOSE YOUR SPRAYER:

COMBO CODE	PRODUCT CODE	DESCRIPTION	RETAIL PRICE
A	3PT25	3 Point 25 gallon sprayer	
B	3PT55	3 Point 55 gallon sprayer	
C	3PT100	3 Point 100 gallon sprayer	

CHOOSE YOUR BOOM: (See page 60 for details)


COMBO CODE	PRODUCT CODE	DESCRIPTION	RETAIL PRICE
1	PB13P	13 Foot Poly Boom	
2	PB20P	20 Foot Poly Boom	
3	PB26P	26 Foot Poly Boom	
4	VB16	Versatile Boom	
5	BN24	24 Foot Boomless Nozzle Kit	
6	BN30	30 Foot Boomless Nozzle Kit	

CHOOSE YOUR PUMP: (See page 63 for details)

CODE	DESCRIPTION	RETAIL PRICE	PUMP COMPATIBILITY
DP7802	12 volt 2 GPM		For A1, A4, A5, B1, B4 and B5 combinations
DP5930	12 volt 3 GPM		For A2 and B2 combinations
DP5940	12 volt 4 GPM		For A3, A6, B3, and B6 combinations
END6RCI	PTO Roller		For any sprayer and boom combination
ENDPT011	PTO Diaphragm		For 100 gallon sprayer and any boom

ADD A HOSE REEL (See page 65 for details)

CODE	DESCRIPTION	RETAIL PRICE
HR030-HL	100 foot hose reel with hose	



• **QUALITY** • **ERGONOMIC** • **COMFORTABLE** • **ROBUST** • **EFFICIENT** • **COMPATIBLE** •

GUARANTEE: A full factory 3-YEAR guarantee.

INGENUITY: Design BENEFITS to satisfy the needs of hobbyist gardener and the most demanding professional.

SIMPLICITY: Easy to operate, easy to clean and repairable in seconds without workshop or tools required.

VERSATILITY: Compatible with a wide range of accessories to suit any spray requirements.

QUALITY AND SAFETY: Sprayers carry the GERMAN GS-TUV (proven quality and safety) standards qualification - providing a strong assurance of inherent quality.

COMPRESSION SPRAYER

These sprayers are ideal for outdoor applications in gardens, vegetable patches or crops where one hand must be kept free or on difficult terrain where loads cannot be carried on your back.

The useful capacity of these sprayers is approximately two thirds of their total capacity - the remainder must be empty for air compression.

CODE	DESCRIPTION	RETAIL PRICE
YS160	INTER 16 Green - 4.3 Gallons	
YS070	INTEREKO 7 - 1.8 Gallons	
YS1.5	INTEREKO 1 - 1.3 Gallons	

CODE	INTER REF	DESCRIPTION	RETAIL PRICE
YA00B	B	Rectangular Hood	
YA00D	D	20" Extension	
YA00E	E	Quadruple Nozzle Boom c/w Cone Spray Nozzle	
YA00O	O	Pressure Gauge for Lance	
YP885		Economy Lance	



MORE FOR YOUR MONEY!

Now supplied with:

- 1 x pressure regulator
- 1 x measuring jug
- 1 x fan nozzle
- 2 x seals
- 1 x measuring jug
- 2 x face masks



INDUSTRIAL COMPRESSION SPRAYERS



BENEFITS

Made of special high resistance materials for use with various chemicals. Viton seals incorporated in this range. Suitable for a wide range of applications – disinfection, animal husbandry, degreasing, wallpaper stripping, maintenance, diesel truckwash etc.

- Strong polypropylene tank with level indicator
- External safety valve with red over-pressure indicator
- Extra two component hose (shiny black outside and grey inside) for use with oils and fuels. Rubber hose for acids.

CODE	INTER REF.	DESCRIPTION	RETAIL PRICE
YSIK1	IK 1.5 - 1 Quart	1 Quart Inter Industrial Sprayer	
YSIK9	IK 9 - 1.6 Gal.	1.6 gal. Inter Industrial Sprayer	
YSIK12BS	IK 12BS - 3.1 Gal.	3.1 gal. Inter Industrial Sprayer	

FOR USE IN AGRICULTURE & INDUSTRY

GUARANTEE: A full factory 3-YEAR guarantee.

INGENUITY: Design BENEFITS to satisfy the needs of hobbyist gardener and the most demanding professional.

SIMPLICITY: Easy to operate easy to clean and repairable in seconds without workshop or tools required.

VERSATILITY: Compatible with a wide range of accessories to suit any spray requirements.

QUALITY AND SAFETY: Sprayers carry the GERMAN GS-TUV (proven quality and safety) standards qualification - providing a strong assurance of inherent quality.

TIRED OF PUMPING YOUR SPRAYER? TRY THIS 4 GALLON RECHARGEABLE 12 VOLT BACKPACK SPRAYER

**1 YEAR
WARRANTY**



GARDENER'S FRIEND

BACKPACK SPRAYER

- Pump speed controller for adjustable flow rates
- 12 Volt pump with rechargeable battery
- Adjustable padded straps & backrest
- Basket filter under lid
- Kink resistant hose
- Volt meter - check charge level easily
- Battery charger included

CODE	DESCRIPTION	RETAIL PRICE
K412V	4 Gallon 12V Knapsack Sprayer	





MOTORIZED SPRAYERS

A great range of motorized sprayers representing best value and quality in today's market. These extremely mobile sprayers can be used in those demanding applications where 12 volt sprayers may not have the capacity to provide the volume you need to get the job done right.




The **endura** Plus

- + Spray Marshal pump - stainless steel & brass construction with viton seals. Guaranteed reliability.
- + Pumps at 2.9 Gallons/minute & up to 320psi - ideal for spot spraying or small boom spraying

THE **ENDURA** SPRAY MARSHAL



MOTORIZED SPRAYERS



Easy access filter system

Oil level sight gauge

Genuine Honda GX35 stroke motor for proven reliability. 3 year warranty.

Glycerin filled pressure gauge

100 foot hose & reel - ready to use versatility

Spray gun has adjustable turbo atomiser for full range of spray requirements

UV stabilized poly tank with fully draining sump for easy cleaning & maximum use of spray mix.

Secure tank mounting system

Graduation for measure of contents

Hot dip galvanized steel frame

CODE	CAPACITY	RETAIL PRICE
SS55SPMT	55 Gallons	
SS75SPMT	75 Gallons	
SS100SPMT	100 Gallons	

endura plas

GET WITH THE STRENGTH

100 feet hose & reel – ready to use versatility

Spray Marshal
2.9 Gallons/minute pump 25 Bar (320psi) & pressure regulator & gauge

Hose swivel prevents hose tangles

Genuine Honda GX354 stroke motor for proven reliability. 3 year warranty.

Glycerin filled pressure gauge

Spray gun has adjustable turbo atomiser for full range of spray requirements

Compact space saving design

CODE	FEATURES	RETAIL PRICE
UT60SPMT	60 Gal tank with Spray Marshal	
STT55SPMT	55 Gal trailer with Spray Marshal	
PUM038SS	Spray Marshal pump engine and reel	



Great for firefighting...



...and tree Spraying



Excellent for spot spraying...



...and broadcast spraying



spraymarshal

100 foot hose & reel – ready to use versatility

Genuine GX35 Honda motor for proven reliability. 3 year warranty


Brass pump head with viton seals & stainless steel valves – guaranteed reliability


Anti-vibration frame mounts

Spraymarshal pump – 2.9 Gallons/minute & up to 320psi with anti-vibration mounts

Suction hose with strainer

'Turbo' spray gun for large range of spraying options





CODE	DESCRIPTION	DIMENSIONS	RETAIL PRICE
ST100PMS	100 Gal Field sprayer	66" x 41" x 28"	
ST150PMS	150 Gal Field sprayer	66" x 41" x 34"	
ST200PMS	200 Gal Field sprayer	80" x 47" x 33"	
ST250PMS	250 Gal Field sprayer	80" x 47" x 38"	
ST300PMS	300 Gal Field sprayer	96" x 46" x 36"	
ST400PMS	400 Gal Field sprayer	96" x 46" x 45"	

FIELD SPRAYERS

- GX200 6.5 HP Honda engine
- 580 PSI pump with 11 GPM flow
- STAL16 handgun standard
- 35 foot vertical spray
- 40 foot horizontal spray
- 100 feet of high pressure hose standard



TREE SPRAYERS

- GX390 13 HP Honda engine
- STAL30 handgun standard
- 55 foot horizontal spray
- 725 PSI pump with 18 GPM flow
- 50 foot vertical spray
- 100 feet of high pressure hose standard

CODE	DESCRIPTION	DIMENSIONS	RETAIL PRICE
ST200PMTR	200 Gal Tree Sprayer	80" x 47" x 33"	
ST250PMTR	250 Gal Tree Sprayer	80" x 47" x 38"	
ST300PMTR	300 Gal Tree Sprayer	96" x 46" x 36"	
ST400PMTR	400 Gal Tree Sprayer	96" x 46" x 45"	



- + Camlock fittings on pump
- + Pressure relief valve
- + UV Stabilised Polyethylene tank
- + Hot dip galvanised steel frame
- + 2+5/16" tow hitch
- + 2" Aussie Fire Chief fire fighting pump 120 GPM open flow
- + Fire fighting hose reel with 100 feet of 3/4" hose
- + Tail brake indicator & number plate lights (On-road version only)



TRAILER SPRAYERS FOR FIELD OR TREE SPRAYING

CODE	DESCRIPTION	RETAIL PRICE
STT200PMFFRD	200 Gallon FireFighters Trailer Road Version	
STT250PMFFRD	250 Gallon FireFighters Trailer Road Version	
STT300PMFFRD	300 Gallon FireFighters Trailer Road Version	
STT400PMFFRD	400 Gallon FireFighters Trailer Road Version	

FIREFIGHTERS



BENEFITS

- Unique lance storage position to keep your hands free
- Carry handle for easy handling of tank when not in use
- Double-action chromed brass pump for ease of operation and durability
- Adjustable nozzle for effective performance in varying conditions
- Unique pump grip and handle reduce operator fatigue
- One-way valves prevent leakage and siphoning when not in use
- Robust tank designed to withstand abuse
- Suction line through top of tank - less risk of leaks
- Filter in lid to keep debris out of tank
- Ergonomic tank design for user comfort
- Convenient hose and lance storage




CODE	DESCRIPTION	RETAIL PRICE
KFF	4 US Gallons Knapsack Fire Fighter	

ST100PMFF

BENEFITS

- Honda 5.5 HP motor with 11/2" high pressure pump for excellent performance
- Poly hose reel with 100' of 3/4" hose
- Camlock fittings on pump to quickly convert to included Bottom Fill Kit for easy refill from any water source



SS100PMFF

CODE	DESCRIPTION	DIMENSIONS	RETAIL PRICE
SS100PMFF	Compact 100 gal. Fire Fighter Complete	51" x 35.5" x 45"	
ST100PMFF	100 gal. Fire Fighter - Complete	66" x 41" x 28"	
ST150PMFF	150 gal. Fire Fighter - Complete	66" x 41" x 34"	
ST200PMFF	200 gal. Fire Fighter - Complete	80" x 47" x 33"	
ST250PMFF	250 gal. Fire Fighter - Complete	80" x 47" x 38"	
ST300PMFF	300 gal. Fire Fighter - Complete	96" x 46" x 36"	
ST400PMFF	400 gal. Fire Fighter - Complete	96" x 46" x 45"	

ASK FOR OTHER AVAILABLE OPTIONS IF YOU DON'T SEE THE UNIT YOU REQUIRE!



PUM01FF

- 1" Fire Fighter Pump
- 55 gpm flow max
- 4 stroke Robin engine
- 50 psi max pressure
- Suitable seals for pumping diesel fuel



PUM015FF

- 1-1/2" High Pressure firefighting pump
- 2.5 HP GXH50 Honda Engine
- 55 GPM max flow
- Aluminum housing for durability
- Self priming pump
- Bypass regulator available



PUM02FF

- 2" Inlet Fire Fighter Pump
- 120 gpm flow max
- 5.5 HP GX160 Honda engine
- 100 psi max pressure
- Designed for long life performance
- Aluminum housing for durability
- Bypass regulator available on request
- Self priming pump for remote filling



Skid mounted unit with gas powered high pressure transfer pump poly tank and hose reel on a heavy duty galvanized steel frame.

Works great for fighting fires, watering trees and numerous other liquid transfer requirements.



High pressure pump produces far reaching spray patterns.



20 foot bottom fill kit included for refilling tank from any nearby water source for fast action.

**FOAM UNITS
NOW AVAILABLE
CALL FOR DETAILS**



UT60PMFF

UTILITY FIREFIGHTER

BENEFITS


- 36" long 28" wide 30" high
- 4 Stroke Robin Engine
- 1" Firefighter Pump
- 55 gpm Max Flow
- 50 psi Max Pressure
- 60 Gallon Tank

CODE	RETAIL PRICE
UT60PMFF	


**VIEW VIDEOS ONLINE AT
WWW.ENDURAPLAS.COM**

GET WITH THE STRENGTH

*SPREAD YOUR SPRAY
FURTHER FOR LESS*



12 Feet



24 Feet



BN24



BOOMLESS NOZZLE

BENEFITS

- Perfect for spraying ditches and rough terrain
- Never worry about boom hitting trees, rocks or fences
- Can be used in both 90° or 180° patterns for spray control



BN30PRO



30 FOOT BOOMLESS SPRAYING

CODE	RETAIL PRICE
BN24	
BN30PRO	

POLY BOOMS

CODE	RETAIL PRICE
PB13P	
PB20P	
PB26P	

PB13P

Requires 2 GPM pump

Heavy duty UV stabilized poly construction for rust free durability



13 foot poly boom

Strong hot dip galvanized center section

Spring loaded positive action breakaways

Non-drip nozzle bodies fitted with 110° Low Drift nozzles

PB20P

Requires 3 GPM pump

Fitted with 110° Low Drift nozzles - standard. Other types available

Teejet compatible quick connect nozzle caps

20 foot poly boom

Heavy duty UV stabilized poly construction for rust free durability

Non-drip nozzle bodies

Spring loaded breakaways

Adjustable mounting brackets

Impact resistant



26 foot poly boom - 16 nozzle comes with steel center section

PB26P

Requires 4 GPM pump



NOZZLE PROTECTION

- All poly guard incorporated into boom to protect nozzles from snagging damage etc.
- Non drip holders with 110° Low Drift nozzles



Nozzle guard for 20 and 26 foot poly booms


Shown with booms folded for transport



VERSATILE BOOM



Equipped with offset nozzles on both sides. Great for spraying around obstacles.



BENEFITS

- Compact 4 ft. boom frame width
- Sprays 16 ft. total swath width
- Plumbed with right/left/center control valves for perimeter & fenceline spraying
- Compatible with any pump 2 gpm

CODE	DESCRIPTION	RETAIL PRICE
VB16	Versatile Boom	

7WAY SPRAY SELECTION



HAND GUNS/WANDS/HOSE

CODE	DESCRIPTION	RETAIL PRICE
STAL16	Heavy Duty Hand Gun	
STAL24	Standard Lance	
STAL30	Long Range Spray Gun	
SG4507F	Versatile Lance	
STAL26	Deluxe Lance w/ Viton Seals	
STAL28	Turbo jet spray gun	
RCH-38-15	15' Coiled Hose	



RCH-38-15



STAL16



STAL30



STAL24



STAL26



SG4507F



PUMPS & ACCESSORIES

These top quality pumps and accessories are a great addition to any sprayer. If you happen to need replacement parts or simply want to upgrade your current sprayer, these products provide you with the best value for money and are an exact fit for your current Enduraplas products.



12 VOLT PUMPS



ALL PUMPS FITTED
WITH VITON VALVES
AND SANTOPRENE
DIAPHRAGMS



DP2200

PSI	BAR	GPM	AMPS
0-3	0.2	1	1.5
10	0.7	0.85	1.9
20	1.4	0.71	2.1
30	2.1	0.61	2.4
40	2.8	0.42	2.6

- 1 GPM open flow
- 40 PSI demand switch
- Self priming up to 4 ft
- 2 chamber positive displacement pump
- 3/8" hose barb inlet and outlet



DP7801

PSI	GPM	AMPS
10	1.2	1.8
20	0.85	2.7
30	0.7	3.2
40	0.6	3.7
50	0.45	4.2
60	0.4	4.7

- 1 GPM open flow
- 60 PSI demand switch
- 5/8" quick attach ports
- Self priming up to 8 ft
- Supplied with 2 pin electrical connector
- 3 chamber positive displacement pump capable of being run dry



DP7802

PSI	GPM	AMPS
10	2	2.8
20	1.7	3.7
30	1.6	4.2
40	1.55	4.7
50	1.25	5.2
60	1.05	5.7

- 2 GPM open flow
- 60 PSI demand switch
- 5/8" quick attach ports
- Self priming up to 8 ft
- Supplied with 2 pin electrical connector
- 3 chamber positive displacement pump capable of being run dry



DP5930

PSI	GPM	AMPS
10	3.2	3.5
20	2.8	5.8
30	2.65	7.2
40	2.45	8.3
50	2.2	9.1
60	2	9.9

- 3 GPM open flow
- 60 PSI demand switch
- 3/4" quick attach ports
- Self priming up to 14 ft
- Supplied with 2 pin electrical connector
- 5 chamber positive displacement pump capable of being run dry



DP5940

PSI	GPM	AMPS
10	4	4.8
20	3.7	6.1
30	3.1	7.7
40	2.7	9.6
50	2.5	10.8
60	2.4	11.3

- 4 GPM open flow
- 60 PSI demand switch
- 3/4" quick attach ports
- Self priming up to 14 ft
- Requires 1/2" ID hose
- Supplied w/ 2 pin electrical connector
- 5 chamber positive displacement pump capable of being run dry



DP5950

PSI	GPM	AMPS
10	5	6
20	4.5	9
30	4.1	11
40	3.88	13
50	3.55	14.6
60	3.2	16.3

- 5 GPM open flow
- 60 PSI demand switch
- 3/4" quick attach ports
- Self priming up to 14 ft
- Supplied with 2 pin electrical connector
- 5 chamber positive displacement pump capable of being run dry
- Requires 1/2" ID hose



DP7870

PSI	GPM	AMPS
10	7.0	11
20	6.81	12
30	5.96	13
40	4.98	17
50	3.96	21
60	2.55	25

- 7 GPM open flow
- 60 PSI demand switch
- 1/2" FNPT Inlet/Outlet Ports
- self priming to 14 feet
- 5 chamber positive displacement diaphragm pump capable of being run dry
- Requires minimum 1/2" ID hose

CODE	DESCRIPTION	RETAIL PRICE
309TA53	Q/A Filter for 7800 Pumps	
309TB53	Q/A Filter for 5900 Pumps	
9620422	Q/A Regulator for 7800 Pumps	
9620522	Q/A Regulator for 5900 Pumps	
AM100	100 PSI Dry Pressure Gauge	
3DFE38	5/8" Q/A x 3/8" HB 90 Degree	
3DFA38	5/8" Q/A x 3/8" HB Straight	
5DFE38	3/4" Q/A x 3/8" HB 90 Degree	
5DFE12	3/4" Q/A x 1/2" HB 90 Degree	
5DFA12	3/4" QA x 1/2" HB straight	
WHCA	Car Adapter x 2 Pin Connector	
WHBC	Battery Clips x 2 Pin Connector	
WHSW	10ft Wire Harness w/ Switch	
7800-PSW	Pressure switch for 7800 series pumps	
5900-PSW	Pressure switch for 5900 series pumps	



QUICK ATTACH FILTERS

- Available in 2 sizes to suit DP7800 and DP5900 series pumps



QUICK ATTACH REGULATOR & GAUGE

- Fitted standard to our professional spot sprayers
- Complete with pressure gauge



WIRE HARNESS KIT

- 10ft wire harness kit with on/off switch. Use 2 pin connector and lighter adaptor for vehicles
- Max 15 Amp draw



QUICK ATTACH CONNECTORS

- For DP7802
- For DP5900

SPRAYER PUMPS



GENUINE HONDA POWER


- Reliable GX200 Honda engine 6.5 HP
- 3 Diaphragm pump for steady pressure
- 580 max PSI with 11 GPM flow
- Manual pressure regulator with gauge
- Auto relief bypass for pump protection
- Dual 1/2" ball valve controlled outlets
- Ships in two cartons – pump and engine require assembly

CODE	DESCRIPTION	RETAIL PRICE
END6511	GX200 Honda with Comet APS41 Pump	

- Spline for 540 RPM PTO drive
- 3 Diaphragm pump for steady pressure
- 580 max PSI with 11 GPM flow
- Manual pressure regulator with gauge
- Auto relief bypass for pump protection
- Dual 1/2" ball valve controlled outlets
- Anodized aluminum construction resists corrosion

CODE	DESCRIPTION	RETAIL PRICE
ENDPTO11	COMET APS41 pump with PTO adapter	

PTO PUMPS



- 6 roller pump for long life
- Coupler works on 540 and 1000 PTO shafts
- Viton seal rings for max chemical resistance
- Includes torque bar and chain for securing
- Plus our roller pumps are field serviceable—saving precious time and money when you need to replace the rollers.
- 300 PSI max with 8 GPM Flow
- Heavy-duty sealed bearings



CODE	DESCRIPTION	RETAIL PRICE
END6RCI	6 Roller Pump	

NEW



The endura Plus

- + Reel constructed from rust-free UV stabilised poly
- + Reel locking device to prevent hose unwinding in transit
- + Lightweight and durable – suitable for 560 PSI
- + Hose locking slots
- + Zinc plated steel mounting frame in horizontal or side mount
- + Rotating handle for rewinding



HR030-TR



HR030



HR050

CODE	DESCRIPTION	RETAIL PRICE
HR030-TR	Hose Reel bare for Trailer	
HR030	Bare Hose Reel w/ stand for 100ft of 3/8" hose	
HR050	Bare Hose Reel w/ stand for 160ft of 3/8" hose	



HR030-HL-TR




HR030-HL



HR050-HL

CODE	DESCRIPTION	RETAIL PRICE
HR030-HL-TR	Hose Reel Complete for Trailer	
HR030-HL	100' Hose Reel w/ Hose & Lance on stand	
HR050-HL	160' Hose Reel with Hose & Lance on stand	



HR100



HR100-HL



REEL LOCK

CODE	DESCRIPTION	RETAIL PRICE
HR100	Bare Hose Reel w/ stand for 100ft of 3/4" hose	
HR100-HL	100' 3/4 Hose Reel with Hose & Lance on stand	



**FREE SPRAY GUN
WITH EVERY REEL
& HOSE ORDERED**

**Other spray guns
available.
See page 61**



DIESEL TANKS AND DEF TANKS

Some Diesel and DEF transfer products are notorious for requiring assembly after the purchase. These compact units come completely assembled and ready to fill up and use right out of the package. The poly tank is lightweight and strong to make moving the unit from one vehicle to another very easy using the molded in handles. Simplify your life and choose from our great range of transfer tanks complete with pump and required accessories to make your job easy.



The endura Plus

- + 13 feet of 3/4" hose
- + 13 feet of battery cables
- + Earth strap to prevent static build up
- + Flexible suction hose
- + Auto shut-off nozzle prevents overfilling and fuel wastage
- + Lockable filler cap for security
- + Fully enclosed pump compartment
- + Splash resistant breather



Stainless steel breather mounted behind lid

Tank manufactured from urea grade polyethylene - Diesel Exhaust Fluid (DEF) compatibility

Stainless steel auto shut-off nozzle for controlled dispensing

Stainless steel lid

EPDM gaskets and seals

20 feet of 3/4 inch flexible delivery hose



3/4" auto shut-off nozzle

Swivel to prevent hose tangles

Nozzle lock plate

13 feet of 3/4" anti-static delivery hose



Fuel strainer under lid

Pad-lockable filler lid

Reinforced & removable pivot for lid

Easy clean suction strainer

Bypass valve integrated in pump body

On/off switch on pump

Dieselflo 10 GPM pump

13' of electrical cable with battery clips

3/4" drain bung

DIESEL TANKS AND DEF TANKS



DLC5512V10



DLC2512V10

COMPACT

Awesome Lowline Style Fits In Your Truck Box Out Of Sight

CODE	CAPACITY	DIMENSIONS	RETAIL PRICE
DLC5512V10	55 Gallons	31" L x 27" W x 29" H	
DLC2512V10	25 Gallons	31" L x 27" W x 19" H	



DLN10012V10



DLN7512V10

SLIMLINE

Fits in front of your gooseneck hitch.

CODE	CAPACITY	DIMENSIONS	RETAIL PRICE
DLN10012V10	100 Gallons	51" L x 21" W x 38" H	
DLN7512V10	75 Gallons	51" L x 21" W x 31" H	



DL10012VA40



DL5512VA40

CODE	CAPACITY	DIMENSIONS	RETAIL PRICE
DL10012VA40	100 Gallons	48" L x 34" W x 31" H	
DL5512V40	55 Gallons	48" L x 34" W x 21" H	





- 12 volt diesel pumps - bare
- 12 volt rotary electric vane pumps
- 10 gal/min open flow rate
- Integrated suction filter & bypass valve
- 3/4" ports
- Self priming
- Reliable & compact
- 13 feet of electrical cable with battery clips
- Made in Italy

FLUID PUMP

CODE	RETAIL PRICE
DLFLP10	



- 12 volt rotary electric vane pumps
- 10 gallons/min open flow rate
- Integrated bypass valve
- Supplied with suction filter
- 3/4" BSP ports
- Self priming
- Reliable & compact
- 13 feet of electrical cable with battery clips

DIESELFLO PUMP

CODE	RETAIL PRICE
DLP10	



- Simple, reliable, compact & economical
- Polypropylene construction for chemical resistance
- Turbine measuring system measures in liters, gallons, pints and quarts
- Easy to install at either end of the delivery hose.
- Can be calibrated
- 5-digit easy to read LCD display powered by lithium battery (CR2)
- Fluid Type: For diesel kerosene & Diesel Exhaust Fluid eg; Ad Blue™ NoNox® Air1®
- Flow Rate: 10-100 LPM / 3-26 GPM
- Max. Operating Pressure: 145PSI / 10BAR
- Inlet/Outlet: 1"

CODE	RETAIL PRICE
DLFM	



CODE	RETAIL PRICE
DLSWVL	



- Supplied standard with all 10 gal/min pump kits

CODE	RETAIL PRICE
DLNZN	



- Pad-lockable non vented diesel filter lid with strainer & anti-loss chain
- Used in all Enduradiesel units
- #50 mesh filter at fill point helps prevent contamination of your fuel

CODE	RETAIL PRICE
DL023455	

Diesel Exhaust Fluid Transport Units

endura blue

All DEF tanks come standard with high quality stainless steel pumps and auto shut off handles.

1. No water condensation
2. No Rust
3. Lightweight Robust design



DEF10012V9



DEFN7512V9

CODE	CAPACITY	DIMENSIONS (LxWxH)	RETAIL PRICE
DEF10012V9	100 Gallons	48" x 34" x 31"	
DEFN7512V9	75 Gallons	51" x 21" x 31"	



DEFC5512V9



DEFC2512V9

CODE	CAPACITY	DIMENSIONS (LxWxH)	RETAIL PRICE
DEFC5512V9	55 Gallons	31" x 27" x 29"	
DEFC2512V9	25 Gallons	31" x 27" x 19"	





- Filler cap Diesel Exhaust Fluid (DEF) compatible
- **20 Feet** of electrical cable with battery clips
- Fully enclosed lockable pump compartment for security and protection

ENDURA BLUE PUMP & KIT

Stainless Steel pump

CODE	DESCRIPTION	RETAIL PRICE
DEFP9	12 volt DEF pump only	
DEFP9KIT	12 volt DEF pump kit	



NEW PRODUCT

NEW PRODUCT

- 9 Gal/Minute flow rate
- Stainless steel pump with internal bypass for durability and ease of use
- Electrical cable with battery clips
- Made in Italy

- 9 Gal/Minute flow rate
- Stainless steel pump with internal bypass for durability and ease of use
- Electrical cable with battery clips
- Stainless steel auto shut-off nozzle for controlled dispensing
- 20 feet of 3/4 inch flexible delivery hose
- Made in Italy



FEEDERS AND WATERERS

CALF SLED

A HELPING HAND THIS CALVING SEASON

- **SAVE a calf** - move newborn calves to shelter easily
- **SAVE your back** - eliminates carrying heavy calves



**GREAT FOR
TRANSPORTING
NEWBORN
CALVES**



Comes with rope hitch standard
metal hitch is optional

BENEFITS

- A durable poly construction accessory designed for farmers & hunting enthusiasts

CODE	DESCRIPTION	DIMENSIONS	RETAIL PRICE
CS50	Calf Sled	50" x 22" x 12"	
CS-H	Metal Hitch		



The endura Plus

- + Two compartments
- + Swivel for weather protection
- + Poly construction
- + Heavy metal frame



UMF4




TTK



TTK

FEEDERS

CODE	DESCRIPTION	DIMENSIONS	RETAIL PRICE
UMF4	Mineral Feeder	48" H	
TTK	Liquid Insecticide Tip Tank Kit		



AH10

- Large capacity Auger Hopper with ribbed sides for maximum strength.
- Unique drain feature allows water to drain out while grain stays inside.
- Poly construction for lightweight & rust-free durability.
- Works with most 8", 10" and 12" auger sizes. Includes tension straps.

CODE	DESCRIPTION	DIMENSIONS D x H	RETAIL PRICE
AH10	Auger Hopper	47" x 60" x 22"	



MF2

2 COMPARTMENTS



SAVES MINERAL AND MONEY

- Preserves mineral Quality
- Easy for cattle to find and use
- Eliminates waste


LOW PROFILE MINERAL FEEDER

CODE	DIMENSIONS (D x H)	CAPACITIES	RETAIL PRICE
MF2	42"	100 lb.	

PET FEEDERS



- + Holds 1/3 bag dog food
- + Removable lid



- + Vacuum drinker
- + Holds approx. 8 gallons

CODE	DESCRIPTION	DIMENSIONS (L x W x H)	RETAIL PRICE
PDD	Poly Dog Drinker	19" x 13" x 12"	
PDF	Poly Dog Feeder	19" x 13" x 12"	

PET WATERERS



ENSURE YOUR PETS DON'T
GO HUNGRY OR THIRSTY
WHEN YOU ARE AWAY

BENEFITS

- Bottle supply
- Garden hose connection



CODE	DESCRIPTION	RETAIL PRICE
PT PW	Pet Waterer	

FEED SCOOPS




BENEFITS

- Strong & durable polyethylene
- Molded handle & vent hole for ease of use

CODE	DESCRIPTION	DIMENSIONS D x H	RETAIL PRICE
PSC	Feed Scoop	4" x 9"	



FENCE FEEDERS



PT03

ROTATIONAL MOLDED FOR
GREATER IMPACT

"STRENGTH"

COST EFFECTIVE FEEDING SOLUTIONS

- Lightweight and impact resistant
- Easy to clean and disinfect
- Rust-free poly construction will not corrode




PT01



PT04



PT06



PT02



PT05



PT07



- + UV Stabilized for longer outdoor life
- + Proven durability
- + Easy to handle and use
- + Galvanized steel mounting brackets



MM5



MM1



- Individual teat with screw cap



- Individual Lamb and Goat teat

MILK FEEDERS & BOTTLES

BENEFITS

- UV stabilized durable poly for long outdoor life
- Generous teat spacing allows calves room to feed
- Screw on caps & teats for easy cleaning
- Individual partitions each holding 1/2 gallon for efficient feeding
- Galvanized steel mounting brackets

Genuine PEACH TEAT nursing bottles includes SPEED FEED valve

CODE	DESCRIPTION	RETAIL PRICE
TC	Teat with Screw Cap	
ST	Individual Teat	
LT	Lamb & Goat Teat	
LC	Teat & Cap	

CODE	DESCRIPTION	CAPACITY	RETAIL PRICE
MB1	Hand Held Feeder w/ Handle	1/2 gal.	
MB2	1 Teat Bottle	1/2 gal.	
MM1	1 Teat Calfateria w/ Screw Cap	1 gal.	
MM5	5 Teat Calfateria w/ Screw Cap	8 gal.	





ROUND WATER TROUGHS

CODE	DESCRIPTION	CAPACITY	DIMENSIONS W x H	RETAIL PRICE
TT03	Trough without float	85 Gallons	45" x 18"	
TT04	Trough without float	300 Gallons	87" x 20"	
TT05	Trough without float	500 Gallons	91" x 26"	
TT10	Trough without float	1000 Gallons	112" x 28"	




FLV-RX



- + Float enclosure molded as part of trough
- + Raised float allows trough to fill completely
- + All pipe work protected by trough surround
- + No protruding parts
- + 2 inch drain outlet for easy cleanout
- + Ribbed for added strength
- + Easy access to float for adjustment
- + Float cover secured by lynch pin for ease of access
- + 3/4 inch float valve

JOB VALVES

CODE	DESCRIPTION	RETAIL PRICE
RJV20LP	3/4" Flow Rojo Float Valve	
TPV20DLT	Jobe Topaz 3/4" Valve	
MFV20DLT	3/4" Mega Flow Valve	
MFV1DLT	1" Mega Flow Valve	
FLV-RX	RX valve - 3/4"	



TPV20DLT

MFV20DLT

RJV20LP



The endura Plus

- + Stock safe removable cover allows easy access to float for adjustments
- + Cover positively located and attached to prevent stock damage
- + Simple design and operation
- + Easy to install
- + Curved profile for strength
- + Mounting locations allows complete filling of trough
- + 3/4 float valve standard - will accommodate up to 2" valve



TT6W



TT2W

CODE	DESCRIPTION	CAPACITY	DIMENSIONS W x H	RETAIL PRICE
TT2W	Trough with float	56 Gallons	43" x 17"	
TT6W	Trough with float	156 Gallons	55" x 21"	



TT28W




TT12W

CODE	DESCRIPTION	CAPACITY	DIMENSIONS W x H	RETAIL PRICE
TT12W	Trough with float	300	78" x 27"	
TT28W	Trough with float	700	90" x 30"	

TROUGHS, WATER TROUGHS/ACCESSORIES

endura plas

GET WITH THE STRENGTH



PTM35F



PTM45F



CODE	DESCRIPTION	DIMENSIONS L x W x H	RETAIL PRICE
PTM33F	Feeder	33" x 22" x 7"	
PTM45F	Feeder	45" x 22" x 7"	

CODE	DESCRIPTION	RETAIL PRICE
FLT01	Float & cover to fit long line & DLT troughs	
FLT02	Float & cover for round water troughs	
FLT03	Float cover for "M" series	
FLTCV02	Float Cover only for Round Water Troughs	

Float suitable for FT04F, FT06F, FT08F & DLT



The
endura
Plus

- + Strong all-poly construction for corrosive environments
- + Light weight for ease of handling and relocation
- + Smooth finish facilitates cleaning
- + 4 sizes to choose from to meet all needs
- + Bolt down points to prevent livestock pushing trough around

ALL POLY TROUGHES



DLT



DLTW

**Available with
Float & cover**

BENEFITS

- Durable UV stabilized polyethylene for long outdoor life
- Light weight for ease of relocation
- Option with float valve and cover
- Float valve cover prevents stock damage to float
- Smooth finish
- Stackable
- Rust free

CODE	DESCRIPTION	DIMENSIONS L x W x H	RETAIL PRICE
DLT	Feeder	64" x 25" x 11"	
DLTW	Waterer	64" x 25" x 11"	



LONG LINE TROUGHS



- + Durable UV stabilized polyethylene for long outdoor life
- + Rust free polyethylene will not corrode
- + 2" drain outlet for easy cleanout
- + Strong 11 gauge galvanized frame

CODE	DESCRIPTION	CAPACITY	DIMENSIONS (L x W x H)	RETAIL PRICE
1' BUNKS				
FT04F2-1	Feeder	24 Gallons	47"x19"x13"	
FT06F2-1	Feeder	36 Gallons	70"x19"x13"	
FT08F2-1	Feeder	49 Gallons	94"x19"x13"	
FT10F3-1	Feeder	169 Gallons	118"x30"x16"	
2' BUNKS				
FT04F2	Feeder	24 Gallons	47"x19"x23"	
FT06F2	Feeder	36 Gallons	70"x19"x23"	
FT08F2	Feeder	49 Gallons	94"x19"x23"	
FT10F3	Feeder	169 Gallons	118"x30"x27"	
3' BUNKS				
FT04F2-3	Feeder	24 Gallons	47"x19"x36"	
FT06F2-3	Feeder	36 Gallons	70"x19"x36"	
FT08F2-3	Feeder	49 Gallons	94"x19"x36"	
FT10F3-3	Feeder	169 Gallons	118"x30"x 36"	

TROUGH INSERT ONLY

CODE	CAPACITY	DIMENSIONS (L x W x H)	RETAIL PRICE
1' BUNKS			
FT04-i	24 Gallons	47"x19"x12"	
FT06-i	36 Gallons	70"x19"x12"	
FT08-i	49 Gallons	94"x19"x12"	
FT10-i	169 Gallons	118' x30"x15"	





HEATED POLY WATER BOWLS

STRONG double wall foam filled sections.

SAFE for livestock with no sharp edges.

SIMPLE to install and maintain.

SIDE-BY-SIDE TESTING HAS REVEALED THAT THE ENDURABOWL IS 30% MORE EFFICIENT TO OPERATE THAN THE OTHER LEADING BRANDS!

January's subzero temperatures confirmed that the Endurabowl easily maintained an open water source while operating on 30% less power than the popular water bowls tested alongside it.

Prove it yourself and put money back in your pocket, time back into your day and problems out of your life with a water source you can depend on for every season!



The endura Plus

- + Available in 5 sizes:
5-34 Gallons
- + Beef cattle capacities
from 20 head to 200+
head
- + Manufactured, tested and
proven in North Dakota's
Red River Valley, the
Endurabowl is designed
to perform in the most
extreme weather
conditions

STRONG SAFE SIMPLE DESIGN MAKES INSTALLATION EASY



1. Anchor base to concrete



2. Hook up water supply



3. Rotate + secure bowl to base



4. Set float cover in place

**View installation demo online at
www.enduraplas.com**



PHW50



PHW42



PHW30



PHW20



PHW10

CODE	CAPACITY	DIMENSIONS (L x W x H)	HEAD CAPACITY	RETAIL PRICE
PHW10	5 Gallons	27" x 25" x 24"	20 Beef Cattle	
PHW20	7 Gallons	28" x 25" x 24"	40 Beef Cattle	
PHW30	16 Gallons	40" x 25" x 24"	100 Beef Cattle	
PHW42	20 Gallons	42" x 25" x 24"	150 Beef Cattle	
PHW50	34 Gallons	61" x 25" x 24"	200 Beef Cattle	

HEATED POLY WATER BOWLS

endura plas

GET WITH THE STRENGTH

DURABLE, SIMPLE, EFFICIENT

endura bowl

Thermo-siphoning technology keeps water source open even in extreme temperatures

Round top float cover prevents buildup of ice and snow

Thick well-insulated sidewalls provide energy efficiency in harsh climates

Float cover secured with stainless fasteners - no tools required for easy access

Manufactured in 3 lightweight yet strong sections

500 watt heating element included

Removable access door to easily service water supply

**AVAILABLE IN 5
SIZES: 5-34 GALLONS
SEE PAGE 81**

• Float cover removes for easy cleaning yet provides superb protection for the valve and heater

• Internal bolt-down points provide security and protection
• Base bolts to pad or platform


• Foam filled poly construction with stainless hardware for no rust ever!



Ultimately simple design, the Endurabowl is constructed of carefully researched parts for low-maintenance **trouble free operation**

OPTIONAL ACCESSORIES

QTY	CODE	DESCRIPTION	RETAIL PRICE
1	PHWHT-6	6 foot heat tape kit	
1	PHW10040	4 FT non-insulated earth tube	
1	PHW10041	4 FT insulated earth tube	
1	PHWV	¾ inch shutoff valve	
4	PHWB	5/8 x 4.5 inch anchor bolts	
1	PHWC	Float cover for PHW	
1	PHWR	High flow valve repair kit	



PHW10041

PHWV



PHWHT-6

ITEM	QTY	PART#	DESCRIPTION	RETAIL PRICE
1	2	PHWQ	3/8" Stainless Wingnut	
2	1	RJV20HF-LP	3/4" High Flow Valve	
3	1	RJV20HF-HP	3/4" Low Flow Valve	
4	2	PHWS	3/8" x 3" SS Tapbolt Washers & Nuts	
5	1	PHWH	500 Watt Heating Element	
6	1	PHWE	1" Expandable Plug	
7	2	PHWD	2" Expandable Plug	
8	4	PHWM	3/8" x 2" SS Bolt & Washer	
9	1	PHWA	PHW Access Door	
10	1	3EL34	3/4" FPT x 3/4" Hose Barb 90 Degree	

1.877.877.4370 | enduraplas.com



LIVESTOCK
EQUIPMENT



ATV
SPRAYERS



MOTORIZED
SPRAYERS



FIREFIGHTERS

endura **plas**

— GET WITH THE STRENGTH —

Enduraplas products available from a dealer near you.