



WOMAN-OWNED
Small Business



Contract Holder



ergonomic
solutions

VOLUME 23

OFFICE | HEALTHCARE | EDUCATION

Fast – Flexible – Friendly

ESI has been providing quality ergonomic accessories at affordable prices since 1988. Our mission is to create superior customer experiences by building relationships through passionate customer service with a commitment to mutual success and operational excellence. ESI and its employees believe in the values of Service, Commitment and Excellence and incorporate these values in day-to-day operations.

Consistently going the extra mile for our customers has rendered us unprecedented customer loyalty and we are known throughout the industry for our superior customer service. Continually evaluating the changing marketplace is an important process in providing the best and most effective ergonomic solutions. ESI is a Nationally Certified Woman-Owned Small Business, and GSA contract holder. Our product libraries are available on CAP/GIZA, ProjectSpec and ICE.

ESI realizes the importance of evolving workplace environments and, in turn, develops custom products and solutions to accommodate these changes.



GSA Contract Holder

WOMAN-OWNED
Small Business

Carol Keogh
President & CEO





48-Hour Shipping

All products ship in 48 hours with the exception of those designated as  (Longer Lead Time).



Table of Contents



4-5	Combo Solutions
6-7	Articulating Arms & Mechanisms
8-10	Keyboard Platforms
11	Accessories, Drawers, and Slides
12-15	Monitor Arms
16	Heavy-Duty Mounts for TVs and Large Monitors
17	CPU Holders & Utility Carts
18-19	Mobile Workstations
20-21	Task Lighting
22-23	Apollo PAC Stations
24-25	Titan PAC Stations
26-29	Adjustable Tables
30-31	Additional Product Images
32	Environmental Statement
33	Chicago Showroom
34	Ordering Information
35	Terms and Conditions

Factory & Showroom

4030 East Quenton Drive
Mesa, Arizona 85215

Mailing Address

P.O. Box 21239
Mesa, Arizona 85277-1239

Chicago Showroom

Merchandise Mart
Showroom 10-100

Phone: 480.517.1871

Toll Free: 800.833.3746

Email: info@esiergo.com
orders@esiergo.com



Combo Solutions

All Solutions include an articulating arm, a keyboard platform, leatherette-covered gel palm rest(s), nonslip pads, mouse pad, mouse guards and cord management clips at no extra charge. One part number is all you need for a complete system.

For more information and details about the arms and platforms included in combo solutions, see pages 6-10.



Our combo solutions can be ordered in our 100% recyclable, formaldehyde-free R-Series platform material. Look for the recycle symbol.

Solution 1CC

Value Engineered



AA260 Articulating Arm

17" glide track
Spring assisted
6.25" height adjustment
(1.25" above to 5" below track)

PL003CC-25 Keyboard Platform

25" cut corner platform

List Price

Solution 1CC \$267

Solution 1CCR \$284

Eco-friendly R-Series platform material



Solution 2CC

Most Popular



AA360 Articulating Arm

21" glide track
Lift and Lock
7" height adjustment
(2.5" above to 4.5" below track)

PL003CC-25 Keyboard Platform

25" cut corner platform

List Price

Solution 2CC \$344

Solution 2CCR \$361

Eco-friendly R-Series platform material



Solution 3

Universal Fit



AA360 Articulating Arm

21" glide track
Lift and Lock
7" height adjustment
(2.5" above to 4.5" below track)

PL215 Swivel Mouse Platform

18.75" platform with right or left swivel below mousing platform

List Price

Solution 3 \$387

Solution 3R \$404

Eco-friendly R-Series platform material



Solution 4

Extended Reach

AA370 Articulating Arm

24.75" glide track
Lift and Lock
16" height adjustment
(8" above to 8" below track)

PLMAC Mouse Forward Platform

Reversible 26.5" platform for left- or right-handed users
For use on straightedge and 21" or larger diagonal work surface

List Price

Solution 4 \$430

Solution 4R \$446

Eco-friendly R-Series platform material



Solution 5 Popular Spec

New!

AA750DAT Articulating Arm

21.75" glide track
Lift and Lock
8.375" height adjustment
(9.25" above to 4.88" below track)
Dial-a-tilt indicator gauge

PL216 Keyboard Platform

18.75" platform with an XL swivel-below mousing platform
27" overall length while open
21.5" while in closed position

MEETS THE STANDARDS OF
BIFMA & HFES

Solution 5 **\$404**

Solution 5R **\$421**

Eco-friendly R-Series material

List Price



Solution 6CC Industry Favorite

New!

AA750DAT Articulating Arm

21.75" glide track
Lift and Lock
8.375" height adjustment
(9.25" above to 4.88" below track)
Dial-a-tilt indicator gauge

PL003CC-27 Keyboard Platform

27" cut corner platform

MEETS THE STANDARDS OF
BIFMA & HFES

Solution 6CC **\$367**

Solution 6CCR **\$397**

Eco-friendly R-Series material

List Price



Solution ULTRA

Great for Multiple Users

AA360 Articulating Arm

21" glide track
Lift and Lock
7" height adjustment
(2.5" above to 4.5" below track)

PL217 Switch-n-Click Convertible Platform

Can be used as mouse in line, mouse over or mouse forward at platform height or mouse above height

Recommended for straightedge work surfaces

Solution ULTRA **\$391**

Not available in R-Series platform material

List Price



Solution 90

Ideal for 90° Corners

AA355DS Articulating Arm

21.75" glide track
Lift and Lock
8.4" height adjustment
(3.42" above to 5.88" below track)
Dual swivel adjustability

PL003CC-25 Keyboard Platform

25" cut corner platform

Solution 90 **\$411**

Solution 90R **\$428**

Eco-friendly R-Series material

List Price



Solution 400 Fixed Mount Dual Arm Sit-Stand Combo

AA400 Articulating Arm

19" height adjustment
(12.5" above to 6.5" below mount)
Fixed Mount Sit-Stand Arm

PL045 Keyboard Platform

27" R-Series platform specifically drilled for use with AA400

Solution 400 **\$700**

List Price



Solution 500 Retractable Dual Arm Sit-Stand Combo

AA500 Articulating Arm

19" height adjustment
(12.5" above to 6.5" below mount)
Retractable on two 23" slides

PL045 Keyboard Platform

27" R-Series platform specifically drilled for use with AA500

Solution 500 **\$1,003**

List Price





Articulating Arms & Mechanisms

Uncertain About Best Product Choice?

Simply call 800.833.3746 and you'll be connected with one of our friendly and knowledgeable Customer Service specialists who can recommend workable options.

Installer Friendly

The AA330, AA360 and AA370 series tracks are standard with double-sided tape to assist with installation.

260 Series

Spring Assisted Economical Choice

Features

Spring assisted height adjustment	17" glide track
+10° / -15° tilt adjustment and 360° rotation	6.25" height adjustment (1.25" above to 5" below track)
Soft touch knob for simultaneous height and tilt adjustment	

		List Price
Standard	AA260	\$139



330 Series

Lift & Lock For Shallow Work Surfaces

Features

Lift and Lock height adjustment	17.75" glide track (platform may not completely retract in its stored position)
Release handle for independent tilt adjustment	
+/-15° tilt adjustment and 360° rotation	7" height adjustment (2.5" above to 4.5" below track)
Positions platform flush with the work surface	

		List Price
Short Track	AA330	\$216



360 Series

Lift & Lock One-touch Height Adjustment

Features

Lift and Lock height adjustment
Release handle for independent tilt adjustment
+/-15° tilt adjustment and 360° rotation
Positions platform flush with the work surface
21" glide track

Options

		List Price
Standard	AA360	\$216
	7" height adjustment (2.5" above to 4.5" below track)	

370 Series

Extended Reach Increased Height Adjustment

Features

Lift and Lock height adjustment
Release handle for independent tilt adjustment
+/-15° tilt adjustment and 360° rotation
Positions platform flush with the work surface
24.75" glide track

Options

		List Price
Standard	AA370	\$290
	16" height adjustment (8" above to 8" below track)	



355DS Series

Dual Swivel Great for 90° Corners & Increased Adjustability

Features

Lift and Lock height adjustment	21.75" glide track
+/-15° tilt adjustment and 360° rotation	8.42" height adjustment (3.42" above to 5.88" below track)
Soft touch knob for independent tilt adjustment	
Provides additional pivot point	

		List Price
Dual Swivel	AA355DS	\$283



New!

700

Series

MEETS THE STANDARDS OF
BIFMA & HFES

New!

New Industry Leader

Finally, an articulating arm that meets the stringent BIFMA G1-2002 and HFES 100-2007 specifications* on a 21.75" glide track.

The new AA750 and AA780 combine ultra-smooth adjustment with the convenience of a lift and lock and the precise placement of a dial-a-tilt.

Features

- Adjustability meets the 5th percentile of females seated and 95th percentile male standing
- Satisfies height ranges specified by BIFMA G1-2002 and HFES 100-2007 - 22" from the keyboard surface to the floor at the lowest position
- Low profile design
- Tilt dial is easy to use and provides greater ADA compliance



Lift & Lock

For seated position

Options

		List Price
Dial-A-Tilt	AA750DAT	\$231
21.75" glide track		
Lift and Lock 8.375" height adjustment (1.625" above to 6.75" below track)		
+10° / -15° tilt adjustment and 360° rotation		
Dial-a-tilt indicator gauge		
Positive Tilt Lockout	AA750DATLO	\$246
Lift and Lock 8.375" height adjustment (1.625" above to 6.75" below track)		
0° / -15° tilt adjustment		



Extended Reach

Lift and Lock with extended reach

Options

		List Price
Dial-A-Tilt	AA780DAT	\$342
21.75" glide track		
14.13" height adjustment (8.25" above to 5.88" below track)		
+10° / -15° tilt adjustment and 360° rotation		
Dial-a-tilt indicator gauge		
Dual Swivel	AA780DATDS	\$441
14.13" height adjustment (9.25" above to 4.88" below track)		
Dial-a-tilt indicator gauge		
Positive Tilt Lockout	AA780DATLO	\$357
7" height adjustment (2.5" above to 4.5" below track)		
0° / -15° tilt adjustment		

*BIFMA and HFES require the keyboard support to be set to 22" from the keyboard surface to the floor to satisfy the requirements for the 5th percentile of females seated and 28.5" to satisfy the requirements for the 95th percentile of males standing.

Fixed Mount

Dual Sit-Stand Arm

400
Series


Features

- 19" height adjustment (12.5" above to 6.5" below track)
- Fixed Mount Sit-Stand Arm
- Overall width needed under work surface: 28"
- Overall depth needed under work surface: 11"
- Paddle actuator for easy height adjustment
- Knob for independent +/-15° tilt adjustment
- Slim arms for optimal knee clearance (less than .75" width)
- Load capacity: 150 lbs

		List Price
Fixed Mount	AA400	\$550

Retractable

Dual Sit-Stand Arm

500
Series

Features

- 19" height adjustment (12.5" above to 6.5" below track)
- Retractable on two 23" slides
- Overall width needed under work surface: 28"
- Overall depth needed under work surface: 30"
- Paddle actuator for easy height adjustment
- Knob for independent +/-15° tilt adjustment
- Slim arms for optimal knee clearance (less than .75" width)
- Load capacity: 150 lbs

		List Price
Retractable	AA500	\$853

Sit-Stand Series Accessories

Item	Description	List Price
PL045	Keyboard platform for use with AA400 and AA500 series sit-stand arms. Includes detachable palm rest, mouse pad, mouse guards and cord management clips.	\$150

Track Length Options

Articulating arm tracks can be cut to fit work surfaces of varying depths. Call our Customer Service specialists for details.



Keyboard Platforms

Custom platform sizes available. Call Customer Service for pricing.

Rectangle

Rectangle platforms accommodate both the keyboard and mouse on the same level. The palm rest(s) allows for left- or right-handed mousing.

Cut Corner

Cut Corner platforms work well on straightedge, large radius and corner diagonal work surfaces.

Mouse Forward

Comfortably places the mousing area closer to the user.

Radius

Designed to compliment radius corner work surfaces and position the keyboard closer to the work area.


Natural

Designed to accommodate Microsoft® Natural, Natural Elite and other ergonomically designed keyboards.

Swivel Mouse

The space-saving Swivel Mouse design allows for keyboard storage where space is limited.

Eco-Friendly R-Series




The R-Series platforms are composed of 100% post consumer materials, making them completely recyclable.



They are free of formaldehydes and carcinogens and emit no VOCs (Volatile Organic Compounds).

The leatherette-covered gel palm rests are equally environmentally friendly. Both the gel core and the leatherette material are free of formaldehydes and carcinogens. The leatherette material can be cleaned and sanitized. Removal of the entire palm rest allows for thorough cleaning of the platform.

RECTANGLE



Features


Accommodates both keyboard and mouse on the same level
Detachable palm rest(s) for left- or right-handed mousing

Options


	W	D	List Price
PL003-19	19"	10.5"	\$104
PL003-25	25"	10.5"	\$128
PL003-27	27"	10.5"	\$136

Eco-friendly R-Series Platform Material

PL003R-19	19"	10.5"	\$128
PL003R-25	25"	10.5"	\$145
PL003R-27	27"	10.5"	\$166



CUT CORNER



Features


Accommodates both keyboard and mouse on the same level
Detachable palm rest(s) for left- or right-handed mousing

Options

	W1	W2	D	List Price
PL003CC-25	25"	17.5"	10.5"	\$128
PL003CC-27	27"	19.5"	10.5"	\$136

Eco-friendly R-Series Platform Material

PL003CCR-25	25"	17.5"	10.5"	\$145
PL003CCR-27	27"	19.5"	10.5"	\$166



RADIUS



Features


Accommodates both keyboard and mouse on the same surface
For use on most 42" and larger radius work surfaces
Detachable palm rest(s) for left- or right-handed mousing

Options

	W	D	List Price
PL006-19	19"	11.5"	\$104
PL006-25	25"	11.5"	\$128
PL006-27	27"	11.5"	\$136

Eco-friendly R-Series Platform Material

PL006R-19	19"	11.5"	\$128
PL006R-25	25"	11.5"	\$145
PL006R-27	27"	11.5"	\$166






SWIVEL

Mouse Below



Features

- Palm rest for both keying and mousing surfaces
- 18.75" platform with a swivel-below mousing platform
- Offers a universal fit on virtually any work surface shape



Options

		List Price
Swivel Mouse	PL215	\$171
26.5" overall length while open — 22.5" while in closed position		
Swivel Mouse	PL215-R	\$188
Eco-friendly R-Series platform material		
Natural	PL215NAT	\$161
20" Natural platform with swivel-below mousing platform		
Designed for use with natural-shaped keyboards		
28" overall length while open — 23" while in closed position		
Dual Swivel Mouse	PL215DM	\$226
Swivel-below mousing platform on both sides		
34" overall length while open		
30.25" one side open — 26.25" while in closed position		




XL SWIVEL

Mouse Below



Features

- Palm rest for both keying and mousing surfaces
- 18.75" platform with a swivel-below mousing platform
- Provides user a larger mousing area



Options

		List Price
XL Swivel Mouse	PL216	\$173
27" overall length while open — 21.5" while in closed position		
XL Swivel Mouse	PL216-R	\$190
Eco-friendly R-Series platform material		
Natural	PL216NAT	\$163
20.25" Natural platform with XL swivel-below mousing platform		
Designed for use with natural-shaped keyboards		
28.25" overall length while open — 23.75" while in closed position		
Dual XL Swivel Mouse	PL216DM	\$228
XL swivel-below mousing platform on both sides		
35.25" overall length while open		
30.75" one side open — 25.5" while in closed position		

CONVERTIBLE



Switch-n-Click

Features


- Independent tilt and swivel mousing platform
- Can be used as mouse in line, mouse over or mouse forward
- Mousing platform can be placed at platform height or mouse above height
- Reversible design; mouse platform clicks in on left or right side — no tools required
- Provides an extensive range of adjustability

Options

		List Price
Radius	PL217	\$175
Natural	PL217NAT	\$165
Designed for use with Natural keyboards		



Recommended for straightedge work surfaces



Mouse in Line

Mouse can be positioned in direct line with the keyboard at either mouse above height or platform height.

Mouse Over

Mouse can be positioned over the 10-key to decrease reach.

Mouse Forward

Mouse can be positioned closer to the body for improved ergonomic comfort at either mouse above height or platform height.




Mouse FORWARD

Features

- 26.5" width
- Platform reverses for left- or right-handed users
- For use on straightedge and 21" or larger diagonal work surfaces

Options

	List Price
PLMAC	\$140
PLMAC-R	\$156
Eco-friendly R-Series platform material	




NATURAL Platform

Features

- 27.25" width
- Designed for use with Natural Keyboards
- Right-handed is standard (please specify if left-handed is needed)

Options

	List Price
PL005CC	\$117
PL005CC-R	\$137
Eco-friendly R-Series platform material	




SLIDE-OUT Mouse Platform

Features

- 18.75" width while in closed position
- 27.75" width while in open position
- Left to right slide-out mouse tray
- Not for use with DAT (Dial-a-Tilt) models of articulating arms

Options

	List Price
PL200	\$175
PL200-R	\$192
Eco-friendly R-Series platform material	



CLIP-ON Palm Rest



Features

- 7"W x 2.5"D
- For use with the PL217 platform



	List Price
7" Wide ACMCLIPLG	\$44

STANDARD Palm Rests



Features

- Call Customer Service with your measurements and specifications
- Please specify platform part number when ordering

		List Price
25" Wide	ACRWMLG25	\$53
18" Wide	ACRWMLG18	\$48
8" Wide	ACRWMLG8	\$34
7" Wide	ACRWMLG7	\$34

NATURAL Palm Rest



Features

- For use with Microsoft® Natural, Natural Elite and other ergonomically designed input devices
- Soft sculpted pad conforms to the keyboard and provides correct palm/wrist neutral position
- Complete with nonslip backing to adhere to built-in palm support


	List Price
Natural ACEWMLG	\$46

Accessories

Drawers, Slides and Accessories



Rectangle DRAWER SLIDE



Features


- 25" width accommodates both keyboard and mouse
- Custom widths available
- Includes metal brackets
- Retractable on 15" ball bearing slides

List Price

AA903 \$151

Slide-out Mouse DRAWER SLIDE

Convenient storage compartment



Features

- Accommodates keyboard and slide-out left or right mousing area
- Retractable on 15" ball bearing slides
- Black molded plastic

List Price

AA904WM \$105

Durable PENCIL DRAWER

Organizational Space!

Durable 16" ball bearing slides allow the 2" slim molded tray to slide under the desktop and out of sight.

Features

- Retracts on 16" ball bearing slides
- Opening requirements: 23" W x 16.25" D x 2" H
- Inside drawer dimensions: 20.5" W x 16.25" D x 2" H
- Black molded plastic tray

List Price

ACPD01 \$90

Locking LAPTOP DRAWER



Features

- 16" ball bearing slides support up to 11 lbs
- Constructed of 16-gauge metal
- Soft foam on front of drawer provides wrist support while in use
- Ventilation holes allow for laptop cooling
- Cord management slots in back of drawer
- Two keys included
- Measures 16"W x 16"D x 2"H

List Price

LTLOCKER \$144



Adjustable FOOTREST



Features




- Ideal for users who cannot rest feet comfortably on the floor
- Platform slides back and forth on frame to allow ankle flexion and extension

List Price

FR201 \$111

Platform rests 3" from the floor

Corner DIAGONALS



Features

- Converts 90° and diagonal corners to usable work areas
- Includes spacers and felt furniture protectors
- Spacers (included) assure a secure fit
- Accommodates surfaces with thickness up to 1.375" (1 3/8")

Options

List Price

17" wide ACCD90-17 \$133

For use on corners less than 17" wide
Moves user 2" closer to work surface than ACCD90-21

21" wide ACCD90-21 \$147

For use on corners less than 21" wide

Stackable DESK RISERS



Features

- Set of 4
- Dimensions: 4" x 4"
- Adjusts work surface height in 1" increments — stackable
- Load capacity: 600 lbs of distributed weight
- High-impact plastic

List Price

DESK1 \$53

Do not stack more than 3 risers per leg



Monitor Arms

Monitor arms are an integral piece of workspace equipment and have a multitude of benefits.

Multi-User Friendly

Increasingly, workstations are being shared between more than one user, especially for jobs that require multiple shifts. The adjustability of the monitor arm allows it to be placed in a position that is suitable for each user.

Safer Work Space

Monitor arms provide a safe and desirable work space for employees which translates into higher employee productivity, both through greater time spent at the desk and fewer missed days.

Increases Productivity

The ability to position more employees per square foot is an important benefit of monitor arms. Because the desk space is greatly increased by lifting the monitor off the desk top, narrower desks can be used. This allows more employees to be comfortably placed in a constant space and therefore increase productivity per square foot.



EDGE Series

Single Monitor Arm



Features

Height adjustment range: 6.5" - 19.5" (13" total)
Monitor extension: 21"
Monitor retraction: 3.5"
Weight capacity: 6.5 - 17.6 lbs
Monitor tilts +30°/-25°
360° lockout feature
Includes both Desk Clamp and Grommet Mount

Multiple points of adjustment make sharing information convenient
- 360° swivel at two points
- Folds to achieve minimal footprint

VESA 75mm or VESA 100mm compatible

Desk Clamp clamps to surfaces 7/8" - 2" thick

Grommet Mount requires a hole diameter 5/16" - 2" wide, and accommodates surfaces up to 2" thick

Options

		List Price
Silver	EDGE	\$319
Black	EDGE-BLK	\$319
White	EDGE-WHT	call

Special order - call Customer Service for details



Monitor quick release



Effortless adjustment



Cable management

ELITE Series



Elite Performance

The ELITE Series provides lift-and-pivot counter-balance technology for effortless positioning and height adjustment of the monitor without handles or tools.

Features

Supports monitors from: 7-20 lbs per arm (minimum monitor weight - 7 lbs)
Monitor extension: 24"
13" pole — arm can be mounted to the pole at any height
13" height range (6.5" above to 6.5" below mounting point)
Monitor tilts +5°/-75° forward and back and rotates 90° landscape to portrait
Includes both Desk Clamp & Grommet Mount
Total combined weight capacity: Desk Clamp: 20 lbs, Grommet Mount: 40 lbs



		List Price
Single	ELITE	\$457
Dual	ELITE2	\$673

EDGE DUAL


Features

- Single dual monitor mount with independent monitor adjustment
- Height adjustment range: 6.5" - 19.5" (13" total)
- 360° lockout feature
- Monitor extension: 21"
- Monitor retraction: 3.5"
- Weight capacity: 6.5 - 17.6 lbs
- Monitor tilts +30°/-25°
- Multiple points of adjustment make sharing information convenient
 - 360° swivel at two points
 - Folds to achieve minimal footprint
- Includes both Desk Clamp and Grommet Mount
- VESA 75mm or VESA 100mm compatible

Options


		List Price
Silver	EDGE2	\$548
Black	EDGE2-BLK	\$548
White	EDGE2-WHT	call 

Special order - call Customer Service for details



EDGE Series Accessories

Item	Description	List Price
VESA 100x200	Converts a 75mm or 100mm VESA mount to attach to a 100mm x 200mm VESA monitor	\$25
EDGE2KIT	Converts an existing EDGE single monitor arm to an EDGE2 dual arm	\$291



EDGE SLATWALL

Features

- Total height adjustment capability: 11.81"
- Monitor extension: 10.47"
- Tilt of monitor: +30°/-25°
- Rotation of monitor: 180°
- Weight capacity: 6.5 - 17.6 lbs
- Effortless adjustment
- Built-in gas spring
- Universal slatwall mounting bracket
- Fits slat/rail in widths of .75" - 2.75"
- VESA 75mm & 100mm with Quick Release

EDGE-SLAT

List Price

\$319



EDGE WALL

Features

- Monitor extension: 19"
- Tilt of monitor: +30°/-25°
- Rotation of monitor: 180°
- Weight capacity: 6.5 - 17.6 lbs
- Effortless adjustment
- Built-in gas spring
- VESA 75mm & 100mm with Quick Release

EDGE-WALL

List Price

\$319

COMBO Arms



Arm With Laptop Tray

The ELITE2 arm and LTHMR tray create a dual screen configuration

Position the laptop screen for maximum ergonomic comfort

Minimum monitor or laptop weight 7 lbs

13" height range with Lift-and-pivot technology provides smooth adjustment

Fits laptops (diagonal): 12.1" - 15.4"


Internal cable management neatly routes cables

For use with external keyboard and mouse

ELITE2COMBO

List Price

\$793



The LTHMR can be added to an existing monitor arm

ELITE Series Accessories

Item	Description	List Price
ELITE2KIT	Allows conversion of existing ELITE single monitor arm to an ELITE2 dual arm	\$241
VESA 100x200	Converts a 75mm or 100mm VESA mount to attach to a 100mm x 200mm VESA monitor	\$25
LTHMR	Monitor arm mounted laptop tray (Not for use with EDGE Series monitor arms)	\$121

01 Series

Single Monitor

Features

Supports one monitor
Load capacity: 17.5 lbs
16" Pole
Easy lever height adjustment makes changing monitor height quick and easy**
Arm extends 24" from pole
Arm retracts to 5" to save space
Height adjusts from 5" to 21" (16" total)

Monitor easily rotates from landscape to portrait
Available with Desk Clamp or Grommet Mount
Load capacity up to 17.5 lbs per mounting arm*
Conforms to VESA 75mm and VESA 100mm

Options

		List Price
Desk Clamp	MRFS01DC	\$388
Grommet Mount	MRFS01GM	\$388



Grommet Mount

Accommodates surfaces from 1/2" to 2" thick; requires a hole diameter of 7/8" - 2 1/8"

Desk Clamp

Accommodates surfaces from 1/2" to 4 1/2" thick

2 Monitors

Features

Supports 2 monitors
Load capacity: 35.2 lbs
16" pole

Options

		List Price
Desk Clamp	MMFS2DC	\$559
Grommet Mount	MMFS2GM	\$559



3 Monitors

Features

Supports 3 monitors
Load capacity: 52.8 lbs
16" pole

Options

		List Price
Desk Clamp	MMFS3DC	\$669
Grommet Mount	MMFS3GM	\$669



Maximum width per monitor:
18.5" bezel measured left to right†


4 Monitors

Features

Supports 4 monitors
Load capacity: 70.4 lbs
28" pole

Options

		List Price
Desk Clamp	MMFS4DC	\$1,071
Grommet Mount	MMFS4GM	\$1,071



01 Series Accessories

Item	Description	List Price
VESA 100x200	Converts a 75mm or 100mm VESA mount to attach to a 100mm x 200mm VESA monitor	\$25
MMFS2KIT	Converts an existing MRFS01 single monitor arm to an MMFS2 dual arm	\$292
MMFS3KIT	Converts an existing MMFS2 dual arm to an MMFS3 triple arm	\$140

* Load capacity up to 17.5 lbs. per arm for all systems except the six-monitor solution, which has a load capacity of 13.2 lbs. per arm

** Lever height adjustment applies to single monitor mounts only

† To configure the MMFS3 and MMFS6 to accommodate larger monitors, please call Customer Service

6 Monitors

Features

Supports 6 monitors
Load capacity: 79.2 lbs*
28" pole

Maximum width per monitor:
18.5" bezel measured left to right†

Options

		List Price
Desk Clamp	MMFS6DC	\$1,266
Grommet Mount	MMFS6GM	\$1,266



SINGLE Shallow Depth

Features

Supports 1 monitor
Load capacity: 26.5 lbs
16" Pole
For shallow workstations
(does not include arm extensions)

Options

		List Price
Desk Clamp	MRFS-STUBBY-DC	\$295
Grommet Mount	MRFS-STUBBY-GM	\$295



Adjustable WORKSTATION

Features

Includes two MRFS01 monitor arms and one PL003 platform

Arms extend to 24" — Retract to 5"

Load capacity: 17.5 lbs per mounting arm

Easy lever height adjustment makes changing monitor height quick and easy**

25" leatherette-covered gel palm rest


28" pole

Options

		List Price
Desk Clamp	MRFSWSDC	\$595
Grommet Mount	MRFSWSGM	\$595



Best suited for standing applications



SLATWALL Mounted Monitor Arm

Features

Single 12" extension arm — total reach 16.25"

Monitor easily rotates from landscape to portrait


Load capacity: 22 lbs

Fits slat/rail in widths of .75" - 2.75"

Conforms to VESA 75mm and VESA 100mm

	List Price
MRFS-SLAT	\$341

ADJUSTABLE Monitor Slide



Shown with 01 Series monitor arm

Features

Height adjustable 5" above and 5" below mount

Load capacity: 22 lbs

Conforms to VESA 75mm and VESA 100mm

	List Price
SLIDE-MR	\$128

SLIDE-MR is an add-on component for the 01 Series monitor arms. (sold separately)



WALL Mounted Monitor Arm

Features

Single 12" extension arm — total reach 16.25"

Monitor easily rotates from landscape to portrait

Load capacity: 22 lbs

Wall stud mounting required

Conforms to VESA 75mm and VESA 100mm

	List Price
MRFS-WALL	\$315



MRFS01 + MMFS2KIT = MMFS2



MMFS2 + MMFS3KIT = MMFS3



Expandable

The 01 Series monitor arms are expandable in the field by utilizing a conversion kit. Convert a single monitor arm to a dual or even a dual monitor arm to a triple without having to purchase an entirely new unit.

Features

Allows an 01 Series monitor to be modified in the field

Requires existing 01 Series Monitor Arm

Options

	List Price
MMFS2KIT	\$292
MMFS3KIT	\$140

Maximum width per monitor:
18.5" bezel measured left to right*



Heavy-Duty Mounts

For TVs and Large Monitors

KALIBUR

Serious Support

The Kalibur combines the ease of movement with built-in cable management and a quick-connect monitor mount to support heavy monitors from 17.5 to 33 lbs.

Features

- Heavy-duty cylinder provides effortless adjustment
- Load capacity: 17.5 - 33 lbs
- Specify Desk Clamp (DC) or Grommet Mount (GM) when ordering
- Arm extends 23.75" from pole
- Arm retracts to 4" from pole
- Quick release connector
- Built-in cable management
- Conforms to VESA 75mm and VESA 100mm



Supports heavier monitors from 17.5 to 33 lbs

SINGLE



Options

		List Price
Desk Clamp	KALIBURDC	\$568
Grommet Mount	KALIBURGM	\$568

KALIBUR Accessories

Item	Description	List Price
VESA 100x200	Converts a 75mm or 100mm VESA mount to attach to a 100mm x 200mm VESA monitor	\$25
KALIBUR2KIT	Converts an existing KALIBUR single monitor arm to a KALIBUR2 dual arm Kit Includes: Dual Cross Bar and Large Desk Clamp	\$302

DUAL

Features crossbar for simultaneous monitor adjustment



Options

		List Price
Desk Clamp	KALIBUR2DC	\$645
Grommet Mount	KALIBUR2GM	\$645

MOBILE LCD TV Mount

Features

- Supports 32" - 52" screens
- Weight capacity: 110 lbs
- Accommodates differences in LCD mounting patterns
- Mounting brackets adjust from 4"W - 23.6"W
- Mount LCD at various heights along pole from 47.2" - 63"
- Overall size: 32.3"W x 65"H x 24.4"D
- Includes an aluminum shelf for peripherals
- Shelf dimensions: 21.7"W x 13.8"D

TV-CADI \$1,208



Enclosed Cord Management



Multiple Height Adjustment



Four Heavy-duty Casters (Two Locking)

ARTICULATING LCD TV Wall Mount

Features

- Supports 37" - 46" screens
- Accommodates differences in LCD mounting patterns
- Mounting brackets adjust from 4"W - 31.5"W
- Screen tilts +/-15°
- Safety latch secures screen to mount
- Weight capacity: 110 lbs
- Overall size: 33.8"W x 20.3"H
- Retracts to 8.7" — extends to 21.5"
- Swings to 160° left or right

TV-LS \$549



FIXED LCD TV Wall Mount

Features

- Supports 37" - 65" screens
- Accommodates differences in LCD mounting patterns
- Mounting brackets adjust from 4"W - 31.5"W
- Screen tilts +/-15°
- Safety latch secures screen to mount
- Weight capacity: 176 lbs
- Overall size: 33.8"W x 19.7"H x 4"D

TV-LT \$294





CPU Holders & Utility Carts



SIMPLE

Features

360° swivel	Adjustable 60" straps
17.75" glide track	Load capacity: 125 lbs

List Price

CPU01 **\$139**



MINI

Features

360° swivel	Load capacity: 55 lbs
13.4" ball bearing glide track	Fits CPUs 5" to 20" in overall height
Adjustable width: 3.25" - 6"	
Adjustable height: 16" - 23"	

List Price

CPUMINI **\$154**



EASY ACCESS

Features

360° swivel on a 17.75" glide track	Adjustable height: 13" - 21"
Adjustable width: 2.5" - 8.25"	Load capacity: 100 lbs

List Price

CPU05 **\$189**



Nonporous foam material to prevent CPU damage. This material can also be cleaned and sanitized to maintain a germ-free environment.

THIN CLIENT

Mounts between the monitor and monitor arm to keep the Thin Client CPU out of the way. The open design keeps CPU cool and provides easy access, while keeping the CPU secure.



New!

Features

Adjustment: 1.375" - 2.25" wide
Conforms to VESA 75mm/100mm
Adjustment knobs are tamper and vibration resistant

List Price

CPU-TC **\$198**

Can also be mounted to an Apollo or Titan wall mounted PAC Station.



LOCKABLE

The CPULOCK-K is expandable and can be installed either vertically or horizontally. The set of two combination locks provides extra security while the glide track affords easy access to the back of the CPU.

Features

16" glide track
Features dual combination locks (included) for equipment security
Accommodates horizontal CPUs from 9" to 13.25" high and 17.25" to 20" wide
Accommodates vertical CPUs from 17.75" to 22.50" high and 8.75" to 10.50" wide

New!

List Price

CPULOCK-K **\$166**



Vertical Installation



Horizontal Installation

MOBILE

Features

Easy to assemble
CPU sits in adjustable tray
4 swivel caster wheels (2 locking)
No tools required to make adjustments
Fits CPUs ranging from 3.5"W - 8.75"W
Load capacity: 160 lbs

List Price

CPU CART **\$120**



UTILITY

Features

18.75" x 15" platform
4 swivel caster wheels (2 locking)
Use for printers, shredders and other office machines
Includes nonslip pads
Can be customized up to 19" x 19"
Load capacity: 150 lbs

List Price

ACPC **\$158**





Mobile Workstations



New!

Features

- Work surface size: 19.5" W x 20.5" D
- Base size: 17.5" x 17.5" wheel to wheel
- Maximum standing height: 45" to work surface
- Minimum sitting height: 33" to work surface
- Monitor rotation: 180 degrees
- Monitor has tilting capability
- Weight capacity:
 - The cart's lift mechanism can accommodate up to 10 lbs.
 - When lift mechanism is in locked position, cart can accommodate up to 50 lbs

Options

	List Price
JC-LT-D	\$4,228
Laptop with drawers	LLT
JC-LT	\$3,321
Laptop without drawers	LLT
JC-M-D	\$4,851
PC with drawers	LLT
JC-M	\$3,979
PC without drawers	LLT

JOURNEY Series

HEALTHCARE

Acute Patient Care
Emergency Room
Long-Term Patient Care
PAC
Medication Administration
Respiratory
Phlebotomy
Electronic Medical Records
Admissions/Registration

EDUCATION

Classrooms
Media Cart
Lecture Podium

Easy Lift System

Convenient one-touch height adjustment lever provides an adjustable height range of 33" to 45" which accommodates nearly 95% of human statures.

Stable

Low center of gravity design produces a stable cart that has vital anti-tip characteristics.

Maneuverable

A small wheelbase allows cart to fit between doorways and desks while wrap-around handles provide easy steering.

Integrated Cable Management

Various cable management covers allow for power cables to be routed safely out of sight.

Technology Bay

Room for CPU or laptop. Height adjustable surface for laptop allows for proper screen view.

Smooth Movement

Double sealed gas cylinder provides smooth and stable lifting motion while the double locking medical grade casters with rubber tread provide for quiet operation and movement.

Anti-Microbial

Easy to clean powder coat finishes



Integrated wire management



Heavy duty casters



Independent keyboard height adjustment



Durable full extension drawer slides



JC-LT-D



JC-LT



JC-M-D



JC-M

Models shown are non-powered. Powered units available upon request.

Cart Accessories



Item	Description	List Price
JC-TABLET	Tablet computer mount bracket	\$139
JC-BARCODE-WL	Wireless barcode scanner mount	\$136
JC-BARCODE	Wired barcode scanner mount	\$163
JC-WIPES	Sanitary wipes holder	\$114
JC-VITALS	Vitals monitor mount	\$305
JC-BASKET	Wire basket	\$189

Workstation On Wheels



WOW Series

Mobility

The Workstation On Wheels (WOW) combines generous workspace with space-saving accessibility.

- Desktop or laptop self-contained computer cart
- Effortless height adjustment and mobility
- Platform height adjustment of 28" to 41"
- Pneumatic lift platform with wire controller
- 5-star base with heavy-duty casters (2 lockable)
- Includes cable management system
- Adjustable CPU holder
- Fixed height monitor mount
- Detachable palm rest



Features

- Platform measurements:
- Overall: 26.5"W x 22.5"D
 - Back edge: 11.5"
 - Side edge: 15"
 - Thickness: 7/8"
- Base measurements:
- Diameter: 28"
 - Weight capacity: 20 lbs

List Price

WOW \$1,275

Custom Options Available
Call for Details

SWIVEL Mousing




Features

- 18.75" platform with left or right swivel-below mouse platform
- 15" ball bearing slides
- Black P-Series phenolic material
- Detachable palm rests

List Price

Swivel Mouse AA902WM \$175



SLIDE-OUT Mousing




Features

- Keyboard platform and slide-out left or right mousing area
- 15" ball bearing slides
- Includes compartment for supplies
- Black molded plastic

List Price

Slide-Out Mouse AA904WM \$105




PRINTER Platform

Features

- 18"x 12" platform with friction squares and metal guards to secure printer
- Weight capacity: 9 additional lbs

List Price

WOWPPL \$203






Desktop Task Lighting

SOLSTICE

Dual Purpose

Not only does the SOLSTICE provide a wide range of motion, but also includes a USB port to conveniently charge handheld devices such as mobile phones and MP3 players.



Convenient USB port



Continuous dimming

Features

Temperature: 4100K - CRI: 80
6 W
Lamp life: 50,000 hours
Includes USB port to charge electronic handheld devices such as mobile phones
Dimmer button for continuous dimming
Lamp head rotates 350°

		List Price
Desktop Base	SOLSTICE	\$329

New!



VIVID Series

Efficient

Energy efficient multi-LED lighting array. Uses just 6 watts of power.

Flexible

Provides easy adjustment with tension-loaded joints for a wide range of motion and precise placement.

Sturdy

The heavy 6 lb. base assures the lamp remains firmly on the work surface while being adjusted.



Features

Temperature: 4100K - CRI: 80
7.5 W
Lamp life: 50,000 hours
Base weight 6 lbs.
180-degree rotation at light source
Total reach: 21"

Options


		List Price
Single Arm	VIVID	\$308
Dual Arm	VIVID-LE	\$324

Two arms, 16" and 18" connected by an articulating joint
Total reach: 36"

PIXIE

Compact

The small profile, lightweight, and flexible PIXIE task light is ideal for small workstations and desktops with limited space.



Features

Small profile	3300K color temperature, CRI 70
Lightweight	11.8" reach
Energy efficient 3 W LED lamp	7" power cord

		List Price
PIXIE-LED		\$143

Under Cabinet Lighting


LED

Environmental Benefits


Environmental and economic benefits of task lighting are important factors for all users. As modern office designs continue to move toward greater energy efficiency, lighting is one of the easiest ways to capture LEED points.



Touch sensitive on/off pad



Long-life LEDs



Daisy chain configurations available

Features

- 3 lengths: 24", 36", 48" (nominal)
- 9' power cord
- Includes both magnetic and wood (screws) mounting hardware
- 3500K color temp - CRI: 85
- 50,000 hr lamp life
- Touch sensitive on/off control
- Daisy chain configurations include 36" jumper cord
- Light bar rotates 45°
- Light angle: 180°
- Brushed silver finish
- LED lamp life: 50,000 hrs
- Includes cord management clips
- 9' power cord



Single Units

Item	Wattage	Actual Dimensions (L x W x H)	List Price
LEDUC24	12.5	22.4" x 1" x 1.1"	\$270
LEDUC36	17	28.4" x 1" x 1.1"	\$375
LEDUC48	21.5	34.45" x 1" x 1.1"	\$490

Daisy Chain Cables

Item	Daisy Chain Units	List Price
LEDUC24X2	2 Units	\$536
LEDUC36X2	2 Units	\$742
LEDUC48X2	2 Units	\$970
LEDUC24X3	3 Units	\$799
LEDUC24X4	4 Units	\$1,060



FLUORESCENT

The energy efficient T5 lamps used in these Under Cabinet Lights emit minimal heat while providing optimal illumination.

Features

- Energy efficient T5 fluorescent lamp
- Temperature: 3500K - CRI: 80
- Prismatic lens
- 9' power cord with additional outlet for daisy chain capabilities
- MAG models include integrated mounting magnets inside light casing
- Non MAG models includes wood screw and spring bar mounting options only
- UL Listed

Options

Item	For Shelf Size	Actual Dimensions (L x W x H)	Wattage	List Price
UCL24	24"	21.7" x 8.7" x 2"	13	\$145
UCL30	30-36"	23.3" x 8.7" x 2"	24	\$160
UCL48	48"	35" x 8.7" x 2"	39	\$172
UCL24MAG	24"	21.7" x 8.7" x 2"	13	\$163
UCL30MAG	30-36"	23.3" x 8.7" x 2"	24	\$173
UCL48MAG	48"	35" x 8.7" x 2"	39	\$187

MAG models Includes integrated magnet mounting system as well as wood screw and spring bar mounting options

APOLLO Series

Public Access Computer (PAC) Stations

The Apollo Series includes six basic configurations, each designed to meet the specific ergonomic needs in an ever-changing environment. The Apollo 6 models have the ability to encompass all cables within the track, eliminating the accidental detachment of components and wires. The Apollo 2 models include wire managers along the side of the track to ensure cables are neatly routed.

All components are modular and interchangeable, enabling reconfigurations to meet changing needs. Modular accessories including laptop trays, writing surfaces and phone trays are also available (not shown). Call for details.



Limbs Manufactured From
100% Recycled Material



Common APOLLO Series Features

60" wall mounted track

Easy-touch shuttles provide 7 1/2" of additional arm height adjustment

VESA 75mm and 100mm compatible

Track mounted CPU holder

- Adjustable width: 3.25" to 6"

- Adjustable height: 14" to 20"

Total system weight capacity: 176 lbs

Shuttle weight capacity: 17.5 Lbs

Arm extension:

0-extension arm = 3 1/2"

2-extension arm = 20 3/4"

3-extension arm = 28 3/4"

Includes 25" PL003-25 P-Series rectangular keyboard platform

Includes CPUMINI CPU holder

**Custom Options Available
Call for Details**



Internal cord management (Apollo 6 series only)



Shuttle lift system with integrated safety stops




6-PR Premium


Features

- 6-channel track
- 2-extension arm with shuttle for monitor
- 3-extension arm with shuttle for keyboard platform
- Integrated cord management

	List Price
APOLLO 6-PR	\$2,032



2 Extension arm for monitor



3 Extension arm for keyboard platform




6-EC Economy


Features

- 6-channel track
- 0-extension arm with shuttle for monitor
- 2-extension arm with shuttle for keyboard platform
- Integrated cord management

	List Price
APOLLO 2-PR	\$1,792



0 Extension arm for monitor




2 Extension arm for keyboard platform

1-LT Laptop Mount

Features

- Track mounted laptop holder
- 1-channel track — 24" height
- 2-extension arm with shuttle
- Shuttle provides 7 1/2" of additional easy-touch arm height adjustment

APOLLO 1-LT List Price
\$692



FTC

Floor-to-Ceiling (FTC)

The APOLLO Floor-to-Ceiling work center can be placed virtually anywhere making it an extremely versatile product. Public banking areas, healthcare settings, computer labs and registration check-in kiosks are just a few environments for which the APOLLO FTC was designed.

Features

- 6-channel Track
- 2-extension arm with shuttle for monitor
- 3-extension arm with shuttle for platform
- Integrated cord management
- Includes CPUMINI CPU holder

APOLLO-FTC List Price
\$4,984

New!

Shown with available optional work surface. Call for details

APOLLO Accessories

Item Number	Description	List Price
VESA 100x200	Converts a 75mm or 100mm VESA mount to attach to a 100mm x 200mm VESA monitor	\$25
CPU-LOCK	Lockable CPU holder	call
CPU-TC	Thin client CPU holder mounts behind monitor. Recommended for single track workstations.	call

2-PR

Premium

Features

- 2-channel track
- 2-extension arm with shuttle for monitor
- 3-extension arm with shuttle for keyboard platform
- Cord management clips provided

APOLLO 2-PR List Price
\$1,776

2 Extension arm for monitor

3 Extension arm for keyboard platform

2-EC

Economy

Features

- 2-channel track
- 0-extension arm with shuttle for monitor
- 2-extension arm with shuttle for keyboard platform
- Cord management clips provided

APOLLO 2-EC List Price
\$1,517

0 Extension arm for monitor

2 Extension arm for keyboard platform

TITAN Series

Public Access Computer (PAC) Stations



Base Models

TITAN



Efficient Use of Space

The TITAN PAC Stations allow for computer use in areas not suitable for a traditional workstation. PAC Stations enable the monitor, keyboard and CPU (if chosen) to slide vertically for optimal positioning.

- Monitor and keyboard can be moved vertically on the track to desired height
- Mousing platform can be adjusted for left- or right-handed mousing
- Expandable keyboard platform folds up or down to save space; mouse holder located under mousing platform secures mouse when stored in upright position
- Monitor easily rotates from landscape to portrait
- VESA 75mm and 100mm compatible
- Ideal for healthcare facilities, schools and other limited space areas
- Maximum monitor weight: 26.5 lbs.
- Includes track covers to conceal cords

Features

VESA 75mm and 100mm compatible monitor mount

Fold-up, expandable keyboard tray with palm rest

Left or right-handed mousing area with mouse holder

Options

		List Price
Single Track	MRWT01	\$595
One 31.5" aluminum alloy wall track		
Dual Track	MRWT02	\$1,020
Two 31.5" aluminum alloy wall tracks (63" total height)		
Includes CPU holder		

TITAN Accessories

Item	Description	List Price
VESA 100x200	Converts a 75mm or 100mm VESA mount to attach to a 100mm x 200mm VESA monitor	\$25
CPU-LOCK	Lockable CPU holder Accommodates horizontal CPUs from 9" to 13.25" high and 17.25" to 20" wide Accommodates vertical CPUs from 17.75" to 22.50" high and 8.75" to 10.50" wide	call
PAC-CPUMINI	Small form factor CPU holder Fits CPUs 5" to 20" in overall height Adjustable width: 3.25" - 6" Adjustable height: 16" - 23"	call
CPU-TC	Thin client CPU holder mounts behind monitor. Recommended for single track workstations. Adjustment: 1.375" - 2.25" wide	call

CPU Holder Options

Thin Client, Mini and Locking CPU holders available. Call Customer Service for more information.



ELITE Series

TITAN

Features

- ELITE Series articulating monitor arms (see page 12)
- Extended keyboard platform
- VESA 75mm and 100mm compatible monitor mount



MRWT02-EL shown fully extended with optional locking CPU holder



MRWT01-EL



MRWT02-EL



MRWT01-EL2



MRWT02-EL2

Single Track Options

	List Price
MRWT01-EL	\$1,075
One 31.5" aluminum alloy wall track ELITE single monitor arm	
MRWT01-EL2	\$1,274
One 31.5" aluminum alloy wall track ELITE2 dual monitor arm	

Dual Track Options

	List Price
MRWT02-EL	\$1,397
Two 31.5" aluminum alloy wall tracks (63" total height) ELITE single monitor arm and CPU holder	
MRWT02-EL2	\$1,594
Two 31.5" aluminum alloy wall tracks (63" total height) ELITE2 dual monitor arm and CPU holder	

01 Series

TITAN

Features

- 01 Series articulating monitor arms (see page 12)
- Extended keyboard platform
- VESA 75mm and 100mm compatible monitor mount

Single Track Options

	List Price
MRWT01-MR	\$855
One 31.5" aluminum alloy wall track MRFS01 single monitor arm	
MRWT01-MR2	\$1,057
One 31.5" aluminum alloy wall track MMFS2 dual monitor arm	

Dual Track Options

	List Price
MRWT02-MR	\$1,180
Includes two 31.5" aluminum alloy wall tracks (63" total height) MRFS01 single monitor arm and CPU holder	
MRWT02-MR2	\$1,387
Includes two 31.5" aluminum alloy wall tracks (63" total height) MMFS2 dual monitor arm and CPU holder	



MRWT01-MR



MRWT02-MR



MRWT01-MR2



MRWT02-MR2

Adjustable Tables



Because One Size Does Not Fit All

ESI can provide adjustable table bases to fit most work surface shapes and sizes.



Electric GRAVITY SERIES

Adjustable Cross Channels - A Smarter Choice

No more ordering fixed-sized table bases. ESI's adjustable cross channels can be adjusted in the field to the exact length needed.

There are two lengths: a cross channel to fit work surfaces from 36" - 51" in length, and a longer cross channel to fit work surfaces from 52" - 96" in length.

Adjustable cross channels provide the ability to use an existing base for work surfaces of various sizes without ordering an entirely new adjustable table. By simply changing the length of the cross channel, a work surface with a new size can be utilized.

Reusing a Gravity Series base is environmentally friendly by reducing waste and the overall ecological footprint of manufacturing an additional table.

Adjustable cross channels can also make retrofitting existing work surfaces a simple process.



Adjustable Cross Channels can be adjusted and reused in the field.

Take Control

The control panel features UP and DOWN keys as well as a 3-position memory setting for quick and accurate adjustments.



Features

Supports loads up to 250 lbs

26.5" travel range (24" - 50.5")

Travels at 1.5" per second for fast and quiet adjustability


Uses just 3 amps of power

Meets and exceeds ANSI/BIFMA standards

Control switch — standard with 3-position memory settings

Base consists of 14-gauge steel columns and a rigid 14-gauge cross brace

Due to the precision alignment of the height-adjustable columns, it is imperative the unit is properly leveled for optimum performance



Smooth Black




Metallic Silver



Electric height adjustable bases comply with the GREENGUARD Environmental Institute's GREENGUARD Indoor Air Quality standards for low-emitting products and materials.

From the Top Down


The adjustable cross channels make ordering ESI adjustable tables quick, easy and offer extreme flexibility. There are three major choices that need to be made when ordering a Gravity Series electric table.



1 Define The Work Surface Shape

The work surface can be new or existing. For new work surfaces, refer to the part number explanation to the right. You may also use the easy-order chart on pages 28 and 29.

3EC603824




2 Match it with a Leg Base

Rectangles and corner diagonals require a 2-leg base. For L-shape work surfaces, a 3-leg base is needed. Choose either black or metallic silver finish.

3 Choose the Appropriate Cross Channel

The appropriate cross channel is chosen by the length of the side(s) of the work surface. Cross channels are available to fit work surfaces between 32" - 51" and 52" - 96".

3E-C5C3-23-S



Work Surface + Table Base
3EC603824 3E-C5C3-23-S

CRANK Series



Hand Crank

The hand crank adjustable table features structural steel tubing and a durable powder coat finish complemented by rounded columns, a cable management system and cascade feet.

The crank base adjusts the height of the work surface at a rate of 1" of lifting movement per 5 turns of the crank mechanism with loads of up to 250 lbs. The work surface adjustment has a total range of 16", enabling the work surface to be adjusted from 26" to 42" in height.



Simple

Crank turns easily for height adjustment



Smart

Integrated cable management system




Built to Last

Durable structural steel tubing for strength and stability

Features


- 5 turns per inch crank mechanism
- Leveling glide adjustment
- Multiple base widths available
- Load capacity: 250 lbs
- Structural steel tube construction for stability
- Rounded columns and cascade feet provide an aesthetic solution for any environment
- Excellent knee space and/or storage for mobile ped files
- Meets all ANSI/BIFMA requirements
- Work surface adjustment range of 16" (26" - 42")
- Pass-through cable management access holes and internal raceway in cross brace
- Available in Smooth Black only




Ordering Adjustable Tables

Laminate Colors

Standard laminates available from Wilsonart and Pionite are included in the price of the work surface. Laminates other than the listed standards are available upon request. T-mold edge detail is standard on work surfaces. Call Customer Service to inquire about T-mold and laminate options.




Folkstone Grey



Hard Rock Maple



Shaker Cherry



Alabaster White

Note: Due to printing limitations, colors are not guaranteed to be accurately reproduced

Custom Work Surface Shapes

Work surfaces are available in a variety of shapes and sizes. Additional shapes and sizes are available upon request. Contact Customer Service for assistance.







Freight Terms

For adjustable table base and/or work surface orders totaling under \$5,000 List, a 5% shipping fee (of the total List) will be charged. To meet the minimum total, orders must be shipped to one location, dock-to-dock. Call ESI for delivery information.



Two-leg Tables

Use the Information below to locate the work surface shape and dimension. Continue across the chart to determine the appropriate table base. Bases and work surfaces are ordered separately.










WORK SURFACE SHAPE	WORK SURFACE DIMENSIONS		LLT WORK SURFACES		ELECTRIC TABLE BASE B = Black S = Silver Finish		LLT CRANK TABLE BASE Black Finish Only	
			PART #	LIST PRICE	PART #	LIST PRICE	PART #	LIST PRICE
RECTANGLE	36	24	2R3624	\$318	2E-C3-23-B/S	\$1,989	ATCK3224B0	\$1,334
	42	24	2R4224	\$349	2E-C3-23-B/S	\$1,989	ATCK3824B0	\$1,373
	48	24	2R4824	\$366	2E-C3-23-B/S	\$1,989	ATCK4424B0	\$1,490
	60	24	2R6024	\$404	2E-C5-23-B/S	\$2,034	ATCK5624B0	\$1,591
	72	24	2R7224	\$436	2E-C5-23-B/S	\$2,034	ATCK5624B0	\$1,591
	36	30	2R3630	\$349	2E-C3-26-B/S	\$1,989	ATCK3224B0	\$1,334
	42	30	2R4230	\$396	2E-C3-26-B/S	\$1,989	ATCK3824B0	\$1,373
	48	30	2R4830	\$416	2E-C3-26-B/S	\$1,989	ATCK4424B0	\$1,490
	60	30	2R6030	\$470	2E-C5-26-B/S	\$2,034	ATCK5624B0	\$1,591
	72	30	2R7230	\$517	2E-C5-26-B/S	\$2,034	ATCK5624B0	\$1,591
	42	42	2EC424224	\$567	2E-C3-26-B/S	\$1,989	ATCK2624B0	\$1,319
	48	48	2EC484824	\$595	2E-C3-26-B/S	\$1,989	ATCK3224B0	\$1,334
SMALL EQUAL CORNER	42	42	2EC424224	\$567	2E-C3-26-B/S	\$1,989	ATCK2624B0	\$1,319
	48	48	2EC484824	\$595	2E-C3-26-B/S	\$1,989	ATCK3224B0	\$1,334
PENINSULA LEFT	60	30	2PL6030	\$470	2E-C5-26-B/S	\$2,034	ATCK5624B0	\$1,591
	72	30	2PL7230	\$517	2E-C5-26-B/S	\$2,034	ATCK5624B0	\$1,591
PENINSULA RIGHT	60	30	2PR6030	\$470	2E-C5-26-B/S	\$2,034	ATCK5624B0	\$1,591
	72	30	2PR7230	\$517	2E-C5-26-B/S	\$2,034	ATCK5624B0	\$1,591
P-PENINSULA LEFT	60	36	2P-PL603630	\$572	2E-C5-26-B/S	\$2,034	ATCK5624B0	\$1,591
	72	36	2P-PL723630	\$660	2E-C5-26-B/S	\$2,034	ATCK5624B0	\$1,591
P-PENINSULA RIGHT	60	30	2P-PR603036	\$572	2E-C5-26-B/S	\$2,034	ATCK5624B0	\$1,591
	72	30	2P-PR723036	\$660	2E-C5-26-B/S	\$2,034	ATCK5624B0	\$1,591



Three-leg Tables

Use the Information below to locate the work surface shape and dimension. Continue across the chart to determine the appropriate table base. Bases and work surfaces are ordered separately.



WORK SURFACE SHAPE	WORK SURFACE DIMENSIONS			LLT WORK SURFACES		ELECTRIC TABLE BASE B = Black S = Silver Finish	
	W/L	W/R	D	PART #	LIST PRICE	PART #	LIST PRICE
LARGE EQUAL CORNER	60	60	24	3EC606024	\$828	3E-C5C5-23-B/S	\$3,309
	60	60	30	3EC606030	\$869	3E-C5C5-26-B/S	\$3,309
OFFSET CORNER LEFT	60	36	24	3OCL603624	\$572	3E-C3C5-23-B/S	\$3,264
	60	42	24	3OCL604224	\$716	3E-C3C5-23-B/S	\$3,264
	60	48	24	3OCL604824	\$752	3E-C3C5-23-B/S	\$3,264
	72	36	24	3OCL723624	\$660	3E-C3C5-23-B/S	\$3,264
	72	42	24	3OCL724224	\$832	3E-C3C5-23-B/S	\$3,264
	72	48	24	3OCL724824	\$874	3E-C3C5-23-B/S	\$3,264
	72	60	24	3OCL726024	\$934	3E-C5C5-23-B/S	\$3,309
	60	42	30	3OCL604230	\$716	3E-C3C5-26-B/S	\$3,264
	60	48	30	3OCL604830	\$752	3E-C3C5-26-B/S	\$3,264
	72	42	30	3OCL724230	\$832	3E-C3C5-26-B/S	\$3,264
	72	48	30	3OCL724830	\$874	3E-C3C5-26-B/S	\$3,264
	72	60	30	3OCL726030	\$934	3E-C5C5-26-B/S	\$3,309
OFFSET CORNER RIGHT	36	60	24	3OCR366024	\$572	3E-C3C5-23-B/S	\$3,264
	42	60	24	3OCR426024	\$716	3E-C3C5-23-B/S	\$3,264
	48	60	24	3OCR486024	\$752	3E-C3C5-23-B/S	\$3,264
	36	72	24	3OCR367224	\$660	3E-C3C5-23-B/S	\$3,264
	42	72	24	3OCR427224	\$832	3E-C3C5-23-B/S	\$3,264
	48	72	24	3OCR487224	\$874	3E-C3C5-23-B/S	\$3,264
	60	72	24	3OCR607224	\$934	3E-C5C5-23-B/S	\$3,309
	42	60	30	3OCR426030	\$716	3E-C3C5-26-B/S	\$3,264
	48	60	30	3OCR486030	\$752	3E-C3C5-26-B/S	\$3,264
	42	72	30	3OCR427230	\$832	3E-C3C5-26-B/S	\$3,264
	48	72	30	3OCR487230	\$874	3E-C3C5-26-B/S	\$3,264
	60	72	30	3OCR607230	\$934	3E-C5C5-26-B/S	\$3,309
PENINSULA LEFT	72	48	30	3PL724830	\$832	3E-C3C5-26-B/S	\$3,264
	72	60	30	3PL726030	\$934	3E-C5C5-26-B/S	\$3,309
PENINSULA RIGHT	48	72	30	3PR487230	\$832	3E-C3C5-26-B/S	\$3,264
	60	72	30	3PR607230	\$934	3E-C5C5-26-B/S	\$3,309
P-PENINSULA LEFT	72	48	30	3P-PL724830	\$934	3E-C3C5-26-B/S	\$3,264
	72	54	30	3P-PL725430	\$971	3E-C5C5-26-B/S	\$3,309
P-PENINSULA RIGHT	48	72	30	3P-PR487230	\$934	3E-C3C5-26-B/S	\$3,264
	54	72	30	3P-PR547230	\$971	3E-C5C5-26-B/S	\$3,309




Additional Product Images

ESI understands that standard ergonomic products do not always meet the needs of a specialized work environment. As a result, many of the products we offer are modular in nature allowing for greater flexibility when a custom product or configuration is needed.

ESI is willing to take the time help you create a solution that meets your criteria. Whether it be an alternate monitor configuration,

combining two or more products to achieve a solution, or simply cutting down a track, ESI can create the right product solution to meet the needs of your unique work environment.

Contact our Customer Service Department today and see how easy it can be to create the perfect ergonomic solution.





PL217
Switch-n-Click platform



PL217
Switch-n-Click platform



TITAN Series
Height Adjustment



JOURNEY Cart
Blood pressure cuff holder & power cord
storage hook



PL217NAT
Keyboard Platform



KALIBUR2
Dual cross bar with quick-disconnect VESA mount



TITAN Series - Standard monitor mount



TITAN Series - Fold-up keyboard platform



PL003CC - Mounted in corner diagonal



MMFS3 - rear view

APOLLO 6-EC
PACCPU-MINI - Wall mounted above track



WOW - Mobile Cart shown with:
AA904WM - Keyboard tray
WOWPPL - Printer platform



Environmentally Sensible

At ESI Ergonomic Solutions, we place a high priority on environmental concerns and are continuously working to recycle, reuse and refurbish materials and supplies.



We believe that protecting Earth's delicate ecological structure is not only a sound business policy — it's good common sense.

We pledge to:

- Continuously improve product design, manufacturing practices and procedures for use in the most sensible ways to protect our ecological structure
- Comply with all environmental laws by meeting or exceeding established minimum standards
- Strive to design working environments that facilitate efficiency, safety and comfort for the user
- Conserve natural resources in order to preserve our ecological environment
- Partner with ISO 9001 and RoHS compliant suppliers



ESI - Chicago

The ESI Chicago showroom is located on the tenth floor, 10-100, of the Merchandise Mart. The goal when creating the showroom was to present the most popular products as well as provide a comfortable space for dealers and customers to gather and communicate. It also gave us the opportunity to showcase our healthcare and educational products.

The showroom reflects our mission as a company . . . Fast, Flexible and Friendly.

esi ergonomic solutions

Ordering Is Simple!

If you need assistance, call our Customer Service Department. We're happy to answer your questions or provide recommendations for your ergonomic needs.

Customer Service: 800.833.3746
Main: 480.517.1871
Fax: 480.517.1872
Website: www.esiergo.com
Email: info@esiergo.com

Email your order to:
orders@esiergo.com

WOMAN-OWNED
Small Business




Contract Holder



Platform Options

Need a custom width? Our platforms are manufactured on site at our factory allowing for easy customization.

Call Customer Service for pricing.



P-Series Material (Standard)

- Rigid phenolic black laminate
- Slimline — 1/4" thickness
- High-tech appearance


R-Series Material

Made from 100% post consumer materials



- Extruded high density polyethylene material (HDPE)
- 1/2" thickness
- Extremely durable
- 100% recyclable

Most platforms are available in our environmentally friendly R-Series material



Terms and Conditions

PAYMENT AND CREDIT TERMS

To establish an account, Customer will submit completed Credit Application signed by company officer, Federal Tax ID W-9 Form and State Re-Sale Certificate. Once approved, payment terms are net 30 days.

Prior to customer's credit approval (with receipt of required documents), payment may be provided with credit card. ESI accepts corporate checks, VISA, MasterCard and American Express.

Past Due Accounts: Open orders or pending shipments will be held until account is brought current. ESI reserves the right to amend account terms, at any time, based on account history. Contact Accounting for details.

Deposits: Subject to sales and credit history, deposit may be required to process large orders.

PURCHASE ORDER SUBMISSION

Purchase Orders should be submitted via email to orders@esiergo.com. POs should include "Ship To" and "Bill To" information along with complete Product PART numbers and Customer cost. Incomplete POs may delay processing pending completion of all necessary information.

ORDER CHANGES or CANCELLATIONS

All cancellations and changes must be submitted to ESI in writing to orders@esiergo.com. Order changes are defined as the deletion of line items or changes in quantity or requested Ship Date or Ship To address. Order changes that result in a quantity reduction may be subject to an adjustment in pricing. Changes or cancellations may be made up to 24 hours after order Acknowledgement is sent at no additional charge. A fee totaling 10% of Net will be charged for cancellations after this 24-hour period up to 11AM the day the order is scheduled to ship. Orders cancelled after 11AM on the date of the shipment may incur a restocking charge of up to 25% of Net. Change or cancellation requests are not considered accepted until ESI provides a revised Order Acknowledgement.

Under no circumstances will changes or cancellations be accepted on any order, special order, custom product or custom order specification without the express written consent of ESI.

TAXES

ESI is not responsible for collection of sales tax on products sold to dealers. Dealer must provide Federal Tax ID Form and State Resale Certificate to establish an open account with ESI.

PRICING

ESI reserves the right to revise all prices, discounts, and freight terms, at any time, without notice. Current product pricing is included on product pages at www.esiergo.com. Prices which are in effect at time of order shall apply. Orders with requested ship dates of more than 90 days from receipt by ESI are subject to current/active pricing at shipment date.

Adjustable Table orders totaling under \$5,000 LIST will incur a 5% shipping fee (of the total LIST price). To meet the minimum total, orders must be shipped at the same time to one location, dock-to-dock.

SHIPPING and DROP-SHIPPING

Orders are reviewed, processed and shipped within 48 hours of receipt of a Customer's Purchase Order unless otherwise requested for customers with an open account in good credit standing. Orders which include products designated as "LLT" (Longer Lead Time), custom products, or non-catalog items are not included in this policy. Large orders may also require additional lead time.

ESI ships orders by way of standard ground carrier service dock-to-dock within the contiguous 48 states. Special requests such as "call before delivery", "delivery lift-gate required", residential delivery or re-routed deliveries may not be available or may be subject to additional charges.

Contact Customer Service for expedited service requests or deliveries outside of the contiguous 48 states.

Orders under \$75 Net will incur a \$14.99 flat shipping fee.

DELIVERY – DAMAGE /CLAIMS

ESI securely packages products to reduce risk of damage during shipment. ESI verifies order quantity and weight with carrier before any shipments are sent. When receiving an order, first confirm quantity of boxes delivered with carrier's quantity and inspect boxes for signs of damage. Carrier must record damages or shortages at time of delivery or claims will not be accepted. Do not sign for the shipment until it is verified. Signing a freight bill without any notation relieves the carrier of any responsibility and serves as your acknowledgement to ESI that shipment was received in full. Shortages or hidden damage found upon opening the shipment must be reported to ESI in writing within five (5) business days of delivery or customer waives right to submit a claim. Damaged freight must not be removed from point of delivery and must remain in original packaging for inspection by carrier. ESI is not responsible for damages or shortages occurring after delivery. ESI reserves the right to request return of damaged or defective products.

RETURNS

Request for product returns must be made to ESI within 60 days of receipt of the product. Custom or non-catalog products are non-returnable. Contact ESI Customer Service by email customerservice@esiergo.com or phone 800.833.3746 to request a Return Authorization (RA) Number. Please have the original Purchase Order number or ESI Order number available. Once the RA documentation is issued, the product along with a copy of the RA form must be received at ESI within 30 days. Package(s) should be sent to:

ESI Ergonomic Solutions
ATTN: Returns Department
4030 East Quenton Drive, Suite 101
Mesa, AZ 85215

- Products returned to ESI without having been issued a Return Authorization or those not meeting the return requirements will not be eligible for credit.
- A re-stocking fee of 25% will apply to all non-warranty returns.
- To protect your return against loss, we recommend choosing a carrier who will provide tracking information and the ability to insure the shipment.
- Products which have been fully or partially assembled are not returnable.
- Products must be returned in undamaged, re-sellable condition and in original packaging.
- Products should be carefully repacked to avoid damage during return shipping. Claims for product damaged on the return shipment are the responsibility of the customer.
- Products must be received at ESI's Warehouse within 30 days of the date of the Return Authorization to be eligible for credit. Products received after this date will not receive credit.

Upon receipt the product will be inspected to ensure it meets ESI's return guidelines. Once approved, the original form of payment will be credited appropriately or a replacement will be sent. No credit will be issued for unauthorized product returns or those not meeting return guidelines. Do not make any adjustments to your account until receipt of ESI Credit Memo. Costs associated with installation, return shipping, etc. of returned products will not be reimbursed. Please allow up to 30 days for returns processing.

WARRANTY

Complete warranty information is available upon request.

ESI will repair or replace any product that is determined to be defective after inspection by an authorized ESI representative. Warranty shall apply to original purchaser only and request must be submitted with original Purchase Order number.

Warranties are based on normal installation and use of products in a standard 8-hour shift. Warranty does not apply to damage in shipment caused by carriers, damage caused during installation, normal wear and tear, use or conditions. Products that are modified or tampered with in any way by any person other than an authorized ESI Representative will not be covered under warranty. Costs (such as installation, labor fees or express shipping) incurred due to replacement of products will not be covered under warranty.



800.833.3746

esiergo.com

orders@esiergo.com

Factory & Showroom

4030 E. Quenton Drive
Mesa, Arizona 85215

Mailing Address

P.O. Box 21239
Mesa, Arizona 85277-1239

Chicago Showroom

Merchandise Mart
Showroom 10-100