

# FLO CONTROL® PRICE LIST

## HOW TO ORDER PRODUCT


Go to [ndspro.net](http://ndspro.net) and login, or register for a new account if you are new to this site. Once you have logged in, use Shop on the main menu to place your order. Call Customer Service at 800-726-1994 or send a fax to 800-726-1998. International customers call 559-334-1183. Send an email to [nds@ndspro.com](mailto:nds@ndspro.com).

## HOW TO ORDER LITERATURE

Go to [ndspro.net](http://ndspro.net) and login, or register for a new account if you are new to this site. Once you have logged in, use Literature Direct on the main menu to place your order for literature and samples.

## HOW TO TRACK YOUR ORDER





Keep track of your order online at [ndspro.net](http://ndspro.net). If you are new to this site, register for a new account. After logging in, check under "Tools" for the "Order Status" option.





## CONTENTS

|                                               |                   |
|-----------------------------------------------|-------------------|
| <b>COMPRESSION FITTINGS / WRENCHES</b>        | <b>44-45</b>      |
| <b>EXPANSION REPAIR COUPLINGS</b>             | <b>45</b>         |
| <b>FLO-LOCK™ TRANSITION FITTINGS</b>          | <b>46-47</b>      |
| <b>SCREENS TO MAKE FOOT VALVES</b>            | <b>47</b>         |
| <b>SPRING CHECK VALVES</b>                    | <b>48-50</b>      |
| <b>SWING CHECK VALVES</b>                     | <b>50-51</b>      |
| <b>SUMP PUMP &amp; CHECKMATE CHECK VALVES</b> | <b>51</b>         |
| <b>POOL VALVES</b>                            | <b>52</b>         |
| <b>BALL VALVES</b>                            | <b>52</b>         |
| <b>UNIONS</b>                                 | <b>53</b>         |
| <b>FIRE HYDRANT CAP</b>                       | <b>53</b>         |
| <b>FLO-TAP™ SADDLES</b>                       | <b>53</b>         |
| <b>CLAMP-IT™ SADDLES</b>                      | <b>54</b>         |
| <b>FLO CONTROL® INDEX</b>                     | <b>55</b>         |
| <b>WARRANTY AND TERMS</b>                     | <b>BACK COVER</b> |

# IPS COUPLINGS, TEES & ADAPTERS

|                                                                                                                                     | Part No. | IPS Size<br>UC Connection |                            | Body<br>Length | Color | Pkg.<br>Qty. | Case<br>(lbs.) | List Price<br>(EA) | Product<br>Class |
|-------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------|----------------------------|----------------|-------|--------------|----------------|--------------------|------------------|
| <b>Couplings – PVC</b><br>                         | 110-05   | ½"                        |                            | 4"             | White | 28           | 8.5            | 3.49               | 41CF             |
|                                                                                                                                     | 110-07   | ¾"                        |                            | 4¼"            | White | 24           | 9.0            | 4.72               | 41CF             |
|                                                                                                                                     | 110-10   | 1"                        |                            | 4½"            | White | 15           | 7.5            | 6.07               | 41CF             |
|                                                                                                                                     | 110-12   | 1¼"                       |                            | 5"             | White | 10           | 7.5            | 9.41               | 41CF             |
|                                                                                                                                     | 110-15   | 1½"                       |                            | 5½"            | White | 16           | 15.5           | 9.72               | 41CF             |
|                                                                                                                                     | 110-20   | 2"                        |                            | 6"             | White | 12           | 15.5           | 12.77              | 41CF             |
|                                                                                                                                     | 110-25   | 2½"                       |                            | 8"             | White | 3            | 6.0            | 23.84              | 41CF             |
|                                                                                                                                     | 110-30   | 3"                        |                            | 9"             | White | 3            | 9.9            | 31.13              | 41CF             |
|                                                                                                                                     | 110-40   | 4"                        |                            | 10"            | White | 3            | 13.5           | 51.25              | 41CF             |
|                                                                                                                                     | 110-60   | 6"                        |                            | 10"            | White | 1            | 7.0            | 115.41             | 41CF             |
| <b>Couplings – CPVC</b>                                                                                                             | 310-05   | ½"                        |                            | 4"             | Tan   | 28           | 9.0            | 7.15               | 41CF             |
|                                                                                                                                     | 310-07   | ¾"                        |                            | 4¼"            | Tan   | 24           | 10.5           | 9.89               | 41CF             |
|                                                                                                                                     | Part No. | IPS Size<br>UC Connection | IPS<br>Branch              | Body<br>Length | Color | Pkg.<br>Qty. | Case<br>(lbs.) | List Price<br>(EA) | Product<br>Class |
| <b>Threaded Tee</b><br>                            | 120-05   | ½"                        | ½" FPT                     | 4"             | White | 24           | 7.5            | 5.47               | 41CF             |
|                                                                                                                                     | 120-07   | ¾"                        | ¾" FPT                     | 4¼"            | White | 20           | 9.0            | 6.32               | 41CF             |
|                                                                                                                                     | 120-10   | 1"                        | 1" FPT                     | 4½"            | White | 15           | 9.0            | 9.03               | 41CF             |
|                                                                                                                                     | 120-12   | 1¼"                       | 1¼" FPT                    | 5"             | White | 15           | 13.5           | 12.26              | 41CF             |
|                                                                                                                                     | 120-15   | 1½"                       | 1½" FPT                    | 5½"            | White | 12           | 13.5           | 13.51              | 41CF             |
|                                                                                                                                     | 120-20   | 2"                        | 2" FPT                     | 6"             | White | 10           | 14.5           | 17.09              | 41CF             |
| <b>Slip Tee</b><br>                                | 121-05   | ½"                        | ½" S                       | 4"             | White | 24           | 7.5            | 5.47               | 41CF             |
|                                                                                                                                     | 121-07   | ¾"                        | ¾" S                       | 4¼"            | White | 20           | 8.5            | 6.32               | 41CF             |
|                                                                                                                                     | 121-10   | 1"                        | 1" S                       | 4½"            | White | 15           | 8.5            | 9.03               | 41CF             |
|                                                                                                                                     | 121-12   | 1¼"                       | 1¼" S                      | 5"             | White | 15           | 12.5           | 12.26              | 41CF             |
|                                                                                                                                     | 121-15   | 1½"                       | 1½" S                      | 5½"            | White | 12           | 12.5           | 13.51              | 41CF             |
|                                                                                                                                     | 121-20   | 2"                        | 2" S                       | 6"             | White | 10           | 14.0           | 17.09              | 41CF             |
| <b>Reducing Tee with<br/>Threaded Outlet</b><br> | 122-75   | ¾"                        | ½" FPT                     | 4¼"            | White | 20           | 8.0            | 5.99               | 41CF             |
|                                                                                                                                     | 122-15   | 1½"                       | ¾" FPT                     | 5½"            | White | 12           | 12.5           | 14.99              | 41CF             |
|                                                                                                                                     | Part No. | IPS Size<br>UC Connection | IPS Size<br>MPT Connection |                | Color | Pkg.<br>Qty. | Case<br>(lbs.) | List Price<br>(EA) | Product<br>Class |
| <b>PVC Male Adapter</b><br>                      | 130-05   | ½"                        | ½" MPT                     |                | White | 25           | 4.0            | 3.35               | 41CF             |
|                                                                                                                                     | 130-07   | ¾"                        | ¾" MPT                     |                | White | 20           | 4.0            | 3.95               | 41CF             |
|                                                                                                                                     | 130-10   | 1"                        | 1" MPT                     |                | White | 30           | 9.0            | 4.83               | 41CF             |
|                                                                                                                                     | 130-12   | 1¼"                       | 1¼" MPT                    |                | White | 20           | 8.0            | 7.29               | 41CF             |
|                                                                                                                                     | 130-15   | 1½"                       | 1½" MPT                    |                | White | 16           | 8.0            | 7.64               | 41CF             |
|                                                                                                                                     | 130-20   | 2"                        | 2" MPT                     |                | White | 12           | 8.5            | 9.46               | 41CF             |


# CTS COUPLINGS, TEES & ADAPTERS

|                                                                                                                | Part No. | CTS<br>Size |               | Body<br>Length | Color | Pkg.<br>Qty. | Case<br>(lbs.) | List Price<br>(EA) | Product<br>Class |
|----------------------------------------------------------------------------------------------------------------|----------|-------------|---------------|----------------|-------|--------------|----------------|--------------------|------------------|
| <b>PVC Couplings</b><br>    | 210-05   | ½" UC       |               | 4"             | White | 25           | 4.0            | 4.09               | 41CF             |
|                                                                                                                | 210-07   | ¾" UC       |               | 4"             | White | 28           | 8.0            | 5.08               | 41CF             |
|                                                                                                                | 210-10   | 1" UC       |               | 4¼"            | White | 24           | 9.5            | 6.32               | 41CF             |
|                                                                                                                | 210-12   | 1¼" UC      |               | 4½"            | White | 15           | 8.0            | 8.89               | 41CF             |
|                                                                                                                | 210-15   | 1½" UC      |               | 5"             | White | 10           | 8.0            | 12.16              | 41CF             |
|                                                                                                                | 210-20   | 2" UC       |               | 6"             | White | 12           | 14.0           | 16.86              | 41CF             |
| <b>CPVC Couplings</b><br>   | 410-05   | ½" UC       |               | 4"             | Tan   | 25           | 4.4            | 6.24               | 41CF             |
|                                                                                                                | 410-07   | ¾" UC       |               | 4"             | Tan   | 28           | 8.0            | 8.27               | 41CF             |
|                                                                                                                | 410-10   | 1" UC       |               | 4½"            | Tan   | 24           | 10.0           | 10.03              | 41CF             |
|                                                                                                                | Part No. | CTS<br>Size | IPS<br>Branch | Body<br>Length | Color | Pkg.<br>Qty. | Case<br>(lbs.) | List Price<br>(EA) | Product<br>Class |
| <b>PVC Threaded Tee</b><br> | 220-05   | ½" UC       | ½" FPT        | 4"             | White | 36           | 7.5            | 5.94               | 41CF             |
|                                                                                                                | 220-07   | ¾" UC       | ¾" FPT        | 4"             | White | 24           | 7.5            | 7.74               | 41CF             |
|                                                                                                                | 220-10   | 1" UC       | 1" FPT        | 4¼"            | White | 18           | 9.0            | 10.24              | 41CF             |
|                                                                                                                | 220-12   | 1¼" UC      | 1¼" FPT       | 4½"            | White | 12           | 8.5            | 13.98              | 41CF             |
|                                                                                                                | 220-15   | 1½" UC      | 1½" FPT       | 5"             | White | 15           | 14.5           | 15.58              | 41CF             |
|                                                                                                                | 220-20   | 2" UC       | 2" FPT        | 6"             | White | 10           | 14.0           | 24.21              | 41CF             |

Note: All dimensions are nominal. All weights are for shipping purposes only. Availability is subject to change.

For customer service, please send your fax to: 1-800-726-1998 or call 1-800-726-1994.


## CTS COUPLINGS, TEES & ADAPTERS

|                                                                                                                | Part No. | CTS Size       | IPS Branch | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|----------------------------------------------------------------------------------------------------------------|----------|----------------|------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>CPVC Threaded Tee</b><br>  | 420-05   | ½" UC          | 2 ½" FPT   | 4"          | Tan   | 36        | 8.0         | 6.99            | 41CF          |
|                                                                                                                | 420-07   | ¾" UC          | 2 ¾" FPT   | 4"          | Tan   | 24        | 8.8         | 9.23            | 41CF          |
|                                                                                                                | Part No. | CTS Size       |            |             | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
| <b>PVC Spigot Adapter</b><br> | 1137-35  | ½" S x ¾" Tube |            |             | White | 300       | 10.0        | 4.96            | 41FL          |

## WRENCHES

|                                                                                                                         | Part No. | For Use with IPS Compression Size | Color     | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|-------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------------|-----------|-----------|-------------|-----------------|---------------|
| <b>Aluminum Wrenches</b><br>           | W00-25   | 2 ½"                              | Aluminium | 1         | 1.75        | 74.69           | 41CF          |
|                                                                                                                         | W00-30   | 3"                                | Aluminium | 1         | 1.85        | 81.74           | 41CF          |
|                                                                                                                         | W00-40   | 4"                                | Aluminium | 1         | 2.25        | 94.96           | 41CF          |
|                                                                                                                         | W00-60   | 6"                                | Aluminium | 1         | 3.45        | 116.47          | 41CF          |
| <b>Strap Wrenches (Adjustable)</b><br> | BOA-104  | ½" - 4"                           |           | 50        | 0.85        | 34.35           | 41CF          |
|                                                                                                                         | BOA-106  | ½" - 6"                           |           | 50        | 1.00        | 37.78           | 41CF          |

## EXPANSION REPAIR COUPLINGS

|                                                                                                                      | Part No. | IPS Size (S x Spg) | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|----------------------------------------------------------------------------------------------------------------------|----------|--------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>Pro-Span™ - Non Union</b><br>  | 118-05   | ½"                 | 5 ½"        | White | 28        | 6.5         | 5.05            | 41XC          |
|                                                                                                                      | 118-07   | ¾"                 | 5 ¾"        | White | 24        | 8.0         | 5.26            | 41XC          |
|                                                                                                                      | 118-10   | 1"                 | 6 ⅞"        | White | 15        | 8.8         | 6.22            | 41XC          |
|                                                                                                                      | 118-12   | 1 ¼"               | 7 ⅞"        | White | 10        | 8.5         | 11.46           | 41XC          |
|                                                                                                                      | 118-15   | 1 ½"               | 9 ½"        | White | 16        | 19.0        | 12.56           | 41XC          |
|                                                                                                                      | 118-20   | 2"                 | 9 ⅞"        | White | 12        | 18.5        | 19.61           | 41XC          |
|                                                                                                                      | 118-25   | 2 ½"               | 13 ⅞"       | White | 3         | 10.0        | 33.04           | 41XC          |
|                                                                                                                      | 118-30   | 3"                 | 15 ¼"       | White | 3         | 13.0        | 41.32           | 41XC          |
|                                                                                                                      | 118-40   | 4"                 | 16 ¾"       | White | 3         | 20.5        | 72.22           | 41XC          |
| <b>Flo-Span™ - With Union</b><br> | 117-05   | ½"                 | 5 ¾"        | White | 28        | 9.0         | 5.05            | 41XC          |
|                                                                                                                      | 117-07   | ¾"                 | 6 ¾"        | White | 24        | 10.7        | 5.26            | 41XC          |
|                                                                                                                      | 117-10   | 1"                 | 7 ¾"        | White | 15        | 12.0        | 6.22            | 41XC          |
|                                                                                                                      | 117-12   | 1 ¼"               | 9"          | White | 10        | 11.0        | 11.46           | 41XC          |
|                                                                                                                      | 117-15   | 1 ½"               | 10"         | White | 16        | 21.8        | 12.56           | 41XC          |
|                                                                                                                      | 117-20   | 2"                 | 10 ½"       | White | 12        | 21.5        | 19.61           | 41XC          |

## FLO-LOCK™ TUBE SIZE SIDR-7 COUPLINGS & ADAPTERS – SERIES 800

|                                                                                                              | Part No. | Tube Size | Connection Size    | Length (inches) | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|--------------------------------------------------------------------------------------------------------------|----------|-----------|--------------------|-----------------|-------|-----------|-------------|-----------------|---------------|
| <b>Coupling</b><br>       | 810-07   | ¾"        | ¾" x ¾" TS         | 4 ½"            | White | 24        | 9.5         | 14.45           | 41FL          |
|                                                                                                              | 810-10   | 1"        | 1" x 1" TS         | 4 ½"            | White | 15        | 8.2         | 18.27           | 41FL          |
|                                                                                                              | 810-12†  | 1 ¼"      | 1 ¼" x 1 ¼" TS     | 5"              | White | 10        | 7.7         | 28.39           | 41FL          |
| <b>Male Adapter</b><br>   | 830-07   | ¾"        | ¾" MPT x ¾" TS     | 2 ⅝"            | White | 20        | 4.5         | 9.54            | 41FL          |
|                                                                                                              | 830-10   | 1"        | 1" MPT x 1" TS     | 2 ⅞"            | White | 28        | 9.0         | 11.94           | 41FL          |
|                                                                                                              | 830-12   | 1 ¼"      | 1 ¼" MPT x 1 ¼" TS | 3 ⅞"            | White | 16        | 7.3         | 18.87           | 41FL          |
|                                                                                                              | 830-71   | ¾" x 1"   | ¾" MPT x 1" TS     | 2 ⅞"            | White | 18        | 4.0         | 10.74           | 41FL          |
|                                                                                                              | 830-121  | 1" x 1 ¼" | 1" MPT x 1 ¼" TS   | 3"              | White | 12        | 4.3         | 15.99           | 41FL          |
| <b>Female Adapter</b><br> | 831-07   | ¾"        | ¾" FPT x ¾" TS     | 2 ⅝"            | White | 20        | 6.0         | 10.74           | 41FL          |
|                                                                                                              | 831-10   | 1"        | 1" FPT x 1" TS     | 2 ⅞"            | White | 28        | 10.0        | 15.87           | 41FL          |

† Insert stiffeners must be used with this fitting.



## FLO-LOCK™ TUBE SIZE SDR-7 COUPLINGS & ADAPTERS – SERIES 800

|                                                                                                            | Part No. | Tube Size | Connection Size | Length (inches) | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|------------------------------------------------------------------------------------------------------------|----------|-----------|-----------------|-----------------|-------|-----------|-------------|-----------------|---------------|
| <b>Spigot Adapter</b><br> | 833-07   | ¾"        | IPS Spg x ¾" TS | 3"              | White | 20        | 4.5         | 9.54            | 41FL          |
|                                                                                                            | 833-71   | ¾"        | IPS Spg x 1" TS | 3"              | White | 20        | 5.0         | 9.77            | 41FL          |
|                                                                                                            | 833-10   | 1"        | IPS Spg x 1" TS | 3"              | White | 28        | 9.0         | 10.16           | 41FL          |

## FLO-LOCK™ TUBE SIZE SDR-13.5 IPS COUPLINGS & ADAPTERS – SERIES 500

|                                                                                                            | Part No. | Tube Size | Connection Size | Length (inches) | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|------------------------------------------------------------------------------------------------------------|----------|-----------|-----------------|-----------------|-------|-----------|-------------|-----------------|---------------|
| <b>Coupling</b><br>       | 510-10   | 1"        | 1" TS x 1" TS   | 4½"             | White | 24        | 9.0         | 14.49           | 41FL          |
| <b>Spigot Adapter</b><br> | 533-10   | 1"        | 1" Spg x 1" TS  | 2 7⁄8"          | White | 18        | 3.5         | 8.31            | 41FL          |

## FLO-LOCK™ TUBE SIZE SDR-9 CTS COUPLINGS & ADAPTERS – SERIES 700

|                                                                                                              | Part No.  | Tube Size | Connection Size      | Length (inches) | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|--------------------------------------------------------------------------------------------------------------|-----------|-----------|----------------------|-----------------|-------|-----------|-------------|-----------------|---------------|
| <b>Coupling</b><br>         | 710-07    | ¾"        | ¾" x ¾" TS           | 4"              | White | 35        | 10.0        | 14.31           | 41FL          |
|                                                                                                              | 710-10    | 1"        | 1" x 1" TS           | 4½"             | White | 24        | 8.8         | 16.92           | 41FL          |
|                                                                                                              | 710-17    | 1"        | SDR-9 x ¾" SDR-11    | 4"              | White | 36        | 12.0        | 20.17           | 41FL          |
|                                                                                                              | 710-12    | 1¼"       | 1 1⁄4" x 1¼" TS      | 5"              | White | 15        | 7.0         | 25.77           | 41FL          |
|                                                                                                              | 710-15†   | 1½"       | 1½" x 1½" TS         | 5"              | White | 16        | 9.5         | 29.33           | 41FL          |
|                                                                                                              | 710-20†   | 2"        | 2" x 2" TS           | 5½"             | White | 12        | 10.0        | 39.38           | 41FL          |
|                                                                                                              | 710-17-9  | 1"        | 1" x ¾" SDR          | 4"              | White | 36        | 2.0         | 20.17           | 41FL          |
| <b>Male Adapter</b><br>   | 730-07    | ¾"        | ¾" MPT x ¾" TS       | 2 5⁄8"          | White | 25        | 4.0         | 8.73            | 41FL          |
|                                                                                                              | 730-71    | ¾" x 1"   | ¾" MPT x 1" TS       | 2 7⁄8"          | White | 18        | 4.0         | 10.74           | 41FL          |
|                                                                                                              | 730-10    | 1"        | 1" MPT x 1" TS       | 2 7⁄8"          | White | 18        | 4.0         | 10.99           | 41FL          |
|                                                                                                              | 730-12-10 | 1" x 1¼"  | 1" MPT x 1¼" TS      | 3½"             | White | 12        | 5.0         | 16.83           | 41FL          |
|                                                                                                              | 730-12    | 1¼"       | 1¼" MPT x 1¼" TS     | 3½"             | White | 12        | 5.0         | 16.83           | 41FL          |
|                                                                                                              | 730-15    | 1½"       | 1½" MPT x 1½" TS     | 3½"             | White | 18        | 8.0         | 19.46           | 41FL          |
|                                                                                                              | 730-20†   | 2"        | 2" MPT x 2" TS       | 4"              | White | 12        | 8.8         | 31.16           | 41FL          |
| <b>Female Adapter</b><br> | 731-07    | ¾"        | ¾" FPT x ¾" TS       | 2 5⁄8"          | White | 25        | 4.5         | 9.68            | 41FL          |
|                                                                                                              | 731-71    | ¾" x 1"   | ¾" FPT x 1" TS       | 2 7⁄8"          | White | 15        | 4.2         | 14.45           | 41FL          |
|                                                                                                              | 731-10    | 1"        | 1" FPT x 1" TS       | 3½"             | White | 15        | 4.2         | 14.55           | 41FL          |
|                                                                                                              | 731-12    | 1¼"       | 1¼" FPT x 1¼" TS     | 3½"             | White | 12        | 5.3         | 19.09           | 41FL          |
|                                                                                                              | 731-12-10 | 1" x 1¼"  | 1" FPT x 1¼" TS      | 3½"             | White | 12        | 5.3         | 19.09           | 41FL          |
|                                                                                                              | 731-15    | 1½"       | 1½" FPT x 1½" TS     | 4½"             | White | 18        | 9.0         | 22.34           | 41FL          |
|                                                                                                              | 731-20†   | 2"        | 2" FPT x 2" TS       | 2 7⁄8"          | White | 12        | 9.5         | 33.00           | 41FL          |
| <b>Spigot Adapter</b><br> | 733-07    | ¾"        | ¾" IPS Spg x ¾" TS   | 2 7⁄8"          | White | 18        | 4.0         | 8.73            | 41FL          |
|                                                                                                              | 733-71    | ¾"        | ¾" IPS Spg x 1" TS   | 2 7⁄8"          | White | 18        | 4.0         | 8.73            | 41FL          |
|                                                                                                              | 733-10    | 1"        | 1" IPS Spg x 1" TS   | 3½"             | White | 18        | 4.0         | 9.42            | 41FL          |
|                                                                                                              | 733-12    | 1¼"       | 1¼" IPS Spg x 1¼" TS | 3½"             | White | 12        | 5.0         | 16.83           | 41FL          |
|                                                                                                              | 733-15    | 1½"       | 1½" IPS Spg x 1½" TS | 3½"             | White | 18        | 8.0         | 19.46           | 41FL          |
|                                                                                                              | 733-20†   | 2"        | 2" IPS Spg x 2" TS   | 3½"             | White | 12        | 8.8         | 31.16           | 41FL          |

†Insert stiffeners supplied must be used with these fittings



# FLO-LOCK™ COUPLINGS AND ADAPTERS – SERIES 100

|                                                                                                                                   | Part No. | IPS Size |                | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|-----------------------------------------------------------------------------------------------------------------------------------|----------|----------|----------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>PVC IPS Coupling with Flo-Lock™</b><br>       | 112-05   | ½"       |                | 4"          | White | 28        | 8.5         | 10.57           | 41FL          |
|                                                                                                                                   | 112-07   | ¾"       |                | 4¼"         | White | 24        | 9.5         | 11.56           | 41FL          |
|                                                                                                                                   | 112-10   | 1"       |                | 4½"         | White | 15        | 7.5         | 10.36           | 41FL          |
|                                                                                                                                   | 112-12   | 1¼"      |                | 5"          | White | 10        | 8.0         | 16.42           | 41FL          |
|                                                                                                                                   | 112-15   | 1½"      |                | 5½"         | White | 16        | 16.5        | 15.41           | 41FL          |
|                                                                                                                                   | 112-20   | 2"       |                | 6"          | White | 12        | 15.0        | 29.19           | 41FL          |
|                                                                                                                                   | Part No. | IPS Size | IPS Connection |             | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
| <b>PVC IPS Male Adapter with Flo-Lock™</b><br>   | 135-05   | ½"       | ½" MPT         |             | White | 25        | 4.0         | 6.01            | 41FL          |
|                                                                                                                                   | 135-07   | ¾"       | ¾" MPT         |             | White | 20        | 4.0         | 6.94            | 41FL          |
|                                                                                                                                   | 135-10   | 1"       | 1" MPT         |             | White | 30        | 9.0         | 8.26            | 41FL          |
|                                                                                                                                   | 135-12   | 1¼"      | 1¼" MPT        |             | White | 20        | 8.0         | 11.12           | 41FL          |
|                                                                                                                                   | 135-15   | 1½"      | 1½" MPT        |             | White | 16        | 8.0         | 13.36           | 41FL          |
|                                                                                                                                   | 135-20   | 2"       | 2" MPT         |             | White | 12        | 8.5         | 17.33           | 41FL          |
| <b>PVC IPS Female Adapter with Flo-Lock™</b><br> | 136-05   | ½"       | ½" FPT         |             | White | 25        | 4.5         | 7.36            | 41FL          |
|                                                                                                                                   | 136-07   | ¾"       | ¾" FPT         |             | White | 20        | 5.0         | 8.31            | 41FL          |
|                                                                                                                                   | 136-10   | 1"       | 1" FPT         |             | White | 14        | 4.5         | 9.68            | 41FL          |
|                                                                                                                                   | 136-12   | 1¼"      | 1¼" FPT        |             | White | 18        | 8.5         | 12.65           | 41FL          |
|                                                                                                                                   | 136-15   | 1½"      | 1½" FPT        |             | White | 16        | 9.0         | 14.45           | 41FL          |
|                                                                                                                                   | 136-20   | 2"       | 2" FPT         |             | White | 10        | 7.5         | 21.00           | 41FL          |


## FLO-LOCK™ ADAPTERS – SERIES 200, 400 AND 900

|                                                                                                                                     | Part No. | CTS Size | MPT Connection    |             | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|-------------------------------------------------------------------------------------------------------------------------------------|----------|----------|-------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>PVC CTS Male Adapter with Flo-Lock™</b><br>    | 235-05   | ½"       | ½" MPT            |             | White | 50        | 4.5         | 6.64            | 41FL          |
|                                                                                                                                     | 235-07   | ¾"       | ¾" MPT            |             | White | 25        | 4.0         | 6.79            | 41FL          |
|                                                                                                                                     | 235-10   | 1"       | 1" MPT            |             | White | 18        | 3.5         | 7.20            | 41FL          |
|                                                                                                                                     | 235-12   | 1¼"      | 1¼" MPT           |             | White | 24        | 7.5         | 9.77            | 41FL          |
|                                                                                                                                     | 235-15   | 1½"      | 1½" MPT           |             | White | 20        | 8.5         | 11.31           | 41FL          |
|                                                                                                                                     | 235-20   | 2"       | 2" MPT            |             | White | 12        | 7.5         | 15.00           | 41FL          |
| <b>CPVC CTS Male Adapter with Flo-Lock™</b><br>  | 435-05   | ½"       | ½" x ½" MPT       |             | Tan   | 50        | 4.8         | 6.17            | 41FL          |
|                                                                                                                                     | 435-07   | ¾"       | ¾" x ¾" MPT       |             | Tan   | 25        | 4.0         | 8.12            | 41FL          |
|                                                                                                                                     | Part No. | CTS Size | Spigot Connection | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
| <b>PVC CTS Female Adapter with Flo-Lock™</b><br> | 935-07   | ¾"       | ¾" Spg            | 2 ⅞"        | White | 20        | 4.5         | 6.64            | 41CV          |
|                                                                                                                                     | 935-10   | 1"       | 1" Spg            | 2 ⅞"        | White | 20        | 4.5         | 14.55           | 41CV          |
|                                                                                                                                     | 935-12   | 1¼"      | 1¼" Spg           | 3 ⅝"        | White | 25        | 8.0         | 16.73           | 41CV          |
|                                                                                                                                     | 935-125  | 1¼"      | 1½" Spg           | 3 ⅝"        | White | 20        | 8.0         | 17.53           | 41CV          |
|                                                                                                                                     | 935-15   | 1½"      | 1½" Spg           | 4"          | White | 20        | 11.0        | 17.53           | 41CV          |
|                                                                                                                                     | 935-20   | 2"       | 2" Spg            | 5"          | White | 12        | 8.0         | 25.32           | 41CV          |




## SCREENS TO MAKE FOOT VALVES

|                                                                                                                  | Part No. | IPS Size |  | Body Length | Color | Pkg. Qty. |  | List Price (EA) | Product Class |
|------------------------------------------------------------------------------------------------------------------|----------|----------|--|-------------|-------|-----------|--|-----------------|---------------|
| <b>Foot Valve Screens</b><br> | 1800-07  | ¾"       |  | 2 ⅞"        | Black | 1         |  | 1.96            | 41CV          |
|                                                                                                                  | 1800-10  | 1"       |  | 2 ⅞"        | Black | 400       |  | 2.29            | 41CV          |
|                                                                                                                  | 1800-12  | 1¼"      |  | 3 ½"        | Black | 264       |  | 3.28            | 41CV          |
|                                                                                                                  | 1800-15  | 1½"      |  | 3 ⅝"        | Black | 1         |  | 3.95            | 41CV          |
|                                                                                                                  | 1800-20  | 2"       |  | 3 ⅝"        | Black | 156       |  | 4.59            | 41CV          |

## SPRING CHECK VALVES

|                                                                                                                     | Part No. | IPS Size | Spring Tension | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|---------------------------------------------------------------------------------------------------------------------|----------|----------|----------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>FPT x FTP EPDM Gasket</b><br> | 1001-05  | ½"       | ½ lb.          | 4 ⅞"        | White | 20        | 4.5         | 11.39           | 41CV          |
|                                                                                                                     | 1001-07  | ¾"       | ½ lb.          | 4 ⅞"        | White | 20        | 4.5         | 11.79           | 41CV          |
|                                                                                                                     | 1001-10  | 1"       | ½ lb.          | 5 ¼"        | White | 20        | 8.5         | 17.09           | 41CV          |
|                                                                                                                     | 1001-12  | 1¼"      | ½ lb.          | 6 ⅞"        | White | 15        | 12.0        | 22.79           | 41CV          |
|                                                                                                                     | 1001-15  | 1½"      | ½ lb.          | 6 ⅞"        | White | 15        | 13.0        | 24.28           | 41CV          |
|                                                                                                                     | 1001-20  | 2"       | ½ lb.          | 7"          | White | 10        | 15.5        | 34.93           | 41CV          |
|                                                                                                                     | 1001-25  | 2½"      | ½ lb.          | 8 ⅞"        | White | 8         | 26.0        | 51.96           | 41CV          |
|                                                                                                                     | 1001-30  | 3"       | ½ lb.          | 8 ⅞"        | White | 8         | 26.0        | 62.91           | 41CV          |

# SPRING CHECK VALVES




|                                                                                                                            | Part No.    | IPS Size & Connection | Spring Tension (lbs.) | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|----------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------|-----------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>FPT x FTP EPDM Gasket</b><br>          | 1002-05     | 1/2"                  | 2                     | 4 1/8"      | White | 20        | 4.5         | 11.39           | 41CV          |
|                                                                                                                            | 1002-07     | 3/4"                  | 2                     | 4 1/8"      | White | 20        | 4.5         | 11.79           | 41CV          |
|                                                                                                                            | 1002-10     | 1"                    | 2                     | 5 1/4"      | White | 20        | 8.5         | 17.56           | 41CV          |
|                                                                                                                            | 1002-12     | 1 1/4"                | 2                     | 6 3/16"     | White | 15        | 12.0        | 22.79           | 41CV          |
|                                                                                                                            | 1002-15     | 1 1/2"                | 2                     | 6 3/16"     | White | 15        | 13.0        | 24.28           | 41CV          |
|                                                                                                                            | 1002-20     | 2"                    | 2                     | 7"          | White | 10        | 15.5        | 34.94           | 41CV          |
|                                                                                                                            | 1002-25     | 2 1/2"                | 2                     | 8 5/8"      | White | 8         | 26.0        | 51.96           | 41CV          |
|                                                                                                                            | 1002-30     | 3"                    | 2                     | 8 5/8"      | White | 8         | 26.0        | 62.91           | 41CV          |
| <b>SxS EPDM Gasket</b><br>                | 1011-05-025 | 1/2"                  | 1/4                   | 4 1/8"      | White | 20        | 4.0         | 11.39           | 41CV          |
|                                                                                                                            | 1011-07-025 | 3/4"                  | 1/4                   | 4 1/8"      | White | 20        | 4.5         | 11.79           | 41CV          |
|                                                                                                                            | 1011-05     | 1/2"                  | 1/2                   | 4 1/8"      | White | 20        | 4.0         | 11.39           | 41CV          |
|                                                                                                                            | 1011-07     | 3/4"                  | 1/2                   | 4 1/8"      | White | 20        | 4.5         | 11.79           | 41CV          |
|                                                                                                                            | 1011-10     | 1"                    | 1/2                   | 5 1/4"      | White | 20        | 8.5         | 17.09           | 41CV          |
|                                                                                                                            | 1011-12     | 1 1/4"                | 1/2                   | 6 3/16"     | White | 15        | 12.0        | 22.79           | 41CV          |
|                                                                                                                            | 1011-15     | 1 1/2"                | 1/2                   | 6 3/16"     | White | 15        | 13.5        | 24.28           | 41CV          |
|                                                                                                                            | 1011-20     | 2"                    | 1/2                   | 7"          | White | 10        | 16.0        | 34.94           | 41CV          |
|                                                                                                                            | 1011-25     | 2 1/2"                | 1/2                   | 8 5/8"      | White | 8         | 26.0        | 51.96           | 41CV          |
|                                                                                                                            | 1011-30     | 3"                    | 1/2                   | 8 5/8"      | White | 8         | 26.0        | 62.91           | 41CV          |
|                                                                                                                            | 1012-05     | 1/2"                  | 2                     | 4 1/8"      | White | 20        | 4.0         | 11.39           | 41CV          |
|                                                                                                                            | 1012-07     | 3/4"                  | 2                     | 4 1/8"      | White | 20        | 4.5         | 11.79           | 41CV          |
|                                                                                                                            | 1012-10     | 1"                    | 2                     | 5 1/4"      | White | 20        | 8.5         | 17.09           | 41CV          |
|                                                                                                                            | 1012-12     | 1 1/4"                | 2                     | 6 3/16"     | White | 15        | 12.0        | 22.79           | 41CV          |
|                                                                                                                            | 1012-15     | 1 1/2"                | 2                     | 6 3/16"     | White | 15        | 13.5        | 24.28           | 41CV          |
|                                                                                                                            | 1012-20     | 2"                    | 2                     | 7"          | White | 10        | 16.0        | 34.94           | 41CV          |
|                                                                                                                            | 1012-25     | 2 1/2"                | 2                     | 8 5/8"      | White | 8         | 26.0        | 51.96           | 41CV          |
|                                                                                                                            | 1012-30     | 3"                    | 2                     | 8 5/8"      | White | 8         | 26.0        | 62.91           | 41CV          |
|                                                                                                                            | 1015-25     | 2 1/2"                | 5                     | 8 5/8"      | White | 8         | 26.0        | 51.96           | 41CV          |
|                                                                                                                            | 1015-30     | 3"                    | 5                     | 8 5/8"      | White | 8         | 26.0        | 62.91           | 41CV          |
| <b>SxS Clear PVC EPDM Gasket</b><br>     | 1011C10     | 1"                    | 1/2                   | 5 1/4"      | Clear | 20        | 8.5         | 22.79           | 41CV          |
|                                                                                                                            | 1011C12     | 1 1/4"                | 1/2                   | 6 3/16"     | Clear | 15        | 12.0        | 27.35           | 41CV          |
|                                                                                                                            | 1011C15     | 1 1/2"                | 1/2                   | 6 3/16"     | Clear | 15        | 13.5        | 30.38           | 41CV          |
|                                                                                                                            | 1011C20     | 2"                    | 1/2                   | 7"          | Clear | 10        | 16.0        | 39.49           | 41CV          |
|                                                                                                                            | 1012C12     | 1 1/4"                | 2                     | 6 3/16"     | Clear | 15        | 12.0        | 27.35           | 41CV          |
|                                                                                                                            | 1012C15     | 1 1/2"                | 2                     | 6 3/16"     | Clear | 15        | 13.5        | 30.38           | 41CV          |
|                                                                                                                            | 1012C20     | 2"                    | 2                     | 7"          | Clear | 10        | 16.0        | 39.49           | 41CV          |
| <b>White PVC True Union</b><br>         | 1700-07     | 3/4" S x S            | 1/2                   | 6.12"       | White | 20        | 9.8         | 18.57           | 41CV          |
|                                                                                                                            | 1700-10     | 1" S x S              | 1/2                   | 6.83"       | White | 20        | 14.0        | 19.51           | 41CV          |
|                                                                                                                            | 1700-15     | 1 1/2" S x S          | 1/2                   | 8.345"      | White | 12        | 19.8        | 27.80           | 41CV          |
|                                                                                                                            | 1700-20     | 2" S x S              | 1/2                   | 9.735"      | White | 12        | 22.9        | 40.27           | 41CV          |
|                                                                                                                            | 1702-15     | 1 1/2" S x S          | 2                     | 8.35"       | White | 12        | 19.8        | 32.04           | 41CV          |
|                                                                                                                            | 1702-20     | 2" S x S              | 2                     | 9.74"       | White | 12        | 22.9        | 44.63           | 41CV          |
| <b>Clear PVC True Union</b><br>         | 1700C07     | 3/4" S x S            | 1/2                   | 6.12"       | Clear | 20        | 9.8         | 19.15           | 41CV          |
|                                                                                                                            | 1700C10     | 1" S x S              | 1/2                   | 6.83"       | Clear | 20        | 14.0        | 23.03           | 41CV          |
|                                                                                                                            | 1700C15     | 1 1/2" S x S          | 1/2                   | 8.345"      | Clear | 12        | 19.8        | 35.00           | 41CV          |
|                                                                                                                            | 1700C20     | 2" S x S              | 1/2                   | 9.735"      | Clear | 12        | 22.9        | 47.92           | 41CV          |
|                                                                                                                            | 1700C25     | 2 1/2" S x S          | 1/2                   | 12.625"     | Clear | 6         | 33.7        | 69.14           | 41CV          |
|                                                                                                                            | 1700C30     | 3" S x S              | 1/2                   | 12.625"     | Clear | 6         | 33.7        | 89.66           | 41CV          |
|                                                                                                                            | 1702C15     | 1 1/2" S x S          | 2                     | 8.35"       | Clear | 12        | 19.8        | 35.00           | 41CV          |
|                                                                                                                            | 1702C20     | 2" S x S              | 2                     | 9.74"       | Clear | 12        | 22.9        | 47.92           | 41CV          |
| <b>Compact White PVC True Union</b><br> | 1790-15     | 1 1/2" S x S          | 1/2                   | 6.540"      | White | 15        | 14.0        | 27.45           | 41CV          |
|                                                                                                                            | 1790-20     | 2" S x S              | 1/2                   | 7.350"      | White | 10        | 13.0        | 34.65           | 41CV          |
| <b>Compact Clear PVC True Union</b><br> | 1790C15     | 1 1/2" S x S          | 1/2                   | 6.540"      | Clear | 15        | 14.5        | 29.88           | 41CV          |
|                                                                                                                            | 1790C20     | 2" S x S              | 1/2                   | 7.350"      | Clear | 10        | 14.5        | 40.69           | 41CV          |
|                                                                                                                            | 1795C20     | 2" S x S              | 5                     | 7.350"      | Clear | 10        | 14.5        | 40.69           | 41CV          |
| <b>CPVC 90°</b><br>                      | 1901-15     | 1 1/2" S x S          | 1                     | 5"          | Tan   | 12        | 9.0         | 56.76           | 41CV          |
|                                                                                                                            | 1903-15     | 1 1/2" S x S          | 3                     | 5"          | Tan   | 12        | 9.0         | 56.76           | 41CV          |
|                                                                                                                            | 1901-20     | 2" S x 2 1/2" Spg     | 1                     | 5 1/2"      | Tan   | 12        | 14.0        | 56.76           | 41CV          |
|                                                                                                                            | 1903-20     | 2" S x 2 1/2" Spg     | 3                     | 5 1/2"      | Tan   | 12        | 14.0        | 56.76           | 41CV          |

Note: All dimensions are nominal. All weights are for shipping purposes only. Availability is subject to change.



For customer service, please send your fax to: 1-800-726-1998 or call 1-800-726-1994.




# SPRING CHECK VALVES

|                                                                                                                                              | Part No.    | IPS Size & Connection | Spring Tension (lbs.) | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------|-----------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>In-Line Valve and Bypass Valve</b><br>                   | 1091-20     | 2" S x S              | ½                     | 5"          | White | 12        | 6.9         | 22.94           | 41CV          |
|                                                                                                                                              | 1095-20     | 2" S x S              | 5                     | 5"          | White | 12        | 6.9         | 22.94           | 41CV          |
|                                                                                                                                              | Part No.    | IPS Size & Connection | Opening PSI           | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
| <b>Hose Thread (EPDM Gasket)</b><br><br>¾" Male Hose Thread | 1136-07     | ¾" MHT x FHT          | ½                     | 4 ½"        | White | 20        | 4.5         | 14.95           | 41CV          |
|                                                                                                                                              | 1136-07-05  | ¾" MHT x FHT          | 5                     | 4 ½"        | White | 20        | 4.5         | 14.95           | 41CV          |
|                                                                                                                                              | 1136-07-10  | ¾" MHT x FHT          | 10                    | 4 ½"        | White | 20        | 4.5         | 14.95           | 41CV          |
|                                                                                                                                              | Part No.    | IPS Size & Connection | Spring Tension (lbs.) | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
| <b>Versa Drain</b><br>                                      | 107015GR    |                       | ½                     | 4"          | Gray  | 12        | 6.6         | 21.26           | 41CV          |
|                                                                                                                                              | 107015BK    |                       | ½                     | 4"          | Black | 12        | 7.2         | 21.26           | 41CV          |
|                                                                                                                                              | Part No.    | IPS Size & Connection | Spring Tension (lbs.) | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
| <b>Spa Check Valve</b><br>                                  | 104710      | 1" S x 1 ¼" Spg       | ⅓                     | 3 ¾"        | White | 20        | 5.0         | 13.40           | 41CV          |
|                                                                                                                                              | 105010      | 1" S x 1 ¼" Spg       | ¼                     | 3 ¾"        | White | 20        | 5.0         | 13.52           | 41CV          |
|                                                                                                                                              | 105020      | 1 ½" S x 2" Spg       | ¼                     | 5 ½"        | White | 12        | 7.4         | 18.19           | 41CV          |
|                                                                                                                                              | 105520      | 1 ½" S x 2" Spg       | 5                     | 5 ½"        | White | 12        | 8.0         | 18.19           | 41CV          |
| <b>Clear Spa Check Valve</b><br>                           | 1050C10     | 1" S x 1 ¼" Spg       | ¼                     | 3 ¾"        | Clear | 20        | 5.0         | 15.77           | 41CV          |
|                                                                                                                                              | 1050C20     | 1 ½" S x 2" Spg       | ¼                     | 5 ½"        | Clear | 12        | 7.4         | 17.36           | 41CV          |
|                                                                                                                                              | 1050C20-05  | 1 ½" S x 2" Spg       | ½                     | 5 ½"        | Clear | 12        | 7.4         | 17.36           | 41CV          |
|                                                                                                                                              | 1050C20-10  | 1 ½" S x 2" Spg       | 10                    | 5 ½"        | Clear | 12        | 7.4         | 17.36           | 41CV          |
|                                                                                                                                              | 1050C20-12  | 1 ½" S x 2" Spg       | 12                    | 5 ½"        | Clear | 12        | 7.4         | 17.36           | 41CV          |
|                                                                                                                                              | 1050C20-15  | 1 ½" S x 2" Spg       | 15                    | 5 ½"        | Clear | 12        | 7.4         | 22.83           | 41CV          |
|                                                                                                                                              | 1052C20     | 1 ½" S x 2" Spg       | 2                     | 5 ½"        | Clear | 12        | 7.5         | 17.36           | 41CV          |
|                                                                                                                                              | 1055C20     | 1 ½" S x 2" Spg       | 5                     | 5 ½"        | Clear | 12        | 8.0         | 17.36           | 41CV          |
| <b>Clear Compact</b><br>                                  | S1050C20    | 1 ½" S x 2" Spg       | ¼                     | 4"          | Clear | 12        | 6.0         | 17.74           | 41CV          |
|                                                                                                                                              | S1050C20-05 | 1 ½" S x 2" Spg       | ½                     | 4"          | Clear | 12        | 6.0         | 17.74           | 41CV          |
|                                                                                                                                              | S1052C20    | 1 ½" S x 2" Spg       | 2                     | 4"          | Clear | 12        | 6.0         | 17.74           | 41CV          |
|                                                                                                                                              | S1057C20    | 1 ½" S x 2" Spg       | 7                     | 4"          | Clear | 12        | 6.0         | 17.74           | 41CV          |


## ADJUSTABLE SPRING CHECK VALVES

|                                                                                                                                            | Part No.   | IPS Size & Connection | Spring Tension (lbs.) | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|--------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------|-----------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>White PVC FPT x FPT</b><br><br>Factory Set at 5 lbs. | 1205-05    | ½"                    | 2-5                   | 4 ½"        | White | 20        | 4.5         | 12.68           | 41CV          |
|                                                                                                                                            | 1205-07    | ¾"                    | 2 ½-5                 | 4 ½"        | White | 20        | 4.5         | 13.35           | 41CV          |
|                                                                                                                                            | 1205-10    | 1"                    | 4 ½-17                | 5 ¼"        | White | 20        | 8.5         | 17.59           | 41CV          |
|                                                                                                                                            | 1205-12    | 1 ¼"                  | 4-50                  | 6 ¾"        | White | 15        | 12.5        | 22.54           | 41CV          |
|                                                                                                                                            | 1205-15    | 1 ½"                  | 3 ½-50                | 6 ¾"        | White | 15        | 13.5        | 24.00           | 41CV          |
|                                                                                                                                            | 1205-20    | 2"                    | 1 ¾-14 ½              | 9 ¾"        | White | 10        | 14.5        | 35.13           | 41CV          |
|                                                                                                                                            | 1201-05    | ½"                    | 1                     | 4 ½"        | White | 20        | 4.5         | 11.36           | 41CV          |
|                                                                                                                                            | 1203-05    | ½"                    | 3                     | 4 ½"        | White | 20        | 4.5         | 11.36           | 41CV          |
|                                                                                                                                            | 1205-07-20 | ¾"                    | 20                    | 4 ½"        | White | 20        | 4.5         | 13.35           | 41CV          |
|                                                                                                                                            | 1205V07    | ¾" with VITON         | 5                     | 4 ½"        | White | 20        | 4.5         | 13.21           | 41CV          |
| <b>White PVC SxS</b><br><br>Factory Set at 5 lbs.       | 1225-07    | ¾"                    | 2 ½-5                 | 4 ½"        | White | 20        | 4.5         | 13.09           | 41CV          |
|                                                                                                                                            | 1225-10    | 1"                    | 4 ¼-17                | 5 ¼"        | White | 20        | 8.5         | 17.59           | 41CV          |
|                                                                                                                                            | 1225-15    | 1 ½"                  | 3 ½-50                | 6 ¾"        | White | 15        | 13.5        | 24.00           | 41CV          |
|                                                                                                                                            | 1225-20    | 2"                    | 1 ¾-14 ½              | 9 ¾"        | White | 10        | 17.0        | 35.13           | 41CV          |
|                                                                                                                                            | 1228V15    | 1 ½" with VITON       | 30                    | 6 ¾"        | White | 15        | 12.5        | 24.61           | 41CV          |
| <b>White PVC FPT x MPT</b><br><br>Factory Set at 5 lbs. | 1235-05    | ½"                    | 2-4 ½                 | 4 ½"        | White | 20        | 4.5         | 13.06           | 41CV          |
|                                                                                                                                            | 1235-07    | ¾"                    | 2 ½-5                 | 4 ½"        | White | 20        | 4.5         | 13.35           | 41CV          |
|                                                                                                                                            | 1235-10    | 1"                    | 4 ¼-17                | 5 ¼"        | White | 20        | 8.5         | 17.59           | 41CV          |
|                                                                                                                                            | 1235-05-30 | ½"                    | 30                    | 4 ½"        | White | 20        | 4.5         | 13.06           | 41CV          |
|                                                                                                                                            | 1231-05    | ½"                    | 1                     | 4 ½"        | White | 20        | 4.5         | 13.06           | 41CV          |





# ADJUSTABLE SPRING CHECK VALVES

|                                                                                                                                        | Part No. | IPS Size & Connection | Spring Tension (lbs.) | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|----------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------|-----------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>White PVC True Union</b><br>Factory Set at 5 lbs.  | 1750-20  | 2"                    | 1-14                  | 9 3/4"      | White | 10        | 19.0        | 41.73           | 41CV          |
|                                                                                                                                        | 1753-20  | 2"                    | 15-30                 | 9 3/4"      | White | 10        | 19.0        | 42.53           | 41CV          |
| <b>Vacuum Relief Valve</b><br>                        | 1171V57  | 1/2" S x 3/4" MPT     | 1/2                   | 4 1/8"      | Black | 20        | 19.0        | 26.89           | 41CV          |
| <b>Inline Adjustable</b><br>Factory Set at 5 lbs.     | 1101-05  | 1/2" MPT x FPT        | 2-14                  |             | White | 30        | 3.2         | 8.66            | 41CV          |
|                                                                                                                                        | 1101-07  | 3/4" MPT x FPT        | 2-14                  |             | White | 25        | 3.5         | 9.32            | 41CV          |
|                                                                                                                                        | 1101-10  | 1" MPT x FPT          | 2-14                  |             | White | 20        | 4.2         | 17.96           | 41CV          |
|                                                                                                                                        | 1100-05  | 1/2" FPT x FPT        | 2-14                  |             | White | 30        | 3.2         | 8.66            | 41CV          |
|                                                                                                                                        | 1100-07  | 3/4" FPT x FPT        | 2-14                  |             | White | 25        | 3.5         | 9.32            | 41CV          |
|                                                                                                                                        | 1100-10  | 1" FPT x MPT          | 2-14                  |             | White | 20        | 4.2         | 14.43           | 41CV          |
|                                                                                                                                        | 1102-07  | 3/4" FPT x MPT        | 2-14                  |             | White | 25        | 3.5         | 9.82            | 41CV          |

# FLO-CHECK BREAKAWAY COUPLING VALVES

|                                                                                                                                             | Part No.  | IPS Size & Connection | Color            | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------|------------------|-----------|-------------|-----------------|---------------|
| <b>Flo-Check Breakaway Coupling – Cal Trans Orange</b><br> | 1010-05-O | 1/2" FPT x 1/2" FPT   | Cal Trans Orange | 30        | 30.0        | 9.85            | 41CV          |
|                                                                                                                                             | 1010-07-O | 3/4" FPT x 3/4" FPT   | Cal Trans Orange | 25        | 25.0        | 11.01           | 41CV          |
| To be used on galvanized or iron pipe only                                                                                                  |           |                       |                  |           |             |                 |               |

# SWING CHECK VALVES

|                                                                                                                     | Part No.  | IPS Size & Connection    | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|---------------------------------------------------------------------------------------------------------------------|-----------|--------------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>White PVC Compression</b><br> | 1500-12   | 1 1/4" UC x UC           | 7 1/2"      | White | 12        | 5.6         | 25.20           | 41CV          |
|                                                                                                                     | 1500-15   | 1 1/2" UC x UC           | 7 1/2"      | White | 12        | 6.3         | 28.71           | 41CV          |
|                                                                                                                     | 1500-20   | 2" UC x UC               | 9 3/4"      | White | 12        | 16.0        | 40.40           | 41CV          |
|                                                                                                                     | 1500-30   | 3" UC x UC               | 14"         | White | 2         | 10.0        | 103.42          | 41CV          |
| <b>Clear PVC Compression</b><br> | 1500C15   | 1 1/2" UC x UC           | 7 1/2"      | Clear | 12        | 6.3         | 32.84           | 41CV          |
|                                                                                                                     | 1500C20   | 2" UC x UC               | 9 3/4"      | Clear | 12        | 16.0        | 48.68           | 41CV          |
| <b>White PVC Threaded</b><br>    | 1520-05F  | 1/2" FPT x FPT           | 3 1/2"      | White | 20        | 4.0         | 16.56           | 41CV          |
|                                                                                                                     | 1520-07F  | 3/4" FPT x FPT           | 3 1/2"      | White | 25        | 5.0         | 16.86           | 41CV          |
|                                                                                                                     | 1520-10F  | 1" FPT x FPT             | 5 1/8"      | White | 25        | 10.0        | 17.46           | 41CV          |
|                                                                                                                     | 1520-12F  | 1 1/4" FPT x FPT         | 5 1/2"      | White | 12        | 6.9         | 18.22           | 41CV          |
|                                                                                                                     | 1520-15F  | 1 1/2" FPT x FPT         | 5 3/4"      | White | 12        | 7.0         | 19.37           | 41CV          |
|                                                                                                                     | 1520-20F  | 2" FPT x FPT             | 6"          | White | 12        | 13.0        | 29.61           | 41CV          |
|                                                                                                                     | 1520-20ST | 2" FPT x S               | 6"          | White | 12        | 13.0        | 29.61           | 41CV          |
| <b>White PVC S x S</b><br>       | 1520-05   | 1/2" S x S               | 3 1/2"      | White | 20        | 4.0         | 16.56           | 41CV          |
|                                                                                                                     | 1520-07   | 3/4" S x S               | 3 1/2"      | White | 25        | 5.0         | 16.86           | 41CV          |
|                                                                                                                     | 1520-10   | 1" S x S                 | 5 1/8"      | White | 25        | 10.0        | 17.46           | 41CV          |
|                                                                                                                     | 1520-12   | 1 1/4" S x S             | 5 1/2"      | White | 12        | 6.9         | 18.22           | 41CV          |
|                                                                                                                     | 1520-15   | 1 1/2" S x S             | 5 3/4"      | White | 12        | 7.0         | 19.37           | 41CV          |
|                                                                                                                     | 1520-20   | 2" S x S                 | 6"          | White | 12        | 13.0        | 29.61           | 41CV          |
|                                                                                                                     | 1520-30   | 3" S x S                 | 9"          | White | 4         | 11.0        | 52.78           | 41CV          |
|                                                                                                                     | 1520-40   | 4" S x S                 | 9 1/2"      | White | 1         | 3.2         | 74.80           | 41CV          |
|                                                                                                                     | 1520V20   | 2" S x S with Viton Seal | 6"          | White | 12        | 13.0        | 40.03           | 41CV          |
| <b>CPVC</b><br>                  | 1520H10   | 1" S x S                 | 5 1/8"      | Gray  | 25        | 10.0        | 47.49           | 41CV          |
|                                                                                                                     | 1520H15   | 1 1/2" S x S             | 5 3/4"      | Gray  | 12        | 7.0         | 69.81           | 41CV          |
|                                                                                                                     | 1520H20   | 2" S x S                 | 6"          | Gray  | 12        | 13.0        | 86.88           | 41CV          |
|                                                                                                                     | 1520H30   | 3" S x S                 | 9"          | Gray  | 4         | 11.0        | 119.99          | 41CV          |
|                                                                                                                     | 1520H40   | 4" S x S                 | 9 1/2"      | Gray  | 1         | 3.2         | 181.27          | 41CV          |

Note: All dimensions are nominal. All weights are for shipping purposes only. Availability is subject to change.



For customer service, please send your fax to: 1-800-726-1998 or call 1-800-726-1994.




# SWING CHECK VALVES

|                                                                                                      | Part No. | IPS Size & Connection     | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|------------------------------------------------------------------------------------------------------|----------|---------------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| Clear PVC Threaded                                                                                   | 1520C05F | ½" FPT x FPT              | 3½"         | Clear | 20        | 4.0         | 21.56           | 41CV          |
|                                                                                                      | 1520C07F | ¾" FPT x FPT              | 3½"         | Clear | 25        | 5.0         | 22.32           | 41CV          |
|                                                                                                      | 1520C10F | 1" FPT x FPT              | 5½"         | Clear | 25        | 10.0        | 22.93           | 41CV          |
|                                                                                                      | 1520C15F | 1½" FPT x FPT             | 5¾"         | Clear | 12        | 7.0         | 26.12           | 41CV          |
|                                                                                                      | 1520C20F | 2" FPT x FPT              | 6"          | Clear | 12        | 13.0        | 37.66           | 41CV          |
| Clear PVC S x S<br> | 1520C05  | ½" S x S                  | 3½"         | Clear | 20        | 4.0         | 21.56           | 41CV          |
|                                                                                                      | 1520C07  | ¾" S x S                  | 3½"         | Clear | 25        | 5.0         | 22.32           | 41CV          |
|                                                                                                      | 1520C10  | 1" S x S                  | 5½"         | Clear | 25        | 10.0        | 22.93           | 41CV          |
|                                                                                                      | 1520C12  | 1¼" S x S                 | 5½"         | Clear | 12        | 6.9         | 24.15           | 41CV          |
|                                                                                                      | 1520C15  | 1½" S x S                 | 5¾"         | Clear | 12        | 7.0         | 26.12           | 41CV          |
|                                                                                                      | 1520C20  | 2" S x S                  | 6"          | Clear | 12        | 13.0        | 37.66           | 41CV          |
|                                                                                                      | 1520C30  | 3" S x S                  | 9"          | Clear | 4         | 11.0        | 69.28           | 41CV          |
|                                                                                                      | 1520C40  | 4" S x S                  | 9½"         | Clear | 1         | 3.2         | 93.29           | 41CV          |
|                                                                                                      | 1520C15V | 1½" S x S with Viton Seal | 5¾"         | Clear | 12        | 7.0         | 32.93           | 41CV          |
|                                                                                                      | 1520C20V | 2" S x S with Viton Seal  | 6"          | Clear | 12        | 13.0        | 47.59           | 41CV          |

## TRUE UNION SWING CHECK VALVES

|                                                                                                | Part No. | IPS Size & Connection | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|------------------------------------------------------------------------------------------------|----------|-----------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| White PVC<br> | 1720-07  | ¾" U x U              | 5½"         | White | 20        | 9.0         | 16.45           | 41CV          |
|                                                                                                | 1720-10  | 1" U x U              | 6⅞"         | White | 20        | 14.5        | 19.69           | 41CV          |
|                                                                                                | 1720-15  | 1½" U x U             | 8"          | White | 12        | 13.5        | 19.95           | 41CV          |
|                                                                                                | 1720-20  | 2" U x U              | 9⅝"         | White | 12        | 23.7        | 30.08           | 41CV          |
|                                                                                                | 1720-30  | 3" U x U              | 12⅝"        | White | 6         | 33.5        | 72.82           | 41CV          |
| Clear PVC<br> | 1720C07  | ¾" U x U              | 5½"         | Clear | 20        | 9.0         | 19.15           | 41CV          |
|                                                                                                | 1720C10  | 1" U x U              | 6⅞"         | Clear | 20        | 14.5        | 22.61           | 41CV          |
|                                                                                                | 1720C15  | 1½" U x U             | 8"          | Clear | 12        | 13.5        | 28.71           | 41CV          |
|                                                                                                | 1720C20  | 2" U x U              | 9⅝"         | Clear | 12        | 23.7        | 40.40           | 41CV          |
|                                                                                                | 1720C30  | 3" U x U              | 12⅝"        | Clear | 6         | 33.5        | 77.60           | 41CV          |


## SWING CHECK VALVES WITH SPRING ASSIST

|                                                                                                                        | Part No. | IPS Size & Connection | Spring Tension | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|------------------------------------------------------------------------------------------------------------------------|----------|-----------------------|----------------|-------------|-------|-----------|-------------|-----------------|---------------|
| Spring Loaded Swing Check Valve<br> | 1580-15  | 1½" S x S             | ½ lb.          | 5¾"         | White | 12        | 7.0         | 40.24           | 41CV          |
|                                                                                                                        | 1580-20  | 2" S x S              | ½ lb.          | 6"          | White | 12        | 13.0        | 42.20           | 41CV          |
|                                                                                                                        | 1780-15  | 1½" U x U             | ½ lb.          | 8"          | White | 12        | 13.5        | 53.76           | 41CV          |
|                                                                                                                        | 1780-20  | 2" U x U              | ½ lb.          | 9⅞"         | White | 12        | 23.7        | 55.97           | 41CV          |
|                                                                                                                        | 1580C15  | 1½" S x S             | ½ lb.          | 5¾"         | Clear | 12        | 7.0         | 41.35           | 41CV          |
|                                                                                                                        | 1580C20  | 2" S x S              | ½ lb.          | 6"          | Clear | 12        | 13.0        | 42.87           | 41CV          |
|                                                                                                                        | 1780C15  | 1½" U x U             | ½ lb.          | 8"          | Clear | 12        | 13.5        | 55.11           | 41CV          |
|                                                                                                                        | 1780C20  | 2" U x U              | ½ lb.          | 9⅞"         | Clear | 12        | 23.7        | 56.72           | 41CV          |


## SUMP PUMP VALVES & CHECKMATE

|                                                                                                                                                                                                                                                                                | Part No.  | IPS Size & Connection | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| Sump Pump Valve<br>                                                                                                                                                                         | 1400-15   | 1¼" or 1½" UC         | 5¼"         | White | 12        | 7.0         | 18.62           | 41CV          |
| Checkmate<br><br><br> | 2200-15   | 1½" U x S             | 8"          | White | 12        | 20.8        | 33.06           | 41BV          |
|                                                                                                                                                                                                                                                                                | 2200C15   | 1½" U x S             | 8"          | Clear | 12        | 20.8        | 39.72           | 41BV          |
|                                                                                                                                                                                                                                                                                | 2200-15UC | 1½" UC                | 10¾"        | White | 12        | 25.9        | 39.99           | 41BV          |
|                                                                                                                                                                                                                                                                                | 2200-15TU | 1½" U x U             | 10½"        | White | 12        | 25.0        | 43.80           | 41BV          |
|                                                                                                                                                                                                                                                                                | 2200-20   | 2" U x S              | 9⅞"         | White | 12        | 30.0        | 51.65           | 41BV          |
|                                                                                                                                                                                                                                                                                | 2200C20   | 2" U x S              | 9⅞"         | Clear | 12        | 30.0        | 59.87           | 41BV          |
|                                                                                                                                                                                                                                                                                | 2200C20TU | 2" U x U              | 12⅝"        | Clear | 12        | 36.2        | 62.14           | 41BV          |
|                                                                                                                                                                                                                                                                                | 2200-20UC | 2" UC                 | 12⅝"        | White | 12        | 37.5        | 55.21           | 41BV          |
|                                                                                                                                                                                                                                                                                | 2200-20TU | 2" U x U              | 12⅝"        | White | 12        | 36.2        | 58.09           | 41BV          |
|                                                                                                                                                                                                                                                                                | 2280C20   | 2" U x S              | 10⅞"        | Clear | 12        | 32.0        | 64.16           | 41BV          |
|                                                                                                                                                                                                                                                                                | 2280C20TU | 2" U x U              | 13⅞"        | Clear | 12        | 36.8        | 69.19           | 41BV          |


# POOL VALVES

|                                                                                                                           | Part No.   | IPS Size & Connection | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|---------------------------------------------------------------------------------------------------------------------------|------------|-----------------------|-------|-----------|-------------|-----------------|---------------|
| <b>CPVC Three-Way Diverter Valve</b><br> | 1930-15    | 1½"                   | Tan   | 1         | 16.8        | 52.93           | 41PV          |
|                                                                                                                           | 1930-20    | 2" S & 2½" Spg        | Tan   | 1         | 19.4        | 52.93           | 41PV          |
|                                                                                                                           |            |                       |       |           |             |                 |               |
| <b>Actuator Adaptor</b><br>               | 1930-15-15 | Fits 1½" & 2"         | Tan   | 1         | 1.5         | 5.59            | 41PV          |

## SERVICEABLE BALL VALVES

|                                                                                                                          | Part No. | IPS Size & Connection | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|--------------------------------------------------------------------------------------------------------------------------|----------|-----------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>PVC Single Union Serviceable</b><br> | 1350-15  | 1½" S x S             | 5⅝"         | White | 12        | 12.0        | 23.80           | 41BV          |
|                                                                                                                          | 1350-20  | 2" S x S              | 6"          | White | 6         | 6.0         | 33.95           | 41BV          |
|                                                                                                                          | 1350-30  | 3" S x S              | 5¾"         | White | 8         | 1.0         | 135.32          | 41BV          |
|                                                                                                                          | 1351-15  | 1½" FPT x FPT         | 4⅞"         | White | 12        | 12.0        | 23.80           | 41BV          |
|                                                                                                                          | 1351-20  | 2" FPT x FPT          | 5¼"         | White | 6         | 6.0         | 32.19           | 41BV          |
|                                                                                                                          |          |                       |             |       |           |             |                 |               |
| <b>PVC True Union Serviceable</b><br> | 1360-15  | 1½" S x S             | 5¾"         | White | 12        | 12.0        | 26.39           | 41BV          |
|                                                                                                                          |          |                       |             |       |           |             |                 |               |
|                                                                                                                          | Part No. | CTS Size & Connection |             | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
| <b>CPVC Serviceable</b><br>           | 1115-05  | ½" S x S              |             | Tan   | 36        | 5.0         | 8.64            | 41BV          |
|                                                                                                                          | 1117-07  | ¾" S x S              |             | Tan   | 18        | 4.0         | 10.19           | 41BV          |

## NON-SERVICEABLE BALL VALVES

|                                                                                                                   | Part No. | IPS Size & Connection | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|-------------------------------------------------------------------------------------------------------------------|----------|-----------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| <b>MIP Non-Serviceable</b><br> | E1310-05 | ½" S x S              | 3¼"         | White | 36        | 6.5         | 4.64            | 41BV          |
|                                                                                                                   | E1310-07 | ¾" S x S              | 3¾"         | White | 18        | 5.9         | 5.55            | 41BV          |
|                                                                                                                   | E1310-10 | 1" S x S              | 4¼"         | White | 25        | 12.4        | 7.17            | 41BV          |
|                                                                                                                   | E1310-12 | 1¼" S x S             | 4½"         | White | 12        | 7.6         | 10.06           | 41BV          |
|                                                                                                                   | E1310-15 | 1½" S x S             | 5¼"         | White | 12        | 11.6        | 14.36           | 41BV          |
|                                                                                                                   | E1310-20 | 2" S x S              | 5¾"         | White | 6         | 9.6         | 18.41           | 41BV          |
|                                                                                                                   | E1320-05 | ½" FPT x FPT          | 3¼"         | White | 36        | 6.7         | 4.64            | 41BV          |
|                                                                                                                   | E1320-07 | ¾" FPT x FPT          | 3¾"         | White | 18        | 6.1         | 5.55            | 41BV          |
|                                                                                                                   | E1320-10 | 1" FPT x FPT          | 4¼"         | White | 25        | 13.0        | 7.17            | 41BV          |
|                                                                                                                   | E1320-12 | 1¼" FPT x FPT         | 4½"         | White | 12        | 8.0         | 10.06           | 41BV          |
|                                                                                                                   | E1320-15 | 1½" FPT x FPT         | 5½"         | White | 12        | 12.0        | 14.36           | 41BV          |
|                                                                                                                   | E1320-20 | 2" FPT x FPT          | 5¾"         | White | 6         | 10.0        | 18.41           | 41BV          |

Note: All dimensions are nominal. All weights are for shipping purposes only. Availability is subject to change.

For customer service, please send your fax to: 1-800-726-1998 or call 1-800-726-1994.

# UNIONS

|                      | Part No. | IPS Size & Connection | Body Length | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|----------------------|----------|-----------------------|-------------|-------|-----------|-------------|-----------------|---------------|
| Unions — Schedule 80 | 1680-10  | 1" S x S              |             | Gray  | 12        | 8.0         | 11.84           | 41UN          |
|                      | 1680-12  | 1¼" S x S             |             | Gray  | 6         | 8.0         | 22.01           | 41UN          |



|                      |         |                |       |       |    |      |       |      |
|----------------------|---------|----------------|-------|-------|----|------|-------|------|
| Unions — Schedule 40 | 1600-10 | 1" S x S       | 2.5"  | White | 30 | 8.0  | 6.94  | 41UN |
|                      | 1600-15 | 1½" S x 2" Spg | 3.87" | White | 24 | 13.0 | 14.62 | 41UN |
|                      | 1600-20 | 2" S x 2½" Spg | 4.39" | White | 20 | 16.5 | 19.95 | 41UN |
|                      | 1600-25 | 2½" S x S      | 4.8"  | White | 18 | 28.0 | 32.54 | 41UN |
|                      | 1600-30 | 3" S x S       | 4.53" | White | 14 | 20.0 | 39.78 | 41UN |




## FIRE HYDRANT CAP & SEWER CLEANOUT

|     | Part No. | IPS Size          | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|-----|----------|-------------------|-------|-----------|-------------|-----------------|---------------|
| Cap | 23-25T   | 2½" FPT x ¾" FPT  | Gray  | 15        | 8.0         | 19.51           | 41UN          |
|     | 22-040   | 4" Sewer Cleanout | Gray  | 6         | 10.0        | 53.55           | 41UN          |



## FLO-TAP™ HOT/WET TAPS FOR PVC PIPE


|                                          | Part No. | Branch Size & Connection | Pipe Size | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|------------------------------------------|----------|--------------------------|-----------|-------|-----------|-------------|-----------------|---------------|
| For PVC Pipes<br>¾" and 1" Service Lines | 3115     | ¾" S x 1" Spg            | 1½"       | Gray  | 5         | 5.5         | 52.93           | 41FS          |
|                                          | 3120     | ¾" S x 1" Spg            | 2"        | Gray  | 5         | 6.0         | 53.36           | 41FS          |
|                                          | 3125     | ¾" S x 1" Spg            | 2½"       | Gray  | 5         | 6.0         | 53.83           | 41FS          |
|                                          | 3130     | ¾" S x 1" Spg            | 3"        | Gray  | 5         | 11.0        | 61.87           | 41FS          |
|                                          | 3140     | ¾" S x 1" Spg            | 4"        | Gray  | 5         | 11.0        | 71.36           | 41FS          |
|                                          | 3160     | ¾" S x 1" Spg            | 6"        | Gray  | 5         | 13.0        | 101.89          | 41FS          |



|                                           | Part No. | Branch Size & Connection | Pipe Size | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|-------------------------------------------|----------|--------------------------|-----------|-------|-----------|-------------|-----------------|---------------|
| For PVC Pipes<br>1½" and 2" Service Lines | 3220     | 1½" S x 2" Spg           | 2"        | Gray  | 5         | 9.5         | 104.29          | 41FS          |
|                                           | 3225     | 1½" S x 2" Spg           | 2½"       | Gray  | 5         | 9.5         | 107.78          | 41FS          |
|                                           | 3230     | 1½" S x 2" Spg           | 3"        | Gray  | 5         | 15.0        | 115.24          | 41FS          |
|                                           | 3240     | 1½" S x 2" Spg           | 4"        | Gray  | 5         | 14.0        | 125.74          | 41FS          |
|                                           | 3260     | 1½" S x 2" Spg           | 6"        | Gray  | 5         | 20.0        | 170.01          | 41FS          |
|                                           | 3280     | 1½" S x 2" Spg           | 8"        | Gray  | 5         | 25.0        | 181.44          | 41FS          |



# CLAMP-IT™ SADDLES

|                                                                                                                                           | Part No. | IPS Tap Size & Connection | Pipe Size | Color | Pkg. Qty. | Case (lbs.) | List Price (EA) | Product Class |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------|-----------|-------|-----------|-------------|-----------------|---------------|
| <b>For Poly Pipe –<br/>PE Pipe-IPS Fixed Outlet</b><br>  | 321507P  | ¾" FPT                    | 1½"       | Gray  | 25        | 9.0         | 13.44           | 41FS          |
|                                                                                                                                           | 321510P  | 1" FPT                    | 1½"       | Gray  | 25        | 9.0         | 13.44           | 41FS          |
|                                                                                                                                           | 325010P  | 1" FPT                    | 2½"       | Gray  | 25        | 11.0        | 16.60           | 41FS          |
|                                                                                                                                           | 322010P  | 1" FPT                    | 2"        | Gray  | 25        | 9.0         | 15.22           | 41FS          |
|                                                                                                                                           | 332007P  | ¾" S                      | 2"        | Gray  | 25        | 9.0         | 13.78           | 41FS          |
|                                                                                                                                           | 332010P  | 1" S                      | 2"        | Gray  | 25        | 9.0         | 13.78           | 41FS          |
|                                                                                                                                           | 335010P  | 1" S                      | 2½"       | Gray  | 25        | 11.0        | 16.17           | 41FS          |
|                                                                                                                                           | 343010P  | 1" FPT                    | 3"        | Gray  | 15        | 8.0         | 20.42           | 41FS          |
|                                                                                                                                           | 344007P  | ¾" FPT                    | 4"        | Gray  | 15        | 8.0         | 25.57           | 41FS          |
|                                                                                                                                           | 344010P  | 1" FPT                    | 4"        | Gray  | 15        | 10.0        | 25.57           | 41FS          |
| <b>For Polyethylene Tubing<br/>Main Line</b>                                                                                              | 353010P  | 1" S                      | 3"        | Gray  | 15        | 10.0        | 17.68           | 41FS          |
| <b>For IPS Pipe Sizes –<br/>PVC-IPS Fixed Outlet</b><br> | 421507   | ¾" FPT                    | 1½"       | Gray  | 5         | 4.0         | 24.94           | 41FS          |
|                                                                                                                                           | 421510   | 1" FPT                    | 1½"       | Gray  | 5         | 4.5         | 24.94           | 41FS          |
|                                                                                                                                           | 422007   | ¾" FPT                    | 2"        | Gray  | 5         | 4.5         | 29.83           | 41FS          |
|                                                                                                                                           | 422010   | 1" FPT                    | 2"        | Gray  | 5         | 4.5         | 29.83           | 41FS          |
|                                                                                                                                           | 422012   | 1¼" FPT                   | 2"        | Gray  | 5         | 5.0         | 29.83           | 41FS          |
|                                                                                                                                           | 422015   | 1½" FPT                   | 2"        | Gray  | 5         | 5.0         | 29.83           | 41FS          |
|                                                                                                                                           | 422507   | ¾" FPT                    | 2½"       | Gray  | 5         | 5.0         | 34.13           | 41FS          |
|                                                                                                                                           | 422510   | 1" FPT                    | 2½"       | Gray  | 5         | 5.0         | 34.13           | 41FS          |
|                                                                                                                                           | 422515   | 1½" FPT                   | 2½"       | Gray  | 5         | 5.0         | 34.13           | 41FS          |
|                                                                                                                                           | 422520   | 2" FPT                    | 2½"       | Gray  | 5         | 5.0         | 34.13           | 41FS          |
| <b>For PVC Pipe Main Line</b>                                                                                                             | 432007   | ¾" S                      | 2"        | Gray  | 5         | 4.5         | 26.69           | 41FS          |
|                                                                                                                                           | 432010   | 1" S                      | 2"        | Gray  | 5         | 4.5         | 26.69           | 41FS          |
|                                                                                                                                           | 432012   | 1¼" S                     | 2"        | Gray  | 5         | 4.5         | 26.69           | 41FS          |
|                                                                                                                                           | 432015   | 1½" S                     | 2"        | Gray  | 5         | 5.0         | 26.69           | 41FS          |
|                                                                                                                                           | 432510   | 1" S                      | 2½"       | Gray  | 5         | 5.0         | 36.20           | 41FS          |
|                                                                                                                                           | 432515   | 1½" S                     | 2½"       | Gray  | 5         | 5.0         | 36.20           | 41FS          |
|                                                                                                                                           | 432520   | 2" S                      | 2½"       | Gray  | 5         | 5.0         | 36.20           | 41FS          |
|                                                                                                                                           | 443007   | ¾" FPT                    | 3"        | Gray  | 5         | 8.0         | 40.79           | 41FS          |
|                                                                                                                                           | 443010   | 1" FPT                    | 3"        | Gray  | 5         | 8.0         | 40.79           | 41FS          |
|                                                                                                                                           | 443012   | 1¼" FPT                   | 3"        | Gray  | 5         | 8.5         | 40.79           | 41FS          |
|                                                                                                                                           | 443015   | 1½" FPT                   | 3"        | Gray  | 5         | 8.5         | 40.79           | 41FS          |
|                                                                                                                                           | 443020   | 2" FPT                    | 3"        | Gray  | 5         | 8.5         | 40.79           | 41FS          |
|                                                                                                                                           | 444007   | ¾" FPT                    | 4"        | Gray  | 5         | 9.5         | 51.36           | 41FS          |
|                                                                                                                                           | 444010   | 1" FPT                    | 4"        | Gray  | 5         | 9.5         | 51.36           | 41FS          |
|                                                                                                                                           | 444012   | 1¼" FPT                   | 4"        | Gray  | 5         | 10.0        | 51.36           | 41FS          |
|                                                                                                                                           | 444015   | 1½" FPT                   | 4"        | Gray  | 5         | 10.0        | 51.36           | 41FS          |
|                                                                                                                                           | 444020   | 2" FPT                    | 4"        | Gray  | 5         | 10.0        | 51.36           | 41FS          |
|                                                                                                                                           | 446007   | ¾" FPT                    | 6"        | Gray  | 5         | 12.0        | 74.87           | 41FS          |
|                                                                                                                                           | 446010   | 1" FPT                    | 6"        | Gray  | 5         | 12.0        | 74.87           | 41FS          |
|                                                                                                                                           | 446012   | 1¼" FPT                   | 6"        | Gray  | 5         | 12.0        | 74.87           | 41FS          |
|                                                                                                                                           | 446015   | 1½" FPT                   | 6"        | Gray  | 5         | 12.5        | 74.87           | 41FS          |
|                                                                                                                                           | 446020   | 2" FPT                    | 6"        | Gray  | 5         | 12.5        | 74.87           | 41FS          |
|                                                                                                                                           | 448007   | ¾" FPT                    | 8"        | Gray  | 5         | 17.0        | 90.86           | 41FS          |
|                                                                                                                                           | 448010   | 1" FPT                    | 8"        | Gray  | 5         | 17.0        | 90.86           | 41FS          |
|                                                                                                                                           | 448015   | 1½" FPT                   | 8"        | Gray  | 5         | 17.0        | 90.86           | 41FS          |
|                                                                                                                                           | 448020   | 2" FPT                    | 8"        | Gray  | 5         | 17.0        | 90.86           | 41FS          |
|                                                                                                                                           | 453007   | ¾" S                      | 3"        | Gray  | 5         | 8.0         | 36.20           | 41FS          |
|                                                                                                                                           | 453010   | 1" S                      | 3"        | Gray  | 5         | 8.0         | 36.20           | 41FS          |
|                                                                                                                                           | 453012   | 1¼" S                     | 3"        | Gray  | 5         | 8.0         | 36.20           | 41FS          |
|                                                                                                                                           | 453015   | 1½" S                     | 3"        | Gray  | 5         | 8.5         | 36.20           | 41FS          |
|                                                                                                                                           | 453020   | 2" S                      | 3"        | Gray  | 5         | 8.5         | 36.20           | 41FS          |
|                                                                                                                                           | 454007   | ¾" S                      | 4"        | Gray  | 5         | 9.5         | 46.38           | 41FS          |
|                                                                                                                                           | 454010   | 1" S                      | 4"        | Gray  | 5         | 9.5         | 46.38           | 41FS          |
|                                                                                                                                           | 454015   | 1½" S                     | 4"        | Gray  | 5         | 9.5         | 46.38           | 41FS          |
|                                                                                                                                           | 454020   | 2" S                      | 4"        | Gray  | 5         | 9.5         | 46.38           | 41FS          |
|                                                                                                                                           | 456007   | ¾" S                      | 6"        | Gray  | 5         | 11.5        | 74.87           | 41FS          |
|                                                                                                                                           | 456010   | 1" S                      | 6"        | Gray  | 5         | 11.5        | 74.87           | 41FS          |
|                                                                                                                                           | 456015   | 1½" S                     | 6"        | Gray  | 5         | 12.0        | 74.87           | 41FS          |
|                                                                                                                                           | 456020   | 2" S                      | 6"        | Gray  | 5         | 12.0        | 74.87           | 41FS          |
|                                                                                                                                           | 458010   | 1" S                      | 8"        | Gray  | 5         | 17.0        | 90.86           | 41FS          |
|                                                                                                                                           | 458015   | 1½" S                     | 8"        | Gray  | 5         | 17.0        | 90.86           | 41FS          |
|                                                                                                                                           | 458020   | 2" S                      | 8"        | Gray  | 5         | 17.0        | 90.86           | 41FS          |

Note: All dimensions are nominal. All weights are for shipping purposes only. Availability is subject to change.

For customer service, please send your fax to: 1-800-726-1998 or call 1-800-726-1994.

# FLO CONTROL™ INDEX

| Part No. | Page | Part No.  | Page | Part No.    | Page | Part No.    | Page | Part No.   | Page | Part No.  | Page |
|----------|------|-----------|------|-------------|------|-------------|------|------------|------|-----------|------|
| 22-040   | 53   | 210-20    | 44   | 1001-05     | 47   | 1136-07     | 49   | 1520C40    | 51   | 2200-20UC | 51   |
| 23-25T   | 53   | 220-05    | 44   | 1001-07     | 47   | 1136-07-01  | 45   | 1520H10    | 50   | 2200C15   | 51   |
| 110-05   | 40   | 220-07    | 44   | 1001-10     | 47   | 1136-07-05  | 49   | 1520H15    | 50   | 2200C20   | 51   |
| 110-07   | 44   | 220-10    | 44   | 1001-12     | 47   | 1136-07-075 | 45   | 1520H20    | 50   | 2280C20TU | 51   |
| 110-10   | 44   | 220-12    | 44   | 1001-15     | 47   | 1136-07-10  | 49   | 1520H30    | 50   | 2280C20   | 51   |
| 110-12   | 44   | 220-15    | 44   | 1001-20     | 47   | 1137-35     | 45   | 1520H40    | 50   | 3115      | 53   |
| 110-15   | 44   | 220-20    | 44   | 1001-25     | 47   | 1171V57     | 50   | 1580-15    | 51   | 3120      | 53   |
| 110-20   | 44   | 235-05    | 47   | 1001-30     | 47   | 1201-05     | 49   | 1580-20    | 51   | 3125      | 53   |
| 110-25   | 44   | 235-07    | 47   | 1002-05     | 48   | 1203-05     | 49   | 1580C15    | 51   | 3130      | 53   |
| 110-30   | 44   | 235-10    | 47   | 1002-07     | 48   | 1205-05     | 49   | 1580C20    | 51   | 3140      | 53   |
| 110-40   | 44   | 235-12    | 47   | 1002-10     | 48   | 1205-07     | 49   | 1600-10    | 53   | 3160      | 53   |
| 110-60   | 44   | 235-15    | 47   | 1002-12     | 48   | 1205-07-20  | 49   | 1600-15    | 53   | 3220      | 53   |
| 112-05   | 47   | 235-20    | 47   | 1002-15     | 48   | 1205-10     | 49   | 1600-20    | 53   | 3225      | 53   |
| 112-07   | 47   | 310-05    | 44   | 1002-20     | 48   | 1205-12     | 49   | 1600-25    | 53   | 3230      | 53   |
| 112-10   | 47   | 310-07    | 44   | 1002-25     | 48   | 1205-15     | 49   | 1600-30    | 53   | 3240      | 53   |
| 112-12   | 47   | 410-05    | 44   | 1002-30     | 48   | 1205-20     | 49   | 1680-10    | 53   | 3260      | 53   |
| 112-15   | 47   | 410-07    | 44   | 1010-05-O   | 50   | 1205V07     | 49   | 1680-12    | 53   | 3280      | 53   |
| 112-20   | 47   | 410-10    | 44   | 1010-07-O   | 50   | 1225-07     | 49   | 1700-07    | 48   | 321507P   | 54   |
| 117-05   | 45   | 420-05    | 45   | 1011-05     | 48   | 1225-10     | 49   | 1700-10    | 48   | 321510P   | 54   |
| 117-07   | 45   | 420-07    | 45   | 1011-05-025 | 48   | 1225-15     | 49   | 1700-15    | 48   | 322010P   | 54   |
| 117-10   | 45   | 435-05    | 47   | 1011-07     | 48   | 1225-20     | 49   | 1700-20    | 48   | 325010P   | 54   |
| 117-12   | 45   | 435-07    | 47   | 1011-07-025 | 48   | 1228-15     | 49   | 1700C07    | 48   | 331510P   | 54   |
| 117-15   | 45   | 510-10    | 46   | 1011-10     | 48   | 1231-05     | 49   | 1700C10    | 48   | 332007P   | 54   |
| 117-20   | 45   | 533-10    | 46   | 1011-12     | 48   | 1235-05     | 49   | 1700C15    | 48   | 332010P   | 54   |
| 118-05   | 45   | 710-07    | 46   | 1011-15     | 48   | 1235-05-30  | 49   | 1700C20    | 48   | 335010P   | 54   |
| 118-07   | 45   | 710-10    | 46   | 1011-20     | 48   | 1235-07     | 49   | 1700C25    | 48   | 343010P   | 54   |
| 118-10   | 45   | 710-12    | 46   | 1011-25     | 48   | 1235-10     | 49   | 1700C30    | 48   | 344007P   | 54   |
| 118-12   | 45   | 710-15    | 46   | 1011-30     | 48   | 1350-15     | 52   | 1702-15    | 48   | 344010P   | 54   |
| 118-15   | 45   | 710-17    | 46   | 1011C10     | 48   | 1350-20     | 52   | 1702-20    | 48   | 353010P   | 54   |
| 118-20   | 45   | 710-17-9  | 46   | 1011C12     | 48   | 1350-30     | 52   | 1702C15    | 48   | 421507    | 54   |
| 118-25   | 45   | 710-20    | 46   | 1011C15     | 48   | 1351-15     | 52   | 1702C20    | 48   | 421510    | 54   |
| 118-30   | 45   | 730-07    | 46   | 1011C20     | 48   | 1351-20     | 52   | 1720-07    | 51   | 422007    | 54   |
| 118-40   | 45   | 730-10    | 46   | 1012-05     | 48   | 1360-15     | 52   | 1720-10    | 51   | 422010    | 54   |
| 120-05   | 44   | 730-12    | 46   | 1012-07     | 48   | 1400-15     | 51   | 1720-15    | 51   | 422012    | 54   |
| 120-07   | 44   | 730-12-10 | 46   | 1012-10     | 48   | 1500-12     | 50   | 1720-20    | 51   | 422015    | 54   |
| 120-10   | 44   | 730-15    | 46   | 1012-12     | 48   | 1500-15     | 50   | 1720-30    | 51   | 422507    | 54   |
| 120-12   | 44   | 730-20    | 46   | 1012-15     | 48   | 1500-20     | 50   | 1720C07    | 51   | 422510    | 54   |
| 120-15   | 44   | 730-71    | 46   | 1012-20     | 48   | 1500-30     | 50   | 1720C10    | 51   | 422515    | 54   |
| 120-20   | 44   | 731-07    | 46   | 1012-25     | 48   | 1500C15     | 50   | 1720C15    | 51   | 422520    | 54   |
| 121-05   | 44   | 731-10    | 46   | 1012-30     | 48   | 1500C20     | 50   | 1720C20    | 51   | 432007    | 54   |
| 121-07   | 44   | 731-12    | 46   | 1012C12     | 48   | 1520-05     | 50   | 1720C30    | 51   | 432010    | 54   |
| 121-10   | 44   | 731-12-10 | 46   | 1012C15     | 48   | 1520-05F    | 50   | 1750-20    | 50   | 432012    | 54   |
| 121-12   | 44   | 731-15    | 46   | 1012C20     | 48   | 1520-07     | 50   | 1753-20    | 50   | 432015    | 54   |
| 121-15   | 44   | 731-20    | 46   | 1015-25     | 48   | 1520-07F    | 50   | 1780-15    | 51   | 432510    | 54   |
| 121-20   | 44   | 731-71    | 46   | 1015-30     | 48   | 1520-10     | 50   | 1780-20    | 51   | 432515    | 54   |
| 122-15   | 44   | 733-07    | 46   | 1047-10     | 49   | 1520-10F    | 50   | 1780C15    | 51   | 432520    | 54   |
| 122-75   | 44   | 733-10    | 46   | 1050-10     | 49   | 1520-12     | 50   | 1780C20    | 51   | 443007    | 54   |
| 130-05   | 44   | 733-12    | 46   | 1050-20     | 49   | 1520-12F    | 50   | 1790-15    | 48   | 443010    | 54   |
| 130-07   | 44   | 733-15    | 46   | 1050C10     | 49   | 1520-15     | 50   | 1790-20    | 48   | 443012    | 54   |
| 130-10   | 44   | 733-20    | 46   | 1050C20     | 49   | 1520-15F    | 50   | 1790C15    | 48   | 443015    | 54   |
| 130-12   | 44   | 733-71    | 46   | 1050C20-05  | 49   | 1520-20     | 50   | 1790C20    | 48   | 443020    | 54   |
| 130-15   | 44   | 810-07    | 45   | 1050C20-10  | 49   | 1520-20F    | 50   | 1795C20    | 48   | 444007    | 54   |
| 130-20   | 44   | 810-10    | 45   | 1050C20-12  | 49   | 1520-20ST   | 50   | 1800-05    | 47   | 444010    | 54   |
| 135-05   | 47   | 810-12    | 45   | 1050C20-15  | 49   | 1520-20V    | 50   | 1800-07    | 47   | 444012    | 54   |
| 135-07   | 47   | 830-07    | 45   | 1052C20     | 49   | 1520-30     | 50   | 1800-10    | 47   | 444015    | 54   |
| 135-10   | 47   | 830-10    | 45   | 1055-20     | 49   | 1520-40     | 50   | 1800-12    | 47   | 444020    | 54   |
| 135-12   | 47   | 830-12    | 45   | 1055C20     | 49   | 1520C05     | 51   | 1800-15    | 47   | 446007    | 54   |
| 135-15   | 47   | 830-121   | 45   | 1070-15GR   | 49   | 1520C05F    | 51   | 1800-20    | 47   | 446010    | 54   |
| 135-20   | 47   | 830-71    | 45   | 1070-15BK   | 49   | 1520C07     | 51   | 1901-15    | 48   | 446012    | 54   |
| 136-05   | 47   | 831-07    | 45   | 1091-20     | 49   | 1520C07F    | 51   | 1901-20    | 48   | 446015    | 54   |
| 136-07   | 47   | 831-10    | 45   | 1095-20     | 49   | 1520C10     | 51   | 1903-15    | 48   | 446020    | 54   |
| 136-10   | 47   | 833-07    | 46   | 1100-05     | 50   | 1520C10F    | 51   | 1903-20    | 48   | 448007    | 54   |
| 136-12   | 47   | 833-10    | 46   | 1100-07     | 50   | 1520C12     | 51   | 1930-15    | 52   | 448010    | 54   |
| 136-15   | 47   | 833-71    | 46   | 1100-10     | 50   | 1520C15     | 51   | 1930-15-15 | 52   | 448015    | 54   |
| 136-20   | 47   | 935-07    | 47   | 1101-05     | 50   | 1520C15F    | 51   | 1930-20    | 52   | 448020    | 54   |
| 210-05   | 44   | 935-10    | 47   | 1101-07     | 50   | 1520C15V    | 51   | 2200-15    | 51   | 453007    | 54   |
| 210-07   | 44   | 935-12    | 47   | 1101-10     | 50   | 1520C20     | 51   | 2200-15TU  | 51   | 453010    | 54   |
| 210-10   | 44   | 935-125   | 47   | 1102-07     | 50   | 1520C20F    | 51   | 2200-15UC  | 51   | 453012    | 54   |
| 210-12   | 44   | 935-15    | 47   | 1115-05     | 52   | 1520C20V    | 51   | 2200-20    | 51   | 453015    | 54   |
| 210-15   | 44   | 935-20    | 47   | 1117-07     | 52   | 1520C30     | 51   | 2200-20TU  | 51   | 453020    | 54   |