

Current-Limiting Power Fuses

General Purpose Fuses

9F62 Series

EJO-1 General Purpose

UL Listed

Suitable for use indoors or outdoors

Product Description

General Purpose current-limiting fuses are designed to interrupt the high-fault currents and also the low-fault currents down to approximately 1.6 to 2.2 times their continuous current rating. This fuse is defined in the IEEE Std C37.40 -1993 (3.1.57) as "A fuse capable of interrupting all currents from the rated interrupting current down to the current that causes melting of the fusible element in no less than one hour." These fuses can be used outdoors without any protecting enclosure. Available from 5.5 to 15.5kV and 20 to 900A.



12" Clip Centers Clip-in Mounting Indoor or Outdoor

Catalog Number	Max kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F62HCB025	5.5	25	1	YES	C/2"/14.18"	50 kA	8134/8135	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F62HCB030	5.5	30	1	YES	C/2"/14.18"	50 kA	8134/8135	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F62HCB040	5.5	40	1	YES	C/2"/14.18"	50 kA	8134/8135	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F62HCB050	5.5	50	1	YES	C/2"/14.18"	50 kA	8134/8135	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F62HCB065	5.5	65	1	YES	C/2"/14.18"	50 kA	8134/8135	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F62DCB080	5.5	80	1	YES	D/3"/15.88"	50 kA	8134/8135	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F62DCB100	5.5	100	1	YES	D/3"/15.88"	50 kA	8134/8135	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F62DCB125	5.5	125	1	YES	D/3"/15.88"	50 kA	8134/8135	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F62DCB150	5.5	150	1	YES	D/3"/15.88"	50 kA	8134/8135	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F62DCB175	5.5	175	1	YES	D/3"/15.88"	50 kA	8134/8135	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F62DCB200	5.5	200	1	YES	D/3"/15.88"	50 kA	8134/8135	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F62FCB250	5.5	250	2	YES	DD/(2) 3"/15.88"	50 kA	8134/8135	9F61AEB401	9F61CEF409	9F61AEB405	9F61CEF410
9F62FCB300	5.5	300	2	YES	DD/(2) 3"/15.88"	50 kA	8134/8135	9F61AEB401	9F61CEF409	9F61AEB405	9F61CEF410
9F62FCB350	5.5	350	2	YES	DD/(2) 3"/15.88"	50 kA	8134/8135	9F61AEB401	9F61CEF409	9F61AEB405	9F61CEF410
9F62FCB400	5.5	400	2	YES	DD/(2) 3"/15.88"	50 kA	8134/8135	9F61AEB401	9F61CEF409	9F61AEB405	9F61CEF410
9F62FCB450	5.5	450	2	YES	DD/(2) 3"/15.88"	50 kA	8134/8135	9F61AEB401	9F61CEF409	9F61AEB405	9F61CEF410
9F62HCC020	8.3	20	1	YES	C/2"/14.18"	50 kA	8136/8137	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F62HCC025	8.3	25	1	YES	C/2"/14.18"	50 kA	8136/8137	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F62HCC030	8.3	30	1	YES	C/2"/14.18"	50 kA	8136/8137	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F62HCC040	8.3	40	1	YES	C/2"/14.18"	50 kA	8136/8137	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F62HCC050	8.3	50	1	YES	C/2"/14.18"	50 kA	8136/8137	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F62DCC065	8.3	65	1	YES	D/3"/15.88"	50 kA	8136/8137	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F62DCC080	8.3	80	1	YES	D/3"/15.88"	50 kA	8136/8137	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F62DCC100	8.3	100	1	YES	D/3"/15.88"	50 kA	8136/8137	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F62DCC125	8.3	125	1	YES	D/3"/15.88"	50 kA	8136/8137	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F62DCC150	8.3	150	1	YES	D/3"/15.88"	50 kA	8136/8137	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F62FCC175	8.3	175	2	YES	DD/(2) 3"/15.88"	50 kA	8136/8137	9F61AEG401	9F61CEF409	9F61AEG405	9F61CEF410
9F62FCC200	8.3	200	2	YES	DD/(2) 3"/15.88"	50 kA	8136/8137	9F61AEG401	9F61CEF409	9F61AEG405	9F61CEF410
9F62FCC250	8.3	250	2	YES	DD/(2) 3"/15.88"	50 kA	8136/8137	9F61AEG401	9F61CEF409	9F61AEG405	9F61CEF410

Current-Limiting Power Fuses

Bolted End Fittings Indoor or Outdoor

Catalog Number	Max.kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F62KCB500	5.5	500	4	YES	DDDD/(4) 3"/see outline drawing for dimensions	50 kA	8134/8135	9F61AKB001	9F61CKF009	–	–
9F62KCB600	5.5	600	4	YES	DDDD/(4) 3"/see outline drawing for dimensions	50 kA	8134/8135	9F61AKB001	9F61CKF009	–	–
9F62KCB700	5.5	700	4	YES	DDDD/(4) 3"/see outline drawing for dimensions	50 kA	8134/8135	9F61AKB001	9F61CKF009	–	–
9F62KCB800	5.5	800	4	YES	DDDD/(4) 3"/see outline drawing for dimensions	50 kA	8134/8135	9F61AKB001	9F61CKF009	–	–
9F62KCB900	5.5	900	4	YES	DDDD/(4) 3"/see outline drawing for dimensions	50 kA	8134/8135	9F61AKB001	9F61CKF009	–	–

Current-Limiting Power Fuses

15"Clip Centers Clip-in Mounting Indoor or Outdoor

Catalog Number	Max.kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F62HDD020	15.5	20	1	YES	C/2"/17.20"	50 kA	8138/8139	9F61AGG201 (13.8kV nominal 95 kV BIL), 9F61AGJ201 (14.4kV nominal 110 kV BIL)	9F61CGL209	9F61AGG205 (13.8kV nominal 95 kV BIL), 9F61AGJ205 (14.4kV nominal 110 kV BIL)	9F61CGL210
9F62HDD025	15.5	25	1	YES	C/2"/17.20"	50 kA	8138/8139	9F61AGG201 (13.8kV nominal 95 kV BIL), 9F61AGJ201 (14.4kV nominal 110 kV BIL)	9F61CGL209	9F61AGG205 (13.8kV nominal 95 kV BIL), 9F61AGJ205 (14.4kV nominal 110 kV BIL)	9F61CGL210
9F62HDD030	15.5	30	1	YES	C/2"/17.20"	50 kA	8138/8139	9F61AGG201 (13.8kV nominal 95 kV BIL), 9F61AGJ201 (14.4kV nominal 110 kV BIL)	9F61CGL209	9F61AGG205 (13.8kV nominal 95 kV BIL), 9F61AGJ205 (14.4kV nominal 110 kV BIL)	9F61CGL210
9F62DDD050	15.5	50	1	YES	D/3"/18.88"	50 kA	8138/8139	9F61AGG301 (13.8kV nominal 95 kV BIL), 9F61AGJ301 (14.4kV nominal 110 kV BIL)	9F61CGL309	9F61AGG305 (13.8kV nominal 95 kV BIL), 9F61AGJ305 (14.4kV nominal 110 kV BIL)	9F61CGL310
9F62DDD065	15.5	65	1	YES	D/3"/18.88"	50 kA	8138/8139	9F61AGG301 (13.8kV nominal 95 kV BIL), 9F61AGJ301 (14.4kV nominal 110 kV BIL)	9F61CGL309	9F61AGG305 (13.8kV nominal 95 kV BIL), 9F61AGJ305 (14.4kV nominal 110 kV BIL)	9F61CGL310
9F62DDD080	15.5	80	1	YES	D/3"/18.88"	50 kA	8138/8139	9F61AGG301 (13.8kV nominal 95 kV BIL), 9F61AGJ301 (14.4kV nominal 110 kV BIL)	9F61CGL309	9F61AGG305 (13.8kV nominal 95 kV BIL), 9F61AGJ305 (14.4kV nominal 110 kV BIL)	9F61CGL310
9F62DDD100	15.5	100	1	YES	D/3"/18.88"	50 kA	8138/8139	9F61AGG301 (13.8kV nominal 95 kV BIL), 9F61AGJ301 (14.4kV nominal 110 kV BIL)	9F61CGL309	9F61AGG305 (13.8kV nominal 95 kV BIL), 9F61AGJ305 (14.4kV nominal 110 kV BIL)	9F61CGL310
9F62FDD125	15.5	125	2	YES	DD/(2)3"/18.88"	50 kA	8138/8139	9F61AGG401 (13.8kV nominal 95 kV BIL), 9F61AGJ401 (14.4kV nominal 110 kV BIL)	9F61CGL409	9F61AGG405 (13.8kV nominal 95 kV BIL), 9F61AGJ405 (14.4kV nominal 110 kV BIL)	9F61CGL410
9F62FDD150	15.5	150	2	YES	DD/(2)3"/18.88"	50 kA	8138/8139	9F61AGG401 (13.8kV nominal 95 kV BIL), 9F61AGJ401 (14.4kV nominal 110 kV BIL)	9F61CGL409	9F61AGG405 (13.8kV nominal 95 kV BIL), 9F61AGJ405 (14.4kV nominal 110 kV BIL)	9F61CGL410
9F62FDD175	15.5	175	2	YES	DD/(2)3"/18.88"	50 kA	8138/8139	9F61AGG401 (13.8kV nominal 95 kV BIL), 9F61AGJ401 (14.4kV nominal 110 kV BIL)	9F61CGL409	9F61AGG405 (13.8kV nominal 95 kV BIL), 9F61AGJ405 (14.4kV nominal 110 kV BIL)	9F61CGL410
9F62FDD200	15.5	200	2	YES	DD/(2)3"/18.88"	50 kA	8138/8139	9F61AGG401 (13.8kV nominal 95 kV BIL), 9F61AGJ401 (14.4kV nominal 110 kV BIL)	9F61CGL409	9F61AGG405 (13.8kV nominal 95 kV BIL), 9F61AGJ405 (14.4kV nominal 110 kV BIL)	9F61CGL410

Bolted End Fittings Indoor or Outdoor

Catalog Number	Max.kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F62KED300	15.5	300	4	YES	DDDD/(4) 3"/see outline drawing for dimensions	50 kA	8138/8139	9F61AHG001 (13.8KV nominal, 95 kV BIL), 9F61AHJ001 (14.4KV nominal, 110 kV BIL)	9F61CHL009	N/A	N/A

Current-Limiting Power Fuses

Power Distribution Fuses

9F60 Series, “E” Rated

EJ-1

Suitable for use indoors or in an enclosure only

Product Description

Power distribution current-limiting fuses are designed not only to interrupt the high-fault currents but also to interrupt lowfault currents down to approximately 3 times their continuous rating.



7"Clip Centers Clip-in Mounting Indoor or Enclosure

Catalog Number	Max.kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F60CCB001	2.75	1E	1	YES	C/2"/9.18"	38kA	8106/8107	9F61AAB201	-	9F61AAB205	-
9F60CCB002	2.75	2E	1	YES	C/2"/9.18"	38kA	8106/8107	9F61AAB201	-	9F61AAB205	-
9F60CCB003	2.75	3E	1	YES	C/2"/9.18"	38kA	8106/8107	9F61AAB201	-	9F61AAB205	-
9F60CCB005	2.75	5E	1	YES	C/2"/9.18"	38kA	8106/8107	9F61AAB201	-	9F61AAB205	-
9F60CCB007	2.75	7E	1	YES	C/2"/9.18"	38kA	8106/8107	9F61AAB201	-	9F61AAB205	-
9F60CCB010	2.75	10E	1	YES	C/2"/9.18"	38kA	8106/8107	9F61AAB201	-	9F61AAB205	-
9F60CCB015	2.75	15E	1	YES	C/2"/9.18"	38kA	8106/8107	9F61AAB201	-	9F61AAB205	-
9F60CCB020	2.75	20E	1	YES	C/2"/9.18"	38kA	8106/8107	9F61AAB201	-	9F61AAB205	-
9F60CCB025	2.75	25E	1	YES	C/2"/9.18"	38kA	8106/8107	9F61AAB201	-	9F61AAB205	-
9F60ECB030	2.75	30E	1	YES	D/3"/10.88"	38kA	8106/8107	9F61AAB301	-	9F61AAB305	-
9F60ECB040	2.75	40E	1	YES	D/3"/10.88"	38kA	8106/8107	9F61AAB301	-	9F61AAB305	-
9F60ECB050	2.75	50E	1	YES	D/3"/10.88"	38kA	8106/8107	9F61AAB301	-	9F61AAB305	-
9F60ECB065	2.75	65E	1	YES	D/3"/10.88"	38kA	8106/8107	9F61AAB301	-	9F61AAB305	-
9F60ECB080	2.75	80E	1	YES	D/3"/10.88"	38kA	8106/8107	9F61AAB301	-	9F61AAB305	-
9F60ECB100	2.75	100E	1	YES	D/3"/10.88"	38kA	8106/8107	9F61AAB301	-	9F61AAB305	-
9F60GCB125	2.75	125E	1	YES	DD/(2) 3"/10.88"	38kA	8106/8107	9F61AAB401	-	9F61AAB405	-
9F60GCB150	2.75	150E	1	YES	DD/(2) 3"/10.88"	38kA	8106/8107	9F61AAB401	-	9F61AAB405	-
9F60GCB200	2.75	200E	1	YES	DD/(2) 3"/10.88"	38kA	8106/8107	9F61AAB401	-	9F61AAB405	-

9" Clip Centers Clip-in Mounting Indoor or Enclosure

Catalog Number	Max.kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F60CEB001	2.75	1E	1	YES	C/2"/11.18"	38kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CEB002	2.75	2E	1	YES	C/2"/11.18"	38kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CEB003	2.75	3E	1	YES	C/2"/11.18"	38kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CEB005	2.75	5E	1	YES	C/2"/11.18"	38kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CEB007	2.75	7E	1	YES	C/2"/11.18"	38kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CEB010	2.75	10E	1	YES	C/2"/11.18"	38kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CEB015	2.75	15E	1	YES	C/2"/11.18"	38kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CEB020	2.75	20E	1	YES	C/2"/11.18"	38kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CEB025	2.75	25E	1	YES	C/2"/11.18"	38kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CED905	5.5	0.5E	1	YES	C/2"/11.18"	63kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CED001	5.5	1E	1	YES	C/2"/11.18"	63kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CED002	5.5	2E	1	YES	C/2"/11.18"	63kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CED003	5.5	3E	1	YES	C/2"/11.18"	63kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CED005	5.5	5E	1	YES	C/2"/11.18"	63kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CED007	5.5	7E	1	YES	C/2"/11.18"	63kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CED010	5.5	10E	1	YES	C/2"/11.18"	63kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CED015	5.5	15E	1	YES	C/2"/11.18"	63kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CED020	5.5	20E	1	YES	C/2"/11.18"	63kA	8106/8107	9F61ACB201	-	9F61ACB205	-
9F60CED025	5.5	25E	1	YES	C/2"/11.18"	63kA	8106/8107	9F61ACB201	-	9F61ACB205	-

Current-Limiting Power Fuses

Power Distribution Fuses

9F60 Series, “E” Rated

EJ-1

Suitable for use indoors or in an enclosure only

12” Clip Centers Clip-in Mounting Indoor or Enclosure

Catalog Number	Max.kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F60CJH002	15.5	2E	1	YES	C/2”/14.18”	82kA	8104/8105	9F61AEG201	-	9F61AEG205	-
9F60CJH003	15.5	3E	1	YES	C/2”/14.18”	82kA	8104/8105	9F61AEG201	-	9F61AEG205	-
9F60CJH005	15.5	5E	1	YES	C/2”/14.18”	82kA	8104/8105	9F61AEG201	-	9F61AEG205	-
9F60CJH007	15.5	7E	1	YES	C/2”/14.18”	82kA	8104/8105	9F61AEG201	-	9F61AEG205	-
9F60CJH010	15.5	10E	1	YES	C/2”/14.18”	82kA	8104/8105	9F61AEG201	-	9F61AEG205	-

14” Clip Centers Clip-in Mounting Indoor or Enclosure

Catalog Number	Max.kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F60KLH125	15	125E	2	YES	EE/(2) 4.00”/19.12”	38kA	8104/8105	9F61AFG501 (13.8 kV, 95 BIL), 9F61AFJ501 (14.4 kV 110 BIL)	N/A for Outdoor Mounting	N/A	N/A for Outdoor Mounting
9F60KLH150	15	150E	2	YES	EE/(2) 4.00”/19.12”	31kA	8104/8105	9F61AFG501 (13.8 kV, 95 BIL), 9F61AFJ501 (14.4 kV 110 BIL)	N/A for Outdoor Mounting	N/A	N/A for Outdoor Mounting
9F60KLH175	15	175E	2	YES	EE/(2) 4.00”/19.12”	31kA	8104/8105	9F61AFG501 (13.8 kV, 95 BIL), 9F61AFJ501 (14.4 kV 110 BIL)	N/A for Outdoor Mounting	N/A	N/A for Outdoor Mounting

15” Clip Centers Clip-in Mounting Indoor or Enclosure

Catalog Number	Max.kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F60CMJ905	25.8	0.5E	1	YES	C/2”/17.20”	82kA	8114/8115	Consult Factory	N/A for Outdoor Mounting	Consult Factory	N/A for Outdoor Mounting
9F60CMJ001	25.8	1E	1	YES	C/2”/17.20”	82kA	8114/8115	Consult Factory	N/A for Outdoor Mounting	Consult Factory	N/A for Outdoor Mounting
9F60CMJ002	25.8	2E	1	YES	C/2”/17.20”	82kA	8114/8115	Consult Factory	N/A for Outdoor Mounting	Consult Factory	N/A for Outdoor Mounting

Current-Limiting Power Fuses

Power Distribution Fuses

9F60 Series, “E” Rated

EJO-1

Suitable for use indoors and outdoors

Product Description

Power distribution current-limiting fuses are designed not only to interrupt the high-fault currents but also to interrupt low-fault currents down to approximately 3 times their continuous rating. The EJO-1 models can be used outdoors without any protecting enclosure.



12” Clip Centers Clip-in Mounting Indoor or Enclosure

Catalog Number	Max.kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F60DJB001	2.75	1E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJB002	2.75	2E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJB003	2.75	3E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJB005	2.75	5E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJB007	2.75	7E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJB010	2.75	10E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJB015	2.75	15E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJB020	2.75	20E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJB025	2.75	25E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60FJB030	2.75	30E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60FJB040	2.75	40E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60FJB050	2.75	50E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60FJB065	2.75	65E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60FJB080	2.75	80E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60FJB100	2.75	100E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60HJB125	2.75	125E	2	YES	DD/(2) 3"/15.88"	50kA	8106/8107	9F61AEB401	9F61CEF409	9F61AEB405	9F61CEF410
9F60HJB150	2.75	150E	2	YES	DD/(2) 3"/15.88"	50kA	8106/8107	9F61AEB401	9F61CEF409	9F61AEB405	9F61CEF410
9F60HJB200	2.75	200E	2	YES	DD/(2) 3"/15.88"	50kA	8106/8107	9F61AEB401	9F61CEF409	9F61AEB405	9F61CEF410
9F60DJD005	5.5	0.5E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJD001	5.5	1E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJD002	5.5	2E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJD003	5.5	3E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJD005	5.5	5E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJD007	5.5	7E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJD010	5.5	10E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJD015	5.5	15E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJD020	5.5	20E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJD025	5.5	25E	1	YES	C/2"/14.18"	50kA	8106/8107	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60FJD030	5.5	30E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60FJD040	5.5	40E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60FJD050	5.5	50E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60FJD065	5.5	65E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60FJD080	5.5	80E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60FJD100	5.5	100E	1	YES	D/3"/15.88"	50kA	8106/8107	9F61AEB301	9F61CEF309	9F61AEB305	9F61CEF310
9F60HJD125	5.5	125E	2	YES	DD/(2) 3"/15.88"	50kA	8106/8107	9F61AEB401	9F61CEF409	9F61AEB405	9F61CEF410
9F60HJD150	5.5	150E	2	YES	DD/(2) 3"/15.88"	50kA	8106/8107	9F61AEB401	9F61CEF409	9F61AEB405	9F61CEF410
9F60HJD200	5.5	200E	2	YES	DD/(2) 3"/15.88"	50kA	8106/8107	9F61AEB401	9F61CEF409	9F61AEB405	9F61CEF410
9F60DJE005	8.25	0.5E	1	YES	C/2"/14.18"	50kA	8112/8113	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJE001	8.25	1E	1	YES	C/2"/14.18"	50kA	8112/8113	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJE002	8.25	2E	1	YES	C/2"/14.18"	50kA	8112/8113	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJE003	8.25	3E	1	YES	C/2"/14.18"	50kA	8112/8113	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJE005	8.25	5E	1	YES	C/2"/14.18"	50kA	8112/8113	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJE007	8.25	7E	1	YES	C/2"/14.18"	50kA	8112/8113	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJE010	8.25	10E	1	YES	C/2"/14.18"	50kA	8112/8113	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60DJE015	8.25	15E	1	YES	C/2"/14.18"	50kA	8112/8113	9F61AEG201	9F61CEF209	9F61AEG205	9F61CEF210
9F60FJE020	8.25	20E	1	YES	D/3"/15.88"	50kA	8112/8113	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F60FJE025	8.25	25E	1	YES	D/3"/15.88"	50kA	8112/8113	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F60FJE030	8.25	30E	1	YES	D/3"/15.88"	50kA	8112/8113	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F60FJE040	8.25	40E	1	YES	D/3"/15.88"	50kA	8112/8113	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F60FJE050	8.25	50E	1	YES	D/3"/15.88"	50kA	8112/8113	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F60FJE065	8.25	65E	1	YES	D/3"/15.88"	50kA	8112/8113	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F60FJE080	8.25	80E	1	YES	D/3"/15.88"	50kA	8112/8113	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F60FJE100	8.25	100E	1	YES	D/3"/15.88"	50kA	8112/8113	9F61AEG301	9F61CEF309	9F61AEG305	9F61CEF310
9F60HJE125	8.25	125E	2	YES	DD/(2) 3"/15.88"	50kA	8112/8113	9F61AEG401	9F61CEF409	9F61AEG405	9F61CEF410
9F60HJE150	8.25	150E	2	YES	DD/(2) 3"/15.88"	50kA	8112/8113	9F61AEG401	9F61CEF409	9F61AEG405	9F61CEF410
9F60HJE200	8.25	200E	2	YES	DD/(2) 3"/15.88"	50kA	8112/8113	9F61AEG401	9F61CEF409	9F61AEG405	9F61CEF410

Current-Limiting Power Fuses

Power Distribution Fuses

9F60 Series, “E” Rated

EJO-1

Suitable for use indoors and outdoors

15” Clip Centers Clip-in Mounting Indoor or Outdoor

Catalog Number	Max. kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F60DMH005	15.5	0.5E	1	YES	C/2”/17.20”	120kA	8104/8105	9F61AGG201 (13.8 kV nominal 95 kV BIL), 9F61AGJ201 (14.4 kV nominal 110 BIL)	9F61CGL209	9F61AGG205 (13.8 kV nominal 95 kV BIL), 9F61AGJ205 (14.4 kV nominal 110 BIL)	9F61CGL210
9F60DMH001	15.5	1E	1	YES	C/2”/17.20”	120kA	8104/8105	9F61AGG201 (13.8 kV nominal 95 kV BIL), 9F61AGJ201 (14.4 kV nominal 110 BIL)	9F61CGL209	9F61AGG205 (13.8 kV nominal 95 kV BIL), 9F61AGJ205 (14.4 kV nominal 110 BIL)	9F61CGL210
9F60DMH002	15.5	2E	1	YES	C/2”/17.20”	120kA	8104/8105	9F61AGG201 (13.8 kV nominal 95 kV BIL), 9F61AGJ201 (14.4 kV nominal 110 BIL)	9F61CGL209	9F61AGG205 (13.8 kV nominal 95 kV BIL), 9F61AGJ205 (14.4 kV nominal 110 BIL)	9F61CGL210
9F60DMH003	15.5	3E	1	YES	C/2”/17.20”	120kA	8104/8105	9F61AGG201 (13.8 kV nominal 95 kV BIL), 9F61AGJ201 (14.4 kV nominal 110 BIL)	9F61CGL209	9F61AGG205 (13.8 kV nominal 95 kV BIL), 9F61AGJ205 (14.4 kV nominal 110 BIL)	9F61CGL210
9F60DMH005	15.5	5E	1	YES	C/2”/17.20”	82kA	8104/8105	9F61AGG201 (13.8 kV nominal 95 kV BIL), 9F61AGJ201 (14.4 kV nominal 110 BIL)	9F61CGL209	9F61AGG205 (13.8 kV nominal 95 kV BIL), 9F61AGJ205 (14.4 kV nominal 110 BIL)	9F61CGL210
9F60DMH007	15.5	7E	1	YES	C/2”/17.20”	82kA	8104/8105	9F61AGG201 (13.8 kV nominal 95 kV BIL), 9F61AGJ201 (14.4 kV nominal 110 BIL)	9F61CGL209	9F61AGG205 (13.8 kV nominal 95 kV BIL), 9F61AGJ205 (14.4 kV nominal 110 BIL)	9F61CGL210
9F60DMH010	15.5	10E	1	YES	C/2”/17.20”	82kA	8104/8105	9F61AGG201 (13.8 kV nominal 95 kV BIL), 9F61AGJ201 (14.4 kV nominal 110 BIL)	9F61CGL209	9F61AGG205 (13.8 kV nominal 95 kV BIL), 9F61AGJ205 (14.4 kV nominal 110 BIL)	9F61CGL210
9F60FMH015	15.5	15E	1	YES	D/3”/18.88”	38kA	8104/8105	9F61AGG301 (13.8 kV nominal 95 kV BIL), 9F61AGJ301 (14.4 kV nominal 110 BIL)	9F61CGL309	9F61AGG305 (13.8 kV nominal 95 kV BIL), 9F61AGJ305 (14.4 kV nominal 110 BIL)	9F61CGL310
9F60FMH020	15.5	20E	1	YES	D/3”/18.88”	38kA	8104/8105	9F61AGG301 (13.8 kV nominal 95 kV BIL), 9F61AGJ301 (14.4 kV nominal 110 BIL)	9F61CGL309	9F61AGG305 (13.8 kV nominal 95 kV BIL), 9F61AGJ305 (14.4 kV nominal 110 BIL)	9F61CGL310
9F60FMH025	15.5	25E	1	YES	D/3”/18.88”	38kA	8104/8105	9F61AGG301 (13.8 kV nominal 95 kV BIL), 9F61AGJ301 (14.4 kV nominal 110 BIL)	9F61CGL309	9F61AGG305 (13.8 kV nominal 95 kV BIL), 9F61AGJ305 (14.4 kV nominal 110 BIL)	9F61CGL310
9F60FMH030	15.5	30E	1	YES	D/3”/18.88”	38kA	8104/8105	9F61AGG301 (13.8 kV nominal 95 kV BIL), 9F61AGJ301 (14.4 kV nominal 110 BIL)	9F61CGL309	9F61AGG305 (13.8 kV nominal 95 kV BIL), 9F61AGJ305 (14.4 kV nominal 110 BIL)	9F61CGL310

Current-Limiting Power Fuses

Power Distribution Fuses

9F60 Series, “E” Rated

EJO-1

Suitable for use indoors and outdoors

15” Clip Centers Clip-in Mounting Indoor or Outdoor (Continued)

Catalog Number	Max. kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F60FMH040	15.5	40E	1	YES	D/3”/18.88”	38kA	8104/8105	9F61AGG301 (13.8 kV nominal 95 kV BIL), 9F61AGJ301 (14.4 kV nominal 110 BIL)	9F61CGL309	9F61AGG305 (13.8 kV nominal 95 kV BIL), 9F61AGJ305 (14.4 kV nominal 110 BIL)	9F61CGL310
9F60FMH050	15.5	50E	1	YES	D/3”/18.88”	38kA	8104/8105	9F61AGG301 (13.8 kV nominal 95 kV BIL), 9F61AGJ301 (14.4 kV nominal 110 BIL)	9F61CGL309	9F61AGG305 (13.8 kV nominal 95 kV BIL), 9F61AGJ305 (14.4 kV nominal 110 BIL)	9F61CGL310
9F60HMH065	15.5	65E	2	YES	DD/(2) 3”/18.88”	38kA	8104/8105	9F61AGG401 (13.8 kV nominal 95 kV BIL), 9F61AGJ401 (14.4 kV nominal 110 BIL)	9F61CGL409	9F61AGG405 (13.8 kV nominal 95 kV BIL), 9F61AGJ405 (14.4 kV nominal 110 BIL)	9F61CGL410
9F60HMH080	15.5	80E	2	YES	DD/(2) 3”/18.88”	38kA	8104/8105	9F61AGG401 (13.8 kV nominal 95 kV BIL), 9F61AGJ401 (14.4 kV nominal 110 BIL)	9F61CGL409	9F61AGG405 (13.8 kV nominal 95 kV BIL), 9F61AGJ405 (14.4 kV nominal 110 BIL)	9F61CGL410
9F60HMH100	15.5	100E	2	YES	DD/(2) 3”/18.88”	38kA	8104/8105	9F61AGG401 (13.8 kV nominal 95 kV BIL), 9F61AGJ401 (14.4 kV nominal 110 BIL)	9F61CGL409	9F61AGG405 (13.8 kV nominal 95 kV BIL), 9F61AGJ405 (14.4 kV nominal 110 BIL)	9F61CGL410

21” Clip Centers Clip-in Mounting Indoor or Outdoor

Catalog Number	Max. kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F60DNJ05	25.8	0.5E	1	YES	C/2”/23.18”	45kA	8114/8115	9F61AHM201	9F61CHM209	9F61AHM205	9F61CHM210
9F60DNJ001	25.8	1E	1	YES	C/2”/23.18”	45kA	8114/8115	9F61AHM201	9F61CHM209	9F61AHM205	9F61CHM210
9F60DNJ002	25.8	2E	1	YES	C/2”/23.18”	45kA	8114/8115	9F61AHM201	9F61CHM209	9F61AHM205	9F61CHM210
9F60DNJ003	25.8	3E	1	YES	C/2”/23.18”	45kA	8114/8115	9F61AHM201	9F61CHM209	9F61AHM205	9F61CHM210
9F60DNJ005	25.8	5E	1	YES	C/2”/23.18”	45kA	8114/8115	9F61AHM201	9F61CHM209	9F61AHM205	9F61CHM210
9F60DNJ007	25.8	7E	1	YES	C/2”/23.18”	45kA	8114/8115	9F61AHM201	9F61CHM209	9F61AHM205	9F61CHM210
9F60DNJ010	25.8	10E	1	YES	C/2”/23.18”	45kA	8114/8115	9F61AHM201	9F61CHM209	9F61AHM205	9F61CHM210
9F60FNJ015	25.8	15E	1	YES	D/3”/24.81”	25kA	8114/8115	9F61AHM301	9F61CHM309	9F61AHM305	9F61CHM310
9F60FNJ020	25.8	20E	1	YES	D/3”/24.81”	25kA	8114/8115	9F61AHM301	9F61CHM309	9F61AHM305	9F61CHM310
9F60FNJ025	25.8	25E	1	YES	D/3”/24.81”	25kA	8114/8115	9F61AHM301	9F61CHM309	9F61AHM305	9F61CHM310
9F60FNJ030	25.8	30E	1	YES	D/3”/24.81”	25kA	8114/8115	9F61AHM301	9F61CHM309	9F61AHM305	9F61CHM310
9F60FNJ040	25.8	40E	1	YES	D/3”/24.81”	25kA	8114/8115	9F61AHM301	9F61CHM309	9F61AHM305	9F61CHM310
9F60FNJ050	25.8	50E	1	YES	D/3”/24.81”	25kA	8114/8115	9F61AHM301	9F61CHM309	9F61AHM305	9F61CHM310
9F60HNJ065	25.8	65E	2	YES	DD/(2) 3”/24.88”	25kA	8114/8115	9F61AHM401	9F61CHM409	9F61AHM405	9F61CHM410
9F60HNJ080	25.8	80E	2	YES	DD/(2) 3”/24.88”	25kA	8114/8115	9F61AHM401	9F61CHM409	9F61AHM405	9F61CHM410
9F60HNJ100	25.8	100E	2	YES	DD/(2) 3”/24.88”	25kA	8114/8115	9F61AHM401	9F61CHM409	9F61AHM405	9F61CHM410

Current-Limiting Power Fuses

Power Distribution Fuses

9F60 Series, “E” Rated

EJO-1

Suitable for use indoors and outdoors

27" Clip Centers Clip-in Mounting Indoor or Outdoor

Catalog Number	Max. kV	Amp Rating	No. of Barrels	Indicating	Size/Diam/Length	I/C Sym.	TCC min/max GES	Fuse Support, Indoor	Fuse Support, Outdoor	Disconnecting Switch, Indoor	Disconnecting Switch, Outdoor
9F60FPK001	38	1E	1	YES	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPK002	38	2E	1	YES	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPK003	38	3E	1	YES	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPK005	38	5E	1	YES	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPK007	38	7E	1	YES	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPK010	38	10E	1	YES	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPK015	38	15E	1	YES	D/3"/30.81"	13kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPK020	38	20E	1	YES	D/3"/30.81"	13kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPK025	38	25E	1	YES	D/3"/30.81"	13kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPK030	38	30E	1	YES	D/3"/30.81"	13kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPK040	38	40E	1	YES	D/3"/30.81"	13kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60HPK050	38	50E	2	YES	DD/2) 3"/30.88"	13kA	8116/8117	–	9F61CJN409	–	9F61CJN410
9F60HPK065	38	65E	2	YES	DD/2) 3"/30.88"	13kA	8116/8117	–	9F61CJN409	–	9F61CJN410
9F60HPK080	38	80E	2	YES	DD/2) 3"/30.88"	13kA	8116/8117	–	9F61CJN409	–	9F61CJN410
9F60FPT001	38	1E	1	NO	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPT002	38	2E	1	NO	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPT003	38	3E	1	NO	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPT005	38	5E	1	NO	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPT007	38	7E	1	NO	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPT010	38	10E	1	NO	D/3"/30.81"	45kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPT015	38	15E	1	NO	D/3"/30.81"	13kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPT020	38	20E	1	NO	D/3"/30.81"	13kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPT025	38	25E	1	NO	D/3"/30.81"	13kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPT030	38	30E	1	NO	D/3"/30.81"	13kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60FPT040	38	40E	1	NO	D/3"/30.81"	13kA	8116/8117	–	9F61CJN309	–	9F61CJN310
9F60HPT050	38	50E	2	NO	DD/2) 3"/30.81"	13kA	8116/8117	–	9F61CJN409	–	9F61CJN410
9F60HPT065	38	65E	2	NO	DD/2) 3"/30.81"	13kA	8116/8117	–	9F61CJN409	–	9F61CJN410
9F60HPT080	38	80E	2	NO	DD/2) 3"/30.81"	13kA	8116/8117	–	9F61CJN409	–	9F61CJN410