

ENHANCE PERFORMANCE


MAXIMIZE CONVENIENCE


SIMPLIFY MAINTENANCE

ACCESSORIES CATALOG









REMOTE MONITORING OPTIONS



Nexus™ Wireless Remote Monitor

No need to go outside during inclement weather to check the generator status. Generac's wireless remote gives you instant status updates without ever leaving the house. Available for use on generators 8-150 kW*. Choose from two option:

ADVANCED

- Sleek appearance with flush LED indicator for smooth contour
- Virtually full control panel simulated control pad
- A/C powered with battery back-up
- Includes cradle for desk or wall mounting
- *Remote monitor adapter required for 22 kW to 150 kW.

BASIC

- Small and compact, approximately the width and height of a credit card
- Indicator lights and audible cues relay generator status
- Audible feature when attention is needed or battery is low
- · Magnetic back for refrigerator mounting
- Completely wire-free, battery powered

GENERATOR MAINTENANCE

A scheduled maintenance program will ensure that your system is always in top operating condition and that your warranty requirements are met. Please refer to the service chart for our recommended service and maintenance schedule.

Scheduled Maintenance Kits

Generac offers a comprehensive line of scheduled maintenance kits to ensure long life and top performance of your standby generator system. Kits include:

Kit contents may vary by model.

- Air Filter
- Spark Plug Wrench
- Reminder Sticker

- Oil Filter
- Oil Funnel
- Chamois

Spark Plug(s)

- pa.... 149(0

COLD WEATHER KITS

Optimize the performance of your standby generator in colder climates. Kit consists of battery warmer with an automatically controlled thermostat built in. When temperatures fall below an acceptable level, the thermostat activates the battery warmer, maintaining optimum battery temperature, and also activates the crank case oil heater for smooth engine starting.*





Cold Weather Kit

Highly recommended for areas where the temperature drops below 32° F. Air-cooled kits also include an adhesive engine crankcase warmer.

Extreme Cold Weather Kit (Liquid-cooled units only)

Includes block heater for climates where the temperature falls below 32° F for extended periods of time. To be used in conjunction with the appropriate cold weather kit.

* Air-cooled units only.

LOAD MANAGEMENT OPTIONS





DLM™ Module

Manage up to four additional large 240V loads by adding individual DLM modules. These modules are 50 amps each and are housed in a NEMA 3R enclosure, giving the option to install them anywhere inline indoors or outdoors between the panel and appliance. After loads are shed, they are brought back individually to assure generator capability and eliminate the potential for overload.

Auxiliary Transfer Switch Contacts

Manage the operation of your standby power supply efficiently. The auxiliary transfer switch contact kit allows a single large electrical load to be locked out from generator operation. If a home is equipped with electrical heat or multiple central air conditioning units, this device allows the generator transfer switch to interrupt the appliance's control wire, breaking the signal needed for the appliance to start. 100-200 amp switches available.

MISCELLANEOUS



Battery

Every standby generator requires a battery to start the system. Generac offers the recommended 26R, wet cell battery for use with all air-cooled standby product and liquid-cooled standby product 60 kW and below, excluding the QT4842.



Base Plug Kits

The base plug kits offer an easy way to fill the lifting holes in the generator base. Create a streamlined look and protect your generator from weather and animal-related damage.



The enclosure is the generator's first line of defense against the elements and it's important to keep it in good condition. Touch up scratches and other damage to protect from future corrosion. Kits include the necessary paint to properly maintain or touch up a generator enclosure. Please check with your sales representative to verify proper color coordination.



Air-cooled Generator Transport Cart

Moving a 400 lb generator can be hard work. The Generator Transport Cart will assist with moving the generator from the truck to the installation site. Allows for a single person to easily maneuver any air-cooled product to the desired location.

 Works with all Generac, Guardian Series and Centurion air-cooled models (Excludes CorePower and ES Series).



Fascia for Air-cooled Units

Complement the contoured enclosure with a fascia base wrap that snaps together around the bottom of the generator. Fascia continues the sleek, contoured appearance as well as offering protection from rodents and insects by covering the lifting holes located in the base. Standard on 20 kW air-cooled model. Available in grey or bisque.



Up to five years extended warranty coverage available through Generac Industrial and Residential/Commercial Dealers.



Air-Cooled Service Schedule

ATTENTION: It is recommended that all service work be performed by an Authorized Dealer.

SYSTEM COMPONENT		PROCEDURE	FREQUENCY		
X = Action R = Replace as necessary	Inspect	Change	Clean	W = Weekly M = Monthly Y = Yearly	
FUEL					
Fuel line and connection	X			M	
LUBRICATION					
Oil level	X			M	
Oil		X		Every 200 Hours* and Y	
Oil filter		X		Every 200 Hours* and Y	
COOLING					
Enclosure louvers	Х		Χ	W	
BATTERY					
Remove corrosion, ensure dryness	Х		Χ	M	
Clean and tighten battery terminal	Х		Χ	M	
Check charge status	Х	R		Every 6 M	
Electrolyte level (unsealed batteries only)	X	R		Every 6 M	
ENGINE AND MOUNTING					
Air cleaner	X	R		Υ	
Spark plug(s)	Х	R		Υ	
GENERAL CONDITION					
Vibration, noise, leakage, temperature	Х			M	
COMPLETE TUNE-UP	To be comp	leted by an Auth	orized Dealer	Υ	

^{*} Change oil and filter after first 8 hours of operation and then every 200 hours thereafter. Change sooner when operating under a heavy load or in a dusty or dirty environment or in high ambient temperatures.

REMOT	E MONITORING OPTIONS	AIR-CO	OLED COLD WEATHER KIT				MISCELL	ANEOUS
	Description		Description		Contents			Description
5928	Basic Nexus™ wireless monitor		For air-cooled units with 990/999 engine mfg before 4/2010		Crankcase warmer			Base plug for all liquid-cooled models
5951	Advanced Nexus™ wireless monitor	5864			Crankcase warmer		5651	
5958	Remote QT adapter harness* (use w/5928)	5865	For CorePower 7 kW air-cooled units		Battery wrap w/ internal thermostat & crank case heater		5654	Grey paint kit for air-cooled units mfg after 4/08
5959	Advanced remote QT adapter harness* (use w/5951)	5947	For air-cooled units with 990/999 engine mfg after 4/2010		Battery pad w/ internal thermostat & crank case heater		5653	Tan paint kit for air-cooled units mfg after 4/08
AIR-CO	DLED SCHEDULED MAINTENANCE KIT		For air-cooled units with 410/530 engine mfg after 4/2010		Battery pad w/ internal thermostat & block heater		5703	Bisque paint kit for air-cooled units
	Description		COOLED COLD WEATHER KIT	ı			Medium grey paint kit for air-cooled units mfg after 4/08	
	CorePower, 7 kW, 432 cc kit	Model	Description		Contents			5704
	EcoGen. 6 kW 530 cc kit	5629	For 1.6L engines		28" Battery warmer w/oil filte	er 5685		Air-cooled generator transport cart Grey Fascia for air-cooled units
	8 kW. 410 cc kit	5630	For 2.4L engines		28" Battery warmer, zip ties,	" Battery warmer, zip ties, thermostat		
	10 kW, 530 cc kit	5631	For 4.2L engines		44" Battery warmer, zip ties, thermostat		5666	
	12,13, 14,15, 16 kW, 17 & 18 kW,	5632	For 3.0, 4.6, 6.8L direct drive units		44" Battery warmer, zip ties, thermostat		0000	
5664	760/990cc kit 20 kW. 999 cc kit	5633	For 6.8L gear drive units		44" Battery warmer, zip ties, thermostat & gear oil	5839		Bisque Fascia for air-cooled units
5665	ZU KVV, 999 CC KIL			5819	26R Battery 6-60 kW			
LIQUID-COOLED SCHEDULED MAINTENANCE KIT Model Description Contents Use With					2019	(excluding 48 kW)		
	Description	Model	Description	Contents		Use With	6016	EcoGen 240V Conversion Kit
Model 5655	1.6L - 25 & 30 kW **		25, 30 kW (1.6L)		associated mounting hardware 5629			2
5656	2.4L - 22. 27 & 45 kW **	5616	22, 27, 36, 45 & 60 kW (2.4L)	Block heater & a	ssociated mounting hardware	5630		
5658	4.2L - 48 kW	5618	48 kW - both 1800 RPM (4.2L)	Block heater & a	ssociated mounting hardware	5631	0	dering Information Order online or through your
5984	2.4L - 36 & 60 kW	5619	80 kW (4.6L)	Block heater & a	ssociated mounting hardware	5632		
5985	4.6L - 80 kW	5620	70, 100 &130 kW (6.8L)	Block heater & a	ssociated mounting hardware	5633		
5660	6.8L - 70, 100, 130 & 150 kW	5667	150 kW (6.8L)	Block heater & associated mounting hard		5632		inside sales representative
* Required for use with Nexus wireless monitors on models 22-60 kW. ** For current production models. Contact Generac Service for older models.		LOAD MANAGEMENT OPTIONS						
		Model	Description	Contents				
		5621	Auxiliary transfer switch contact kit (100 & 200 Amp)		Contact, screws, and washers			
	5937 Digital Load Management (DLM) Module			Module for Nexus Smart Switch™				







Innovative Products from the **MARKET LEADER**

For over 50 years, Generac Power Systems has led the industry with innovative design and superior manufacturing. When it comes to developing products that are both durable and reliable, we stand head and shoulders above our competition. The result of our efforts can be seen in every inch of our product offerings. Generac sells more home standby generators than all of its competitors combined!

Generac's Customer **COMMITMENT**

Generac's commitment to its customers extends beyond the generator purchase. A nationwide dealer network, staffed with factory trained technicians, provides unsurpassed service and support. They also maintain inventories of Generac parts and accessories so your home continues to be protected from power outages for years to come.



