











Gas Welding & Cutting Apparatus

www.genstartech.com






Gas Welding & Cutting Outfits

### Light/Medium Duty Tote-A-Torch for Repair, Maintenance and HVAC

- Can weld up to 3/16" and cut up to 1/2"
- Rear entry regulators provide better balance on the small cylinders. The acetylene regulator has an MC CGA200 inlet connection and the oxygen regulator has the standard CGA540 connection
- The carrier is made of tough and lightweight polypropylene
- Optional tips are available to weld up to 1 1/4" and cut up to 6"
- 72-PT Components: 142T-CV Torch Handle w/Check Valve, 142C Cutting Attachment, 710X-80 Oxygen & 710Y-15 Acetylene Regulators, 172C-0 Cutting Tip, 172W-1 Welding Nozzle, 12.5' R-Grade Twin Hoses, 9-WG6G Goggles, 25-300 Striker, CRT10 Carrier, and 25-130 Tank Wrench
- 72-PT-FA Components: Includes all 72-PT components and Flashback Arrestors\*
- 72-PTC Components: Includes all 72-PT components and Cylinders
- 72-PTC-FA Components: Includes all 72-PT components, Cylinders, and Flashback Arrestors\*





### Medium Duty Outfits in Deluxe Tool Box for General Purposes

- Can Weld up to 1/4" and cut up to 1/2"
- Ideal for ship building, construction, petroleum and chemical industries
- Optional tips are available to weld up to 1 1/4" and cut up to 6"
- 7120 Components: 142T-CV Torch Handle w/Check Valve, 142C Cutting Attachment, 752X-80 Oxygen & 752Y-15 Acetylene Regulators, 172C-0 Cutting Tip, 172W-2 Welding Nozzle, 20' T-Grade Twin Hoses, 9-WG1P Goggles, and 25-300 Striker
- 7120FA Components: Includes all 7120 components, and Flashback Arrestors\*



**MODEL 7120** 



## 7130 Series Outfits

### **Heavy Duty Outfits in Deluxe Tool Box** for Industrial & Commercial Applications

- Can weld up to 1/2" and cut up to 3/4"
- Ideal for industrial and commercial applications
- Optional tips are available to weld up to 3" and cut up to 8"
- 7130 Components: 143T-CV Torch Handle w/ Check Valve, 143CA Cutting Attachment, 753X-125 Oxygen & 753Y-15 Acetylene Regulators with 2-1/2" double-scale gauges, 173C-1 Cutting Tip, 173W-2 Welding Nozzle, 20' T-Grade Twin Hoses, 9-WG1P Goggles, and 25-300 Striker
- 7130FA Components: Includes all 7130 components and Flashback Arrestors\*



## 73L-5 Cutting Outfit

### **Cutting Outfit in Econo-Carton**

MODEL	CUTTING	CUTTING	REGULATOR	
NUMBERS	RANGE	Torch	OXYGEN/CETYLENE	
73L-5	14"	163L-21	753X-120/753Y-15	



MODEL 73L-5

## **Cutting Tips**





MODEL NUMBER	SIZE (X)	GASES	FITS		
172C-(X)	000~4	Acetylene	142C		
173C-(X)	000~4	Acetylene	143CA, 162L-21, 163L-21		

(X) Fill in size available in "SIZE" column

Example: 172C-3

## Argon Regulator Kits



790AR-50-6HSP Flowgauge Regulator w/6' Hose



791AR-60-6HSP Flowmeter Regulator w/6' Hose

GAS SERVICE	MODEL NUMBER	DUTY	OUTLET Pressures Preset (PSI)	FLOWMETER (SCFH)	GAUGE SIZE	INLET CONNECTION	OUTLET CONNECTION	HOSE
	790AR-50	MEDIUM	50	50(FLOWGAUGE)	1 1/2"	CGA580	5/8"-18RH(F)	N/A
	791AR-60	MEDIUM	50	60	1 1/2"	CGA580	5/8"-18RH(F)	N/A
ARGON	790AR-50-6HSP	MEDIUM	50	50(FLOWGAUGE)	1 1/2"	CGA580	5/8"-18RH(F)	6′
	791AR-60-6HSP	MEDIUM	50	60	1 1/2"	CGA580	5/8"-18RH(F)	6′

# Compressed Gas Regulators



710Y-15



753X-125



710Y-15SP



753X-125SP

GAS Service	MODEL NUMBER	SKINPACK MODE NUMBER	DUTY	MAX.INLET PRESSURE (PSI)	MAX.DELIVERY PRESSURE(PSI)	GAUGE SIZE	INLET CONNECTION	OUTLET CONNECTION
OXYGEN	710X-80	710X-80SP	LIGHT/MED.	3000	4~80	2"	CGA540 REAR	9/16"-18RH(M)
	752X-80 753X-125	752X-80SP 753X-125SP	MEDIUM/HEAVY	3000	4~80 5~125	2" 2 1/2"	CGA540 CGA540	9/16"-18RH(M) 9/16"-18RH(M)
ACETYLENE	710Y-15	710Y-15SP	LIGHT/MED.	400	2~15	2"	CGA200"MC"REAR	9/16"-18LH(M)
	752Y-15	752Y-15SP	MEDIUM	400	2~15	2"	CGA510	9/16"-18LH(M)
	753Y-15	753Y-15SP	MEDIUM/HEAV	Y 400	2~15	2 1/2"	CGA510	9/16"-18LH(M)



Genstar Technologies Co., Inc

4525 Edison Avenue Chino, CA 91710 USA TEL | 909 . 606 . 2726 FAX | 909 . 606 . 6485 www.genstartech.com

