



PRODUCT CATALOG

Vinyl Siding & Accessories

EFFECTIVE JANUARY 2011



Board & Batten, shown in Tan
with Cedar Spectrum Shingles

VINYL SIDING

CAREFREE BEAUTY FOR YOUR HOME

Whether you're building a dream home or renovating one you've loved for years, there's one solution for your home's exterior that will make it as beautiful, durable and carefree as possible: vinyl siding. Look to Georgia-Pacific brand Vinyl Siding for a complete line of vinyl siding with the colors, profiles, thicknesses and finishes that suit your home and budget.

WHY CHOOSE GP VINYL SIDING?

- Never paint or stain again!
- Impervious to termites
- Durable, economical and virtually maintenance-free for lasting value
- Coordinating line of vinyl accessories and trim
- Backed by a Limited Lifetime Transferable Warranty*



Consult the VSI website at www.vinylsiding.org for a current list of qualified products and colors.

*Georgia-Pacific Corporation does not manufacture, distribute or warrant the products described in this brochure. For a copy of the manufacturer's warranty, call 1-888-502-BLUE.



Forest Ridge, shown in Pewter

CONTENTS

ENVIRONMENTAL STORY.....	4
SEASONS™ HIGH PERFORMANCE INSULATED SIDING.....	6
<i>Year-Round Performance</i>	
CEDAR LANE® SELECT.....	8
<i>Natural look of stained wood</i>	
HERITAGE HILL™.....	10
<i>Traditional beauty in rich, classic colors</i>	
FOREST RIDGE®.....	12
<i>Classic look of traditional siding</i>	
SHADOW RIDGE®.....	14
<i>Distinctive Dutch Lap style</i>	
VISION PRO®.....	16
<i>Versatility and value</i>	
CHATHAM.RIDGE®.....	18
<i>Colonial style, an American favorite</i>	
SOMERSET™.....	20
<i>Beaded elegance</i>	
CASTLE RIDGE®.....	22
<i>Classic simplicity</i>	
BOARD & BATTEN.....	23
<i>Bold vertical style</i>	
CEDAR SPECTRUM™.....	24
VINYL SOFFIT AND FASCIA.....	26
PARKSIDE® VINYL SKIRTING.....	27
RICHWOOD ACCESSORIES & SHUTTERS®.....	28
PLY GEM STONE.....	32
LEAF RELIEF.....	33
INSTALLATION COMPONENTS.....	34
PRODUCT SPECIFICATIONS.....	36
ALUMINUM PRODUCTS.....	37
COLOR CHART.....	38



Georgia-Pacific, manufactured by Ply Gem, can help you meet your sustainable building goals and earn points in leading green building certification programs. Our products offer features that positively contribute to sustainable building practices, improved energy efficiency or lifecycle benefits of homes. All are important aspects of sustainable building and reflect Georgia-Pacific Vinyl Siding's contribution to the Ply Gem Enviro initiative.

A HEALTHY RESPECT FOR THE PLANET — AND OUR CUSTOMERS.



SUSTAINABLE RESOURCES:

- Georgia-Pacific vinyl siding is manufactured from two abundant natural resources: salt (57%) and natural gas (43%).¹
- All post-product scrap material created during the manufacturing process is reclaimed.
- Vinyl siding generates less construction site waste than cardboard packaging, brick or lumber.
- When installed and used properly, Georgia-Pacific Vinyl Siding products never require paint or stain, which reduces VOCs released into the atmosphere.
- Georgia-Pacific aluminum products have been evaluated by a third party and are Green Circle certified to contain a minimum of 67% recycled content.
- Ply Gem facilities reuse and recycle pallets and packaging material, reducing raw material needs and landfill use.
- Ply Gem works with its suppliers to recycle as many materials as possible, including cores, cardboard padding, paint totes, batteries, light bulbs, toner and paper.



ENERGY EFFICIENCY:

- Vinyl siding requires less energy to manufacture per square foot than brick and mortar.²
- Georgia-Pacific Vinyl Siding is lighter weight per square than other cladding options, so it requires less fuel to transport. Less fuel used means less pollution.
- Georgia-Pacific Seasons High Performance Insulated Siding adds up to an additional R2.8 of insulation to exterior walls.
- All Ply Gem facilities do their part to conserve energy by doing simple things like turning out lights on weekends and during shutdowns.



LIFECYCLE BENEFITS OF HOMES:

- Georgia-Pacific Vinyl Siding is durable and requires no site finish. Our Metal Products stand up to weather with virtually no maintenance.
- When installed properly and under normal use, our products should never require painting or staining. They won't crack, peel, blister or rot.
- All of our aluminum accessories are easily recyclable. In fact, at the end of its lifecycle in building applications, 100% of the aluminum can be recycled.

¹ "A Dozen Things You Might Not Know That Make Vinyl Siding Green," page 9, Tad Radzinski, P.E., LEED AP, and VSI. October 10, 2009. <http://www.vinylsiding.org/greenpaper/>

² Ibid, page 10

enviro snap SHOT VINYL SIDING

LEED FOR HOMES — POSSIBLE POINTS

0 61

LEED NEW CONSTRUCTION — POSSIBLE POINTS

2 26

NAHB STANDARDS — POSSIBLE POINTS

9 - 36 42



Looking for Georgia-Pacific Vinyl Siding products with features that can contribute to overall energy savings, lower maintenance and reduced environmental impact? These logos identify products recognized by third parties as supporting green building practices.



Georgia-Pacific Vinyl Siding supports green building and it shows. We are active members of both the USGBC and NAHB — two key industry organizations that are working to define sustainable building practices.

SEASONS™

High Performance Insulated Siding

YEAR-ROUND PERFORMANCE.

Maximize the value of your home with state-of-the-art Seasons™ High Performance Insulated Siding. Our premium quality, insulated siding offers the elegant look of natural wood without maintenance hassles.

- Adds an additional R-Value of 2.8 to exterior walls*
- Sturdy polystyrene backing and rigid paneling provides shock-absorbing dent resistance
- Reduces heating and cooling costs while reducing external noises
- Never needs painting or staining and does not peel, flake, check or craze like paint
- Available in 14 color options, including four Premium Color choices
- Backed by a Limited Lifetime Transferable Warranty**

*Seasons High Performance Insulated Siding, with a verified R-Value rating of 2.8, has been tested using the new 2011 FTC-compliant testing method (ASTM C1363) and is an approved product on the Energy Star® checklist to reduce the effect of thermal bridging.



Wood-framed homes only have insulation between the studs. In these homes, the studs become a thermal bridge. A thermal bridge is created when materials that are poor insulators come in contact, allowing heat to flow through the pathway. Wood framing studs comprise up to 25% of total wall space and provide a perfect pathway for heat loss.

SEASONS HAS BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER.
This means you can be assured that Seasons complies with specific green practice criteria in the National Green Building Standard.
Visit www.GreenApprovedProducts.com for more details.

CERTIFIED VINYL SIDING PRODUCT WITH COLOR RETENTION
ASTM D3679 & D6694

Shown in Flint

** For complete warranty details call 1-888-502-BLUE

PROFILE



COLORS

Standard Colors

Almond	Clay
Cream	Gray
Flint	Mist
Pearl	Tan
Thistle	White

Premium Colors

Briarwood	Pewter
Sagebrook	Wedgewood

CEDAR LANE® *Select*

Vinyl Siding


NATURAL LOOK OF STAINED WOOD.

When you want the richness and character of natural, stained wood siding without the maintenance hassles, there's no reason to compromise. All you need is the quality and performance of Cedar Lane® Select Premium Vinyl Siding.

- Snap-Tight™ interlocking system
- .046" thickness
- Color-through technology minimizes the appearance of scratches
- Resistant to termites and pests
- Profiles include: Double 4" and Double 5" Traditional Lap, Double 4.5" Dutch Lap, Double 5" vertical siding/soffit panel, Double 5" Soffit Perforated
- Matching installation components and complementary accessories, soffit and trim are available
- Backed by a Limited Lifetime Transferable Warranty*
- Curl-over nail hem helps resist wind loads up to 190 mph**



PROFILES



COLORS



* For complete warranty details call 1-888-502-BLUE
**Check local codes for specific wind load requirements. Actual wind speed can vary depending on building design and location.

HERITAGE HILL™

Vinyl Siding

TRADITIONAL BEAUTY IN RICH, CLASSIC COLORS.

Color. It's one of the most important choices you'll ever make about your home's exterior: color evokes your home's personality. The color you select will have an impact on the perception of a home's size and architectural detail. With 18 colors, including Natural Traditions® palette of dark, rich colors, Heritage Hill Vinyl Siding has a color that's right for most every home.

- Finely embossed, authentic wood grain texture and ultra low gloss finish
- Available in Double 4" and Double 5" Traditional Lap plus Double 4.5" Dutch Lap profiles
- 18 colors including Natural Traditions collection of darker, richer colors
- Durable .044" thickness
- Natural Traditions collection of colors is also backed by a 25-year Excessive Color Fade Warranty*
- Luran®S ASA** resin used for Natural Traditions collection adds extra UV protection
- Full roll-over nail hem helps resist wind loads up to 215 mph***




HERITAGE HILL HAS BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER. This means you can be assured that Heritage Hill complies with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com for more details.



Shown in Hampton Red

PROFILES



COLORS

Standard Colors

Almond	Beige
Clay	Cream
Flint	Gray
Mist	Olive
Pearl	Tan
Thistle	White

Natural Traditions® Colors

Briarwood	Cobblestone
Hampton Red*	Pewter
Sagebrook	Wedgewood

*For complete warranty details call 1-888-502-BLUE
**LURAN® is a registered trademark of BASF
***Tested in accordance with ASTM D5206. Windspeed rating will vary depending on specific code region and construction method. Refer to local building codes for detailed requirements concerning allowable wind loads and specified conversion tables for actual windspeed.

*Available in Double 4" Traditional Lap and Double 4.5" Dutch Lap.

FOREST RIDGE®

Vinyl Siding

CLASSIC LOOK OF TRADITIONAL SIDING.

With a broad color palette and a value price, Forest Ridge® Vinyl Siding is the ideal choice for homeowners who appreciate the traditional look and warmth of clapboard siding.

- Deep Traditional Lap with a wood grain finish provides a clean architectural profile
- Available in Double 4" and Double 5" Traditional Lap profiles
- 18 colors including premium colors
- Color-through technology minimizes the appearance of scratches
- .042" thickness with ½" projection
- Premium colors are also backed by a 25-year Excessive Color Fade Warranty*
- Luran®S ASA** resin used for premium collection adds extra UV protection
- Curl-over nail hem helps resist wind loads up to 180 mph***



FOREST RIDGE HAS BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER.
This means you can be assured that Forest Ridge complies with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com for more details.



Shown in Pewter

PROFILES



Double 4"
Traditional
Lap



Double 5"
Traditional
Lap

COLORS


Standard Colors



Almond



Blue



Cream



Gray



Olive



Tan



White



Beige




Clay



Flint



Mist



Pearl



Thistle

Premium Colors



Briarwood



Pewter



Wedgewood



Cobblestone



Sagebrook

*For complete warranty details call 1-888-502-BLUE
**LURAN® is a registered trademark of BASF
***Check local codes for specific wind load requirements. Actual wind speed can vary depending on building design and location.

SHADOW RIDGE®

Vinyl Siding

DISTINCTIVE DUTCH LAP PROFILE.

A gentle curve at the panel top gives a home an old-fashioned dimensional appeal. Homes sided with Shadow Ridge® Vinyl Siding make a striking statement.

- Wood grain finish
- Prominent Dutch Lap profile with deeply recessed shadow lines
- Available in popular designer colors in Double 4" and Double 5" Dutch Lap profiles
- 18 colors including premium colors
- Color-through technology minimizes the appearance of scratches
- Durable .042" thickness with a 1/2" projection
- Premium colors are also backed by a 25-year Excessive Color Fade Warranty*
- Luran®S ASA** resin used for premium collection adds extra UV protection
- Curl-over nail hem helps resist wind loads up to 180 mph***



SHADOW RIDGE HAS BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER. This means you can be assured that Shadow Ridge complies with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com for more details.



Shown in White

PROFILES




Double 4" Dutch Lap



Double 5" Dutch Lap

COLORS

Standard Colors



Almond



Blue



Cream



Gray



Olive



Tan



White



Beige




Clay



Flint



Mist



Pearl



Thistle

Premium Colors



Briarwood



Pewter



Wedgewood



Cobblestone



Sagebrook

*For complete warranty details call 1-888-502-BLUE

**LURAN® is a registered trademark of BASF

***Check local codes for specific wind load requirements. Actual wind speed can vary depending on building design and location.

VISION PRO[®]

Vinyl Siding

VERSATILITY AND VALUE.

Profile. Describing both the shape and height of the boards, a panel's profile largely determines the exterior look of a home.

- Wood grain finish with freshly painted look
- Complements a full range of architectural styles
- Proven, cost-effective siding solution for durable, long-term protection
- Design flexibility with Double 4" and Double 5" Traditional and Dutch Lap profiles in a variety of colors
- Color-through technology minimizes the appearance of scratches
- Backed by a Limited Lifetime Transferable Warranty*
- Durable .040" thickness with ½" projection helps resist wind loads up to 165 mph**



VISION PRO HAS BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER.
This means you can be assured that Vision Pro complies with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com for more details.



Shown in White


PROFILES




Double 4" Traditional Lap



Double 5" Traditional Lap



Double 4" Dutch Lap



Double 5" Dutch Lap

COLORS

Standard Colors



Almond




Beige



Blue



Clay



Cream



Flint




Gray



Mist



Olive



Pearl



Tan



Thistle



White

* For complete warranty details call 1-888-502-BLUE
**Check local codes for specific wind load requirements. Actual wind speed can vary depending on building design and location.

CHATHAM RIDGE®

Vinyl Siding


COLONIAL STYLE, AN AMERICAN FAVORITE.

Narrow, Traditional Profile. Ideal for enhancing the look of smaller homes, Chatham Ridge® Vinyl Siding's narrow, 3" Traditional Lap profile gives the impression of colonial clapboard siding.

- Subtle wood grain texture
- Colonial-style clapboard adds detail and dimension
- Triple Narrow 3" Traditional Lap
- Available in a variety of colors
- Color-through technology minimizes the appearance of scratches
- Backed by a Limited Lifetime Transferable Warranty*
- Durable .040" thickness with 1/2" projection helps resist wind loads up to 165 mph**



PROFILE



Triple 3" Traditional Lap

COLORS

Standard Colors

	
Almond	Blue
	
Clay	Cream
	
Gray	Olive
	
Pearl	Tan
	
White	

* For complete warranty details call 1-888-502-BLUE
**Check local codes for specific wind load requirements. Actual wind speed can vary depending on building design and location.

SOMERSET™

Vinyl Siding

BEADED ELEGANCE.

Beaded Profile. Featuring a full bead at the bottom of each panel, Somerset™ Vinyl Siding combines the hand-crafted look of yesterday with the best of today to give any home a sophisticated look.

- Classic 6 1/2" Full Beaded Lap profile with smooth, brushed finish
- Suggests hand-crafted traditional formality
- Available in an array of popular colors
- Color-through technology minimizes the appearance of scratches
- Backed by a Limited Lifetime Transferable Warranty*
- Substantial .044" thickness with 5/8" projection helps resist wind loads up to 165 mph**




SOMERSET HAS BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER.
This means you can be assured that Somerset complies with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com for more details.



Shown in Cream

PROFILE



Classic 6 1/2" Full Beaded Lap

COLORS

Standard Colors

Almond	Blue
Clay	Cream
Gray	Mist
Pearl	Tan
Thistle	White

* For complete warranty details call 1-888-502-BLUE
**Check local codes for specific wind load requirements. Actual wind speed can vary depending on building design and location.

CASTLE RIDGE[®]

Vinyl Siding

CLASSIC SIMPLICITY.

Simple Character. A Traditional Lap profile and the look of authentic, freshly painted cedar adds beautiful character to any home.

- Deeply embossed wood grain texture
- Durable, weather-resistant vinyl
- Single 8" lap
- .044" thickness is greater than most vinyl siding
- Available in White
- Backed by a Limited Lifetime Transferable Warranty*



CASTLE RIDGE HAS BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER. This means you can be assured that Castle Ridge complies with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com for more details.



Shown in White



PROFILE



Single 8" Traditional Lap

COLOR



White

BOARD & BATTEN

Vinyl Siding

BOLD VERTICAL STYLE.

Board & Batten. The 7" vertical profile provides bold emphasis as an accent panel or full exterior coverage. Board & Batten Siding is a favorite choice when you want a home with the appearance of a cottage or mountain retreat.

- Create a bold vertical emphasis or accent
- Attractive wood grain finish with look of freshly painted wood
- Traditional 5.5" face with a 1.5" batten for a 7" total width; 1/2" depth
- Available in 9 colors
- Color-through technology minimizes the appearances of scratches
- Backed by a Limited Lifetime Transferable Warranty*
- Durable .048" panel thickness helps resist wind loads up to 180 mph**



BOARD & BATTEN HAS BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER. This means you can be assured that Board & Batten complies with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com for more details.



Shown in Tan



Two panels locked.

COLORS




Beige



Clay




Gray



Cream



Mist



Pearl



Tan



Thistle



White

CEDAR Spectrum™

Hand-Split Siding

RUSTIC CHARACTER.

Cedar Spectrum Hand-Split Siding lends rustic character to any home.

- Rustic wood grain finish on all exposed surfaces was molded from real hand-split siding
- Attractive and durable alternative to hand-cut shingles
- Molded from long-lasting polymers to help resist sunlight and warping
- Complete seamless corner post solution provides corner-to-corner hand-split look
- Durable .100" nominal thickness
- Available in 15 designer colors
- Backed by a Limited Lifetime Transferable Warranty*



CEDAR Spectrum™

Round Cut Siding

VICTORIAN CHARM AND BEAUTY.

Perfect for accents, Cedar Spectrum™ Round Cut Siding features a lightly embossed wood grain on all exposed surfaces, resulting in the realistic look of traditional wood scallops.

- Round Cut with a woodgrain finish for a hand-cut appearance
- Molded from long-lasting polymers to help resist sunlight and warping
- Interlocking fingers offer solid application and accurate fit
- Durable .080" nominal thickness
- Available in 8 decorative colors
- Backed by a Limited Lifetime Transferable Warranty*




CEDAR Spectrum™

Shingle Siding

DESIGN FLEXIBILITY.

Cedar Spectrum™ Shingle Siding's versatility makes it a great choice as a textured accent or full house coverage.

- Realistic wood grain finish on all exposed surfaces
- Attractive and durable alternative to real shingle siding
- Molded from long-lasting polymers to help resist sunlight and warping
- Complete seamless corner post solution provides corner-to-corner shingle look
- Durable .100" nominal thickness
- Available in 15 designer colors
- Backed by a Limited Lifetime Transferable Warranty*



HAND-SPLIT & SHINGLE COLORS

Almond	Clay	Cream	Flint	Gray
Pearl	Tan	Thistle	White	Hampton Red
Pewter	Sagebrook	Wedgewood	Shaded Gray	Shaded Cedar

ROUND CUT COLORS

Almond	Clay	Cream	Flint
Gray	Pearl	Tan	White



CEDAR SPECTRUM HAS BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER.
This means you can be assured that Cedar Spectrum complies with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com for more details.

VINYL SOFFIT & FASCIA

ATTRACTIVE AND VERSATILE.

- Perfect for use with brick, wood, vinyl or fiber cement siding
- Ideal for overhangs, porch ceilings and hard-to-maintain exterior overhead applications
- Wide variety of colors match GP vinyl siding
- Soffit available in solid and perforated panels for ventilation
- Wood grain or pebble finish
- Backed by a Limited Lifetime Transferable Warranty*

FASCIA

Maintenance and painting on fascia board can also be virtually eliminated with GP vinyl fascia. Available in 13 standard colors to match most GP brand vinyl siding.



VINYL SOFFIT & FASCIA HAS BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER.

This means you can be assured that Vinyl Soffit & Fascia complies with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com for more details.

DOUBLE 5" SOFFIT AND VERTICAL SIDING



- .046" ultra premium thickness
- 7 Cedar Lane Select colors
- .044" premium thickness
- 13 standard colors plus 6 premium Colors
- Premium solid soffit is suitable for vertical siding applications
- Wood grain finish
- .040" standard thickness
- White
- Wood grain finish
- Standard soffit is not suitable for vertical siding applications



Double 5"
Solid Soffit



Double 5"
Perforated Soffit


TRIPLE 4" SOFFIT




- .035" thickness
- 12 standard colors plus Musket Brown
- Pebble finish
- Not suitable for vertical siding applications



Triple 4" Solid Soffit



Triple 4" Center
Vent Soffit



Triple 4" Full Vent Soffit

BEADED SOFFIT



- .040" thickness
- White only
- Solid soffit is suitable for vertical siding applications



Beaded 7" Solid Soffit



Beaded 7" Hidden Vent Soffit


PARKSIDE® VINYL SKIRTING

FINISH YOUR HOME WITH STYLE.

Looking for the perfect finishing touch for a home, deck or hot tub? Parkside® Vinyl Skirting is a beautiful solution, offering a finished look with a vented option.

- Authentic wood grain emboss
- Ventilated skirting features built-in center vents
- Patented pop-up top rail gives easy access to storage and utilities
- Low maintenance vinyl washes clean with a garden hose, resists dents and insect damage
- Available in solid and centervented designs

COLORS



Cream



Gray



Tan



White



* For complete warranty details call 1-888-502-BLUE



by PLY GEM

IT'S EASY TO MAKE ANY HOME SPECIAL WHEN WRAPPED IN THE BEAUTY AND ELEGANCE OF THE RICHWOOD COLLECTION.

RICHWOOD® MOUNTING BLOCKS & VENTS

• **Quality Assurance** — Our mounting blocks are built to withstand the toughest weather and retain their color and beauty over the life of your home. They will not chip, crack or split.

• **Simple to Install** — Select Richwood products have a 2-piece design that easily adjusts from ¾" to 1¼". This feature allows for easy installation over many siding choices, including insulated vinyl siding.



• **Lasting Durability** — With a Limited Lifetime Warranty* for long-term peace of mind.



• **Perfect Color Match** — Because Richwood mounting blocks and vents are made to exactly match to Georgia-Pacific products, you can select with confidence.



* For complete warranty details call 1-888-502-BLUE

RICHWOOD® DESIGNER ACCENTS



MANTEL SYSTEMS

Mantel systems give a home an elegant appearance by adding height and symmetry to the windows and garage doors. Produced in a classic white finish, they can also be painted with a high-quality latex paint for a custom look. Endcaps and keystones add to the grandeur, and are available for siding or brick applications.

Richwood's mantel systems are not only functional, they are beautiful. Available in a classic design or with an optional dentil trim for a richer appearance, the systems are available in standard lengths of 36", 40", and 44", or a longer length of 120" that is ideal for garage doors.



DOOR SURROUNDS

Richwood's door surround systems welcome guests with a stately entrance. They can be sized to fit most standard entrances, including 96" or 144" heights, and are made from highly durable polystyrene that withstands wear and tear. Richwood's broad selection of door surround systems includes pilasters and mantel or pediment with urn overlays. They are available in classic white, but can be painted to match the style of any home.



DENTIL MOLDINGS

For a finishing touch, our dentil moldings highlight rooflines, frieze trim, soffit, and siding, creating an opulent profile. Richwood's moldings look like wood, but perform better. They stand up to any kind of weather, and do not crack, split, fade, or warp, making them virtually maintenance-free.

RICHWOOD® SHUTTER COLLECTION



Raised Panel Shutter



Louvered Shutter

RICHWOOD® MEASURING & ORDERING

Whether you're selecting a standard shutter or a custom order, Richwood makes it easy to achieve the right look with top quality shutters in a variety of colors, styles and sizes.

Simple to Buy


Choosing the right Richwood shutter is as easy as 1, 2, 3:

- 1 Select the color that complements the home's exterior.
- 2 Choose the style that best suits the desired look. Add arch top or transom top extensions for added height and elegance.
- 3 Determine the size that fits the windows by measuring the Length (A) and Width (B).

Raised Panel or Louvered Arch Tops can be added to circle top windows over 15" standard shutters. The Raised Panel Transom Top can be used over 15" standard shutters to accent a transom window.

Custom Built-to-Order Program

Richwood shutters are a perfect fit for any home. With the Richwood Built-to-Order Program, we can make any of the shutters to order. Custom sizes are available in any length from 18" – 96" (in 1" increments). If desired, mix and match custom and standard size shutters on the same home.



RICHWOOD® MEASURING & ORDERING GUIDE

Window Width (B)	Window Length (A)															
		25"-29"	30"-33"	34"-36"	37"-40"	41"-44"	45"-48"	49"-52"	53"-56"	57"-60"	61"-64"	65"-68"	69"-72"	73"-77"	78"-82"	83"-96"
	24" or less	9"x 25"	9"x 31"	9"x 35"	9"x 39"	9"x 43"	9"x 47"	9"x 51"	9"x 55"	9"x 59"	9"x 63"	9"x 67"	9"x 71"	9"x 75"	9"x 81"	9"x 83"- 96"
	24 – 26"	12"x 27"	12"x 31"	12"x 35"	12"x 39"	12"x 43"	12"x 47"	12"x 51"	12"x 55"	12"x 59"	12"x 63"	12"x 67"	12"x 71"	n/a	n/a	12"x 83"- 96"
	36" or more	15"x 25"	15"x 31"	15"x 35"	15"x 39"	15"x 43"	15"x 47"	15"x 51"	15"x 55"	15"x 59"	15"x 63"	15"x 67"	15"x 71"	15"x 75"	15"x 81"	15"x 83"- 96"

Richwood standard shutters are 12" and 15" wide. *Available in Louvered style only. ** Available in Cottage Style. Arch and Transom Tops are available in 15" widths only. Sizes shaded in light blue are custom orders.

Due to printing limitations, colors may not be exactly as shown. Refer to actual sample for color selection.



RICHWOOD® SHUTTER COLOR SELECTION



Georgetown Blue



Terra Brown



Vineyard Red



White



Blue



Gray



Black



Dark Navy



Dark Spruce



Red



Brown



Pebblestone Clay



Winestone



Green



Blackwatch Green



Dark Berry



Spanish Moss

RAISED PANEL SHUTTERS



STANDARD STYLE
(Raised Panel)



COTTAGE STYLE
(Raised Panel)

Raised panel shutters offer the unique, turn-of-the-century look of the grand homes of the South, but with a contemporary richness and style. Their simple lines create a striking profile to any home. Richwood's raised panel shutters can be purchased in both custom and standard sizes, and come with our Limited Lifetime Warranty. They can be paired with matching transom or arch tops for added height and impact.



TRANSOM TOP
(Raised Panel)



ARCH TOP
(Raised Panel)

LOUVERED SHUTTERS



STANDARD STYLE
(Louvered)



COTTAGE STYLE
(Louvered)

Nothing gives a home a classic look like louvered shutters. Steeped in the traditions of American history, our elegant louvered shutters provide the perfect finishing touch to any home by capturing the rich natural woodgrain texture of real wood shutters, but without the splitting, cracking, and peeling. Richwood louvered shutters can be paired with arch tops to accent circle top windows.



ARCH TOP
(Louvered)

NATURAL PERFECTION IN A HANDCRAFTED STONE VENEER.

At Ply Gem Stone, we offer a fresh new approach to building design. Modeled directly from nature, our stone veneer is a contemporary and attractive alternative to solid rock and traditional siding. Each piece is carefully crafted to exhibit nature's finest hues, unique textures, and authentic details, which will enhance your living or working environment with the look and feel of natural stone. Manufactured stone has become a favorite among the most discerning architects, designers, and builders nationwide, and sheer beauty is just one reason why. Ply Gem Stone's generous selection of stone is easy to install, cost-effective, and offers a durable maintenance-free appearance that creates a lifetime of lasting impressions.

To see full color offering and learn more visit, www.plygemstone.com.

FIELDSTONE



Autumn Chardonnay Shenandoah

RIDGESTONE




Autumn Chardonnay Honey

LEDGESTONE



Autumn Chardonnay Easton

TUCSON FIELDSTONE



Autumn Penns Valley

SHADOW LEDGESTONE



Autumn Chardonnay Shenandoah

CUT COBBLESTONE




Autumn Chardonnay Easton



Sherwood



LEAF RELIEF | PROFESSIONALLY INSTALLED GUTTER PROTECTION



YOUR GUTTER CLEANING DAYS ARE OVER

- **VIRTUALLY ELIMINATES MAINTENANCE**
Leaves and debris don't collect and cause clogs — while water runs right through.
- **COMPLETELY WEATHER & PEST RESISTANT**
Mounts securely and stays firmly in place to resist high winds, heavy amounts of snow and ice, ladder damage and pest invasion.
- **EXCLUSIVE, SPECIALLY TREATED VINYL FLAP**
Formulated to resist UV light, mold and mildew and extreme weather conditions. This unique feature assures a perfect self-sealing fit.
- **SIMPLE INSTALLATION**
Mounts directly to gutter. No lifting shingles ...which may cause other repair headaches or void your roof warranty!
- **KEEPS WATER FLOWING**
Patented Aluma-Perf™ technology keeps leaves, needles, seeds and twigs out...and off...in normal wind conditions*.
- **FOR MORE INFORMATION**
www.leaf-relief.com

LEAF RELIEF | SNAP TIGHT

EFFECTIVE GUTTER PROTECTION THAT'S A SNAP

- **NO HEAVY TOOLS REQUIRED**
Just snap into place for dependable performance season after season.
- **CONSTRUCTED OF DURABLE ALUMINUM**
Won't warp, rust, crack or split.
- **LEAVES & DEBRIS LAND ON TOP**
And are swept away with a normal breeze.*
- **PATENTED REAR FLAP**
Seals the back of the gutter to keep debris out!
- **FOR MORE INFORMATION**
www.leafreliefsnaptight.com



INSTALLATION COMPONENTS & ACCESSORIES

Vinyl Siding

Component	Code	Colors	Length	Wt (lbs)/ctn	Pcs/ctn	Ctn/crt
Seasons Window & Door Surround	300	Standard ¹ colors, excluding Beige, Blue & Olive	12’6”	39.48	10	27
3” Horizontal Starter Strip	302	N/A	12’6”	60.49	40	27
Sturdy Vinyl Starter Strip	303	N/A	10’	48.50	50	45
3/8” J-Channel (beaded)	304	White	12’6”	40.78	40	40
1/2” J-Channel	305	Standard ¹ colors plus Musket Brown	12’6”	37.18	40	40
5/8” J-Channel	306	• Standard ¹ colors plus Musket Brown • Natural Traditions ³ and Premium ⁴ colors	12’6”	42.63	40	40
3/4” J-Channel	307	• Standard ¹ colors, excluding Olive & Thistle • Matching Cedar Lane Select ² and National Traditions ³ colors	12’6”	44.18	40	40
1-1/8” J-Channel	308	Standard ¹ colors, excluding Olive & Thistle	12’6”	48.71	40	27
Wide Flange J Channel	316	Standard ¹ colors	12’6”	53.31	24	27
Undersill Trim	321	• Standard ¹ colors • Natural Traditions ³ and Premium ⁴ colors	12’6”	34.15	40	70
One Piece Wide Crown Moulding	328	Standard ¹ colors, excluding Thistle	12’6”	46.46	24	20
1 3/8” Drip Cap	331	White	12’6”	22.62	24	54
3/8” F-Trim (beaded)	338	White	12’6”	42.28	40	52
3/8” H Mould (beaded)	340	White	12’6”	57.02	24	27
1/2” F-Trim	342	Standard ¹ colors, plus Musket Brown	12’6”	40.35	40	52
5/8” H Mould	343	Standard ¹ colors, plus Musket Brown	12’6”	50.59	24	20
Narrow Cove Moulding	344	Standard ¹ colors	12’6”	31.55	24	40
Window/Door Trim	347	Standard ¹ colors, excluding Thistle	12’6”	78.86	40	20
4 x 3/4” Outside Corner Post	351	• Standard ¹ colors • Natural Traditions ³ and Premium ⁴ colors, excluding Hampton Red	10’	37.85	10	12
Seasons Outside Corner Post	352	Standard ¹ colors, excluding Beige, Blue & Olive	12’	55.88	10	6
Snap-on Outside Corner Post	354	Standard ¹ colors, excluding Thistle	10’	36.77	24	12
Seasons Inside Corner Post	359	Standard ¹ colors, excluding Beige, Blue & Olive	12’	29.54	10	15
Seasons 1¼” J-Channel	40023	Standard ¹ colors, excluding Beige, Blue & Olive	12’6”	63.10	40	24
3/4” Inside Corner Post	361	Standard ¹ colors, Natural Traditions ³ and Premium ⁴ colors	10’	17.59	10	30
Bay Window Corner Post	362	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors, excluding Hampton Red	10’	34.72	10	12
Two Piece Wide Crown Moulding	365	Standard ¹ colors	12’6”	33.71	24	40
Universal Back Plate (Use with item #365)	366	N/A	12’6”	34.79	24	70
Frieze Back Plate (Use with item #365)	367	N/A	12’6”	40.51	24	40
Seasons 3½” Transition Mold	369	Standard ¹ colors, excluding Beige, Blue & Olive	12’6”	41.08	10	—
3” x 3/4” Outside Corner Post	371	Standard ¹ , Heritage Hill Natural Traditions ³ Hampton Red	10’	36.33	10	15
3” x 3/4” x 102” Outside Corner Post	373	Standard ¹ colors, excluding Thistle	8’6”	31.78	10	15
6” Fluted Outside Corner Post	377	White	20’	41.58	4	8
8” Fascia	383	Standard ¹ colors	12’6”	89.74	24	27

1 Standard colors: Almond, Beige, Blue, Clay, Cream, Flint, Gray, Mist, Olive, Pearl, Tan, Thistle and White.
2 Matching Cedar Lane Select colors: Cherry, Chestnut, Ironwood, Maple, Mesquite, Oak and Sycamore
3 Natural Traditions colors: Briarwood, Cobblestone, Hampton Red, Pewter, Sagebrook and Wedgewood.
4 Premium colors: Briarwood, Cobblestone, Pewter, Sagebrook and Wedgewood.
**All components are not listed, please contact your BlueLinx representative for further options.

INSTALLATION COMPONENTS & ACCESSORIES

Vinyl Siding

Component	Code	Colors	Length	Wt (lbs)/ctn	Pcs/ctn	Ctn/crt
3 3/4” Window/Door Surround – 20’	390	Clay, Gray, Pearl, Tan, White	20’	57.28	10	32
5” Window/Door Surround – 20’	391	Clay, Gray, Pearl, Tan, White	20’	64.73	10	23
Window and Door New Construction Starter Strip	393	N/A	10’	41.22	40	27
Window and Door Recessed Starter Strip	394	Clay, Gray, Pearl, Tan, White	10’	44.18	40	38
3 3/4” Window/Door Surround – 12’6”	395	White	12’6”	33.72	10	32
Dual Undersill Trim	396	Standard ¹ colors	12’6”	41.16	24	41
Decorative Corner Starter	398	Clay, Gray, Pearl, Tan, White	20’	61.08	10	25
4” x 3/4” Outside Corner Post – Cedar Lane Select	400	Matching Cedar Lane Select ² colors	10’	47.90	10	12
3/4” Inside Corner Post – Cedar Lane Select	401	Matching Cedar Lane Select ² colors	10’	21.59	10	30
5/8” Extended J-Channel–Cedar Lane Select	402	Matching Cedar Lane Select ² colors	12’6”	52.00	40	27
Undersill Trim – Cedar Lane Select	403	Matching Cedar Lane Select ² colors	12’6”	46.99	40	70
Traditional Outside Corner Post	407	White	20’	67	4	12
Seasons New Crown Backplate	409	Standard ¹ colors, excluding Beige, Blue & Olive	12’6”	60.9	24	—
Seasons Starter Strip	505	N/A	12’6”	42	24	28
5/8” Flexible J-Channel	506	White, Beige, Tan, Pewter	12’6”	45	20	30
Steel Starter Strip (For use with Cedar Spectrum Siding)	636612999	N/A	10’	48	25	N/A
Cedar Spectrum Shingle Siding Outside Corner Post	557	Almond, Clay, Cream, Flint, Gray, Pearl, Tan, White, Hampton Red, Pewter, Sagebrook, Wedgewood, Shaded Gray, Shaded Cedar	3” x 3” x 28½”	15.7	10	49
Snap Lock Punch	552	N/A	N/A	N/A	N/A	N/A
Unlocking Tool	553	N/A	N/A	N/A	N/A	N/A
Nail Hole Punch	554	N/A	N/A	N/A	N/A	N/A
Cedar Spectrum Finish Trim	563	Almond, Clay, Cream, Flint, Gray, Pearl, Tan, Thistle, White, Hampton Red, Pewter, Sagebrook, Wedgewood, Briarwood	12’6”	25	24	N/A
2 Coat Aluminum Trim Coil 24” Coil	—	Standard ¹ , Cedar Lane Select, Natural Traditions ³ , Premium ⁴ colors, Shaded Cedar, Shaded Gray, Brandy, Evening Gray and Forest	50”	24.2	1	N/A
PVC Coated Aluminum Trim Coil 24” Coil	—	Standard ¹ , Natural Traditions ³ , Premium ⁴ colors, Shaded Cedar, Shaded Gray, Musket Brown and Royal Brown	50”	25.8	1	N/A
Aluminum Starter Strip–Standard	636614999	N/A	10’	26	50	N/A
Aluminum Starter Strip–Wide	636611999	N/A	10’	31	50	N/A
1 1/4” Aluminum trim nails	636715	Standard ¹ and Natural Traditions ³ colors	N/A	1 lb. Carton		
Gable vent, rectangle	—	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	14” x 20” 18” x 24” 24” x 30”	—	1	N/A
Gable vent, Round Top	—	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	14” x 22” 24” x 34”	—	1	N/A
Gable vent, square	—	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	14” x 14”		1	
Gable vent, round	—	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	18”, 22”, 36”	—	1	N/A
Gable vent, octagon	—	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	18”, 22”	—	1	N/A
Gable vent, Half Round	—	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	34”, 22”	—	1	N/A
Air Vent	AIRVENT	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	7 x 11” external	4	5	N/A
Foundation Vent	FVENT	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	8¾ x 17” external	11.25	10	N/A
Louvered Exhaust Vent	EXVENT	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	7 x 7” external	4	1	N/A
Intake Louver Vent	INTAKE	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	4□ x 4□” external	1	5	N/A
Soffit Intake Vent	INTVENT	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	8 x 8” external	1	1	N/A
HoodedExhaust Vent	DRYERHOOD	Standard ¹ , Natural Traditions ³ and Premium ⁴ colors	6⅞ x 6⅞” external	1	1	N/A

PRODUCT SPECIFICATIONS

Vinyl Siding

	Windload	Thickness	Length	Weight/ Carton (lbs)	Squares/Crate	Squares/ Carton	Projection	Net Free Air Space
Siding								
Seasons	--	.044"	12'6"	62		1	3/4"	--
Cedar Lane Select	190 mph*	.046"	D4-12' 6" D4.5 DL-12' 1" D5-12'	D4-113.75 D4.5 DL-105.66 D5-110.31	D4-36 D4.5 DL-38 D5-32	2	1/2"	--
Heritage Hill	215 mph*	.044"	D4-12' 6" D4.5 DL-12' 1" D5-12'	D4-106.1 D4.5 DL-101.34 D5-96.16	D4-38 D4.5 DL-32 D5-34	2	9/16"	--
Forest Ridge	180 mph*	.042"	D4-12' 6" D5-12'	D4-94.67 D5-89.61	D4-40 D5-38	2	1/2"	--
Shadow Ridge	180 mph*	.042"	D4 DL-12' 6" D5 DL-12'	D4 DL-94.96 D5 DL-89.67	D4 DL-38 D5 DL-34	2	1/2"	--
Vision Pro	165 mph*	.040"	D4-12' 6" D4 DL-12' 6" D5-12' D5 DL-12'	D4-86.42 D4 DL-86.68 D5-81.84 D5 DL-81.90	D4-48 D4 DL-38 D5-40 D5 DL-34	2	1/2"	--
Castle Ridge Single 8	--	.044"	12' 6"	99.76	34	2	3/4"	--
Somerset Beaded	165 mph*	.044"	12' 4"	112.17	30	2	5/8"	--
Chatham Ridge Triple 3	165 mph*	.040"	12' 1"	90.87	40	2	1/2"	--
Board & Batten	180 mph*	.048"	10'	58.9	20	1	1/2"	--
Cedar Spectrum Hand-Split Siding	190 mph*	.100" nominal	58-1/8"	42.3	9	1/2	1/2"	--
Cedar Spectrum Shingle Siding	210 mph*	.100" nominal	54-5/8"	43	7	1/2	1/2"	--
Cedar Spectrum Round Cut Siding	180 mph*	.100" nominal	51-3/4"	39	7	1/2	3/8"	--
Soffit								
Cedar Lane Select Double 5"	n/a	.046"	12'	Solid-100.45 Vented-94.68	34	2	1/2"	Vented-6.20 square inches per square ft./perforated
Double 5" Premium	n/a	.044"	12'	Solid-94.50 Vented-89.14	34	2	1/2"	Vented-6.20 square inches per square ft./perforated
Double 5" Standard	n/a	.040"	12'	Solid-86.64 Vented-81.78	34	2	1/2"	Vented-6.20 square inches per square ft./perforated
Triple 4"	n/a	.035"	12'	Solid- 76.93 Center Vented-73.93 Fully Vented-73.93	Solid-36 Center Vented-34 Fully Vented-34	1.92	1/2"	Center Vent-4.78 square inches per square ft. Full Vent-14.34 square inches per square ft./lanced
Beaded	n/a	.040"	12'	Solid-114.61 Vented-113.56	34	2	3/8"	Hidden Vent-2.66 square inches per square ft.

*Check local codes for specific wind load requirements. Actual wind speed can vary depending on building design and location.

ALUMINUM PRODUCTS

Attractive, durable and virtually maintenance-free, metal soffit, fascia, trim coil and accessories make it easy to add just the right touch to any home or light commercial building. Georgia-Pacific aluminum products are available in colors that perfectly match vinyl siding colors—or you can choose a complementary color scheme. Whatever your style preference, Georgia-Pacific has you covered!



SOFFIT

Georgia-Pacific aluminum soffits are available in three styles in a variety of thicknesses and venting options to suit any application. Choose Double 6", Triple 4" or Quad 4".

- Commercial, Durabuilt and Economy Thicknesses Available
- Solid, Center Vent and Full Vent Styles



FASCIA

Georgia-Pacific fascia is the perfect low-maintenance finishing touch.

- Choose 4", 6", 8" or 10" styles
- Smooth ribbed
- 6" Embossed Hem Fascia Cap



ACCESSORIES

Complete the look with Georgia-Pacific accessories. Designed for durability and easy installation, our aluminum accessories are available in a variety of colors to match or complement Georgia-Pacific vinyl siding.

- J-Channel
- F-Channel
- Drip Edge
- Starter Strip



TRIM COIL

Georgia-Pacific trim coil cuts clean, bends sharp and lays flat. We offer PVC, Smooth Painted and Durapro in a variety of widths to suit any application.

- Available in hundreds of colors matching Georgia-Pacific vinyl siding and competitor colors



MONTICELLO COLUMNS

Monticello Aluminum Columns are designed to deliver the best of both worlds. Luxurious style and unsurpassed strength.

- Available in Round Fluted, Panel and Square Fluted
- Corinthian Cap available
- Long wearing finish won't require on going maintenance or painting



GEORGIA-PACIFIC ALUMINUM PRODUCTS HAVE BEEN GREEN APPROVED BY THE NAHB RESEARCH CENTER. This means you can be assured that Georgia-Pacific Aluminum Products comply with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com for more details.

COLOR CHART

Siding Color	Seasons™ High Performance Insulated Siding	Cedar Lane® Select	Heritage Hill™	Forest Ridge®	Shadow Ridge®	Vision Pro®	Somerset™	Chatham Ridge®	Castle Ridge®	Board & Batten	Cedar Spectrum™ Hand-Split Siding	Cedar Spectrum™ Shingle Siding	Cedar Spectrum™ Round Cut Siding	D/5 Soffit (.044")	D/5 Soffit (.040")	T/4 Soffit	Beaded Soffit	8" Fascia	Richwood® Exterior Finishings
Almond	●		●	●	●	●	●	●			●	●	●	●		●		●	●
Beige			●	●	●	●				●			●		●		●		●
Blue				●	●	●	●	●					●		●		●		●
Clay	●		●	●	●	●	●	●		●	●	●	●	●		●		●	●
Cream	●		●	●	●	●	●	●		●	●	●	●	●		●		●	●
Flint	●		●	●	●	●					●	●	●	●		●		●	●
Gray	●		●	●	●	●	●	●		●	●	●	●	●		●		●	●
Mist	●		●	●	●	●	●			●			●		●		●		●
Olive			●	●	●	●		●					●		●		●		●
Pearl	●		●	●	●	●	●	●		●	●	●	●	●		●		●	●
Tan	●		●	●	●	●	●	●		●	●	●	●	●		●		●	●
Thistle	●		●	●	●	●	●			●	●	●	●	●				●	●
White	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cherry		●											●	**					
Chestnut		●											●	**					
Ironwood		●											●	**					
Maple		●											●	**					
Mesquite		●											●	**					
Oak		●											●	**					
Sycamore		●											●	**					
Musket Brown																●			●
Briarwood	●		●	●	●								●						●
Cobblestone			●	●	●								●						●
Hampton Red*			●							●	●		●						●
Pewter	●		●	●	●					●	●		●						●
Sagebrook	●		●	●	●					●	●		●						●
Wedgewood	●		●	●	●					●	●		●						●
Shaded Cedar										●	●								●
Shaded Gray										●	●								●

NOTE: Printing reproduction of colors shown in this brochure may vary from actual product.
* Hampton Red approved for Soffit use only.
**. 046 Soffit only

TECHNICAL INFORMATION
Vinyl Siding

All Pastel Panels (excluding Natural Traditions, Premium Colors and Variegated Panels), Soffit, Skirting and Vinyl Siding Accessories – Common Technical Information		
		ATM Standard
Tensile Strength (psi)	6300	5800 min
Deflection Temp (F) @264 psi	165	158 min
Modulus of Elasticity	368,000	316,000 min
Izod Impact at 32 F (ft/lb/in)	1.9	.065 min
Izod Impact at 74 F (ft/lb/in)	3.6	2.4 min
Hardness (Durometer shore D)	82	N/A
Coefficient of linear expansion (in/lb/F)	3.2 x 10 (-5)	4.5 x 10 (-5)
Chemical Resistance Properties	Excellent	N/A
Flame Spread Index	20	25.0 max
Smoke Density Developed	275	N/A

Natural Traditions and Premium Color Panels Only		
		ATM Standard
Tensile Strength (psi)	6090	5800 min
Deflection Temp (F) @264 psi	167	158 min
Modulus of Elasticity	363,795	310,000 min
Izod Impact at 32 F (ft/lb/in)	3.7	.065 min
Izod Impact at 74 F (ft/lb/in)	3.7	2.4 min
Hardness (Durometer shore D)	N/A	
Coefficient of linear expansion (in/lb/F)	3.34 x 10 (-5)	4.5 x 10 (-5)
Chemical Resistance Properties	Excellent	N/A
Flame Spread Index		25.0 max
Smoke Density Developed		N/A

VSI Fire Statement Common to All Vinyl Products
Rigid vinyl siding is made from organic materials and will melt or burn when exposed to a significant source of flame or heat. Building owners, occupants, and outside maintenance personnel should always take normal precautions to keep sources of fire, such as barbecues and combustible materials, such as dry leaves, mulch and trash away from vinyl siding. For information about the fire properties of vinyl siding, contact the Vinyl Siding Institute, 1201 15th Street NW, Suite 220, Washington, DC 20005

Code Approvals Common to All Vinyl Products
Georgia-Pacific brand vinyl siding is listed in the National Evaluation Report – 460. N.E.R. 460 is recognized by SBCCI (Southern Building Code Congress International), ICBO (International Conference of Building Officials) and BOCA (Building Officials and Code Administrators International). Georgia-Pacific brand vinyl siding is in conformance with ASTM D 3679, “Standard Specification for Rigid Polyvinyl Chloride (PVC) Siding.”

All Variegated Panels, Soffit and Vinyl Siding Accessories – Common Technical Information		
		ATM Standard
Tensile Strength (psi)	6000	5800 min
Deflection Temp (F) @264 psi	166	158 min
Modulus of Elasticity	357,000	310,000 min
Izod Impact at 32 F (ft/lb/in)	4	.065 min
Izod Impact at 74 F (ft/lb/in)	4	2.4 min
Hardness (Durometer shore D)	82	N/A
Coefficient of linear expansion (in/lb/F)	3.2 x 10 (-5)	4.5 x 10 (-5)
Chemical Resistance Properties	Excellent	N/A
Flame Spread Index	20	25.0 max
Smoke Density Developed	275	N/A

Other Common Technical Information – Panels & D/5 and Beaded Solid Soffits	
Approvals	Dade County, TX Department of Insurance
VSI Certification	All Pastel and Variegated Vinyl Panels

Cedar Spectrum Siding – Common Technical Information		
		ATM Standard
Tensile Strength (psi)	2900	D638
Deflection Temp (F) @264 psi	202	D648
Modulus of Elasticity	340,000	D638
Impact Test	1.0 ft-lbs/in	D256
Average burn time	2.62 min	D635
Linear thermal expansion	1/16” per 30 degrees F	D696
Smoke Density Rating	710	D2843-93
Flame Spread Index	150	E84-84
Smoke Density Developed	805	E84-84

Compound Cell Classification Common to All Vinyl Products
Compound Cell Classification: polyvinyl chloride (PVC) compound is defined as 13354-B in conformance to ASTM D 1784.

Weathering Common to All Vinyl Products
Weathering: environmental exposure testing conducted at three locations: Arizona, Florida and Ohio per ASTM D 1435 and ASTM D 1435 and ASTM D 3697.

Color Monitoring to All Vinyl Products
Color monitoring: lot-to-lot color monitoring conducted by Spectrophotometer per Standard Test Procedure 5082 CU.

Lock Designs Common to All Vinyl Products
Lock: Precision formed using post formed technique.



SELECTION, QUALITY & ASSURANCE.

Enjoy peace of mind when you choose Georgia-Pacific brand vinyl siding and accessories. Engineered and manufactured to meet or exceed rigorous industry standards (ASTM D 3679), GP vinyl siding is backed by a Limited Lifetime Transferable Warranty.*

Distributed by

BlueLinX

www.bluelinxco.com

BlueLinX Corporation
4300 Wildwood Parkway
Atlanta, Georgia 30339
1-888-502-BLUE



**GEORGIA-PACIFIC HAS BEEN
GREEN APPROVED BY THE
NAHB RESEARCH CENTER.**

This means you can be assured that Georgia-Pacific complies with specific green practice criteria in the National Green Building Standard. Visit www.GreenApprovedProducts.com for more details.

VINYL SIDING SOFFIT SKIRTING SHUTTERS INSTALLATION COMPONENTS

GEORGIA-PACIFIC, GP, and the GEORGIA-PACIFIC logo are owned by or licensed to Georgia-Pacific Wood Products LLC. CEDAR LANE, FOREST RIDGE, SHADOW RIDGE, CHATHAM RIDGE, CASTLE RIDGE, VISION PRO, DETAILS, NATURAL TRADITIONS, and PARKSIDE are registered trademarks, HERITAGE HILL, SOMERSET, and CEDAR SPECTRUM are trademarks, and BLUELINX and the BLUELINX design are trademarks and registered service marks of BlueLinX Services Inc. Seasons is a trademark and Richwood is a registered trademark.

©2011 BlueLinX Corporation. All rights reserved. Printed in the U.S.A. 4101099991102 ERM/Classic Graphics/01.11/XXXX

* For complete warranty details call 1-888-502-BLUE