

WE HAVE BEEN MEETING THE UNIQUE KNIFE AND TOOL NEEDS OF OUR SERVICEMEN AND WOMEN FOR OVER 40 YEARS. WE MAKE PRODUCTS THAT HELP OUR SOLDIERS WORK EFFICIENTLY, SOLVE PROBLEMS AND SAVE LIVES. EVERY NEW DESIGN IS BASED ON DIRECT FEEDBACK FROM SOLDIERS THAT FIELD-TEST OUR KNIVES AND TOOLS EVERY DAY. PROUDLY MADE IN PORTLAND, OREGON, OUR GERBER MILITARY LINE COMBINES THE TOUGHEST MATERIALS, THE MOST INGENIOUS DESIGNS AND THE SHARPEST BLADES TO ENSURE THAT EVERY AMERICAN SOLDIER HAS THE BEST NO MATTER WHERE OR HOW THEY SERVE.

ORDERING INFORMATION:

porsales@gerbergear.com 800.950.6161 x1223 contract: gs-07F-0223x contract: gs-06F-0015J cage code: ORAU7

803836345

CONTENTS

2012 PRODUCTS		
	Cable Dawg [™] 3 CFB [™] [Combat Fixed Blade] 4 Crisis Hook Knife [™] 5 De Facto [™] 6 Downrange Sharpener [™] 7 MOUT Light - Strobe [™] 8 MP 600-ST [™] 9	
KNIVES	Fixed Blade	
MULTI-TOOLS	Full Size	
LIGHTS	Hands-Free	_

KITS		20
SHARPENERS		24
SPADES		25
WIRE CUTTERS		26
MERCHANDISE	Coffee Mugs	27 27 28 28
DISPLAYS	Single Multi-Tool Display Single Knife Display Double Knife Display	29 29

DUNS:



For warranty details go to: www.gerbergear.com/warranty

CABLE DAWG The Cable Dawg

provides the communications needed on today's modern battlefield. Whether supporting troops

working on IT, telecom or satellite, the Cable
Dawg provides Gerber's military customer with
the specific capabilities needed to maintain
communications in a high tempo combat
environment. Additionally, this tool meets the
military objective of reducing a soldier's load by
bringing the functionality of many tools into an





FEATURES

- Made in the USA
- Wire/Cable Cutter
- CAT5 Jacket Cutter
- Spring Loaded Jaw
- RJ45 Crimper Head
- Wire Strippers
- Glass Filled Nylon Molded Handles

effective all-in-one package.

- Combo Edge Knife Blade with Jacket Cutter
- Detachable Component Handles
- Magnetic Driver Extension
- Multiple Driver Storage Compartment

TECH SPECS

- Length: 7.5"
- Weight: 13.8 oz.

ACU

Coyote Brown

Multi-Cam



ACU SHEATH, ITEM #: 30-000361 NSN: 5110-01-598-2253 UPC: 0-13658-12216-1 COYOTE BROWN SHEATH, ITEM #: 30-000397, NSN: 5110-01-598-2254 0-13658-12350-2 MULTI-CAM SHEATH, ITEM #: 30-000398 NSN: 5110-01-598-2248 UPC: 0-13658-12351-9

CFB[™] [COMBAT FIXED BLADE] Gerber built

the Combat Fixed Blade to be tough, indestructible and reliable for everyday use in the field. A full-tang, stainless steel knife with a 154CM high carbon steel tanto blade for cutting, prying, slicing and scraping, the lower portion of the blade is serrated. The handle has a rubberized grip and a blunt pommel. It comes with a molded plastic sheath for multiple carry options on a belt or a MOLLE compatible vest. The CFB is an indispensable daily-use knife for every type of soldier.





FEATURES

- 154CM High Carbon Steel Tanto Blade
- Full Tang with Rubberized Handle
- Multiple Carry Options
- Made in the USA

TECH SPECS

- Blade Length: 4.25"
- Blade Thickness: .12"
- Overall Length: 9.25"
- Weight: 4.9 oz.
- Weight with sheath: 9.6 oz

ITEM #: NSN: UPC: 22-01145DS 1095-01-466-8569 0-13658-13002-9

CRISIS HOOK KNIFETM What started out as a specialty rescue

tool for Military First Responders has become an everyday essential for all types of soldiers. Made to quickly and safely cut through anything – cords, seat-belts, clothes, straps, flex-cuffs, tape – our new design is longer for a greater reach and features an integrated oxygen tank wrench and blunt pommel for breaking through glass. Housed in a TAN 499 ballistic molded plastic clip sheath, the Crisis Hook Knife is made to be carried close at hand — on your vest, on your pack or on your belt.





FEATURES

- 420HC Stainless Steel
- Single Bevel Knife Edge with Blunt Hook
- Textured Edge Handle
- Glass Breaker/Lanyard Hole
- Integrated Oxygen
 Tank Wrench
- Friction Lock Sheath
- Made in the USA

TECH SPECS

- Blade Length: 2.92"
- Overall Length: 8.12"
- Weight: 3.04 oz.

ITEM #: UPC: 30-000509 0-13658-12995-5 DE FACTOTM In close quarters combat, speed of deployment is key. If a soldier's primary weapon system is compromised, they need an immediate, easily accessible solution to defend against physical threat. Developed with veteran SF operators, our knife has a four-inch spear-point blade, dual serrations, rubberized grip and spike pommel that quickly transforms an empty hand into a lethal defense weapon. What sets this knife apart is its innovative sheath locking system – a "weapons hot" friction lock for fast, unrestrained deployment in danger close situations and a secondary retention lock to ensure that the knife isn't lost during high-speed insertion.





FEATURES

- 4" Spear Point Blade with dual serrations
- Spike Pommel with lanvard hole
- Rubberized grip
- TAN499 Injectionmolded handle
- Single Piece Sheath with friction lock and secondary retention lock

TECH SPECS

- Blade Length: 4.0"
- Overall Length: 8.875"
- Weight: 3.9 oz.
- Weight with sheath: 5.1 oz.



ITEM #: UPC: 30-000523 0-13658-12187-0

DOWNRANGE SHARPENER™

are legendary for keeping an extremely sharp edge, but out in the field every knife needs maintenance. The Downrange Sharpener has a carbide sharpener for a fine-edge blade, two different diamond-coated rods for serrated blades and a flat diamond-coated plate for finishing. It's compact, covered in TAN499 ceramic and includes a 550 lanyard.







FEATURES

- Coated TAN499 Ceramic
- Replaceable Carbide Cutters
- Large and Small Diamond Coated Rod for Serrations
- Flat Diamond Coated Plate for Finishing
- 550 Lanyard
- Made in the USA

TECH SPECS

- Length: 4.35"
- Thickness: .5"
- Width: 1.44"
- Weight: 2.2 oz.




30-000589 0-13658-12994-8

MOUT LIGHT - STROBE™ Mountable on an M4/

M16 or M249, the MOUT Light - Strobe is a compact, 250 lumen weapons light with four settings - off, momentary on, constant on and momentary strobe. It comes with a remote pressure switch for the rifle foregrip as well as a standard tail-cap switch. It's waterproof to one meter and o-ring sealed to keep out moisture and dirt. Its infrared filter doubles as a dust cover. Mounted with a rugged LaRue QD tactical mount, the MOUT Light - Strobe does not loosen due to weapon recoil. Like our knives and tools, Gerber lights are built to be dependable, efficient and long-lasting.







FEATURES

- 4 Settings Off, Momentary On, Constant On & Momentary Strobe
- 250 Lumens
- IR Filter / Dust Cover
- TAN499 Coating
- Remote Pressure Switch for Rifle Foregrip
- Mounted with a Rugged LaRue QD Tactical Mount
- Waterproof to 1 meter
- Made in the USA

TECH SPECS

- Length: 4.6"
- Weight: 6.0 oz.
- Runtime: 2.3 hrs.
- Lumens: 250
- Batteries: [2] CR123



ITEM #: UPC:

30-000410 0-13658-12626-8



- Stainless Steel Construction with Black Oxide Finish
- Needlenose Pliers with Crimper Jaws
- One Hand Opening
- M4/M16 Front Sight Post Adjustment Tool
- Carbon Scraper

- Long Reach Philips
 Screwdriver
- Lanyard Ring
- Can Opener / Bottle Opener
- Berry Compliant TAN499
 Sheath with MOLLE and
 Belt Attachment
- Made in the USA

TECH SPECS

- Open Length: 6.61"
- Closed Length: 5.04"
- Weight: 8.2 oz.
- Weight with sheath: 9.8 oz.

ITEM #: UPC: 30-000513 0-13658-12767-8

KNIVES

FIXED BLADE



CFB™ [COMBAT FIXED BLADE]

SERRATED EDGE TANTO

NSN: 1095-01-466-8569

P/N UPC **SPECIFICATIONS**

0-13658-13002-9

Blade Length: 4.25" 9.25" Overall Length: Weight: 4.9 oz Weight with sheath: 9.6 oz

Handle: Fiberglass Reinforced Nylon

NEW



CRISIS HOOK KNIFE

SINGLE BEVEL & HOOK

30-000509 0-13658-12995-5

22-01145DS

Blade Length: 2.92" Overall Length: 8.12" Weight: 3.04 oz

Handle: Glass-filled Nylon



DE FACTO™

SERRATED EDGE DOUBLE BEVEL



30-000523 0-13658-12187-0 Blade Length: 4.0" Overall Length: 8.875" Weight: 3.9 oz Weight with sheath: 5.1 oz Handle: Fiberglass Reinforced Nylon

LMF™ II ASEK & INFANTRY

SERRATED EDGE ASEK SYSTEM - FG504 NSN: 1095-01-552-5218



22-01627G 0-13658-01627-9 Blade Length: 4.84" Overall Length: 10.59" Weight: 11.4 oz Sheath: Molded Plastic Handle: TacHide™



LMF™ II ASEK & INFANTRY

SERRATED EDGE ASEK SYSTEM - COYOTE BROWN



22-01463 0-13658-01463-3 Blade Length: 4.84" Overall Length: 10.59" Weight: 11.4 oz Molded Plastic Sheath: Handle: TacHide"



PRODIGY**

SERRATED EDGE

0-13658-01121-2 22-01121

Blade Length: 4.75" Overall Length: 9.75" Weight: 7.2 oz Sheath: Molded Plastic Handle: TacHide"

Overall Length:

Weight:

Sheath:

Handle:



TAN499

STRAP CUTTER™

SINGLE BEVEL & HOOK BLACK NSN: 5110-01-578-4890 COYOTE BROWN NSN: 5110-01-578-4889 FG504

NSN: 2590-01-576-2424 TAN499

22-01944 0-13658-01944-7 30-000132 0-13658-11414-2

22-01943 0-13658-01943-0 30-000364 0-13658-12230-7

10

4.375"

2.25 oz Molded Plastic

Glass-filled Nylon

FOLDING CLIP



			P/N	UPC	SPECIFICATIONS	3
THE STATE OF THE S	O6 AUTOMATIC™ SERRATED EDGE DROP POINT - S30V NSN: 1095-01-446-4348	Automatic knives avaii	22-01397 lable through au	0-13658-01397-1 thorized dealers only.	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.80" 8.50" 4.70" 7.0 oz Aluminum
S	O6 AUTOMATIC™ SERRATED EDGE TANTO - S30V NSN: 1095-01-456-4457		22-01055DS	0-13658-01055-0	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.8" 8.5" 4.7" 7.0 oz Aluminum
C THILLIP	O6 AUTOMATIC™ G-10 SERRATED EDGE TANTO NSN: 5110-01-516-3243	Automatic knives avai	30-000193 lable through au	0-13658-11665-8 othorized dealers only.	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.8" 8.5" 4.7" 6.3 oz G-10
	O6 COMBAT FOLDER™ SERRATED EDGE DROP POINT NSN: 1095-01-535-5733		30-000308	0-13658-12034-1	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.78" 8.7" 4.92" 8.6 oz 6061 Aluminum
NEW	O6 COMBAT FOLDER™ FINE EDGE DROP POINT NSN: 1095-01-535-5724		30-000462	0-13658-12543-8	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.78" 8.7" 4.92" 8.6 oz 6061 Aluminum
NEW	OG COMBAT FOLDER™ BLACK BLADE SERRATED EDGE DROP POINT NSN: 1095-01-581-0956		30-000463	0-13658-12544-6	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.78" 8.7" 4.92" 8.6 oz 6061 Aluminum
Be applied	APPLEGATE-FAIRBAIRN™ SERRATED EDGE DOUBLE BEVEL NSN: 5110-01-516-3228		05786	0-13658-05786-9	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.78" 8.7" 4.92" 4.2 oz Glass-filled Nylon
Management Commencer Comme	APPLEGATE-FAIRBAIRN SERRATED EDGE S30V NSN: 5110-01-539-9990		FIC ™ 30-000137	0-13658-11411-1	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.78" 8.7" 4.92" 5.0 oz 6061 Aluminum

11

Automatic knives available through authorized dealers only

FOLDING CLIP



		P/N	UPC	SPECIFICATIONS
GENTER E C	D.M.F.™ AUTOMATIC SERRATED EDGE MODIFIED CLIP POINT - S30V NSN: 4220-01-591-5483 Automatic knives available through authorized dealers only.	30-000184	0-13658-11589-7	Blade Length: 3.5" Overall Length: 8.5" Closed Length: 3.85" Weight: 8.5 oz Handle: G-10
Manager Control of the Control of th	D.M.F.™ AUTOMATIC SERRATED EDGE TANTO S30V NSN: 1095-01-600-0972 Automatic knives available through authorized dealers only.	30-000190	0-13658-11612-2	Blade Length: 3.5" Overall Length: 8.5" Closed Length: 3.85" Weight: 8.5 oz Handle: G-10
Caranana Carana	E-Z OUT™ DPSF SERRATED EDGE BLACK BLADE NSN: 5110-01-452-2215	22-01648G	0-13658-01648-4	Blade Length: 3.5" Overall Length: 8.5" Closed Length: 5.0" Weight: 2.8 oz Handle: Glass-filled Nylon
Mananan Manana	E-Z OUT™ DPSF SERRATED EDGE SATIN BLADE NSN: 5110-01-451-0707	22-016436	0-13658-01643-9	Blade Length: 3.5" Overall Length: 8.5" Closed Length: 5.0" Weight: 2.8 oz Handle: Glass-filled Nylon
очи о	S.A.H. TM [SAFETY AUTO HOOK] SERRATED EDGE MODIFIED CLIP POINT NSN: 1095-01-600-0970	30-000185	0-13658-11602-3	Blade Length: 3.6" Overall Length: 8.30" [Blade] Overall Length: 6.00" [Hook] Closed Length: 5.12" Weight: 6.7 oz Handle: G-10
FOLDING SHEATH				
The applying the season of the	APPLEGATE-FAIRBAIRN™ COMBAT FOLDER SERRATED EDGE NSN: 5110-01-436-1548	O5780	EATH 0-13658-05780-7	Blade Length: 4.48" Overall Length: 10.06" Closed Length: 5.58" Weight: 7.4 oz Sheath: Ballistic Nylon Handle: Glass-filled Nylon Black

4.48" 10.06" 5.58"

7.4 oz.

Ballistic Nylon Glass-filled Nylon FG504

Sheath: Handle:

0-13658-01608-8

Blade Length: Overall Length:

Closed Length: Weight:

22-01608

APPLEGATE-FAIRBAIRN™ COMBAT FOLDER WITH SHEATH

SERRATED EDGE

NSN: 5110-01-539-9985

MULTI-TOOLS

FULL SIZE






CABLE DAWG™

ACU SHEATH NSN: 5110-01-598-2253 **COYOTE BROWN SHEATH**

NSN: 5110-01-598-2254 **MULTI-CAM SHEATH**

NSN: 5110-01-598-2248



Overall Length: Weight:

SPECIFICATIONS

Wire/Cable Cutter CAT5 Jacket Cutter Spring Loaded Jaw. RJ45 Crimper Head

Wire Strippers Combo Edge Knife Blade with Jacket

Detachable Component Handle Magnetic Driver Extension Multiple Driver Storage Compartment

Ballistic Nylon Sheath



DIESEL

BLACK

NSN: 5110-01-540-0186

22-01545 0-13658-11545-6

UPC

0-13658-12216-1

0-13658-12350-2

0-13658-12351-9

P/N

30-000361

Overall Length: Closed Length: Weight:

6.61" 4.92" 8.6 oz

8.0"

3.5"

13

3.8 oz

7.5"

13.8 oz

Stainless Steel Ballistic Nylon Sheath Needle Nose Pliers 1/2 Fine Edge & Serrated Blade

Saf.T.Plus™

Phillips Driver Small, Medium & Large Flat Driver Bottle Opener & Can Opener

File Scissors Wire Cutters Lanyard Ring



NSN: 5120-01-578-4888

30-000030

0-13658-11187-5

Overall Length: Closed Length: Weight:

Saf.T.Plus™ Stainless Steel - Black Interchangeable Tool Component: OTIS™ Nylon End Brush Front Sight Post Adjuster Flat Driver/Scraper Interchangeable Tool Component: OTIS™ Curved Pick Punch

Scraper

Ballistic Nylon Berry-Compliant

Sheath

FULL SIZE





FREEHAND

BLACK

22-01513 0-13658-01513-5

UPC

P/N

Overall Length: Closed Length: 5.25" Weight: 13.6 oz

Saf.T.Plus™ Stainless Steel Needle Nose Pliers Fine Edge Blade

SPECIFICATIONS

Phillips Driver Small, Medium & Large Flat Driver

Ruler

Bottle Opener Can Opener Scissors V Cut Wire Cutters

Lanyard Ring

Ballistic Nylon Berry-Compliant

Sheath



LEGENDTM

NSN: 5110-01-475-2144

08239G1 0-13658-08239-7 Overall Length: Closed Length: Weight:

Saf.T.Plus™

Stainless Steel - E-Coat Needle Nose Pliers

1/2 Fine Edge & Serrated Blade, Remgrit Saw™

Phillips Driver

Small, Medium & Large Flat Driver Bottle Opener

6.57"

4.29"

9.8 oz

14

Scissors, File

Tungsten Carbide Cutters Ballistic Nylon Berry-Compliant

Sheath

MID-SIZE/POCKET





MP 400 COMPACT SPORT

BLACK

NSN: 5110-01-539-9996

22-05509G1 0-13658-05509-4 Overall Length: Closed Length: 4.37" 6.8 oz Weight:

Saf.T.Plus™

Stainless Steel Needle Nose Pliers

1/2 Fine Edge & Serrated Blade

Phillips Driver

Small, Medium & Large Flat Driver Bottle Opener & Can Opener

Scissors

Wire Cutters & Wire Stripper Pocket Clip

Regular Pliers

Ballistic Nylon Berry Compliant

Sheath

MID-SIZE/POCKET



6.61" 5.04"

9.0 oz



	P/N	UPC	SPECIFICATIONS
MP 600 BASIC			

NSN: 5110-01-394-6249 07530G 0-13658-07530-6

> Weight: Saf.T.Plus™ Stainless Steel Ballistic Nylon Sheath Needle Nose Pliers Fine Edge Knife Serrated Edge Knife

Phillips Driver Small, Medium & Large Flat Driver

Bottle Opener & Can Opener

Wire Cutters & Wire Crimper

Lanyard Ring

Overall Length: Closed Length:



MP 600 BASIC - TUNGSTEN CARBIDE

Overall Length: Closed Length: BLACK 6.61" 5.04"

NSN: 5110-01-394-6252 07550G1 0-13658-06895-7 Weight: 9.0 oz

Saf.T.Plus™ Stainless Steel Needle Nose Pliers Fine Edge Knife Serrated Edge Knife Phillips Driver

Small, Medium & Large Flat Driver

Bottle Opener & Can Opener

Tungsten Carbide Wire Cutters Wire Crimper

Lanyard Ring

Berry Compliant Ballistic Nylon

Sheath



MP 600 BASIC - TUNGSTEN CARBIDE

BLACK WITH LEATHER SHEATH

NSN: 5110-01-321-8805

30-000314 0-13658-12059-4 Overall Length: 6.61" Closed Length: 5.04" Weight: 9.0 oz

Saf.T.Plus™ Stainless Steel Needle Nose Pliers Fine Edge Knife Serrated Edge Knife Phillips Driver

Small, Medium & Large Flat Driver

15

Bottle Opener & Can Opener

Tungsten Carbide Wire Cutters Wire Crimper

Lanyard Ring Leather Sheath

MID-SIZE/POCKET



6.61"

5.04"

9.0 oz

P/NUPC **SPECIFICATIONS**



MP 600 BASIC - TUNGSTEN CARBIDE

SATIN FINISH WITH LEATHER SHEATH

NSN: 5110-01-394-6251

07535G 0-13658-07535-1 Overall Length: Closed Length: Weight:

Saf.T.Plus™ Stainless Steel Needle Nose Pliers Fine Edge Knife Serrated Edge Knife

Phillips Driver Small, Medium & Large Flat Driver

Bottle Opener & Can Opener

Tungsten Carbide Wire Cutters Wire Crimper

Lanvard Ring Leather Sheath



MP 600 BASIC - BLUNTNOSE - TUNGSTEN CARBIDE

NSN: 5110-01-346-5339

07500G 0-13658-07500-9

Overall Length: Closed Length:

4.88" Weight: 9.0 oz

Saf.T.Plus™ Stainless Steel BluntNose Pliers Fine Edge Knife Serrated Edge Knife Phillips Driver

Small, Medium & Large Flat Driver

Ruler

Bottle Opener & Can Opener

Tungsten Carbide Wire Cutters

Wire Crimper Lanyard Ring

Ballistic Nylon Sheath



MP 600 BASIC - BLUNTNOSE - TUNGSTEN CARBIDE

BLACK

NSN: 5110-01-346-5341

07520G1

0-13658-07520-7

Overall Length: Closed Length:

6.38" 4.88" 9.0 oz Weight:

Saf.T.Plus™ Stainless Steel BluntNose Pliers Fine Edge Knife Serrated Edge Knife Phillips Driver

Small, Medium & Large Flat Driver

Ruler

Bottle Opener & Can Opener

Tungsten Carbide Wire Cutters Wire Crimper

Lanyard Ring

Berry Compliant Ballistic Nylon

16

Sheath www.gerbergear.com

MID-SIZE/POCKET



P/NUPC **SPECIFICATIONS**



MP 600 BASIC - BLUNTNOSE - TUNGSTEN CARBIDE

WITH TOOL KIT

NSN: 5110-01-385-7354

WITH LEATHER SHEATH

NSN: 5110-01-346-5340

07510G

07505G

0-13658-07510-8

0-13658-07505-4

Overall Length: Closed Length:

Weight:

6.38" 4.88" 9.0 oz

Saf.T.Plus™

Stainless Steel BluntNose Pliers Fine Edge Knife Serrated Edge Knife

Phillips Driver

Small, Medium & Large Flat Driver

Bottle Opener & Can Opener

Tungsten Carbide Wire Cutters Wire Crimper

Lanyard Ring

Ballistic Nylon or Leather Sheath



MP 600 D.E.T.™

BLACK

NSN: 5110-01-462-3400

07400 0-13658-07400-2 Overall Length: Closed Length: Weight:

6.61" 5.04" 9.0 oz

17

Saf.T.Plus™

Stainless Steel - Black Needle Nose Pliers With Blasting Cap Crimper Wire Cutter & Wire Crimper

C4 Punch Fine Edge Knife

Phillips Driver Large Flat Driver Remgrit™ Saw With Universal Coupler Can Opener

File

Lanyard Ring

Ballistic Nylon Sheath

Sheath with MOLLE & Belt Attachment

NEW



MP 600-ST™

BLACK



30-000513 0-13658-12767-8 Overall Length: Closed Length: Weight:

6.61" 5.04" 8.2 oz

Saf.T.Plus™ Stainless Steel - Black Needle Nose Pliers With Blasting Cap Crimper M4/M16 Front Sight Post Adjustment Tool Carbon Scraper Fine & Serrated Edge Knife Carbide Wire Cutters Long Reach Phillips Driver Lanyard Ring Can & Bottle Openers Berry Compliant TAN499

LIGHTS



HANDS FREE UPC P/N **SPECIFICATIONS**



HFR-M™

NSN: 6230-01-600-0971

30-000287

0-13658-11963-5

Overall Length: 3.9 oz/CR123 & Weight:

Helmet Mount 4.99 oz; 4.2 oz/AA Battery

Lumens: Runtime: Batteries:

59/100 Burst Capability 6 hrs AA or CR123



Batteries:

Batteries:



FLASHLIGHTS

MOUT LIGHT - STROBE™

30-000410 0-13658-12626-8 Overall Length: Weight: Lumens: Runtime:

6.0 oz 250 2.3 hrs [2] CR123

4.6"

EXPERT-M™

NSN: 6230-01-574-2749

22-80131

0-13658-80131-8

Overall Length: Weight: Lumens: Runtime:

103 2.3 hrs [2] CR123

4.6"

6.0 oz







22-80017

0-13658-80017-5

Overall Length: Weight: Lumens: Runtime: Batteries:

2.2 oz 3 25 hrs [1] AA

3.3"

18







RECON-M™ TASK LIGHT





FLASHLIGHTS





UPC P/N SPECIFICATIONS

RECON-M CPLTM

NSN: 6230-01-544-2283

0-13658-80075-5 22-80075

Overall Length: 3.3" Weight: Lumens: 2.2 oz

Runtime: Batteries:

3 25 hrs [1] AA

2.5"









NSN: 6230-01-544-2141 22-80002 0-13658-80002-1 Overall Length: Weight:

1.3 oz Lumens: N/A Runtime: 10 hrs [3] LR44 Batteries:



RECON-M™ WITH IR TAIL CAP UPGRADE

NSN: 6230-01-544-2263 0-13658-80018-2 22-80018

Overall Length: 6.5" Weight: 4.9 oz Lumens: 28 hrs Runtime: Batteries: [1] AA















RECON-M° II

NSN: 6230-01-574-2739 22-80132 0-13658-80132-5 Overall Length: 5.75"

Weight: 4.75 oz Lumens: White: 55, Red: 1, NVIS: 3.5 Runtime: White: 5 hrs, Red: 5 hrs, NVIS: 5 hrs, IR: 5 hrs

Batteries:

[2] CR123



KITS



P/N

UPC

SPECIFICATIONS



COMBAT ENGINEER KIT

ACU SHEATH

NSN: 5180-01-578-4887 **COYOTE BROWN SHEATH** NSN: 5180-01-578-4886

30-000125 0-13658-11391-6

30-000126 0-13658-11392-3 Overall Length: Weight:

2.7 lbs Mine Probe System MP 600 D.E.T. Multi-Plier Recon-M II Flashlight

9" x 5"

Concertina Cutter MOLLE-Compatible ACU or Coyote Brown Sheath





COYOTE BROWN



ID KIT

ACU SHEATH / FG504 GREEN STRAP CUTTER

NSN: 5180-01-598-2250 **COYOTE BROWN SHEATH & STRAP CUTTER**

NSN: 5180-01-598-2249 30-000366

MULTI-CAM SHEATH / TAN499 STRAP CUTTER

NSN: 5180-01-598-2251

30-000365 0-13658-12231-4

0-13658-12232-1

0-13658-12233-8

eFECT Tool Recon-M II Flashlight Needle Nose MP 600 with Carbide Insert

Weight:

MOLLE-Compatible ACU Sheath with FG504 Green Strap Cutter or MOLLE-Compatible Coyote Brown Sheath with Coyote Brown Strap

Sheath with Components Dimensions:

4" x 2" x 6"

24.04 oz

Cutter or

MOLLE-Compatible Multi-Cam Sheath with Tan499 Strap Cutter





30-000367



MULTI-CAM

COYOTE BROWN

20

KITS



N.S. CERBER

P/N UPC SPECIFICATIONS

MAINTENANCE KIT

NSN: 5180-01-516-3220

07570 0-13658-07570-2

Overall Length: Closed Length: Weight: 6.57" 5.06" 13.8 oz

MP 600 with Carbide Insert Cutters and Replacement RemGrit® Blade Firecracker Flashlight Black Ballistic Nylon Sheath



BASIC MINE PROBE KIT

NSN: 5180-01-516-3233

05984

0-13658-05984-9

Weight:

13.8 oz

3 Nylon Probe Tips 3 Titanium Probe Tips Titanium Shaft Nylon Handle MOLLE-Compatible & Berry Compliant Black Ballistic Nylon Sheath



DELUXE MINE PROBE KIT

NSN: 5180-01-516-3229

05982

0-13658-05982-5

Weight:

13.8 oz

3 Nylon Probe Tips 3 Titanium Probe Tips Titanium Shaft Nylon Handle Infinity Ultra Task Light MP 600 DET Multi-Plier MOLLE-Compatible & Berry Compliant Black Ballistic Nylon Sheath



P/N UPC SPECIFICATIONS

OFF-ROAD SURVIVAL KIT

NSN: 5180-01-457-5621

05635

0-13658-05635-0

Case Dimensions: $12" \times 11" \times 3"$ Weight: 194 oz

Multi-Plier® 600 BackPaxe™ E-Tool™ Folding Spade Expert-M Flashlight Concertina Wire Cutter Exchange-A-Blade™ Saw Compact Durable Ballistic Nylon Case







P/N UPC SPECIFICATIONS



Black Needlenose MP 600-ST™ with carbide cutter inserts
Infinity Ultra Task Light™ with red
L.E.D.
Black ballistic sheath - MOLLEEquipped
Detailed instruction sheets
Cleans properly from breach
to muzzle
Contain OTIS Technology® weapon
cleaning systems for the weapons

Weight: 24.8 oz

listed.

Heavy-duty weapons cleaning; slotted tip with unbreakable internal threads; 40" cleaning rod.

Weight: 32.0 oz

Cleans and maintains all 5.56 caliber weapons systems. Complete optics cleaning components.

7.62MM Weight: 22.4 oz

0-13658-01101-4

22-01104 0-13658-01104-5

22-01100 0-13658-01100-7

22-01102 0-13658-01102-1

22-01101

For 7.62, M40, M240, M60 weapons systems. Special tools for mission critical situations.

PISTOL/SUB-GUN Weight: 20.2 oz

For 9mm pistols & sub-guns. Heavy-duty bore brush.

SHOTGUN Weight: 22.2 oz

NSN: 5180-01-516-3222 22-01103 0-13658-01103-8 One-step operation for 12 ga. Shotgun. Special brushes & tools to clean beyond the barrel.

RIFLE/SHOTGUN/PISTOL Weight: 32.2 oz

NSN: 5180-01-516-3225 22-01105 0-13658-01105-2 For Pistols & sub-guns 9mm through 45 caliber : 5.56 & 7.62 caliber rifles. 12 ga. Shotguns.

PISTOL/SUB-GUN Weight: 22.2 oz **NSN: 5180-01-516-3227** 22-01106 0-13658-01106-9

Pistols & sub-guns 9mm through 45 caliber. Clean automatics without disassembly.

23

SHARPENERS



P/N UPC SPECIFICATIONS



30-000589 0-13658-12994-8

Overall Length: 4.35"
Thickness: .5"
Width: 1.44"
Weight: 2.2 oz

Coated in TAN499 Ceramic Replaceable Carbide Cutters Large/Small Diamond Coated Rod for Serrations Flat Diamond Coated Plate for Finishing 550 Lanyard Made in the USA



SPADES



23.39" 9.25"

37.3 oz

23.75"

23.39"

9.25"

37.3 oz



P/N UPC **SPECIFICATIONS**

E-TOOL™ WITH SERRATED BLADE

NSN: 5120-01-476-7556

05942 0-13658-05942-9

Overall Length: Closed Length;

Weight:

Glass-Filled Nylon Handle Powder Coated Boron Carbon Steel

Spade

Anodized 7075 Aluminium Shaft

Forged Steel Head



E-TOOL™ WITH SERRATED BLADE AND PICK

NSN: 5120-01-530-9641

22-01945

0-13658-01945-4

Overall Length: Closed Length; Weight:

9.25" 47.1 oz

Serrated Edge Cast Pick Attachment Glass-Filled Nylon Handle Powder Coated Boron Carbon Steel

Spade

Anodized Aluminium Shaft

Forged Steel Head



E-TOOL™ WITH SERRATED BLADE AND PLASTIC SHEATH

NSN: 5120-01-580-7174

22-01062

0-13658-01062-8

Overall Length: Closed Length; Weight:

Glass-Filled Nylon Handle Powder Coated Boron Carbon Steel Spade

Anodized 7075 Aluminium Shaft Forged Steel Head

Molded Plastic Sheath is H Hardness Web Belt and MOLLE-Compatible,

Foliage Green



PLASTIC SHEATH FOR E-TOOL™

NSN: 8465-01-561-5706

22-00026

0-13658-00026-1

Overall Length: Weight:

Molded Plastic Sheath is H Hardness Web Belt and MOLLE-Compatible, Foliage Green

www.gerbergear.com

25

9.5"

12.4 oz

WIRE CUTTERS



P/N UPC SPECIFICATIONS



CONCERTINA CUTTER

WITHOUT SHEATH

NSN: 5110-01-539-6851

ACU SHEATH

NSN: 5110-01-539-9826 COYOTE BROWN SHEATH

NSN: 5110-01-576-8918

22-01063 0-13658-01063-5

22-01511 0-13658-01511-1

30-000074 0-13658-11283-4

Overall Length: 8.5" Weight: 1.125 lbs

One Handed Cutting Capability High Strength Tool Steel Jaws Stamped Stainless Steel Constructed

Handles
Cushion Grip
Non-Slip Handles
Available Without Sheath
MOLLE-Compatible ACU or
Coyote Brown Sheath





COYOTE BROWN



MERCHANDISE

COFFEE MUG



27



P/N UPC

30-000533 0-13658-12826-2

TRAVEL COFFEE MUG

30-000534 0-13658-12827-4

WATER BOTTLE

30-000535 0-13658-12828-6

BASEBALL CAP

30-000536 0-13658-12829-7

MERCHANDISE





P/N UPC

BEANIE HAT



MOUSE PAD

30-000538 0-13658-12831-0



TEE-SHIRTS

MEDIUM30-0005390-13658-12832-3LARGE30-0005400-13658-12833-0X-LARGE30-0005410-13658-12834-7XX-LARGE30-0005420-13658-12835-4

DISPLAYS





SINGLE MULTI-TOOL DISPLAY

P/N: 30-000551 **UPC:** 0-13658-12845-3 **Dimensions:** 2.75" W x 3.7" D x 2.5" H



DOUBLE KNIFE DISPLAY

P/N: 30-000570 **UPC:** 0-13658-12863-7 **Dimensions:** 4.375" W x 3.375" D x 2.375" H



SINGLE KNIFE DISPLAY

P/N: 30-000569 **UPC:** 0-13658-12862-0 **Dimensions:** 4.125" W x 1.81" D x 1.93" H



TRIPLE KNIFE DISPLAY

P/N: 30-000571 **UPC:** 0-13658-12864-4 **Dimensions:** 4.625" W x 5.0" D x 2.82" H



GERBER GEAR 14200 SW 72ND AVENUE PORTLAND, OREGON 97224 GERBERGEAR.COM



