

**Product No.****Size****Description****Ctn. Qty.****Ctn. Wt.****U.P.C. Code****MSDS****TFE PIPE JOINT TAPE**

- Economy-grade, low density tape

- Weather resistant; Will not "freeze", seize or harden

15104	1/2" x 60"	CARDED, BLISTER PACK	72	2.7	032628151048	8
15162	1/2" x 260"		144	5.7	032628151628	8
15164	1/2" x 520"		144	7.4	032628151642	8
15169	1/2" x 1296"		36	2.7	032628151697	8
15176	3/4" x 520"		36	1.6	032628151765	8
15183	1" x 520"		36	2.0	032628151833	8

**TAPE DOPE®**

- Industrial heavy grade multi-purpose PTFE tape
- High density, high quality

- Self lubricant, easy-to-use

15111	1/4" x 200"		12	0.9	032628151116	7
15122	1/2" x 200"		24	1.9	032628151222	7
15124	1/2" x 500"		24	2.7	032628151246	7
15127	1/2" x 750"		24	3.0	032628151277	7
15136	3/4" x 500"		12	1.7	032628151369	7

**PIPE JOINT COMPOUND**

- Oil-based thread sealant
- Not for use on plastic pipe or fittings
- Non-setting formula; Will not harden, crack or become brittle

- Not for use on plastic pipe or fittings
- Rust color

15308	2 oz.	DISPLAY, PLASTIC TUBE (12 TRAYS)	144	22.5	032628153080	23
15308B	2 oz.	PLASTIC TUBE -BULK PK	144	22.5	032628153080	23
15311	1/4 pt.		24	11.7	032628153110	23
15325	1/2 pt.	SCREW CAP WITH BRUSH	24	22.8	032628153257	23
15327	1 pt.	SCREW CAP WITH BRUSH	12	23.0	032628153271	23
15340	1 gal.		4	59.5	032628153400	23

**PRO DOPE®**

- Oil-based thread sealant
- Not for use on plastic pipe or fittings
- Gray color

- Non-setting formula; Will not harden, crack or become brittle
- Accepted for use on Flowguard Gold® Pipe and Fittings

15420	1/2 pt.	SCREW CAP WITH BRUSH	24	22.8	032628154209	12
15427	1 pt.	SCREW CAP WITH BRUSH	12	22.5	032628154278	12
15433	6 lb.	PLASTIC PAIL WITH HANDLE	6	39.0	032628154339	12
15435	1 gal.		4	59.0	032628154353	12
15445	5 gal.		1	72.0	032628154452	12

**GRRIP™ - INDUSTRIAL BLACK**

- All purpose, tough, pliable, non-petroleum based seal
- Will not harden, crack, crumble or shrink

- Sets up quickly and dries to form a very tough, yet flexible seal

15510	1/4 pt.	SCREW CAP WITH BRUSH	24	9.6	032628155107	14
15515	1/2 pt.	SCREW CAP WITH BRUSH	24	18.7	032628155152	14
15520	1 pt.	SCREW CAP WITH BRUSH	12	19.3	032628155206	14
15525	1 qt.		12	37.1	032628155251	14

**GRRIP™ LITE - NEUTRAL BEIGE**

- All purpose, tough, pliable, non-petroleum based seal
- Will not harden, crack, crumble or shrink
- Light color is more user friendly

- Sets up quickly and dries to form a very tough, yet flexible seal

15550	1/4 pt.	SCREW CAP WITH BRUSH	24	9.6	032628155503	13
15555	1/2 pt.	SCREW CAP WITH BRUSH	24	18.7	032628155558	13
15560	1 pt.	SCREW CAP WITH BRUSH	12	19.3	032628155602	13
15565	1 qt.		12	37.1	032628155657	13

Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
-------------	------	-------------	-----------	----------	-------------	------

REAL TUFF™

- Multi-purpose, heavy duty white PTFE paste thread sealant
- Provides leak proof hydraulic resistance to 2,000 psi

15605	2 oz.	DISPLAY, PLASTIC TUBE (4 TRAYS)	48	7.7	032628156050	11
15615	1/4 pt.	SCREW CAP WITH BRUSH	24	11.5	032628156159	11
15620	1/2 pt.	SCREW CAP WITH BRUSH	24	22.5	032628156203	11
15625	1 pt.	SCREW CAP WITH BRUSH	12	23.0	032628156258	11
15630	1 qt.		12	44.7	032628156302	11
15632	1 qt.	SCREW CAP WITH BRUSH	12	44.0	032628156326	11
15635	1 gal.		4	58.1	032628156357	11
15640	5 gal.		1	65.0	032628156401	11

**BLOCK™**

- All purpose, high performance pipe joint and gasket sealing compound
- Leak-proof resistant
- Grit-free; non-separating, distinctive non-runny consistency

15703	1/4 pt.	SCREW CAP WITH BRUSH	24	13.0	032628157033	72
15707	1/2 pt.	SCREW CAP WITH BRUSH	24	20.8	032628157071	72
15711	1 pt.	SCREW CAP WITH BRUSH	12	21.0	032628157118	72
15716	1 qt.	SCREW CAP WITH BRUSH	12	39.0	032628157163	72

**MEGALOC®**

- Now made with DuPont™ Kevlar®
- Wipes easily from hands and tools with dry rag
- No odor - No waiting - Non Flammable
- High performing thread sealant
- Grit-free

15802	1.1 fl oz.	DISPLAY, PLASTIC TUBE	24	3.0	032628158023	89
15804	1/4 pt.	Screw Cap with brush	24	13.0	032628158047	89
15806	1/2 pt.	Screw Cap with brush	24	20.8	032628158061	89
15808	1 pt.	Screw Cap with brush	12	21.0	032628158085	89
15811	1 qt.	Screw Cap with brush	12	39.0	032628158115	89
15814	1 gal.		4	44.7	032628158146	89
15816	5 gal.		1	59.3	032628158160	89
15818	55 gal.		1	627.0	032628158184	89

**MEGABUBBLE® LEAK DETECTOR**

- Detects even the smallest gas leaks
- Produces large, blue, long-lasting bubbles
- Clings, even to vertical surfaces
- Non-toxic, non-corrosive formula

45801	8 oz.	WITH DAUBER	24	14.8	032628458017	59
45802	32 oz.	WITH SPRAYER	12	30.5	032628458024	59
45803	1 gal.	REFILL CONTAINER	4	38.0	032628458031	59
45804	16 oz.	WITH SPRAYER - DISPLAY PACK	12	16.5	032628458048	59

**PIPE DOPE BRUSH**

50310	8"	WOOD HANDLE	144	5.8	032628503106	999
-------	----	-------------	-----	-----	--------------	-----




**Product
No.**
Size
Description
**Ctn.
Qty.**
**Ctn.
Wt.**
**U.P.C.
Code**
MSDS
SWIF® 95

- Lead free 95/5 tin-antimony solder combined with highly effective flux

- Fluxes, tins and solders in one operation

10210	1/2 lb.	PRICE INCLUDES BRUSH	12	6.6	032628102101	2
10215	1 lb.	PRICE INCLUDES BRUSH	12	13.2	032628102156	2
10222	3 lb.	PRICE INCLUDES BRUSH	6	20.0	032628102224	2


H₂O FLUX™ WATER FLUSHABLE PASTE

- Unique blend of organic flux activators and wetting agents
- Meets all requirements of the Federal Safe Drinking Water Act

- Smooth, non-runny paste; applies easily

10303	4 oz.		12	4.5	032628103030	98
10307	16 oz.		12	15.5	032628103078	98


CLIMATE SMOOTH™ SOLDERING PASTE

- Smooth, superior quality petrolatum based flux
- Formulated for use in extreme climate temperatures all year long
- Self-cleaning; lead-free formula

- Will not lose its consistency in high or low temperatures
- Meets Commercial Item Description A-A-51145 (supersedes Fed. Spec. O-F-506)

10606	1.8 oz.	6-1 DZ. DISPLAY PACKS	72	13.5	032628106062	4
10608	2 oz.	DISPLAY PACK, SCREW CAP WITH BRUSH	48	9.0	032628106086	4
10616	1/2 lb.		24	14.0	032628106161	4
10619	9 oz.	SCREW CAP WITH BRUSH	24	15.9	032628106192	4
10621	1 lb.		24	28.0	032628106215	4


JEL-FLUX™

- Non-petrolatum gel-type soldering flux
- For use on most common metals except aluminum and stainless steels

- Lead-free, self-cleaning, and flows easily

10810	4 oz.	DAUBER IN CAP	24	9.5	032628108103	6
10815	8 oz.	DAUBER IN CAP	24	17.8	032628108158	6


OPEN MESH ABRASIVE CLOTH

- For cleaning and preparing copper pipe and fittings for soldering

- Can be used in wet environments
- Non-clogging; long lasting

45011	1-1/2" x 5 yds.	DISPENSER BOX	24	6.2	032628450110	999
45013	1-1/2" x 10 yds.	DISPENSER BOX	24	11.9	032628450134	999


GRIT ROLL™

- For cleaning, polishing, and deburring copper pipe and fittings
- Made with water-resistant resin-bonded aluminum oxide

45025	1-1/2" x 10 yds.	DISPENSER BOX	24	13.0	032628450257	999
45030	1-1/2" x 25 yds.	DISPENSER BOX	12	15.8	032628450301	999


FITTING BRUSHES

45050	1/2" CTS	WIRE HANDLE (3 - 1 dz.)	36	1.7	032628450509	999
45055	3/4" CTS	WIRE HANDLE (3 - 1 dz.)	36	2.2	032628450554	999
45060	1" CTS	WIRE HANDLE (3 - 1 dz.)	36	2.5	032628450608	999
45061	1-1/4" CTS	WIRE HANDLE	12	1.0	032628450615	999
45062	1-1/2" CTS	WIRE HANDLE	12	1.0	032628450622	999
45063	2" CTS	WIRE HANDLE	12	1.2	032628450639	999
45070	1/2" CTS	HEAVY DUTY PLASTIC HANDLE (3 - 1 dz.)	36	3.0	032628450707	999
45075	3/4" CTS	HEAVY DUTY PLASTIC HANDLE (3 - 1 dz.)	36	4.0	032628450752	999
45080	1" CTS	HEAVY DUTY PLASTIC HANDLE (3 - 1 dz.)	36	3.8	032628450806	999
45081	1-1/4" CTS	HEAVY DUTY PLASTIC HANDLE	12	1.5	032628450813	999
45082	1-1/2" CTS	HEAVY DUTY PLASTIC HANDLE	12	1.6	032628450820	999
45083	2" CTS	HEAVY DUTY PLASTIC HANDLE	12	1.7	032628450837	999


TUBE CLEANING BRUSH

45085	1/2" CTS	6 - 6 PACK	36	2.3	032628450851	999
45090	3/4" CTS	6 - 6 PACK	36	3.5	032628450905	999
45095	1" CTS	6 - 6 PACK	36	4.2	032628450950	999


SOLDER FLUX AND ACID BRUSH

50400	5-3/4"		144	2.1	032628504004	999
-------	--------	--	-----	-----	--------------	-----

Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
PLASTIC PIPE CEMENT BRUSHES						
50200	1"	NATURAL BRISTLE BRUSH	36	1.4	032628502000	999

**LOW VOC PVC CEMENT - CLEAR, MEDIUM BODY, MEDIUM SET****BLUE LABEL**

- For PVC Types I & II, potable water, DWV, and SW
- For Schedules 40 and 80 pipe and fittings up to 6" diameter

60003	1/4 pt.	DAUBER IN CAP	12	4.3	032628600034	52
60013	1/2 pt.	DAUBER IN CAP	12	7.8	032628600133	52
60015	1 pt.	JUMBO DAUBER IN CAP	12	14.5	032628600157	52
60020	1 qt.	JUMBO DAUBER IN CAP	12	27.5	032628600201	52
60025	1 gal.		6	53.2	032628600256	52

**LOW VOC PVC CEMENT - CLEAR, REGULAR BODY, MEDIUM SET****PINK LABEL**

- For PVC Types I & II, potable water, and SW pipe and fittings up to 4" diameter
- For Schedule 40

60043	1/4 pt.	DAUBER IN CAP	12	4.3	032628600430	53
60053	1/2 pt.	DAUBER IN CAP	12	7.8	032628600539	53
60055	1 pt.	JUMBO DAUBER IN CAP	12	14.7	032628600553	53
60060	1 qt.	JUMBO DAUBER IN CAP	12	27.5	032628600607	53
60065	1 gal.		6	53.6	032628600652	53

**LOW VOC PVC CEMENT - CLEAR, MEDIUM BODY, FAST SET****YELLOW LABEL**

- For PVC Types I & II, potable water, and SW pipe and fittings up to 8" diameter
- For Schedules 40 and 80

60103	1/4 pt.	DAUBER IN CAP	12	4.3	032628601031	52
60113	1/2 pt.	DAUBER IN CAP	12	7.8	032628601130	52
60115	1 pt.	JUMBO DAUBER IN CAP	12	14.9	032628601154	52
60120	1 qt.	JUMBO DAUBER IN CAP	12	27.5	032628601208	52
60125	1 gal.		6	53.0	032628601253	52

**LOW VOC BELOW ZERO PVC CEMENT - CLEAR, REGULAR BODY, FAST SET****ORANGE LABEL**

- For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 6" diameter
- For Schedule 40

60142	1/2 pt.	DAUBER IN CAP	24	15.4	032628601420	51
60145	1 pt.	JUMBO DAUBER IN CAP	12	14.5	032628601451	51
60148	1 qt.	JUMBO DAUBER IN CAP	12	27.5	032628601482	51



**Product No.****Size****Description****Ctn. Qty.****Ctn. Wt.****U.P.C. Code****MSDS****LOW VOC PVC CEMENT - CLEAR, HEAVY BODY, SLOW SET****TAN LABEL**

- For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 15" diameter
- For Schedules 40 and 80

60155	1/2 pt.	DAUBER IN CAP	24	15.6	032628601550	50
60160	1 pt.	JUMBO DAUBER IN CAP	12	14.6	032628601604	50
60165	1 qt.	JUMBO DAUBER IN CAP	12	27.6	032628601659	50

**LOW VOC PVC CEMENT - GRAY, HEAVY BODY, SLOW SET****GRAY LABEL**

- For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 6" diameter
- For Schedule 40

60210	1/2 pt.	DAUBER IN CAP	24	15.9	032628602106	60
60215	1 pt.	JUMBO DAUBER IN CAP	12	14.7	032628602151	60
60220	1 qt.	JUMBO DAUBER IN CAP	12	27.9	032628602205	60
60225	1 gal.		6	54.0	032628602250	60

**WET SET PVC CEMENT - AQUA BLUE, MEDIUM BODY, FAST SET****AQUA LABEL**

- For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 8" diameter
- Ideal for lawn sprinkler and swimming pool installations
- Applicable where conditions are very wet and/or when quick pressurization is imperative
- For Schedules 40 and 80

60253	1/2 pt.	DAUBER IN CAP	12	7.4	032628602533	76
60255	1 pt.	JUMBO DAUBER IN CAP	12	13.7	032628602557	76
60260	1 qt.	JUMBO DAUBER IN CAP	12	28.7	032628602601	76
60265	1 gal.		6	54.2	032628602656	76

**LOW VOC CPVC CEMENT - ORANGE, MEDIUM BODY, FAST SET****ORANGE LABEL**

- CPVC potable water pipe and fittings up to 8" diameter
- For all Schedules

60303	1/4 pt.	DAUBER IN CAP	12	4.4	032628603035	61
60313	1/2 pt.	DAUBER IN CAP	12	8.0	032628603134	61
60315	1 pt.	DAUBER IN CAP	12	14.7	032628603158	61
60320	1 qt.	DAUBER IN CAP	12	28.0	032628603202	61

**LOW VOC CPVC GOLD - YELLOW, MEDIUM BODY****YELLOW LABEL**

- One step, low V.O.C. cement for use on all CPVC pipe and fittings including FlowGuard Gold®
- For Schedules 40 and 80

60353	1/4 pt.	DAUBER IN CAP	12	4.4	032628603530	95
60358	1/2 pt.	DAUBER IN CAP	12	8.0	032628603585	95
60360	1 pt.	DAUBER IN CAP	12	14.7	032628603608	95
60365	1 qt.	DAUBER IN CAP	12	28.0	032628603653	95

Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
-------------	------	-------------	-----------	----------	-------------	------

UNPURPLE PRIMER FOR PVC AND CPVC CEMENT**GREEN LABEL**

- To soften and prepare surface of PVC pipe and fittings
- For all Schedules
- Special purple dye appears clear - purple color revealed only under UV light

60445	1 pt.	JUMBO DAUBER IN CAP	12	13.7	032628604452	118
60447	1 qt.	JUMBO DAUBER IN CAP	12	25.9	032628604476	118

**LOW VOC PRIMER FOR PVC AND CPVC - PURPLE****PURPLE LABEL**

- To soften and prepare surface of PVC and CPVC pipe and fittings
- For all Schedules
- Use caution: Purple primers contain a dye which is difficult or impossible to remove

60403	1/4 pt.	DAUBER IN CAP	12	4.1	032628604032	62
60413	1/2 pt.	DAUBER IN CAP	12	7.4	032628604131	62
60415	1 pt.	JUMBO DAUBER IN CAP	12	13.7	032628604155	62
60420	1 qt.	JUMBO DAUBER IN CAP	12	25.9	032628604209	62
60425	1 gal.		6	49.8	032628604254	62

**LOW VOC PVC PRIMER - CLEAR****RED LABEL**

- To soften and prepare surface of PVC pipe and fittings
- For all Schedules

60453	1/4 pt.	DAUBER IN CAP	12	4.1	032628604537	63
60458	1/2 pt.	DAUBER IN CAP	12	7.3	032628604582	63
60460	1 pt.	JUMBO DAUBER IN CAP	12	13.4	032628604605	63
60465	1 qt.	JUMBO DAUBER IN CAP	12	25.3	032628604650	63
60470	1 gal.		6	48.6	032628604704	63

**LOW VOC PVC PRIMER - PURPLE****LAVENDER LABEL**

- To soften and prepare surface of PVC pipe and fittings
- For all Schedules
- Use caution: Purple primers contain a dye which is difficult or impossible to remove

60473	1/4 pt.	DAUBER IN CAP	12	4.1	032628604735	70
60483	1/2 pt.	DAUBER IN CAP	12	7.3	032628604834	70
60485	1 pt.	JUMBO DAUBER IN CAP	12	13.4	032628604858	70
60490	1 qt.	JUMBO DAUBER IN CAP	12	25.3	032628604902	70
60495	1 gal.		6	48.6	032628604957	70





Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
LOW VOC ABS CEMENT - BLACK, MEDIUM BODY, FAST SET						GREEN LABEL
• For DWV and SW pipe and fittings up to 8" diameter			• For all Schedules			
60503	1/4 pt.	DAUBER IN CAP	12	4.1	032628605039	64
60513	1/2 pt.	DAUBER IN CAP	12	7.4	032628605138	64
60515	1 pt.	JUMBO DAUBER IN CAP	12	13.6	032628605152	64
60520	1 qt.	JUMBO DAUBER IN CAP	12	25.7	032628605206	64
60525	1 gal.		6	49.5	032628605251	64



ABS/PVC TRANSITION CEMENT - GREEN, MEDIUM BODY, FAST SET						BROWN LABEL
• For joining ABS to PVC pipe and fittings up to 6" diameter			• For all Schedules			
60555	1/2 pt.	DAUBER IN CAP	24	15.5	032628605558	65
60560	1 pt.	JUMBO DAUBER IN CAP	12	14.5	032628605602	65



LOW VOC PLASTIC PIPE AND FITTINGS CLEANER - CLEAR						YELLOW LABEL
• For removing foreign matter and dirt from ABS, PVC, and CPVC, pipe and fittings			• For all Schedules			
60652	1/4 pt.	DAUBER IN CAP	12	4.0	032628606524	67
60659	1/2 pt.	DAUBER IN CAP	12	7.2	032628606593	67
60664	1 pt.	JUMBO DAUBER IN CAP	12	13.1	032628606647	67
60667	1 qt.	JUMBO DAUBER IN CAP	12	24.7	032628606678	67
60669	1 gal.		6	47.5	032628606692	67



MULTI-PURPOSE CEMENT - MILKY, MEDIUM BODY, FAST SET						OLIVE LABEL
• For potable water, DWV and SW pipe and fittings			• For joining PVC, CPVC and ABS pipe and fittings up to 6" diameter			
• For Schedules 40 and 80						
60703	1/4 pt.	DAUBER IN CAP	12	4.4	032628607033	66
60713	1/2 pt.	DAUBER IN CAP	12	7.2	032628607132	66
60715	1 pt.	JUMBO DAUBER IN CAP	12	13.1	032628607156	66
60720	1 qt.	JUMBO DAUBER IN CAP	12	24.8	032628607200	66
60725	1 gal.		6	47.5	032628607255	66

Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
-------------	------	-------------	-----------	----------	-------------	------

STA PUT®

- Superior grade of plumbers' putty
- Flexible, stretchable compound; molds easily
- Will not harden, crumble, crack or shrink

25101	14 oz.		24	22.9	032628251014	22
25103	3 lb.		12	38.5	032628251038	22
25105	5 lb.		6	32.0	032628251052	22
25110	7 lb.	PLASTIC PAIL WITH HANDLE	6	45.0	032628251106	22
25120	20 lb.	PLASTIC PAIL WITH HANDLE	2	43.0	032628251205	22

STA PUT ULTRA®

- Non-staining polymer sealant
- Permanently soft, malleable, and flexible
- Unique, professional grade

25171	14 oz.		12	22.9	032628251717	108
-------	--------	--	----	------	--------------	-----

PLASTIC SEAL™

- Multi-purpose caulk & repair product
- Waterproof
- Ideal lead substitute in lead/oakum joints

25215	10.3 oz.	CARTRIDGE	12	18.0	03262825158	91
-------	----------	-----------	----	------	-------------	----

ROOF & FLASHING SEALANT

- Long-lasting sealant
- No separation; no stirring time; no objectionable odor
- Forms durable, flexible, weatherproof coating
- Can be applied on cold or wet surfaces

25403	10.3 oz.	CARTRIDGE	12	10.1	032628254039	26
25405	1 qt.		12	30.0	032628254053	26
25410	1 gal.		6	57.5	032628254107	26
25415	5 gal.		1	45.0	032628254152	26

PRO POXY® 20

- Cures in 20 minutes
- Kneads quickly and easily
- Seals, mends, bonds and repairs almost anything

25515	4 oz.	DISPLAY PACK (2 - 1 DZ.)	24	8.0	032628255159	24
-------	-------	--------------------------	----	-----	--------------	----

PLASTIC POXY™

- For most plastics
- Fully hardens in 40 minutes
- Kneads quickly and easily

25531	4 oz.	DISPLAY PACK (2 - 1 DZ.)	24	8.0	032628255319	86
-------	-------	--------------------------	----	-----	--------------	----

PLUMBERS CAULK™

- Siliconized acrylic-latex plumbers caulk
- Flows easily, does not harden in tube or cartridge; will not crumble, resists shrinkage
- Flexible, durable, extremely mildew-resistant, waterproof

25605	6 fl oz.	WHITE - TUBE DISPLAY	24	16.5	032628256057	28
25615	11 fl oz.	WHITE - CARTRIDGE	12	15.0	032628256156	28
25620	5.5 fl oz.	CLEAR - TUBE DISPLAY	24	16.5	032628256200	71
25625	10.3 fl oz.	CLEAR - CARTRIDGE	12	15.0	032628256255	71
25631	5.5 fl oz.	ALMOND/BONE - TUBE DISPLAY	24	16.5	032628256316	73
25636	10.3 fl oz.	ALMOND/BONE - CARTRIDGE	12	15.0	032628256361	73
25641	6 fl. oz.	BISCUIT/LINEN - TUBE DISPLAY	24	18.0	032628256415	28
25646	10 fl. oz.	BISCUIT/LINEN - CARTRIDGE	12	16.0	032628256460	28

PLUMBERS CAULK - SILICONE™

- High-quality 100% pure professional grade sealant
- Tack-free in 30 minutes; completely cured in 24 hours

25671	3 oz.	WHITE - METAL TUBE DISPLAY	12	4.0	032628256712	107
25676	11 oz.	WHITE - CARTRIDGE	12	10.0	032628256767	107
25681	3 oz.	CLEAR - METAL TUBE DISPLAY	12	4.0	032628256811	107
25686	11 oz.	CLEAR - CARTRIDGE	12	11.0	032628256866	107

PLUMBERS FIRESTOP SEALANT™

- Latex-based intumescent sealant
- Meets many applications and codes
- Provides up to a 3-hour fire rating

25696	10 oz.	CARTRIDGE	12	11.0	032628256965	116
25698	5 gal.	PAIL	1	25.0	032628256989	116

HIGH TEMP RED

- For high temperature applications
- Flexible, durable, waterproof seal
- Performs at temperatures ranging from -80° F to +600° F

25666	10.1 fl. oz.	RED - CARTRIDGE	12	11.0	032628256668	117
-------	--------------	-----------------	----	------	--------------	-----





Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
-------------	------	-------------	-----------	----------	-------------	------

CUTTING OIL

- Contains activated sulfur-lard and extreme pressure - antiwear additives
- Excellent lubrication for cutting sharp threads
- Contains no nitrosamine-forming compounds or chlorine additives
- NSF registered/USDA authorized

40110	1 pt.	CLEAR	24	28.6	032628401105	43
40115	1 qt.	CLEAR	12	28.0	032628401150	43
40120	1 gal.	CLEAR	6	49.4	032628401204	43
40125	5 gal.	CLEAR	1	40.2	032628401259	43
40140	55 gal.	CLEAR	1	452.0	032628401402	43
40210	1 pt.	DARK	24	28.6	032628402102	44
40215	1 qt.	DARK	12	28.0	032628402157	44
40220	1 gal.	DARK	6	49.4	032628402201	44
40225	5 gal.	DARK	1	40.2	032628402256	44
40240	55 gal.	DARK	1	452.0	032628402409	44

JET-STREAM PENETRATING OIL

- For speedy release of "frozen", rusted or corroded parts
- Safe for metals; will not harm painted surfaces

40300	12 oz.	AEROSOL CAN	12	12.5	032628403000	45
-------	--------	-------------	----	------	--------------	----

LUBE OIL WITH EXTENDA-SPOUT

- Non-gumming, non-toxic, non-detergent, and will not will not foam during use
- Contains rust and corrosion preventatives
- Custom-formulated, multi-purpose lubricating oil

40404	4 oz.		24	6.9	032628404045	47
-------	-------	--	----	-----	--------------	----

DUCK BUTTER®

- Water soluble pipe lubricant
- Adheres to wet and dry surfaces

40501	2 lb.		12	29.8	032628405011	74
40506	8 lb.		4	35.5	032628405066	74

300 DEGREE PLUMBERS GREASE

- Petroleum oil-based valve and faucet stem grease
- Non-melting, non-hazardous
- Waterproof; prevents corrosion

40601	2 oz.		24	4.2	032628406018	39
-------	-------	--	----	-----	--------------	----

PRO-PORT™

- For easy access for behind-the wall fittings
- Easy installation - paintable

43008	8" x 8"	DISPLAY BOX	12	9.5	032628430082	999
43014	14" x 14"	DISPLAY BOX	12	24.3	032628430143	999

BLACK MAGIC™ ASPHALT PAINT

- Weather and corrosion resistant asphalt-base coating

45210	1 gal.		4	33.2	032628452107	58
-------	--------	--	---	------	--------------	----

Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
-------------	------	-------------	-----------	----------	-------------	------

JOHNI-BOLTS® AND JOHNI-BOLT XL

• Solid brass closet bolts		• Snap-off slot and captive washer				
90104	1/4" diameter		100	12.5	032628901049	999
90124	5/16" diameter		100	17.0	032628901247	999
90154	1/4" diameter	EXTRA-LONG	100	14.0	032628905144	999
90174	5/16" diameter	EXTRA-LONG	100	19.0	032628901742	999

**JOHNI QUICK BOLTS**

• Unique new bolting system for mounting toilets		• Eliminates "fall-through" and wobble				
• Fast and easy; just push down and twist to tighten in one quick motion						
90904	1/4" diameter		100	10.5	032628909045	999
90905	5/16" diameter		100	13.5	032628909052	999
90906	1/4" diameter	EXTRA-LONG	50	11.5	032628909069	999
90907	5/16" diameter	EXTRA-LONG	50	14.5	032628909076	999

**JOHNI-RINGS**

• Soft and flexible high-grade petroleum wax rings		• Anti-bacterial and anti-mold				
• Comes in exclusive all-weather, non-stick packaging						
90210	3" or 4"	STANDARD SIZE	48	23.8	032628902107	68
90211	3" or 4"	STANDARD SIZE - CONTRACTOR PACK	24	11.9	032628902190	68
90220	3" or 4"	STANDARD SIZE WITH PLASTIC HORN	24	14.3	032628902206	68
90221	3" or 4"	STANDARD SIZE/PLASTIC HORN - CONTRACTOR PACK	24	14.3	032628902213	68
90230	4"	STANDARD SIZE WITH PLASTIC HORN	24	14.3	032628902305	68
90241	3" or 4"	JUMBO SIZE WITH PLASTIC HORN	24	18.2	032628902411	68
90243	3" or 4"	JUMBO SIZE	24	15.0	032628902435	68

* Ring sizes refer to waste lines

**JOHNI-RING SPECIALTIES***

- Johni Quick Bolts Combo Packs

90203	3" or 4"	JUMBO W/PLASTIC HORN & XL BOLTS, COMBO PK.	24	16.4	032628902039	68
90214	3" or 4"	REGULAR FLAT RING, COMBO PACK	48	29.5	032628902145	68
90224	4"	WITH PLASTIC HORN, COMBO PACK	24	16.4	032628902244	68
90234	3" or 4"	WITH PLASTIC HORN, COMBO PACK	24	17.1	032628902343	68
90260	2"	FOR URINAL	24	7.0	032628902602	68
90270	4"	FOR BACK OUTLET TOILETS	24	11.5	032628902701	68
96401	3" or 4"	REGULAR FLAT RING, COMBO PACK	48	27.0	032628964013	68
96402	3" or 4"	WITH PLASTIC HORN, COMBO PACK	24	16.0	032628964020	68
96403	4"	WITH PLASTIC HORN, COMBO PACK	24	16.0	032628964037	68

* Ring sizes refer to waste lines





Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
WHAM®						
• Environmentally safe, biodegradable waste system cleaner • Floral Scent			• Dissolves and controls build up - Deodorizes			
20110	1 qt.		12	31.8	032628201101	15
20115	1 gal.		6	60.8	032628201156	15
20120	5 gal.		1	47.0	032628201200	15
20130	55 gal.		1	618.0	032628201309	15



CLOBBER® (FOR PROFESSIONAL USE ONLY - NOT FOR RETAIL SALE)						
• Fastest method for clearing emergency waste line stoppages • Rapidly disintegrates paper, rags, food and all organic matter			• Not for retail use or sale			
20205	1 qt.		12	49.0	032628202054	16
20211	1/2 gal.	WITH SAF-T-POR SPOUT	6	50.0	032628202115	16



SIZZLE® (FOR PROFESSIONAL USE ONLY - NOT FOR RETAIL SALE)						
• Triple action formula			• Effective removal of urinary salts, lime, rust, scale, etc			
20305	1 qt.		12	32.4	032628203051	17
20310	1 gal.	WITH SAF-T-POR SPOUT	4	42.3	032628203105	17



GLUG®						
• Non-acid crystals clear sluggish drains, prevents clogs			• Harmless to most metal and plastic pipe, valves and fittings			
20410	20 oz.	CRYSTALS	24	37.0	032628204102	85
20415	6 lb.	CRYSTALS	4	35.0	032628204157	85
20450	1 qt.	BATH - LIQUID	10	25.0	032628204508	97
20455	1/2 gal.	BATH - LIQUID	6	26.0	032628204553	97
20470	1 qt.	KITCHEN - LIQUID	10	28.0	032628204706	82
20475	1/2 gal.	KITCHEN - LIQUID	6	27.0	032628204751	82



ROOT FORCE FOAMING ROOT DESTROYER						
• In water soluble bags - just drop and flush sealed package • Prevents and clears root-blocked sewer lines • Saleable in all states except California, where approval is pending			• No measuring, mixing or mess • Does not contain copper			
20550	1 lb. (2-8oz. bags)		6	7.6	032628205505	115



R-D™ - ROOT DESTROYER						
• Non-acid, non-caustic herbicide • Harmless to skin and clothing; safe to use in lines leading to septic tanks, cesspools and drywells			• Dissolves slowly • Not for use in CT or some jurisdictions in CA			
20602	2 lb.		6	14.3	032628206021	19
20610	50 lb.		1	53.6	032628206106	19



SEPTIC TANK AND CESSPOOL CLEANER						
• Ideal for emergency use to eliminate back-up and overflow			• Non-acid formula; contains no toxic pollutants			
20705	5 lb.		6	35.5	032628207059	20
20715	25 lb.		1	28.0	032628207158	20



IRON IKE® RUST REMOVER						
• Dissolves and removes rust stains on contact			• Contains no dangerous phosphoric acid, phosphates or chlorine			
45400	20 oz.		12	16.6	032628454002	49
45403	5 lb.		6	32.6	032628454033	49

Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
-------------	------	-------------	-----------	----------	-------------	------

CLOROBEN PT-BIO1™

- Concentrated liquid blend of fast acting grease dissolver
- Contains no acids, caustics, solvents or other harsh chemicals

137301	1 qt.		12	30.0	661000010415	210
137303	1 gal.		4	36.0	661000010422	210
137304	5 gal.	PAIL	1	50.0	661000010989	210
137307	15 gal.	DRUM	1	133.0	661000010439	210
137308	30 gal.	DRUM	1	266.0	661000010446	210
137309	55 gal.	DRUM	1	483.0	661000010453	210

**CLOROBEN PT-4™**

- Unique non-acid, non-caustic formulation
- Safely liquefies and disperse grease, soap scum, food residue, sludge and other build-ups

137501	1 qt.		12	28.0	661000010712	208
137503	1 gal.		4	34.0	661000010729	208
137504	5 gal.	PAIL	1	44.0	661000010972	208
137507	15 gal.	DRUM	1	132.0	661000010743	208
137509	55 gal.	DRUM	1	467.0	661000010767	208

**CLOROBEN SEPTIC-FLOW™**

- Concentrated liquid bacterial additives
- Keeps septic systems in peak condition

139302	1/2 gal.		6	27.0	661000020018	213
--------	----------	--	---	------	--------------	-----

**CLOROBEN DRAIN SNAKE® (FOR PROFESSIONAL USE ONLY - NOT FOR RETAIL SALE)**

- Fastest method for clearing emergency waste line stoppages
- Rapidly disintegrates paper, rags, food and all organic matter

172001	1 qt.		12	50.0	661000010255	203
172002	1/2 gal.		6	49.0	661000010262	203

**CLOROBEN DE® (FOR PROFESSIONAL USE ONLY - NOT FOR RETAIL SALE)**

- Triple action formula
- Effective removal of urinary salts, lime, rust, scale, etc

192001	1 qt.		12	32.0	661000010279	204
192003	1 gal.		4	41.0	661000010286	204

**CLOROBEN CLOROCLEAN®**

- Dry crystalline, non-acid formula
- Disintegrates clogs caused by organic matter such as grease, sludge, paper, lint, hair and food waste
- Safe for home septic systems or cesspools

204141	25 lb.		1	27.0	661000010699	212
204231	1 lb.		12	13.0	661000010903	212

**CLOROBEN BACTA-LIFE®**

- A concentrated powdered product
- Replaces beneficial bacteria

222031	1 lb.		12	14.0	661000010323	202
222041	25 lb.		1	27.0	661000010330	202

**CLOROBEN AID-OX®**

- Oxygen-based foaming porosity restorer and cleaner
- Non-aid, non-caustic formulation

252034	9 lb.		4	38.0	661000010347	201
--------	-------	--	---	------	--------------	-----

**CLOROBEN OPEN WIDE®**

- Crystal drain opener
- Effervescent, low heat formula

271131	1 lb.		12	14.0	661000010361	211
--------	-------	--	----	------	--------------	-----

**CLOROBEN CLORO-DOSER®**

- Automatic dispensing system
- Maintains and manages waste and grease disposal

301005	AUTOMATIC DISPENSER		1	8.0	661000020025	999
301050	AC POWER ADAPTER		1	2.0	661000020056	999





Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
CREAM HAND CLEANER - WATERLESS						
• Cleans hands thoroughly with or without water • Removes grease, paint, putty, carbon, ink, adhesives and more			• Lubricates while it cleans			
45304	14 oz.		12	13.0	032628453043	48



HERCULES FOR HANDS™ - LEMON LOTION HAND CLEANER						
• Professional strength cleaner formulated with pumice			• Citrus scent			
45314	15 oz.	FLIP TOP CAP	12	13.8	032628453142	81
45316	1 gal.	PUMP DISPENSER	4	34.0	032628453166	81



HERCULES FOR HANDS™ - PUMICE LOTION HAND CLEANER						
• Professional strength cleaner formulated with pumice			• Protects and moisturizes hands with aloe vera, vitamin E and lanolin			
45325	15 fl. oz.	FLIP TOP CAP	12	13.5	032628453258	69
45328	1 gal.	PUMP DISPENSER	4	34.0	032628453289	69



HERCULES FOR HANDS™ - PRE-MOISTENED TOWELS						
• Formulated for plumbers - even removes plastic pipe cement			• Anti-bacterial, ready-to-use			
45333	12" x 10"	DISPENSER TUB OF 70 TOWELS	6	10.5	032628453333	87
45333T	12" x 10"	POP DISPLAY OF 30 TUBS	30	65.0	032628453333	87
45337	12" x 10"	THIN TUB -25 PER TUB	6	9.0	032628453371	87



Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
-------------	------	-------------	-----------	----------	-------------	------

BOILER LIQUID

- Seals and repairs cracks and leaks in steam and hot water systems
- No odors - no priming - no foaming

30115	1 qt.	STOP LEAK	12	29.2	032628301153	30
30120	1 gal.	STOP LEAK	6	56.9	032628301207	30
30125	5 gal.	STOP LEAK	1	47.9	032628301252	30

**BASE HIT™ II**

- Seals and prevents leaks in ferrous, non-ferrous and radiant tube hydronic systems.
- Works fast and does not clog

30213	12 oz.	STOP LEAK	12	12.0	032628302013	29
30206	1 gal.	STOP LEAK	6	58.0	032628302068	29
30214	5 gal.	STOP LEAK	1	46.0	032628302143	29

**BOILER SOLDER**

- Powdered stop-leak works quickly
- No odors; petroleum-free
- Resists high pressure and temperature
- Will not clog

30310	1 lb.	STOP LEAK	12	14.5	032628303102	31
30320	200 lb.	STOP LEAK	1	215.0	032628303201	31

**SCOUT™**

- Non-toxic, odorless steam boiler cleaner
- Contains fast acting Trisodium Phosphate (TSP)

35100	113 gram.	BOILER CLEANER	12	5.0	032628351004	34
-------	-----------	----------------	----	-----	--------------	----

**AIRSPRAY**

- Formulated to eliminate fuel oil and septic odors
- Contains no CFCs or other chlorinated ingredients

35151	16 oz.		12	17.0	032628351516	123
-------	--------	--	----	------	--------------	-----

**BLOT-O™ PLUS**

- Fuel absorber for cleaning spills
- Sweet fragrance eliminates odor
- Absorbs eight times its volume of fuel oil

35152	15 lb.	REUSABLE PLASTIC PAIL	1	15.0	032628351523	100
35155	19 oz.	SHAKER TOP CAN	12	15.6	032628351554	100

**ELECTRICAL CONTACT CLEANER**

- Combination of solvents and propellants
- Removes oil, dirt and moisture from small electrical equipment controls, ignition systems, motors, relays and thermostats
- No rinse required

35180	11 oz.	AEROSOL CAN	12	12.6	032628351806	103
-------	--------	-------------	----	------	--------------	-----

**FAST DRY DEGREASER**

- Non-foaming, fast-drying cleaner/degreaser
- Safe on most plastic, masonry and metal equipment and refrigeration coils
- No CFC's, no petroleum distillates and is non-chlorinated

35182	16 oz.	AEROSOL CAN	12	15.6	032628351820	102
-------	--------	-------------	----	------	--------------	-----

**CITRUS FOAM DEGREASER**

- General purpose cleaner/degreaser
- Simple water rinse
- Aggressive foaming action
- Non-corrosive and contains no petroleum distillates, caustics or acids

35185	17 oz.	AEROSOL CAN	12	16.6	032628351851	101
-------	--------	-------------	----	------	--------------	-----

**CONDENSER COIL CLEANER**

- Strips off dirt and grease without a water rinse
- Quick drying solvent; evaporates quickly

35188	16 oz.	AEROSOL CAN	12	15.6	032628351882	104
-------	--------	-------------	----	------	--------------	-----





Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
CRYO-TEK ORIGINAL						
- For use in ornamental fountains, snow melting, etc - Blue liquid			Specific dilutions for various temperature protection levels			
35253	1 gal.		6	53.2	032628352537	41
35260	5 gal.		1	46.0	032628352605	41
35267	55 gal.		1	518.0	032628352674	41
35271		TEST KIT, 6 - 10 PACKS	6	0.3	032628352711	999
35276	8 oz.	UNIVERSAL INHIBITOR	24	5.3	032628352766	75
35290		REFRACTOMETER	1	0.3	032628352902	999
35272		PH TEST METER	1	0.3	032628352726	999



CRYO-TEK AG						
- Concentrated "arctic grade" anti-freeze solution - Blue Liquid			100% pure virgin propylene glycol/triple protection inhibitor package			
35282	1 gal.		6	54.4	032628352827	42
35285	5 gal.		1	44.9	032628352858	42
35288	30 gal.		1	283.0	032628352889	42
35289	55 gal.		1	522.0	032628352896	42



CRYO-TEK™-100						
Contains virgin (not recycled) propylene glycol with triple protection corrosion inhibitor			- Pre-mixed ready to use formulation - Pink Liquid			
35281	1 gal.		6	54.0	032628352810	40
35284	5 gal.		1	45.0	032628352841	40
35286	30 gal.		1	286.0	032628352865	40
35287	55 gal.		1	520.0	032628352872	40



CRYO-TEK™-100/AL FOR ALUMINUM						
Special formula for aluminum heat exchange boilers			Orange Liquid			
35283	5 gal.	ORANGE CONTAINER	1	45.0	032628352834	40
35291	55 gal.	DRUM	1	502.0	032628352916	40



CRYO-TEK™ INHIBITOR						
35274	8 oz.	CRYO-TEK A1 INHIBITOR	12	8.2	032628352742	12
35276	8 oz.	CRYO-TEK INHIBITOR	24	8.2	032628352766	75
35277	1 qt.	CRYO-TEK A1 INHIBITOR	12	30.55	032628352773	12
35278	1 qt.	CRYO-TEK INHIBITOR	12	30.55	032628352780	75

Product No.	Size	Description	Ctn. Qty.	Ctn. Wt.	U.P.C. Code	MSDS
BOILER AND HEATING SYSTEM CLEANER						
Liquid cleaner and corrosion preventative treatment			Helps maximize boiler efficiency			
35206	1 qt.		12	27.7	032628352063	35
35211	1 gal.		6	58.0	032628352117	35
35216	5 gal.		1	45.4	032628352162	35

**POWER FLOW™**

- Fuel oil additive - Packaged for one shot application for typical 275 gal. fuel tank			- Prevents waxing and gelling of oil - Minimizes breakdowns by cleaning clogged lines, strainers, nozzles, pumps and burners			
35302	1 pt.		24	27.0	032628353022	88

**SLUDGE TREAT**

Helps eliminate burner breakdown from sludge and water in fuel oil and tanks			- Increases fuel tank life - Prevents tank corrosion, sludge formation and winter freeze-ups			
35310	1 qt.		12	26.2	032628353107	36
35315	1 gal.		6	50.3	032628353152	36
35320	5 gal.		1	39.4	032628353206	36

**FLIP-STICK® SOOT DESTROYER**

- Patented formula - Non-explosive; safe and easy to use - just throw entire stick into firebox			Removes fuel-consuming deposits of soot and carbon from chimneys, flues and heat exchangers			
35427	85 g.	DISPLAY	72	19.6	032628354272	37

**HIGH HEAT FURNACE CEMENT**

- Unique environmentally clean and friendly formula - Will not shrink, crack or crumble			- Meets OSHA requirements - Contains no asbestos or crystalline silica			
35503	1/2 pt.	REGULAR BODY	24	27.0	032628355033	105
35504	1 pt.	REGULAR BODY	12	27.0	032628355040	105
35509	11 oz.	REGULAR BODY - CARTRIDGE	12	18.0	032628355095	105
35515	1/2 gal.	REGULAR BODY	6	53.0	032628355156	105
35521	1/2 gal.	HEAVY BODY	6	53.0	032628355217	106
35526	1 gal.	HEAVY BODY	4	72.0	032628355262	106
35610	1 gal.	REGULAR BODY	4	65.0	032628356108	105

