Honda Lawn Mowers

HRS • HRR • HRX









GENUINE HONDA



Top Left: *Honda FCX Clarity Hydrogen Fuel Cell Vehicle*

Top Right: Honda CBR

Above:

Honda Advanced Robotics — Asimo

Right: Honda let hen it comes to maintaining a beautiful lawn, nothing makes the cut like a genuine Honda lawn mower. Behind every exclusive feature, you'll find technology that crosses our entire product line. Technology born and tested on racetracks and roadways around the globe that continuously keeps us on the cutting edge. From automobiles, race cars, motorcycles and all-terrain vehicles to marine engines, general-purpose engines and power equipment products, Honda is committed to designing products that meet or exceed the demands of our customers throughout the world. In fact, all Honda Lawn and Garden products offer a 50-state engine that meets California's emission requirements. It's no wonder Honda makes more engines than anyone else on earth!

Yes, throughout our history, Honda has been dedicated to technological and environmental innovation, and today is no different. After all, we have a legendary reputation to live up to. A reputation for unsurpassed quality, performance and reliability. A reputation worth considering the next time you're in the market for a new lawn mower.





The Twin Blade Advantage

No matter which Honda lawn mower you choose, you'll get an exclusive feature no one else



valuable nutrients
to go back onto your
lawn to help feed it
and keep it green.
They also mean

offers, The Twin Blade Advantage.
With each rotation of the blades,
your lawn is cut, then cut again for a

smooth, even surface.

But that's just the beginning.

Twin blades repeatedly chop

of

grass,

producing finer clippings, and that means when mulching, it's easier for

blade

each

up

when bagging you'll be emptying a lot less often because the smaller clippings allow your bag to hold more. A perfect cut, better lawn care and less work for you, that's the Twin Blade Advantage—only on Honda lawn mowers. When you also consider Honda's reliability, easy starting, quiet operation and fuel-efficiency, you've got an engineered piece of machinery that can serve you faithfully for years to come.







For some, yard work isn't a chore, it's a passion.

The enjoyment of caring for your lawn begins with an exceptional lawn mower.

One where the reliable engine, durable deck, handlebars and controls have been carefully thought out then crafted to exacting standards for safety and ease of operation.

Do we obsess about our lawn mowers? Yes, but that's so you won't have to.



On All HRX Series Lawn Mowers



On All HRS And HRR Series Lawn Mowers



One Engine for All

Honda certifies to all applicable CARB and EPA emission requirements by offering lawn mower engines with 50-state certification. The development of one engine for use in all 50 states continues to reflect Honda's forward thinking with regard to emission regulations, air quality and the needs of our customers.





The Unique Honda Twin-Blade Systems

Only Honda lawn mowers feature twin-blade mowing systems. Both the Quadracut System® on the HRR models and the MicroCut System® on the HRX models provide four cutting surfaces for ultra fine clippings for better mulching and increased bag capacity. Grass is cut into tiny pieces that quickly decompose and add nutrients to your lawn.



4-in-1 Versamow System™ With Clip Director®

Mulch, bag, rear discharge or leaf shred with no parts to lose and no tools required. $(HRX \ only)$



Height Adjustment System

Six or seven mowing height adjustments from 3/4" to 4" (depending on model) to suit your particular mowing needs.



mowing decks.

We offer two great

Honda **Decks**

HRS and HRR models feature our heavy-duty steel deck with up to seven height adjustments. HRX models feature our exclusive NeXite® mowing deck that is tough, resilient, easy to clean, and comes with a lifetime





Easy On/Off **Grass Bag**

Our grass bags make it easier than ever to empty, saving you time and effort.





Choice of Transmissions

With Honda, you can choose single speed, or our infinitely variable hydrostatic drive transmissions with Cruise Control or Adjustable Smart Drive, which allow you to walk at your own pace while easily adjusting ground speed to match moving conditions.



warranty.*

HRX Cruise Control



HRR and HRX Adjustable Smart Drive®

FOUR IN ONE

4-in-1 versatility is designed for your convenience.



Standard Rear Bag

Large capacity, easy on/off grass bag.




Exclusive Twin-Blade Systems

Quadracut System® (HRR) and MicroCut System® (HRX) offer twin blades for precise cutting and finer mulching.




Discharge Chute

For mowing open areas when bagging or mulching is not desired. (Standard on HRS models. Optional on HRR models.)



Optional Leaf Shredder

Means less emptying of bags for spring and fall clean-up. (Not an option on all models.)



A great lineup, all engineered and built by Honda.

Every one of our HRS and HRR lawn mowers is 100% Honda from the ground up, which means

you can depend on every part of these lawn mowers from the powerful, easy-starting engines to the exclusive Twin Blade Advantage of the Quadracut® mowing system. The legendary reliability you've learned to expect from Honda is built right in.

Honda HRS & HRR Models



Lightweight and efficient power.

OHC/OHV ENGINE Honda's compact design reduces weight and makes the lawn mower easy to maneuver. It's also easy to start. And the extremely efficient combustion of the OHC/OHV configuration means one engine certifies to emissions standards in all 50 states.

HRS MODELS



HRS216PDAPush type, side discharge/mulcher



HRS216SDA Self-propelled, side discharge/mulcher

HRR MODELS



HRR216PDAPush type, 4-in-1 rear bagger/mulcher with optional discharge chute and leaf shredder



HRR216VKA

Honda Adjustable Smart Drive® Variable Speed
Transmission, Auto Choke, 4-in-1 rear bagger/mulcher
with optional discharge chute and leaf shredder



Honda Adjustable Smart Drive® Variable Speed Transmission, Roto-Stop®, 4-in-1 rear bagger/mulcher with optional discharge chute and leaf shredder

FEATURES & OPTIONS



Honda Adjustable Smart Drive® Variable Speed Transmission

Easily control the speed when resting hands on the handlebars. (VKA & VXA only)



Honda Roto-Stop® Blade Stop System

Start and stop the blade with engine running. (VXA only)




Exclusive Honda Twin-Blade Quadracut System®

Features twin blades for superior mulching and bagging. (opt. for HRS)



Single Lever Height Adjustment for Rear Wheels

Changing mowing heights is easy with this specially designed lever. (VXA only)



Single speed or infinitely variable transmissions

Ball bearing-supported rear wheels

ALL AVAILABLE STANDARD & OPTIONAL FEATURES:

21" mowing width

Up to 7 mowing height adjustments

Side discharge

1-blade or 2-blade mulching

Grass bag (HRR only)

Optional leaf shredder

(HRR only)

(For specific model specifications and options, see back page.)



Easy Fold Quick Release Handle

(VXA only)




9" Wheels for Easy Maneuverability

(VXA only)



Large Easy-Off 2.4 Bushel Bag

(HRR models only)



The ultimate lawn mowing machine.

With unmatched innovation and technology, the Honda HRX leads the way in lawn mower engineering. The HRX offers exclusive and advanced design features like the Versamow System. It allows you to mulch, partially mulch, bag, rear discharge or shred leaves. There are no tools or attachments to fiddle with, and it's the first lawn mower ever designed to simultaneously distribute clippings to both the bag and ground, providing your yard the benefits of mulching and dramatically reducing the number of times you have to empty the grass bag. The convenient Clip Director® control regulates how much is bagged or mulched. Engineered and built by Honda, there's nothing else out there like the HRX.







Adjustable Speed Smart Drive® mulcher/bagger with Flywheel Brake, Auto Choke System and NeXite®mowing deck



Cruise Control mulcher/bagger with Honda Roto-Stop® Blade Stop System and NeXite®mowing deck



Electric Start, Cruise Control mulcher/bagger with Honda Roto-Stop® Blade Stop System and NeXite® mowing deck



Honda Roto-Stop®

If you need to stop the blade without shutting off the mower, Honda Roto-Stop does it in a flash. That way, you can empty the bag without having to restart the engine. (HXA & HMA only)

HRX STANDARD FEATURES:

Honda 4-stroke, single-cylinder OHC/OHV engine

Versamow System™ with Clip Director®

Durable NeXite® deck

21" mowing width

Choice of Smart Drive® variable speed or Cruise Control Hydrostatic Transmission

Rear discharge with no attachments

9" wheels

All four wheels are ball bearing-supported

Exclusive twin-blade MicroCut® system

Choice of flywheel brake or Honda Roto-Stop® Blade Stop System

3-position, Quick Release adjustable handle

Sealed control cables

Large 2.5 bushel capacity grass bag

7 mowing heights: 3/4" to 4"

(For specific model specifications and options, see back page.)









4-in-1 Versamow System™ With Clip Director®

Mulch, bag, rear discharge or leaf shred with no parts to lose and no tools required.



Honda Adjustable Smart Drive® Variable Speed Transmission

Easily control the speed when resting hands on the handlebars. (VKA only)





Cruise Control

The HXA and HMA models offer Honda's exclusive hydrostatic transmission that allows infinitely variable speed control so you can walk at your own pace and still get an excellent cut.



Auto Choke System *Eliminates need to choke*

Eliminates need to chok engine prior to starting. No throttle lever! (VKA only)



NeXite® Deck

The HRX deck is constructed of advanced and extremely durable NeXite® material that does not dent, rust or corrode over time. Developed for Honda, NeXite® is exclusive on Honda lawn mowers.



Exclusive MicroCut® System

Designed specifically to work with the new HRX deck, The Honda MicroCut twin-blade system uses four cutting surfaces that result in more efficient bagging and mulching. When bagging, homeowners can now mow up to 50% farther before having to empty the bag.



Honda's Innovative Electric Start

The HMA model features electric start with advanced battery technology. The Cyclon Battery is completely rechargable and holds its charge for up to 300 starts!* Honda's battery is designed to last for years and years, compared to other brands that require annual replacement. The charger is included with purchase.

* Customer will need to completely charge battery at the beginning of the season and once at the end of the season for winter storage.



Move Up with Honda

Choose the model features you need to simplify your lawn mowing with **Honda's Twin Blade Advantage. Move Up** to the Honda with the best combination of innovative features to meet your needs.

	HRS			HRR		HRX				
Model	PDA	SDA	PDA	VKA	VXA	VKA	НХА	НМА		
Exclusive Twin Blade Lawn Mowing System	Opti	onal	e V _o	QuadraCut® Twin Blade System	<u> </u>	ove Up	MicroCut® Twin Blade System			
4-in-1 Capability	N/A	N/A	ο (Δ	n-1 versatility with opti chute and leaf shredde		010 Up	ersaMow™ System/Clip ools or attachment req			
Blade Safety System	Flywheel brake	Flywheel brake	Flywheel brake	Flywheel brake	Roto-Stop® BSS	Flywheel brake	Roto-Stop® BSS	Roto-Stop® BSS		
Deck	Steel	Steel	Steel	Steel	Steel 🌽	NeXit	te® with Lifetime Warra	nty**		
Transmission	Push	1-Speed	Push	Adjustable Smart Drive™	Adjustable Smart Drive™	Adjustable Smart Drive [™]	Hydrostatic/ Cruise Control	Hydrostatic/ Cruise Control		
Wheel	8"	8"	8"	8"	9"	9"	9"	9"		
Cut Height	1"- 3½"	1"- 3½" Mov	1"- 4"	1"- 4"	1"- 4"	¾"- 4 "	3/4"- 4"	¾"- 4 "		
# of Cutting Positions	6	6	6	6 Mov	7	7	7	7		
Handlebars	Single Position	Single Position	Single Position	Single Position	Quick Release 2-position	Quick Release 3-position	Quick Release 3-position	Quick Release 3-position		
Speed	N/A	2.5 mph	N/A	0 to 3.8 mph	0 to 3.8 mph	0 to 3.6 mph	0 to 4	0 to 4 mph		
Bag Capacity	N/A	N/A 🖊	2.4 bushels	2.4 bushels	2.4 bushels	2.5 bushels	2.5 bushels	2.5 bushels		
Engine	Honda GCV160	Honda GCV160	Honda GCV160	Honda GCV160 with Auto Choke System (ACS)	Honda GCV160 🌽	Honda GCV190 with Auto Choke System (ACS)	Honda GCV190	Honda GCV190 electric start		
Emissions			C	California Emissions C	ertified for All 50 State	es				
Warranty*	36 mo.	36 mo.	36 mo.	36 mo.	36 mo. 🔑	60 mo.	60 mo.	60 mo.		
Deck Warranty* Non-commercial	36 mo.	36 mo.	36 mo.	36 mo.	36 mo.	Lifetime**	Lifetime **	Lifetime **		
Engine Warranty*	36 mo.	36 mo.	36 mo.	36 mo.	36 mo. 🔑	60 mo.	60 mo.	60 mo.		
Warranty Commercial/Rental	3 mo.	3 mo.	3 mo.	3 mo.	3 mo.	3 mo.	3 mo.	3 mo.		



^{*} Warranty, Deck Warranty and Engine Warranty apply to non-commercial use only. Visit honda.com for details.

** Lifetime Deck Warranty applies to any new HRX Series mower. Deck warranty is valid for the original purchaser only.

For additional warranty details, see your local Honda Power Equipment Dealer or visit our website at honda.com.

	HRS HRR			HRX						
	Ą	Ą	ą.	5	5		\$	5	MA	
FEATURES	HRS216PDA	HRS216SDA	HRR216PDA	HRR216VKA	HRR216VXA		HRX217VKA	HRX217HXA	HRX217HMA	
Honda GCV Series OHC/OHV Engine	•	•	•	•	•		•	•	•	
21" Mowing Decks STEEL	•	•	•	•	•					
NeXite*							•	•	•	
Manual Fuel Shut-off	•	•	•	•	•		•	•	•	
Handlebar Height Adjustment					•	-	•	•	•	
Standard-Type Folding Handlebars	•	•	•	•		-	•			
Quick Release Folding Handlebars					0	-	•	•	•	
Muffler/Heat Protector ErgoActive® Handle	•	•	•	•	•	-	•	•	•	
EZ Grip ErgoActive® Handle		•		•	•	-	•			
Sealed Control Cables							•	•	•	
Honda QuadraCut System®			•	•	•					
Honda MicroCut System®							•	•	•	
4-in-1 (Mulch/Bag/Discharge/Leaf Shred)			•†	•†	•†		•	•	•	
Single Lever Rear Height Adjuster					•					
Flywheel Brake	•	•	•	•			•			
Roto-Stop® Blade Stop System					•			•	•	
Transmission Types PUSH	•		•							
1-SPEED		•				_				
ADJUSTABLE SMART DRIVE®				•	•	-	•			
CRUISE CONTROL HYDROSTATIC	NI /A	Delk	NI /A	Delt	Delk	-	Delt	Delt	Delt	
Drive Type	N/A	Belt	N/A	Belt	Belt	-	Belt	Belt	Belt	
Steel Handles Residential Warranty – 3-years	7/8"	7/8"	7/8"	7/8"	1"	-	1"	1"	1"	
Residential Warranty - 5-years				•			•	•	•	
Lifetime Residential Deck Warranty*						-	•	•	•	
Commercial Warranty – 90-day	•	•	•	•	•		•	•	•	
ODTIONIC Discharge Chute	STD	STD	OPT	OPT	OPT		STD (RR)	STD (RR)	STD (RR)	
OPTIONS Discharge Chute Leaf Shredder			OPT	OPT	OPT		INT**	INT**	INT**	
Grass Bag			STD	STD	STD	_	STD	STD	STD	
Single High-Lift Blade	STD	STD				_				
STANDARD - STD Twin-Blade Mulching	OPT	OPT	STD	STD	STD	-	STD	STD	STD	
OPTIONAL - OPT Deck Edge Guard Kit	ODT	ODT	ODT	OPT	ODT	-	OPT	OPT	OPT	
INTEGRATED - INT** Spark Arrestor	OPT	OPT	OPT	OPT	OPT		OPT	OPT	OPT	
Honda GCV160 OHC Engine	•	•	•	•	•					
Honda GCV190 OHC Engine							•	•	•	
SPECS Starting	Recoil	Recoil	Recoil	Recoil	Recoil		Recoil	Recoil	Electric/Recoil	
Manual Choke	•	•	•		•			•	•	* Lifetime Deck Warranty
Automatic Choke				•			•			applies to any new,
Fuel Capacity (gallons)	0.25	0.25	0.25	0.25	0.25		0.25	0.25	0.25	residential-use HRX Series mower.
Ground Speed (mph)	N/A	2.5	N/A	0 to 3.8	0 to 3.8	_	0 to 3.6	0 to 4	0 to 4	Deck warranty is valid
Handle Height Adjustments FIXED	•	•	•	•						for the original purchaser
TW0					•					only. For additional warranty details, see
THREE Mowing Height Adjustments	6	6	6	6	7		7	7	7	your local Honda Power
Mowing Height Adjustments Mowing Height Range (inches)	1- 3 ¹ / ₂	1- 3 ¹ / ₂	1-4	1-4	1-4		3/4- 4	³ / ₄ - 4	³ / ₄ - 4	Equipment Dealer or visit
Ball Bearing Wheels	Rear	Rear	Rear	Rear	All		All	All	All	our website.
Poly Wheels	8"	8"	8"	8"	9"		9"	9"	9"	** Leaf shredding is integrated with the Versamow System™
Grass Bag Capacity (bushels)	-		2.4	2.4	2.4		2.5	2.5	2.5	† Requires optional discharge
Dry Weight (lbs.)	63	70	78	83	97		89	96	98	chute and leaf shredder.



Visit us at honda.com

For optimum performance and safety we recommend you read the owner's manual before operating your Honda Power Equipment. Specifications subject to change without notice.