















JACKSON SAFETY

retail catalog





**For over 75 years**, men and women have wanted Jackson Safety on the job for their safety needs. The reason is simple. When it comes to providing superior protection and durability, we set the standard. Jackson Safety brings a complete line of eye and hearing protection under the trusted brand names of Silencio®, Smith & Wesson®\*, and Winchester®\*.

#### CHECK OUT OUR NEW LAW ENFORCEMENT SECTION ON PAGE 16!

It is full of products for men and women that devote their lives to saving others.

Every Jackson Safety product is guaranteed to deliver long-lasting value. Because your customers need to trust the tools they work with, you always want Jackson Safety on the Job.

#### **TABLE OF CONTENTS**


Hearing Protection	3
Safety Eyewear	9
BoreRunner™ Cleaning System	15
Law Enforcement	16

#### Be sure to check out these new products!

· · · · · · · · · · · · · · · · · · ·	
Smith & Wesson® New Quik-Fit™ Packaging	3
Red-E-Fit™ Uncorded Earplugs 200/box	3
Smith & Wesson® Recoil™ Earmuffs	4
Vibe™ Earmuffs	5
<i>Onyx™ Earmuffs</i>	6
Smith & Wesson® Protection Pack	8
Smith & Wesson® Gauge™ Safety Eyewear	9
Expo™ Safety Eyewear	13
Wildcat™ Safety Goggles	13
Eyewear Displays	14
New Law Enforcement Section	16


# What level of hearing protection do you need?

All hearing protectors sold by Jackson Safety are tested to the American National Standards Institute (ANSI) S3.19-1974 Standard to receive a Noise Reduction Rating (NRR), which is labeled on all such products as required by the U.S. Environmental Protection Agency (EPA). This number gives the consumer a method to judge performance among different models of hearing protectors - a higher NRR indicating more effective protection against sound. Some models of hearing protectors have multiple NRR numbers. This reflects the fact the these hearing protectors may be worn with their headbands in different positions.



<sup>\*</sup>Smith & Wesson® is a registered trademark of Smith & Wesson Corp. used under license by Jackson Safety.
\*Winchester® is a registered trademark of Olin Corp. and is used under license agreement by Jackson Safety.









#### **SOFT FOAM EARPLUGS**







Smith & Wesson® soft, foam earplugs offer superior comfort and outstanding protection. Tapered shape offers easy insertion for any ear canal. 200 individually bagged disposable pair dispenser. (Contains latex.)

DESCRIPTION S&W® FOAM EAR PLUGS (200/BOX) PART# 3013911

# QUIK-FIT™ CORDED EARPLUGS



#3011831 - Quik-Fit™ Corded Earplugs (100/Box)



Shown above #3012155 - Quik-Fit™ Corded Earplugs w/ carrying case

# Smith&Wesson®

Flexible material for a superior seal. Triple flange offers fast, comfortable insertion and effective noise prevention. Smith & Wesson® branded case for convenient carry and storage (sold only with blistercard). Distinctive design allows one size to fit a wide range of ear canals. Corded for convenience and loss prevention. Washable and reusable.

DESCRIPTION

1 PAIR QUIK-FIT™ CORDED EARPLUGS W/ CARRYING CASE (BLISTERCARD) 3012155 QUIK-FIT™ CORDED EARPLUGS (100/BOX)

PART# 3011831



## RED-E-FIT™ EARPLUGS









Soft foam and comfortable design conforms to ear for extended wear. Ideal for high noise environments. Tapered shape offers easy insertion for any ear canal. Individually bagged, one pair per bag. Available in corded, non-corded and economy package. (Contains latex.)

DESCRIPTION	PART#
RED-E-FIT EARPLUGS UNCORDED (6 PAIR BLISTER CARD)	3003321
RED-E-FIT CORDED EARPLUGS (INDIVIDUALLY WRAPPED, 100/BOX)	3004904
RED-E-FIT UNCORDED EARPLUGS (INDIVIDUALLY WRAPPED, 200/BOX)	3005542



#### **ECONOMY EARPLUGS**



#3010526 - Corded Earplugs





Soft, silicone rubber with an internal air cushion for added comfort. Triple flanged for superior fit and seal. Reusable and easy to clean. Available corded and uncorded. Includes carry case that can be Private Branded (see page 8 for details). Blister Card Packaging

#### DESCRIPTION

- 1 PAIR ECONOMY UNCORDED EARPLUGS
- 1 PAIR ECONOMY CORDED EARPLUGS

PART# 3010522 3010526



#### **DIELECTRIC BAND-IT**







0.5 oz. dielectric band with silicone plugs are comfortably designed to quickly mold to the ear canal for custom fit. Low profile band does not interfere with eyewear. Wear behindhead or under-chin, reusable and easy to maintain. **Header Bag Packaging** 

DESCRIPTION HEARSAFE T230 BAND PART# 3000460



#### RECOIL™







For extremely noisy environments when maximum noise reduction is needed. Ideal for shooting sports, race tracks and use with heavy equipment. Adjustable, soft padded headband that adjusts to fit all head shapes and sizes. Provides uniform headband pressure for a comfortable and secure fit. Durable thermoplastic material retains its shape and pressure for consistent noise reduction. Earmuff is completely dielectric. Smith & Wesson® logo imprinted on each cup. Clamshell Packaging

DESCRIPTION S&W RECOIL

PART# 3020715

#### **SUPPRESSOR™ EARMUFF**







Suppressor earmuffs feature pivoting cup attachment for equal pressure distribution. Contoured, padded headband with rugged non-conductive plastic construction. Easy slide cup adjustment. Smith & Wesson® logo imprinted on each cup. Clamshell Packaging

Smith&Wesson®

DESCRIPTION SUPPRESSOR EARMUFF, BLUE

PART# 3012157



#### **MAGNUM DELUXE**









Liquid filled ear cushions provide exceptional protection, comfort and fit. Durable adjustable steel headband. Fully adjustable ear cups provide a perfect fit. Soft head pad for added comfort. Ideal for high noise environments. **Clamshell Packaging** 

DESCRIPTION MAGNUM DELUXE, BLACK PART# 3010482



#### **VIBE™ EARMUFFS**





**JIBE** 

New, innovative design with soft padded headband that adjusts to fit all head shapes and sizes. Dielectric components and durable thermoplastic material retains its shape and pressure for consistent noise reduction. Three levels of protection available. For low, medium and extremely noisy environments.

VIBE 23 weighs only 9.3 oz. and is ideal for use with low level noise environments; VIBE 26 weighs only 9.8 oz. and is ideal for use with medium level noise environments; VIBE 29 weighs only 10.9 oz. and is ideal for use with high level noise environments. **Clamshell Packaging** 

DESCRIPTION	PART#
VIBE 23 HEADBAND, NRR 23	3015087
VIBE 26 HEADBAND, NRR 26	3015089
VIBE 29 HEADBAND, NRR 29	3015090



#### **ORIGINAL EARMUFF**

Shown right #3015090 - VIBE 29



NRR

**25** OVER HEAD



#3010417 - RBW-71, Red



Original Earmuff (RBW-71) comes with ultra-soft foam cushions. Liquid Earmuff (LIQ-71) comes with liquid filled cushions for added comfort and increased protection. Fully adjustable steel headband can be worn over-head, behind-head or under chin. Individually adjustable ear cups. Private branding is available for this earmuff (see page 8 for details). Clamshell Packaging





BEHIND HEAD



DESCRIPTION	PART#
RBW-71, ORANGE	3010414
RBW-71, RED	3010417
RBW-71, BLUE	3010425
RBW-71, BLACK	3010441
LIQ-71, ORANGE	3010447
LIQ-71, RED	3010450
LIQ-71, BLUE	3010452
LIQ-71, BLACK	3010460



#### STINGER™

NRR 23



Economical and lightweight with ultra-soft cushions for extra comfort. Ball and socket pivoting cup attachment for optimum pressure distribution. Cup slides that ratchet for quick and easy adjustment. Slim, lightweight design - only weighs 8.1 oz! **Header Bag Packaging** 

DESCRIPTION STINGER, BLACK PART# 3014960



#### **ORION™**







Streamlined profile ideal for long gun shooters won't interfere with gun stocks. Ergonomic ear cups individually contoured to each ear for optimal fit. Folds up for easy compact storage. Ultra-soft ear cushions for added comfort. Lightweight - less than 8 ounces! **Clamshell Packaging** 

DESCRIPTION ORION, BLUE

PART# 3010466

#### SXT™





# WINCHESTER

Winchester® logo imprinted on each ear cup and on top of headpad. Contoured headpad and ultra-soft ear cushions for added comfort. Ball and socket pivoting cup attachment for optimum pressure distribution. Easy-slide headband adjustment. Clamshell Packaging

DESCRIPTION SXT, BLACK

PART# 3014900



#### **ONYX™ EARMUFF**





# JACKSON Safety

Lightweight, durable and economical protection for low or medium level noise environments. Ultra-soft ear cushions for comfort and extended wear. Ball & socket pivoting cup attachment provides optimum pressure distribution for maximum noise reduction. Available in 2 different levels of protection. Header Bag Packaging



Shown left #3015086 - ONYX-26 Headhand Farmuff

DESCRIPTION PART# 3015085 3015086 ONYX 23 ONYX 26



#### S&W® ACTIVE LISTENING HEARING PROTECTOR







#### **ELECTRONIC HEARING PROTECTION**

Ultra-slim electronic earmuff with imprinted Smith & Wesson® logo that comes with a custom carry bag. Ergonomically designed left and right ear cups that follow the shape of your ear for a comfortable, low profile fit. It takes a single AAA battery in each side (included) which lasts up to 250 hours. External battery compartments for easy battery replacement.

Smith & Wesson

Dual microphones, volume controls and speakers provide natural directional hearing and compensation for hearing differences between ears. Clamshell Packaging

**DESCRIPTION** S&W ACTIVE LISTENING, BLACK PART# 3011982



#### FALCON™



#### **ELECTRONIC HEARING PROTECTION**

Active listening breaks isolation and offers variable attenuations while still protecting the wearer. Amplifies low level sounds while limiting speaker output to a safe 82 dB. It takes a single AAA battery in each side (included) which lasts up to 250 hours. External battery compartments for easy battery replacement. Dual microphones, volume controls and speakers provide natural directional hearing and compensation for hearing differences between ears. Clamshell Packaging

**DESCRIPTION**FALCON ELECTRONIC, BURGUNDY

PART# 3010513



#### SHOOTERS PROTECTION PACK



#### **MAGNUM GLASSES**

Ergonomically dimensioned 3-point fit for the ultimate in comfort. Built-in hinge stops virtually eliminate scratching of lens interior. Ergonomic nose pad with self-adjusting rubber fingers.

#### **MINI MAGNUM GLASSES**

Specifically designed for the smaller head size. Ergonomically dimensioned 3-point fit for the ultimate in comfort. Built-in hinge stops virtually eliminate scratching of lens interior. Ergonomic nose pad with self-adjusting rubber fingers.

#### SUPPRESSOR EARMUFF

Fits a wide range of heads sizes from child to adult. Contoured, padded headband for a comfortable fit. Pivoting cup attachment for equal pressure distribution. Easy slide cup attachment.

Clamshell packaging

DESCRIPTION	PART#
MAGNUM SHOOTERS PACK	
MAGNUM - BLACK FRAME/CLEAR LENS, SUPPRESSOR EARMUFF	3011728
MAGNUM - BLACK FRAME/YELLOW LENS, SUPPRESSOR EARMUFF	3011730
MINI MAGNUM SHOOTERS PACK	
MAGNUM - BLACK FRAME/CLEAR LENS, SUPPRESSOR EARMUFF	3014955
MAGNUM - BLACK FRAME/YELLOW LENS, SUPPRESSOR EARMUFF	3014956

# S&W® PROTECTION PACK





#### **GAUGE GLASSES**

2-tone blue and silver frame has a modern look with the Smith & Wesson® logo branded on the temple. Comfortable rubber nose pads and temples allow for all day wear. Wide lens provides all over coverage with a 10 base curve. Custom Imprinting available.

#### **RECOIL EARMUFF**

For extremely noisy environment when maximum noise reduction is needed. Ideal for shooting sports, race tracks and use with heavy equipment. Adjustable, soft padded headband that adjusts to fit all head shapes and sizes. Provides uniform headband pressure for a comfortable and secure fit. Durable

thermoplastic material retains its shape and pressure for consistent noise reduction. Smith & Wesson® logo imprinted on each cup. Clamshell Packaging

**DESCRIPTION**GAUGE - BLUE/SILVER FRAME, CLEAR LENS/RECOIL EARMUFFS 3021722



# YOUTH SHOOTERS PROTECTION COMBO



#### **MINI MAGNUM GLASSES**

Perfectly sized for smaller heads. Ergonomically dimensioned 3-point fit for the ultimate in comfort. Built-in hinge stops virtually eliminate scratching of lens interior. Ergonomic nose pad with self-adjusting rubber fingers.

#### REDUCED SIZE EARPLUGS

Low pressure soft foam for exceptional comfort. Dermatologically safe and non-irritating. Smaller bell-shaped size for easy insertion and added comfort. Clamshell packaging

DESCRIPTIONPART#MAGNUM - BLACK FRAME, YELLOW LENS, FOAM EARPLUGS3011735MAGNUM - BLACK FRAME, CLEAR LENS, FOAM EARPLUGS3011733

#### **CUSTOM DECORATED HEARING PROTECTION**





#### **CUSTOM DECORATING HEARING DIMENSIONS**

PRODUCT	CUSTOMIZED	
ORIGINAL EARMUFF™	EAR CUPS (BOTH)	
LIQUID EARMUFF™	EAR CUPS (BOTH)	
SILENCIO® ECONOMY EARPLUGS	CARRYING CASE	
SILENCIO® CORDED ECONOMY EARPLUGS	CARRYING CASE	

- Minimum Order of 36 earmuffs or 72 pair of earplugs
- In order to provide superior screening, we require camera ready artwork (black on glossy white or film positive with sharp images) and color separated
- A charge may be invoiced for artwork that requires redrawing or typesetting and may add 3-5 business days to lead time
- Shipment of hot stamped hearing protection will take approximately 10-15 business days from the time the purchase order is received and approval of the artwork is verified
- A hot stamp charge reflects the cost of creating the custom hot stamp. The hot stamp remains the property of Jackson Safety<sup>®</sup>
- For more information, call customer service at (800) 648-1812 Opt 4 or email us retailorders@jacksonsafety.com
- ONLY HEARING PROTECTION MENTIONED ARE AVAILABLE FOR DECORATING









#### THE ANSI Z87.1+ RATING FOR SAFETY GLASSES

In order to receive the ANSI Z87.1+ rating, safety glasses must undergo extensive testing. According to the 2003 standard, they must be able to withstand the impact of a 17.6 oz. ball being dropped from 50.0 inches. Additionally, there must be zero penetration for high velocity impact at 100 feet per second. All safety glasses receiving this rating have met the requirements from prism imbalance, refractive power, haze, transmittance and U.V. protection.



#### WHAT DOES THE BASE CURVE MEASURE?

Base curve is the measurement of a spectacle lens or curvature. The higher the base curve, the greater the sweep of the spectacle. This provides more wrap-around protection, peripheral vision and eliminates the need for side shields.



#### GAUGE™



Shown above #3021550 - Clear Anti-Fog Lens



#### S&W® GAUGE™ GRAVITY FEED DISPLAY

Select eyewear available. Contains 12 glasses. (Only bulk part numbers in red are available in gravity feed displays)\*



2-tone blue and silver frame has a modern look with the Smith & Wesson® logo branded on the temple. Comfortable rubber nose pads and temples allow for all day wear. Wide lens provides all over coverage with a 10 base curve.

CLAMSHELL

RIII K\*

FRAME/LENS	PACKAGING	PACKAGING	
BLUE/SILVER/CLEAR ANTI-FOG	3021550	3020659*	
BLUE/SILVER/SMOKE ANTI-FOG	3021551	3020660*	
BLUE/SILVER/IN/OUTDOOR ANTI-FOG	3021552	3020661*	
BLUE/SILVER/BLUE MIRROR	3021553	3020662*	



# Smith&Wesson®



Shown above

#3018468 - Clear AF Lens



Shown above #3018469 - Smoke AF Lens

Lightweight "retro-style" design provides the latest fashion statement in eyewear. Wide temple provides structural integrity and stability and an anti-scratch, dual lenses offers wrap-around protection. Every glass comes with a Smith & Wesson® micro-fiber carry pouch that doubles as a cleaning cloth.

> CLAMSHELL **PACKAGING** 3018468 3018469 3018470 3018471

# EQUALIZER™



Stylized frame features a cutting edge design that is ideal for work and play. Sport grip temples help to eliminate slippage and anti-scratch, dual lenses offer wrap-around protection. Every glass comes with a Smith & Wesson® micro-fiber carry pouch that doubles as a cleaning cloth.





#3018467 - Blue Mirror Lens



Shown above #3018465 - Smoke AF Lens

	CLAMSHELL	BULK*
FRAME/LENS	PACKAGING	<b>PACKAGING</b>
GUNMETAL/CLEAR ANTI-FOG	3018464	3016307
GUNMETAL/SMOKE ANTI-FOG	3018465	3016308
GUNMETAL/IN/OUTDOOR	3018466	3016309
RED/AMBER	3018463	3016310
BLUE/BLUE MIRROR	3018467	3016311

# Smith & Wesson®

#### **VIEWMASTER™**



Polarized safety lenses offer protection from reflected glare and helps to reduce eye fatigue. Ergonomically designed temples with rubber insert temple tips for a soft, snug, and secure fit. Every glass comes with a micro-fiber carry pouch that doubles as a cleaning cloth.

	CLAMSHELL
FRAME/LENS	PACKAGING
METALLIC GRAY/POLARIZED GRAY	3018473

# 10X<sup>™</sup> PREMIUM





Ergonomic metal finished frame with brow bar for stability and style. Self-adjusting silicone nose pad and rubber coated temple tips. Hinge stops help to prevent lens scratches.

CLAMQUELL

	OPAMOUTE
FRAME/LENS	PACKAGING
MATTE CHROME/CLEAR	3014957
MATTE BLACK/YELLOW	3014958
BRONZE/SMOKE	3014959







Classic Smith & Wesson® Magnum style with hinge stops to help prevent scratches. Ergonomic self-adjusting nose pads with rubber fingers for ultimate comfort. Available in reduced sizes for small faces.

	CLAMSHELL	BULK*
FRAME/LENS	PACKAGING	PACKAGING
METALLIC GRAY/IN/OUTDOOR ANTI-FOG	3012127	3011681
BLACK/COPPER BLUE BLOCK	3012101	3011671
BLACK/CLEAR	3012102	3011672
BLACK/SMOKE	3012123	3011674
BLACK/YELLOW	3012124	3011676
BLACK/GOLD METALLIC MIRROR	3012122	3011824
PLATINUM/ORANGE	3012125	3011678
MAGNUM® 3G™ MINI STYLES		
BLACK/CLEAR	3012128	
BLACK/SMOKE	3012129	
BLACK/YELLOW	3012130	



# 38 SPECIAL™





Legendary frame design. Ergonomically designed temples with rubber insert temple tips for a soft, snug, and secure fit.

CLAMQUELL

**BULK\*** 

	CLAMSHELL
FRAME/LENS	PACKAGING
BLACK/CLEAR	3012148
BLACK/SMOKE	3012149
METALLIC GRAY/GRADIENT SMOKE	3012151
BLACK/MIRROR	3012150
CHROME/BLUE MIRROR	3012152





#### NEMESIS™





Sleek, sporty, lightweight design with soft touch temples for added comfort. Single lens wrap-around protection. Every glass includes a neck cord.

CLAMSHELL

	OBUIOTILL	DOLL
FRAME/LENS	<b>PACKAGING</b>	PACKAGING
BLACK/YELLOW	3012239	3000359
BLACK/CLEAR	3012240	3000354*
BLACK/SMOKE MIRROR	3012241	3000356
BLACK/IN/OUTDOOR	3012242	3000357
BLACK/BLUE MIRROR	3012243	3000358
CAMO/CLEAR ANTI-FOG	3021547	3020706*
CAMO/SMOKE ANTI-FOG	3021548	3020707*
CAMO/AMBER ANTI-FOG	3021549	3020708*
CAMO/BRONZE	3021606	3011375*



#### NEMESIS™ GRAVITY FEED DISPLAY

Select eyewear available. Contains 12 glasses. (Only bulk part numbers in red are available in gravity feed displays)\*

#### VISIO™



One-piece polycarbonate lens with adjustable temples and wrap-around protection. Unique duo-tone frame, lightweight design and comfortable fit.

CLAMSHELL

PACKAGING	<b>PACKAGING</b>
3010574	3000305
3010575	3000307
3010577	3000303
3010583	3000309
	3010574 3010575 3010577



Shown above

#3012151 - Gradient Smoke Lens

#### 270 SERIES™



# WINCHESTER

Contemporary style in a sporty frame with a one piece wraparound lens. Its built-in hinge prevents scratching of lens. Soft rubber coated temple tips and rubber nose bridge for comfort and a secure fit.

	CLAMSHELL
FRAME/LENS	PACKAGING
CAMO/CLEAR	3014945
CAMO/YELLOW	3014948
CAMO/SMOKE	3014947
CAMO/ORANGE	3014946
BLACK/CLEAR	3014941
BLACK/YELLOW	3014944
BLACK/SMOKE	3014943
BLACK/ORANGE	3014942



# WINCHESTER

**Built-in magnifying lens inserts add + 1.5 magnification.** Precise placement of lens inserts helps prevent accidents, headaches and eyestrain. Soft rubber nose pad with self-adjusting fingers for all day comfort. Stylish ergonomic nylon frame.

	CLAMSHELL
FRAME/LENS	PACKAGING
GUNMETAL/+1.5 CLEAR	3014949
GUNMETAL/+1.5 YELLOW	3014950

# WINCHESTER



Multi-position ratchet temples, rubber temple sleeves and molded in nose piece for comfort and secure fit. Includes lens cleaning cloth and Winchester® branded carrying case with belt clip for glass and all lenses. Includes interchangeable wraparound polycarbonate lenses in clear, yellow and smoke tints.

FRAME/LENS
BLACK/SMOKE, YELLOW & CLEAR

CLAMSHELL PACKAGING 3014954

## **OTG: OVER THE GLASS**



# JACKSON Safety

Streamlined, stylish and comfortable. The new standard in over- the-glass safety eyewear. Fits over most prescription eyewear. Integral side shields provide added protection. Z94.3 compliant. Ordered in case quantities of 12.

	POLY BAGGE
FRAME/LENS	PACKAGING
BLACK/CLEAR ANTI-FOG	3015022
BLACK/SMOKE MIRROR ANTI-FOG	3015023
BLACK/IN/OUTDOOP	2015024

# UNISPEC™



Shown above #3000285 - Clear Uncoated Lens

# JACKSON Safety

Lowcostwrap-around protection with one-piece polycarbonate lens and uncoated frame. Fits over most prescription eyewear. Side shields provide added protection.

	POLY BAGGED
RAME/LENS	PACKAGING
CLEAR UNCOATED	3000285
CLEAR HARD COATED	3005206



#### EXPO<sup>™</sup>

# JACKSON Safety





An economical solution for providing eyewear protection and comfort. Lightweight, wrap around protection provides for a wide field of vision. Temples adjust to provide a custom to any face.

FRAME/LENS
BLACK/CLEAR UNCOATED
BLACK/SMOKE UNCOATED

POLY BAGGED PACKAGING 3020277 3020278



#### WILDCAT™



Shown above #3013711 - Smoke Anti-Fog Lens

#### EXTREME PERFORMANCE VISION PROTECTION

JACKSON Safety

Features extreme heat resistance - will not melt, drip, or ignite at 350°F for five minutes. Adjustable side vents to ensure increased air flow. Fits naturally to the contour of your face in order to block out airborne contaminants. Lightweight and comfortable with a pivot headband that allows for optimal placement. Meets NFPA 1977 standards and is Z94.3 compliant.

 FRAME/LENS
 PACKAGING

 CLEAR ANTI-FOG
 3013710

 SMOKE ANTI-FOG
 3013711

 AMBER ANTI-FOG
 3013712

#### **EYEWEAR CUSTOMIZATION PROGRAM**



CUSTOM EYEWEAR DECORATING DIMENSIONS			
FRAME STYLE	FRAME SIDE - DIMENSIONS	LENS DIMENSIONS	
S&W <sup>®</sup> GAUGE <sup>™</sup>	RIGHT - 1" W x 1/8" H	3/4" W x 3/8" H	
S&W <sup>®</sup> ELITE™	RIGHT - 1" W x 1/4" H	NOT AVAILABLE	
S&W <sup>®</sup> EQUALIZER™	RIGHT - 1" W x 1/8" H	NOT AVAILABLE	
S&W <sup>®</sup> VIEWMASTER™	RIGHT -3/4" W x 3/8" H	NOT AVAILABLE	
S&W <sup>®</sup> MAGNUM™ MINI	RIGHT - 5/16" W x 3/8" H	3/4" W x 3/8" H	
S&W <sup>®</sup> 38 SPECIAL™	RIGHT - 7/8" W x 1/8" H	3/4" W x 3/8" H	
NEMESIS™	LEFT - 3/4" W x 1/8" H	3/4" W x 3/8" H	
VISIO™	RIGHT & LEFT - 3/4"W x 1/8" H	1/2" W x 1/2" H	
270™	LEFT - 3/4" W x 3/16" H	3/4" W x 3/8" H	
30-30™	LEFT - 3/4" W x 3/16" H	3/4" W x 3/8" H	
OTG™	LEFT - 7/8"W x 1/4"H	NOT AVAILABLE	
EXPO™	RIGHT - 5/8" W x 1/8" H	1/2" W x 1/2" H	

DECORATING ON LEFT OR RIGHT ONLY

- Minimum Order 72 safety eyewear
- In order to provide superior screening, we require camera ready artwork (black on glossy white or film positive with sharp images) and color separated
- A charge may be invoiced for artwork that requires redrawing or typesetting and may add 3-5 business days to lead time
- Shipment of pad printed eyewear will take approximately 10-15 business days from the time the purchase order is received and approval of the artwork is verified
- A cliche charge reflects the cost of creating the custom cliche'. Cliche' remains the property of Jackson Safety®
- For more information, call customer service at (800) 648-1812 Opt 4 or email us retailorders@jacksonsafety.com
- ONLY EYEWEAR MENTIONED ARE AVAILABLE FOR DECORATING

# safetyeyewear

#### **EYEWEAR DISPLAYS**



#### **6 PAIR STACKING DISPLAY**

Stationary 6 pair stacking display. Some assembly required.

**DESCRIPTION**6 PAIR EYEWEAR DISPLAY

PART# 3014039



\*Eyewear not included.

Displays available while supplies last.



#### **LOCKING DISPLAYS**

Locking, rotating counter display eliminates theft.

DESCRIPTION P
18 PAIR LOCKING SPINNER 3
24 PAIR LOCKING DISPLAY 3

PART# 3014038 3014037





\*Eyewear not included.

#### 24 PAIR S&W® EYEWEAR DISPLAY\*

Mix and match lens combinatins of any S&W $^{\circ}$  eyewear. Dimensions: 28"T x 16"W x 9.5"D. Call 800-648-1812 Opt 4 for more details.

DESCRIPTION
24 PAIR S&W EYEWEAR DISPLAY

PART# 3018454



#### **S&W® 54 PAIR FLOOR DISPLAY**

Smith & Wesson® revolving floor stand Capacity: 54 pair of glasses Dimensions: 71" Height, 18" Diameter

**DESCRIPTION** PART# 54 PAIR SPINNER 3011828

#### 16 PAIR EYEWEAR DISPLAY\*

Display takes up minimal counter space - Dimensions:  $19.5^{\circ}$ T x  $11.5^{\circ}$ W x  $11^{\circ}$ D. Display requires no assembly and comes with a tab on the back that allows for easy hanging on any wall! Call 800-648-1812 Opt 4 for more details.

DESCRIPTION
16 PAIR JACKSON SAFETY EYEWEAR DISPLAY
16 PAIR S&W SAFETY EYEWEAR DISPLAY

PART# 3021607 3021601





#### **S&W® COUNTER DISPLAYS**

Smith & Wesson® revolving counter stand Capacity: 24 or 36 pair of glasses Dimensions: (24) 22" Height, 13" Diameter (36) 32" Height, 14" Diameter

DESCRIPTION PART#
24 PAIR SPINNER 3012156
36 PAIR SPINNER 3011827









# **BORE RUNNER™SHOTGUN CLEANING SYSTEM**



#### BORE RUNNER™ BASIC


A basic system to quickly remove powder fouling from your shotgun in the field or at the range. Includes a fiberglass shaft with Silencio branded wood handle and a fabric covered quick clean extension. Acrylic Tube Packaging

#### DESCRIPTION

GUN CLEANING BARREL 12/16 GAUGE GUN CLEANING BARREL 20 GAUGE GUN CLEANING BARREL .410 GAUGE

#### PART#

3010628 [SBR-01] 3010629 [SBR-02] 3010630 [SBR-05]



#### BORE RUNNER™ COMBO

Everything you need to thoroughly clean your 12, 16 and 20 gauge shotguns. Includes 2 fabric covered quick clean extensions, fiberglass extension rod for attachments, 2 bronze bore brushes and 2 cotton swabs. Acrylic Tube Packaging

**DESCRIPTION**GUN CLEANING BARREL COMBO 12/16/20 GAUGE

3010636 [SBR-06]

PART#

#### BORE RUNNER™ CLASSIC

Everything you need to thoroughly clean your shotgun. Includes a fiberglass shaft with Silencio branded wood handle, fabric covered quick clean extension, fiberglass entension rod for attachments, bronze bore brush and a cotton swab. Acrylic Tube Packaging

#### DESCRIPTION

GUN CLEANING BARREL 12/16 GAUGE LONG TUBE GUN LCEANING BARREL 20 GAUGE LONG TUBE

#### PART#

3010634 [SBR-03] 3010635 [SBR-04]



#### **FULL BORE RUNNER™**

For those shooters who prefer a full length quick clean rod. Includes a 35.5" long quick clean rod with Silencio branded wood handle and a cotton bore swab.

Acrylic Tube Packaging

#### DESCRIPTION

GUN CLEANING BARREL FULL 12/16 GAUGE GUN CLEANING BARREL FULL 20 GAUGE PART# 3010638 [FBR-01] 3010639 [FBR-02],







#### STANDARDS FOR WORK ZONE SAFETY

ANSI 107: The American National Standards Institute (ANSI) publishes a regulatory safety standard for high visibility clothing. The standard defines three classes of successively more visible garments that protect workers exposed to increasingly higher levels of risk from motor vehicles and heavy equipment.

MUTCD: The Manual on Uniform Traffic Control Devices (MUTCD) is a document issued by the Federal Highway Administration (FHWA) of the United States Department of Transportation (USDOT) to specify the standards by which traffic signs, road markings, and signals are designed, installed and used. These specifications include the shapes, colors, and fonts used in road markings and signs. All of Jackson Safety's traffic products meet MUTCD standards.

NCHRP 350: The National Cooperative Highway Research Program (NCHRP) represents uniform guidelines for conducting full-scale crash tests for permanent and temporary highway safety features. The crash performance is judged on structural adequacy, occupant risk and vehicle trajectory. Products addressed in these guidelines include longitudinal barriers, transitions, end terminals, crash cushions, breakaway/yielding supports, truck mounted attenuators and work zone traffic control devices. All of Jackson Safety's traffic products meet or exceed NCHRP 350 regulations.

ITE: The Institute of Transportation Engineers (ITE) is an international educational and scientific association of transportation professionals who attempt to meet mobility and safety standards. ITE facilitates the application of technology and scientific principles to research, plan, functional design, implementation, operation, policy development and management for any mode of transportation. Jackson Safety's line of barricade lights have all been awarded ITE certification.

FMVSS 125: Federal Motor Vehicle Safety Standards (FMVSS) is a standard that applies to the shape, size, and performance requirements for reusable day and night warning devices that can be erected on or near the roadway to warn approaching motorists of the presence of a stopped vehicle. Our safety triangles conform to FMVSS standards.

OSHA: Occupational Safety and Health Administration (OSHA) is a division of the United States Department of Labor. Their mission is to prevent work-related injuries, illnesses and deaths by issuing and enforcing standards for workplace safety and health.

ISEA: The International Safety Equipment Association (ISEA) is the primary trade association in the U.S. for companies that manufacture safety and personal protective equipment. The member companies are world leaders in the design and manufacturing of protective clothing and equipment used in factories, construction sites, hospitals, clinics, farms, schools, laboratories, emergency response and in the home.

#### **REGULATIONS**

#### **MUTCD (Manual on Uniform Traffic Control Devices)**

The Manual on Uniform Traffic Control Devices (MUTCD) is a document issued by the Federal Highway Administration (FHWA) of the United States Department of Transportation (USDOT) to specify the standards by which traffic signs, road markings and signals are designed, installed and used. In the United States, all traffic control devices must generally conform to these standards. The manual is used by state and local agencies as well as private construction firms to ensure that the traffic control devices they use conform to the national standard. While some state agencies have developed their own set of standards, their standards must be in substantial conformance with the MUTCD.

#### NCHRP 350 (National Cooperative Highway Research Program)

The National Cooperative Highway Research Program represents uniform guidelines for conducting full-scale crash tests for permanent and temporary highway safety features along with recommended evaluation criteria to access the test results. The crash performance is judged on structural adequacy, occupant risk and vehicle trajectory. Category I devices may be self-certified and include traffic cones, channelizer drums (without lights) and delineators. Category II devices must be crash-tested include channelizer drums (with lights), vertical panels, barricades (Types I, II and III) and sign stands.

#### ITE (Institute of Transportation Engineers)

The Institute of Transportation Engineers is an international educational and scientific association of transportation professionals who attempt to meet mobility and safety needs and was founded in 1930. ITE is a standards development organization designated by the U.S. Department of Transportation. Traffic barricade lights must also adhere to ITE testing standards.



awenforcement

# РОЦІСЕ

Constructed of heavy-duty 9 oz. vinyl coated fluorescent knit fabric. Reflective 1-3/8" vertical stripes and 4"x16" reflective patches on both front and back. Reflective colors of lime or white only. Available with single or double patches. 3/4"x2" front hook and loop closure with 3/4"x8" elastic straps.

DESCRIPTION	PART#
BLUE POLICE WITH LIME	3006292
ORANGE POLICE WITH LIME	3006293
ORANGE SECURITY WITH LIME	3007569

#### ANSI CLASS 2 TWO-TONE SAFETY VESTS

360° visibility with reflective tape. Machine washable.



#### **DELUXE STYLE**

3 pocket design. Rugged color matched front zipper closure. Adjustable panel-belt system for tailored fit over bulky clothes.

DESCRIPTION	PART#
DELUXE SOLID	
ORANGE WITH SILVER OVER LIME - M-XL	3012870
ORANGE WITH SILVER OVER LIME - 2X-5X	3012872
LIME WITH SILVER OVER ORANGE - M-XL	3012873
LIME WITH SILVER OVER ORANGE - 2X-5X	3012874
DELUXE MESH	
ORANGE WITH SILVER OVER LIME - M-XL	3012875
ORANGE WITH SILVER OVER LIME - 2X-5X	3012876
LIME WITH SILVER OVER ORANGE - M-XL	3012877
LIME WITH SILVER OVER ORANGE - 2X-5X	3012878

# **ANSI CLASS 2 SAFETY VESTS**

360° visibility with reflective tape. Machine washable.

#### **DELUXE STYLE**

4 pocket design. Rugged color matched front zipper closure. Durable material with mesh or solid options. Silver bead or color prismatic reflective tape.

DESCRIPTION

ANSI CLASS 2



DELUXE SOLID	
ORANGE WITH LIME PRISMATIC - L	3009895
ORANGE WITH LIME PRISMATIC - XL	3009896
ORANGE WITH LIME PRISMATIC - 2X	3009897
ORANGE WITH LIME PRISMATIC - 3X	3009898
ORANGE WITH LIME PRISMATIC - 4X	3009899
LIME WITH ORANGE PRISMATIC - L	3009901
LIME WITH ORANGE PRISMATIC - XL	3009902
LIME WITH ORANGE PRISMATIC - 2X	3009903
LIME WITH ORANGE PRISMATIC - 3X	3009904
LIME WITH ORANGE PRISMATIC - 4X	3009905
DELUXE MESH	
ORANGE WITH SILVER REFLECTIVE - L	3009931
ORANGE WITH SILVER REFLECTIVE - XL	3009932
ORANGE WITH SILVER REFLECTIVE - 2X	3009933
ORANGE WITH SILVER REFLECTIVE - 3X	3009934
ORANGE WITH SILVER REFLECTIVE - 4X	3009935
LIME WITH SILVER REFLECTIVE - L	3009937
LIME WITH SILVER REFLECTIVE - XL	3009938
LIME WITH SILVER REFLECTIVE - 2X	3009939
LIME WITH SILVER REFLECTIVE - 3X	3009940
LIME WITH SILVER REFLECTIVE - 4X	3009941

PART#

DADT 4

Shown #3009988 DELUXE MESH

# awenforcement

# **ANSI CLASS 3 SAFETY VESTS**

360° visibility with reflective tape. Machine washable.

5X and 6X sizes available. Please contact Customer Service for more details.



Shown #3010000 STANDARD MESH

#### **DELUXE STYLE**

4 pocket design. Rugged color matched front zipper closure. Durable material with mesh or solid options. Silver bead or color prismatic reflective tape.

DESCRIPTION



DESCRIPTION	PART #	
DELUXE MESH		
LIME WITH SILVER REFLECTIVE - M	3009986	[9131211]
LIME WITH SILVER REFLECTIVE - L	3009987	[9131212]
LIME WITH SILVER REFLECTIVE - XL	3009988	[9131213]
LIME WITH SILVER REFLECTIVE - 2X	3009989	[9131214]
LIME WITH SILVER REFLECTIVE - 3X	3009990	[9131215]
LIME WITH SILVER REFLECTIVE - 4X	3009991	[9131216]

Close up of zipper closure

# ANSI CLASS'S

#### STANDARD STYLE

Hook and loop front closure. Silver bead reflective tape.



Close	uр	of	hook	&	loop	closure

DESCRIPTION	PART#	
STANDARD MESH		
LIME WITH SILVER REFLECTIVE - M	3009998	[9131311]
LIME WITH SILVER REFLECTIVE - L	3009999	[9131312]
LIME WITH SILVER REFLECTIVE - XL	3010000	[9131313]
LIME WITH SILVER REFLECTIVE - 2X	3010001	[9131314]
LIME WITH SILVER REFLECTIVE - 3X	3010002	[9131315]
LIME WITH SILVER REFLECTIVE - 4X	3010003	[9131316]

# **SCREEN PRINTING FOR APPAREL**



Jackson Safety will customize apparel at your request. Supplying camera-ready artwork benefits you by avoiding any additional fees and longer lead times. Below is a listing of all of our apparel that can be silk screen printed. We can print on any size, as the sizes increase (from size large), the back width increases 1/2" for each size up and decreases 1/2" for each size down. Only available in black ink. Silk screen only - no stenciling. Customizing your vest is easy!

- 1. Contact our customer service team at (800) 648-1812 Opt 4 to order.
- Minimum order of 15 vests that are the same style (different sizes of that style may be ordered).
- There is a 2 week lead time after the customer approval of artwork and receipt of valid purchase order.

Description	Printing Dimensions (BACK)	Printing Dimensions (FRONT)
ANSI Class 2 Vest - Two Tone, L *	7"W X 7"H	N/A
ANSI Class 2 Vest - Deluxe, Solid, L	11.5"W X 10"H	3"W X 3"H right side only
ANSI Class 2 Vest - Deluxe, Mesh, L	11"W X 10"H	3"W X 3"H right side only

<sup>\*</sup>On all of the ANSI Class 2 Two-Tone Vests, the screen printing dimensions do not increase with size changes.



#### **SAFETY TRIANGLES**





Meets Federal Motor Vehicle Standard No. 125. Constructed on molded polypropylene plastic with red acrylic plastic reflectors. Air-flow design helps reduce wind resistance. Kit includes three triangles in one red, hard plastic case.

DESCRIPTION

HIGHWAY TRIANGLE – SINGLE HIGHWAY TRIANGLE KIT - 3 TRIANGLES IN POLY BOX PART# 3006010 3006007

#### **FLEET EMERGENCY KIT**



Kit contains: three compact safety triangles, one 2-3/4 lb. 10 B.C. fire extinguisher, three 30-minute color cyalume light sticks, one hold-down strap and heavy-duty red metal carrying case. Case size: 20"L x 7"W x 8"H.

**DESCRIPTION**FLEET EMERGENCY KIT

PART# 3006009

## **MOTORIST SAFETY KIT**



Kit contains: two 30-minute color cyalume light sticks, one compact highway warning triangle, one orange ESK reflective vest. All enclosed in a protective water-resistant bag.

**DESCRIPTION**MOTORIST SAFETY KIT

PART# 3001747

#### **BARRIER TAPE**



Provides warning of temporary safety hazards. Economical, strong and disposable. 3 inches wide x 1000 feet long x 2 mm thick. Special legends available with minimums and plate charge. Call Customer Service for details at 800-648-1812.

PART#

3006620

3006627

3006625

3006622

3006618

3006619

DESCRIPTION
CAUTION - YELLOW
POLICE LINE DO NOT CROSS - YELLOW
FIRE LINE DO NOT CROSS - YELLOW
CAUTION DO NOT ENTER - YELLOW
DANGER DO NOT ENTER - RED
DANGER - RED

#### **SAFETY FLARES**



Visible in fog, rain or snow. Easy to ignite with self-contained striker. Approved by Underwriter's Labs. 20 minute flare is 11.5" and 30 minute flare is 15.5" in length. 70-80 candalas bright. Available spikeless, with spike, and with wire. Sold by case quantity only.

PART#

3001750

3006660

DESCRIPTION
30 MIN. NON-SPIKE (CASE QTY 36)
20 MIN. NON-SPIKE (CASE OTY 72)

#### **WARNING FLAGS**



#### **Standard Vinyl Knitted Warning Flags**

Heat sealed hem. Non-fouling feature. Available with unique diagonal plastic stay which holds flag open. Vinyl-coated nylon blend material. 3/4" diameter hardwood dowel. Standard Pack: 50

DESCRIPTION PART #
VINYL WARNING FLAG (18" FLAG / 24" DOWEL) 3006648
VINYL WARNING FLAG (24" FLAG / 30" DOWEL) 3006219



#### **Plain Weave Mesh Warning Flags**

18" x 18". Vinyl-coated mesh material. 3/4" diameter hard wood dowel. Standard Pack: 50

DESCRIPTIONPART #MESH WARNING FLAG (18" FLAG / 24" DOWEL)3006205MESH WARNING FLAG (18" FLAG / 30" DOWEL)3006206

# EMERGENCY RESPONSE FOLD AND ROLL

MEETS NCHRP 350 CERTIFICATION & MUTCD STANDARDS



Compact design for minimal storage and easy transportation. Quick and easy set-up. Aluminum and steel construction. Sign made from fluorescent pink coral material. Telescoping aluminum legs with two position height adjustments and anti-skid foot pads. Kick release system for quick leg deployment. Dual torsion springs to withstand wind resistance. Full extension length: 51" each leg. Open footprint: 92" x 57.5". Weight: 32 LB. Displays 48" sign with Quick-Locking Stab-lock Sign Holding System.



# DESCRIPTIONPART #F&R SIGN KIT "EMERGENCY SCENE AHEAD"3007274F&R SIGN KIT "ACCIDENT AHEAD"3009813F&R SIGN KIT "TRAFFIC EMERGENCY AHEAD"3009814F&R SIGN CARRYING CASE3009815



# FIRST AID KITS



Shown right #3011188

Shown left #3011186 10 Person Poly Kit

#### 10 Person Kit

Available in polyethylene box. Meets ANSI Z308.1-2003. Ideal for small workplaces or vehicles.

> DESCRIPTION PART# 10 PERSON POLY 3011186

#### 25 Person Kit

Available in polyethylene box. Meets ANSI Z308.1-2003. Ideal for most work environments, medium businesses and workplaces.

DESCRIPTION	PART#
25 PERSON POLY	301118





#### 50 Person Kit

Available in polyethylene box. Meets ANSI Z308.1-2003. Ideal for large businesses, manufacturing plants, office complexes and warehouses.

DESCRIPTION	PART#
50 PERSON POLY	301119

# STOP/SLOW ABS PADDLES



#### **Plastic Paddles**

Meets MUTCD requirements. Octagon shape. Paddles available silk screened (nonreflective) or reflective in Engineer, Hi-Intensity or Diamond Grade sheeting. Plastic signs are 2/16" - 3/16" thick. Letter size: 8" on 24" paddles and 6" on 18" paddles. Assembly kits include PVC handle: short 14"/long 61" adapter, both included in kits. Also accommodates 6' wood handle (sold separately).

DESCRIPTION	PART#
18" NON-REFLECTIVE - ABS PLASTIC HANDLES	3007771
18" ENGINEER GRADE - ABS PLASTIC HANDLES	3007774
24" NON-REFLECTIVE - ABS PLASTIC HANDLES	3007772
24" EG SHEETING - ABS PLASTIC HANDLES	3007773
24" HI-INTENSITY SHEETING - ABS PLASTIC HANDLES	3007770
6' WOODEN HANDLE	3007585



Meets MUTCD requirements. Octagon shape. Paddles available silk screened (non-reflective) or reflective in Engineer, Hi-Intensity or Diamond Grade sheeting. Plastic signs are 2/16" - 3/16" thick. Letter size: 8" on 24" paddles and 6" on 18" paddles. Assembly kits include PVC handle: short 14"/long 61" adapter, both included in kits. Also accommodates 6' wood handle (sold separately).



DESCRIPTION ASSEMBLY KITS	PART#
15" (ALUMINUM HANDLE)	3007351
15" (WOOD HANDLE)	3007352
18" (ALUMINUM HANDLE)	3007353
18" (WOOD HANDLE)	3007354
18" (6' WOOD HANDLE)	3007641
15" (ALUMINUM HANDLE) STOP/STOP	3007355
18" (ALUMINUM HANDLE) STOP/STOP	3007356
6' WOODEN HANDLE	3007585



#### **SPEED BUMP**



Will not warp, crack, chip or rot. Withstands 120,000 lbs. Yellow polyurethane glass-beaded paint for maximum reflectivity. Channeled bottom (two 1-1/4" channels) allows for cabling or piping and facilitates drainage. Epoxy or rebar spikes can be used to hold speed bump in place. Three rebar spikes on 48", four rebar spikes on 72" speed bumps. Spikes sold separately. Made of 100% recycled rubber.

DESCRIPTION	PART#
STRIPED SPEED BUMP 2.5" X 12" X 48" (34 LBS.)	3007916
STRIPED SPEED BUMP 2.5" X 12" X 72" (51 LBS.)	3007917
14" RFBAR SPIKE	3007973

# PARKING CURB



Will not warp, crack, chip or rot. 1/10 the weight of concrete. Yellow polyurethane glass-beaded paint for maximum reflectivity. Resistant to UV rays, moisture, paint, oil and extreme temperature variations. Epoxy or rebar spikes can be used to hold parking curb in place. Two rebar spikes on 36", four rebar spikes on 72" parking curbs. Spikes sold separately. Made of 100% recycled rubber.

DESCRIPTION	PART#
PARKING CURB 4" X 6" X 36" (17 LBS.)	3007914
PARKING CURB 4" X 6" X 72" (34 LBS.)	3007915
14" REBAR SPIKE	3007973

# PACK AND POP™ COLLAPSIBLE CONES

Internal cone light features 2 settings: steady burn and flashing. Operates on 2 'AAA' batteries (included) and endures 100,000 flashes or 36 hours of steady burn. Constructed with orange waterproof nylon that assures visibility in all weather environments. 28" cones feature convenient rubber feet to channel dirt and debris.

 DESCRIPTION
 PART #

 28" PACK AND POP - 4 CONES PER BAG W/ FEET
 3018159

 18" PACK AND POP - 4 CONES PER BAG W/OUT FEET
 3012918









# Shown left #3004231 & #3004256 Shown right #3004280 & #3004019

#### **DW Series**

Wide body design with rugged black base. Flow molded, dayglow orange PVC with white inner liner.

DESCRIPTION	PART#
18" DW CONE - 3 LBS	3004023
28" DW CONE - 7 LBS	3004057
36" DW CONE - 10 LBS	3004159
28" DW CONE - 6"& 4" COLLARS, 7 LBS, REFLEXITE	3004206
36" DW CONE - 6"& 4" COLLARS, 10 LBS, 3M	3004231

#### W Series

Wide body design with rugged orange base. Flow molded, dayglow orange PVC with white inner liner.

DESCRIPTION	PART#
18" W CONE - 2.5 LBS	3004042
28" W CONE - 6.5 LBS	3004158
36" W CONE - 10 LBS	3004160

#### **STENCILING**

Stenciling available for both the outside of the cone and the inside liner. Onetime stencil set-up fee applies.

Per cone additional charge applies for inner and outer stencil. Standard legends for imprinted cones require

no set-up charge and include the following: WET FLOOR, CAUTION, DANGER, KEEP OUT, NO PARKING, NO SMOKING.

#### **BARRICADES**

MEETS NCHRP 350 CERTIFICATION & MUTCD STANDARDS

# Second leg can be inserted to make Type 2 Barricade Top rail is 36.5" above the ground Shown above (2) #3001784 [A-Frame Legs] and (1) #3007871

#### UNIQUE DUAL USE

A-Frame legs can be joined with hinge pin (included) to use as rigid sign stand.

#### **Plastic A-Frame Barricade**

Impact-resistant polypropylene is weather resistant in extreme conditions. Barricade can be Type 1 (single rail) or Type 2 (2 rails). Rails are reinforced to resist bowing in hot weather conditions and are angled at 15° for greater stability. Lightweight and easy to handle with reflective sheeting for maximum adhesion. Individual leg weighs 6 lbs. each.



#### DESCRIPTION PART# PLASTIC BARRICADE A-FRAME LEG - SINGLE LEG 3001784 PLASTIC BARR 2" X 6' RAIL, EG SHEETING - 2 SIDES 3007871 PLASTIC BARR 2" X 6' RAIL, HI SHEETING - 2 SIDES 3007873 PLASTIC BARR 2" X 8' RAIL, EG SHEETING - 2 SIDES 3007876 PLASTIC BARR 2" X 8' RAIL, HI SHEETING - 2 SIDES 3007878

Shown left (2) #3001784 [A-Frame Legs] and (1) #3006225 [Stop/Slow paddle]

#### TYPE 1



#### Wood/Steel Barricades (Type 1 & 2)

Rugged steel and plywood materials. 1/2" ACX plywood dipped in white waterbased latex paint. Durable, weather resistant 12 gauge galvanized steel legs,

DESCRIPTION	PART#
TYPE 1	
TYPE 1, 24" X 8" X 6"	3007864
TYPE 1, 36" X 8" X 6"	3007865
TYPE 2	
TYPE 2, 24" X 8" X 8"	3007866
TYPE 2, 36" X 6" X 6"	3007867
REPLACEMENT LEG	
12 GAUGE, SINGLE LEG	3007868

#3007866



WWW.JACKSONSAFETY.COM
5801 SAFETY DRIVE NE, BELMONT, MI 49306
PHONE: 800.648.1812 OPT. 4 FAX: 800.257.5160