




Jesco
Lites

TABLE OF CONTENTS

Track Lighting 1

Jesco Satin 2

Low Voltage 4

Line Voltage 6

Metal Halide 8

Compact Fluorescent 9

Track & Accessories 10

Recessed Lighting 13

3"Low and Line Voltage 14

4"Low Voltage 16

Quick-Start Recessed.....18

4"Line Voltage 19

6"Line Voltage 21

6"Metal Halide 24

8"Metal Halide.....24

8"Compact Fluorescent.....25

Display Lighting.....27

Sleek plus 28

Sleek Modules 30

The Xenon Minuet 32

Cup Lights 32

Jesco ArcLight 33

Puck Lights 34

Mini-Recessed 35

Transformers 36

Light 2000 38

Recessed Modules..... 39

Cable Hung Modules 41

Surface Modules 42

Free Standing 42

Wall Modules 43

Designer's Portfolio.....44

Floating Glass Series 45

Light Pans 46

GemSteel 49

Wall Media 50

Beamers 50

Moonglo 51

Specialty 51

Tri-Baffle Monitor 52

Five-Baffle Monitor.....53



JESCO Track Lights **Electronic and Magnetic Dimmable**

The JESCO TRACK series offer fixtures that have been specially selected to provide dignified styling and dramatic lighting. Select JESCO TRACK to complement a wide range of creative themes.

These outstanding lighting fixtures are engineered for defined optical control and are available with a complete selection of components and accessories.

Color:

AM = Amber	BK = Black	BU = Blue
CH = Chrome	CL = Clear	FR = Frosted
GD = Gold	GN = Green	OR = Orange
PK = Pink	PB = Polished Brass	RD = Red
ST = Satin Chrome	WH = White	YW = Yellow



122 Glass Tech - Die Cast

Transformer Case: WH, BK, ST

Fixture/Stem: ST

Glass: FR, BU, AM, GN, PK

Finish: CHBK, CHWH, ST



102 Soft Square - Die Cast



109 Round - Die Cast



120 Olympic - Die Cast

Finish: PBST, ST



123 Rocket - Die Cast



127 Spurs - Die Cast



138 Renaissance - Die Cast

Glass: FR, BU, AM



140 Bullet - Die Cast



143 Gimbal Plus - Die Cast

TRACK LIGHTING - JESCO SATIN

Jesco Satin: The best and most complete selection of integrated Satin Track Lighting available.

System: CM (3 - Wire), LV (2 - Wire)

Lamp: MR16 12V/50W, 12V/75W



240 Plano



Select Satin Chrome Extensions
Length: 12", 18", 24", 36", 48"



147 Tropic - Die Cast

Glass: FR, BU, AM



151 Stylite Round

Lamp: AR111 12V/50W
Finish: BK, WH, ST



152 Stylite Square

Lamp: AR111 12V/50W
Finish: BK, WH, ST



113 Pendulum

Up to 48" Cable (Please specify)
Finish: WH, BK, ST
Glass: BU, GN, AM, FR



114 Conical Pendulum

Up to 48" Cable (Please specify)
Finish: WH, BK, ST
Glass: AM, BU, FR



102 Soft Square - Die Cast
Finish: WH, BK, ST



100 Accordion - Die Cast
Finish: WH, BK



109 Round - Die Cast
Finish: WH, BK, ST



104 Net - Die Cast
Finish: WH, BK



106 Saturn - Die Cast
Finish: BK, WH, ST
w/ Clear Acrylic Disc



107 Tropic Glass - Die Cast
Finish: WH, BK
Glass: FR, BU



108 Classic - Die Cast
Finish: WH, BK



110 Roundback Step Baffle - Die Cast
Finish: WH, BK



115 Glass Disc - Die Cast
Finish: WH, BK
Glass: FR

System: CM (3 - Wire), LV (2 - Wire), JT (J-Type)
Lamp: MR16 12V/50W, 12V/75W



116 Star Ship - Die Cast

Finish: WH, BK
 Glass: FR, BU



130 Step Baffle - Die Cast

Finish: WH, BK



132 Gimbal MR 16

Finish: BK, WH, ST



140 Bullet - Die Cast

Finish: WH, BK, ST



143 Gimbal Plus - Die Cast

Finish: WH, BK, ST



122 Glass Tech - Die Cast

Finish: WH, BK, ST
 Glass: FR, BU, PK, GN, AM



158 Framing Projector

w/ Adjustable Framing Shutters
 Finish: WH, BK



806 Saucer

Finish: CHBK, CHWH, CHST
 Glass: AM, BU, FR



316 Cross Blade - Die Cast

Finish: WH, BK, ST

Line Voltage Track Fixtures



G127 Spurs GU - Die Cast

Lamp: GU10
Finish: ST



G138 Renaissance GU - Die Cast

Lamp: GU10
Finish: ST
Glass: FR, BU, AM



G240 Plano GU

Lamp: GU10
Finish: ST



37 Roundback Step Baffle 20

Lamp: Par20, R20
Finish: WH, BK



38 Roundback Step Baffle 30

Lamp: Par30, R30
Finish: WH, BK



39 Roundback Step Baffle 40

Lamp: Par38, R40
Finish: WH



220 Par 20-Gimbal

Finish: WH, BK, ST



230 Par 30 - Gimbal

Finish: WH, BK, ST



238 Par 38 - Gimbal

Finish: WH, BK, ST



650 Universal

Lamp: Par30, R30, Par38, R40
Finish: WH, BK, ST



330 Flexible Gimbal 30 - Die Cast

Lamp: Par30
Finish: WH, ST



338 Flexible Gimbal 38 - Die Cast

Lamp: Par38
Finish: WH, ST



420 Deco 20 - Die Cast
Lamp: Par20
Finish: WH, BK, ST



430 Deco 30 - Die Cast
Lamp: Par30
Finish: WH, BK, ST



607 Step Baffle 20
Lamp: Par20, R20
Finish: WH, BK



617 Step Baffle 30
Lamp: Par30, R30
Finish: WH, BK



620 Flatback Step Baffle 20
Lamp: Par20, R20
Finish: WH, BK



630 Flatback Step Baffle 30
Lamp: Par30, R30
Finish: WH, BK



730 Bell 30
Lamp: Par30, R30
Finish: WH, PBWH, STBK



320 Cross Blade 20 - Die Cast
Lamp: Par20
Finish: WH, BK, ST



520 Gimbal Prime 20
Lamp: Par20
Finish: WH, BK, ST



530 Gimbal Prime 30
Lamp: Par30
Finish: WH, BK, ST



538 Gimbal Prime 38
Lamp: Par38
Finish: WH, BK, ST



99 Short Universal
Lamp: Par20, Par30, Par38,
R20, R30, R40
Finish: WH, BK

Metal Halide Track Lighting

For Ceramic Arc Metal Halide Par Lamps

MTA3530 - 35W PAR 30
MTA7030 - 70W PAR 30
MTA7038 - 70W PAR 38
MTA10038 - 100W PAR 38

WhiteLite
Metal Halide Track Lighting



MTB3530 - 35W PAR 30
MTB7030 - 70W PAR 30
MTB7038 - 70W PAR 38
MTB10038 - 100W PAR 38

WhiteLite Satellite
Open Frame Metal Halide Track Lighting
Universal lamp holder standard, lamp frame and louver order separately.

MTBL30 - Louver for PAR30
MTBL38 - Louver for PAR38



MC111 **WhiteLite Projector**

Ceiling or Track Mounted Projector
Die Cast Aluminum
Finish: BK, GY
Lamp: 150W HIT - DE
For Track Mount, specify prefix MT

Compact Fluorescent Track Lighting



BX218 (18-Watt x 2)

Finish: WH, BK

Electronic Ballast

Shielding: Black Louver, White Louver, Specular Chrome Louver

12 1/2" (L) X 5 3/4" (W) X 7" (H)



BX240 (40-Watt x 2)

BX255 (55-Watt x 2)

Finish: WH, BK


Electronic Ballast

Shielding: Black Louver, White Louver, Specular Chrome Louver

25 1/2" (L) X 5 3/4" (W) X 7" (H)

Track and Accessories

When ordering specify wiring system and color.



CM 3-Wire Track

Finish : WH, BK, ST

CM2C	2' TRACK
CM4C	4' TRACK
CM6C	6' TRACK
CM8C	8' TRACK



TR 2-Wire Track

Finish : WH, BK

TR2C	2' TRACK
TR4C	4' TRACK
TR6C	6' TRACK
TR8C	8' TRACK



TC 2-Circuit System

Finish : WH, BK



PCMCA

Finish : WH, BK, ST



PLVCA

Finish : WH, BK, ST



PJTCA

Finish : WH, BK, ST



CMAD1

Finish : WH, BK, ST



AD1

Finish : WH, BK



JTAD1

Finish : WH, BK



CMJ2 (3-Wire)
FJ2 (2-Wire)
TCJ2 (2-Circuit Track)
 L Connector
 Finish : WH, BK, ST



CMJ3 (3-Wire)
FJ3 (2-Wire)
TCJ3 (2-Circuit Track)
 T Connector
 Finish : WH, BK, ST



CMJ4 (3-Wire)
FJ4 (2-Wire)
TCJ4 (2-Circuit Track)
 X Connector
 Finish : WH, BK, ST



CMFX (3-Wire)
FX (2-Wire)
TCFX (2-Circuit Track)
 Flexible Connector
 Finish : WH, BK, ST



CMLE2 (3-Wire)
LE2 (2-Wire)
TCLE2 (2-Circuit Track)
 Live End
 Finish : WH, BK, ST



CMLE4 (3-Wire)
LE4 (2-Wire)
TCLE4 (2-Circuit Track)
 Live End w/ Conduit Box
 Finish : WH, BK, ST



CMJ1 (3-Wire)
FJ1 (2-Wire)
TCJ1 (2-Circuit Track)
 Straight Connector
 Finish : WH, BK, ST



CMIJ (3-Wire)
FIJ (2-Wire)
TCIJ (2-Circuit Track)
 Mini Straight Joiner
 Finish : WH, BK, ST



CMAD5 (3-Wire)
AD5 (2-Wire)
 Outlet Adapter
 Finish : WH, BK



LC1
 Line Cord with Thumb Switch
 Finish : WH, BK



CMFC (3-Wire)
CF1 (2-Wire)
TCFC (2-Circuit Track)
 Floating Canopy
 Finish: WH, BK, ST



CMAD1H
 Track Adapter w/Hook
 Finish: WH, BK, ST



TB1
 T-Bar Clip
 2 clips for 2' & 4' Track
 4 clips for 6' & 8' Track



CMP7 (3-Wire, Square)
MP7 (2-Wire, Round)
 Monopoint
 Finish: WH, BK



Extender Wands
 (Track to Fixture)
 Finish: WH, BK, ST

SK212	12" Extender
SK218	18" Extender
SK224	24" Extender
SK236	36" Extender
SK248	48" Extender

Add suffix GN for Gooseneck extension option



Pendant Mounting
 (Ceiling to Track)
 Finish: WH, BK, ST

SK1	Canopy Kit
SK2	12" Stem
SK3	18" Stem
SK4	24" Stem
SK5	36" Stem
SK6	48" Stem



The Complete Package A Perfect Choice for Every Lighting Project

The complete lighting collection with a wide range of designer trims and finishes, a broad selection of line and low voltage light sources, (MR16, Par Lamps, Metal Halide and Compact Fluorescent), for new construction or remodel, IC, Non-IC and Airtight housings.

3" Low Voltage Housings

Features:

- Thermally protected and suitable for damp location.
- UL listed for through branch circuit wiring.
- Integral magnetic transformer 120V–12V 50Hz.
- Remodeling Housing – Designed to permit wiring from below the ceiling line.
- J-Box and transformer accessible through ceiling opening.
- Non-IC – 3" clearance on all sides must be maintained when insulation is present.
- Fits 6" Joist Ceiling.
- Employs MR16 12V lamps (not included)



LV3000B
Housing Non-IC
For New Construction



LV3000ICA
Air Tight IC Housing
For New Construction



LV3000R
Housing Non-IC
For Remodeling

3" Line Voltage Housings

Features:

- Thermally protected and suitable for damp location.
- UL listed for through branch circuit wiring.
- Remodeling Housing – Designed to permit wiring from below the ceiling line.
- J-Box and transformer accessible through ceiling opening.
- Non-IC – 3" clearance on all sides must be maintained when insulation is present.
- Fits 6" Joist Ceiling.
- Employs GU10 or GZ10 120V lamps (not included)



RS3000B
Housing Non-IC
For New Construction



RS3000ICA
Air Tight IC Housing
For New Construction



RS3000R
Housing Non-IC
For Remodeling

3" Low and Line Voltage Trims



TM301

Step Baffle
Baffle: BK, WH, ST
Trim: WH, CH, PB, ST



TM302

Open Reflector
Reflector: BK, WH, CH, PB
Trim: WH, CH, PB



TM303

Oval Slot Aperture
Finish: WH, CH, PB, ST



TM304

Scoop Wall Wash with Step Baffle
Baffle: BK, WH, ST
Trim: WH, CH, PB, ST



TM306

Eyeball
Finish: BK, WH, CH, ST, PB



TM308

Gimbal Ring
Finish: BK, WH, CH, ST, PB



TM309

Shower Frosted Opal
Wet Location
Finish: BK, WH, CH, ST, PB



TM315

Shower Frosted Dome
Wet Location
Finish: BK, WH, CH, PB, ST




TM320

Etched Glass Disk
Finish: CB, FR, PK

4" Low Voltage Recessed Lighting

Thermally Protected Housings
For MR16, 12V/50W (or optional 75W)
UL Listed for Damp Location



LV4000B
LV4000BA (Airtight)
New Construction



LV4000R
LV4000RA (Airtight)
Remodel Housing



LV4000IC
LV4000ICA (Airtight)
IC Housing
For direct contact with insulated materials.
Double Housing for maximum thermal barrier

4" Low Voltage Designer Trims

Add finish suffix for baffles, reflectors and trims

Mix & Match



TM401

Baffle/Trim
Baffle: WH, BK, ST, PB, CH
Trim: WH, BK, ST, PB, CH



TM402

Specular Reflector
Reflector: CH, GD
Trim: WH, BK, ST, PB, CH



TM403D

Die Cast Oval
Slotted Aperture
Finish: WH, ST, CH



TM404

Wall Wash w/ Baffle
Baffle: WH, BK
Trim: WH



TM405

Adjustable Eyeball
Baffle: BK
Eyeball/Trim: WH, ST, PB



TM407

Die Cast Adjustable
Finish: WH, BK, ST, PB, CH



TM408

2 Piece Adjustable
Finish: WH, BK, ST, PB, CH



TM411

Adjustable Dropped Trim
Finish: WH, BK, ST, PB, CH



TM409

Flat Shower Trim
Frosted Opal White Glass
Trim: WH, BK, ST, PB, CH



TM410

Dropped Dish Shower
Frosted Opal White Dropped Glass
Trim: WH, BK, ST, PB, CH



TM412

Prismatic Glass Shower Trim
Trim : WH, BK, ST, PB, CH



TM414

Pinhole
Baffle: WH, BK
Trim: WH



TM426

Baffle Adjustable
Baffle: WH, BK, ST
Trim: WH, ST



TM428

Adjustable Extended Spot
Finish: WH, BK

Quick-Start Recessed

Simplicity and Economy - One Piece housing assembly for open or closed ceiling. Simple Fastening system. Detachable junction box, compatible with all standard dimmers. Secure clip design holds firmly to all ceilings.

HRS14

Quick Start GU10
Trim: 2 Piece Adjustable
Trim Finish: WH, CH, PB
Lamp: 120 V GU10 50W
Open Dia: 3 3/4", Height: 5 1/4"



RS20

Quick Start Par 20
Trim: 2 Piece Adjustable
Trim Finish: WH
Lamp: Par 20
Open Dia: 4 1/2", Height: 5 3/4"



RS30

Quick Start Par 30
Step Baffle
Baffle: BK
Trim Finish: WH, BK
Lamp: Par 30
Open Dia: 4 3/4", Height: 5 3/8"



4" Line Voltage Recessed Lighting

Thermally Protected Housings
20-50 Watt Par16, Par20, R20, A19, GU10*
or Compact Fluorescent**
UL Listed for Damp Location



RS2000B RS2000BA (Airtight)

IC Housing
New Construction



RS2000R RS2000RA (Airtight)

Remodel Housing



RS2000IC RS2000ICA (Airtight)

IC Housing
For direct contact with insulated materials.
Double Housing for maximum thermal barrier

Airtight - Gasketed to prevent airflow. All Jesco Airtight housings meet state of Washington restricted airflow requirements.


* GU10: A Line voltage 120V/50W MR16 bulb, requires a E26/GU10 adapting cable (AC-E26/GU). Choose trims from 4" **Low Voltage** recessed section only.

** Compact Fluorescent: Jesco's self-ballasted, long life compact fluorescent lamps are the perfect choice for economy and efficiency.

4" Line Voltage Designer Trims

Add finish suffix for baffles, reflectors and trims

Mix & Match



TM201

Baffle/Trim

Baffle: WH, BK, ST, PB, CH

Trim: WH, BK, ST, PB, CH



TM202

Specular Reflector

Reflector: CH, GD

Trim: WH, BK, ST, PB, CH



TM203D

Die Cast Oval

Slotted Aperture

Finish: WH, ST, CH



TM204

Wall Wash w/ Baffle

Baffle: WH, BK

Trim: WH



TM205

Adjustable Eyeball

Finish: WH, BK, PB, CH



TM208

Adjustable Gimbal Ring

Lamp: Par 20

Finish: WH, BK, ST, PB, CH



TM209

Flat Shower Trim

Frosted Opal White Glass

Trim: WH, BK, ST, PB, CH



TM210

Dropped Dish Shower Trim

Frosted Opal White Glass

Trim: WH, BK, ST, PB, CH



TM212

Albalite Shower Trim

Albalite Glass

Trim: WH, BK, ST, PB, CH



TM214

Pinhole

Baffle: WH, BK

Trim: WH

6" Line Voltage Recessed Lighting

RS5000 Series: 6" Line Voltage Thermally Protected Housings for A19, Par20, R20, Par30, R30, Par38, R40, Self ballasted Compact Fluorescent. UL Listed for Damp Location.



RS5000B
New Construction



RS5000R
Remodel Housing



RS5000BIC
RS5000BICA (Airtight)
IC Housing for New Construction
For direct contact with insulated materials.



RS5000RIC
RS5000RICA (Airtight)
IC Housing for Remodel Construction
For direct contact with insulated materials



RS5000S
Shallow Housing (5 1/2")
For New Construction



RS5000SR
Shallow Housing (5 1/2")
For Remodel Construction

Airtight - Gasketed to prevent airflow. All Jesco Airtight Housings meet state of Washington restricted airflow requirements.

6" Line Voltage Designer Trims

Add finish suffix for baffles, reflectors and trims

Mix & Match



TM514

Baffle/Reflector Combination

Insert Finish: BK-Baffle/CH-Reflector

Trim: WH, BK, ST, PB, CH

May not be used with Shallow Housings (RS5000R / RS5000SR)



TM501

8" Open Trim - 40

Lamp: Par38, R40

Trim: WH, BK, PB, CH



TM502

8" Open Trim - 30

Lamp: Par30, R30

Trim: WH



TM503

Adjustable Gimbal Ring - 30

Lamp: Par30, R30

Trim: ST



TM504

Adjustable Gimbal Ring - 40

Lamp: Par38, R40

Trim: WH, ST, PB, CH



TM505

Frosted Opal White Dropped Glass

Lamp: 75W A19

Trim: WH



TM507

Fresnel Glass Lens

Lamp: Par30, R30

Trim: WH




TM508

Baffle/Trim - 40

Lamp: Par38, R40

Baffle: WH, BK

Trim: WH, BK, ST, PB, CH



TM509

Baffle/Trim - 30

Lamp: Par30, R30

Baffle: WH, BK, ST

Trim: WH, BK, ST, PB, CH



TM510C

Specular Reflector Chrome
Lamp: Par30, R30
Reflector: CH
Trim: WH, BK, ST, PB, CH



TM510G

Specular Reflector Gold
Lamp: Par30, R30
Reflector: GD
Trim: WH, BK, ST, PB, CH



TM513

Eyeball
Lamp: Par30, R30
Finish: WH, PB, BK, CH



TM515

The Energy Saver (Airtight)
Finish: WH, CH



TM516

Flat Opal Glass
Lamp: 75W A19
Trim: WH, BK, ST, PB, CH



TM518

Regressed Eyeball
Lamp: Par30, R30
Baffle/Eyeball: WH
Trim: WH



TM521

Pinhole
Lamp: Par16
Baffle Insert: WH
Trim: WH



TM529

Wall Wash w/Baffle
Lamp: Par30, R30
Baffle: WH, BK
Trim/Cutoff: WH



TM530

Wall Wash w/Reflector
Lamp: Par30, R30
Reflector: CH, GD
Trim/Cutoff: WH

6" Metal Halide Recessed Lighting

MH6000 Series: 6" Metal Halide Housings furnished with superior grade Class P Thermally Protected Solid State Electronic Ballasts. Perfect compatibility for use with MasterColor™ and other Ceramic Arc Metal Halide Par30 and Par38 Lamps.



**MH6000B
MH6000BA (Airtight)**
New Construction



**MH6000R
MH6000RA (Airtight)**
Remodel Housing

Refer to 6" Line Voltage Recessed Lighting section for selected trims:
**TM501, TM502, TM503, TM504, TM508, TM509, TM510, TM513, TM514,
TM529 and TM530**

8" Metal Halide Recessed Lighting



MH80

8" Metal Halide Recessed Lighting furnished with superior grade Class P Thermally Protected Solid State Electronic Ballasts. Perfect compatibility for use with MasterColor™ and other Ceramic Arc Metal Halide Par30 and Par38 lamps.



TMH881
Specular Reflector
Reflector: CH, GD
Trim: WH, ST



TMH882
Black Step Baffle/Reflector Combination
Baffle/Reflector: BK/CH
Trim: WH, ST

TMH883

Specular Reflector with
Etched Glass Lens
Reflector: CH
Trim: WH, ST



TMH884

Specular Cross Baffle
Reflector: CH, GD
Trim: WH, ST

TMH885

Specular Radial Baffle
Reflector: CH, GD
Trim: WH, ST



8" Compact Fluorescent Recessed Lighting

Cost Effective - Energy Efficient



VERTICAL MOUNT

CFV80A-113-E (1) 13W 4-Pin Quad or Triple Biax Lamp 120V/277V HPF Electronic
CFV80A-118-E (1) 18W 4-Pin Quad or Triple Biax Lamp 120V/277V HPF Electronic
CFV80A-12642-E (1) 26W Quad or Triple Biax; or (1) 32W Triple Biax; or (1) 42W Quad 120V/277V HPF Electronic
RSCHB C-Channel Hanger Bars – A set of 2 (T-Bar)



HORIZONTAL MOUNT

CFH80A-109-M1	(1) 7W or 9W Twin 2-Pin	120V HPF Magnetic
CFH80A-109-M2	(1) 7W or 9W Twin 2-Pin	277V HPF Magnetic
CFH80A-209-M1	(2) 7W or 9W Twin 2-Pin	120V HPF Magnetic
CFH80A-209-M2	(2) 7W or 9W Twin 2-Pin	277V HPF Magnetic
CFH80A-113-E	(1) 13W Twin/Quad 4-Pin	120V/277V HPF Electronic
CFH80A-213-E	(2) 13W Twin/Quad 4-Pin	120V/277V HPF Electronic
CFH80A-118-E	(1) 18W Quad 4-Pin	120V/277V HPF Electronic
CFH80A-218-E	(2) 18W Quad 4-Pin	120V/277V HPF Electronic
CFH80A-126-E	(1) 26W Quad 4-Pin	120V/277V HPF Electronic
CFH80A-226-E	(2) 26W Quad 4-Pin	120V/277V HPF Electronic
CFH80A-113T-E	(1) 13W Triple Biax 4-Pin	120V/277V HPF Electronic
CFH80A-213T-E	(2) 13W Triple Biax 4-Pin	120V/277V HPF Electronic
CFH80A-118T-E	(1) 18W Triple Biax 4-Pin	120V/277V HPF Electronic
CFH80A-218T-E	(2) 18W Triple Biax 4-Pin	120V/277V HPF Electronic
CFH80A-12632T-E	(1) 26W or 32W Triple Biax 4-Pin	120V/277V HPF Electronic
CFH80A-22632T-E	(2) 26W or 32W Triple Biax 4-Pin	120V/277V HPF Electronic
CFH80A-132T-E	(1) 32W Triple Biax 4-Pin	120V/277V HPF Electronic
CFH80A-232T-E	(2) 32W Triple Biax 4-Pin	120V/277V HPF Electronic
RSCHB	C-Channel Hanger Bars – A set of 2 (T-Bar)	

- Universal Mounting Bracket accepts 1/2" EMT, C-Channel, T-Bar fasteners and bar hangers. Fixture is adjustable 5" vertically from above or below ceiling.
- Junction Box is provided with 1/2" and 3/4" knockouts and is listed for feed-through branch circuit wiring.
- Thermally protected ballasts are standard, may be wired for independent switching.
- Emergency Ballast and Dimming Ballast available on request.
- UL listed for damp location.

8" Compact Fluorescent Recessed Lighting Designer Trims



TMF881
Specular Reflector
Reflector: CH, GD
Trim: WH, ST



TMF882
Black Step Baffle/Reflector Combination
Baffle/Reflector: BK/CH
Trim: WH, ST



TMF883
Specular Reflector with Etched Glass Lens
Reflector: CH
Trim: WH, ST



TMF884
Specular Cross Baffle
Reflector: CH, GD
Trim: WH, ST



TMF885
Specular Radial Baffle
Reflector: CH, GD
Trim: WH, ST



Display Lighting

Display Lighting for hard-to-reach areas.

Showcases, cabinets, undercounter, compact locations
shallow depth, surface or recessed mounted.

Sleek Plus

T4 & T5 Linkable Fluorescent Lighting System

Sleek Plus fixtures are furnished complete with replaceable lamp, tight-fit direct connectors, metal mounting clips and ribbed acrylic lamp cover.



SP/SP5 Series (2-Wire)



SG/SG5 Series (3-Wire)

Sleek Plus

Streamlined and Functional
Perfect for end-to-end coupling
for multiple fixtures



Tight-Direct Connection
Slim end to reduce shadow

T4 – SP and SG Series

2-wire SP series	3-wire SG series	Watt	Lumens	CRI	Length	Width	Height
SP-6	SG-6	6w	480	>82	9 3/8"	3/4"	1 1/4"
SP-8	SG-8	8w	600	>82	13 1/2"	3/4"	1 1/4"
SP-12	SG-12	12w	800	>82	17 1/2"	3/4"	1 1/4"
SP-16	SG-16	16w	1000	>82	19 1/2"	3/4"	1 1/4"
SP-20	SG-20	20w	1350	>82	21"	3/4"	1 1/4"
N/A	SG-22	22w	1850	>82	29"	3/4"	1 1/4"
SP-24	SG-24	24w	2150	>82	34 1/2"	3/4"	1 1/4"
SP-28	SG-28	28w	2900	>82	46 1/4"	3/4"	1 1/4"

Lamp Options: 3000K, 4100K, 6400K, Red (RD), Blue (BU), Green (GN), Black (BK).
Add suffix "SW" for optional Rocker Switch – Not available for 6-watt fixtures.

T5 – SP5 and SG5 Series

2-wire SP series	3-wire SG series	Watt	Lumens	CRI	Length	Width	Height
N/A	SG5-6	6w	480	>82	9 3/8"	3/4"	1 1/2"
N/A	SG5-8	8w	600	>82	12 3/8"	3/4"	1 1/2"
SP5-14	SG5-14	14w	1350	>82	22 1/2"	3/4"	1 1/2"
SP5-21	SG5-21	21w	2150	>82	34 1/2"	3/4"	1 1/2"
SP5-28	SG5-28	28w	2900	>82	46 1/4"	3/4"	1 1/2"
N/A	SG5-35	35w	3650	>82	58"	3/4"	1 1/2"

Lamp Options: 3000K, 3500K, 4100K, 5000K, 6400K, Red (RD), Blue (BU), Green (GN), Black (BK).
Add suffix "SW" for optional Rocker Switch – Not available for 6-watt fixtures.

Components

Power Supply Cables, Connecting Cables, Replacement Lamps and Hardwire assembly must be ordered separately.



6" Connecting Cable
12" Connecting Cable
24" Connecting Cable
36" Connecting Cable

SP/SP5 Series

SP-CC6
SP-CC12
SP-CC24
SP-CC36

SG/SG5 Series

SG-CC6
SG-CC12
SG-CC24
SG-CC36



6" Connecting Cable - Right Angle
12" Connecting Cable - Right Angle
24" Connecting Cable - Right Angle
36" Connecting Cable - Right Angle

SP/SP5 Series

SP-CC6L
SP-CC12L
SP-CC24L
SP-CC36L

SG/SG5 Series

SG-CC6L
SG-CC12L
SG-CC24L
SG-CC36L



6" Power Cord and Plug
6" Right Angle Power Cord and Plug
6" Power Cord and Plug with switch
6" Grounded Power Cord & 3-prong plug

SP/SP5 Series

SP-PC (2-prong)
SP-PCL (2-prong)
SP-PCSW (2-prong)
SP-PC3

SG/SG5 Series

SG-PC (3-prong)
SG-PCL (3-prong)
N/A
N/A



Direct Connector

SP/SP5 Series

SP-DC

SG/SG5 Series

SG-DC



Plastic Hardwire Box with Control Switch

SP/SP5 Series

SP-B

SG/SG5 Series

SG-B



Commercial Grade Metal Hardwire Box
- enables fixtures to be controlled by wall switch

SP/SP5 Series

SP-BM

SG/SG5 Series

SG-BM



Sleek Plus Power Strip with 6 outlets
Sleek Plus Power Strip with 12 outlets
(Includes one Direct Connector
SP-DC/SG-DC)

SP/SP5 Series

SP-PS3
SP-PS6

SG/SG5 Series

SG-PS3
SG-PS6

Sleek Modules -T5

1 - Light & 2 - Light T5 Linkable Fluorescent Reflector Modules



1 - Light Sleek Module



2 - Light Sleek Module

Surface, Pendant or Wall Mounted. Streamlined Aluminum Housing. Chrome Finish. Built-in Silent Electronic Ballast. Specification Grade Grounded Power Supply.

Item	Lamp/Watt	Lumens	CRI	Length	Width	Height
SM-6S	1 X 6	540	>82	10 3/8"	2"	7/8"
SM-14S	1 x 14	1500	>82	23 1/2"	2"	7/8"
SM-14D	2 x 14	3000	>82	23 1/2"	3"	7/8"
SM-21S	1 x 21	2400	>82	35 1/2"	2"	7/8"
SM-21D	2 x 21	4800	>82	35 1/2"	3"	7/8"
SM-28S	1 x 28	3250	>82	47 1/4"	2"	7/8"
SM-28D	2 x 28	6500	>82	47 1/4"	3"	7/8"

Option Rocker Switch available on request.Specify suffix SW.

Components



SM-PC

6' Grounded Power Cable

SM-CC6

6' Connecting Cable

SM-CC12

12' Connecting Cable

SM-CC24

24' Connecting Cable

SM-CC36

36' Connecting Cable



SM-DC

Direct Connector

(Furnished standard with fixture.)



SM-B

Hardwire Box with Switch



SMV

Swivel Assembly

The Xenon Minuet

1, 2 & 3 - Light Xenon Linkable Undercounter Modules

Furnished Standard

With Super Bright, Energy Savings, Low Voltage 12V/20W Xenon Lamp, 6' Power Cord, Tight-fit Direct Inline Joiner and hi/lo rocker switch installed.

Xenon bulbs run cooler and last up to twenty times longer than Halogen bulbs with an average lamp life rating of 15,000 hours.

Fixtures available in WH-White, ST-Satin, PB-Polished Brass.



XM-111
1 Light - 11"



XM-218
2 Light - 18"



XM-324
3 Light - 24"

Cup Lights

Cabinet Lighting Made Simple

Tiny recessed modules (only 3 1/4" diameter) mount quickly and firmly to any cabinet interior using a unique adjustable mounting band. Cup Light fits the smallest recessed cavity (only 2 7/8" high), making them ideal for any cabinet or merchandise display.

Available in WH, BK, PB, CH

CUP-001

Starter Unit
w/10' Power Cord furnished
(rocker switch optional) &
2' Female Connector.



CUP-002

Intermediate Link
w/2' Male Connector and
2' Female Connector.



CUP-003

Tie-in Link
Starter or end of row module
w/ 2' Male Connector



Jesco ArcLight

Direct light toward any highlighted area.

3 Models - 3 Mounting Options

Low Voltage (MR11 or MR16) or Line Voltage (GU10)

Series	Mounting	Style
AL - Low Voltage	F - Fixed	R - Steel Rod
AH - Line Voltage	C - Clamp	G - Gooseneck

Fixtures



111
MR11



123
MR16



128
MR11, MR16, GU10

ArcLight Assembly



ALFR-111

Fixed Display

Fixed support - Ideal for permanent displays



AHCR-128

Clamp Mounted

Flexible & Contemporary - Jesco Tension Clamp



ALCG-123

Gooseneck

Adaptable for all applications - with Jesco Clamp

Puck Lights

Your Choice: Xenon or Halogen bulb

Xenon bulbs run brighter, cooler and last up to twenty times longer (rated 15,000 hours) than halogen bulbs.



PK200 X 3

Material: Plastic

Lamp: 12V 20W Halogen Bi-Pin

Color: WH, BK, PB, CH, ST



PK100 and PKC

Material: Metal

Lamp: 12V 20W Halogen Bi-Pin

PK100X

Lamp: 12V 20W Xenon Bi-Pin

Color: WH, BK, PB, CH, ST



PK200

Material: Plastic

Lamp: 12V 20W Halogen Bi-Pin

Color: WH, BK, PB, CH, ST



PK300

The Pyramidal Puck

Material: Metal

Lamp: 12V 20W Halogen Bi-Pin

PK300X

Lamp: 12V 20W Xenon Bi-Pin

Color: ST



WH



PB



CH



BK



ST

Mini-Recessed

When powerful directed light is needed.
For use with Low Voltage MR11 or MR16, 12V/20W - 75W,
or Line Voltage GU10 120V/50W lamps.
For all Low Voltage fixture refer to transformer section.



RH25

Housing
For RH30 only
Finish: BK



RH30

Gimbal Ring
For MR16 with Designer Trim
Finish: WH, BK, ST, PB, CH



RH34

Square Adjustable
For MR16
Finish: WH



RH35

Gimbal Ring
For MR11
Finish: WH, BK, ST, PB, CH

Transformers

Lightech

Highly Efficient - Light and Compact
Dimmable - 4 year guarantee



LET75



LET151



LET301



LET303

Watt	Item	Description	Input	Output
75W	LET75	9001075000 - Standard 1 1/4" X 2 1/8" X 3/4"	120V 60Hz	11.7V/75W (Max)
150W	LET151 LVT151	901151010 - Standard 1 3/8" X 3 3/8" X 1 1/6" 901151050 - Standard With Steel Outer Casing 1 1/2" X 6 1/2" X 1 3/8"	120V 60Hz	11.8V/150W (Max)
300W	LET301	901301000 - Standard 3 11/16" Dia. X 1 3/8" High	120V 60Hz	11.75V/300W (Max)
300W	LET303 LVT303	901303000 - Standard 1 1/2" X 5 3/16" 1 1/16" 9011303070 - Standard With Steel Outer Casing 1 5/8" X 9 3/8" X 1 7/16"	120V 60Hz	11.7V/300W (Max)

Lightech transformers available in 24-volt version. Consult factory.

Torroidal



XF-300T



XF-500T

Item	Watt	Input	Output
XF-50T	50W	120V 50/60Hz	12V/50W (Max)
XF-75T	75W	120V 50/60Hz	12V/75W (Max)
XF-100T	100W	120V 50/60Hz	12V/100W (Max)
XF-150T	150W	120V 50/60Hz	12V/150W (Max)
XF-250T	250W	120V 50/60Hz	12V/250W (Max)
XF-300T	300W	120V 50/60Hz	12V/300W (Max)
XF-500T	500W	120V 50/60Hz	12V/500W (Max)

Jesco Electronic Transformers



XF-60



XF-60C



XF-80



XF-80S



XF-80C



**XF-105
XF-105D**



XF-105C



**XF-150
XF-150D**



XF-150C



**XF-210
XF-210D**



XF-210C

Watt	Item	Item	Item	Input	Output
60W	XF-60 Electronic & Magnetic Dimmable	XF-60C w/Power Cord/AMP		120V 60Hz	12V/65W (Max)
80W	XF-80 Electronic Dimmable only	XF-80C w/Power Cord/AMP	XF-80S Compact Size Electronic & Magnetic Dimmable	120V 60Hz	12V/80W (Max)
105W	XF-105 Electronic Dimmable only	XF-105C w/Power Cord/AMP	XF-105D Electronic & Magnetic Dimmable	120V 60Hz	12V/105W (Max)
150W	XF-150 Electronic Dimmable only	XF-150C w/Power Cord/AMP	XF-150D Electronic & Magnetic Dimmable	120V 60Hz	12V/150W (Max)
210W	XF-210 Electronic Dimmable only	XF-210C w/Power Cord/AMP	XF-210D Electronic & Magnetic Dimmable	120V 60Hz	12V/210W (Max)



Light 2000

Light 2000 is the right choice for today's conceptual design. Decorative directional light modules for critical areas compliment thematic display or any contemporary architectural configuration...

Light 2000 modules... Lamp assembly pivots 120°

Custom configurations available on special order.
Consult factory.

Recessed Modules



Recessed Solo

2K/L101 1 X MR16 12V/50W
2K/H101 1 X GU10 120V/50W
 Finish: MS,WH
 Size: 4 3/16" (L) X 4 3/16" (W) X 5 1/2" (H)



Recessed Duet

2K/L102 2 X MR16 12V/50W
2K/H102 2 X GU10 120V/50W
 Finish: MS,WH
 Size: 7 15/16" (L) X 4 3/16" (W) X 5 1/2" (H)



Recessed Sextet

2K/L106 6 X MR16 12V/50W
2K/H106 6 X GU10 120V/50W
 Finish: MS,WH
 Size: 25 9/16" (L) X 4 3/16" (W) X 5 1/2" (H)



Recessed Triplet

2K/L103 3 X MR16 12V/50W
2K/H103 3 X GU10 120V/50W
 Finish: MS,WH
 Size: 11 5/8" (L) X 4 3/16" (W) X 5 1/2" (H)



Recessed Quad

2K/L104 4 X MR16 12V/50W
2K/H104 4 X GU10 120V/50W
 Finish: MS,WH
 Size: 16 3/4" (L) X 4 3/16" (W) X 5 1/2" (H)



Recessed Square Quad

2K/L202 4 X MR16 12V/50W
2K/H202 4 X GU10 120V/50W
 Finish: MS,WH
 Size: 7 15/16" (L) X 7 15/16" (W) X 5 1/2" (H)



Recessed Square Sextet

2K/L203 6 X MR16 12V/50W
2K/H203 6 X GU10 120V/50W
 Finish: MS,WH
 Size: 11 5/16" (L) X 7 15/16" (W) X 5 1/2" (H)

Finish Key:
 MS - Metallic Silver Trim Black Interior
 WH - White Trim Black Interior



Recessed Duet 70

2K/9-1 2 X AR70 12V/50W

Finish: White Trim

Size: 10 1/2" (L) X 5" (W) X 3 1/4" (H)



Recessed Triplet 70

2K/9-2 3 X AR70 12V/50W

Finish: White Trim

Size: 16" (L) X 5" (W) X 3 1/4" (H)



Recessed Solo 111

2K/20231 1 X AR111 12V/50W

Finish: White Trim

Size: 6 1/4" (L) X 6 1/4" (W) X 3 1/4" (H)



Recessed Duet 111

2K/20232 2 X AR111 12V/50W

Finish: White Trim

Size: 12 1/4" (L) X 6 1/4" (W) X 3 1/4" (H)



Recessed Square Quad 111

2K/20233 4 X AR111 12V/50W

Finish: White Trim

Size: 12 1/2" (L) X 12 1/4" (W) X 3 1/4" (H)



Recessed Triplet 111

2K/20234 3 X AR111 12V/50W

Finish: White Trim

Size: 18 1/4" (L) X 6 1/4" (W) X 3 1/4" (H)



Recessed Quad 111

2K/20235 4 X AR111 12V/50W

Finish: White Trim

Size: 23 1/2" (L) X 6 1/4" (W) X 3 1/4" (H)

Cable Hung Modules



Cable Hung Duet 111

2K/9-22 2 X AR111 12V/50W
Finish: Metallic Silver
Size: 14" (L) X 7" (W) X 47 1/8" (H)



Cable Hung Triplet 111

2K/9-23 3 X AR111 12V/50W
Finish: Metallic Silver
Size: 20" (L) X 7" (W) X 47 1/8" (H)



Cable Hung Quad 111

2K/9-24 4 X AR111 12V/50W
Finish: Metallic Silver
Size: 27" (L) X 7" (W) X 47 1/8" (H)



Cable Hung Square Quad 111

2K/9-26 4 X AR111 12V/50W
Finish: Metallic Silver
Size: 14" (L) X 13 3/8" (W) X 47 1/8" (H)



Cable Hung Rhombus 6/111

2K/9-27 6 X AR111 12V/50W
Finish: Metallic Silver
Size: 20" (L) X 7" (W) X 47 1/8" (H)



Cable Hung Rhombus 8/111

2K/9-28 8 X AR111 12V/50W
Finish: Metallic Silver
Size: 26 15/16" (L) X 13 3/8" (W) X 47 1/4" (H)



Cable Hung Rhombus 12/111

2K/9-29 12 X AR111 12V/50W
Finish: Metallic Silver
Size: 40" (L) X 13 3/8" (W) X 47 1/4" (H)

Surface Modules



Surface Duet 111
2K/9-34 2 X AR111 12V/50W
 Finish: Metallic Silver
 Size: 14 1/2" (L) X 5 3/8" (W) X 8 5/8" (H)



Surface Quad 111
2K/9-35 4 X AR111 12V/50W
 Finish: Metallic Silver
 Size: 13 1/4" (L) X 13" (W) X 11 3/8" (H)



Surface Octet 111
2K/9-36 8 X AR111 12V/50W
 Finish: Metallic Silver
 Size: 14 1/2" (L) X 28 1/2" (W) X 11" (H)



Surface Quad 70
2K/9-44 4 X AR111 12V/50W
 Finish: Metallic Silver
 Size: 13 1/2" (L) X 13 1/2" (W) X 11 1/4" (H)

Free Standing



Free Standing Topper Triplet 111
2K/9-20A 3 X AR111 12V/50W
 Finish: Metallic Silver
 Size: 9 7/16" (L) X 6 11/16" (W) X 29 1/8" (H)



Free Standing Floor Quad 111
2K/9-21A 4 X AR111 12V/50W
 Finish: Metallic Silver
 Size: 9 3/8" (L) X 6 11/16" (W) X 70 7/6" (H)

Wall Modules



Wall Duet 111

2K/9-61 2 X AR111 12V/50W
Finish: Metallic Silver
Size: 5" (D) X 8" (W) X 16 3/4" (H)



Wall Triplet 111

2K/9-62 3 X AR111 12V/50W
Finish: Metallic Silver
Size: 5" (D) X 8" (W) X 23" (H)



Wall Triplet 16

2K/9-64 3 X MR16 12V/50W
Finish: Metallic Silver
Size: 5" (D) X 8" (W) X 16 3/4" (H)



Wall Triplet 70

2K/9-66 3 X AR70 12V/50W
Finish: Metallic Silver
Size: 5" (D) X 8" (W) X 18 1/4" (H)



Wall Quad 111

2K/9-63 4 X AR111 12V/50W
Finish: Metallic Silver
Size: 5" (D) X 8" (W) X 29 3/4" (H)



Wall Quad 16

2K/9-65 4 X MR16 12V/50W
Finish: Metallic Silver
Size: 5" (D) X 8" (W) X 21 3/4" (H)



Wall Quad 70

2K/9-67 4 X AR70 12V/50W
Finish: Metallic Silver
Size: 5" (D) X 8" (W) X 21 1/4" (H)



Designer's Portfolio

Lighting accents for a myriad of contemporary settings.
An economical solution to a custom problem:

This Designer Portfolio Series provides the flexibility of modular design to produce a rich custom appearance.

These outstanding budget conscious designs will complement any interior theme.

Floating Glass Series

Fixture housings available in BK, WH, ST.
Furnished with Tempered Glass Discs,
(Frosted inner rim to reduce glare.)
All fixtures are supplied with 100W
halogen blub.



Single Tier

C207H - 12" Disc
C240H - 16" Disc
C208H - 19 1/2" Disc



Double

C241H - 16" & 12" Disc
C243H - 19 1/2" & 16" Disc
C229H - 19 1/2" & 12" Disc

Triple Tier

All 3-Tier fixtures are stem mounted
C233H - 19 1/2", 16", & 12" Disc

Surface Mounted (Close-to-Ceiling)



Single Tier

C207F - 12" Disc
C240F - 16" Disc
C208F - 19 1/2" Disc

Double Tier

C241F - 16" & 12" Disc
C243F - 19 1/2" & 16" Disc
C229F - 19 1/2" & 12" Disc

Customize Floating Glass Fixtures

You can arrange the glass pieces in any configuration you like,
giving each fixture a unique look.
Floating Glass fixtures are modular. Save storage space and time.
Fixtures are shipped KD.
Select components to provide any Floating Glass configuration.

Light Pans

1-Light & 3-Light Surface Mounted Fixtures

Elegant styling with down-to-earth practical solutions.
Light Pans make simplicity spectacular.



Cable Extensions

Available in 12", 18", 24", 36" and 48"

Canopy finish: WH, BK, ST



Gooseneck Extensions

Available in 12", 18" and 24"

Finish: ST

Steel Stem Extensions

Available in 12", 18", 24", 36" and 48"

Finish: WH, BK, ST

1 - Light Pans



LT1113
1-Light Pendulum
Finish: WH, BK
Glass: AM, BU, FR, GN



LT1102
1-Light Soft Square
Finish: WH, BK, ST



LT1109
1-Light Round
Finish: WH, BK, ST



LT1120
1-Light Olympic
Finish: PBST, ST



LT1123
1-Light Rocket
Finish: ST



LT1127*
1-Light Spurs
Finish: ST



LT1140
1-Light Bullet
Finish: WH, BK, ST



LT1143
1-Light Gimbal Plus
Finish: WH, BK, ST



LT1152
1-Light Stylite Square
Lamp: AR111 12V/50W
Finish: WH, BK, ST



LT1806
1-Light Saucer
Finish: CH
Glass: AM, BU, FR

Unless otherwise stated, all fixtures are wired for low voltage MR16 12V/50W. Fixtures indicated with an asterisk can be wired for line voltage GU10 120V/50W. Please specify preference.

3 - Light Pans



LT3102
3-Light Soft Square
Finish: WH, BK, ST



LT3109
3-Light Round
Finish: WH, BK, ST



LT3120
3-Light Olympic
Finish: PBST, ST



LT3123
3-Light Rocket
Finish: ST



LT3127*
3-Light Spurs
Finish: ST



LT3138*
3-Light Renaissance
Finish: ST
Glass: FR, BU, AM



LT3140
3-Light Bullet
Finish: WH, BK, ST



LT3143
3-Light Gimbal Plus
Finish: WH, BK, ST



LT3806
3-Light Saucer
Finish: CH
Canopy: WH, BK, ST
Glass: AM, BU, FR

1-Light and 3-Light Pans are available with all Jesco fixtures.
Refer to Low Voltage Track Section for additional options.



GemSteel Stainless Steel Surfaces

The GemSteel collection of contemporary stainless steel indoor/outdoor luminaires creates dramatic accents for interior architecture, exquisite landscape concepts and urban site design.

- High-gloss Brushed stainless steel.
- Lamp : 60 Watt max, 120V, E26
- Weatherability for marine and salt spray, chemical and other injurious environments.
- Fully gasketed and sealed to prevent moisture.
- Weather-tight, ideal for wet and damp locations.
- Pre-wired-ready for quick connection.

WALL MEDIA

(11 7/8" High x 8 5/8" Wide x 3 1/2" Deep)



GS10S51
Wall Media 51



GS10S70
Wall Media 70



GS10S71
Wall Media 71



GS10S81
Wall Media 81



GS10S72
Wall Media 72

BEAMERS



GS20S52
Wall Angle
15 7/8" Length (3" Dia)



GS20S53
Low Bollard
17 3/4" High (Base : 5 1/8" Dia)



GS20S54
High Bollard
43 3/8" High
(Base : 5 1/8" Dia)



GS20S66
Three-Level Bollard
(1) 43 3/8"
(2) 55"
(3) 66 7/8"

GEMSTEEL

MOONGLO (Specify for white or clear globe)



GS50S68

Wall Classic Globe
11 1/4" High x 10 3/8" Deep



GS50S67

Wall Axis Globe
11 1/4" High x 10 3/8" Deep



GS50S33

High Post Globe
43 3/8" High x 8" Globe



GS50S32

Low Post Globe
19 3/4" High x 8" Globe

SPECIALTY



GS60S50

Pyramid for Wall or Ceiling Mount
11 1/4" Dia



GS10S69

Wall Media 69 - Topcastle
11 7/8" High x 8 5/8" Wide



GS90S60

GemSteel Mailbox



GS30S156

Tri-Baffle Solar
Bright, long life LED lighting
Warm white color temperature standard
High Coil conversion efficiency
Environmental protected rechargeable battery

TRI-BAFFLE MONITOR



GS30S03

Wall (Up)
13 5/8" High x 9 1/2" Deep



GS30S04

Wall (Down)
13 5/8" High x 9 1/2" Deep



GS30S07

Medium Post
41 3/8" High x 8 3/8" Top Dia



GS30S65

3-Light Post
78" High



GS30S64

2-Light Post
78" High



GS30S06

Low Post
19 3/4" High x 8 3/8" Top Dia

GEMSTEEL

FIVE-BAFFLE MONITOR



GS40S15

Wall (Up)
14" High x 9 1/2" Deep



GS40S16

Wall (Down)
14" High x 9 1/2" Deep



GS40S17

Low Post
19 3/4" High x 8 1/4" Top Dia



GS40S18

Medium Post
39 3/8" High x 8 1/4" Top Dia



GS40S59

High Bollard
48 3/8" High
Base : 5 1/8" Dia



GS40S57

Wall Angle 57
15 7/8" Long



GS40S58

Low Bollard
17 3/4" High
Base : 5 1/8" Dia

**NEW YORK**

66-25 Traffic Avenue
Glendale, NY 11385
Tel. 718.366.3211
Tel. 800.527.7796
Fax. 718.366.3646

LOS ANGELES

1100 Hatcher Ave, Suite A
City of Industry, CA91748
Tel. 626.854.8168
Tel. 866.473.5840
Fax. 626.854.8172

Email: info@jescolighting.com
www.jescolighting.com