



HAND TOOLS.

2011

CATALOGUE

Locations

JET® products are available from a broad distribution network throughout Canada. We support this network with our own system of warehouses in Vancouver, Edmonton, Winnipeg, Toronto, Montréal and Halifax. This distribution channel ensures fast deliveries and superior service to our customers.



WEST



VANCOUVER, BC

Head Office

49 Schooner Street
Coquitlam, BC V3K 0B3
Tel: (604) 523-TOOL (8665)
Toll Free Tel: 1-800-472-7685
Fax: (604) 526-JET1 (5381)
Toll Free Fax: 1-800-663-7742



EDMONTON, AB

9720 – 12th Avenue SW
Edmonton, AB T6X 0J5
Toll Free Tel: 1-800-472-7685
Toll Free Fax: 1-800-663-7742



WINNIPEG, MB

951 Powell Avenue
Winnipeg, MB R3H 0H4
Tel: (204) 632-6970
Toll Free Tel: 1-800-665-7524
Fax: (204) 694-9534
Toll Free Fax: 1-877-694-9534

EAST



TORONTO, ON

979 Gana Court
Mississauga, ON L5S 1N9
Tel: (905) 565-8661
Toll Free Tel: 1-800-387-3879
Fax: (905) 565-7266
Toll Free Fax: 1-800-267-3310



MONTRÉAL, QC

4620 rue Garand
St. Laurent, QC H4R 2A2
Toll Free Tel: 1-800-363-2885
Toll Free Fax: 1-800-267-3310



DARTMOUTH, NS

110 - 11 Morris Drive
Dartmouth, NS B3B 1M2
Tel: (902) 468-8324
Toll Free Tel: 1-800-472-7686
Fax: (902) 468-3461
Toll Free Fax: 1-877-468-3461

TABLE OF CONTENTS

Selected New Products.....	8	306 PC Tool Kit.....	12 - 13
Master Tool Kits		211 PC Tool Kit.....	14 - 15
549 PC Tool Kit.....	9 - 11	131 PC Tool Kit.....	16

Chrome Sockets

PG
17

Socket Wrench Sets		Hex Bit.....	32 - 33
1/4" Drive.....	18 - 19	Torx® Bit.....	34
3/8" Drive.....	20 - 21	External Torx®.....	35
1/2" Drive.....	22 - 23	S.A.E. Open Stock.....	36 - 37
3/4" Drive.....	24	3/8" Drive Spark Plug.....	36
1" Drive.....	25	Metric Open Stock.....	38 - 39
Socket Sets		S.A.E. Hex Bit Open Stock.....	40
1/4" Drive.....	26	Metric Hex Bit Open Stock.....	41
3/8" Drive.....	27 - 28	Torx® Bits Open Stock.....	42
1/2" Drive.....	29 - 30	External Torx® Open Stock.....	42
3/4" Drive.....	31	Socket Accessories.....	43 - 48

Ratchet Wrenches

PG
49

1/4", 3/8" & 1/2" Drive.....	50 - 54	3/4" & 1" Drive.....	55 - 56
------------------------------	---------	----------------------	---------

Impact Sockets

PG
57

Socket Sets		1/2" Drive Hex and Torx® Bit	
3/8" Drive.....	58 - 59	Socket Sets.....	71
1/2" Drive.....	59 - 62	3/4" Drive Hex Bit	
1/2" Drive Universal.....	62	Socket Sets.....	72
1/2" Drive Mag Wheel.....	63	3/8" & 1/2" Drive	
Torque Limiting Extensions.....	64	External Torx®.....	72
3/4" Drive.....	66 - 67	Socket Accessories.....	73
1" Drive.....	68 - 69	S.A.E. Open Stock.....	74
1" Drive Truck Tire.....		Metric Open Stock.....	75
Open Stock.....	70	Hex & Torx® Bits	
1" Drive Truck Tire.....		Open Stock.....	76
Socket Sets.....	70		

Wrenches

PG
77

Flare Nut Wrenches.....	78	Combination Wrenches	
Crowfoot Wrenches.....	78	Fully Polished.....	82 - 83
Adjustable Wrenches.....	79	Stubby Polished.....	84
Combination Ratcheting		Raised Panel.....	85 - 87
Wrenches.....	80 - 81	Striking Wrenches.....	88
		Structural Wrenches.....	89
		Adjustable Spanner Wrenches.....	90

Hex Key Wrenches

PG
91

Hex Key Wrenches		Torx® Wrenches	
Folding Sets.....	92	Open Stock.....	96
Sets.....	92 - 95	Hex Key Wrenches	
		Open Stock.....	96

Torque Wrenches

PG
97

Torque Wrenches.....	98 - 100	Torque Multipliers	
Digital Torque Wrenches.....	101	Heavy Duty.....	102

Piping Tools

PG
103

Pipe Wrenches.....	104	Deburring Tools.....	107
Tubing Cutters.....	105 - 106	Ratcheting Cutter.....	107
Pipe Cutter.....	106	Flaring Tools.....	108
Tubing Bender.....	106	Basin Wrench.....	108

Screwdrivers

PG
109

Jumbo Handle Series		Torque Drive® Plus Series	
Sets.....	110	Sets.....	114 - 115
Open Stock.....	111	Open Stock.....	116
Torque Drive® Series		Ratcheting Driver.....	120
Sets.....	112	Impact Driver.....	121
Open Stock.....	113	Precision Screwdriver Sets.....	121

Nut Drivers

PG
117

Jumbo Handle Series		Torque Drive® Plus Nut Drivers	
Sets.....	117	Sets.....	118
Open Stock.....	117	Open Stock.....	119

Screwdriver Bits, Mechanic's Tools

PG
122

Insert Bits.....	122 - 123	Pick, Hook and	
Power Bits.....	124 - 125	Scraper Tools.....	127
Nutsetters.....	125	Pry Bars Heavy Duty.....	128
Chisel Scrapers.....	126		

Pliers, Cutters, Sheet Metal Tools

PG
129

Locking Pliers Sets.....	130	Snap Ring Pliers	
Locking Pliers.....	131 - 132	Sets.....	139
Heavy Duty Series		Open Stock.....	139
Sets.....	132	Wire Strippers and	
Open Stock.....	133 - 134	Cutters.....	140 - 141
Standard Duty Series		Aviation Snips	
Sets.....	135	Super Duty.....	142 - 143
Open Stock.....	135 - 137	Rivet Tools.....	144
Long Reach Series			
Sets.....	138		
Open Stock.....	138		

Striking Tools

PG
145

Hammers		Axes Fibreglass Handle.....	151
Hickory Handle.....	146 - 147	Unbreakable Handle Hammers.....	152
Wooden Handle.....	147	Punch and Chisel	
Welding.....	147	Sets.....	153 - 154
Fibreglass Handle.....	148 - 149	Open Stock.....	155 - 157
Dead Blow.....	150 - 151	Stamps Number / Letter.....	158

Construction Tools

PG
159

Bars Powerclaw Series.....	160 - 161	Staplers and Tackers.....	169 - 171
Bars Utility Series.....	162	Hacksaw.....	172
Bolt & Rod Cutters.....	162 - 163		
Measuring Tools.....	164 - 168		

Precision Measuring Tools

PG
173

Calipers.....	174	Brake and Rotor Tools.....	178
Indicators.....	175	Thermo meters.....	179
Magnetic Bases.....	176	Meters Digital.....	180 - 181
Micrometers.....	176 - 177	Flashlights.....	182
Gauges.....	177		

Clamping, Pullers

PG
183

C-Clamps.....	184	Vises.....	192
L-Clamps.....	185 - 187	Gear Pullers	
F-Clamps.....	188 - 189	Heavy Duty.....	193 - 194
Spring Hand Clamps.....	190 - 191	Bearing Separators	
Pipe Clamp.....	191	Heavy Duty.....	194

Lubrication / Fluid Transfer

PG
195

Grease Guns.....	196 - 198	Grease Gun Couplers.....	201
Grease Gun Hoses.....	199	Grease Fittings.....	202 - 203
Grease Gun Accessories.....	199	Oil Cans.....	204
Quick Change		Pumps.....	204 - 205
Coupler Adaptors.....	200	Drum Handling Equipment.....	206

Tool Storage

PG
207

Portable Tool Boxes.....	208	Chests and Roller Cabinets.....	209 - 218
--------------------------	-----	---------------------------------	-----------

Metal / Wood Working Machinery

PG
219

Bench Grinders.....	220	Horizontal / Vertical Metal	
Drill Presses.....	221 - 223	Cutting Bandsaws.....	224 - 226
		Dust Collector.....	227

Appendix

PG
228

Display Merchandisers	228 - 231
Replacement Wear Parts.....	232 - 234
Warranty Policy	235
Alphabetical List.....	236
Numerical Index.....	237 - 240



Over 50 Years of Growth

The JET story (as it is fondly known) began over 50 years ago! Under new ownership in 1988, JET began its growth and transformation through dedicated leadership, passionate employees and a commitment to become a leading brand of professional and industrial tools and equipment.

Today, JET prides itself on our loyal base of customers, manufacturing partners and end-users. Using our “one-stop-shop” approach, we have developed a comprehensive product offering to the professional and industrial markets. This, supported by a network of warehouses across the country, ensures inventory is readily accessible, enabling fast and efficient customer service.

As we progress through 2010 and beyond JET continually works on developing and producing innovative tools.



ESTABLISHED
1957



**NEW
OWNERSHIP**
1988

**GROWTH BEGINS
WITH A SOLID
FOUNDATION:**

A new era begins:
new ownership, vision
and strategy unfolds

1992-1999

GROWTH IS KINETIC:

Complete revamp of core hand
tool categories: sockets, ratchets,
impact sockets, screwdrivers,
pliers, hex keys and wrenches



GROWTH DEMANDS

EXPANSION: With our ever expanding product offering and employee base, JET's head office and main distribution centre has expanded. From the original 40,000 sq ft Parker St premises, to a 65,000 sq ft Burnaby location in 1997, and in 2010 to a 120,000 sq ft facility in Coquitlam!



2000-2005

GROWTH REQUIRES NEW CONCEPTS:

Additions of piping tools, SUMO tool boxes, construction tools, lubrication products and precision measuring tools



2006-2009

INDUSTRIAL GROWTH:


A major push into the industrial trades: large diameter impact sockets, striking and structural wrenches, torque multipliers, L-clamps and industrial adjustable wrenches



2010 & BEYOND

THE POWER OF GROWTH IS INNOVATION:

Unbreakable hammers, twist drive and 270° swivel head ratchets and digital torque wrenches





In the heat of the battle, these great racing teams demand tools that stand up to the extreme conditions of championship drag racing!

No other motorsport requires teams to perform complete engine and car teardown and rebuilds between every pass - often accomplished in less than 75 minutes. Whether it's tuning a 7,000 hp top fuel dragster, a 230mph Pro Mod door car or your stock weekend warrior, JET has the quality and range of tools to perform! In the fast paced world of drag racing, there is only room for the best — JET Professional Tools!

2010 RACING PROGRAM



SPONSORED TEAMS



1



2



3



4



5



6



7



8

1 Ashley Bart
// NHRA Top Alcohol Dragster

2 Wayne Hofer
// West Coast Pro
Mod Association

3 Rob Atchison
// 3X IHRA Alcohol Funny Car
World Champion

4 Nathan Sitko
// NHRA / IHRA
Top Alcohol Funny Car

5 Kenny Lang
// 2008 & 2009 IHRA Pro Mod
World Champion

6 Terry Langdon Davies
// Canada West Doorslammer
Association

7 John Evanchuck
// NHRA / IHRA
Top Alcohol Funny Car

8 Tim Nemeth
// NHRA Top Alcohol Funny Car



Racing photos courtesy
Bill Jeffery and Speedzone Magazine

NEW PRODUCTS

Check out our new products.

We have added 250 new product numbers to our catalogue! They are marked with our



symbol making them easy to find.



Master Tool Kits x4

699704 – 699701

pg. **9 - 16**

3/4" Impact Universal Joint

683955

pg. **73**

Impact Accessory Kits

610903, 610906

pg. **73**

Impact Socket Extensions

681953, 681954

pg. **73**

3-in-1 Bolt Cutters

731204, 731205

pg. **162**

Digital Torque Wrenches

718941, 718943
718945, 718946pg. **101**

3/8" Drive Twist Drive Ratchet

671923

pg. **53**

Swivel Head Ratchets

890512, 670922
671922, 672922pg. **53**

Insert Bit and Power Bits

729009 – 729484

pg. **122 - 125**

Unbreakable Handle Hammers

740174 – 740589

pg. **152**

Ratchet Adaptors

670921, 671921, 672921, 690107

pg. **52**

Impact Driver and Bits

720702, 720791

pg. **121**

Continuous Flow Air Operated Grease Gun

350162

pg. **197**

Power Sockets x7

610207 – 610335

pg. **58 - 62**

B&G Series Toolboxes

842602 – 842673

pg. **212 - 214**

549 PC TOOL KIT

699704

new

Master Tool Kits



RECOMMENDED TOOL BOXES

842563

42"

pg. **210**



842513

842663

41"

pg. **214**



842613

Kit Count	Product Description	Kit Count	Product Description	Kit Count	Product Description
1	10" Bastard Cut Flat File	14	5/32" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	27	23/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit
2	8" Smooth Cut Flat File	15	11/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	28	3/8" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit
3	10" Smooth Cut Flat File	16	3/16" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	29	25/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit
4	8" Bastard Half Round File	17	13/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	30	13/32" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit
5	10" Bastard Half Round File	18	7/32" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	31	27/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit
6	10" Bastard Cut Mill File	19	15/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	32	7/16" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit
7	10" Bastard Cut Round File	20	1/4" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	33	29/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit
8	1/16" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	21	17/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	34	15/32" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit
9	5/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	22	9/32" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	35	31/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit
10	3/32" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	23	19/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	36	1/2" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit
11	7/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	24	5/16" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	37	Metal Box with Drill Index
12	1/8" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	25	21/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	38	1/4" Dr X 3/16" 6 Point Socket
13	9/64" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	26	11/32" JET-KUT B&G Premium M2 H.S.S. Jobber Drill Bit	39	1/4" Dr X 7/32" 6 Point Socket

Tool storage not included with kit, see pages 207 - 218 for tool storage options

Master Tool Kits

549 PC

TOOL KIT
699704
new

Kit Count	Product Description	Kit Count	Product Description	Kit Count	Product Description
40	1/4" Dr X 1/4" 6 Point Socket	125	1/2" Dr - 3/8" 6 Point Socket	210	3/8" Dr X 5/32" Hex Key Socket
41	1/4" Dr X 9/32" 6 Point Socket	126	1/2" Dr X 7/16" 6 Point Socket	211	3/8" Dr X 3/16" Hex Key Socket
42	1/4" Dr X 5/16" 6 Point Socket	127	1/2" Dr X 1/2" 6 Point Socket	212	3/8" Dr X 7/32" Hex Key Socket
43	1/4" Dr X 11/32" 6 Point Socket	128	1/2" Dr X 9/16" 6 Point Socket	213	3/8" Dr X 1/4" Hex Key Socket
44	1/4" Dr X 3/8" 6 Point Socket	129	1/2" Dr X 5/8" 6 Point Socket Wrench	214	3/8" Dr X 5/16" Hex Key Socket
45	1/4" Dr X 7/16" 6 Point Socket	130	1/2" Dr X 11/16" 6 Point Socket Wrench	215	3/8" Dr X 3/8" Hex Key Socket
46	1/4" Dr X 1/2" 6 Point Socket	131	1/2" Dr X 3/4" 6 Point Socket	216	1/2" Dr X 1/2" Hex Key Socket
47	1/4" Dr X 3/16" 6 Point Deep Socket	132	1/2" Dr X 13/16" 6 Point Socket	217	1/2" Dr X 9/16" Hex Key Socket
48	1/4" Dr X 7/32" 6 Point Deep Socket	133	1/2" Dr X 7/8" 6 Point Socket	218	1/2" Dr X 5/8" Hex Key Socket
49	1/4" Dr X 1/4" 6 Point Deep Socket	134	1/2" Dr X 15/16" 6 Point Socket	219	Socket Clip
50	1/4" Dr X 9/32" 6 Point Deep Socket	135	1/2" Dr X 1" 6 Point Socket	220	3/8" Dr X 3mm Hex Key Socket
51	1/4" Dr X 5/16" 6 Point Deep Socket	136	1/2" Dr X 1-1/16" 6 Point Socket	221	3/8" Dr X 4mm Hex Key Socket
52	1/4" Dr X 11/32" 6 Point Deep Socket	137	1/2" Dr X 1-1/8" 6 Point Socket	222	3/8" Dr X 5mm Hex Key Socket
53	1/4" Dr X 3/8" 6 Point Deep Socket	138	1/2" Dr X 1-3/16" 6 Point Socket	223	3/8" Dr X 6mm Hex Key Socket
54	1/4" Dr X 7/16" 6 Point Deep Socket	139	1/2" Dr X 1-1/4" 6 Point Socket	224	3/8" Dr X 7mm Hex Key Socket
55	1/4" Dr X 1/2" 6 Point Deep Socket	140	1/2" Dr X 7/16" 6 Point Deep Socket	225	3/8" Dr X 8mm Hex Key Socket
56	1/4" Dr X 4mm 6 Point Socket	141	1/2" Dr X 1/2" 6 Point Deep Socket	226	3/8" Dr X 10mm Hex Key Socket
57	1/4" Dr X 5mm 6 Point Socket	142	1/2" Dr X 9/16" 6 Point Deep Socket	227	1/2" Dr X 12mm Hex Key Socket
58	1/4" Dr X 6mm 6 Point Socket	143	1/2" Dr X 5/8" 6 Point Deep Socket	228	1/2" Dr X 14mm Hex Key Socket
59	1/4" Dr X 7mm 6 Point Socket	144	1/2" Dr X 11/16" 6 Point Deep Socket	229	1/2" Dr X 16mm Hex Key Socket
60	1/4" Dr X 8mm 6 Point Socket	145	1/2" Dr X 3/4" 6 Point Deep Socket	230	Socket Clip
61	1/4" Dr X 9mm 6 Point Socket	146	1/2" Dr X 7/8" 6 Point Deep Socket	231	1/8" Extra Long Hex Bit Socket
62	1/4" Dr X 10mm 6 Point Socket	147	1/2" Dr X 10mm 6 Point Socket	232	5/32" Extra Long Hex Bit Socket
63	1/4" Dr X 11mm 6 Point Socket	148	1/2" Dr X 11mm 6 Point Socket	233	3/16" Extra Long Hex Bit Socket
64	1/4" Dr X 12mm 6 Point Socket	149	1/2" Dr X 12mm 6 Point Socket	234	7/32" Extra Long Hex Bit Socket
65	1/4" Dr X 4mm 6 Point Deep Socket	150	1/2" Dr X 13mm 6 Point Socket	235	1/4" Extra Long Hex Bit Socket
66	1/4" Dr X 5mm 6 Point Deep Socket	151	1/2" Dr X 14mm 6 Point Socket	236	5/16" Extra Long Hex Bit Socket
67	1/4" Dr X 6mm 6 Point Deep Socket	152	1/2" Dr X 15mm 6 Point Socket	237	3/8" Extra Long Hex Bit Socket
68	1/4" Dr X 7mm 6 Point Deep Socket	153	1/2" Dr X 16mm 6 Point Socket	238	Socket Clip
69	1/4" Dr X 8mm 6 Point Deep Socket	154	1/2" Dr X 17mm 6 Point Socket	239	4mm Extra Long Hex Bit Socket
70	1/4" Dr X 9mm 6 Point Deep Socket	155	1/2" Dr X 18mm 6 Point Socket	240	5mm Extra Long Hex Bit Socket
71	1/4" Dr X 10mm 6 Point Deep Socket	156	1/2" Dr X 19mm 6 Point Socket	241	6mm Extra Long Hex Bit Socket
72	1/4" Dr X 11mm 6 Point Deep Socket	157	1/2" Dr X 21mm 6 Point Socket	242	7mm Extra Long Hex Bit Socket
73	1/4" Dr X 12mm 6 Point Deep Socket	158	1/2" Dr X 22mm 6 Point Socket	243	8mm Extra Long Hex Bit Socket
74	2" Extension	159	1/2" Dr X 23mm 6 Point Socket	244	9mm Extra Long Hex Bit Socket
75	Universal Joint	160	1/2" Dr X 24mm 6 Point Socket	245	10mm Extra Long Hex Bit Socket
76	6" Spinner Handle	161	1/2" Dr X 27mm 6 Point Socket	246	Socket Clip
77	4" Extension	162	1/2" Dr X 30mm 6 Point Socket	247	1/4" Dr X T10 Torx Bit Socket
78	1/4" Ratchet Handle	163	1/2" Dr X 32mm 6 Point Socket	248	1/4" Dr X T15 Torx Bit Socket
79	Metal Case	164	1/2" Dr X 10mm 6 Point Deep Socket	249	1/4" Dr X T20 Torx Bit Socket
80	3/8" Dr X 3/8" 6 Point Socket	165	1/2" Dr X 12mm 6 Point Deep Socket	250	1/4" Dr X T25 Torx Bit Socket
81	3/8" Dr X 7/16" 6 Point Socket	166	1/2" Dr X 13mm 6 Point Deep Socket	251	1/4" Dr X T27 Torx Bit Socket
82	3/8" Dr X 1/2" 6 Point Socket	167	1/2" Dr X 14mm 6 Point Deep Socket	252	1/4" Dr X T30 Torx Bit Socket
83	3/8" Dr X 9/16" 6 Point Socket	168	1/2" Dr X 15mm 6 Point Deep Socket	253	3/8" Dr X T40 Torx Bit Socket
84	3/8" Dr X 5/8" 6 Point Socket	169	1/2" Dr X 16mm 6 Point Deep Socket	254	3/8" Dr X T45 Torx Bit Socket
85	3/8" Dr X 11/16" 6 Point Socket	170	1/2" Dr X 17mm 6 Point Deep Socket	255	3/8" Dr X T47 Torx Bit Socket
86	3/8" Dr X 3/4" 6 Point Socket	171	1/2" Dr X 18mm 6 Point Deep Socket	256	3/8" Dr X T50 Torx Bit Socket
87	3/8" Dr X 3/8" 6 Point Deep Socket	172	1/2" Dr X 19mm 6 Point Deep Socket	257	3/8" Dr X T55 Torx Bit Socket
88	3/8" Dr X 7/16" 6 Point Deep Socket	173	1/2" Dr X 21mm 6 Point Deep Socket	258	Socket Clip
89	3/8" Dr X 1/2" 6 Point Deep Socket	174	2" Extension	259	1/4" Dr - 6" Spinner Handle
90	3/8" Dr X 9/16" 6 Point Deep Socket	175	5" Extension	260	3/8" Dr - 16" Speeder Handle
91	3/8" Dr X 5/8" 6 Point Deep Socket	176	10" Extension	261	3/8" Dr - 5/8" Spark Plug Socket
92	3/8" Dr X 11/16" 6 Point Deep Socket	177	Sliding T Handle	262	3/8" Dr - 13/16" Spark Plug Socket
93	3/8" Dr X 3/4" 6 Point Deep Socket	178	Universal Joint	263	1/2" Dr - 5" Flex Handle
94	3/8" Dr X 13/16" 6 Point Deep Socket	179	High Torque Ratchet	264	1/2" Dr - 16-1/2" Speeder Handle
95	3/8" Dr X 8mm 6 Point Socket	180	Metal Case	265	1/2" Dr - 15" Extension Bar
96	3/8" Dr X 9mm 6 Point Socket	181	3/8" Dr X E4 Torx Socket	266	1/2" Dr - 18" Extension Bar
97	3/8" Dr X 10mm 6 Point Socket	182	3/8" Dr X E5 Torx Socket	267	1/2" Dr - 24" Extension Bar
98	3/8" Dr X 11mm 6 Point Socket	183	3/8" Dr X E6 Torx Socket	268	1/2" Dr - 30" Extension Bar
99	3/8" Dr X 12mm 6 Point Socket	184	3/8" Dr X E7 Torx Socket	269	3/8" Dr - 1-3/4" 2 Way Extension
100	3/8" Dr X 13mm 6 Point Socket	185	3/8" Dr X E8 Torx Socket	270	3/8" Dr - 3" 2 Way Extension
101	3/8" Dr X 14mm 6 Point Socket	186	3/8" Dr X E10 Torx Socket	271	3/8" Dr - 6" 2 Way Extension
102	3/8" Dr X 15mm 6 Point Socket	187	3/8" Dr X E11 Torx Socket	272	3/8" Dr - 10" 2 Way Extension
103	3/8" Dr X 16mm 6 Point Socket	188	3/8" Dr X E12 Torx Socket	273	3/8" Long Combination Wrench
104	3/8" Dr X 17mm 6 Point Socket	189	3/8" Dr X E14 Torx Socket	274	7/16" Long Combination Wrench
105	3/8" Dr X 18mm 6 Point Socket	190	3/8" Dr X E16 Torx Socket	275	1/2" Long Combination Wrench
106	3/8" Dr X 19mm 6 Point Socket	191	3/8" Dr X E18 Torx Socket	276	9/16" Long Combination Wrench
107	3/8" Dr X 8mm 6 Point Deep Socket	192	3/8" Dr X E20 Torx Socket	277	5/8" Long Combination Wrench
108	3/8" Dr X 9mm 6 Point Deep Socket	193	Socket Clip	278	11/16" Long Combination Wrench
109	3/8" Dr X 10mm 6 Point Deep Socket	194	1/2" Dr X 10mm 12 Point Socket	279	3/4" Long Combination Wrench
110	3/8" Dr X 11mm 6 Point Deep Socket	195	1/2" Dr X 11mm 12 Point Socket	280	13/16" Long Combination Wrench
111	3/8" Dr X 12mm 6 Point Deep Socket	196	1/2" Dr X 12mm 12 Point Socket	281	7/8" Long Combination Wrench
112	3/8" Dr X 13mm 6 Point Deep Socket	197	1/2" Dr X 13mm 12 Point Socket	282	15/16" Long Combination Wrench
113	3/8" Dr X 14mm 6 Point Deep Socket	198	1/2" Dr X 14mm 12 Point Socket	283	1" Long Combination Wrench
114	3/8" Dr X 15mm 6 Point Deep Socket	199	1/2" Dr X 15mm 12 Point Socket	284	1-1/16" Long Combination Wrench
115	3/8" Dr X 16mm 6 Point Deep Socket	200	1/2" Dr X 16mm 12 Point Socket	285	1-1/8" Long Combination Wrench
116	3/8" Dr X 17mm 6 Point Deep Socket	201	1/2" Dr X 17mm 12 Point Socket	286	1-1/4" Long Combination Wrench
117	3/8" Dr X 18mm 6 Point Deep Socket	202	1/2" Dr X 18mm 12 Point Socket	287	Terylene Pouch
118	3/8" Dr X 19mm 6 Point Deep Socket	203	1/2" Dr X 19mm 12 Point Socket	288	3/8" Stubby Combination Wrench
119	Flex Handle	204	1/2" Dr X 20mm 12 Point Socket	289	7/16" Stubby Combination Wrench
120	3" Extension	205	1/2" Dr X 21mm 12 Point Socket	290	1/2" Stubby Combination Wrench
121	6" Extension	206	1/2" Dr X 22mm 12 Point Socket	291	9/16" Stubby Combination Wrench
122	Universal Joint	207	1/2" Dr X 24mm 12 Point Socket	292	5/8" Stubby Combination Wrench
123	High Torque Ratchet	208	Socket Clip	293	11/16" Stubby Combination Wrench
124	Metal Case	209	3/8" Dr X 1/8" Hex Key Socket	294	3/4" Stubby Combination Wrench

549 PC TOOL KIT

699704



Master Tool Kits

Kit Count	Product Description	Kit Count	Product Description	Kit Count	Product Description
295	Plastic Rack	380	Plastic Case	465	5/64" Long Arm Ball Nose Hex Key
296	7mm Long Combination Wrench	381	T5 Torx Precision Screwdriver	466	3/32" Long Arm Ball Nose Hex Key
297	8mm Long Combination Wrench	382	T6 Torx Precision Screwdriver	467	7/64" Long Arm Ball Nose Hex Key
298	9mm Long Combination Wrench	383	T7 Torx Precision Screwdriver	468	1/8" Long Arm Ball Nose Hex Key
299	10mm Long Combination Wrench	384	T8 Torx Precision Screwdriver	469	9/64" Long Arm Ball Nose Hex Key
300	11mm Long Combination Wrench	385	T9 Torx Precision Screwdriver	470	5/32" Long Arm Ball Nose Hex Key
301	12mm Long Combination Wrench	386	T10 Torx Precision Screwdriver	471	3/16" Long Arm Ball Nose Hex Key
302	13mm Long Combination Wrench	387	Plastic Case	472	7/32" Long Arm Ball Nose Hex Key
303	14mm Long Combination Wrench	388	Ratcheting Screwdriver Handle	473	1/4" Long Arm Ball Nose Hex Key
304	15mm Long Combination Wrench	389	1/8" Slot Bit for Ratcheting Screwdriver	474	5/16" Long Arm Ball Nose Hex Key
305	16mm Long Combination Wrench	390	#0 Phillips Bit for Ratcheting Screwdriver	475	3/8" Long Arm Ball Nose Hex Key
306	17mm Long Combination Wrench	391	3/16" Slot Bit for Ratcheting Screwdriver	476	1.5mm Long Arm Ball Nose Hex Key
307	18mm Long Combination Wrench	392	#1 Phillips Bit for Ratcheting Screwdriver	477	2.0mm Long Arm Ball Nose Hex Key
308	19mm Long Combination Wrench	393	1/4" Slot Bit for Ratcheting Screwdriver	478	2.5mm Long Arm Ball Nose Hex Key
309	21mm Long Combination Wrench	394	#2 Phillips Bit for Ratcheting Screwdriver	479	3.0mm Long Arm Ball Nose Hex Key
310	22mm Long Combination Wrench	395	5/16" Slot Bit for Ratcheting Screwdriver	480	4.0mm Long Arm Ball Nose Hex Key
311	24mm Long Combination Wrench	396	#3 Phillips Bit for Ratcheting Screwdriver	481	5.0mm Long Arm Ball Nose Hex Key
312	Terylene Pouch	397	#1 Square Bit for Ratcheting Screwdriver	482	6.0mm Long Arm Ball Nose Hex Key
313	10mm Stubby Combination Wrench	398	#2 Square Bit for Ratcheting Screwdriver	483	8.0mm Long Arm Ball Nose Hex Key
314	11mm Stubby Combination Wrench	399	T10 Torx Bit for Ratcheting Screwdriver	484	10mm Long Arm Ball Nose Hex Key
315	12mm Stubby Combination Wrench	400	T15 Torx Bit for Ratcheting Screwdriver	485	Plastic Rack
316	13mm Stubby Combination Wrench	401	T20 Torx Bit for Ratcheting Screwdriver	486	T8 Torx Key
317	14mm Stubby Combination Wrench	402	T25 Torx Bit for Ratcheting Screwdriver	487	T10 Torx Key
318	17mm Stubby Combination Wrench	403	1/8" Hex Bit for Ratcheting Screwdriver	488	T15 Torx Key
319	19mm Stubby Combination Wrench	404	3/16" Hex Bit for Ratcheting Screwdriver	489	T20 Torx Key
320	Plastic Rack	405	Nut Driver for Ratcheting Screwdriver	490	T25 Torx Key
321	1/4" Ratcheting Combination Wrench	406	Nut Driver for Ratcheting Screwdriver	491	T27 Torx Key
322	5/16" Ratcheting Combination Wrench	407	Nut Driver for Ratcheting Screwdriver	492	T30 Torx Key
323	3/8" Ratcheting Combination Wrench	408	5/16" Slotted Bit for Impact Driver	493	T40 Torx Key
324	7/16" Ratcheting Combination Wrench	409	3/8" Slotted Bit for Impact Driver	494	12" Hacksaw Frame
325	1/2" Ratcheting Combination Wrench	410	#2 Phillips Bit for Impact Driver	495	1/16" Pin Punch
326	9/16" Ratcheting Combination Wrench	411	#3 Phillips Bit for Impact Driver	496	3/32" Pin Punch
327	5/8" Ratcheting Combination Wrench	412	Driver for Impact Driver	497	1/8" Pin Punch
328	11/16" Ratcheting Combination Wrench	413	Adaptor for Impact Driver	498	5/32" Pin Punch
329	3/4" Ratcheting Combination Wrench	414	Plastic Case	499	3/16" Pin Punch
330	13/16" Ratcheting Combination Wrench	415	3/16" Jumbo Handle Nut Driver	500	1/4" Pin Punch
331	7/8" Ratcheting Combination Wrench	416	1/4" Jumbo Handle Nut Driver	501	5/16" Pin Punch
332	15/16" Ratcheting Combination Wrench	417	5/16" Jumbo Handle Nut Driver	502	1/16" Solid Punch
333	1" Ratcheting Combination Wrench	418	11/32" Jumbo Handle Nut Driver	503	1/8" Solid Punch
334	Plastic Rack	419	3/8" Jumbo Handle Nut Driver	504	3/16" Solid Punch
335	8mm Ratcheting Combination Wrench	420	7/16" Jumbo Handle Nut Driver	505	1/4" Solid Punch
336	9mm Ratcheting Combination Wrench	421	1/2" Jumbo Handle Nut Driver	506	5/16" Solid Punch
337	10mm Ratcheting Combination Wrench	422	6" Slip Joint Pliers	507	5/32" Solid Punch
338	11mm Ratcheting Combination Wrench	423	8" Slip Joint Pliers	508	1/4" Cold Chisel
339	12mm Ratcheting Combination Wrench	424	10" Groove Joint Pliers	509	5/16" Cold Chisel
340	13mm Ratcheting Combination Wrench	425	12" Groove Joint Pliers	510	1/2" Cold Chisel
341	14mm Ratcheting Combination Wrench	426	5" Curved Jaw Locking Pliers	511	5/8" Cold Chisel
342	15mm Ratcheting Combination Wrench	427	4" Curved Jaw Locking Pliers	512	3/4" Cold Chisel
343	16mm Ratcheting Combination Wrench	428	10" Curved Jaw Locking Pliers	513	7/8" Cold Chisel
344	17mm Ratcheting Combination Wrench	429	6" Long Nose Locking Pliers	514	3/8" Cold Chisel
345	18mm Ratcheting Combination Wrench	430	9" Long Nose Locking Pliers	515	5/64" Centre Punch
346	19mm Ratcheting Combination Wrench	431	8" Lineman's Pliers	516	5/32" Centre Punch
347	Plastic Rack	432	8" Long Nose Pliers	517	1/4" Centre Punch
348	18" Aluminum Pipe Wrench	433	1" Long Nose Pliers	518	Automatic Centre Punch
349	8" Professional Adjustable Wrench	434	7-1/2" Diagonal Cutter	519	Terylene Pouch
350	12" Professional Adjustable Wrench	435	6-1/2" Bent Nose Pliers	520	3/32" Roll Pin Punch
351	3/8" Dr Torque Wrench	436	8" Bent Nose Pliers	521	1/8" Roll Pin Punch
352	1/2" Dr Torque Wrench	437	11" C-Clamp and Pads	522	5/32" Roll Pin Punch
353	3/8" x 7/16" Flare Nut Wrench	438	Wire Stripper	523	3/16" Roll Pin Punch
354	1/2" x 9/16" Flare Nut Wrench	439	Straight Cut Aviation Metal Snips	524	1/4" Roll Pin Punch
355	5/8" x 11/16" Flare Nut Wrench	440	Telescopic Tube Cutter	525	5/16" Roll Pin Punch
356	10mm x 11mm Flare Nut Wrench	441	Mini Tubing Cutter	526	Terylene Pouch
357	12mm x 13mm Flare Nut Wrench	442	Screw Feed Tubing Cutter for Flaring Tool Kit	527	25ft Tape Measure
358	15mm x 17mm Flare Nut Wrench	443	Flaring Bar for Flaring Tool Kit	528	8" Mechanic's Pry Bar
359	Phillips: #2 x 1-1/2" Jumbo Handle Screwdriver	444	Yoke for Flaring Tool Kit	529	12" Mechanic's Pry Bar
360	Phillips: #1 x 3" Jumbo Handle Screwdriver	445	3/16" Flaring Insert for Flaring Tool Kit	530	18" Mechanic's Pry Bar
361	Phillips: #2 x 4" Jumbo Handle Screwdriver	446	1/4" Flaring Insert for Flaring Tool Kit	531	24" Mechanic's Pry Bar
362	Phillips: #3 x 6" Jumbo Handle Screwdriver	447	5/16" Flaring Insert for Flaring Tool Kit	532	6" Straight Pick
363	Square: #2 x 1-1/2" Jumbo Handle Screwdriver	448	3/8" Flaring Insert for Flaring Tool Kit	533	6" 90 Pick
364	Square: #1 x 4" Jumbo Handle Screwdriver	449	7/16" Flaring Insert for Flaring Tool Kit	534	6" Compound Hook
365	Square: #2 x 5" Jumbo Handle Screwdriver	450	1/2" Flaring Insert for Flaring Tool Kit	535	6" Bent Hook
366	Square: #3 x 6" Jumbo Handle Screwdriver	451	5/8" Flaring Insert for Flaring Tool Kit	536	8-1/2" Scraper
367	Slot Square Shaft: 1/4 x 1-1/2" Jumbo Handle Screwdriver	452	Blow Mould Case	537	10" Scraper
368	Slot Square Shaft: 1/4 x 4" Jumbo Handle Screwdriver	453	8oz Ball Pein Fibreglass Hammer	538	12" Scraper
369	Slot Square Shaft: 5/16 x 6" Jumbo Handle Screwdriver	454	16oz Ball Pein Fibreglass Hammer	539	9" Cotter Key Puller
370	Slot Square Shaft: 3/8 x 10" Jumbo Handle Screwdriver	455	24oz Ball Pein Fibreglass Hammer	540	7-1/2" Radiator Hose Hook
371	Slot Round Shaft: 3/16 x 3" Jumbo Handle Screwdriver	456	32oz Ball Pein Fibreglass Hammer	541	1-1/4" Chisel Scraper
372	Slot Round Shaft: 3/16 x 6" Jumbo Handle Screwdriver	457	40oz Ball Pein Fibreglass Hammer	542	1-1/4" Bent Chisel Scraper
373	Blow Mould Case	458	2 lb Dead Blow Hammer	543	2" Chisel Scraper
374	2.0 Slot Precision Screwdriver	459	3 lb Dead Blow Hammer	544	Stubby Chisel Scraper
375	3.0 Slot Precision Screwdriver	460	2-1/4 lb Soft Face Dead Blow Hammer	545	1/4"-5/16" Screw Extractor
376	4.0 Slot Precision Screwdriver	461	3 lb Drilling Hammer	546	3/8" Screw Extractor
377	#00 Phillips Precision Screwdriver	462	3" 2/3 Jaw Gear Puller	547	7/16" Screw Extractor
378	#0 Phillips Precision Screwdriver	463	0.05" Long Arm Ball Nose Hex Key	548	1/2"-9/16" Screw Extractor
379	#1 Phillips Precision Screwdriver	464	1/16" Long Arm Ball Nose Hex Key	549	5/8" Screw Extractor

Master Tool Kits

306 PC TOOL KIT
699703**new**

RECOMMENDED TOOL BOXES

842563

42"

pg. 210



842513

842663

41"

pg. 214



842613

842553

27"

pg. 209



842503

842653

27"

pg. 209



842604

Kit Count	Product Description	Kit Count	Product Description	Kit Count	Product Description
1	1/16" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	16	19/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	31	1/4" Dr X 3/16" 6 Point Socket
2	5/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	17	5/16" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	32	1/4" Dr X 7/32" 6 Point Socket
3	3/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	18	21/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	33	1/4" Dr X 1/4" 6 Point Socket
4	7/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	19	11/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	34	1/4" Dr X 9/32" 6 Point Socket
5	1/8" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	20	23/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	35	1/4" Dr X 5/16" 6 Point Socket
6	9/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	21	3/8" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	36	1/4" Dr X 11/32" 6 Point Socket
7	5/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	22	25/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	37	1/4" Dr X 3/8" 6 Point Socket
8	11/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	23	13/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	38	1/4" Dr X 7/16" 6 Point Socket
9	3/16" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	24	27/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	39	1/4" Dr X 1/2" 6 Point Socket
10	13/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	25	7/16" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	40	1/4" Dr X 3/16" 6 Point Deep Socket
11	7/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	26	29/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	41	1/4" Dr X 7/32" 6 Point Deep Socket
12	15/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	27	15/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	42	1/4" Dr X 1/4" 6 Point Deep Socket
13	1/4" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	28	31/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	43	1/4" Dr X 9/32" 6 Point Deep Socket
14	17/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	29	1/2" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	44	1/4" Dr X 5/16" 6 Point Deep Socket
15	9/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit	30	Metal Box with Drill Index	45	1/4" Dr X 11/32" 6 Point Deep Socket

Tool storage not included with kit, see pages 207 - 218 for tool storage options

306 PC TOOL KIT

699703



Master Tool Kits

Kit Count	Product Description	Kit Count	Product Description	Kit Count	Product Description
46	1/4" Dr X 3/8" 6 Point Deep Socket	133	Socket Clip	220	T6 Torx Precision Screwdriver
47	1/4" Dr X 7/16" 6 Point Deep Socket	134	1/4" Dr X T10 Tamperproof Torx Bit Socket	221	T7 Torx Precision Screwdriver
48	1/4" Dr X 1/2" 6 Point Deep Socket	135	1/4" Dr X T15 Tamperproof Torx Bit Socket	222	T8 Torx Precision Screwdriver
49	1/4" Dr X 4mm 6 Point Socket	136	1/4" Dr X T20 Tamperproof Torx Bit Socket	223	T9 Torx Precision Screwdriver
50	1/4" Dr X 5mm 6 Point Socket	137	1/4" Dr X T25 Tamperproof Torx Bit Socket	224	T10 Torx Precision Screwdriver
51	1/4" Dr X 6mm 6 Point Socket	138	1/4" Dr X T27 Tamperproof Torx Bit Socket	225	Plastic Case
52	1/4" Dr X 7mm 6 Point Socket	139	1/4" Dr X T30 Tamperproof Torx Bit Socket	226	Ratcheting Screwdriver Handle
53	1/4" Dr X 8mm 6 Point Socket	140	3/8" Dr X T40 Tamperproof Torx Bit Socket	227	1/8" Slot Bit for Ratcheting Screwdriver
54	1/4" Dr X 9mm 6 Point Socket	141	3/8" Dr X T45 Tamperproof Torx Bit Socket	228	#0 Phillips Bit for Ratcheting Screwdriver
55	1/4" Dr X 10mm 6 Point Socket	142	3/8" Dr X T50 Tamperproof Torx Bit Socket	229	3/16" Slot Bit for Ratcheting Screwdriver
56	1/4" Dr X 11mm 6 Point Socket	143	3/8" Dr X T55 Tamperproof Torx Bit Socket	230	#1 Phillips Bit for Ratcheting Screwdriver
57	1/4" Dr X 12mm 6 Point Socket	144	Socket Clip	231	1/4" Slot Bit for Ratcheting Screwdriver
58	1/4" Dr X 4mm 6 Point Deep Socket	145	6" Flex Handle	232	#2 Phillips Bit for Ratcheting Screwdriver
59	1/4" Dr X 5mm 6 Point Deep Socket	146	3/8" Dr - 5/8" Spark Plug Socket	233	5/16" Slot Bit for Ratcheting Screwdriver
60	1/4" Dr X 6mm 6 Point Deep Socket	147	3/8" Dr - 13/16" Spark Plug Socket	234	#3 Phillips Bit for Ratcheting Screwdriver
61	1/4" Dr X 7mm 6 Point Deep Socket	148	3/8" Long Combination Wrench	235	#1 Square Bit for Ratcheting Screwdriver
62	1/4" Dr X 8mm 6 Point Deep Socket	149	7/16" Long Combination Wrench	236	#2 Square Bit for Ratcheting Screwdriver
63	1/4" Dr X 9mm 6 Point Deep Socket	150	1/2" Long Combination Wrench	237	T10 Torx Bit for Ratcheting Screwdriver
64	1/4" Dr X 10mm 6 Point Deep Socket	151	9/16" Long Combination Wrench	238	T15 Torx Bit for Ratcheting Screwdriver
65	1/4" Dr X 11mm 6 Point Deep Socket	152	5/8" Long Combination Wrench	239	T20 Torx Bit for Ratcheting Screwdriver
66	1/4" Dr X 12mm 6 Point Deep Socket	153	11/16" Long Combination Wrench	240	T25 Torx Bit for Ratcheting Screwdriver
67	2" Extension	154	3/4" Long Combination Wrench	241	1/8" Hex Bit for Ratcheting Screwdriver
68	Universal Joint	155	13/16" Long Combination Wrench	242	3/16" Hex Bit for Ratcheting Screwdriver
69	6" Spinner Handle	156	7/8" Long Combination Wrench	243	1/4" Nut Driver for Ratcheting Screwdriver
70	4" Extension	157	15/16" Long Combination Wrench	244	5/16" Nut Driver for Ratcheting Screwdriver
71	1/4" Ratchet Handle	158	1" Long Combination Wrench	245	7/16" Nut Driver for Ratcheting Screwdriver
72	Metal Case	159	1-1/16" Long Combination Wrench	246	8" Slip Joint Pliers
73	3/8" Dr X 3/8" 6 Point Socket	160	1-1/8" Long Combination Wrench	247	6-1/2" Long Nose Pliers
74	3/8" Dr X 7/16" 6 Point Socket	161	1-1/4" Long Combination Wrench	248	6-1/2" Diagonal Cutter
75	3/8" Dr X 1/2" 6 Point Socket	162	Terylene Pouch	249	9-1/2" Groove Joint Pliers
76	3/8" Dr X 9/16" 6 Point Socket	163	7mm Long Combination Wrench	250	10" Curved Jaw Locking Pliers
77	3/8" Dr X 5/8" 6 Point Socket	164	8mm Long Combination Wrench	251	9" Multifunction Wire Stripper
78	3/8" Dr X 11/16" 6 Point Socket	165	9mm Long Combination Wrench	252	Straight Cut Aviation Metal Snips
79	3/8" Dr X 3/4" 6 Point Socket	166	10mm Long Combination Wrench	253	Telescopic Tube Cutter
80	3/8" Dr X 3/8" 6 Point Deep Socket	167	11mm Long Combination Wrench	254	1lb Rubber Mallet
81	3/8" Dr X 7/16 6 Point Deep Socket	168	12mm Long Combination Wrench	255	1.5mm Short Arm Hex Key
82	3/8" Dr X 1/2" 6 Point Deep Socket	169	13mm Long Combination Wrench	256	2.0mm Short Arm Hex Key
83	3/8" Dr X 9/16" 6 Point Deep Socket	170	14mm Long Combination Wrench	257	2.5mm Short Arm Hex Key
84	3/8" Dr X 5/8" 6 Point Deep Socket	171	15mm Long Combination Wrench	258	3.0mm Short Arm Hex Key
85	3/8" Dr X 11/16" 6 Point Deep Socket	172	16mm Long Combination Wrench	259	4.0mm Short Arm Hex Key
86	3/8" Dr X 3/4" 6 Point Deep Socket	173	17mm Long Combination Wrench	260	4.5mm Short Arm Hex Key
87	3/8" Dr X 13/16" 6 Point Deep Socket	174	18mm Long Combination Wrench	261	5.0mm Short Arm Hex Key
88	3/8" Dr X 8mm 6 Point Socket	175	19mm Long Combination Wrench	262	5.5mm Short Arm Hex Key
89	3/8" Dr X 9mm 6 Point Socket	176	21mm Long Combination Wrench	263	6.0mm Short Arm Hex Key
90	3/8" Dr X 10mm 6 Point Socket	177	22mm Long Combination Wrench	264	7.0mm Short Arm Hex Key
91	3/8" Dr X 11mm 6 Point Socket	178	24mm Long Combination Wrench	265	8.0mm Short Arm Hex Key
92	3/8" Dr X 12mm 6 Point Socket	179	Terylene Pouch	266	9.0mm Short Arm Hex Key
93	3/8" Dr X 13mm 6 Point Socket	180	8mm Ratcheting Combination Wrench	267	10.0mm Short Arm Hex Key
94	3/8" Dr X 14mm 6 Point Socket	181	10mm Ratcheting Combination Wrench	268	1/16" Long Arm Hex Key
95	3/8" Dr X 15mm 6 Point Socket	182	12mm Ratcheting Combination Wrench	269	5/64" Long Arm Hex Key
96	3/8" Dr X 16mm 6 Point Socket	183	13mm Ratcheting Combination Wrench	270	3/32" Long Arm Hex Key
97	3/8" Dr X 17mm 6 Point Socket	184	14mm Ratcheting Combination Wrench	271	7/64" Long Arm Hex Key
98	3/8" Dr X 18mm 6 Point Socket	185	15mm Ratcheting Combination Wrench	272	1/8" Long Arm Hex Key
99	3/8" Dr X 19mm 6 Point Socket	186	18mm Ratcheting Combination Wrench	273	9/64" Long Arm Hex Key
100	3/8" Dr X 8mm 6 Point Deep Socket	187	Plastic Rack	274	5/32" Long Arm Hex Key
101	3/8" Dr X 9mm 6 Point Deep Socket	188	5/16" Ratcheting Combination Wrench	275	3/16" Long Arm Hex Key
102	3/8" Dr X 10mm 6 Point Deep Socket	189	3/8" Ratcheting Combination Wrench	276	7/32" Long Arm Hex Key
103	3/8" Dr X 11mm 6 Point Deep Socket	190	7/16" Ratcheting Combination Wrench	277	1/4" Long Arm Hex Key
104	3/8" Dr X 12mm 6 Point Deep Socket	191	1/2" Ratcheting Combination Wrench	278	5/16" Long Arm Hex Key
105	3/8" Dr X 13mm 6 Point Deep Socket	192	9/16" Ratcheting Combination Wrench	279	3/8" Long Arm Hex Key
106	3/8" Dr X 14mm 6 Point Deep Socket	193	5/8" Ratcheting Combination Wrench	280	Plastic Rack
107	3/8" Dr X 15mm 6 Point Deep Socket	194	11/16" Ratcheting Combination Wrench	281	1/8" Pin Punch
108	3/8" Dr X 16mm 6 Point Deep Socket	195	3/4" Ratcheting Combination Wrench	282	3/16" Pin Punch
109	3/8" Dr X 17mm 6 Point Deep Socket	196	Plastic Rack	283	1/4" Pin Punch
110	3/8" Dr X 18mm 6 Point Deep Socket	197	10" Professional Adjustable Wrench	284	3/16" Solid Punch
111	3/8" Dr X 19mm 6 Point Deep Socket	198	T10 x 4" Torx Mechanic's Screwdriver	285	1/2" Cold Chisel
112	Flex Handle	199	T15 x 4" Torx Mechanic's Screwdriver	286	5/8" Cold Chisel
113	3" Extension	200	T20 x 4" Torx Mechanic's Screwdriver	287	3/4" Cold Chisel
114	6" Extension	201	T25 x 4" Torx Mechanic's Screwdriver	288	5/32" Centre Punch
115	Universal Joint	202	T27 x 4" Torx Mechanic's Screwdriver	289	Terylene Pouch
116	High Torque Ratchet	203	T30 x 4" Torx Mechanic's Screwdriver	290	16ft Tape Measure
117	Metal Case	204	Slot: 1/4 x 1-1/2" Mechanic's Screwdriver	291	8" Mechanic's Pry Bar
118	1/8" Hex Bit Socket	205	Slot: 1/4 x 4" Mechanic's Screwdriver	292	12" Mechanic's Pry Bar
119	5/32" Hex Bit Socket	206	Slot: 5/16 x 6" Mechanic's Screwdriver	293	18" Mechanic's Pry Bar
120	3/16" Hex Bit Socket	207	Slot: 3/8 x 10" Mechanic's Screwdriver	294	24" Mechanic's Pry Bar
121	7/32" Hex Bit Socket	208	Phillips: #1 x 3" Mechanic's Screwdriver	295	1" Short Scraper
122	1/4" Hex Bit Socket	209	Phillips: #2 x 1-1/2" Mechanic's Screwdriver	296	Parts Cleaning Brush
123	5/16" Hex Bit Socket	210	Phillips: #2 x 4" Mechanic's Screwdriver	297	6-12 Volt Circuit Tester
124	3/8" Hex Bit Socket	211	Blow Mould Case	298	Long Telescoping Magnet
125	Socket Clip	212	2.0 Slot Precision Screwdriver	299	Mechanic's Stethoscope
126	3/8" Dr X 3mm Hex Bit Socket	213	3.0 Slot Precision Screwdriver	300	1/8" - 1/4" Screw Extractor
127	3/8" Dr X 4mm Hex Bit Socket	214	4.0 Slot Precision Screwdriver	301	1/4" - 5/16" Screw Extractor
128	3/8" Dr X 5mm Hex Bit Socket	215	#00 Phillips Precision Screwdriver	302	5/16" - 7/16" Screw Extractor
129	3/8" Dr X 6mm Hex Bit Socket	216	#0 Phillips Precision Screwdriver	303	7/16" - 9/16" Screw Extractor
130	3/8" Dr X 7mm Hex Bit Socket	217	#1 Phillips Precision Screwdriver	304	9/16" - 3/4" Screw Extractor
131	3/8" Dr X 8mm Hex Bit Socket	218	Plastic Case	305	Tie Rod End Puller
132	3/8" Dr X 10mm Hex Bit Socket	219	T5 Torx Precision Screwdriver	306	4-Battery Post & Terminal Clean



842652
Included with Kit



Kit Count	Product Description	Kit Count	Product Description	Kit Count	Product Description
1	1/4" Dr X 3/16" 6 Point Socket	76	3/8" Dr X 14mm 6 Point Deep Socket	151	T30 x 4" Jumbo Handle Torx Screwdriver
2	1/4" Dr X 7/32" 6 Point Socket	77	3/8" Dr X 15mm 6 Point Deep Socket	152	Terylene Pouch
3	1/4" Dr X 1/4" 6 Point Socket	78	3/8" Dr X 16mm 6 Point Deep Socket	153	8" Slip Joint Pliers
4	1/4" Dr X 9/32" 6 Point Socket	79	3/8" Dr X 17mm 6 Point Deep Socket	154	8" Lineman's Pliers
5	1/4" Dr X 5/16" 6 Point Socket	80	3/8" Dr X 18mm 6 Point Deep Socket	155	8" Long Nose Pliers
6	1/4" Dr X 11/32" 6 Point Socket	81	3/8" Dr X 19mm 6 Point Deep Socket	156	7-1/2" Diagonal Cutters
7	1/4" Dr X 3/8" 6 Point Socket	82	Flex Handle	157	8" Bent Nose Pliers
8	1/4" Dr X 7/16" 6 Point Socket	83	3" Extension	158	Terylene Pouch
9	1/4" Dr X 1/2" 6 Point Socket	84	6" Extension	159	6" External Straight Tip for Snap Ring Pliers
10	1/4" Dr X 3/16" 6 Point Deep Socket	85	Universal Joint	160	6" External Bent Tip for Snap Ring Pliers
11	1/4" Dr X 7/32" 6 Point Deep Socket	86	High Torque Ratchet	161	6" Internal Straight Tip for Snap Ring Pliers
12	1/4" Dr X 1/4" 6 Point Deep Socket	87	Metal Case	162	6" Internal Bent Tip for Snap Ring Pliers
13	1/4" Dr X 9/32" 6 Point Deep Socket	88	3/8" Female - 1/4" Male Adaptor	163	Handle for Snap Ring Pliers
14	1/4" Dr X 5/16" 6 Point Deep Socket	89	3/8" Female - 1/2" Male Adaptor	164	10" Curved Jaw Locking Pliers
15	1/4" Dr X 11/32" 6 Point Deep Socket	90	1/4" Raised Panel Combination Wrench	165	9" Multifunction Wire Stripper
16	1/4" Dr X 3/8" 6 Point Deep Socket	91	5/16" Raised Panel Combination Wrench	166	Quick Adjustable Tubing Cutter
17	1/4" Dr X 7/16" 6 Point Deep Socket	92	3/8" Raised Panel Combination Wrench	167	16 Oz Hickory Handle Ball Pein Hammer
18	1/4" Dr X 1/2" 6 Point Deep Socket	93	7/16" Raised Panel Combination Wrench	168	1.5mm Short Arm Hex Key
19	1/4" Dr X 4mm 6 Point Deep Socket	94	1/2" Raised Panel Combination Wrench	169	2.0mm Short Arm Hex Key
20	1/4" Dr X 5mm 6 Point Deep Socket	95	9/16" Raised Panel Combination Wrench	170	2.5mm Short Arm Hex Key
21	1/4" Dr X 6mm 6 Point Deep Socket	96	5/8" Raised Panel Combination Wrench	171	3.0mm Short Arm Hex Key
22	1/4" Dr X 7mm 6 Point Deep Socket	97	11/16" Raised Panel Combination Wrench	172	4.0mm Short Arm Hex Key
23	1/4" Dr X 8mm 6 Point Deep Socket	98	3/4" Raised Panel Combination Wrench	173	4.5mm Short Arm Hex Key
24	1/4" Dr X 9mm 6 Point Deep Socket	99	13/16" Raised Panel Combination Wrench	174	5.0mm Short Arm Hex Key
25	1/4" Dr X 10mm 6 Point Deep Socket	100	7/8" Raised Panel Combination Wrench	175	5.5mm Short Arm Hex Key
26	1/4" Dr X 11mm 6 Point Deep Socket	101	15/16" Raised Panel Combination Wrench	176	6.0mm Short Arm Hex Key
27	1/4" Dr X 12mm 6 Point Deep Socket	102	1" Raised Panel Combination Wrench	177	7.0mm Short Arm Hex Key
28	1/4" Dr X 4mm 6 Point Deep Socket	103	1-1/16" Raised Panel Combination Wrench	178	8.0mm Short Arm Hex Key
29	1/4" Dr X 5mm 6 Point Deep Socket	104	1-1/8" Raised Panel Combination Wrench	179	9.0mm Short Arm Hex Key
30	1/4" Dr X 6mm 6 Point Deep Socket	105	1-1/4" Raised Panel Combination Wrench	180	10.0mm Short Arm Hex Key
31	1/4" Dr X 7mm 6 Point Deep Socket	106	Terylene Pouch	181	1/16" Long Arm Hex Key
32	1/4" Dr X 8mm 6 Point Deep Socket	107	7mm Raised Panel Combination Wrench	182	5/64" Long Arm Hex Key
33	1/4" Dr X 9mm 6 Point Deep Socket	108	8mm Raised Panel Combination Wrench	183	3/32" Long Arm Hex Key
34	1/4" Dr X 10mm 6 Point Deep Socket	109	9mm Raised Panel Combination Wrench	184	7/64" Long Arm Hex Key
35	1/4" Dr X 11mm 6 Point Deep Socket	110	10mm Raised Panel Combination Wrench	185	1/8" Long Arm Hex Key
36	1/4" Dr X 12mm 6 Point Deep Socket	111	11mm Raised Panel Combination Wrench	186	9/64" Long Arm Hex Key
37	2" Extension	112	12mm Raised Panel Combination Wrench	187	5/32" Long Arm Hex Key
38	Universal Joint	113	13mm Raised Panel Combination Wrench	188	3/16" Long Arm Hex Key
39	6" Spinner Handle	114	14mm Raised Panel Combination Wrench	189	7/32" Long Arm Hex Key
40	4" Extension	115	15mm Raised Panel Combination Wrench	190	1/4" Long Arm Hex Key
41	1/4" Ratchet Handle	116	16mm Raised Panel Combination Wrench	191	5/16" Long Arm Hex Key
42	Metal Case	117	17mm Raised Panel Combination Wrench	192	3/8" Long Arm Hex Key
43	3/8" Dr X 3/8" 6 Point Socket	118	18mm Raised Panel Combination Wrench	193	Plastic Rack
44	3/8" Dr X 7/16" 6 Point Socket	119	19mm Raised Panel Combination Wrench	194	12" Hacksaw Frame
45	3/8" Dr X 1/2" 6 Point Socket	120	20mm Raised Panel Combination Wrench	195	1/8" Pin Punch
46	3/8" Dr X 9/16" 6 Point Socket	121	21mm Raised Panel Combination Wrench	196	3/16" Pin Punch
47	3/8" Dr X 5/8" 6 Point Socket	122	22mm Raised Panel Combination Wrench	197	1/4" Pin Punch
48	3/8" Dr X 11/16" 6 Point Socket	123	23mm Raised Panel Combination Wrench	198	3/16" Solid Punch
49	3/8" Dr X 3/4" 6 Point Socket	124	24mm Raised Panel Combination Wrench	199	1/2" Cold Chisel
50	3/8" Dr X 3/8" 6 Point Deep Socket	125	26mm Raised Panel Combination Wrench	200	5/8" Cold Chisel
51	3/8" Dr X 7/16" 6 Point Deep Socket	126	27mm Raised Panel Combination Wrench	201	3/4" Cold Chisel
52	3/8" Dr X 1/2" 6 Point Deep Socket	127	30mm Raised Panel Combination Wrench	202	5/32" Centre Punch
53	3/8" Dr X 9/16" 6 Point Deep Socket	128	32mm Raised Panel Combination Wrench	203	Terylene Pouch
54	3/8" Dr X 5/8" 6 Point Deep Socket	129	Terylene Pouch	204	18" Pry Bar
55	3/8" Dr X 11/16" 6 Point Deep Socket	130	10" Professional Adjustable Wrench	205	26" x 12" 6 Drawer B&G Series Mechanic's Chest
56	3/8" Dr X 3/4" 6 Point Deep Socket	131	Phillips: #2 x 1-1/2" Jumbo Handle Screwdriver	206	1" Short Scraper
57	3/8" Dr X 13/16" 6 Point Deep Socket	132	Phillips: #1 x 3" Jumbo Handle Screwdriver	207	4-Battery Post & Terminal Clean
58	3/8" Dr X 8mm 6 Point Socket	133	Phillips: #2 x 4" Jumbo Handle Screwdriver	208	6-12 Volt Circuit Tester
59	3/8" Dr X 9mm 6 Point Socket	134	Phillips: #3 x 6" Jumbo Handle Screwdriver	209	Long Telescoping Magnet
60	3/8" Dr X 10mm 6 Point Socket	135	Square: #2 x 1-1/2" Jumbo Handle Screwdriver	210	Strap Filter Wrench
61	3/8" Dr X 11mm 6 Point Socket	136	Square: #1 x 4" Jumbo Handle Screwdriver	211	Universal Master Feeler Gauge
62	3/8" Dr X 12mm 6 Point Socket	137	Square: #2 x 5" Jumbo Handle Screwdriver		
63	3/8" Dr X 13mm 6 Point Socket	138	Square: #3 x 6" Jumbo Handle Screwdriver		
64	3/8" Dr X 14mm 6 Point Socket	139	Slot Square Shaft: 1/4 x 1-1/2" Jumbo Handle Screwdriver		
65	3/8" Dr X 15mm 6 Point Socket	140	Slot Square Shaft: 1/4 x 4" Jumbo Handle Screwdriver		
66	3/8" Dr X 16mm 6 Point Socket	141	Slot Square Shaft: 5/16 x 6" Jumbo Handle Screwdriver		
67	3/8" Dr X 17mm 6 Point Socket	142	Slot Square Shaft: 3/8 x 10" Jumbo Handle Screwdriver		
68	3/8" Dr X 18mm 6 Point Socket	143	Slot Round Shaft: 3/16 x 3" Jumbo Handle Screwdriver		
69	3/8" Dr X 19mm 6 Point Socket	144	Slot Round Shaft: 3/16 x 6" Jumbo Handle Screwdriver		
70	3/8" Dr X 8mm 6 Point Deep Socket	145	Blow Mould Case		
71	3/8" Dr X 9mm 6 Point Deep Socket	146	T10 x 4" Jumbo Handle Torx Screwdriver		
72	3/8" Dr X 10mm 6 Point Deep Socket	147	T15 x 4" Jumbo Handle Torx Screwdriver		
73	3/8" Dr X 11mm 6 Point Deep Socket	148	T20 x 4" Jumbo Handle Torx Screwdriver		
74	3/8" Dr X 12mm 6 Point Deep Socket	149	T25 x 4" Jumbo Handle Torx Screwdriver		
75	3/8" Dr X 13mm 6 Point Deep Socket	150	T27 x 4" Jumbo Handle Torx Screwdriver		

Master Tool Kits

131 PC TOOL KIT
699701

new

842124
Included with Kit

Kit Count	Product Description
1	1/16" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
2	5/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
3	3/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
4	7/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
5	1/8" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
6	9/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
7	5/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
8	11/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
9	3/16" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
10	13/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
11	7/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
12	15/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
13	1/4" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
14	17/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
15	9/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
16	19/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
17	5/16" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
18	21/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
19	11/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
20	23/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
21	3/8" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
22	25/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
23	13/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
24	27/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
25	7/16" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
26	29/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
27	15/32" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
28	31/64" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
29	1/2" JET-KUT Black Oxide H.S.S. Jobber Drill Bit
30	Metal Box with Drill Index
31	1/4" Dr X 3/16" 6 Point Socket
32	1/4" Dr X 7/32" 6 Point Socket
33	1/4" Dr X 1/4" 6 Point Socket
34	1/4" Dr X 9/32" 6 Point Socket
35	1/4" Dr X 5/16" 6 Point Socket
36	1/4" Dr X 11/32" 6 Point Socket
37	1/4" Dr X 3/8" 6 Point Socket
38	1/4" Dr X 7/16" 6 Point Socket

Kit Count	Product Description
39	1/4" Dr X 1/2" 6 Point Socket
40	1/4" Dr X 3/16" 6 Point Deep Socket
41	1/4" Dr X 7/32" 6 Point Deep Socket
42	1/4" Dr X 1/4" 6 Point Deep Socket
43	1/4" Dr X 9/32" 6 Point Deep Socket
44	1/4" Dr X 5/16" 6 Point Deep Socket
45	1/4" Dr X 11/32" 6 Point Deep Socket
46	1/4" Dr X 3/8" 6 Point Deep Socket
47	1/4" Dr X 7/16" 6 Point Deep Socket
48	1/4" Dr X 1/2" 6 Point Deep Socket
49	2" Extension
50	6" Extension
51	Universal Joint
52	6" Spinner Handle
53	1/4" Oval Head Ratchet
54	Metal Case
55	3/8" Dr X 3/8" 6 Point Socket
56	3/8" Dr X 7/16" 6 Point Socket
57	3/8" Dr X 1/2" 6 Point Socket
58	3/8" Dr X 9/16" 6 Point Socket
59	3/8" Dr X 5/8" 6 Point Socket
60	3/8" Dr X 11/16" 6 Point Socket
61	3/8" Dr X 3/4" 6 Point Socket
62	3/8" Dr X 3/8" 6 Point Deep Socket
63	3/8" Dr X 7/16 6 Point Deep Socket
64	3/8" Dr X 1/2" 6 Point Deep Socket
65	3/8" Dr X 9/16" 6 Point Deep Socket
66	3/8" Dr X 5/8" 6 Point Deep Socket
67	3/8" Dr X 11/16" 6 Point Deep Socket
68	3/8" Dr X 3/4" 6 Point Deep Socket
69	3/8" Dr X 13/16" 6 Point Deep Socket
70	Flex Handle
71	3" Extension
72	6" Extension
73	Universal Joint
74	3/8" Oval Head Ratchet
75	Metal Case
76	3/8" Dr X 5/8" Spark Plug Socket

Kit Count	Product Description
77	3/8" Raised Panel Combination Wrench
78	7/16" Raised Panel Combination Wrench
79	1/2" Raised Panel Combination Wrench
80	9/16" Raised Panel Combination Wrench
81	5/8" Raised Panel Combination Wrench
82	11/16" Raised Panel Combination Wrench
83	3/4" Raised Panel Combination Wrench
84	13/16" Raised Panel Combination Wrench
85	7/8" Raised Panel Combination Wrench
86	15/16" Raised Panel Combination Wrench
87	1" Raised Panel Combination Wrench
88	Terylene Pouch
89	10" Professional Adjustable Wrench
90	4" Jumbo Handle Screwdriver
91	6" Jumbo Handle Screwdriver
92	#1 Jumbo Handle Phillips Screwdriver
93	#2 Jumbo Handle Phillips Screwdriver
94	#1 Square Jumbo Handle Screwdriver
95	#2 Square Jumbo Handle Screwdriver
96	Plastic Rack
97	8" Slip Joint Pliers
98	8" Lineman's Pliers
99	8" Long Nose Pliers
100	7-1/2" Diagonal Cutters
101	8" Bent Nose Pliers
102	Terylene Pouch
103	9-1/2" Groove Joint Pliers
104	10" Curved Jaw Locking Pliers
105	16 Oz Fibreglass Claw Hammer
106	0.05" Short Arm Hex Key
107	1/16" Short Arm Hex Key
108	5/64" Short Arm Hex Key
109	3/32" Short Arm Hex Key
110	7/64" Short Arm Hex Key
111	1/8" Short Arm Hex Key
112	9/64" Short Arm Hex Key
113	5/32" Short Arm Hex Key
114	3/16" Short Arm Hex Key
115	7/32" Short Arm Hex Key
116	1/4" Short Arm Hex Key
117	5/16" Short Arm Hex Key
118	3/8" Short Arm Hex Key
119	Plastic Rack
120	1/8" Pin Punch
121	3/16" Pin Punch
122	1/4" Pin Punch
123	3/16" Solid Punch
124	1/2" Cold Chisel
125	5/8" Cold Chisel
126	3/4" Cold Chisel
127	5/32" Centre Punch
128	Terylene Pouch
129	16ft Tape Measure
130	Telescopic Pick Up Tool
131	21" 3 Drawer Steel Hand Tool Box



Sockets and socket accessories are one of the most widely used and critical tools in the work place. Our focus is to provide the best product in the Canadian market.



Chrome Sockets.

- 1/4 TO 1" DRIVE
- SOCKET SETS
- OPEN STOCK
- HEX, TORX® AND EXTERNAL TORX® BITS
- ACCESSORIES

Chrome Sockets

TORQUE DRIVE



1/4" DRIVE SOCKET WRENCH SETS

- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive® sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5



24 Piece S.A.E. - 6 Point

600115 / SW1424-6

STANDARD LENGTH S.A.E.

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

DEEP LENGTH S.A.E.

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

STANDARD ACCESSORIES:

48 tooth 5-1/2" quick release
oval head ratchet (**670926**)

2" (**670904**) and 6" extensions (**670906**)

6" spinner handle (**670912**)

1-3/8" universal joint (**670908**)

Metal case



28 Piece Metric - 6 Point

600116 / SW1428M-6

STANDARD LENGTH METRIC

4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

DEEP LENGTH METRIC

4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

STANDARD ACCESSORIES:

48 tooth 5-1/2" quick release
oval head ratchet (**670926**)

2" (**670904**) and 6" extensions (**670906**)

6" spinner handle (**670912**)

1-3/8" universal joint (**670908**)

Metal case



1/4" DRIVE SOCKET WRENCH SETS

6 CrV

42 Piece S.A.E./Metric - 6 Point

600125 / SW1442C-6

STANDARD LENGTH S.A.E.

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

DEEP LENGTH S.A.E.

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

STANDARD LENGTH METRIC

4, 5, 6, 7, 8, 9, 10, 11, 12mm

DEEP LENGTH METRIC

4, 5, 6, 7, 8, 9, 10, 11, 12mm

STANDARD ACCESSORIES:

72 tooth high torque ratchet (670927)

2" (670904) and 4" extensions (670915)

6" spinner handle (670912)

1-3/8" universal joint (670908)

Metal case



TORQUE DRIVE



12 CrV

42 Piece S.A.E./Metric - 12 Point

600126 / SW1442C-12

STANDARD LENGTH S.A.E.

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

DEEP LENGTH S.A.E.

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

STANDARD LENGTH METRIC

4, 5, 6, 7, 8, 9, 10, 11, 12mm

DEEP LENGTH METRIC

4, 5, 6, 7, 8, 9, 10, 11, 12mm

STANDARD ACCESSORIES:

72 tooth high torque ratchet (670927)

2" (670904) and 4" extensions (670915)

6" spinner handle (670912)

1-3/8" universal joint (670908)

Metal case



WARNING: Do not use chrome sockets on impact wrenches

Chrome Sockets

TORQUE DRIVE**3/8" DRIVE SOCKET WRENCH SETS**

- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive® sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

**11 Piece S.A.E. - 6 Point****600223** / SW3811-6*STANDARD LENGTH S.A.E.***5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"***STANDARD ACCESSORIES:*

48 tooth 8" quick release
oval head ratchet (**671926**)
6" extension (**671907**)
Metal case

**15 Piece Metric - 6 Point****600226** / SW3815M-6*STANDARD LENGTH METRIC***8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm***STANDARD ACCESSORIES:*

48 tooth 8" quick release
oval head ratchet (**671926**)
6" extension (**671907**)
Metal case

**21 Piece S.A.E. - 6 Point****600229** / SW3821-6*STANDARD LENGTH S.A.E.***3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"***DEEP LENGTH S.A.E.***3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"***STANDARD ACCESSORIES:*

48 tooth 8" quick release
oval head ratchet (**671926**)
3" (**671905**) and 6" extensions (**671907**)
8" flex handle (**671902**)
1-7/8" universal joint (**671910**)
Metal case



3/8" DRIVE SOCKET WRENCH SETS



30 Piece Metric - 6 Point

600234 / SW3830M-6

STANDARD LENGTH METRIC

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

DEEP LENGTH METRIC

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

STANDARD ACCESSORIES:

48 tooth 8" quick release

oval head ratchet (671926)

3 (671905) and 6" extensions (671907)

8" flex handle (671902)

1-7/8" universal joint (671910)

Metal case



45 Piece S.A.E./Metric - 6 Point

600241 / SW3845C-6

STANDARD LENGTH S.A.E.

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

DEEP LENGTH S.A.E.

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"

STANDARD LENGTH METRIC

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

DEEP LENGTH METRIC

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

STANDARD ACCESSORIES:

72 tooth high torque ratchet (671928)

3" (671905) and 6" extensions (671907)

8" flex handle (671902)

1-7/8" universal joint (671910)

Metal case



45 Piece S.A.E./Metric - 12 Point

600242 / SW3845C-12

STANDARD LENGTH S.A.E.

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

DEEP LENGTH S.A.E.

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"

STANDARD LENGTH METRIC

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

DEEP LENGTH METRIC

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

STANDARD ACCESSORIES:

72 tooth high torque ratchet (671928)

3" (671905) and 6" extensions (671907)

8" flex handle (671902)

1-7/8" universal joint (671910)

Metal case



Chrome Sockets

TORQUE DRIVE®



Chrome Sockets

TORQUE DRIVE



1/2" DRIVE SOCKET WRENCH SETS

- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive® sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5



19 Piece Metric - 6 Point

600326 / SW1219M-6

STANDARD LENGTH METRIC

12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm

STANDARD ACCESSORIES:

48 tooth 10" quick release
oval head ratchet (672926)
5" (672905) and 10" extensions (672906)
15" flex handle (672903)
2-3/4" universal joint (672908)
Metal case



20 Piece S.A.E. - 6 Point

600323 / SW1220-6

STANDARD LENGTH S.A.E.

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16,
1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"

STANDARD ACCESSORIES:

48 tooth 10" quick release
oval head ratchet (672926)
5" (672905) and 10" extensions (672906)
15" flex handle (672903)
2-3/4" universal joint (672908)
Metal case



PRECISION CHAMFERING PROCESS

1/2" DRIVE SOCKET WRENCH SETS



29 Piece S.A.E. - 6 Point

600331 / SW1229-6

STANDARD LENGTH S.A.E.

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8,
15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"

DEEP LENGTH S.A.E.

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8"

STANDARD ACCESSORIES:

48 tooth 10" quick release
oval head ratchet (672926)

2" (672904), 5" (672905)

and 10" extensions (672906)

10" sliding T-handle (672907)

2-3/4" universal joint (672908)

Metal case



55 Piece S.A.E. / Metric - 6 Point

600341 / SW1255C-6

STANDARD LENGTH S.A.E.

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8,
15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"

DEEP LENGTH S.A.E.

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8"

STANDARD LENGTH METRIC

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22,
23, 24, 27, 30, 32mm

DEEP LENGTH METRIC

10, 12, 13, 14, 15, 16, 17, 18, 19, 21mm

STANDARD ACCESSORIES:

72 tooth high torque ratchet (672928)

2" (672904), 5" (672905) and 10" extensions (672906)

10" sliding T-handle (672907)

2-3/4" universal joint (672908)

Metal case



Chrome Sockets

TORQUE DRIVE®



 **WARNING:** Do not use chrome sockets on impact wrenches

SUPERIOR DROP FORGING PROCESS

Chrome Sockets

TORQUE DRIVE



3/4" DRIVE SOCKET WRENCH SETS

- All components are forged from high quality Chrome Vanadium steel
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5



7 Piece Telescopic Tool Set

690105 / SDK3407

- 40 tooth super duty reversible ratchet (**673923**)
- 20-32" telescoping drive handle (for use with all items in kit) (**673914**)
- 4" extension (**673903**)
- 3/4" Female x 1" Male adaptor (**673912**)
- Sliding T-handle head (**673910**)
- Flex joint head (**673911**)
- Heavy duty blow mould case



21 Piece S.A.E. - 12 Point

600402 / SW7521

STANDARD LENGTH S.A.E.

3/4, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"

STANDARD ACCESSORIES:

- 42 tooth 20" round head ratchet (**673901**)
- 4" (**673903**) and 8" extensions (**673904**)
- 18" sliding T-handle (**673906**)
- Metal case



21 Piece S.A.E. - 12 Point Heavy Duty

600406 / SW7521-HD

STANDARD LENGTH S.A.E.

3/4, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"

STANDARD ACCESSORIES:

- 24 tooth 19-1/2" deluxe oval head ratchet (**673922**)
- 4" (**673903**) and 8" extensions (**673904**)
- 18" sliding T-handle (**673906**)
- Blow mould case



1" DRIVE SOCKET WRENCH SETS

- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive® sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5



17 Piece S.A.E. - 12 Point

600505 / SW1017

STANDARD LENGTH S.A.E.

1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-3/4, 1-7/8, 2, 2-3/16, 2-1/4, 2-3/8, 2-1/2"

STANDARD ACCESSORIES:

24 tooth heavy duty reversible ratchet head (674901)
8" (674905) and 16" extensions (674903)
22" universal handle (included with 674901)
Sliding T-head
Metal case



21 Piece S.A.E. - 12 Point

600503 / SW1021

STANDARD LENGTH S.A.E.

1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2, 2-1/8, 2-3/16, 2-1/4, 2-3/8, 2-1/2, 2-5/8, 2-3/4, 2-15/16, 3-1/8"

STANDARD ACCESSORIES:

24 tooth heavy duty reversible ratchet head (674901)
8" (674905) and 16" extensions (674903)
22" universal handle (included with 674901)
Sliding T-head
Metal case



Chrome Sockets

TORQUE DRIVE®



JET also carries a complete line of Automotive Specialty sockets for almost any automotive and heavy duty truck application. These include front wheel drive axle nut sockets, four wheel drive locknut sockets, ball joint sockets and 6 and 8 point truck axle nut sockets, oil, oxygen and vacuum sensor sockets.

Please consult our **Specialty Automotive tools** catalogue or visit our website at www.jetequipment.com



Chrome Sockets

TORQUE DRIVE



1/4" DRIVE SOCKET SETS

- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive® sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

new 6 CrV

9 PC S.A.E. Socket Set - 6 Point

601102 / SS1409-6

STANDARD LENGTH 6 PT. S.A.E. SOCKETS:

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

includes socket rail

new 6 CrV

9 Piece Deep S.A.E. - 6 Point

601107 / SS1409D-6

DEEP LENGTH 6 PT. S.A.E. SOCKETS:

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

includes socket rail

new 6 CrV

11 Piece Metric - 6 Point

601113 / SS1411M-6

STANDARD LENGTH 6 PT. METRIC SOCKETS:

4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

includes socket rail

new 6 CrV

11 Piece Deep Metric - 6 Point

601118 / SS1411DM-6

DEEP LENGTH 6 PT. METRIC SOCKETS:

4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

includes socket rail

3/8" DRIVE SOCKET SETS

- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive® sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

6 CrV

8 Piece S.A.E. - 6 Point

601219 / SS3808-6

STANDARD LENGTH 6 PT. S.A.E. SOCKETS:

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

includes socket rail

6 CrV

8 Piece Deep S.A.E. - 6 Point

601220 / SS3808D-6

DEEP LENGTH 6 PT. S.A.E. SOCKETS:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"

includes socket rail

12 CrV

9 Piece S.A.E. - 12 Point

601227 / SS3809-12

STANDARD LENGTH 12 PT. S.A.E. SOCKETS:

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

includes socket rail

12 CrV

9 Piece Deep S.A.E. - 12 Point

601229 / SS3809D-12

DEEP LENGTH 12 PT. S.A.E. SOCKETS:

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

includes socket rail

Chrome Sockets

TORQUE DRIVE®


Chrome Sockets

TORQUE DRIVE**3/8" DRIVE SOCKET SETS****6** CrV**12 Piece Metric - 6 Point****601224** / SS3812M-6

STANDARD LENGTH 6 PT. METRIC SOCKETS:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

includes socket rail

12 CrV**12 Piece Metric - 12 Point****601234** / SS1212M-12

STANDARD LENGTH 12 PT. METRIC SOCKETS:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

includes socket rail

6 CrV**12 Piece Deep Metric - 6 Point****601226** / SS3812DM-6

DEEP LENGTH 6 PT. METRIC SOCKETS:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

includes socket rail

12 CrV**12 Piece Deep Metric - 12 Point****601236** / SS1212DM-12

DEEP LENGTH 12 PT. METRIC SOCKETS:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

includes socket rail

1/2" DRIVE SOCKET SETS

- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive® sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

6 CrV

13 Piece Deep S.A.E. - 6 Point

601313 / SS1213D-6

DEEP LENGTH 6 PT. S.A.E. SOCKETS:

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"
includes socket rail

new 12 CrV

13 Piece Deep S.A.E. - 12 Point

601318 / SS1213D-12

DEEP LENGTH 12 PT. S.A.E. SOCKETS:

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"
includes socket rail

6 CrV

13 Piece Metric - 6 Point

601312 / SS1213M-6

STANDARD LENGTH 6 PT. METRIC SOCKETS:

10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm
includes socket rail

6 CrV

13 Piece Deep Metric - 6 Point

601314 / SS1213DM-6

DEEP LENGTH 6 PT. METRIC SOCKETS:

10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm
includes socket rail

Chrome Sockets

TORQUE DRIVE®


Chrome Sockets

TORQUE DRIVE®**1/2" DRIVE SOCKET SETS****new** 12 CrV**14 Piece Metric - 12 Point****601319** / SS1214M-12

STANDARD LENGTH 12 PT. METRIC SOCKETS:

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm

includes socket rail

new 12 CrV**14 Piece Deep Metric - 12 Point****601320** / SS1214DM-12

DEEP LENGTH 12 PT. METRIC SOCKETS:

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm

includes socket rail

6 CrV**15 Piece S.A.E. - 6 Point****601316** / SS1215-6

STANDARD LENGTH 6 PT. S.A.E. SOCKETS:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"

includes socket rail

new 12 CrV**15 Piece S.A.E. - 12 Point****601317** / SS1215-12

STANDARD LENGTH 12 PT. S.A.E. SOCKETS:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"

includes socket rail

3/4" DRIVE SOCKET SETS

- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive® sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5



17 Piece Deep S.A.E. - 6 Point

601407 / SS3417D

DEEP LENGTH 6 PT. S.A.E. SOCKETS:

7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2"

Metal Case



17 Piece S.A.E. - 12 Point

601405 / SS3417

STANDARD LENGTH 12 PT. S.A.E. SOCKETS:

7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2"

Metal Case



17 Piece Metric - 12 Point

601406 / SS3417M

STANDARD LENGTH 12 PT. METRIC SOCKETS:

19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50mm

Metal Case

 **WARNING:** Do not use chrome sockets on impact wrenches

Chrome Sockets

TORQUE DRIVE®



PRECISION GROUND

Chrome Sockets



HEX BIT SOCKET SETS

- All sockets are forged from high quality Chrome Vanadium steel
- Hex bits are made of superior quality S2 steel for maximum strength
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5



7 Piece S.A.E. Hex Bit

601201 / HSW3811

- 3/8" DR
2" (OVERALL LENGTH) S.A.E. HEX BIT SOCKETS:
1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
includes socket rail



7 Piece Metric Hex Bit

601202 / HSW3811M

- 3/8" DR
2" (OVERALL LENGTH) METRIC HEX BIT SOCKETS:
3, 4, 5, 6, 7, 8, 10mm
includes socket rail



10 Piece S.A.E. Hex Bit

601802 / HSW3812-10

- 3/8" DR
2" (OVERALL LENGTH) S.A.E. HEX BIT SOCKETS:
1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
- 1/2" DR
2-1/4" (OVERALL LENGTH) S.A.E. HEX BIT SOCKETS:
1/2, 9/16, 5/8"
includes socket rail



10 Piece Metric Hex Bit

601803 / HSW3812-10M

- 3/8" DR
2" (OVERALL LENGTH) METRIC HEX BIT SOCKETS:
3, 4, 5, 6, 7, 8, 10mm
- 1/2" DR
2-1/4" (OVERALL LENGTH) METRIC HEX BIT SOCKETS:
12, 14, 16mm
includes socket rail

HEX BIT SOCKET SETS



7 Piece 3/8" Drive S.A.E. - Long Ball Nose

601804 / LHSW3807

4" (OVERALL LENGTH) S.A.E. EXTRA LONG BALL NOSE HEX BIT SOCKETS:

1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

includes socket rail



7 Piece 3/8" Drive Metric - Long Ball Nose

601805 / LHSW3807M

4" (OVERALL LENGTH) METRIC EXTRA LONG BALL NOSE HEX BIT SOCKETS:

4, 5, 6, 7, 8, 9, 10mm

includes socket rail




14 Piece S.A.E. / Metric - Long Series

601808 / LHSW1438-14C

- 1/4" DR
4" (OVERALL LENGTH) S.A.E. SOCKETS:
1/8, 5/32, 3/16"
- 1/4" DR
4" (OVERALL LENGTH) METRIC SOCKETS:
4, 5, 6mm
- 3/8" DR
4" (OVERALL LENGTH) S.A.E. SOCKETS:
7/32, 1/4, 5/16, 3/8"
- 3/8" DR
4" (OVERALL LENGTH) METRIC SOCKETS:
7, 8, 9, 10mm
S2 steel
includes blow mould case



Chrome Sockets



TORX® BIT SOCKET SETS

- All sockets are forged from high quality Chrome Vanadium steel
- TORX® bits are made of superior quality S2 steel for maximum strength
- All sets include socket clip holders, except SS328TS
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5



6 Piece 3/8" Drive Tamperproof

601216 / SS386TB

2" (OVERALL LENGTH) TORX® BIT SOCKETS:

T25, T30, T40, T45, T50, T55

includes socket rail



10 Piece 1/4" & 3/8" Drive Tamperproof

601801 / SS1438-10TB

- 1/4" DR

1-1/2" (OVERALL LENGTH) TORX® BIT SOCKETS:

T10, T15, T20, T25, T27, T30

- 3/8" DR

2" (OVERALL LENGTH) TORX® BIT SOCKETS:

T40, T45, T50, T55

includes socket rail



11 Piece 1/4" & 3/8" Drive Non-Tamperproof

601806 / SS1438-11T

- 1/4" DR

1-1/2" (OVERALL LENGTH) TORX BIT:

T10, T15, T20, T25, T27, T30

- 3/8" DR

2" (OVERALL LENGTH) TORX BIT:

T40, T45, T47, T50, T55

includes socket rail

Torx® is a registered trademark of Camcar Division of Textron Inc.

EXTERNAL TORX® SOCKET SETS

- All components forged from high quality Chrome Vanadium steel
- Chamfered edges



7 Piece 1/4" Drive

601111 / SS1407TS

STANDARD LENGTH EXTERNAL TORX®

E4, E5, E6, E7, E8, E10, E11

includes socket rail



6 Piece 3/8" Drive

601231 / SS3806-TS

STANDARD LENGTH EXTERNAL TORX®

E6, E8, E10, E12, E14, E16

includes socket rail



12 Piece 3/8" Drive

601232 / SS3812TS

STANDARD LENGTH EXTERNAL TORX®

E4, E5, E6, E7, E8, E10, E11, E12, E14, E16, E18, E20

includes socket rail



9 Piece 1/2" Drive

601321 / SS1209TS

STANDARD LENGTH EXTERNAL TORX®

E10, E11, E12, E14, E16, E18, E20, E22, E24

includes socket rail



28 Piece

601811 / SS328TS

STANDARD LENGTH EXTERNAL TORX®

- 1/4" DR
E4, E5, E6, E7, E8, E10, E11
 - 3/8" DR
E4, E5, E6, E7, E8, E10, E11, E12, E14, E16, E18, E20
 - 1/2" DR
E10, E11, E12, E14, E16, E18, E20, E22, E24
- includes blow mould case

Chrome Sockets



WARNING: Do not use chrome sockets on impact wrenches

Chrome Sockets

S.A.E. OPEN STOCK

All items meet U.S. Federal Specifications: GGG-W-641e,
Canadian Government Specification CDA39-GP-12b and A.N.S.I. B107.1




WARNING:

Do not use chrome sockets on electric or air impact wrenches

Drive	1/4"	1/4"	1/4"	1/4"	3/8"	3/8"	3/8"	3/8"
Size S.A.E.	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.	Deep 12 pt.	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.	Deep 12 pt.
3/16"	670106	670306	670206	670406				
7/32"	670107	670307	670207	670407				
1/4"	670108	670308	670208	670408	671108		671208	671408
9/32"	670109	670309	670209	670409				
5/16"	670110	670310	670210	670410	671110		671210	671410
11/32"	670111	670311	670211	670411				
3/8"	670112	670312	670212	670412	671112	671312	671212	671412
7/16"	670114	670314	670214	670414	671114	671314	671214	671414
1/2"	670116	670316	670216	670416	671116	671316	671216	671416
9/16"					671118	671318	671218	671418
5/8"					671120	671320	671220	671420
11/16"					671122	671322	671222	671422
3/4"					671124	671324	671224	671424
13/16"					671126	671326		
7/8"					671128	671328		
15/16"					671130			
1"					671132			

3/8" DRIVE SPARK PLUG SOCKETS



Spark Plug Sockets

- Features rubber inserts to protect spark plugs from damage

PROD. NO.	Drive	Hex Size
671932	3/8"	5/8"
671934	3/8"	13/16"

Drive	1/2"	1/2"	1/2"	1/2"	3/4"	3/4"	1"
Size S.A.E.	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.	Deep 12 pt.	Regular 12pt.	Deep 6 pt.	Regular 12 pt.
3/8"	672112		672212				
7/16"	672114	672314	672214	672414			
1/2"	672116	672316	672216	672416			
9/16"	672118	672318	672218	672418			
5/8"	672120	672320	672220	672420			
11/16"	672122	672322	672222	672422			
3/4"	672124	672324	672224	672424	673212		
13/16"	672126	672326	672226	672426			
7/8"	672128	672328	672228	672428	673214	673414	
15/16"	672130	672330	672230	672430	673215	673415	
1"	672132	672332	672232	672432	673216	673416	
1-1/16"	672134	672334	672234	672434	673217	673417	
1-1/8"	672136	672336	672236	672436	673218	673418	
1-3/16"	672138		672238		673219	673419	
1-1/4"	672140	672340	672240	672440	673220	673420	
1-5/16"					673221	673421	
1-3/8"					673222	673422	
1-7/16"					673223	673423	674223
1-1/2"					673224	673424	674224
1-9/16"					673225		
1-5/8"					673226	673426	674226
1-11/16"					673227		674227
1-3/4"					673228	673428	674228
1-13/16"					673229	673429	674229
1-7/8"					673230	673430	674230
2"					673232	673432	674232
2-1/8"							674234
2-3/16"							674235
2-1/4"							674236
2-3/8"							674238
2-1/2"							674240
2-5/8"							674242
2-3/4"							674244
2-15/16"							674247
3"							674248
3-1/8"							674250



672414



672228



673224

Chrome Sockets

METRIC OPEN STOCK

All items meet U.S. Federal Specifications: GGG-W-641e,
Canadian Government Specification CDA39-GP-12b and A.N.S.I. B107.1



WARNING:

Do not use chrome sockets on electric or air impact wrenches

Drive	1/4"	1/4"	1/4"	1/4"	3/8"	3/8"	3/8"	3/8"
Size Metric	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.	Deep 12 pt.	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.	Deep 12pt.
4mm	670502	670702	670602	670802				
4.5mm	670503							
5mm	670504	670704	670604	670804				
5.5mm	670505	670705						
6mm	670506	670706	670606	670806	671506			
7mm	670507	670707	670607	670807	671507			
8mm	670508	670708	670608	670808	671508	671708	671608	671808
9mm	670509	670709	670609	670809	671509	671709	671609	671809
10mm	670510	670710	670610	670810	671510	671710	671610	671810
11mm	670511	670711	670611	670811	671511	671711	671611	671811
12mm	670512	670712	670612	670812	671512	671712	671612	671812
13mm	670513	670713			671513	671713	671613	671813
14mm					671514	671714	671614	671814
15mm					671515	671715	671615	671815
16mm					671516	671716	671616	671816
17mm					671517	671717	671617	671817
18mm					671518	671718	671618	671818
19mm					671519	671719	671619	671819
20mm					671520			
21mm					671521	671721		
22mm					671522			
23mm								
24mm					671524			

Drive	1/2"	1/2"	1/2"	1/2"	3/4"
Size Metric	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.	Deep 12 pt.	Regular 12 pt.
8mm	672508				
9mm	672509				
10mm	672510	672710	672610	672810	
11mm	672511		672611	672811	
12mm	672512	672712	672612	672812	
13mm	672513	672713	672613	672813	
14mm	672514	672714	672614	672814	
15mm	672515	672715	672615	672815	
16mm	672516	672716	672616	672816	
17mm	672517	672717	672617	672817	
18mm	672518	672718	672618	672818	
19mm	672519	672719	672619	672819	673619
20mm	672520	672720	672620	672820	
21mm	672521	672721	672621	672821	673621
22mm	672522	672722	672622	672822	673622
23mm	672523	672723			673623
24mm	672524	672724	672624	672824	673624
26mm					673626
27mm	672527	672727			673627
29mm					673629
30mm	672530				673630
32mm	672532				673632
35mm					673635
36mm					673636
38mm					673638
41mm					673641
46mm					673646
50mm					673650



672824



672610

WARNING: Do not use chrome sockets on impact wrenches

Chrome Sockets

S.A.E. HEX BIT OPEN STOCK

- All sockets are forged from high quality Chrome Vanadium steel
- Hex bits are made of superior quality S2 steel for maximum strength
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5



Drive	1/4"	3/8"	3/8"	3/8"	1/2"
Size S.A.E.	4" Long	Regular	4" Long	4" Long Ball Nose	Regular
1/8"	677021	677204		677224	
5/32"	677022	677205		677225	
3/16"	677023	677206		677226	
7/32"		677207	677127	677227	
1/4"		677208	677128	677228	
9/32"					
5/16"		677210	677130	677230	
11/32"					
3/8"		677212	677132	677232	
1/2"					677316
9/16"					677318
5/8"					677320

Note: 3/8" drive regular length sockets = 2" overall length
1/2" drive regular length sockets = 2-1/4" overall length



LONG
677128

LONG BALL NOSE



METRIC HEX BIT OPEN STOCK

- All sockets are forged from high quality Chrome Vanadium steel
- Hex bits are made of superior quality S2 steel for maximum strength
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5



Drive	1/4"	3/8"	3/8"	3/8"	1/2"
Size Metric	4" Long	Regular	4" Long	4" Long Ball Nose	Regular
3mm		677253			
4mm	677071	677254		677274	
5mm	677072	677255		677275	
6mm	677073	677256		677276	
7mm		677257	677177	677277	
8mm		677258	677178	677278	
9mm			677179	677279	
10mm		677260	677180	677280	
12mm					677362
14mm					677364
16mm					677366

Note: 3/8" drive regular length sockets = 2" overall length
 1/2" drive regular length sockets = 2-1/4" overall length

Chrome Sockets



LONG
677179



LONG BALL NOSE
677280



REGULAR
677366

Chrome Sockets



677767

677787

TORX® BITS OPEN STOCK



Drive	1/4"	1/4"	3/8"	3/8"
Size Torx®	Non-Tamperproof	Tamperproof	Non-Tamperproof	Tamperproof
T10	677726	677706		
T15	677727	677707		
T20	677728	677708		
T25	677729	677709		677759
T27	677730	677710		
T30	677731	677711		677761
T40			677783	677763
T45			677784	677764
T47			677785	
T50			677786	677766
T55			677787	677767

EXTERNAL TORX® OPEN STOCK



Drive	1/4"	3/8"	1/2"
Size External Torx®	Regular	Regular	Regular
E4	677803	677821	
E5	677804	677822	
E6	677805	677823	
E7	677806	677845	
E8	677807	677824	
E10	677809	677825	677851
E11	677810	677847	677852
E12		677826	677853
E14		677827	677855
E16		677828	677857
E18		677830	677859
E20		677832	677861
E22			677863
E24			677865



677865

SOCKET ACCESSORIES

- All components are forged from high quality Chrome Vanadium steel
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

CrV

Universal Joints

PROD. NO.	MOD. NO.	Drive
670908	SA1407	1/4"
671910	SA3810	3/8"
672908	SA1207	1/2"

CrV

Socket Adaptors

PROD. NO.	MOD. NO.	Male	Female
670911	SA1410	3/8"	1/4"
671913	SA3813	1/4"	3/8"
671914	SA3814	1/2"	3/8"
672911	SA1210	3/8"	1/2"
672912	SA1211	3/4"	1/2"
673907	SA7506	1/2"	3/4"
673912	SA7511	1"	3/4"

CrV

5 Piece Set - Socket Adaptors

690115 / SA-5S

Male	Female
3/8"	1/4"
1/4"	3/8"
1/2"	3/8"
3/8"	1/2"
3/4"	1/2"

Chrome Sockets



670908



673912



671911



673907



690115

WARNING: Do not use chrome sockets on impact wrenches

Chrome Sockets

690111



674909



*



**



SOCKET ACCESSORIES

- All components are forged from high quality Chrome Vanadium steel
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

Socket Clip Rails

- Includes one each for 1/4", 3/8", and 1/2" drive sockets

PROD. NO.	MOD. NO.	Drive	Clips
3 PIECE SET			
690111	SCH-3S	1/4, 3/8, 1/2"	16 each (48 Total)

OPEN STOCK

670913	SCH-14	1/4"	16
671917	SCH-38	3/8"	16
672913	SCH-12	1/2"	16

CrV

Flex Bars

PROD. NO.	MOD. NO.	Drive	Length	Max. Torque
670902	SA1401	1/4"	6"	330 ft/lbs
671902	SA3801	3/8"	8"	100 ft/lbs
672902	SA1201	1/2"	10"	330 ft/lbs
672903	SA1202	1/2"	15"	330 ft/lbs
672918	SA1213	1/2" *	24"	330 ft/lbs
673909	SA7508	3/4" *	24"	750 ft/lbs
673911	SA7510	3/4" **	—	750 ft/lbs
674909	SA1008	1"	26"	1,850ft/lbs

Replacement repair kits listed in the back of the catalogue

***672918** and **673909** come with heavy duty head design

****673911** comes with head only – requires drive handle

SOCKET ACCESSORIES

CrV

Speeder Handles

PROD. NO.	MOD. NO.	Drive	Length
671911	SA3811	3/8"	16"
672909	SA1208	1/2"	16-1/2"

CrV

Sliding T-Handles

PROD. NO.	MOD. NO.	Drive / Prise	Length
670907	SA1406	1/4"	4-1/4"
671909	SA3809	3/8"	8"
672907	SA1206	1/2"	10"
673906	SA7505	3/4"	18"
673910	SA7509	3/4" *	Head Only
674904	SA1003	1"	22"

*Requires drive handle (sold separately)

CrV

Spinner Handles

PROD. NO.	MOD. NO.	Drive	Length
670912	SA1411	1/4"	6"

Chrome Sockets



671911



673910

670907



670912

WARNING: Do not use chrome sockets on impact wrenches

Chrome Sockets



690120



690121

672914



SOCKET ACCESSORIES

- All components are forged from high quality Chrome Vanadium steel
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

CrV

Extension Bars

PROD. NO.	MOD. NO.	Pieces	Drive	Length
SETS				
672914	SE12-4S	4	1/2"	15, 18, 24, 30"
690120	SE38-4S	4	3/8"	1-3/4, 3, 6, 10"
690121	SE12-3S	3	1/2"	2, 5, 10"
OPEN STOCK				
670904	SA1403	—	1/4"	2"
670905	SA1404	—	1/4"	3"
670915	SA1412	—	1/4"	4"
670906	SA1405	—	1/4"	6"
671904	SA1403	—	3/8"	1-3/4"
671905	SA3804	—	3/8"	3"
671907	SA3806	—	3/8"	6"
671908	SA3808	—	3/8"	10"
672904	SA1203	—	1/2"	2"
672905	SA1204	—	1/2"	5"
672906	SA1205	—	1/2"	10"
673903	SA7502	—	3/4"	4"
673904	SA7503	—	3/4"	8"
673905	SA7504	—	3/4"	16"
674903	SA1002	—	1"	16"
674905	SA1004	—	1"	8"

SOCKET ACCESSORIES

CrV

Locking Extension Bars

- Sockets and accessories lock on and cannot be removed until lock ring is retracted
- Keeps everything from ratchet to the socket positively connected, preventing lost pieces
- Especially useful when multiple extensions must be used
- Ideal for use with JET's quick release ratchet handles
- Coloured lock rings help identify drive size – a JET exclusive!
- Highest quality Chrome Vanadium steel for professional use

PROD. NO.	MOD. NO.	Pieces	Drive	Length
SETS				
690124	SE38-3SL	3	3/8"	3, 6, 10"
690125	SE12-3SL	3	1/2"	3, 5, 10"
OPEN STOCK				
671947	SA3804L	—	3/8"	3"
671948	SA3806L	—	3/8"	6"
671949	SA3808L	—	3/8"	10"
672947	SA1203L	—	1/2"	3"
672948	SA1204L	—	1/2"	5"
672949	SA1205L	—	1/2"	10"



Chrome Sockets



690124



690125

WARNING: Do not use chrome sockets on impact wrenches

Chrome Sockets



690122




690123

SOCKET ACCESSORIES

CrV

2 Way Wobble Extension Bars

- 2 position extensions provide regular or wobble drive
- Place socket in first position for wobble drive; allows improved access to hard-to-reach areas
- Push socket down to second position to "lock" it solidly in place; allows maximum torque
- Each extension replaces two others but doesn't cost twice as much
- Highest quality Chrome Vanadium steel for professional use



PROD. NO.	MOD. NO.	Pieces	Drive	Length
-----------	----------	--------	-------	--------

SETS

690122	SE38-4SW	4	3/8"	1-3/4", 3", 6", 10"
690123	SE12-3SW	3	1/2"	2, 5, 10"

OPEN STOCK

671951	SA3803W	—	3/8"	1-3/4"
671952	SA3804W	—	3/8"	3"
671953	SA3806W	—	3/8"	6"
671954	SA3808W	—	3/8"	10"
672951	SA1203W	—	1/2"	2"
672952	SA1204W	—	1/2"	5"
672953	SA1205W	—	1/2"	10"



WARNING: Do not use chrome sockets on impact wrenches



JET has spent years developing the most comprehensive and innovative line of hard working and durable ratchets in the industry.

Ratchet Wrenches.

- 1/4 TO 1" DRIVE RATCHETS
- OVAL / ROUND HEAD
- FLEX HEAD
- TWIST DRIVE RATCHETS
- SWIVEL HEAD RATCHETS
- RATCHET ADAPTORS

Ratchet Wrenches



670926 - 672927



690106



690106

1/4", 3/8" & 1/2" DRIVE

CrV

RHQ Series Oval Head - Heavy Duty

- All components are forged from superior quality Chrome Vanadium steel
- New increased tooth configurations offer finer ratcheting mechanisms
- Available in regular and extra long models
- Push button quick release feature holds sockets on securely until ready to release
- Convenient reversing switch can be operated with one hand
- Comfortable handle style
- Mirror polish finish
- Repair kits available
- All ratchets are designed for use by professionals
- Meets or exceeds A.N.S.I. specifications

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
670926	RHQ-14	1/4"	5-1/2"	48	Yes
670928	RHQ-14L	1/4"	7"	48	Yes
671926	RHQ-38	3/8"	8"	48	Yes
671945	RHQ-38L	3/8"	11-3/4"	48	Yes
672926	RHQ-12	1/2"	10"	48	Yes
672927	RHQ-12L	1/2"	15"	48	Yes

3 Piece RHQ Series Ratchet Set

- Contains 1 each of 1/4, 3/8 & 1/2" RHQ ratchets
- RHQ-3SB oval head set **includes bonus MHR-3860 3/8" drive mini head ratchet at no extra cost!**

PROD. NO.	MOD. NO.	Drive	Pieces	Teeth	Quick Release
690106	RHQ-3SB	1/4, 3/8, 1/2"	4	48/60	Yes

CrV

RHQ-F Series Oval Head - Heavy Duty

- Flex head feature allows access into awkward locations
- Same quality features as our RHQ series

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
670929	RHQ-14F	1/4"	6-1/4"	48	Yes
671942	RHQ-38FS	3/8"	4-1/2"	48	Yes
671943	RHQ-38F2	3/8"	11-1/2"	48	Yes
672929	RHQ-12F	1/2"	17-1/2"	48	Yes

Replacement repair kits listed in the back of the catalogue

1/4", 3/8" & 1/2" DRIVE

CrV

HT72 Series High Torque - Heavy Duty

- All metal components are forged from superior quality Chrome Vanadium steel
- High torque 72 tooth twin pawl ratcheting system exceeds A.N.S.I. standards for torque
- 5° maximum movement between each engagement of teeth
- Push button quick release feature holds sockets on securely until ready to release
- Comfortable ergonomic handle design with anti-slip strips improves gripping power and reduces operator fatigue
- Spinner ring for use in areas with restricted space
- Convenient hanging hole
- Patented offset ratchet handle offers unique safety features – reduces knuckle damage and improves socket positioning
- Repair kits available
- Available in 1/4, 3/8, 1/2" drives individually or in sets

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
670927	HT-1472	1/4"	5-1/2"	72	Yes
671928	HT-3872	3/8"	7-3/4"	72	Yes
672928	HT-1272	1/2"	10"	72	Yes

CrV

3 Piece HT72 Series Set

690104 / HT-72S

- Contains 1 each: 1/4, 3/8 and 1/2" ratchets above

Ratchet Wrenches



671928



Replacement repair kits listed in the back of the catalogue

Ratchet Wrenches

1/4", 3/8" & 1/2" DRIVE



Ratcheting Adaptors

new
tools redefined.



- 3 way ratcheting adaptors turn any suitably sized flex bar, sliding T bar, or extension bar into a reversible ratchet
- Square drive hole plus round through hole allows use of most drive tools
- Can also be used as a finger ratchet
- Chrome Vanadium steel with Chrome Molybdenum drive anvil for maximum strength
- 52 teeth requires just 7° swing arc for use in very close quarters
- Available individually and in 3 piece kit
- Includes blow mould case



690107



672921

671921

670921

PROD. NO.

MOD. NO.

Drive

Pieces

3 PIECE SET


690107	RA352	1/4", 3/8", 1/2"	3
--------	-------	------------------	---

OPEN STOCK

670921	RA1452	1/4"	Open Stock
671921	RA3852	3/8"	Open Stock
672921	RA1252	1/2"	Open Stock

1/4", 3/8" & 1/2" DRIVE

Ratchet Wrenches

Twist Drive
Ratchet

new CrV CrMo
tools redefined.

- Patented Twist Drive action drives sockets without swinging handle - 0° swing arc!
- Special design drives socket in one direction while twisting handle in both directions
- Allows for super fast running of fasteners when space is limited
- Works like a regular ratchet for additional torque
- Co-moulded handle materials provide all day comfort and non-slip grip
- Chrome Vanadium steel handle with Chrome Molybdenum drive for maximum strength
- Available in 6 piece POP display

Push through anvil
to reverse direction



671923

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth
671923	TD-3860	3/8"	9-1/4"	60

270° Swivel
Head Ratchets

new CrV CrMo
tools redefined.



1

2

3



890512

- Unique 270° rotating head provides ultimate flex head function
- Only the head rotates, providing maximum flex positions while maintaining smallest profile
- 72 tooth quick release ratchet head requires only 5° swing room
- Convenient direction switch on head is accessible from any angle
- Chrome Vanadium steel handle with Chrome Molybdenum drive gears
- Co-moulded handle grip provides all day comfort and sure grip
- Available in 9 piece POP display (3 of each drive size)



672922

671922

670922

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
670922	SH270-14	1/4"	5-7/8"	72	Yes
671922	SH270-38	3/8"	9-1/4"	72	Yes
672922	SH270-12	1/2"	11-7/8"	72	Yes


Ratchet Wrenches

1/4", 3/8" & 1/2" DRIVE

Special Purpose Ratchets

671941

- Mini head and ultra slim body design allows access into confined areas
- Smooth, 60 tooth ratcheting action offers an extremely small swing area – 6°
- Push button quick release
- Full polish, mirror finish



Mini Head

671944

- 3/8" drive ratchet head rotates around articulating joint, providing up to 8x the speed of a regular ratchet
- Rotating head can be locked in any position to clear obstacles and provide maximum access – a JET exclusive!
- 6140 Chrome Vanadium steel for professional use
- Mirror polished finish
- Meets A.N.S.I. torque rating for 3/8" drive ratchets



Articulating Joint

671941

671944

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
671941	MHR-3860	3/8"	7-3/4"	60	Yes
671944	HSR-3800	3/8"	10-1/4"	48	Yes

Replacement repair kits listed in the back of the catalogue



3/4" & 1" DRIVE

RH Series - Standard Duty

- A.N.S.I. rated
- Repair kits available
- Professional quality at an economical price

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
673901	RH-75	3/4"	20"	42	No
674901	RH-100	1"	26"	24	No

RHQ Series Oval Head - Heavy Duty

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
673922	RHQ-34	3/4"	19-1/2"	24	Yes

JET
EXCLUSIVE

HT72 Series High Torque - Heavy Duty

- 72 teeth require just 5° swing room to engage next tooth
- Ideal for fasteners in restricted areas
- Extra heavy pawl spring keeps 8 teeth engaged at all times for maximum strength
- Quick release feature locks accessories to ratchet
- One piece drop forged head and handle

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
673924	HT3472	3/4"	20"	72	Yes

Ratchet Wrenches



673901

674901



673922

673924

Replacement repair kits listed in the back of the catalogue

Ratchet Wrenches

3/4" & 1" DRIVE

CrV

RHD Series - Super Heavy Duty

- Super duty 3/4" and 1" ratchet heads
- All components made from the best quality Chrome Vanadium steel
- Designed to withstand the toughest applications
- Handles sold separately (see below)

Heads

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
673923	RHD-3400	3/4"	Head only	40	No
674906	RHD-1036	1"	Head only	36	No



For 3/4" heads



673913

20 - 32"



673914

For 1" heads



674907



674906



673923

Handles

PROD. NO.	MOD. NO.	Length (overall)
673913	DH-3400	20" for RH-3400, SA-7509, SA-7510
673914	TDH-3400	20" - 32" for RH-3400, SA-7509, SA-7510
674907	DH-1036	25" for RH-1036

Replacement repair kits listed in the back of the catalogue

Impact Sockets.

The secret to the most superior sockets in the industry lies in the base material and method of heat treatment!

- 3/8" TO 1" DRIVE
- UNIVERSAL SOCKETS
- MAG WHEEL SOCKETS
- TORQUE LIMITING STICKS
- HEX & TORX BITS SOCKETS
- TRUCK TIRE SOCKETS
- ACCESSORIES

Impact Sockets

TORQUE DRIVE**3/8" DRIVE SOCKET SETS**

- Sockets made of the finest quality S.A.E. 4140 Chrome Molybdenum high impact steel
- Torque-Drive® socket design contacts the fastener on the sides instead of the corners, reducing fastener rounding and allowing up to 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and A.N.S.I. B107.2

**8 Piece S.A.E. - 6 Point****610201 / PS838**

STANDARD LENGTH S.A.E.

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"*Blow mould case***8 Piece S.A.E. Deep - 6 Point****610203 / PS838D**

DEEP LENGTH S.A.E.

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"*Blow mould case***12 Piece S.A.E. - 6 Point****610207 / PS1238**

STANDARD LENGTH S.A.E.

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"*Blow mould case*

New Sizes

**12 Piece Deep S.A.E. - 6 Point****610208 / PS1238D**

DEEP LENGTH S.A.E.

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"*Blow mould case*

New Sizes

3/8" DRIVE SOCKET SETS



13 Piece Metric - 6 Point

610217 / PS1438M

STANDARD LENGTH METRIC

7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Blow mould case



13 Piece Deep Metric - 6 Point

610218 / PS1338DM

DEEP LENGTH METRIC

7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



Blow mould case

1/2" DRIVE SOCKET SETS

- Sockets made of the finest quality S.A.E. 4140 Chrome Molybdenum high impact steel
- Torque-Drive® socket design contacts the fastener on the sides instead of the corners, reducing fastener rounding and allowing up to 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Many sets come with two-tone blow mould case with removeable lid for use as an organizer
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and A.N.S.I. B107.2



10 Piece S.A.E. - 6 Point

610302 / PS1012

STANDARD LENGTH S.A.E.

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Blow mould case



10 Piece Deep S.A.E. - 6 Point

610303 / PS1012D

DEEP LENGTH S.A.E.

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Blow mould case with removable lid

Impact Sockets



TORQUE DRIVE



Impact Sockets

1/2" DRIVE SOCKET SETS

**13 Piece S.A.E. - 6 Point****610321 / PS1312**

STANDARD LENGTH S.A.E.

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

Blow mould case

**13 Piece Deep S.A.E. - 6 Point****610323 / PS1312D**

DEEP LENGTH S.A.E.

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

Blow mould case

**19 Piece S.A.E. - 6 Point****610328 / PS1912**

STANDARD LENGTH S.A.E.

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2"

Blow mould case with removable lid

**19 Piece Deep S.A.E. - 6 Point****610329 / PS1912D**

DEEP LENGTH S.A.E.

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2"

Blow mould case with removable lid

new**JET**
EXCLUSIVE**8 Piece Jumbo S.A.E. - 6 Point****610314 / PS812**

STANDARD LENGTH S.A.E.

1-9/16, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 1-15/16, 2"


 New Jumbo Sizes

Blow mould case

1/2" DRIVE SOCKET SETS

new**JET**
EXCLUSIVE**6**

CrMo

**8 Piece Jumbo Deep S.A.E. - 6 Point****610315 / PS812D**

DEEP LENGTH S.A.E.

1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16", 2"

New Jumbo Sizes

Blow mould case with removable lid

6

CrMo

**12 Piece Metric - 6 Point****610308 / PS1212M**

STANDARD LENGTH METRIC

10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

Blow mould case

6

CrMo

**12 Piece Deep Metric - 6 Point****610310 / PS1212DM**

DEEP LENGTH METRIC

10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

Blow mould case

6

CrMo

**22 Piece Metric - 6 Point****610338 / PS2212M**

STANDARD LENGTH METRIC

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm

Blow mould case with removable lid

6

CrMo

**22 Piece Deep Metric - 6 Point****610339 / PS2212DM**

DEEP LENGTH METRIC

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm

Blow mould case with removable lid

Impact Sockets



Impact Sockets



1/2" DRIVE SOCKET SETS

new

6

CrMo



12 Piece Jumbo Metric - 6 Point

610334 / PS1212LM

STANDARD LENGTH METRIC

23, 24, 25, 26, 27, 28, 30, 32, 33, 34, 35, 36mm



New Jumbo Sizes

Blow mould case

new

6

CrMo



12 Piece Jumbo Deep Metric - 6 Point

610335 / PS122DLM

DEEP LENGTH METRIC

23, 24, 25, 26, 27, 28, 30, 32, 33, 34, 35, 36mm



New Jumbo Sizes

Blow mould case with removable lid

6

CrMo



27 Piece Deep S.A.E./Metric - 6 Point

610327 / PS2712DC

DEEP LENGTH S.A.E.

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

DEEP LENGTH METRIC

10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

ACCESSORIES

5" extension, universal joint

Blow mould case

1/2" DRIVE UNIVERSAL SOCKET SETS

- Made with the same quality materials and features as our regular power sockets, but with heavy duty universal joints
- Flexible joint allows easier access to fasteners in hard to reach areas
- Reinforcement ring ensures maximum strength

6

CrMo



7 Piece S.A.E. Universal - 6 Point

610382 / PSU712

STANDARD LENGTH S.A.E.

1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"

Metal case

6

CrMo



9 Piece Metric Universal - 6 Point

610388 / PSU912M

STANDARD LENGTH METRIC

13, 14, 15, 16, 17, 18, 19, 21, 22mm

Metal case

1/2" DRIVE MAG WHEEL SOCKETS

- Specially designed for use on high end aluminum and chrome plated wheels
- Premium grade Chrome Molybdenum Steel for professional use
- Plastic sleeve and inner cap to prevent scratches



1/2" Drive Deep S.A.E. / Metric Sets

PROD. NO.	MOD. NO.	Drive	Pieces	Sizes
610341	MWPS-512	1/2"	5	13/16", 7/8", 17, 19 (3/4"), 21mm
610343	MWPS-812	1/2"	8	13/16, 7/8, 15/16, 1, 1-1/16", 17, 19 (3/4"), 21mm

Blow mould case

1/2" Drive Deep - Open Stock

PROD. NO.	Drive	Sizes	Replacement Sleeve	Replacement Insert
682867	1/2"	17mm	682981	682991
682869	1/2"	19mm	682982	682992
682871	1/2"	21mm	682983	682993
682876	1/2"	13/16"	682985	682995
682878	1/2"	7/8"	682986	682996
682880	1/2"	15/16"	682987	682997
682882	1/2"	1"	682988	682998
682884	1/2"	1-1/16"	682989	682999

Impact Sockets



610341



610343



Impact Sockets



TORQUE

LIMITING EXTENSIONS

- Specially designed Chrome Molybdenum spring steel flexes at preset torque ratings
- Allows accurate application of specific torque to automobile wheel fasteners
- Prevents over-tightening or uneven tightening of lug nuts, a major cause of wheel and brake rotor damage
- 5 extensions cover most passenger and light truck / SUV wheels
- For use with 1/2" drive impact wrenches rated at 250 ft/lbs and line pressure of 90 – 110 psi
- For aluminum and chrome wheels, use with JET's all new 1/2" drive Mag Wheel Power Sockets



5 Piece 1/2" Drive Set

PROD. NO.	MOD. NO.	Drive	Pieces	Torque (ft-lbs)
682961	JTLE-5S	1/2"	5	65, 80, 100, 120, 140

Blow mould case with removable lid

1/2" Drive - Open Stock

PROD. NO.	Drive	Torque (ft-lbs)	Length	Colour
682964	1/2"	65	7-3/4"	Yellow
682965	1/2"	80	7-3/4"	Blue
682966	1/2"	100	7-3/4"	Gray
682967	1/2"	120	7-3/4"	White
682968	1/2"	140	7-3/4"	Aqua



65 ft/lbs




80 ft/lbs



100 ft/lbs



120 ft/lbs



140 ft/lbs

Impact Sockets

CANADA'S DRIVING FORCE FOR IMPACT SOCKETS



Impact Sockets

TORQUE DRIVE**3/4" DRIVE SOCKET SETS**

- Sockets made of the finest quality S.A.E. 4140 Chrome Molybdenum high impact steel
- Torque-Drive® socket design contacts the fastener on the sides instead of the corners, reducing fastener rounding and allowing up to 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Most sets come with two-tone blow mould case with removeable lid for use as an organizer
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and A.N.S.I. B107.2

**8 Piece S.A.E. - 6 Point****610401** / PS834

STANDARD LENGTH S.A.E.

1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2"*Blow mould case***8 Piece Deep S.A.E. - 6 Point****610402** / PS834D

DEEP LENGTH S.A.E.

1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2"*Blow mould case***14 Piece Deep S.A.E. - 6 Point****610406** / PS1434D

DEEP LENGTH S.A.E.

3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8"*Blow mould case with removable lid*

3/4" DRIVE SOCKET SETS



16 Piece S.A.E. - 6 Point

610403 / PS1634

STANDARD LENGTH S.A.E.

3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"

Blow mould case with removable lid



21 Piece S.A.E. - 6 Point

610409 / PS2134

STANDARD LENGTH S.A.E.

3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-9/16, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 1-15/16, 2"

Includes all 21 sizes of 3/4" DR S.A.E. Power Sockets up to 2"

Blow mould case with removable lid



21 Piece Deep S.A.E. - 6 Point

610410 / PS2134D

DEEP LENGTH S.A.E.

3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-9/16, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 1-15/16, 2"

Includes all 21 sizes of 3/4" DR S.A.E. Deep Power Sockets up to 2"

Blow mould case with removable lid



8 Piece Jumbo S.A.E. - 6 Point

610404 / PS834L


STANDARD LENGTH S.A.E.

2-1/16, 2-1/8, 2-3/16, 2-1/4, 2-5/16, 2-3/8, 2-7/16, 2-1/2"

Includes all 8 sizes of 3/4" DR S.A.E. Jumbo Power Sockets from 2-1/16" to 2-1/2"

Blow mould case with removable lid

Impact Sockets



Impact Sockets

TORQUE DRIVE**1" DRIVE SOCKET SETS**

- Sockets made of the finest quality S.A.E. 4140 Chrome Molybdenum high impact steel
- Torque-Drive® socket design contacts the fastener on the sides instead of the corners, reducing fastener rounding and allowing up to 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Most sets come with two-tone blow mould case with removeable lid for use as an organizer
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and A.N.S.I. B107.2

**9 Piece S.A.E. - 6 Point****610501 / PS901**

STANDARD LENGTH S.A.E.

1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"*Blow mould case with removable lid***18 Piece S.A.E. - 6 Point****610509 / PS1801**

STANDARD LENGTH S.A.E.

3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2"*Blow mould case with removable lid***12 Piece Jumbo S.A.E. - 6 Point****610506 / PS1201**

STANDARD LENGTH S.A.E.

2-1/8, 2-1/4, 2-3/8, 2-1/2, 2-9/16, 2-5/8, 2-3/4, 2-7/8, 3, 3-1/8, 3-1/4, 3-1/2"*Blow mould case with removable lid*

1" DRIVE SOCKET SETS



9 Piece Deep S.A.E. - 6 Point

610503 / PS901D

DEEP LENGTH S.A.E.

1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"

Blow mould case with removable lid



16 Piece Deep S.A.E. - 6 Point

610508 / PS1601D

DEEP LENGTH S.A.E.

7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2"

Blow mould case with removable lid



11 Piece Jumbo Deep S.A.E. - 6 Point

610504 / PS1101D

DEEP LENGTH S.A.E.

2-1/16, 2-1/8, 2-3/16, 2-1/4, 2-5/16, 2-3/8, 2-7/16, 2-1/2, 2-9/16, 2-5/8, 2-3/4"

Blow mould case with removable lid

Impact Sockets

TORQUE DRIVE®



Impact Sockets



610515

1" DRIVE TRUCK TIRE SOCKET SETS

- Made of highest quality S.A.E. 4140 Chrome Molybdenum steel for maximum strength and durability
- Special sizes designed for use on most truck wheel fasteners



11 Piece S.A.E./Metric

- 11 of the most popular S.A.E. and Metric sizes for heavy trucks
- 4 point sockets for inner Budd-style square fasteners
- Special 1-1/2" hex deep socket features controlled depth, preventing contact with inner cap nut
- Deep thin wall sockets designed for use on Dayton style lugnuts where space is limited

PROD. NO.	MOD. NO.	4 Point Shallow Budd Sockets	6 Point Deep Budd Sockets	6 Point Thin Wall Sockets
610515	TTPS-11SM	17mm	33mm	1-1/16"
		21mm	35mm	1-1/8"
		13/16"	38mm	1-1/4"
			41mm	
			1-1/2" controlled depth	

1" DRIVE TRUCK TIRE OPEN STOCK

Budd Wheel Type - 4 Point

- Designed for use on inner budd-style square fasteners

PROD. NO.	Size	Length
684921	13/16"	57mm
684922	15/16"	57mm
684971	17mm	57mm
684975	21mm	57mm

Extra Thin Wall Type - 6 Point Deep

- For use on Dayton-style lugnuts that are deeply recessed and where space is limited

PROD. NO.	Size	Length
684943	1-1/16"	108mm
684944	1-1/8"	108mm
684946	1-1/4"	108mm

Deep Budd Wheel Type - 6 Point

- For use on most import and some domestic trucks
- 1-1/2" hex socket features controlled depth, preventing contact with wheel when removing outer cap nuts

PROD. NO.	Size	Length
684614	33mm	98mm
684616	35mm	98mm
684619	38mm	98mm
684622	41mm	98mm
684966	1-1/2" controlled depth	98mm



684922

684622

684966

684946

Extra Thin Wall

1/2" DRIVE HEX AND TORX® BIT SOCKET SETS

- Made of SNCM 8660 tool steel for 20% greater torque and 20% greater torsional resistance than Chrome Molybdenum bits
- Manganese Phosphate finish



10 Piece - Torx®

610326 / PTB1210

3" OVERALL LENGTH TORX®

T25, T27, T30, T40, T45, T50, T55, T60, T70, T80

Blow mould case



8 Piece S.A.E. - Hex

610331 / PHB-1208

3" OVERALL LENGTH S.A.E.

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"

Blow mould case



8 Piece Metric - Hex

610333 / PHB1208M

3" OVERALL LENGTH METRIC

6, 7, 8, 10, 12, 14, 17, 19mm

Blow mould case



16 Piece S.A.E./Metric - Hex

610340 / PHB-1216C

3" OVERALL LENGTH S.A.E.

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"

3" OVERALL LENGTH METRIC

6, 7, 8, 10, 12, 14, 17, 19mm

Set contains all popular sizes of hex bit power sockets!

Blow mould case

Impact Sockets



Impact Sockets



3/4" DRIVE HEX BIT SOCKET SETS

- Made of SNCM 8660 tool steel for 20% greater torque and 20% greater torsional resistance than Chrome Molybdenum bits
- Manganese Phosphate finish



5 Piece S.A.E. - Hex

610411 / PHB-3405

3" OVERALL LENGTH S.A.E.

5/8, 3/4, 7/8, 1, 1-1/4"

Blow mould case with removable lid



5 Piece Metric - Hex

610421 / PHB3405M

3" OVERALL LENGTH METRIC

17, 19, 22, 24, 27mm

Blow mould case with removable lid

3/8" & 1/2" DRIVE EXTERNAL TORX®

- Sockets made of the finest quality S.A.E. 4140 Chrome Molybdenum high impact steel
- Set features the full range of popular external Torx® sizes
- Convenient blow mould case keeps sockets organized



17 Piece - External Torx®

610391 / PTS17C

STANDARD LENGTH E-TORX® POWER SOCKETS:

- 3/8" Drive Sockets: **E5, E6, E7, E8, E10, E12, E14, E16**
- 1/2" Drive Sockets: **E10, E11, E12, E14, E16, E18, E20, E22, E24**

Blow mould case



JET carries one of Canada's widest ranges of professional quality air ratchet wrenches and heavy duty impact wrenches featuring an industry leading 500 day warranty.

Please consult our **Air Tools** catalogue or visit our website at www.jetequipment.com

SOCKET ACCESSORIES

- All components made of the finest quality S.A.E. 4140 Chrome Molybdenum high impact steel
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and A.N.S.I. B107.2

Impact Sockets

JET
EXCLUSIVE

new



1/2" Drive Extra Thin Wall Flip Sockets

- Extra thin walls allows access to all recessed lugnuts where clearance is limited
- Thin wall impact sockets not a warrantable item

PROD. NO.	Length	Size
682938	76mm	3/4 x 13/16" hex
682939	76mm	19 x 21mm hex

Extension Bars

PROD. NO.	Length	Drive
681953	3"	3/8"
681954	6"	3/8"
682954	5"	1/2"
682955	10"	1/2"
683951	6"	3/4"
683953	10"	3/4"
684951	6"	1"

Universal Joints

PROD. NO.	Drive
681911	3/8"
682911	1/2"
683955	3/4"
684955	1"

Socket Adaptors

- Socket adaptors do not carry lifetime warranty

PROD. NO.	Drive Female	Drive Male
681952	3/8"	1/2"
682952	1/2"	3/8"
682953	1/2"	3/4"
683952	3/4"	1/2"
683954	3/4"	1"
684952	1"	3/4"

Accessory Kits

- Blow mould case keeps all items organized and handy
- A great addition to any mechanic's tool box

PROD. NO.	MOD. NO.	Description	Contains
610903	PSA3812-7	7 pc impact accessory kit	3/8" dr. x 6" extension 3/8" dr. U Joint 3/8"F x 1/2"M adaptor 1/2" dr. x 5" extension 1/2" U Joint 1/2"F x 3/8"M adaptor 1/2"F x 3/4"M adaptor

610906	PSA3401-5	5 pc impact accessory kit	3/4" dr. U Joint 1" dr. U Joint 3/4"F x 1/2"M adaptor 3/4"F x 1"M adaptor 1"F x 3/4"M adaptor
---------------	-----------	---------------------------	---

new
new

610903



610906

new



682954



682939



681911



681952

Impact Sockets

S.A.E. OPEN STOCK

- Sockets made of the finest quality S.A.E. 4140 Chrome Molybdenum high impact steel
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and A.N.S.I. B107.2

new

Items in bold are new sizes

CrMo

Drive	3/8"	3/8"	1/2"	1/2"	1/2"	3/4"	3/4"	1"	1"
Size S.A.E.	Regular 6 pt.	Deep 6 pt.	Regular 6 pt.	Deep 6 pt.	Universal Regular 6pt.	Regular 6 pt.	Deep 6 pt.	Regular 6 pt.	Deep 6 pt.
5/16"	681110	681210							
3/8"	681112	681212	682112	682212					
7/16"	681114	681214	682114	682214					
1/2"	681116	681216	682116	682216	682316				
9/16"	681118	681218	682118	682218	682318				
5/8"	681120	681220	682120	682220	682320				
11/16"	681122	681222	682122	682222	682322				
3/4"	681124	681224	682124	682224	682324	683124	683224	684124	
13/16"	681126	681226	682126	682226	682326	683126	683226	684126	
7/8"	681128	681228	682128	682228	682328	683128	683228	684128	684228
15/16"	681130	681230	682130	682230		683130	683230	684130	684230
1"	681132	681232	682132	682232		683132	683232	684132	684232
1-1/16"			682134	682234		683134	683234	684134	684234
1-1/8"			682136	682236		683136	683236	684136	684236
1-3/16"			682138	682238		683138	683238	684138	684238
1-1/4"			682140	682240		683140	683240	684140	684240
1-5/16"			682142	682242		683142	683242	684142	684242
1-3/8"			682144	682244		683144	683244	684144	684244
1-7/16"			682146	682246		683146	683246	684146	684246
1-1/2"			682148	682248		683148	683248	684148	684248
1-9/16"			682150	682250		683150	683250	684150	684250
1-5/8"			682152	682252		683152	683252	684152	684252
1-11/16"			682154	682254		683154	683254	684154	684254
1-3/4"			682156	682256		683156	683256	684156	684256
1-13/16"			682158	682258		683158	683258	684158	684258
1-7/8"			682160	682260		683160	683260	684160	684260
1-15/16"			682162	682262		683162	683262	684162	684262
2"			682164	682264		683164	683264	684164	684264

Drive	3/4"	1"	1"
Size S.A.E.	Regular 6 pt.	Regular 6 pt.	Deep 6 pt.
2-1/16"	683166	684165	684266
2-1/8"	683168	684166	684268
2-3/16"	683170	684167	684270
2-1/4"	683172	684168	684272
2-5/16"	683174	684169	684274
2-3/8"	683176	684170	684276
2-7/16"	683178	684171	684278
2-1/2"	683180	684172	684280
2-9/16"		684173	684282
2-5/8"		684174	684284
2-11/16"		684175	
2-3/4"		684176	684288
2-13/16"		684177	
2-7/8"		684178	
2-15/16"		684179	
3"		684180	
3-1/8"		684182	
3-1/4"		684184	
3-3/8"		684186	
3-1/2"		684188	
3-5/8"		684190	
3-3/4"		684192	
3-7/8"		684194	
4"		684196	
4-1/8"		684197	
4-1/4"		684198	
4-1/2"		684199	

METRIC OPEN STOCK

- Sockets made of the finest quality 4140 Chrome Molybdenum high impact steel
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and A.N.S.I. B107.2

new Items in bold are new sizes

CrMo

Impact Sockets

Drive	3/8"	3/8"	1/2"	1/2"	1/2"	3/4"	3/4"
Metric (mm)	Regular 6 pt.	Deep 6 pt.	Regular 6 pt.	Deep 6 pt.	Universal Regular 6 pt.	Regular 6 pt.	Deep 6 pt.
7mm		681607					
8mm	681508	681608					
9mm	681509	681609					
10mm	681510	681610	682510	682610			
11mm	681511	681611	682511	682611			
12mm	681512	681612	682512	682612			
13mm	681513	681613	682513	682613	682713		
14mm	681514	681614	682514	682614	682714		
15mm	681515	681615	682515	682615	682715		
16mm	681516	681616	682516	682616	682716		
17mm	681517	681617	682517	682617	682717		
18mm	681518	681618	682518	682618	682718		
19mm	681519	681619	682519	682619	682719	683519	683619
20mm			682520	682620			
21mm			682521	682621	682721	683521	683621
22mm			682522	682622	682722	683522	683622
23mm			682523	682623		683523	683623
24mm			682524	682624		683524	683624
25mm			682525	682625			
26mm			682526	682626		683526	683626
27mm			682527	682627		683527	683627
28mm			682528	682628			
29mm			682529	682629		683529	683629
30mm			682530	682630		683530	683630
32mm			682532	682632		683532	683632
33mm			682533	682633		683533	683633
34mm			682534	682634			
35mm			682535	682635		683535	683635
36mm			682536	682636		683536	683636
38mm						683538	683638
41mm						683541	683641
46mm						683546	683646
50mm						683550	683650

Impact Sockets

HEX & TORX® BITS OPEN STOCK

- Made with premium quality SNCM8660 tool steel for 20% greater torsional resistance than Chrome Molybdenum bits

Drive	1/2"	3/4"
Hex Bits	3" Length Hex Bit	3-1/2" Length Hex Bit
1/4"	687211	
5/16"	687212	
3/8"	687213	
7/16"	687214	
1/2"	687215	
9/16"	687216	
5/8"	687217	687320
3/4"	687219	687324
7/8"		687328
1"		687332
1-1/4"		687340
6mm	687261	
7mm	687262	
8mm	687263	
10mm	687265	
12mm	687267	
14mm	687269	
17mm	687272	687367
19mm	687274	687369
22mm		687372
24mm		687374
27mm		687377

Drive	3/8"	1/2"	1/2"
Torx® Bits	External Torx® Socket	External Torx® Socket	3" Length Torx® Bit
E5	688055		
E6	688056		
E7	688057		
E8	688058		
E10	688060	688110	
E11		688111	
E12	688062	688112	
E14	688064	688114	
E16	688066	688116	
E18		688118	
E20		688120	
E22		688122	
E24		688124	
T25			687821
T27			687822
T30			687823
T40			687825
T45			687826
T50			687827
T55			687828
T60			687829
T70			687831
T80			687833

Torx® is a registered trademark of Camcar Division of Textron Inc.

It has been said that you can never
have enough wrenches in your tool box...



Wrenches.

- FLARE NUT / CROWFOOT
- ADJUSTABLE WRENCHES
- RATCHETING WRENCHES
- COMBINATION WRENCHES
- STUBBY WRENCHES

Wrenches



719111

719121

FLARE NUT WRENCHES

- Flare nut wrenches are used on fasteners found on tubing ends or hoses, such as brake lines, hydraulic fittings, plumbing, etc
- Slot opening easily slides over tubing or hose to reach hex nuts at ends
- 6 point design allows for maximum contact on fastener for evenly distributed torque
- Reduces fastener damage

6

Flare Nut Wrench Sets

PROD. NO.	MOD. NO.	Type	Pieces (total)	Size	Holder
719001	FN-3	S.A.E.	3	3/8" x 7/16" 1/2" x 9/16" 5/8" x 11/16"	Plastic Pouch
719006	FN-3M	Metric	3	10 x 11 12 x 13 15 x 17	Plastic Pouch

Flare Nut Wrenches - Open Stock

PROD. NO.	Type	Size
719002	S.A.E.	3/8" x 7/16"
719003	S.A.E.	1/2" x 9/16"
719004	S.A.E.	5/8" x 11/16"
719007	Metric	10 x 11
719008	Metric	12 x 13
719009	Metric	15 x 17

CROWFOOT WRENCHES

Sets With Rail

- Used in restricted access spaces where a flare nut wrench cannot reach
- Slot opening easily slides over tubing or hose to reach hex nuts at ends
- Fully polished

PROD. NO.	MOD. NO.	Pieces	Drive	Size	Holder
719111	FNC-8	8	3/8"	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8"	Socket Rail
719121	FNC-10M	10	3/8"	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	Socket Rail

ADJUSTABLE WRENCHES

Professional Heavy Duty

- Ergonomic handle increases comfort, gripping power and reduces user fatigue
- Precision ground jaws grip fasteners better, reducing rounding
- Thin jaw design provides better access to confined spaces
- S.A.E. and Metric scales for quick and accurate adjustments
- All components made of finest quality Chrome Vanadium steel
- Meets Federal specification CDA 39-GP-13A, U.S. GGG-W-631B, and A.N.S.I. B107-8M

PROD. NO.	MOD. NO.	Length	Opening	Material
711132	AWP-6	6"	7/8"	CrV
711133	AWP-8	8"	1"	CrV
711134	AWP-10	10"	1-3/16"	CrV
711135	AWP-12	12"	1-3/8"	CrV
711136	AWP-15	15"	1-15/16"	CrV
711137	AWP-18	18"	2-3/8"	CrV
711139	AWP-24	24"	2-1/2"	CrV

Professional Standard Duty

- All components made of quality Chrome Vanadium steel
- Superb quality at a great price
- Traditional handle design

PROD. NO.	MOD. NO.	Length	Opening	Material
711112	AW-6	6"	3/4"	CrV
711113	AW-8	8"	1"	CrV
711114	AW-10	10"	1-1/4"	CrV
711115	AW-12	12"	1-1/2"	CrV
711116	AW-15	15"	1-7/8"	Alloy
711117	AW-18	18"	2-1/8"	Alloy
711118	AW-24	24"	2-1/2"	Alloy

CrV

CrV

Wrenches

Convenient scales



Wrenches



700308



700312



700164



700361



700321



700322

COMBINATION RATCHETING WRENCHES

- Patented Torque-Drive® 12 point box ends provide excellent non-slip grip even on rounded fasteners
- 72 tooth ratchet mechanism exceeds the A.N.S.I. torque ratings for a fixed wrench by more than 30%
- Superior grade 6140 Chrome Vanadium steel
- Flat style allows maximum access to confined areas – just flip wrench over to reverse
- Fully polished surface resists corrosion
- Complete with plastic carrying rack
- Wrench size stamped on head for easy identification

Non-Reversing



S.A.E Wrench Sets - Non-Reversing

PROD. NO.	MOD. NO.	Pieces (total)	Size
700308	RCWS-8S	8	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
700312	RCWS-13S	13	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"



Metric Wrench Sets - Non-Reversing

PROD. NO.	MOD. NO.	Pieces (total)	Size
700164	RCWS-7M	7	8, 10, 12, 13, 14, 15, 18mm
700361	RCWS-12M	12	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Reversing



S.A.E. Wrench Sets - Reversing

- Same great features as flat style, but with reversing lever
- Allows 15° offset for clearance
- Low profile lever does not add height to the box end, maintaining clearance
- Rated at 1.2 x A.N.S.I. torque values

PROD. NO.	MOD. NO.	Pieces (total)	Size
700321	RCWS-8SR	8	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
700322	RCWS-13SR	13	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

COMBINATION RATCHETING WRENCHES



Metric Wrench Sets - Reversing

PROD. NO.	MOD. NO.	Pieces (total)	Size
700371	RCWS-7MR	7	8, 10, 12, 13, 14, 15, 18mm
700372	RCWS-12MR	12	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

S.A.E. Open Stock Non-Reversing

PROD. NO.	Size
701101	1/4"
701102	5/16"
701103	3/8"
701104	7/16"
701105	1/2"
701106	9/16"
701107	5/8"
701108	11/16"
701109	3/4"
701110	13/16"
701111	7/8"
701112	15/16"
701113	1"

S.A.E. Open Stock Reversing

PROD. NO.	Size
701121	1/4"
701122	5/16"
701123	3/8"
701124	7/16"
701125	1/2"
701126	9/16"
701127	5/8"
701128	11/16"
701129	3/4"
701130	13/16"
701131	7/8"
701132	15/16"
701133	1"

Metric Open Stock Non-Reversing

PROD. NO.	Size
701153	8mm
701154	9mm
701155	10mm
701156	11mm
701157	12mm
701158	13mm
701159	14mm
701160	15mm
701161	16mm
701162	17mm
701163	18mm
701164	19mm

Metric Open Stock Reversing

PROD. NO.	Size
701173	8mm
701174	9mm
701175	10mm
701176	11mm
701177	12mm
701178	13mm
701179	14mm
701180	15mm
701181	16mm
701182	17mm
701183	18mm
701184	19mm

Wrenches





700371



700372

JET Ratcheting Wrench **Other Leading Brand**




JET's deeper broached teeth allow greater torque loads and ensure positive tooth engagement



Wrenches



700134



700132



700182



700185

COMBINATION WRENCHES FULLY POLISHED

- Patented Torque-Drive® 12 point box ends provide excellent non-slip grip even on rounded fasteners
- Extra long pattern design allows greater torque and improved access to hard to reach areas
- Super strong S.A.E. 6140 Chrome Vanadium steel for strength and durability
- 15° offset – optimal for most applications
- Fully polished mirror finish
- Extra slim design allows access to the most confined spaces
- All wrenches meet ASME B107.6 and ASME B107.9M A.N.S.I. specifications



S.A.E. Wrench Sets

PROD. NO.	MOD. NO.	Pieces (total)	Size
700132	LCWS-11S	11	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8", Plastic Rack
700134	LCWS-14S	14	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4" Terylene Pouch



Metric Wrench Sets

PROD. NO.	MOD. NO.	Pieces (total)	Size
700182	LCWS-11M	11	8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19mm Plastic Rack
700185	LCWS-16M	16	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Terylene Pouch

COMBINATION WRENCHES

FULLY POLISHED

CrV

CrV

S.A.E. Wrenches Open Stock

PROD. NO.	Size
700621	1/4"
700622	5/16"
700623	3/8"
700624	7/16"
700625	1/2"
700626	9/16"
700627	5/8"
700628	11/16"
700629	3/4"
700630	13/16"
700631	7/8"
700632	15/16"
700633	1"
700634	1-1/16"
700635	1-1/8"
700637	1-1/4"

Metric Wrenches Open Stock

PROD. NO.	Size
700672	7mm
700673	8mm
700674	9mm
700675	10mm
700676	11mm
700677	12mm
700678	13mm
700679	14mm
700680	15mm
700681	16mm
700682	17mm
700683	18mm
700684	19mm
700685	20mm
700686	21mm
700687	22mm
700688	23mm
700689	24mm

Wrenches



Wrenches

COMBINATION WRENCHES STUBBY POLISHED

- Extra short pattern style allows you to access confined areas
- Fully polished for clean professional look and feel
- 12 Point Torque-Drive® box end applies force to sides of fasteners, reducing corner rounding and allowing 20% more torque
- 15° offset is optimal for most applications
- Heavy duty drop forged S.A.E. 6140 Chrome Vanadium steel made for professionals
- Meets ASME B107.6 and ASME B107.9M A.N.S.I. Standards

CrV

S.A.E. Wrench Sets

PROD. NO.	MOD. NO.	Pieces (total)	Size
700141	SCWS-7S	7	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" Plastic Rack

CrV

Metric Wrench Sets

PROD. NO.	MOD. NO.	Pieces (total)	Size
700191	SCWS-7M	7	10, 12, 13, 15, 17, 18, 19mm Plastic rack



CrV

CrV

S.A.E. Wrenches Open Stock

PROD. NO.	Size
700703	3/8"
700704	7/16"
700705	1/2"
700706	9/16"
700707	5/8"
700708	11/16"
700709	3/4"

Metric Wrenches Open Stock

PROD. NO.	Size
700755	10mm
700757	12mm
700758	13mm
700760	15mm
700762	17mm
700763	18mm
700764	19mm



700141



700191



COMBINATION

WRENCHES RAISED PANEL

Wrenches



S.A.E. / Metric Wrench Set

PROD. NO.	MOD. NO.	Pieces (Total)	Size
700201	CWS-32SM	32	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4" 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

Blow mould case



Wrenches

TORQUE DRIVE®

700110



700115



700121



700177

**COMBINATION WRENCHES
RAISED PANEL**

- JET raised panel combination wrenches are made with industrial quality S.A.E. 6140 Chrome Vanadium steel (up to 1-1/4" / 32 mm sizes)
- 1-5/16" – 2-1/2" made with special S45C alloy steel
- All wrenches feature Torque-Drive® box ends for increased torque
- Wrench size stamped on head for easy identification
- Sets are supplied with industrial strength terylene pouches
- All sets meet ASME B107.6 and ASME B107.9M A.N.S.I. specifications

**S.A.E. Wrench Sets**

PROD. NO.	MOD. NO.	Pieces (Total)	Size
700110	CWS-6S	6	3/8, 7/16, 1/2, 9/16, 5/8, 3/4" Terylene Pouch
700115	CWS-11S	11	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1" Terylene Pouch
700121	CWS-16S	16	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4" Terylene Pouch


**Metric Wrench Sets**

PROD. NO.	MOD. NO.	Pieces (Total)	Size
700167	CWS-11M	11	8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19mm Terylene Pouch
700173	CWS-16M	16	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm, Terylene Pouch
700177	CWS-22M	22	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 30, 32mm, Terylene Pouch

**S.A.E. Jumbo Wrench Sets**

- S45C Alloy Steel
- *Not available with Torque-Drive®*

PROD. NO.	MOD. NO.	Pieces (Total)	Size
700125	JCW-6	6	1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"
700128	JCW-10-2	10	1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2"



700128

COMBINATION WRENCHES RAISED PANEL



S.A.E. Wrenches Open Stock

- SAE 6140 CrV steel

PROD. NO.	Size
700501	1/4"
700502	5/16"
700503	3/8"
700504	7/16"
700505	1/2"
700506	9/16"
700507	5/8"
700508	11/16"
700509	3/4"
700510	13/16"
700511	7/8"
700512	15/16"
700513	1"
700514	1-1/16"
700515	1-1/8"
700517	1-1/4"

S.A.E. Jumbo Wrenches Open Stock

- S45C Alloy steel

PROD. NO.	Size
700518	1-5/16"
700519	1-3/8"
700520	1-7/16"
700521	1-1/2"
700523	1-5/8"
700524	1-11/16"
700525	1-3/4"
700526	1-13/16"
700527	1-7/8"
700529	2"
700531	2-1/8"
700533	2-1/4"
700535	2-3/8"
700537	2-1/2"




Metric Wrenches Open Stock

- SAE 6140 CrV steel

PROD. NO.	Size
700552	7mm
700553	8mm
700554	9mm
700555	10mm
700556	11mm
700557	12mm
700558	13mm
700559	14mm
700560	15mm
700561	16mm
700562	17mm
700563	18mm
700564	19mm
700565	20mm
700566	21mm
700567	22mm
700568	23mm
700569	24mm
700571	26mm
700572	27mm
700575	30mm
700577	32mm

Size stamped on both sides
for a quick identification
(up to 1-1/4" / 32mm)



700563

Wrenches



Wrenches

STRIKING WRENCHES

CrV



S.A.E. - Offset Style

- Drop forged Chrome Vanadium steel
- Heat treated for maximum strength
- Offset design allows clearance over work
- 12 point design for decreased swing room
- Special chamfering keeps wrench on fastener
- Protective coating minimizes corrosion
- Meets US Government standard GGG-W-636E and A.N.S.I. B107.6-1994
- 35 hex sizes from 1 – 3-1/8"



715216

715201



Special chamfering keeps wrench on fastener

PROD. NO.	Size	Head Width (A)	Head Thickness (B)	Overall Length (C)
715201	1"	1-25/32"	25/32"	10-5/8"
715202	1-1/16"	1-25/32"	25/32"	10-5/8"
715203	1-1/8"	1-15/16"	7/8"	11"
715204	1-3/16"	1-15/16"	7/8"	11"
715205	1-1/4"	2-3/32"	29/32"	11-7/16"
715206	1-5/16"	2-3/32"	29/32"	11-7/16"
715207	1-3/8"	2-7/16"	31/32"	11-13/16"
715208	1-7/16"	2-7/16"	31/32"	11-13/16"
715209	1-1/2"	2-5/8"	1-1/32"	12-5/8"
715210	1-9/16"	2-5/8"	1-1/32"	12-5/8"
715211	1-5/8"	2-5/8"	1-1/32"	12-5/8"
715212	1-11/16"	2-5/8"	1-1/32"	12-5/8"
715213	1-3/4"	2-7/8"	1-1/16"	13-3/8"
715214	1-13/16"	2-7/8"	1/1/16"	13-3/8"
715215	1-7/8"	2-7/8"	1-1/16"	13-3/8"
715216	1-15/16"	3-1/16"	1-1/4"	13-3/4"
715217	2"	3-1/16"	1-1/4"	13-3/4"
715218	2-1/16"	3-5/16"	1-5/16"	4-3/16"
715219	2-1/8"	3-5/16"	1-5/16"	14-3/16"
715220	2-3/16"	3-5/16"	1-5/16"	14-3/16"
715221	2-1/4"	3-17/32"	1-3/8"	14-3/4"
715222	2-5/16"	3-17/32"	1-3/8"	14-3/4"
715223	2-3/8"	3-17/32"	1-3/8"	14-3/4"
715224	2-7/16"	3-17/32"	1-3/8"	14-3/4"
715225	2-1/2"	3-25/32"	1-1/2"	15-3/8"
715226	2-9/16"	3-25/32"	1-1/2"	15-3/8"
715227	2-5/8"	3-25/32"	1-1/2"	15-3/8"
715228	2-11/16"	4-1/8"	1-5/8"	15-3/4"
715229	2-3/4"	4-1/8"	1-5/8"	15-3/4"
715230	2-13/16"	4-1/8"	1-5/8"	15-3/4"
715231	2-7/8"	4-11/32"	1-11/16"	16-9/16"
715232	2-15/16"	4-11/32"	1-11/16"	16-9/16"
715233	3"	4-11/32"	1-11/16"	16-9/16"
715234	3-1/16"	4-21/32"	1-25/32"	17-5/16"
715235	3-1/8"	4-21/32"	1-25/32"	17-5/16"


STRUCTURAL WRENCHES

- Drop forged Chrome Vanadium steel
- Heat treated for maximum strength
- Offset design allows clearance over work
- Round stock allows use as aligning bar
- Protective coating minimizes corrosion
- Meets US government standard GGG-W-636E

CrV

S.A.E. - Offset Style

PROD. NO.	Size	Head Width (A)	Head Thickness (B)	Overall Length (C)
719151	3/4"	1-3/4"	13/32"	13-1/8"
719153	7/8"	2-9/32"	7/16"	13-3/4"
719154	15/16"	2-9/32"	7/16"	14-5/8"
719155	1"	2-9/32"	7/16"	14-5/8"
719156	1-1/16"	2-9/32"	7/16"	14-5/8"
719157	1-1/8"	2-1/2"	19/32"	14-5/8"
719159	1-1/4"	2-1/2"	19/32"	15-3/4"
719160	1-5/16"	2-1/2"	19/32"	15-3/4"
719162	1-7/16"	3-1/16"	23/32"	16-7/8"
719163	1-1/2"	3-1/16"	23/32"	18-1/2"
719165	1-5/8"	3-5/8"	23/32"	18-1/2"



Wrenches



719151

Wrenches

ADJUSTABLE SPANNER
WRENCHES

- Black oxide finish resists corrosion
- Adjustable wrenches fit a wide variety of sizes
- Slotted or pin style wrenches
- For use on collars, locknut rings and bearings



710904

Hook Style

PROD. NO.	MOD. NO.	Length	Capacity	Type
710902	JHSW-102	6-1/2"	3/4 - 2"	Hook
710903	JHSW-103	8"	1-1/4 - 3"	Hook
710904	JHSW-104	11-1/2"	2 - 4-3/4"	Hook



710914

Pin Style

PROD. NO.	MOD. NO.	Length	Capacity	Pin Size	Type
710912	JPSW-102	6-1/2"	3/4 - 2"	1/8"	Pin
710913	JPSW-103	8"	1-1/4 - 3"	3/16"	Pin
710914	JPSW-104	11-1/2"	2 - 4-3/4"	1/4"	Pin



All of our hex keys are built and hardened for professional use.

Hex Key Wrenches.

- FOLDING
- SHORT AND LONG ARM
- BALLNOSE
- HEX AND TORX
- JUMBO STYLE
- L-HANDLE

Hex Key Wrenches



775144



775146



775153



775156



775192



775112



775114



775191

HEX KEY WRENCHES FOLDING SETS



Folding Hex and Torx® Key Sets

- Fully hardened steel case with ergonomic bi-material grip for added comfort and sure grip
- Heat treated Chrome Vanadium steel keys

PROD. NO.	MOD. NO.	Pieces	Sizes
775144	JFHK-9	9	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
775146	JFHK-7L	7	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
775153	JFHK-7M	7	1.5, 2, 2.5, 3, 4, 5, 6mm
775156	JFHK-7ML	7	3, 4, 5, 5.5, 6, 8, 10mm
775192	JFTK-8	8	T8, T10, T15, T20, T25, T27, T30, T40

HEX KEY WRENCHES SETS



Short Arm Hex and Torx® Key Sets

- Precision chamfering for ease of insertion
- Industrial heat treated Chrome Vanadium steel
- Convenient carrying case keeps hex keys organized

PROD. NO.	MOD. NO.	Pieces	Sizes
775112	JHK-13	13	0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
775114	JHK-9M	9	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10mm
775191	JTK-9TP	9	T10, T15, T20, T25, T27, T30, T40, T45, T50

Torx® is a registered trademark of Camcar Division of Textron Inc.

HEX KEY WRENCHES SETS



Long Arm Ball Nose Sets

- Long arm series allows access into tough spots and more torque on the fastener
- Ball nose design allows engagement of fastener at up to 25° angle
- Precision chamfering for ease of insertion
- Industrial heat treated Chrome Vanadium steel
- Convenient carrying case keeps hex keys organized
- **775164** set combines 13 pc S.A.E. and 9 pc Metric with a convenient centre post that converts to a comfortable T or L-handle
- All items meet A.N.S.I. standards for hardness and torque

PROD. NO.	MOD. NO.	Pieces	Sizes
775164	JBHK-22SM	22	0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8", 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
775173	JBHK-10	10	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
775184	JBHK-9M	9	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm



Extra Long Ball Nose Sets

- Extra long – up to 30% longer than conventional hex keys. Improves reach and provides more torque
- Hex end for extra torque – use for initial loosening and final tightening
- Ball nose allows angle entry – perfect for blind applications
- Super bright finish for excellent rust resistance
- S2 alloy steel hardened to HRC58-62 allows 50% more torque than CrV keys
- Improved folding case for easier access to smaller sizes
- Exceeds A.N.S.I. standards for hardness and torque

PROD. NO.	MOD. NO.	Pieces	Sizes
775175	JBHK-9XL	9	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8"
775185	JBHK-9XLM	9	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Hex Key Wrenches

Centre post converts to a T or L-handle



775164



775173



775184



775175



775185

Hex Key Wrenches



775186



774619

774668

774699



775108

HEX KEY WRENCHES
SETSJET
EXCLUSIVE

S2



Jumbo Extra Long Ball Nose Sets

- Same great features our Extra Long Ball Nose series but with larger sizes for all heavy duty applications
- Complete with handy organizer

PROD. NO.	MOD. NO.	Pieces	Sizes
775176	JBHK-17XL	17	0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8, 3/4"
775186	JBHK-17LM	17	1.3, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0, 10, 12, 14, 17, 19mm



S2



L-Handle Style Hex and Torx® Key Sets

- Hard composite material combined with soft rubber form a unique ergonomic handle for optimal grip and unsurpassed comfort
- Handles are moulded around keys ensuring maximum strength and preventing keys and handles from separating
- S2 alloy steel hardened to HRC58-62 allows 50% more torque than CrV keys
- Super long keys for maximum reach – our longest hex keys
- Ball nose allows angle entry – perfect for blind applications (hex keys only)
- Hex end for extra torque – use for initial loosening and final tightening
- Super bright finish for excellent rust resistance
- Exceeds A.N.S.I. standards for hardness and torque
- Complete with blow mould case

PROD. NO.	MOD. NO.	Pieces	Sizes
775104	JTHK-9	9	5/64, 3/32, 1/8, 5/32, 3/16, 7/32 1/4, 5/16, 3/8"
775106	JTHK-9M	9	2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 8.0, 10.0mm
775108	JTTK-9	9	T10, T15, T20, T25, T27, T30, T40, T45, T50

**Short/Long Arm Combination S.A.E./Metric Set**

- Keys made of heat treated Chrome Vanadium steel
- Quality set at an economical price
- Complete with blow mould carrying case
- S.A.E. keys are long arm, Metric keys are short arm

PROD. NO.	MOD. NO.	Pieces	Sizes
775165	JHK-25SM	25	Long Arm: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32 3/16, 7/32, 1/4, 5/16, 3/8" Short Arm: 1.5, 2.0, 2.5, 3.0, 4.0, 4.5mm 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm



Hex Key Wrenches

TORX® WRENCHES
OPEN STOCK

Set #	775108
Torx®	S2 L-Handle
T10	774691
T15	774692
T20	774693
T25	774694
T27	774695
T30	774696
T40	774697
T45	774698
T50	774699

HEX KEY WRENCHES
OPEN STOCK

Set #	775165	775164 775173	775175 775176	775104
S.A.E.	Long Arm	CrV Long Ball Nose	S2 Extra Long Ball Nose	S2 L-Handle
0.05"		774905	775005	
1/16"	774806	774906	775006	
5/64"	774807	774907	775007	774607
3/32"	774808	774908	775008	774608
7/64"	774809	774909	775009	
1/8"	774810	774910	775010	774610
9/64"	774811	774911	775011	
5/32"	774812	774912	775012	774612
3/16"	774813	774913	775013	774613
7/32"	774814	774914	775014	774614
1/4"	774815	774915	775015	774615
5/16"	774817	774917	775017	774617
3/8"	774819	774919	775019	774619
1/2"			775021	
9/16"			775022	
5/8"			775023	
3/4"			775025	

Set #	775165	775164 775184	775185 775186	775106
Metric	Short Arm	CrV Long Ball Nose	S2 Extra Long Ball Nose	S2 L-Handle
1.3mm			775054	
1.5mm	774756	774956	775056	
2.0mm	774757	774957	775057	774657
2.5mm	774758	774958	775058	774658
3.0mm	774759	774959	775059	774659
3.5mm			775060	
4.0mm	774760	774960	775061	774660
4.5mm	774761			
5.0mm	774762	774962	775063	774662
5.5mm	774763		775064	774663
6.0mm	774764	774964	775065	774664
7.0mm	774765		775067	
8.0mm	774766	774966	775069	774666
9.0mm	774767			
10.0mm	774768	774968	775073	774668
12.0mm			775075	
14.0mm			775077	
17.0mm			775080	
19.0mm			775082	

Torx® is a registered trademark of Camcar Division of Textron Inc.



JET carries one of Canada's widest ranges of professional torque wrenches and multipliers

Torque Wrenches.

- STANDARD
- PROFESSIONAL
- PREMIUM
- DIGITAL
- MULTIPLIERS

Torque Wrenches

TORQUE WRENCHES



JTW Series - Standard Duty

- 24 tooth Chrome Vanadium ratchet gear (Chrome Molybdenum on 3/4" model)
- Reversible ratchet
- Dual ft/lbs and Nm scales
- Patented lock ring
- Comfortable ergonomic handle grip
- Complete with protective blow mould case
- Perceptible jolt and audible click to indicate desired setting has been reached
- All models are factory calibrated to +/-4% with certificate and meet ISO 6789 - 1992, ASME B107.14 - 1994, BSEN 26789-1994 and U.S. Government Federal Specifications GGG-W-00686C

PROD. NO.	MOD. NO.	Drive	Torque Range	Length
718902	JTW-1425	1/4"	40-250 in/lbs (6-30Nm)	13-3/4"
718908	JTW-3880	3/8"	15-80 ft/lbs (19-110Nm)	15-1/4"
718911	JTW-12150	1/2"	30-150 ft/lbs (40-210Nm)	21"
718912	JTW-12250	1/2"	50-250 ft/lbs (70-350Nm)	25-1/2"
718917	JTW-34300	3/4"	100-300 ft/lbs (67-406Nm)	34"
718918	JTW-34600	3/4"	100-600 ft/lbs (140-700Nm)	43"
718922	JTW-10700	1"	135-700 ft/lbs (135-949Nm)	48"

JMTW Slim Head Series - Heavy Duty

- Easy to use micrometer adjustment with locking nut or button
- Reversible ratchet
- Perceptible jolt and audible click to indicate desired setting has been reached
- JMTW-3800 and JMTW-5250 feature clearly visible analogue scale with exclusive bubble magnifier
- Patented lock button in the handle
- May be used on left and right hand threads simply by pushing the drive plug through the wrench (not available on JMTW-7500)
- Built tough for demanding professionals
- Factory calibrated to +/-4%
- Meets US Government Federal specification GGG-W-00686C

PROD. NO.	MOD. NO.	Drive	Torque Range	Length
718906	JMTW-3800	3/8"	10-80 ft/lbs (10-100Nm)	16"
719069	JMTW-5250	1/2"	30-250 ft/lbs (30-340Nm)	24"
718916	JMTW-7500	3/4"	100-600 ft/lbs	42"



Comfortable ergonomic grip

Patented lock ring




718912



719069

Drive thru plug allows quick left and right hand thread changes



Bubble magnifier analogue scale

JET offers certified re-calibration service on torque wrenches

TORQUE WRENCHES



JMTW-HD Series - Heavy Duty

- Extra heavy duty Chrome Vanadium ratchet gear
- Reversible ratchet
- Magnified scale window with dual ft/lbs and Nm scales
- Patented lock ring is easy to turn even at high torque settings
- Large, comfortable ergonomic handle grip
- Complete with protective blow mould case
- Perceptible jolt and audible click to indicate desired setting has been reached
- Tension spring made in Germany for precise repeatability and long service life
- All models are factory calibrated to +/-4% with certificate and meet ISO 6789 - 1992, ASME B107.14 - 1994, BSEN 26789-1994 and U.S. Government Federal Specifications GGG-W-00686C

PROD. NO.	MOD. NO.	Drive	Torque Range	Length
718903	JMTW-1425	1/4"	50-250 in/lbs	12"
718909	JMTW-3875	3/8"	15-75 ft/lbs	16-1/2"
718913	JMTW-12150	1/2"	30-150 ft/lbs	21"
718914	JMTW-12230	1/2"	50-230 ft/lbs	25-1/2"

Replacement repair kits listed in the back of the catalogue



Comfortable triangular grip handle



Torque Wrenches



718903



718914

JET offers certified re-calibration service on torque wrenches

Torque Wrenches

TORQUE WRENCHES




718936

JPTW Series - Heavy Duty

- Measures torque in both directions with just a flip of the direction lever – no need to push anvil through wrench
- Reversible ratchet
- 32 tooth configuration requires just 11.5° swing room
- Pull-down locking ring above handle grip securely holds set torque value
- Quick release ratchet holds sockets on until released
- Permanently etched scale will not fade or wear off
- Rubber over-moulded handle for safe, secure grip
- Reinforced pawl blocks for maximum strength
- Accurate to 4% CW, 6% CCW
- All models are factory calibrated with certificate and meet ISO 6789 - 1992, ASME B107.14 - 1994, BSEN 26789-1994 and U.S. Government Federal Specifications GGG-W-00686C

PROD. NO.	MOD. NO.	Drive	Torque Range	Length	Number of Teeth
718933	JPTW-38100	3/8"	20 - 100 ft/lbs	18-1/2"	32
718935	JPTW-12150	1/2"	30 - 150 ft/lbs	20-3/4"	32
718936	JPTW-12250	1/2"	50 - 250 ft/lbs	22"	32



Convenient pull-down locking ring



Torque Screwdriver

- 1/4" drive screwdriver can be used with 1/4" hex bits or 1/4" drive sockets
- 10 – 50 in/lbs torque range
- Complete with assortment of 20 popular bits
- Comes in handy blow mould case

PROD. NO.	MOD. NO.	Drive	Torque Range	Length
718991	JTSD-1450K	1/4"	10 - 50 in/lbs	6"



JET offers certified re-calibration service on torque wrenches

Digital Torque Wrenches



new

tools redefined.

- Digital readout signals torque audibly and visually
- 12 multi coloured lights with beeper signal torque even when display cannot be read
- Measures torque in both directions
- Accurate to +/-2% CW, +/-3% CCW from 20% - 100% of scale
- Quickly converts between in/lbs, ft/lbs, cm/kg, and Nm scales
- Stores up to 9 torque values for quick access to commonly used settings
- Display tracks torque as it is applied or can be set to display peak torque
- Records up to 50 Peak Hold values for accurate record keeping
- Large handle features soft touch TPR grip for user comfort
- Industrial quality 36 tooth sealed ratchet head
- Simple intuitive menu
- Meets ISO 6789 - 1992 and ASME B107.14 - 1994 standards
- Blow mould case

PROD. NO.	MOD. NO.	Drive	Torque Range	Length	Pieces	Number of Teeth
718941	JDTW-14250	1/4"	13.3 - 265.5 in/lbs 1.5 - 30Nm	15-11/32"	1	36
718943	JDTW-38100	3/8"	5 - 99.5 ft/lbs 6.8 - 135Nm	16-5/16"	1	36
718945	JDTW-12150	1/2"	7.4 - 147.5 ft/lbs 10 - 200Nm	20-7/8"	1	36
718946	JDTW-12250	1/2"	12.5 - 250.5 ft/lbs 17 - 340Nm	25-1/2"	1	36

LED lights signal torque

718946

JET offers certified re-calibration service on torque wrenches

www.jetequipment.com



Torque Wrenches



Reaction base and 90° reaction bar



719071

**TORQUE MULTIPLIERS**
HEAVY DUTY

- Used to multiply applied force for setting and removing high torque fasteners
- Planetary gear system multiplies input force many times
- Torque multipliers lower physical effort, resulting in smooth, steady application of torque and increased accuracy
- Permits application of high torque without use of a long lever
- Can be driven with a torque wrench
- Kit includes straight and 90° reaction bars with reaction base (base not included in 719071 kit)
- 90° bar and base rests against truck wheel rims when used to torque lug nuts
- 1/2" drive models available with 3.3:1, 6.5:1, 9:1 and 12:1 torque ratios
- Higher ratios require lower input forces, reducing operator effort
- All models include breakaway input adaptor to protect wrench from overload

**JTM Series Kits**

PROD. NO.	MOD. NO.	Input Drive	Output Drive	Gear Ratio	Torque Ratio	Max. Input	Max. Output
719071	JTM-50750	1/2"	3/4"	4:1	3.3:1	227 ft/lbs	750 ft/lbs
719072	JTM-51100	1/2"	3/4"	9:1	6.5:1	170 ft/lbs	1100 ft/lbs
719073	JTM-51500	1/2"	1"	12.25:1	9:1	167 ft/lbs	1500 ft/lbs
719074	JTM-51850	1/2"	1"	16:1	12:1	154 ft/lbs	1850 ft/lbs
719075	JTM-71850	3/4"	1"	4:1	3.3:1	560 ft/lbs	1850 ft/lbs

WARNING: Do not use impact tools with torque multipliers. Serious damage or injury could occur.

Piping Tools.

- PIPE WRENCHES
- TUBING CUTTERS
- PIPE CUTTERS
- DEBURRING TOOLS
- RATCHETING CUTTERS
- TUBING BENDERS
- FLARING TOOLS
- BASIN WRENCH

As always, JET has paid special attention to the finest details...



Piping Tools

Machine ground, induction hardened hook and heel jaws on all models of JET pipe wrenches

Extra heavy duty head casting provides up to 20% greater strength

PIPE WRENCHES

CrMo

Steel - Heavy Duty

- Heavy duty cast steel handles for professional use
- Chrome Molybdenum hook and heel jaws for long life and maximum grip
- Jaws hardened to HRC 52 – 58
- Powder-coated for maximum resistance to corrosion
- Heel jaws attached using roll pins for easy replacement
- Meets A.N.S.I. standards
- Extra Heavy Duty cast head design is 20% stronger than competitive brands

PROD. NO.	MOD. NO.	Length	Jaw Capacity
710122	PW-8	8"	1-3/16"
710123	PW-10	10"	1-13/16"
710124	PW-12	12"	2-7/16"
710125	PW-14	14"	2-7/16"
710127	PW-18	18"	2-7/8"
710130	PW-24	24"	3-3/16"
710136	PW-36	36"	5-1/4"

CrMo

Aluminum - Heavy Duty

- Heavy duty lightweight aluminum handles for professional use
- Chrome Molybdenum hook and heel jaws for long life and maximum grip
- Jaws hardened to HRC 52 – 58
- Powder-coated for maximum resistance to corrosion
- Heel jaws attached using roll pins for easy replacement
- Meets A.N.S.I. standards
- Extra Heavy Duty cast head design is 20% stronger than competitive brands

PROD. NO.	MOD. NO.	Length	Jaw Capacity
710225	PWA-14	14"	2-7/16"
710227	PWA-18	18"	2-7/8"
710230	PWA-24	24"	3-3/16"
710236	PWA-36	36"	5-1/4"
710239	PWA-48	48"	6"

Replacement repair kits listed in the back of the catalogue

www.jetequipment.com

710125



710124



710230

TUBING CUTTERS

1-1/8" "Mini" Tubing Cutter

739109 / JMT-C-30

- Compact overall size for use where space is restricted
- Cuts copper, brass, aluminum and thin wall steel conduit
- Cuts from 1/8 up to 1-1/8" tubing (3 – 30 mm)
- Hardened steel cutting wheel for copper cutting
- Replacement cutters: **739191** copper, **739193** stainless steel

1-1/8" Screw Feed Tubing Cutter

739102 / JTC-30



- Cuts copper, brass, aluminum and thin wall steel conduit
- Cuts 1/8 – 1-1/8" (3 – 30 mm) tubing
- Grooved rollers allow cutting close to flare
- One piece sliding block for long life and accurate cuts
- Includes fold away deburring tool
- Contoured adjustment knob houses spare cutting wheel
- Hardened steel cutting wheel for copper cutting
- Replacement cutters: **739191** copper, **739193** stainless steel

Telescopic Tube Cutters

- Telescopic cutter requires no additional room to open to full capacity
- Cuts copper, brass, aluminum and thin wall steel conduit
- Grooved rollers allow cutting close to flare
- Hardened steel cutting wheel for copper cutting
- Includes spare cutting wheel for copper cutting


PROD. NO.	MOD. NO.	Capacity	Replacement Cutters
739104	JTTC-32	1/8 – 1-1/4"	739191 copper, 739193 stainless steel
739105	JTTC-42	1/8 – 1-5/8"	739192 copper, 739194 stainless steel

Piping Tools



See 2 pages over for replacement cutters

Piping Tools



Ratchet mechanism rotates head 360° inside handle, allowing pipe cutting in confined spaces



TUBING CUTTERS

2" Quick Adjustable Tubing Cutter**739107** / JQAC-50

- Spring loaded cutter wheel feed system allows slide action adjustment and quick release
- Cuts copper, brass, aluminum and thin wall steel conduit
- Cuts 1/4 – 2" (6 – 50 mm) tubing
- Grooved rollers allow cutting close to flare
- Hardened steel cutting wheel for copper cutting
- Includes fold away deburring tool
- Contoured adjustment knob houses spare cutting wheel
- Replacement cutters: **739192** copper, **739194** stainless steel

1-1/8" Ratchet Tubing Cutter**739108** / JRTC-28

- Ratchet action cutter allows cutting of tubes without having to rotate 360°
- Open end design is ideal for cutting sections of pipe in walls and other limited access areas
- Simply close cutter on tube and move back and forth until cut is made
- Cuts 5/16 – 1-1/8" (8 – 29 mm) tubing
- Replacement cutters: **739192** copper, **739194** stainless steel

PIPE CUTTER

2" Iron Pipe Cutter**739111** / JPC-50

- Heavy duty drop forged steel body for demanding applications
- Ideally suited for cutting steel and iron pipes
- Can also be used on copper, brass, and aluminum tubing and thin wall conduit
- Cuts 1/8 – 2" (3 – 50 mm) tubing
- Hardened steel cutting wheel
- Large ergonomic feed handle
- Replacement cutter: **739195**

TUBING BENDER

3-in-1 Tubing Bender**739142** / JTB-90

- Bends 1/4, 5/16, and 3/8" soft tubing
- Compact design for use in confined areas
- Aluminum construction is rust proof
- Bends tubing smoothly without kinking or crushing
- Calibrated for quick reference

See next page for replacement cutters

DEBURRING TOOLS

6" Deburring Tool

739122 / JDT-100

- Large diameter contoured plastic handle
- High speed steel blades for cutting copper, brass, aluminum and stainless steel
- Spare blade is included and housed inside handle
- Push button blade release for fast blade changes
- Suitable for left and right hand cutting
- Overall length: 6"
- Replacement cutter: **739197**

6" "Pocket Clip" Deburring Tool

739125 / JDT-500

- Sleek aluminum body with pocket clip
- High speed steel blade for cutting copper, brass, aluminum and stainless steel
- Blade is easily replaceable
- Suitable for left and right hand cutting
- Overall length: 6"
- Replacement cutter: **739197**

RATCHETING CUTTER

1-5/8" PVC Pipe Cutter

739116 / JPPC-42

- Ratcheting action for easy progressive cutting
- Unique blade profile pierces pipe and prevents crushing
- Maximum capacity: 1-5/8" (42 mm)
- Replacement blade: **739198**

FOR ALL CUTTERS

Replacement Blades and Cutters

PROD. NO.	Application	Fits
739191	copper, brass, aluminum, steel	JMTC-30, JTC-30, JTTC-32
739192	stainless steel	JTTC-42, JQAC-50, JRTC-28
739193	copper, brass, aluminum, steel	JMTC-30, JTC-30, JTTC-32
739194	stainless steel	JTTC-42, JQAC-50, JRTC-28
739195	copper, brass, aluminum, steel, iron	JPC-50
739197	copper, brass, aluminum, steel, iron	JDT-100, JDT-500
739198	copper, brass, aluminum, steel, iron	JPPC-42

Piping Tools



H.S.S. Blades



H.S.S. Blades


Unique blade profile prevents crushing of pipe

Stainless steel blade for professional use



Ratcheting mechanism for fast / progressive cutting

Piping Tools



FLARING TOOLS

Flaring Tool - Standard Duty**739132** / JFT-100

- Provides 45° flare or can be used with double flaring inserts
- Designed for use on **3/16, 1/4, 5/16, 3/8, 7/16, 1/2** and **5/8"** tubing
- Cast iron yoke
- Fully polished tubing clamp
- For soft copper, brass and aluminum tubing

Flaring Tool - Heavy Duty**739133** / JFT-200

- Provides 45° flare or can be used with double flaring inserts
- Designed for use on **3/16, 1/4, 5/16, 3/8, 7/16, 1/2** and **5/8"** tubing
- Drop forged yoke and hardened steel tubing clamp for professional applications
- Ideal for automotive, HVAC, hydraulic and other heavy duty applications
- Can be used on copper, brass aluminum and stainless steel tubing

**Double Flaring and Cutting Tool Kit****739181** / JTFC-100

- Includes JTC-30 Tubing Cutter, JFT-100 Flaring Tool and Double Flaring Inserts for **3/16, 1/4, 5/16, 3/8, 7/16, 1/2** and **5/8"** tubing
- Provides automotive type double flare or use without inserts for 45° flare
- Cuts up to 1-1/8" (30 mm) tubing
- For soft copper, brass and aluminum tubing
- Complete with blow mould storage case
- Replacement Double Flaring Dies:
3/16" - H1120A, **1/4"** - H1120B, **5/16"** - H1120C, **3/8"** - H1120D,
7/16" - H1120J, **1/2"** - H1120E, **5/8"** - H1120K

BASIN WRENCH

11" - 17" Telescopic**710921** / JBW-130

- Adjustable from 11" to 17"
- Forged alloy steel jaw automatically adjusts to nut size
- Fits nuts up to 1-1/4"



Adjustable

JET also carries a larger range of pipe and tubing tools specifically for use in the automotive aftermarket. Please consult our **Specialty Automotive tools** catalogue or visit our website at www.jetequipment.com



Looking for true comfort
and performance from your
screwdriver?

JET is your brand.



**Screwdrivers.
Screwdriver Bits.
Nut Drivers.
Mechanic's Tools.**

Screwdrivers



720505



720956



720574



720507

JUMBO HANDLE SERIES SETS

- Jumbo grip grooved handle design ensures maximum torque for tough jobs
- Made with super acetates, these handles are virtually indestructible
- Shafts made of the highest quality Chrome Vanadium steel for long life and maximum durability
- Black hardened magnetic tips eliminate chrome plating chipping off the tip (common on other brands), holds the screw the screwdriver and ensures maximum durability and life
- All items meet U.S. Specifications GGG-S-121E and Canadian Government specifications CDA39-GP-17C



6 Piece Basic Set

720505 / JHSS-6



1/4 x 4"
5/16 x 6"

#1 x 3"
#2 x 4"

#1 x 4"
#2 x 5"

Handy storage rack



6 Piece Torx® Set

720956 / JHTSS-6



T10 x 4", T15 x 4", T20 x 4", T25 x 4", T27 x 4", T30 x 4"
Terylene Pouch



13 Piece Mechanic's Set

720574 / JHMSS-13



1/4 x 1-1/2"
1/4 x 4"
5/16 x 6"
3/8 x 10"

#1 x 3"
#2 x 1-1/2"
#2 x 4"

T10 x 4"
T15 x 4"
T20 x 4"
T25 x 4"
T27 x 4"
T30 x 4"

Supplied in convenient blow mould tray



14 Piece Master Set

720507 / JHSS-14



#2 x 1-1/2"
#1 x 3"
#2 x 4"
#3 x 6"

#2 x 1-1/2"
#1 x 4"
#2 x 5"
#3 x 6"

1/4 x 1-1/2"
1/4 x 4"
5/16 x 6"
3/8 x 10"

3/16 x 3"
3/16 x 6"

Supplied in convenient blow mould tray



WARNING: Insulated handles rated for use to 220V only.
Do not use on higher voltage circuits

JUMBO HANDLE SERIES

OPEN STOCK

CrV

Slot - Square Shank

PROD. NO.	MOD. NO.	Size
720354	SDS-4S	1/4 x 4"
720356	SDS-6S	5/16 x 6"
720360	SDS-10S	3/8 x 10"
720362	SDS-12S	3/8 x 12"
720392	SDS-2SS	1/4 x 1-1/2" (Stubby)



CrV

Slot - Round Shank

PROD. NO.	MOD. NO.	Size
720363	SDS-3R	3/16 x 3"
720366	SDS-6R	3/16 x 6"



CrV

Phillips - Round Shank

PROD. NO.	MOD. NO.	Size
720371	SDP-1	#1 x 3"
720372	SDP-2	#2 x 4"
720373	SDP-3	#3 x 6"
720382	SDP-2S	#2 x 1-1/2" (Stubby)



CrV

Square - Round Shank

PROD. NO.	MOD. NO.	Size
721361	SDR-1	#1 x 4"
721362	SDR-2	#2 x 5"
721363	SDR-3	#3 x 6"
721372	SDR-2S	#2 x 1-1/2" (Stubby)



CrV

Torx® - Round Shank

PROD. NO.	MOD. NO.	Size
720911	SDT-10	T10 x 4"
720917	SDT-15	T15 x 4"
720922	SDT-20	T20 x 4"
720925	SDT-25	T25 x 4"
720929	SDT-27	T27 x 4"
720932	SDT-30	T30 x 4"



Screwdrivers



Torx® is a registered trademark of Camcar Division of Textron Inc.

Screwdrivers

TORQUE DRIVE®

720508

TORQUE DRIVE® SERIES SETS

- JET's exclusive Torque-Drive® cushion grip ergonomic handle design guarantees maximum torque and unparalleled user comfort, increasing performance and productivity
- Black hardened magnetic tips eliminate chrome plating chipping off the tip (common on other brands), holds the screw to the screwdriver and ensures maximum durability and life
- Shafts made of the highest quality Chrome Vanadium steel for long life and maximum durability
- "Go thru" design offers a one piece metal shaft from handle to tip
- All items meet U.S. Specifications GGG-S-121E and Canadian Government specifications CDA39-GP-17C

CrV

6 Piece Basic Set**720508 / TDSS-6**Slot Phillips Square 1/4 x 4"
5/16 x 6"#1 x 4"
#2 x 4"#1 x 4"
#2 x 4"**720590**Ratcheting Driver
See page 120

TORQUE DRIVE® SERIES OPEN STOCK

- JET's exclusive Torque-Drive® cushion grip ergonomic handle design guarantees maximum torque and unparalleled user comfort, increasing performance and productivity
- Black hardened magnetic tips eliminate chrome plating chipping off the tip (common on other brands), holds the screw to the screwdriver and ensures maximum durability and life
- Shafts made of the highest quality Chrome Vanadium steel for long life and maximum durability
- "Go thru" design offers a one piece metal shaft from handle to tip
- All items meet U.S. Specifications GGG-S-121E and Canadian Government specifications CDA39-GP-17C

CrV

Slot - Round Shank

PROD. NO.	MOD. NO.	Size
720404	TDS-4	1/4 X 4"
720406	TDS-6	5/16 x 6"
720444	TDS-4N	3/16 x 4"
720446	TDS-6N	3/16 x 6"



CrV

Phillips - Round Shank

PROD. NO.	MOD. NO.	Size
720421	TDS-1P	#1 x 4"
720422	TDS-2P	#2 x 4"
720423	TDS-3P	#3 x 6"



CrV

Square - Round Shank

PROD. NO.	MOD. NO.	Size
720431	TDS-1R	#1 x 4"
720432	TDS-2R	#2 x 4"
720433	TDS-3R	#3 x 6"




Screwdrivers

TORQUE DRIVE®


Screwdrivers



TORQUE DRIVE[®] PLUS



TORQUE DRIVE[®] PLUS SERIES SETS

- Exclusive handle shape and dual materials combine for exceptional grip and comfort
- Colour coded to identify screwdriver type
- Tip symbols permanently moulded into handle ends for easy identification when carried in a tool pouch
- Triple injection moulding process prevents handle/shaft separation
- Industrial grade S2 steel shafts are 20% more resistant to twisting than CrV shafts
- Satin finished for superior corrosion resistance
- Sandblasted tips to minimize cam-out
- Meets or exceeds A.N.S.I., DIN, US and Canadian Federal specifications

S2

6 Piece Torx[®] Set

720957 / TDP-6T

Torx

T10 X 4", T15 X 4", T20 X 4", T25 X 4", T27 X 4", T30 X 4"

S2

9 Piece Basic Set

720513 / JTDP-9S

Slot

Phillips

Square


3/16 x 3"
1/4 x 4"
5/16 x 6"

#1 x 3"
#2 x 4"
#3 x 6"

#1 x 4"
#2 x 5"
#3 x 6"

Industrial S2 shafts are 20% more resistant to twisting than CrV shafts

Exclusive "Torque Drive Plus" handle shape and dual materials combine to provide exceptional grip, comfort and maximum torque!



Sandblasted tips minimize cam-out

Triple injection moulding process prevents handle / shaft separation

Colour-coded to identify screwdriver type

Through-hole allows convenient hanging

Tip symbols permanently



moulded into handle

TORQUE DRIVE® PLUS SERIES SETS

S2

14 Piece Maintenance Set

720514 / JTDP-14S

Slot Phillips Square 

3/16 x 3"
3/16 x 6"
1/4 x 1-1/2"
1/4 x 4"
5/16 x 6"
3/8 x 10"

#1 x 3"
#2 x 1-1/2"
#2 x 4"
#3 x 6"

#1 x 4"
#2 x 1-1/2"
#2 x 5"
#3 x 6"

S2

20 Piece Master Set

720519 / JTDP-20S

Slot Phillips Square Torx 

3/16 x 3"
3/16 x 6"
1/4 x 1-1/2"
1/4 x 4"
5/16 x 6"
3/8 x 10"

#1 x 3"
#2 x 1-1/2"
#2 x 4"
#3 x 6"

#1 x 4"
#2 x 1-1/2"
#2 x 5"
#3 x 6"

T10 x 4"
T15 x 4"
T20 x 4"
T25 x 4"
T27 x 4"
T30 x 4"

Screwdrivers

TORQUE DRIVE® PLUS



720513
10 Pack P.O.P. Display



720514
6 Pack P.O.P. Display

Screwdrivers

TORQUE DRIVE[®] PLUS

720402



720405



720427



720428



720437



720438



720933



TORQUE DRIVE[®] PLUS SERIES OPEN STOCK

S2

Slot - Round Shank

PROD. NO.	MOD. NO.	Size	Colour Code
720402	TDPS-2S	1/4" x 1-1/2"	Yellow
720403	TDPS-3	3/16" x 3"	Yellow
720405	TDPS-4	1/4" x 4"	Yellow
720407	TDPS-6	5/16" x 6"	Yellow
720410	TDPS-10	3/8" x 10"	Yellow
720447	TDPS-6N	3/16" x 6"	Yellow



S2

Phillips - Round Shank

PROD. NO.	MOD. NO.	Size	Colour Code
720426	TDPP-1	#1 x 3"	White
720427	TDPP-2S	#2 x 1-1/2"	White
720428	TDPP-2	#2 x 4"	White
720429	TDPP-3	#3 x 6"	White



S2

Square Drive - Round Shank

PROD. NO.	MOD. NO.	Size	Colour Code
720436	TDPR-1	#1 x 4"	Green
720437	TDPR-2S	#2 x 1-1/2"	Red
720438	TDPR-2	#2 x 5"	Red
720439	TDPR-3	#3 x 6"	Black



S2

Torx - Round Shank

PROD. NO.	MOD. NO.	Size	Colour Code
720912	TDPT-10	T10 x 4"	Orange
720918	TDPT-15	T15 x 4"	Orange
720923	TDPT-20	T20 x 4"	Orange
720926	TDPT-25	T25 x 4"	Orange
720930	TDPT-27	T27 x 4"	Orange
720933	TDPT-30	T30 x 4"	Orange



Nut Drivers

Hollow shafts allow running
nuts on long fasteners



721111

JUMBO HANDLE SERIES SETS

- Jumbo grip grooved handle design ensures maximum torque for tough jobs
- Made with super acetates, these handles are virtually indestructible
- Hollow shank Chrome Vanadium shafts



7 Piece S.A.E. - Hollow Shaft

721105 / NDS-07

3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"

Vinyl Roll Pouch

JUMBO HANDLE SERIES OPEN STOCK

- Jumbo grip grooved handle design ensures maximum torque for tough jobs
- Made with state-of-the-art super acetates, these handles are virtually indestructible
- Hollow shank Chrome Vanadium shafts



S.A.E. - Hollow Shaft

PROD. NO.	MOD. NO.	Size	Length	Point
721111	ND-316	3/16"	3-1/2"	6
721112	ND-14	1/4"	3-1/2"	6
721113	ND-516	5/16"	3-1/2"	6
721114	ND-1132	11/32"	3-1/2"	6
721115	ND-38	3/8"	3-1/2"	6
721116	ND-716	7/16"	3-1/2"	6
721117	ND-12	1/2"	3-1/2"	6



721105

Nut Drivers

TORQUE DRIVE[®]
PLUS


721106



721107



721109

TORQUE DRIVE[®] PLUS NUT DRIVERS
SETS

- Exclusive handle shape and dual materials combine for exceptional grip and comfort
- Tip symbols permanently moulded into handle ends for easy identification when carried in a tool pouch
- Triple injection moulding process prevents handle / shaft separation
- Industrial grade Chrome Vanadium shafts
- Satin finished for superior corrosion resistance
- Hollow shafts allow running nuts on long fasteners

6 CrV

7 Piece S.A.E. - Hollow Shaft
721106 / JNDS-7S

Size (1 each)	Point	Length
3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"	6	3"

6 CrV

7 Piece Metric - Hollow Shaft
721107 / JNDS-7M

Size (1 each)	Point	Length
6, 7, 8, 9, 10, 11, 12mm	6	3"

6 CrV

14 Piece S.A.E./Metric - Hollow Shaft
721109 / JND-14SM

Size (1 each)	Point	Length
3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2", 6, 7, 8, 9, 10, 11, 12mm	6	3"

See next page for Open Stock

Nut Drivers

TORQUE DRIVE® PLUS NUT DRIVERS OPEN STOCK

6 CrV

S.A.E. - Hollow Shaft

PROD. NO.	MOD. NO.	Size	Length	Point
721121	JND-316	3/16"	3"	6
721122	JND-14	1/4"	3"	6
721123	JND-516	5/16"	3"	6
721124	JND-1132	11/32"	3"	6
721125	JND-38	3/8"	3"	6
721126	JND-716	7/16"	3"	6
721127	JND-12	1/2"	3"	6

6 CrV

Metric - Hollow Shaft

PROD. NO.	MOD. NO.	Size	Length	Point
721131	JND-6	6mm	3"	6
721132	JND-7	7mm	3"	6
721133	JND-8	8mm	3"	6
721134	JND-9	9mm	3"	6
721135	JND-10	10mm	3"	6
721136	JND-11	11mm	3"	6
721137	JND-12M	12mm	3"	6

TORQUE DRIVE® PLUS



721123



721121



721122

Screwdrivers



720590

new

720591



RATCHETING DRIVER

- 19-in-1 screwdriver features 8 double-ended bits, tube drives 3 hex nut sizes
- Heavy Duty Reversible 25 tooth ratchet with centre lock position
- Ergonomic handle for comfort and secure grip
- Bits store in handle

new

19 Piece Driver Only

720590 / JRSD-19

- Available in 12 piece POP display

**new**

38 Piece Kit

720591 / JRSD-38

- 1/4" Drive Sockets:
3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
5, 6, 7, 8, 9, 10, 11, 12, 13mm
 1/4" Drive sockets adaptor

*Blow mould case***new**

Replacement Bits for JRSD Driver

PROD. NO.	Description
720592	1/8" Slot x #0 Phillips Bit for
720593	3/16" Slot x #1 Phillips Bit for
720594	1/4" Slot x #2 Phillips Bit for
720595	#1 Square x #2 Square Bit for
720596	T10 x T15 Bit for
720597	T20 x T25 Bit for
720598	1/8" Hex x 3/16" Hex Bit for
720599	5/16" Slot x #3 Phillips Bit for

IMPACT DRIVER

new

Impact Driver Kit

720702 / JID-5S

- Premium grade high carbon steel body withstands high impact forces
- Entirely heat treated for maximum strength
- S2 steel bits for professional use
- Drives 5/16" shank screwdriver bits and 1/2" drive impact sockets
- Reversible for installing or removing fasteners
- Ideal for removing rusted fasteners
- Includes 5/16" and 3/8" slotted and #2 and #3 Phillips bits

Replacement 4 piece bit set **720791**



720702

Screwdrivers



720791

PRECISION SCREWDRIVER SETS

- Ergonomic bi-material handles for sure grip
- Rotating cap allows easy one hand operation
- Chrome Vanadium steel shafts
- Convenient plastic case



6 Piece Slot / Phillips Set

720542 / JPSP-6

Slot

Phillips

2.0, 3.0, 4.0

#00, #0, #1



6 Piece Torx® Set

720546 / JPSP-6T

Torx

T5, T6, T7, T8, T9, T10



720542

720546

Available in various package quantities to suit any need

Screwdriver Bits



A2 bits are 50% stronger than S2 bits!



INSERT BITS new

- A2 Steel bits are dual heat treated for greatly increased tensile strength
- Allows for more consistent edges and up to 50% greater life than S2 bits
- Heat treated to HRC 58-62
- Available in various package quantities to suit any need
- 1" overall length
- For use with standard or quick release 1/4" hex bit holders
- Canada's strongest & longest lasting bits

A2

Slotted

PROD. NO.	Tip Size	Length	Pieces
729112	5/32"	1"	2
729114	5/32"	1"	20
729119	1/4"	1"	2
729121	1/4"	1"	20



A2

Phillips

PROD. NO.	Tip Size	Length	Pieces
729009	PH1	1"	2
729011	PH1	1"	20
729025	PH2	1"	2
729027	PH2	1"	20
729028	PH2	1"	50
729042	PH3	1"	2
729044	PH3	1"	20



INSERT BITS

new

A2

Square

PROD. NO.	Tip Size	Length	Pieces
729061	R1	1"	2
729063	R1	1"	20
729078	R2	1"	2
729080	R2	1"	20
729081	R2	1"	50
729095	R3	1"	2
729097	R3	1"	20



A2

Torx®

PROD. NO.	Tip Size	Length	Pieces
729163	T8	1"	2
729166	T10	1"	2
729173	T15	1"	2
729180	T20	1"	2
729187	T25	1"	2
729194	T27	1"	2
729201	T30	1"	2
729208	T40	1"	2



A2

Hex

PROD. NO.	Tip Size	Length	Pieces
729303	1/8"	1"	2
729317	5/32"	1"	2
729324	3/16"	1"	2
729331	7/32"	1"	2
729338	1/4"	1"	2
729366	3mm	1"	2
729373	4mm	1"	2
729380	5mm	1"	2
729394	6mm	1"	2



A2

Magnetic Bit Holders

- For use with insert bits or to extend the reach of power bits
- Powerful magnet holds bit in any position
- Quick release model locks bit in place until ejected

PROD. NO.	MOD. NO.	Type
729483	JMBH-60	Magnetic
729484	JQBH-65	Quick Release Magnetic

Screwdriver Bits

{ UP
TO **50%**
STRONGER THAN S2 }



729484

729483

Screwdriver Bits

{ UP
TO **50%**
STRONGER THAN S2 }

POWER BITS

new

- A2 Steel bits are dual heat treated for greatly increased tensile strength
- Allows for more consistent edges and up to 50% greater life than S2 bits
- Heat treated to HRC 58-62
- Available in various package quantities and lengths to suit any need
- 1/4" hex shaft fits ball retainer and regular style chucks
- Canada's strongest & longest lasting bits



A2

Slotted

PROD. NO.	Tip Size	Length	Pieces
729115	5/32"	2"	2
729117	5/32"	2"	10
729122	1/4"	2"	2
729124	1/4"	2"	10



A2

Square

PROD. NO.	Tip Size	Length	Pieces
729065	R1	2"	2
729067	R1	2"	10
729070	R1	2-3/4"	2
729072	R1	2-3/4"	10
729075	R1	6"	1
729082	R2	2"	2
729084	R2	2"	10
729085	R2	2"	25
729087	R2	2-3/4"	2
729089	R2	2-3/4"	10
729092	R2	6"	1
729093	R2	6"	10
729099	R3	2"	2
729101	R3	2"	10
729104	R3	2-3/4"	2
729109	R3	6"	1



A2

Phillips

PROD. NO.	Tip Size	Length	Pieces
729013	PH1	2"	2
729015	PH1	2"	10
729018	PH1	2-3/4"	2
729020	PH1	2-3/4"	10
729022	PH1	6"	1
729029	PH2	2"	2
729031	PH2	2"	10
729032	PH2	2"	25
729034	PH2	2-3/4"	2
729036	PH2	2-3/4"	10
729039	PH2	6"	1
729040	PH2	6"	10
729046	PH3	2"	2
729048	PH3	2"	10
729051	PH3	2-3/4"	2
729056	PH3	6"	1



A2

A2 bits are 50% stronger
than S2 bits!

POWER BITS new

A2

Torx®

PROD. NO.	Tip Size	Length	Pieces
729169	T10	2"	2
729176	T15	2"	2
729183	T20	2"	2
729190	T25	2"	2
729197	T27	2"	2
729204	T30	2"	2
729211	T40	2"	2



A2

Hex

PROD. NO.	Tip Size	Length	Pieces
729306	1/8"	2"	2
729320	5/32"	2"	2
729327	3/16"	2"	2
729334	7/32"	2"	2
729341	1/4"	2"	2
729369	3mm	2"	2
729376	4mm	2"	2
729383	5mm	2"	2
729397	6mm	2"	2



NUTSETTERS

- Powerful Magnet holds fastener securely for use in any position
- Heat treated Chrome Vanadium steel for professional use
- 1/4" hex shaft fits ball retainer and regular style chucks

CrV

CrV

S.A.E. CrV Steel

PROD. NO.	Size	Pieces
729461	1/4"	1
729462	5/16"	1
729463	3/8"	1

Metric CrV Steel

PROD. NO.	Size	Pieces
729471	6mm	1
729472	7mm	1
729473	8mm	1
729475	10mm	1

Screwdriver Bits



Mechanic's Tools

Chisel, pick, hook
scrapers and pry bars

CHISEL SCRAPERS

- Extra stiff stainless steel blades with chisel points for the toughest scraping and cleaning jobs
- Ergonomic handle provides non-slip grip and maximum user comfort
- Blades double-riveted to handles for maximum strength
- Steel striking cap for extra tough scraping jobs



859341

4 Piece - Chisel Scrapers - Set

859341 / JCS-4S

- 1-1/4" Scraper (2.0mm thick)
- 1-1/4" Bent Scraper (2.0mm thick)
- 2" Scraper (2.0mm thick)
- Stubby Scraper (2.5mm thick)

Chisel Scrapers - Open Stock

PROD. NO.	MOD. NO.	Description	Blade Thickness
859342	JCS-125	1-1/4" Scraper	2.0mm
859343	JCS-125B	1-1/4" Bent Scraper	2.0mm
859344	JCS-200	2" Scraper	2.0mm
859345	JCS-2025	Stubby Scraper	2.5mm

PICK, HOOK AND SCRAPER TOOLS

- Exclusive ergonomic handle for maximum grip
- Premium grade Chrome Vanadium steel shafts
- Heat treated for maximum strength
- Heavy duty professional quality

CrV

Sets - Heavy Duty

Hook Sets

- Nickel Chrome plated finish for corrosion resistance
- Extra long for maximum reach

PROD. NO.	MOD. NO.	Length	Contents
859301	JPHS-604	6"	Straight Pick Bent Hook 90° Hook Compound Hook
859302	JPHS-904	9-3/4"	Straight Pick Bent Hook 90° Hook Compound Hook

Scraper Set

- Black Manganese Phosphate finish for corrosion resistance
- Precision ground edges

PROD. NO.	MOD. NO.	Length	Contents
859304	JPSS-5	1" x 8-1/2" 1/2" x 10" 1" x 12" 9" 7-1/2"	Short Scraper Medium Scraper Long Scraper Cotter Key Puller Radiator Hose Hook

CrV

Open Stock - Heavy Duty

PROD. NO.	Length	Type	Contained in Sets
859305	8-1/2"	1" Scraper	859304
859306	10"	1/2" Scraper	859304
859307	12"	1" Scraper	859304
859308	9"	Cotter Key Puller	859304
859309	7-1/2"	Radiator Hose Hook	859304
859310	6"	Straight Pick	859301
859311	6"	90° Pick	859301
859312	6"	Compound Hook	859301
859313	6"	Bent Hook	859301
859314	9-3/4"	Straight Pick	859302
859315	9-3/4"	90° Pick	859302
859316	9-3/4"	Compound Hook	859302
859317	9-3/4"	Bent Hook	859302

Mechanic's Tools



859301



859302



859304

Mechanic's Tools

PRY BARS HEAVY DUTY

- Chrome Molybdenum steel for maximum strength
- Super large sizes for the heaviest duty applications
- Extra large bi-material handles provide exceptional grip and comfort and allow the use of both hands for maximum leverage
- "Go-thru" shanks with steel end caps
- Available separately or in 4 piece sets

CrMo

4 Piece Cushion Grip Set

779220 / JMPB-4S

REGULAR LENGTH

8" - 45°, 12" - 45°, 18" - 45°, 24" - 45°

CrMo



4 Piece Jumbo Cushion Grip Set

779240 / JHPB-4S

JUMBO LENGTH

24" - 45°, 24" - 90°, 36" - 45°, 36" - 90°

Blow Mould Case

Open Stock - Cushion Grip Type

PROD. NO.	MOD. NO.	Description	Type	Contained in Set
779221	JMPB-8	8" - 45°	Regular	779220
779222	JMPB-12	12" - 45°	Regular	779220
779223	JMPB-18	18" - 45°	Regular	779220
779224	JMPB-24	24" - 45°	Regular	779220

Open Stock - Jumbo Cushion Grip Type

PROD. NO.	MOD. NO.	Description	Type	Contained in Set
779241	JMPB-2445	24" - 45° narrow face	Jumbo	779240
779242	JMPB-2490	24" - 90° wide face	Jumbo	779240
779243	JMPB-3645	36" - 45° wide face	Jumbo	779240
779244	JMPB-3600	36" straight wide face	Jumbo	779240



JET carefully considers the material used in our products to ensure they exceed performance expectations



**Pliers.
Cutters.
Sheet Metal Tools.**

Pliers and Cutters



730334



730335



730333

LOCKING PLIERS SETS

- Made of industrial quality Chrome Molybdenum steel
- Strong locking mechanism
- Precision ground jaws
- All locking pliers come with cutter in jaw (except chain wrench)
- Ergonomic cushioned release lever is guarded to prevent accidental release
- Teeth raked to provide superior non-slip grip
- Meets A.N.S.I. requirements
- Quality equal to the best!

CrMo

Locking Plier Sets - Heavy Duty

PROD. NO.	MOD. NO.	Pieces	Length	Type
730334	LPS-3	3 Piece	5, 7, 10"	Curved Jaw
730335	LPS-5	5 Piece	5, 7, 10" 6, 9"	Curved Jaw Long Nose

CrMo

Locking Plier Set - Ergonomic Grip

- Cushion grip for maximum comfort

PROD. NO.	MOD. NO.	Piece	Length	Type
730333	LPS-2CG	2 Piece	7, 10"	Curved Jaw

Teeth raked to provide superior non-slip grip



LOCKING PLIERS

Pliers and Cutters



730453, 730455, 730458

CrMo CrV

Locking Pliers - Open Stock

PROD. NO.	MOD. NO.	Length	Type
730453	J5WR	5"	Curved Jaw
730455	J7WR	7"	Curved Jaw
730456	J7WRG	7"	Curved Jaw / PVC Grip
730458	J10WR	10"	Curved Jaw
730459	J10WRG	10"	Curved Jaw / PVC Grip
730462	J4LN	4"	Long Nose
730463	J6LN	6"	Long Nose
730467	J9LN	9"	Long Nose

CrMo

Chain Wrench Style

PROD. NO.	MOD. NO.	Length	Type
730496	J20R	20" chain	Chain Wrench



730456, 730459



730463, 730467



730496

Pliers and Cutters



730555




730554, 730556



730558



730559



730302



730322

LOCKING PLIERS



Locking Clamps - Open Stock

- Chrome Vanadium and Chrome Molybdenum jaw components for improved strength
- C-Clamps available with your choice of plain tips or swivel pads
- New heavy duty materials for improved performance and life

PROD. NO.	MOD. NO.	Length	Type
730554	J6R	6"	C-clamp
730555	J6RP	6"	C-clamp with Pads
730556	J11R	11"	C-clamp
730557	J11RP	11"	C-clamp with Pads
730558	J8R	8"	Sheet Metal
730559	J9R	9"	Welder's

HEAVY DUTY SERIES SETS

- Made of super high quality Chrome Nickel steel for the toughest jobs – better than Chrome Vanadium!
- Chrome nickel parts are micro finished on all surfaces for superior corrosion resistance
- Cutting edges induction hardened to HRC58-62 for long life and performance
- Double-dipped cushion grip handles offer superior comfort, sure gripping action and long life
- Meet ASME B107.20, ASME B107.11M and ASME B107.13M



3 Piece Starter Set

730302 / JPS-3HD

- 8" Long Nose Pliers
- 7-1/2" Diagonal Cutter
- 8" Lineman's Pliers
- Comes in Double Blister Pack



5 Piece Maintenance Set

730322 / JPS-5HD

- 8" Long Nose Pliers
- 10" Groove Joint Pliers
- 8" Slip Joint
- 8" Angle Head Cutter
- 8" Lineman's Pliers
- Terylene Pouch

HEAVY DUTY SERIES OPEN STOCK

CrNi

Slip Joint Pliers

PROD. NO.	MOD. NO.	Length
730201	PL-6HD	6"
730202	PL-8HD	8"
730203	PL-10HD	10"

CrNi

Lineman's Pliers

PROD. NO.	MOD. NO.	Length
730417	CP-200HD	8"
730418	CP-250HD	9-3/4"

CrNi

Groove Joint Pliers

PROD. NO.	MOD. NO.	Length	Capacity
730211	CLP-1HD	8"	1-1/4"
730212	CLP-2HD	10"	1-3/4"
730213	CLP-3HD	12"	2-1/4"

CrNi

Long Nose Pliers


730426 / RP-200HD

- 8"
- Heavy Duty

Pliers and Cutters




730201



730417



730212




730426

Pliers and Cutters



Angle head
(730221 only)



730437



730473



730226



730232



730232

HEAVY DUTY SERIES OPEN STOCK

- Made of super high quality Chrome Nickel steel for the toughest jobs – better than Chrome Vanadium!
- Chrome nickel parts are micro finished on all surfaces for superior corrosion resistance
- Cutting edges induction hardened to HRC58-62 for long life and performance
- Double-dipped cushion grip handles offer superior comfort, sure gripping action and long life
- Meet ASME B107.20, ASME B107.11M and ASME B107.13M

CrNi

Diagonal Cutting Pliers

- NPA-200HD has unique shape and head configuration for best leverage and easiest cutting capabilities

PROD. NO.	MOD. NO.	Length	Type
730221	NPA-200HD	8"	Angle Head Cutter
730437	NP-200HD	7-1/2"	Diagonal Cutters

CrNi

Crimping Pliers

730473 / WP-250HD

- 10" long
- A heavy duty cutter and crimping tool
- Not for use on live circuits

CrNi

End Nipper Pliers

730226 / ECN-200HD

- 8"
- Ideal for end cutting of rebar wire on construction sites, tile work and many other jobs where flush cutting is required

CrV

Box Joint Pliers

730232 / BJP-250HD

- 10" long
- CrV Steel
- Special jaw design for use on pipe
- Unique box joint adjusting system allows quick and easy one hand adjustments

STANDARD DUTY SERIES SETS

- Made of high quality Chrome Vanadium steel (except slip joint)
- Cutting edges induction hardened to HRC58-62
- Double-dipped cushion grip handles offer superior comfort, sure gripping action and long life
- Meets A.N.S.I. specifications ASME B107.20, ASME B107.11M and ASME B107.13M



4 Piece Starter Set

730313 / JPS-4

- 6-1/2" Long Nose
- 6-1/2" Diagonal Cutter
- 7" Lineman's
- 10" Groove Joint
- Terylene Pouch



730313



5 Piece Maintenance Set

730321 / JPS-5

- 8" Long Nose
- 8" Diagonal Cutter
- 8" Lineman's
- 8" Slip Joint
- 8" Bent Nose
- Terylene Pouch



730321

STANDARD DUTY SERIES OPEN STOCK

Slip Joint Pliers

- Made of Carbon Steel

PROD. NO.	MOD. NO.	Length
730401	PL-6	6"
730402	PL-8	8"
730403	PL-10	10"



730401 - 730403

Pliers and Cutters

Pliers and Cutters

STANDARD DUTY SERIES OPEN STOCK

- Made of high quality Chrome Vanadium steel
- Cutting edges induction hardened to HRC58-62
- Double-dipped cushion grip handles offer superior comfort, sure gripping action and long life
- Meets A.N.S.I. specifications ASME B107.20, ASME B107.11M and ASME B107.13M

CrV

Groove Joint Pliers

PROD. NO.	MOD. NO.	Length	Capacity
730441	CLP-1	7-1/2"	1-1/4"
730442	CLP-2	9-1/2"	1-3/4"
730443	CLP-3	12"	2-1/4"

CrV

Long Nose Pliers

PROD. NO.	MOD. NO.	Length
730423	RP-150	6-1/2"
730425	RP-200	8"

CrV

Bent Nose Pliers

PROD. NO.	MOD. NO.	Length
730483	BP-150	6-1/2"
730485	BP-200	8"

CrV

Lineman's Pliers

PROD. NO.	MOD. NO.	Length
730414	CP-175	7"
730415	CP-200	8"



STANDARD DUTY SERIES OPEN STOCK

CrV

Diagonal Cutting Pliers

PROD. NO.	MOD. NO.	Length
730433	NP-150	6-1/2"
730435	NP-200	7-1/2"

10" Fencing Plier

735102 / FT-10X

- Drop forged steel with blue cushion grip handles
- Ideal multi-purpose plier for farmers and ranchers
- Hammer, staple remover and 2 wire cutters in 1 tool
- Length 10"

Pliers and Cutters



Pliers and Cutters



730324



730323



730488

730428

730493

LONG REACH SERIES SETS

- Extra long reach pliers for maximum access
- Double dipped handles provide sure grip and comfort
- Precision cut teeth provide maximum grip
- Hose grip models provide generous openings to grip and pull hoses and spark plug boots without damage

CrV

3 Piece Hose Grip Style

PROD. NO.	MOD. NO.	Length	Contents
730324	JHGP-3S	11"	5/16", 1/2" and 3/4"

CrV

3 Piece Long Nose Style

PROD. NO.	MOD. NO.	Length	Contents
730323	JLRP-3S	11"	Long Nose, Bent Nose and 90° Long Reach Pliers

LONG REACH SERIES OPEN STOCK

CrV

Hose Grip Style

PROD. NO.	MOD. NO.	Capacity	Length
730491	HGP-1	5/16"	11"
730492	HGP-2	1/2"	11"
730493	HGP-3	3/4"	11"

CrV

Long Nose Style

PROD. NO.	MOD. NO.	Length	Type
730428	LRP-1100	11"	Long Nose
730488	LRP-1145	11"	45° Bent Nose
730489	LRP-1190	11"	90° Long Reach

SNAP RING PLIERS SETS

- Cushion grip handles
- Made of carbon steel
- Spring loaded handles



4 Piece Permanent Tip Style

PROD. NO.	MOD. NO.	Length	Type
730353	SRP-4S	7"	Internal Straight External Straight Internal Bent External Bent Terylene Pouch

5 Piece Interchangeable Tip

PROD. NO.	MOD. NO.	Length	Type
730352	SRP-1S	6"	Straight tips Bent tips Convertible type

SNAP RING PLIERS OPEN STOCK

External Type

PROD. NO.	MOD. NO.	Length	Type
730703	SRP-175ES	7"	External Straight
730704	SRP-175EB	7"	External Bent

Internal Type

PROD. NO.	MOD. NO.	Length	Type
730701	SRP-175IS	7"	Internal Straight
730702	SRP-175IB	7"	Internal Bent

Pliers and Cutters



730353




730352



Pliers and Cutters

WIRE STRIPPERS AND CUTTERS

**V-Groove Wire Stripper****730738** / JVWS-51024

- Hardened carbon steel with black oxide finish for corrosion resistance
- Quickly adjusts from AWG 10 - 24.
- Spring loaded for easy one hand use
- Overall length 5-1/4"
- Capacity: **10, 12, 14, 16, 18, 20, 22, 24** AWG solid and stranded

**Automatic Wire Stripper****730731** / JAWS-822

- One quick light squeeze strips wire up to a full 1" without nicking, cutting or fraying
- Automatic wire gripper holds wire centered in stripping hole
- Lever action offers stripping and insulation removal in one step
- Adjustable wire stop to ensure uniform, precise strip length
- Overall Length 7"
- Stripping Capacity: **8, 10, 12, 14, 16, 18, 20, 22** AWG solid and stranded

**Self Adjusting Wire Stripper****730736** / JAWS-100

- Self adjusting stripper automatically applies correct pressure to strip insulation without nicking wire
- Fine adjustment screw allows customized pressure on various plastic insulation
- Can be used to strip several wires simultaneously
- Includes wire cutter
- Overall length 6-1/2"

WIRE STRIPPERS AND CUTTERS

Pliers and Cutters

Spring Loaded Strippers / Cutters

- All cutting and stripping surfaces are precision machined to produce clean, exacting results
- High carbon heat treated steel for long life
- Black oxide finish resists rust and corrosion
- All models feature holes for looping and serrated tips for pulling wire
- Strippers / cutters are spring loaded for easy one hand operation and have safety lock (except 730724)
- Multifunction tools cut, strip and crimp insulated and non-insulated terminals
- For use on copper and aluminum wire only

PROD. NO.	MOD. NO.	Overall Length	Stripping Capacity	Crimping Capacity	Bolt Size & Thread
730711	JWCS-61020	6-1/4"	10, 12, 14, 16, 18, 20 AWG solid and stranded	N/A	N/A
730724	JMWS-81024	8-1/4"	8, 10, 12, 14, 16, 18, 20, 22 AWG solid; 12, 14, 16, 18, 20, 22, 24, 26 AWG stranded	10-22 AWG	4-40, 5-40, 6-32, 8-32, 10-32, 10-24
730725	JMWS-9618	9"	6, 8, 10, 12, 14, 16 AWG solid; 8, 10, 12, 14, 16, 18 AWG stranded	10-22 AWG	4-40, 5-40, 6-32, 8-32, 10-32, 10-24

730711

730724

730725

Sheet Metal Tools

Made of the highest quality drop forged Chrome Molybdenum steel for professional use

Precision serrated cutting blades

Canada's premier sheet metal snip – lasts up to 2-1/2 times the life of leading brands!

AVIATION SNIPS SUPER DUTY

- Made of the highest quality drop forged Chrome Molybdenum steel for professional use
- Induction hardened to HRC 60 – 62
- Serrated cutting edges prevent material from slipping out of blade
- Compound action reduces cutting effort
- Colour coded TPR handles provide maximum comfort
- Unique automatic release latch for easy one hand operation
- Regular, offset, notching and extra long models cover every application

CrMo

3 Piece Traditional Style Set

PROD. NO.	MOD. NO.	Description	Overall Length
735305	JAS-3S	Straight cut, Left cut and Right cut	10"



735305

AVIATION SNIPS SUPER DUTY

Sheet Metal Tools

CrMo

Open Stock - Traditional Style

PROD. NO.	MOD. NO.	Description	Overall Length	Length to Cut	Maximum Material Thickness (gauge)			
					Copper (soft)	Cold Rolled Steel (med.)	Hard Steel (HRC35)	304 Stainless Steel
735301	JAS-1S	Straight	10"	1-1/2"	16	18	21	22
735302	JAS-1R	Right Cut	10"	1-3/8"	16	18	21	22
735303	JAS-1L	Left Cut	10"	1-3/8"	16	18	21	22
735311	JAS-1SL	Long Cut	11-3/8"	3"	19	20	22	25
735391	JBS-1	Bull Dog	9"	1"	14	16	18	18

735302 735301 735303 735311 735391



735322 735323

CrMo

Open Stock - Offset Style

PROD. NO.	MOD. NO.	Description	Overall Length	Length to Cut	Maximum Material Thickness (gauge)			
					Copper (soft)	Cold Rolled Steel (med.)	Hard Steel (HRC35)	304 Stainless Steel
735322	JOS-1R	Right Cut	9-1/4"	1-3/16"	16	18	21	22
735323	JOS-1L	Left Cut	9-1/4"	1-3/16"	16	18	21	22

10" Tin Snip

735210 / JTS-10

- Made of drop forged high carbon steel
- One piece solid steel construction
- Smooth finished blades for cleaner cutting

Overall Length	Length to cut	Maximum Material Thickness (gauge)			
		Copper (soft)	Cold Rolled Steel (med.)	Hard Steel (HRC35)	304 Stainless Steel
10"	2"	20	22	24	26



Sheet Metal Tools

RIVET TOOLS

- Designed for industrial use
- All steel construction
- All models designed for use with aluminum rivets
- Model JRT-707 for use with aluminum and steel rivets
- Model JRT-736 features 360° swivel head

Hand Riveters - Heavy Duty


PROD. NO.	MOD. NO.	Description	Nozzles	Length (Overall)
859042	JRT-200	Long Nose	3/32, 1/8, 5/32, 3/16"	—
859043	JRT-736	Swivel Head 360°	3/32, 1/8, 5/32, 3/16"	—
859044	JRT-707	Long Reach, use with aluminum and steel rivets	1/8, 5/32, 3/16, 7/32, 1/4"	21"
—	PUT-JRT707	Repair Kit	—	—

360° Swivel Head



859042

859043



859044



If you are looking for true high performance, safe and reliable striking tools for industrial applications, demand JET.

Striking Tools

HAMMERS

HICKORY HANDLE

- American hickory handles
- Forged steel heads are hardened and tempered for professional use
- Exceeds A.N.S.I. specifications



Ball Pein - Heavy Duty

- Exceeds A.N.S.I. B173.2


PROD. NO.	MOD. NO.	Weight	Length (Overall)
740151	BP-8H	8 oz	11-1/2"
740153	BP-16H	16 oz	14"
740155	BP-24H	24 oz	15"
740157	BP-32H	32 oz	15"
740158	BP-40H	40 oz	15-3/4"

new

Claw Hammer

- Exceeds A.N.S.I. B173.1

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740307	CW16F	16 oz	13"



HAMMERS HICKORY HANDLE

Sledge Hammers - Heavy Duty

- Exceeds A.N.S.I. B173.3

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740522	SH-4H	4 lbs	16"
740523	SH-6H	6 lbs	32"
740524	SH-8H	8 lbs	32"
740525	SH-10H	10 lbs	32"
740526	SH-12H	12 lbs	32"
740528	SH-16H	16 lbs	36"

HAMMERS WOODEN HANDLE

Rubber Mallets

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740403	RM-16	1 lb	13-1/4"
740407	RM-32	2 lbs	13-1/2"

HAMMERS WELDING

Chipping Hammer

740901 / FH-1

- Quickly removes welding flux

WARNING: always wear safety goggles.



Striking Tools



Striking Tools

HAMMERS FIBREGLASS
HANDLE

- Highest fibreglass content for maximum strength
- Polymer jacketed to prevent splintering
- PVC grips for user comfort and safety
- Overstrike protection on sledge hammers
- Forged steel heads are hardened and tempered for professional use
- Exceeds A.N.S.I. specifications
- New improved bonding technology rated for use to -25°C

Ball Pein - Heavy Duty

- Exceeds A.N.S.I. B173.2

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740161	BP-08F	8 oz	11"
740163	BP-16F	16 oz	13"
740164	BP-24F	24 oz	14-1/2"
740165	BP-32F	32 oz	15"
740166	BP-40F	40 oz	15-1/2"

new

Claw Hammer

- Exceeds A.N.S.I. B173.1

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740347	CF16F	16 oz	13"




HAMMERS

FIBREGLASS
HANDLE

Brick (Drilling) Hammer

- Machined face minimizes slipping and deflection
- Exceeds A.N.S.I. B173.3

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740952	DH-48F	3 lbs	10-1/2"
740953	DH-64F	4 lbs	10-1/2"



740532

Sledge Hammers - Heavy Duty

- Exceeds A.N.S.I. B173.3

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740532	SH-4F	4 lbs	16"
740533	SH-6F	6 lbs	30"
740534	SH-8F	8 lbs	30"
740535	SH-10F	10 lbs	36"
740536	SH-12F	12 lbs	36"
740538	SH-16F	16 lbs	36"

Striking Tools



740953



Smooth transition point
between fibreglass and PVC
handle for maximum comfort

WARNING: always wear safety goggles.



Striking Tools



740933

Hard



Medium



Soft



740912

HAMMERS

DEAD
BLOW

Dead Blow Soft Face Hammers

- Steel shot filled head, directs full force of blow to the work preventing rebound
- Soft face will not mark work
- Welded steel construction
- Medium hardness plastic faces are easily replaceable
- Hard and soft plastic faces available separately
- TPR handle grip for superior control and user comfort

PROD. NO.	MOD. NO.	Diameter	Head Weight	Handle Length
740932	SFH-125	1-3/8"	20 oz	10-1/4"
740933	SFH-175	1-1/2"	29 oz	10-1/4"
740934	SFH-225	1-3/4"	38 oz	10-1/4"

Replacement Tips

PROD. NO.	MOD. NO.	Description	Diameter	Colour
740991	RTHY-35	Hard tip for SFH-125	1-3/8"	Yellow
740992	RTHY-40	Hard tip for SFH-175	1-1/2"	Yellow
740993	RTHY-45	Hard tip for SFH-225	1-3/4"	Yellow
740994	RTMW-35	Med. tip for SFH-125	1-3/8"	White
740995	RTMW-40	Med. tip for SFH-175	1-1/2"	White
740996	RTMW-45	Med. tip for SFH-225	1-3/4"	White
740997	RTSB-35	Soft tip for SFH-125	1-3/8"	Blue
740998	RTSB-40	Soft tip for SFH-175	1-1/2"	Blue
740999	RTSB-45	Soft tip for SFH-225	1-3/4"	Blue

Dead Blow Hammers - Standard Duty

- Single piece body made out of PVC, filled with steel shot
- Orange colour for high visibility

PROD. NO.	MOD. NO.	Weight	Handle Length
740912	DB-100	1 lb	11-1/2"
740913	DB-150	1-1/2 lbs	12-1/2"
740914	DB-200	2 lbs	13-1/2"
740915	DB-300	3 lbs	16"

HAMMERS DEAD BLOW

Dead Blow Sledge Hammers - Heavy Duty

- Steel shot filled head directs full force of blow to work, preventing rebound
- Soft face will not mark work
- Steel skeleton encased in tough Polyurethane jacket (740926)
- Fibreglass handle with Polyurethane covered striking head 740927 and 740928
- Polyurethane is much tougher and longer lasting than PVC – up to 5 times the life
- TPR handle grip for superior control and user comfort
- Temperature range of -20°C to 90°C

PROD. NO.	MOD. NO.	Weight	Handle Length
740926	DB-400HD	4 lbs	12"
740927	DB-600HD	6 lbs	32"
740928	DB-800HD	8 lbs	32"

AXES FIBREGLASS HANDLE

- Highest fibreglass content for maximum strength
- Polymer jacketed to prevent splintering
- PVC grips for user comfort and safety
- Forged steel heads are hardened and tempered for professional use
- Exceeds A.N.S.I. specifications
- New improved bonding technology rated for use to -25°C

Axes and Mauls

- Exceeds A.N.S.I. B173.3

PROD. NO.	MOD. NO.	Type	Weight	Handle Length
741107	JH-150F	Hatchet	1-1/2 lbs	16"
741121	JA-250F	Axe	2-1/2 lbs	34"
741123	JA-350F	Axe	3-1/2 lbs	34"
741141	SM-6F	Maul	6 lbs	34"
741142	SM-8F	Maul	8 lbs	34"

WARNING: always wear safety goggles.



Striking Tools

{ **5x** }
LIFE OF PVC

740926



740928



741141





741121




741107

Striking Tools



STRIKING TOOLS
UNBREAKABLE HANDLE


Unbreakable Handle Hammers

new
tools redefined.



740175 BALL PEIN



740582 SLEDGE



740179 CROSS PEIN

- 1 Spring steel rods encased in vulcanized rubber provide the ultimate striking tool handle
- 2 Handle absorbs impact and vibration, reducing user fatigue
- 3 Will not break, bend, or split even after repeated overstrikes
- 4 Patented locking plate makes head separation impossible
- 5 Provides unparalleled grip in all conditions and is resistant to most industrial chemicals
- 6 Drop forged heads heat-treated to HRC 48 - 55

Developed for the mining industry, these hammers are ideal for use in applications where a failure is more than just an inconvenience

Lifetime Warranty

Ball Pein

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740174	UBP-2414	24 oz.	14"
740175	UBP-3214	32 oz.	14"

Cross Pein

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740178	UCP-216	2 lbs	16"
740179	UCP-316	3 lbs	16"

Sledge

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740580	USH-250	2.5 lbs	12"
740581	USH-412	4 lbs	12"
740582	USH-416	4 lbs	16"
740584	USH-630	6 lbs	30"
740586	USH-830	8 lbs	30"
740587	USH-1030	10 lbs	30"
740588	USH-1230	12 lbs	30"
740589	USH-1430	14 lbs	30"



PUNCH AND CHISEL SETS

- Made of the highest grade carbon steel, accurately hardened and tempered preventing splintering and extending life
- Powder coated shank protects against rust
- Edges accurately tempered to stay sharp
- Extra-thick hexagonal shanks minimize roll away
- Working ends accurately ground and hardened to HRC 52-58 for maximum service
- Striking end hardened to HRC-42 maximum – won't chip or mushroom
- Meets Canadian Government Specifications CDA39GP-43a

⚠ WARNING: Always use punches and chisels on materials softer than the hardness of the punch itself



6 Piece Pin Punch Set

775509 / PP-6S

- **PIN PUNCH:** 3/32, 1/8, 5/32, 3/16, 1/4, 5/16"
- Terylene Pouch



6 Piece Roll Pin Punch Set

775526 / RPP-6S

- **ROLL PIN PUNCH:** 3/32, 1/8, 5/32, 3/16, 1/4, 5/16"
- Terylene Pouch



6 Piece Cold Chisel Set

775531 / CC-6S

- **COLD CHISEL:** 1/4, 5/16, 3/8, 1/2, 5/8, 3/4"
- Terylene Pouch



Striking Tools



WARNING: always wear safety goggles.



Striking Tools

PUNCH AND CHISEL SETS

**8 Piece Punch and Chisel Set****775507 / PC8-1S**

- COLD CHISEL: 1/2, 5/8, 3/4"
- CENTRE PUNCH: 5/32"
- SOLID PUNCH: 3/16"
- PIN PUNCH: 1/8, 3/16, 1/4"
- Terylene Pouch

**14 Piece Punch and Chisel Set****775511 / PC-14S**

- COLD CHISEL: 3/8, 1/2, 5/8, 3/4, 7/8"
- CENTRE PUNCH: 5/32, 1/4"
- SOLID PUNCH: 1/8, 5/16"
- DRIFT PUNCH: 1/8, 5/32"
- PIN PUNCH: 1/16, 1/8, 3/16"
- Terylene Pouch

**16 Piece Punch and Chisel Set****775508 / PC16-1S**

- COLD CHISEL: 5/16, 1/2, 5/8, 3/4, 7/8"
- CENTRE PUNCH: 1/8, 5/32, 1/4"
- SOLID PUNCH: 1/8, 3/16, 1/4"
- DRIFT PUNCH: 3/16, 1/4"
- PIN PUNCH: 1/8, 3/16, 1/4"
- Terylene Pouch

**24 Piece Punch and Chisel Set****775513 / PC24S**

- COLD CHISEL: 1/4, 5/16, 3/8, 1/2, 5/8, 3/4, 7/8"
- CENTRE PUNCH: 5/64, 5/32, 1/4", ACP-2 Auto
- SOLID PUNCH: 1/16, 1/8, 5/32, 3/16, 1/4, 5/16"
- PIN PUNCH: 1/16, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16"
- Terylene Pouch



PUNCH AND CHISELS OPEN STOCK

- Made of the highest grade carbon steel, accurately hardened and tempered preventing splintering and extending life
- Powder coated shank protects against rust
- Edges accurately tempered to stay sharp
- Extra-thick Hexagonal shanks minimize roll away
- Working ends accurately ground and hardened to HRC 52-58 for maximum service
- Striking end hardened to HRC-42 maximum – won't chip or mushroom
- Meets Canadian Government Specifications CDA39GP-43a

⚠ WARNING: Always use punches and chisels on materials softer than the hardness of the punch itself



Pin Punches - Dual Hardened

- Ideal for driving out and removing already loosened pins and keys after initial movement by a solid or standing punch

PROD. NO.	MOD. NO.	Point	Shank	Length
775400	PP232	1/16"	1/4"	4"
775401	PP332	3/32"	1/4"	4-1/4"
775402	PP432	1/8"	5/16"	4-3/4"
775403	PP532	5/32"	5/16"	5"
775404	PP632	3/16"	5/16"	5-1/4"
775405	PP832	1/4"	3/8"	5-3/4"
775406	PP1032	5/16"	7/16"	6"



Roll Pin Punches - Dual Hardened

- Specifically designed for removing roll pins and spring pins
- Ball end keeps punch centred and allows maximum contact between pin and punch shoulder

PROD. NO.	MOD. NO.	Point	Shank	Length
775452	RPP332	3/32"	1/4"	3-1/2"
775453	RPP432	1/8"	1/4"	3-3/4"
775454	RPP532	5/32"	5/16"	4-1/2"
775455	RPP632	3/16"	5/16"	4-1/2"
775456	RPP832	1/4"	3/8"	5-1/2"
775457	RPP1032	5/16"	3/8"	6"

WARNING: always wear safety goggles.



Striking Tools

PUNCH AND CHISELS OPEN STOCK

Solid (Starting) Punches - Dual Hardened

- Solid (or starting) punches are used prior to using a pin punch and are useful for loosening frozen or tight pins and keys

PROD. NO.	MOD. NO.	Point	Shank	Length
775420	SP116	1/16"	3/8"	5"
775421	SP216	1/8"	5/16"	5"
775425	SP532	5/32"	3/8"	5"
775422	SP316	3/16"	3/8"	5"
775423	SP416	1/4"	1/2"	5"
775424	SP516	5/16"	1/2"	6"



Centre Punches - Dual Hardened

- Ideal for clearly marking metal in work layout and making indentations in a workpiece before drilling
- Working tips are centered and ground to a correct 90° included angle

PROD. NO.	MOD. NO.	Point	Shank	Length
775440	CP416	5/64"	1/4"	3-1/2"
775441	CP516	1/8"	5/16"	4-1/2"
775442	CP616	5/32"	5/16"	5-1/2"
775443	CP816	1/4"	3/8"	6"



Drift (Aligning) Punches - Dual Hardened

- Ideal for lining up holes in two or more pieces of metal and for drawing pins through various assemblies
- Often referred to as aligning punches. Pry or twist both parts into alignment and then tap gently to ensure perfect alignment

PROD. NO.	MOD. NO.	Point	Shank	Length
775411	AP216	1/8"	5/16"	8"
775410	AP532	5/32"	3/8"	9"
775412	AP316	3/16"	5/16"	10"
775413	AP416	1/4"	3/8"	10"

PUNCH AND CHISELS OPEN STOCK

Striking Tools

Cold Chisels - Dual Hardened

- Designed for cutting, shaping or removing metals softer than the chisel itself such as wrought iron, unhardened steel, aluminum, brass and copper. Can also be used on some building materials

PROD. NO.	MOD. NO.	Shank	Length	Cut
775430	CC416	1/4"	5"	1/4"
775431	CC516	1/4"	5"	5/16"
775437	CC616	5/16"	5-1/2"	3/8"
775432	CC816	7/16"	6"	1/2"
775433	CC1016	1/2"	6-1/2"	5/8"
775434	CC1216	5/8"	7"	3/4"
775435	CC1416	5/8"	8"	7/8"
775436	CC1616	3/4"	8-1/2"	1"

Cold Chisels - with Safety Grips

- Safety grip protects hand from overstrikes

PROD. NO.	MOD. NO.	Length	Blade
775461	CCG-110	10"	1"
775462	CCG-112	12"	1"

Automatic Centre Punch

- Adjustable tension

PROD. NO.	MOD. NO.	Length	Diameter
775592	ACP-2	5"	1/2"



WARNING: always wear safety goggles.



Striking Tools

STAMPS NUMBER
LETTER

- Manufactured from high quality steel and induction hardened for durability and extended life
- Stamping end hardened to 58-62 HRC – striking end hardened to 38-43 HRC to prevent splintering
- Striking ends are beveled to prevent breakage and to increase operator safety
- Sets contain: Numbers: "0" - "9" (6 and 9 are interchangeable)
- Letters: "A" - "Z" and "&" (ampersand)



LS Series - Letter Stamp Sets

PROD. NO.	MOD. NO.	Pieces	Characters	Size
391104	LS-030	27	Letters	3mm (1/8")
391107	LS-050	27	Letters	5mm (3/16")
391110	LS-060	27	Letters	6mm (1/4")



NS Series - Number Stamp Sets

PROD. NO.	MOD. NO.	Pieces	Characters	Size
391103	NS-030	9	Numbers	3mm (1/8")
391106	NS-050	9	Numbers	5mm (3/16")
391109	NS-060	9	Numbers	6mm (1/4")

WARNING: always wear safety goggles.



Construction Tools.

- WRECKING BARS
- BOLT CUTTERS
- MEASURING TOOLS
- STAPLERS AND TACKERS
- HACKSAWS



Designed to withstand
the toughest applications.

Construction Tools



Extra wide face and unique curve design provides more leverage with less effort



BARS POWERCLAW SERIES

- Canada's premier super heavy duty wrecking bars are designed for the toughest jobs
- Made of tough heat treated **alloy steel** rather than carbon steel
- Precision ground claws are sharper and stronger than competitive products
- Electrostatic powder coated for corrosion resistance

Wrecking Bars - Super Heavy Duty

- Heavy duty extra thick profiled bar stock for maximum strength and leverage
- Extra wide face and unique curve radius allows greater leverage with less operator effort

PROD. NO.	MOD. NO.	Length	Material
779201	JPWB-14	14"	Alloy
779203	JPWB-24	24"	Alloy
779205	JPWB-36	36"	Alloy
779256	JPWB-48	48"	Alloy

Wrecking Bars - Notched Style - Super Heavy Duty

- Extra tight radius on curved end for increased leverage
- Nail notches on both ends for maximum versatility
- Smooth finished oval cross section shaft for maximum comfort and pulling power

PROD. NO.	MOD. NO.	Length	Material
779252	JPNB-18	18"	Alloy
779253	JPNB-24	24"	Alloy
779255	JPNB-36	36"	Alloy

Wrecking Bars - I-Beam Notched Style - Super Heavy Duty

- I-beam construction for maximum strength
- Flat heel allows insertion under narrow spaces
- Ideal for opening crates, pulling nails and light demolition work

PROD. NO.	MOD. NO.	Length	Material
779251	JPIB-18	18"	Alloy

BARS POWERCLAW SERIES

Pinch Bars - Super Heavy Duty

- Hex shaft bars for maximum comfort
- Pencil and chisel points for a variety of tasks

PROD. NO.	MOD. NO.	Length	Shank Size	Material
779211	JPPB-18	18"	3/4"	Alloy
779212	JPPB-24	24"	3/4"	Alloy
779213	JPPB-30	30"	3/4"	Alloy
779214	JPPB-36	36"	3/4"	Alloy
779215	JPPB-48	48"	1"	Alloy
779216	JPPB-60	60"	1"	Alloy

Crow Bar - Super Heavy Duty

- Massive bar stock provides maximum strength for heavy prying and lifting jobs

PROD. NO.	MOD. NO.	Length	Weight	Material
779218	JPCB-1860	60"	18 lbs	Alloy



Digging Bar - Super Heavy Duty

- Pencil point and chisel point for breaking hard packed ground
- Heavy duty bar stock provides maximum leverage for moving rocks

PROD. NO.	MOD. NO.	Length	Shank Size	Weight	Material
779258	JPDB-1772	72"	1"	17 lbs	Alloy



Post Hole Digger - Super Heavy Duty

- Extra wide chisel point for faster digging
- Tamper head assists with packing and levelling bottom of post hole

PROD. NO.	MOD. NO.	Length	Shank Size	Weight	Material
779259	JPPD-1769	69"	1"	17 lbs	Alloy



Construction Tools



60"

72"

69"

Construction Tools

BARS UTILITY SERIES

- Two styles for various jobs
- Flat bar style offers maximum versatility
- Hex bar style for ultimate strength
- Nail notches at both ends



779112



779113


Utility Bar

PROD. NO.	MOD. NO.	Length	Material
779112	PB-15	15"	Alloy

Nail Puller

PROD. NO.	MOD. NO.	Length	Material
779113	JPNP-11	11"	Alloy

BOLT & ROD CUTTERS




731204

3-in-1 Bolt Cutter


new CrV
tools redefined.

- Unique design cuts bolts, rods, wire and cable
- Hardened drop forged Chrome Vanadium blades for long life
- Serrated cutting edges cut with less hand force and prevent material from slipping
- Bolt cutter blades are easily adjustable and replaceable
- Blade hardness HRC55 - 60
- Maximum material hardness HRC 42


PROD. NO.	MOD. NO.	Size	Bolt	Rebar	Wire rope	Cable	REPLACEMENT HEAD
731204	BCW-18	18"	5/16"	1/4"	3/16"	11/32"	731214
731205	BCW-24	24"	13/32"	5/16"	9/32"	1/2"	731215



Bolt



Wire Rope



Cable

BOLT & ROD CUTTERS

CrMo

Bolt Cutters - Heavy Duty

- JET bolt cutters are designed to cut soft and medium grade bolts, rods, rivets, bar and chain
- New! — Serrated cutting edges cut with less hand force and prevents material from slipping
- Maximum hardness of material to be cut: HRC 42
- Chrome Molybdenum steel blades
- Blades hardened to HRC 55 - 61

PROD. NO.	MOD. NO.	Length	Capacity (Soft)	Capacity (Medium)	REPLACEMENT HEAD
731108	BC-8	8"	—	—	—
731112	BC-12	12"	3/16"	5/32"	731162
731114	BC-14	14"	1/4"	3/16"	731164
731118	BC-18	18"	5/16"	1/4"	731168
731124	BC-24	24"	3/8"	5/16"	731174
731130	BC-30	30"	1/2"	5/16"	731180
731136	BC-36	36"	5/8"	3/8"	731186
731142	BC-42	42"	3/4"	7/16"	731192

Rod Cutter and Bender

- A premium industrial quality rod cutter / bender for heavy duty construction applications
- Bends 5/8" rebar up to 180°

PROD. NO.	MOD. NO.	Capacity	REPLACEMENT HEAD
735403	RC-16	5/8"	731453

735403



Construction Tools



731108

731114



Now with serrated edges

Construction Tools

MEASURING TOOLS

Tape Measures - Professional

- Extra wide tape provides 8' standout
- High contrast blade for easy reading
- Dual S.A.E. and Metric scales (S.A.E. only on JTM-425S)
- 1/16" increments on S.A.E. scale
- Integral rubber inserts provide maximum grip and protection
- Built-in bumper cushions recoil impact
- Easy slide lock
- Meets GS / TUV and CE standards
- Available individually carded or in display cases of 12 carded tapes

PROD. NO.	MOD. NO.	Scale	Width	Length
775921	JTM-416SM	S.A.E./Metric	1"	16' / 5m
775928	JTM-425S	S.A.E.	1"	25'
775929	JTM-425SM	S.A.E./Metric	1"	25' / 7.5m

Extra Long Steel Tape Measure

775936 / JSTM-100SM

- Two sided tape features S.A.E. measurements on one side, Metric on the other
- Fast rewind provided by fold-away handle
- PVC coating prevents rot, facilitates cleaning - can be rewound when wet
- 0 point inside ring
- Ergonomic rubber grip handle for sure grip
- Tape can be removed and rewound to show either scale face up
- Meets GS / TUV and CE standards
- 3/8" width
- 100' / 30m length

Open Reel Fibreglass Tape Measure

775910 / JFTM-165SM

- Two sided tape features S.A.E. measurements on one side, Metric on the other
- Fast rewind provided by fold-away handle
- 0 point inside ring
- High contrast blade for easy reading
- Ergonomic case with sure grip
- Meets GS / TUV and CE standards
- 1/2" width
- 165' / 50m length



MEASURING TOOLS

Framing and Layout Square

- Lacquer coated steel squares resist rust
- Clear permanently etched graduations
- 1/8" increments on all edges
- Rafter square has brace scale and rafter table

PROD. NO.	MOD. NO.	Scale	Blade	Tongue
776055	JSCS-812	S.A.E.	1-1/2" x 12"	1" x 8"
776060	JSRS-1624	S.A.E.	2" X 24"	1-1/2" X 16"

Rafter Angle Square

776061 / JRAS-710

- Extra thick aluminum extrusion is stronger than brittle die casts
- Will not rust
- Clear permanently etched graduations
- Measures hip, valley and common rafter angles
- Most versatile square – combines rafter and framing square, protractor, try square, mitre square and saw guide
- 7" x 7" x 10"
- Scale S.A.E.

Combination Square

776065 / JCS-12


- Die cast aluminum head for accuracy and durability
- Stainless steel blade with etched graduations
- S.A.E. scale on all edges allows marking on both sides of blade
- Built in level for improved accuracy and versatility
- Convenient scratch awl
- Meets GS / TUV and CE standards
- Blade: 1" x 12"

T-Bevel Square

776070 / JTB-8

- Use to measure and transfer angles
- S.A.E. and Metric graduations
- Built in level for improved accuracy and versatility
- Large knurled locking wheel will not jam
- Steel blade with ABS handle
- Meets GS / TUV and CE standards
- Blade 2" x 8"

Construction Tools



776060



Construction Tools

MEASURING TOOLS

Box Levels - Aluminum

- Box beam construction with reinforcing ribs prevents twisting and bending under normal use
- Precision milled on both surfaces for maximum accuracy
- 3 shatter-resistant acrylic block vials read horizontal, plumb and 45°
- Top read centre vial provides 300° viewing for easy readability
- Oversized hand holes for sure grip
- Shock absorbing beveled end caps
- Bright yellow finish for improved visibility
- Meets GS / TUV and CE standards

PROD. NO.	MOD. NO.	Length	Vials
776001	JBL-9924B	24"	3
776002	JBL-9948B	48"	3
776004	JBL-9972B	72"	3

Top read centre vial



776001

Top read centre vial



Box Levels - Aluminum Heavy Duty

- Extra thick aluminum stock extruded into a unique profile offers the ultimate in strength and resistance to twisting
- Precision milled on both surfaces for maximum accuracy
- V-grooves on both surfaces for use on pipe
- Hidden magnets in bottom surface hold level securely to metal objects
- 3 shatter-resistant mono block acrylic vials (1 horizontal, 2 plumb)
- Top read centre vial provides 300° visibility
- Double layer rubber and plastic end caps offer superior shock absorption
- Meets GS/TUV and CE standards

PROD. NO.	MOD. NO.	Length	Vials
776021	JPBL-24	24"	3
776022	JPBL-48	48"	3

V-grooved edge
for pipe workMagnetic
V-grooved base

776021

Double layer end cap for
superior shock absorption

MEASURING TOOLS

Torpedo Level

776006 / JTL-9B

- 9" Aluminum frame for improved accuracy and durability
- Top read centre vial for easy readability, provides 300° viewing
- 3 vials read horizontal, plumb and 45°
- White frame around vials for improved readability
- V-groove on one side for easy use on round objects
- Magnetic strip holds level securely to metal objects
- Meets GS / TUV and CE standards

Line Level

- Lightweight construction minimizes line sag
- Large open hooks prevent snagging
- 360° vial
- Measures level and 1/8" pitch
- V-groove base for use on round surfaces
- With pocket clip

PROD. NO.	MOD. NO.	Length	Vial
776011	JLL-01	3"	1

Construction Tools



Construction Tools

MEASURING TOOLS



776016

Post Level**776016 / JPL-01**

- Measures two sides of post at once for fast easy setting of fence posts, deck supports etc.
- 3 vials measure plumb and level
- Attaches with any rubber band (not included) or to metal posts with magnetic strips



779161

Chalk Line Set**779161 / JACL-100S**

- Aluminum case for maximum durability
- Holds 100' of line
- Can be used as a plumb bob
- Includes 3" line level and 4 oz. chalk

**Replacement Chalk****779162 / JBPC-4**

- 4 oz. fine blue layout chalk
- For use with any chalk line reel



779171

Plumb Bob - Brass**779171 / JBPB-12**

- 12 oz. solid machined brass
- Hardened steel replaceable tip
- Extra tip included
- Top unscrews for easy line centering

STAPLERS AND TACKERS

- JET staplers and hammer tackers are designed for professional use
- Durable all steel or aluminum construction
- Nickel plated finish resists corrosion
- Low staple viewing window
- Handle lock allows compact storage

Staple Guns

Staple Gun - Standard Duty

- Exclusive swing-away channel for easy clearing of jammed staples
- Perfect for light to medium duty applications
- Uses 1/4" – 5/16" Standard Duty JET staples or equivalents

Staple Gun - Heavy Duty

- Comfortable PVC hand grip
- For upholstery, fencing, carpeting, ceiling tile, insulation and many other uses
- Uses 1/4" – 9/16" Heavy Duty JET staples or equivalents

PROD. NO.	MOD. NO.	Description
849403	JSG-103	Standard Duty Staple Gun
849411	JSG-101HD	Heavy Duty Staple Gun

Construction Tools

849403



849411



Staple / Nail Gun

849412 / JSG-102HD

Staple & Nail Gun - Heavy Duty

- Die cast aluminum alloy housing will not rust
- Ergonomic design allows application of maximum pressure without fatigue
- Bi-material hand grip for increased comfort
- Bottom loading design for fast refills and easy clearing of jammed staples
- For upholstery, fencing, carpeting, ceiling tile, insulation and many other uses
- Unique lock allows compact storage
- Uses 1/4" – 9/16" Heavy Duty JET staples or equivalents and 18 gauge brad nails
- Low staple viewing window

STAPLERS AND TACKERS

Hammer Tackers

Hammer Tacker - Standard Duty

- Perfect for light to medium applications
- Large PVC grip for maximum comfort
- Uses 1/4" – 5/16" JET staples or equivalent

Hammer Tacker - Heavy Duty

- 32 oz total weight provides maximum hitting power
- Ideal for carpet and underlay, roofing felt, plastic sheeting etc.
- Comfortable rubber handle for maximum grip
- Rear loading magazine
- Uses 1/4" – 3/8" Heavy Duty JET staples or equivalents

PROD. NO.	MOD. NO.	Description
849407	JHT-102	Standard Duty Hammer/Tacker
849416	JHT-101HD	Heavy Duty Hammer Tacker

849407



849416



STAPLERS AND TACKERS

Construction Tools

Staples

- Designed for use with JET staplers or any brand using Arrow® T-50 or JT-21 staples
- 1,000 staples per box
- Available in various lengths from 1/4" to 9/16"
- Available for standard duty and heavy duty applications

PROD. NO.	MOD. NO.	Description	With Models
849481	JS-1006	1/4" Staples	JSG-103, JHT-102
849482	JS-1008	5/16" Staples	JSG-103
849491	JS-1006HD	1/4" HD Staples	JSG-101HD, JSG-102HD, JHT101HD
849492	JS-1008HD	5/16" HD Staples	JSG-101HD, JSG-102HD, JHT101HD
849493	JS-1010HD	3/8" HD Staples	JSG-101HD, JSG-102HD, JHT101HD
849494	JS-1012HD	1/2" HD Staples	JSG-101HD, JSG-102HD
849495	JS-1014HD	9/16" HD Staples	JSG-101HD, JSG-102HD



Construction Tools



12" Blades



12" Blades



12" Blades



6" Blades

775391



JET carries a full range of abrasives, wire wheels and cutting tools. Please consult our **Abrasives** catalogue or visit our website at www.jetequipment.com

HACKSAW FRAMES

- Cast aluminum frames combine high strength with light weight
- TPR grip on handle for comfort and secure grip
- Blade can be angle mounted for special applications
- Powder coated for added resistance to corrosion

12" Ergonomic Frame

775306 / 525A

- Heavy ergonomic frame accepts 12" blades
- Front frame with contoured grip for better control
- Convenient in handle blade storage

12" Oval Tube Style - Heavy Duty

775307 / JHS-5012

- Oval tube provides greater strength than square tube saws
- Extra thick cast aluminum frame components for heavy duty professional applications
- Easy to use wing nut provides up to 3,000 psi tension on blade
- Blade can be mounted at 45° for special applications
- Unique blade storage compartment holds up to 6 spare blades

12" Aluminum I-Beam Style

775308 / JHS-3012

- One piece cast aluminum I-beam frame for rigidity
- Easy to use wing nut provides up to 2,500 psi tension on blade
- Blade can be mounted at 45° for special applications

6" Mini Aluminum I-Beam Style

775301 / JHS-9006

- One piece cast aluminum I-beam frame for rigidity
- 10-1/4" overall length - fits in any tool box
- Thumbscrew tension adjustment
- Blade can be mounted at 60° left or right
- Uses 6" mini hacksaw blades with mounting pins
- Replacement blade: **775391**

JET-KUT Hand Hacksaw Blades - 12" Bi-Hard H.S.S.

- High quality H.S.S., heat treated to four hardnesses across the blade
- Excellent performing, shatterproof, long lasting blade for a multitude of applications
- Packages of 10 / 100

PROD. NO.	Length	Width	Thickness	Teeth/Inch
566231	12"	1/2"	.025	18
566232	12"	1/2"	.025	24
566233	12"	1/2"	.025	32

Our precision measuring tool program has been developed with the professional in mind

Precision Measuring Tools.

- **CALIPERS**
- **MICROMETERS**
- **GAUGES**
- **DIALS**
- **FLASHLIGHTS**



Precision Measuring Tools

CALIPERS

- All JET calipers feature Stainless Steel construction for professional use



310131

Four button control panel:

- power on/off switch (ON/OFF)
- zero setting at any position (ZERO)
- data hold function (HOLD)
- instant S.A.E. / Metric conversion (MM/IN)



LCD Digital Calipers


- Four measurements – inside, outside, depth, step
- Extra large LCD screen is easier to read
- Professional quality hardened stainless steel construction
- Precision ground measuring surfaces
- With data output interface
- Fine adjustment thumb wheel
- Comes with high impact plastic storage case

PROD. NO.	MOD. NO.	Type	Range	Increments
310131	JEDC-6	Electronic	0-6" 150mm	0.0005" 0.01mm
310132	JEDC-8	Electronic	0 - 8" 200mm	0.0005" 0.01mm
310136	JEDC-12	Electronic	0 - 12" 300mm	0.0005" 0.01mm

LCD Digital Calipers - Fractional

- Unique LCD can display measurements in Metric, S.A.E. and fractional formats
- Easily converts measurements with the touch of a button
- Four measurements - inside, outside, depth, step
- Professional quality hardened stainless steel construction
- Precision ground measuring faces
- Auto power off
- Fine adjustment thumbwheel

PROD. NO.	MOD. NO.	Type	Range	Increments
310133	JEDC-6F	Electronic	0-6" 150mm	0.0005" 0.01mm 1/128"



310122

Vernier Calipers

- Professional quality hardened stainless steel construction
- Four measurements – inside, outside, depth, step
- S.A.E. scale
- Permanent abrasion resistant increments
- Satin chrome finish
- Fine adjustment thumb wheel
- Screw lock mechanism

PROD. NO.	MOD. NO.	Type	Range	Increments
310122	JVC-6C	Vernier	0-6" 150mm	0.001"



310133

INDICATORS

Precision Measuring Tools

Dial Indicator

- Knurled bezel rotates 360°
- Stainless steel rack and contact points
- Includes revolution counter
- Back lug of indicator can be swiveled 90° for easy clamping
- Easy to read white face dial
- Range 0 – 1", increments 0.001"
- Range per revolution 0.1"

PROD. NO.	MOD. NO.	Type	Range	Increments
310502	JDI-1	Dial	0 - 1"	0.001"

LCD Digital Indicator

- Large LCD display for easy reading
- Stainless steel rack and contact points
- With data output interface
- Automatic power off

PROD. NO.	MOD. NO.	Type	Range	Increments
310501	JEDI-1	Digital	0 - 1" 25mm	0.0005" 0.01mm

310501

3 button control panel:

- zero setting at any position
- instant inch / metric conversion
- data hold / max-min tracking / fast display

310502

Precision Measuring Tools

MAGNETIC BASES



Standard Style

310902 / JMB-1

- Rod and swivel style
- On / Off switch to release magnet
- Powerful magnet holds base firmly to metal host
- 3 dimensional central locking mechanism
- Complete with fine adjustment
- Can be used with most makes of dial indicators



Flexible Style

310903 / JFMB-12

- 12" flexible arm holds dial indicator firmly in any position
- On / Off switch to release magnet
- Powerful magnet holds base firmly to metal host
- Stem flexes almost 360°



Quick Set Style

310905 / JMB-2

- Fine adjustment screw controls all 3 joints for fast set up
- On / Off switch to release magnet
- Powerful magnet holds base firmly to metal host

MICROMETERS



310206

Five button control panel:

- power on/off switch (ON/OFF)
- zero setting at any position (SET)
- instant S.A.E. / Metric conversion (MM/IN)
- clock mode / data output
- absolute / incremental measurement (ABS/INC)



LCD Digital Outside Micrometer

- Large LCD display for easy reading
- Precision machined carbide tipped measuring face
- Precision friction thimble for one hand operation
- IP54 moisture resistant construction
- Satin chrome finish – professional quality construction
- 0.00005" / 0.001 mm increments
- Comes with high impact custom plastic storage case

PROD. NO.	MOD. NO.	Type	Range	Increments
310206	JEOM-1	Digital	0 - 1" 25mm	0.00005" 0.001mm



310210



Outside Micrometer Set

- Precision machined carbide tipped measuring faces
- Precision ground and hardened one piece spindles
- Ratcheting friction stop provides uniform pressure
- Convenient lock holds spindle securely when transferring measurements
- 0.0001" increments
- Contains 1 each of our 0 - 1", 1" - 2", and 2" - 3" outside micrometers in a convenient custom made high impact plastic case
- Includes standards for both 1" - 2" and 2" - 3" models

PROD. NO.	MOD. NO.	Type	Range	Increments
310210	JOM-3S	3 PC Set	0 - 3"	0.0001"

MICROMETERS

Outside Micrometers - Open Stock

PROD. NO.	MOD. NO.	Type	Range	Increments
310211	JOM-1	Mechanical	0 - 1"	0.0001"
310212	JOM-2	Mechanical	1 - 2"	0.0001"
310213	JOM-3	Mechanical	2 - 3"	0.0001"



Depth Micrometer - Mechanical (0-6")

- Interchangeable extension rods feature precision lapped ends
- Ratcheting friction stop provides uniform pressure
- 4" precision ground hardened base
- 0.001" increments
- Satin chrome finish – professional quality construction
- Comes with high impact custom plastic storage case

PROD. NO.	MOD. NO.	Type	Range	Increments	Base Width
310223	JDM-6	Mechanical	0 - 6"	0.001"	4"

GAUGES



Dial Bore (Cylinder) Gauge

- Used to measure the internal dimensions of work pieces such as cylinders, piping, tubing, etc.
- Allows cylinder wear measurements without removing pistons
- Unique guiding device that facilitates self centering
- Interchangeable extension anvils allow unit to measure a wide range of dimensions: S.A.E. 2" - 6"
- Extremely accurate
- Measures bores up to 6" deep
- Easy to read white face dial
- Comes with high impact custom plastic storage case

PROD. NO.	MOD. NO.	Measuring Range	Depth Range	Number of Anvils	Increments
310511	JBG-6	2" - 6"	6"	11	0.0005"

Precision Measuring Tools



310212



310223



310511

Precision Measuring Tools

BRAKE AND ROTOR TOOLS


- All JET Brake and Rotor tools feature Stainless Steel construction for professional use



310602

Four button control panel:

- power on / off switch (ON/OFF)
- zero setting at any position (SET)
- instant S.A.E. / Metric conversion (MM/IN)
- data hold function (HOLD)



310604

Measures up to
20" (500 mm)



LCD Digital Disc Brake (Rotor) Caliper

- The ideal way to measure disc brake rotor thickness
- Both anvils are pointed to measure score depths
- With data output interface
- 0.0005" / 0.01 mm increments
- Comes with custom plastic case

PROD. NO.	MOD. NO.	Type	Range	Increments
310602	JERG-1	Digital Rotor Gauge	0 - 5" 0 - 125 mm	0.0005" 0.01 mm

LCD Digital Drum Caliper

- The ideal method to measure wear on brake drums
- 0 - 20" (500 mm) range
- With data output interface
- 0.0005" / 0.01 mm increments
- Comes with custom wood case


PROD. NO.	MOD. NO.	Range	Increments
310604	JEDG-1	0 - 20" 0 - 500 mm	0.0005" 0.01 mm



310603



Measures up to
17" (430 mm)



310605



Four button control panel:

- power on / off switch (ON/OFF)
- zero setting at any position (SET)
- instant S.A.E. / Metric conversion (MM/IN)
- data hold

LCD Digital Rotor Caliper (Wheel Stays On)

- For measuring disc brake rotor thickness without taking off the wheels
- All other features same as electronic rotor gauge (310602)
- 0 - 100 mm range
- Comes with custom plastic case

PROD. NO.	MOD. NO.	Range	Increments
310603	JERG-1WO	0 - 4" 0 - 100 mm	0.0005" 0.01 mm

LCD Digital Drum Caliper - (Wheel Stays On)

- For measuring wear on brake drums without taking the wheels off
- 0 - 17", 0 - 430 mm range
- 0.0005" / 0.01 mm increments
- Comes with custom wood case

PROD. NO.	MOD. NO.	Range	Increments
310605	JEDG-1WO	0 - 17" 0 - 430 mm	0.0005" 0.01 mm

Electronic Measuring Tools

If you are in the trades, we have the quality and performance you need to get the job done right.

THERMOMETERS

Non-Contact Infrared

- Allows accurate measurement of temperature without contact
- Gives instant readouts in real time
- Ideal for use in inaccessible areas and where moving parts or high heat make contact measurement dangerous
- Thousands of uses including automotive applications, food and beverage industries, chemical industries, cement plants, road building, HVAC, pool maintenance, etc.

PROD. NO. MOD. NO.	310016 JIRT-450	310018 JIRT-750
Display	3-1/2 digit (1999 count) LCD with back lighting	3-1/2 digit (1999 count) LCD with back lighting
Measuring Range	-20°C to 450°C -4°F to 842°F	-50°C to 750°C -58°F to 1382°F
Increments	1°C / °F	0.1°C / °F up to 200°C / °F 1°C / °F over 200°C / °F
Accuracy	+/- 2°C or 2% of reading	+/- 2°C or 1.5% of reading
Operating Temperature	0°C to 50°C / 32°F to 122°F	0°C to 50°C / 32°F to 122°F
Response Time	1 sec app.	1 sec app.
Field of View (Distance : Spot Size)	8:01	12:01
Spectral Response	6 – 14µm	8 – 14µm
Emissivity	0.95 fixed	0.95 fixed
Relative Humidity (Operating)	Max. 80%	10% – 90%
Over Range Indication	LCD will show "OVER" and meter will beep	LCD will show "1"
Power Off	Automatic shut-off after 7 sec.	Automatic shut-off after 7 sec.
Power Supply	9V battery	9V battery
Weight	180 gram	290 gram
Size	159 x 79 x 57.2 mm	100 x 56 x 230 mm

Automotive Multimeter

H3630

- Full-range - performs complete tune-up and troubleshooting tests on all vehicles
- Includes tests such as tach and dwell, test fuel injectors, sensors, alternators, spark plug wires, ignition and charging systems, battery condition and cranking voltage
- Easy-to-read digital LCD • Data hold function • Computer safe



JET carries a wide range of Specialty Automotive tools. Please consult our **Specialty Automotive tools** catalogue or visit our website at www.jetequipment.com

Electronic Measuring Tools

METERS DIGITAL

- Versatile meters for a wide range of electrical tests
- Features auto shut-off, large LCD display, low battery indicator, overload protection
- TPR shroud protects meter
- Can be used with clamp on adaptor for expanded versatility
- Includes test leads, K-type thermo-coupler and 9V battery



310006



310008

Multimeter

- Designed to safety standard IEC-1010; CAT II 600V

PROD. NO. MOD. NO.	310006 JDM-200
Application	AC/DC current AC/DC voltage resistance capacitance frequency temperature diode check transistor Hfe
AC Current	20u-20m-200m-20A
DC Current	20m-200m-20A
AC Voltage	20-200-750V
DC Voltage	200m-2-20-200-1000V
Resistance	200-2k-20k-200k-2M-20M-200 MOhms
Frequency	2k-20kHz
Diode Check	2.8V/1mA
Capacitance	2n-20n-200n-2u-20uF
Temperature	-40°C – 1000°C
hFE	Vce ~3V; 1b ~ 10Ua

Multimeter - Auto Ranging

- Automatically sets correct range when test function is selected
- Mechanically prevents incorrect connection of test leads
- Data hold function
- Designed to safety standard EN61010-1; CAT II 600V

PROD. NO. MOD. NO.	310008 JDM-300
Application	AC/DC current AC/DC voltage resistance capacitance frequency temperature diode check duty cycle continuity check
AC Current	400u-4000u-40m-400m-4A-20A
DC Current	400u-4000u-40m-400m-4A-20A
AC Voltage	400mV-4V-40V-400V-750V
DC Voltage	400mV-4V-40V-400V-1000V
Resistance	200-4k-40k-400k-4MOhms-40 MOhms
Frequency	9.999Hz – 9.999MHz
Diode Check	Test current of 0.3mA, open circuit voltage of 1.5V
Duty Cycle	0.1% - 99.9%
Continuity Check	Threshold 30 ohms, continuity beeper 2.7 kHz
Capacitance	40nF-400nF-4uF-40uF-100uF
Temperature	-20°C – 760°C

METERS DIGITAL

Electronic Measuring Tools

Clamp Meter

- Takes measurements directly through clamp or with test leads
- Designed to safety standard IEC - 1010; CAT II 600V
- Includes zipper case, test leads and 9 volt battery

PROD. NO.	310022
MOD. NO.	JDCM-2
Application	AC/DC current AC/DC voltage resistance frequency
AC Current	4A - 1000A
DC Current	4A - 1000A
AC Voltage	750V
DC Voltage	1000V
Resistance	200 kOhms
Frequency	2kHz



Voltage/Continuity Tester

- LED lights indicate voltage without need for display screen
- Includes LED flashlight for illuminating work area
- Voltage detection function operates even without a battery
- Low impedance selector buttons for accurate low-voltage reading
- IP64 moisture protection
- Soft ergonomic grip
- Designed to safety standard CATIII 1000V / CAT IV 600V

PROD. NO.	310031
MOD. NO.	JVCT-690
AC	12, 24, 36, 50, 120, 230, 400, 690V
Polarity Detection	Yes
Single Pole Phase Test	Yes
Continuity Test	Yes
Rotary Field Indication	Yes



Voltage Detector

310041 / JVD-600

- Non-contact detection of AC voltage from 100V to 600V
- Suitable for testing outlets or against cable insulation
- Flashing red LED and audible beep indicate voltage
- Built in LED flashlight and pocket clip
- Designed to safety standard CATIII 1000V



Electronic Measuring Tools

FLASHLIGHTS

LED Flashlights

- LEDs use less power, burn cool, and last up to 80,000 hours
- Machined aluminum cases anodized inside and out for maximum resistance to corrosion
- O-ring seals prevent water from entering – non-submersible
- Industrial quality rubber sealed switches
- Strongarm LED flashlights are designed to provide a bright view, combined with maximum battery life
- Ideal for lighting work areas and short distances

PROD. NO. MOD. NO.	849804 JLFL-106	849806 JLFL-116	849807 JLFL-130	849809 JLFL-104
Description	6 Light Professional Duty LED Flashlight	16 Light Professional Duty LED Flashlight	30 Light Professional Duty LED Flashlight	Professional Duty LED Flex Light
Battery	Uses 2 AA batteries Included	Uses 3 C batteries Not included	Uses 3 D batteries Not included	Uses 3 AA batteries Not included
Length	7"	10-1/4"	2-1/2"	33"
Application	Ideal for tool belts	Ideal for tool boxes, glove compartments and many other applications	Ideal for maintenance crews, truckers, emergency personnel and many other applications	
Standard Accessory	Tool pouch			
Features	6 LED lights	16 LED lights	30 LED lights	4 LED lights

LED/Xenon Flashlights

- Super bright white LEDs provide maximum long lasting light
- High intensity discharge Xenon bulb provides excellent long distance lighting
- Patented technology allows user to change from LED to Xenon light without removing bulb – just press the switch to cycle between full LED, half LED or Xenon bulbs
- Machined aluminum cases are anodized inside and out for corrosion resistance
- Handles and heads knurled for maximum grip
- Virtually shatterproof polycarbonate lenses
- O-ring seals prevent water from entering – non-submersible
- Industrial quality rubber sealed switches

PROD. NO. MOD. NO.	849814 JLXL-106	849815 JLXL-110
Description	6 Light Professional Duty LED Xenon Flashlight	10 Light Professional Duty LED Xenon Flashlight
Battery	Uses 3 AAA batteries Included	Uses 2 D batteries Not included
Length	5-1/2"	10-1/4"
Optional Accessory	Spare Xenon bulb part number: 849891	Spare Xenon bulb part number: 849892
Features	Change from 3 to 6 LEDs or Xenon bulb	Change from 5 to 10 LEDs or Xenon bulb
Replacement Bulb	849891	849892



JET also carries magnetic pick-up tools with built-in LED lights for automotive applications.

Please consult our **Specialty Automotive tools** catalogue or visit our website at www.jetequipment.com

Flexible Lighted Magnetic Pickup H3511



Telescopic Lighted Magnetic Pickup H3512



**Need superior holding, clamping and puller strength?
Check our range of professional quality tools.**



Clamping/ Pullers.

- C-CLAMPS
- L-CLAMPS
- F-CLAMPS
- SPRING HAND CLAMPS
- PIPE CLAMP
- VISES
- GEAR PULLERS
- BEARING SEPARATOR

Clamping

C-CLAMPS

CC Series - Regular Throat Clamps - Heavy Duty

- Industrial quality drop forged heat treated steel C-clamps
- Heavy duty swivel pads are secured by a special retaining clip that is superior to crimped pads
- Acme threaded screw for smooth operation and even clamping pressure
- Black oxide screw resists welding spatter



390102



390106

PROD. NO.	MOD. NO.	Maximum Opening	Throat Depth	Clamping Pressure
390102	CC-2	2-3/16"	1"	3,300 psi
390103	CC-3	2-5/8"	1-1/2"	4,350 psi
390104	CC-4	4"	1-3/4"	5,300 psi
390105	CC-5	4-5/8"	2-1/16"	5,900 psi
390106	CC-6	6-1/4"	2-1/2"	7,650 psi
390108	CC-8	7-1/2"	3-1/4"	8,850 psi
390110	CC-10	9-1/2"	4-1/4"	9,000 psi
390112	CC-12	11-9/16"	4-1/2"	13,000 psi

CC-D Series - Deep Throat Clamps - Heavy Duty

- Industrial quality drop forged heat treated steel C-clamps
- Extra deep throat depths for maximum versatility
- Smooth acting Acme threaded screws for maximum clamping force
- Black oxide coated screw and pads minimize splatter adhesion
- Special pad retaining clips are superior to crimped pads
- Unique clamp profile provides incredible strength yet is lighter than most competing models
- Ideal for all welding and clamping applications



390124



390125

PROD. NO.	MOD. NO.	Maximum Opening	Throat Depth	Clamping Pressure
390122	CC-2D	0 – 2-1/8"	2-1/4"	3,500 psi
390123	CC-3D	0 – 3"	2-1/2"	3,500 psi
390124	CC-4D	0 – 4-1/4"	3-1/4"	6,200 psi
390125	CC-6D	0 – 6-1/16"	4-1/8"	6,600 psi
390126	CC-8D	0 – 8-1/4"	5"	6,900 psi
390127	CC-10D	2 – 10-1/8"	6"	8,000 psi
390129	CC-12D	2 – 12-1/4"	6-5/16"	9,300 psi

L-CLAMPS

- Tempered drop forged sliding arm reduces clamping set up time - ideal for high volume production work
- Nickel-chrome plated rails are heat formed from cold drawn profiled steel
- Extra deep throats for maximum versatility
- High carbon Acme threaded spindle is spatter resistant
- Rails, sliding arms, and spindles 100% heat treated
- Replaceable spindles and pads
- Specialized pads available for JLHD, and JLSD Series

JLLD Series - Regular Throat Clamps - Light Duty

- Use where moderate clamping pressure is required
- Standard swivel pads
- Our most economical L-clamp

PROD. NO.	MOD. NO.	Opening	Throat Depth	Rail Size	Clamping Pressure
390272	JLLD-8	8"	4"	3/4 x 3/8"	770 psi
390273	JLLD-10	10"	4-3/4"	7/8 x 13/32"	1,320 psi
390274	JLLD-12	12"	5-1/2"	1 x 1/2"	1,430 psi
390275	JLLD-16	16"	4-3/4"	1 x 1/2"	1,650 psi

JLRD Series - L-Clamps - Standard Duty

- Increased clamping pressure and larger sizes for a wider range of applications
- Standard swivel pads

PROD. NO.	MOD. NO.	Opening	Throat Depth	Rail Size	Clamping Pressure
390202	JLRD-6	6"	4-3/4"	27/32 X 13/32"	1,320 psi
390204	JLRD-8	8"	4-3/4"	1-3/16 x 9/16"	2,640 psi
390206	JLRD-10	10"	4-3/4"	1-3/16 x 9/16"	2,640 psi
390208	JLRD-12	12"	5-1/2"	1-3/16 x 9/16"	2,640 psi
390210	JLRD-16	16"	4-3/4"	1-3/16 x 9/16"	2,640 psi
390212	JLRD-20	20"	4-3/4"	1-3/16 x 9/16"	2,640 psi

Clamping



390274



390202

Clamping

L-CLAMPS

- Tempered drop forged sliding arm reduces clamping set up time - ideal for high volume production work
- Nickel-chrome plated rails are heat formed from cold drawn profiled steel
- Extra deep throats for maximum versatility
- High carbon Acme threaded spindle is spatter resistant
- Rails, sliding arms, and spindles 100% heat treated
- Replaceable spindles and pads
- Specialized pads available for JLHD, and JLS Series

JLHD Series - Deep Throat Clamps - Heavy Duty

- Increased throat depth and heavy duty cold forged swivel pads
- Pads tilt to 35°
- Serrated and V-pads available for special applications

PROD. NO.	MOD. NO.	Opening	Throat Depth	Rail Size	Clamping Pressure
390224	JLHD-8	8"	5-1/2"	1-3/16 x 9/16"	2,640 psi
390226	JLHD-10	10"	5-1/2"	1-3/16 x 9/16"	2,640 psi
390228	JLHD-12	12"	5-1/2"	1-3/16 x 9/16"	2,640 psi
390230	JLHD-16	16"	4-3/4"	1-3/16 x 9/16"	2,640 psi
390232	JLHD-20	20"	5-1/2"	1-3/16 x 9/16"	2,640 psi
390233	JLHD-24	24"	5-1/2"	1-3/16 X 9/16"	2,640 psi

new

JLSD Series - Deep Throat Clamps - Super Heavy Duty

- The ultimate in depth and strength
- 45% greater clamping pressure than our heavy duty clamps
- Heavy duty pads

PROD. NO.	MOD. NO.	Opening	Throat Depth	Rail Size	Clamping Pressure
390248	JLSD-12	12"	6-3/4"	1-9/16 X 3/4"	4,840 psi
390250	JLSD-16	16"	6-3/4"	1-9/16 X 3/4"	4,840 psi
390252	JLSD-20	20"	6-3/4"	1-9/16 x 3/4"	4,840 psi
390254	JLSD-24	24"	6-3/4"	1-9/16 x 3/4"	4,840 psi



390224



390248

L-CLAMPS

JQLL Series - Quick Lever Clamps - Heavy Duty

- Ratchet lever design prevents overloading clamp
- Resists vibration
- For fast application of high clamping pressure

PROD. NO.	MOD. NO.	Opening	Throat Depth	Rail Size	Clamping Pressure
390302	JQLL-6	6-1/4"	3-1/8"	5/8 x 5/16"	500 lbs
390303	JQLL-8	8"	4"	3/4 x 3/8"	770 lbs
390304	JQLL-10	10"	4-3/4"	7/8 x 13/32"	880 lbs
390305	JQLL-12	12"	5-1/2"	1 x 1/2"	1,100 lbs

L-Clamp Accessories

- Replacement parts for L-Clamps

PROD. NO.	Description
390289	Plain Pad for JLRD-6
390290	Screw and handle for JLRD-6
390291	Plain Pad for JLRD clamps
390292	Plain Pad for JLHD clamps
390293	Serrated pad for JLHD, JLSD clamps
390294	V pad for JLHD, JLSD clamps
390295	Screw and handle for JLRD clamps
390296	Screw and handle for JLHD, clamps
390297	Screw and handle for JLSD clamps
390298	Pad nut for JLHD, JLSD clamps
390299	Ball joint for JLHD, JLSD clamps

Clamping



390304



PLAIN



SERRATED



V-PAD



390295

F-CLAMPS



JFC Series - Woodworking F-Clamps - Heavy Duty

- I-beam rail resists bowing and flexing
- Double serrated rail ensures sliding arm remains stationary under load
- Industrial cast sliding arm and head stock for maximum strength
- Sliding arm features passive lock system for fast set ups and changes
- Passive lock allows 35% more throat depth than clutch lock clamps
- Dual material handle grip allows easy application of maximum torque
- Flat surfaces on back of head stock and sliding arm allow clamp to stand horizontally on workbench
- Replaceable non-marring pads

PROD. NO.	MOD. NO.	Nominal Opening	Throat Depth	Rail Size	Clamping Pressure
390411	JFC-306	6"	3-1/8"	1/4 x 7/8"	600 psi
390412	JFC-312	12"	3-1/8"	1/4 x 7/8"	600 psi
390413	JFC-316	16"	3-1/8"	1/4 x 7/8"	600 psi
390414	JFC-320	20"	3-1/8"	1/4 x 7/8"	600 psi
390422	JFC-412	12"	4-7/8"	3/8 x 1-3/16"	1,000 psi
390423	JFC-416	16"	4-7/8"	3/8 x 1-3/16"	1,000 psi
390425	JFC-424	24"	4-7/8"	3/8 x 1-3/16"	1,000 psi
390426	JFC-432	32"	4-7/8"	3/8 x 1-3/16"	1,000 psi

F-CLAMPS

JQCS Series - Quick Release Woodworking - Heavy Duty

- Body and jaws constructed of specially reinforced nylon
- Robust design develops and holds tremendous clamping pressure
- I-beam rail resists bowing and flexing under load
- Patented release lever concealed in handle prevents accidental release of clamp
- Quickly changes to a spreader by removing and reversing fixed jaw
- Large replaceable non-marring pads distribute pressure evenly


PROD. NO.	MOD. NO.	Nominal Opening	Throat Depth	Rail Size	Clamping Pressure	Maximum Spread
390471	JQCS-6	6"	3-3/8"	3/16 X 3/4"	350 psi	13-3/4"
390472	JQCS-12	12"	3-3/8"	3/16 x 3/4"	350 psi	19-5/8"
390473	JQCS-18	18"	3-3/8"	3/16 x 3/4"	350 psi	25-1/2"
390474	JQCS-24	24"	3-3/8"	3/16 x 3/4"	350psi	31-1/2"
390475	JQCS-36	36"	3-3/8"	3/16 x 3/4"	350psi	43-3/8"

Replacement Parts

- Replacement Pads for F-Clamps and Quick Clamps

PROD. NO.	Description
390491	Replacement pad set for 3-1/8" F-clamps
390492	Replacement pad set for 4-7/8" F-clamps
390498	Replacement pad for Quick Clamps
390499	Jaw nut for Quick Clamps

Clamping



390491



390498

SPRING HAND CLAMPS

JQRC Series - Quick Release

- Install and remove quickly with one hand
- Allows precise control of clamping pressure
- Patented quick release lever concealed in handle prevents accidental release
- Non-marring pads tilt to adapt to different shapes
- Made of specially reinforced nylon
- Available individually or in 2 piece sets



PROD. NO.	MOD. NO.	Nominal Opening	Overall Length	Pieces
2 Piece Sets				
390467	JQRC-1S	2"	7"	2
390468	JQRC-2S	3"	9-1/4"	2
Individual Clamps				
390462	JQRC-1	2"	7"	1
390463	JQRC-2	3"	9-1/4"	1

PIPE CLAMP

JPC Series - Pipe - Heavy Duty

390482 / JPC-7500

- Uses standard 3/4" threaded pipe (not included)
- Flat base allows clamp to stand on work bench for stable support
- Clamp height allows full turn of handle without contacting work surface
- Non-marring pads protect work from damage

SPRING HAND CLAMPS

JNSC Series - Nylon Woodworking

- Reinforced nylon construction for strength
- Nylon clamps will not rust
- Tilting pads adapt to various shapes


PROD. NO.	MOD. NO.	Nominal Opening	Overall Length
390452	JNSC-4	1"	4"
390453	JNSC-6	2"	6"
390454	JNSC-9	3"	9"

JSSC Series - Steel Woodworking

- Nickel plated to resist corrosion
- Vinyl grips for sure hold
- Use anywhere moderate clamping pressure is required

PROD. NO.	MOD. NO.	Nominal Opening	Overall Length
390457	JSSC-4	1"	4"
390458	JSSC-6	2"	6"
390459	JSSC-9	3"	9"

Clamping




Flat base allows stable support on work bench and allows handle to turn without contacting surface.



VICES

Precision machined
hardened steel jaws



JSV Series - Swivel Vise - Heavy Duty

- Class 30 iron, 30,000 lb. tensile strength castings
- Precision machined hardened steel jaws (replaceable)
- Built-in pipe jaws
- Machine ground anvil surface
- 360° swivel base with dual lock down handles

PROD. NO.	MOD. NO.	Jaw Width	Maximum Opening	Throat Depth	Clamping Force	Pipe Capacity	Net Weight
320151	JSV-4HD	4"	4"	2-3/4"	4,400 psi	1-1/2"	23 lbs
320152	JSV-5HD	5"	5"	3-3/4"	5,500 psi	2"	31 lbs
320153	JSV-6HD	6"	6"	4"	6,600 psi	2-1/2"	45 lbs
320154	JSV-8HD	8"	8"	4"	8,800 psi	3-1/2"	70 lbs

MPV Series - Multi-Purpose Vise - Heavy Duty

- Precision machined heavy duty steel jaws (replaceable)
- Index scale allows accurate adjustment of jaw angle
- 360° swivel base with dual lock down handles

PROD. NO.	MOD. NO.	Jaw Width	Maximum Opening	Throat Depth	Pipe Capacity	Net Weight
321336	MPV-125S	5"	4-11/16"	3"	3"	46 lbs

DPV Series - Drill Press Vise - Heavy Duty 321124 / DPV-4U

- Accurately ground base and slides
- Uni-grip mechanism allows powerful clamping force with minimal effort
- Eliminates need for crossbars or drop away handles
- Replaceable jaws hold round objects with ease

PROD. NO.	MOD. NO.	Jaw Opening	Maximum Opening	Jaw Depth
321124	DPV-4U	4"	3-1/2"	1-3/16"

Pullers

Made of the highest quality drop forged Chrome Molybdenum steel for professional use



GEAR PULLERS HEAVY DUTY

CrV

2 / 3 Jaw Combination Gear Pullers

- Assemble with 3 jaws for maximum stability, or with 2 jaws where access is limited – 2 pullers in 1
- Jaws, yokes and forcing screw made of heat treated Chrome Vanadium steel for ultimate strength
- Reversible jaw design allows internal and external pulling
- Jaws grip tighter as pulling force increases
- All components hardened to HRC 42~45 for professional use
- Fine-threaded 440 CrV forcing screw allows precise control for damage free pulling
- Can be used with bearing separators



PROD. NO.	MOD. NO.	Reach	Spread	Capacity	Screw Length	Pitch	Jaw Thickness	Jaw Width
770132	JGP-3HD	3-1/4"	4-3/4"	2 tons	4.9"	3/8"-24 tpi	1/8, 1/4"	1/4, 7/16"
770133	JGP-4HD	3-1/2"	7"	5 tons	7"	9/16"-20 tpi	1/4, 5/16"	3/8, 3/4"
770134	JGP-6HD	5-1/2"	7"	5 tons	7"	9/16"-20 tpi	1/4, 5/16"	3/8, 3/4"
770135	JGP-8HD	5-1/2"	9-1/2"	5 tons	9"	11/16"-18 tpi	5/16, 11/32"	7/8"

Pullers



770152



770302



JET carries a full range of automotive pullers and accessories. Please consult our **Specialty Automotive tools** catalogue or visit our website at www.jetequipment.com

GEAR PULLERS HEAVY DUTY

CrV

Hydraulic Gear Puller Set

- Jaws, yokes, bearing separator and ram made of heat treated Chrome Vanadium steel for ultimate strength
- Hydraulic ram requires no power - develops up to 10 tons of pressure with hand power only
- All components hardened to HRC 42~45 for professional use
- Includes twin and triple heads for assembling 2 jaw and 3 jaw pullers
- Includes 4-1/2" bearing separator

PROD. NO.	MOD. NO.	Reach	Spread	Capacity	Pieces (total)
770152	JHGP-10S	4"	10"	10 tons	22

Contents: Hydraulic Ram (1), 4" Puller Legs (3), 6" Puller Legs (3), 8" Puller Legs (3), Collar (1), Twin Head (1) Triple Head (1), End Cap (1), 2" Ram Extension (1), Yoke (1), 4-1/2" Bearing Separator (1), Main Rods (2), Extension Rods (2)

BEARING SEPARATORS HEAVY DUTY

- Separator bodies made of heat treated Chrome Vanadium steel for maximum strength
- All components hardened to HRC 42~45 for professional use
- Separators have knife like edges to get behind bearings where regular gear puller jaws are too thick to grip
- Can be used with push or pull type gear pullers

CrV

12 Piece Set

770302 / JBS-12

Maximum Reach	Capacity	Forcing Screw	Hole Size
3"	5 tons	7", 9/16" x 10 tpi	3/8" x 16 tpi

Contents: 2-1/4" Bearing Separator (1), 3-1/2" Bearing Separator (1), Yoke (1), Forcing Screw (1),

Open Stock

PROD. NO.	MOD. NO.	Capacity	Hole Size
770312	JBS-225	1-3/16" - 2-1/4"	3/8" x 16 tpi
770313	JBS-350	2-1/4" - 3-1/2"	3/8" x 16 tpi
770314	JBS-450	3" - 4-1/2"	1/2" x 16 tpi

These industrial quality products are
manufactured with the professional in mind.



Lubrication / Fluid Transfer.

- GREASE GUN
- PUMPS
- GREASE FITTINGS
- DRUM HANDLING EQUIPMENT



Lubrication / Fluid Transfer

GREASE GUNS

Lever Action - Standard Duty

350151 / JLGG-14S

- Uses standard 14 oz. grease cartridge or can be bulk filled
- Rugged electro-static epoxy coated finish resists corrosion
- Deep knurling for non-slip grip
- Heavy duty steel barrel for long life
- Machined steel head protects hardened steel plunger
- V-handle posi-lock follower rod for sure grip and easy filling in any position
- Ideal for home, farm, maintenance and shop use
- Complete with 6" rigid pipe extension and coupler
- Delivers 1 gm / stroke or 1 oz. / 28 strokes
- Produces up to 6,000 psi



Die cast head



Comes with rigid and flex extension

Lever Action - Heavy Duty

350152 / JLGG-14HD

- A premium, heavy duty grease gun built tough for the professional, industrial markets
- Added filler nipple allows three way loading; bulk, filler pump or standard 14 oz. cartridge
- Air bleeder valve easily purges unwanted air
- Variable stroke for working in confined areas
- Rugged electro-static epoxy coated finish resists corrosion
- Deep knurling for non-slip grip
- Heavy duty steel barrel for long life
- Die cast head protects hardened steel plunger
- T-handle posi-lock follower rod for sure grip and easy filling in any position
- Comfortable sure grip rubber handle makes pumping easy and convenient
- Complete with 6" rigid extension, 12" flexible hose, and heavy duty coupler
- A must for heavy maintenance, industrial, automotive and farm use
- Delivers 1 gm / stroke or 1oz. / 28 strokes
- Produces up to 10,000 psi

Die cast head



Comes with rigid and flex extension

Pistol Grip - Heavy Duty

350155 / JPGG-14HD

- Pistol grip design offers convenient one-handed operation
- Die cast head protects hardened steel plunger
- Uses standard 14 oz. grease cartridge or can be bulk filled
- Rugged electro-static epoxy coated finish resists corrosion
- Deep knurling for non-slip grip
- T-handle posi-lock follower rod for sure grip and easy filling in any position
- Includes 4" rigid pipe extension, 18" flexible hose and heavy duty coupler
- Delivers 0.50 gm / stroke or 0.70 oz. / 40 strokes
- Produces up to 5,000 psi

GREASE GUNS

Air Powered - Heavy Duty One Shot

350161 / JAGG-14P

- A premium severe duty air powered grease gun for the most demanding professional user
- Intermittent action delivers one shot of grease for every pull of the trigger
- Added filler nipple allows 3 way loading; bulk, filler pump, or standard 14 oz. cartridge
- Heavy duty die cast aluminum head
- Precision honed barrel for fast action
- Air pressure 40 - 120 psi at 1 cfm or greater
- T-handle posi-lock follower rod for sure grip and easy filling in any position
- Complete with male quick coupler air fitting
- Delivers 0.90 gm / shot or 1.30 oz. / 40 shots
- Produces up to 4,800 psi

new

Air Powered - Heavy Duty Continuous Flow

350162 / CFAGG-14P

- Automatic continuous flow of grease while trigger is depressed
- 40:1 Pump Ratio
- Minimum inlet air pressure 40 psi to Maximum 150 psi (2.7 to 10.3 bar)
- Develops up to 6,000 psi (414 bar) pressure
- Bulk load grease fitting included
- Air Vent Valve included for releasing air pockets
- Reservoir capacity 14.5 oz.
- Output per stroke .038 cubic inches (0.62 cubic centimeters)
- Lubricant up to NLGI #2 Grease
- Air Inlet 1/4-18 NPT
- Grease Outlet 1/8-27 UNPT
- Weight empty 4.74 lbs.

Pistol Grip - Mini Style

350171 / JMPG-16

- Convenient pull type trigger for easy one hand operation
- Die cast head
- Textured zinc plated finish for non slip grip
- Uses standard 3 oz. grease cartridges or can be bulk filled
- T-handle posi-lock follower rod for sure grip
- Complete with 4" rigid pipe extension and professional coupler
- Produces up to 3,500 psi
- Delivers 0.40gm / stroke or 0.60 oz. / 40 strokes

Lubrication / Fluid Transfer



Comes with rigid and flex extension



GREASE GUNS



Pre-loaded with NLGI Grade 2 grease



Push Type - Mini Tool Box Style

350173 / JPTG-1

- Perfect tool box companion for lubrication of tools on the job
- Universal connector fits all standard fittings
- Comes pre loaded with NLGI Grade 2 grease
- Can be re-filled
- Transparent barrel provides clear view of remaining grease
- Sealed design to prevent leakage

Suction Gun

350157 / JS GG-18

- Rugged 18 oz. capacity suction gun for draining and filling differentials, clutches and transmissions
- Does not require priming
- Heavy duty steel barrel for long life
- Electro-static epoxy coated finish resists corrosion
- Deep knurling for non-slip grip
- T-handle posi-lock follower rod for sure grip
- Complete with flexible vinyl hose
- For use with any non-corrosive lubricants

Grease Gun Filler Pump

350158 / JGFP-03

- Zinc die cast head and adjusting flange
- 18" zinc plated pump body
- Epoxy coated, corrosion resistant 12" drum cover
- All steel foot valve
- Fits 25 - 50 lb / 5 gallon pails
- Designed to load bulk or combination grease guns
- Delivers 28 gms on 1 oz. / stroke
- Suitable for use with light and medium density grease

GREASE GUN HOSES

- Heavy duty high pressure (11,600 psi burst pressure) grease hoses for all makes of hand grease guns
- Working pressure 3,500 psi
- Replacement whip hoses
- Polyamide inner tube with polyurethane outer tube, reinforced with highly tear resistant polyester

High Pressure

PROD. NO.	MOD. NO.	Length	Style	Thread
350181	JFH-12	12"	Flexible	1/8" N.P.T.
350182	JFH-18	18"	Flexible	1/8" N.P.T.

High Pressure - Spring Style

- Fitted with heavy duty spring for added safety, strength and life

PROD. NO.	MOD. NO.	Length	Style	Thread
350201	JFH-12SP	12"	Flexible	1/8" N.P.T.
350202	JFH-18SP	18"	Flexible	1/8" N.P.T.



GREASE GUN ACCESSORIES

Grease Gun Holder

350185 / JGGH-1

- Conveniently mounts any 2-1/4" O.D. grease gun to almost any surface

Lubrication / Fluid Transfer



Lubrication / Fluid Transfer

QUICK CHANGE COUPLER ADAPTORS



7 Piece Quick Change Coupler Set

350213 / JQCC-7S

- Quick change feature snaps directly onto jaw type couplers – no need to remove hydraulic coupler to change accessories
- Instantly converts jaw type couplers for fine line greasing for access to confined areas
- Protective sleeve secures connection
- Ideal for applications where fittings are in limited access areas
- For hand operated grease guns

SET CONTAINS ONE EACH OF THE ITEMS LISTED BELOW:

Recessed Lube Adaptor

350208 / JRLA-1

- 4" length, tip diameter 0.22"
- For push on greasing of fittings where obstruction will not allow use of regular coupler

90° Angle Lube Adaptor

350209 / JALA-1

- .019" diameter

Needle Nose Adaptor

350210 / JNND-2

- 1-1/2" needle length, diameter 0.156"

Right Angle Coupler

350211 / JRAC-2

- Working pressure 1,000 psi
- Particularly useful in low height applications
- Polyurethane seal fits perfectly on grease fitting

Seal-Off Adaptor

350212 / JSOD-1

- Used for lubricating cars with grease plugs
- Oil and grease resistant rubber tip

Needle Nose Dispenser

350205 / JNND-1

- For dispensing fine line of grease
- Allows contact with flush or hard-to-reach fittings in inaccessible areas
- 1-1/2" needle length, diameter 0.156"
- 1/8" NPT threads

Grease Injector Needle

350206 / JGIN-15

- Lubricates in extremely tight places including U-joints and sealed bearings
- Fits directly on jaw type couplers
- 18 gauge Stainless steel
- 1-1/2" long
- With protective plastic cover



GREASE GUN COUPLERS

- For hand operated grease guns
- Professional industrial quality

3 Jaw - Heavy Duty

350203 / JPDC-3

- Hardened body withstands high pressure without deformation
- Working pressure 6,000 psi
- 1/8" NPT threads

Right Angle - Heavy Duty

350204 / JRAC-1


- Unique design for greasing fittings in hard to reach areas
- Particularly useful in low height applications
- Polyurethane seal fits perfectly on grease fitting
- Working pressure 1,000 psi
- 1/8" NPT threads

Swivel Type - Heavy Duty

350207 / JSGC-360

- Built in 360° swivel locks in eight positions
- Working pressure 7,000 psi
- 1/8" NPT threads
- Fully hardened 3 jaw construction

Lubrication / Fluid Transfer



GREASE FITTINGS

- Conforms to S.A.E., DIN, BS and JIS standards
- EN-1A steel with zinc plating
- Heat treated to a minimum of HRC83
- Available in 10 piece packs of single types, 8 piece packs assorted and 80 piece assortments

10 Packs - Heavy Duty

PROD. NO.	MOD. NO.	Type	Pieces	Thread	Hex Size
350251	JGF-142800	Straight Fittings	10	1/4" – 28 S.A.E.	5/16"
350252	JGF-142845	45° Fittings	10	1/4" – 28 S.A.E.	3/8"
350253	JGF-142890	90° Fittings	10	1/4" – 28 S.A.E.	3/8"
350254	JGF-182700	Straight Fittings	10	1/8" – 27 NPT	7/16"
350255	JGF-182745	45° Fittings	10	1/8" – 27 NPT	7/16"
350256	JGF-182790	90° Fittings	10	1/8" – 27 NPT	7/16"



STRAIGHT
350251 / 350254



45°
350252 / 350255



90°
350253 / 350256

GREASE FITTINGS

Sets - Heavy Duty

PROD. NO.	MOD. NO.	Type	Pieces	Contents
350257	JGF-8S	S.A.E.	8	2 each: 1/4" - 28 Straight 1/8" - 27 Straight 1/8" - 27 45° 1/8" - 27 90°
350258	JGF-8M	Metric	8	2 each: M6 x 1 Straight, M6 x 1 45° M6 x 90° M8 x 1
350259	JGF-80S	S.A.E.	80	15 x 1/4" - 28 Straight 10 x 1/4" - 28 45° 10 x 1/4" - 28 90° 25 x 1/8" - 27 Straight 10 x 1/8" - 27 45° 10 x 1/8" - 27 90°
350260	JGF-80M	Metric	80	20 x M6 x 1 Straight 10 x M6 x 1 90° 15 x M8 x 1 Straight 10 x M8 x 1 90° 15 x M10 x 1 Straight 10 x M10 x 1 90°

4 Way Fitting Tools

- Handy multi-purpose fitting tools
- Wrench, tap and extractor in one
- Removes worn and broken fittings, re-taps threaded holes, installs new fittings
- Works with straight and angled fittings

PROD. NO.	MOD. NO.	Application
350261	JGFT-14	• Tap repairs 1/4"-28 S.A.E. threaded holes • Wrench removes and installs 5/16" and 3/8" hex fittings
350262	JGFT-18	• Tap repairs 1/8"-27 NPT threaded holes • Wrench removes and installs 7/16" and 3/8" hex fittings

Lubrication / Fluid Transfer



350257 / 350258



350259 / 350260



350261



350262

Lubrication / Fluid Transfer

All models complete with
both flex and rigid spouts



350125



OIL CANS

- Industrial quality
- Brass pump
- Electro-static, corrosion resistant epoxy coating
- Complete with flex hose and rigid spout

Brass Pump Oil Cans

PROD. NO.	MOD. NO.	Capacity
350121	JOC-180	6 oz. / 180 ml
350122	JOC-300	10 oz. / 300 ml
350124	JOC-500	16 oz. / 500 ml
350125	JOC-700	24 oz. / 700 ml

PUMPS

Barrel Pump - Lever Action - Heavy Duty 350105 / JLBP-01

- Suitable for use with all oil based fluids
- Fits 15 – 55 gallon drums
- Rugged epoxy coated pump assembly
- Tough all steel foot valve and piston valve
- Delivers 300 ml or 10 oz. / stroke
- Complete with 2 piece draw tube

Bucket Pump - Lever Action - Heavy Duty 350106 / JLBP-02

- Suitable for transfer of transmission, differential and heavier oils
- Delivers 16 oz. / stroke
- Zinc die cast head and adjustable flange
- Fits 25 - 50 lb / 5 gallon pails
- Epoxy coated, corrosion resistant 12" drum cover
- 18" zinc plated pump body
- Complete with 48" fuel resistant soft PVC hose with nozzle

PUMPS

Barrel Pump - Rotary - Heavy Duty

350103 / HRP-25

- Most popular rotary barrel pump in Canada!
- Sturdy cast iron body with precisely machined cast iron vanes for better draw and smoother delivery
- Hi Nitrile rubber pump seals
- Delivers 5 litres or 1.30 gallons per 20 revolutions
- Dual directional operation – pumps in either direction!
- Recommended use: Diesel, Kerosene, heating oils, motor oils, lubrication oils (up to SAE 90) and other non-corrosive media
- Do not use with: Gasoline, anti-freeze, solvents, acids or water based media
- Comes with suction tube, 2" cast iron bung nut and steel discharge spout

Diaphragm - Litre Stroke - Heavy Duty

350107 / JDDP-1000

- Suitable for gasoline, diesel fuels, fuel oil, motor oil
- High volume double action pump delivers on both strokes for fast fuelling
- Delivers 1 litre per cycle or 1 gallon / 5 strokes
- Fits 15 – 55 gallon drums
- Die cast aluminum construction
- Stainless steel piston and fuel resistant diaphragm
- Extra heavy duty steel handle with security locking latch
- Complete with 2" bung adaptor, 8' discharge hose and telescoping suction tube

Chemical Pump - Nylon Body

350109 / JNCP-14


- Excellent for use with lacquer thinners, acetone, MEK, antifreeze, detergents, windshield washer fluids, mild acids, weed killer, water and glycerine
- Fits 15 – 55 gallon drums
- Delivers 14 oz. per stroke
- Nylon pump with stainless steel plunger rod and Teflon seals
- Not recommended for strong acids or gasoline

Chemical Pump - Polypropylene Body


350108 / JPCP-14

- Suitable for use with antifreeze, detergents, windshield washer fluid, mild acids and glycerine
- Fits 15 – 55 gallon drums
- Delivers 14 oz. per stroke
- Polypropylene pump with steel plunger rod and Viton seals
- Not recommended for water, strong acids, lacquers, acetone and gasoline

Lubrication / Fluid Transfer



DRUM HANDLING EQUIPMENT



Drum Wrench - Aluminum Handle

350214 / JADW-1

- Designed to fit perfectly onto most 2" and 3/4" drum plugs
- Made of cast aluminum for strength and safety
- Will not cause sparks
- Hardened and tempered


351003

351004

 Cast iron
casters

351005

 Cast iron
casters

Drum Dollies

- Heavy gauge steel for professional use
- Powder coated finish
- 5 and 16 gallon models with adjustable clamp bolt
- 16 and 55 gallon models complete with cast iron casters

PROD. NO.	MOD. NO.	Application	Wheels	Load Limit	Diameter
351003	JDD-5	5 gallon drums	Resin	200 lbs	10-1/4 – 11-1/4"
351004	JDD-16	16 gallon drums	Extra Heavy Duty Cast Iron	200 lbs	13-1/2 – 14-1/4"
351005	JDD-55	55 gallon drums	Extra Heavy Duty Cast Iron	450 lbs	23"

Drum Cradle

351011 / JDC-55

- Tilting drum cradle moves, rotates, tips and stores 55 gallon drums with ease
- Self storing lever bar
- Powder coated finish
- Flat packed for easy shipping
- 2-1/2" non-sparking wheels
- Load limit 600 lbs



Tool Storage.



Tool Storage

PORTABLE TOOL BOXES

Plastic - Standard Duty

- Extra thick walls stand up to heavy loads
- Resists scratches and dents, won't rust
- Removeable tool tray
- Steel hinge pins for long service life
- 19" and 22" models feature bolt-through carrying handles for extra heavy loads
- Recessed handle for easy storage and transport
- V-groove on lid holds small parts
- Twin heavy duty buckles distribute weight evenly
- Can be padlocked for security

PROD. NO.	MOD. NO.	Width	Depth	Height	Tray Size	Storage Capacity
842142	JPTB-16	16"	8"	7-1/2"	13-1/2 x 5"	960 in ³
842143	JPTB-19	19"	9"	8"	16-1/4 x 6"	1,368 in ³
842144	JPTB-22	22"	10-1/4"	9-1/2"	19 x 7-1/4"	2,142 in ³

Stainless Steel / Plastic - Heavy Duty

- Combination of stainless steel and plastic components offers great strength with low weight
- Will not rust
- Removeable tool tray
- Steel hinge pins for long service life
- Recessed handle for easy storage and transport
- Twin heavy duty steel buckles distribute weight evenly
- Can be padlocked for security

PROD. NO.	MOD. NO.	Width	Depth	Height	Tray Size	Storage Capacity
842152	JPSTB-15	15"	6-1/4"	7"	13-1/2" x 4-1/2"	656 in ³
842153	JPSTB-20	20"	9-5/8"	8-7/8"	18" x 6-1/2"	1,708 in ³
842154	JPSTB-22	22-1/2"	11"	10-3/4"	21" x 8"	2,660 in ³

Metal - Heavy Duty

- Heavy gauge powder coated steel for durability
- Rust resistant plated buckles
- Pad lock or key lock

PROD. NO.	MOD. NO.	Overall Width	Overall Depth	Overall Height	Overall Weight	Storage Capacity
842104	TB21	21"	8-3/4"	9"	11 lbs	1,613 in ³
842105	TB26	26"	8-3/4"	9"	14 lbs	1,980 in ³
842124	TB21-3	21"	8-3/4"	12"	23 lbs	1,606 in ³
842134	CTB21-4	21-1/4"	8-3/4"	12"	16 lbs	1,971 in ³

842142

842143

842144

842152

842153

842154

842104

842124

842134

CHESTS AND ROLLER CABINETS



Tool Storage

Sumo® Series

- SUMO Series tool storage for professional applications
- Double wall steel construction with reinforced bottom channel on cabinets
- Ball bearing slides on all drawers
- Extruded aluminum drawer pulls
- Heavy duty castors
- Larger chests complete with gas struts for easy opening (42" and 56" only)
- All models complete with drawer liners

Sumo® Series Mechanic's Chest

27" x 18"

6 DRAWERS

842553 / SMC2706

	Width	Depth	Height	Weight
OVERALL	26"	17-7/8"	18-5/16"	38 lbs
6 DRAWERS	23"	16"	2"	

Maximum Load Per Drawer: 75 lbs

Sumo® Series Roller Cabinets

27" x 18"

7 DRAWERS

842503 / SRC2707

	Width	Depth	Height	Weight	Wheels
OVERALL	27"	18-3/4"	35-5/8"	97 lbs	5" x 1-1/4"
4 DRAWERS	23"	16"	2"		2 Swivel
2 DRAWERS	23"	16"	4-1/4"		2 Rigid
1 DRAWER	23"	16"	6-7/16"		

Maximum Load Per Drawer: 75 lbs

SUMO®

842553



842503



Tool Storage

CHESTS AND ROLLER CABINETS



Sumo® Series Mechanic's Chest

42" x 16"

10 DRAWERS

842563 / SMC4210

	Width	Depth	Height	Weight
OVERALL	40-7/8"	16"	19-1/4"	121 lbs
3 DRAWERS	22-1/2"	14"	1-3/4"	
2 DRAWERS	22-1/2"	14"	3-3/4"	
3 DRAWERS	12-1/8"	14"	1-3/4"	
2 DRAWERS	12-1/8"	14"	3-3/4"	

Maximum Load Per Drawer: 100 lbs

Sumo® Series Mechanic's Chest

56" x 24"

6 DRAWERS

842573 / SMC5606

	Width	Depth	Height	Weight
OVERALL	55-1/2"	23-7/8"	19-1/8"	225 lbs
2 DRAWERS	34-5/8"	21-7/8"	4-1/2"	
2 DRAWERS	34-5/8"	21-7/8"	1-5/8"	
1 DRAWER	15-3/8"	21-7/8"	3-5/8"	
1 DRAWER	15-3/8"	21-7/8"	8-3/4"	

Maximum Load Per Drawer: 120 lbs

842563

842513



SUMO®



842573

842523



Sumo® Series Roller Cabinet

42" x 18"

11 DRAWERS

842513 / SRC4211

	Width	Depth	Height	Weight	Wheels
OVERALL	41-1/2"	18"	39-7/8"	197 lbs	5" x 2"
5 DRAWERS	21-7/8"	15"	2-1/4"		2 Swivel
1 DRAWER	21-7/8"	15"	4-7/8"		2 Rigid
1 DRAWER	36-1/2"	15"	3-7/8"		
2 DRAWERS	12"	15"	2-1/4"		
1 DRAWER	12"	15"	4-7/8"		
1 DRAWER	12"	15"	7-1/2"		

Maximum Load Per Drawer: 100 lbs

Sumo® Series Roller Cabinet

56" x 24"

10 DRAWERS

842523 / SRC5610

	Width	Depth	Height	Weight	Wheels
OVERALL	56-3/8"	24"	39-1/2"	359 lbs	5" x 2"
1 DRAWER	51-3/8"	20-15/16"	3-1/2"		4 Swivel
2 DRAWERS	34-1/8"	20-15/16"	1-11/16"		2 Rigid
2 DRAWERS	34-1/8"	20-15/16"	3-5/8"		
1 DRAWER	34-1/8"	20-15/16"	4-1/4"		
3 DRAWERS	15"	20-15/16"	1-11/16"		
1 DRAWER	15"	20-15/16"	11-1/8"		

Maximum Load Per Drawer: 120 lbs

CHESTS AND ROLLER CABINETS



Sumo® Series Side Lockers

- Tall side lockers offer storage for larger tools too high for regular drawers
- Full height design for use with cabinet and chest combinations
- Both lockers include 2 adjustable shelves
- 42" series locker includes one roller bearing drawer
- Designed for use with SUMO Tool Storage units only

42"

SIDE LOCKER

842542 / SL4202

	Width	Depth	Height	Weight
OVERALL	15-1/2"	18-1/4"	52"	72 lbs
2 SHELVES	15-1/8"	16-3/4"	3/4"	
1 DRAWER	11-1/8"	15-1/4"	2-3/8"	

Side loader for SRC4211

56"

SIDE LOCKER

842543 / SL5602

	Width	Depth	Height	Weight
OVERALL	15-1/2"	24"	51"	66 lbs
2 SHELVES	14-7/8"	22-3/8"	5/8"	

Side loader for SRC5610

Tool Storage

SUMO®



842543

Tool Storage



CHESTS AND ROLLER CABINETS



Black & Gold Series

- Ball bearing slides on all drawers
- Extra heavy gauge steel construction
- Double walls for maximum strength and weight capacity
- Reinforced base and heavy duty castors on all roller cabinets
- Tool tray included with every 27" top chest
- Nickel plated gold look side handles
- Anti-slip drawer liners
- Protective top mat on roller cabinets
- Push-Lock safety drawers stay closed when moving



new

26" x 12"

6 DRAWERS

842652 / MC2606-BG

	Width	Depth	Height	Weight
OVERALL	26"	12"	14-1/2"	49.5 lbs
3 DRAWERS	6-3/4"	10-7/16"	1-7/8"	
2 DRAWERS	22-5/8"	10-7/16"	1-7/8"	
1 DRAWER	22-5/8"	10-7/16"	2-7/16"	

Maximum Load Per Drawer 75 lbs

new

26" x 12"

9 DRAWERS

842654 / MC2609-BG

	Width	Depth	Height	Weight
OVERALL	26"	12"	16-1/2"	57 lbs
6 DRAWERS	6-3/4"	10-7/16"	1-7/8"	
2 DRAWERS	22-5/8"	10-7/16"	1-7/8"	
1 DRAWER	22-5/8"	10-7/16"	2-7/16"	

Maximum Load Per Drawer 75 lbs

CHESTS AND ROLLER CABINETS



Tool Storage

Black & Gold Series

new

26" x 16"

6 DRAWERS

842653 / MC2606D-BG

	Width	Depth	Height	Weight
OVERALL	26"	15-7/8"	18-3/4"	72.4 lbs
5 DRAWERS	22-1/2"	14-3/8"	1-7/8"	
1 DRAWER	22-1/2"	14-3/8"	2-3/8"	

Maximum Load Per Drawer 75 lbs



new

27" x 18"

5 DRAWERS

842602 / RC2705-BG

	Width	Depth	Height	Weight	Wheels
OVERALL	27"	18-5/16"	31-5/16"	90 lbs	5"
3 DRAWERS	23"	14-7/8"	2-7/8"		2 swivel
2 DRAWERS	23"	14-7/8"	6"		2 rigid

Maximum Load Per Drawer 75 lbs



new

27" x 18"

7 DRAWERS

842604 / RC2707-BG

	Width	Depth	Height	Weight	Wheels
OVERALL	27"	18-5/16"	37-5/8"	110 lbs	5"
5 DRAWERS	23"	14-7/8"	2-7/8"		2 swivel
2 DRAWERS	23"	14-7/8"	6"		2 rigid

Maximum Load Per Drawer 75 lbs





842663



842613



842623

CHESTS AND ROLLER CABINETS



Black & Gold Series

new

41" x 18"

14 DRAWERS

842663 / MC4114-BG

	Width	Depth	Height	Weight
OVERALL	40-5/16	16"	19-1/8"	137 lbs
9 DRAWERS	6-3/4"	14-1/8"	1-7/8"	
2 DRAWERS	22-5/8"	14-1/8"	1-7/8"	
1 DRAWER	22-5/8"	14-1/8"	2-7/16"	
2 DRAWERS	12-3/16"	14-1/8"	5-1/2"	

Maximum Load Per Drawer 100 lbs

new

41" x 18"

10 DRAWERS

842613 / RC4110-BG

	Width	Depth	Height	Weight	Wheels
OVERALL	41-1/8"	18-3/8"	39-1/2"	217 lbs	5"
7 DRAWERS	22"	15"	2-7/16"		2 swivel
1 DRAWER	22"	15"	4-7/8"		2 rigid
2 DRAWERS	15-7/8"	15"	2-7/16"		

Maximum Load Per Drawer 100 lbs

new

56" x 24"

9 DRAWERS

842673 / MC5609-BG

	Width	Depth	Height	Weight
OVERALL	55-1/2"	23-7/8"	19-3/8"	225 lbs
7 DRAWERS	25-1/8"	22"	1-7/8"	
1 DRAWER	25-1/8"	22"	4-1/2"	
1 DRAWER	25-1/8"	22"	6-1/2"	

Maximum Load Per Drawer 120 lbs

new

56" x 24"

13 DRAWERS

842623 / RC5613-BG

	Width	Depth	Height	Weight	Wheels
OVERALL	56"	24"	39-1/2"	446 lbs	5"
10 DRAWERS	24-1/2"	21-1/8"	2-7/16"		2 swivel
2 DRAWERS	24-1/2"	21-1/8"	5"		4 rigid
1 DRAWER	51-5/8"	21-1/8"	3-5/8"		

Maximum Load Per Drawer 120 lbs

CHESTS AND ROLLER CABINETS

BEST

Tool Storage

Pro Series Mechanic's Chests

- Two piece friction slides provide long service life
- Full width drawer pulls for comfortable, easy operation
- Full width / full height double wall construction for superior rigidity
- Rear locking mechanism provides maximum security
- Canadian built using the best quality domestic steel for maximum storage capacity without the risk of bending under heavy loads



26" x 12"

6 DRAWERS

842252 / MC26-6

	Width	Depth	Height	Weight
OVERALL	26"	12"	14-1/2"	55 lbs
3 DRAWERS	7"	10-1/2"	2"	
2 DRAWERS	23"	10-1/2"	2"	
1 DRAWER	23"	10-1/2"	2-1/2"	

Maximum Load Per Drawer 75 lbs



26 x 18"

12 DRAWERS

842254 / MC26-12

	Width	Depth	Height	Weight
OVERALL	26"	17-7/8"	20-1/2"	105 lbs
9 DRAWERS	7"	16"	2"	
2 DRAWERS	23"	16"	2"	
1 DRAWER	23"	16"	4-1/4"	

Maximum Load Per Drawer 75 lbs

Pro Series Roller Cabinets



27" x 18"

5 DRAWERS

842202 / RC27-5

	5 Drawers Width	Depth	Height	Weight	Wheels
OVERALL	27"	18-3/4"	35-5/8"	109 lbs	5" x 1-1/4"
4 DRAWERS	23"	16"	4-1/4"		2 swivel
1 DRAWER	23"	16"	6-7/16"		2 rigid

Maximum Load Per Drawer 75 lbs



27" x 18"

11 DRAWERS

842204 / RC27-11

	Width	Depth	Height	Weight	Wheels
OVERALL	27"	18-3/4"	42-3/8"	151 lbs	5" x 2"
4 DRAWERS	11"	16"	2"		2 swivel
4 DRAWERS	23"	16"	2"		2 rigid
2 DRAWERS	23"	16"	4-1/4"		
1 DRAWER	23"	16"	8-1/2"		

Maximum Load Per Drawer 75 lbs

Tool Storage

CHESTS AND ROLLER CABINETS

BEST

Super Pro Series Mechanic's Chests

- Ball bearing slides on all full width drawers for smooth action even when fully loaded
- Safe-Lock system prevents drawers from accidentally opening when moving tool box
- Full width drawer pulls for comfortable, easy operation
- Full width / full height double wall steel construction for superior rigidity
- Rear locking mechanism provides maximum security
- Canadian built using the best quality domestic steel for maximum storage capacity without the risk of bending under heavy loads



26" x 18"

6 DRAWERS

842351 / MC26-6B

	Width	Depth	Height	Weight
OVERALL	26"	17-7/8"	20-1/2"	103 lbs
5 DRAWERS	23"	16"	2"	
1 DRAWER	23"	16"	4-1/4"	

Maximum Load Per Drawer 120 lbs

26" x 18"

10 DRAWERS

842353 / MC26-10B

	Width	Depth	Height	Weight
OVERALL	26"	17-7/8"	20-1/2"	108 lbs
6 DRAWERS	7"	16"	2"	
1 DRAWER	7"	16"	6-7/16"	
2 DRAWERS	23"	16"	2"	
1 DRAWER	23"	16"	4-1/4"	

Maximum Load Per Drawer 120 lbs



CHESTS AND ROLLER CABINETS

BEST

Super Pro Series Roller Cabinets

- Ball bearing slides on all full width drawers for smooth action even when fully loaded
- Safe-Lock system prevents drawers from accidentally opening when moving tool box
- Full width drawer pulls for comfortable, easy operation
- Full width / full height double wall steel construction for superior rigidity
- Rear locking mechanism provides maximum security
- Canadian built using the best quality domestic steel for maximum storage capacity without the risk of bending under heavy loads



27" x 18"

5 DRAWERS

842302 / RC27-5B

	Width	Depth	Height	Weight	Wheels
OVERALL	27"	18-3/4"	35-5/8"	118 lbs	5" x 1-1/4"
4 DRAWERS	23"	16"	4-1/4"		2 Swivel
1 DRAWER	23"	16"	6-7/16"		2 Rigid

Maximum Load Per Drawer 75 lbs



27" x 18"

8 DRAWERS

842303 / RC27-8B

	Width	Depth	Height	Weight	Wheels
OVERALL	27"	18-3/4"	42-3/8"	161 lbs	5" x 1-1/4"
4 DRAWERS	23"	16"	2"		2 Swivel
3 DRAWERS	23"	16"	4-1/4"		2 Rigid
1 DRAWER	23"	16"	8-1/2"		

Maximum Load Per Drawer 120 lbs

Tool Storage



842302



842303

Tool Storage

CHESTS AND ROLLER CABINETS

BEST

Super Pro Series Mechanic's Chests



842372



41" x 23"

9 DRAWERS

842372 / MC41-9B

	Width	Depth	Height	Weight
OVERALL	41-1/2"	23"	21-1/8"	243 lbs
3 DRAWERS	23"	22"	2"	
2 DRAWERS	11"	22"	2"	
2 DRAWERS	23"	22"	4-1/4"	
1 DRAWERS	11"	22"	4-1/4"	
1 DRAWER	11"	22"	6-7/16"	

Maximum Load Per Drawer 120 lbs

Super Pro Series Roller Cabinets



842321



41" x 24"

13 DRAWERS

842321 / RC41-13B

	Width	Depth	Height	Weight	Wheels
OVERALL	41-1/2"	24-3/8"	43-5/8"	422 lbs	6" x 2"
4 DRAWERS	23"	22"	2"		2 Swivel
3 DRAWERS	11"	22"	2"		2 Rigid
2 DRAWERS	23"	22"	4-1/4"		
1 DRAWER	11"	22"	4-1/4"		
1 DRAWER	23"	22"	6-7/16"		
1 DRAWER	11"	22"	13"		
1 DRAWER	38"	22"	4-1/4"		

Maximum Load Per Drawer 120 lbs



842256

Pro Series Truck Box

- Extra heavy gauge steel and additional spot welds designed to withstand the constant vibration and bumps of road travel
- Drop front cover with neoprene seal prevents water from entering
- Concealed hinges prevent rust
- Black powder coated paint for long term rust resistance
- Full extension friction drawer slides
- Heavy duty welded side handles with 90° stops
- Heavy duty rubber feet keep box out of water



26 x 18"

5 DRAWERS

842256 / TB26-5

	Width	Depth	Height	Weight
OVERALL	26"	17-7/8"	23"	124 lbs
3 DRAWERS	23"	16"	2"	
2 DRAWERS	23"	16"	4-1/4"	

Maximum Load Per Drawer 75 lbs

Metal Working Machinery.

- BENCH GRINDERS
- DRILL PRESSES
- METAL BANDSAWS
- DUST COLLECTOR



Our metal working machinery is CSA approved and backed by our 2 year limited warranty



Metal Working Machinery



2 YEAR
WARRANTY



JET carries a full range of abrasives, wire wheels and cutting tools. Please consult our **Abrasives** catalogue or visit our website at www.jetequipment.com



BENCH GRINDERS

- Heavy duty construction for maximum service life
- CSA electrics for safety and reliability
- All ball bearing construction
- Steel wheel covers with rear dust exhaust ports
- Easy to adjust steel tool rests
- Eye shields and spark guards for operator safety
- Rubber feet on base for reduced vibration
- Includes coarse and medium grinding wheels

Heavy Duty

PROD. NO. MOD. NO.	240153 BGC-6	240154 BGC-8
Motor	1/3HP, 1Ph, 115V	1/2HP, 1Ph, 115V
Amperage	3.5, 60Hz	5, 60Hz
R.P.M.	3,450	3,600
Arbor Size	1/2"	5/8"
Wheel Size	6" x 3/4" x 1/2"	8" x 1" x 5/8"
Product Weight	26 lbs	39 lbs
Shipping Weight	28 lbs	42 lbs

OPTIONAL ACCESSORIES

JET Premium Wire Wheels

PROD. NO.	MOD. NO.	Dia.	Min Face Width	Centre Hole	Maximum R.P.M.	Wire Dia. & Type
550121	101F-2M	6"	7/8"	1/2" - 5/8" - 2"	6,000	.014" M
550123	101F-2F	6"	7/8"	1/2" - 5/8" - 2"	6,000	.007" F
550124	101F-3C	6"	1"	1/2" - 5/8" - 2"	6,000	.020" C
550125	101F-3M	6"	1"	1/2" - 5/8" - 2"	6,000	.014" M
550141	101G-2C	8"	7/8"	1/2" - 5/8" - 2"	4,500	.020" C
550142	101G-2M	8"	7/8"	1/2" - 5/8" - 2"	4,500	.014" M
550143	101G-2F	8"	7/8"	1/2" - 5/8" - 2"	4,500	.007" F

F = Fine **M** = Medium **C** = Coarse

550125

522263



General Purpose Grinding Wheels

PROD. NO.	MOD. NO.	Size	Grit	Maximum R.P.M.
522163	A675C	6" x 3/4" x 1"	36	4,138
522164	A675M	6" x 3/4" x 1"	46	4,138
522165	A675F	6" x 3/4" x 1"	60	4,138
522173	A610C	6" x 1" x 1"	36	4,138
522174	A610M	6" x 1" x 1"	46	4,138
522175	A610F	6" x 1" x 1"	60	4,138
522176	A610EF	6" x 1" x 1"	80	4,138
522263	A875C	8" x 3/4" x 1"	36	3,600
522264	A875M	8" x 3/4" x 1"	46	3,600
522265	A875F	8" x 3/4" x 1"	60	3,600
522273	A810C	8" x 1" x 1"	36	3,600
522274	A810M	8" x 1" x 1"	46	3,600
522275	A810F	8" x 1" x 1"	60	3,600

80 Grit = Extra Fine 36 Grit = Coarse 46 Grit = Medium 60 Grit = Fine

DRILL PRESSES

13-1/2" 3/4 H.P. 16 Speed Drill Presses

- Powerful 3/4 horse power motor
- 16 speed capability allows for a broad assortment of drilling applications
- Safety on/off switch with removable lock-out key
- Fully hinged belt and pulley cover and fully adjustable motor mount permit fast changes of spindle speed
- Worktable with quick release clamp rotates and tilts to 45° right and left
- Slots in worktable and base permit easy clamping of the work piece
- Positive depth setting mechanism uses a threaded rod and two lock nuts for accuracy
- Built-in work lamp with separate switch (bulb not included)

Standard Equipment: Drill chuck and key



2 YEAR WARRANTY

PROD. NO. MOD. NO.	200225 JDP-13	200275 JDP-13F
Swing	13-1/4"	13-1/4"
Type	Bench Top	Floor Model
Chuck Size	5/8"	5/8"
Drilling Capacity	5/8"	5/8"
Spindle Travel	3-1/8"	3-1/8"
Spindle Distance to Base	24"	48-3/4"
Spindle Distance to Table (Maximum)	17-1/2"	31-1/2"
Table Size (Diameter)	11-3/8"	11-3/8"
Table Tilt (Right and Left)	0° - 45°	0° - 45°
Spindle Taper	MT2	MT2
Column Diameter	2-7/8"	2-7/8"
Number of Spindle Speeds	16	16
Range of Spindle Speeds	195-3,500 RPM	195-3,500 RPM
Overall Height	38-1/2"	61-5/8"
Base size	10" x 16-1/2"	10" x 16-1/2"
Motor	3/4HP, 1PH, 115/230V 5.2/2.6 Amps, Pre-wired 115V	3/4HP, 1PH, 115/230V 5.2/2.6 Amps, Pre-wired 115V
Product Weight	94 lbs	107 lbs
Shipping Weight	99 lbs	112 lbs

Metal Working Machinery



200225



200275

17" 1 H.P. 16 Speed Drill Press

- Powerful 1 horse power motor
- Full 17" swing for easy drilling of larger work pieces
- 16 speed capability allows for a broad assortment of drilling applications
- Safety on/off switch with removable lock key
- Fully hinged belt and pulley cover and quick adjust motor mount permit fast changes of spindle speed
- Worktable with quick release clamp rotates and tilts to 45° right and left
- Slots in worktable and base permit easy clamping of the work piece
- Positive depth setting mechanism uses a threaded rod and two lock nuts for accuracy
- Built-in work lamp with separate switch (bulb not included)

Standard Equipment: Drill chuck and key



2 YEAR
WARRANTY

PROD. NO. MOD. NO.	200278 JDP-17F
Swing	17"
Type	Floor Model
Chuck Size	5/8"
Drilling Capacity	5/8"
Spindle Travel	3-1/4"
Spindle Distance to Base	48-3/8"
Spindle Distance to Table (Maximum)	28"
Table Size (Diameter)	13-3/4"
Table Tilt (Right and Left)	0° - 45°
Spindle Taper	MT2
Column Diameter	3-1/8"
Number of Spindle Speeds	16
Range of Spindle Speeds	220-3,380 RPM
Overall Height	64-1/2"
Base size	12" x 19-3/4"
Motor	1HP, 1Ph, 115/230V 8.5/4.25 Amps, Pre-wired 115V
Product Weight	176 lbs
Shipping Weight	184 lbs



DRILL PRESSES

Metal Working Machinery

22" 1-1/2 H.P. 12 Speed Drill Press

- Powerful 1-1/2 horse power motor
- Full 22" swing for easy drilling of larger work pieces
- 12 speed capability allows for a broad assortment of drilling applications
- Safety on/off switch with removable lock key
- Fully hinged belt and pulley cover and quick adjust motor mount permit fast changes of spindle speed
- Worktable with quick release clamp rotates and tilts to 45° right and left
- Slots in worktable and base permit easy clamping of the work piece
- Positive depth setting mechanism uses a threaded rod and two lock nuts for accuracy
- Built-in work lamp with separate switch (use outdoor rated bulb, not included)

Standard Equipment: Drill chuck and key



2 YEAR
WARRANTY



PROD. NO.
MOD. NO.

200357
JDP-22F

Swing	22"
Type	Floor Model
Chuck Size	3/4"
Drilling Capacity	1-1/4"
Spindle Travel	4-1/2"
Spindle Distance to Base	49"
Spindle Distance to Table (Maximum)	29"
Table Size (Diameter)	16-1/2" x 18-3/4"
Table Tilt (Right and Left)	0° - 45°
Spindle Taper	MT3
Column Diameter	3-5/8"
Number of Spindle Speeds	12
Range of Spindle Speeds	180-4,200 RPM
Overall Height	69-1/4"
Base size	19-5/8" x 22-1/2"
Motor	1.5HP, 1Ph, 115/230V 10.0/5.0 Amps, Pre-wired 115V
Product Weight	353 lbs
Shipping Weight	373 lbs

HORIZONTAL / VERTICAL METAL CUTTING BANDSAWS



2 YEAR
WARRANTY

PROD. NO.
MOD. NO.

222326
JHVB-46

Capacity 90°	4-1/2" ● 4" x 6" ■
Blade Size	1/2" x 0.025" x 64-1/2"
Vertical Work Table	7" x 8"
Vise Tilts	45°
Blade Speeds (SFPM)	80, 120, 220
Motor	1/3 HP, 1Ph, 115 Volt, 1,725 RPM
Shipping Dimensions	40-1/2" x 12-3/4" x 15-3/4"
Net Weight (approx.)	134 lbs
Shipping Weight (approx.)	140 lbs


4" x 6" 1/3 H.P. 3 Speed Belt Drive Bandsaw

- Sturdy cast iron saw frame and base
- 1/3 HP motor shuts off automatically when the workpiece is cut through
- Three speeds permit cutting of most materials including metal, plastic and wood
- Designed for horizontal and vertical cutting
- Vise permits mitre cuts to 45° and features a scale for accuracy
- Two wheels and handle permit easy movement
- Convenient shelf mounts under base

Standard Equipment: blade; stand; wheels; shelf; vertical work table; material stop; vise

HORIZONTAL / VERTICAL METAL CUTTING BANDSAWS

Metal Working Machinery



2 YEAR
WARRANTY

7" x 12" 1 H.P. 3 Speed Gearbox Bandsaw

- Heavy duty cast iron construction for accuracy and durability
- Three speed gear box replaces less efficient belt drive systems found on most comparable machines
- Horizontal cutting feed rate controlled by a fully adjustable hydraulic ram
- Coolant delivery system provides fast cutting while extending the service life of the blade and the saw
- Quiet cutting, rated within 70 decibels
- Easy cleaning with removable filter screen
- Automatic shut-off system stops the machine when the stock is cut through
- Quick action vise adjusts from 90° to 45° for mitre cutting
- Cuts up to 7" round stock and up to 7" by 12" rectangular stock
- Full 1HP, single phase motor
- Complete with four wheels for mobility

Standard Equipment: blade; coolant system; material stop system; 4 wheels; vertical work table; enclosed stand; blade chip brush; quick action vise

PROD. NO.
MOD. NO.

222332
JHVG-712

Capacity 90°	7" ● 7" x 12" ■
Capacity 45°	4" ● 5" x 6" ■
Throat Depth	7"
Blade Size	3/4" x 0.032" x 93"
Vertical Work Table	9-1/2" x 10"
Vise Tilts	45°
Blade Speeds (SFPM)	125, 215, 270
Floor Space Required	49-1/2" x 17-1/2"
Motor	1 HP, 1Ph, 115/230 Volt Pre-wired 115V; 1,720 RPM
Shipping Dimensions	51" x 18" x 40"
Net Weight (approx.)	318 lbs
Shipping Weight (approx.)	345 lbs

HORIZONTAL / VERTICAL METAL CUTTING BANDSAWS



2 YEAR
WARRANTY

PROD. NO.
MOD. NO.

222335
JHBS-916

Capacity 90°	9" ● 4" x 16" - 9" X 12" ■
Capacity 45°	6-1/2" ● 9" X 6-1/8" ■
Throat Depth	9"
Blade Size	1" x 0.032 x 119-1/2"
Blade Speeds (SFPM)	82, 132, 170, 235
Bed Height	25"
Floor Space Required	65" x 28"
Motor (TEFC)	1-1/2HP, 1PH, 230V complete with 24V control panel
Vise Swivels	45°
Wheel Diameter	13"
Net Weight (approx.)	627 lbs
Shipping Weight	704 lbs

9" x 16" 1-1/2 H.P. 4 Speed Belt Drive Bandsaw

- Designed for industrial use, this saw features a heavy duty steel and cast iron saw frame
- One piece cast iron saw bed
- Enclosed base, welded for strength
- Precision cast 13" blade wheels
- Coolant system includes: pump and reservoir; fully adjustable delivery nozzles at front and rear blade guides; coolant pick-up port in the drive wheel housing; quick-check gauge for coolant level
- Removable chip tray for easy cleaning
- Totally enclosed 1-1/2HP fan cooled motor with 24 volt controls
- Four speed belt drive system
- Hydraulically controlled feed rate with micro adjust switch
- Automatic shut-off limit switch
- Blade guide system consists of ball bearing thrust roller, ball bearing blade guides and tungsten carbide slides
- Moveable left blade guide arm adjusts from 16" to 7" capacity
- Quick set vise adjusts for 90° to 45° angle cuts
- Material stop with 24" capacity
- Each machine factory tested and set

Standard Equipment: variable pitch blade; blade chip brush; coolant system; tool kit; quick set vise and material stop

DUST COLLECTOR

Wood Working Machinery

High Air Flow Woodworking

- Industrial quality motor and construction to effectively handle the collection of wood chips and sawdust
- Single-stage design allows economical, quiet operation and easy cleaning
- Four casters stabilize unit and allow total mobility
- Industrial controls are designed for years of trouble-free operation
- Powerful, single phase motor is permanently lubricated, totally enclosed, fan-cooled and is continuous-duty rated
- Features welded and sealed joints throughout
- Improved metal impellers are precision balanced and run on long lasting bearings extending tool life
- Super high air flow volumes keep your air cleaner and safer than competing brands
- Higher static pressure rating and velocity capacity
- Bigger bags offer more capacity and better filtration. Top bag is rated at 20 microns, bottom bag is rated at 30 microns, offering optimum air flow efficiency; bottom bags offer see-through window
- Long lasting steel straps ensure secure bags

Standard Equipment: 20 micron filter bag; 30 micron collector bag; wheel casters; steel straps to secure bags; connecting hose not included.
- JDC-830: Single (4") hose connection

Optional Accessories:

912805 FB830 Filter Bag; 912807 CB830 Collector Bag


PROD. NO.	252926
MOD. NO.	JDC-830
Blower Wheel (Diameter)	10"
Sound Rating @ 3ft. (dB)	60-70
Diameter of Hose Connections	1 Hose 4"
Bag Diameter	14-1/2"
Bag Length	24-1/4"
Filter Bag (top bag)	20 micron
Collector Bag (bottom bag)	30 micron
Collector Bag Capacity complete with see-through panel:	20 USG
Air Flow @ 4" (CFM)	830
Static Pressure (Inch of Water)	7.2
Velocity @ 4" (FPM)	9,446
Overall Dimensions (L x W x H)	31-1/2" x 16-1/2" x 61"
4 Casters	Yes
Motor continuous duty rated (TEFC)	1HP, 1Ph, 115/230V Pre-wired 115V



2 YEAR
WARRANTY

Display

DISPLAY MERCHANDISERS



890451
Pry Bars



890690
Striking Tool



890698
Universal Rolling
Display Rack



new
890457
Hex and Torx Bits



new
890453
Insert Bits



890648
Clamps Rack



new
890458
Unbreakable Handle
Striking Tools



new
890454
Power Bits

DISPLAY MERCHANDISERS

Display



890181
1/4", 3/8" & 1/2" DR
SAE Sockets



890182
1/4", 3/8" & 1/2" DR
Metric Sockets



890187
1/2" Drive Power Sockets



890184
Hex and Torx Sockets



890455
3/4" DR Power Socket



890456
3/4" DR Deep Power Socket



890444
1/4" & 3/8" 12 pt. Sockets



890428
Hex Tools



890195
3/4" Drive Socket Tools



890430
Socket Accessories



890429
Hex Keys

Display

DISPLAY MERCHANDISERS



890177
Combination Wrenches



890426
Ratcheting Combo Wrenches



890407
Long Combination Wrenches



890179
Pliers



890427
Locking Pliers



890422
Heavy Duty Pliers



890446
Aviation Snips



890445
Punches and Chisels



890174
Adjustable Wrenches



890442
Electrical Tools

DISPLAY MERCHANDISERS

Display



890172
TORQUE DRIVE
Screwdrivers



890175
Bolt Cutters



890443
Staplers and Staples



890447
Pipe Cutters



890171
Jumbo Handle Screwdrivers



890173
Jumbo Handle Nut Drivers



890436
TORQUE DRIVE PLUS Screwdrivers

TORQUE DRIVE PLUS

Wall mounted
or stand-alone
counter display



890437
TORQUE DRIVE PLUS Nutdrivers

Replacement Wear Parts



672902



670901



670926



672927

For the most part, JET Hand Tools carry a lifetime warranty. However, the following JET hand tools have wear parts that are not covered under warranty. The moving parts found on these products can wear out through normal use and can easily be replaced by purchasing and installing the repair kits indicated below.

Flex Bars

- The swivel drive ends on these units are designed to fail before the chrome drive holder breaks under extreme use
- The drive end is easily replaced by removing the drive end screw and broken drive end and installing the replacement drive end and screw

PROD. NO.	MOD. NO.	Drive	Repair Kit
672902	SA1201	1/2"	900218
672903	SA1202	1/2"	900218
672918	SA1213	1/2"	900219
673909	SA7508	3/4"	900230

RATCHETS

- Like all makes of ratchets, JET ratcheting mechanisms will wear with extensive use or break when extreme pressure or abuse is applied
- JET ratchet repair kits are available for all ratchet models and are available for purchase and easily installed by your JET hand tool distributor

RH - Standard Duty

PROD. NO.	MOD. NO.	Drive	Repair Kit
670901	RH-25	1/4"	900202
671901	RH-38	3/8"	900203
672901	RH-50	1/2"	900204
673901	RH-75	3/4"	900205
674901	RH-100	1"	900210

RHQ Series - Heavy Duty

PROD. NO.	MOD. NO.	Drive	Repair Kit
670926A	RHQ-14	1/4"	900235
670928	RHQ-14L	1/4"	900235
670929	RHQ-14F	1/4" (Flex)	900235
671926	RHQ-38	3/8"	900213
671926A	RHQ-38	3/8"	900236
671942	RHQ-38FS	3/8" (Flex)	900253
671942A	RHQ-38FS	3/8"	900236
671943	RHQ-38F2	3/8" (Flex)	900253
671943A	RHQ-38F2	3/8"	900236
671945	RHQ-38L	3/8"	900236
672926	RHQ-12	1/2"	900214
672926A	RHQ-12	1/2"	900237
672926B	RHQ-12	1/2"	900239
672927	RHQ-12L	1/2"	900237
672927B	RHQ-12L	1/2"	900239
672929	RHQ-12F	1/2" (Flex)	900259
673922	RHQ-34	3/4"	900215

RATCHETS

RHD Series - Super Heavy Duty

PROD. NO.	MOD. NO.	Drive	Repair Kit
673923	RHD-3400	3/4"	900240
674906	RHD-1036	1"	900241

RH Series

PROD. NO.	MOD. NO.	Drive	Repair Kit
670920	RH-1400	1/4"	900206
671920	RH3800	3/8"	900207
672920	RH-1200	1/2"	900208
673921	ORH-340	3/4"	900209
673921	ORH-340	3/4"	900221 (Anvil only*)

* Anvils are not normally required and are available separately for your convenience.

HT72 - 72 Tooth Twin Pawl Series

PROD. NO.	MOD. NO.	Drive	Repair Kit
670927	HT-1472	1/4"	900225
671928	HT-3872	3/8"	900226
672928	HT-1272	1/2"	900227
673924	HT-3472	3/4"	900228

MHR Series - 60 Tooth Mini Head

PROD. NO.	MOD. NO.	Drive	Repair Kit
671941	MHR-3860	3/8"	900252

SR3872 - 72 Tooth Stubby

PROD. NO.	MOD. NO.	Drive	Repair Kit
671940	SR3872	3/8"	900251
671940B	SR3872	3/8"	900251

HSR 3800 - Rotating Head Ratchet

PROD. NO.	MOD. NO.	Drive	Repair Kit	Handle Repair Kit
671944	HSR-3800	3/8"	900257	900258

Replacement Wear Parts



Replacement Wear Parts



718906

TORQUE WRENCHES

Torque Wrenches

PROD. NO.	MOD. NO.	Drive	Repair Kit
718902	JTW-1425	1/4"	PDN-JTW1425-RK
718903	JMTW-1425	1/4"	PDN-JMTW1425RK
718906	JMTW-3800	3/8"	PUT-JMTW3800
718906	JMTW-3800A	3/8"	PUT-JMTW3800A
718908	JTW-3880	3/8"	PDN-JTW3880-RK
718909	JMTW-3875	3/8"	PDN-JMTW3875-RK
718909	JMTW-3875HD	3/8"	PDN-JMTW3875A-RK
718861 – 865	Tire torque wrenches	1/2"	PDN-JTTW-RK
718911	JTW-12150	1/2"	PDN-JTW12150-RK
718912	JTW-12250	1/2"	PDN-JTW12250-RK
718913	JMTW-12150	1/2"	PDN-JMTW12250-RK
718913	JMTW-12150HD	1/2"	PDN-JMTW12250A-RK
718914	JMTW-12250 (black handle)	1/2"	PDN-JMTW12250-RK
718914	JMTW-12250 (red handle)	1/2"	PDN-JTW12250-RK
718914	JMTW-12250HD (go through plug)	1/2"	PDN-JMTW12250A-RK
718933	JPTW-38100	3/8"	PDN-JPTW38100-RK
718935	JPTW-12150	1/2"	PDN-JPTW12150-RK
718936	JPTW-12250	1/2"	PDN-JPTW12250-RK
719069	JMTW-5250	1/2"	PUT-JMTW5250
719069	JMTW-5250A	1/2"	PUT-JMTW5250A
718916	JMTW-7500	3/4"	PUT-JMTW7500
718917	JTW-34300	3/4"	PDN-JTW34600-RK
718918	JTW-34600	3/4"	PDN-JTW34600-RK
718922	JTW-10700	1"	PDN-JTW10700-RK

PIPE WRENCHES

Pipe Wrenches – HD and AL Series

Jaw Size	Hook Jaw	Knurls	Heel Jaw	Springs
8"	PMZ-1020802	PMZ-1020804	PMZ-1020815	PMZ-1020813
10"	PMZ-1021002	PMZ-1021004	PMZ-1021015	PMZ-1021013
12"	PMZ-1021202	PMZ-1021204	PMZ-1021215	PMZ-1021213
14"	PMZ-1021402	PMZ-1021404	PMZ-1021415	PMZ-1021413
18"	PMZ-1021802	PMZ-1021804	PMZ-1021815	PMZ-1021813
24"	PMZ-1022402	PMZ-1022404	PMZ-1022415	PMZ-1022413
36"	PMZ-1023602	PMZ-1023604	PMZ-1023615	PMZ-1023613
48"	PMZ-1044802	PMZ-1044804	PMZ-1044815	PMZ-1044813

Pipe Wrenches – PW and PWA Series

Jaw Size	Hook Jaw	Knurls	Heel Jaw	Springs
8"	PDN-PW8HJ	PDN-PW8NT	PDN-PW8HJP	PDN-PW8SF
10"	PDN-PW10HJ	PDN-PW10NT	PDN-PW10HJP	PDN-PW10SF
12"	PDN-PW12HJ	PDN-PW12NT	PDN-PW12HJP	PDN-PW12SF
14"	PDN-PW14HJ	PDN-PW14NT	PDN-PW14HJP	PDN-PW14SF
18"	PDN-PW18HJ	PDN-PW18NT	PDN-PW18HJP	PDN-PW18SF
24"	PDN-PW24HJ	PDN-PW24NT	PDN-PW24HJP	PDN-PW24SF
36"	PDN-PW36HJ	PDN-PW36NT	PDN-PW36HJP	PDN-PW36SF
48"	PDN-PW48HJ	PDN-PW48NT	PDN-PW48HJP	PDN-PW48SF



710205

WARRANTY POLICY

JET EQUIPMENT & TOOLS LTD.

Lifetime Warranty Replacement of Defective Product

Adjustable Wrenches (2)	Pipe Wrenches (2)
Aviation Snips	Pliers
Bolt Cutters (<i>handles only</i>)	Power Sockets & Accessories
Chrome Sockets & Accessories (1)	Punches and Chisels
Clamps (4)	Ratchet Bodies (2) (4)
Combination Wrenches (2)	Screwdrivers (3)
Construction Measuring Tools (6)	Tool Boxes (5)
Crowfoot Wrenches	Vises (4)
Flare Nut Wrenches (2)	Pipe Cutters (<i>excludes cutting wheels or blades</i>)
Flex Bars (2)	Wire Strippers
Gear Pullers (7)	Picks, Hooks and Scrapers
Hammers (<i>heads only</i>)	Staplers
Hex Key Wrenches	Riveters
Nut Drivers	

- 1 – Rounded drive corners void warranty
- 2 – Snipe or hammer marks void warranty
- 3 – Hammer marks or bent shafts void warranty
- 4 – Bent or broken handles void warranty
- 5 – Evidence of drawer overload voids warranty
- 6 – Bent, broken or torn blades voids warranty
- 7 – Rounded drive corners or stripped threads void warranty

Two Year Warranty Replacement of Defective Product

Torque Wrenches

Dropping or striking against hard objects, using for removal of fasteners, or failure to return wrench to lowest setting can all contribute to loss of accuracy and is not the fault of the tool.

CALIBRATION IS NOT COVERED BY WARRANTY

One Year Warranty Replacement of Defective Product

Hose Reels (*hose is discretionary based on examination*)
 Lubricating Equipment (*seals and hoses excluded*)
 Torque Multipliers
 Precision Measuring Tools
 Electronic Measuring Tools
 Thermometers

NOTE: Batteries supplied with certain products may have been exposed to a long shelf life resulting in low energy or dead batteries. Please source replacement batteries locally. Dead batteries do not constitute a warranty claim.

Repairable Wear Parts

Flex Bar Swivels, Ratchet Repair Kits, Torque Wrench Repair Kits, Pipe Wrench Jaws, Springs and Knurls, Bolt Cutter heads, Bench Vise (*excluding casting*).

Two Year Limited Warranty

Machinery

NOTE: Specifically excluded from this guarantee are reducing adaptors, hacksaw blades, thin wall power sockets, mag wheel power sockets, power bits and insert bits and accessories.

Warranty Procedure

Any JET hand tool product for which there is a warranty claim should be returned prepaid to an authorized JET hand tool distributor or service centre along with proof of purchase and an explanation of the defect.

Index

ALPHABETICAL LIST

A

Aviation Snips	142 - 143
Axes - Fibreglass Handle	151

B

Bandsaws	224 - 226
Bars - Powerclaw Series	160 - 161
Bars - Utility Series	162
Bearing Separators	194
Bench Grinders	220
Brake and Rotor Tools	178

C

Calipers	174
Chests and Roller Cabinets	209 - 218
Chisel Scrapers	126
Chrome Sockets	17 - 48
Clamping	183 - 192
Clamping - C-Clamps	184
Clamping - F-Clamps	188 - 189
Clamping - L-Clamps	185 - 187
Clamps - Spring Hand	190 - 191
Construction Tools	159 - 172
Coupler Adaptors - Quick Change	200
Cutters	132 - 137
Cutters - Bolt & Rod	162 - 163

D

Deburring Tools	107
Display Merchandisers	228 - 231
Drill Presses	221 - 223
Drum Handling Equipment	206
Dust Collector	227

E

External Torx®	72
External Torx® Open Stock	42

F

Flaring Tools	108
Flashlights	182
Fluid Transfer	195 - 206

G

Gauges	177
Gear Pullers	193 - 194
Grease Fittings	202 - 203
Grease Gun Accessories	199
Grease Gun Couplers	201
Grease Gun Hoses	199
Grease Guns	196 - 198

H

Hacksaw	172
Hammers	146 - 152
Hex & Torx® Bits Open Stock	76
Hex Bit Metric Open Stock	41
Hex Bit S.A.E. Open Stock	40
Hex Key Wrenches	91 - 96
Hex Key Wrenches Open Stock	96
Hex Key Wrenches Folding Sets	92
Hex Key Wrenches Sets	92 - 94

I

Impact Metric Open Stock	75
Impact S.A.E. Open Stock	74
Impact Socket Accessories	73
Impact Socket Sets	58 - 72
Impact Sockets	57 - 76
Indicators	175
Insert Bits	122 - 123

L

Lubrication	195 - 206
-------------------	-----------

M

Magnetic Bases	176
Master Tool Kits	9 - 16
Measuring Tools	164 - 168
Measuring Tools - Precision	173 - 182

M (cont'd)

Mechanic's Tools	126 - 128
Merchandisers	228 - 231
Metal Working Machinery	219 - 227
Meters Digital	180 - 181
Micrometers	176 - 177

N

New Products	8
Nut Drivers	117 - 119
Nutsetters	125

O

Oil Cans	204
----------------	-----

P

Pick, Hook and Scraper Tools	127
Pipe Clamp	191
Pipe Cutter	106
Pliers	129 - 139
Pliers - Locking	131 - 132
Pliers - Locking Sets	130
Pliers - Long Reach Series Open Stock	138
Pliers - Long Reach Series Sets	138
Power Bits	124 - 125
Pry Bars - Heavy Duty	128
Pullers	193 - 194
Pumps	204 - 205
Punch and Chisel Open Stock	155 - 157
Punch and Chisel Sets	153 - 154

R

Ratchet Wrenches	49 - 56
Ratcheting Cutter	107
Ratchets	50 - 56
Replacement Wear Parts	232 - 234
Rivet Tools	144

S

Screwdriver Bits	122 - 125
Screwdrivers	110 - 116, 120, 121
Sheet Metal Tools	142 - 144
Snap Ring Pliers	139
Socket Accessories	43 - 48
Socket Sets	26 - 35
Socket Wrench Sets	18 - 25
Sockets Metric Open Stock	38 - 39
Sockets S.A.E. Open Stock	36 - 37
Spark Plug Socket	36
Stamps Number / Letter	158
Staplers and Tackers	169 - 171
Striking Tools	145 - 158

T

Thermometers	179
Tool Boxes - Portable	208
Tool Storage	207 - 218
Torque Multipliers	102
Torque Wrenches	98 - 100
Torque Wrenches - Digital	101
Torx® Bits Open Stock	42
Torx® Wrenches Open Stock	96
Tubing Bender	106
Tubing Cutters	105 - 106

V

Vises	192
-------------	-----

W

Warranty Policy	235
Wire Strippers and Cutters	140 - 141
Wood Working	227
Wrench - Basin	108
Wrenches	77 - 90
Wrenches - Adjustable	79
Wrenches - Adjustable Spanner	90
Wrenches - Combination	82 - 87
Wrenches - Combination Ratcheting	80 - 81
Wrenches - Crowfoot	78
Wrenches - Flare Nut	78
Wrenches - Striking	88
Wrenches - Structural	89

NUMERICAL INDEX

Index

200225	221	350257	203	390499	189	610201	58	670504	38	671408	36	671945	50, 232
200275	221	350258	203	391103	158	610203	58	670505	38	671410	36	671947	47
200278	222	350259	203	391104	158	610207	58	670506	38	671412	36	671948	47
200357	223	350260	203	391106	158	610208	58	670507	38	671414	36	671949	47
222326	224	350261	203	391107	158	610217	59	670508	38	671416	36	671951	48
222332	225	350262	203	391109	158	610218	59	670509	38	671418	36	671952	48
222335	226	351003	206	391110	158	610302	59	670510	38	671420	36	671953	48
240153	220	351004	206	522163	220	610303	59	670511	38	671422	36	671954	48
240154	220	351005	206	522164	220	610308	61	670512	38	671424	36	672112	37
252926	227	351011	206	522165	220	610310	61	670513	38	671506	38	672114	37
310006	180	390102	184	522173	220	610314	60	670602	38	671507	38	672116	37
310008	180	390103	184	522174	220	610315	61	670604	38	671508	38	672118	37
310016	179	390104	184	522175	220	610321	60	670606	38	671509	38	672120	37
310018	179	390105	184	522176	220	610323	60	670607	38	671510	38	672122	37
310022	181	390106	184	522263	220	610326	71	670608	38	671511	38	672124	37
310031	181	390108	184	522264	220	610327	62	670609	38	671512	38	672126	37
310041	181	390110	184	522265	220	610328	60	670610	38	671513	38	672128	37
310122	174	390112	184	522273	220	610329	60	670611	38	671514	38	672130	37
310131	174	390122	184	522274	220	610331	71	670612	38	671515	38	672132	37
310132	174	390123	184	522275	220	610333	71	670702	38	671516	38	672134	37
310133	174	390124	184	550121	220	610334	62	670704	38	671517	38	672136	37
310136	174	390125	184	550123	220	610335	62	670705	38	671518	38	672138	37
310206	176	390126	184	550124	220	610338	61	670706	38	671519	38	672140	37
310210	176	390127	184	550125	220	610339	61	670707	38	671520	38	672212	37
310211	177	390129	184	550141	220	610340	71	670708	38	671521	38	672214	37
310212	177	390202	185	550142	220	610341	63	670709	38	671522	38	672216	37
310213	177	390204	185	550143	220	610343	63	670710	38	671524	38	672218	37
310223	177	390206	185	566231	172	610382	62	670711	38	671608	38	672220	37
310501	175	390208	185	566232	172	610388	62	670712	38	671609	38	672222	37
310502	175	390210	185	566233	172	610391	72	670713	38	671610	38	672224	37
310511	177	390212	185	600115	18	610401	66	670802	38	671611	38	672226	37
310602	178	390224	186	600116	18	610402	66	670804	38	671612	38	672228	37
310603	178	390226	186	600125	19	610403	67	670806	38	671613	38	672230	37
310604	178	390228	186	600126	19	610404	67	670807	38	671614	38	672232	37
310605	178	390230	186	600223	20	610406	66	670808	38	671615	38	672234	37
310902	176	390232	186	600226	20	610409	67	670809	38	671616	38	672236	37
310903	176	390248	186	600229	20	610410	67	670810	38	671617	38	672238	37
310905	176	390250	186	600234	21	610411	72	670811	38	671618	38	672240	37
320151	192	390252	186	600241	21	610421	72	670812	38	671619	38	672314	37
320152	192	390254	186	600242	21	610501	68	670902	44	671708	38	672316	37
320153	192	390272	185	600323	22	610503	69	670904	18, 19, 46	671709	38	672318	37
320154	192	390273	185	600326	22	610504	69	670905	46	671710	38	672320	37
321124	192	390274	185	600331	23	610506	68	670906	18, 46	671711	38	672322	37
321336	192	390275	185	600341	23	610508	69	670907	45	671712	38	672324	37
350103	205	390289	187	600402	24	610509	68	670908	18, 19, 43	671713	38	672326	37
350105	204	390290	187	600406	24	610515	70	670911	43	671714	38	672328	37
350106	204	390291	187	600503	25	610903	73	670912	18, 19, 45	671715	38	672330	37
350107	205	390292	187	600505	25	610906	73	670913	44	671716	38	672332	37
350108	205	390293	187	601102	26	670106	36	670915	19, 46	671717	38	672334	37
350109	205	390294	187	601107	26	670107	36	670921	52	671718	38	672336	37
350121	204	390295	187	601111	35	670108	36	670922	53	671719	38	672340	37
350122	204	390296	187	601113	26	670109	36	670926	18, 50, 232	671721	38	672414	37
350124	204	390297	187	601118	26	670110	36	670927	19, 51, 233	671808	38	672416	37
350125	204	390298	187	601201	32	670111	36	670928	50, 232	671809	38	672418	37
350151	196	390299	187	601202	32	670112	36	670929	50, 232	671810	38	672420	37
350152	196	390302	187	601216	34	670114	36	671108	36	671811	38	672422	37
350155	196	390303	187	601219	27	670116	36	671110	36	671812	38	672424	37
350157	198	390304	187	601220	27	670206	36	671112	36	671813	38	672426	37
350158	198	390305	187	601224	28	670207	36	671114	36	671814	38	672428	37
350161	197	390411	188	601226	28	670208	36	671116	36	671815	38	672430	37
350162	197	390412	188	601227	27	670209	36	671118	36	671816	38	672432	37
350171	197	390413	188	601229	27	670210	36	671120	36	671817	38	672434	37
350173	198	390414	188	601231	35	670211	36	671122	36	671818	38	672436	37
350181	199	390422	188	601232	35	670212	36	671124	36	671819	38	672440	37
350182	199	390423	188	601234	28	670214	36	671126	36	671902	20, 21, 44	672508	39
350185	199	390425	188	601236	28	670216	36	671128	36	671904	46	672509	39
350201	199	390426	188	601312	29	670306	36	671130	36	671905	20, 21, 46	672510	39
350202	199	390452	191	601313	29	670307	36	671132	36	671907	20, 21, 46	672511	39
350203	201	390453	191	601314	29	670308	36	671208	36	671908	46	672512	39
350204	201	390454	191	601316	30	670309	36	671210	36	671909	45	672513	39
350205	200	390457	191	601317	30	670310	36	671212	36	671910	20, 21, 43	672514	39
350206	200	390458	191	601318	29	670311	36	671214	36	671911	43, 45	672515	39
350207	201	390459	191	601319	30	670312	36	671216	36	671913	43	672516	39
350208	200	390462	190	601320	30	670314	36	671218	36	671914	43	672517	39
350209	200	390463	190	601321	35	670316	36	671220	36	671917	44	672518	39
350210	200	390467	190	601405	31	670406	36	671222	36	671921	52	672519	39
350211	200	390468	190	601406	31	670407	36	671224	36	671922	53	672520	39
350212	200	390471	189	601407	31	670408	36	671312	36	671923	53	672521	39
350213	200	390472	189	601801	34	670409	36	671314	36	671926	20, 21	672522	39
350214	206	390473	189	601802	32	670410	36	671316	36	671926	50, 232	672523	39
350251	202	390474	189	601803	32	670411	36	671318	36	671928	21, 51, 233	672524	39
350252	202	390475	189	601804	33	670412	36	671320	36	671934	36	672527	39
350253	202	390482	191	601805	33	670414	36	671322	36	671941	54, 233	672530	39
350254	202	390491	189	601806	34	670416	36	671324	36	671942	50, 232	672532	39
350255	202	390492	189	601808	33	670502	38	671326	36	671943	50, 232	672610	39
350256	202	390498	189	601811	35	670503	38	671328	36	671944	54, 233	672611	39

Index

NUMERICAL INDEX

672612	39	673414	37	677204	40	681112	74	682226	74	682721	75	683538	75
672613	39	673415	37	677205	40	681114	74	682228	74	682722	75	683541	75
672614	39	673416	37	677206	40	681116	74	682230	74	682867	63	683546	75
672615	39	673417	37	677207	40	681118	74	682232	74	682869	63	683550	75
672616	39	673418	37	677208	40	681120	74	682234	74	682871	63	683619	75
672617	39	673419	37	677210	40	681122	74	682236	74	682876	63	683621	75
672618	39	673420	37	677212	40	681124	74	682238	74	682878	63	683622	75
672619	39	673421	37	677224	40	681126	74	682240	74	682880	63	683623	75
672620	39	673422	37	677225	40	681128	74	682242	74	682882	63	683624	75
672621	39	673423	37	677226	40	681130	74	682244	74	682884	63	683626	75
672622	39	673424	37	677227	40	681132	74	682246	74	682911	73	683627	75
672624	39	673426	37	677228	40	681210	74	682248	74	682938	73	683629	75
672710	39	673428	37	677230	40	681212	74	682250	74	682939	73	683630	75
672712	39	673429	37	677232	40	681214	74	682252	74	682952	73	683632	75
672713	39	673430	37	677253	41	681216	74	682254	74	682953	73	683633	75
672714	39	673432	37	677254	41	681218	74	682256	74	682954	73	683635	75
672715	39	673619	39	677255	41	681220	74	682258	74	682955	73	683636	75
672716	39	673621	39	677256	41	681222	74	682260	74	682961	64	683638	75
672717	39	673622	39	677257	41	681224	74	682262	74	682964	64	683641	75
672718	39	673623	39	677258	41	681226	74	682264	74	682965	64	683646	75
672719	39	673624	39	677260	41	681228	74	682316	74	682966	64	683650	75
672720	39	673626	39	677274	41	681230	74	682318	74	682967	64	683951	73
672721	39	673627	39	677275	41	681232	74	682320	74	682968	64	683952	73
672722	39	673629	39	677276	41	681508	75	682322	74	683124	74	683953	73
672723	39	673630	39	677277	41	681509	75	682324	74	683126	74	683954	73
672724	39	673632	39	677278	41	681510	75	682326	74	683128	74	683955	73
672727	39	673635	39	677279	41	681511	75	682328	74	683130	74	684124	74
672810	39	673636	39	677280	41	681512	75	682510	75	683132	74	684126	74
672811	39	673638	39	677316	40	681513	75	682511	75	683134	74	684128	74
672812	39	673641	39	677318	40	681514	75	682512	75	683136	74	684130	74
672813	39	673646	39	677320	40	681515	75	682513	75	683138	74	684132	74
672814	39	673650	39	677362	41	681516	75	682514	75	683140	74	684134	74
672815	39	673901	24, 55, 232	677364	41	681517	75	682515	75	683142	74	684136	74
672816	39	673903	24, 46	677366	41	681518	75	682516	75	683144	74	684138	74
672817	39	673904	24, 46	677706	42	681519	75	682517	75	683146	74	684140	74
672818	39	673905	46	677707	42	681607	75	682518	75	683148	74	684142	74
672819	39	673906	24, 45	677708	42	681608	75	682519	75	683150	74	684144	74
672820	39	673907	43	677709	42	681609	75	682520	75	683152	74	684146	74
672821	39	673909	44, 232	677710	42	681610	75	682521	75	683154	74	684148	74
672822	39	673910	24, 45	677711	42	681611	75	682522	75	683156	74	684150	74
672824	39	673911	24, 44	677726	42	681612	75	682523	75	683158	74	684152	74
672902	44	673912	24, 43	677727	42	681613	75	682524	75	683160	74	684154	74
672902	232	673913	56	677728	42	681614	75	682525	75	683162	74	684156	74
672903	22, 44, 232	673914	24, 56	677729	42	681615	75	682526	75	683164	74	684158	74
672904	23, 46	673922	24, 55, 232	677730	42	681616	75	682527	75	683166	74	684160	74
672905	22, 23, 46	673923	24, 56, 233	677731	42	681617	75	682528	75	683168	74	684162	74
672906	22, 23, 46	673924	55, 233	677759	42	681618	75	682529	75	683170	74	684164	74
672907	23, 45	674223	37	677761	42	681619	75	682530	75	683172	74	684165	74
672908	22, 23, 43	674224	37	677763	42	681911	73	682532	75	683174	74	684166	74
672909	45	674226	37	677764	42	681952	73	682533	75	683176	74	684167	74
672911	43	674227	37	677766	42	681953	73	682534	75	683178	74	684168	74
672912	43	674228	37	677767	42	681954	73	682535	75	683180	74	684169	74
672913	44	674229	37	677783	42	682112	74	682536	75	683224	74	684170	74
672914	46	674230	37	677784	42	682114	74	682610	75	683226	74	684171	74
672918	44, 232	674232	37	677785	42	682116	74	682611	75	683228	74	684172	74
672921	52	674234	37	677786	42	682118	74	682612	75	683230	74	684173	74
672922	53	674235	37	677787	42	682120	74	682613	75	683232	74	684174	74
672926	22, 23, 50, 232	674236	37	677803	42	682122	74	682614	75	683234	74	684175	74
672927	50, 232	674238	37	677804	42	682124	74	682615	75	683236	74	684176	74
672928	23, 51, 233	674240	37	677805	42	682126	74	682616	75	683238	74	684177	74
672929	50, 232	674242	37	677806	42	682128	74	682617	75	683240	74	684178	74
672947	47	674244	37	677807	42	682130	74	682618	75	683242	74	684179	74
672948	47	674247	37	677809	42	682132	74	682619	75	683244	74	684180	74
672949	47	674248	37	677810	42	682134	74	682620	75	683246	74	684182	74
672951	48	674250	37	677821	42	682136	74	682621	75	683248	74	684184	74
672952	48	674901	25, 55, 232	677822	42	682138	74	682622	75	683250	74	684186	74
672953	48	674903	25, 46	677823	42	682140	74	682623	75	683252	74	684188	74
673212	37	674904	45	677824	42	682142	74	682624	75	683254	74	684190	74
673214	37	674905	25, 46	677825	42	682144	74	682625	75	683256	74	684192	74
673215	37	674906	56, 233	677826	42	682146	74	682626	75	683258	74	684194	74
673216	37	674907	56	677827	42	682148	74	682627	75	683260	74	684196	74
673217	37	674909	44	677828	42	682150	74	682628	75	683262	74	684197	74
673218	37	677021	40	677830	42	682152	74	682629	75	683264	74	684198	74
673219	37	677022	40	677832	42	682154	74	682630	75	683519	75	684199	74
673220	37	677023	40	677845	42	682156	74	682632	75	683521	75	684228	74
673221	37	677071	41	677847	42	682158	74	682633	75	683522	75	684230	74
673222	37	677072	41	677851	42	682160	74	682634	75	683523	75	684232	74
673223	37	677073	41	677852	42	682162	74	682635	75	683524	75	684234	74
673224	37	677127	40	677853	42	682164	74	682636	75	683526	75	684236	74
673225	37	677128	40	677855	42	682212	74	682713	75	683527	75	684238	74
673226	37	677130	40	677857	42	682214	74	682714	75	683529	75	684240	74
673227	37	677132	40	677859	42	682216	74	682715	75	683530	75	684242	74
673228	37	677177	41	677861	42	682218	74	682716	75	683532	75	684244	74
673229	37	677178	41	677863	42	682220	74	682717	75	683533	75	684246	74
673230	37	677179	41	677865	42	682222	74	682718	75	683535	75	684248	74
673232	37	677180	41	681110	74	682224	74	682719	75	683536	75	684250	74

NUMERICAL INDEX

684252	74	690104	51	700577	87	701164	81	718908	98, 234	720542	121	729072	124
684254	74	690105	24	700621	83	701173	81	718909	99, 234	720546	121	729075	124
684256	74	690106	50	700622	83	701174	81	718911	98, 234	720574	110	729078	123
684258	74	690107	52	700623	83	701175	81	718912	98, 234	720590	120	729080	123
684260	74	690111	44	700624	83	701176	81	718913	99, 234	720591	120	729081	123
684262	74	690115	43	700625	83	701177	81	718914	99, 234	720592	120	729082	124
684264	74	690120	46	700626	83	701178	81	718916	98, 234	720593	120	729084	124
684266	74	690121	46	700627	83	701179	81	718917	98, 234	720594	120	729085	124
684268	74	690122	48	700628	83	701180	81	718918	98, 234	720595	120	729087	124
684270	74	690123	48	700629	83	701181	81	718922	98, 234	720596	120	729089	124
684272	74	690124	47	700630	83	701182	81	718933	100, 234	720597	120	729092	124
684274	74	690125	47	700631	83	701183	81	718935	100, 234	720598	120	729093	124
684276	74	700110	86	700632	83	701184	81	718936	100, 234	720599	120	729095	123
684278	74	700115	86	700633	83	710122	104	718941	101	720702	121	729097	123
684280	74	700121	86	700634	83	710123	104	718943	101	720791	121	729099	124
684282	74	700125	86	700635	83	710124	104	718945	101	720911	111	729101	124
684284	74	700128	86	700637	83	710125	104	718946	101	720912	116	729104	124
684288	74	700132	82	700672	83	710127	104	718991	100	720917	111	729109	124
684614	70	700134	82	700673	83	710130	104	719001	78	720918	116	729112	122
684616	70	700141	84	700674	83	710136	104	719002	78	720922	111	729114	122
684619	70	700164	80	700675	83	710205	234	719003	78	720923	116	729115	124
684622	70	700167	86	700676	83	710225	104	719004	78	720925	111	729117	124
684921	70	700173	86	700677	83	710227	104	719006	78	720926	116	729119	122
684922	70	700177	86	700678	83	710230	104	719007	78	720929	111	729121	122
684943	70	700182	82	700679	83	710236	104	719008	78	720930	116	729122	124
684944	70	700185	82	700680	83	710239	104	719009	78	720932	111	729124	124
684946	70	700191	84	700681	83	710902	90	719069	98, 234	720933	116	729163	123
684951	73	700201	85	700682	83	710903	90	719071	102	720956	110	729166	123
684952	73	700308	80	700683	83	710904	90	719072	102	720957	114	729169	125
684955	73	700312	80	700684	83	710912	90	719073	102	721105	117	729173	123
684966	70	700321	80	700685	83	710913	90	719074	102	721106	118	729176	125
684971	70	700322	80	700686	83	710914	90	719075	102	721107	118	729180	123
684975	70	700361	80	700687	83	710921	108	719111	78	721109	118	729183	125
687211	76	700371	81	700688	83	711112	79	719121	78	721111	117	729187	123
687212	76	700372	81	700689	83	711113	79	719151	89	721112	117	729190	125
687213	76	700501	87	700703	84	711114	79	719153	89	721113	117	729194	123
687214	76	700502	87	700704	84	711115	79	719154	89	721114	117	729197	125
687215	76	700503	87	700705	84	711116	79	719155	89	721115	117	729201	123
687216	76	700504	87	700706	84	711117	79	719156	89	721116	117	729204	125
687217	76	700505	87	700707	84	711118	79	719157	89	721117	117	729208	123
687219	76	700506	87	700708	84	711132	79	719159	89	721121	119	729211	125
687261	76	700507	87	700709	84	711133	79	719160	89	721122	119	729303	123
687262	76	700508	87	700755	84	711134	16	719162	89	721123	119	729306	125
687263	76	700509	87	700757	84	711134	79	719163	89	721124	119	729317	123
687265	76	700510	87	700758	84	711135	79	719165	89	721125	119	729320	125
687267	76	700511	87	700760	84	711136	79	720354	111	721126	119	729324	123
687269	76	700512	87	700762	84	711137	79	720356	111	721127	119	729327	125
687272	76	700513	87	700763	84	711139	79	720360	111	721131	119	729331	123
687274	76	700514	87	700764	84	715201	88	720362	111	721132	119	729334	125
687320	76	700515	87	701101	81	715202	88	720363	111	721133	119	729338	123
687324	76	700517	87	701102	81	715203	88	720366	111	721134	119	729341	125
687328	76	700518	87	701103	81	715204	88	720371	111	721135	119	729366	123
687332	76	700519	87	701104	81	715205	88	720372	111	721136	119	729369	125
687340	76	700520	87	701105	81	715206	88	720373	111	721137	119	729373	123
687367	76	700521	87	701106	81	715207	88	720382	111	721361	111	729376	125
687369	76	700523	87	701107	81	715208	88	720392	111	721362	111	729380	123
687372	76	700524	87	701108	81	715209	88	720402	116	721363	111	729383	125
687374	76	700525	87	701109	81	715210	88	720403	116	721372	111	729394	123
687377	76	700526	87	701110	81	715211	88	720404	113	729009	122	729397	125
687821	76	700527	87	701111	81	715212	88	720405	116	729011	122	729461	125
687822	76	700529	87	701112	81	715213	88	720406	113	729013	124	729462	125
687823	76	700531	87	701113	81	715214	88	720407	116	729015	124	729463	125
687825	76	700533	87	701121	81	715215	88	720410	116	729018	124	729471	125
687826	76	700535	87	701122	81	715216	88	720421	113	729020	124	729472	125
687827	76	700537	87	701123	81	715217	88	720422	113	729022	124	729473	125
687828	76	700552	87	701124	81	715218	88	720423	113	729025	122	729475	125
687829	76	700553	87	701125	81	715219	88	720426	116	729027	122	729483	123
687831	76	700554	87	701126	81	715220	88	720427	116	729028	122	729484	123
687833	76	700555	87	701127	81	715221	88	720428	116	729029	124	730201	133
688055	76	700556	87	701128	81	715222	88	720429	116	729031	124	730202	133
688056	76	700557	87	701129	81	715223	88	720431	113	729032	124	730203	133
688057	76	700558	87	701130	81	715224	88	720432	113	729034	124	730211	133
688058	76	700559	87	701131	81	715225	88	720433	113	729036	124	730212	133
688060	76	700560	87	701132	81	715226	88	720436	116	729039	124	730213	133
688062	76	700561	87	701133	81	715227	88	720437	116	729040	124	730221	134
688064	76	700562	87	701153	81	715228	88	720438	116	729042	122	730226	134
688066	76	700563	87	701154	81	715229	88	720439	116	729044	122	730232	134
688110	76	700564	87	701155	81	715230	88	720444	113	729046	124	730302	132
688111	76	700565	87	701156	81	715231	88	720446	113	729048	124	730313	135
688112	76	700566	87	701157	81	715232	88	720447	116	729051	124	730321	135
688114	76	700567	87	701158	81	715233	88	720505	110	729056	124	730322	132
688116	76	700568	87	701159	81	715234	88	720507	110	729061	123	730323	138
688118	76	700569	87	701160	81	715235	88	720508	112	729063	123	730324	138
688120	76	700571	87	701161	81	718902	98, 234	720513	114, 115	729065	124	730333	130
688122	76	700572	87	701162	81	718903	99, 234	720514	115	729067	124	730334	130
688124	76	700575	87	701163	81	718906	98, 234	720519	115	729070	124	730335	130

730352	139	739109	105	770152	194	775011	96	775456	155	842523	210	890451	228
730353	139	739111	106	770302	194	775012	96	775457	155	842542	211	890453	228
730401	135	739116	107	770312	194	775013	96	775461	157	842543	211	890454	228
730402	135	739122	107	770313	194	775014	96	775462	157	842553	209	890455	229
730403	135	739125	107	770314	194	775015	96	775507	154	842563	210	890456	229
730414	136	739132	108	774607	96	775017	96	775508	154	842573	210	890457	228
730415	136	739133	108	774608	96	775019	96	775509	153	842602	213	890458	228
730417	133	739142	106	774610	96	775021	96	775511	154	842604	213	890466	230
730418	133	739181	108	774612	96	775022	96	775513	154	842613	214	890512	53
730423	136	739191	105, 107	774613	96	775023	96	775526	153	842623	214	890648	228
730425	136	739192	105-107	774614	96	775025	96	775531	153	842652	212	890690	228
730426	133	739193	105, 107	774615	96	775054	96	775592	157	842653	213	890698	228
730428	138	739194	105-107	774617	96	775056	96	775910	164	842654	212	900202	232
730433	137	739195	106, 107	774619	94, 96	775057	96	775921	164	842663	214	900203	232
730435	137	739197	107	774657	96	775058	96	775928	164	842673	214	900204	232
730437	134	739198	107	774658	96	775059	96	775929	164	849403	169	900205	232
730441	136	740151	146	774659	96	775060	96	775936	164	849407	170	900206	233
730442	136	740153	146	774660	96	775061	96	776001	166	849411	169	900207	233
730443	136	740155	146	774662	96	775063	96	776002	166	849412	169	900208	233
730453	131	740157	146	774663	96	775064	96	776004	166	849416	170	900209	233
730455	131	740158	146	774664	96	775065	96	776006	167	849481	171	900210	232
730456	131	740161	148	774666	96	775067	96	776011	167	849482	171	900213	232
730458	131	740163	148	774668	94, 96	775069	96	776016	168	849491	171	900214	232
730459	131	740164	148	774691	96	775073	96	776021	166	849492	171	900215	232
730462	131	740165	148	774692	96	775075	96	776022	166	849493	171	900218	232
730463	131	740166	148	774693	96	775077	96	776055	165	849494	171	900219	232
730467	131	740174	152	774694	96	775080	96	776060	165	849495	171	900221	233
730473	134	740175	152	774695	96	775082	96	776061	165	849804	182	900225	233
730483	136	740178	152	774696	96	775104	94, 96	776065	165	849806	182	900226	233
730485	136	740179	152	774697	96	775106	94, 96	776070	165	849807	182	900227	233
730488	138	740307	146	774698	96	775108	94, 96	779112	162	849809	182	900228	233
730489	138	740347	148	774699	94, 96	775112	92	779113	162	849814	182	900230	232
730491	138	740403	147	774756	96	775114	92	779161	168	849815	182	900235	232
730492	138	740407	147	774757	96	775144	92	779162	168	849891	182	900236	232
730493	138	740522	147	774758	96	775146	92	779171	168	849892	182	900236	232
730496	131	740523	147	774759	96	775153	92	779201	160	859042	144	900237	232
730554	132	740524	147	774760	96	775156	92	779203	160	859043	144	900239	232
730555	132	740525	147	774761	96	775164	93, 96	779205	160	859044	144	900240	233
730556	132	740526	147	774762	96	775165	95, 96	779211	161	859301	127	900241	233
730557	132	740528	147	774763	96	775173	93, 96	779212	161	859302	127	900251	233
730558	132	740532	149	774764	96	775175	93, 96	779213	161	859304	127	900252	233
730559	132	740533	149	774765	96	775176	94, 96	779214	161	859305	127	900253	232
730701	139	740534	149	774766	96	775184	93, 96	779215	161	859306	127	900258	233
730702	139	740535	149	774767	96	775185	93, 96	779216	161	859307	127	900259	232
730703	139	740536	149	774768	96	775186	94, 96	779218	161	859308	127	H1120A	108
730704	139	740538	149	774806	96	775191	92	779220	128	859309	127	H1120B	108
730711	141	740580	152	774807	96	775192	92	779221	128	859310	127	H1120C	108
730724	141	740581	152	774808	96	775301	172	779222	128	859311	127	H1120D	108
730725	141	740582	152	774809	96	775306	172	779223	128	859312	127	H1120E	108
730731	140	740584	152	774810	96	775307	172	779224	128	859313	127	H1120J	108
730736	140	740586	152	774811	96	775308	172	779240	128	859314	127	H1120K	108
730738	140	740587	152	774812	96	775391	172	779241	128	859315	127	H3511	182
731108	163	740588	152	774813	96	775400	155	779242	128	859316	127	H3512	182
731112	163	740589	152	774814	96	775401	155	779243	128	859317	127	H3630	179
731114	163	740901	147	774815	96	775402	155	779244	128	859341	126		
731118	163	740912	150	774817	96	775403	155	779251	160	859342	126		
731124	163	740913	150	774819	96	775404	155	779252	160	859343	126		
731130	163	740914	150	774905	96	775405	155	779253	160	859344	126		
731136	163	740915	150	774906	96	775406	155	779255	160	859345	126		
731142	163	740926	151	774907	96	775410	156	779256	160	890171	231		
731162	163	740927	151	774908	96	775411	156	779258	161	890172	231		
731164	163	740928	151	774909	96	775412	156	779259	161	890173	231		
731168	163	740932	150	774910	96	775413	156	842104	208	890174	230		
731174	163	740933	150	774911	96	775420	156	842105	208	890175	231		
731180	163	740934	150	774912	96	775421	156	842124	208	890177	230		
731186	163	740952	149	774913	96	775422	156	842134	208	890179	230		
731192	163	740953	149	774914	96	775423	156	842142	208	890181	229		
731204	162	740991	150	774915	96	775424	156	842143	208	890182	229		
731205	162	740992	150	774917	96	775425	156	842144	208	890184	229		
735102	137	740993	150	774919	96	775430	157	842152	208	890187	229		
735210	143	740994	150	774956	96	775431	157	842153	208	890195	229		
735301	143	740995	150	774957	96	775432	157	842154	208	890407	230		
735302	143	740996	150	774958	96	775433	157	842202	215	890422	230		
735303	143	740997	150	774959	96	775434	157	842204	215	890426	230		
735305	142	740998	150	774960	96	775435	157	842252	215	890427	230		
735311	143	740999	150	774962	96	775436	157	842254	215	890428	229		
735322	143	741107	151	774964	96	775437	157	842256	218	890429	229		
735323	143	741121	151	774966	96	775440	156	842302	217	890430	229		
735391	143	741123	151	774968	96	775441	156	842303	217	890436	231		
735403	163	741141	151	775005	96	775442	156	842321	218	890437	231		
739102	105	741142	151	775006	96	775443	156	842351	216	890442	230		
739104	105	770132	193	775007	96	775452	155	842353	216	890443	231		
739105	105	770133	193	775008	96	775453	155	842372	218	890444	229		
739107	106	770134	193	775009	96	775454	155	842503	209	890445	230		
739108	106	770135	193	775010	96	775455	155	842513	210	890447	231		



ABOUT JET (+)

CANADA'S DRIVING

For more information

Join JET's electronic communications by sending us an email with the following information or registering online after the launch of our new JET website Oct 31, 2010.

Be the first to receive new product introductions, exciting promotions, and exclusive access to online flyers.

Register online at **www.jetequipment.com** (After Oct 31, 2010)

Or send an email to **marketing@jetequipment.com** with the following information:

Name

Company

City / Province

Email Address

JET Customer

JET Account #

Require French Communication?



Duty Levels



**LIGHT
DUTY**



**STANDARD
DUTY**



**HEAVY
DUTY**



**SUPER
HEAVY
DUTY**

JET

Professional
TOOLS

Trades professionals everywhere understand the value of owning a JET quality hand tool. Whether your trade of choice is in the MRO, industrial or automotive after markets, JET has the quality and range of products to meet your most demanding needs. Each tool is carefully designed and manufactured using superior materials and workmanship in order to ensure the highest performance and productivity standards as well as long service life. When your livelihood depends on the tools that you use, JET is the brand of choice.

Our professional tools fall into 4 distinct duty levels, allowing you to select the right tool for your needs.

Light Duty

– manufactured to withstand light to medium intermittent use by professionals

Standard Duty

– manufactured for moderate everyday use by professionals


Heavy Duty

– manufactured for heavy use and wear by professionals

Super Heavy Duty

– unprecedented strength, designed to thrive in extreme conditions

JET tools are renowned for their quality, dependability and durability, and are backed by an industry leading warranty and service program.



ICON LEGEND

6	6 Point
12	12 Point
A ₂	A2 Steel
S ₂	S2 Steel
	Includes Case
	Includes Pouch
CrMo	Chrome Molybdenum
CrNi	Chrome Nickel
CrV	Chrome Vanadium
	Use Eye Protection
—	Slotted Screwdriver
+	Phillips Screwdriver
■	Square Screwdriver
⬡	Hex Screwdriver
★	Torx® Screwdriver
⬡	Hex Socket Head
★	Torx Socket Head
★	External Torx®
⚠	Warning Note
	Made in Canada
	Ball Bearing Slides
new	New
JET EXCLUSIVE	JET Exclusive



Abrasives

Coated Abrasives
Bonded Abrasives
Surface Conditioning Products
Cutting Tools
Wire Products
Diamond Products

Air Tools

Air Drills
Air Grinders
Air Sanders
Impact Wrenches
Spray Guns
Air Line Tools

Material Handling

Electric Hoists
Hydraulic / Mechanical Jacks
Manual Hoists & Pullers
Pumps
Trolleys & Clamps
Winches

Specialty Auto

Brake Service
Body / Interior Repair
Drivetrain Service
Electrical
Engine Repair
Automotive Gauges

Contact your nearest distributor
for complete information on the
rest of our great product lines.

Check out our other quality JET®
products on our website:

www.jetequipment.com

\$3.95 CDN ea.