

Kawasaki
Power Products

2011
POWER PRODUCTS



MORE
POWER
TO YOU

www.kawpower.com

Kawasaki
Power Products

ALWAYS ON THE JOB

Professionals the world over have two things in common; there are never enough hours in the day, and Kawasaki is the brand they use to make the most of them. Maybe it's because our unmatched power-to-weight performance quickly cuts the toughest chores down to size. Maybe it's fuel efficiency that squeezes more acreage out of each fill-up. It could be our renowned reliability, backed by one of the strongest warranties in the business.



ASK ANYONE

"Kawasaki is the only way to go. I've been in business for a lot of years and there is no comparison. Kawasaki is my number one choice on every piece of equipment I use."

— Eric Donato, President
Associated Landscaping Inc., Oceanside, NY

Or our nonstop innovations, like the remarkable Multi-Task Power Series, that gives pros more versatility with fewer tools. It could be the legendary power of clean-running Kawasaki A/F Technology™ engines. But most likely, Kawasaki is the choice of hard-working people worldwide because, like them, we're always finding new ways to get more done, more easily, in less time. That's our real profession. And that job never ends.



PAGES 2-3 ALWAYS ON THE JOB

PAGES 4-5 THE KAWASAKI ADVANTAGE

PAGES 6-9 STRING TRIMMERS

PAGES 10-11 EDGER

PAGES 12-17 HEDGE TRIMMERS AND CLIPPERS

PAGES 18-19 MULTI-TASK POWER SERIES

PAGES 20-23 BACKPACK BLOWERS

PAGES 24-25 HANDHELD BLOWER

PAGES 26-31 GENUINE ACCESSORIES

Talk to most any landscaper, groundskeeper, yardcare pro or serious handyman, and you'll find that Kawasaki Handheld Power Products have a wide spread reputation for staying on the job. They'll tell you Kawasaki's known for well-designed, hard-working gear and accessories, easy service, and strong warranties. They'll point to precision engineering and ergonomic design that make tough work easier on both equipment and operator. They'll explain that Kawasaki is an engineering company at heart, built around a drive to overcome



One of the strongest in the industry, the Leading Edge warranty covers most Kawasaki Handheld Power Products, ensuring no defects in materials or workmanship for 5 years of consumer use, or 2 years of commercial use. Trimmer drive shafts and two-cycle engine electronic ignition modules are warranted for life. For complete warranty details and coverage, see your dealer or go to www.kawpower.com.



Buy any Kawasaki Handheld Power Product unit and use it for 10 days. If you're not completely satisfied, return it to your Kawasaki dealer for a full refund. Contact your local dealer for complete details.

EVER SEEM TO QUIT

real-world challenges and get things done. They may add that in addition to power products, Kawasaki engines power everything from heavy equipment to motorcycles, supertankers to jet aircraft — a work record few brands can match. Then they'll point out something else: there aren't many Kawasaki machines there on the maintenance bench. Most of them are outside, working. As usual.



THE MUSCLE BEHIND THE POWER PRODUCTS

*The renowned
Kawasaki TJ27E*

*two-stroke engine powers most
Kawasaki Handheld Power Products,
for some strong reasons. It's a true
two-stroke design for exceptional
power/weight ratio, simpler operation,
and less maintenance. With A/F
Technology™ and an oversized muffler,
it runs cleaner and quieter on less
fuel. And, since one engine powers
so many products, dealers and users
need minimal parts and training to
keep everything running in top form.*



AIR • FUEL TECHNOLOGY

Kawasaki A/F (Air/Fuel) Technology™ cuts two-cycle engine fuel consumption up to 25%, while improving performance. A/F Technology uses a Leading Air Scavenging System, stratified scavenging engine design, and catalytic converter to meet all emissions standards for two-cycle power product engines. Cleaner-running engines are better for you, and the environment.

STRING TRIMMERS

Balance, handling, power, efficiency. Few trimmers deliver all four. These trimmers do. Kawasaki precision engineering balances the weight, torque, position and design of each model's components for optimum ergonomics. That means superior balance, control and swing weight, for easier handling hour after hour. Kawasaki A/F Technology™ engines are cleaner, more fuel efficient and more powerful than previous models, for higher productivity and lower emissions. And, Kawasaki trimmer accessories let you do more with your machine, for better return on investment in both money and time.



ASK ANYONE

"For the last five years, I've only used Kawasaki string trimmers. They have a stronger motor that runs circles around the other competitors. If you're going to buy anything, buy Kawasaki."

— Ron D. Champion, Owner
Champion Landscape Design, Mt. Juliet, TN

- Lightweight, low noise, low vibration and optimal balance, for enhanced operator comfort and efficiency
- Clean-running, fuel-stretching Kawasaki A/F™ Technology engines equipped with heavy-duty crankshaft with roller main bearings, chrome cylinder with two-ring piston, and vibration-damping system for smoother operation
- Lifetime drive shaft and electronic ignition module warranty
- Fully covered carburetor with slow-idle starter keeps cutting head from turning during startup
- Starting enrichment automatically disengages when throttle is applied
- Quick-access, tool-free air cleaner and muffler screen make service easy





KTFR27A

- Kawasaki TJ27E engine
- Flexible cable drive shaft
- Equipped with easy start recoil
- 3 bearing residential gearhead
- EPA and CARB Tier III approved
- Heavy-duty felt air filter
- Covered by a 5-year consumer and 90-day commercial and rental warranty



KTF27B

- Kawasaki TJ27E engine
- Flexible cable drive shaft
- Equipped with easy start recoil
- Convenient control location
- Ergonomically designed cutter guard
- Gear reduction drive head
- Heavy-duty felt air filter
- Covered by a 5-year consumer, 2-year commercial, and 6-month rental warranty



KGT27C

- Kawasaki TJ27E engine
- Hollow steel drive shaft
- Equipped with easy start recoil
- Accepts attachments
- Heavy-duty felt air filter
- Covered by a 5-year consumer, 2-year commercial, and 6-month rental warranty

SPECIFICATIONS	KTFR27A	KTF27B	KGT27C	KBL27C	KGT35B
DISPLACEMENT	1.6 cu. in. (26.3cc)	1.6 cu. in. (26.3cc)	1.6 cu. in. (26.3cc)	1.6 cu. in. (26.3cc)	2.1 cu. in. (34.4cc)
ENGINE TYPE	Gasoline/2-Stroke (50:1 Gas to Oil Ratio)				
FUEL TANK	16.9 oz. (0.5 Liter)	16.9 oz. (0.5 Liter)	16.9 oz. (0.5 Liter)	16.9 oz. (0.5 Liter)	23.7 oz. (0.7 Liter)
DRIVE SYSTEM	Flexible Cable Drive Shaft	Flexible Cable Drive Shaft	Hollow Steel Drive Shaft	Hollow Steel Drive Shaft	Hollow Steel Drive Shaft
DECOMPRESSION	Slit Type	Slit Type	Slit Type	Slit Type	Slit Type
CARBURETOR	Rotary Valve	Rotary Valve	Rotary Valve	Rotary Valve	Rotary Valve
PLUG	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A
HANDLE TYPE	Variable Position Loop	Variable Position Loop	Variable Position Loop	Variable Position Loop with Barrier Bar	Variable Position Loop
NET WEIGHT*	10.1 lbs. (4.6kg)	10.1 lbs. (4.6kg)	11.0 lbs. (5.0kg)	11.0 lbs. (5.0kg)	13.2 lbs. (6.0kg)
DIMENSION	71.1" x 14.0" x 9.3" (1,805 x 356 x 235mm)	71.3" x 9.3" x 9.8" (1,812 x 235 x 250mm)	71.3" x 9.3" x 9.8" (1,812 x 235 x 250mm)	71.3" x 14.8" x 9.4" (1,812 x 376 x 240mm)	72.2" x 9.8" x 9.8" (1,833 x 250 x 250mm)
BLADE CAPABLE	No	No	No	Yes	No
ATTACHMENT CAPABLE	No	No	Yes	Yes	No
A/F TECHNOLOGY™	Yes	Yes	Yes	Yes	Yes

*The unit weight without cutting attachment and band assembly, empty fuel tank.

Not all products for sale in California.



KBL27C

- Kawasaki TJ27E engine
- Hollow steel drive shaft
- Variable position loop handle
- Barrier bar on handle
- Convenient control location
- Equipped with easy start recoil
- Blade ready
- Accepts attachments
- Heavy-duty felt air filter
- Covered by a 5-year consumer, 2-year commercial, and 6-month rental warranty



KGT35B

- Kawasaki TJ35E engine
- Hollow steel drive shaft
- Heavy-duty clutch and drum
- Variable position loop handle
- Heavy-duty felt air filter
- Covered by a 5-year consumer, 2-year commercial, and 6-month rental warranty



KBL35B

- Kawasaki TJ35E engine
- Hollow steel drive shaft
- Heavy-duty clutch and drum
- Variable position loop handle
- Barrier bar on handle
- Blade ready
- Heavy-duty felt air filter
- Covered by a 5-year consumer, 2-year commercial, and 6-month rental warranty

KBL35B	
2.1 cu. in. (34.4cc)	
23.7 oz. (0.7 Liter)	
Hollow Steel Drive Shaft	
Slit Type	
Rotary Valve	
NGK BPMR7A	
Variable Position Loop with Barrier Bar	
13.4 lbs. (6.1kg)	
72.2" x 14.8" x 9.4" (1,833 x 376 x 240mm)	
Yes	
No	
Yes	



Safety guard designed to be minimal size for better handling and visibility.
(KTF27B, KGT27C and KGT35B)



Advanced engine housing includes dampening system to reduce vibration.
(KBL27C and KGT27C)



Air filter cover can be screwed on and off by hand. No tools required.



* see local dealer for details



Specifications subject to change.

Kawasaki **EDGER**

Power Products

A crisp, clean edge where grass meets sidewalks, borders, curbs and other landscaping provides the finishing touch to a well-manicured lawn. The Kawasaki edger provides the most professional finish possible. Exceptionally lightweight, durable and precise, to make short work of long projects.



Heavy duty commercial-quality blade stands up to the toughest job.



Rugged steel inner core composite guard design.



One touch cutting depth adjustment can be changed for any terrain.

KEL27B EDGER

- Powerful, clean-running Kawasaki TJ27E engine with heavy-duty crankshaft, roller main bearings, chrome cylinder with two-ring piston, and vibration-dampening system for smoother operation
- Lightweight and rugged, with commercial-duty components and blade, durable oil-impregnated cable and oversized reduction-gear case
- Steel inner-core composite guard with tapered cross section and rubber skirt for cleaner, safer operation
- Equipped with easy start recoil
- Lifetime electronic ignition module warranty



SPECIFICATIONS	KEL27B
DISPLACEMENT	1.6 cu. in. (26.3cc)
ENGINE TYPE	Gasoline/2-Stroke (50:1 Gas to Oil Ratio)
FUEL TANK	16.9 oz. (0.5 Liter)
DECOMPRESSION	Slit Type
CARBURETOR	Diaphragm
PLUG	NGK BPMR7A
HANDLE TYPE	Variable Position Loop
NET WEIGHT	11.9 lbs. (5.4kg) Without Blade
DIMENSION	69.0" x 15.2" x 11.7" (1,753 x 387 x 297mm)
BLADES	Metal Blade
A/F TECHNOLOGY™	Yes

Product not for sale in California. Specifications subject to change.



*see local dealer for details



No yardcare job is complete until hedges are correctly trimmed to give the landscape solid lines, visual appeal, privacy and security. Kawasaki delivers the best tools for the job: fast, light and precise, with the power and versatility to do whatever needs doing: heavy cutting of woody bushes, overhead trimming of privacy hedges, touch-up shaping of shrubs and evergreens.



ASK ANYONE

*"Kawasaki powers our riders, walk-behinds and handhelds.
They're light, totally reliable, and performance is always excellent.
I'd recommend Kawasaki to anyone."*

— Carlos G., Landscape Professional, Miami, FL

LIPPERS

- Lightweight, low noise, minimum vibration for easier handling, enhanced comfort, accurate cutting of thin and thick foliage
- Precision upper and lower cutting blades run tighter and faster than conventional blades, for cleaner, smoother cuts and extended service life
- Ergonomic, heat-shrouded design for operator comfort
- Hedge trimmers: 24-inch to 44-inch models
- Hedge clippers: 5.5-foot to 6.9-foot overall lengths, articulating or fixed blades
- Lifetime electronic ignition module warranty





KHT600S

- Kawasaki TH23V engine
- 24" double-sided economy blades
- Sturdy semi-commercial gear case
- Quality bearings on both sides of the case
- Felt panel air filter




KHT600D

- Kawasaki TH23V engine
- 24" double-sided deluxe blades
- Heavy-duty commercial gear case
- Quality bearings on both sides of the case
- Felt panel air filter
- Rotating handle for easier maneuverability
- Heavy-duty vibration damper system

SPECIFICATIONS	KHT600S	KHT600D	KHT750S	KHT750D	KHS750B
DISPLACEMENT	1.4 cu. in. (22.5cc)	1.4 cu. in. (22.5cc)	1.4 cu. in. (22.5cc)	1.4 cu. in. (22.5cc)	1.4 cu. in. (22.5cc)
ENGINE TYPE	Gasoline/2-Stroke (50:1 Gas to Oil Ratio)				
FUEL TANK	16.9 oz. (0.5 Liter)	16.9 oz. (0.5 Liter)	16.9 oz. (0.5 Liter)	16.9 oz. (0.5 Liter)	16.9 oz. (0.5 Liter)
CARBURETOR	Diaphragm	Diaphragm	Diaphragm	Diaphragm	Diaphragm
PLUG	NGK BPMR6A	NGK BPMR6A	NGK BPMR6A	NGK BPMR6A	NGK BPMR6A
NET WEIGHT	10.6 lbs. (4.8kg)	12.3 lbs. (5.6kg)	11.2 lbs. (5.1kg)	12.8 lbs. (5.8kg)	11.8 lbs. (5.4kg)
DIMENSION	40" x 9.6" x 8.8" (1,015 x 244 x 224mm)	40.9" x 9.4" x 8.8" (1,038 x 240 x 223mm)	45.6" x 9.6" x 8.8" (1,159 x 244 x 224mm)	46.4" x 9.4" x 8.8" (1,178 x 240 x 223mm)	40.9" x 11" x 8.7" (1,039 x 292 x 222mm)
BLADES	Double-Sided (24")	Double-Sided (24")	Double-Sided (30")	Double-Sided (30")	Single-Sided (30")
CONNECTING ROD—BLADE DRIVE	Without Needle Bearing	With Needle Bearing	Without Needle Bearing	With Needle Bearing	With Needle Bearing
GEAR SHAFT	With Ball Bearings	With Ball Bearings	With Ball Bearings	With Ball Bearings	With Ball Bearings
SAFETY BLADE PROTECTOR	Yes	Yes	Yes	Yes	Yes
BLADE CASE	Yes	Yes	Yes	Yes	Yes


Products not for sale in California.



Commercial-quality blades cut through the toughest hedges and shrubs.



Gear box with commercial grade ball bearing construction extends the life of the hedge trimmer.



Hedge trimmer handle dampener minimizes the vibrations from the handle to the operator.



KHT750D

- Kawasaki TH23V engine
- 30" double-sided deluxe blades
- Heavy-duty commercial gear case
- Quality bearings on both sides of the case
- Felt panel air filter
- Rotating handle for easier maneuverability
- Heavy-duty vibration damper system



KHT750S

- Kawasaki TH23V engine
- 30" double-sided economy blades
- Sturdy semi-commercial gear case
- Quality bearings on both sides of the case
- Felt panel air filter



KHS750B

- 30" single-sided blades
- Safety guards to protect the operator
- Starting enrichment automatically disengages when throttle is applied
- Excellent balance allows operator various cutting positions



KHS1100B

- 44" single-sided blades
- Safety guards to protect the operator
- Starting enrichment automatically disengages when throttle is applied
- Excellent balance allows operator various cutting positions

KHS1100B	
1.4 cu. in. (22.5cc)	
16.9 oz. (0.5 Liter)	
Diaphragm	
NGK BPMR6A	
13.1 lbs. (5.7kg)	
55.5" x 11" x 8.7" (1,409 x 292 x 222mm)	
Single-Sided (44")	
With Needle Bearing	
With Ball Bearings	
Yes	
Yes	

Specifications subject to change.



*see local dealer for details



KCS525A

- Kawasaki TJ27E engine
- 5.5' overall length
- Lightweight, low noise and low vibration
- Lifetime electronic ignition module warranty
- Ergonomic design
- Convenient control location
- Articulates to 160°
- Padded grips for reduced vibration
- Blade folds back to handle for easy transportation and storage
- Equipped with easy start recoil



KCL525A

- Kawasaki TJ27E engine
- 6.5' overall length
- Lightweight, low noise and low vibration
- Lifetime electronic ignition module warranty
- Ergonomic design
- Convenient control location
- Articulates to 160°
- Padded grips for reduced vibration
- Blade folds back to handle for easy transportation and storage
- Equipped with easy start recoil



SPECIFICATIONS	KCS525A	KCL525A	KCS600A	KCL600A
TYPE	Short Shaft	Long Shaft	Short Shaft	Long Shaft
DIMENSION (OVERALL LENGTH)	5.5' (1638mm)	6.5' (2007mm)	5.8' (1.76m)	6.9' (2.1m)
DISPLACEMENT	1.6 cu. in. (26.3cc)	1.6 cu. in. (26.3cc)	1.6 cu. in. (26.3cc)	1.6 cu. in. (26.3cc)
ENGINE TYPE	Gasoline/2-Stroke (50:1 Gas to Oil Ratio)			
FUEL TANK	16.9 oz. (.50 Liter)	16.9 oz. (.50 Liter)	16.9 oz. (.50 Liter)	16.9 oz. (.50 Liter)
DRIVE SYSTEM	Steel Drive Shaft	Steel Drive Shaft	Steel Drive Shaft	Steel Drive Shaft
DECOMPRESSION	Slit Type	Slit Type	Slit Type	Slit Type
CARBURETOR	Diaphragm	Diaphragm	Diaphragm	Diaphragm
PLUG	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A
HANDLE TYPE	Grip / Loop	Grip / Loop	Grip / Loop	Grip / Loop
NET WEIGHT	13.2 lbs. (6.0kg)	13.9 lbs. (6.3kg)	13.1 lbs. (5.95kg)	13.6 lbs. (6.2kg)
BLADES	20.7" (525mm)	20.7" (525mm)	19.3" (490mm)	19.3" (490mm)
A/F TECHNOLOGY™	Yes	Yes	Yes	Yes

KCS600A

- Kawasaki TJ27E engine
- 5.8' overall length
- Lightweight, low noise and low vibration
- Lifetime electronic ignition module warranty
- Ergonomic design
- Convenient control location
- Fixed head design
- Padded grips for reduced vibration
- Equipped with easy start recoil



Comfortable padded handle and grips improve operator comfort and ease of use.



Multiple grease fitting locations keep everything lubed and running smoothly.

KCL600A

- Kawasaki TJ27E engine
- 6.9' overall length
- Lightweight, low noise and low vibration
- Lifetime electronic ignition module warranty
- Ergonomic design
- Convenient control location
- Fixed head design
- Padded grips for reduced vibration
- Equipped with easy start recoil



Easy-to-adjust knob allows you to articulate the blade, giving you 160° of motion. Applies to KCS525A and KCL525A only.



*see local dealer for details



Every professional landscaper is a multi-tasker: cutting and trimming in one area, pruning and edging in another. Now there's one tool that keeps up, switching from task to task in minimum time, with minimal effort. With this one tool and nine different attachments to choose from, you'll always have the right equipment at hand.

ASK ANYONE

"Anything that's made by Kawasaki, I'd buy. I've been using Kawasaki products for 8-10 years and know they're dependable, they last, and you never worry about them. There is no comparison with others."

— Eddie T., Landscape Service Owner,
Hartsville, SC



AVAILABLE MULTI-TASK ATTACHMENTS



String Trimmer
KMG01A



Brush Cutter
KMB01A



Pole Pruner
KMP01A*



Cultivator
KMC01A



Twin TurboBlade
KMT01A



Edger
KME01A

KMS27A MULTI-TASK

- Robust Kawasaki TJ27E A/F Technology™ engine powers nine optional quick-attach tools
- Sturdy coupler provides secure attachment for solid feel and operation
- Lightweight, low noise, low vibration, and optimum balance for enhanced operator comfort, efficiency, and productivity
- Low-emission operation is EPA and CARB Tier III approved
- Equipped with easy start recoil



SPECIFICATIONS	KMS27A
DISPLACEMENT	1.6 cu. in. (26.3cc)
ENGINE TYPE	Gasoline/2-Stroke (50:1 Gas to Oil Ratio)
FUEL TANK	16.9 oz. (0.5 Liter)
DRIVE SYSTEM	Solid Steel Drive Shaft
DECOMPRESSION	Slit Type
CARBURETOR	Rotary Valve
PLUG	NGK BPMR7A
HANDLE TYPE	Variable Position Loop with Barrier Bar
NET WEIGHT	8.8 lbs. (4.0kg)
DIMENSION	40.6" x 12.6" x 8.7" (1,030 x 320 x 220mm)
A/F TECHNOLOGY™	Yes

Specifications subject to change.



Articulating Hedge Clipper
KMA01A



36" Pruner & Hedge
Clipper Extension
KMX01A*

Fixed Hedge Clipper
KMF01A



*see local dealer for details



Kawasaki backpack blowers provide the optimum blend of air power (velocity, volume and flow) and portability (weight, balance and control) to deliver the best all-around package for comfortable, productive, professional use. Ergonomic harness design, blower configuration and hand controls ensure maximum operator comfort with less fatigue, whatever the job. From high-volume debris movement to small-area cleanup, Kawasaki is the right choice.



ASK ANYONE

"I've been using Kawasaki trimmers, blowers and edgers for years, and every one has been an absolute workhorse. Even maintenance is easier: multiple products, same filters and oil. No guesswork about what to stock or install. Simple."

— Matt Regan, Owner, Regan Landscape, Tonawanda, NY

- Exceptional power-to-weight ratio for higher output per pound
- Noise-minimizing design, including composite engine shroud and fan housing
- Oversize handle, easy-flex hose with locking throttle, and large view-through fuel tank provide enhanced portability, operation and productivity
- Lifetime electronic ignition module warranty



*see local dealer for details





KRB650B

- High air volume output with powerful Kawasaki TK45D engine
- Clean exhaust emission meets California Tier III and EPA Phase 2 standards
- Easy throttle control with joy stick tube-mount handle

SPECIFICATIONS	KRB650B	KRB750A	KRB750B
DISPLACEMENT	2.8 cu. in. (45.4cc)	4.0 cu. in. (64.7cc)	4.0 cu. in. (64.7cc)
ENGINE TYPE	Gasoline/2-Stroke (50:1 Gas to Oil Ratio)		
FUEL TANK	67.6 oz. (2.0 Liter)	67.6 oz. (2.0 Liter)	67.6 oz. (2.0 Liter)
MAX AIR VOLUME (WITH PIPE)	580 cfm	720 cfm	720 cfm
MAX AIR VOLUME	755 cfm	800 cfm	800 cfm
MAX AIR VELOCITY	164 mph	200 mph	200 mph
CARBURETOR	Diaphragm	Diaphragm	Diaphragm
PLUG	NGK BPMR7A	NGK BPMR7A	NGK BPMR7A
NET WEIGHT	19.1 lbs. (8.7kg)	20.7 lbs. (9.4kg)	20.7 lbs. (9.4kg)
DIMENSION	12.4" x 18.9" x 17.3" (315 x 480 x 440mm)	12.4" x 18.9" x 17.3" (315 x 480 x 440mm)	12.4" x 18.9" x 17.3" (315 x 480 x 440mm)
NOISE LEVEL per ANSI B175.2-2002	71 dB(A)	73 dB(A)	73 dB(A)
THROTTLE TYPE	Tube Mount	Hip Mount	Tube Mount
A/F TECHNOLOGY™	Yes	Yes	Yes

Specifications subject to change.



KRB750A

- High air volume output with powerful Kawasaki TK65D engine
- Clean exhaust emission meets California Tier III and EPA Phase 2 standards
- Hip mount throttle



Fan guard is designed to minimize debris being pulled into the fan.



Large commercial grade paper air filter is easy to maintain.



KRB750B

- High air volume output with powerful Kawasaki TK65D engine
- Clean exhaust emission meets California Tier III and EPA Phase 2 standards
- Easy throttle control with joy stick tube-mount handle



Blowing tube allows flexibility for a wide range of movement.



* see local dealer for details



This handheld blower is engineered to deliver the compact power professionals demand. The TJ27E engine, with clean-running A/F Technology,[™] is powerful, easy to start and vibration-dampened for smooth operation. High-volume airflow clears leaves, clippings and debris from patios, sidewalks and decks far more efficiently than rakes, brooms or electric handhelds. The user-friendly design, trimmed to the lightest effective weight, makes the task easier on arms and shoulders.

ASK ANYONE

"Not every job needs a backpack blower, but not every handheld blower is up to the job. The Kawasaki handheld is more than up to anything we need it for, and it's a pleasure to use."

— Michael Polowski, Owner, Blue Dragon Landscaping, Townsend, MA



With the optional vacuum attachment, the blower quickly converts to a portable power-vac that shreds and collects debris in no time.

See page 31 for details.

KRH300A HANDHELD BLOWER

- Lightweight, ergonomic design
- Low noise, vibration-dampened power
- Ergonomic user-friendly controls
- Optional vacuum attachment with leaf shredder blade
- Lifetime electronic ignition module warranty
- Equipped with easy start recoil



SPECIFICATIONS	KRH300A
DISPLACEMENT	1.6 cu. in. (26.3cc)
ENGINE TYPE	Gasoline/2 Stroke (50:1 Gas to Oil Ratio)
FUEL TANK	16.9 oz. (0.5 Liter)
MAX AIR VOLUME	450 cfm
MAX AIR VELOCITY	125 mph
CARBURETOR	Rotary Valve
PLUG	BPMR7A
NET WEIGHT	9.7 lbs. (4.4kg)
THROTTLE TYPE	Grip with Throttle Lock
A/F TECHNOLOGY™	Yes


Product not for sale in California. Specifications subject to change.



Throttle lock keeps the throttle engaged automatically, and cuts down on operator fatigue.



Kawasaki exclusive design keeps clothing from interfering with the intake fan.



Commercial grade air filter design makes for superior air filtration.



*see local dealer for details

Kawasaki
Power Products

**LEADING
EDGE
WARRANTY**

5 YEAR CONSUMER | **2** YEAR COMMERCIAL

KTRF27A MODELS HAVE A 5 YEAR CONSUMER & 90 DAY COMMERCIAL WARRANTY

Genuine Kawasaki accessories are specifically engineered to make your Kawasaki Handheld Power Products even more versatile, efficient and effective. Whatever you're trimming, clipping, clearing or cutting, Kawasaki accessories can make the job easier and more productive. And Kawasaki service and replacement parts, like



ASK ANYONE

"Unlike a lot of companies, Kawasaki doesn't make you tear your hair out over what filter or oil goes with what, what part fits what. They make everything easy, and everything works."


— Matt Regan, Owner
Regan Landscape, Tonawanda, NY

exclusive KTechblend™ 2-cycle oil and KTech trimmer line, will keep your equipment running at its peak. Properly equipped and maintained, you'll get more done, in less time, with less effort and expense. Isn't that what being a professional is all about?



TWIN TURBOBLADE ATTACHMENT (FOR STRING TRIMMERS)

- Sold separately as an accessory for KBL27A/B/C, KGT27A/B/C, KBL23A and KBL26A
- Dual blades rotate in opposite directions to deliver precise cuts and prevent clogging
- 5–10 times faster than competitive blades
- Easy to mount, remove and maintain
- Self-sharpening



99969-1848B 6mm Twin TurboBlade
KBL23A, KBL26A


99969-1896A 7mm Twin TurboBlade
KBL27A/B/C, KGT27A/B/C

99971-0038 Replacement Blade Set

99971-0266 Replacement Blade Set —
Third Generation with Snap Ring

HEDGE CLIPPER ATTACHMENTS (FOR STRING TRIMMERS)

- Sold separately as an accessory
- Provides more than 20" of effective cutting length
- Lightweight
- Easy to maneuver for straight or angled cuts
- High-tensile steel blades provide clean cuts with superior durability
- Large blade openings easily cut larger branches



99971-0076A

20" 6mm Articulating HC Attachment
KBL23A, KBL26A

99971-0108A

20" 7mm Articulating HC Attachment
KBL27A/B/C, KGT27A/B/C

99969-6080

20" 7mm Fixed HC Attachment
KBL27A/B/C, KGT27A/B/C



HANDLE BAR CONVERSION KITS (FOR STRING TRIMMERS)

99995-2005 Handle Bar Conversion Kit **KBL34A**
(Kits do not include blade and harness)

99995-2003* Bicycle Handle Only **KGT27A/B/C, KBL26A, KBL27A/B/C**

99995-2006 Bicycle Handle Only **KBL34A**

*Additional bracket and hardware needed for installation on
KGT27A/B/C and KBL27A/B/C trimmers, order each per kit:

11051-2077 – Bracket Band

92171-2053 – Clamp

233F0414 – Screw

311F0400 – Nut



59004-2023 9" 4-Tooth Metal Blade
KBL26A, KBL27A/B/C, KBL34A, KBL35A/B



59004-2026 10" 4-Tooth Metal Blade
KBL34A, KBL35A/B



59004-2025 12" 3-Tooth Metal Blade
KBL34A, KBL35A/B



59004-2024 9" 8-Tooth Metal Blade
KBL26A, KBL27A/B/C, KBL34A, KBL35A/B




59004-2027 10" 8-Tooth Metal Blade
KBL34A, KBL35A/B



59074-2053A Edger Blade
KEL26A, KEL27B



Hedge Clipper Attachment lets you convert your string trimmer into a hedge trimmer to get at hard to reach spots.



Several blade options let you chop through thick grass and heavy brush.



Twin TurboBlade is a unique design that lets you cut through thick brush quickly and safely — even around trees and posts.



*see local dealer for details





59075-2017 Cutter Head – Bump and Feed
KBL23A, KBL26A, KTF27A/B, KGT27A/B/C,
KGT35A/B, KBL27A/B/C

59075-2018 Cutter Head – Bump and Feed
KBL34A, KBL35A/B

59075-R001 Cutter Head – Bump and Feed
KTR27A



59075-2019 Cutter Head – Manual
KBL23A, KBL26A, KTF27A/B, KGT27A/B/C,
KGT35A/B, KBL27A/B/C

59075-2020 Cutter Head – Manual
KBL34A, KBL35A/B



ROUND TRIMMER LINE

99969-6098 .080 1 lb. Donut
99969-6099 .080 3 lb. Spool
99969-6100 .095 1 lb. Donut
99969-6101 .095 3 lb. Spool
99969-6102 .095 5 lb. Spool

99969-6103 .105 1 lb. Donut
99969-6104 .105 3 lb. Spool
99969-6105 .105 5 lb. Spool
99969-6106 .130 1 lb. Donut
99969-6107 .130 3 lb. Spool

99969-6108 .130 5 lb. Spool
99969-6109 .155 1 lb. Donut
99969-6110 .155 3 lb. Spool
99969-6111 .155 5 lb. Spool

KTECH

TRIMMER LINE
10 CUTTING EDGES

99969-6113 .080 1 lb. Donut
99969-6114 .080 3 lb. Spool
99969-6115 .080 5 lb. Spool
99969-6116 .095 1 lb. Donut
99969-6117 .095 3 lb. Spool

99969-6118 .095 5 lb. Spool
99969-6119 .105 1 lb. Donut
99969-6120 .105 3 lb. Spool
99969-6121 .105 5 lb. Spool
99969-6122 .130 1 lb. Donut

99969-6123 .130 3 lb. Spool
99969-6124 .130 5 lb. Spool
99969-6125 .155 1 lb. Donut
99969-6126 .155 3 lb. Spool
99969-6127 .155 5 lb. Spool



KTECHBLEND™

2-CYCLE OIL

99969-1853 Two-in-One
Clear Safety Glasses
99969-1854 Two-in-One
Tinted Safety Glasses
99969-1855 Two-in-One
Reflective Safety Glasses
99969-1876 Replacement Plugs for Glasses
(50 per bowl)
99969-1857 Kawasaki Band
99969-1858 Replacement Plugs for Band
(50 per bowl)

99969-6082 2.6 oz.
99969-6083 5.2 oz.
99969-6084 6.4 oz.
99969-6085 12.8 oz.
99969-6086 1 Gallon
99969-6157 5 Gallons
99969-6158 55 Gallons*

*drop ship only



LEAF CATCHER

99995-6154 Leaf Catcher
KHS750B



SHOULDER HARNESSES

99995-2004 Double Shoulder Harness
KBL26A, KBL27A/B/C, KBL34A, KBL35A/B

39183-T001 Single Shoulder Strap
KTFR27A, KTF27A/B, KGT27A/B/C, KBL27A/B/C, KGT35A/B
Single Shoulder Strap Not Shown

VACUUM ATTACHMENT (FOR HANDHELD BLOWER)

- Fits KRH300A
- Easy to mount and remove
- Makes clean-up easy
- Includes metal leaf shredder (not shown)

99969-1959
Vac Attachment
KRH300A



* see local dealer for details



HIGH PERFORMANCE RUNS IN THE FAMILY.

For over 40 years, Kawasaki has engineered high-performance engines for virtually every power-hungry category. From motorcycles to maritime shipping, heavy construction to yard care, Kawasaki has always provided the power to get things done. That expertise goes into every Kawasaki Handheld Power Product, resulting in hard-working tools that set the bar for productivity, reliability and ease of use — exactly what landscaping professionals and serious homeowners demand. If that's you, more power to you.



AUTHORIZED KAWASAKI DEALER

www.kawpower.com

P/N 99969-2448N

©2010 KAWASAKI MOTORS CORP., U.S.A. PRINTED IN THE U.S.A.



Mixed Sources
Product group from well-managed
forests and other controlled sources
www.fsc.org Cert no. SW-COC-002309
© 1996 Forest Stewardship Council