

# KROY®

## 2009 Retail Catalog

Pricing effective 1/1/09 thru 12/31/09



Kroy manufactures a complete line of thermal printers and specialty identification products. Our product line provides professionals in the industry with On-Demand ID Solutions.



---

# Table of Contents

---

General Information .....	I
General Return Policy .....	II
Terms & Conditions .....	III
Product Notice .....	IV

## Industrial ID Printers & Cartridges

K5100 & K4100 Printers.....	1
K3100-PC Companion Printer.....	2
K-Series Cartridges.....	3-4
K4350 Industrial Printer.....	5
K4350 Printer Supplies.....	6

## Legacy Printer Cartridges

K225 Printer & K225/K227 Cartridges .....	7
TM650 Cartridges & Accessories .....	8
DuraType 244RS/240SE Cartridges.....	9
DuraType 244RS/240SE Accessories.....	9
K750 Cartridges.....	10
K182 Cartridges & Accessories .....	10

---

## General Information

---

Kroy LLC .....216-426-5600  
Corporate Fax Number 24 hours a day .....216-426-5601

Customer Support Department .....Monday - Friday 9:00 am to 5:00 pm EST  
Toll Free 800-776-5769

Sales Department.....800-776-5769  
Sales Orders (Only) Fax Number .....800-776-6616  
International Sales Orders Fax Number .....216-426-5556

Credit Department Fax Number .....216-881-1910

Address .....Kroy LLC  
3830 Kelley Avenue  
Cleveland, OH 44114

Wire Transfer Instructions ..... National City Bank, Cleveland, Ohio  
Credit to Kroy LLC  
Account Number 657474315  
ABA No. 041000124

Remittance Address .....Kroy LLC  
Box 92342  
Cleveland, OH 44193

Manufacturing and Distribution .....Kroy LLC  
3830 Kelley Avenue  
Cleveland, OH 44114

Domestic Terms and Conditions: Minimum Order \$75.00 Net  
International Terms and Conditions: Minimum Order \$500.00 per invoice  
Freight is F.O.B. Cleveland, OH 44114

---

# General Return Policy

---

## General Return

Requests for Authorization to return Kroy merchandise must be made to the Kroy Customer Support Department in Cleveland, Ohio. Approved returns are to be accompanied by a Return Materials Authorization number (RMA number) clearly marked on the outside of all packages. To expedite processing, Kroy's customer service department will forward a Kroy Return Identification Label for this purpose. This number will only be issued by Kroy's Customer Support Department. Only authorized returns displaying an RMA number on the outside of its package will be accepted at Kroy's factory. Handling fees, freight, and transportation charges are to be prepaid.

All authorized returns will be assessed a 15% restocking fee. This fee for service will be based on the invoice amount of the returned merchandise. **The restocking fee will not apply if returned merchandise is replaced immediately with like-product.** A replacement of like-product will be invoiced and sent to reseller. Freight charges will be paid by Kroy and added to the customer's bill.

Requests to return Kroy merchandise must be made within thirty (30) days of invoice date and received by Kroy within sixty (60) days of invoice date. Failure to conform to this timetable will constitute forfeiture of the return privilege. Discontinued merchandise, special order merchandise, seasonal merchandise, and promotional merchandise will not be accepted for return.

Kroy merchandise is expected to be returned in original factory packaging, free from any markings and labels, with all components, materials and packing intact. **Credit will be reduced for any components missing from machine packages (i.e. batteries, battery chargers, power cords, manuals etc.).** Opened and/or used products will be deemed unacceptable and returned to the Reseller at the Reseller's expense. Kroy will accept returns from authorized Kroy Distributors and Resellers only.

## Defective Merchandise

All defective Kroy merchandise returns require an RMA number and are subject to verification for defect.

Defective tape cartridges should be returned to Kroy with an explanation of the defects discovered in each cartridge (tape binding, voids, ribbon rewind, not feeding, etc.). These explanations are helpful to maintain constant improvement in Kroy manufacturing.

Expired tape cartridges, discontinued Kroy products, empty cartridges, and untested defective tape cartridges will not be accepted by Kroy as defective.

**Note:** Please verify that the customer's machine is cleaned and properly maintained (print pad, cut blade, wire guides, thermal head, drive roller, and print roller should be evaluated). These parts will have significant influence on optimum print quality.

Kroy reserves the right to discontinue return privileges to any Reseller who engages in excessive or unauthorized return transactions. Questions regarding Kroy's Return Policy should be directed to Corporate Kroy Sales Managers or Customer Support Representatives.

---

# Terms & Conditions

---

## Warranty

Kroy LLC ("Kroy") warrants, to the original retail purchaser only, that Kroy products sold hereunder are free from defects in material and workmanship for a period of Six (6) MONTHS from the date of original retail purchase. Software (on exchange basis only) and printheads are warranted for a period of NINETY (90) DAYS from the date of original purchase.

If you discover a defect Kroy will, at its option, repair, replace or refund your purchase price of the Kroy product or component at no charge, provided it is returned during the applicable warranty period, transportation charges prepaid, to an authorized Kroy Reseller. You must include your name, address, telephone number, a description of the problem and a copy of a bill of sale as proof of date of original purchase, with each product or component returned for warranty service.

This warranty applies only to products manufactured by or for Kroy, which can be identified by the KROY® trademark, trade name or logo affixed to them. Kroy does not warrant any products that are not Kroy Products. This warranty does not apply if the product has been damaged by accident, abuse, improper installation, failure to adhere to Kroy Instruction Manual, misuse or misapplication, modification without the written permission of Kroy, or if any serial number has been removed or defaced.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL KROY BE RESPONSIBLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY BREACH OF WARRANTY, STRICT LIABILITY IN TORT, OR UNDER ANY OTHER LEGAL THEORY (INCLUDING LOST PROFITS, DOWNTIME, GOODWILL, DAMAGE TO OTHER EQUIPMENT AND PROPERTY, AND ANY COSTS OF RECOVERING, REPROGRAMMING OR REPRODUCING ANY PROGRAM OR DATA STORED IN OR USED WITH KROY PRODUCTS).

**No Kroy Reseller, agent or employee is authorized to make any modification, extension or addition to this warranty.**

## Availability & Pricing

Products, specifications, availability, illustrations and pricing are subject to change without notice. Products and prices shown reflect the latest information available at the time of printing. Kroy reserves the right to discontinue products, to change products, specifications and pricing at any time without notice. Prices charged will be those prevailing when an order is placed. Customers are responsible for applicable sales tax. Products are shipped F.O.B. shipping point with costs and charges billed to the customer. Other terms and conditions may apply for freight collect, special handling or shipments outside the contiguous United States.

## Trademarks

K5100, K4100, K3100-PC, K3000-PC, K2000-PC, K2500, K2000, TM650, TM600, K750, K180, K182, K225, Kroy DuraType Series, Kroy 360, Kroy 460, Kroy 360 PC, Kroy 460 PC, Kroy 80, Kroy 80K, Kroy 80KE, Kroy 190, Kroy 290, Kroy XL, Kroy 24, Kroy Krafter and Kroy Color Plus are trademarks of Kroy LLC. Other trademarks are the property of their respective owners.

---

## Product Notice

---

See the list below for discontinued items that are no longer available.  
Please note current items that will be available while quantities last through 2009.  
These items have a ★ symbol in the price list.

### **Discontinued**

	<b><u>Part#</u></b>
K-Series Black/Green 1.00" Polyester Label	2438639
K-Series Black/Blue 1.00" Polyester Label	2438635
K-Series White/Blue 1.00" Polyester Label	2438632
K-Series Black/White 1" x 2" Die Cut Label	2438511
240 Green/White 0.50" Label Supply	2227519
K227 White Diskette Label 2" x 2.75"	2554500

### **While Quantities Last**

	<b><u>Part#</u></b>
(6) Premium NiCd Batteries K5100	2449300
K-Series 1" x 6" Self-Laminating Wire Wrap	2556705
K4350 2" x 6" Self- Lam Wire Wrap Roll	97-VRAP-0876W
K4350 1" x 1" Self- Lam Wire Wrap Roll	97-VRAP-1176W
K225 Label Printer	2479200
K225 White Diskette Label 2.125" x 2.75"	2479500
K225 Clear Standard Label 1.125" x 3.50"	2479600
240 White/Green 0.50" Industrial Label	2357540
240 Black/Matte Silver 0.50" Industrial Label	2357521
K750 Black/White 0.75" Label	2526704

### **NiCd Battery Notice**

Item 2449300 will be superceded by a NiMh battery once stock levels have sold out.  
The NiMh is an environmentally friendly battery. Call for pricing and availability.

# K5100 & K4100 Printers

## K5100 Handheld Label Printer

- Thermal transfer print technology
- Auto sizing text feature
- Prints 6- 72 point at 300 dpi resolution
- Two line x 16 character LCD display
- Use stand alone or with your PC
- Downloadable and scaleable fonts
- On-board memory stores files and fonts
- Flash upgradeable firmware
- Internal battery charger
- KLDS Software and Windows Printer Drivers - Vista support coming soon
- 10 resident bar code symbologies (see pg 2)
- Alpha/Numeric sequencing (A-Z, 1-999)
- Repeat function allows up to 999 copies
- Built-in cutter and feed control to eliminate waste
- Print styles include frame, bold, italic, underline, mirror
- Rotate feature for landscape or portrait mode
- Vertical and horizontal print formats
- Print speeds up to 2 ips (inches per second)
- Real time clock with time/date stamping ability
- Audible key clicks and error messages

### K5100 includes:

K5100 Printer, Owner's Manual, CD-ROM w/ KLDS Software and Windows Printer Drivers, Serial Cable, AC Adapter with Power Cord. **Batteries and supply cartridge not included.**

## K5100 Printer & Accessories

	SRP
K5100 Handheld Label Printer.....	2561000 \$399.00
★ (6) Premium NiCd Batteries.....	2449300 \$40.95
AC Adapter (100-240V, 50-60HZ) .....	2563000 \$83.95
Serial Cable .....	2558800 \$31.95
Carrying Case .....	2563900 \$84.95
Thermal Printhead Cleaning Kit (25)....	2559000 \$16.95

★ While Quantities Last



## K4100 Desktop Label Printer


- Thermal transfer print technology
- Two line x 16 character LCD display
- Auto sizing text feature
- Prints 6- 72 point at 300 dpi resolution
- Use stand alone or with your PC
- Downloadable and scaleable fonts
- On-board memory stores files and fonts
- Flash upgradeable firmware
- KLDS Software and Windows Printer Drivers - Vista support coming soon
- 10 resident bar code symbologies (see pg 2)
- Alpha/Numeric sequencing (A-Z, 1-999)
- Repeat function allows up to 999 copies
- Built-in cutter and feed control to eliminate waste
- Print styles include frame, bold, italic, underline, mirror
- Rotate feature for landscape or portrait mode
- Vertical and horizontal print formats
- Real time clock with time/date stamping ability
- Audible key clicks

### K4100 includes:

K4100 Printer, Owner's Manual, CD-ROM w/ KLDS Software and Windows Printer Drivers, Serial Cable, AC Adapter with Power Cord. **Supply cartridge not included.**

## K4100 Printer & Accessories

	SRP
K4100 Desktop Label Printer.....	2562000 \$299.00
AC Adapter (100-240V, 50-60HZ) .....	2563000 \$83.95
Serial Cable .....	2558800 \$31.95
Carrying Case .....	2562900 \$84.95
Thermal Printhead Cleaning Kit (25)....	2559000 \$16.95



# K3100-PC Companion Printer

## K3100-PC Companion Label Printer (supercedes K3000-PC)

- **Functionally identical to K3000-PC**
- Uses common AC Adapter as the K5100/K4100 models
- Thermal transfer print technology
- Resolution of 300 DPI
- Customize labels using fonts and graphics from your PC
- KLDS Software provides easy to use label templates
- Print labels from Microsoft Word and Excel
- KLDS Software and Windows Printer Drivers - *Vista support coming soon*
- 25 bar code symbologies (see below)
- Supports baud rates up to 115,200 bps
- Alpha/Numeric sequencing (A-Z, 1-999)
- Repeat function allows up to 999 copies
- Built-in cutter and feed control to eliminate waste
- Print styles include frame, bold, italic, underline and mirror
- Rotate feature for landscape or portrait mode
- Vertical and horizontal print formats
- Print speeds up to 2 ips (inches per second)

### K3100-PC includes:

K3100-PC Printer, Owner's Manual, CD-ROM w/ KLDS Software and Windows Printer Drivers, Serial Cable, AC Adapter with Power Cord. **Supply cartridge not included.**

## K3100-PC Printer & Accessories

	SRP
K3100-PC Compation Label Printer.....	2564000 \$199.00
AC Adapter (100-240V, 50-60HZ) .....	2563000 \$83.95
Serial Cable .....	2558800 \$31.95
Thermal Printhead Cleaning Kit (25).....	2559000 \$16.95

**NOTE: Use of K3000-PC AC adapter with K3100-PC will permanently damage printer.**



## Bar Code Symbologies

### K3100-PC, K4100 and K5100 - Bar Codes available via included KLDS Software

- Code 39 (supports ratios of 2:1 and 3:1)
- Extended Code 39
- Codabar (supports ratios of 2:1, 3:1 and modulus 10 and 16 check digits)
- Interleaved 2 of 5 (supports ratios of 2:1 and 3:1 and modulus 10 check digit)
- EAN/JAN-8, EAN/JAN-13
- UPC-A, UPC-E (11 digit)
- PDF-417
- MSI-Plessey, Maxicode
- Code 49
- Postnet Zip +4
- Code 93
- Extended 93
- UCC 128
- HIBC
- UPC-E-0-System (6 digit)
- UPC-E-1-System (6 digit)
- Code 128 Auto
- Code 128 A, B, C
- Code 16K Auto
- Code 16K A, B, C

### K5100 and K4100 - Resident Bar Codes

- Code 39 (supports ratios of 2:1 and 3:1)
- Code 128
- Codabar (supports ratios of 2:1, 3:1 and modulus 10 and 16 check digits)
- Interleaved 2 of 5 (supports ratios of 2:1 and 3:1 and modulus 10 check digit)
- EAN-8, EAN-13, EAN supplemental
- UPC-A, UPC-E, UPC supplemental
- PDF-417
- MSI-Plessey
- Check digit calculation where applicable




# K-Series Cartridges

(For use in K2000-PC, K3000-PC, K3100-PC, K2000, K2500, K5100, K4100 only)

## Polyester Industrial Labels

2.0 mil pressure sensitive polyester and thermal transfer resin ribbon in a cartridge • Up to 7 year exterior life; Chemical, water, UV light resistant • Operating temperature range of -40° to 320°F ( -40° to 160°C) • High performance label stock ideal for smooth, flat surfaces.

W x L	SRP	W x L	SRP
.375" x 40' Cartridge Supply.....	\$34.95	80" x 40' Cartridge Supply.....	\$34.95
.50" x 40' Cartridge Supply.....	\$34.95	1" x 40' Cartridge Supply.....	\$36.95



### Industrial UV & Chemical Resistant Cartridge Supply

**.375" x 40'**

Black image on clear .....	2560101
Black image on white .....	2560116
Black image on yellow .....	2560143

### Industrial UV & Chemical Resistant Cartridge Supply

**.50" x 40'**

Black image on clear .....	2487901
Black image on white .....	2487916
Black image on yellow .....	2487943
White image on black .....	2487920
White image on clear.....	2487902

### Industrial UV & Chemical Resistant Cartridge Supply

**.8" x 40'**

Black image on clear .....	2438701
Black image on white .....	2438716
Black image on yellow .....	2438743

### Industrial UV & Chemical Resistant Cartridge Supply

**1" x 40'**

Black image on clear .....	2438601
Black image on white .....	2438616
Black image on yellow .....	2438643
Black image on red .....	2438631
Black image on gold .....	2438626
Black image on matte silver .....	2438621
White image on black .....	2438620
White image on red .....	2438636
White image on clear .....	2438602
Red image on white .....	2438618
Blue image on white .....	2438617

## 1" Laminated Polyester Labels

2.0 mil pressure sensitive polyester and thermal transfer wax ribbon in a cartridge. Laminate protects from scratching and abrasion.

	SRP
Black image on clear .....	2437901
Black image on white .....	2437916
Black image on yellow .....	2437943

\$43.95

## Component & Terminal Block Die Cut Labels

Black on White - W x L	# Labels	SRP
.375" x 1.8125" .....	120	\$34.95
.50" x 1.50" .....	140	\$34.95
1" x 1" .....	174	\$34.95
1" x 4" .....	82	\$34.95

## Tamper Evident Labels

3.0 mil polyester pressure sensitive that leaves a white residue with the word "VOID" if the label is removed.

	SRP
1" x 40' Black on white .....	2483801

\$43.95

# K-Series Cartridges

(For use in K2000-PC, K3000-PC, K3100-PC, K2000, K2500, K5100, K4100 only)

## Cast Vinyl Industrial Labels

2.0 mil pressure sensitive vinyl and thermal transfer resin ribbon in a cartridge • Up to 10 year exterior life; Chemical, water, UV light resistant • Operating temperature range of -50° to 180°F ( -45.5° to 82°C) • Excellent conformability to curved or irregular surfaces.

	.50" x 40'	1" x 40'	W x L	SRP
Black image on clear.....	2558301	2558101	.50" x 40' .....	\$36.95
Black image on white.....	2558316	2558116	1" x 40' .....	\$38.95
Black image on silver.....	-	2558121		
Black image on red.....	2558335	2558135		
Black image on yellow.....	2558343	2558143		

## Self-Laminating Wire Wraps

4.0 mil translucent vinyl with a white printable area and thermal transfer resin ribbon in a cartridge • Excellent to professionally mark wires and cables • Laminated tail protects text • Chemical, water, UV light resistant • Aggressive permanent adhesive • Operating temperature range of -40° to 176°F ( -40° to 80°C)

Size	W x L	Printable Area	Fits Wire	# Labels	Part #	SRP
1" x .50"	(25mm x 12mm)	1" x .25"	16 - 22	277	2556708	\$31.95
1" x .75"	(25mm x 19mm)	1" x .375"	10 - 16	250	2556704	\$31.95
1" x 1"	(25mm x 25mm)	1" x .375"	10 - 12	227	2556707	\$31.95
1" x 1.25"	(25mm x 31.75mm)	1" x .50"	8 - 12	170	2556702	\$31.95
1" x 2.50"	(25mm x 65mm)	1" x .75"	6 - 10	119	2556703	\$31.95
1" x 4"	(25mm x 101mm)	1" x 1"	4 - 6	83	2556701	\$31.95
★ 1" x 6"	(25mm x 152mm)	1" x 1.50"	0 - 4	61	2556705	\$31.95

★ While Quantities Last

## Polyolefin Shrink Tube Length 110"

Flexible polyolefin tubing and thermal transfer resin ribbon in a cartridge • Shrink ratio 3:1 • Operating temperature range of -67° to 275°F (-55°C to 135°C) with up to 347°F for short duration and low recovery temperature of 194°F • All tubing is flame resistant; Chemical and water resistant • Meets Military Specification MIL-DTL-23053/5C Class 1 and 3, UL-224 VW-1 rating. Ideal for wire marking an electrical insulation of light wire harness assemblies.

	SRP
1/8" (3.2mm) Black on white.....	2470001 \$31.95
3/16" (4.8mm) Black on white .....	2470011 \$32.95
1/4" (6.4mm) Black on white .....	2470021 \$34.95
3/8" (9.6mm) Black on white .....	2470031 \$36.95
1/2" (12.8mm) Black on white .....	2470041 \$38.95
1/8" (3.2mm) Black on yellow .....	2470002 \$31.95
3/16" (4.8mm) Black on yellow .....	2470012 \$32.95
1/4" (6.4mm) Black on yellow .....	2470022 \$34.95
3/8" (9.6mm) Black on yellow .....	2470032 \$36.95
1/2" (12.8mm) Black on yellow .....	2470042 \$38.95

# K4350 Industrial Printer


## K4350 Industrial Printer

- Thermal transfer and direct thermal print technology
- Resolution of 300 DPI
- Connects to your personal computer
- Includes Seagull Scientific Bartender™ UltraLite Software
- Versatile connectivity - serial & parallel
- Create labels using the fonts and graphics from your PC
- Plug and play with Windows platforms
- IMB internal flash and 2MB DRAM
- Built-in cutter and feed control to eliminate waste
- Print speeds up to 2 ips (inches per second)
- Print continuous and die cut media
- Print bar codes including Code 39 and Code 128
- Alpha/Numeric sequencing (A-Z, 1-999)
- Repeat function allows up to 999 copies
- Internal and external supply feed
- Media minimum 1/8" to maximum of 4"
- Gap sensor and black mark sensor
- Maximum print length of 40"

### K4350 includes:

K4350 Printer, Owner's Manual, CD-ROM w/ Seagull Scientific Bartender™ UltraLite Software and Windows Printer Drivers, Parallel Cable, Universal Power Supply, External Supply Holder (Max 8" OD), 1" Core Insert, Automatic Cutter.

**Ribbon and media not included.**



## K4350 Printer & Accessories

	SRP
K4350 Industrial Printer .....K4350CPTR	\$599.00
Shrink tube supply holder.....2559300	\$91.95
Universal power supply .....K4350PS	\$93.95
Thermal printhead cleaning kit (25) ....2559000	\$16.95
3" Core Insert.....K43503INCH	\$14.95
Printhead .....K4350TPH	\$204.95

## Black Thermal Transfer Ribbons (coated side out)

**Resin Ribbon** - Ideal for synthetic facestocks. Exceptional abrasion and chemical resistance.

Width	1" Core Length 985'	Rolls Per Case	SRP
2.43".....	92-BLK-PR243U	10	\$32.95
4.33".....	92-BLK-PR443U	10	\$50.95

# K4350 Printer Supplies

## Self-Laminating Wire Wrap Rolls

4.0 mil translucent vinyl with a white printable area on a 3" core • Excellent to professionally mark wires and cables • Laminated tail protects text • Chemical, water, UV light resistant • Aggressive permanent adhesive • Operating temperature range of -40° to 176°F ( -40° to 80°C).

W x L	Printable Area	Fits Wire/Cable	Part #	Labels/Roll	SRP Price/Roll
.50" x 1.50"	.50" x .80"	16 -22	97-VRAP-0476W	975	\$27.95
.75" x 1.75"	.75" x .50"	10 -16	97-VRAP-0676W	850	\$49.95
★ 1" x 1"	1" x .35"	0 - 4	97-VRAP-1176W	1400	\$56.95
1" x 1.25"	1" x .50"	10 -12	97-VRAP-0276W	1000	\$48.95
1" x 1.50"	1" x .50"	6 -10	97-VRAP-0576W	650	\$33.95
1" x 2.25"	1" x .75"	6 - 10	97-VRAP-0776W	650	\$51.95
1" x 2.5"	1" x .75"	10 - 16	97-VRAP-0376W	600	\$50.95
1" x 4"	1" x 1"	0 - 4	97-VRAP-0176W	375	\$50.95
2" x 3.75"	1.97" x 1"	0 - 4	97-VRAP-0976W	375	\$100.95
★ 2" x 6"	1.97" x 1.50"	0 - 4	97-VRAP-0876W	250	\$104.95

★ While Quantities Last

## Shrink Tube Reels Length 100'

Flexible polyolefin tubing on a reel • Shrink ratio 3:1 • Operating temperature range of -67° to 275°F (-55°C to 135°C) with up to 347°F for short duration and low recovery temperature of 194°F • All tubing is flame resistant; Chemical and water resistant • Meets Military Specification MIL-DTL-23053/5C Class 1 and 3, UL-224 VW-1 rating. Ideal for wire marking an electrical insulation of light wire harness assemblies.

Tube Color	Tube Width ID* After Recovery	Wall Thickness After Recovery	Part #	SRP
1/8" White	.043"	.024"	98-WT31-0342	\$134.95
1/8" Yellow	.043"	.024"	98-YT31-0342	\$134.95
3/16" White	.063"	.026"	98-WT31-0442	\$146.95
3/16" Yellow	.063"	.026"	98-YT31-0442	\$146.95
1/4" White	.083"	.028"	98-WT31-0642	\$156.95
1/4" Yellow	.083"	.028"	98-YT31-0642	\$156.95
3/8" White	.122"	.031"	98-WT31-0942	\$179.95
3/8" Yellow	.122"	.031"	98-YT31-0942	\$179.95
1/2" White	.165"	.033"	98-WT31-1242	\$197.95
1/2" Yellow	.165"	.033"	98-YT31-1242	\$197.95
3/4" White	.248"	.039"	98-WT31-1942	\$263.95
3/4" Yellow	.248"	.039"	98-YT31-1942	\$263.95
1" White	.327"	.048"	98-WT31-2542	\$349.95
1" Yellow	.327"	.048"	98-YT31-2542	\$349.95

\*ID - Inside Diameter


# K225 Printer & K225/K227 Cartridges

## K225 Label Printer

- Direct thermal print technology
- Connects to your personal computer
- Create labels using fonts and graphics from your PC
- Prints one label, multiple labels or entire mailing lists
- KLDS Software provides easy to use label templates
- Includes KLDS Software and Windows Printer Drivers
- Plug and play with Windows platforms: 98, 2000 and XP
- Print styles include frame, bold, italic, underline and mirror
- Vertical and horizontal print formats
- Rotate feature for landscape or portrait mode
- Prints labels up to 2 1/8"
- Feed control and built-in label cutting bar

### K225 includes:

K225 Printer, Owner's Manual, Roll of Labels, CD-ROM w/ KLDS Software and Windows Printer Drivers, Serial Cable, AC Adapter.



## K225 Label Printer

	SRP
★K225 Label Printer .....2479200	\$79.00

★ While Quantities Last

## K225/K227 Labels

	Part #	SRP
White Standard Label (1 1/8" x 3 .5") (260 x 2 Rolls).....	2479300	\$16.95
White Shipping Label (2 1/8" x 4") (220 x 1 Roll).....	2479400	\$16.95
★White Diskette Label (2 1/8" x 2 .75") (320 x 1 Roll).....	2479500	\$16.95
★Clear Standard Label (1 1/8" x 3 .5") (260 x 1 Roll).....	2479600	\$21.95

★ While Quantities Last

# TM650 Cartridges & Accessories

## TM650 Shrink Tube

Tube Size 100"/Cartridge	SRP
1/8" (3.2mm) .....	\$34.95
3/16" (4.8mm) .....	\$35.95
1/4" (6.4mm) .....	\$36.95

### Tube Size 100"/Cartridge

Black on White	Black on Yellow
1/8" (3.2mm) .....2404201	1/8" (3.2mm) .....2404202
3/16" (4.8mm) .....2404210	3/16" (4.8mm).....2404211
1/4" (6.4mm) .....2404220	1/4" (6.4mm) .....2404221

## TM650 Industrial Labels

.50" x 50'	SRP
Black image on clear .....	2464401 \$38.95
Black image on white .....	2464416
Black image on yellow .....	2464443

## TM650 Typestyle Cards

For use on the Industrial Tape Supply Only.

Fonts Similar to:	SRP
Helvetica Medium 24 pt .....	2226429 \$29.95
Helvetica Bold 36 pt .....	2226440 \$29.95

## TM650 Accessories

	SRP
AC Adapter (120V) .....	2476800 \$9.95
Thermal Printhead Cleaning Kit (25)....	2559000 \$16.95

# DuraType® 244RS/240SE Cartridges & Accessories

## General Purpose Labels

**SRP** \$35.95

### .50" x 50'

Black image on clear .....	2227501
White image on clear .....	2227502
Blue image on clear .....	2227503
Red image on clear .....	2227504
Black image on white .....	2227516
Blue image on white .....	2227517
Red image on white .....	2227518

### .50" x 50'

White image on black .....	2227520
Black image on matte silver .....	2227521
Black image on red .....	2227535
White image on red .....	2227536
Black image on yellow .....	2227543
Architectural and Engineering .....	2227553

## Industrial Labels

**SRP** \$40.95

### .50" x 50'

Black image on clear .....	2357501
White image on clear .....	2357502
Black image on white .....	2357516
White image on black .....	2357520

★ **While Quantities Last**

### .50" x 50'

★ Black image on matte silver.....	2357521
Black image on red .....	2357535
White image on red .....	2357536
★ White image on green.....	2357540
Black image on yellow .....	2357543

## Typestyle Cards

**SRP**

All Cards .....\$29.95

<b>Fonts Similar to:</b>	<b>6 pt.</b>	<b>8 pt.</b>	<b>10 pt.</b>	<b>12 pt.</b>	<b>14 pt.</b>	<b>16 pt.</b>	<b>18 pt.</b>	<b>24 pt.</b>	<b>30 pt.</b>	<b>36 pt.</b>
Calligraphy.....							2418807	2418808	2418809	
Helvetica Regular.....	2226401	2226402	2226403	2226404	2226405	2226406	2226407	2226409	2226472	2226410
Helvetica Medium.....	2226421	2226422	2226423	2226424	2226425	2226426	2226427	2226429	2226471	2226430
Helvetica Bold.....							2226437	2226439	2226474	2226440
Condensed Vertical Helvetica Medium.....						2226456		2226459	2226460	
Times Roman .....	2226511	2226512	2226513	2226514	2226515	2226516	2226517	2226519	2226541	2226520
Times Roman.....	2226542 (10/12 pt.)		2226543 (6/8/12 pt.)							

## Bar Code Symbology Cards

	SRP	1+		SRP		
EAN 8/13 .....	2315806	\$29.95	\$23.96	3 of 9 Bar Code .....	2315800	\$29.95
CODABAR .....	2315807	\$29.95	\$23.96	1 2 of 5.....	2315803	\$29.95
3 of 9 High Density .....	2315815	\$29.95	\$23.96	UPC-A .....	2315804	\$29.95

## 240 Line Accessories

		SRP
AC Adapter (120V) .....	2476800	\$9.95
Thermal Printhead Cleaning Kit (25)....	2559000	\$16.95

# K750 & K182 Cartridges

## K750 General Purpose Labels

### .50" x 26'

Black image on clear..... 2526601  
Black image on white..... 2526604

### W x L

### SRP

.50" x 26'.....\$20.95  
.75" x 26'.....\$24.95  
1" x 26'..... \$24.95

### .75" x 26'

★ Black image on white.....2526704

### ★ While Quantities Last

### 1" x 26'

Black image on clear..... 2526801  
Black image on white..... 2526804

## K182 General Purpose Labels

### .50" x 25'

### SRP

Black image on clear..... 2479105      \$18.95  
Black image on white..... 2479118  
Black image on red..... 2479109  
Black image on blue..... 2479110  
Black image on yellow..... 2479111

## K182 Accessories

### Part #

### SRP

AC Adapter (120V).....2476800      \$9.95