




## Drawer cabinets and worktables 20/35

### Cabinet system for lightweight items

The Lista drawer cabinets are also available in a version for lightweight items (20 kg and 35 kg per drawer). This range includes drawer cabinets and worktables, and is suitable for use anywhere that products are for lightweight items. All products are of course made to the normal Lista quality standards.



The 20/35 drawer cabinets and workbenches are suitable for those places where the best finish is more important than a high drawer load capacity. Drawer cabinets and worktables.

### Benefits

- Certified quality with a ten-year guarantee
- Available within five working days
- Price reductions of up to 15 %
- High level of flexibility and perfect storage thanks to drawer partition material
- Two drawer load capacities of 20 kg and 35 kg
- Drawer corrosion protection thanks to electrophoretic dip-painting
- Durable powder coating



A high-quality finish is more important for us than a high drawer load capacity. This good-value range from Lista was what we were looking for: good quality, an attractive price, a ten-year guarantee and delivery ex-stock.





## Perfect handling and quiet movement


The easy-slide drawers, which can be fully extended, providing easy access to the full contents of the drawers.



## Flexible and adaptable

### Covers and wheels

As options you can add multiplex tops (natural beech) or black laminate tops (resin-coated chipboard). The mobile cabinets can be supplied with either a shaped cover with an edging and inset handles, or with a multiplex cover. In addition, they are fitted with two fixed castors and two swivel castors (solid rubber tyres). The castor supports are painted.



## Perfect organisation

### Well-organised partition material and perfect labelling.

For all 20/35 drawer cabinets and worktables the drawers can be fitted with the partition material that you need. The free labelling programme Lista Script also offers simple, clean and visible labelling of the handles with a viewing window.



## Well thought-out security

### Central locking and safety blocking systems

The safety blocking system installed as standard means that when a drawer is pulled out, this blocks all other drawers which prevents the cabinet tipping over. In addition, all 20/35 drawer cabinets and worktables use the Key Lock system which locks all drawers simultaneously.







.010 Light blue, RAL 5012 .020 Light grey, RAL 7035












### Impact resistant coating in one of two colours












The 20/35 drawer cabinets are supplied in the two colours light blue (RAL 5012) and light grey (RAL 7035). The environmentally friendly powder coating provides an impact and abrasion resistant surface.












## Drawer cabinets stationary and mobile specifications


**H**  **850 mm** Height of base **100 mm**, height of cover **30 mm**














			Art. no.	
	20	Moulded plastic	<b>90.639.010</b>	
	20	Multiplex	<b>90.567.010</b>	
	20	Moulded plastic	<b>90.639.020</b>	
	20	Multiplex	<b>90.567.020</b>	
	35	Moulded plastic	<b>90.640.010</b>	
	35	Multiplex	<b>90.568.010</b>	
	35	Moulded plastic	<b>90.640.020</b>	
	35	Multiplex	<b>90.568.020</b>	

			Art. no.	
	20	Moulded plastic	<b>90.641.010</b>	
	20	Multiplex	<b>90.569.010</b>	
	20	Moulded plastic	<b>90.641.020</b>	
	20	Multiplex	<b>90.569.020</b>	
	35	Moulded plastic	<b>90.642.010</b>	
	35	Multiplex	<b>90.570.010</b>	
	35	Moulded plastic	<b>90.642.020</b>	
	35	Multiplex	<b>90.570.020</b>	

			Art. no.	
	20	Moulded plastic	<b>90.643.010</b>	
	20	Multiplex	<b>90.571.010</b>	
	20	Moulded plastic	<b>90.643.020</b>	
	20	Multiplex	<b>90.571.020</b>	
	35	Moulded plastic	<b>90.644.010</b>	
	35	Multiplex	<b>90.572.010</b>	
	35	Moulded plastic	<b>90.644.020</b>	
	35	Multiplex	<b>90.572.020</b>	



			Art. no.	
	20	Moulded plastic	<b>90.645.010</b>	
	20	Multiplex	<b>90.573.010</b>	
	20	Moulded plastic	<b>90.645.020</b>	
	20	Multiplex	<b>90.573.020</b>	
	35	Moulded plastic	<b>90.646.010</b>	
	35	Multiplex	<b>90.574.010</b>	
	35	Moulded plastic	<b>90.646.020</b>	
	35	Multiplex	<b>90.574.020</b>	

**S**  
Art. no. **90.567.010**  
Light blue, RAL 5012  
(excl. partition material)

**W** → 600 mm

**D** ↗ 600 mm

 502 x 502 mm

**H** ↑ 850 mm Height of cover 30 mm


4 drawers	
Front height	Usable height
100 mm	79 mm
100 mm	79 mm
200 mm	179 mm
200 mm	179 mm



5 drawers	
Front height	Usable height
100 mm	79 mm
100 mm	79 mm
100 mm	79 mm
100 mm	79 mm
200 mm	179 mm



6 drawers	
Front height	Usable height
100 mm	79 mm
100 mm	79 mm
100 mm	79 mm
100 mm	79 mm
100 mm	79 mm
100 mm	79 mm

	kg		Art. no.	
●	20	Moulded plastic	<b>90.555.010</b>	
●	20	Multiplex	<b>90.615.010</b>	
●	20	Moulded plastic	<b>90.555.020</b>	
●	20	Multiplex	<b>90.615.020</b>	
●	35	Moulded plastic	<b>90.556.010</b>	
●	35	Multiplex	<b>90.616.010</b>	
●	35	Moulded plastic	<b>90.556.020</b>	
●	35	Multiplex	<b>90.616.020</b>	

	kg		Art. no.	
●	20	Moulded plastic	<b>90.557.010</b>	
●	20	Multiplex	<b>90.617.010</b>	
●	20	Moulded plastic	<b>90.557.020</b>	
●	20	Multiplex	<b>90.617.020</b>	
●	35	Moulded plastic	<b>90.558.010</b>	
●	35	Multiplex	<b>90.618.010</b>	
●	35	Moulded plastic	<b>90.558.020</b>	
●	35	Multiplex	<b>90.618.020</b>	

	kg		Art. no.	
●	20	Moulded plastic	<b>90.559.010</b>	
●	20	Multiplex	<b>90.619.010</b>	
●	20	Moulded plastic	<b>90.559.020</b>	
●	20	Multiplex	<b>90.619.020</b>	
●	35	Moulded plastic	<b>90.560.010</b>	
●	35	Multiplex	<b>90.620.010</b>	
●	35	Moulded plastic	<b>90.560.020</b>	
●	35	Multiplex	<b>90.620.020</b>	

## Equipment

All mobile drawer cabinets are equipped with 1 push bar, 2 swivel castors with brakes, and 2 fixed castors made of solid rubber, Ø 80 mm.

Height of castors	100 mm
Max. load capacity	130 kg
Max. weight supported by moulded plastic	20 kg

## S Selection

### The quick delivery programme

Not just preconfigured but also quickly available:  
The Lista Selection cabinets in the colours light blue and light grey can be delivered within five working days ex works.

For further information see **page 127**.


**.010**
**Light blue**  
RAL 5012

**.020**
**Light grey**  
RAL 7035

**S**

Art. no. **90.558.020**  
Light grey, RAL 7035.  
(excl. partition material)

## Dimensions (all in millimetres)



## Worktables

### The load-bearing extension

At a height of 850 mm the 20/35 worktables are particularly useful for working standing up. They are 1600 mm wide. The load capacity of the drawers is either 20 or 35 kg. Fitted with a multiplex or resin-coated top these worktables can bear loads of up to 300 kg, and they are also available within five working days.



#### Multiplex tops

Made from steamed beach veneers which are glued in multiple waterproof layers, the top repels splashes and dirt and has good resistance to oil and grease. The corners of the multiplex top are rounded and the upper surface is sanded, oiled and waxed. Dimensions: Thickness 30 mm, length 1600 mm, depth 600 mm.



#### Laminate tops

For worktable configurations with one leg, plastic laminated chipboard tops are used, while the configuration with two legs has a plastic laminated multiplex top. Both tops are black, dirt-repellent and largely insusceptible to oil and grease. Dimensions: Thickness 30 mm, length 1600 mm, depth 600 mm.



**.010** Light blue, RAL 5012




**.020** Light grey, RAL 7035

#### Impact resistant coating in one of two colours

Drawer cabinets and legs are available in the two colours light blue (RAL 5012) and light grey (RAL 7035). The environmentally friendly powder coating provides an impact and abrasion resistant surface.


## Load-bearing capacity



Maximum load capacity for the top with two legs: 150 kg



Maximum load capacity for the top with 1 drawer cabinet, 1 leg: 300 kg



Maximum load capacity for the top with 1 suspended drawer cabinet, 1 leg: 50 kg




## Desks

**H**  **850 mm**



















2 feet



1 foot

1 drawer  
Front height Usable height  
100 mm 79 mm  
1 drawer 500 mm  
1 adjustable shelf,  
Load capacity 30 kg.

		150 kg	Art. no.	
	-	Multiplex	<b>90.607.010</b>	
	-	resin-coated, black, reinforced	<b>90.679.010</b>	
	-	Multiplex	<b>90.607.020</b>	
	-	resin-coated, black, reinforced	<b>90.679.020</b>	

		300 kg	Art. no.	
	20	Multiplex	<b>90.583.010</b>	
	20	resin-coated, black	<b>90.655.010</b>	
	20	Multiplex	<b>90.583.020</b>	
	20	resin-coated, black	<b>90.655.020</b>	
	35	Multiplex	<b>90.584.010</b>	
	35	resin-coated, black	<b>90.656.010</b>	
	35	Multiplex	<b>90.584.020</b>	
	35	resin-coated, black	<b>90.656.020</b>	




**S**

Art. no. **90.600.010**  
Light blue, RAL 5012  
(excl. partition material)


**W** → 1600 mm

**D** ↗ 600 mm

 502 x 502 mm

**H** ↑ 850 mm



1 foot  
4 drawers  
Front height Usable height  
100 mm 79 mm  
100 mm 79 mm  
200 mm 179 mm  
200 mm 179 mm




1 foot  
5 drawers  
Front height Usable height  
100 mm 79 mm  
100 mm 79 mm  
100 mm 79 mm  
100 mm 79 mm  
200 mm 179 mm

	kg	kg 300 kg	Art. no.	
●	20	Multiplex	90.585.010	
●	20	Resin-coated, black	90.657.010	
●	20	Multiplex	90.585.020	
●	20	Resin-coated, black	90.657.020	
●	35	Multiplex	90.586.010	
●	35	Resin-coated, black	90.658.010	
●	35	Multiplex	90.586.020	
●	35	Resin-coated, black	90.658.020	

	kg	kg 300 kg	Art. no.	
●	20	Multiplex	90.587.010	
●	20	Resin-coated, black	90.659.010	
●	20	Multiplex	90.587.020	
●	20	Resin-coated, black	90.659.020	
●	35	Multiplex	90.588.010	
●	35	Resin-coated, black	90.660.010	
●	35	Multiplex	90.588.020	
●	35	Resin-coated, black	90.660.020	



1 foot  
6 drawers  
Front height Usable height  
100 mm 79 mm  
100 mm 79 mm  
100 mm 79 mm  
100 mm 79 mm  
100 mm 79 mm  
100 mm 79 mm



2 feet  
2 drawers  
Front height Usable height  
100 mm 79 mm  
200 mm 179 mm  
Max. load capacity  
see page 451

	kg	kg 300 kg	Art. no.	
●	20	Multiplex	90.589.010	
●	20	Resin-coated, black	90.661.010	
●	20	Multiplex	90.589.020	
●	20	Resin-coated, black	90.661.020	
●	35	Multiplex	90.590.010	
●	35	Resin-coated, black	90.662.010	
●	35	Multiplex	90.590.020	
●	35	Resin-coated, black	90.662.020	

	kg	kg 50 kg	Art. no.	
●	20	Multiplex	90.599.010	
●	20	Resin-coated, black, reinforced	90.671.010	
●	20	Multiplex	90.599.020	
●	20	Resin-coated, black, reinforced	90.671.020	
●	35	Multiplex	90.600.010	
●	35	Resin-coated, black, reinforced	90.672.010	
●	35	Multiplex	90.600.020	
●	35	Resin-coated, black, reinforced	90.672.020	

## S Selection

### The quick delivery programme

Not just preconfigured but also quickly available:  
The Lista Selection cabinets in the colours light blue and light grey can be delivered within five working days ex works.

.010

 Light blue  
RAL 5012


.020

 Light grey  
RAL 7035


### Tip for fitting:

The worktable substructure can be mounted either right or left-handed.

## Partition material sets for drawers




502 x 502 mm



**15-section tray 1/6**

Height mm	For front height mm	Colour	Art. no.	
51	100/200	Grey	<b>90.930.000</b>	


6-pieces



**6-section tray 1/6**

Height mm	For front height mm	Colour	Art. no.	
51	100/200	Grey	<b>90.931.000</b>	


6-pieces



**Tray 1/6**

Height mm	For front height mm	Colour	Art. no.	
51	100/200	Grey	<b>90.932.000</b>	


6-pieces



**Tray 1/3**

Height mm	For front height mm	Colour	Art. no.	
51	100/200	Grey	<b>90.933.000</b>	


3-pieces



**Tray 1/1**

Height mm	For front height mm	Colour	Art. no.	
131	200	Grey	<b>90.934.000</b>	

1-piece



**Tray set**

Height mm	For front height mm	Colour	Art. no.	
51	100/200	Grey	<b>90.935.000</b>	

5-pieces

1 x tray 1/3rd

2 x tray 1/6th

1 x 6-section tray 1/6th

1 x 12-section tray 1/6th

## Listra Script labels


Height mm	Art. no.	
Drawer labels 210 mm x 36 mm / 105 mm x 36 mm 2 A4 sheets each with 6 / 12 labels	<b>90.929.000</b>	



**i Tip**

**Load capacity of mobile drawer cabinets**

The maximum load capacity of 130 kg for mobile drawer cabinets is determined by the castors.



**For home and hobbyists**

The 20/35 drawer cabinets and work tables are ideal for use at home and with their flexible equipment options can be adapted to suit many needs.