

# Hinged door cabinets

## Preconfigured container cabinets with solid sheet or viewing window doors

**10**  
Years  
Guarantee



Art. no. **62.353.030**  
Reseda green, RAL 6011

Lista container cabinets are especially suited for storing storage containers on adjustable shelves. The cabinet specification is based on the hinged door cabinets in proven Lista quality.

### i Features

- Solid sheet or viewing window doors, flush-fitting, folded from one piece
- Interior fittings height-adjustable in 25 mm increments
- Maximum load capacity: housing 500 kg, adjustable shelves 60 kg
- Adjustable shelves: galvanised, 25 mm thick with a depth of 300 mm and 22 mm thick with a depth of 400 mm
- Storage containers made of polyethylene
- Choice of Key Lock (separately lockable) or Code Lock; for further locking options see individual configuration
- Durable powder coating
- ESD on request

### i Design diversity

- Housing height: 1000, 1950 mm;  
Housing width: 1000 mm;  
Housing depths: 300, 400 mm
- Cabinet accessories: adjustable shelves, storage containers



#### High flexibility

All shelves are simple to adjust.



#### Clear arrangement

Small parts can be stored in the various storage containers in clear arrangement.

#### Colours

Cabinets available in 12 standard colours. When ordering, please use the desired three-digit colour code (instead of XXX). Customised colours on request.



For colour information see  
bookmark or fold-out






**H ↑ 1950 mm**
**W → 1000 mm**


9 adjustable shelves  
H 25 mm

60 storage containers,  
red Size 4  
W 149 x D 233 x H 121  
mm

**Cabinets with 2 solid sheet doors**

D  mm	 kg		Hinge pins mounted	Art. no. 	
300	60	Key Lock	Hinge	62.351.XXX	
300	60	Code Lock	Hinge	62.353.XXX	



9 adjustable shelves  
H 25 mm

60 storage containers, red  
Size 4  
W 149 x D 233 x H 121  
mm

**Cabinets with 2 viewing window doors**

D  mm	 kg		Hinge pins mounted	Art. no. 	
300	60	Key Lock	Hinge	62.352.XXX	
300	60	Code Lock	Hinge	62.354.XXX	



9 adjustable shelves  
H 22 mm

40 storage containers,  
yellow  
Size 5Z  
W 209 x D 347 x H 145  
mm

**Cabinets with 2 solid sheet doors**

D  mm	 kg		Hinge pins mounted	Art. no. 	
400	60	Key Lock	Hinge	62.355.XXX	
400	60	Code Lock	Hinge	62.357.XXX	



9 adjustable shelves  
H 22 mm

40 storage containers,  
yellow  
Size 5Z  
W 209 x D 347 x H 145  
mm

**Cabinets with 2 viewing window doors**

D  mm	 kg		Hinge pins mounted	Art. no. 	
400	60	Key Lock	Hinge	62.356.XXX	
400	60	Code Lock	Hinge	62.358.XXX	

# Hinged door cabinets

## Cabinet housing and hinged doors with Key Lock or Code Lock

**W**  **1000 mm**




### Housing for container cabinets

The housing is made of welded sheet steel and enables flexible installation of adjustable shelves with 25 mm divisions.

### Hinged doors for container cabinets





The hinged doors are flush-fitting and folded from one piece and are flush with the cabinet housing. The hinged doors in solid sheet with hinge bearing assembly are prepared for Key Lock and Code Lock locking systems. The maximum opening angle is approx. 115°.



Housing for 2 hinged doors

Housing for 2 hinged doors



<b>H</b>  Housing for container cabinets mm		<b>1000</b>	<b>1950</b>
Clear height mm		885	1835
<b>D</b>  mm	Specification	Art. no. 	Art. no. 
300	-	57.684.XXX	57.686.XXX
400	-	57.612.XXX	57.618.XXX

### Hinged door set for Key Lock


2 doors **excluding** clasp lock  
**Separately lockable**



- Clasp lock (random number)

Solid sheet	62.009.XXX	62.011.XXX
Viewing window	62.137.XXX	62.012.XXX
-	49.060.000	49.060.000

2 doors **excluding** clasp lock  
**Simultaneously lockable**



- + Clasp lock 2C \_\_\_\_ (number according to choice)
- Clasp lock 2C 1 (pre-defined number)
- Clasp lock 2C 2 (pre-defined number)
- Clasp lock 2C 3 (pre-defined number)
- Clasp lock 2C 4 (pre-defined number)
- Clasp lock 2C 5 (pre-defined number)
- Clasp lock 2C 6 (pre-defined number)

Solid sheet	62.009.XXX	62.011.XXX
Viewing window	62.137.XXX	62.012.XXX
-	49.067.000	49.067.000
-	49.061.000	49.061.000
-	49.062.000	49.062.000
-	49.063.000	49.063.000
-	49.064.000	49.064.000
-	49.065.000	49.065.000
-	49.066.000	49.066.000

2 doors **excluding** clasp lock  
**Master key system**



- + Clasp lock for master key system
- Master key (registered system)

Solid sheet	62.009.XXX	62.011.XXX
Viewing window	62.137.XXX	62.012.XXX
-	49.068.000	49.068.000
-	20.040.000	20.040.000


### Hinged door set for Code Lock

2 doors **excluding** clasp lock

- Clasp lock with Code Lock

Solid sheet	62.009.XXX	62.011.XXX
Viewing window	62.137.XXX	62.012.XXX
-	49.070.000	49.070.000

- + Please state the existing cylinder number for repeat orders
- Required for operation

 For locking systems see page 118/119

## Cabinet accessories for container cabinets

### Adjustable shelves

#### Adjustable shelves

Adjustable shelves including 4 shelf supports. Specification: sheet steel, galvanised. Long sides folded by 4 x 90°. 25 mm thick with a depth of 300 mm and 22 mm thick with a depth of 400 mm. Load-bearing capacity 60 kg.

**W → 1000 mm**

For cabinet depth mm	Usable depth mm	Usable width mm	kg	Specification	Art. no.	
300	226	980	60	Plain	85.781.000	
400	326	980	60	Plain	85.749.000	



# Hinged door cabinets

## Large scale pin-cabinet with solid sheet doors

**10**  
Years  
Guarantee

**GS**  
guarantee  
system

**60**  
kg


**75**  
kg

**Key**  
Lock

**12**  
**3**

**on request**

**on request**



Art. no. **85.802.010**  
Light blue, RAL 5012  
(excluding partition material)

The Lista large scale pin-cabinets feature an enormous holding capacity and enable optimum use of space. The drawers provide additional space for quality inventory and tools.

### i Features

- Carefully welded sheet steel construction
- Clasp lock with Key Lock and Code Lock
- Hinged doors: door with slotted and/or perforated rear panels inside for attachment of storage containers and keyhole hooks, door opening angle: 180°
- Adjustable shelves: galvanised
- Smooth-running drawers with full extension: 100 mm front height, 75 kg load capacity, full extension runners, in light grey, RAL 7035, partition material available on request
- Storage containers made of polyethylene
- Surface: steel parts galvanised and powder-coated

### i Design diversity

- Housing height: 1950 mm;  
Housing width: 1100 mm;  
Housing depth: 620 mm.

### i Tip




**Large scale pin-cabinet with solid sheet doors**  
Optimum use of the cabinet volume is possible with up to 146 storage containers and 3 drawers. The drawers can be individually equipped with partition material.

**Note:** partition material on request.

**W → 1100 mm**

**H ↑ 1950 mm**



Door with slotted or perforated rear panels inside

9 adjustable shelves  
H 25 mm

40 storage containers  
Size 2, W 103 x D 93 x H 52 mm

70 storage containers  
Size 3, W 103 x D 168 x H 76 mm

21 storage containers  
Size 4, W 149 x D 233 x H 121 mm

15 storage containers  
Size 5Z, W 209 x D 347 x H 145 mm

3 100 mm drawers (front height)

### Cabinet with 2 solid sheet doors

<b>D</b>  mm	 kg		Hinge pins mounted	Art. no. 
620	60	Key Lock	Hinge	<b>85.802.XXX</b>



# Cabinet housing, hinged doors and accessories with Key Lock or Code Lock



## Colours

Housing available in 12 standard colours. Multi-colour paint finishes also possible. When ordering, please use the three-digit colour code (instead of XXX). Customised colours on request.



➤ For colour information see bookmark or fold-out

## Housing for large-scale pin-cabinet

The housing is made of high-quality welded sheet steel. Vertical supports with 25 mm divisions enable the installation of adjustable shelves. The cabinet housing is prepared for lateral screw connection and for floor anchoring. A 3-piece drawer set can be optionally inserted in the bottom area.

## Hinged doors for large-scale pin-cabinet

The double leaf hinged door made of sheet steel comes with interior panels for attachment of storage containers and keyhole hooks and has a recess for Key Lock or Code Lock. The maximum opening angle is approx. 180°.

➤ For keyhole hooks see page 630

## Adjustable shelves

Adjustable shelves including 4 shelf supports. Specification: sheet steel, galvanised. Long sides folded by 4 x 90°. 25 mm thick with load capacity of 60 kg.

**W ➔ 1100 mm** For 1100 mm wide housing.


For cabinet depth mm	Usable depth mm	Usable width mm	kg	Specification	Art. no.	
620	300	1080	60	Plain	85.766.000	
620	588	1080	60	Plain	85.765.000	

## Drawer set, 3 pieces

Full extension with ball bearings, including guide rails. Specification: sheet steel. Colour: light grey, RAL 7035.

**W ➔ 1100 mm**

For cabinet depth mm	Usable width mm	Usable depth mm	Front height mm	Usable height mm	kg	Art. no.	
620	900	389	100	71	75	85.804.000	



**W ➔ 1100 mm**

**H ➔** Housing for large scale pin-cabinet mm

Clear height mm

**1950**

1820

**D ➔** mm

620

Art. no.

85.763.XXX

**Hinged door set for Key Lock**

2 doors **excluding** clasp lock  
**Separately lockable**




85.824.XXX

● Clasp lock (random number)

49.060.000

2 doors **excluding** clasp lock  
**Simultaneously lockable**



85.824.XXX

+ Clasp lock 2C \_\_\_\_ (number according to choice)

49.067.000

Clasp lock 2C **1** (pre-defined number)

49.061.000

Clasp lock 2C **2** (pre-defined number)

49.062.000

Clasp lock 2C **3** (pre-defined number)

49.063.000

Clasp lock 2C **4** (pre-defined number)

49.064.000

Clasp lock 2C **5** (pre-defined number)

49.065.000

Clasp lock 2C **6** (pre-defined number)

49.066.000

2 doors **excluding** clasp lock  
**Master key system**



85.824.XXX

+ Clasp lock for master key system

49.068.000

● Master key (registered system)

20.040.000

**Hinged door set for Code Lock**


2 doors **excluding** clasp lock

85.824.XXX

● Clasp lock with Code Lock

49.070.000

+ Please state the existing cylinder number for repeat orders ● Required for operation



➤ For locking systems see page 118/119

## Cabinet accessories for container and large scan pin-cabinet

### Storage containers, labelling options, shelf boxes

#### Storage containers

Width, depth and height refer to the outer dimensions. The storage containers are break-resistant, insusceptible to most acids and lye and temperature-resistant from - 40 to + 80° Celsius.  
Specification: polyethylene (PE).




#### Size 2

	Content dm <sup>3</sup>	Width mm	Depth mm	Height mm	Art. no.	
	0,3	103	93	52	<b>80.737.000</b>	
	0,3	103	93	52	<b>80.728.000</b>	
	0,3	103	93	52	<b>80.738.000</b>	
	0,3	103	93	52	<b>80.768.000</b>	



#### Size 3

	Content dm <sup>3</sup>	Width mm	Depth mm	Height mm	Art. no.	
	0,9	103	168	76	<b>80.733.000</b>	
	0,9	103	168	76	<b>80.729.000</b>	
	0,9	103	168	76	<b>80.724.000</b>	
	0,9	103	168	76	<b>80.702.000</b>	



#### Size 4

	Content dm <sup>3</sup>	Width mm	Depth mm	Height mm	Art. no.	
	2,7	149	233	121	<b>80.734.000</b>	
	2,7	149	233	121	<b>80.730.000</b>	
	2,7	149	233	121	<b>80.725.000</b>	
	2,7	149	233	121	<b>80.721.000</b>	



#### Size 5Z

	Content dm <sup>3</sup>	Width mm	Depth mm	Height mm	Art. no.	
	7,5	209	347	145	<b>80.755.000</b>	
	7,5	209	347	145	<b>80.756.000</b>	
	7,5	209	347	145	<b>80.757.000</b>	
	7,5	209	347	145	<b>80.758.000</b>	



#### Size 5

	Content dm <sup>3</sup>	Width mm	Depth mm	Height mm	Art. no.	
	10,4	209	347	200	<b>80.735.000</b>	
	10,4	209	347	200	<b>80.731.000</b>	
	10,4	209	347	200	<b>80.726.000</b>	
	10,4	209	347	200	<b>80.722.000</b>	



#### Size 6

	Content dm <sup>3</sup>	Width mm	Depth mm	Height mm	Art. no.	
	23,5	313	497	200	<b>80.736.000</b>	
	23,5	313	497	200	<b>80.732.000</b>	
	23,5	313	497	200	<b>80.727.000</b>	
	23,5	313	497	200	<b>80.723.000</b>	

## Labelling options for storage containers

### Accessories for size 2

Specification	Width mm	Height mm	Number	Art. no.	
Paper labels, white	73	11	10	<b>80.739.000</b>	
Transparent sheet	73	11	10	<b>80.740.000</b>	

### Accessories for size 3

Specification	Width mm	Height mm	Number	Art. no.	
Paper labels, white	75	20	10	<b>80.741.000</b>	
Transparent sheet	75	20	10	<b>80.742.000</b>	

### Accessories for size 4, 5Z, 5, 6

Specification	Width mm	Height mm	Number	Art. no.	
Paper labels, white	100	35	10	<b>88.105.000</b>	
Transparent sheet	100	35	10	<b>88.106.000</b>	

## Shelf boxes

All shelf boxes and dividers including labelling cards and protective foils.  
Specification: impact-proof polystyrene. Colour: grey.

Specification	Type	Width mm	Depth mm	Height mm	Art. no.	
Dividable in 4 compartments	KS 1733	99	298	46	<b>43.009.000</b>	
Dividable in 4 compartments	KS 1734	99	298	74	<b>43.010.000</b>	
Dividable in 4 compartments	KS 1735	149	298	74	<b>43.011.000</b>	
Dividable in 5 compartments	KS 1737*	99	373	74	<b>43.012.000</b>	
Dividable in 5 compartments	KS 1738*	149	373	74	<b>43.013.000</b>	
Dividable in 5 compartments	KS 3955	141	298	121	<b>43.008.000</b>	
Dividable in 6 compartments	KS 3956*	141	448	71	<b>43.007.000</b>	

\*These shelf boxes do not fit in the container cabinets. Only available individually.

## Dividers

Specification	Art. no.	
Divider for shelf box KS 1733	<b>43.016.000</b>	
Divider for shelf box KS 1734 / KS 1737	<b>43.017.000</b>	
Divider for shelf box KS 1735 / KS 1738	<b>43.018.000</b>	
Divider for shelf box KS 3955	<b>43.014.000</b>	
Divider for shelf box KS 3956	<b>43.015.000</b>	

## Labelling

Specification	Number	Art. no.	
Paper labels, white, for shelf boxes and dividers	10	<b>43.653.000</b>	
Transparent sheet, for shelf boxes and dividers	10	<b>43.654.000</b>	

