LOC-LINE® THE ORIGINAL MODULAR HOSE SYSTEM.



LOC-LINE® FLEXES TO MANY TASKS

- Paintless dent removal is made easier using Loc-Line® 3/4" hose and standard shield parts.
- 2. Loc-Line® in all sizes is used as armatures for dolls and stuffed animals.
- 3. Loc-Line® 1/2" System directs chilled air through a Vortec cold gun, one of the many air applications that use Loc-Line.®
- The Flexible Shower Massage by Water Pik combines a patented Loc-Line® design with the Shower Massage to position the head to any height.
- Fadal Engineering uses Loc-Line[®] in a traditional flood coolant application.
- 6. A Loc-Line® Flare Nozzle directs just the right amount of coolant to the cutter
- 7. Trico uses Loc-Line® 1/4" System to enhance mist delivery for the Micro Drop® Dispenser.
- 8. Hass Automation and Loc-Line® combine for accurate aim coolant flow.
- The Smart Washer® manufactured by ChemFree uses the Loc-Line® 1/2" System to direct environmentally safe fluids to clean parts in the tub.
- Exair's Cold Gun and Loc-Line® cools the grinder and tool without using fluids.
- Loc-Line® Vacuum Hose and a standard shop vacuum help keep workshops cleaner.
- 12. The Snake Light™ Flexible Flashlight by Black and Decker utilizes a patented Loc-Line® design that resists popping apart.
- 13. Growing coral in an aquarium requires turbulent water motion. Loc-Line® makes it possible to direct the flow where it is needed and around sensitive corals.
- 14. The BlueFin V900 underwater camera by Light & Motion uses Loc-Line® to hold and aim the lights.
- Loc-Line® Swivel Nozzle distributes an even flow of coolant for a surface grinding operation.





THE LOC-LINE® SYSTEM

THE BASIC SHAPE OF THIS BALL AND SOCKET DESIGN IS THE KEY TO THE LOC-LINE® SYSTEM.



The tapered skirt design of Loc-Line® allows full articulation of the ball without cutting off any flow as do round skirt designs.



- Loc-Line's unique ball and socket design is fully hand adjustable in both position and length.
- Bending doesn't decrease the inside diameter and it won't kink or fatigue like copper tubing.
- Unlike metal hoses, Loc-Line® won't damage machine tool cutters if contact occurs.
- Loc-Line® is electrically nonconductive. It is ideal for use as an EDM flushing hose.
- Loc-Line® has no internal positioning rod that can break or restrict fluid flow.
- Repeated positioning is easy and it will stay in position without any springback. Creep due to machine vibration is eliminated.

- Loc-Line® is manufactured in a premium grade acetal copolymer material which is chemically resistant to petroleum products, coolants, and most common chemicals. Selected parts are also available in an acid resistant polyester.
- Loc-Line® continues the original adjustable hose concept by offering four hose diameters, manifolds, valves, and a large choice of nozzles and fittings. Our Modular Vacuum Hose System continues to build on our original concept.
- Loc-Line® is designed for low pressure applications. Maximum pressures for the hose systems vary with the length of the hose, the diameter of the selected nozzle, and the bending angles. The following specifications are guidelines for all Loc-Line® coolant hose systems.



FOUR HOSE DIAMETERS

Loc-Line® is available in four different sizes with inside diameters measuring from ¼" to 2 ½".

PURCHASE LOC-LINE® IN BULK PACKAGING.

LINE PRESSURE & FLOW RATES:

1/4" System 30 – 50 PSI 250 Gal / Hour **1/2" System** 20 – 30 PSI 478 Gal / Hour **3/4" System** 10 – 20 PSI 1,140 Gal / Hour

TEMPERATURE SPECIFICATIONS:

Melting point: 329° F


Maximum operating temperature: 170° F

Please note that all applications have variables and conditions that will affect the maximum hose pressures. Testing is always recommended whenever possible.




LOC-LINE® BULK PACKS

Loc-Line® is offered in bulk packaging to simplify your purchasing requirements. Whatever your demands, there is a package to fit your needs. Most bulk packed products, those with the second digit "9" part number (i.e. 49420), are available in black, gray and the original blue and orange.



Common Compatability with Acetal Products Loc-Line® Blue & Orange Colors					
	Yes	Acetone			
No		Acids			
	Yes	Alcohol, Ethyl			
No		Ammonium Hydroxide, (Strong)			
No		Bases, Strong			
	Yes	Commercial Dish Detergents			
	Yes	Gasoline			
	Yes	Greases			
No		Hypochlorite Ion Solutions			
	Yes	Lacquer Solvents			
	Yes	Oils			
	Yes	Sodium Hydroxide			
No		Sodium Hypochlorite			

CUSTOMIZED SOLUTIONS



THE LOC-LINE® SYSTEM OFFERS ENDLESS COMBINATIONS FOR OUTSTANDING RESULTS.

1. DOUBLE SOCKETS

Allows user to put a Loc-Line® connector on both ends • Can be used to connect coolant fed tooling • Allows attachment of a non-Loc-Line® nozzle

2. FLARE NUT FITTINGS

Allows users to replace flared copper tube fittings and copper tube with Loc-Line® fittings and hose. Loc-Line® won't fatigue like copper. • A popular fitting for air applications in the printing industry • 1/8" Flare nuts fit to % - 18 threads • ¼" Flare nuts fit to 1/6 - 20 threads

3. Y FITTINGS & REDUCERS

Multiple nozzles can be attached to one supply line • Reducing Y's connect a larger supply line to two smaller hose diameters

4. VALVES

Regulate coolant or air flow to your work area • ¼ turn of handle opens or closes the valve • Light-weight and compact for in-line use • Body and stem material is acetal copolymer • Stem seals are nitrile (Buna N)

5. FLARE NOZZLES

Spreads coolant or air over a wide area without restricting the flow volume

6. ELBOW FITTINGS

Attaches directly to NPT fittings where tight turns are needed • Allows 90° hose turns

7. EXTENDED ELEMENTS & **ELEMENT CLAMPS**

Element Clamps tighten onto any standard Loc-Line® element in the same size system

- Extended Elements with Clamps reduce dynamic motion at higher pressures
- Extended Elements make it easier to run longer lengths of hose

8. 90 DEGREE NOZZLES

90 Degree Nozzles allow coolant flow close to the tool • 90 Degree Nozzles make tight turns behind the cutter • Reduce view obstructions in front of the tool • 90 Degree Nozzles fit directly on NPT connectors in short tight spaces • Spray Bar Nozzles distribute coolant over a wide area with even pressure

9. IN-LINE CHECK VALVES

Maintain fluid in the hose for the next cutting operation, thus reducing dry cutting • Helps eliminate fluid dripping from the hose after the pump is shut off • Designed for short cycles between pallet changes or tool changes.

10. CIRCLE FLOW NOZZLE KITS & SIDE FLOW NOZZLES

Allows the user to completely encircle the cutter • Side Flow Nozzles can be added or subtracted to accommodate different size cutters • Side Flow Nozzles can be arranged in a long straight manifold

11. 1/4" SOCKET X 1/8" FNPT

Allows users to screw on a specialty nozzle



12. SWIVEL NOZZLES

Adjustable spray head features 40° range of motion over flared base • Evenly spaced holes for even distribution of liquids or air • Offset head design directs air or fluid parallel to the cutting surface

13. T FITTINGS

Connects 2 hoses from one source in a 90° configuration • Adds an additional outlet to Modular Manifolds • Boss allows easy mounting for additional hose support

14. FLAT NOZZLES

Provides a thin flat pattern for precise directional control of air or fluids Available with slots or holes

15. HOSE ADAPTERS

Allows larger ID hoses to be reduced to smaller ID systems. • ¾" to ½" or ½" to ¼"

16. STRAIGHT FLOW NOZZLES


Nozzles designed to optimize an even flow pattern over a wide area while reducing build-up at the nozzle edges.

4" SYSTEM 1/4" INSIDE DIAMETER

Part No. Description Part No. Description Part No. Description 40413 1/4" Hose Kit 13" Length 1/4" Segment Pack 1/8" NPT Connector with Fittings 41401 2 - Segments, 5¾" Long 41405 pack of 4 2 - Segments, 53" Long 49420 Bulk 25 ft., 55 Segments 49425 pack of 50 1/4". 1/8". 1/16" Nozzles 1/4" 50 Foot Coil 49421 1/4" & 1/8" NPT Connectors • 1 Segment = 10 Elements 1/8" BSPT* Connector 1/4" Extended Element 41417 pack of 4 1/4" Flared Tubing pack of 50 **Replacement Pack** 41476 pack of 4 * British Standard Pipe Thread 49445 pack of 20 8 - Segments, 5¾" Long 1 - 1" Flare Nozzle 1/4" NPT Connector Includes 4 each of: 1/4" Element Clamp 3/8" Flare Nut Adapters 41406 pack of 4 1/8" & 1/4" Round Nozzles 41477 pack of 4 (w/ screws) 49426 pack of 50 49446 pack of 20 (w/ screws) 1/4" BSPT* Connector 1/16" Round Nozzle 41418 pack of 4 pack of 4 41402 49438 pack of 50 pack of 50 49422 * British Standard Pipe Thread 1/8" Round Nozzle 1/4" Y Fitting 41408 41403 pack of 4 pack of 2 49423 pack of 50 49428 pack of 20 1/4" Round Nozzle 1/4" Double Socket 41404 pack of 4 41409 pack of 4 49424 49429 pack of 50 pack of 20 1/16" 90° Nozzle 1/4" Socket to 1/8" FNPT 41474 1/4" 90° Nozzle Kit 41411 pack of 4 41470 pack of 4 1 Each: 1/16", 1/8", 1/4" 49439 pack of 20 49431 pack of 20 & 1/4" Spray Bar Nozzles 1/8" 90° Nozzle 3/8" SAE Flare Nut Adapter 41471 pack of 4 41412 pack of 4 49440 pack of 20 pack of 20 • 5/8 - 18 Thread 41475 1/4" Extended Element Kit with Element Clamps 1/4" 90° Nozzle 1/4" SAE Flare Nut Adapter Includes 4 each of: 41472 pack of 4 49441 1/4" Extended Elements pack of 20 41414 pack of 4 1/4" Element Clamps pack of 20 ← 3.69" → ■ • 7/16 - 20 Thread 1/4" 90° Spray Bar Nozzle 41479 1/4" Circle Flow Nozzle Kit 41473 pack of 2 1/4" Elbow Fitting Assembled with 15 Side 49442 pack of 20 Flow Nozzles 1/4" & 41415 pack of 2 1 End Cap 1/4" 49435 pack of 20 1" Flare Nozzle • Overall Length = 17.56" 41407 pack of 2

49427

pack of 20



1/2" SYSTEM 1/2" INSIDE DIAMETER

Part No. Description Part No. Description Part No. Description 50813 1/2" Hose Kit 1/2" Extended Element 3/8" NPT Connector 13" Length with Fittings: 51833 51804 pack of 4 pack of 4 2 - Segments, 51/2" Long 59883 pack of 20 59864 pack of 50 1/4", 3/8", 1/2" Nozzles 3/8" & 1/2" NPT Connectors 1/2" Element Clamp 3/8" BSPT* Connector pack of 4 (w/ screws) 51826 51834 pack of 4 pack of 20 (w/ screws) pack of 50 * British Standard Pipe Thread 51832 1/2" 90° Nozzle Kit 1/4" Round Nozzle for 1/2" 1 Each: 1/4", 3/8", 1/2" 1/2" NPT Connector & Spray Bar Nozzles 51806 pack of 4 59866 pack of 50 51805 pack of 4 59865 pack of 50 3/8" Round Nozzle 1/2" BSPT* Connector 51802 pack of 4 59862 51827 pack of 4 pack of 50 59877 pack of 50 * British Standard Pipe Thread 1/2" Round Nozzle 1/2" Y Fitting 51803 pack of 4 59863 pack of 50 51808 pack of 2 59868 pack of 20 1/4" 90° Nozzle 51828 pack of 4 59878 pack of 20 1/2" to 1/4" Y Reducer 51822 pack of 2 3/8" 90° Nozzle 59870 pack of 20 51829 pack of 4 51835 1/2" Extended 59879 pack of 20 1/2" to 1/4" Adapter **Element Kit with Element Clamps** 51821 pack of 2 1/2" 90° Nozzle 59869 pack of 20 Includes 4 each of: 1/2" Extended Elements 51830 pack of 4 1/2" Element Clamps 59880 pack of 20 1/2" Double Socket 51811 pack of 4 1/2" Circle Flow 51837 1/2" 90° Spray Bar Nozzle 59872 pack of 20 Nozzle Kit 51831 pack of 2 Assembled with 15 Side 59881 pack of 20 3/8" SAE Flare Nut Adapter Flow Nozzles 1/2" & 1 End Cap 1/2" 51823 pack of 4 • Overall Length = 24.375" 11/4" Flare Nozzle 59873 pack of 20 • 5/8 - 18 Thread 51807 pack of 2 1/2" Segment Pack 59867 pack of 20 1/2" Elbow Fitting 51801 2 - Segments, 51/2" Long 59860 Bulk 25 ft., 59 Segm'ts 2½" Flare Nozzle 51824 pack of 2 59861 1/2" 50 Foot Coil 59874 pack of 20 • 1 Segment = 6 Elements 51809 pack of 2 59871 pack of 20

Part No. Description Part No. Description Part No. Description 1/2" T Fitting 1/2" Flat Slot 80 Nozzle 1/2" Fixed Mount 51825 pack of 2 51840 pack of 4 51895 pack of 2 59875 pack of 20 59890 pack of 20 59896 pack of 20 • .080" Slot height • Mounts with 1/4" bolt, 1/2" Flat Slot 125 Nozzle 1/2" Magnetic Base 1/2" Side Flow Nozzle 51841 pack of 4 51846 pack of 1 pack of 4 59891 pack of 20 • 60 # holding force 59889 pack of 20 .125" Slot height NEW 50872 1/2" Ext. Elbow Kit 1/2" End Cap 1/2" Flat 5 Hole Nozzle 4 Extended Elbows 51838 51842 pack of 4 pack of 4 4 Element Clamps 59885 59892 pack of 20 pack of 20 3/8" & 1/2" NPT Connectors • .125" Hole diameter 1/4", 3/8", 1/2" Nozzles 2½" Swivel Nozzle 75 1/2" Flat 7 Hole Nozzle for 1/2" 51843 pack of 4 51845 pack of 2 59893 pack of 20 NEW 59895 pack of 20 • .080" Hole diameter 50873 1/2" Mixed Element Kit • .075" Hole diameter 2 Extended Elbows 51844 1/2" Flat Nozzle 2 Extended Elements 1/2" In-Line Check Valve **Assortment** 4 Element Clamps 3/8" & 1/2" NPT Connectors 32091 pack of 2 Includes one each of: 1/4", 3/8", 1/2" Nozzles 39851 pack of 10 Flat Slot 80 Nozzle Flat Slot 125 Nozzle Flat 5 Hole Nozzle Flat 7 Hole Nozzle 11/4" Straight Flow Nozzle NEW 50874 1/2" Extended Elbows 51847 pack of 2 with Clamps 59897 pack of 20 1/2" Male NPT Valve* 4 Extended Elbows 4 Element Clamps pack of 2 1%" Straight Flow Nozzle 39852 pack of 10 NEN 51848 pack of 2 1/2" Extended Elbows 59898 pack of 20 1/2" Female NPT Valve* 51896 pack of 4 32093 pack of 2 59899 pack of 20 39853 pack of 10 1/2" Nozzle-Rama Pack 51849 One of each nozzle 1/2" In-Line Valve* for 1/2" hose system. (16 nozzles) 32094 pack of 2 1/2" Hose Assembly Pliers 39854 pack of 10 78002 one 1/2" pliers 78003 1/4" & 1/2" pliers set * 1/2" Valve Specifications Full 1/2" inside diameter Maximum Working Pressures: ASSEMBLY TIP: Assembly can be made easier 1/2" Hose: 20 PSI 1/2" In-Line Valve: 20 PSI by first rubbing the Loc-Line ball with your fingers and then using the pliers. 1/2" Male and Female NPT Valves: 100 PSI

(1/2" Hose limits most applications to 20 PSI) Body and stem material: Acetal Copolymer

Stem seal: Nitrile (Buna N)

• 1/4 turn shut off

DIMENSIONAL INFORMATION

FOR THE 1/2" SYSTEM ON PAGE 18

3/4" SYSTEM & SHIELDS 3/4" INSIDE DIAMETER

Part No. Description

60513 3/4" Hose Kit

14" Length with Fittings: 2 - Segments, 53" Long 5/8" & 3/4" Nozzles 3/4" NPT Connector





3/4" Segment Pack

2 - Segments, 5¾" Long Bulk 25 ft., 54 Segm'ts 3/4" 50 Foot Coil

• 1 Segment = 6 Elements



5/8" Round Nozzle



61503 69543

pack of 4 pack of 50



3/4" Round Nozzle

61502 pack of 4 69542 pack of 50



3" Flare Nozzle

61507 pack of 2 69547 pack of 20

- * 3/4" Valve Specifications
- Full 3/4" inside diameter
- Maximum Working Pressures 3/4" Hose: 10 PSI 3/4" In-Line Valve: 10 PSI 3/4" Male and Female NPT Valves: 50 PSI (3/4" Hose limits most applications to 10 PSI) Body and stem material: Acetal Copolymer
- Stem seal: Nitrile (Buna N)
- 1/4 turn shut off

Part No. Description

3/4" NPT Connector



61505 pack of 4 69545 pack of 50



3/4" BSPT* Connector

61509 pack of 4 pack of 50

British Standard Pipe Thread



3/4" Y Fitting



pack of 2 pack of 20



3/4" to 1/2" Y Reducer

61512 pack of 2 pack of 20



3/4" to 1/2" Adapter





3/4" Double Socket





3/4" Elbow

61515 pack of 2 69555 pack of 20



3/4" Male NPT Valve*





3/4" Female NPT Valve*





3/4" In-line Valve*

61518 pack of 2 pack of 10 Part No. Description

SHIELDS AND ACCESSORIES

Provides protection from flying chips and splashing fluids • Shield rotates 360 degrees Two mounting options include a movable magnetic base or a direct mount • 1/8" thick polycarbonate • Filled magnetic base prevents chip entrapment



Quick-Set Shield™ Kit

60525 6"x8" Shield Kit 7½"x10" Shield Kit 60526 60527 8½"x12" Shield Kit

All Quick-Set Shield Kits include a 14" adjustable 3/4" Loc-Line® arm, magnetic base and fitting for fixed mounting.



60528 6"x8" Shield 7½"x10" Shield 60529 8½"x12" Shield 60530



Shield Mounting Elbow

pack of 2 pack of 20

Washer and screw included.



3/4" Magnetic Base

60532 pack of one





3/4" Fixed Mount

60533 pack of 2 69563 pack of 20

Mounts with 1/4" bolt, not included.



78004

pack of one

• 3/4" Assembly Pliers will not assemble the 3/4" Y Fitting, the 3/4" Fixed Mount or the 3/4" Valves.

3/4" Hose Assembly Pliers

ASSEMBLY TIP:

Assembly can be made easier by first rubbing the Loc-Line ball with your fingers and then using the pliers.

MODULAR MANIFOLDS

Part No. Description Part No. Description Part No. Description

MODULAR MANIFOLDS & TOTAL FLOW CONTROL MANIFOLDS

Distribute coolant from one inlet to multiple outlets • Number of outlets can be changed simply by popping T fittings in or out of the assembly • Adding valves to a Modular Manifold creates the Total Flow Control Manifold • Regulate the flow from each line independently • Shut off any unnecessary lines.

21199 1/4" Modular Manifold

1/4" T Fittings - 3 pcs 1/4" Elbow Fitting - 1 pc 1/4" Man. Bracket - 1 pc Mounting Screws - 3 pcs

> 21198 1/4" Total Flow Control Manifold

1/4" Mod. Manifold - 1 pc 1/4" In-Line Valves - 5 pcs



1/4" Modular Manifold Brackets

21195 pack of 2

-

1/4" Elbow Fitting

41415 pack of 2 **49435** pack of 20



1/4" T Fitting

41416 pack of 2 **49436** pack of 20

32099 1/2" Modular Manifold

1/2" T Fittings - 3 pcs 1/2" Elbow Fitting - 1 pc 1/2" Man. Bracket - 1 pc Mounting Screws - 3 pcs

32098 1/2" Total Flow Control Manifold

1/2" Modular Manifold - 1 pc 1/2" In-Line Valves - 5 pcs



1/2" Modular Manifold Bracket

32095 pack of 2



1/2" Elbow Fitting

51824 pack of 2 **59874** pack of 20



1/2" T Fitting

5 pack of 2 5 pack of 20

MAGNETIC BASE MANIFOLD

Magnetic Manifold allows distribution of coolant through 4 separate openings from one source • Magnet can mount on spindle or worktable for convenient access to the work piece • 1/4" ports accept any 1/4" standard fitting.



Magnetic Base Manifold Super Kit

1/4" Segments - 8 pcs 1/4" MNPT Valves - 5 pcs 1" Flare Nozzle - 2 pcs 1/4" Round Nozzle - 2 pcs 1/8" Round Nozzle - 2 pcs 1/16" Round Nozzle - 2 pcs Mag. Base Manifold - 1 pc 1/4" Plug - 2 pcs 1/4" Barb Fitting - 1 pc



Magnetic Base Manifold Kit

1/4" Segments - 2 pcs 1/4" MNPT Valves - 1 pc 1" Flare Nozzle - 1 pc 1/4" Round Nozzle - 1 pc 1/8" Round Nozzle - 1 pc 1/16" Round Nozzle - 1 pc Mag. Base Manifold - 1 pc 1/4" Plug - 3 pcs 1/4" Barb Fitting - 1 pc



10400 Magnetic Base Manifold

Mag. Base Manifold - 1 pc 1/4" Plug - 3 pcs 1/4" Barb Fitting - 1 pc • 25# holding force





DIMENSIONAL INFORMATION FOR THE 3/4" SYSTEM AND MANIFOLDS ON PAGE 19

VACUUM HOSE







The LOC-LINE® 2½" Vacuum Hose is designed to be added to an existing central vacuum system to extract smoke, dust, fumes and particles at the source. It is easy to position within a work area and can be mounted to 3" thin walled PVC drain pipe, 3" sheet metal duct, or a portable shop vacuum.

VACUUM HOSE APPLICATIONS

- Soldering
- Wet Grinding
- Machining applications; especially mist, graphite and particles
- Chemical odors and fumes (except acids)
- Woodworking

VACUUM HOSE FEATURES

Create a custom vacuum hose by changing the length or the nozzle. Pop together the appropriate number of elements and choose the nozzle best suited for your application.

- Hand adjustable in 360°.
- Simple to reposition. It is self-supporting up to 3 feet so it stays where you put it.
- Durable, will not fray and is resistant to crushing.
- Made of premium grade acetal copolymer and is resistant to most chemicals.
- Tight turns are easy with a bending radius of 5.75".
- Anti-static hose is perfect for applications that require rapid dissipation of static build-up.

TEMPERATURE SPECIFICATIONS

- Melting point: 329°F
- Maximum operating temperature: 170° F

ANTI-STATIC HOSE ELECTRICAL PROPERTIES

- Surface Resistivity: 1.000E3 Ohm
- Volume Resistivity: <6.000E2 Ohm-cm

CAUTION

LOC-LINE® Vacuum Hose is made from an acetal copolymer. This material is not fire retardant and would pose a fire hazard if the material is subjected to an application where high temperatures or flames exist.

The Anti-Static Hose must be used within a completely grounded system.



NEW BLACK "ANTI-STATIC" VACUUM HOSE DISSIPATES STATIC BUILD-UP.

Vacuum Segment Packs

81201

9 elements 2.5" ID 81301AS anti-static, 9 elm'ts

(1 foot segment)

81202

18 elements 2.5" ID 81302AS anti-static, 18 elm'ts

(2 - one foot segments) 89220 180 elements 2.5" ID

89320AS anti-static, 180 elm'ts (20 - one foot segments)



4.5" Round Nozzle

81203 pack of 1

81303AS anti-static, pack of 1 89223 pack of 10

89323AS anti-static, pack of 10



6"x3.5" Rectangular Nozzle

pack of 1

81204 81304AS anti-static, pack of 1 89224 pack of 10

89324AS anti-static, pack of 10



Tapered Oval Nozzle

81205 pack of 1


81206

89226


81305AS anti-static, pack of 1

89225 pack of 10

89325AS anti-static, pack of 10



Connect hose directly to a standard shop vacuum hose



MOVE YOUR DUST COLLECTION TO THE SOURCE





3" metal ducting (28 gage) sheet metal adaptor + vacuum hose

Hose connects to 3 "metal duct or PVC pipe using Loc-Line adapters



3" PVC Adapter


pack of 1 pack of 10

* Not available in "anti-static"






RECTANGULAR NOZZLE 81204



SLIDE VALVE



3" Sheet Metal Duct Adapter

81207 89227

pack of 1 81307AS anti-static, pack of 1

pack of 10

89327AS anti-static, pack of 10

TAPERED OVAL NOZZLE

ROUND NOZZLE

SHOP VACUUM ADAPTER







2.5" Slide Valve

81208 pack of 1 81308AS anti-static, pack of 1 89228 pack of 10

89328AS anti-static, pack of 10




Shop Vacuum Hose Adapter with mounting tab


81209 pack of 1 89229 pack of 10



SHEET METAL DUCT ADAPTER 81207




SHOP VACUUM HOSE ADAPTER WITH MOUNTING TAB 81209



Shop Vacuum Adapter

81210 pack of 1 89230 pack of 10



ACID RESISTANT HOSE & TEFEN FITTINGS

Part No. Description Part No. Description Part No. Description

1/4" ACID RESISTANT HOSE 45463 1/4" Acid Resistant Hose Kit 1/4" Acid Resistant Segm't Pack, (2 Segments, 53" Long) 46420 1/4" Acid Resistant Segm'ts, Bulk 25 ft. 46421 1/4" 50 Foot Acid Resistant Coil 45402 1/16" Acid Resistant Nozzles, pack of 4 46422 1/16" Acid Resistant Nozzles, pack of 50 45403 1/8" Acid Resistant Nozzles, pack of 4 1/8" Acid Resistant Nozzles, pack of 50 1/4" Acid Resistant Nozzles, pack of 4 1/4" Acid Resistant Nozzles, pack of 50 1" Acid Resistant Flares, pack of 2 46427 1" Acid Resistant Flares, pack of 20 1/8" Acid Resistant NPTs, pack of 4 1/8" Acid Resistant NPTs, pack of 50 1/4" Acid Resistant NPTs, pack of 4 46426 1/4" Acid Resistant NPTs, pack of 50 45408 1/4" Acid Resistant Y Fittings, pack of 2 46428 1/4" Acid Resistant Y Fittings, pack of 20 45409 1/4" Acid Resistant Double Socket, 46429 1/4" Acid Resistant Double Socket, pack of 20 45411 1/4" Socket to 1/8" FNPT Acid Resistant, pack of 4 46431 1/4" Socket to 1/8" FNPT Acid Resistant, pack of 20 45415 1/4" Acid Resistant Elbows, pack of 2

46435 1/4" Acid Resistant Elbows, pack of 20 45416 1/4" Acid Resistant T Fittings, pack of 2

46436 1/4" Acid Resistant T Fittings, pack of 20

1/4" Acid Resistant Swivel Nozzle 40, pack of 2

46449 1/4" Acid Resistant Swivel Nozzle 40, pack of 20

45482 1/4" Acid Resistant Swivel Nozzle 60, pack of 2

1/4" Acid Resistant Swivel Nozzle 60, pack of 20

1/2" ACID RESISTANT HOSE

1/2" Acid Resistant Hose Kit 1/2" Acid Resistant Segment Pack, (2 Segments, 5½" Long) 1/2" Acid Resistant Segm'ts, Bulk 25 ft. 1/2" 50 Foot Acid Resistant Coil 56806 1/4" Acid Resistant Nozzles, pack of 4 57866 1/4" Acid Resistant Nozzles, pack of 50 56802 3/8" Acid Resistant Nozzles, pack of 4 57862 3/8" Acid Resistant Nozzles, pack of 50 1/2" Acid Resistant Nozzles, pack of 4 1/2" Acid Resistant Nozzles, pack of 50 56804 3/8" Acid Resistant NPTs, pack of 4 57864 3/8" Acid Resistant NPTs, pack of 50 56805 1/2" Acid Resistant NPTs, pack of 4 1/2" Acid Resistant NPTs, pack of 50 11/4" Acid Resistant Flare Nozzles, 57867 1¼" Acid Resistant Flare Nozzles, pack of 20 56808 1/2" Acid Resistant Y Fittings, pack of 2 57868 1/2" Acid Resistant Y Fittings, 1/2" to 1/4" Acid Resistant Adapter, pack of 2 1/2" to 1/4" Acid Resistant Adapter, pack of 20 56822 1/2" to 1/4" Acid Resistant Y Reducer, 1/2" to 1/4" Acid Resistant Y Reducer, pack of 20 56824 1/2" Acid Resistant Elbows, pack of 2 1/2" Acid Resistant Elbows, pack of 20 1/2" Acid Resistant T Fittings, pack of 2 1/2" Acid Resistant T Fittings, pack of 20

- · Loc-Line® Acid Resistant Hose is excellent for rinsing cycles in plating operations.
- Acid environments won't corrode the Loc-Line® Acid Resistant Hose because of its polyester composition. **CAUTION:** Loc-Line® Acid Resistant Hose is not intended for conveying acids or high pressure applications.

TEFEN™ THREADED COUPLINGS & REDUCERS



These items change male fittings to female threads. Tefen™ products are made in Israel.

40656 1/8" Female Pipe Couplings, pack of 4 1/8" Female Pipe Couplings, pack of 20 40657 1/4" Female Pipe Couplings, pack of 4 1/4" Female Pipe Couplings, pack of 20 3/8" Female Pipe Couplings, pack of 4 3/8" Female Pipe Couplings, pack of 20 1/2" Female Pipe Couplings, pack of 4 1/2" Female Pipe Couplings, pack of 20



40655 1/4" to 1/8" Female Pipe Reducers,

41755 1/4" to 1/8" Female Pipe Reducers, pack of 20

50658 3/8" to 1/4" Female Pipe Reducers, pack of 4

51758 3/8" to 1/4" Female Pipe Reducers, pack of 20


1/2" to 1/4" Female Pipe Reducers, nack of 4

51759 1/2" to 1/4" Female Pipe Reducers, pack of 20


Common Compatability with Polyester Products Acid Resistant Loc-Line® Yellow Color

No		Acetone
	Yes	Acids, (Less than 150° F)
No		Acids, (Greater than 150° F)
	Yes	Alcohols
	Yes	Aromatic Solvents
No		Chlorinated Hydrocarbon
No		Bases, Strong
No		Ethyl Acetate
	Yes	Gasoline
	Yes	Greases
	Yes	Hydrocarbons
	Yes	Oils
	Yes	Salt Solutions
No		Water (Greater than 150° F)


SPECIFICATIONS 1/4" SYSTEM



1/2" SYSTEM SPECIFICATIONS



SPECIFICATIONS 3/4" SYSTEM & MANIFOLDS



PART NUMBER INDEX

Part No.	Description	Page	Part No.	Description	Page	Part No.	Description	Page	
21191	1/4" In-Line Check Valve (2 pcs)	9	41476	1/4" Extended Elements (4 pcs)	8	49426	1/4" NPT (50 pcs)	8	
21192	1/4" Male NPT Valve (2 pcs)	9	41477	1/4" Element Clamps (4 pcs)	8	49427	1" Flare Nozzle (20 pcs)	8	
21193	1/4" Female NPT Valve (2 pcs)	9	41478	1/4" Side Flow Nozzle (4 pcs)	9	49428	1/4" Y Fitting (20 pcs)	8	
21194	1/4" In-Line Valve (2 pcs)	9	41479	1/4" Circle Flow Kit	9	49429	1/4" Double Socket (20 pcs)	8	
21195	1/4" Manifold Bracket (2pcs)	13	41480	1/4" End Caps (4 pcs)	9	49431	1/4" Socket X 1/8" FNPT (20 pcs)	8	
21198	1/4" Total Flow Control Manifold	13	41481	Swivel Nozzle 40 (2 pcs)	9	49432	3/8" SAE Flare Nut Adapter (20 pcs)	8	
21199	1/4" Modular Manifold	13	41482	Swivel Nozzle 60 (2 pcs)	9	49434	1/4" SAE Flare Nut Adapter (20 pcs)	8	
29451	1/4" In-Line Check Valve (10 pcs)	9	41483	1/4" Flat Slot 40 Nozzle (4 pcs)	9	49435	1/4" Elbows (20 pcs)	8,13	
29452	1/4" Male NPT Valve (10 pcs)	9	41484	1/4" Flat Slot 60 Nozzle (4 pcs)	9	49436	1/4" T Fitting (20 pcs)	9,13	
29453	1/4" Female NPT Valve (10 pcs)	9	41485	1/4" Flat 5 Hole Nozzle (4 pcs)	9	49437	1/8" BSPT/PT (50 pcs)	8	
29454	1/4" In-Line Valve (10 pcs)	9	41486	1/4" Flat 7 Hole Nozzle (4 pcs)	9	49438	1/4" BSPT/PT (50 pcs)	8	
32091	1/2" In-Line Check Valve (2 pcs)	11	41487	1/4" Flat Nozzle Assortment Pack	9	49439	1/16" 90° Nozzle (20 pcs)	8	
32092	1/2" Male NPT Valve (2 pcs)	11	41488	2½" Swivel Noz. 75 for 1/4" (2 pcs)	9	49440	1/8" 90° Nozzle (20 pcs)	8	
32093	1/2" Female NPT Valve (2 pcs)	11	41489	1" Straight Flow Nozzle (2 pcs)	9	49441	1/4" 90° Nozzle (20 pcs)	8	
32094	1/2" In-Line Valve (2 pcs)	11	41490	1/4" Nozzle-Rama Pack	9	49442	1/4" Spray Bar 90° Nozzle (20 pcs)	8	
32095	1/2" Manifold Bracket (2 pcs)	13	41491	1/4" Extended Elbows (4 pcs)	9	49443	1/4" Side Flow Nozzles (20 pcs)	9	
32098	1/2" Total Flow Control Manifold	13	41755	1/4" to 1/8" Female Reducer (20 pcs)	16	49445	1/4" Extended Elements (20 pcs)	8	
32099	1/2" Modular Manifold	13	41756	1/8" Female Pipe Coupling (20 pcs)	16	49446	1/4" Element Clamps (20 pcs)	8	
39851	1/2" In-Line Check Valve (10 pcs)	11	41757	1/4" Female Pipe Coupling (20 pcs)	16	49447	1/4" End Caps (20 pcs)	8	
39852	1/2" Male NPT Valve (10 pcs)	11	45401	1/4" AR Segment Pack (2 pcs)	16	49448	1/4" 4 way Cross (20 pcs)		
39853	1/2" Female NPT Valve (10 pcs)	11	45402	1/16" AR Nozzle Pack (4 pcs)	16	49449	1/4" Swivel Nozzle 40 (20 pcs)	9	
39854	1/2" In-Line Valve (10 pcs)	11	45403	1/8" AR Nozzle Pack (4 pcs)	16	49450	1/4" Swivel Nozzle 60 (20 pcs)	9	
40400	Magnetic Base Manifold	13	45404	1/4" AR Nozzle Pack (4 pcs)	16	49451	1/4" Flat Slot 40 Nozzle (20 pcs)	9	
40413	1/4" Hose Assembly Kit	8	45405	1/8" AR NPT Pack (4 pcs)	16	49452	1/4" Flat Slot 60 Nozzle (20 pcs)	9	
40452	1/4" Flared Tubing Kit	8	45406	1/4" AR NPT Pack (4 pcs)	16	49453	1/4" Flat 5 Hole Nozzle (20 pcs)	9	
40463	Magnetic Base Manifold Kit	13	45407	1" AR Flare Nozzle (2 pcs)	16	49454	1/4" Flat 7 Hole Nozzle (20 pcs)	9	
40472	1/4" Extended Elbow Kit	9	45408	1/4" AR Y Fitting (2 pcs)	16	49455	2½" Swivel Noz. 75 for 1/4" (20 pcs)	9	
40473	1/4" Mixed Element Kit	9	45409	1/4" AR Double Socket (4 pcs)	16	49456	1" Straight Flow Nozzle (20 pcs)	9	
40474	1/4" Extended Elbows with Clamps	9	45411	1/4" AR Socket X 1/8"FNPT (4 pcs)	16	49457	1/4" Extended Elbows (20 pcs)	9	
40480	Magnetic Base Manifold Super Kit	13	45415	1/4" AR Elbow (2 pcs)	16	50658	3/8" to 1/4" FNPT Reducer (4 pcs)	16	
40655	1/4" to 1/8" Pipe Reducer (4 pcs)	16	45416	1/4" AR T Fitting (2 pcs)	16	50659	1/2" to 1/4" FNPT Reducer (4 pcs)	16	
40656	1/8" Female Pipe Coupling (4 pcs)	16	45463	1/4" AR Hose Assembly Kit	16	50660	3/8" Female Coupling (4 pcs)	16	
40657	1/4" Female Pipe Coupling (4 pcs)	16	45481	1/4" AR Swivel Nozzle 40 (2 pcs)	16	50661	1/2" Female Coupling (4 pcs)	16	
41401	1/4" Hose Segment Pack (2 pcs)	8	45482	1/4" AR Swivel Nozzle 60 (2 pcs)	16	50813	1/2" Hose Assembly Kit	10	
41402	1/16" Nozzle Pack (4 pcs)	8	46420	1/4" AR Segments (25 ft)	16	50872	1/2" Extended Elbow Kit	11	
41403	1/8" Nozzle Pack (4 pcs)	8	46421	1/4" AR 50 ft. Coil	16	50873	1/2" Mixed Element Kit	11	
41404	1/4" Nozzle Pack (4 pcs)	8	46422	1/16" AR Nozzles (50 pcs)	16	50874	1/2" Extended Elbows with Clamps	11	
41405	1/8" NPT Pack (4 pcs)	8	46423	1/8" AR Nozzles (50 pcs)	16	51758	3/8" to 1/4" FNPT Reducer (20 pcs)	16	
41406	1/4" NPT Pack (4 pcs)	8	46424	1/4" AR Nozzles (50 pcs)	16	51759	1/2" to 1/4" FNPT Reducer (20 pcs)	16	
41407	1" Flare Nozzle Pack (2 pcs)	8	46425	1/8" AR NPT (50 pcs)	16	51760	3/8" Female Coupling (20 pcs)	16	
41408	1/4" Y Fitting Pack (2 pcs)	8	46426	1/4" AR NPT (50 pcs)	16	51761	1/2" Female Coupling (20 pcs)	16	
41409	1/4" Double Socket Pack (4 pcs)	8	46427	1" AR Flare Nozzle (20 pcs)	16	51801	1/2" Hose Segment Pack (2 pcs)	10	
41411	1/4" Socket X 1/8" FNPT (4 pcs)	8	46428	1/4" AR Y Fitting (20 pcs)	16	51802	3/8" Nozzle Pack (4 pcs)	10	
41412	3/8" SAE Flare Nut for 1/4" (4 pcs)	8	46429	1/4" AR Double Socket (20 pcs)	16	51803	1/2" Nozzle Pack (4 pcs)	10	
41414	1/4" SAE Flare Nut for 1/4" (4 pcs)	8	46431	1/8" AR FNPT X 1/4" Sckt (20 pcs)	16	51804	3/8" NPT Connector Pack (4 pcs)	10	
41415	1/4 Elbow Fitting Pack (2 pcs)	8,13	46435	1/4" AR Elbow (20 pcs)	16	51805	1/2" NPT Connector Pack (4 pcs)	10	
41416	1/4" T Fitting Pack (2 pcs)	9,13	46436	1/4" AR T Fitting (20 pcs)	16	51806	1/4" Nozzle Pack for 1/2" (4 pcs)	10	
41417	1/8" BSPT/PT Pack (4 pcs)	8	46449	1/4" AR Swivel Nozzle 40 (20 pcs)	16	51807	1¼" Flare Nozzle Pack (2 pcs)	10	
41418	1/4" BSPT/PT Pack (4 pcs)	8	46450	1/4" AR Swivel Nozzle 60 (20 pcs)	16	51808	1/2" Y Fitting Pack (2 pcs)	10	
41470	1/16" 90° Nozzle Pack (4 pcs)	8	49420	1/4" Segments (25 ft box	8	51809	2½"Flare Nozzle Pack (2 pcs)	10	
41471	1/8" 90° Nozzle Pack (4 pcs)	8	49421	1/4" 50 Foot Coil	8	51811	1/2" Double Socket Pack (4 pcs)	10	
41472	1/4" 90° Nozzle Pack (4 pcs)	8	49422	1/16" Nozzle (50 pcs)	8	51821	1/2" to 1/4" Adapter Pack (2 pcs)	10	
41473	1/4" 90° Spray Bar (2 pcs)	8	49423	1/8" Nozzles (50 pcs)	8	51822	1/2" to 1/4" Y Reducer Pack (2 pcs)	10	
41474	90 Degree Nozzle Assortment	8	49424	1/4" Nozzles (50 pcs)	8	51823	3/8" SAE Flare Nut Adapter (4 pcs)	10	
41475	1/4" Extended Element Kit	8	49425	1/8" NPT (50 pcs)	8	51824	1/2" Elbow Pack (2 pcs)	10,13	
	,	٠		, (1.32.	,	12/10	

PART NUMBER INDEX

Pa	art No.	Description	Page	Part No.	Description	Page	Part No.	Description	Page
51	1825	1/2" T Fitting (2 pcs)	11,13	59863	1/2" Nozzle (50 pcs)	10	61517	3/4" Female NPT Valve (2 pcs)	12
51	1826	3/8" BSPT Connector (4 pcs)	10	59864	3/8" NPT Connector (50 pcs)	10	61518	3/4" In-line Valve (2 pcs)	12
51	1827	1/2" BSPT Connector (4 pcs)	10	59865	1/2" NPT Connector (50 pcs)	10	69540	3/4" Segments (25 feet)	12
51	1828	1/4" 90° Nozzle for 1/2" (4 pcs)	10	59866	1/4" Nozzle for 1/2" Hose (50 pcs)	10	69541	3/4" 50 foot Coil	12
51	1829	3/8" 90° Nozzle Pack (4 pcs)	10	59867	1¼" Flare Nozzle (20 pcs)	10	69542	3/4" Nozzle (50 pcs)	12
51	1830	1/2" 90° Nozzle Pack (4 pcs)	10	59868	1/2" Y Fitting (20 pcs)	10	69543	5/8" Nozzle (50 pcs)	12
51	1831	1/2" 90° Spray Bar (2 pcs)	10	59869	1/2" to 1/4" Adapter (20 pcs)	10	69545	3/4" NPT Connector (50 pcs)	12
51	1832	1/2" 90° Nozzle Kit	10	59870	1/2" to 1/4" Y Reducer (20 pcs)	10	69547	3" Flare Nozzle (20 pcs)	12
51	1833	1/2" Extended Element (4 pcs)	10	59871	2½" Flare Nozzle (20 pcs)	10	69548	3/4" to 1/2" Adapter (20 pcs)	12
51	1834	1/2" Element Clamp (4 pcs)	10	59872	1/2" Double Socket (20 pcs)	10	69549	3/4" BSPT/PT Connectors (50 pcs)	12
51	1835	1/2" Extended Element Kit	10	59873	3/8" SAE Flare Nut for 1/2" (20 pcs)	10	69551	3/4" Y Fitting (20 pcs)	12
51	1836	1/2" Side Flow Nozzle (4 pcs)	11	59874	1/2" Elbow (20 pcs)	10,13	69552	3/4" to 1/2" Y Reducer (20 pcs)	12
51	1837	1/2" Circle Flow Nozzle Kit	10	59875	1/2" T Fitting (20 pcs)	10,13	69554	3/4" Double Socket (20 pcs)	12
51	1838	1/2" End Caps (4 pcs)	11	59876	3/8" BSPT Connector (50 pcs)	10	69555	3/4" Elbow (20 pcs)	12
51	1840	1/2" Flat Slot 80 Nozzle (4 pcs)	11	59877	1/2" BSPT Connector (50 pcs)	10	69556	3/4" Male NPT Valve (10 pcs)	12
51	1841	1/2" Flat Slot 125 Nozzle (4 pcs)	11	59878	1/4" 90° Nozzle for 1/2" (20 pcs)	10	69557	3/4" Female NPT Valve (10 pcs)	12
51	1842	1/2" Flat 5 Hole Nozzle (4 pcs)	11	59879	3/8" 90° Nozzle (20 pcs)	10	69558	3/4" In-line Valve (10 pcs)	12
51	1843	1/2" Flat 7 Hole Nozzle (4 pcs)	11	59880	1/2" 90° Nozzle (20 pcs)	10	69561	3/4" Shield Mounting Elbow (20 pcs)	12
51	1844	1/2" Flat Nozzle Assortment Pack	11	59881	1/2" 90° Spray Bar Nozzle (20 pcs)	10	69563	3/4" Fixed Mount (20 pcs)	12
51	1845	2½" Swivel Nozzle 75 for 1/2" (2 pcs)	11	59883	1/2" Extended Element (20 pcs)	10	78001	1/4" Assembly Pliers (1 pc)	9
	1846	1/2" Magnetic Base (1 pc)	11	59884	1/2" Element Clamp (20 pcs)	10	78002	1/2" Assembly Pliers (1 pc)	11
	1847	1¼" Straight Flow Nozzle (2 pcs)	11	59885	1/2" End Cap (20 pcs)	11	78003	1/4" & 1/2" Plier Set	9,11
	1848	1%" Straight Flow Nozzle (2 pcs)	11	59887	1/2" 4 way Cross (20 pcs)		78004	3/4" Hose Assembly Pliers	12
	1849	1/2" Nozzle-Rama Pack	11	59889	1/2" Side Flow Nozzle (20 pcs)	11	81201	9 elements 2.5" ID (1 foot segment)	15
	1895	1/2" Fixed Mount (2 pcs)	11	59890	1/2" Flat Slot 80 Nozzle (20 pcs)	11	81202	18 elements 2.5" ID (2 - one ft segs)	15
	1896	1/2" Extended Elbows (4 pcs)	11	59891	1/2" Flat Slot 125 Nozzle (20 pcs)	11	81203	4.5" Round Nozzle (1 pc)	15
	6801	1/2" AR Segment Pack (2 pcs)	16	59892	1/2" Flat 5 Hole Nozzle (20 pcs)	11	81204	6" X 3.5" Rectangular Nozzle (1 pc)	15
	6802	3/8" AR Nozzle Pack (4 pcs)	16	59893	1/2" Flat 7 Hole Nozzle (20 pcs)	11	81205	Tapered Oval Nozzle (1 pc)	15
	6803	1/2" AR Nozzle Pack (4 pcs)	16	59895	2½" Swivel Noz. 75 for 1/2" (20 pcs)	11	81206	3" PVC Adapter (1 pc)	15
	6804	3/8" AR NPT Connector (4 pcs)	16	59896	1/2" Fixed Mount (20 pcs)	11	81207	3" Sheet Metal Duct Adapter (1 pc)	15
	6805	1/2" AR NPT Connector (4 pcs)	16	59897	1/4" Straight Flow Nozzle (20 pcs)	11	81208	2.5" Slide Valve (1 pcs)	15
	6806	1/4" AR Nozzle for 1/2" (4 pcs)	16	59898	1%" Straight Flow Nozzle (20 pcs)	11	81209	Shop Vac. Hose Adpt. w/tab (1 pc)	15
	6807	1½" AR Flare Nozzle (2 pcs)	16	59899	1/2" Extended Elbows (20 pcs)	11	81210	Shop Vacuum Adapter (1 pc)	15
	808	1/2" AR Y Fitting (2 pcs)	16	60513	3/4" Hose Assembly Kit	12		9 Elements AS 2.5" ID (1 foot)	15
	6821	1/2" to 1/4" AR Adapter Pack (2 pcs)	16	60525	6" X 8" Quick-Set Shield™ Kit	12		18 Elements AS 2.5" ID (2 feet)	15
		1/2" to 1/4" Y AR Reducer (2 pcs)						4.5" AS Round Nozzle (1 pc)	15
	6822 6824	1/2" AR Elbow (2 pcs)	16 16	60526 60527	7½" X 10" Quick Set Shield™ Kit 8½" X 12" Quick Set Shield™ Kit	12 12		6" X 3.5" AS Rectangular Nozzle (1pc)	15
	5825	1/2" AR T Fitting (2 pcs)	16	60528	6" X 8" Replacement Shield	12		AS Tapered Oval Nozzle (1 pc)	15
	6863	1/2" AR Hose Assembly Kit	16	60529	7½" X 10" Replacement Shield	12		3" AS Sheet Metal Adapter (1 pc)	15
	7860	1/2" AR Segments (25 feet)	16	60530	8½" X 12" Replacement Shield	12		2.5" AS Slide Valve (1 pc)	15
	7861	1/2" AR Coil (50 feet)	16	60531	Shield Mounting Elbow (2 pcs)	12	89220	180 elem'ts 2.5" ID (20 - one ft segs)	15
	7862	3/8" AR Nozzles (50 pcs)		60532		12	89223	4.5" Round Nozzles (10 pcs)	
			16	60533	Magnetic Base (1 pc) 3/4" Fixed Mounts (2 pcs)	12	89224	6" X 3.5" Rectangular Nozzle (10 pcs)	15 15
	7863	1/2" AR Nozzles (50 pcs)	16						15
	7864	3/8" AR NPT Connector (50 pcs)	16	61501	3/4" Segment Pack (2 pcs)	12	89225	Tapered Oval Nozzle (10 pcs)	15
	7865	1/2" AR NPT Connector (50 pcs)	16	61502	3/4" Nozzle Pack (4 pcs)	12	89226	3" PVC Adapter (10 pcs)	15
	7866 7067	1/4" AR Nozzles for 1/2" (50 pcs)	16	61503	5/8" Nozzle Pack (4 pcs)	12	89227	3" Sheet Metal Duct Adpt.(10 pcs)	15
	7867	1½" AR Flare Nozzle (20 pcs)	16	61505	3/4" NPT Connector (4 pcs)	12	89228	2.5" Slide Valve (10 pcs)	15
	7868	1/2" AR Y Fitting (20 pcs)	16	61507	3" Flare Nozzle (2 pcs)	12	89229	Shop Vac Hose Adpt w/tab (10 pcs)	15
	7869	1/2" to 1/4" AR Adapter Pack (20 pcs)	16	61508	3/4" to 1/2' Adapter (2 pcs)	12	89230	Shop Vacuum Adapter (10 pcs)	15
	7870	1/2" to 1/4" Y AR Reducer (20 pcs)	16	61509	3/4" BSPT Connector (4 pcs)	12		180 Elements AS 2.5" ID (20 feet)	15
	7874	1/2" AR Elbow (20 pcs)	16	61511	3/4" Y Fitting (2 pcs)	12		4.5" AS Round Nozzle (10 pcs)	15
	7875	1/2" AR T Fitting (20 pcs)	16	61512	3/4" to 1/2" Y Reducer (2 pcs)	12		6" X 3.5" AS Rect. Nozzle (10 pcs)	15
	9860	1/2" Segments (25 foot box)	10	61514	3/4" Double Socket (4 pcs)	12		AS Tapered Oval Nozzle (10 pcs)	15
	9861	1/2" 50 foot Coil	10	61515	3/4" Elbow (2 pcs)	12		3" AS Sheet Metal Adapter (10 pcs)	15
59	9862	3/8" Nozzle (50 pcs)	10	61516	3/4" Male NPT Valve (2 pcs)	12	89328AS	2.5" AS Slide Valve (10 pcs)	15

LOCKWOOD PRODUCTS, INC.

originated the modular hose concept. The Loc-Line® system is available in four different hose diameters along with a multitude of nozzles, fittings, and accessories suitable to many industrial and commercial applications.

For the latest product information about Loc-Line® visit our web site.

WWW.LOC-LINE.COM



LOCKWOOD PRODUCTS, INC.

5615 Willow Lane Lake Oswego, OR 97035 U.S.A. Phone: 800-423-1625 or 503-635-8113 Fax: 800-472-8188 or 503-635-2844 E-mail: info@loc-line.com

© LOCKWOOD PRODUCTS, JULY 2010 FORM NO. 99091 LOC-LINE® IS DISTRIBUTED BY:



Loc-Line® is distributed worldwide. For the name of a stocking distributor in your country contact Lockwood Products, Inc.