

Antimicrobial storage systems for the entire healthcare facility **ANTIMICROBIAL STORAGE SOLUTIONS**

Antimicrobial protection in hospital and healthcare facilities is paramount against the spread of mold, bacteria and possible "super bugs" like staph and MRSA virus. Lyon's antimicrobial storage solutions are another line of defense against the spread of facility-born infections. Non-organic silver ions kill the bacteria on contact within two hours and provides the healthcare facility antimicrobial protection 24/7.

Antimicrobial Storage Systems for the entire healthcare facility:

General Health Care Area

- Patient Rooms
- Nurse's Stations
- Doctor's Offices
- Locker Rooms
- Office Storage Areas

Facilities

- Maintenance Areas
- Custodian Areas
- Paint Department
- Locksmith Areas
- Tool Crib



1-800-323-0082
lyonworkspace.com



The Problem:

Antibiotic-resistant infections are increasing in healthcare facilities and hospitals, resulting in increased costs and patient deaths.

'Superbug' Infections More Than Doubled In Hospitals, Study Finds

ScienceDaily (Dec. 6, 2007) — Hospitalizations related to a potentially deadly, antibiotic-resistant "superbug" more than doubled between 1999 and 2005, soaring from 127,000 to nearly 280,000, according to a new study co-authored by a University of Florida researcher.

University of Florida. "'Superbug' Infections More Than Doubled In Hospitals, Study Finds."

<http://www.sciencedaily.com/releases/2007/12/071203203204.htm>

How Does it Work?

Any moisture triggers the controlled release of powerful silver ions to provide superior antimicrobial protection for decades. The antimicrobial compound is completely inorganic, which prevents the bacteria from mutating into a resistant strain.

The Solution:

The best way to prevent the spread of germs is for the health care workers to wash their hands frequently, to properly disinfect hospital surfaces*... Include antimicrobial protected storage products as an extra line of defense!

* <http://www.mayoclinic.com/health/mrsa/DS00735>



SuperBug (Dec. 28, 2009) — MRSA's costs in hospitals: For one post-surgery infection, \$61,681.

Patients with post-surgical MRSA infections:

- stayed in the hospital 23 days longer
- incurred an average extra cost of \$61,681
- were more likely to be readmitted to the hospital within 90 days
- were more likely to die before 90 days had passed.

" One surgical infection with MRSA: \$61,000"

<http://drugresistantstaph.blogspot.com/2009/12/one-surgical-infection-with-mrsa-61000.html>

Table of Contents

General Health Care Area

• Patient Rooms / Nurse's Stations / Doctor's Offices

- Wire & Chrome Shelving / Wire Carts..... 3
- Safety Center 6

• Locker Rooms

- Antimicrobial Lockers 4
- Two Person Lockers..... 5
- Combination Wardrobe Cabinets 5

• Office Storage Areas

- Record Storage Racks 6
- 8000 Series Shelving- 22 Ga. Office Grade..... 7

Facilities Area

• Maintenance & Custodian Areas

- Bulk Storage Racking 7
- Pallet Racking 8
- Work Benches 9
- Sit-Stand 9
- Multitask Chairs 9
- Acid & Corrosives Cabinets 14
- Pesticide Cabinets 15
- HazMat Response Cabinets 16
- Drum Storage Cabinets 16

• Locksmith & Tool Crib Areas

- Modular Drawer Cabinets..... 10-11

• Paint Department

- Safety Cans..... 12
- Flammable Liquid Cabinets..... 13
- Paint & Ink Cabinets..... 15



Chrome Plated Wire Shelving

- Gain access from all four sides with maximum ventilation
- Wire construction reduces dust build-up and enhances sprinkler areas for fire safety
- Lustrous chrome finish maximizes corrosion resistance
- Wire-over-wire waterfall shelf construction
- Double-lock™ post inserts assure rigidity and unit integrity
- Digital posts provide accurate leveling of shelves, which are adjustable on 1" centers
- Fast "drop-and lock" assembly



Chrome plating shelving offers gleaming eye-appeal, USDA acceptance for packaged goods and long maintenance-free performance in dry environments. Shelves and posts are plated with chrome over a nickel chrome base.

Features




Patented Double Truss design with waterfall front features surface-to-surface welds.



4-Shelf Starter and Add-on Units

| Starter Cat. No. | Add-on Cat. No. | W x D x H |
|--|--------------------|-----------------|
| Commercial Grade 600 lb. Capacity | | |
| 43131S | 43131A | 48" x 18" x 62" |
| 43141S | 43141A | 60" x 18" x 62" |
| 43151S | 43151A | 72" x 18" x 62" |
| 43134S | 43134A | 48" x 24" x 62" |
| 43144S | 43144A | 60" x 24" x 62" |
| 43154S | 43154A | 72" x 24" x 62" |

Example



Starter



Add-On

Starter units include: shelves and 4 posts.

Add-on units include: shelves, 2 posts and 2 S-hooks per shelf.

Open Wire Carts

- 5" resilient casters
- Push-pull handles
- 1250 lbs. payload capacity
- Plating Plus™ finish



| W x D x H | 2-Shelf Cat. No. | 3-Shelf Cat. No. |
|-----------------|---------------------|---------------------|
| 36" x 18" x 38" | 43051 | 43251 |
| 42" x 18" x 38" | 43052 | 43252 |
| 36" x 24" x 38" | 43053 | 43253 |
| 42" x 24" x 38" | 43054 | 43254 |




Features

5" Resilient Casters



Swivel



Brake

Antimicrobial Lockers

Agion™ antimicrobial advanced powder technology provides continuous, residual protection against the touch transfer of bacteria on the steel locker surface, as well as colonization of mold and bacteria in locker corners, seams and on hidden surfaces behind and under the locker. Offered in single and double tier openings.

Color Selection

In Stock
GY GY655 Light Gray
Additional colors are available upon request




Antimicrobial Lockers Feature:

- Antimicrobial coating
- Recessed handles
- Smooth fronts (no louvers)
- Sloping tops
- E-Zee™ closed bases
- 20+ years of antimicrobial protection

Antimicrobial Performance

% Reduction of Bacteria vs. Time



Tests conducted on epoxy coated stainless steel



| W x D x H* (per locker opening) | No. of Frames | No. of Openings | K.D. Cat. No. | Set Up Cat. No. |
|------------------------------------|------------------|--------------------|------------------|--------------------|
| Single Tier - Knocked Down | | | | |
| 15" x 18" x 72" | 1 | 1 | UGRNS5062H | UGRNS5062HSU |
| 15" x 18" x 72" | 1 | 3 | UGRNS5062-3H | UGRNS5062-3HSU |
| 18" x 18" x 72" | 1 | 1 | UGRNS5092H | UGRNS5092HSU |
| 18" x 18" x 72" | 1 | 3 | UGRNS5092-3H | UGRNS5092-3HSU |
| Double Tier - Knocked Down | | | | |
| 12" x 12" x 36" | 2 | 2 | UGRNS5202H | UGRNS5202HSU |
| 12" x 12" x 36" | 2 | 6 | UGRNS5202-3H | UGRNS5202-3HSU |
| 12" x 18" x 36" | 2 | 2 | UGRNS5222H | UGRNS5222HSU |
| 12" x 18" x 36" | 2 | 6 | UGRNS5222-3H | UGRNS5222-3HSU |

*Heights shown do not include E-Zee™ Base — add 4" to height for E-Zee™ Base.
NOTE: E-Zee™ Base ships knocked down. Some easy assembly is required.



How Does it Work?

Any moisture triggers the controlled release of powerful silver ions (see charts) to provide superior antimicrobial protection for decades. The antimicrobial compound is completely inorganic, which prevents the bacteria from mutating into a resistant strain.



NOTE: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored. Call for important locker anchoring information.

Two Person Lockers

Ample storage for two people in a space only 15" wide!

- Each occupant has a full-length coat compartment with two hooks, plus a full-width opening at top for small articles
- Left door and upper compartment work together as do the right-hand door and lower compartment
- Coat compartment doors have handles with padlock attachments
- Built-in locks are optional
- Shipped K.D. (knocked down)
- Locker opening dimensions:
Small – 15"w x 18"d x 9"h,
Large – 7½"w x 18"d x 54"h
- Available in stock Dove Gray and Putty – additional colors are available upon request.



Features



Small upper door is released with a latch inside the corresponding coat compartment door.

Nano Metal Roller Latching System



Three times the break-in protection vs. the competition!

- Powdered metal nano roller – same high tech powdered metal as auto transmission gears
- Zamak 3 zinc alloy latch finger – for up to 3 times the tensile strength than nylon
- An independent lab test concludes that the new Lockbar latching system exceeded 40,000 cycles, which translates to decades of flawless security
- New nylon tamper-resistant lockbar guide ensures proper lockbar alignment for smooth operation, while reducing overall noise by eliminating metal-to-metal contact

LOCKER HANDLE PULL TEST Average pressure prior to failure

| | |
|--------------|------------|
| LYON | 1,100 Lbs. |
| Competitor A | 456 Lbs. |
| Competitor B | 517 Lbs. |

LOCKER CORNER PULL TEST Average pressure prior to failure

| | |
|--------------|------------|
| LYON | 1,050 Lbs. |
| Competitor A | 360 Lbs. |
| Competitor B | 285 Lbs. |

Charts showing the average pounds required to pull open a locked locker door, both from the handle (left) and from a corner (right).

Color Selection

In Stock

- DD Dove Gray
- PP Putty

Also Available

- BB Wedgewood Blue
- KK Black

Combination Wardrobe Cabinets

- 4 side-shelves with 2" adjustability and 5 compartments maximize storage space
- Full-width shelf at top for hats and other articles
- Coat rod below shelf
- Smooth, snag-free finished interior

| W x D x H | No. of Shelves | Set Up Cat. No. | K.D. Cat. No. | Extra Half Shelf |
|-----------------|-----------------|-----------------|---------------|------------------|
| 36" x 18" x 78" | 1 full / 4 half | 1088 | 1089 | 1057 |
| 36" x 21" x 78" | 1 full / 4 half | 1010 | 1011 | 1052 |
| 36" x 24" x 78" | 1 full / 4 half | 1098 | 1099 | 1062 |
| 48" x 24" x 78" | 1 full / 4 half | 1033SU | 1033 | 1063 |





All-Welded Clearview and 4-Door Shelf Cabinets

Quickly evaluate supply inventory without opening the doors. Create secure storage for 4 people in a single cabinet.

- All-welded, 14-gauge construction

- Clearview cabinets feature heavy-duty $\frac{3}{16}$ " thick Lexan® door inserts

- 14-gauge flanged shelves are adjustable on 3" centers

- Rugged cast iron handle features a $\frac{3}{8}$ " thick padlock hasp

- Three heavy-duty $\frac{5}{16}$ " brass pin hinge plates welded to each door

- 4" high welded on legs

- Forklift base allows for easy movement anywhere in your facility

Safety Center

- Includes four full-width shelves
- Yellow finish only
- Overall Size: 48"w x 24"d x 82"h

No. 1120SC

**SHIPPED
SET UP**



No. 1161 - Extra 48"w Shelf

Pre-Engineered Record Storage Racks

Store up to 80 record storage boxes per unit with fast, easy access to every level. Assembly couldn't be easier, no tools required!

Record Storage Starter and Add-on Sections

- **Starter uprights** are 14-gauge angle posts for use as stand alone sections or at the ends of rows of two or more sections
- **Add-on uprights** are 14-gauge T-posts for use as intermediate posts in multiple section rows

Record Storage Boxes

- Oyster white corrugated fiber boxes feature die-cut handle to provide sturdy storage for letter or legal size documents
 - Space provided for labeling
 - Shipped flat, 12 per carton
- Overall size: 12"w x 15"d x 10"h

No. 7390

**IN STOCK
FOR IMMEDIATE
SHIPMENT**



Record storage boxes are sold separately.



Basic Rack

- Includes 14-gauge medium-duty beams
- Uprights, and center supports as required



Basic Rack with Support Rails

- Includes steel support rails



Basic Rack with Particle Board Decking

- Includes $\frac{5}{8}$ " thick particle board

| W x D x H | No. of Levels | Capacity | Basic Rack | | Basic Rack with Support Rails | | Basic Rack with Particle Board Decking | |
|-----------------|---------------|----------|------------------|-----------------|-------------------------------|-----------------|--|-----------------|
| | | | Starter Cat. No. | Add-On Cat. No. | Starter Cat. No. | Add-On Cat. No. | Starter Cat. No. | Add-On Cat. No. |
| 69" x 16" x 60" | 3 | 30 Boxes | 73000 | 73000A | 73000R | 73000RA | 73000P | 73000PA |
| 69" x 32" x 60" | 3 | 60 Boxes | 73002 | 73002A | 73002R | 73002RA | 73002P | 73002PA |
| 69" x 16" x 84" | 4 | 40 Boxes | 73004 | 73004A | 73004R | 73004RA | 73004P | 73004PA |
| 69" x 32" x 84" | 4 | 80 Boxes | 73006 | 73006A | 73006R | 73006RA | 73006P | 73006PA |

*NOTE: Center support rails are recommended on racks over 60" wide. Call for ordering information.

36" Wide 8000 Series Storage Shelving Units



**Five Shelf
Open Starter**



**Five Shelf
Open Add-On**



**Five Shelf
Closed Starter**



**Five Shelf
Closed Add-On**

All pre-engineered sections are 36" wide, 84" high, with shelves adjustable on 1½" centers. For double row, back-to-back installations, use economical open back shelving on one side, common backs of closed shelving sections on the other side. Some assembly required.

Open Shelves - high visibility is ideal for storing packaged stock, and other material without assigned shelf locations. Lapped and welded shelf corners provide added strength and durability.

Closed Shelves - protect packages and unboxed items from dust, sunlight and other contaminants. Divide work or storage space into separate areas.

| No. of Shelves | 36" w x 18" d x 84" h | | 36" w x 24" d x 84" h | | 36" w x 18" d x 84" h | | 36" w x 24" d x 84" h | |
|---|-----------------------|---------|-----------------------|---------|---|---------|-----------------------|---------|
| | STARTERS | ADD-ONS | STARTERS | ADD-ONS | STARTERS | ADD-ONS | STARTERS | ADD-ONS |
| 22-GAUGE MEDIUM DUTY BOX "W" OPEN SHELVING | | | | | 22-GAUGE MEDIUM DUTY BOX "W" CLOSED SHELVING | | | |
| 5 | 8006SM | 8006M | 8007SM | 8007M | 8038SM | 8038M | 8039SM | 8039M |
| 6 | 8041SM | 8041M | 8042SM | 8042M | 8261SM | 8261M | 8262SM | 8262M |
| 6** | N/A | N/A | N/A | N/A | 8271SM | 8271M | 8272SM | 8272M |
| 7 | 8031SM | 8031M | 8032SM | 8032M | 8091SM | 8091M | 8092SM | 8092M |
| 8 | 8021SM | 8021M | 8022SM | 8022M | 8081SM | 8081M | 8082SM | 8082M |

**NOTE: Back open with lateral cross brace.

Color Selection

In Stock

DD Dove Gray

PP Putty

Also Available

BB Wedgewood Blue

Pre-Engineered Bulk Storage Racks

Designed for the hand-loading of intermediate weight bulky items. Heavy-duty 14-gauge steel beams included.

| 72" Wide Racks | | | | |
|----------------|--------|-------|---------|---------|
| Levels | Height | Depth | Type | Ribbed |
| 3 | 84" | 24" | Starter | 67321SR |
| | | | Add-on | 67321R |
| | | 30" | Starter | 67322SR |
| | | | Add-on | 67322R |
| | | 36" | Starter | 67323SR |
| | | | Add-on | 67323R |
| | | 48" | Starter | 67325SR |
| | | | Add-on | 67325R |



Color Selection

In Stock

DD Dove Gray

Also Available


PP Putty

BB Wedgewood Blue



Starter

Add-On



Starter with Ribbed Decking
Front-To-Back supports per level

NOTE: In the interest of safety, Lyon strongly recommends that lockers be floor and/or wall anchored. Call for important locker anchoring information.

Pallet Racks

Unique Design - Roll formed upright provides greater strength-to-weight ratio. Minimum-sized slots mean more steel per upright. Uprights structures are 100% mig-welded with precision K-brace and heavy-duty cross channel reinforcement for increased strength, rigidity and resistance to abuse.

Easy Adjustment - Tapered keyhole slots on 2" centers, provide quick, easy vertical adjustment of beams. There are no "dead spots" or obstructions in upright posts to impede movement of beam along the entire height.

Interchangeable - Lyon pallet rack fits with other traditional teardrop designs. That means you can upgrade damaged, weak, or worn out uprights and beams with our versatile rack. No need to change your whole system.

Three-Point Safety Catch - Each beam has 3 rugged studs (4 on heavy-duty) that engage the tapered keyhole slots in the upright with a compression fit. Integral safety lock automatically locks into place when beam is properly seated.

Pallet Racks Accessories

(F) Impact Support


Provides extra protection against abuse. Bolt on to floor only. Finish is Safety Yellow.

No. CP1233YLX - 12" high

No. CP1233YLX - 24" high

No. CP1233YLX - 36" high

No. CP1233YLX - 48" high



Upright Anchor

Optional wedge-type anchor can be used to secure column posts. 1/2" dia. x 3 3/4" long.


No. 25163



(G) Shim Plate

Nests under footplate. Unpainted.

No. SHM053



Step 1

Select Upright Frames

- Light-duty upright posts are 3"w x 1 5/8"d
- Two frames are required per bay, and any number may be joined together in continuous row applications
- Available in Dove Gray




Uprights conform to standards set by 1997 Rack Manufacturers' Institute LRFD Specifications.

| Frame Height | 30" deep Cat. No. | 36" deep Cat. No. | 42" deep Cat. No. | 48" deep Cat. No. |
|---|-------------------|-------------------|-------------------|-------------------|
| Light-Duty Upright Frames ("L" Post) | | | | |
| 96" | N/A | F1436096 | F1442096 | F1448096 |
| 120" | N/A | N/A | F1442120 | F1448120 |
| 144" | N/A | F1436144 | N/A | N/A |

Step 2

Select Beams

- Roll-formed beams feature an integrated 1 5/8" step for decking and are totally enclosed for clean applications
- Heavy-duty rivet-type connectors engage upright wedge slots for increased holding power
- Beams are easy to assemble, disassemble, and relocate
- Available in Safety Orange



| Clear Span | Height of Beams | Cap. (lbs.) per pair | Cat. No. |
|------------|-----------------|----------------------|-----------------|
| 96" | 3 1/2" | 3,650 | S3600096 |
| 96" | 4 1/8" | 5,280 | S4124096 |
| 96" | 5 1/8" | 7,596 | S5124096 |
| 108" | 3 1/2" | 2,940 | S3600108 |
| 108" | 4 1/8" | 4,230 | S4124108 |
| 108" | 4 5/8" | 5,520 | S4624108 |
| 108" | 5 1/8" | 6,788 | S5124108 |
| 108" | 6" | 11,206 | S5900108 |

Step 3

Select Decking

Heavy, 14-gauge panels feature three 1 1/2" x 1 1/2" 14-gauge square tube reinforcing channels welded on the underside for maximum strength and durability. Panels drop into place to provide a solid deck surface.



| W x D | Capacity | Cat. No. |
|-----------------------------|-------------|----------------|
| Solid Decking Panels | | |
| 48" x 30" | 7,740 lbs. | SSD3047 |
| 60" x 30" | 6,000 lbs. | SSD3059 |
| 48" x 36" | 5,640 lbs. | SSD3647 |
| 60" x 36" | 4,890 lbs. | SSD3659 |
| 48" x 42" | 10,320 lbs. | SSD4247 |
| 60" x 42" | 8,000 lbs. | SSD4259 |
| 48" x 48" | 7,520 lbs. | SSD4847 |
| 60" x 48" | 6,520 lbs. | SSD4859 |

Nominal width: actual is 2" less.

Adjustable Leg Work Benches with stringer and shelf

- Sturdy steel channel legs, adjust top from 27¼" to 36¼" high
- Welded steel cross members add strength and durability
- Electrical knockouts on each leg offer space for duplex outlet boxes (not included) and subsequent electrical hookup

TOP: 12-Gauge Steel, 1-3/4" thick

Overall Size: 60"w x 34"d - **No. 2523A**

Overall Size: 72"w x 34"d - **No. 2525A**



TOP: Hardwood, 1-1/2" thick

Overall Size: 60"w x 34"d - **No. 2551A**

Overall Size: 72"w x 34"d - **No. 2553A**




Color Selection

In Stock

DD Dove Gray

PP Putty



Sit-Stand

Take up to 70% of your weight off your legs and feet! The height adjustable seat pivots and rotates providing ergonomic body movement while working. Take the weight off your legs and feet while increasing productivity at your workstation.

- Adjustable seat height with a 10" range
- Ergonomically formed, padded polyurethane seat
- Gravity lock locking system
- Seat rotates left and right with memory return to 12 o'clock position

No. 2092N



Multitask Chairs

Heavy-duty ergonomic seating for industrial and manufacturing environments. Fully adjustable seat and back provides maximum comfort and work productivity.

- Seat height adjustable between 19" to 37" through pneumatic lift and adjustable collar
- Polyurethane seats and backs wipe clean in harsh environments
- Durable footrests for ease of rising and sitting. Increases stability when working
- 14-gauge, 1¼" tubular steel base
- 26" wide, five-leg base
- 300 lb. capacity



Gold Multitask Chair


- 2 intermediate footrests
- 20" wide seat
- 18" wide back
- Back tilt adjustment
- 25° back adjustment
- 2" back height adjustment

No. 10-3262




Pre-Engineered Modular Drawer Cabinets Standard 30" Wide

Bench (33-1/4" High)




7 drawers with
152 compartments

■ ■ ■ 3501001 ■



6 drawers with
108 compartments

■ ■ ■ 3501002 ■



5 drawers with
104 compartments

■ ■ ■ 350B ■



Usable Height

To identify compartment height available, locate the "Usable Height" dimension for the specific drawer number listed in the chart below.

| DRAWER TABLE | | |
|---------------|---------------|-------------|
| Drawer Number | Usable Height | Drawer Size |
| 40 | 2-1/4" | Small |
| 50 | 3" | |
| 60 | 3-7/8" | Medium |
| 70 | 4-5/8" | |
| 80 | 5-3/8" | Large |
| 90 | 6-1/4" | |
| 100 | 7" | Extra Large |
| 110 | 7-3/4" | |
| 120 | 8-1/2" | |
| 130 | 9-3/8" | |
| 140 | 10-1/8" | |
| 150 | 10-7/8" | |
| 160 | 11-3/4" | |
| 170 | 12-1/2" | |
| 180 | 13-1/4" | |

Counter (44-1/4" High)




10 drawers with
200 compartments

■ ■ ■ 4901002 ■



8 drawers with
152 compartments

■ ■ ■ 4901005 ■



6 drawers with
84 compartments


■ ■ ■ 4901008 ■

Eye-Level (59-1/4" High)




17 drawers with
591 compartments

■ ■ ■ 680A ■




12 drawers with
240 compartments

■ ■ ■ 6801005 ■



8 drawers with
181 compartments

■ ■ ■ 680E ■



Small

Medium


Large

Extra Large

These color codes quickly identify relative drawer sizes in illustrations in the Modular Drawer section of this catalog.

Pre-Engineered Drawer Layout Kits Standard 30" Wide


Layout kits establish multiple sized compartments in various sized drawers, using partitions and dividers.



Compartment Size

To identify compartment width and depth available, locate the numbers in the illustrations and convert them to the dimensions listed in the chart below.


| Compartment Size | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
|------------------|---------|-----------|---------|---------|----------|---------|-----------|---------|---------|----------|---------|-----------|----------|---------|----------|
| Dimension | 1-7/8" | 2-11/16" | 3-1/2" | 4-1/4" | 5-1/16" | 5-7/8" | 6-11/16" | 7-1/2" | 8-1/4" | 9-1/16" | 9-7/8" | 10-11/16" | 11-1/2" | 12-1/4" | 13-1/16" |
| Compartment Size | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 |
| Dimension | 13-7/8" | 14-11/16" | 15-1/2" | 16-1/4" | 17-1/16" | 17-7/8" | 18-11/16" | 19-1/2" | 20-1/4" | 21-1/16" | 21-7/8" | 22-11/16" | 23-7/16" | 24-1/4" | 25-1/16" |



B - 4 compartments
Cat. No. Drawers
240B45 40 & 50
240B67 60 & 70
240B89 80 & 90
240B100 100+



D - 8 compartments
Cat. No. Drawers
240D45 40 & 50
240D67 60 & 70
240D89 80 & 90
240D100 100+



C - 9 compartments
Cat. No. Drawers
240C45 40 & 50
240C67 60 & 70
240C89 80 & 90
240C100 100+



L - 12 compartments
Cat. No. Drawers
240L45 40 & 50
240L67 60 & 70
240L89 80 & 90
240L100 100+



P - 16 compartments
Cat. No. Drawers
240P45 40 & 50
240P67 60 & 70
240P89 80 & 90
240P100 100+



K - 20 compartments
Cat. No. Drawers
240K45 40 & 50
240K67 60 & 70
240K89 80 & 90
240K100 100+



E - 24 compartments
Cat. No. Drawers
240E45 40 & 50
240E67 60 & 70
240E89 80 & 90
240E100 100+



G - 25 compartments
Cat. No. Drawers
240G45 40 & 50
240G67 60 & 70
240G89 80 & 90
240G100 100+




J - 32 compartments
Cat. No. Drawers
240J45 40 & 50
240J67 60 & 70
240J89 80 & 90
240J100 100+



H - 36 compartments
Cat. No. Drawers
240H45 40 & 50
240H67 60 & 70
240H89 80 & 90
240H100 100+



BB - 32 plastic bins
 3" w x 6" d & partition
Cat. No. Drawers
240BB45 40 & 50
240BB67 60 & 70



AA - 64 plastic bins
 3" w x 3" d, " & partition
Cat. No. Drawers
240AA45 40 & 50
240AA67 60 & 70



DD - 80 compartments
 2-1/2" w x 1-7/8" d
 4 quarter trays
Cat. No. Drawers
240DD45 40 & 50

Safety Cans

Designed to store and dispense petroleum based liquids with maximum safety; safety cans feature 24-gauge terne plate steel construction with all-welded bottoms for added strength and spring-loaded closures to prevent spills if dropped.

- Free-flowing, perforated metal flame arresters deter flashbacks
- Spring-mounted relief vents allows vapors to disperse safely

Shown with optional funnel
No. 5513



5482

5483

5485

Type I Safety Cans with single spout for pouring and filling. Spout has large, 80° opening.

| Capacity | Height | O.D. | Cat. No. |
|----------|---------------------------------|------|-------------|
| 1 qt. | 7 ⁵ / ₈ " | 6" | 5481 |
| 2 qt. | 9 ³ / ₄ " | 6" | 5482 |
| 1 gal. | 9 ¹ / ₄ " | 10" | 5483 |
| 2 gal. | 12" | 10" | 5484 |
| 5 gal. | 18" | 12" | 5485 |

- Leather cap gaskets are unaffected by flammable, volatile and viscous liquids
- Smooth, baked-on red enamel finishes resist corrosion
- Bare metal beneath tape strip on handle frame provides contact for ground wire connection
- Electrically welded leakproof construction



5486



5489

Type II Safety Cans have two openings (one pouring, one filling). Flexible metal nozzle effectively dispenses into small openings and eliminates need for funnel, providing ground path to prevent static sparks.

| Capacity | Height | O.D. | Hose O.D. | Cat. No. |
|----------|----------------------------------|----------------------------------|----------------------------------|-------------|
| 2 gal. | 10 ³ / ₄ " | 9 ⁵ / ₈ " | 1 ⁹ / ₃₂ " | 5486 |
| 3 gal. | 14" | 11 ³ / ₄ " | 3 ³ / ₄ " | 5487 |
| 3 gal. | 14" | 11 ³ / ₄ " | 1" | 5488 |
| 5 gal. | 18 ¹ / ₂ " | 11 ³ / ₄ " | 3 ³ / ₄ " | 5489 |
| 5 gal. | 18 ¹ / ₂ " | 11 ³ / ₄ " | 1" | 5490 |

Funnel Attachments

Dispense fluids from Type I Safety Cans.

| Fits Safety Cans | Sizes O.D. | Funnel | Cat. No. |
|------------------|---|--------------|-------------|
| All Sizes | 3 ¹ / ₄ " x 4 ¹ / ₈ " - 1 ¹ / ₁₆ " fill | slip-on poly | 5513 |
| Smaller Sizes | 7" - 1 ⁵ / ₁₆ " hose | clamp-on* | 5514 |
| 5-gal. Sizes | 12" - 1 ⁵ / ₁₆ " hose | clamp-on* | 5515 |

*Requires bonding when pouring; funnel and hose provide ground path to prevent static sparks.



5513



5493

Oily Waste Cans

- Prevent fires sparked by spontaneous combustion with flammable solvents, paints or oils
- Foot treadles or hand-lifts allow covers to open 60° and close automatically when released
- Air holes in raised bottom of each can provide ventilation to disperse heat buildup
- Corrosion resistant finish

| Capacity | W x D x H | To Open | Cat. No. |
|----------|--|---------|-------------|
| 6 gal. | 11 ¹ / ₄ " x 11 ¹ / ₄ " x 14 ³ / ₄ " | treadle | 5491 |
| 8 gal. | 13" x 13" x 15 ¹ / ₂ " | treadle | 5492 |
| 10 gal. | 15" x 15" x 17 ³ / ₄ " | treadle | 5493 |
| 14 gal. | 15" x 15" x 19" | treadle | 5494 |

Bench Cans

- Perforated dasher allows submerging parts in cleaning solvent then springing back to allow fluid to drain into can
- Dasher design reduces fire hazard
- Hinged cover helps cut evaporation
- Corrosion resistant finish



5497

| Capacity | Diameter | Height | Handle Type | Cat. No. |
|----------|----------------------------------|---------------------------------|------------------|-------------|
| 2 qt. | 7 ¹ / ₂ " | 3 ³ / ₈ " | two side-mounted | 5496 |
| 2 gal. | 12 ³ / ₈ " | 6 ¹ / ₄ " | two side-mounted | 5497 |



Flammable Liquid Cabinets

- Conforms to NFPA Fire Code No. 30 and OSHA standards
- Adjust or add shelves to accommodate different size, or additional containers
- Cabinets are offered in 3 sizes:

Under-Counter Cabinets; stand alone storage

Standard Cabinets; stand alone storage, base for stackable compact cabinets

Compact Cabinets; hangable, stackable or mountable



Polyethylene Shelf Tray Liners

These replaceable, leakproof 2" deep trays offer additional protection with a slightly raised curved edge to contain spills.



IN STOCK
ALL ITEMS ON THIS PAGE ARE FOR IMMEDIATE SHIPMENT

| Capacity | W x D x H | No. of Shelves | Cat. No. Manual-Closing | Cat. No. Self-Closing | Cat. No. Extra Shelf | Cat. No. Mounting Brackets | Cat. No. Optional Shelf Tray | Cat. No. Optional Bottom Tray |
|----------------------|---------------------|----------------|-------------------------|-----------------------|----------------------|----------------------------|------------------------------|-------------------------------|
| Standard | | | | | | | | |
| 30 gal. | 43" x 18" x 44" | 1 | 5440N | 5441N | 5449N | N/A | 5549 | 5550 |
| 45 gal. | 43" x 18" x 65" | 2 | 5444N | 5445N | 5449N | N/A | 5549 | 5550 |
| 60 gal. | 32" x 32" x 65" | 2 | 5460 | 5461 | 5450 | N/A | N/A | N/A |
| Compact | | | | | | | | |
| 4 gal. | 17" x 17" x 22" | 1 | 5470 | N/A | 5478 | 5480 | N/A | N/A |
| 12 gal. | 23 1/4" x 18" x 35" | 1 | 5473 | N/A | 5476 | N/A | N/A | N/A |
| 12 gal. | 43" x 18" x 18" | — | 5471 | N/A | n/a | 5479 | N/A | N/A |
| 15 gal. | 23 1/4" x 18" x 44" | 1 | 5474 | N/A | 5476 | N/A | N/A | N/A |
| 17 gal. | 43" x 18" x 24" | 1 | 5472 | N/A | 5449N | 5479 | N/A | N/A |
| 17 gal. | 43" x 18" x 24" | 1 | 5465* | N/A | 5449N | included | N/A | N/A |
| 20 gal. | 43" x 12" x 44" | 2 | 5466* | N/A | 5477 | included | N/A | N/A |
| 20 gal. | 43" x 12" x 44" | 2 | 5469 | N/A | 5477 | 5479 | 5551 | 5552 |
| Under-Counter | | | | | | | | |
| 22 gal. | 35" x 22" x 35" | 1 | 5467 | N/A | 5468 | N/A | 5567 | 5568 |

Note: Not Recommended for Phenol, Sulfuric or Nitric Acids.

*Includes brackets for wall-mounting.



Acids and Corrosives Cabinets

- Conforms to NFPA Fire Code No. 30 and OSHA standards
- Adjust or add shelves to accommodate different size, or additional containers
- To resist aggressive chemicals, acid cabinets also include polyethylene trays attached to galvanized steel shelves and a separate polyethylene liner for the bottom shelf
- Cabinets are offered in 3 sizes:

Under-Counter Cabinets; stand alone storage

Standard Cabinets; stand alone storage, base for stackable compact cabinets

Compact Cabinets; hangable, stackable or mountable



ALL ITEMS ON
THIS PAGE ARE
FOR IMMEDIATE
SHIPMENT



Polyethylene Shelf Tray Liners



These replaceable, leakproof 2" deep trays offer additional protection with a slightly raised curved edge to contain spills.

| Capacity | W x D x H | No. of Shelves | No. of Trays | Cat. No. Manual-Closing | Cat. No. Self-Closing | Cat. No. Extra Galv. Shelf | Cat. No. Replacement Shelf Tray | Cat. No. Replacement Bottom Tray | Cat. No. Mounting Brackets |
|----------------------|-----------------|----------------|--------------|-------------------------|-----------------------|----------------------------|---------------------------------|----------------------------------|----------------------------|
| Standard | | | | | | | | | |
| 30 gal. | 43" x 18" x 44" | 1 | 2 | 5540 | 5541 | 5449N | 5549 | 5550 | N/A |
| 45 gal. | 43" x 18" x 65" | 2 | 3 | 5544 | 5545 | 5449N | 5549 | 5550 | N/A |
| Compact | | | | | | | | | |
| 12 gal. | 43" x 18" x 18" | N/A | N/A | 5591 | N/A | 5449N | N/A | 5550 | 5479 |
| 17 gal. | 43" x 18" x 24" | 1 | 2 | 5592 | N/A | 5449N | 5549 | 5550 | 5479 |
| 17 gal. | 43" x 18" x 24" | 1 | 2 | 5565* | N/A | 5449N | 5549 | 5550 | included |
| 20 gal. | 43" x 12" x 44" | 5 | 6 | 5566* | N/A | 5477 | 5551 | 5552 | included |
| 20 gal. | 43" x 12" x 44" | 5 | 6 | 5569 | N/A | 5477 | 5551 | 5552 | 5479 |
| Under-Counter | | | | | | | | | |
| 22 gal. | 35" x 22" x 35" | 1 | 2 | 5595 | N/A | 5468 | 5567 | 5568 | N/A |

Note: Not Recommended for Phenol, Sulfuric or Nitric Acids.

*Includes brackets for wall-mounting.



IN STOCK
ALL ITEMS ON
THIS PAGE ARE
FOR IMMEDIATE
SHIPMENT

Paints and Inks Cabinets

- Conforms to NFPA Fire Code No. 30 and OSHA standards
- Separate and identify Class III combustibles
- 1/2" shelf adjustments on numbered slots offer the ideal solution for storing the wide variety of containers for paints and inks – from half pints to 5 gallon pails – all in one cabinet
- Cabinets are offered in:
Standard Cabinets; stand alone storage, base for stackable compact cabinets
- Optional polyethylene shelf tray liners offer additional protection



| Capacity | W x D x H | No. of Shelves | Cat. No. Manual-Closing | Cat. No. Self-Closing | Cat. No. Extra Shelf | Cat. No. Mounting Brackets | Cat. No. Optional Shelf Tray | Cat. No. Optional Bottom Tray |
|-----------------|-----------------|----------------|-------------------------|-----------------------|----------------------|----------------------------|------------------------------|-------------------------------|
| Standard | | | | | | | | |
| 30 gal. | 43" x 18" x 44" | 3 | 5640 | 5641 | 5449N | N/A | 5549 | 5550 |
| 45 gal. | 43" x 18" x 65" | 5 | 5660 | 5661 | 5449N | N/A | 5549 | 5550 |



Polyethylene Shelf Tray Liners

These replaceable, leakproof 2" deep trays offer additional protection with a slightly raised curved edge to contain spills.

Pesticide Cabinets

- Conforms to NFPA Fire Code No. 30 and OSHA standards
- Adjust or add shelves to accommodate different size, or additional containers
- To resist aggressive chemicals, pesticide cabinets also include polyethylene trays attached to galvanized steel shelves and a polyethylene liner for the bottom shelf
- Cabinets are offered in 3 sizes:
Under-Counter Cabinets; stand alone storage
Standard Cabinets; stand alone storage, base for stackable compact cabinets
Compact Cabinets; hangable, stackable or mountable



| Capacity | W x D x H | No. of Shelves | No. of Trays | Cat. No. Manual-Closing | Cat. No. Self-Closing | Cat. No. Extra Shelf | Cat. No. Mounting Brackets | Cat. No. Replacement Shelf Tray | Cat. No. Replacement Bottom Tray |
|-----------------|---------------------|----------------|--------------|-------------------------|-----------------------|----------------------|----------------------------|---------------------------------|----------------------------------|
| Standard | | | | | | | | | |
| 30 gal. | 43" x 18" x 44" | 1 | 1 | 5740 | 5741 | 5449N | N/A | 5549 | 5550 |
| 45 gal. | 43" x 18" x 65" | 2 | 2 | 5744 | 5745 | 5449N | N/A | 5549 | 5550 |
| Compact | | | | | | | | | |
| 12 gal. | 23 3/4" x 18" x 35" | 1 | 1 | 5773 | N/A | 5476 | 5479 | N/A | N/A |

HazMat Response Cabinets

Organize and store your spill containment/HazMat response equipment.

- Shelves adjustable on 2" centers
- Double doors swing full 180° for maximum access
- 3-point locking device
- Shipped fully assembled, ready to use
- Safety yellow finish
- Overall size: 36"w x 24"d x 78"h



No. 5460HM – Cabinet with 4 shelves

No. 5461HM – Cabinet with center partition, coat rod, full width shelf and 4 half shelves (*permits storage of HazMat response apparel on hangers*)



5460HM



5461HM

Drum Storage Cabinets

- Conforms to NFPA Fire Code No. 30 and OSHA standards
- 3-point latching system with key lock delivers secure closure to protect against fire and theft
- Baked on enamel Safety Yellow finish resists chipping, withstands hard knocks



Ramp shown with 5451 Cabinet

Drum Ramp (optional)

- Facilitates the movement of drums in and out of the cabinet
- Non-slip finish increases traction
- 10-gauge steel construction
- Overall size: 24 $\frac{7}{8}$ "w x 24" d x 2 $\frac{3}{4}$ "h

No. 5457 – Ramp Only



Horizontal One-Drum Storage Cabinet

- Horizontal drum cabinet equipped with drum cradle guide rails
- Stores a single 55-gallon drum horizontally
- The fixed half-shelf leaves space for drums equipped with a pump or funnel
- Overall size: 30"w x 48" d x 50"h

No. 5453



Drum rollers not included.

Vertical Two-Drum Cabinet

- Safely houses two 55-gallon drums
- The fixed half-shelf leaves space for drums equipped with a pump or funnel
- Will accommodate five 1-gallon cans and smaller containers
- Ribbed, galvanized steel shelves deliver load capacity of 350 lbs. per shelf

No. 5452

Vertical One-Drum Cabinet

Safely houses one 55-gallon drum vertically

No. 5451

LYON
Workspace Products

**Log onto lyonworkspace.com
your online resource to:**

- Find a local LYON sales representative
- Contact us for product support and sales
- Review our online product catalog
- Download sell sheets, catalogs and instruction sheets
- Review LYON's featured products
- Get the latest LYON's news releases



Providing Storage Solutions Since 1901

