

FOODSERVICE
PRODUCT CATALOG
OCTOBER 1, 2011


WWW.METRO.COM



Products designed to fit
your business and your needs.



Advantage



“Let us help manage
your space. Take
advantage of our layout
and design services.”

Examples of 3D Product and Application Visualization

Looking for
value-added services?

Metro can make everything
from application visualization
to custom packaging easy.

Professional Services Available:



- Free “Space Audits” to Optimize Your Storage
- Product Planning and Room Layout
- Project Quoting and Management
- 3D Product and Application Visualization
- Custom Product Design and Engineering
- Product Prototyping and Samples
- Custom Packaging



Metro.



"We take pride in
delivering a positive
purchasing experience."



Self-Service Tools ...online!

- Web-Based Room Layout and Product Planning
- Web-Based Product Configuration
- Web-Based Learning Modules

Visit www.metroconfigurator.com and test drive the Configurator . . . our web-based software developed to give you the power to manage your space.



CONTENTS

Value Added Services	Inside Front Cover-3
Table of Contents.....	4-5
Metro Shelving Systems	6-7

Polymer Shelving Solutions..... 8-28

iQ System Overview	10-11
How MetroMax i® & MetroMax Q® Integrate	12-13
Build-a-shelf with the iQ Shelving System	14-15
Casters, Pull & Push Handles	16-17
Mobile Shelving Units & Utility Carts	18-19
Starter & Add-On Units.....	20-21
System Accessories	22-28

Wire and Solid Shelving Solutions..... 30-69

Wire/Polymer Hybrid Shelving	32-35
Easy-Adjust Shelving & Carts.....	36-39
Wire Shelving, Carts & Trucks.....	40-47
Casters & Accessories for Wire Shelving	48-62
Solid Shelving & Accessories	64-66
Light-Duty Wire Shelving & Accessories	67
Heavy-Duty Solid Shelving & Accessories	68-69

Wall Shelving & Carts..... 70-85

Wall Shelving & Storage Systems.....	72-80
Heavy-Duty Polymer Utility Carts.....	81
Polymer Utility Carts	82-83
Utility Carts.....	84
Heavy-Duty Utility Carts	85

High-Density Storage, Dunnage & Security.....86-105

High-Density Movable Aisle Shelving	88-95
Vertical High-Density Shelving	96
Dunnage Racks & Shelves.....	97-98
Security Storage.....	99-103
Seismic Shelving	104-105

CONTENTS

Heated Cabinets & Racks.....108-165

C5™ Cabinet Line & Accessories	110-149
Heated Banquet Cabinets & Accessories	150-159
Holding/Delivery/Storage Cabinets	160
Mobile Bun and Tray Racks	161-164

Worktables & Service Carts.....166-170

Heavy-Duty Work Tables & Accessories	168-170
Ice Cart	170

Ware Handling172-177

“Poker Chip” Dish Dollies.....	174-175
Side-Load Dish and Tray Carts	176
Ware Handling Racks/Carts & Accessories.....	177

Housekeeping & Specialty.....178-197

Lodgix Housekeeping Carts	180-181
Lodgix Houserunner Carts & Folding Station.....	182
Valet and Amenity Carts & Stations	183-185
Mini Bar Restocking Cart	186-187
Linen Trucks & Carts	188
Totes & Bins.....	189
Beer and Wine Storage & Accessories	190-191
Merchandising	192-197

Alpha-Numeric	198-227
Terms and Conditions	228-230
Index	Inside Back Cover
Locations.....	Back Cover




Superior materials and design for every application.

Engineered for use and abuse.

Robust Steel Corners • Reinforced Center Supports
Durable Finishes • Advanced Polymer Materials • Type 304 Stainless Steel
Easy-to-Adjust in Increments of 1" (25mm)



Microban



MetroMax i®
Unique lifelong performance.



Microban



MetroMax Q®
Quick to clean. Quick to adjust.



Microban



Super Erecta Pro™
Durable & cleanable.
The original—reinnovated.



Microban



Super Erecta®
Genuine Metro—the original wire shelving system.

Super Adjustable Super Erecta™
Shelves adjust with a flip of the release!

	MetroMax i™
Protection	★★★★★
Ease of Cleaning	★★★★★
Ease of Shelf Adjustment	★★★★★
Warranty	★★★★★

	MetroMax Q™
Protection	★★★★★
Ease of Cleaning	★★★★★
Ease of Shelf Adjustment	★★★★★
Warranty	★★★★★

	Super Erecta Pro™
Protection	★★★★
Ease of Cleaning	★★★★★
Ease of Shelf Adjustment	★★★★
Warranty	★★★★

	Super Adjustable Super Erecta™ with Metroseal 3	Super Erecta® with Metroseal 3
Protection	★★	★★
Ease of Cleaning	★★	★★
Ease of Shelf Adjustment	★★★★★	★★★★★
Warranty	★★	★★

A METRO EXCLUSIVE
 Microban®
antimicrobial product protection

*MICROBAN® antimicrobial product protection helps keep shelves “cleaner between cleanings” by inhibiting the growth of mold, mildew, fungus, and bacteria that cause odors and stains on the shelf surface.
MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.

MetroMax i®

“The ultimate storage and handling system with a lifetime guarantee against rust”

MetroMax Q®

“Quick to Clean
Quick to Adjust
Quick to Assemble”

Super Adjustable Super Erecta®

“The easiest to adjust wire shelving system ever”

qwikSLOT™

“Add-A-Shelf,
Remove-A-Shelf...
Instantly”

Super Erecta Pro™

“Durable and Cleanable.
The original — reinnovated.”

Super Erecta®

“The Original Wire Storage and Handling System”

Drop Mat™

“Provides density and containment economically”

Super Erecta® Solid

“A solid performer in the proven Super Erecta style”





POLYMER SHELVING SOLUTIONS

MetroMax iQ® Storage System

iQ System Overview	10-11
How MetroMax i® & MetroMax Q® Integrate	12-13
Build-a-shelf with the iQ Shelving System	14-15
Casters, Pull & Push Handles.....	16-17
Mobile Shelving Units & Utility Carts	18-19
Starter & Add-On Units	20-21
System Accessories	22-28

uniQ^{ue} equation.

i + Q = iQ ... now that's smart.

Uniquely Justifiable

"Budgets are tight . . . so we need to make every dollar last."

MetroMax i[®]
Uniquely Lifelong ...



Uniquely Cleanable

"Removable mats are a must in any industry, so cleanable."

MetroMax Q[®]
Unique Value ...



Uniquely Interchangeable

"We're looking for a smart system that lets us interchange and upgrade components to meet new and changing tasks."

Uniquely Durable

"We needed a system as strong as our Metro racks but with protected surfaces that won't scratch and chip. The polymer shelf mats and posts definitely hold up to all the abuse, plus the mats are really easy to clean."



MetroMax iQ™ Storage System

Interchangeability: MetroMax i® and MetroMax Q® shelves, posts, and most accessories are uniquely interchangeable making the iQ system adaptable to your specific application.

Longer-Life Durability and Performance: Corrosion proof MetroMax i® has an innovative polymer design and the performance of stainless steel at a fraction of the cost. MetroMax Q® has an advanced polymer and epoxy coated steel design that offers superior performance versus wire shelving. All shelves hold as much weight as wire shelves, but also offer protective polymer surfaces for long life and easily removable shelf mats that can be cleaned in a fraction of the time of wire.

Designed with innovative polymers for longer-life product performance, easy-to-clean surfaces to promote a cleaner environment and higher level of safety, interchangeable components for maximum flexibility, interactive on-line tools . . . a truly unique way to improve operational efficiencies, productivity, and ultimately ROI.



Improved Cleanability: iQ System shelves have removable polymer mats that are easily cleaned in sinks, wash or dish machines. Cleaner shelves promote safe environments.

Storage Optimization: iQ System accessories contain, compartmentalize, and organize your stored contents to maximize every square inch of storage space. Smooth polymer components protect fragile packaged items.



We put space to work.™



MetroMax i® Uniquely Lifelong ...

- Corrosion Proof, Lifetime Warranty Against Corrosion
- Polymer Construction with Stainless Steel Corners
- All Polymer Posts
- Removable, Easily Cleanable Polymer Shelf Mats
- Open Grid and Solid Shelves

Interchangeable Posts



Interchangeable Shelves



Selecting system components for your



*"The choice was easy...
Our facility needed the most
cleanable, most durable,
and totally corrosion proof
system available, and
MetroMax i® was all that
and cost efficient."*



*"We put extremely heavy loads
on our MetroMax i Top-Track
system, so we opted for the steel
posts for added rigidity."*

MetroMax Q® Unique Value...

- Quick-to-adjust Shelves Provide Maximum Space Utilization
- Corrosion Resistant, 15 Year Warranty Against Corrosion
- Epoxy Coated Wire Shelf Frames and Posts
- Removable, Easily Cleanable Polymer Shelf Mats
- Open Grid Shelves



Strong.

All shelves are designed with robust steel corners and reinforced center trusses for the strength you need. Shelves up to 48" (1219mm) long hold 800 lbs. (363kg). A four-shelf unit can hold 2,000 lbs. (907kg).



All shelf mats, posts, and touch points have built in Microban® antimicrobial product protection.

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.

application . . . it's a no brainer.



"While outfitting a damp area with shelving, we were able to upgrade our system; all 4 posts are now polymer and the bottom shelf is a Heavy Duty polymer as well . . . the units fit perfectly into our budget and provides long-term value."



"We've typically purchased standard wire shelving, but these days value is a must. Upgrading to MetroMax Q is the perfect balance between price and value. It's easy to clean and resists rust and corrosion, for a longer shelf life."



MetroMax i® Polymer Shelving — 9.20

Standard Shelves

- Part number includes shelf with removable mats and one bag of wedges.

Nominal				Approx.		Cat. No.	List	Approx.		Cat. No.	List
Width		Length		Pkd.	Wt.	Shelf with	Price	Pkd.	Wt.	Shelf with	Price
(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)	Grid Mat	Each	(lbs.)	(kg)	Solid Mat	Each
18	457	24	610	8.7	4.0	MX1824G	133.00	12.7	5.8	MX1824F	150.50
18	457	30	760	10.5	4.7	MX1830G	138.50	14.5	6.6	MX1830F	157.00
18	457	36	914	12.2	5.5	MX1836G	138.50	17.2	7.8	MX1836F	157.00
18	457	42	1060	13.9	5.3	MX1842G	167.00	20.1	9.1	MX1842F	189.00
18	457	48	1220	15.7	7.1	MX1848G	167.00	23.1	10.5	MX1848F	189.00
18	457	54	1372	17.5	7.9	MX1854G	199.00	21.5	9.7	MX1854F	225.00
18	457	60	1524	19.2	8.7	MX1860G	199.00	23.2	10.5	MX1860F	225.00
18	457	72	1829	22.5	10.2	MX1872G	232.50	27.5	12.5	MX1872F	263.50
24	610	24	610	12.2	5.5	MX2424G	165.50	14.2	6.4	MX2424F	187.00
24	610	30	760	13.9	6.3	MX2430G	168.50	15.9	7.2	MX2430F	191.00
24	610	36	914	15.6	7.1	MX2436G	168.50	19.6	8.9	MX2436F	191.00
24	610	42	1060	17.5	7.9	MX2442G	206.00	21.5	9.8	MX2442F	233.00
24	610	48	1220	19.3	8.7	MX2448G	206.00	25.3	11.5	MX2448F	233.00
24	610	54	1372	21.0	9.5	MX2454G	243.50	25.0	11.3	MX2454F	275.50
24	610	60	1524	22.8	10.5	MX2460G	243.50	26.8	12.1	MX2460F	275.50
24	610	72	1829	26.0	11.8	MX2472G	288.00	31.0	14.1	MX2472F	325.50

Actual Dimensions: Width: Add 1/4" (6mm) to nominal size. Length: Subtract 1/4" (6mm) from nominal size.

Heavy-Duty Dunnage Shelves

- Weight capacity per shelf evenly distributed: 1,200 lbs. (544kg) on shelves up to and including 48" (1220mm) long; 900 lbs. (408kg) for shelves 60" (1524mm) long.

Nominal				Approx.		Cat. No.	List	Approx.		Cat. No.	List
Width		Length		Pkd. Wt.		Shelf with	Price	Pkd. Wt.		Shelf with	Price
(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)	Grid Mat	Each	(lbs.)	(kg)	Solid Mat	Each
18	457	36	914	18	8.2	MHP1836G	153.00	22	10.0	MHP1836F	168.50
18	457	48	1220	22	10.0	MHP1848G	182.00	26	11.8	MHP1848F	200.50
18	457	60	1524	26	11.8	MHP1860G	218.00	30	13.6	MHP1860F	241.50
24	610	36	914	21	9.5	MHP2436G	186.00	25	11.3	MHP2436F	209.50
24	610	48	1220	27	12.2	MHP2448G	221.00	31	14.1	MHP2448F	241.50
24	610	60	1524	33	15.0	MHP2460G	266.00	37	16.8	MHP2460F	290.00

(Dunnage shelves are not recommended for use as part of an add-on unit with two posts.)

Polymer Posts

- Corrosion proof with built-in Microban antimicrobial product protection.
- Compatible for use with MetroMax i® and MetroMax Q shelves.
- Stationary posts include an adjustable leveling foot to compensate for uneven floors. Leveling foot can be adjusted 1" (25mm).

Nominal Height (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Stationary Post with Leveling Foot	Cat. No. Mobile Post for Stem Caster	List Price Each
9	228	0.3	0.15	—	MX9UP	23.00
13	370	0.5	0.2	MX13P	MX13UP	26.50
27	685	0.9	0.4	MX27P	MX27UP	35.50
33	875	1.0	0.5	MX33P	MX33UP	39.00
54	1370	1.6	0.7	MX54P	MX54UP	43.50
63	1585	1.8	0.8	MX63P	MX63UP	46.50
74	1890	2.2	1.0	MX74P	MX74UP	53.00
86	2195	3.0	1.4	MX86P	MX86UP	61.50

(Special height cut posts are available. Consult your Metro representative.)



MetroMax i® Replacement Wedges

Bag of (4)
Cat. No. MX9985
List Price 10.10 per bag

MetroMax i® Wedges are not compatible with original MetroMax shelves and posts.



Post Clamp

Adds stability by joining posts of two separate units together. With it, each unit is supported by four posts and buttressed by the adjacent unit.

Cat. No. 9994X
List Price 17.50 each



Foot Plate

Use to add stability to the shelving unit or to bolt units to the floor.

Cat. No. Zinc 9993Z
List Price 12.50 each
Cat. No. Stainless Steel 9993S
List Price 29.00 each

Note: MetroMax i® shelves, posts, and wedges are not compatible with original MetroMax shelves and posts.

MetroMax Q® Shelving — 9.21

Standard Shelves

- Part number includes shelf with removable mats and one bag of wedges.

Width (in.)	Nominal (mm)	Length (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Shelf with Cat. No.	List Price Each
18	457	24	610	6.2	2.8	MQ1824G	88.50
18	457	30	760	8.0	3.6	MQ1830G	93.00
18	457	36	914	9.7	4.4	MQ1836G	93.00
18	457	42	1060	11.4	5.2	MQ1842G	111.50
18	457	48	1220	13.2	6.0	MQ1848G	111.50
18	457	54	1372	15.0	6.8	MQ1854G	133.00
18	457	60	1524	16.7	7.6	MQ1860G	133.00
18	457	72	1829	20.0	9.1	MQ1872G	151.00
21	530	24	610	8.0	3.6	MQ2124G	101.00
21	530	30	760	9.7	4.4	MQ2130G	104.00
21	530	36	914	11.4	5.2	MQ2136G	104.00
21	530	42	1060	12.8	5.8	MQ2142G	122.50
21	530	48	1220	14.5	6.6	MQ2148G	122.50
21	530	54	1372	16.7	7.6	MQ2154G	143.00
21	530	60	1524	18.5	8.4	MQ2160G	143.00
21	530	72	1829	21.7	9.9	MQ2172G	175.00
24	610	24	610	9.7	4.4	MQ2424G	110.50
24	610	30	760	11.4	5.2	MQ2430G	112.50
24	610	36	914	13.1	6.0	MQ2436G	112.50
24	610	42	1060	14.1	6.4	MQ2442G	137.50
24	610	48	1220	15.8	7.1	MQ2448G	137.50
24	610	54	1372	18.5	8.4	MQ2454G	163.00
24	610	60	1524	20.3	9.2	MQ2460G	163.00
24	610	72	1829	23.5	10.7	MQ2472G	190.50

Actual Dimensions: Width: Add 3/8" (10mm) to nominal size. Length: Subtract 3/16" (5mm) from nominal size.



MetroMax Q® shelves that are part of the iQ system have different actual measurements than original MetroMax Q shelves and cannot be mixed on the same shelving units.



Solid Mat Overlays

- Overlays snap onto the open grid mats to create a solid surface.
- Available for 21" (530mm) deep MetroMax Q shelves.
- For 18" (457mm) and 24" (610mm) deep solid shelves, please see Models MX***F on previous page.

Fits Shelf		Approx. Pkd. Wt.		Cat. No.	List Price Each
(in.)	(mm)	(lbs.)	(kg)		
21x24	530x610	0.35	0.16	Q2124SM	34.00
21x30	530x760	0.45	0.20	Q2130SM	35.00
21x36	530x914	0.50	0.23	Q2136SM	36.50
21x42	530x1060	0.60	0.27	Q2142SM	40.50
21x48	530x1220	0.70	0.32	Q2148SM	40.50
21x54	530x1372	0.80	0.36	Q2154SM	48.50
21x60	530x1524	0.90	0.41	Q2160SM	48.50
21x72	530x1829	1.00	0.45	Q2172SM	58.50



Posts

- Epoxy coated steel and polymer posts have Microban antimicrobial product protection.
- Stationary posts include an adjustable leveling foot to compensate for uneven floors. Leveling foot can be adjusted 1" (25mm).
- When mounting a shelving unit to a dolly base, stationary posts are used.

Nominal Height (in.) (mm)		STEEL					POLYMER				
		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Stationary Post with Leveling Foot	Cat. No. Mobile Post for Stem Caster	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Stationary Post with Leveling Foot	Cat. No. Mobile Post for Stem Caster	List Price Each
9	228	0.3	0.15	—	—				—	MX9UP	23.00
13	370	1.0	0.5	MQ13PE	MQ13UPE	22.00	0.5	0.2	MX13P	MX13UP	26.50
27	685	2.0	0.9	MQ27PE	MQ27UPE	26.00	0.9	0.4	MX27P	MX27UP	35.50
33	875	2.5	1.1	MQ33PE	MQ33UPE	29.50	1.0	0.5	MX33P	MX33UP	39.00
54	1370	4.0	1.8	MQ54PE	MQ54UPE	31.00	1.6	0.7	MX54P	MX54UP	43.50
63	1585	4.5	2.0	MQ63PE	MQ63UPE	34.50	1.8	0.8	MX63P	MX63UP	46.50
70	1778	5.0	2.3	—	MQ70UPE	44.00			—	—	
74	1890	5.5	2.5	MQ74PE	MQ74UPE	36.50	2.2	1.0	MX74P	MX74UP	53.00
86	2195	6.5	2.9	MQ86PE	MQ86UPE	42.00	3.0	1.4	MX86P	MX86UP	61.50

(Special height cut posts are available. Consult your Metro representative.)



MetroMax Q® Replacement Wedges
Bag of (4)
Cat. No. **MQ9985**
List Price 10.00 per bag

MetroMax Q® Wedges are compatible with original MetroMax Q shelves and posts.

Go mobile.

Add casters to any shelving unit to add versatility.

MetroMax iQ Stem Casters — 9.25

For use with either MetroMax i polymer or MetroMax Q steel stem caster posts.

- Promotes easy cleaning. Casters allow shelving units to be moved easily for access to floors and walls.
- Efficient Transport: Create a cart to efficiently move supplies throughout a facility or campus.



5PCX



5PCBX



5MPX

Rigid stem casters are often ordered two per unit for improved tracking and handling. Rigid caster channels are provided with each two rigid stem casters at no charge.

Polymer Stem Casters — 9.25

- Corrosion resistant performance: all-polymer horn, stainless steel axel and hardware, 5" (127mm) diameter polyurethane wheel, sleeve-style axle bearing, and an optional toe-operated brake mechanism.
- Models available with antimicrobial product protection built into the tread.
- Load rating of 300 lbs. (135kg) and a temperature range from -20° to 120° F (-29° to 49° C) [continuous].
- Bumpers included.

Wheel Tread	Type	Diameter (in.) (mm)	Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Cat. No. Antimicrobial	List Price Each
Polyurethane	Swivel	5 127	1 1/4 32	2 .9	5PCX	75.50	5PCXM	84.00
Polyurethane	Brake	5 127	1 1/4 32	2 .9	5PCBX	82.50	5PCBXM	90.50
Polyurethane	Rigid*	5 127	1 1/4 32	2 .9	5PCRX	82.50		

Note 1: Optional tread guards (blue) may be ordered by adding "-TG" to the desired model number (eg. 5PC-TG, 5PCB-TG, 5PCR-TG).

Note 2: Stem casters are shipped with donut bumpers at no extra charge.

***Note 3:** Rigid casters are held in place by a connecting channel. When ordering, shelf width **must** be provided.

Note 4: Not suitable for cart wash and autoclave applications.

Standard Stem Casters — 9.25

- Plated caster horns and hardware.
- Swivel, Swivel with Brakes, and Rigid Caster options available.

Type	Wheel Tread	Load Rating (lbs.) (kg)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
Stem/Swivel	Resilient	200 91	2 3/4 1.2	5MX	31.50
Stem/Brake	Resilient	200 91	3 1.4	5MBX	38.00
Stem/Rigid	Resilient	200 91	3 3/4 1.7	5MRX	38.00
Stem/Swivel	Polyurethane	300 135	2 1/4 1.0	5MPX	49.50
Stem/Brake	Polyurethane	300 135	2 1/2 1.1	5MPBX	56.00
Stem/Rigid	Polyurethane	300 135	2 1/4 1.0	5MPRX	56.00
Stem/Swivel	Resilient Donut	250 113	2 1/2 1.1	5MDXA	31.50
Stem/Brake	Resilient Donut	250 113	2 1/2 1.1	5MDBXA	38.00
Stem/Rigid	Resilient Donut	250 113	2 1/2 1.1	5MDRXA	38.00

MetroMax iQ bumpers included.

***Note:** Rigid casters are held in place by a connecting channel. When ordering, shelf width **must** be provided.

Stainless Steel Cart-Washable Stem Casters — 9.25

- Stainless horn, axle, and stem with sealed bearings.

Type	Wheel Tread	Load Rating (lbs.) (kg)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
Stem/Swivel	Polyurethane	300 135	2 1/8 1.0	5MPXGSA	149.00
Stem/Brake	Polyurethane	300 135	2 1/8 1.0	5MPBXGSA	154.00
Stem/Rigid*	Polyurethane	300 135	2 1/8 1.0	5MPRXGSA	154.00

***Note:** Rigid casters are held in place by a connecting channel. When ordering, shelf width **must** be provided.

Interchangeable shelves,
posts, and accessories
provide increased storage
efficiencies.

Handle it.

Adding Stainless Steel handles to shelving puts you in control.

- Use handles on mobile units to improve maneuverability and ergonomics.
- Handles are compatible with MetroMax i® and MetroMax Q® units.
- Corrosion proof Type 304 stainless steel construction offers long lasting performance.



Tri-Lobal Adapters
Included with handles.

Tri-Lobal Adapter
Replacements
Cat. No. **MTLA**
Bag of 4 assemblies
List Price 11.00 each

MTLA adapters are designed to
work with the new MetroMax iQ
Storage System and are not
compatible with original MetroMax.

Extended and Easy-Grip
Handles are compatible with
original MetroMax Q shelves.

Extended Handle — 9.25

Fits Shelf Depth (in.) (mm)	Extension Depth (Post to Edge of Handle) (in.) (mm)	Approx. Pkd. Wt (lbs.) (kg)	i and Q Cat. No.	List Price Each
18 457	4.5 113	2.5 1.1	MEH18S	85.00
21 530	4.5 113	2.6 1.2	MEH21S	87.50
24 610	4.5 113	2.8 1.3	MEH24S	89.50



Easy-Grip Handle — 9.25

Fits Shelf Depth (in.) (mm)	Extension Depth (Post to Edge of Handle) (in.) (mm)	Approx. Pkd. Wt (lbs.) (kg)	i and Q Cat. No.	List Price Each
18 457	6 151	2.5 1.1	MERGH18S	94.00
24 610	6 151	3.0 1.4	MERGH24S	98.50



Swing-up Handle — 9.25

- Ideal for maneuvering heavier loads.

Fits Shelf Depth (in.) (mm)	Extension Depth (Post to Edge of Handle) (in.) (mm)	Approx. Pkd. Wt (lbs.) (kg)	i and Q Cat. No.	List Price Each
24 610	17.75 447	4.5 2.0	MSUH24S	143.00





- Corrosion proof shelves and posts; removable polymer mats.
- Standard Units consist of four shelves, MX63UP posts 63" (1600mm), wedge connectors and choice of resilient rubber or polyurethane casters.
- Approximate cart height — 67⁵/₁₆" (1710mm). Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

MetroMax i® Solid Shelves

Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. 2-Swivel 2-Brake Poly Casters	List Price Each
94	42	X336EFX3	1,025.00
106	48	X356EFX3	1,153.00
118	53	X366EFX3	1,297.00
102	46	X536EFX3	1,161.00
118	53	X556EFX3	1,329.00
134	60	X566EFX3	1,499.00



- Quick adjust shelves with removable polymer shelf mats.
- Standard Units consist of four open grid shelves, MQ63UPE posts 63" (1600mm), wedge connectors, and choice of resilient rubber or polyurethane casters.
- Approximate cart height — $67\frac{5}{16}$ " (1710mm). Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

Nominal Width/Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. 2-Swivel 2-Brake Resilient Rubber Casters	List Price Each	Cat. No. 2-Swivel 2-Brake Poly Casters	List Price Each
18x36	457x914	68	31	Q336BG3	666.00	Q336EG3	742.50
18x48	457x1220	84	38	Q356BG3	723.00	Q356EG3	795.00
18x60	457x1524	100	45	Q366BG3	809.00	Q366EG3	881.00
21x36	530x914	74	34	Q436BG3	693.00	Q436EG3	765.00
21x48	530x1220	90	41	Q456BG3	767.00	Q456EG3	839.00
21x60	530x1524	106	48	Q466BG3	849.00	Q466EG3	921.00
24x36	610x914	80	36	Q536BG3	732.50	Q536EG3	809.50
24x48	610x1220	96	44	Q556BG3	827.00	Q556EG3	899.00
24x60	610x1524	112	51	Q566BG3	929.00	Q566EG3	1,001.00



- 5-tier models with Microban® antimicrobial product protection.
- Standard Units consist of 5 shelves (4 open grid, 1 MetroMax i solid), 74" (1880mm) posts, wedge connectors, and polyurethane casters.
- Approximate cart height — 79⁵/₁₆" (2015mm). Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

i					Q				
Nominal Width/Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		2-Swivel 2-Brake Poly Casters Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)		2-Swivel 2-Brake Poly Casters Cat. No.	List Price Each
18x36	457x914	82	37	5X337EGX3	1,134.00	85	39	5Q337EG3	886.00
18x48	457x1220	109	49	5X357EGX3	1,280.00	111	50	5Q357EG3	992.00
18x60	457x1524	121	55	5X367EGX3	1,444.00	123	56	5Q367EG3	1,114.00
24x36	610x914	102	46	5X537EGX3	1,288.00	104	47	5Q537EG3	998.00
24x48	610x1220	123	56	5X557EGX3	1,480.00	125	57	5Q557EG3	1,140.00
24x60	610x1524	141	63	5X567EGX3	1,672.50	144	65	5Q567EG3	1,284.50

Push ahead.

Give yourself the versatility you need with Metro Utility Carts.

Utility Carts

- Can be used in a variety of unique transport applications.
- Durable materials, ergonomic handles, and premium casters promote long life and ease of use.
- Microban product protection built into the shelf mats, frames, and posts.
- Easier to clean with removable shelf mats.

MetroMax i® Utility Carts

- Corrosion proof shelves, posts, and Type 304 stainless steel handle.
- Corrosion resistant 5PCX casters with 5" (127mm) polyurethane wheels, polymer horns, and stainless steel axles.
- 39¹/₄" (997mm) tall. Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

Nominal Width/Length (in.)	Nominal Width/Length (mm)	Actual Width/Length (in.)	Actual Width/Length (mm)	Description	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
18x30	457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂	516 x 876	2-shelf	35.5	15.8	MXUC1830G-25	829.00
24x36	610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂	668 x 1029	2-shelf	46.0	20.5	MXUC2436G-25	893.50
18x30	457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂	516 x 876	3-shelf	46.0	20.5	MXUC1830G-35	967.50
24x36	610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂	668 x 1029	3-shelf	61.5	27.5	MXUC2436G-35	1,062.00



MetroMax Q® Utility Carts

- Quick adjust corrosion resistant shelves and posts.
- Corrosion proof Type 304 stainless steel handle.
- Includes four 5MPX casters with 5" (127mm) polyurethane wheels.
- 39¹/₄" (997mm) tall. Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

Nominal Width/Length (in.)	Nominal Width/Length (mm)	Actual Width/Length (in.)	Actual Width/Length (mm)	Description	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
18x30	457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂	516 x 876	2-shelf	35.5	15.8	MQUC1830G-25	596.00
24x36	610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂	668 x 1029	2-shelf	46.0	20.5	MQUC2436G-25	639.50
18x30	457x760	20 ⁵ / ₁₆ x 34 ¹ / ₂	516 x 876	3-shelf	46.0	20.5	MQUC1830G-35	689.00
24x36	610x914	26 ⁵ / ₁₆ x 40 ¹ / ₂	668 x 1029	3-shelf	61.5	27.5	MQUC2436G-35	752.00



Helpful Hints

- Configure a cart to your exact needs using a combination of MetroMax i® and Q™ shelves and posts.
- Consider MetroMax i solid shelves when spill containment is required or to protect supplies from dirt during transport.
- A typical utility cart will be configured using 27" (685mm) or 33" (875mm) stem caster posts with 5" (127mm) casters.

Shelves and posts: pages 14-15 Casters: page 16 Handles: page 17



Solid bottom shelf and 5PCX/5PCBX casters pictured



Add-On units with "S" hooks can only be attached to shelves supported by two or more posts.



"S" Hook
Cat. No. **M9995**



Intermediate "S" Hook Kit
Cat. No. **MX9996**



Collar plug fits MetroMax i

"S" Hook

Add on shelving to existing units using two posts instead of four. Kit includes one "S" hook and one corner collar plug. Two kits required per storage level when configuring units end-to-end.

Cat. No. **M9995**
List Price 4.70 each


MetroMax i® Intermediate "S" Hook Kit

Required when joining units at right angles with open corner and no post. Intermediate bracket connects a shelf corner to the front beam of the adjoining shelf. Kit includes one intermediate bracket, two "S" Hooks, and two corner collar plugs. See illustration for quantity required per level.

Cat. No. **MX9996**
List Price 11.10 each

MetroMax i® Shelving Starter and Add-On Units

- Save time and money by eliminating adjacent posts and replacing with "S" hooks.
- Starter Units consist of four posts and indicated number of MetroMax i shelves.
- Add-On Units consist of two posts, indicated number of shelves, and two "S" Hooks per shelf, for attaching shelf to adjacent unit. To attach shelves at right angles, Intermediate "S" Hook Kits must be ordered separately.



Shelving Starter and Add-On Units — Easy Order Guide

5 Shelves
74" (1880mm) Posts

		18" (457mm) Wide		24" (610mm) Wide	
		Starter	Add-On	Starter	Add-On
24"	Cat. No.	5X317GX3	5AX317GX3	5X517GX3	5AX517GX3
(610mm)	List Price Each	877.00	877.00	1,039.50	980.50
Long	Wt. lbs. (kg)	60 (27)	55 (25)	65 (29)	60 (27)
30"	Cat. No.	5X327GX3	5AX327GX3	5X527GX3	5AX527GX3
(760mm)	List Price Each	980.50	845.50	1,054.50	934.00
Long	Wt. lbs. (kg)	65 (29)	60 (27)	80 (36)	75 (34)
36"	Cat. No.	5X337GX3	5AX337GX3	5X537GX3	5AX537GX3
(914mm)	List Price Each	980.50	845.50	1,054.50	1,054.50
Long	Wt. lbs. (kg)	70 (32)	65 (29)	85 (39)	80 (36)
42"	Cat. No.	5X347GX3	5AX347GX3	5X547GX3	5AX547GX3
(1066mm)	List Price Each	1,047.00	988.00	1,242.00	1,183.00
Long	Wt. lbs. (kg)	80 (36)	75 (34)	95 (43)	90 (41)
48"	Cat. No.	5X357GX3	5AX357GX3	5X557GX3	5AX557GX3
(1219mm)	List Price Each	1,047.00	988.00	1,242.00	1,183.00
Long	Wt. lbs. (kg)	90 (41)	85 (39)	105 (48)	100 (45)
60"	Cat. No.	5X367GX3	5AX367GX3	5X567GX3	5AX567GX3
(1524mm)	List Price Each	1,207.00	1,148.00	1,429.50	1,370.50
Long	Wt. lbs. (kg)	110 (50)	105 (48)	115 (52)	110 (50)
72"	Cat. No.	5X377GX3	5AX377GX3	5X577GX3	5AX577GX3
(1825mm)	List Price Each	1,374.50	1,315.50	1,652.00	1,593.00
Long	Wt. lbs. (kg)	125 (57)	120 (54)	145 (66)	140 (64)



Note: "Right Angle" Add-On Units require one additional Intermediate "S" Hook kit per shelf level.

MetroMax Q® Shelving Starter and Add-On Units

- Save time and money by eliminating adjacent posts and replacing with “S” hooks.
- Starter Units consist of four posts and indicated number of MetroMax Q shelves.
- Add-On Units consist of two posts, indicated number of shelves, and two “S” Hooks per shelf, for attaching shelf to adjacent unit. To attach shelves at right angles, Intermediate “S” Hook Kits must be ordered separately.


END-TO-END

“S” Hook Kits (M9995 — qty. 2)




RIGHT ANGLES

Intermediate “S” Hook Kit (Q9995Z — qty. 1)
“S” Hook Kits (M9995 — qty. 1)



COMBINATION

“S” Hook Kit (M 9995 — qty. 3)
Intermediate “S” Hook Kit (MX9996 — qty. 1)



Add-On units with “S” hooks can only be attached to shelves supported by two or more posts.

“S” Hook

Add on shelving using two posts instead of four. Includes one “S” hook. Two kits required per level when configuring units end-to-end.

Cat. No. **M9995** List Price 4.70 each

Note: Collar/hole plug is designed for use with MetroMax i shelves only.



“S” Hook
Cat. No. **M9995**

MetroMax Q® Intermediate “S” Hook Kit

Use when configuring MetroMax Q Starter and Add-On Units at right angles.

Cat. No. **Q9995Z** List Price 5.40 each



Intermediate “S”
Hook Kit
Cat. No. **Q9995Z**

Shelving Starter and Add-On Units — Easy Order Guide

5 Shelves
74" (1880mm) Posts

		18" (457mm) Wide		21" (530mm) Wide		24" (610mm) Wide	
		Starter	Add-On	Starter	Add-On	Starter	Add-On
24" (610mm)	Cat. No.	5Q317G3	5AQ317G3	5Q417G3	5AQ417G3	5Q517G3	5AQ517G3
Long	List Price Each	588.50	569.50	651.00	632.00	698.50	679.50
	Wt. lbs. (kg)	50.4 (23)	40.4 (18)	56.4 (26)	46.4 (21)	56.4 (26)	46.4 (21)
30" (760mm)	Cat. No.	5Q327G3	5AQ327G3	5Q427G3	5AQ427G3	5Q527G3	5AQ527G3
Long	List Price Each	611.00	592.00	666.00	647.00	708.50	679.50
	Wt. lbs. (kg)	57.9 (26)	47.9 (22)	63.1 (29)	53.1 (24)	66.4 (30)	56.4 (26)
36" (914mm)	Cat. No.	5Q337G3	5AQ337G3	5Q437G3	5AQ437G3	5Q537G3	5AQ537G3
Long	List Price Each	611.00	592.00	666.00	647.00	708.50	689.50
	Wt. lbs. (kg)	65.4 (30)	55.4 (25)	70.9 (32)	60.9 (28)	76.4 (35)	65.4 (30)
42" (1066mm)	Cat. No.	5Q347G3	5AQ347G3	5Q447G3	5AQ447G3	5Q547G3	5AQ547G3
Long	List Price Each	703.50	684.50	758.50	739.50	833.50	814.50
	Wt. lbs. (kg)	72.9 (33)	62.9 (29)	82.1 (37)	72.1 (33)	86.4 (39)	78.4 (36)
48" (1219mm)	Cat. No.	5Q357G3	5AQ357G3	5Q457G3	5AQ457G3	5Q557G3	5AQ557G3
Long	List Price Each	703.50	684.50	758.50	739.50	833.50	814.50
	Wt. lbs. (kg)	80.4 (36)	70.4 (32)	89.4 (41)	79.4 (36)	96.4 (44)	86.4 (39)
60" (1524mm)	Cat. No.	5Q367G3	5AQ367G3	5Q467G3	5AQ467G3	5Q567G3	5AQ567G3
Long	List Price Each	811.00	792.00	861.00	842.00	961.00	942.00
	Wt. lbs. (kg)	95.4 (43)	85.4 (39)	106.4 (48)	96.4 (44)	116.4 (53)	106.4 (48)
72" (1825mm)	Cat. No.	5Q377G3	5AQ377G3	5Q477G3	5AQ477G3	5Q577G3	5AQ577G3
Long	List Price Each	901.00	882.00	1,021.00	1,002.00	1,098.50	1,079.50
	Wt. lbs. (kg)	110.4 (50)	100.4 (46)	121.4 (55)	111.4 (51)	136.4 (62)	126.4 (57)



Organize.

Organize supplies to improve operational efficiencies.

- Well-organized storage results in fewer expired supplies and less waste.
- Innovative shelf and accessory designs have smooth surfaces that protect vacuum sealed and other packaged items from damage.
- Flexible compartments help sort supplies for faster access and maximize the use of storage space.


A Dividers **B** Ledges **C** Enclosure Panels **D** Metro Totes **E** Metro Bins



Flexible Compartments

Dividers and Ledges can be used to create flexible compartments that most efficiently use available storage space. When combined with open grid shelves this minimizes dust accumulation.

Bins offer removable compartmentalized storage for easy access or as part of an exchange system. See page 60 for Bin options.



8" (203mm) Shelf Dividers — Standard Duty — 9.25

- i and Q versions available.
- Use to create organized compartments or to simply separate shelf contents.
- Easily repositioned on grid and solid shelves.
- Corrosion proof.

Nominal Length (in.)	(mm)	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	Q Cat. No.	List Price Each
18	457	1.3 0.6	MXD18-8	MQD18-8	20.00
24	610	1.6 0.7	MXD24-8	MQD24-8	22.00

*Note: Can be retrofitted to original MetroMax and MetroMax Q.



Universal 8" (203mm) Shelf Dividers — Light Duty, for open grid shelves — 9.25

- For use with MetroMax i and Q grid shelves, Super Erecta wire shelves, and Super Adjustable wire shelves.
- Maximum flexibility: Can be repositioned along the entire shelf.
- Each divider includes a panel and two clips to connect to any open grid or wire shelf. Does not attach to solid shelves.
- Corrosion proof.

Nominal Length (in.)	(mm)	Fits Shelf Depth	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
18	457	18", 21" (457, 530mm)	1.3 0.6	MUD18-8	20.00
24	610	24" (610mm)	1.6 0.7	MUD24-8	22.00

*Note: Can be retrofitted to original MetroMax and MetroMax Q.

Additional clips: Cat. No **DCLIP**, 2 per bag, List Price 6.00

Shelf-to-Shelf Dividers — 9.25

- Full height dividers efficiently compartmentalize the space between two shelves.
- Smooth surfaces protect packaged items from damage.
- Corrosion proof.
- Compatible with MetroMax i and Q open grid shelves, Super Erecta wire shelves, and Super Adjustable wire shelves. Does not work with solid shelves.

Fits Shelf Depth (in.)	Fits Shelf Depth (mm)	Nominal Depth (in.)	Nominal Depth (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	i and Q Cat. No.	List Price Each
18, 21	457, 530	16	406	2.3	1.0	MD18-16	51.00
18, 21	457, 530	20	508	2.5	1.1	MD18-20	56.50
18, 21	457, 530	24	610	3.8	1.7	MD18-24	62.50
24	610	16	406	2.8	1.2	MD24-16	55.50
24	610	20	508	3.0	1.3	MD24-20	61.00
24	610	24	610	4.4	2.0	MD24-24	66.50

*Note: Can be retrofitted to original MetroMax and MetroMax Q shelves.

*Note: -16 parts have three panels, -20 parts have four panels, -24 parts have five panels.



2" (51mm) Stackable Shelf Ledges — 9.25

- Prevent items from falling off shelves.
- Snap on and off quickly. Easily stacked to contain larger items.
- Corrosion proof.
- Ships assembled.

Nominal Length (in.)	Nominal Length (mm)	Type	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	i Cat. No.	Q Cat. No.	List Price Each
18	457	Side	0.50	0.2	MXLS18-2S	MQLS18-2S	21.00
21	530	Side	0.50	0.2	—	MQLS21-2S	21.50
24	610	Side	0.50	0.2	MXLS24-2S	MQLS24-2S	22.00
24	610	Back	0.50	0.2	MXL24-2S	MQL24-2S	22.00
30	760	Back	0.75	0.3	MXL30-2S	MQL30-2S	24.00
36	914	Back	1.00	0.4	MXL36-2S	MQL36-2S	28.00
42	1066	Back	1.25	0.6	MXL42-2S	MQL42-2S	34.00
48	1219	Back	1.25	0.6	MXL48-2S	MQL48-2S	34.00
54	1370	Back	1.50	0.7	MXL54-2S	MQL54-2S	38.00
60	1524	Back	1.75	0.8	MXL60-2S	MQL60-2S	38.00
72	1829	Back	2.00	0.9	MXL72-2S	MQL72-2S	43.00

*Note: MetroMax i wire ledges can be retrofitted to original MetroMax.

*Note: MetroMax Q wire ledges (MQ-) cannot be retrofitted to original MetroMax Q.



4" (102mm) Solid Clear Stackable Shelf Ledges — 9.26

- Solid design helps contain small items.
- Clear plastic allows light penetration and visible access to supplies.
- Corrosion proof.
- Ships assembled.

Nominal Length (in.)	Nominal Length (mm)	Type	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	i Cat. No.	Q Cat. No.	List Price Each
18	457	Side	0.50	0.2	MXLS18-4P	MQLS18-4P	40.00
21	530	Side	0.50	0.2	—	MQLS21-4P	41.00
24	610	Side	0.50	0.2	MXLS24-4P	MQLS24-4P	42.00
24	610	Back	0.50	0.2	MXL24-4P	MQL24-4P	42.00
30	760	Back	0.75	0.3	MXL30-4P	MQL30-4P	46.00
36	914	Back	1.00	0.4	MXL36-4P	MQL36-4P	53.00
42	1066	Back	1.25	0.6	MXL42-4P	MQL42-4P	64.50
48	1219	Back	1.25	0.6	MXL48-4P	MQL48-4P	64.50
54	1370	Back	1.50	0.7	MXL54-4P	MQL54-4P	72.00
60	1524	Back	1.75	0.8	MXL60-4P	MQL60-4P	72.00

*Note: MetroMax i wire ledges can be retrofitted to original MetroMax.

*Note: MetroMax Q wire ledges (MQ-) cannot be retrofitted to original MetroMax Q.

Note: Not suitable for cart-wash applications.





Contain it.

Efficiently enclose and contain
with Enclosure Panels.

Enclosure Panels — 9.25

- An efficient way of enclosing the sides and back of all shelves in a unit to contain stored contents.
- Slot opening: 3" W x 3 7/8" H.
- Designed to work with MetroMax i® and MetroMax Q® shelves. Mounting clips included.

Use shelf to shelf
dividers with enclosure
panels to create full
height compartments
to organize bulky,
hard-to-handle supplies.

Actual Width/Height (in.)	Actual Width/Height (mm)	Post Height (in.)	Post Height (mm)	For use with (in.)	Shelf Width (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	i and Q Cat. No.	List Price Each
12 3/8 x 51 1/4	315 x 1300	54	1370	18	457	6 1/4	2.8	MEP35E	88.50
12 3/8 x 59 1/4	315 x 1505	63	1600	18	457	7	3.2	MEP36E	92.50
12 3/8 x 71 1/4	315 x 1810	74	1880	18	457	8 3/4	4.0	MEP37E	102.00
18 3/8 x 51 1/4	467 x 1300	54	1370	21, 24	530, 610	9	4.1	MEP55E	95.50
18 3/8 x 59 1/4	467 x 1505	63	1600	21, 24	530, 610	10 3/4	4.7	MEP56E	106.50
18 3/8 x 71 1/4	467 x 1810	74	1880	21, 24	530, 610	11 3/4	5.3	MEP57E	110.00

*Note: Can be retrofitted to original MetroMax and MetroMax Q shelving.

Panels Required to Enclose Both Ends of the Shelving Unit or Cart

Post Height	18" (457mm)	21" (530mm)	24" (610mm)
54" (1370mm)	(2) MEP35E	(2) MEP55E	(2) MEP55E
63" (1600mm)	(2) MEP36E	(2) MEP56E	(2) MEP56E
74" (1880mm)	(2) MEP37E	(2) MEP57E	(2) MEP57E

Configuration Notes

1. Handles and enclosure panels can be used on the same end of the cart. Please note the following details: 21" (530mm) wide units: use the 12 3/8" (315mm) wide panel on the same end as the handle.
2. Top-Track: When using on the ends of a Top-Track mobile unit the enclosure panel must be mounted so that it does not interfere with the overhead tracks. Mobile posts on Top-Track are 74" (1880mm). The standard enclosure panel for 74" (1880mm) posts can be used but must be mounted in a lower position on the unit. As an alternative, the standard panels for a 63" (1600mm) post can be used.




Enclosure Panel

Panels Required to Enclose Back of Shelving Unit or Cart

Post Height	30" (760mm)	36" (914mm)	42" (1066mm)	48" (1219mm)	54" (1370mm)	60" (1524mm)	72" (1825mm)
54" (1370mm)	(2) MEP35E	(1) MEP35E (1) MEP55E	(2) MEP55E	(2) MEP35E (1) MEP55E	(1) MEP35E (2) MEP55E	(3) MEP55E	(1) MEP35E (3) MEP55E
63" (1600mm)	(2) MEP36E	(1) MEP36E (1) MEP56E	(2) MEP56E	(2) MEP36E (1) MEP56E	(1) MEP36E (2) MEP56E	(3) MEP56E	(1) MEP36E (3) MEP56E
74" (1880mm)	(2) MEP37E	(1) MEP37E (1) MEP57E	(2) MEP57E	(2) MEP37E (1) MEP57E	(1) MEP37E (2) MEP57E	(3) MEP57E	(1) MEP37E (3) MEP57E



MetroMax i®
Mounting Clip
Replacements
Cat. No. **RPMX3-RODTAB**



MetroMax Q® Mounting
and Bottom Adapter
Clip Replacements
Cat. No. **RPMQ3-RODTAB**



Label Holders

- Plastic holders snap onto shelf edge to accommodate 1" (25mm) tall adhesive label. Label not included.
- i and Q versions available.
- Optional label holder covers exist for MetroMax Q models. Cover snaps onto the label holder to hold a non-adhesive label in place or to protect any label from dirt and moisture.



MetroMax i® — 9.25

Height: 1" (25mm)

Actual Length (in.) (mm)	Fits Shelf Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Label Holder	List Price Each
4 ¹ / ₂ 114	All	0.03 0.01	9989PX	4.80
11 ⁹ / ₃₂ 285	24 610	0.14 0.06	9989X1	8.50
17 ⁹ / ₃₂ 438	30 760	0.24 0.10	9989X2	10.90
23 ⁹ / ₃₂ 590	36 914	0.30 0.13	9989X3	13.20
29 ⁹ / ₃₂ 742	42 1060	0.35 0.15	9989X4	14.90
35 ⁹ / ₃₂ 895	48 1219	0.40 0.18	9989X5	17.90
41 ⁹ / ₃₂ 1047	54 1370	0.45 0.20	9989X6	19.00



MetroMax i® Label Holder

MetroMax Q® — 9.25

Height: 1¹/₂" (37mm)

Actual Length (in.) (mm)	Fits Shelf Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Label Holder	List Price Each	Cat. No. Label Holder Cover	List Price Each
4 102	All	0.03 0.01	Q04LH	4.70	Q04LHC	4.20
17 ⁵ / ₈ 448	24 610	0.14 0.06	Q24LH	11.00	Q24LHC	7.00
23 ⁵ / ₈ 600	30 760	0.24 0.10	Q30LH	11.00	Q30LHC	7.50
29 ⁵ / ₈ 752	36 914	0.30 0.13	Q36LH	12.10	Q36LHC	7.50
35 ⁵ / ₈ 905	42 1060	0.35 0.15	Q42LH	17.50	Q42LHC	9.80
41 ⁵ / ₈ 1057	48 1219	0.40 0.18	Q48LH	17.50	Q48LHC	9.80
47 ⁵ / ₈ 1210	54 1370	0.45 0.20	Q54LH	20.00	Q54LHC	12.10
53 ⁵ / ₈ 1362	60 1524	0.50 0.22	Q60LH	20.00	Q60LHC	12.10
59 ⁵ / ₈ 1514	72 1825	0.60 0.27	Q72LH	22.50	—	—




MetroMaxQ® Label Holder

Color Shelf Markers — 9.25


- Attach easily to shelf for content identification.
- Use to assign color coding to individual shelf levels, shelving units, carts, or storage areas.
- i and Q versions available.
- 6" (152mm) length.

Shelf Marker Color	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	Q Cat. No.	List Price Each
Blue	0.05 0.02	CSM6-BX	CSM6-BQ	5.40
Green	0.05 0.02	CSM6-GX	CSM6-GQ	5.40
Red	0.05 0.02	CSM6-RX	CSM6-RQ	5.40
Tan	0.05 0.02	CSM6-TX	CSM6-TQ	5.40
White	0.05 0.02	CSM6-WX	CSM6-WQ	5.40
Yellow	0.05 0.02	CSM6-YX	CSM6-YQ	5.40
Gray	0.05 0.02	CSM6-GRX	CSM6-GRQ	5.40



MetroMax i® Color Shelf Marker

uniQue



Super Slide — 9.25

- Designed to fit a 24" (610mm) wide shelf.
- Easily attaches to the shelf frame (under the mats) and is sized to hold 3", 5", 6", and 8" (76, 127, 152, 203mm) tall tote boxes (sold separately).
- MetroMax i® and Q models available.
- Corrosion resistant taupe epoxy finish with Microban antimicrobial product protection.

Width (in.)	Length (mm)	Height (in.)	Height (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	List Price Each	Q Cat. No.	List Price Each
20 ³ / ₈	520	21 ⁵ / ₈	550	10 ¹ / ₄ 260	5 ¹ / ₄ 2	MXSS2E	125.50	MQSS2E 115.50



Undershelf Slide — 9.25

- Available for MetroMax i only.
- Easily attaches to the MetroMax i® shelf frame to allow you create a more versatile storage system.
- Tote box (sold separately) can serve as a drawer on mobile units or utility carts.
- Aluminum finish.

Fits Shelf Width (in.)	Length (mm)	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	List Price Each
18 457	22 ³ / ₄ 578	3 ¹ / ₄ 1.5	BSD2218XA	135.00
24 610	17 ³ / ₄ 451	3 ³ / ₄ 1.7	BSD2224XB	137.50



Adjustable Slides — 9.25

- Slides can be adjusted left to right to accommodate a variety of pan, tray, and container sizes.
- MetroMax i® and Q models available.
- Corrosion resistant taupe epoxy finish with Microban antimicrobial product protection.
- Shelves must be spaced 20" (508mm) apart.
- Can be used in conjunction with 20" (508mm) tall shelf-to-shelf dividers.

Fits Shelf Width (in.)	Type	Approx. Pkd. Wt. (lbs.) (kg)	i Cat. No.	List Price Each	Q Cat. No.	List Price Each
18 457	Adjustable	10 ³ / ₄ 5	MX18SE	123.00	MQ18SE	113.00
24 610	Adjustable	12 ³ / ₄ 6	MX24SE	125.50	MQ24SE	115.50




Can Rack System — 9.25

- Front loading, front dispensing can rack holds eight #10 cans or twelve #5 cans.
- Tough, corrosion resistant taupe epoxy finish with Microban antimicrobial product protection.
- Designed to fit a 24" (610mm) wide shelf.
- Mounts on any MetroMax i® or MetroMax Q shelf.

Width/Length/Height (in.)	Approx. Pkd. Wt. (lbs.) (kg)	i and Q Cat. No.	List Price Each
7 ¹ / ₈ x25 ⁵ / ₁₆ x15 200x643x381	10 4.5	CR24E	106.50

Storage Level Frames — 9.25

- Open four sided frames accommodate drop-in accessories including wire baskets and stainless drying racks.
- Includes corrosion proof MetroMax i® frame and a bag of wedges.



Configuration Chart

QTY to fill out shelf frame.				
FRAME	B1816XE	B1822XE	B2416XE	B2422XE
M4F1836	2			
M4F1842	1	1		
M4F1848		2		
M4F1860	2	1		
M4F1872		3		
M4F2436			2	
M4F2442			1	1
M4F2448				2
M4F2460			2	1
M4F2472				3

Width		Length		Width/Length		Approx. Pkd. Wt.		i and Q	List Price
(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)	Cat. No.	Each
18	457	24	610	18x20	457x510	4 ³ / ₄	2.2	M4F1824	110.50
18	457	30	760	18x26	457x660	6	2.7	M4F1830	117.50
18	457	36	914	18x32	457x810	7	3.2	M4F1836	117.50
18	457	42	1060	18x38	457x965	8 ¹ / ₄	3.8	M4F1842	134.50
18	457	48	1220	18x44	457x1120	9 ¹ / ₂	4.3	M4F1848	134.50
18	457	54	1372	18x50	457x1219	10 ¹ / ₂	4.8	M4F1854	153.50
18	457	60	1524	18x56	457x1370	11 ³ / ₄	5.3	M4F1860	153.50
18	457	72	1829	18x68	457x1725	14	6.4	M4F1872	179.00
24	610	24	610	24x20	610x510	7 ¹ / ₂	3.4	M4F2424	128.00
24	610	30	760	24x26	610x660	9 ¹ / ₂	4.3	M4F2430	134.50
24	610	36	914	24x32	610x810	11 ¹ / ₄	5.1	M4F2436	134.50
24	610	42	1060	24x38	610x965	13 ³ / ₄	6	M4F2442	146.50
24	610	48	1220	24x44	610x1120	15	6.8	M4F2448	146.50
24	610	54	1372	24x50	610x1219	17	7.7	M4F2454	169.50
24	610	60	1524	24x56	610x1370	18 ³ / ₄	8.5	M4F2460	169.50
24	610	72	1829	24x68	610x1725	22 ¹ / ₂	10.2	M4F2472	208.50

Wire Baskets — 9.25

- Conveniently hold small items.
- 9" (229mm) deep.
- Built in storage handles allow easy removal.
- Corrosion resistant taupe epoxy finish.



Width (in.)	Length (mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
18	457	16 406	9 4.1	MB1816XE	103.00
18	457	22 560	10 4.5	MB1822XE	118.00
24	610	16 406	10 4.5	MB2416XE	108.50
24	610	22 560	12 5.5	MB2422XE	124.00

3-sided Frames — 9.25

- 1"x1¹/₂" (25x38mm) structural steel tubing. Includes tri-lobal adapters to attach to posts. (Replacement adapters: Cat. No. MTLA, bag of 4).
- Corrosion resistant taupe epoxy finish.
- Use when configuring work tables or as a 3-sided ledge to contain bulky items.

Width (in.)	Length (mm)	Approx. Pkd. Wt. (lbs.)	(kg)	i and Q Cat. No.	List Price Each
18	457	24 610	11 5	M3TF1824E	93.50
18	457	30 760	12 5.4	M3TF1830E	95.50
18	457	36 914	13 5.7	M3TF1836E	95.50
18	457	48 1220	15 6.6	M3TF1848E	100.50
18	457	60 1524	18 8.2	M3TF1860E	118.00
24	610	24 610	12 5.4	M3TF2424E	99.00
24	610	30 760	13 5.7	M3TF2430E	100.50
24	610	36 914	14 6.4	M3TF2436E	100.50
24	610	48 1220	18 8.2	M3TF2448E	105.50
24	610	60 1524	20 9.1	M3TF2460E	126.50



Dry it.



MetroMax i® Drying Rack Unit — 9.31

- Allows superior air circulation and fast drying of trays, pans, lids, pots and all pot sink items.
- Promotes food safety by eliminating moisture. Offers an efficient organized drying area.
- Includes two drop-ins (Cat. No. DR48S) and one cutting board/tray drying rack (Cat. No. MTR2448XE).

Stationary Unit

Width (in.)	Width (mm)	Length (in.)	Length (mm)	Height (in.)	Height (mm)	Pkd. Wt. (lbs.)	Pkd. Wt. (kg)	i Cat. No.	List Price Each
24	610	48	1219	75½	1917	106	49	PR48X3	1,715.00

Mobile Unit

Width (in.)	Width (mm)	Length (in.)	Length (mm)	Height (in.)	Height (mm)	Pkd. Wt. (lbs.)	Pkd. Wt. (kg)	i Cat. No.	List Price Each
24	610	48	1219	69	1752	106	49	PR48VX3	2,005.00

*Note: Includes two 5PCX swivel casters and two 5PCBX swivel casters with brakes.

Stainless Steel Drop-in Racks — 9.25

- Open wire design provides air flow to safely dry pots, pans, and containers
- To create a storage level with a stainless drop-in order the following:
 - Qty. 1 Drop-in rack
 - Qty. 1 Four-sided MetroMax i® frame
 - Qty. 1 MetroMax i® center beam
- Can be retrofitted to existing MetroMax i® shelves. Simply remove the mats and drop in the stainless drying rack.
- Center beams: RPMX36-CBEAM, RPMX48-CBEAM, RPMX60-CBEAM.

Width (in.)	Width (mm)	Length (in.)	Length (mm)	Height (in.)	Height (mm)	Wire Spacing (in.)	Wire Spacing (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
24	610	33⅞	854	5¼	133	¾	19	9	4.1	DR36S	258.00
24	610	45⅞	1156	5¼	133	¾	19	12	5.4	DR48S	310.00
24	610	57⅞	1458	5¼	133	¾	19	15	6.8	DR60S	371.00


*Note: Can be retrofitted to original MetroMax and MetroMax Q.

Cutting Board and Tray Drying Rack — 9.25

- Rack is mounted to standard MetroMax i® or MetroMax Q shelf.
- Promotes safe air drying of cutting boards and trays.
- 1⅞" (28mm) and 3" (76mm) slide spacing available.

Fits Shelf (in.)	Fits Shelf (mm)	Upright Spacing (in.)	Upright Spacing (mm)	Upright Height (in.)	Upright Height (mm)	Tray Capacity	Pkd. Wt. (lbs.)	Pkd. Wt. (kg)	i and Q Cat. No.	List Price Each
24x36	457x914	1⅞	28	6	150	24	13.5	6.1	MTR2436XE	92.50
24x48	457x1219	1⅞	28	6	150	34	18.0	8.2	MTR2448XE	112.00
24x60	457x1524	1⅞	28	6	150	42	22.5	10.2	MTR2460XE	129.00
24x36	457x914	3	76	6	150	10	9.8	4.4	MTR2436XEA	87.00
24x48	457x1219	3	76	6	150	14	13	5.9	MTR2448XEA	105.50
24x60	457x1524	3	76	6	150	17	16.3	7.4	MTR2460XEA	124.50

*Note: Can be retrofitted to original MetroMax and MetroMax Q.





Order today! Log on to

www.metro.com

locate a sales representative near you.



Not in the USA? Look on the back cover
of your catalog for the contact information you need.

“Let us make your
next purchase easy,
contact your
representative today.”



WIRE AND SOLID SHELVING SOLUTIONS

Super Erecta Pro,TM
Super Adjustable Super Erecta[®]
and Super Erecta[®]

Wire/Polymer Hybrid Shelving	32-35
Easy-Adjust Shelving & Carts	36-39
Wire Shelving, Carts & Trucks.....	40-47
Casters & Accessories for Wire Shelving	48-62
Solid Shelving & Accessories	64-66
Light-Duty Wire Shelving & Accessories	67
Heavy-Duty Solid Shelving & Accessories	68-69

Proven.

Genuine Metro Super Erecta®
The industry standard — innovated and reinnovated.

Super Erecta®
The original
wire shelving
system.

Super Adjustable
Super Erecta™

Shelves adjust with a flip of the release!

NEW

Super Erecta Pro™

Durable & cleanable.
The original — reinnovated.



Progress.

Super Erecta Pro™
Durable & cleanable.
The original — reinnovated.



Epoxy coated Super Erecta-style frames with removable polymer shelf mats.

Stays cleaner between cleanings.

Polymer shelf mats and Metroseal 3 epoxy coated shelf frames and posts have built-in Microban® antimicrobial product protection.



*Microban® antimicrobial product protection helps keep shelves "cleaner between cleanings" by inhibiting the growth of bacteria, mold and mildew that cause odors and stains on the shelf surface. MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.



Easy to clean.

Lift-off mats can be easily removed and washed by hand or in a wash machine.

Prolonged durability.

Polymer shelf mats withstand daily abuse from containers and sharp edges. Robust design provides the strength and rigidity of Super Erecta...holds up to 800 lbs. (363kg) per shelf.



Interchangeable.

Super Erecta Pro shelves can be configured with traditional shelf and accessory options on the same unit for maximum flexibility.

Super Erecta Pro™ Shelving — **10.80**



Super Erecta Pro™ Shelves

Packaging: Shelves are priced individually and packaged no more than 4 per carton except 60" (1524mm) and 72" (1829mm) lengths which are packaged no more than 2 per carton. Plastic split sleeves are included with each shelf.

Nominal Width/Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Super Erecta Pro Metroseal 3	List Price Each
18x24	457x610	6.0	2.7	PR1824NK3	88.50
18x30	457x760	7.8	3.5	PR1830NK3	93.00
18x36	457x914	9.5	4.2	PR1836NK3	93.00
18x42	457x1060	11.3	5.0	PR1842NK3	111.50
18x48	457x1219	13.0	5.8	PR1848NK3	111.50
18x54	457x1372	14.8	6.6	PR1854NK3	133.00
18x60	457x1524	16.5	7.4	PR1860NK3	133.00
18x72	457x1829	19.8	8.8	PR1872NK3	151.00
21x24	530x610	8.0	3.6	PR2124NK3	101.00
21x30	530x760	9.5	4.2	PR2130NK3	104.00
21x36	530x914	11.3	5.0	PR2136NK3	104.00
21x42	530x1060	12.5	5.6	PR2142NK3	122.50
21x48	530x1219	14.3	6.4	PR2148NK3	122.50
21x54	530x1372	16.5	7.4	PR2154NK3	143.00
21x60	530x1524	18.3	8.1	PR2160NK3	143.00
21x72	530x1829	21.5	9.6	PR2172NK3	175.00
24x24	610x610	9.5	4.2	PR2424NK3	110.50
24x30	610x760	11.3	5.0	PR2430NK3	112.50
24x36	610x914	13.0	5.8	PR2436NK3	112.50
24x42	610x1060	14.0	6.3	PR2442NK3	137.50
24x48	610x1219	15.5	6.9	PR2448NK3	137.50
24x54	610x1372	18.3	8.1	PR2454NK3	163.00
24x60	610x1524	20.0	8.9	PR2460NK3	163.00
24x72	610x1829	23.3	10.4	PR2472NK3	190.50

Note: Each Super Erecta Pro™ shelf up to and including 48" (1219mm) long have a maximum weight capacity of 800 lbs. (363kg) evenly distributed. Shelves longer than 48" (1219mm) have a maximum weight capacity of 600 lbs. (363kg) evenly distributed.

Super Erecta with Metroseal 3™ — Standard Shelves

Nominal Width/Length		Approx. Pkd. Wt.		Cat. No. Super Adjustable Metroseal 3	List Price Each	Cat. No. Super Erecta Metroseal 3	List Price Each	Approx. Pkd. Wt.		Cat. No. Dunnage Shelf Metroseal 3	List Price Each
(in.)	(mm)	(lbs.)	(kg)					(lbs.)	(kg)		
18x24	457x610	7	3.2	A1824NK3	80.50	1824NK3	74.50	14	6.3	1824DRK3	187.00
18x30	457x760	8	3.6	A1830NK3	84.50	1830NK3	78.50	18	8.1	1830DRK3	204.50
18x36	457x914	9.5	4.3	A1836NK3	84.50	1836NK3	78.50	21	9.4	1836DRK3	204.50
18x42	457x1060	11	5.0	A1842NK3	100.00	1842NK3	94.00	—			
18x48	457x1219	12	5.4	A1848NK3	100.00	1848NK3	94.00	28	12.6	1848DRK3	238.50
18x54	457x1372	14.5	6.6	A1854NK3	117.50	1854NK3	111.50	—			
18x60	457x1524	17	7.7	A1860NK3	117.50	1860NK3	111.50	34	15.3	1860DRK3	270.00
18x72	457x1829	20	9.1	A1872NK3	133.50	1872NK3	127.50	—			
21x24	530x610	8	3.6	A2124NK3	91.50	2124NK3	85.50				
21x30	530x760	9	4.1	A2130NK3	94.00	2130NK3	88.00				
21x36	530x914	11	5.0	A2136NK3	94.00	2136NK3	88.00				
21x42	530x1060	12	5.4	A2142NK3	109.50	2142NK3	103.50				
21x48	530x1219	14	6.4	A2148NK3	109.50	2148NK3	103.50				
21x54	530x1372	16	7.3	A2154NK3	127.00	2154NK3	121.00				
21x60	530x1524	18	8.2	A2160NK3	127.00	2160NK3	121.00				
21x72	530x1829	24	10.9	A2172NK3	153.50	2172NK3	147.50				
24x24	610x610	9	4.1	A2424NK3	99.00	2424NK3	93.00	16	7.2	2424DRK3	203.50
24x30	610x760	11	5.0	A2430NK3	101.00	2430NK3	95.00	20	9.0	2430DRK3	220.50
24x36	610x914	13	5.9	A2436NK3	101.00	2436NK3	95.00	24	10.8	2436DRK3	220.50
24x42	610x1060	15	6.8	A2442NK3	122.00	2442NK3	116.00	—			
24x48	610x1219	16	7.3	A2448NK3	122.00	2448NK3	116.00	30	13.5	2448DRK3	253.50
24x54	610x1372	19	8.6	A2454NK3	143.50	2454NK3	137.50	—			
24x60	610x1524	21	9.5	A2460NK3	143.50	2460NK3	137.50	37	16.6	2460DRK3	297.00
24x72	610x1829	26	11.8	A2472NK3	167.00	2472NK3	161.00	—			

Super Erecta Pro shelves are also compatible on the same shelving units with the following Super Erecta items:

Solid Shelves page 65
Cantilever Shelves page 45
SmartWall G3 page 72
Post Type Wall Mounts page 79
Direct Mount Shelf Supports page 80
Three sided frames page 55
Enclosure Panels page 54
Security Units page 99
Top Track page 92
qwikTRAK page 90



Actual Dimensions: Width: Add 1/4" (6mm) to nominal size. Length: Subtract 1/4" (6mm) from nominal size.

Super Erecta Pro™ Shelving — 10.80

SiteSelect™ Posts

Stationary Super Erecta SiteSelect posts are fitted with adjustable leveling bolts to compensate for uneven surfaces. Mobile posts come without leveling bolt assembly to accommodate stem casters. Special length posts are available. See page 48 for stem caster options.



Stationary

Height (in.)	Height (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Metroseal 3	List Price Each	Cat. No. Stainless	List Price Each
14 ¹ / ₂	370	1	0.5	13PK3	17.00	13PS	32.00
34 ¹ / ₂	875	2	0.9	33PK3	22.50	33PS	50.50
54 ⁹ / ₁₆	1385	3	1.4	54PK3	24.00	54PS	56.00
62 ⁹ / ₁₆	1590	3 ¹ / ₂	1.6	63PK3	27.50	63PS	63.00
74 ⁵ / ₈	1895	4	1.8	74PK3	30.00	74PS	70.00
86 ⁵ / ₈	2200	5	2.3	86PK3	35.00	86PS	81.00

Mobile

Height (in.)	Height (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Metroseal 3	List Price Each	Cat. No. Stainless	List Price Each
13 ³ / ₄	349	1	0.5	13UPK3	17.00	13UPS	32.00
33 ³ / ₄	857	2	0.9	33UPK3	22.50	33UPS	50.50
53 ¹³ / ₁₆	1366	3	1.4	54UPK3	24.00	54UPS	56.00
61 ¹³ / ₁₆	1570	3 ¹ / ₂	1.6	63UPK3	27.50	63UPS	63.00
69 ³ / ₄	1772	3.8	1.7	70UPK3	36.00	—	—
73 ⁷ / ₈	1876	4	1.8	74UPK3	30.00	74UPS	70.00
85 ⁷ / ₈	2181	5	2.3	86UPK3	35.00	86UPS	81.00

Accessories — 10.81

Note: These accessories are designed to attach to a Super Erecta Pro Shelf. Accessories for basic Super Erecta wire shelves can be found on pages 53-60. For a complete list of compatible accessories for Super Erecta Pro shelves, please refer to spec sheet 10.81 for more information.

“S” Hooks

Eliminates the need for adjacent posts.

Two required for each storage level.

Cat. No. **Q9995Z** List Price 5.40 each

Universal Divider

- Corrosion proof

Nominal Length (in.)	Length (mm)	Fits Shelf Depth	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
18	457	18", 21" (457, 530mm)	1.3	0.6	MUD18-8	20.00
24	610	24" (610mm)	1.6	0.7	MUD24-8	22.00

Shelf-to-Shelf Divider

- Connects between two shelves
- Corrosion proof

Nominal Height (in.)	Height (mm)	Compatible with Shelf Depths (in.)	Compatible with Shelf Depths (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
16	406	18, 21	457, 530	2.3	1.0	MD18-16	51.00
20	508	18, 21	457, 530	2.5	1.1	MD18-20	56.50
24	610	18, 21	457, 530	3.8	1.7	MD18-24	62.50
16	406	24	610	2.8	1.2	MD24-16	55.50
20	508	24	610	3.0	1.3	MD24-20	61.00
24	610	24	610	4.4	2.0	MD24-24	66.50

Color Shelf Marker



- 6" (152mm) Length
- Fits Super Erecta Pro Shelf
- Attach easily to shelf to identify contents stored.

Color	Length (in.)	Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
Blue	6	152	0.05	0.02	CSM6-BQ	5.40
Green	6	152	0.05	0.02	CSM6-GQ	5.40
Red	6	152	0.05	0.02	CSM6-RQ	5.40
Tan	6	152	0.05	0.02	CSM6-TQ	5.40
White	6	152	0.05	0.02	CSM6-WQ	5.40
Yellow	6	152	0.05	0.02	CSM6-YQ	5.40
Gray	6	152	0.05	0.02	CSM6-GRQ	5.40

Label Holders

- Fits Super Erecta Pro Shelf
- Plastic holders snap into place to accommodate 1" (25mm) tall adhesive label.

Cat. No. **Q04LH**
List Price 4.70 each



Reclaim Wasted Space.



**Super Adjustable™
Super Erecta® Shelving**

**Adjust and add shelves
quickly and easily
to reclaim wasted space.**



Super Erecta

**Easy “no-tool”
shelf adjustment**

**1" (25mm)
spacing minimizes
dead space**

**Efficient use of space
allows more storage
levels to be added.**

**Storage efficiency
can increase
by 25% or more**



Super Adjustable
Super Erecta



SUPER ADJUSTABLE SUPER ERECTA® SHELVING

Super Adjustable Wire Shelves — 10.01a 10.10a

Packaging: Wire shelves are priced individually and packaged no more than 4 per carton except 60" (1524mm) and 72" (1829mm) lengths and 30" (760mm) and 36" (914mm) widths, which are packaged no more than 2 per carton. Plastic sleeves and wedges are included with each shelf.

Width/Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
14x24	355x610	6	2.7	A1424NC	64.50	A1424NK3	72.50	A1424NS	189.50
14x30	355x760	7	3.2	A1430NC	66.50	A1430NK3	75.00	A1430NS	196.00
14x36	355x914	8	3.6	A1436NC	66.50	A1436NK3	75.00	A1436NS	196.00
14x42	355x1066	9 1/2	4.3	A1442NC	76.00	A1442NK3	87.50	A1442NS	240.00
14x48	355x1219	10 1/2	4.7	A1448NC	76.00	A1448NK3	87.50	A1448NS	240.00
14x60	355x1524	14	6.3	A1460NC	87.50	A1460NK3	98.00	A1460NS	301.50
14x72	355x1825	17	7.7	A1472NC	99.00	A1472NK3	111.50	A1472NS	338.50
18x24	457x610	7	3.2	A1824NC	68.00	A1824NK3	80.50	A1824NS	237.50
18x30	457x760	8	3.6	A1830NC	69.50	A1830NK3	84.50	A1830NS	240.00
18x36	457x914	9 1/2	4.3	A1836NC	69.50	A1836NK3	84.50	A1836NS	240.00
18x42	457x1066	11	5.0	A1842NC	83.50	A1842NK3	100.00	A1842NS	283.50
18x48	457x1219	12	5.4	A1848NC	83.50	A1848NK3	100.00	A1848NS	283.50
18x54	457x1370	14 1/2	6.6	A1854NC	96.00	A1854NK3	117.50	A1854NS	358.50
18x60	457x1524	17	7.7	A1860NC	96.00	A1860NK3	117.50	A1860NS	358.50
18x72	457x1829	20	9.1	A1872NC	114.50	A1872NK3	133.50	A1872NS	426.00
21x24	530x610	8	3.6	A2124NC	79.00	A2124NK3	91.50	A2124NS	270.50
21x30	530x760	9	4.1	A2130NC	82.00	A2130NK3	94.00	A2130NS	274.00
21x36	530x914	11	5.0	A2136NC	82.00	A2136NK3	94.00	A2136NS	274.00
21x42	530x1066	12	5.4	A2142NC	94.00	A2142NK3	109.50	A2142NS	315.00
21x48	530x1219	14	6.4	A2148NC	94.00	A2148NK3	109.50	A2148NS	315.00
21x54	530x1370	16	7.3	A2154NC	109.50	A2154NK3	127.00	A2154NS	417.00
21x60	530x1524	18	8.2	A2160NC	109.50	A2160NK3	127.00	A2160NS	417.00
21x72	530x1829	24	10.9	A2172NC	129.50	A2172NK3	153.50	A2172NS	493.00
24x24	610x610	9	4.1	A2424NC	84.50	A2424NK3	99.00	A2424NS	291.50
24x30	610x760	11	5.0	A2430NC	87.50	A2430NK3	101.00	A2430NS	295.00
24x36	610x914	13	5.9	A2436NC	87.50	A2436NK3	101.00	A2436NS	295.00
24x42	610x1066	15	6.8	A2442NC	102.00	A2442NK3	122.00	A2442NS	355.50
24x48	610x1219	16	7.3	A2448NC	102.00	A2448NK3	122.00	A2448NS	355.50
24x54	610x1370	18	8.6	A2454NC	119.50	A2454NK3	143.50	A2454NS	433.00
24x60	610x1524	21	9.5	A2460NC	119.50	A2460NK3	143.50	A2460NS	433.00
24x72	610x1829	26	11.8	A2472NC	141.50	A2472NK3	167.00	A2472NS	539.50
30x36	760x914	15	6.8	A3036NC	118.00			A3036NS	387.00
30x48	760x1219	21	9.5	A3048NC	136.50			A3048NS	452.00
30x60	760x1524	26 1/2	11.8	A3060NC	150.00			A3060NS	502.00
30x72	760x1829	31	14.0	A3072NC	180.00			A3072NS	609.50
36x36	910x914	18	8.2	A3636NC	131.50			A3636NS	432.50
36x48	910x1219	23	10.4	A3648NC	154.00			A3648NS	513.50
36x60	910x1524	29	13.1	A3660NC	175.00			A3660NS	595.50
36x72	910x1829	34 1/2	15.4	A3672NC	207.00			A3672NS	707.50

Note: For availability of Super Adjustable Shelving not listed above, contact your Metro representative.

SiteSelect™ Posts — 10.01a 10.10a

Stationary Super Erecta® SiteSelect posts are fitted with adjustable leveling bolts to compensate for uneven surfaces. Mobile posts come without leveling bolt assembly to accommodate stem casters. Special length posts are available.†

STATIONARY									MOBILE								
Height* (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless**	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
7½	191	½	0.3	7P	13.00												
14½	370	1	0.5	13P	15.00	13PK3	17.00	13PS	32.00	1	0.5	13UP	15.00	13UPK3	17.00	13UPS	32.00
27½	699	1¾	0.75	27P	18.00			27PS	45.00	1¾	0.75	27UP	18.00			27UPS	45.00
34½	875	2	0.9	33P	19.00	33PK3	22.50	33PS	50.50	2	0.9	33UP	19.00	33UPK3	22.50	33UPS	50.50
54⅞	1385	3	1.4	54P	22.00	54PK3	24.00	54PS	56.00	3	1.4	54UP	22.00	54UPK3	24.00	54UPS	56.00
62⅞	1590	3½	1.6	63P	23.50	63PK3	27.50	63PS	63.00	3½	1.6	63UP	23.50	63UPK3	27.50	63UPS	63.00
74⅝	1895	4	1.8	74P	25.50	74PK3	30.00	74PS	70.00	3¾	1.7			70UPK3	36.00		
86⅝	2200	5	2.3	86P	32.00	86PK3	35.00	86PS	81.00	4	1.8	74UP	25.50	74UPK3	30.00	74UPS	70.00
96⅝	2454	5½	2.5	***96P	36.50					4.5	2.0	86UP	32.00	86UPK3	35.00	86UPS	81.00

*Height includes leveling bolt and cap.

**Stainless stationary post includes stainless leveling bolt.

***96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.

†Note: Special length posts are available, priced at next higher length plus a cutting charge of \$6.00.

Post lengths to be specified as cut to a round number, ie: 74P cut to 69" (1753mm) ... This will result in an overall post height with adjustment of 69 3/8" (1762mm) to 69 1/8" (1775mm).

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC. Indicates antimicrobial product.



Shelving Starter and Add-On Units

Save time and money by eliminating adjacent posts and replacing with "S" hooks.

- Starter Units consist of four posts and indicated number of Super Adjustable Super Erecta shelves.
- Add-On Units consist of two posts, indicated number of shelves, and two "S" Hooks per shelf, for attaching shelf to adjacent unit.



Replacement "S" Hook

2 are required for each storage level.

Cat. No. **9995Z**

List Price 4.00 each

For additional wire shelves, order from page 37.

Add-on units with "S" hooks can only be attached to shelves supported by two or more posts.



Security "S" Hook


2 are required for each storage level.

Chrome. Cat. No. **H9995C**

List Price 7.70/Bag of 2

Black. Cat. No. **H9995B**

List Price 8.00/Bag of 2



Indicates antimicrobial product.

Shelving Starter and Add-On Units — Easy Order Guide

5 Shelves 74" (1880mm) Posts (74P)		Chrome-Plated						5 Shelves 74" (1880mm) Posts (74PK3)		Metroseal 3 with Microban®					
		18" (457mm) Wide Starter Add-On		21" (530mm) Wide Starter Add-On		24" (610mm) Wide Starter Add-On				18" (457mm) Wide Starter Add-On		21" (530mm) Wide Starter Add-On		24" (610mm) Wide Starter Add-On	
24" (610mm)	List Price Each	5A317C	5AA317C	5A417C	5AA417C	5A517C	5AA517C	5A317K3	5AA317K3	5A417K3	5AA417K3	5A517K3	5AA517K3		
Long	Wt. lbs. (kg)	442.00	430.00	497.00	485.00	524.50	512.50	522.50	501.50	577.50	556.50	615.00	594.00		
		51 (23)	43 (20)	57 (26)	48 (22)	62 (28)	53 (24)	51 (23)	43 (20)	57 (26)	48 (22)	62 (28)	53 (24)		
30" (760mm)	Cat. No.	5A327C	5AA327C	5A427C	5AA427C	5A527C	5AA527C	5A327K3	5AA327K3	5A427K3	5AA427K3	5A527K3	5AA527K3		
	List Price Each	449.50	437.50	512.00	500.00	539.50	527.50	542.50	521.50	590.00	569.00	625.00	604.00		
Long	Wt. lbs. (kg)	58 (26)	50 (23)	64 (29)	56 (25)	71 (32)	62 (28)	58 (26)	50 (23)	64 (29)	56 (25)	71 (32)	62 (28)		
36" (914mm)	Cat. No.	5A337C	5AA337C	5A437C	5AA437C	5A537C	5AA537C	5A337K3	5AA337K3	5A437K3	5AA437K3	5A537K3	5AA537K3		
	List Price Each	449.50	437.50	512.00	500.00	539.50	527.50	542.50	521.50	590.00	569.00	625.00	604.00		
Long	Wt. lbs. (kg)	65 (29)	57 (26)	73 (33)	65 (29)	81 (37)	73 (33)	65 (29)	57 (26)	73 (33)	65 (29)	81 (37)	73 (33)		
42" (1066mm)	Cat. No.	5A347C	5AA347C	5A447C	5AA447C	5A547C	5AA547C	5A347K3	5AA347K3	5A447K3	5AA447K3	5A547K3	5AA547K3		
	List Price Each	519.50	507.50	572.00	560.00	612.00	600.00	620.00	599.00	667.50	646.50	730.00	709.00		
Long	Wt. lbs. (kg)	70 (32)	62 (28)	81 (37)	73 (33)	89 (40)	81 (37)	70 (32)	62 (28)	81 (37)	73 (33)	89 (40)	81 (37)		
48" (1219mm)	Cat. No.	5A357C	5AA357C	5A457C	5AA457C	5A557C	5AA557C	5A357K3	5AA357K3	5A457K3	5AA457K3	5A557K3	5AA557K3		
	List Price Each	519.50	507.50	572.00	560.00	612.00	600.00	620.00	599.00	667.50	646.50	730.00	709.00		
Long	Wt. lbs. (kg)	78 (35)	70 (32)	88 (40)	80 (36)	98 (44)	90 (41)	78 (35)	70 (32)	88 (40)	80 (36)	98 (44)	90 (41)		
60" (1524mm)	Cat. No.	5A367C	5AA367C	5A467C	5AA467C	5A567C	5AA567C	5A367K3	5AA367K3	5A467K3	5AA467K3	5A567K3	5AA567K3		
	List Price Each	582.00	570.00	649.50	637.50	699.50	687.50	707.50	686.50	755.00	734.00	837.50	816.50		
Long	Wt. lbs. (kg)	102 (46)	93 (42)	109 (49)	101 (46)	122 (55)	113 (51)	102 (46)	93 (42)	109 (49)	101 (46)	122 (55)	113 (51)		
72" (1829mm)	Cat. No.	5A377C	5AA377C	5A477C	5AA477C	5A577C	5AA577C	5A377K3	5AA377K3	5A477K3	5AA477K3	5A577K3	5AA577K3		
	List Price Each	674.50	662.50	749.50	737.50	809.50	797.50	787.50	766.50	887.50	866.50	955.00	934.00		
Long	Wt. lbs. (kg)	117 (53)	108 (49)	122 (55)	113 (51)	149 (68)	141 (64)	117 (53)	108 (49)	122 (55)	113 (51)	149 (68)	141 (64)		

Super Adjustable Super Erecta® Stem Caster Carts — 11.01a

- Four- and five-tier models available.
- Consists of Super Adjustable Super Erecta wire shelves.
- 5" (127mm) resilient rubber or polyurethane casters with donut bumpers.
- Super Adjustable Super Erecta shelves allow for quick and easy adjustability.
- Open-wire shelf design minimizes dust and increases air circulation and visibility.
- Strong and versatile. (See Metro Fact below)
- For additional storage levels, Super Adjustable shelves may be added as desired. (See page 37.)

Metro Fact:

Carts with polyurethane casters are designed to hold up to 900 lbs. (408kg). Carts with rubber casters can hold up to 600 lbs. (272kg) of evenly distributed weight. Heavier weight loads should be stored as low as possible on cart for safe maneuverability.



Lift the release at each corner to adjust Super Adjustable shelves at 1" (25mm) increments in seconds.



Super Adjustable Super Erecta® Wire Stem Caster Cart

Use a solid shelf on the lowest levels to protect contents on the bottom of the cart from debris and dripping. (See page 65).

4-Tier Models

With Chrome Shelves and Chrome-Plated Posts

63" (1600mm) Posts — Overall Height 69" (1753mm)

Shelf Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Catalog Number with Casters			
		Two Swivel Two Brake Resilient Rubber Casters	List Price Each	Two Swivel Two Brake Polyurethane Casters	List Price Each
18x36 457x914	60 27	A336BC	510.00	A336EC	583.00
18x48 457x1219	72 32	A356BC	566.00	A356EC	639.00
18x60 457x1524	88 40	A366BC	616.00	A366EC	689.00
21x36 530x914	69 31	A436BC	560.00	A436EC	633.00
21x48 530x1219	81 36	A456BC	608.00	A456EC	681.00
21x60 530x1524	98 44	A466BC	670.00	A466EC	743.00
24x36 610x914	76 34	A536BC	582.00	A536EC	655.00
24x48 610x1219	92 41	A556BC	640.00	A556EC	713.00
24x60 610x1524	112 51	A566BC	710.00	A566EC	783.00

5-Tier Models

With Chrome Shelves and Chrome-Plated Posts

63" (1600mm) Posts — Overall Height 69" (1753mm)

Shelf Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Catalog Number with Casters			
		Two Swivel Two Brake Resilient Rubber Casters	List Price Each	Two Swivel Two Brake Polyurethane Casters	List Price Each
18x36 457x914	60 27	5A336BC	579.50	5A336EC	652.50
18x48 457x1219	72 32	5A356BC	649.50	5A356EC	722.50
18x60 457x1524	88 40	5A366BC	712.00	5A366EC	785.00
21x36 530x914	69 31	5A436BC	642.00	5A436EC	715.00
21x48 530x1219	81 36	5A456BC	702.00	5A456EC	775.00
21x60 530x1524	98 44	5A466BC	779.50	5A466EC	852.50
24x36 610x914	76 34	5A536BC	669.50	5A536EC	742.50
24x48 610x1219	92 41	5A556BC	742.00	5A556EC	815.00
24x60 610x1524	112 51	5A566BC	829.50	5A566EC	902.50

Genuine Quality.

Genuine Metro!



Super Erecta® Shelving System

The original wire storage system.

A storage system that defines the extent of space, Super Erecta's revolutionary concept was fresh and innovative from its start — nearly 30 years ago. It has continued to evolve, with nearly 100 highly specialized accessories, aimed at meeting the diversity of today's challenges.

- Adjustable: Shelves can be repositioned at precise 1" (25mm) increments along the length of the numbered posts.
- Unique Design: Open-wire design minimizes dust accumulation, allows a free circulation of air, and greater visibility of stored items.
- Mobile: Full choice of caster types available for mobile applications.




Metro Fact:

Genuine Metro!

Metro created the original post-based shelving unit in 1965. Still today, Metro Super Erecta Shelving is recognized worldwide as the most popular commercial shelving system ever.

Strong to the Finish.

Shelving Finishes Guide



Wire
& Solid




Type 304 Polished Stainless Steel

Addresses the most aggressive applications and environments. All-stainless solid and wire options exist for high temperature automated cart wash and autoclave applications.



Metroseal 3™ Epoxy

Corrosion resistant finish for wet or high humidity environments with a 12 year warranty against rust and corrosion. Microban antimicrobial is built into the finish to keep the product "cleaner between cleanings".



Chrome Plating

The "real" nickel-chrome finish for dry, low humidity environments. Metro's durable chrome finish includes a protective lacquer coat.



Brite

Economical, chromate finish for dry, low humidity environments. Metro's Brite finish provides the look of chrome and includes a protective lacquer coat.



Standard Epoxy and Designer Finishes

A pleasing aesthetic and basic protection for dry environments.



Shelving Post Guide

Standard Stationary Post with adjustable leveling foot. Stainless models also feature a stainless leveling foot. Use Foot Plates for greater stability.

Standard Stem Caster Mobile Post accepts a Metro stem caster. Use these for the majority of standard duty transport and movable storage applications.

Cart Wash and Autoclave Applications

Swaged stainless post has a fastened aluminum post cap and is specifically designed to withstand high temperatures. See page 48 for part numbers.

Heavy Duty Transport

Staked post attaches to a dolly truck to address abusive transport applications. The reinforced connection between the base receptacle and post provides a more secure connection to the dolly truck. See page 50 for part numbers.



Wire Shelves — 10.01a 10.10a

Packaging: Wire shelves are priced individually and packaged no more than 4 per carton except 60" (1524mm) and 72" (1829mm) lengths and 30" (760mm) and 36" (914mm) widths, which are packaged no more than 2 per carton. Plastic sleeves and wedges are included with each shelf.

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
14x24	355x610	6	2.7	1424BR	49.50	1424NC	58.50	1424NK3	66.50	1424NS	183.50
14x30	355x760	7	3.2	1430BR	53.50	1430NC	60.50	1430NK3	69.00	1430NS	190.00
14x36	355x914	8	3.6	1436BR	53.50	1436NC	60.50	1436NK3	69.00	1436NS	190.00
14x42	355x1066	9½	4.3	1442BR	61.50	1442NC	70.00	1442NK3	81.50	1442NS	234.00
14x48	355x1219	10½	4.7	1448BR	61.50	1448NC	70.00	1448NK3	81.50	1448NS	234.00
14x60	355x1524	14	6.3	1460BR	72.50	1460NC	81.50	1460NK3	92.00	1460NS	295.50
14x72	355x1829	17	7.7	1472BR	85.00	1472NC	93.00	1472NK3	105.50	1472NS	332.50
18x18	457x457	6	2.7	N/A		1818NC	62.00	N/A		N/A	
18x24	457x610	7	3.2	1824BR	59.00	1824NC	62.00	1824NK3	74.50	1824NS	231.50
18x30	457x760	8	3.6	1830BR	60.50	1830NC	63.50	1830NK3	78.50	1830NS	234.00
18x36	457x914	9½	4.3	1836BR	60.50	1836NC	63.50	1836NK3	78.50	1836NS	234.00
18x42	457x1066	11	5.0	1842BR	71.50	1842NC	77.50	1842NK3	94.00	1842NS	277.50
18x48	457x1219	12	5.4	1848BR	71.50	1848NC	77.50	1848NK3	94.00	1848NS	277.50
18x54	457x1370	14½	6.6	1854BR	85.00	1854NC	90.00	1854NK3	111.50	1854NS	352.50
18x60	457x1524	17	7.7	1860BR	85.00	1860NC	90.00	1860NK3	111.50	1860NS	352.50
18x72	457x1829	20	9.1	1872BR	99.00	1872NC	108.50	1872NK3	127.50	1872NS	420.00
21x24	530x610	8	3.6	2124BR	66.00	2124NC	73.00	2124NK3	85.50	2124NS	264.50
21x30	530x760	9	4.1	2130BR	68.00	2130NC	76.00	2130NK3	88.00	2130NS	268.00
21x36	530x914	11	5.0	2136BR	68.00	2136NC	76.00	2136NK3	88.00	2136NS	268.00
21x42	530x1066	12	5.4	2142BR	79.00	2142NC	88.00	2142NK3	103.50	2142NS	309.00
21x48	530x1219	14	6.4	2148BR	79.00	2148NC	88.00	2148NK3	103.50	2148NS	309.00
21x54	530x1370	16	7.3	2154BR	95.00	2154NC	103.50	2154NK3	121.00	2154NS	411.00
21x60	530x1524	18	8.2	2160BR	95.00	2160NC	103.50	2160NK3	121.00	2160NS	411.00
21x72	530x1829	24	10.9	2172BR	115.00	2172NC	123.50	2172NK3	147.50	2172NS	487.00
24x24	610x610	9	4.1	2424BR	70.50	2424NC	78.50	2424NK3	93.00	2424NS	285.50
24x30	610x760	11	5.0	2430BR	72.50	2430NC	81.50	2430NK3	95.00	2430NS	289.00
24x36	610x914	13	5.9	2436BR	72.50	2436NC	81.50	2436NK3	95.00	2436NS	289.00
24x42	610x1066	15	6.8	2442BR	87.50	2442NC	96.00	2442NK3	116.00	2442NS	349.50
24x48	610x1219	16	7.3	2448BR	87.50	2448NC	96.00	2448NK3	116.00	2448NS	349.50
24x54	610x1370	19	8.6	2454BR	107.00	2454NC	113.50	2454NK3	137.50	2454NS	427.00
24x60	610x1524	21	9.5	2460BR	107.00	2460NC	113.50	2460NK3	137.50	2460NS	427.00
24x72	610x1829	26	11.8	2472BR	122.50	2472NC	135.50	2472NK3	161.00	2472NS	533.50
30x36	760x914	15	6.8			3036NC	118.00	3036NK3	140.00	3036NS	387.00
30x48	760x1219	21	9.5			3048NC	136.50	3048NK3	161.00	3048NS	452.00
30x60	760x1524	26½	11.8			3060NC	150.00	3060NK3	183.50	3060NS	502.00
30x72	760x1829	31	14.0			3072NC	180.00	3072NK3	219.50	3072NS	609.50
36x36	910x914	18	8.2			3636NC	131.50	3636NK3	157.50	3636NS	432.50
36x48	910x1219	23	10.4			3648NC	154.00	3648NK3	183.50	3648NS	513.50
36x60	910x1524	29	13.1			3660NC	175.00	3660NK3	216.50	3660NS	595.50
36x72	910x1829	34½	15.4			3672NC	207.00	3672NK3	253.50	3672NS	707.50

Note: With 14" (355mm) shelving, foot plates must be used on freestanding units; on mobile units, maximum post height is 54" (1370mm). It is not recommended to use 14" (355mm) shelving with posts higher than 74" (1880mm).

Note: The actual length of the shelves is ½" (3.2mm) shorter than the nominal dimension shown. The actual depth of the shelves is ½" (3.2mm) greater than the nominal dimension shown.

Note: Metroseal 3 is not cart-washable.

Note: Super Erecta wire shelves up to 24" (610mm) deep and 48" (1219mm) long can hold up to 800 lbs. (363kg) per shelf evenly distributed. Shelves up to 24" deep and longer than 48" (1219mm) can hold up to 600 lbs. (272kg) per shelf evenly distributed.

Note: 30" and 36" (760 and 910mm) deep Super Erecta wire shelves up to 48" (1219mm) long can hold up to 600 lbs. (272kg) per shelf evenly distributed. 30" and 36" (760 and 910mm) deep Super Erecta wire shelves longer than 48" (1219mm) can hold up to 400 lbs. (182kg) per shelf evenly distributed.

SiteSelect™ Posts

— 10.01a 10.10a

Stationary Super Erecta® SiteSelect posts are fitted with adjustable leveling bolts to compensate for uneven surfaces. Mobile posts come without leveling bolt assembly to accommodate stem casters. Special length posts are available.†

STATIONARY										MOBILE							
Height* (in.)	Height* (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each	Approx. Pkd. Wt. (lbs.)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each	
7½	191	½	0.3	7P	13.00												
14½	370	1	0.5	13P	15.00	13PK3	17.00	13PS	32.00	1	0.5	13UP	15.00	13UPK3	17.00	13UPS	32.00
27½	699	1¾	0.75	27P	18.00			27PS	45.00	1¾	0.75	27UP	18.00			27UPS	45.00
34½	875	2	0.9	33P	19.00	33PK3	22.50	33PS	50.50	2	0.9	33UP	19.00	33UPK3	22.50	33UPS	50.50
54¾	1385	3	1.4	54P	22.00	54PK3	24.00	54PS	56.00	3	1.4	54UP	22.00	54UPK3	24.00	54UPS	56.00
62¾	1590	3½	1.6	63P	23.50	63PK3	27.50	63PS	63.00	3½	1.6	63UP	23.50	63UPK3	27.50	63UPS	63.00
74¾	1895	4	1.8	74P	25.50	74PK3	30.00	74PS	70.00	3¾	1.7			70UPK3	36.00		
86¾	2200	5	2.3	86P	32.00	86PK3	35.00	86PS	81.00	4	1.8	74UP	25.50	74UPK3	30.00	74UPS	70.00
96¾	2454	5½	2.5	***96P	36.50					4.5	2.0	86UP	32.00	86UPK3	35.00	86UPS	81.00

*Height includes leveling bolt and cap.

**Stainless stationary post includes stainless leveling bolt.

***96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.

†Note: Special length posts are available, priced at next higher length plus a cutting charge. Post lengths to be specified as cut to a round number, ie: 74P cut to 69" (1753mm) . . . This will result in an overall post height with adjustment of 69¾" (1762mm) to 69½" (1775mm).

These posts come without leveling bolt assembly to accommodate stem casters.

Casters for mobile applications can be found on pages 48 & 49.

Indicates antimicrobial product.

Designer Color Shelving — 10.14

Available in a wide spectrum of colors that complement any decor.

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	STANDARD COLORS				List Price Each	DESIGNER COLORS		List Price Each
				Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	Cat. No. Flame		Cat. No. Designer Colors*		
14x24	355x610	6	2.7	1424NBL	1424NW	1424N-DSG	57.50	1424NF	1424N-D	62.50	
14x30	355x760	7	3.2	1430NBL	1430NW	1430N-DSG	59.50	1430NF	1430N-D	64.50	
14x36	355x914	8	3.6	1436NBL	1436NW	1436N-DSG	59.50	1436NF	1436N-D	64.50	
14x42	355x1066	9½	4.3	1442NBL	1442NW	1442N-DSG	69.00	1442NF	1442N-D	74.00	
14x48	355x1219	10½	4.7	1448NBL	1448NW	1448N-DSG	69.00	1448NF	1448N-D	74.00	
14x60	355x1524	14	6.3	1460NBL	1460NW	1460N-DSG	80.50	1460NF	1460N-D	85.50	
14x72	355x1829	17	7.7	1472NBL	1472NW	1472N-DSG	92.00	1472NF	1472N-D	97.00	
18x18	457x457	6	2.7	1818NBL	1818NW	1818N-DSG	61.00	1818NF	1818N-D	66.00	
18x24	457x610	7	3.2	1824NBL	1824NW	1824N-DSG	61.00	1824NF	1824N-D	66.00	
18x30	457x760	8	3.6	1830NBL	1830NW	1830N-DSG	62.50	1830NF	1830N-D	67.50	
18x36	457x914	9½	4.3	1836NBL	1836NW	1836N-DSG	62.50	1836NF	1836N-D	67.50	
18x42	457x1066	11	5.0	1842NBL	1842NW	1842N-DSG	76.50	1842NF	1842N-D	81.50	
18x48	457x1219	12	5.4	1848NBL	1848NW	1848N-DSG	76.50	1848NF	1848N-D	81.50	
18x54	457x1370	14½	6.6	1854NBL	1854NW	1854N-DSG	89.00	1854NF	1854N-D	94.00	
18x60	457x1524	17	7.7	1860NBL	1860NW	1860N-DSG	89.00	1860NF	1860N-D	94.00	
18x72	457x1829	20	9.1	1872NBL	1872NW	1872N-DSG	107.50	1872NF	1872N-D	112.50	
21x24	530x610	8	3.6	2124NBL	2124NW	2124N-DSG	72.00	2124NF	2124N-D	77.00	
21x30	530x760	9	4.1	2130NBL	2130NW	2130N-DSG	75.00	2130NF	2130N-D	80.00	
21x36	530x914	11	5.0	2136NBL	2136NW	2136N-DSG	75.00	2136NF	2136N-D	80.00	
21x42	530x1066	12	5.4	2142NBL	2142NW	2142N-DSG	87.00	2142NF	2142N-D	92.00	
21x48	530x1219	14	6.4	2148NBL	2148NW	2148N-DSG	87.00	2148NF	2148N-D	92.00	
21x54	530x1370	16	7.3	2154NBL	2154NW	2154N-DSG	102.50	2154NF	2154N-D	107.50	
21x60	530x1524	18	8.2	2160NBL	2160NW	2160N-DSG	102.50	2160NF	2160N-D	107.50	
21x72	530x1829	24	10.9	2172NBL	2172NW	2172N-DSG	122.50	2172NF	2172N-D	127.50	
24x24	610x610	9	4.1	2424NBL	2424NW	2424N-DSG	77.50	2424NF	2424N-D	82.50	
24x30	610x760	11	5.0	2430NBL	2430NW	2430N-DSG	80.50	2430NF	2430N-D	85.50	
24x36	610x914	13	5.9	2436NBL	2436NW	2436N-DSG	80.50	2436NF	2436N-D	85.50	
24x42	610x1066	15	6.8	2442NBL	2442NW	2442N-DSG	95.00	2442NF	2442N-D	100.00	
24x48	610x1219	16	7.3	2448NBL	2448NW	2448N-DSG	95.00	2448NF	2448N-D	100.00	
24x54	610x1370	19	8.6	2454NBL	2454NW	2454N-DSG	112.50	2454NF	2454N-D	117.50	
24x60	610x1524	21	9.5	2460NBL	2460NW	2460N-DSG	112.50	2460NF	2460N-D	117.50	
24x72	610x1829	26	11.8	2472NBL	2472NW	2472N-DSG	134.50	2472NF	2472N-D	139.50	

Note: White epoxy Super Erecta shelves come with white split sleeves.

Note: All Black, Smoked Glass and Designer Super Erecta shelves come with black split sleeves.

Note: Black shelving is NSF listed. White, Smoked Glass, and Designer Colors are not NSF listed.

Posts — 10.14

Height* (in.)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	STATIONARY							MOBILE (FOR STEM CASTERS)									
			Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Flame	Cat.No. Designer Colors*	List Price Each	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Flame	Cat. No. Designer Colors*	List Price Each			
7 ¹ / ₂	191	¹ / ₂	0.3	7PBL	7PW	7P-DSG	12.50	7PF	7P-D	15.50	—	—	—	—	—	—			
14 ¹ / ₂	370	1	0.5	13PBL	13PW	13P-DSG	14.50	13PF	13P-D	17.50	—	—	—	—	—	—			
27 ¹ / ₂	699	1 ³ / ₄	0.75	27PBL	27PW	27P-DSG	17.50	27PF	27P-D	22.00	1 ³ / ₄	0.75	27UPBL	27UPW	27UP-DSG	17.50	27UPF	27UP-D	20.50
34 ¹ / ₂	875	2	0.9	33PBL	33PW	33P-DSG	18.50	33PF	33P-D	21.50	2	0.9	33UPBL	33UPW	33UP-DSG	18.50	33UPF	33UP-D	21.50
54 ⁹ / ₁₆	1385	3	1.4	54PBL	54PW	54P-DSG	21.50	54PF	54P-D	24.50	3	1.4	54UPBL	54UPW	54UP-DSG	21.50	54UPF	54UP-D	24.50
62 ⁹ / ₁₆	1590	3 ¹ / ₂	1.6	63PBL	63PW	63P-DSG	23.00	63PF	63P-D	26.00	3 ¹ / ₂	1.6	63UPBL	63UPW	63UP-DSG	23.00	63UPF	63UP-D	26.00
74 ⁵ / ₈	1895	4	1.8	74PBL	74PW	74P-DSG	25.00	74PF	74P-D	28.00	4	1.8	74UPBL	74UPW	74UP-DSG	25.00	74UPF	74UP-D	28.00
86 ⁵ / ₈	2200	5	2.3	86PBL	86PW	86P-DSG	31.50	86PF	86P-D	34.50	4.5	2.0	86UPBL	86UPW	86UP-DSG	31.50	86UPF	86UP-D	34.50

Standard Colors

Black

White

Smoked Glass

Designer Colors*

Flame (F)

Black Matte (BM)

Hunter Green (HG)

Copper Hammertone (CH)

Silver Hammertone (SH)

*For Designer Colors: BM, HG, CH, SH

*To order a Designer Color, add the appropriate color suffix to the desired catalog numbers above.

Example: 18" x 36" (457 x 914mm) Hunter Green Shelf = 1836N-DHG
74" (1880mm) stationary Hunter Green Post = 74P-DHG.



Post Boot

Post Boots
with *Microban® Product Protection — **10.06**
Patent Pending.
Seals out moisture and protects the post from corrosion in areas where floors are mopped regularly. Easily slips over the bottom 5" (127mm) of a stationary post. Built-in Microban antimicrobial. Use with standard leveling bolt or foot plates. Bags of 4.
Cat. No. **9982GR-4** List Price 17.50/bag



Post Clamp

Post Clamps — **10.06**
Joins units together for maximum strength. Zinc-plated. Cat. No. **9994Z**
List Price 6.30 each
Black. Cat. No. **9994BL**
List Price 6.80 each



Aluminum Split Sleeve

Aluminum Split Sleeves — **10.06**
For high temperature, over the road, or conductive applications. Zinc or stainless steel retainer rings available to secure shelf. One bag required per shelf; 4 pairs per bag.

	Cat. No.	List Price Per Bag
Aluminum Split Sleeves with Zinc Rings	9986Z	9.30
Aluminum Split Sleeves with Stainless Rings	9986S	14.00



Foot Plate

Foot Plates — **10.06**
Use to bolt units to the floor, or when a broader, more stable foot is desired. Zinc. Cat. No. **9993Z**
List Price 12.50 each
Stainless Steel. Cat. No. **9993S**
List Price 29.00 each
Black. Cat. No. **9993BL**
List Price 13.10 each



Black Split Sleeve



White Split Sleeve

Replacement Plastic Split Sleeves — **10.06**
One bag required per shelf; 4 pairs per bag.

	Cat. No.	List Price Per Bag
Black Plastic Split Sleeves	9985	7.10
White Plastic Split Sleeves	9985W	7.00

Note: White post caps and white split sleeves are standard with white designer shelving only.



Glide

Glides — **10.06**
Smooth polymer cover fits over leveling bolt to protect floors. Cat. No. **9991P**
List Price 3.50 each



Decorative Leveling Foot

Decorative Leveling Foot — **10.06**
Decorative alternative for post. Compensates for uneven surfaces. Chrome. Cat. No. **HDFC**
List Price 7.20 each
Black. Cat. No. **HDFB**
List Price 7.20 each



Replacement Super Adjustable Kit

Replacement Super Adjustable Kit
Package includes 4 wedges, 4 sleeves, and 4 corner releases. Cat. No. **SAKITA2**
List Price 8.00 each



Basket Shelf
(Posts sold separately, see page 42)

Basket Shelf — **10.04**

3 1/2" (89mm) deep basket with 400 lb. (182kg) weight capacity. Ideal for containing and displaying smaller items.

Size (in.)	Size (mm)	Cat. No. Chrome	List Price Each	Cat. No. Black	List Price Each
14x36	355x914	—		DD3448A	110.50
14x48	355x1219	—		DD3448B	129.50
18x36	457x914	CC9744A	109.00	CC9744C	111.50
18x48	457x1219	CC9744	127.50	CC9744B	130.50

Super Erecta® Convenience Pak™ — 10.03

- Providing a complete shelving unit in a single box, Convenience Pak shelving is the easy-to-order alternative to separate shelving components.
- Available in Super Erecta Brite, chrome and Metroseal 3 finishes.



Unassembled Convenience Pak™
Each pack includes four shelves with split sleeves and four split posts with leveling feet.



Convenience Pak unit in Chrome finish

Width/Length/Height (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Super Erecta Brite	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each
18x36x74½	457x914x1890	51	23	EZ1836BR-4	357.00	EZ1836NC-4	395.00	EZ1836NK3-4	470.00
18x48x74½	457x1219x1890	63	28.5	EZ1848BR-4	415.00	EZ1848NC-4	439.00	EZ1848NK3-4	538.50
18x60x74½	457x1524x1890	82	37	EZ1860BR-4	462.50	EZ1860NC-4	489.00	EZ1860NK3-4	615.00
24x36x74½	610x914x1890	66	30	EZ2436BR-4	411.50	EZ2436NC-4	460.00	EZ2436NK3-4	543.00
24x48x74½	610x1219x1890	76	34.5	EZ2448BR-4	473.00	EZ2448NC-4	515.00	EZ2448NK3-4	642.00
24x60x74½	610x1524x1890	102	46	EZ2460BR-4	550.00	EZ2460NC-4	585.50	EZ2460NK3-4	730.00


Heavy-Duty Dunnage Shelves — 10.45

Enhance the weight-bearing capacity of your system.

- 36" (914mm) shelf holds 1,600 pounds (725kg) (uniformly distributed); 48" (1219mm) shelves carry up to 1,300 pounds (590kg); 60" (1524mm) shelves bear up to 1,000 pounds (453kg).
- Removable wire mat: 5/16" (7.9mm) diameter wire.
- Support frames: 1" (25mm) square tubing lifts off for easy cleaning.

Width/Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
18x24	457x610	14	6.3	1824DRC	157.00	1824DRK3	187.00	—	—
18x30	457x760	18	8.1	1830DRC	171.50	1830DRK3	204.50	—	—
18x36	457x914	21	9.4	1836DRC	171.50	1836DRK3	204.50	1836DRS	499.50
18x48	457x1219	28	12.6	1848DRC	198.00	1848DRK3	238.50	1848DRS	608.00
18x60	457x1524	34	15.3	1860DRC	228.50	1860DRK3	270.00	1860DRS	714.00
24x24	610x610	16	7.2	2424DRC	171.50	2424DRK3	203.50	—	—
24x30	610x760	20	9.0	2430DRC	187.50	2430DRK3	220.50	—	—
24x36	610x914	24	10.8	2436DRC	187.50	2436DRK3	220.50	2436DRS	547.50
24x48	610x1219	30	13.5	2448DRC	212.50	2448DRK3	253.50	2448DRS	658.50
24x60	610x1524	37	16.6	2460DRC	252.00	2460DRK3	297.00	2460DRS	790.50

Important: In stationary shelving, stability decreases as the ratio of height to width increases and when heavier loads are placed on upper shelves. Shelving stability is attained by keeping units as wide and low as possible, and placing heavy loads low on the shelving unit.



Dunnage Shelf

Cantilever Shelves — 10.06

Adds convenient space above a storage unit. Drop mat design creates a retaining ledge around the entire 12" (305mm) deep shelf. Remember to order rear posts taller than front posts to accommodate these shelves.

Length (in.) (mm)	Approx. Pkd. Wt. Each (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
24 610	4½ 2.0	1224CSNC	57.00	1224CSNBL	1224CSNW	1224CSN-DSG	56.00
30 750	5 2.3	1230CSNC	59.50	1230CSNBL	1230CSNW	1230CSN-DSG	58.50
36 914	5¾ 2.6	1236CSNC	62.00	1236CSNBL	1236CSNW	1236CSN-DSG	61.00
42 1066	6¾ 3.1	1242CSNC	70.00	1242CSNBL	1242CSNW	1242CSN-DSG	69.00
48 1219	7¾ 3.5	1248CSNC	72.00	1248CSNBL	1248CSNW	1248CSN-DSG	71.00
60 1524	9½ 4.3	1260CSNC	83.50	1260CSNBL	1260CSNW	1260CSN-DSG	82.50



Cantilever Shelves

Indicates antimicrobial product.



Wire Stem Caster Cart

Stem Caster Carts — Wire — 11.01

Open-wire shelf design minimizes dust and increases air circulation and visibility. Casters included.

63" (1600mm) Posts — Overall Height 67⁷/₈" (1724mm)

Shelf Width/Length (in.)	Shelf Width/Length (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Super Erecta Brite Finish				Chrome Finish			
			Two Swivel Two Brake Resilient Rubber Casters	List Price Each	Two Swivel Two Brake Polyurethane Casters	List Price Each	Two Swivel Two Brake Resilient Rubber Casters	List Price Each	Two Swivel Two Brake Polyurethane Casters	List Price Each
18x36	457x914	60 27	N336BBR	474.00	N336EBR	547.00	N336BC	486.00	N336EC	559.00
18x48	457x1219	72 32	N356BBR	518.00	N356EBR	591.00	N356BC	542.00	N356EC	615.00
18x60	457x1524	88 40	N366BBR	572.00	N366EBR	645.00	N366BC	592.00	N366EC	665.00
21x36	530x914	69 31	N436BBR	504.00	N436EBR	577.00	N436BC	536.00	N436EC	609.00
21x48	530x1219	81 36	N456BBR	548.00	N456EBR	621.00	N456BC	584.00	N456EC	657.00
21x60	530x1524	98 44	N466BBR	612.00	N466EBR	685.00	N466BC	646.00	N466EC	719.00
24x36	610x914	76 34	N536BBR	522.00	N536EBR	595.00	N536BC	558.00	N536EC	631.00
24x48	610x1219	92 41	N556BBR	582.00	N556EBR	655.00	N556BC	616.00	N556EC	689.00
24x60	610x1524	112 51	N566BBR	660.00	N566EBR	733.00	N566BC	686.00	N566EC	759.00

Stem Caster Carts — Solid — 11.10

- Consist of four shelves, posts, plastic split sleeves, donut bumpers and 5" (127mm) poly casters (2 swivel; 2 brake).
- Strong and versatile
- Solid Shelf Stem Caster Carts feature a 1/8" (3mm) raised "ship's edge" around perimeter of shelves to help contain spillage.

With Four Galvanized Flat Shelves and Chrome-Plated Posts

63" (1600mm) Posts — Overall Height 67⁷/₈" (1724mm)



Solid Stem Caster with galvanized shelves

Shelf Width/Length (in.)	Shelf Width/Length (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
24x36	610x914	100 45	F536EG	755.00
24x48	610x1219	124 56	F556EG	815.00
24x60	610x1524	152 69	F566EG	879.00

Two-Shelf Basket Cart

Each 3¹/₂" (89mm) deep basket keeps items secure.

Customize a basket cart from the following components:

- Page 42 — Mobile posts
- Page 44 — Basket shelves
- Page 48 — Casters



Basket Cart

Super Erecta Trucks — With Super Erecta Chrome Wire Shelves — 11.25

63" (1600mm) Plated Posts and Aluminum Dolly

Consists of four shelves, posts, plastic split sleeves, donut bumpers and 5" (127mm), resilient rubber or poly casters as designated.

Shelf Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Catalog Number with Casters				List Price Each	List Price Each	List Price Each
		Two B5DN Two B5DNB		Two B5P Two B5PB				
24x36 610x914	96 43	N536JC	876.00	N536LC	948.00	N536MC	1,407.00	
24x48 610x1219	118 53	N556JC	960.50	N556LC	1,032.50	N556MC	1,491.50	
24x60 610x1524	142 64	N566JC	1,060.50	N566LC	1,132.50	N566MC	1,591.50	

Overall heights: JC, LC models — 68⁷/₁₆" (1739mm), MC models — 70¹/₁₆" (1800mm).

- JC models: Standard swivel plate casters, two with brake; resilient rubber tread.
- LC models: Standard swivel plate casters, two with brake; polyurethane tread.
- MC models: Larger plate casters; two swivel; one swivel/brake set; polyurethane tread.

Metro Tip:

In applications where thresholds are frequently encountered, Metro Super Erecta Trucks provide durability and increased stability.



Super Erecta Wire Truck

Slanted Shelf Trucks and Carts — 31.05

Shelves slope backwards 2" (51mm) to keep items from falling during transport. Standard-duty carts have four poly stem casters. Heavy-duty trucks are dolly mounted.

Width/Length (in.) (mm)	Height (in.) (mm)	No. Shelves	Castors	Description	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
24x36 610x914	62 ¹ / ₁₆ 1577	3	2-BL6P, 2-6P	Heavy-Duty	140 63	AST35MC	1,852.00
24x48 610x1219	62 ¹ / ₁₆ 1577	3	2-BL6P, 2-6P	Heavy-Duty	162 72.4	AST55MC	1,919.50
24x60 610x1524	62 ¹ / ₁₆ 1577	3	2-BL6P, 2-6P	Heavy-Duty	187 84.1	AST65MC	2,024.50
24x36 610x914	59 ⁷ / ₈ 1521	3	4-Poly Casters	Standard-Duty	105 47.2	AST35DC	981.50
24x48 610x1219	59 ⁷ / ₈ 1521	3	4-Poly Casters	Standard-Duty	125 56.2	AST55DC	1,104.00
24x60 610x1524	59 ⁷ / ₈ 1521	3	4-Poly Casters	Standard-Duty	150 67.5	AST65DC	1,179.00

Additional Slanted Shelves

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each
24x36 610x914	13 6	SLT2436NC	122.50
24x48 610x1219	17 8	SLT2448NC	144.00
24x60 610x1524	22 10	SLT2460NC	155.00

Handles — 11.40

Use on corresponding width Super Erecta units to provide additional maneuverability to dolly carts or stem caster carts. Split sleeves included for attaching to cart.

Length (in.) (mm)	Cat. No. Chrome	Push Handles		List Price Each	Cat. No. Chrome	Extended Handles		List Price Each
		List Price Each	Cat. No. Stainless			List Price Each	Cat. No. Stainless	
14 355	PH14NC	25.50	PH14NS	68.50	EH14NC	30.50	EH14NS	98.50
18 457	PH18NC	29.50	PH18NS	78.50	EH18NC	37.50	EH18NS	118.50
21 530	PH21NC	30.50	PH21NS	86.00	EH21NC	38.50	EH21NS	123.00
24 610	PH24NC	30.50	PH24NS	93.50	EH24NC	38.50	EH24NS	131.50
30 760	PH30NC	37.50			EH30NC	48.00		
36 914	PH36NC	44.00			EH36NC	57.00		

Note: Handles fit unit widths only. Extended handles add 6" (152.4mm) to length of unit.



Push Handle



Extended Handle



5M



5MB

Rigid stem casters are often ordered two per unit for improved tracking and handling. Rigid caster channels are provided with each two rigid stem casters at no charge.

Stem Casters — 11.20

Use with Super Erecta posts and shelves (see pages 37 and 42) to create a mobile shelving unit to meet your special needs. Stem casters are shipped with donut bumper at no additional charge.

Wheel Diameter (in.)	(mm)	Face (in.)	(mm)	Load Rating (lbs.)	(kg)	Type	Wheel Tread	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
4	102	1/2	12	125	56	Stem/Swivel	Resilient	1 1/2	.6	4LD	24.00
5	127	1/2	12	125	56	Stem/Swivel	Resilient	2	.9	5LD	27.50
5	127	1 1/4	32	200	90	Stem/Swivel	Resilient	2 1/2	1.1	5M	31.50
5	127	1 1/4	32	200	90	Stem/Brake	Resilient	2 3/8	1.2	5MB	37.50
5	127	1 1/4	32	200	90	Stem/Rigid	Resilient	3 1/2	1.5	5MR	37.50
5	127	1 1/4	32	250	111	Stem/Swivel	High Modulus Donut	2 1/2	1.1	5MDA	31.50
5	127	1 1/4	32	250	111	Stem/Brake	High Modulus Donut	2 3/8	1.17	5MDBA	37.50
5	127	1 1/4	32	250	111	Stem/Rigid	High Modulus Donut	2 3/8	1.08	5MDRA	37.50
5	127	1 1/4	32	300	135	Stem/Swivel	Polyurethane	2 1/8	.94	5MP	49.50
5	127	1 1/4	32	300	135	Stem/Brake	Polyurethane	2 1/4	1	5MPB	56.00
5	127	1 1/4	32	300	135	Stem/Rigid	Polyurethane	2	.9	5MPR	56.00
6	152	1 1/4	32	300	135	Stem/Swivel	Polyurethane	2 1/4	1.08	6MP	65.50
6	152	1 1/4	32	300	135	Stem/Brake	Polyurethane	2 1/2	.94	6MPB	77.50
6	152	1 1/4	32	300	135	Stem/Rigid	Polyurethane	2 1/4	1	6MPR	77.50

Note 1: Rigid casters are held in position by a connecting channel. When ordering rigid casters, shelf width must be known.

Note 2: Load Height for all 5M and 5MP casters — 6 7/32" ± 1/16" (155 ± 1.5mm).

Note 3: Load Height for 4LD caster — 4 5/8" ± 1/16" (118 ± 1.5mm).

Note 4: Load Height for 5LD caster — 5 5/8" ± 1/16" (143 ± 1.5mm).

Note 5: Brakes are foot-operated.

Polymer Casters — 11.20

Innovative polymer stem casters offer corrosion resistance and enhanced durability. Appropriate for all medium-duty mobile applications. Donut bumpers included.

- All-polymer horn, stainless steel axle and hardware.
- 5" (127mm) diameter polyurethane wheel, sleeve-style axle bearing and an optional toe-operated brake mechanism.



5PC

5PCB

Wheel Tread	Type	Face (in.)	Face (mm)	Load Rating (lbs.)	Load Rating (kg)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Temp Range (continuous)	Cat. No.	List Price Each	Cat. No. Antimicrobial	List Price Each
Polyurethane	Swivel	1 1/4	32	300	135	2	.9	-20°F to 120°F	5PC	75.50	5PCM	84.00
Polyurethane	Brake	1 1/4	32	300	135	2	.9	-20°F to 120°F	5PCB	82.50	5PCBM	90.50
Polyurethane	Rigid	1 1/4	32	300	135	2	.9	-20°F to 120°F	5PCR	82.50		

Note 1: Rigid casters are held in place by a connecting channel. When ordering, shelf depth must be provided.

Stainless Steel Cart-Washable Stem Casters — 11.20

Stem casters are shipped with donut bumpers at no extra charge.



5MDGSA

Wheel Diameter (in.) (mm)	Face (in.) (mm)	Load Rating (lbs.) (kg)	Type	Wheel Tread	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
5 127	1 1/4 32	250 111	Swivel	High Modulus	2 1/2 1.1	5MDGSA	147.00
5 127	1 1/4 32	250 111	Brake	High Modulus Donut	2 5/8 1.17	5MDBGSA	154.50
5 127	1 1/4 32	250 111	Rigid	High Modulus Donut	2 3/8 1.08	5MDRGSA	154.50
5 127	1 1/4 32	300 135	Swivel	Polyurethane	2 1/8 .94	5MPGSA	155.50
5 127	1 1/4 32	300 135	Brake	Polyurethane	2 1/4 1	5MPBGSA	162.00
5 127	1 1/4 32	300 135	Rigid	Polyurethane	2 .9	5MPRGSA	162.00

Note 1: Rigid casters are held in position by a connecting channel. When ordering rigid casters, shelf width must be known.

Note 2: Load Height for all 5MD and 5MP casters — 6 7/32" ± 1/16" (155 ± 1.5mm).

Note 3: All casters are grease sealed with zerk fittings in swivel and axle.

Note 4: Brakes are foot-operated.

Indicates antimicrobial product.

High-temperature Autoclave Stem Casters



5MHTPB

5MHTNB

Type	Wheel Tread	Load Rating (lbs.)	Load Rating (kg)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
Swivel	Hi-temp Phenolic	300	135	2 1/5	1.0	5MHTP	201.50
Brake	Hi-temp Phenolic	300	135	2 4/5	1.3	5MHTPB	215.00
Swivel	Hi-temp Nylon	300	135	2 2/5	1.1	5MHTN	201.50
Brake	Hi-temp Nylon	300	135	3	1.4	5MHTNB	215.00

Note: Casters are temperature rated for up to 300°F (149°C).

See page 42 for posts for Stem Casters.

Swedged Posts — For cart washable and autoclave applications

Each Type 304 stainless post has an aluminum cap swedged into the top of the post. For use with standard stem casters.



Swedged Post

Description	Dimensions (in.)	Dimensions (mm)	Cat. No.	List Price Each
Stem Caster Post	33	875	33UPS-SW	53.50
Stem Caster Post	54	1370	54UPS-SW	59.00
Stem Caster Post	63	1600	63UPS-SW	66.00

Donut Bumpers — 11.40

Diameter (in.) (mm)	Height (lbs.) (kg)	Cat. No.	List Price Each
3 1/2 89	3/4 19	9992DB*	9.00
5 1/2 140	13/16 21	9992N	14.00

*Included with each Super Erecta stem caster as noted on previous page.



Donut Bumper

Decorative Casters — 10.06

- Black nylon housing with non-marking polymer tread.
- 2 1/2" (63mm) models have threaded stem and attach to stationary shelving posts.
- 4" (100mm) casters include threaded insert for use with mobile posts.



HDC5B HDC5BB

Type	Diameter (in.) (mm)	Fits Post Type	Cat. No.	List Price Each
Swivel/Brake	2 1/2 63	Stationary	HDC3BB	11.40
Swivel	4 100	Mobile	HDC5B	24.00
Swivel/Brake	4 100	Mobile	HDC5BB	30.00


Castors shipped with post inserts (as shown left) for adaptability to mobile posts.

The following information is to assist you in the selection of the appropriate caster for your specific application. Remember, the selection of the proper caster is determined by the load requirements, the operating environment, and other special conditions.


Wheel Material	Resistance to Oil & Grease	Rollability	Floor Protection	Noise
Resilient Rubber	Low	Fair	Good	Low
Neoprene	High	Good	Good	Low
Polyurethane	High	Good	Good	Moderate
High Modulus Rubber	High	Good	Good	Low
Conductive	Low	Fair	Good	Low

Caster Tips:

1. The total weight of the equipment and its load should not exceed three times the load rating per caster.
2. Given the same wheel material, the larger the wheel diameter, the greater the load capacity and the better the rollability.
3. Caster mounting patterns affect maneuverability and steering of the equipment.
4. Plate casters generally have wheels of larger diameter and can usually carry more weight and take more abuse than stem casters.
5. Ball bearings and roller bearings in the wheel generally perform better and carry more weight than engineered plastic bearings or sintered metal bearings. Metro stem casters in the 5MP and the 5MDA series have ball bearings in the swivel and the wheel. Most plate casters have ball bearings in the swivel and ball or roller bearings in the wheel.
6. Wheel tread shapes are generally flat, rounded or tapered. Tapered wheels, like donut-shaped wheels, tend to roll more easily. High-modulus donut wheels offer resiliency and mobility, reduce noise, and absorb shock on uneven or rough floors.



For maneuverability, use 4 swivel casters.



For steering control use 2 swivel and 2 rigid casters.

Additional stem and plate casters, in various sizes, are available.

Made-To-Order Truck Dollies (Aluminum)* — 11.37

Select the desired dolly size from chart below and combine with desired plate casters found on page 23 to make your corresponding size Super Erecta unit mobile. For example: D1824NCB, four #B5DN = one 18"x24" (457x610mm) aluminum dolly frame with four 5" (127mm) plate swivel casters.



Dolly Frame

Metro Fact:

Metro dolly frames and stock truck dollies add 3¹/₈" (78mm) to the length of the unit and 3³/₈" (87mm) to the unit width.

Stainless steel frames and stacked posts are recommended for heavy-duty applications.

Truck Dolly Frames

Shelf Width/Length (in.)	Shelf Width/Length (mm)	ALUMINUM				STAINLESS			
		Cat. No. with Corner Bumper	List Price Each	Cat. No. with Wraparound Bumper	List Price Each	Cat. No. with Corner Bumper	List Price Each	Cat. No. with Wraparound Bumper	List Price Each
18x24	457x610	D1824NCB	173.50	D1824NP	268.50	D1824SCB	525.00	D1824SP	623.50
18x30	457x760	D1830NCB	186.50	D1830NP	289.00	D1830SCB	542.00	D1830SP	650.00
18x36	457x914	D1836NCB	192.00	D1836NP	299.00	D1836SCB	563.50	D1836SP	680.00
18x42	457x1066	D1842NCB	204.00	D1842NP	315.00	D1842SCB	581.00	D1842SP	700.00
18x48	457x1219	D1848NCB	205.50	D1848NP	324.50	D1848SCB	602.50	D1848SP	721.50
18x60	457x1524	D1860NCB	235.50	D1860NP	358.00	D1860SCB	638.50	D1860SP	767.00
18x72	457x1825	D1872NCB	280.50	D1872NP	414.50	D1872SCB	677.00	D1872SP	816.50
21x24	530x610	D2124NCB	194.00	D2124NP	295.00	D2124SCB	547.00	D2124SP	652.50
21x30	530x760	D2130NCB	200.50	D2130NP	308.50	D2130SCB	558.50	D2130SP	672.50
21x36	530x914	D2136NCB	207.50	D2136NP	322.50	D2136SCB	584.00	D2136SP	701.50
21x42	530x1066	D2142NCB	220.00	D2142NP	333.00	D2142SCB	607.50	D2142SP	727.50
21x48	530x1219	D2148NCB	224.00	D2148NP	346.50	D2148SCB	624.50	D2148SP	754.00
21x60	530x1524	D2160NCB	245.00	D2160NP	373.50	D2160SCB	658.50	D2160SP	797.00
21x72	530x1825	D2172NCB	269.00	D2172NP	415.50	D2172SCB	764.50	D2172SP	914.00
24x24	610x610	D2424NCB	192.00	D2424NP	296.00	D2424SCB	541.00	D2424SP	649.00
24x30	610x760	D2430NCB	203.00	D2430NP	308.50	D2430SCB	565.00	D2430SP	680.00
24x36	610x914	D2436NCB	206.50	D2436NP	317.00	D2436SCB	581.00	D2436SP	700.00
24x42	610x1066	D2442NCB	220.00	D2442NP	332.00	D2442SCB	602.50	D2442SP	718.00
24x48	610x1219	D2448NCB	222.50	D2448NP	343.50	D2448SCB	620.00	D2448SP	750.50
24x60	610x1524	D2460NCB	245.00	D2460NP	373.50	D2460SCB	655.50	D2460SP	797.00
24x72	610x1825	D2472NCB	296.00	D2472NP	438.00	D2472SCB		D2472SP	907.50

Note 1: Replacement wraparound bumper kits are available. See your Metro representative for details.

Note 2: "Made To Order Dollies" are non-returnable.

Note 3: Maximum load capacity for dollies is 1,000 lbs. (454kg), depending on caster selection.

Stock Truck Dollies — 11.36

These are aluminum dollies with a single catalog number for frame and casters with wraparound bumper. Use with Super Erecta Shelving and posts to create mobile carts for higher weight capacities. See specific plate caster load ratings (page 51) to determine appropriate stock truck dolly.

Shelf Width/Length (in.)	Shelf Width/Length (mm)	Casters	Cat. No.	List Price Each	Shelf Width/Length (in.)	Shelf Width/Length (mm)	Casters	Cat. No.	List Price Each
24x36	610x914	Two B5DN/Two B5DNB	D53JN	456.00	24x48	610x1219	Two 8P/Two BL8P	D55PN	1,095.50
24x48	610x1219	Two B5DN/Two B5DNB	D55JN	482.50	24x60	610x1524	Two 8P/Two BL8P	D56PN	1,125.50
24x60	610x1524	Two B5DN/Two B5DNB	D56JN	512.50	24x48	610x1219	Two C8DA/Two C8DSL*	D55PSLN	840.50
24x36	610x914	Two 6P/Two BL6P	D53MN	987.00	24x60	610x1524	Two C8DA/Two C8DSL*	D56PSLN	870.50
24x48	610x1219	Two 6P/Two BL6P	D55MN	1,013.50					
24x60	610x1524	Two 6P/Two BL6P	D56MN	1,043.50					

*Swivel Lock.

Note: Replacement wraparound bumper kits are available. See your Metro representative for details.



Staked Post

Staked Posts — For use with Truck Dollies

Each post connects to a truck dolly through the stem receptacle. The stem receptacles are staked into the bottom of these posts to ensure a durable connection in abusive applications.

Height* (in.)	Height* (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
54 ⁹ / ₁₆	1385	3 1.4	54P-STKD	28.00	54PS-STKD	62.00
62 ⁹ / ₁₆	1590	3 ¹ / ₂ 1.6	63P-STKD	29.50	63PS-STKD	69.00
74 ⁵ / ₈	1895	4 1.8	74P-STKD	31.50	74PS-STKD	76.00

*Height includes leveling bolt and cap.



Stock Dolly

Pitched Aluminum Dust Cover — 11.37

For "Made-To-Order" dollies, these covers act as a barrier between the floor and the bottom shelf of cart for cleanliness. These covers are factory-assembled and must be ordered with desired dolly frame.

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
24x36	610x914	7 3.2	DCT2436N	136.00
24x42	610x1066	7 3.2	DCT2442N	154.00
24x48	610x1219	8 3.6	DCT2448N	177.50
24x60	610x1524	8 3.6	DCT2460N	208.50
24x72	610x1825	8 3.6	DCT2472N	231.50



Pitched Aluminum Dust Cover

Plate Casters — 11.37

Use in conjunction with Metro “Made-To-Order” truck dollies to assemble a mobile base appropriate for your needs.

Diameter (in.) (mm)		Wheel Face (in.) (mm)		Load Rating (lbs.) (kg)		Load Weight Each (lbs.) (kg)		Type	Wheel Tread	Cat. No.	List Price Each
5	125	1 3/8	35	225	101	2 1/8	.99	Swivel	Donut Neoprene	B5DN	31.50
5	125	1 3/8	35	225	101	2 1/4	1	Brake	Donut Neoprene	B5DNB	38.00
5	125	1 3/8	35	225	101	2	.9	Rigid	Donut Neoprene	B5DNR	31.50
5	125	1 1/4	31	300	135	2 1/8	.99	Swivel	Polyurethane	B5P	49.50
5	125	1 1/4	31	300	135	2 1/4	1	Brake	Polyurethane	B5PB	56.00
5	125	1 1/4	31	300	135	2	.9	Rigid	Polyurethane	B5PR	49.50
5	125	2	51	500	225	8	3.6	Swivel	Polyurethane	C5P	87.50
5	125	2	51	500	225	8 1/4	3.7	Brake	Polyurethane	C5PB	95.50
5	125	2	51	500	225	8	3.63	Rigid	Polyurethane	C5PR	87.50
6	152	2	51	400	181	8	3.63	Swivel	Hi-Modulus Donut	C6DA	96.50
6	152	2	51	400	181	8	3.63	Swivel/Brake	Hi-Modulus Donut	C6DBA	102.00
6	152	2	51	400	181	8	3.63	Rigid	Hi-Modulus Donut	C6DRA	96.50
6	152	2	51	400	181	8	3.63	Swivel/Lock	Hi-Modulus Donut	C6DSLA	139.50
8	203	2	51	450	204	9	4.08	Swivel	Hi-Modulus Donut	C8DA	109.00
8	203	2	51	450	204	9	4.08	Swivel/Brake	Hi-Modulus Donut	C8DBA	115.00
8	203	2	51	450	204	9	4.08	Rigid	Hi-Modulus Donut	C8DRA	109.00
8	203	2	51	450	204	9	4.08	Swivel/Lock	Hi-Modulus Donut	C8DSLA	139.50
6	150	2	51	500	225	4 3/4	2.1	Swivel	Polyurethane	C6P	96.50
6	150	2	51	500	225	4 7/8	2.2	Brake	Polyurethane	C6PB	102.00
6	150	2	51	500	225	3 1/2	1.6	Rigid	Polyurethane	C6PR	96.50
6	150	2	51	500	225	5	2.3	Swivel/Lock	Polyurethane	C6PS/L-LH	117.50
8	200	2	51	700	315	5 3/4	2.6	Swivel	Polyurethane	C8P	103.00
8	200	2	51	700	315	5 7/8	2.65	Brake	Polyurethane	C8PB	110.00
8	200	2	51	700	315	4 1/2	2	Rigid	Polyurethane	C8PR	103.00
8	200	2	51	700	315	6	2.7	Swivel/Lock	Polyurethane	C8PS/L-LH	125.50

Note 1: Brakes are foot-operated.

Note 2: 8" (200mm) casters should not be used on units less than 21" (530mm) wide.

Note 3: Swivel lock casters are set diagonally on the left-hand sides when dolly mounted.

Load Heights: B5 Series — 6 1/4" (159mm)
(± 1/16") (± 1.6mm)

C5 Series — 6 1/2" (165mm)
C6 Series — 7 1/2" (190mm)
C8 Series — 9 1/2" (241mm)

6P Series — 7 7/8" (200mm)
8P Series — 9 13/16" (249mm)



B5DNB with Wheel Brake



B5P Polyurethane

Stainless Steel Cart-Washable Plate Casters — 11.37

Wheel Diameter (in.) (mm)		Face (in.) (mm)		Load Rating (lbs.) (kg)		Weight Each (lbs.) (kg)		Type	Wheel Tread	Cat. No.	List Price Each
5	125	1 1/4	31	300	135	2 1/8	.99	Swivel	Polyurethane	B5PGSA	153.50
5	125	1 1/4	31	300	135	2 1/4	1	Brake	Polyurethane	B5PBGSA	160.00
5	125	1 1/4	31	300	135	2	.9	Rigid	Polyurethane	B5PRGSA	158.50
6	150	1 1/2	38	600	270	4 3/4	2.1	Swivel	Polyurethane	C6PGSA	201.00
6	150	1 1/2	38	600	270	4 7/8	2.2	Brake	Polyurethane	C6PBGSA	207.00
6	150	1 1/2	38	600	270	3 1/2	1.6	Rigid	Polyurethane	C6PRGSA	201.00
8	200	1 1/2	38	800	360	5 3/4	2.6	Swivel	Polyurethane	C8PGSA	212.50
8	200	1 1/2	38	800	360	5 7/8	2.65	Brake	Polyurethane	C8PBGSA	219.50
8	200	1 1/2	38	800	360	4 1/2	2	Rigid	Polyurethane	C8PRGSA	212.50

See above notes for important specification information.



B5PGSA

Dolly Adaptor Kits

When ordering a new dolly frame for use with MetroMax iQ, include Mounting Bolt Kit **DMK-2X** List Price 8.00 each (one per dolly frame) on order.

See page 49 for additional specifications and appropriate parameters for all types of Metro casters.

General Guidelines for Metro Carts Used in Over-the-Road Applications

For applications where carts are loaded on to or off of trucks for transportation, and/or where thresholds exceeding 3/8" in height are repeatedly encountered:

- A dolly is recommended for maximum useful life.

- Casters of at least 6" diameter are recommended. Consideration should be given to the shock absorbing ability of the caster wheel, but selection will need to be based upon the specifics of the application.
- Aluminum split sleeves and staked posts should be used.

- Weight load should be limited to approximately 750 lbs. depending on the specifics of the application.

Consult your Metro representative with the details of the Over-the-Road application. Each application is unique, and the preceding points are intended only as general guidelines.

Brake Lock/Swivel Lock Combination Casters — 11.70

Patented, foot-operated design enables a single pair of casters to serve as swivel, rigid or brake casters. Conveniently positioned on the dolly, not on the wheels, the downward pressure pedals prevent scuffing of shoes.



Brake Lock/Swivel Lock combination casters

- **How It Works**
Brake lock/swivel lock caster sets are operated by two separate foot pedals. One pedal locks the two wheels in a rigid position or releases them to swivel; the other pedal engages and releases brakes on the same two wheels.
- **Convenient**
Pedals are on the dolly, not the wheels, making operation more convenient. Downward pressure on the pedals save shoes from scuffing.
- **Casters**
Long wearing polyurethane. Resists abrasion. Non-marking, shock absorbing. Wheels are available in 6" (152mm) and 8" (203mm) size.
- **Recommended Caster Selection**
Two swivel casters at one end and brake/swivel lock set at the other end. Other caster combinations can be used, however, including brake/swivel lock sets at both ends. Wraparound bumper recommended.

Type	Wheel Diameter (in.) (mm)		Face (in.) (mm)		For Use With	Load Rating (lbs.) (kg)		Weight (lbs.) (kg)		Cat. No.	List Price Each
*Brake/Lock	6	152	2	51	24" (610mm) Deep Dolly and 6P Caster	600	272	7 ¹ / ₄	3.3	BL6P24	383.00
*Brake/Lock	8	203	2	51	24" (610mm) Deep Dolly and 8P Caster	600	272	9	4.1	BL8P24	428.00
Swivel	6	152	2	51	BL6P24 Brake/Lock Set	600	272	5 ¹ / ₄	2.3	6P	143.50
Rigid	6	152	2	51	6P Swivel Caster	600	272	5	2.26	6PR	143.50
Swivel	8	203	2	51	BL8P24 Brake/Lock Set	600	272	6 ¹ / ₂	2.9	8P	162.00
Rigid	8	203	2	51	8P Swivel Caster	600	272	6	2.7	8PR	162.00

*Above part numbers include the brake/lock mechanism with two casters. Order dolly separately (see page 28). In addition order either two 6P or two 8P casters.
Example: (1) D2436NP and (1) BL6P24 or (1) BL8P24 and two 6P or two 8P.



Tow Bar Assembly

Tow Bar Assembly — 11.70

Attaches to underside of dolly to facilitate transport of dolly carts in tandem. Must be factory assembled and ordered with desired dolly frame (see page 50).

Length (in.) (mm)	Cat. No.	List Price Each
48 1219	TBA48	479.00

Note: "C" plate caster must be used with Tow Bar Assembly. Tow Bar Assembly for use with 24" (610mm) units only.

Note: Number of carts to be towed, weight on carts, and towing route affect operation of tow bar assembly. **Before ordering, contact your Metro representative.**

Tow Bar Assembly not appropriate for use with Brake Lock/Swivel Lock system.



Push Handle



Extended Handle

Handles — 11.40

Use on corresponding width Super Erecta units to provide additional maneuverability to dolly carts or stem caster carts. Split sleeves included for attaching to cart.

Push Handles					Extended Handles			
Length (in.) (mm)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
14 355	PH14NC	25.50	PH14NS	68.50	EH14NC	30.50	EH14NS	98.50
18 457	PH18NC	29.50	PH18NS	78.50	EH18NC	37.50	EH18NS	118.50
21 530	PH21NC	30.50	PH21NS	86.00	EH21NC	38.50	EH21NS	123.00
24 610	PH24NC	30.50	PH24NS	93.50	EH24NC	38.50	EH24NS	131.50
30 760	PH30NC	37.50			EH30NC	48.00		
36 914	PH36NC	44.00			EH36NC	57.00		

Note: Handles fit unit widths only. Extended handles add 6" (152.4mm) to length of unit.

Shelf Dividers for Super Erecta Shelves — 10.04

Keep shelf contents orderly with these 8" (203mm) high, pressure-fit dividers.

Shelf Width (in.)	Shelf Width (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each	Cat. No. Designer Colors	List Price Each
14	355	1.8	0.8	DD14C	DD14BL	DD14W	DD14-DSG	18.50	DD14K3	22.00	DD14S	54.50	DD14-D	20.50
18	457	2.25	1.0	DD18C	DD18BL	DD18W	DD18-DSG	21.50	DD18K3	26.50	DD18S	63.00	DD18-D	23.50
21	530	2.5	1.1	DD21C	DD21BL	DD21W	DD21-DSG	24.00	DD21K3	29.50	DD21S	70.00	DD21-D	26.00
24	610	2.75	1.3	DD24C	DD24BL	DD24W	DD24-DSG	28.50	DD24K3	35.50	DD24S	76.50	DD24-D	30.50
30	760	3.25	1.5	DD30C	DD30BL	DD30W	DD30-DSG	33.50			DD30S	93.50		
36	914	3.75	1.7	DD36C	DD36BL	DD36W	DD36-DSG	40.50			DD36S	112.50		

Universal 8" (203mm) Shelf Dividers — Light Duty — 9.25

Each divider includes a panel and two clips to connect to any Super Erecta or Super Adjustable wire self. Corrosion proof.

Nominal Length (in.)	Nominal Length (mm)	Fits Shelf Depth	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
18	457	18", 21" (457, 530mm)	1.3	0.6	MUD18-8	20.00
24	610	24" (610mm)	1.6	0.7	MUD24-8	22.00

Shelf-to-Shelf Dividers — 9.25

Full height dividers efficiently compartmentalize the space between two shelves. Corrosion proof. Compatible with Super Erecta and Super Adjustable wire shelves.

Fits Shelf Depth (in.)	Fits Shelf Depth (mm)	Nominal Depth (in.)	Nominal Depth (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
18, 21	457, 530	16	406	2.3	1.0	MD18-16	51.00
18, 21	457, 530	20	508	2.5	1.1	MD18-20	56.50
18, 21	457, 530	24	610	3.8	1.7	MD18-24	62.50
24	610	16	406	2.8	1.2	MD24-16	55.50
24	610	20	508	3.0	1.3	MD24-20	61.00
24	610	24	610	4.4	2.0	MD24-24	66.50

*Note: -16 parts have three panels, -20 parts have four panels, -24 parts have five panels.

Shelf Ledges — Side and Back — 10.04

For stationary or mobile installations, ledges prevent items from protruding or falling from shelves.

1" (25mm) High Ledges

Length (in.)	Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Stainless	List Price Each	Cat. No. Designer Colors	List Price Each
14	355	0.58	0.25	L14N-1C	L14N-1BL	L14N-1W	L14N-1-DSG	12.00	L14N-1S	21.50	L14N-1-D	14.00
18	457	0.75	0.33	L18N-1C	L18N-1BL	L18N-1W	L18N-1-DSG	13.00	L18N-1S	23.00	L18N-1-D	15.00
21	530	0.75	0.33	L21N-1C	L21N-1BL	L21N-1W	L21N-1-DSG	14.00	L21N-1S	24.50	L21N-1-D	16.00
24	610	1.0	0.45	L24N-1C	L24N-1BL	L24N-1W	L24N-1-DSG	15.00	L24N-1S	28.00	L24N-1-D	17.00
30	760	2.0	0.9	L30N-1C	L30N-1BL	L30N-1W	L30N-1-DSG	17.50	L30N-1S	37.50	L30N-1-D	19.50
36	914	2.5	1.13	L36N-1C	L36N-1BL	L36N-1W	L36N-1-DSG	19.50	L36N-1S	41.00	L36N-1-D	21.50
42	1066	2.75	1.25	L42N-1C	L42N-1BL	L42N-1W	L42N-1-DSG	20.00	L42N-1S	46.00	L42N-1-D	22.00
48	1219	3.5	1.58	L48N-1C	L48N-1BL	L48N-1W	L48N-1-DSG	20.50	L48N-1S	46.00	L48N-1-D	22.50
54	1370	4.4	1.65	L54N-1C	L54N-1BL	L54N-1W	L54N-1-DSG	24.00	L54N-1S	56.00	L54N-1-D	26.00
60	1524	3.75	1.68	L60N-1C	L60N-1BL	L60N-1W	L60N-1-DSG	24.00	L60N-1S	56.00	L60N-1-D	26.00
72	1828	4.0	1.81	L72N-1C	L72N-1BL	L72N-1W	L72N-1-DSG	25.00	L72N-1S	63.00	L72N-1-D	27.00

Note: Actual ledge length is approximately 1" (25mm) shorter than nominal shelf length/width.


4" (100mm) High Stackable Ledges

Shelf Width (in.)	Shelf Width (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each	Cat. No. Designer Colors	List Price Each
14	355	0.83	0.36	L14N-4C	L14N-4BL	L14N-4W	L14N-4-DSG	16.00	L14N-4K3	19.50	L14N-4S	33.50	L14N-4-D	18.00
18	457	1.5	0.68	L18N-4C	L18N-4BL	L18N-4W	L18N-4-DSG	17.50	L18N-4K3	21.00	L18N-4S	40.00	L18N-4-D	19.50
21	530	1.75	0.71	L21N-4C	L21N-4BL	L21N-4W	L21N-4-DSG	18.50	L21N-4K3	22.00	L21N-4S	46.00	L21N-4-D	20.50
24	610	2.0	0.9	L24N-4C	L24N-4BL	L24N-4W	L24N-4-DSG	19.50	L24N-4K3	24.00	L24N-4S	49.00	L24N-4-D	21.50
30	760	2.25	1.03	L30N-4C	L30N-4BL	L30N-4W	L30N-4-DSG	23.00	L30N-4K3	28.00	L30N-4S	58.00	L30N-4-D	25.00
36	914	2.75	1.25	L36N-4C	L36N-4BL	L36N-4W	L36N-4-DSG	25.00	L36N-4K3	31.50	L36N-4S	68.50	L36N-4-D	27.00
42	1066	3.25	1.48	L42N-4C	L42N-4BL	L42N-4W	L42N-4-DSG	31.50	L42N-4K3	38.00	L42N-4S	87.00	L42N-4-D	33.50
48	1219	3.75	1.68	L48N-4C	L48N-4BL	L48N-4W	L48N-4-DSG	31.50	L48N-4K3	38.00	L48N-4S	87.00	L48N-4-D	33.50
54	1370	3.8	1.73	L54N-4C	L54N-4BL	L54N-4W	L54N-4-DSG	33.50	L54N-4K3	41.00	L54N-4S	99.50	L54N-4-D	35.50
60	1524	4.0	1.81	L60N-4C	L60N-4BL	L60N-4W	L60N-4-DSG	33.50	L60N-4K3	41.00	L60N-4S	99.50	L60N-4-D	35.50
72	1828	5.0	2.25	L72N-4C	L72N-4BL	L72N-4W	L72N-4-DSG	40.50	L72N-4K3	49.50	L72N-4S	124.50	L72N-4-D	42.50


Note: Actual ledge length is approximately 1" (25mm) shorter than nominal shelf length/width.



Shelf Divider for Super Erecta Shelves



Universal Shelf Divider



1" (25mm) Ledge



4" (102mm) Ledge



Enclosure Panel

Enclosure Panels — 10.04 10.30

An efficient way to enclose space for stationary or mobile applications.

- Can be used with Super Erecta® and Super Adjustable wire shelving, and Super Erecta solid shelving.
- Appropriate mounting hardware supplied with each panel.

Width/Height (in.) (mm)	For Nominal Post Height (in.) (mm)	Grid Opening (in.) (mm)	Weight (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
12 ³ / ₈ x50 ³ / ₄	313x1289	54 1370	2 ⁷ / ₈ x3 ⁵ / ₈ 73x92	3 1.4	EP35C	62.00	EP35S 136.50
12 ³ / ₈ x59 ³ / ₄	313x1518	63 1600	2 ⁷ / ₈ x3 ⁵ / ₈ 73x92	4 1.8	EP36C	65.50	EP36S 143.50
12 ³ / ₈ x70 ¹ / ₂	313x1791	74 1880	2 ⁷ / ₈ x3 ⁵ / ₈ 73x92	6 2.7	EP37C	71.00	
18 ³ / ₈ x50 ³ / ₄	464x1289	54 1370	3 ³ / ₈ x3 ⁵ / ₈ 86x92	5 2.3	EP55C	73.00	EP55S 164.00
18 ³ / ₈ x59 ³ / ₄	464x1518	63 1600	3 ³ / ₈ x3 ⁵ / ₈ 86x92	6 2.7	EP56C	78.50	EP56S 179.00
18 ³ / ₈ x70 ¹ / ₂	464x1791	74 1800	3 ³ / ₈ x3 ⁵ / ₈ 86x92	7 3.2	EP57C	83.00	

All panels are ⁷/₈" (22mm) deep.

Note: Units with a solid shelf in the top position require the use of a three-sided double snake frame (see page 55) directly below it.

Ordering Guide for Enclosure Panels

Super Erecta and Super Adjustable Wire Shelving Units Super Erecta Solid Shelving Units

Ends — Panels required for each end according to shelf width, as follows:

Nominal Post Height (in.) (mm)	18" (457mm) Nominal Shelf Width	21" (530mm) Nominal Shelf Width	24" (610mm) Nominal Shelf Width	30" (760mm) Nominal Shelf Width	36" (914mm) Nominal Shelf Width
54 1370	(1) EP35	(1) EP35	(1) EP55	(2) EP35	(1) EP35 (1) EP55
63 1600	(1) EP36	(1) EP36	(1) EP56	(2) EP36	(1) EP36 (1) EP56
74 1880	(1) EP37	(1) EP37	(1) EP57	(2) EP37	(1) EP37 (1) EP57

Backs — Requires multiple panels in quantities shown for specific length shelf:

For Wire Shelves:

Nominal Post Height (in.) (mm)	30" (760mm) Nominal Shelf Length	36" (914mm) Nominal Shelf Length	42" (1066mm) Nominal Shelf Length	48" (1219mm) Nominal Shelf Length	54" (1370mm) Nominal Shelf Length	60" (1524mm) Nominal Shelf Length	72" (1825mm) Nominal Shelf Length
54 1370	(2) EP35	(1) EP35 (1) EP55	(2) EP55	(2) EP35 (1) EP55	(1) EP35 (2) EP55	(3) EP55	(1) EP35 (3) EP55
63 1600	(2) EP36	(1) EP36 (1) EP56	(2) EP56	(2) EP36 (1) EP56	(1) EP36 (2) EP56	(3) EP56	(1) EP36 (3) EP56
74 1880	(2) EP37	(1) EP37 (1) EP57	(2) EP57	(2) EP37 (1) EP57	(1) EP37 (2) EP57	(3) EP57	(1) EP37 (3) EP57

For Solid Shelves*:

Nominal Post Height (in.) (mm)	30" (760mm) Nominal Shelf Length	36" (914mm) Nominal Shelf Length	42" (1066mm) Nominal Shelf Length	48" (1219mm) Nominal Shelf Length	54" (1370mm) Nominal Shelf Length	60" (1524mm) Nominal Shelf Length	72" (1825mm) Nominal Shelf Length
54 1370	(1) EP55	(2) EP35	(1) EP35 (1) EP55	(2) EP55	N/A N/A	(1) EP35 (2) EP55	N/A N/A
63 1600	(1) EP56	(2) EP36	(1) EP36 (1) EP56	(2) EP56	N/A N/A	(1) EP36 (2) EP56	N/A N/A
74 1880	(1) EP57	(2) EP37	(2) EP37 (1) EP57	(2) EP57	N/A N/A	(1) EP37 (2) EP57	N/A N/A

*Note: Units with a solid shelf in the top position require the use of a three-sided double snake frame (see page 55) directly below it.



Super Adjustable
Super Erecta Cart with
Enclosure Panels



Mounting Kit for Enclosure Panel

Replacement Mounting Kit for Enclosure Panel

Cat. No. **9970EPZ** List Price 17.10 each

Rods and Tabs — 10.04

Form side and back enclosures for a shelving unit. Can also serve as uniform dividers within unit by passing through shelves from top to bottom. Recommended spacing: every 6" (150mm) to 12" (305mm), depending upon shelf contents.

Rods

Min. Post Height (in.)	Rod Length (in.)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each
54	52 1320	1	0.5	R52C	9.70	R52S	32.00
63	61 1549	1	0.5	R61C	10.90	R61S	34.50
74	72 1830	1 1/4	0.6	R72C	12.00	R72S	41.00
86	84 2135	1 1/2	0.7	R84C	14.00	R84S	43.50

Tabs

Rods are shipped with 4 tabs per rod.

Additional Tabs —
Bag of 12

Cat. No. **9084Z**

List Price 8.60 per bag



Rod with Tab in place

Three-Sided Double Snake Frames — 10.04

Provide additional support or access to floor with these sturdy square snake frames. Plated finish.

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Plated	List Price Each
18x24	457x610	5	2.3	SF31N3C	63.50
18x30	457x760	6	2.7	SF32N3C	64.50
18x36	457x914	6 1/2	2.7	SF33N3C	64.50
18x42	457x1066	7	3.2	SF34N3C	67.50
18x48	457x1219	7 3/4	3.5	SF35N3C	67.50
18x60	457x1524	8	3.6	SF36N3C	77.50
18x72	457x1829	9	4.1	SF37N3C	85.50
21x24	530x610	5	2.3	SF41N3C	65.50
21x30	530x760	6	2.7	SF42N3C	67.50
21x36	530x914	6 1/2	2.7	SF43N3C	67.50
21x42	530x1066	7	3.2	SF44N3C	71.00
21x48	530x1219	8	3.6	SF45N3C	71.00
21x60	530x1524	8 1/2	3.8	SF46N3C	84.50
21x72	530x1829	10	4.5	SF47N3C	110.50
24x24	610x610	6	2.7	SF51N3C	65.50
24x30	610x760	7	3.2	SF52N3C	69.00
24x36	610x914	7 1/2	3.4	SF53N3C	69.00
24x42	610x1066	8	3.6	SF54N3C	72.00
24x48	610x1219	9	4.1	SF55N3C	72.00
24x60	610x1524	10	4.5	SF56N3C	85.50
24x72	610x1829	11	5.0	SF57N3C	110.50



Three-sided Double Snake Frame

Hanger Rails — 10.05

Convenient rail fits on posts along the width or length of the unit. Optional hooks can hang from rail at any point.

Length† (in.)	Length† (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Designer Colors	List Price Each
14	355	1	.45	H114C	H114B	H114W	H114-DSG	19.00	H114-D	20.50
18	457	1 1/4	.57	H118C	H118B	H118W	H118-DSG	20.00	H118-D	22.00
24	610	1 1/2	.68	H124C	H124B	H124W	H124-DSG	21.00	H124-D	23.00
30	760	1 1/2	.68	H130C	H130B	H130W	H130-DSG	23.50	H130-D	25.50
36	914	2	.90	H136C	H136B	H136W	H136-DSG	24.50	H136-D	26.50
48	1219	2 1/2	1.13	H148C	H148B	H148W	H148-DSG	28.00	H148-D	30.00

†14", 18" and 24" (355, 457 and 610mm) sizes fit shelf width (depth). 30", 36" and 48" (760, 914 and 1219mm) sizes fit shelf length.



Hanger Rail



Decorator Shelf Inlays

Decorator Shelf Inlays — 10.06

Hardboard mats prevent small items from falling through wire shelves. Fit between posts and level with top of shelf edge. Reversible, black and white. Packed individually.

Width/Length (in.) (mm)		Cat. No.	List Price 1-Pack
14x36	355x914	1436BWI	33.50
14x48	355x1219	1448BWI	36.00
18x24	457x610	1824BWI	33.50
18x36	457x914	1836BWI	36.00
18x48	457x1219	1848BWI	37.00
24x24	610x610	2424BWI	35.00
24x36	610x914	2436BWI	39.00
24x48	610x1219	2448BWI	42.00




Clear Shelf Inlays

Clear Shelf Inlays — 10.06

Nearly invisible plastic mat retains open-wire look of shelves and allows light penetration. Sold in packages of 4.

Width/Length (in.) (mm)		Cat. No.	List Price 4-Pack	Width/Length (in.) (mm)		Cat. No.	List Price 4-Pack
14x36	355x914	1436CI-4	68.50	21x36	530x914	2136CI-4	73.50
14x48	355x1219	1448CI-4	80.00	21x48	530x1219	2148CI-4	86.50
14x60	355x1524	1460CI-4	95.00	21x60	530x1524	2160CI-4	100.00
18x36	457x914	1836CI-4	70.00	24x36	610x914	2436CI-4	75.50
18x48	457x1219	1848CI-4	84.00	24x48	610x1219	2448CI-4	88.50
18x60	457x1524	1860CI-4	97.50	24x60	610x1524	2460CI-4	102.00



Snap-on Hooks

Snap-On Hooks — 10.05

Multi-purpose hooks in three styles attach to hanger rails, mounting rails or shelves for instant access.

Description	Height (in.) (mm)	Cat. No. Chrome	List Price Each	Cat. No. Black	List Price Each
Style A — Small	3 ⁷ / ₁₆ 90	HK23C	5.30	HK23B	5.20
Style B — Large	3 ⁷ / ₁₆ 90	HK25C	5.90	HK25B	5.90
Style C — Double	3 ⁷ / ₁₆ 90	HK26C	9.40		



Garment Hanger Tube with Brackets

Garment Hanger Tube with Brackets — 10.05

Hanger tubes attach easily under Super Erecta shelves for hanging garments. Available in 18", 21" and 24" (457, 530 and 610mm) widths and in same length as shelves.

Tube Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)	Shelf Width 18" (457mm)	Shelf Width 21" (530mm)	Shelf Width 24" (610mm)	List Price Each
24	610	2 ¹ / ₂ 1.1	AT2418NC	AT2421NC	AT2424NC	37.00
30	760	2 ¹ / ₂ 1.1	AT3018NC	AT3021NC	AT3024NC	39.00
36	914	3 1.4	AT3618NC	AT3621NC	AT3624NC	40.50
42	1066	3 ¹ / ₂ 1.6	AT4218NC	AT4221NC	AT4224NC	41.50
48	1219	3 ¹ / ₂ 1.6	AT4818NC	AT4821NC	AT4824NC	42.50
60	1524	4 1.8	AT6018NC	AT6021NC	AT6024NC	50.50
72	1828	4 ¹ / ₂ 2.0	AT7218NC	AT7221NC	AT7224NC	53.00

Tray Slides — 10.04

Free up shelves for more efficient use of space. Available in chrome and Metroseal 3 finish. 22³/₄" H. (578mm).

Width (in.)	Width (mm)	Overall Depth (in.)	Overall Depth (mm)	Slide Profile (in.)	Slide Profile (mm)	On Center Slide Spacing (in.)	On Center Slide Spacing (mm)	Fits Shelf Width (in.)	Fits Shelf Width (mm)	Approx. Weight/Pair (lbs.)	Approx. Weight/Pair (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each
14 ⁵ / ₈	371	2 ¹ / ₄	56	1 ¹ / ₂	37	1 ¹ / ₂	37	18	457	9 ¹ / ₂	4.3	15SNC	82.00	15SNK3	98.50
20	508	2 ¹ / ₄	56	1 ¹ / ₂	37	1 ¹ / ₂	37	24	610	11	5.0	20SNC	85.00	20SNK3	103.00




Tray Slides

Super Erecta® Slide System — 10.04

A super space-saving solution. Using Super Erecta® wire units 21" or 24" (530 and 610mm) wide, tote boxes and this innovative slide system, you have the flexibility to create a custom configuration that can be positioned quickly on new or existing units without the use of tools. Finish is nickel-chrome wire with clear protective coating.

Outside Slide Dimensions Height/Width/Length (in.)	Outside Slide Dimensions Height/Width/Length (mm)	Fits Shelf Width (in.)	Fits Shelf Width (mm)	Adaptable Boxes	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
10 ¹ / ₄ x20 ³ / ₈ x21 ⁵ / ₈	256x510x537	24	610	TB/MTB93030 TB/MTB93060 TB/MTB93080	4 ³ / ₄	2.1	SS2NC	115.50
10 ¹ / ₄ x14x17 ¹ / ₈	256x355x430	21	530	TB/MTB92035 TB/MTB92060 TB/MTB92080	3 ¹ / ₂	1.5	SS3NC	109.50
10 ¹ / ₄ x25 ¹ / ₈ x17 ¹ / ₈	256x630x430	21	530	TB/MTB93030* TB/MTB93060* TB/MTB93080*	4	1.8	SS4NC	112.50

*Fits SS4NC with box turned sideways.



Super Erecta Slide System in place on shelf (Tote box sold separately)

Adjustable Undershelf Slides — 10.04

These slides can be spaced to fit any width container or tote box.

Item	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. (pair)	List Price Each
For 18" (457mm) wide shelf	1	0.4	US18NA	51.00
*For 21" (530mm) wide shelf	1	0.4	US21NA	56.50
For 24" (610mm) wide shelf	1	0.4	US24NA	59.00

*Not adaptable to 24" (610mm) long shelf.



Adjustable Undershelf Slide

File Basket — 10.05

The convenient place to keep files and papers.

- Measures 2⁵/₈" W. x 12³/₄" L. x 8³/₄" H. (67mm W. x 324mm L. x 222mm H.).
- Large enough to hold standard-size file folders.
- Attaches easily.

Width/Length (in.)	Width/Length (mm)	Height (in.)	Height (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
2 ⁵ / ₈ x12 ³ / ₄	63x330	8 ³ / ₄	228	2.1	1.0	PH1239C	44.00



File Basket



Indicates antimicrobial product.




Large Display/Storage Basket

Storage Baskets — 10.05

Generous-sized baskets attach in seconds to hanger rail or shelves.

Width/Length/Depth (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Designer Colors	List Price Each
13 ³ / ₈ x5x7	345x127x180	8 ¹ / ₂	4	H209C	H209B	H209W	H209-DSG	35.00	H209-D	37.50
17 ³ / ₈ x7 ¹ / ₂ x5	440x190x127	7	3	H210C	H210B	H210W	H210-DSG	38.00	H210-D	40.50
17 ³ / ₈ x7 ¹ / ₂ x10	440x190x255	11	5	H212C	H212B	H212W	H212-DSG	50.50	H212-D	53.00



Swing Hanger

Swing Hanger — 10.05

Attaches to post to provide convenient storage for hanging items. Red epoxy finish.

Arm Length (in.) (mm)	Weight Capacity (lbs.) (kg)	Cat. No.	List Price Each
6 ¹ / ₄ 160	20 9	H110R	16.00



Extension Display Hanger

Extension Display Hanger — 10.05

Snaps on Super Erecta Shelf hanger rails and shelf frames. Accepts standard carded merchandise.

Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Finish/Color*	Cat. No.	List Price Each
6	152	.25	.1	Chrome	HHK6C	9.50
6	152	.25	.1	Black	HHK6B	9.30
8	203	.25	.1	Chrome	HHK8C	10.80
8	203	.25	.1	Black	HHK8B	10.50

*White, smoked glass and designer colors also available. Allow 4-6 week lead time.



Color Identification Tubes

Color Identification Tubes — 10.05

Provide color-coded organization to shelf contents. Tubes slip onto posts.

Length (in.) (mm)		Diameter		Approx. Pkd. Wt. (lbs.) (kg)		Color	Cat. No.	List Price Each
		Inside (in.) (mm)	Outside (in.) (mm)					
8	200	1 ¹ / ₁₆ 27	1 ³ / ₁₆ 30	5 ⁵ / ₈	2.5	Yellow	CIT8Y	11.50
8	200	1 ¹ / ₁₆ 27	1 ³ / ₁₆ 30	5 ⁵ / ₈	2.5	Flame	CIT8F	11.50
8	200	1 ¹ / ₁₆ 27	1 ³ / ₁₆ 30	5 ⁵ / ₈	2.5	Black	CIT8BL	11.50
8	200	1 ¹ / ₁₆ 27	1 ³ / ₁₆ 30	5 ⁵ / ₈	2.5	Gray	CIT8G	11.50
8	200	1 ¹ / ₁₆ 27	1 ³ / ₁₆ 30	5 ⁵ / ₈	2.5	White	CIT8W	11.50

Color Shelf Marker — 10.05

Color code for effective organization. Snaps securely to the front edge of Super Erecta and Super Adjustable Super Erecta Wire Shelving.

Shelf Marker Size (in.)	Shelf Marker Size (mm)	Color	Cat. No.	List Price Each	Shelf Marker Size (in.)	Shelf Marker Size (mm)	Color	Cat. No.	List Price Each
6x1 ¹ / ₄	152x32	Blue	CSM6-B	5.00	6x1 ¹ / ₄	152x32	White	CSM6-W	5.00
6x1 ¹ / ₄	152x32	Green	CSM6-G	5.00	6x1 ¹ / ₄	152x32	Yellow	CSM6-Y	5.00
6x1 ¹ / ₄	152x32	Red	CSM6-R	5.00	6x1 ¹ / ₄	152x32	Gray	CSM6-GR	5.00
6x1 ¹ / ₄	152x32	Tan	CSM6-T	5.00					



Color Shelf Markers



CSM6-B



CSM6-G




CSM6-R



CSM6-T



CSM6-W



CSM6-Y



CSM6-GR

Label Holders

It's easy to identify shelf contents with these snap-on plastic holders, available in four styles and a variety of sizes. Labels not included.

1¹/₄" (32mm) Label Holders — 10.05

Gray. Holds most commercial labels. Available in a variety of lengths.

Label Size (in.)	Label Size (mm)	Fits Shelf Length (in.)	Fits Shelf Length (mm)	Cat. No.	List Price Each
3x1 ¹ / ₄	75x32	All		9990P	4.50
13x1 ¹ / ₄	330x32	18	457	9990P1	6.30
19x1 ¹ / ₄	480x32	24	610	9990P2	9.00
25x1 ¹ / ₄	635x32	30	760	9990P30	10.10
31x1 ¹ / ₄	725x32	36	914	9990P3	11.30
43x1 ¹ / ₄	1090x32	48	1219	9990P4	14.00
55x1 ¹ / ₄	1395x32	60	1520	9990P5	19.50

For Cantilever Shelves, use 3" (75mm) label holder only.



1¹/₄" (32mm) Label Holder

Clear Label Holders — 10.05

Clear plastic allows decorator colors to show through. Holds most commercial 1¹/₄" (32mm) labels.

Label Size (in.)	Label Size (mm)	Fits Shelf Length (in.)	Fits Shelf Length (mm)	Cat. No.	List Price Each
3x1 ¹ / ₄	75x32	All		9990CL	4.50
13x1 ¹ / ₄	330x32	18	457	9990CL1	6.30
19x1 ¹ / ₄	480x32	24	610	9990CL2	9.00
25x1 ¹ / ₄	635x32	30	760	9990CL30	10.10
31x1 ¹ / ₄	725x32	36	914	9990CL3	11.30
43x1 ¹ / ₄	1090x32	48	1219	9990CL4	14.00
55x1 ¹ / ₄	1395x32	60	1520	9990CL5	19.00

For Cantilever Shelves, use 3" (75mm) label holder only.



Clear Label Holder

Slanted Label Holders — 10.05

Gray solid plastic holder puts 1¹/₄" (32mm) labels on slant for easier viewing.

Label Size (in.)	Label Size (mm)	Fits Shelf Length (in.)	Fits Shelf Length (mm)	Cat. No.	List Price Each
3x1 ¹ / ₄	75x32	All		9990SL	4.50
13x1 ¹ / ₄	330x32	18	457	9990SL1	6.30
19x1 ¹ / ₄	480x32	24	610	9990SL2	9.00
25x1 ¹ / ₄	635x32	30	760	9990SL30	10.10
31x1 ¹ / ₄	725x32	36	914	9990SL3	11.30
43x1 ¹ / ₄	1090x32	48	1219	9990SL4	14.00
55x1 ¹ / ₄	1395x32	60	1520	9990SL5	19.50

For Cantilever Shelves, use 3" (75mm) label holder only.




Slanted Label Holder

Metro Bins — 10.08

Convenient way to organize and identify small items.

- Hopper-front design allows for easy access and clear visibility
- Lightweight, durable polypropylene and polyethylene bins have molded front slots to accept labels.
- For application specific totes refer to index.



Shelf Bins — Nesting



Supply Bins — Stacking



MB30265B



MB30283B



MB34240G

Shelf Bins — Nesting

These bins are sized to work on the two most popular shelf widths 18" (457mm) and 24" (610mm) for efficient handling and exchange.

Outside Dimensions Width/Length/Height (in.)	Outside Dimensions Width/Length/Height (mm)	Approx. Pkd. Wt./Ctn. (lbs.)	Approx. Pkd. Wt./Ctn. (kg)	Bin Carton Quantity	Color	Bin Cat. No.	List Price Each	Divider Cat. No.	Divider Carton Quantity	List Price Each
11 ⁵ / ₈ x4 ¹ / ₈ x4	295x105x102	9	4.1	24	Yellow	MB30120Y	5.40	MB40120	24	28.00
11 ⁵ / ₈ x6 ¹ / ₈ x4	295x168x102	7	3.2	12	Yellow	MB30130Y	7.00	MB40130	24	34.00
17 ⁷ / ₈ x4 ¹ / ₈ x4	454x105x102	7	3.2	12	Yellow	MB30128Y	6.50	MB40120	24	28.00
17 ⁷ / ₈ x6 ⁵ / ₈ x4	454x168x102	9	4.1	12	Yellow	MB30138Y	10.00	MB40130	24	34.00
17 ⁷ / ₈ x11 ¹ / ₈ x4	454x283x102	15	6.8	12	Yellow	MB30178Y	23.00	MB40170	24	72.00
23 ⁵ / ₈ x4 ¹ / ₈ x4	600x105x102	11	4.9	12	Yellow	MB30124Y	16.00	MB40120	24	28.00
23 ⁵ / ₈ x6 ⁵ / ₈ x4	600x168x102	8	3.6	6	Yellow	MB30164Y	19.00	MB40130	24	34.00
23 ⁵ / ₈ x11 ¹ / ₈ x4	600x283x102	11	4.9	6	Yellow	MB30174Y	33.00	MB40170	24	72.00

Note: Bins are available in carton quantities only. Bins above are priced per each but must be ordered in multiples of carton quantity.
(For example: MB30138Y is available in quantities of 12, 24, 36. List price refers to the price of 1 bin.)
Dividers are available in carton quantities only. Dividers are sold by the carton and priced by the carton.
(For example: 1 MB40120 = 24 dividers, the list price is for 24 dividers.)

Supply Bins — Stacking

Stackable design maximizes vertical storage efficiency. Reinforced design adds strength and prevents spreading.

Outside Dimensions Width/Length/Height (in.)	Outside Dimensions Width/Length/Height (mm)	Approx. Pkd. Wt./Ctn. (lbs.)	Approx. Pkd. Wt./Ctn. (kg)	Bin Carton Quantity	Color	Bin Cat. No.	List Price Each	Divider Cat. No.	Divider Carton Quantity	List Price Each
10 ⁷ / ₈ x5 ¹ / ₂ x5	276x140x127	10	4.5	12	Blue	MB30230B	14.00	MB40230	6	24.50
10 ⁷ / ₈ x11x5	276x279x127	10	4.5	6	Blue	MB30235B	19.00	MB40230	6	24.50
14 ³ / ₄ x5 ¹ / ₂ x5	375x140x127	13	5.9	12	Blue	MB30234B	21.50	N/A		
14 ³ / ₄ x8 ³ / ₄ x7	375x210x178	24	10.9	12	Blue	MB30240B	23.00	MB40245	6	33.00
14 ³ / ₄ x16 ¹ / ₂ x7	375x419x178	21	9.5	6	Blue	MB30250B	32.00	MB40245	6	33.00
18x8 ¹ / ₂ x9	457x210x229	17	7.7	6	Blue	MB30265B*	43.50	MB40265	6	54.50
20x12 ³ / ₈ x6	508x314x203	9	4.1	3	Blue	MB30281B*	41.00	N/A		
20x18 ³ / ₈ x12	508x467x305	7	3.2	1	Blue	MB30283B*	71.00	N/A		
8x20 ¹ / ₂ x7	205x521x178	21	9.5	6	Tan	MB30348T†	32.00			

*MB30265B, MB30281B, MB30283B are not designed for use with hanging rail system.

†Includes two dividers.

Note: MB30234B, MB30281B, MB30283B — no dividers available.

Bins feature a full-width hanger lip that is designed for use with hanging systems.

Bins are available in carton quantities only. Bins above are priced per each but must be ordered in multiples of carton quantity.

(For example: MB30235B is available in quantities of 6, 12, 18. List price refers to the price of 1 bin.)

Dividers are available in carton quantities only. Dividers are sold by the carton and priced by the carton.

(For example: 1 MB40230 = 6 dividers, the list price is for 6 dividers.)

Bulk Supply Tub — Nesting

Ruggedly constructed, perfect for storing large bulky items.

Outside Dimensions Width/Length/Height (in.)	Outside Dimensions Width/Length/Height (mm)	Approx. Pkd. Wt./Ctn. (lbs.)	Approx. Pkd. Wt./Ctn. (kg)	Carton Quantity	Bin Color	Cat. No.	List Price Each
24 ¹ / ₂ x19x9 ¹ / ₂	622x483x241	20	9.1	6	Gray	MB34240G	63.50

Note: Bins are available in carton quantities only. Bins above are priced per each but must be ordered in multiples of carton quantity.

(For example: MB34240G is available in quantities of 6, 12, 18 etc. List price refers to the price of 1 bin.)

Shelving and Cart Covers — 11.80

Opaque Solid Fabric Covers

Protect contents from dust and other airborne contaminants.

- Deter pilferage: Allow units to be loaded prior to transport.
- Available in: – Uncoated White (100% knitted polyester)
– Coated White (waterproof vinyl-nylon)
– Uncoated Mariner Blue (200 denier nylon)
– Coated Mariner Blue (waterproof vinyl-nylon)

- Choice of Velcro® or zipper closures.

Catalog numbers shown are for white cover. Add "MB" suffix to order Mariner Blue (i.e. 21X48X54UCMB)



21X48X54UCMB
(shown in Mariner Blue)

Length/Height (in.) (mm)		White Nylon Uncoated				White Vinyl Coated			
		Zippered Closure Cat. No.	List Price Each	Velcro Closure Cat. No.	List Price Each	Zippered Closure Cat. No.	List Price Each	Velcro Closure Cat. No.	List Price Each
FOR SHELF TRUCKS & CARTS 18" (457mm) DEEP									
36x54	914x1370	18X36X54UC	128.50	18X36X54VUC	138.00	18X36X54C	217.00	18X36X54VC	225.00
36x62	914x1550	18X36X62UC	134.00	18X36X62VUC	143.50	18X36X62C	223.00	18X36X62VC	233.00
48x54	1219x1370	18X48X54UC	141.50	18X48X54VUC	149.50	18X48X54C	225.00	18X48X54VC	238.00
48x62	1219x1550	18X48X62UC	142.50	18X48X62VUC	152.50	18X48X62C	232.00	18X48X62VC	241.50
60x54	1524x1370	18X60X54UC	146.00	18X60X54VUC	155.00	18X60X54C	243.50	18X60X54VC	252.00
60x62	1524x1550	18X60X62UC	147.00	18X60X62VUC	156.00	18X60X62C	248.00	18X60X62VC	258.50
FOR SHELF TRUCKS & CARTS 21" (530mm) DEEP									
48x54	1219x1370	21X48X54UC	164.00	21X48X54VUC	173.50	21X48X54C	250.50	21X48X54VC	261.50
48x62	1219x1550	21X48X62UC	180.50	21X48X62VUC	189.00	21X48X62C	261.50	21X48X62VC	272.00
48x74	1219x1850	21X48X74UC	203.50	21X48X74VUC	214.00	21X48X74C	266.50	21X48X74VC	274.00
60x54	1524x1370	21X60X54UC	172.50	21X60X54VUC	183.00	21X60X54C	287.50	21X60X54VC	294.00
60x62	1524x1550	21X60X62UC	189.00	21X60X62VUC	197.50	21X60X62C	292.00	21X60X62VC	303.50
60x74	1524x1850	21X60X74UC	220.00	21X60X74VUC	231.00	21X60X74C	296.50	21X60X74VC	308.00
FOR SHELF TRUCKS & CARTS 24" (610mm) DEEP									
36x54	914x1370	24X36X54UC	144.50	24X36X54VUC	154.00	24X36X54C	223.00	24X36X54VC	233.00
36x62	914x1550	24X36X62UC	149.50	24X36X62VUC	160.00	24X36X62C	233.00	24X36X62VC	243.50
36x74	914x1850	24X36X74UC	183.00	24X36X74VUC	188.00	24X36X74C	240.50	24X36X74VC	249.00
48x54	1219x1370	24X48X54UC	156.00	24X48X54VUC	168.50	24X48X54C	264.00	24X48X54VC	273.00
48x62	1219x1550	24X48X62UC	185.00	24X48X62VUC	195.50	24X48X62C	274.00	24X48X62VC	287.50
48x74	1219x1850	24X48X74UC	201.50	24X48X74VUC	213.00	24X48X74C	279.00	24X48X74VC	291.00
60x54	1524x1370	24X60X54UC	210.50	24X60X54VUC	220.00	24X60X54C	293.00	24X60X54VC	305.00
60x62	1524x1550	24X60X62UC	217.00	24X60X62VUC	225.00	24X60X62C	299.50	24X60X62VC	311.50
60x74	1524x1850	24X60X74UC	247.00	24X60X74VUC	257.00	24X60X74C	305.00	24X60X74VC	314.50
72x54	1825x1370	24X72X54UC	214.00	24X72X54VUC	224.00	24X72X54C	299.50	24X72X54VC	311.50
72x62	1825x1550	24X72X62UC	232.00	24X72X62VUC	241.50	24X72X62C	306.00	24X72X62VC	315.50
72x74	1825x1850	24X72X74UC	252.00	24X72X74VUC	264.00	24X72X74C	312.50	24X72X74VC	319.50

*Cart covers are non-returnable.

Note: 86" (2185mm) high covers, in 24" (610mm) depth, available by special order.

Clear Vinyl Cart Covers

- Allows visual access while protecting shelf contents from dust and other airborne contaminants.
- Vinyl construction with Velcro closures.
- Available for 18x36" (457x914mm) shelving.

Length/Height (in.)	Length/Height (mm)	Cat. No.	List Price Each
36x32	914x889	GWVCV41	256.00
36x52	914x1320	GWVCV62	307.00



Clear Vinyl
Cart Cover

✓ Indicates antimicrobial product.



Keyboard Tray

Keyboard Tray — 10.06

Attaches to all Metro wire shelves, 36" (914mm) length or longer. Mouse Tray adapts to left or right of Keyboard Tray. Flip-top compartment provides convenient storage. Constructed of durable high-impact polystyrene. Assembles easily.

- Hardware included for attachment to Metro wire shelves; template provided for attachment to solid desk surfaces.
- Keyboard Tray Dimensions: 22" L. (559mm) x 15 1/2" W. (394mm).
- Dimension with Mouse Tray fully extended: 29 1/2" L. (749mm) x 15 1/2" W. (394mm).

Cat. No. **CKS1522BL**

List Price 83.50 each



Wire Management Clip

Wire Management Clip — 10.06

Keeps wires and cables neatly organized both horizontally and vertically. Easily snaps over the edge of any Super Erecta wire or qwikSLOT shelf. Black epoxy finish.

Width (in.) (mm)		Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
2	51	2	51	.5	.25	CWM	9.00



Power Strip


Power Strip — 10.06

- Mounts quickly and easily to either a Super Erecta or qwikSLOT post.
- Includes a 15 foot (4572mm) long cord.
- Mounting brackets and hardware included.
- UL/CSA approved.
- 15 Amp Circuit Breaker.
- Illuminated Power Switch. 15A/125VAC.60Hz/1875 W.
- Gray/blue finish.
- 14/3 SJT Molded Power Supply Cord.

Width (in.) (mm)		Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
1 1/2	38	48	1219	6	2.72	CPS48	195.00

**Surface Mount Swing Arm for Flat Monitor — 10.06**

Cat. No. **LTFMA** List Price 579.50 each





Call today!

1.800.992.1776

*A customer service representative is
standing by to assist you.*



Not in the USA? Look on the back cover
of your catalog for the contact information you need.

“Thank you
for calling Metro,
how can we
help you?”



Flat Solid Stainless Shelves with black powder-coated corners



SiteSelect™ Posts are grooved at 1" (25mm) increments and numbered at 2" (50mm) increments. Posts are double-grooved every 8" (203mm) for easy identification.

Super Erecta® Solid Shelving

Setting the standard for solid shelving.

Perfect for applications involving spillage. Provides barrier between floor and bottom shelf contents to deter contamination.

- Shelf design features a 1/8" (3.2mm) raised "ship's edge" on all four sides to contain spills.
- Louvered/embossed shelf allows air circulation.
- Available in several styles and materials for a variety of applications. Shelves are constructed with 18-gauge stainless steel (Type 304) or galvanized materials.
- **Galvanized shelves** with uncoated cast corners are ideal for applications requiring a solid shelving or work surface and minimum resistance to corrosion. Available in flat solid and louvered/embossed styles.
- **Standard Stainless Steel solid shelves** (Type 304) with epoxy-coated cast corners address the majority of applications for solid, corrosion resistant shelves or work surfaces. Available in flat solid and louvered/embossed styles.
- **Premium Autoclave/Cart Washable Stainless Steel solid shelves** (Type 304) feature an all-stainless construction to withstand high temperature, corrosive applications. Available in flat solid style.

Metro Tip:

Use Metro Flat Solid Shelving at the bottom of a storage unit to maintain cleanliness by providing a barrier between floor and shelf contents above.

SiteSelect Posts for Super Erecta® Solid Shelving — 10.20

Stationary posts are fitted with adjustable leveling bolts to compensate for uneven surfaces. Mobile posts come without leveling bolt to accommodate stem casters. Special length posts are available.†

Height* (in.)	Height* (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome Stationary	Cat. No. Chrome Mobile	List Price Each	Cat. No. Stainless Stationary**	Cat. No. Stainless Mobile	List Price Each
7 1/2	191	1 1/2	0.3	7P	7UP	13.00			
14 1/2	370	1	0.5	13P	13UP	15.00	13PS	13UPS	32.00
27 1/2	699	1 3/4	0.75	27P	27UP	18.00	27PS	27UPS	45.00
34 1/2	875	2	0.9	33P	33UP	19.00	33PS	33UPS	50.50
54 9/16	1385	3	1.4	54P	54UP	22.00	54PS	54UPS	56.00
62 9/16	1590	3 1/2	1.6	63P	63UP	23.50	63PS	63UPS	63.00
74 5/8	1895	4	1.8	74P	74UP	25.50	74PS	74UPS	70.00
86 5/8	2200	5	2.3	86P	86UP	32.00	86PS	86UPS	81.00
96 5/8	2454	5 1/2	2.5	***96P		36.50			

†Note: Special length posts are available, priced at next higher length plus a cutting charge of \$6.00.

Post lengths to be specified as cut to a round number, ie: 74P cut to 69" (1753mm) ... This will result in an overall post height with adjustment of 69 9/16" (1762mm) to 69 7/8" (1775mm).

**Height includes leveling bolt and cap.

***Stainless stationary post includes stainless leveling bolt.

***96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.

Super Erecta® Solid Shelving — 10.20

Shelves are priced and sold individually. For standard packaging, the number of shelves per box varies by size. 14"/18" (355/457mm) wide solid shelving: less than 60" (1524mm) long (no more than 4 per carton); 60" (1524mm) long (no more than 2 per carton); 21" (530mm) wide solid shelving: less than 42" (1066mm) long (no more than 4 per carton); 42" (1066mm) or longer (no more than 2 per carton); 24" (610mm) wide solid shelving: 24", 30" (610, 760mm) long (no more than 4 per carton); 36" (914mm) or longer (no more than 2 per carton). Galvanized solid shelving has uncoated, aluminum cast corners. Standard Stainless Steel solid shelving has black powder-coated corners. Autoclavable/Cart-Washable Stainless Steel solid shelving has stainless steel corners.

Width/Length (in.) (mm)		Approx. Pkd. Wt. per Shelf (lbs.) (kg)		GALVANIZED			STANDARD STAINLESS STEEL				
				Cat. No. Flat	List Price Each	Cat. No. Louvered/Embossed	List Price Each	Cat. No. Flat	List Price Each	Cat. No. Louvered/Embossed	List Price Each
14x24	355x610	10	4.5	1424FG	82.50	1424LG	94.50	1424FS	207.00	1424LS	219.00
14x30	355x760	12	5.4	1430FG	88.50	1430LG	100.50	1430FS	211.50	1430LS	223.50
14x36	355x914	14	6.4	1436FG	88.50	1436LG	100.50	1436FS	211.50	1436LS	223.50
14x42	355x1066	15	6.8	1442FG	97.50	1442LG	109.50	1442FS	258.00	1442LS	270.00
14x48	355x1219	17	7.7	1448FG	97.50	1448LG	109.50	1448FS	258.00	1448LS	270.00
14x60	355x1524	22	9.9	1460FG	106.50	1460LG	118.50	1460FS	307.00	1460LS	319.00
18x24	457x610	11	5.0	1824FG	88.50	1824LG	100.50	1824FS	235.00	1824LS	247.00
18x30	457x760	14	6.4	1830FG	94.50	1830LG	106.50	1830FS	240.50	1830LS	252.50
18x36	457x914	16	7.3	1836FG	94.50	1836LG	106.50	1836FS	240.50	1836LS	252.50
18x42	457x1066	18	8.2	1842FG	106.50	1842LG	118.50	1842FS	294.00	1842LS	306.00
18x48	457x1219	20	9.1	1848FG	106.50	1848LG	118.50	1848FS	294.00	1848LS	306.00
18x60	457x1524	24	10.9	1860FG	120.00	1860LG	132.00	1860FS	358.00	1860LS	370.00
21x24	530x610	13	5.9	2124FG	96.50	2124LG	108.50	2124FS	268.00	2124LS	280.00
21x30	530x760	15	6.8	2130FG	101.00	2130LG	113.00	2130FS	272.50	2130LS	284.50
21x36	530x914	18	8.2	2136FG	101.00	2136LG	113.00	2136FS	272.50	2136LS	284.50
21x42	530x1066	21	9.5	2142FG	118.00	2142LG	130.00	2142FS	333.00	2142LS	345.00
21x48	530x1219	23	10.4	2148FG	118.00	2148LG	130.00	2148FS	333.00	2148LS	345.00
21x60	530x1524	26	11.8	2160FG	135.00	2160LG	147.00	2160FS	416.50	2160LS	428.50
24x24	610x610	15	6.8	2424FG	106.50	2424LG	118.50	2424FS	288.00	2424LS	300.00
24x30	610x760	17	7.7	2430FG	112.50	2430LG	124.50	2430FS	294.50	2430LS	306.50
24x36	610x914	19	8.6	2436FG	112.50	2436LG	124.50	2436FS	294.50	2436LS	306.50
24x42	610x1066	21	9.5	2442FG	127.50	2442LG	139.50	2442FS	354.50	2442LS	366.50
24x48	610x1219	24	10.9	2448FG	127.50	2448LG	139.50	2448FS	354.50	2448LS	366.50
24x60	610x1524	31	14.0	2460FG	143.50	2460LG	155.50	2460FS	431.50	2460LS	443.50

Autoclavable/Cart-Washable Solid Stainless Shelving

All-stainless construction will address autoclave and cart washing applications.

Width/Length (in.) (mm)		Approx. Pkd. Wt. per Shelf (lbs.) (kg)		Autoclavable Stainless		
				Cat. No.	List Price Each	Cat. No.
14x24	355x610	10	4.5	1424NFS	238.00	2124NFS
14x30	355x760	12	5.4	1430NFS	244.50	2130NFS
14x36	355x914	14	6.4	1436NFS	244.50	2136NFS
14x42	355x1066	15	6.8	1442NFS	296.00	2142NFS
14x48	355x1219	17	7.7	1448NFS	296.00	2148NFS
14x60	355x1524	22	9.9	1460NFS	354.00	2160NFS
18x24	457x610	11	5.0	1824NFS	270.50	2424NFS
18x30	457x760	14	6.4	1830NFS	277.00	2430NFS
18x36	457x914	16	7.3	1836NFS	277.00	2436NFS
18x42	457x1066	18	8.2	1842NFS	337.50	2442NFS
18x48	457x1219	20	9.1	1848NFS	337.50	2448NFS
18x60	457x1524	24	10.9	1860NFS	411.50	2460NFS
21x24	530x610	13	5.9	2124NFS	307.50	
21x30	530x760	15	6.8	2130NFS	314.00	
21x36	530x914	18	8.2	2136NFS	314.00	
21x42	530x1066	21	9.5	2142NFS	383.50	
21x48	530x1219	23	10.4	2148NFS	383.50	
21x60	530x1524	26	11.8	2160NFS	479.00	
24x24	610x610	15	6.8	2424NFS	331.50	
24x30	610x760	17	7.7	2430NFS	339.00	
24x36	610x914	19	8.6	2436NFS	339.00	
24x42	610x1066	21	9.5	2442NFS	408.00	
24x48	610x1219	24	10.9	2448NFS	408.00	
24x60	610x1524	31	14.0	2460NFS	497.50	

Metro Tip:

Order aluminum split sleeves with stainless C-rings for corrosive, high-temperature autoclave or cart washing applications. (Cat. No. 9986S, one bag required per shelf).



Counter Unit with galvanized shelves.

Super Erecta® Counter Units — 10.35

To create a counter unit, select the following components:

- 2 each — 14" (355mm) deep upper shelves, listed above
- 2 each — 24" (610mm) deep lower shelves, listed above
- 2 each — upper front posts, listed below
- 2 each — lower front posts, listed below
- 2 each — 63" (1600mm) or 74" (1880mm) high back posts (page 64).

Special Posts For Counter Units — 10.35

	Unit Height (in.) (mm)	Post Height* (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each
Upper Front Posts	63 1600	28 ⁵ / ₈ 727	1 ¹ / ₂ 0.7	27PF	22.00	27PFS	56.00
	74 1880	40 ⁵ / ₈ 1032	2 0.9	39PF	24.00	39PFS	72.00
Lower Front Posts	All Heights	34 ¹ / ₂ 877	2 0.9	33PM	23.00	33PMS	57.00

*Height includes leveling bolt and cap.



4" (101mm) Ledges

Shelf Ledges for Solid Shelves — 10.25

Sturdy 4" (101mm) ledges contain items on shelves. Spring-clip tabs included for attachment.

Fits Shelf Length (in.) (mm)		Approx. Pkd. Wt. Per 6 Pieces (lbs.) (kg)		Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each
14	355	7½	3.4	L14WC	19.50	L14WS	41.50
18	457	9	4.1	L18WC	20.50	L18WS	43.00
21	530	10½	4.7	L21WC	21.50	L21WS	48.50
24	610	12	5.4	L24WC	22.50	L24WS	53.00
30	760	13½	6.0	L30WC	29.50	L30WS	63.50
36	914	16½	7.4	L36WC	33.00	L36WS	75.50
42	1066	19½	8.7	L42WC	34.00	L42WS	81.00
48	1219	22½	10.1	L48WC	39.00	L48WS	93.50
60	1524	30	13.5	L60WC	42.00	L60WS	107.00

*Actual ledge length is approximately 1" (25mm) shorter than nominal shelf length/width.



Rods with Tab in place

Rods and Tabs for Solid Shelves — 10.25

Create a more versatile system by enclosing sides and back of an entire unit. Tabs required to attach rods to a 4-shelf unit are supplied. Additional tabs also available in bags of 6.

Rods

Min. Post Height (in.)	Rod Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Plated	List Price Each
54	52 1320	1 0.5	R52FC	11.00
63	60 1524	1 0.5	R60FC	11.60
74	72 1830	1¼ 0.6	R72FC	12.70
86	84 2135	1½ 0.7	R84FC	14.20

Additional Tabs
Bag of 6
Cat. No. **9184Z**
List Price 11.60



Shelf Dividers

Shelf Dividers — 10.25

The easy way to keep shelves orderly. Eight inch (203mm) high dividers attach with spring clips (provided).

Length (in.) (mm)	Approx. Pkd. Wt. Per 6 Pieces (lbs.) (kg)	Cat. No. Plated	List Price Each	Cat. No. Stainless	List Price Each
14 355	12 5.4	DD14FC	20.50		
18 457	13½ 6.0	DD18FC	24.00	DD18FS	66.50
21 530	15 6.8	DD21FC	27.00		
24 610	16½ 7.4	DD24FC	30.50	DD24FS	79.50



Joining Clamp

Solid Shelf Joining Clamp — 10.25

Save time and money by eliminating adjacent posts and replacing with solid shelf joining clamps. Join units end-to-end, back-to-back or at right angles. Two clamps required per shelf to attach to adjacent units.

Zinc. Cat. No. **9998Z** List Price 5.10 each

Note: Shelves with joining clamps can only be attached to shelves supported by two or more posts.



Adjustable Undershelf Slides

Adjustable Undershelf Slides — 10.25

Create a convenient drawer system by combining a tote box with these slides. Two slides are required, and can be spaced to fit any width container.

Item	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Solid	List Price Each
For 18" (457mm) wide shelf	1 0.4	US18FA	53.50
For 21" (530mm) wide shelf	1 0.4	US21FA	57.50
For 24" (610mm) wide shelf	1 0.4	US24FA	60.00

*For application-specific totes, refer to index.

Erecta Shelf® Shelving

This easy-to-assemble system puts space to work practically anywhere.

- Units go together without tools — shelf grooves simply lock into uprights at 5" (127mm) increments.
- Accessories create a truly versatile system.

Erecta Shelf® Uprights — 10.50

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each
12x53½ 305x1359	7 3.2	1252C	57.50
12x63½ 305x1613	8 3.3	1262C	63.50
12x73½ 305x1867	9 4.1	1272C	68.00
12x88½ 305x2248	11 5.0	1287C	72.00
18x53½ 457x1359	8 3.3	1852C	69.50
18x63½ 457x1613	9 4.1	1862C	74.50
18x73½ 457x1867	11 5.0	1872C	77.00
18x88½ 457x2248	13½ 6.2	1887C	83.00

Packaging: 6 uprights to a carton.

Erecta Shelf® Wire Shelves — 10.50

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each
12x24 305x610	5 2.2	1224C	43.00
12x30 305x760	6 2.7	1230C	51.00
12x36 305x914	7 3.1	1236C	56.50
12x42 305x1066	8¼ 3.7	1242C	66.00
12x48 305x1219	9½ 4.2	1248C	71.00
12x60 305x1524	12 5.4	1260C	92.00
18x24 457x610	6½ 2.9	1824C	54.00
18x30 457x760	8 3.6	1830C	66.00
18x36 457x914	10 4.5	1836C	73.50
18x42 457x1066	11 4.9	1842C	83.50
18x48 457x1219	12½ 5.6	1848C	92.50
18x60 457x1524	16 7.2	1860C	117.00

Shelf Dividers — 10.56

Keep shelves orderly with these snap-in-place, 8" (203mm) high dividers.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. Per 6 Pieces (lbs.) (kg)	Cat. No. Plated	List Price Each
12 305	12 5.4	DD12C	18.50
18 457	13½ 6.1	DD18C	21.50
24 610	16½ 7.4	DD24C	28.50

Corner Braces

Join units at right angles and eliminate the need for one upright with the use of two corner braces per shelf.

Cat. No. **9999Z** List Price 5.50 each




Shelf Divider



Corner Brace



HD Super Solid Stainless Shelving with black powder-coated corners



HD Super Post



HD Super Stem Caster Post



HD Super Stem Caster

Stainless solid shelving has black powder-coated corners. Galvanized solid shelving has uncoated cast corners.

HD Super™ shelves, posts, and casters are not compatible with Super Erecta or Super Adjustable Super Erecta components.

HD Super™ Solid Shelving

Heavy-duty system features 16-gauge solid shelves.

- Large 1⁵/₈" (41mm) diameter posts and 2" (51mm) shelf adjustability.
- Shelf options include flat or louvered/embossed styles, and galvanized or stainless steel finishes.

HD Super Flat Shelves — 10.65

Width/Length (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Galvanized	List Price Each	Cat. No. Stainless	List Price Each
18x36	457x914	21	9.5	1836HFG	169.50	1836HFS	382.50
18x42	457x1066	23	10.4	1842HFG	192.50	1842HFS	466.50
18x48	457x1219	26	11.7	1848HFG	192.50	1848HFS	466.50
18x54	457x1370	28	12.7	1854HFG	223.00	1854HFS	558.00
18x60	457x1524	31	14.0	1860HFG	223.00	1860HFS	558.00
24x36	610x914	25	11.3	2436HFG	191.00	2436HFS	488.50
24x42	610x1066	29	13.1	2442HFG	223.00	2442HFS	583.50
24x48	610x1219	32	14.4	2448HFG	223.00	2448HFS	583.50
24x54	610x1370	35	15.8	2454HFG	264.00	2454HFS	698.50
24x60	610x1524	38	17.1	2460HFG	264.00	2460HFS	698.50

HD Super Louvered/Embossed Shelves — 10.65

Width/Length (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Stainless	List Price Each
18x36	457x914	21	9.5	1836HLS	405.50
18x42	457x1066	23	10.4	1842HLS	480.00
18x48	457x1219	26	11.7	1848HLS	480.00
18x54	457x1370	28	12.7	1854HLS	577.00
18x60	457x1524	31	14.0	1860HLS	577.00
24x36	610x914	25	11.3	2436HLS	506.50
24x42	610x1066	29	13.1	2442HLS	595.50
24x48	610x1219	32	14.4	2448HLS	595.50
24x54	610x1370	35	15.8	2454HLS	712.50
24x60	610x1524	38	17.1	2460HLS	712.50

Note: The weight capacity of a HD Super Shelf is 1,000 lbs. (457kg) per shelf, evenly distributed across shelf.

HD Super Stationary Posts — 10.65

Height* (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
56	1421	5.8	2.6	54HPC	67.50	54HPS	138.50
64	1624	6.3	2.9	63HPC	71.50	63HPS	150.00
76	1929	7.5	3.4	74HPC	75.50	74HPS	162.50

*Height includes leveling foot and cap.

Note: Special length posts are available. For more information, contact your Metro representative.

Packaging: 4 posts to a carton.

HD Super Stem Caster Posts — 10.65

Height (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
54 ⁹ / ₁₆	1386	5.7	2.5	54UHPC	67.50	54UHPS	138.50
62 ⁹ / ₁₆	1590	6.3	2.8	63UHPC	71.50	63UHPS	150.00
74 ⁵ / ₈	1894	7.5	3.3	74UHPC	75.50	74UHPS	162.50

HD Super Stem Casters — 10.65


Includes donut bumpers with each caster.

Wheel Diameter (in.)	(mm)	Face Diameter (in.)	(mm)	Type	Wheel Tread	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
5	127	1 ¹ / ₂	38.1	Swivel	Polyurethane	3 ¹ / ₂	1.5	5HHP	69.50
5	127	1 ¹ / ₂	38.1	Brake	Polyurethane	3 ³ / ₄	1.5	5HHPB	75.50

HD Super™ Dunnage Shelves — 10.67

Static load capacity (uniformly distributed)

- 48" (1219mm) shelf: 3,000 lbs. (1361kg).
- 60" (1524mm) shelf: 2,400 lbs. (1089kg).
- For use on H.D. 1⁵/₈" (41mm) posts only.
- Removable wire deck.



HD Super Dunnage Shelf

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
18x48 457x1219	35 15.7	1848HDRC	406.50	1848HDRK3	484.00	1848HDRS	910.00
18x60 457x1524	43 19.3	1860HDRC	484.50	1860HDRK3	577.00	1860HDRS	1,068.50
24x48 610x1219	38 17.1	2448HDRC	436.00	2448HDRK3	519.00	2448HDRS	989.00
24x60 610x1524	47 21.1	2460HDRC	513.00	2460HDRK3	612.00	2460HDRS	1,172.00

Important: In stationary shelving, stability decreases as the ratio of height to width increases and when heavier loads are placed on upper shelves. Keep units as wide and low as possible, using the dunnage shelf as the bottom shelf. If two dunnage shelves are being used, both should be placed within the lower half of the unit.

Note: Not compatible with Super Erecta or Super Adjustable Super Erecta components.



HD Super™ Cantilever Shelf

HD Super™ Cantilever Shelf — 10.67

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
12x54 304x1372	11.8 5.3	1254CHC	111.00	1254CHS	260.50
12x60 304x1524	12.7 5.7	1260CHC	111.00	1260CHS	260.50

HD Super™ Replacement Parts — 10.65

Replacement HD Super™ Aluminum Split Sleeves with Zinc Ring
4 pair per bag
Cat. No. **9986HZ**
List Price 21.50 each



Replacement HD Super™ Aluminum Split Sleeve

Replacement 5¹/₂" (140mm) Donut Bumpers

Cat. No. **9992H**
List Price 12.60 each
Above fit 1⁵/₈" (41mm) posts only.



Replacement 5¹/₂" (140mm) Donut Bumper

Replacement HD Super™ Plastic Split Sleeves

4 pair per bag
Plastic — Cat. No. **9985H**
List Price 15.90 each



Replacement HD Super™ Plastic Split Sleeve

3¹/₂" (89mm) Foot Plates

Cat. No. **9993HS**
List Price 33.40 each



3¹/₂" (89mm) Foot Plate

Post Clamps

Cat. No. **9994HZ**
List Price 12.60 each




Post Clamp

Wall Mounting Brackets

(not shown)
Cat. No. **9984HZ**
List Price 10.20 each



✓ Indicates antimicrobial product.



WALL SHELVING & CARTS

Wall Shelving & Storage Systems.....	72-80
Heavy-Duty Polymer Utility Carts.....	81
Polymer Utility Carts	82-83
Utility Carts.....	84
Heavy-Duty Utility Carts	85

Wall-to-wall efficiency.

SmartWall G3™ Productivity System
Organized, efficient wall space at work.




A unique storage and work station system for often underutilized wall space.

Wall-mounted tracks are the foundation for attaching . . .

- Productivity stations with grids, accessories, and storage shelves
- Wall Shelving using uprights and Metro shelves
- Customizable storage space using combinations of shelving, grids, and specialized accessories

SmartWall G3 will keep these areas cleaner and more organized.

- Prep areas
- Janitorial supply
- Above carts that are in a staging area or a storage room
- Above sinks, work tables, casework, equipment, or bulk floor storage



Flexible, Robust Design: Wall tracks and uprights are designed to interface with wood studs, plywood, concrete, and other suitable wall structures.

Easy to Adapt: Uprights and grid brackets can be easily repositioned along the track before being fastened to the wall. Shelves and accessories are easy to add and remove.

Easy to Install: Once the tracks are installed level, shelving and task stations can be quickly configured.

Easy to Clean: Shelves, shelf supports, and grids can easily be removed for thorough cleaning of walls. Wall tracks and uprights can easily be wiped clean.

Durable Finishes: Super Erecta Brite for dry environments; Metroseal 3 epoxy for wet or damp environments with built-in Microban® antimicrobial product protection to inhibit the growth of bacteria, mold, mildew, and fungus that cause odors and product degradation.

General Guidelines

Selecting Wall Tracks.

Wall track or combination of tracks must be at least 2" (51mm) longer than the desired span of shelves. 1" (25mm) on each end of the span of tracks is reserved for hardware that acts as a stop. *(Example: If 152" (3860mm) of wall track could be mounted, then the length of a shelf tier cannot exceed 150" (3810mm).*

Uprights.

- 15" (381mm) uprights: 1 shelf tier maximum
- 30" (762mm) uprights: 3 shelf tiers maximum
- 45" (1143mm) uprights: 4 shelf tiers maximum

Shelves.

When configuring side-by-side shelving units, the adjacent shelves on the same tier must have the same depth. Minimum space between shelf tiers is 9" (229mm).

Note: When using MetroMax i shelves with SmartWall G3 shelf supports, order one adapter kit per shelf (Cat. No. M9997-4).

Shelf Supports.

Order to match up with the depth of the shelf.

Configuring Basic Wall Shelving



Ordering Guide

Single Shelving Unit

1. Select a wall track or tracks.
2. Select two uprights.
3. Select from Super Erecta wire or solid shelves, MetroMax Q, or MetroMax i shelves.
4. Select single shelf supports (2 per shelf)

To order the unit pictured:

Qty.	Cat. No.	
1	SW40BR	Wall Track
2	SWU45BR	Upright
1	2436BR	Wire Shelf
2	SWS24BR	Single Shelf Support
2	1836BR	Wire Shelf
4	SWS18BR	Single Shelf Support



Side-by-Side Shelving Unit

To order the unit pictured:

Qty.	Cat. No.	
1	SW56K3	Wall Track
1	SW40K3	Wall Track
4	SWU30K3	Upright
6	1830NK3	Wire Shelf
4	SWS18K3	Single Shelf Support
4	SWD18K3	Double Shelf Support



Single shelf supports are used on the ends of the wall shelf unit. Double (or Intermediate) shelf supports are used to join adjacent units.



S
Single Shelf Support



D
Double (Intermediate) Shelf Support

Configuring Basic Task Stations



General Guidelines

Selecting Wall Tracks

Wall track or combination of tracks must be at least 2" (51mm) longer than the desired span of shelves. 1" (25mm) on each end of the span of tracks is reserved for hardware that acts as a stop. (Example: If 152" (3860mm) of wall track could be mounted, then the length of a shelf tier cannot exceed 150" (3810mm).

Grids

Grids may attach directly to the uprights. Grids may not overhang the uprights by more than 6" (152mm). When uprights are not used, select the appropriate grid bracket kit based on the configuration.

Uprights and Shelf Supports

Enable standard Super Erecta, Super Erecta Pro, MetroMax Q, and MetroMax i shelves to be used as part of the task station.

Combinations of Grids and Shelves

Grids can be mounted directly behind shelves, but shelf supports and grids cannot occupy the same slots on the upright. Once the grid has been mounted to the upright, the shelf support can be mounted to its own slots and can be adjusted on 3" (76mm) increments within the grid space.

Ordering Guide

Medium-Duty Task Station

1. Select wall track or tracks.
2. Select uprights. (two per task station)
3. Select shelves and single shelf supports. (two supports per shelf)
4. Select grid and accessories.

Notes:

- Most often shelves and grids of the same length are used together.
- Maximum unit capacity when mounted to wood studs or plywood is 400 lbs. (180kg).

Note: Refer to catalog sheet 10.42 for weight capacities in other types of wall construction.

Standard-Duty Task Station

1. Select wall track or tracks.
2. Select grid or multiple grids.
3. Select SWGB1 grid bracket kit. (one per grid)
4. Select accessories including bulk grid shelves (pictured).

Notes:

- Maximum unit capacity when mounted to wood studs or plywood is 250 lbs. (113kg).

Note: Refer to catalog sheet 10.42 for weight capacities in other types of wall construction.

- Grids may be mounted to the wall without wall tracks using SWGB2 or WGBRKT grid bracket kits.



Consists of:

Qty.	Cat. No.	
1	SW40K3	Wall Track
2	SWU30K3	Upright
1	1836NK3	Wire Shelf
2	SWS18K3	Single Shelf Support
1	WG1836K3	Wire Grid
1	SWA1	Accessory Pack



Consists of:

Qty.	Cat. No.	
1	SW40K3	Wall Track
1	WG3036K3	Wire Grid
1	SWGB1	Grid Bracket Kit
1	GS1836K3	Grid Shelf
1	SWA2	Accessory Pack

Medium-Duty Task Station

Cat. No. SWK36-1 List Price 420.00 each

- Bulk overhead storage space with a 1836NK3 wire shelf
- 18" x 36" (457 x 914mm) grid space
- 40" (1016mm) track
- Overall dimensions: Length x Height
40" x 31¹/₄" (1016 x 793mm)

Consists of:

Qty.	Cat. No.	
1	SW40K3	Wall Track
2	SWU30K3	Upright
2	SWS18K3	Single Shelf Support
1	1836NK3	Shelf
1	WG1836K3	Wire Grid



Standard-Duty Task Station

Cat. No. SWK36-2 List Price 321.50 each

- Standard duty 50 lb. capacity overhead shelf
- 40" (1016mm) track and 30" x 36" (762 x 914mm) grid space
- Overall dimensions: Length x Height
40" x 39¹¹/₁₆" (1016 x 1008mm)

Consists of:

Qty.	Cat. No.	
1	SW40K3	Wall Track
1	SWGB1	Grid Bracket Kit
1	WG3036K3	Grid
1	GS1836K3	Grid Shelf



Accessory Pack — Sink

Cat. No. SWA1 List Price 198.50 each

- Packaged in one carton
- To fit minimum 18" x 36" (457 x 914mm) grid space
- Grids not included

Consists of:

Qty.	Cat. No.	
1	H210K3	Wire Basket
1	IWA-11K3	Lid Holder
1	FCH	Utensil Cylinder
1	FC1	Cylinder Holder
2	PGHK6K3	Prong Hook
6	HK23C	Standard Hook



Wire Grid and Grid Brackets Not Included.

Accessory Pack — Prep

Cat. No. SWA2 List Price 254.50 each

- Packaged in one carton
- To fit minimum 18" x 36" (457 x 914mm) grid space
- Grids not included

SmartWall G3 can be configured in endless combinations of storage shelves, task station grids, and space management accessories. Visit metro.com/SWG3 for more ideas on how to put wall space to work.

Consists of:


Qty.	Cat. No.	
1	PBA-GSDK3	Small Shelf
2	H210K3	Wire Basket
1	DD3722A	Bin Holder
1	MB30230B	Small Bin
2	PGHK6K3	Prong Hook
6	HK23C	Standard Hook



Wire Grid and Grid Brackets Not Included.



Wall Track



Hardware

Wall Tracks (minimum one per system)

- Joiner plates and stop fastener hardware included. Does not include hardware to mount wall tracks to the wall.
- Replacement joiner plate (1) and stop fastener hardware (2 sets): Cat. No. RPTRK-HDWE

Actual Length (in.)	Actual Depth (in.)	Actual Width (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Metroseal 3	List Price Each
40 1016	3/4 19	1 9/16 40	5.0 2.2	SW40BR	48.00	SW40K3	53.50
56 1423	3/4 19	1 9/16 40	6.0 2.6	SW56BR	54.00	SW56K3	59.00
72 1829	3/4 19	1 9/16 40	7.0 3.1	SW72BR	60.50	SW72K3	66.00

*Note: Tracks can be cut to length, but Metro does not provide this service. Touch-up paint for Metroseal 3 tracks is available. Cat. No. TP-K2.

Uprights (For medium-duty applications, minimum two per system. Sold by the piece)

- Built-in slots allow shelf supports and grids to attach without tools or hardware.
- 1 1/2" (38mm) slot spacing allows shelves and grids to be adjusted on 1 1/2" (38mm) increments

Actual Length (in.)	Actual Width (in.)	Actual Depth (in.)	Number of Slots	Approx. Pkd. Wt. (lbs.)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Metroseal 3	List Price Each
16 406	1 1/8 29	1 7/8 48	7	1.8 0.8	SWU15BR	48.00	SWU15K3	57.50
31 787	1 1/8 29	1 7/8 48	17	3.5 1.5	SWU30BR	56.50	SWU30K3	67.00
44 1130	1 1/8 29	1 7/8 48	26	5.3 2.3	SWU45BR	68.00	SWU45K3	78.50

Shelf Supports (Sold by the piece)

- Mount directly to slotted uprights. Suitable for use with Super Erecta, MetroMax Q, and MetroMax i shelves.
- Single shelf supports are used on each end of a single unit or side-by-side unit.
- Double (intermediate) shelf supports are used when configuring side-by-side wall shelving units.

Single Shelf Supports

Fits shelf depth	Actual Length (in.)	Actual Width (in.)	Actual Height (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Metroseal 3	List Price Each
14" (355mm)	16 9/16 421	1 1/2 38	8 3/16 208	2.5 1.1	SWS14BR	40.50	SWS14K3	47.50
18" (457mm)	20 9/16 522	1 1/2 38	8 3/16 208	3.0 1.3	SWS18BR	42.50	SWS18K3	49.00
21" (530mm)	23 9/16 598	1 1/2 38	8 3/16 208	3.5 1.5	SWS21BR	42.50	SWS21K3	49.00
24" (610mm)	26 9/16 675	1 1/2 38	8 3/16 208	3.5 1.5	SWS24BR	44.00	SWS24K3	53.00

*Note: Replacement plastic sleeve for shelf support. Cat. No. RP-SPSLV.

Note: When using MetroMax i shelves with shelf supports, please order 1 adapter kit per shelf. Cat. No. M9997-4 List Price 10.30 each

Double (Intermediate) Shelf Supports

Fits shelf depth	Actual Length (in.)	Actual Width (in.)	Actual Height (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Metroseal 3	List Price Each
14" (355mm)	16 9/16 421	1 1/2 38	8 3/16 208	2.5 1.1	SWD14BR	59.50	SWD14K3	71.00
18" (457mm)	20 9/16 522	1 1/2 38	8 3/16 208	3.0 1.3	SWD18BR	61.50	SWD18K3	72.50
21" (530mm)	23 9/16 598	1 1/2 38	8 3/16 208	3.5 1.5	SWD21BR	61.50	SWD21K3	72.50
24" (610mm)	26 9/16 675	1 1/2 38	8 3/16 208	3.5 1.5	SWD24BR	62.50	SWD24K3	76.00

*Note: Replacement plastic sleeve for shelf support. Cat. No. RP-SPSLV.

Note: When using MetroMax i shelves with shelf supports, please order 1 adapter kit per shelf. Cat. No. M9997-4 List Price 10.30 each

Grid Mounting Brackets (for standard-duty applications without uprights)

- Use to connect the grid to the wall when uprights are not used. One kit required per grid.

Description	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
Bracket kit to connect grid to wall track; includes (2) top and (4) bottom (stainless steel)	2.0 0.9	SWGB1	33.00
Direct wall mount bracket kit; consists of (6) bottom brackets (stainless steel)	2.0 0.9	SWGB2	33.00
Direct wall mount bracket kit; consists of (6) black plastic brackets	2.0 0.9	WGBRKT	21.00



SWGB1

x4




SWGB2

WGBRKT

x6

x6




Grid: 18" x 36" (457 x 914mm)

Wire Grids

- Brackets to mount the grid to the wall track or the wall are not included and can attach directly to uprights without brackets or tools.
- Grid openings measure approximately 3" x 3" (76 x 76mm)

Width x Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3	List Price Each
18x30 457x760	7.5 3.3	—	—	WG1830K3	53.00
18x36 457x914	9.0 4.1	WG1836BR	39.00	WG1836K3	56.00
18x48 457x1219	12.0 5.4	WG1848BR	48.50	WG1848K3	70.00
18x60 457x1524	14.0 6.4	WG1860BR	60.00	WG1860K3	87.50
24x36 610x914	12.0 5.4	—	—	WG2436K3	96.50
24x48 610x1219	15.5 7.0	—	—	WG2448K3	121.00
30x36 760x914	12.8 5.8	—	—	WG3036K3	96.50
30x48 760x1219	16.5 7.5	—	—	WG3048K3	121.00
33x54 838x1370	21.0 9.5	PBA-GPC	83.50	—	—

*Note: Can be retrofitted to original MetroMax and MetroMax Q shelving.



Shelves for Grids

		Width/Length/Height (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3	List Price Each
A	14"x36" (356x914mm) Shelf w/Retaining Edge	15 ³ / ₈ x35 ¹ / ₄ x7 ³ / ₄	391x895x197	12	4.5	—	—	GS1436K3	126.00
A	14"x48" (356x1219mm) Shelf w/Retaining Edge	15 ³ / ₈ x47 ¹ / ₄ x7 ³ / ₄	391x1200x197	16	6.0	—	—	GS1448K3	150.00
A	18"x30" (457x762mm) Shelf w/Retaining Edge	19 ³ / ₈ x29 ¹ / ₄ x7 ³ / ₄	492x743x197	15	5.6	—	—	GS1830K3	126.00
A	18"x36" (457x914mm) Shelf w/Retaining Edge	19 ³ / ₈ x35 ¹ / ₄ x7 ³ / ₄	492x895x197	18	6.7	—	—	GS1836K3	138.50
A	18"x48" (457x1219mm) Shelf w/Retaining Edge	19 ³ / ₈ x47 ¹ / ₄ x7 ³ / ₄	492x1200x197	24	9.0	—	—	GS1848K3	166.00
B	Light-Duty Shelf with Side Ledges	9 W.x18 ¹ / ₂ L.	228 W.x470 L.	4	1.8	PBA-GSD	60.00	PBA-GSDK3	67.00
C	Small Grid Shelf — 18" (457mm)	16 ³ / ₄ W.x16 ³ / ₄ L.	425 W.x425 L.	6	2.7	PBA-MS	61.00	PBA-MSK3	68.00
D	Flat Grid Shelf — 24" (610mm)	12 ¹¹ / ₁₆ x24x4	322x610x102	7	2.6	—	—	FGS1224K3	113.00

Hooks

		Width/Length/Height (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3	List Price Each
E	Small Hook	1 ¹ / ₄ x3 ¹ / ₂	32x89	—	—	HK23C	5.30	—	—
F	Large Hook	2x3 ¹ / ₂	50x89	—	—	HK25C	5.90	—	—
G	Double Large Hook	2x3 ¹ / ₂	50x89	—	—	HK26C	9.40	—	—
H	6" (152mm) Pronged Hook	1 ¹ / ₄ x7 ⁵ / ₈ x5 ⁵ / ₈	32x194x92	.3	0.1	—	—	PGHK6K3	14.00

Baskets

		Width/Length/Height (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3	List Price Each
I	Small Basket	13 ³ / ₈ x5x7	345x127x180	8.5	4	H209C	34.50	H209K3	38.50
I	5" (127mm) Deep Large Basket	17 ³ / ₈ x7 ¹ / ₂ x5	440x190x127	7	3	H210C	37.50	H210K3	48.00
I	10" (254mm) Deep Large Basket	17 ³ / ₈ x7 ¹ / ₂ x10	440x190x255	11	5	H212C	50.00	H212K3	56.50

Bins and Holders

		Width/Length/Height (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each	Cat. No. Metroseal 3	List Price Each
J	Blue Bin Packed 12/Ctn.	10 ⁷ / ₈ x5 ¹ / ₂ x5	279x140x127	1	0.45	MB30230B	14.00	—	—
J	Blue Bin Packed 6/Ctn.	10 ⁷ / ₈ x11x5	279x280x127	1.5	0.68	MB30235B	19.00	—	—
J	Blue Bin Packed 12/Ctn.	14 ³ / ₄ x8 ¹ / ₄ x7	375x210x180	2	0.91	MB30240B	23.00	—	—
K	Single Bin Holder	3x ¹ / ₂ (LxH)	76x13 (LxH)	0.5	0.23	DD3722A	17.50	—	—
K	Small Bin Holder	11x3 (LxH)	280x76 (LxH)	1	.45	PBA-1BH	26.50	—	—
K	Large Bin Holder	22x3	559x76 (LxH)	2	.91	PBA-2BH	33.50	—	—

Drying Rack Accessories

		Width/Length/Height (in.)	(mm)	Pkd. Wt. (lbs.)	(kg)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3	List Price Each
L	Slanted Lid Holder/Drying Shelf	14 ¹ / ₈ x20 ³ / ₄ x12 ¹ / ₈	359x527x307	5.0	2.3	—	—	IWA-S11K3	101.00
M	Lid Holder/Drying Shelf	8 ³ / ₄ x13 ¹ / ₂ x4 ¹ / ₂	210x343x114	2	0.9	—	—	IWA-11K3	45.50
N	Tray Drying Rack	14 ³ / ₈ x46 ¹ / ₄ x10 ³ / ₁₆	371x1175x259	12.0	5.4	—	—	TDR48K3	195.00
O	6-Prong Bottle Holder	14 ⁷ / ₈ x5 ¹ / ₈ x11	378x130x279	2.3	0.8	—	—	BH6K3	54.00

Utensil Holders

		Width/Length/Height (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3	List Price Each
P	Large Utensil Holder	10 ¹ / ₂ x10 ³ / ₈ x4	267x264x102	4	1.8	—	—	IWA-12K3	51.50
Q	Small Utensil Holder	4 ³ / ₈ x10 ³ / ₈ x4	111x264x102	4	1.8	—	—	IWA-14K3	55.00
R	Flatware/Instrument Cylinder	4 ⁵ / ₁₆ x4 ⁵ / ₁₆ x5 ¹ / ₂	109x109x140	0.3	0.1	—	—	FC1	13.00
S	Cylinder Holder	2 ⁵ / ₈ x5 ⁷ / ₈ x5 ³ / ₄	67x149x146	1.0	0.5	—	—	FCH	32.00

Miscellaneous Accessories

		Width/Length/Height (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Plated	List Price Each	Cat. No. Metroseal 3	List Price Each
T	Spice Rack/Utility Shelf	5 ¹ / ₄ x22 ¹ / ₂ x4	133x571x102	3.5	1.6	SR24BR	46.50	SR24K3	66.00
U	Grid Mounted Can Rack, 4 Capacity	8 ³ / ₄ x13 ³ / ₄ x12	210x349x305	4	1.8	CR4BR	70.00	—	—
V	Low-Profile Can Rack, 4 Capacity	6 ¹ / ₂ x7 ³ / ₄ x28 ¹ / ₂	165x197x724	4.3	2.0	CR4LPBR	70.00	—	—
W	Insert Pan Holder	7 ¹ / ₂ x12 ¹ / ₂ x4	190x317x102	2.3	1.0	STP3BR	27.00	—	—
X	Hanging File Holder	6 ³ / ₄ W.x12 ¹ / ₂ L.	159 W.x317 L.	3	1.4	PBA-PFH	28.00	—	—
Y	Book Holder	2 W. x 9 H.	50 W.x228 H.	3	1.4	PBA-CHD	32.50	—	—
Z	Glove Box Holder (Vertical)	6 ³ / ₈ W.x10 ¹ / ₂ H.	162 W.x267 H.	2	0.9	—	—	GBHVK3	31.00

Inside Dimensions 5⁷/₈" W.x3⁷/₁₆" D. [267mm W.x87mm D.]



Wall Mounts with Shelf
(Shelf sold separately, see page 39)

Erecta Shelf® Wall Mounts — 10.56

Used to create wall-mounted shelving units with 12" (305mm) or 18" (457mm) Erecta shelves of any length.

- Models are available to accommodate from one to five shelves.
(Each mount consists of two shelf supports and mounting brackets.)
- Wall bolts or screws not included; they must be selected according to type of wall.
- Order shelves from page 67.

Width (in.)	Width (mm)	Height (in.)	Height (mm)	Capacity	Approx. Pkd. Wt. (Pr.) (lbs.) (kg)		Cat. No. Chrome	List Price Each
12	305	10 ³ / ₄	273	1 Shelf	2 ¹ / ₂	1.1	12WB1C	31.50
12	305	20 ¹³ / ₁₆	528	1 to 3 Shelves	5	2.3	12WB3C	51.00
12	305	30 ¹³ / ₁₆	782	1 to 5 Shelves	7 ¹ / ₄	3.2	12WB5C	69.50
18	457	11 ³ / ₄	298	1 Shelf	3	1.4	18WB1C	36.00
18	457	21 ⁵ / ₈	548	1 to 3 Shelves	6	2.7	18WB3C	56.50
18	457	31 ⁵ / ₈	807	1 to 5 Shelves	8 ¹ / ₂	3.8	18WB5C	75.50

For additional mounting brackets (single) order Cat. No. **9975C** List Price 3.70 each
Double mounting brackets are also available for use where continuous wall shelving is to be installed. Cat. No. **9976C** List Price 6.50 each

Load Rating: 200 lbs. (91kg) per shelf, not to exceed 200 lbs. (91kg) per unit.

Units must be secured to sufficient wall support structure.



12WS12C
Erecta Shelf® Wall Kit

Erecta Shelf® Wall Kit — 10.56

Kit includes two shelves, shelf supports, and mounting brackets. Wall bolts and screws not included; they must be selected according to type of wall. Chrome.

Shelf Length (in.)	Shelf Length (mm)	Overall Length (in.)	Overall Length (mm)	Shelf Width (in.)	Shelf Width (mm)	Overall Width (in.)	Overall Width (mm)	Overall Height (in.)	Overall Height (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
24	610	26 ¹ / ₄	673	12	305	13	330	21	530	18 ¹ / ₂	8.3	12WS12C	115.50
36	914	38 ¹ / ₄	971	12	305	13	330	21	530	25 ¹ / ₄	11.3	12WS32C	140.50
48	1219	50 ¹ / ₄	1283	12	305	13	330	21	530	32	14.4	12WS52C	164.00

Kit packaged in one box and UPS shippable.

Load Rating: 200 lbs. (91kg) per shelf, not to exceed 200 lbs. (91kg) per unit.

Units must be secured to sufficient wall support structure.

Direct Wall Mount Shelving — 9.20

Use standard Super Erecta stainless steel direct wall mount shelf supports with MetroMax shelves or open frames with wire drop in baskets. Order one MetroMax corner adapter kit with each shelf or shelf frame. Shelf supports are sold individually.

Single — Use at shelf ends; two are required for a stand-alone shelf.

Shelf Width (in.)	Shelf Width (mm)	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Stainless Steel	List Price Each
18	457	2	0.9	1WD18S	87.00
24	610	2 ¹ / ₄	1.0	1WD24S	95.00

Double — When constructing a run of shelves, use double shelf supports to join adjacent shelves.

Shelf Width (in.)	Shelf Width (mm)	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Stainless Steel	List Price Each
18	457	3	1.4	2WD18S	131.50
24	610	4 ¹ / ₄	2.0	2WD24S	139.50

For MetroMax i Open Frame and Drop-In Basket, see page 27.



Wall Mount Brackets shown with MetroMax i
Open Frame and Drop-In Basket.

MetroMax i® Corner Adapter Kit

Order one kit per MetroMax i shelf or shelf frame.

Cat. No. **M9997-4** List Price 11.20 each

Wall Mounts

An ideal method for storing items overhead or above work surfaces.

- Brackets accommodate all Super Erecta® sizes and types of shelves.
- Use double supports to mount adjacent shelves, single supports at ends.
- Metal caps to cover openings are provided.
- Available in chrome, Metroseal 3 or stainless steel.

Post-Type Wall Mounts — 10.40

Standard Units

Post-type wall mounts are available in pre-packaged “End Units” and “Mid Units; complete with all needed components except shelves, wall bolts or screws, which must be selected according to type of wall. *Shelf supports are chrome-plated.

- A** “End Unit” consists of two posts with wall mounting brackets, and two single shelf supports for each shelf level.
- B** “Mid Unit” consists of one post with brackets and double support for each shelf.

If shelving is to be the length of one shelf, order End Unit only.

If two-shelf lengths, order one End Unit and one Mid Unit; three lengths, one End and two Mid Units; four lengths, one End and three Mid Units; etc.

For 14" (355mm) Shelf Width

Shelf Levels	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. End Unit	List Price Each	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Mid Unit	List Price Each
1	7	3.2	SW21C	145.00	5	2.3	AW21C	92.50
2	14	6.4	SW23C	257.00	9	4.1	AW23C	168.00
3	22	10	SW25C	332.00	14	6.4	AW25C	225.50
4	28	12.7	SW26C	407.00	18	8.2	AW26C	282.50

For 18" (457mm) Shelf Width

Shelf Levels	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. End Unit	List Price Each	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Mid Unit	List Price Each
1	7	3.2	SW31C	149.00	5	2.3	AW31C	93.50
2	14	6.4	SW33C	265.00	11	5	AW33C	170.00
3	22	10	SW35C	344.00	17	8	AW35C	228.50
4	28	12.7	SW36C	423.00	21	9.5	AW36C	286.50

For 21" (530mm) Shelf Width

Shelf Levels	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. End Unit	List Price Each	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Mid Unit	List Price Each
1	8	3.6	SW41C	149.00	6	2.7	AW41C	94.50
2	16	7.3	SW43C	265.00	12	5.5	AW43C	172.50
3	25	11.3	SW45C	344.00	18	8.2	AW45C	232.00
4	32	14.4	SW46C	423.00	23	10.4	AW46C	291.50

For 24" (610mm) Shelf Width

Shelf Levels	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. End Unit	List Price Each	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Mid Unit	List Price Each
1	9	4.1	SW51C	151.00	6	2.7	AW51C	95.50
2	18	8.2	SW53C	269.00	12	5.5	AW53C	174.50
3	28	12.7	SW55C	350.00	19	9	AW55C	235.00
4	36	16	SW56C	431.00	24	10.9	AW56C	295.50

***Note:** User should determine that wall material and method of mounting are suitable to support the shelves and their contents. Mounting hardware not included.

Maximum Load Rating: 250 lbs. (113kg) per shelf, not to exceed 250 lbs. (113kg) per unit.

See page 42 for Super Erecta shelves.



Post-Type Wall Mount Installation



Post-Type Wall Mounts

Metro Tip:

Have you looked at your walls lately?


Unused wall space provides the perfect opportunity for a significant increase in storage capacity. Metro offers a complete line of wall shelving systems to maximize storage density.

Posts and Brackets — 10.40

Two end brackets (BES) are supplied with each of these double-footed posts. One intermediate bracket (BCS) is supplied with 33PDF posts and two are supplied with 54PDF and 63PDF posts. Order desired number/style of shelf supports below.

Post Height (in.) (mm)	Description	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
13 ⁷ / ₈ 350	Post for 1 tier	1 ¹ / ₄ 0.6	13PDF	36.00	13PDFK3	43.00	13PDFS	68.50
33 ³ / ₈ 854	Post for 2 tiers	2 ³ / ₄ 1.2	33PDF	55.50	33PDFK3	65.50	33PDFS	118.50
54 1370	Post for 3 or more tiers	5 2.3	54PDF	56.50	54PDFK3	67.00	54PDFS	153.50
62 1573	Post for 4 or more tiers	6 2.7	63PDF	57.50	63PDFK3	68.00	63PDFS	162.50
	End Bracket	1 ¹ / ₂ 0.2	BES	12.20	BESK3	14.50	SBES	23.00
	Intermediate Bracket	1 ¹ / ₂ 0.2	BCS	8.80	BCSK3	9.20	SBCS	16.50

Note: User should determine that wall material and method of mounting are suitable to support the shelves and their contents. Mounting hardware not included. Order shelves from page 42.



Typical configuration using two end units and one mid unit

Maximum Load Rating:
250 lbs. (113kg) per shelf,
not to exceed 250 lbs. (113kg)
per unit.

See page 42 for Super
Erecta shelves.

Metro Tip:

MetroMax Q and MetroMax i
shelves can be used with Super
Erecta Post Mounting Shelf
Supports and Direct Wall
Mounts.

Shelf Supports — Post Mounting — 10.40

Single —
Two required per shelf (one at each end.)

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
14 355	2 0.9	1WS14C	36.50	1WS14K3	43.50	1WS14S	78.50
18 457	2 0.9	1WS18C	38.50	1WS18K3	45.00	1WS18S	84.00
21 530	2 ¹ / ₂ 1.1	1WS21C	38.50			1WS21S	86.00
24 610	3 1.4	1WS24C	39.50	1WS24K3	48.50	1WS24S	90.50

Double —
For run of multiple shelves.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
14 355	3 1.4	2WS14C	56.00	2WS14K3	65.00	2WS14S	118.50
18 457	3 ³ / ₄ 1.7	2WS18C	57.00	2WS18K3	67.50	2WS18S	127.50
21 530	4 ¹ / ₄ 1.9	2WS21C	58.50			2WS21S	129.50
24 610	4 ¹ / ₂ 2.0	2WS24C	59.50	2WS24K3	71.00	2WS24S	136.50

Order shelves from page 42.

Direct Wall Mounts — 10.40

Each consists of one shelf support and mounting plate, with two shelf collar caps. Use single support at shelf ends; double support for adjoining shelves.

Single — Two required per shelf.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
14 355	1 ¹ / ₂ 0.7	1WD14C	38.50	1WD14K3	44.50	1WD14S	83.00
18 457	2 0.9	1WD18C	39.50	1WD18K3	45.50	1WD18S	87.00
21 530	2 0.9	1WD21C	39.50	1WD21K3	47.50	1WD21S	90.50
24 610	2 ¹ / ₄ 1.0	1WD24C	41.00	1WD24K3	48.50	1WD24S	95.00

Double

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
14 355	3 1.4	2WD14C	58.50	2WD14K3	67.50	2WD14S	124.50
18 457	3 1.4	2WD18C	59.50	2WD18K3	68.50	2WD18S	131.50
21 530	4 1.8	2WD21C	60.50	2WD21K3	71.50	2WD21S	135.50
24 610	4 ¹ / ₂ 2.0	2WD24C	62.00	2WD24K3	72.50	2WD24S	139.50

Note: User should determine that wall material and method of mounting are suitable to support the shelves and their contents.



Single Shelf Support



Double Shelf Support



Hole Plugs — 10.06

This chrome-plated cover is used to fill shelf-corner openings. Use wherever posts have been eliminated by "S" hooks.

Cat. No. **9997C** List Price 3.50 each

✓ Indicates antimicrobial product.

Push ahead.

Give yourself the versatility you need with Metro Utility Carts.

Utility Carts

- Can be used in a variety of unique transport applications.
- Durable materials, ergonomic handles, and premium casters promote long life and ease of use.
- Microban product protection built into the shelf mats, frames, and posts.
- Easier to clean with removable shelf mats.

MetroMax i® Utility Carts

- Corrosion proof shelves, posts, and Type 304 stainless steel handle.
- Corrosion resistant 5PCX casters with 5" (127mm) polyurethane wheels, polymer horns, and stainless steel axles.
- 39¹/₄" (997mm) tall. Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

Nominal Width/Length (in.)	Nominal Width/Length (mm)	Actual Width/Length (in.)	Actual Width/Length (mm)	Description	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
18x30	457x760	20 ⁵ / ₁₆	516 x 876	2-shelf	35.5	15.8	MXUC1830G-25	829.00
24x36	610x914	26 ⁵ / ₁₆	668 x 1029	2-shelf	46.0	20.5	MXUC2436G-25	893.50
18x30	457x760	20 ⁵ / ₁₆	516 x 876	3-shelf	46.0	20.5	MXUC1830G-35	967.50
24x36	610x914	26 ⁵ / ₁₆	668 x 1029	3-shelf	61.5	27.5	MXUC2436G-35	1,062.00



MetroMax Q® Utility Carts

- Quick adjust corrosion resistant shelves and posts.
- Corrosion proof Type 304 stainless steel handle.
- Includes four 5MPX casters with 5" (127mm) polyurethane wheels.
- 39¹/₄" (997mm) tall. Weight capacity of cart: 900 lbs. (408kg) evenly distributed.

Nominal Width/Length (in.)	Nominal Width/Length (mm)	Actual Width/Length (in.)	Actual Width/Length (mm)	Description	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
18x30	457x760	20 ⁵ / ₁₆	516 x 876	2-shelf	35.5	15.8	MQUC1830G-25	596.00
24x36	610x914	26 ⁵ / ₁₆	668 x 1029	2-shelf	46.0	20.5	MQUC2436G-25	639.50
18x30	457x760	20 ⁵ / ₁₆	516 x 876	3-shelf	46.0	20.5	MQUC1830G-35	689.00
24x36	610x914	26 ⁵ / ₁₆	668 x 1029	3-shelf	61.5	27.5	MQUC2436G-35	752.00



Helpful Hints

- Configure a cart to your exact needs using a combination of MetroMax i® and Q™ shelves and posts.
- Consider MetroMax i solid shelves when spill containment is required or to protect supplies from dirt during transport.
- A typical utility cart will be configured using 27" (685mm) or 33" (875mm) stem caster posts with 5" (127mm) casters.

Shelves and posts: pages 14-15 Casters: page 16 Handles: page 17



Solid bottom shelf and 5PCX/5PCBX casters pictured



Gray (G)



Blue (BU)



Slate Blue with
Microban Antimicrobial (MB)



Black (BL)

Weight Load Capacity:
150 lbs. (68kg) per shelf.
400 lbs. (181kg) per unit.



NSF

BC Series Utility Carts — 12.28

- Metro BC carts are available in aesthetic colors: Gray, Blue, Black and Slate Blue.
- Shelves specially designed to resist staining and wipe clean easily. Shelves with Microban® antimicrobial helps keep shelves “cleaner between cleanings” by inhibiting the growth of bacteria, mold, and mildew that cause odors, stains and product degradation. Slate blue color.
- $\frac{7}{16}$ " (11mm) deep ship's edge lip around shelf perimeter contains spills.
- Available in 2-shelf and 3-shelf styles.

Width/Length/Height (in.)	(mm)	Description	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.*	List Price Each
18x28x33 $\frac{1}{4}$	457x710x845	2-shelf unit	27 $\frac{1}{2}$	12.4	BC1627-24	219.50
18x28x33 $\frac{1}{4}$	457x710x845	3-shelf unit	33	14.9	BC1627-34	257.00
21 $\frac{1}{2}$ x33 $\frac{3}{4}$ x33 $\frac{1}{4}$	546x857x845	2-shelf unit	34 $\frac{1}{2}$	15.6	BC2030-24	237.00
21 $\frac{1}{2}$ x33 $\frac{3}{4}$ x33 $\frac{1}{4}$	546x857x845	3-shelf unit	43	19.5	BC2030-34	290.00
27x39 $\frac{1}{2}$ x33 $\frac{1}{4}$	686x1003x845	2-shelf unit	40 $\frac{1}{2}$	18.3	BC2636-24	277.50
27x39 $\frac{1}{2}$ x33 $\frac{1}{4}$	686x1003x845	3-shelf unit	52	23.5	BC2636-34	339.00
18x28x33 $\frac{1}{4}$	457x711x845	Antimicrobial 2-shelf unit	27 $\frac{1}{2}$	12.4	BC1627-24MB	241.00
18x28x33 $\frac{1}{4}$	457x711x845	Antimicrobial 3-shelf unit	33	14.9	BC1627-34MB	283.00
21 $\frac{1}{2}$ x33 $\frac{3}{4}$ x33 $\frac{1}{4}$	546x857x845	Antimicrobial 2-shelf unit	34 $\frac{1}{2}$	15.6	BC2030-24MB	259.50
21 $\frac{1}{2}$ x33 $\frac{3}{4}$ x33 $\frac{1}{4}$	546x857x845	Antimicrobial 3-shelf unit	43	19.5	BC2030-34MB	319.50

Cart is available in 2-shelf and 3-shelf. *Colors available are: Gray (G), Blue (BU), and Black (BL).
*Add color designation to part number when specifying, i.e.: BC1627-34G = Three-shelf Gray unit.

Utility Cart Accessories — 12.28

Baskets and Bins for Two- and Three-Shelf 16"x27" (406x685mm) and 20"x30" (508x760mm) Models



Description	Fits Cart	Width/Height/Depth (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
Wastebasket (including holder)	BC1627	17 $\frac{3}{8}$ x27 $\frac{1}{2}$ x13 $\frac{1}{4}$	440x700x337	5.5	2.5	BCWB1	72.00
Wastebasket (including holder)	BC2030	21 $\frac{1}{4}$ x27 $\frac{1}{2}$ x13 $\frac{1}{4}$	540x700x337	8.0	3.8	BCWB2	72.00
Utility Bin (including holder)	BC1627	17 $\frac{1}{2}$ x7 $\frac{3}{4}$ x14 $\frac{1}{2}$	445x197x368	3.8	1.7	BCUB1	60.00
Utility Bin (including holder)	BC2030	21 $\frac{1}{4}$ x7 $\frac{3}{4}$ x14 $\frac{1}{2}$	540x197x368	6.0	2.7	BCUB2	60.00
Wastebasket Only	—	14 $\frac{3}{8}$ x15 $\frac{3}{8}$ x10 $\frac{3}{8}$	365x391x264	2.8	1.3	MF222	37.50
Utility Bin Only	—	16 $\frac{3}{8}$ x6x11	416x152x279	2.0	.9	UB1	37.50



Gray (G)



Blue (BU)



Slate Blue with
Microban Antimicrobial (MB)



Black (BL)

Deep Ledge Utility Carts — 12.28

Specially designed with a 2³/₄" (70mm) deep ledge to contain product and spills.

- Easy-to-position center shelf option adjusts at 1" (25mm) increments.
- Polymer shelves are easy to clean and corrosion proof.
- Shelves with Microban® antimicrobial helps keep shelves "cleaner between cleanings" by inhibiting the growth of bacteria, mold, and mildew that cause odors, stains and product degradation. Slate blue color.
- 2-shelf and 3-shelf models are available in four colors including: Gray, Blue, Black and Slate Blue.

(in.)	Width/Length/Height (mm)	Description	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.*	List Price Each
21 ¹ / ₂ x32 ³ / ₄ x41	546x832x1041	2-shelf unit	29	31.1	BC2030-2D	247.50
21 ¹ / ₂ x32 ³ / ₄ x41	546x832x1041	3-shelf unit	37 ¹ / ₂	17.0	BC2030-3D	305.00
27x38 ³ / ₄ x41	685x984x1041	2-shelf unit	35	15.9	BC2636-2D	290.00
27x38 ³ / ₄ x41	685x984x1041	3-shelf unit	46 ¹ / ₂	21.1	BC2636-3D	355.50
21 ¹ / ₂ x32 ³ / ₄ x41	546x832x1041	Antimicrobial 2-shelf unit	29	13.1	BC2030-2DMB	274.00
21 ¹ / ₂ x32 ³ / ₄ x41	546x832x1041	Antimicrobial 3-shelf unit	37 ¹ / ₂	17.0	BC2030-3DMB	336.50

*Add color designation to part number when specifying, i.e.: BC2030-3DG = Three-shelf deep ledge cart in Gray.

(G) = Gray
(BU) = Blue
(BL) = Black
(MB) = Slate Blue with Microban Antimicrobial

Weight Load Capacity:
150 lbs. (68kg) per shelf.
400 lbs. (181kg) per unit.

Utility Cart Accessories — 12.28

Baskets and Bins for Deep Ledge

Description	Fits Cart	Width/Height/Depth (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
Wastebasket (including holder)	BC2030	21 ¹ / ₄ x27 ¹ / ₂ x13 ¹ / ₄	540x700x337	8.0	3.8	BCWB2D	72.00
Utility Bin (including holder)	BC2030	21 ¹ / ₄ x7 ³ / ₄ x14 ¹ / ₂	540x197x368	6.0	2.7	BCUB2D	60.00
Wastebasket Only	—	14 ³ / ₈ x15 ³ / ₈ x10 ³ / ₈	365x391x264	2.8	1.3	MF222	37.50
Utility Bin Only	—	16 ³ / ₈ x6x11	416x152x279	2.0	.9	UB1	37.50



NSF



Microban
3-Shelf Deep
Ledge Cart

Replacement Casters for BC Series and
Deep Ledge Utility Carts
4 per box.

Cat. No. **RPBC4M-4**
List Price 78.50 each



*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.



MW200 Series

MW Series Utility Carts — 12.01

- Consist of Super Erecta wire shelves with plastic split sleeves, two one-piece handles of matching finish, and designated casters with donut bumpers.
- Two- and three-tier models available.
- 375 lbs. (170kg) weight capacity per cart. MW carts use light-duty resilient casters.
- 18" (457mm) wide carts have 4" (102mm) casters. Cart is 38" (965mm) high.
- 21" and 24" (530 and 610mm) wide carts have 5" (127mm) casters. Cart is 39" (990mm) high.

Utility Carts with Stainless Steel Solid Shelves

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. 2-Shelf	List Price Each	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. 3-Shelf	List Price Each
18x24	457x610	40	18.1	MW103	696.50	48	21.8	MW203	931.50
18x30	457x760	45	20.4	MW104	788.00	53	24.0	MW204	1,028.50
18x36	457x914	48	21.8	MW105	788.00	59	26.8	MW205	1,028.50
21x36	530x914	54	24.5	MW106	851.50	74	33.6	MW206	1,124.00
24x36	610x914	60	27.2	MW108	900.50	66	29.9	MW208	1,195.00



MW400 Series

Utility Carts with 1 Solid, 2 Wire Shelves

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Shelf Material	Handles	Cat. No.	List Price Each
18x24	457x610	43	19.5	Stainless Steel, Chrome	Chrome	MW401	463.50
18x30	457x760	47	21.3	Stainless Steel, Chrome	Chrome	MW402	524.50
18x36	457x914	52	23.6	Stainless Steel, Chrome	Chrome	MW403	524.50
21x36	530x914	59	26.8	Stainless Steel, Chrome	Chrome	MW404	572.00
24x36	610x914	65	29.5	Stainless Steel, Chrome	Chrome	MW406	603.00



MW600 Series

Utility Carts with 2 Wire Shelves

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Shelf Material	Handles	Cat. No.	List Price Each
18x24	457x610	34	15.4	Chrome	Chrome	MW601	294.50
18x24	457x610	34	15.4	Stainless Steel	Stainless Steel	MW602	652.50
18x30	457x760	37	16.8	Chrome	Chrome	MW603	313.00
18x30	457x760	37	16.8	Stainless Steel	Stainless Steel	MW604	744.50
18x36	457x914	40	18.1	Chrome	Chrome	MW605	313.00
18x36	457x914	39	17.7	Stainless Steel	Stainless Steel	MW606	744.50
21x36	530x914	44	20.0	Chrome	Chrome	MW607	341.00
21x36	530x914	44	20.0	Stainless Steel	Stainless Steel	MW608	833.00
24x36	610x914	47	21.3	Chrome	Chrome	MW611	351.00
24x36	610x914	46	20.9	Stainless Steel	Stainless Steel	MW612	879.00

Utility Carts with 3 Wire Shelves

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Shelf Material	Handles	Cat. No.	List Price Each
18x24	457x610	39	17.6	Chrome	Chrome	MW701	356.50
18x24	457x610	38	17.2	Stainless Steel	Stainless Steel	MW702	884.00
18x30	457x760	43	19.5	Chrome	Chrome	MW703	376.50
18x30	457x760	42	19.1	Stainless Steel	Stainless Steel	MW704	978.50
18x36	457x914	47	21.3	Chrome	Chrome	MW705	376.50
18x36	457x914	45	20.4	Stainless Steel	Stainless Steel	MW706	978.50
21x36	530x914	50	22.7	Chrome	Chrome	MW707	417.00
21x36	530x914	50	22.7	Stainless Steel	Stainless Steel	MW708	1,101.00
24x36	610x914	60	27.7	Chrome	Chrome	MW711	432.50
24x36	610x914	57	25.9	Stainless Steel	Stainless Steel	MW712	1,168.00



MW700 Series

SP Series Utility Carts

- Consist of Super Erecta wire shelves with plastic split sleeves, two one-piece handles of matching finish, and designated casters with donut bumpers.
- Two- and three-tier models available.
- 5" (127mm) casters allow for transport of heavier loads than the MW Series Carts.
- 39" (990mm) high.

Super Erecta Brite finish — 600 lbs. (273kg) capacity per cart

- 5M Resilient Rubber Casters; casters have plated horns and axles.

Shelf Width/Length (in.) (mm)		2-TIER MODELS			3-TIER MODELS		
		Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta Brite	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Super Erecta Brite	List Price Each
18x36	457x914	40 18	2SPN33ABR	331.50	50 22.5	3SPN33ABR	407.00
21x36	530x914	44 20	2SPN43ABR	366.00	55 24.7	3SPN43ABR	434.00
24x36	610x914	48 22	2SPN53ABR	374.50	61 27.4	3SPN53ABR	447.00
24x48	610x1219	54 24	2SPN55ABR	402.50	70 31.5	3SPN55ABR	490.00
24x60	610x1524	64 29	2SPN56ABR	442.00	85 38.2	3SPN56ABR	549.00



2-Tier with 5M casters



3-Tier with 5MP casters

Chrome finish — 900 lbs. (410kg) capacity per cart

- 5MP Polyurethane Casters; casters have plated horns and axles.

Shelf Width/Length (in.) (mm)		2-TIER MODELS			3-TIER MODELS		
		Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each
18x36	457x914	40 18	2SPN33DC	424.50	50 22.5	3SPN33DC	488.00
21x36	530x914	44 20	2SPN43DC	452.50	55 24.7	3SPN43DC	528.50
24x36	610x914	48 22	2SPN53DC	462.00	61 27.4	3SPN53DC	543.50
24x48	610x1219	54 24	2SPN55DC	492.00	70 31.5	3SPN55DC	588.00
24x60	610x1524	64 29	2SPN56DC	526.50	85 38.2	3SPN56DC	640.00

Type 304 Stainless Steel — 900 lbs. (410kg) capacity per cart

- 5PC Polyurethane Casters; casters have polymer horns and stainless steel axles.

Shelf Width/Length (in.) (mm)		2-TIER MODELS			3-TIER MODELS		
		Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stainless Steel	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stainless Steel	List Price Each
18x36	457x914	40 18	2SPN33PS	986.50	50 22.5	3SPN33PS	1,220.50
21x36	530x914	44 20	2SPN43PS	1,056.50	55 24.7	3SPN43PS	1,323.50
24x36	610x914	48 22	2SPN53PS	1,102.00	61 27.4	3SPN53PS	1,391.00
24x48	610x1219	54 24	2SPN55PS	1,222.50	70 31.5	3SPN55PS	1,571.00
24x60	610x1524	64 29	2SPN56PS	1,377.00	85 38.2	3SPN56PS	1,804.00



3-Tier with 5PC casters

One-Piece Handles — 12.20

May be used with Super Erecta shelving, casters, and components to customize a cart to your exact needs.

Shelf Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless Steel	List Price Each
18 457	5 ¹ / ₂ 2.5	H3C	42.00	H3S	102.50
21 533	5 ³ / ₄ 2.6	H4C	43.50	H4S	103.50
24 610	6 2.7	H5C	43.50	H5S	105.00

Height: 34¹/₂" (876mm).



One-Piece Handle



HIGH-DENSITY STORAGE, DUNNAGE & SECURITY

High-Density Movable Aisle Shelving	88-95
Vertical High-Density Shelving	96
Dunnage Racks & Shelves	97-98
Security Storage.....	99-103
Seismic Shelving	104-105

So smart...

qwikTRAK® High-Density Storage



BOOST
STORAGE SPACE
BY UP TO
50%
WITH NO ADDED
CONSTRUCTION
COSTS.

qwikTRAK key facts

The aluminum and stainless steel floor tracks provide a smooth, gliding surface for mobile units.

- Mobile units are designed to move easily and store heavy weight loads. MetroMax i mobile qwikTRAK units can hold up to 1,200 lbs. (544kg). MetroMax Q, Super Adjustable, and Super Erecta mobile qwikTRAK units can hold up to 2,000 lbs. (907kg).
- Floor tracks protect the floors from wear and tear and do not require to be mounted to the floor.
- Floor tracks compensate for rough or choppy floor surfaces.

Double-Deep Configurations can be created where two systems are joined together to increase the overall depth of the storage system for even greater storage capacity.

Choose the shelving type based on the application.

Both single- and double-deep systems can be used with Metro wire shelving (Super Erecta or Super Adjustable Super Erecta) and polymer shelving systems (MetroMax i and MetroMax Q).



THE SECRET TO
HIGH-DENSITY
STORAGE IS THE
**ACTIVE
AISLE**
CONCEPT.

it's dense.

Top-Track® High-Density Storage



ADA Compliant

Top-Track key facts

The guide track is positioned above the shelving system.

- Floors are easy to clean.
- Utility carts can easily be rolled into and out of the active aisle.
- The guide track compensates for uneven floor surfaces and keeps units in alignment.
- Mobile units are designed to address medium-duty applications. The weight capacity of a Top-Track mobile unit is 900 lb. (410kg).

Choose the shelving type based on your application.


Top-Track (single deep) can be used with Metro wire shelving (Super Erecta or Super Adjustable Super Erecta) and polymer shelving systems (MetroMax i and MetroMax Q).

Double-Deep configurations can be created when two systems are joined together to increase the overall depth of the storage system for even greater storage capacity. Double-Deep Top-Track is only available for Super Erecta and Super Adjustable Super Erecta style shelving.



TRADITIONAL STORAGE USES UP TO 20' OF SPACE

HIGH DENSITY
STORAGE . . .
THE SMART WAY
TO PUT SPACE
TO WORK.





11.5'

High-Density qwikTRAK® Storage Systems for: Super Erecta, Super Erecta Pro,™ Super Adjustable, MetroMax Q, and MetroMax i Systems.



MetroMax i qwikTRAK



SYSTEM COMPONENTS

- A = Stationary End Units
- B = Mobile Units
- C = qwikTRAK
- D = Stationary Intermediate Unit
- E = Active Aisle



Grooved casters fit securely on track.

Shelves Sold Separately

Super Erecta — Pg. 42
Super Erecta Pro — Pg. 34
Super Adjustable — Pg. 37
MetroMax Q — Pg. 15
MetroMax i — Pg. 14

qwikTRAK Storage System — 11.15

Stationary End Unit Kits

Includes 74" high posts (1880mm) high stationary posts, and hardware necessary for connecting stationary end units to tracks and anchoring tracks to the floor. Order one kit per system. Shelves are sold separately.

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta							MetroMax Q				MetroMax i				
Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Chrome-Plated	List Price Each	 Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
39.6	18.0	BTEC	429.00	BTEK3	517.00	BTES	837.00	42.0	19.1	BTEQ3	569.00	25.0	11.4	BTEX3	701.00

Stationary Intermediate Unit Kits

Includes 74" high posts (1880mm) high stationary posts, and hardware necessary for connecting one stationary intermediate unit to tracks and anchoring tracks to the floor. Shelves are sold separately.

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta							MetroMax Q				MetroMax i				
Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Chrome-Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
22.6	10.3	BTAC	327.00	BTAK3	397.00	BTAS	557.00	24.2	11.0	BTAQ3	423.00	15.7	7.1	BTAX3	489.00

Mobile Unit Kits

Includes four 74" high posts (1880mm) high mobile posts, four casters, donut bumpers, and other hardware to assemble a mobile unit. Shelves are sold separately. One kit required per mobile unit.

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta							MetroMax Q				MetroMax i				
Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Chrome-Plated	List Price Each	 Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
25.0	11.4	BTMC	373.00	BTMK3	637.00	BTMS	797.00	27.0	12.3	BTMQ3	663.00	18.5	8.4	BTMX3	729.00

Track Sets

Includes tracks and hardware needed to assemble track runs up to 21' (6400mm).

Length (ft.)	Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each	Length (ft.)	Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
2.5	762	4	1.8	BTS2.5NA	386.00	14	4267	19	8.6	BTS14NA	1,007.50
6	1828	9	4.1	BTS6NA	394.00	15	4572	21	9.5	BTS15NA	1,223.00
7	2135	10	4.5	BTS7NA	448.50	16	4877	22	10.0	BTS16NA	1,279.50
8	2440	11	5.0	BTS8NA	661.50	17	5182	23	10.5	BTS17NA	1,339.00
9	2473	13	5.9	BTS9NA	718.50	18	5486	25	11.4	BTS18NA	1,397.50
10	3048	14	6.4	BTS10NA	777.00	19	5791	26	11.8	BTS19NA	1,454.00
11	3352	15	6.8	BTS11NA	836.00	20	6096	27	12.3	BTS20NA	1,511.00
12	3657	17	7.7	BTS12NA	894.00	21	6400	29	13.2	BTS21NA	1,566.50
13	3962	18	8.2	BTS13NA	952.00						

Note: BTS2.5NA includes a joining kit to connect the tracks to other track sets.

✓ Indicates antimicrobial product.



Notes:

- All end, intermediate, and mobile units must be 18" (457mm) or wider.
- Each stationary end and intermediate unit must have a minimum of four shelves. Super Adjustable shelves may be used for all tiers.
- qwikTRAK is available with 74" posts (1880mm) as standard. Requests for TALLER posts must be reviewed by Metro Engineering. For applications requiring posts SHORTER than 74" (1880mm), contact your Metro representative.
- Existing Metro Super Erecta, Super Adjustable, MetroMax Q, and MetroMax i shelving units can be retrofitted as part of a HD qwikTRAK installation.
- Under normal conditions, aisle width of 30"-36" (760-914mm) is recommended. The storage of very large objects within the system, however, may require an aisle width larger than 36" (914mm).
- A stationary intermediate unit is required when the track length exceeds 21 feet (6400mm). A stationary intermediate unit may be used at the discretion of the user when the track lengths are less than 21 ft. (6400mm).
- It is recommended that the tracks be installed a minimum of 1 3/4" (45mm) from the wall.
- Actual width of a qwikTRAK system is the Nominal Shelf length + 3 1/2" (89mm).
- Actual height of a mobile qwikTRAK unit is: Nominal post height + 4.5" (115mm)
- Actual length of a qwikTRAK system is: Nominal track length + the nominal width of each end unit + 3" (76mm)
- Weight capacities for standard qwikTRAK: Super Erecta, Super Adjustable, MetroMax Q systems are designed to hold up to 2,000 lbs. (907kg) per shelving unit. MetroMax i stationary units can hold up to 2,000 lbs. (907kg); MetroMax i mobile units can hold up to 1,200 lbs. (544kg) per unit.



HIGH-DENSITY — QWIKTRAK® DOUBLE-DEEP

Double-Deep qwikTRAK® Storage System for: Super Erecta, Super Erecta Pro, Super Adjustable, MetroMax Q, and MetroMax i Systems.



SYSTEM COMPONENTS

- A = Stationary End Units
- B = Mobile Units
- C = qwikTRAK
- D = Stationary Intermediate Unit
- E = Active Aisle

Shelves Sold Separately

- Super Erecta — Pg. 42
- Super Erecta Pro — Pg. 34
- Super Adjustable — Pg. 37
- MetroMax Q — Pg. 15
- MetroMax i — Pg. 14

Double-Deep qwikTRAK — 11.15

Stationary End Unit Kits

Includes 74" high posts (1880mm) high stationary posts and hardware necessary for connecting stationary end units to tracks and anchoring tracks to the floor. Order one kit per double-deep system. Shelves are sold separately.

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta							MetroMax Q				MetroMax i				
Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Chrome-Plated	List Price Each	 Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
73.6	33.5	LBTEC	895.00	LBTEK3	1,070.00	LBTES	1,710.00	76.3	34.7	LBTEQ3	1,174.00	42.3	19.2	LBTEX3	1,438.00

Stationary Intermediate Unit Kits

Includes 74" high posts (1880mm) high stationary posts and hardware necessary for connecting one double-deep stationary intermediate unit to tracks and anchoring tracks to the floor. Shelves are sold separately.

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta							MetroMax Q			MetroMax i					
Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Chrome-Plated	List Price Each	 Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
39.6	18.0	LBTAC	691.00	LBTAK3	830.00	LBTAS	1,150.00	41.3	18.8	LBTAQ3	882.00	24.3	11.0	LBTAX3	1,014.00

Mobile Units

Includes (8) 74" (1880mm) high -UP posts, (4) V-groove casters, (1) stainless steel center channel caster assembly, donut bumpers, Tie Bar Brackets, and other hardware. Shelves are sold separately. One kit required per Double-Deep Mobile Unit.

Super Erecta, Super Erecta Pro, Super Adjustable Super Erecta							MetroMax Q			MetroMax i	
Shelf Width (in.)	(mm)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each	Cat. No.	List Price Each	Cat. No.	List Price Each
18	457	LBTM18C	868.50	LBTM18K3	1,313.00	LBTM18S	1,633.00	LBTM18Q3	1,392.50	LBTM18X3	1,524.50
21	530	LBTM21C	891.50	LBTM21K3	1,341.50	LBTM21S	1,661.50	LBTM21Q3	1,421.50	—	
24	610	LBTM24C	913.50	LBTM24K3	1,370.50	LBTM24S	1,690.50	LBTM24Q3	1,450.00	LBTM24X3	1,582.00

Track Sets

Includes tracks and hardware needed to assemble Double-Deep qwikTRAK systems up to 21' (6400mm).

Length (ft.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each	Length (ft.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
2.5	762	4	1.8	LBTS2.5NA	579.00	14	4267	19	8.6	LBTS14NA	1,511.00
6	1828	9	4.1	LBTS6NA	590.50	15	4572	21	9.5	LBTS15NA	1,834.00
7	2135	10	4.5	LBTS7NA	672.00	16	4877	22	10.0	LBTS16NA	1,919.00
8	2440	11	5.0	LBTS8NA	992.00	17	5182	23	10.5	LBTS17NA	2,009.00
9	2743	13	5.9	LBTS9NA	1,077.00	18	5486	25	11.4	LBTS18NA	2,096.00
10	3048	14	6.4	LBTS10NA	1,165.50	19	5791	26	11.8	LBTS19NA	2,181.00
11	3352	15	6.8	LBTS11NA	1,254.00	20	6096	27	12.3	LBTS20NA	2,266.00
12	3657	17	7.7	LBTS12NA	1,341.00	21	6400	29	13.2	LBTS21NA	2,349.50
13	3962	18	8.2	LBTS13NA	1,427.00						

Note: LBTS2.5NA includes a joining kit to connect the track to other track sets.

✓ Indicates antimicrobial product.

Notes:


- All end, intermediate, and mobile units must be 18" (457mm) or wider.
- Each stationary end and intermediate unit must have a minimum of four shelves. Top and bottom Super Erecta shelves are required on all units with Super Adjustable shelves.
- For applications with Super Adjustable wire shelves, the top and bottom shelf of every double deep mobile unit MUST be standard Super Erecta wire shelves.
- qwikTRAK is available with 74" posts (1880mm) as standard. Requests for TALLER posts must be reviewed by Metro Engineering. For applications requiring posts SHORTER than 74" (1880mm), contact your Metro representative.
- Under normal conditions, aisle width of 30"-36" (760-914mm) is recommended. The storage of very large objects within the system, however, may require an aisle width larger than 36" (914mm).
- Two stationary intermediate units connected end to end are required when the track length exceeds 21 feet (6400mm). Stationary intermediate units may be used at the discretion of the user when the track lengths are less than 21 ft. (6400mm).
- It is recommended that the tracks be installed a minimum of 1 1/4" (45mm) from the wall.
- Maximum allowable shelf length for use with a double deep system is 60" (1524mm).
- The maximum width of a double deep configuration is 10'6" (3200mm). (i.e., two systems, each having 60" (1524mm) long shelves, plus 6" (150mm) for qwikTRAK components.
- Actual width of a double deep configuration is the Nominal Shelf Length + 3 1/2" (89mm).
- Weight capacities: Double Deep Mobile Units — Super Erecta/Super Adjustable, Super Erecta/MetroMax Q: 3,000 lbs. (1364kg) evenly distributed. MetroMax i: 1,800 lbs. (818kg) evenly distributed. Stationary End and Intermediate Units — Each end and intermediate double deep unit consists of two independent stationary shelving units positioned side by side. Each shelving unit has a maximum weight capacity of 2,000 lbs. (907kg).

Wire Shelving — Super Erecta®, Super Erecta Pro™ and Super Adjustable Top-Track — 11.12




Super Erecta® Top-Track®

FRONT VIEW



- A = Stationary End Units
- B = Stationary Intermediate Unit (Optional)
- C = Track Set
- D = Mobile Units
- E = Open Aisle

OVERHEAD VIEW



Stationary End Unit Kits

Includes hardware necessary for connecting stationary end units to track. One kit is required per single system. 86" (2185mm) posts are included. Shelves sold separately — See pages 34, 37 and 42.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each
18 457	11 4.9	TTE18C	618.00	TTE18K3	642.00	TTE18S	1,044.00
21 530	11.5 5.1	TTE21C	629.00	TTE21K3	653.00	TTE21S	1,057.00
24 610	12 5.4	TTE24C	640.00	TTE24K3	664.00	TTE24S	1,071.00



Stationary Intermediate Unit Kits

Includes hardware necessary for connecting intermediate unit to track on both sides. 86" (2185mm) posts are included. Shelves sold separately — See pages 34, 37 and 42.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each
18 457	7.5 3.3	TTA18C	366.00	TTA18K3	378.00	TTA18S	580.00
21 530	8 3.6	TTA21C	375.00	TTA21K3	387.00	TTA21S	591.00
24 610	8.5 3.8	TTA24C	384.00	TTA24K3	396.00	TTA24S	603.00

Refer to pages 53-60 for a complete selection of Super Erecta Shelf accessories. For Top-Track accessories, see page 96.

Track Sets

Includes necessary sections of track for assembling track runs up to 21' (6400mm).

Length (feet) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each	Length (feet) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
2½ 762	15 6.8	TTS2.5NA	399.00	14 4267	98 44.1	TTS14NA	1,091.00
6 1828	40.5 18.2	TTS6NA	427.50	15 4572	106.5 47.9	TTS15NA	1,322.50
7 2135	47.5 21.3	TTS7NA	486.00	16 4877	113.5 51	TTS16NA	1,384.50
8 2440	56 25.2	TTS8NA	717.50	17 5182	121 54.4	TTS17NA	1,451.00
9 2743	62.5 28.1	TTS9NA	778.00	18 5486	128 51.6	TTS18NA	1,513.00
10 3048	69.5 31.2	TTS10NA	841.50	19 5791	135 60.7	TTS19NA	1,572.00
11 3353	76.5 34.4	TTS11NA	906.50	20 6096	142 63.9	TTS20NA	1,635.00
12 3657	83.5 37.5	TTS12NA	968.00	21 6400	149 67	TTS21NA	1,695.00
13 3962	92 41.4	TTS13NA	1,030.00				

Note: TTS2.5NA includes a joining kit to connect the track to other track sets.

Mobile Unit Kits (shelves sold separately — see pages 34, 37 and 42)

One kit required per mobile unit. Kit includes posts, casters/caster channels, donut bumpers, and roller bearing assemblies.

Shelf Width (in.) (mm)	Overall Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each
18 457	20¾ 514	32 14.4	TTM18C	396.00	TTM18K3	689.00	TTM18S	884.00
21 530	23¾ 590	33 14.8	TTM21C	408.00	TTM21K3	699.00	TTM21S	896.00
24 610	26¾ 667	34 15.3	TTM24C	420.00	TTM24K3	711.00	TTM24S	908.00

Notes:

- Each stationary end and intermediate unit must have a minimum of four shelves. For all Super Adjustable applications, the top and bottom shelves must be non "quick adjust" Super Erecta shelves.
- The standard Deep Top-Track system requires the use of 86" (2185mm) posts (i.e., 86P, 86PK, or 86PS) on the stationary end and intermediate units. Shelves for the stationary end and intermediate units are sold separately.
- The mobile unit kit include special 74" (1880mm) posts with casters. Shelves for mobile units are sold separately.
- Recommended maximum load rating for a mobile unit is 900 lbs. (410kg). Floor should be level, smooth, and free from large cracks and raised obstacles.
- Under normal conditions, an aisle width of 30"-36" (760-914mm) is recommended. The storage of very large objects within the system, however, may require an aisle width larger than 36" (914mm).
- A stationary intermediate unit is required when track length exceeds 21 feet (6400mm). A stationary intermediate unit may be used at the discretion of the user when track lengths are less than 21 feet (6400mm).
- To accommodate bumpers, the actual size of a mobile unit is 2.5" (63.5mm) wider than the shelf width shown. For example, an 18" (457mm) wide unit is actually 20.5" (521mm).
- To calculate the overall length of a Super Erecta Top Track System, add the following: Nominal track length + Nominal widths of each end unit + 1.5" (38mm).

✓ Indicates antimicrobial product.

Super Erecta® and Super Adjustable Double-Deep Top-Track® — 11.12

Stationary End Unit Kits

Includes hardware necessary for connecting stationary end units in Double Deep systems and connecting to an overhead track set. One kit is required for the entire double deep configuration. Shelves sold separately — See pages 37 and 42. 86" (2185mm) posts included.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each
18 457	33 14.8	LTTE18C	1,313.00
21 530	37 16.6	LTTE21C	1,331.50
24 610	41 18.4	LTTE24C	1,348.50

Stationary Intermediate Unit Kits

Includes hardware necessary for connecting intermediate units in Double Deep systems and connecting to an overhead track set on each side. One kit is required for Intermediate units connected end-to-end. Shelves sold separately — See pages 37 and 42. 86" (2185mm) posts included.

Shelf Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each
18 457	18 8	LTIA18C	722.50
21 530	20 9	LTIA21C	728.50
24 610	22 9.9	LTIA24C	738.50

Track Sets

Includes necessary sections of track for assembling track runs up to 21' (6400mm). For track sizes within the even 1-foot (305mm) increments, contact your Metro representative. Only one track set is required between stationary units.

Length (feet) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
2½ 762	15 6.8	TTS2.5NA	399.00
6 1828	40.5 18.2	TTS6NA	427.50
7 2135	47.5 21.3	TTS7NA	486.00
8 2440	56 25.2	TTS8NA	717.50
9 2743	62.5 28.1	TTS9NA	778.00
10 3048	69.5 31.2	TTS10NA	841.50
11 3353	76.5 34.4	TTS11NA	906.50
12 3657	83.5 37.5	TTS12NA	968.00
13 3962	92 41.4	TTS13NA	1,030.00

Length (feet) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
14 4267	98 44.1	TTS14NA	1,091.00
15 4572	106.5 47.9	TTS15NA	1,322.50
16 4877	113.5 51	TTS16NA	1,384.50
17 5182	121 54.4	TTS17NA	1,451.00
18 5486	128 51.6	TTS18NA	1,513.00
19 5791	135 60.7	TTS19NA	1,572.00
20 6096	142 63.9	TTS20NA	1,635.00
21 6400	149 67	TTS21NA	1,695.00

Note: TTS2.5NA includes a joining kit to connect the track to other track sets.

Mobile Unit Kits


Includes posts, casters, caster channels, donut bumpers, roller bearing assemblies, and tie-together hardware to connect two mobile units (i.e., one in each system). Shelves sold separately — See pages 37 and 42.

Shelf Width (in.) (mm)	Overall Width (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome-Plated	List Price Each
18 457	20¾ 514	72 32.4	LTTM18C	835.50
21 530	23¾ 590	75 33.7	LTTM21C	888.00
24 610	26¾ 667	78 35	LTTM24C	913.00

Notes:


- Each stationary end and intermediate unit **must** have a minimum of four shelves. For all Super Adjustable applications, the top and bottom shelves must be non "quick adjust" Super Erecta shelves.
- The standard Double Deep Top-Track system requires the use of 86" (2185mm) posts (i.e., 86P) on the stationary end and intermediate units. **Shelves for the stationary end and intermediate units are sold separately.**
- The mobile unit kits include special 74" (1880mm) posts with casters. **Shelves for mobile units are sold separately.**
- Under normal conditions, an aisle width of 30"-36" (760-914mm) is recommended. The storage of very large objects within the system, however, may require an aisle width larger than 36" (914mm).
- Two intermediate shelving units connected end-to-end are required when the track length exceeds 21 feet (6400mm). Stationary intermediate shelving units may be used at the discretion of the user when track lengths are less than 21 feet (6400mm).
- The maximum Double Deep system configuration is 10'6" (3200mm) (i.e., two systems, each having 60" (1524mm) long shelves, plus 6" (150mm) for Top-Track components).
- Ease of rollability for the mobile units is an important consideration in evaluating Top-Track as a possible storage alternative. The floor should be level, smooth, and free from large cracks and raised obstacles. Two mobile shelving units connected end-to-end and loaded with between 800 to 1,200 lbs. (365-550kg) will require a human effort range (in lbs. of human force) of between 18-24 lbs. (8-11kg) to move the unit from a complete stop. Subjectively, an average 110 lb. (50kg) person will perceive this as acceptable effort levels. For loads over 1,200 lbs. (550kg), contact your Metro representative.
- Mobile units should have the top shelf positioned as close as possible to the track.
- To accommodate bumpers, the actual size of a mobile unit is 2.5" (63.5mm) wider than the shelf width shown. For example, an 18" (457mm) wide unit is actually 20.5" (522mm).
- To calculate the overall length of a Super Erecta Top Track System, add the following: Nominal track length + Nominal widths of each end unit + 1.5" (38mm).

FRONT VIEW



- A = Stationary End Units
B = Stationary Intermediate Unit (Optional)
C = Track Set
D = Mobile Units
E = Open Aisle

OVERHEAD VIEW



For Top-Track accessories, see page 96.

Seismic Top-Track® Single Length System

End Unit Kit:

Includes four shelves, four staked posts, bracket bars, sway braces (for top, back, and end), anchor plates, foot plates, tubular braces, clamps, and assembly hardware.

Description	Cat. No.	List Price Each
Kit for 48" (1219mm) Stationary End Unit	SA48TTS	1,538.00
Kit for 54" (1370mm) Stationary End Unit	SA54TTS	1,569.00
Kit for 60" (1524mm) Stationary End Unit	SA60TTS	1,598.50


Strut Kit:

Description	Cat. No.	List Price Each
Kit for 48" (1219mm) Wide Unit	TTB48STRUT	182.00
Kit for 54" (1370mm) Wide Unit	TTB54STRUT	199.00
Kit for 60" (1524mm) Wide Unit	TTB60STRUT	218.50

Note: Floor anchoring hardware not included.

Example: For a complete "Single-Length Top-Track® System," the following would be required: Two Stationary End Units, One Track Set* (11-foot [3355mm] maximum), One Center Strut (if track length exceeds 7 feet), Mobile Units.

Note: Posts and shelves are included in the end and intermediate unit kits. Shelves are sold separately for the mobile unit.



Single-Length System

Add track sets and mobile unit kits, refer to page 92.

Seismic Top-Track® Double Length System

End Unit Kit:

Includes four shelves, four staked posts, bracket bars, sway braces (for top, back, and end), anchor plates, foot plates, tubular braces, clamps, and assembly hardware.

Description	Cat. No.	List Price Each
Kit for 48" (1219mm) Stationary End Unit	SA48TTS	1,538.00
Kit for 54" (1370mm) Stationary End Unit	SA54TTS	1,569.00
Kit for 60" (1524mm) Stationary End Unit	SA60TTS	1,598.50

OSHPD Preapproved Intermediate Unit Kit:

Includes eight shelves, eight staked posts, bracket bars, sway braces (for top, back, and end), anchor plates, foot plates, tubular braces, clamps, and assembly hardware.

Description	Cat. No.	List Price Each
Kit for 48" (1219mm) Stationary Intermediate Unit	SA48TTIS	2,982.50
Kit for 54" (1370mm) Stationary Intermediate Unit	SA54TTIS	2,982.50
Kit for 60" (1524mm) Stationary Intermediate Unit	SA60TTIS	3,011.50


Strut Kit:

Description	Cat. No.	List Price Each
Kit for 48" (1219mm) Wide Unit	TTB48STRUT	182.00
Kit for 54" (1370mm) Wide Unit	TTB54STRUT	199.00
Kit for 60" (1524mm) Wide Unit	TTB60STRUT	218.50

Note: Floor anchoring hardware not included.

Example: For a complete "Double-Length Top-Track® System," the following would be required: Two Stationary End Units, Two Track Sets* (11-foot [3355mm] maximum), One Intermediate Unit, Two Center Struts (if track length exceeds 7 feet [2135mm]), Mobile Units.*

Note: Posts and shelves are included in the end and intermediate unit kits. Shelves are sold separately for the mobile unit.



Double-Length System

Add track sets and mobile unit kits, refer to page 92.

See page 104-105 for Stationary Seismic shelving.

Notes:

- Each installation must have two stationary end units for a single-track length of 7' (2135mm) to 11' (3355mm).
- A center strut is required for each track section over 7' (2135mm).
- For track lengths over 11' (3355mm), an intermediate unit is required, thus creating a double-length system.
- OSHPD preapproval is based upon a weight-loading capacity of 25 lbs. (11kg) per square foot on a four-shelf stationary and mobile units, with maximum of 900 lbs. (408kg) per mobile unit. Additional shelves may be added, but are limited to a maximum load of 25 lbs. (11kg) per cubic foot per unit.
- A maximum of four 21" (640mm) or 24" (610mm), or five 18" (457mm) mobile units are allowed per an 11' (3355mm) track length, with no more than a 900 lb. (408kg) weight capacity per mobile unit.
- Stationary End Units are available in 24"x48" (610x1219mm), 24"x54" (610x1370mm), and 24"x60" (610x1524mm).
- OSHPD preapproved design is based on the use of HR concrete, at least 5 1/2" (140mm) thick, with a compressive strength of 3,000 psi (211kg/cm). Anchorage is not included.
- To calculate the overall length of a Super Erecta Top Track System, add the following: Nominal track length + Nominal widths of each end unit + 1.5" (38mm).

Notes:

- Floor anchors are not included. The structural engineer of record must verify that the anchorage bolt and building structure are adequate for the applied load.
- For OSHPD approval, the highest load shelf must be no more than 60" (1524mm) from the floor.
- For OSHPD approval, a unit must have no more than four loaded shelves within 60" (1524mm) height.
- If a fifth shelf is used, it must serve only as a cover and not be used for load bearing.
- According to the California State Fire Marshall, there must be a clearance of at least 18" (457mm) below sprinkler systems.
- Each shelving unit, whether single or "back-to-back," cannot connect to other shelving units or walls.



MetroMax iQ™ Top-Track — 9.29

The system compensates for uneven floor surfaces. Floor should be smooth and free from large cracks or raised obstacles. Maximum load capacity for mobile units is 900 lbs. (400kg).

Stationary End Unit Kit — Order one per Top-Track system.

- Includes hardware and components to connect track sets to two stationary end units. 86" (2185mm) posts included. Shelves are ordered separately (see pages 14 and 15).

		i		Q	
Fits Shelf Width (in.)	(mm)	Cat. No. End Unit Kit	List Price Each	Cat. No. End Unit Kit	List Price Each
18	457	MXTTE18	925.00	MQTTE18	769.00
21	530	—	—	MQTTE21	780.00
24	610	MXTTE24	947.00	MQTTE24	791.00

Stationary Intermediate Unit Kit —

Required when the desired length of track exceeds 21' (6405mm).

- A stationary intermediate kit may be used at the discretion of the end user when track lengths are less than 21' (6405mm) to increase the overall rigidity of the system. Kit includes the hardware and components needed to connect track sets to one stationary intermediate unit. 86" (2185mm) posts included. Shelves are ordered separately (see pages 14 and 15).

		i		Q	
Fits Shelf Width (in.)	(mm)	Cat. No. Intermediate Unit Kit	List Price Each	Cat. No. Intermediate Unit Kit	List Price Each
18	457	MXTTA18	549.00	MQTTA18	471.00
21	530	—	—	MQTTA21	480.00
24	610	MXTTA24	567.00	MQTTA24	489.00

Mobile Unit Kit — Order one per mobile unit.

- Kit includes posts, rigid casters, caster channels, bumpers, and roller assemblies. Shelves are sold separately.

		i		i		Q		Q	
Fits Shelf Width (in.)	(mm)	Cat. No. with Plated Casters	List Price Each	Cat. No. with Stainless Casters	List Price Each	Cat. No. with Plated Casters	List Price Each	Cat. No. with Stainless Casters	List Price Each
18	457	MXTTM18C	474.00	MXTTM18S	784.00	MQTTM18C	408.00	MQTTM18S	718.00
21	530	—	—	—	—	MQTTM21C	420.00	MQTTM21S	730.00
24	610	MXTTM24C	498.00	MXTTM24S	808.00	MQTTM24C	432.00	MQTTM24S	742.00

Track Sets — One track set is required between stationary units

- Includes necessary sections of track for assembling track runs of 6' to 21' (1830-6405mm).

		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each			Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
Length (feet)	(mm)					Length (feet)	(mm)				
2½	762	15	6.8	TTS2.5NA	399.00	14	4267	98	44.1	TTS14NA	1,091.00
6	1828	40.5	18.2	TTS6NA	427.50	15	4572	106.5	47.9	TTS15NA	1,322.50
7	2135	47.5	21.3	TTS7NA	486.00	16	4877	113.5	51	TTS16NA	1,384.50
8	2440	56	25.2	TTS8NA	717.50	17	5182	121	54.4	TTS17NA	1,451.00
9	2743	62.5	28.1	TTS9NA	778.00	18	5486	128	51.6	TTS18NA	1,513.00
10	3048	69.5	31.2	TTS10NA	841.50	19	5791	135	60.7	TTS19NA	1,572.00
11	3353	76.5	34.4	TTS11NA	906.50	20	6096	142	63.9	TTS20NA	1,635.00
12	3657	83.5	37.5	TTS12NA	968.00	21	6400	149	67	TTS21NA	1,695.00
13	3962	92	41.4	TTS13NA	1,030.00						

Note: TTS2.5NA includes a joining kit to connect the tracks to longer track sections.

Maximizes Storage Capacity: Top-Track can increase the storage capacity of a given area by 30% to 40%. Put more storage units into a defined space. A movable, open aisle allows full access to each entire shelving unit—eliminating hard to reach or “dead” spaces.



Easy Access: The overhead track system guides the mobile units and opens an access aisle between any two units. The track is above the storage units enabling easy access.

Clean Design: Guide tracks are installed overhead enabling easy cleaning of floors. MetroMax i® and MetroMax Q shelves feature removable polymer shelf mats and built-in Microban antimicrobial product protection to promote easier routine cleaning.


Uniquely Interchangeable: Mix and match MetroMax i® and Q shelves and posts based on the application. Corrosion proof MetroMax i® offers solid shelf option and better chemical resistance. Corrosion resistant MetroMax Q steel posts can improve the overall rigidity of the Top-Track system in higher weight bearing applications.

Configuration Guidelines

- Standard Top-Track models include 86" (2185mm) stationary posts and 74" (1880mm) stem caster mobile posts. If a taller system is required, consult Metro Engineering.
- Mobile, stationary end, and intermediate units must have a minimum of 4 shelves.
- Stationary Intermediate Unit is required when the track length exceeds 21' (6405mm). Intermediate kits include special support rails that attach to the overhead tracks on both sides of the intermediate unit. A stationary intermediate unit may be used at the discretion of the user when track lengths are less than 21' (6405mm) for the purpose of adding greater stability to the overall system.
- Mobile Units: If 18" (457mm) wide mobile units are planned, the maximum allowable size shelf is 60" (1524mm) long. If 18" (457mm) wide by 60" (1524mm) long mobile units are planned, a maximum of five 18" (457mm) mobile units are allowable between two stationary units. 18" (457mm), 21" (530mm) and 24" (610mm) wide mobile units can be intermixed in a given system. The standard system requires 74" (1880mm) posts on the mobile units. Recommended maximum load rating for a mobile unit is 900 lbs. (410kg).
- Under normal conditions, an aisle of 30" to 36" (760-914mm) is recommended. The storage of very large objects within the system, however, may require an aisle width larger than 36" (914mm).
- To accommodate bumpers, the actual size of a mobile unit is 2.5" (63.5mm) wider than the shelf width shown. For example, an 18" (457mm) wide unit is actually 20.5" (521mm).
- To calculate the overall length of a MetroMax i or MetroMax Q Top-Track System, add the following: Nominal track length + Nominal widths of each end unit + 2" (51mm).



- A** = Stationary End Units
- B** = Stationary Intermediate Unit (Optional)
- C** = Track Set
- D** = Mobile Units
- E** = Open Aisle



Top-Track® Floor Protectors



Top-Track® Wall Mount Bracket



Top-Track® Stop Plate Kit

Top-Track® Floor Pad Protectors — 9.12 11.12

Use for both MetroMax Top-Track and Super Erecta Top-Track Systems.

For Track Length (in.)	For Track Length (mm)	Cat. No.	List Price Each	For Track Length (in.)	For Track Length (mm)	Cat. No.	List Price Each
6	1.8	FPS6N	248.00	14	4.2	FPS14N	490.00
7	2.1	FPS7N	269.50	15	4.6	FPS15N	541.50
8	2.4	FPS8N	300.50	16	4.9	FPS16N	566.00
9	2.7	FPS9N	345.50	17	5.2	FPS17N	589.50
10	3	FPS10N	374.00	18	5.5	FPS18N	643.00
11	3.3	FPS11N	397.00	19	5.8	FPS19N	659.00
12	3.6	FPS12N	446.00	20	6.1	FPS20N	692.50
13	3.9	FPS13N	470.00	21	6.4	FPS21N	738.50

Top-Track® Wall Mount Bracket — 11.12

Used to attach one set of tracks to the wall. Eliminates the need for a stationary end unit. Includes one pair of wall brackets and hardware to attach tracks to the wall brackets. Hardware to attach the wall brackets to the wall is NOT included.

Cat. No. **TTWM** List Price 123.50 each

Top-Track® Stop Plate Kit — 11.12

Used in conjunction with the Wall Mount Bracket Kit. The stop plates bolt to the underside of the track next to the wall brackets to prevent the mobile units from bumping into the wall.

Cat. No. **TTSTP** List Price 38.50 each

Metro Tip:

Floor pad protectors compensate for soft flooring materials by protecting the floor from wear and tear. For new construction projects, it is recommended that flooring of suitable durability is used in areas where Top-Track will be installed.

Super Erecta® Hi-Rise Shelving — 10.17

- For light-duty storage applications where floor space is at a premium.
- Construct shelving up to 24 feet (7315mm) high — 3 times the height of conventional shelving
- Metro's computerized engineering system assures correct specifications and load rating of Hi-Rise materials for your application.

All Hi-Rise installations must be reviewed and approved by Metro Engineering. Hi-Rise certification plate supplied. Only Super Erecta and Super Adjustable Super Erecta wire shelves (found on pages 37 and 42) can be used in Hi-Rise applications. Contact Metro customer service or your local Metro representative for details.

Material part numbers will be provided by Metro Product Development upon review of application.

Metro Tip:

One frequently overlooked opportunity to gain additional storage capacity is the efficient use of vertical space. By connecting Super Erecta posts, storage areas may be created that utilize every available cubic foot of unused vertical air space.



Super Erecta Hi-Rise Shelving

Off-the-floor efficiency.


Bow-Tie™ Dunnage Racks — 9.09

12" (305mm) high; 22" (559mm) wide.

- Metro Bow-Tie Dunnage Racks are available with built-in Microban® antimicrobial product protection to protect from bacteria, mold, mildew and fungi that cause odors, stains and product degradation. Standard models, without Microban, are also available.
- Rust and corrosion-proof polymer material.
- Helps protect floors: legs have a larger radius than traditional dunnage racks and distribute the storage load across a wider area.
- Racks join together easily without tools in “end-to-end” and “back-to-back” configurations with the exclusive Bow-Tie™ feature.
- Heavy-duty construction gives racks the strength to hold up to 1,500 lbs. (683kg) for 30" (760mm) and 36" (914mm) long racks, and 3,000 (1365kg) for 48" (1219mm) and 60" (1524mm) racks.



Bow-Tie Dunnage Rack



Standard racks joined in “end-to-end” configuration.

Length (in.) (mm)		Height (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Capacity (lbs.) (kg)		✓ Cat. No. Microban®	List Price Each	Cat. No. Standard	List Price Each
30	760	12	305	24	10.8	1500	68	HP2230PDMB	255.00	HP2230PD	219.00
36	914	12	305	26	11.7	1500	68	HP2236PDMB	255.00	HP2236PD	219.00
48	1219	12	305	34	15.3	3000	136	HP2248PDMB	287.00	HP2248PD	252.00
60	1524	12	305	42	19	3000	136	HP2260PDMB	323.50	HP2260PD	290.00

✓ Indicates antimicrobial product.

Dunnage Platforms (Standard Duty) — 10.44

Space-saving platforms let you keep bulky items off the floor.

- Open wire provides air circulation and minimizes dust.
- All platforms use 13P or 13PS posts — height 14⁵/₈" (371mm) including cap and leveling bolt.



Super Erecta Platform

Width/Length (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Stainless	List Price Each
18x24	457x610	11	5.0	P1824BR	119.00	P1824NC	122.00	P1824NS	359.50
18x30	457x760	12	5.5	P1830BR	120.50	P1830NC	123.50	P1830NS	362.00
18x36	457x914	13 ¹ / ₂	6.1	P1836BR	120.50	P1836NC	123.50	P1836NS	362.00
21x24	530x610	12	5.5	P2124BR	126.00	P2124NC	133.00	P2124NS	392.50
21x30	530x760	13	5.9	P2130BR	128.00	P2130NC	136.00	P2130NS	396.00
21x36	530x914	15	6.8	P2136BR	128.00	P2136NC	136.00	P2136NS	396.00
24x24	610x610	13	5.9	P2424BR	130.50	P2424NC	138.50	P2424NS	413.50
24x30	610x760	15	6.8	P2430BR	132.50	P2430NC	141.50	P2430NS	417.00
24x36	610x914	17	7.7	P2436BR	132.50	P2436NC	141.50	P2436NS	417.00

Heavy-Duty Dunnage Racks — 10.46

A space-efficient way to store large, bulky items off the floor.

- Removable top mat lifts off for cleaning.
- Dunnage racks are 14¹/₂" (368mm) high including mat, cap and leveling bolt.



Dunnage Rack with Mat

Width/Length (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
18x24	457x610	22	10	HP31C	249.50	HP31K3	286.00		
18x30	457x760	25	11	HP32C	265.00	HP32K3	304.00		
18x36	457x914	30	13	HP33C	265.00	HP33K3	304.00	HP33S	655.00
18x48	457x1219	38	17	HP35C*	314.00	HP35K3*	366.00	HP35S*	844.00
24x24	610x610	28	12	HP51C	269.00	HP51K3	315.00		
24x30	610x760	30	14	HP52C	287.00	HP52K3	331.50		
24x36	610x914	36	16	HP53C	287.00	HP53K3	331.50	HP53S	725.50
24x48	610x1219	42	19	HP55C*	338.00	HP55K3*	391.50	HP55S*	925.00

Note: Maximum distributed static load capacity for stationary dunnage racks is 1,600 lbs. (725kg), except on units marked * which have a 1,300 lb. (590kg) capacity.

Mobile Dunnage Racks (Heavy Duty) — 10.46

These easy-to-maneuver racks feature two swivel and two swivel/brake casters; with non-marking polyurethane tread.

- Support frames: 1" (25mm) square tubing.
- Removable wire mat: 5¹/₁₆" (7.9mm) diameter wire.



Mobile Dunnage Rack shown in Metroseal 3 finish

Width/Length (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
18x36	457x914	42	18.9	MHP33C	575.50	MHP33K3	633.50	MHP33S	1,004.50
18x48	457x1219	50	22.5	MHP35C	627.50	MHP35K3	695.00	MHP35S	1,186.50
24x36	610x914	48	21.6	MHP53C	593.00	MHP53K3	654.50	MHP53S	1,071.50
24x48	610x1219	54	24.3	MHP55C	646.00	MHP55K3	719.00	MHP55S	1,264.50

Maximum distributed static load capacity is 800 lbs. (363kg).

Note: These units are designed for only the 5HP and 5HPB casters, which are shipped assembled with the special posts.

HD Super Duty Dunnage Racks — 10.68

Stores more than a ton safely off the floor.

- 48" (1219mm) rack has a 3,000 pound (1361kg) static load capacity (uniformly distributed); 60" (1524mm) rack carries up to 2,400 pounds (1089kg).
- HD Super™ design features fast, secure assembly without tools.
- Posts of 1⁵/₈" (41mm) diameter provide greater rigidity.
- HD Super™ Dunnage Racks are 16¹/₄" (413mm) high including cap and leveling bolt.



HD Super Dunnage Rack

Width/Length (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless	List Price Each
18x48	457x1219	52	23.4	HDP35C	614.50	HDP35K3	727.00	HDP35S	1,234.50
18x60	457x1524	62	27.9	HDP36C	699.00	HDP36K3	834.00	HDP36S	1,428.00
24x48	610x1219	57	26.6	HDP55C	648.00	HDP55K3	773.50	HDP55S	1,325.50
24x60	610x1524	66	29.7	HDP56C	737.00	HDP56K3	883.50	HDP56S	1,534.00

Maximum capacity 2,400 pounds (1089kg) uniformly distributed static load on the 60" (1524mm) length racks; 3,000 pounds (1361kg) on the 48" (1219mm) length racks.

Note: Capacity will be reduced and the unit will become less stable if the 3-sided frame is mounted higher than 6" (152mm) from the floor.



Indicates antimicrobial product.



Security Units

Protect valuable materials and sensitive items from loss or pilferage.

- Ready View of Contents: Heavy-gauge open wire construction keeps contents visible at all times, making it easy to check inventory.
- Optional Adjustable Intermediate Shelves: Patented easily adjustable shelf designs — Super Adjustable Super Erecta, MetroMax Q, and quikSLOT — allow flexibility to meet changing needs. Can be positioned in 1" (25mm) increments along the entire height of post.
- Double Door: Each door opens 270 degrees and can be secured along the sides of the unit.
- Shipped Knocked-Down: Saves on freight costs. Easily assembled.




MetroMax Q Security Unit



Super Adjustable Super Erecta Security Unit

Ordering Guide for Security Units

1) Choose the right finish and shelving style based on the usage environment and/or cleaning methods.	DRY ENVIRONMENTS		WET ENVIRONMENTS		
	Super Erecta Chrome Finish	quikSLOT Chrome Finish	Super Erecta Metroseal 3 Finish	MetroMax Q Polymer & Epoxy Coated Steel Finish	Super Erecta Type 304 Stainless Steel Finish
Corrosion protection	N/A	N/A	Corrosion Resistant	Corrosion Resistant	Corrosion Proof
NSF Listed	YES	NO	YES	YES	YES
2) Choose from Stationary and Mobile Options.					
Stationary	8 Models	5 Models	5 Models	3 Models	8 Models
Mobile: Medium-Duty Recommended security models with stem casters.	 DC & EC Models Include casters with zinc-plated horns	 DCQ & ECQ Models Include casters with zinc-plated horns	 VK3 Models Include casters with polymer horns	 VE Models Include casters with polymer horns	Casters are NOT provided with Stainless Steel Standard-Duty Stem Caster base models. Casters are sold separately for "SD" models.
Mobile: Heavy-Duty applications are best addressed by carts with dolly bases. Recommended when the cart will frequently be moved long distances, over doorways and thresholds, or between facilities or buildings. NOTE: Super Erecta security units are most often selected for these applications.	 Dollies/casters included LC Models	 Dollies/casters included LCQ Models	 Dollies/casters included LK3 Models	 Dollies/casters included LE Models	Dollies and plate casters are NOT provided with the Heavy-Duty Stainless Steel base models. Dollies & plate casters are ordered separately S-HD Models
3) Select Intermediate Shelves.	Intermediate shelves are not included with base models.				



SEC55C shown with optional Super Adjustable intermediate shelves.

Super Erecta® Shelf Stationary Security — 66¹³/₁₆" (1695mm) high
Intermediate shelves are not included with base models and must be ordered separately. See page 101 for intermediate shelf options.

Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each
21 ¹ / ₂	546	38 ¹ / ₂	980	18x36 457x914	138 63	SEC33C	1,099.00	SEC33K3	1,322.00
21 ¹ / ₂	546	50 ¹ / ₂	1295	18x48 457x1219	157 71	SEC35C	1,367.50	SEC35K3	1,642.50
27 ¹ / ₄	692	38 ¹ / ₂	980	24x36 610x914	154 70	SEC53C	1,129.00	SEC53K3	1,357.50
27 ¹ / ₄	692	50 ¹ / ₂	1295	24x48 610x1219	174 79	SEC55C	1,405.00	SEC55K3	1,688.00
27 ¹ / ₄	692	62 ¹ / ₂	1587	24x60 610x1524	195 89	SEC56C	1,523.50	SEC56K3	1,832.50
33 ¹ / ₂	851	38 ¹ / ₂	980	30x36 760x914	167 76	SEC63C	1,413.00	SEC63S	3,810.00
33 ¹ / ₂	851	50 ¹ / ₂	1295	30x48 760x1219	193 88	SEC65C	1,756.00	SEC65S	4,642.00
33 ¹ / ₂	851	62 ¹ / ₂	1587	30x60 760x1524	215 98	SEC66C	1,904.50	SEC66S	4,806.00



SEC55DC shown with optional Super Adjustable intermediate shelves (sold separately). Doors rotate 270° and can be secured to the sides of the cart while contents are being loaded on the shelves.

Super Erecta® Mobile Security

Standard-Duty Stem Caster Models — Chrome and Metroseal 3

Chrome and Metroseal 3 Standard-Duty Stem Caster Models include 5" (127mm) casters.

Intermediate shelves are not included with base models and must be ordered separately. See page 101 for intermediate shelf options.

Caster Type	Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each
(2) 5MP/(2) 5MPB	21 ¹ / ₂	546	40 ³ / ₄	1035	18x36 457x914	146 66	SEC33EC	1,314.00
(2) 5MP/(2) 5MPB	21 ¹ / ₂	546	52 ³ / ₄	1340	18x48 457x1219	165 75	SEC35EC	1,581.50
(4) 5MP	27 ¹ / ₄	692	40 ³ / ₄	1035	24x36 610x914	162 74	SEC53DC	1,652.00
(4) 5MP	27 ¹ / ₄	692	52 ³ / ₄	1340	24x48 610x1219	182 83	SEC55DC	1,606.00
(4) 5MP	27 ¹ / ₄	692	65	1651	24x60 610x1524	203 92	SEC56DC	1,724.00
(2) 5MP/5MPB	27 ¹ / ₄	692	40 ³ / ₄	1035	24x36 610x914	162 74	SEC53EC	1,343.00
(2) 5MP/5MPB	27 ¹ / ₄	692	52 ³ / ₄	1340	24x48 610x1219	182 83	SEC55EC	1,626.00
(2) 5MP/5MPB	27 ¹ / ₄	692	65	1651	24x60 610x1524	203 92	SEC56EC	1,738.50
(2) 5PC/5PCB	27 ¹ / ₄	692	40 ³ / ₄	1035	24x36 610x914	162 74	SEC53VK3	1,681.50
(2) 5PC/5PCB	27 ¹ / ₄	692	52 ³ / ₄	1340	24x48 610x1219	182 83	SEC55VK3	2,015.00
(2) 5PC/5PCB	27 ¹ / ₄	692	65	1651	24x60 610x1524	203 92	SEC56VK3	2,158.00
(2) 5MP/(2) 5MPB	33 ¹ / ₂	851	40 ³ / ₄	1035	30x36 760x914	175 80	SEC63EC	1,679.50
(2) 5MP/(2) 5MPB	33 ¹ / ₂	851	52 ³ / ₄	1340	30x48 760x1219	202 92	SEC65EC	2,023.00
(2) 5MP/(2) 5MPB	33 ¹ / ₂	851	65	1651	30x60 760x1524	223 101	SEC66EC	2,173.50

Casters: 5MP and 5MPB (with locking brake) feature a polyurethane tread.

5PC and 5PCB (with locking brake) casters feature a polymer horn and resist rusting. They are recommended for high-moisture environments.

Large casters can create a tipping hazard. On security units using 18" (457mm) deep shelving, do not use casters larger than 5" (127mm) in diameter.

Overall height: Models with 5MP casters — 67¹⁵/₁₆" (1726mm) high

Models with 5PC casters — 68⁷/₁₆" (1739mm) high



SEC55LC shown with optional Super Adjustable intermediate shelves.

Heavy-Duty Models — Chrome and Metroseal 3 — 68⁷/₁₆" (1739mm) high

Chrome and Metroseal 3 models feature aluminum dollies with wraparound bumpers and 5" (127mm) diameter casters.

Caster Type	Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each
(2) B5P/B5PB	28 ⁷ / ₁₆	713	38 ¹ / ₂	980	24x36 610x914	187 85	SEC53LC	1,601.50
(2) B5P/B5PB	28 ⁷ / ₁₆	713	50 ¹ / ₂	1285	24x48 610x1219	210 95	SEC55LC	1,891.00
(2) B5P/B5PB	28 ⁷ / ₁₆	713	63 ¹ / ₈	1600	24x60 610x1524	235 107	SEC56LC	2,029.50

✓ Indicates antimicrobial product.



Standard-Duty Stem Caster Models — Stainless Steel — 62" (1575mm) high

Casters must be ordered separately. See pages 48-49, or consult your Metro representative for the proper caster for your application. Intermediate shelves are not included with base models and must be ordered separately.

Description	Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stainless Steel	List Price Each
Standard Duty	21 ¹ / ₂ 546	40 ³ / ₄ 1035	18x36 457x914	138 63	SEC33S-SD	2,939.50
Standard Duty	21 ¹ / ₂ 546	52 ³ / ₄ 1340	18x48 457x1219	157 71	SEC35S-SD	3,574.00
Standard Duty	27 ¹ / ₄ 692	40 ³ / ₄ 1035	24x36 610x914	154 70	SEC53S-SD	3,049.00
Standard Duty	27 ¹ / ₄ 692	52 ³ / ₄ 1340	24x48 610x1219	174 79	SEC55S-SD	3,715.00
Standard Duty	27 ¹ / ₄ 692	65 1651	24x60 610x1524	195 89	SEC56S-SD	3,845.00
Standard Duty	33 ¹ / ₂ 851	40 ³ / ₄ 1035	30x36 760x914	167 76	SEC63S-SD	3,810.00
Standard Duty	33 ¹ / ₂ 851	52 ³ / ₄ 1340	30x48 760x1219	193 88	SEC65S-SD	4,642.00
Standard Duty	33 ¹ / ₂ 851	65 1651	30x60 760x1524	215 98	SEC66S-SD	4,806.00

Note: Given height is for unit without casters. For approximate overall unit height add chosen caster diameter plus 1" (25mm).

Note: Large casters can create a tipping hazard. On security units using 18" (457mm) deep shelving, do not use casters larger than 5" (127mm) in diameter.

Heavy-Duty Models — Stainless Steel — 62" (1575mm) high

Heavy-duty stainless steel models include staked posts for use with standard Metro dollies. Dolly bases and plate casters must be ordered separately. See pages 50-52, or consult your Metro representative for the proper caster for your application. Intermediate shelves are not included with base models and must be ordered separately.

Description	Width (in.) (mm)	Length (in.) (mm)	Fits Shelf (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Stainless Steel	List Price Each
Heavy Duty	28 ¹ / ₁₆ 713	38 ¹ / ₂ 980	24x36 610x914	154 70	SEC53S-HD	3,049.00
Heavy Duty	28 ¹ / ₁₆ 713	50 ¹ / ₂ 1285	24x48 610x1219	174 79	SEC55S-HD	3,715.00
Heavy Duty	28 ¹ / ₁₆ 713	63 ³ / ₈ 1600	24x60 610x1524	195 89	SEC56S-HD	3,845.00

Note: Given height is for unit without a Metro dolly or casters.

Note: To calculate the actual height of the unit using plate casters: 62" [1575mm] + ¹/₄" [6mm] for dolly + load height of the caster (found on page 49).

Dolly bases are recommended for applications where security units will be transported over the road. Please consult your Metro representative for the appropriate casters and accessories for these applications.

Intermediate Shelves for Super Erecta Shelf Security Units


Width (in.) (mm)	Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Metroseal 3 with Microban®	List Price Each	Cat. No. Stainless Steel	List Price Each	Cat. No. Super Erecta Pro	List Price Each
18 457	36 914	9 ¹ / ₂ 4.3	A1836NC	69.50	A1836NK3	84.50	A1836NS	240.00	PR1836NK3	93.00
18 457	48 1219	12 5.4	A1848NC	83.50	A1848NK3	100.00	A1848NS	283.50	PR1848NK3	111.50
24 610	36 914	13 6	A2436NC	87.50	A2436NK3	101.00	A2436NS	295.00	PR2436NK3	112.50
24 610	48 1219	16 7	A2448NC	102.00	A2448NK3	122.00	A2448NS	355.50	PR2448NK3	137.50
24 610	60 1524	21 9.5	A2460NC	119.50	A2460NK3	143.50	A2460NS	433.00	PR2460NK3	153.00
30 760	36 914	15 6.8	A3036NC	118.00			A3036NS	387.00		
30 760	48 1219	21 9.5	A3048NC	136.50			A3048NS	452.00		
30 760	60 1524	26 ¹ / ₂ 11.8	A3060NC	150.00			A3060NS	502.00		

Note: Standard Super Erecta shelves can also be used as intermediate shelves. Refer to page 42 for more information.

Super Erecta Security Modules — 14.01

Convert a standard 24" (610mm) wide unit into a security module with this convenient kit.

- Used to enclose one or more areas of a unit.
- Fits between shelves spaced 20" (510mm) apart on any Super Erecta Shelving unit.
- Adapts to 24" (610mm) wide shelves in 30", 48" and 60" (760, 1219 and 1524mm) lengths.



SECM2430NC
Assembled on Shelving Unit

Width/Length (in.) (mm)	Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Chrome	List Price Each	Cat. No. Stainless Steel	List Price Each
24x30 610x760	20 510	29 ¹ / ₄ 14	SECM2430NC	365.50	SECM2430NS	807.00
24x48 610x1219	20 510	39 ³ / ₄ 18	SECM2448NC	420.00	*	
24x60 610x1524	20 510	45 ³ / ₄ 21	SECM2460NC	454.50	*	

Note: Security Module consists of side panels, back panels and door. Posts and shelves sold separately, see page 42.

When multiple security modules are stacked on one shelving unit, separate top and bottom shelves are still necessary for each module.

Security modules must be used with Super Erecta Shelf wire shelves.

*Consult your Metro representative for availability.

Ⓢ Indicates antimicrobial product.



SEC53DCQ shown with Intermediate Shelves (optional)

qwikSLOT™ Security Units — 14.01

- Add/Remove-A-Shelf Feature: Allows the unit to quickly adapt to your changing storage needs.
- Shelves can be adjusted easily in seconds.
- Each unit requires a standard Super Erecta shelf at the top and bottom (see page 42).

qwikSLOT Stationary Security

Width (in.)	Width (mm)	Actual Length (in.)	Actual Length (mm)	Height (in.)	Height (mm)	Fits Shelf (in.)	Fits Shelf (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each
21½	546	38½	980	66⅓	1695	18x36	457x914	138	63	SEC33CQ	1,160.00
21½	546	50½	1283	66⅓	1695	18x48	457x1219	157	71	SEC35CQ	1,425.50
27¼	705	38½	980	66⅓	1695	24x36	610x914	154	70	SEC53CQ	1,190.00
27¼	705	50½	1283	66⅓	1695	24x48	610x1219	174	79	SEC55CQ	1,461.50
27¼	705	62½	1587	66⅓	1695	24x60	610x1524	195	89	SEC56CQ	1,584.50

qwikSLOT Mobile Security

Standard-Duty Stem Caster Models: feature 5" (127mm) swivel casters.

Please note model numbers for specific caster types.

Caster Type	Width (in.)	Width (mm)	Actual Length (in.)	Actual Length (mm)	Height (in.)	Height (mm)	Fits Shelf (in.)	Fits Shelf (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each
(2) 5MP/5MPB	21½	546	40¾	1035	67⅓	1726	18x36	457x914	146	66	SEC33ECQ	1,371.00
(2) 5MP/5MPB	21½	546	52¾	1340	67⅓	1726	18x48	457x1219	165	75	SEC35ECQ	1,652.00
(4) 5MP	27¼	692	40¾	1035	67⅓	1726	24x36	610x914	162	74	SEC53DCQ	1,389.00
(4) 5MP	27¼	692	52¾	1340	67⅓	1726	24x48	610x1219	182	83	SEC55DCQ	1,676.50
(4) 5MP	27¼	692	65	1651	67⅓	1726	24x60	610x1524	203	92	SEC56DCQ	1,794.00
(2) 5MP/5MPB	27¼	692	40¾	1035	67⅓	1726	24x36	610x914	162	74	SEC53ECQ	1,402.00
(2) 5MP/5MPB	27¼	692	52¾	1340	67⅓	1726	24x48	610x1219	182	83	SEC55ECQ	1,690.50
(2) 5MP/5MPB	27¼	692	65	1651	67⅓	1726	24x60	610x1524	203	92	SEC56ECQ	1,807.00

Casters: 5MP and 5MPB (with locking brake) feature a polyurethane tread. 5PC and 5PCB (with locking brake) casters feature a polymer horn and resist rusting. They are recommended for high moisture environments.

NOTE: Large casters can create a tipping hazard. On 18" (457mm) security units, do not use casters larger than 5" (127mm) in diameter.



Clips snap easily into slots along post length to support shelves.



qwikSLOT Locking Clip
Recommended for mobile applications. Must be used with 9985QS shelf clips.
(Package of 4)
Cat. No. **9985QSL**
List Price 10.00/pkg.

Heavy-Duty Models: feature aluminum dollies with wraparound bumpers and 5" (127mm) diameter casters.

Caster Type	Width (in.)	Width (mm)	Actual Length (in.)	Actual Length (mm)	Height (in.)	Height (mm)	Fits Shelf (in.)	Fits Shelf (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each
(2) 5BP/5BPB	28½	713	38½	980	68⅓	1739	24x36	610x914	187	85	SEC53LCQ	1,749.00
(2) 5BP/5BPB	28½	713	50½	1283	68⅓	1739	24x48	610x1219	210	95	SEC55LCQ	2,050.00
(2) 5BP/5BPB	28½	713	63½	1600	68⅓	1739	24x60	610x1524	235	107	SEC56LCQ	2,164.00

Intermediate Shelves for Super Erecta Shelf Security Units

Width (in.)	Width (mm)	Length (in.)	Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each
18	457	36	914	8½	3.8	1836QBR	67.00
18	457	48	1219	11¼	5.0	1848QBR*	78.00
24	610	36	914	13	6.0	2436QBR*	79.00
24	610	48	1219	16	7.0	2448QBR*	94.00
24	610	60	1524	21	9.5	2460QBR	113.50

*Chrome qwikSLOT shelves available in sizes 18x36, 18x48, 24x36, and 24x48 (457x914, 457x1219, 610x914, 610x1219, and 610x1524).

**Drop Mat qwikSLOT shelves with 1" (25mm) ledge also available in sizes 24x36, 24x48 (610x914, 610x1219).

MetroMax iQ™ Storage System

Security.

MetroMax Q Security Units — 14.01

Protects valuable materials and sensitive items from loss or pilferage.

- Ready view of contents: Heavy gauge open wire construction keep contents visible at all times, making it easy to check inventory.
- Microban antimicrobial product protection is built into the enclosures, doors, handles, and shelves to keep the product “cleaner between cleanings.”
- Optional intermediate shelves: MetroMax Q quick adjust shelves or corrosion proof MetroMax i.
- Double door with ergonomic ¼-turn handle: Each door opens 270 degrees and can be secured along the sides of the unit.
- Shipped knocked down to save on freight costs. Assembles in minutes.



MQSEC53VE with optional intermediate shelves

MetroMax Q Stationary Units — 66³/₁₆" (1681mm) High

Actual Outside Dimensions		Length		Fits Shelf		Approx. Pkd. Wt.		Cat. No.	List Price Each
Width (in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)		
26 ¹⁵ / ₁₆	685	38 ⁷ / ₈	987	24x36	610x914	148	67	MQSEC53E	1,499.50
26 ¹⁵ / ₁₆	685	50 ⁷ / ₈	1292	24x48	610x1219	156	71	MQSEC55E	1,867.00
26 ¹⁵ / ₁₆	685	62 ⁷ / ₈	1597	24x60	610x1524	161	73	MQSEC56E	2,025.00

Note: Leveling foot on post can be adjusted up to 1" (25mm) to compensate for uneven floors.

Standard Units consist of top and bottom wire shelves, tri-lobal adapters, steel posts, wire enclosures, and doors. Casters are included with mobile units. Intermediate shelves are sold separately.

MetroMax Q Stem Caster Mobile Units — 67¹³/₁₆" (1723mm) High

Actual Outside Dimensions (including Bumpers and Handle)		Length		Fits Shelf		Approx. Pkd. Wt.		Cat. No. Standard with four 5" (127mm) Diameter Swivel Casters	List Price Each	Cat. No. Resistant with four Polymer Casters (2 with brakes)	List Price Each
Width (in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)				
27 ¹³ / ₁₆	707	40 ³ / ₄	1035	24x36	610x914	166	75	MQSEC53DE	1,729.00	MQSEC53VE	1,851.00
27 ¹³ / ₁₆	707	52 ³ / ₄	1340	24x48	610x1219	176	80	MQSEC55DE	2,096.00	MQSEC55VE	2,217.50
27 ¹³ / ₁₆	707	64 ³ / ₄	1645	24x60	610x1524	179	81	MQSEC56DE	2,254.00	MQSEC56VE	2,375.50

**"DE" models use four 5MP casters.

***"VE" models use two 5PCX and two 5PCBX casters.



Ergonomic — ¼ turn door handle

MetroMax Q Heavy-Duty Mobile Units — 68¹/₂" (1740mm) High

Mounted on aluminum dolly with 5" (127mm) plate casters and wraparound bumpers.

Actual Outside Dimensions (including Handle)		Length		Fits Shelf		Approx. Pkd. Wt.		Cat. No.	List Price Each
Width (in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)		
28 ¹ / ₁₆	713	39 ¹ / ₈	994	24x36	610x914	166	75	MQSEC53LE	1,968.00
28 ¹ / ₁₆	713	51 ¹ / ₈	1299	24x48	610x1219	176	80	MQSEC55LE	2,356.50
28 ¹ / ₁₆	713	63 ¹ / ₈	1603	24x60	610x1524	179	81	MQSEC56LE	2,536.00

Note: The aluminum dollies used on the LE models have two B5P and two B5PB plate casters.

Intermediate Shelves

Width		Length		Cat. No. Shelf with Grid Mat	List Price Each	Cat. No. Shelf with Solid Mat	List Price Each	Cat. No. Shelf with Grid Mat	List Price Each
(in.)	(mm)	(in.)	(mm)						
24	610	36	914	MX2436G	168.50	MX2436F	191.00	MQ2436G	112.50
24	610	48	1220	MX2448G	206.00	MX2448F	233.00	MQ2448G	137.50
24	610	60	1524	MX2460G	243.50	MX2460F	275.50	MQ2460G	163.00

Seismic Approved Shelving Systems

Super Erecta® (SES), Super Adjustable Super Erecta® (SASE), qwikSLOT™ (QS), HD Super (HD), MetroMax Q® (Q)

OSHDP Preapproved Bolt Plates Kits:

For 1" (25mm) diameter, Super Erecta Shelf, Super Adjustable Super Erecta, qwikSLOT stationary post assemblies. Kit includes plate assemblies and hardware to mount plates to posts. Floor anchors are not included.

Description	Qty.	Dimensions (Width/Length/Height) (in.) (mm)		Cat. No.	List Price Each
One-Post Bolt Plate, 1/4" (6mm)	4	27/8x7x1/4	73x178x6	SASES25BP-1	207.50
Two-Post Bolt Plate, 1/4" (6mm)	2	27/8x11x1/4	73x279x6	SASES25BP-2	177.00
Four-Post Bolt Plate, 1/4" (6mm)	1	27/8x11x1/4	73x279x6	SASES25BP-4	183.00
One-Post Bolt Plate, 1/2" (13mm)	4	7x7x1/2	178x178x13	SASES50BP-1	340.00
Two-Post Bolt Plate, 1/2" (13mm)	2	7x12x1/2	178x305x13	SASES50BP-2	291.50
Four-Post Bolt Plate, 1/2" (13mm)	1	7x12x1/2	178x305x13	SASES50BP-4	298.00

For 1.5" (38mm) diameter HD and trilobal Q stationary post assemblies. Kit includes plates and hardware to mount plates to posts. Floor anchors are not included.

Description	Qty.	Dimensions (Width/Length/Height) (in.) (mm)		Cat. No.	List Price Each
One-Post Bolt Plate, 1/4" (6mm)	4	27/8x7x1/4	73x178x6	SAQHD25BP-1	237.00
Two-Post Bolt Plate, 1/4" (6mm)	2	27/8x11x1/4	73x279x6	SAQHD25BP-2	201.00
Four-Post Bolt Plate, 1/4" (6mm)	1	27/8x11x1/4	73x279x6	SAQHD25BP-4	207.50
One-Post Bolt Plate, 1/2" (13mm)	4	7x7x1/2	178x178x13	SAQHD50BP-1	373.50
Two-Post Bolt Plate, 1/2" (13mm)	2	7x12x1/2	178x305x13	SAQHD50BP-2	316.50
Four-Post Bolt Plate, 1/2" (13mm)	1	7x12x1/2	178x305x13	SAQHD50BP-4	322.00


Approved

Fixed Equipment
Anchorage California
Office of Statewide
Health Planning
and Development
OPA-0556


Required Components:

To meet requirements for preapproval, simply add floor bolt-plates to standard Metro stationary shelving configurations and follow the installation and usage guidelines.
Just add floor plates


Example A
Requires one 1-post starter kit.
(ie. SASES25BP-1).




Example B
Requires one starter kit, (ie. SASES25BP-1) and one 2-post adder kit, (ie. SASES25BP-2). Include one additional adder kit for each subsequent shelving unit added to the run.




Example C
Requires one 1-post starter kit, (ie. SASES25BP-1), two 2-post adder kits (ie. SASES25BP-2), and one 4-post adder kit, (ie. SASES25BP-4). Include one of each adder kit, (ie. one 2-post kit and one 4-post kit), for each additional pair of shelving units.




Super Adjustable Super Erecta, Super Erecta®, qwikSLOT™




SASES25BP-1




SASES25BP-2




SASES25BP-4



SASES50BP-1



SASES50BP-2




SASES50BP-4

Hint: It is recommended that a donut bumper be specified to cover any spaces between the post and the bolt plate anchor pipe. Specify the donut bumper to match the post type.




Super Erecta, Super Adjustable Super Erecta, qwikSLOT = 9992DB
Super Erecta Shelf HD = 9992H
MetroMax Q = 9992DBX


MetroMax Q®/HD Super




SAQHDS25BP-1




SAQHD25BP-2




SAQHD25BP-4



SAQHD50BP-1



SAQHD50BP-2





SAQHD50BP-4

“YOU CAN DO IT...
Visit us online and take
advantage of our easy-to-use
self-service tools.”



Self-service Tools Available...online!



- Web-based Room Layout and Product Planning
- Web-based Product Configuration
- Web-based Learning Modules

metroconfigurator.com



Visit metroconfigurator.com and test drive the Configurator...our web based software developed to give you the power to manage your space.

CONTENTS

Heated Cabinets & Racks.....108-165

C5™ Cabinet Line & Accessories	110-149
Heated Banquet Cabinets & Accessories	150-159
Holding/Delivery/Storage Cabinets	160
Mobile Bun and Tray Racks	161-164

Worktables & Service Carts.....166-170

Heavy-Duty Work Tables & Accessories	168-170
Ice Cart	170

Ware Handling172-177

“Poker Chip” Dish Dollies.....	174-175
Side-Load Dish and Tray Carts	176
Ware Handling Racks/Carts & Accessories.....	177

Housekeeping & Specialty.....178-197

Lodgix Housekeeping Carts	180-181
Lodgix Houserunner Carts & Folding Station.....	182
Valet and Amenity Carts & Stations	183-185
Mini Bar Restocking Cart	186-187
Linen Trucks & Carts	188
Totes & Bins.....	189
Beer and Wine Storage & Accessories	190-191
Merchandising	192-197



HEATED CABINETS & RACKS

C5™ Cabinet Line & Accessories	110-149
Heated Banquet Cabinets & Accessories	150-159
Holding/Delivery/Storage Cabinets	160
Mobile Bun and Tray Racks	161-164

T-SERIES

PROTECTS AND INSULATES WITH
TRANSPORT ARMOUR™



C5 T-Series with Transport Armour™

Provides Durability, Efficiency, and Intelligence making it the
IDEAL solution for over-the-road transport of hot food.



9 SERIES

PROVIDES DIRECT TEMPERATURE
& HUMIDITY CONTROL



8 SERIES

OFFERS PRECISE
TEMPERATURE CONTROL

6 SERIES

DELIVERS PROFESSIONAL
RESULTS

1 SERIES

DELIVERS RELIABLE
PERFORMANCE

3 SERIES

DELIVERS VALUE WITH
INSULATION ARMOUR™



C5 3 Series with patented Insulation Armour™ is the ultimate in value and style — delivering energy savings and aesthetic appeal at an affordable price.



T-SERIES
with Transport Armour™

DURABLE, EFFICIENT,
INTELLIGENT.



Travelsafe.™



Ergonomic Handles and Bumpers

Steel reinforced polymer handles that double as bumpers, protect the cabinet from impact and provide ergonomic grab points for easy handling while pushing, pulling, and crossing thresholds.



Intelligent or Basic Controls

Digital control option with mobile power gently circulates air in cabinet and provides temperature alerts while unplugged and in transit!



Rigid Door

Thick Foamed-in-Place Vaulted door for maximum structural integrity. 11-Gauge Stainless Steel Hinges, Flush Paddle Latch, and Multi-Functional Information Panel.



Slides

3 systems to choose from to hold a variety of pan sizes. Heavy-duty extrusions designed for transport.



Armour Panels

Polymer panels are optimally located to protect the cabinet from facility hazards. Molded-in hand holds create additional grab points.



Mobile Power

Battery Powered Fan that gently circulates air for superior stratification while cabinet is unplugged and in transit. (Digital Version Only)



Heavy-Duty

One-piece base bolted to heavy-duty caster channels, reinforced with foamed-in-place polyurethane insulation, provides superior rigidity and durability.

Uses
50% Less
Energy
than leading
fiberglass
insulated
cabinets!




Keeps Food Hot for
5 Hours
or Longer.

Foamed-in-Place Insulation

Stainless steel structure with foamed-in-place polyurethane insulation provides superior heat retention & energy efficiency.



Uses 50% Less Energy.



* Average hourly energy consumption. Based off ENERGY STAR Qualification, "Idle Energy, Rate-Dry" test. 150°F cabinet operating temperature. Based off full-height cabinet models.

With Energy costs on the rise, reducing energy usage is becoming more and more important. T-Series with Transport Armour™ utilizes 50% less Energy than the most efficient fiberglass insulated cabinets. Foamed-in-place polyurethane insulation delivers both Efficiency and Durability.

Uniform Temperature...

T-Series with Transport Armour™

Gentle circulation of air, while unplugged and in transit, eliminates hot and cold spots that endanger food safety. Temperature stratification is 3½ times better with Metro's mobile power option.

To prolong battery life, air circulation and display will shut down after 3 hours. Simply turn unit back on if additional runtime is needed.



Digital Display

Low/High Temp Alarms


Mobile Power



Recall Memory

Diagnostic Troubleshooting


Keeps Food Hot Twice As Long.



** Average food temperature 170° F, cabinets preheated to 180° F. Four 12" x 20" x 4" uncovered steam pans were placed inside cabinets. Additional food mass and covered pans may result in longer heat retention.

while unplugged.

Traditional Cabinet



The number one consideration when transporting hot food to satellite locations is keeping food hot, appetizing, and out of the danger zone. Heat retention plays a vital role in the success of any meal delivery program. T-Series' foamed-in-place polyurethane insulation keeps food hot while unplugged for **5 hours or longer**, which is more than twice as long as a standard cabinet with fiberglass insulation. Schools, institutions, banquet facilities, and caterers, just to name a few — can now Travelsafe™ with Transport Armour™.

Experience the Benefits.
Keep Food Safe.

T-Series

with Transport Armour™

Electro-Mechanical Temperature Control

Analog Thermometer



Flush Recessed Controls



T-SERIES WITH TRANSPORT ARMOUR™

Metro® C5™ **T-Series** Heated Holding Cabinets with Transport Armour™ are specifically designed for heavy-duty over-the-road applications. Foamed-in-place polyurethane insulation provides SUPERIOR heat retention and structural rigidity. While unplugged and in transit, an available mobile power option gently circulates air inside the cabinet, eliminating hot and cold spots that endanger food safety. The durability, efficiency, and intelligence of T-Series make it the IDEAL solution for all mobile applications.



	T
Heated Holding	●
Heavy-Duty/Mobile Applications	●
Humidity Control	
Proofing	
Digital Solid State Controller	a
Analog Control	a
Perimeter Bumper	●
Handles	●
Low-Temp Alarm	a
High-Temp Alarm	a
Mobile Power (Battery)	a
FIP Polyurethane Insulation	●
Reach-In	●
Pass-Through	
Full Height	a
Dual Cavity	a
5/6 Height	a
1/2 Height	a
Insulated Doors	●
Clear Doors	
Vaulted Doors	●
Concealed Hinges	●
Field Reversible Doors	
15 Amp Service	●
Stainless Steel Construction	●
Aluminum Construction	
ENERGY STAR	●

- Standard Feature

a Available Feature

Options:

Small-Item Shelf

Travel Latch/Hasp

Straight Plug

Adjustable Bottom Load Slide Pairs

Adjustable Lip Load Slide Pairs

Correctional Packages

220-240 Voltage for Export

> Transport Armour™

- > Foamed-In-Place Polyurethane Insulation

- > Steel Reinforced Polymer Handles Double as Bumpers

- > Polymer Armour Panels With Built-In Hand Holds.

- > Mobile Power for Better Temperature Stratification and Temperature Alerts

> Heavy-Duty Construction

- > Heavy-Duty Vaulted Door, Hinges, and Flush Paddle Latch.

- > Adjustable Slides on 1.675" Spacing.

- Fixed Lip Load Slides for 12x20 and GN Pans

- > Heavy-Duty 6" Casters

- > Easy-To-Clean Surfaces

> Interchangeable Slide Systems






Use small item shelf option for plated meals or odd sized pans.

T-SERIES — 13.9T

HEAVY-DUTY HOLDING SOLUTIONS FOR THE MOST DEMANDING MOBILE & STATIONARY APPLICATIONS



Controls	Slides	Cat No.	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height				
Digital	Adjustable Bottom Load	C5T9-DSB	490	10,621.00
Digital	Adjustable Lip Load	C5T9-DSL	482	10,621.00
Digital	Fixed Lip Load	C5T9-DSF	437	10,621.00
Analog	Adjustable Bottom Load	C5T9-ASB	484	9,555.00
Analog	Adjustable Lip Load	C5T9-ASL	476	9,555.00
Analog	Fixed Lip Load	C5T9-ASF	431	9,555.00
Full Height Dual Cavity				
Digital	Adjustable Bottom Load	C5T9D-DSB	509	11,986.00
Digital	Adjustable Lip Load	C5T9D-DSL	502	11,986.00
Digital	Fixed Lip Load	C5T9D-DSF	461	11,986.00
Analog	Adjustable Bottom Load	C5T9D-ASB	503	10,702.00
Analog	Adjustable Lip Load	C5T9D-ASL	496	10,702.00
Analog	Fixed Lip Load	C5T9D-ASF	455	10,702.00
5/6 Height				
Digital	Adjustable Bottom Load	C5T8-DSB	456	9,554.00
Digital	Adjustable Lip Load	C5T8-DSL	449	9,554.00
Digital	Fixed Lip Load	C5T8-DSF	404	9,554.00
Analog	Adjustable Bottom Load	C5T8-ASB	450	8,600.00
Analog	Adjustable Lip Load	C5T8-ASL	443	8,600.00
Analog	Fixed Lip Load	C5T8-ASF	398	8,600.00
1/2 Height				
Digital	Adjustable Bottom Load	C5T5-DSB	383	8,281.00
Digital	Adjustable Lip Load	C5T5-DSL	378	8,281.00
Digital	Fixed Lip Load	C5T5-DSF	337	8,281.00
Analog	Adjustable Bottom Load	C5T5-ASB	377	7,453.00
Analog	Adjustable Lip Load	C5T5-ASL	372	7,453.00
Analog	Fixed Lip Load	C5T5-ASF	331	7,453.00




C5 T9 - D S B A

C5 T9 D - D S B A

C5 T9 X - D S B

An "A" suffix indicates that accessories need to be factory assembled to the cabinet. Order accessories separately.

For Export (220-240V, 50/60Hz) Cabinets. (No Up-charge)



All cabinets are 30" (762mm) wide and 39.25" (997mm) deep



Cabinet Size	Adjustable Bottom Load Pan Capacity							
	Slide Pairs		Sheet Pans	Steam Pans			Gastronorm 65mm Depth	
	Provided	Max**	18"x26"	12"x20"x2.5"	12"x20"x4"	12"x20"x6"	2/1	1/1
Full Height	16	32	16	32	22	16	16	32
Full Height Dual Cavity	14	28	14	32*	20*	16*	16*	32*
5/6 Height	14	27	14	28	18	14	14	28
1/2 Height	9	17	9	18	12	8	9	18

*Floor of cabinet used for one pan level, two levels for dual cavity.

**Maximum number of slide pairs @ 1.675" spacing. Additional slide pairs ordered separately.

Cabinet Size	Adjustable Lip Load Pan Capacity							
	Slide Pairs		Sheet Pans	Steam Pans			Gastronorm 65mm Depth	
	Provided	Max**	18"x26"	12"x20"x2.5"	12"x20"x4"	12"x20"x6"	2/1	1/1
Full Height	16	32	16	32	22*	16	16	32
Full Height Dual Cavity	14	28	14	28	20*	12	14	28
5/6 Height	14	27	14	26	18	12	13	26
1/2 Height	9	17	9	16	12*	8	8	16

*Floor of cabinet used for one pan level, two levels for dual cavity.

**Maximum number of slide pairs @ 1.675" spacing. Additional slide pairs ordered separately.

	Fixed Lip Load									
Cabinet Size	Slide Levels	Steam Pans			65mm Depth		Gastronorm 100mm Depth		150mm Depth	
	18"x26"	12"x20"x2.5"	12"x20"x4"	12"x20"x6"	2/1	1/1	2/1	1/1	2/1	1/1
Full Height	32	32	22	16	16	32	11	22	8	16
Full Height Dual Cavity	30	32	20	16	16	32	10	20	8	16
5/6 Height	27	28	18	14	14	28	9	18	7	14
1/2 Height	17	18	12	8	9	18	6	12	4	8



NEMA 5-15P
1400 Watt, 120 Volt,
Standard



All T-Series models are
ENERGY STAR rated.



9, 8 & 6 SERIES

LEVELS
OF CONTROL



Increased Efficiency!

100+ Models Exceed the NEW
ENERGY STAR Requirements
for Hot Food Holding Cabinets
(effective October 1, 2011)



9 SERIES

CONTROLLED TEMPERATURE & HUMIDITY

Temperature
Measures and displays actual cabinet temperature.

Intuitive
Easy-to-use controls that anyone can understand.

Humidity
Measures and displays actual cabinet relative humidity.

Temperature Priority
9 Series controller generates heat before humidity for food safety.



Low-Water Alarm
A safety feature that indicates when water is needed. Water element will not be energized when water is low.



Low-Temp Alarm
Assures cabinet is operating at desired temperature.

Recall & Memory
View settings at the touch of a button. Settings are saved when turned off.

8 SERIES

CONTROLLED TEMPERATURE

Intuitive
Easy-to-use controls that anyone can understand.

Temperature
Measures and displays actual cabinet temperature.

Recall & Memory
View settings at the touch of a button. Settings are saved when turned off.

Low-Temp Alarm
Assures cabinet is operating at desired temperature.



6 SERIES

HEATED HOLDING

Temperature
The easy-to-use dial puts you in control of cabinet temperature.

Reliable Readout
Measures and displays actual cabinet temperature even when the cabinet is off.





CONTROLLED TEMPERATURE & HUMIDITY

Metro® C5™ 9 Series Controlled Humidity Heated Holding & Proofing Cabinets are designed to maintain food quality for extended periods of time. By controlling both temperature and humidity, operators can be assured that their product will come out of the 9 Series as delectable as it went in. Realtime temperature and relative humidity levels are constantly displayed, giving the foodservice professional valuable feedback. With the 9 Series cabinet, operators can now specify holding criteria along with ingredients, preparation, cooking, and finishing for optimal results.





Options:
 Small Item Shelf
 Stainless Steel Legs
 Universal Slide Pairs
 Stainless Steel Universal Wire Slides
 Straight Plug
 Twist-Lock Plug
 Flush-Mounted Door Latch
 Twist Locking Flush-Mounted Door Latch
 Key Locking Flush-Mounted Door Latch
 Control Panel Cover
 Drain Hose Adapter
 6" Casters
 Stainless Steel Handles
 Rigid Rear Casters
 Factory Left Hand Hinging
 1440 Watt, 12 Amp Power
 220-240 Voltage for Export

- > Adjustable universal wire slides on 1½" increments with SiteSelect™
- > Lip-load slides for sheet pans
- > Optional small item shelf
- > High-capacity water reservoir with drain
- > Easy-to-clean surfaces
- > Built-to-last door latches and lift-off hinges
- > Double pane, insulated, tempered glass doors
- > High-quality casters
- > Recessed handles on all four corners
- > Integrated polymer bumper drip trough
- > Interchangeable slide systems

9

Heated Holding	•
Humidity Control	•
Proofing	•
Digital Solid State Controller	•
Analog Control	
Digital Display	•
Analog Thermometer	
Low-Temp Alarm	•
Low-Water Alarm	•
Corner Bumpers	•
Drip Trough and Pan	•
Active Water Reservoir	•
Passive Water Pan	
Fully Insulated	•
Insulation Armour™	
Reach-In	•
Pass-Thru	a
Full Height	a
3/4 Height	a
1/2 Height	a
Under Counter	a
Dutch Doors	a
Clear Doors	a
Insulated Doors	•
Universal Wire Slides	a
Lip Load Slides	a
Fixed Wire Slides	
Max Temp (F)	200°
2000 Watts	•
1440 Watts	a
20 Amp Service	•
15 Amp Service	a
Heavy-Duty Handle	•
Lift-Off Doors	•
Field Reversible Doors	•
Stainless Steel Construction	a
Aluminum Construction	a
ENERGY STAR	a

• Standard Feature

a Available Feature



9 SERIES — 13.99

EXCEPTIONAL FOOD
QUALITY AND THE
PERFECT
FIT FOR YOUR
OPERATION.

Reach-In Model
Number Description

Cabinet Height
9 = Full Height
7 = 3/4 Height
5 = 1/2 Height
3 = Under Counter

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

C5 9 9 - S DS - U

Cabinet Material
S = Stainless
N = Aluminum

Slide Type
U = Universal Wire
L = Lip Load Aluminum

REACH-IN CABINETS

Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height							
Full Solid	Universal	C599-SFS-U*	400	8,867.00	C599-NFS-U	270	7,792.00
Full Solid	Lip Load	C599-SFS-L*	390	8,735.00	C599-NFS-L	265	7,662.00
Dutch Solid	Universal	C599-SDS-U*	410	9,132.00	C599-NDS-U	270	8,052.00
Dutch Solid	Lip Load	C599-SDS-L*	400	9,000.00	C599-NDS-L	270	7,922.00
Full Clear	Universal	C599-SFC-U	410	9,660.00	C599-NFC-U	280	8,570.00
Full Clear	Lip Load	C599-SFC-L	400	9,528.00	C599-NFC-L	270	8,440.00
Dutch Clear	Universal	C599-SDC-U	410	9,925.00	C599-NDC-U	280	8,830.00
Dutch Clear	Lip Load	C599-SDC-L	400	9,794.00	C599-NDC-L	270	8,699.00
3/4 Height							
Full Solid	Universal	C597-SFS-U*	310	7,981.00	C597-NFS-U	210	7,036.00
Full Solid	Lip Load	C597-SFS-L*	300	7,849.00	C597-NFS-L	205	6,907.00
Full Clear	Universal	C597-SFC-U	307	8,377.00	C597-NFC-U	215	7,426.00
Full Clear	Lip Load	C597-SFC-L	297	8,244.00	C597-NFC-L	210	7,296.00
1/2 Height							
Full Solid	Universal	C595-SFS-U*	200	7,095.00	C595-NFS-U	140	6,255.00
Full Solid	Lip Load	C595-SFS-L*	190	6,963.00	C595-NFS-L	135	6,126.00
Full Clear	Universal	C595-SFC-U	197	7,490.00	C595-NFC-U	145	6,644.00
Full Clear	Lip Load	C595-SFC-L	187	7,358.00	C595-NFC-L	140	6,514.00
Under Counter (Not available in 120V, 2000W)							
Full Solid	Universal	C593L-SFS-U	105	6,740.00	C593L-NFS-U	70	5,943.00
Full Solid	Lip Load	C593L-SFS-L	95	6,606.00	C593L-NFS-L	65	5,812.00
Full Clear	Universal	C593L-SFC-U	100	7,137.00	C593L-NFC-U	75	6,332.00
Full Clear	Lip Load	C593L-SFC-L	90	7,004.00	C593L-NFC-L	70	6,202.00

*120V 2000W and 1440W models with and without accessories are ENERGY STAR rated.

Pass-Thru Model Number Description

Pass Thru

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

C599 - SDS - UPDS

PASS-THRU CABINETS (Not available in 3/4 Height)

Doors/Rear Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height Pass-Thru							
Full Solid/Full Solid	Universal	C599-SFS-UPFS	435	9,780.00	C599-NFS-UPFS	270	8,597.00
Full Solid/Full Clear	Universal	C599-SFS-UPFC	430	10,574.00	C599-NFS-UPFC	280	9,375.00
Full Solid/Full Solid	Lip Load	C599-SFS-LPFS	390	9,648.00	C599-NFS-LPFS	265	8,468.00
Full Solid/Full Clear	Lip Load	C599-SFS-LPFC	435	10,440.00	C599-NFS-LPFC	270	9,246.00
Dutch Solid/Dutch Solid	Universal	C599-SDS-UPDS	410	10,044.00	C599-NDS-UPDS	275	8,727.00
Dutch Solid/Dutch Clear	Universal	C599-SDS-UPDC	435	10,838.00	C599-NDS-UPDC	275	9,634.00
Dutch Solid/Dutch Solid	Lip Load	C599-SDS-LPDS	400	9,913.00	C599-NDS-LPDS	275	8,727.00
Dutch Solid/Dutch Clear	Lip Load	C599-SDS-LPDC	430	10,706.00	C599-NDS-LPDC	280	9,505.00
Full Clear/Full Clear	Universal	C599-SFC-UPFC	400	11,369.00	C599-NFC-UPFC	275	10,153.00
Full Clear/Full Solid	Universal	C599-SFC-UPFS	435	10,574.00	C599-NFC-UPFS	280	9,375.00
Full Clear/Full Clear	Lip Load	C599-SFC-LPFC	400	11,235.00	C599-NFC-LPFC	270	10,022.00
Full Clear/Full Solid	Lip Load	C599-SFC-LPFS	430	10,440.00	C599-NFC-LPFS	280	9,246.00
Dutch Clear/Dutch Clear	Universal	C599-SDC-UPDC	410	11,631.00	C599-NDC-UPDC	280	10,413.00
Dutch Clear/Dutch Solid	Universal	C599-SDC-UPDS	435	10,838.00	C599-NDC-UPDS	280	9,634.00
Dutch Clear/Dutch Clear	Lip Load	C599-SDC-LPDC	400	11,498.00	C599-NDC-LPDC	275	10,282.00
Dutch Clear/Dutch Solid	Lip Load	C599-SDC-LPDS	430	10,706.00	C599-NDC-LPDS	275	9,505.00
1/2 Height Pass-Thru							
Full Solid/Full Solid	Universal	C595-SFS-UPFS	210	7,803.00	C595-NFS-UPFS	150	6,880.00
Full Solid/Full Clear	Universal	C595-SFS-UPFC	218	8,201.00	C595-NFS-UPFC	150	7,271.00
Full Solid/Full Solid	Lip Load	C595-SFS-LPFS	200	7,672.00	C595-NFS-LPFS	145	6,751.00
Full Solid/Full Clear	Lip Load	C595-SFS-LPFC	205	8,068.00	C595-NFS-LPFC	140	7,140.00
Full Clear/Full Clear	Universal	C595-SFC-UPFC	207	8,596.00	C595-NFC-UPFC	155	7,658.00
Full Clear/Full Solid	Universal	C595-SFC-UPFS	218	8,201.00	C595-NFC-UPFS	150	7,271.00
Full Clear/Full Clear	Lip Load	C595-SFC-LPFC	200	8,465.00	C595-NFC-LPFC	145	7,527.00
Full Clear/Full Solid	Lip Load	C595-SFC-LPFS	205	8,068.00	C595-NFC-LPFS	140	7,140.00



NEMA 5-20P
2000 Watt, 120 Volt,
Standard



Full, 3/4 and 1/2
height stainless steel
reach-in models
with solid doors

C599L - SDS - U

For Lower Wattage (1440W, 120V, 60Hz) cabinets. (No Up-charge)



C599X - SDS - U

For Export (220-240V, 50/60Hz.) cabinets. (No Up-charge)



C599 - SDS - UA

C599 - SDS - UPDS A

An "A" suffix indicates that
accessories need to be factory
assembled to the cabinet.
Order accessories separately.



All cabinets are 30" wide and 36.375" deep



Cabinet Size	Universal Wire Pan Capacity						Lip Load Pan Capacity	
	Slide Pairs Provided	Slide Pairs Max*	Sheet Pans 18"x26"	Steam Pans 12"x20"x2.5"	Steam Pans 12"x20"x4"	Steam Pans 12"x20"x6"	Gastronorm 65mm Depth 2/1 1/1	Sheet Pans 18"x26"
Full Height	18	37	18	34	24	18	17 34	35
Full Height Dutch	18	35	17	32	22	16	16 32	34
3/4 Height	14	29	13	26	16	12	13 26	27
1/2 Height	8	17	8	16	10	8	8 16	17
Under Counter	5	10	5	10	6	4	5 10	10

*Maximum number of slide pairs @ 1 1/2" spacing. Additional slide pairs ordered separately.



CONTROLLED TEMPERATURE

Metro® C5™ **8 Series** Controlled Temperature Heated Holding

Cabinets are designed to precisely maintain food temperature.

Intelligent temperature control takes the guesswork out of holding your

food product. Simply set the desired cabinet temperature and

the proprietary 8 Series controller does the rest by continuously

monitoring, displaying, and maintaining the internal temperature of the

cabinet. Precise control gives professional results.





Options:
 Small Item Shelf
 Stainless Steel Legs
 Universal Slide Pairs
 Stainless Steel Universal Wire Slides
 Straight Plug
 Twist-Lock Plug
 Flush-Mounted Door Latch
 Twist Locking Flush-Mounted Door Latch
 Key Locking Flush-Mounted Door Latch
 Control Panel Cover
 6" Casters
 Full Perimeter Bumper
 Polymer Bumper Drip Trough Pair
 Rigid Rear Casters
 Factory Left Hand Hinging
 1440 Watt, 12 Amp Power
 220-240 Voltage for Export

- > Adjustable universal wire slides on 1½" increments with SiteSelect™
- > Lip-load slides for sheet pans
- > Optional small item shelf
- > Removable water pan for passive humidity generation
- > Double pane, insulated, tempered glass doors
- > Easy-to-clean surfaces
- > Built-to-last door latches and lift-off hinges
- > High-quality casters
- > Recessed handles on all four corners
- > Interchangeable slide systems

8

Heated Holding	•
Humidity Control	
Proofing	
Digital Solid State Controller	•
Analog Control	
Digital Display	•
Analog Thermometer	
Low-Temp Alarm	•
Low-Water Alarm	
Corner Bumpers	a
Drip Trough and Pan	a
Active Water Reservoir	
Passive Water Pan	•
Fully Insulated	•
Insulation Armour™	
Reach-In	•
Pass-Thru	a
Full Height	a
3/4 Height	a
1/2 Height	a
Under Counter	a
Dutch Doors	a
Clear Doors	a
Insulated Doors	•
Universal Wire Slides	a
Lip Load Slides	a
Fixed Wire Slides	
Max Temp (F)	200*
2000 Watts	•
1440 Watts	a
20 Amp Service	•
15 Amp Service	a
Heavy-Duty Handle	•
Lift-Off Doors	•
Field Reversible Doors	•
Stainless Steel Construction	a
Aluminum Construction	a
ENERGY STAR	a

• Standard Feature

a Available Feature



Reach-In Model
Number Description

Cabinet Height
9 = Full Height
7 = 3/4 Height
5 = 1/2 Height
3 = Under Counter

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

C5 8 9 - S DS - U

Cabinet Material
S = Stainless
N = Aluminum

Slide Type
U = Universal Wire
L = Lip Load Aluminum

8 SERIES — 13.98

PRECISE, ACCURATE,
REPEATABLE THERMAL
PERFORMANCE, NO
MATTER WHICH
CONFIGURATION
YOU CHOOSE.

REACH-IN CABINETS

Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height							
Full Solid	Universal	C589-SFS-U*	375	8,013.00	C589-NFS-U	270	7,040.00
Full Solid	Lip Load	C589-SFS-L*	365	7,893.00	C589-NFS-L	265	6,923.00
Dutch Solid	Universal	C589-SDS-U*	385	8,253.00	C589-NDS-U	275	7,275.00
Dutch Solid	Lip Load	C589-SDS-L*	375	8,133.00	C589-NDS-L	270	7,157.00
Full Clear	Universal	C589-SFC-U	415	8,731.00	C589-NFC-U	275	7,743.00
Full Clear	Lip Load	C589-SFC-L	415	8,612.00	C589-NFC-L	270	7,626.00
Dutch Clear	Universal	C589-SDC-U	415	8,972.00	C589-NDC-U	280	7,975.00
Dutch Clear	Lip Load	C589-SDC-L	415	8,851.00	C589-NDC-L	270	7,861.00
3/4 Height							
Full Solid	Universal	C587-SFS-U*	285	7,214.00	C587-NFS-U	210	6,358.00
Full Solid	Lip Load	C587-SFS-L*	307	7,093.00	C587-NFS-L	205	6,240.00
Full Clear	Universal	C587-SFC-U	307	7,573.00	C587-NFC-U	215	6,708.00
Full Clear	Lip Load	C587-SFC-L	280	7,451.00	C587-NFC-L	210	6,591.00
1/2 Height							
Full Solid	Universal	C585-SFS-U*	175	6,411.00	C585-NFS-U	140	5,651.00
Full Solid	Lip Load	C585-SFS-L*	175	6,293.00	C585-NFS-L	135	5,534.00
Full Clear	Universal	C585-SFC-U	205	6,770.00	C585-NFC-U	145	6,002.00
Full Clear	Lip Load	C585-SFC-L	205	6,649.00	C585-NFC-L	140	5,885.00
Under Counter (Not available in 120V, 2000W)							
Full Solid	Universal	C583L-SFS-U	80	6,090.00	C583L-NFS-U	70	5,369.00
Full Solid	Lip Load	C583L-SFS-L	70	5,974.00	C583L-NFS-L	65	5,251.00
Full Clear	Universal	C583L-SFC-U	105	6,451.00	C583L-NFC-U	75	5,720.00
Full Clear	Lip Load	C583L-SFC-L	100	6,329.00	C583L-NFC-L	70	5,603.00

*120V 2000W and 1440W models with and without accessories are ENERGY STAR rated.

Pass-Thru Model Number Description

Pass Thru

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

C589 - SDS - UPDS

PASS-THRU CABINETS (Not available in 3/4 Height)

Doors/Rear Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height Pass-Thru							
Full Solid/Full Solid	Universal	C589-SFS-UPFS	375	8,838.00	C589-NFS-UPFS	270	7,767.00
Full Solid/Full Clear	Universal	C589-SFS-UPFC	435	9,556.00	C589-NFS-UPFC	280	8,470.00
Full Solid/Full Solid	Lip Load	C589-SFS-LPFS	385	8,719.00	C589-NFS-LPFS	265	7,650.00
Full Solid/Full Clear	Lip Load	C589-SFS-LPFC	435	9,437.00	C589-NFS-LPFC	275	8,353.00
Dutch Solid/Dutch Solid	Universal	C589-SDS-UPDS	380	9,077.00	C589-NDS-UPDS	275	8,001.00
Dutch Solid/Dutch Clear	Universal	C589-SDS-UPDC	430	9,797.00	C589-NDS-UPDC	275	8,704.00
Dutch Solid/Dutch Solid	Lip Load	C589-SDS-LPDS	390	8,959.00	C589-NDS-LPDS	270	7,884.00
Dutch Solid/Dutch Clear	Lip Load	C589-SDS-LPDC	430	9,675.00	C589-NDS-LPDC	270	8,586.00
Full Clear/Full Clear	Universal	C589-SFC-UPFC	400	10,273.00	C589-NFC-UPFC	275	9,172.00
Full Clear/Full Solid	Universal	C589-SFC-UPFS	435	9,556.00	C589-NFC-UPFS	280	8,470.00
Full Clear/Full Clear	Lip Load	C589-SFC-LPFC	390	10,153.00	C589-NFC-LPFC	270	9,055.00
Full Clear/Full Solid	Lip Load	C589-SFC-LPFS	435	9,437.00	C589-NFC-LPFS	275	8,353.00
Dutch Clear/Dutch Clear	Universal	C589-SDC-UPDC	410	10,511.00	C589-NDC-UPDC	280	9,407.00
Dutch Clear/Dutch Solid	Universal	C589-SDC-UPDS	435	9,797.00	C589-NDC-UPDS	275	8,704.00
Dutch Clear/Dutch Clear	Lip Load	C589-SDC-LPDC	400	10,394.00	C589-NDC-LPDC	275	9,291.00
Dutch Clear/Dutch Solid	Lip Load	C589-SDC-LPDS	435	9,675.00	C589-NDC-LPDS	270	8,586.00
1/2 Height Pass-Thru							
Full Solid/Full Solid	Universal	C585-SFS-UPFS	170	7,052.00	C585-NFS-UPFS	150	6,217.00
Full Solid/Full Clear	Universal	C585-SFS-UPFC	218	7,411.00	C585-NFS-UPFC	150	6,567.00
Full Solid/Full Solid	Lip Load	C585-SFS-LPFS	165	6,933.00	C585-NFS-LPFS	145	6,099.00
Full Solid/Full Clear	Lip Load	C585-SFS-LPFC	210	7,290.00	C585-NFS-LPFC	140	6,451.00
Full Clear/Full Clear	Universal	C585-SFC-UPFC	218	7,770.00	C585-NFC-UPFC	155	6,919.00
Full Clear/Full Solid	Universal	C585-SFC-UPFS	218	7,411.00	C585-NFC-UPFS	150	6,567.00
Full Clear/Full Clear	Lip Load	C585-SFC-LPFC	210	7,651.00	C585-NFC-LPFC	145	6,801.00
Full Clear/Full Solid	Lip Load	C585-SFC-LPFS	210	7,290.00	C585-NFC-LPFS	140	6,451.00



NEMA 5-20P
2000 Watt, 120 Volt,
Standard



Full, 1/4 and 1/2
height stainless steel
reach-in models
with solid doors

C589L - SDS - U

For Lower Wattage (1440W, 120V, 60Hz) cabinets. (No Up-charge)



C589X - SDS - U


For Export (220-240V, 50/60Hz,) cabinets. (No Up-charge)



C589 - SDS - UA

C589 - SDS - UPDS A

An "A" suffix indicates that
accessories need to be factory
assembled to the cabinet.
Order accessories separately.



All cabinets are 29.125" wide and 32.625" deep
(Pass-thru are 34.625" deep)



Cabinet Size	Universal Wire Pan Capacity						Lip Load Pan Capacity	
	Slide Pairs		Sheet Pans 18"x26"	Steam Pans			Gastronorm 65mm Depth	
	Provided	Max*		12"x20"x2.5"	12"x20"x4"	12"x20"x6"	2/1	1/1
Full Height	18	37	18	34	24	18	17	34
Full Height Dutch	18	35	17	32	22	16	16	32
3/4 Height	14	29	13	26	16	12	13	26
1/2 Height	8	17	8	16	10	8	8	16
Under Counter	5	10	5	10	6	4	5	10

*Maximum number of slide pairs @ 1 1/2" spacing. Additional slide pairs ordered separately.



HEATED HOLDING

Metro® C5™ **6 Series** Heated Holding Cabinets are designed for the rigors of everyday use in the most demanding professional foodservice environments. Temperature controls and display are easy to use and understand. Many configuration options make the 6 Series ideal for a wide variety of uses, including mobile applications.





Options:

- Small Item Shelf
- Stainless Steel Legs
- Universal Slide Pairs
- Stainless Steel Universal Wire Slides
- Straight Plug
- Twist-Lock Plug
- Flush-Mounted Door Latch
- Twist Locking Flush-Mounted Door Latch
- Key Locking Flush-Mounted Door Latch
- Control Panel Cover
- 6" Casters
- Stainless Steel Handles
- Full Perimeter Bumper
- Polymer Bumper Drip Trough Pair
- Rigid Rear Casters
- Factory Left Hand Hinging
- 1440 Watt, 12 Amp Power
- 220-240 Voltage for Export

- > Adjustable universal wire slides on 1 1/2" increments with SiteSelect™
- > Lip-load slides for sheet pans
- > Optional small item shelf
- > Removable water pan for passive humidity generation
- > Double pane, insulated, tempered glass doors
- > Easy-to-clean surfaces
- > Built-to-last door latches and lift-off hinges
- > High-quality casters
- > Recessed handles on all four corners
- > Interchangeable slide systems

6

Heated Holding	•
Humidity Control	
Proofing	
Digital Solid State Controller	
Analog Control	•
Digital Display	
Analog Thermometer	•
Low-Temp Alarm	
Low-Water Alarm	
Corner Bumpers	a
Drip Trough and Pan	a
Active Water Reservoir	
Passive Water Pan	•
Fully Insulated	•
Insulation Armour™	
Reach-In	•
Pass-Thru	a
Full Height	a
3/4 Height	a
1/2 Height	a
Under Counter	a
Dutch Doors	a
Clear Doors	a
Insulated Doors	•
Universal Wire Slides	a
Lip Load Slides	a
Fixed Wire Slides	
Max Temp (F)	200°
2000 Watts	•
1440 Watts	a
20 Amp Service	•
15 Amp Service	a
Heavy-Duty Handle	•
Lift-Off Doors	•
Field Reversible Doors	•
Stainless Steel Construction	a
Aluminum Construction	a
ENERGY STAR	a

• Standard Feature

a Available Feature



6 SERIES — 13.96

PROFESSIONAL
HOLDING SOLUTIONS FOR
STATIONARY
OR MOBILE
APPLICATIONS

Reach-In Model
Number Description

Cabinet Height
9 = Full Height
7 = 3/4 Height
5 = 1/2 Height
3 = Under Counter

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

C5 6 9 - S DS - U

Cabinet Material
S = Stainless
N = Aluminum

Slide Type
U = Universal Wire
L = Lip Load Aluminum

REACH-IN CABINETS

Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height							
Full Solid	Universal	C569-SFS-U*	375	7,361.00	C569-NFS-U	270	6,228.00
Full Solid	Lip Load	C569-SFS-L*	365	7,251.00	C569-NFS-L	265	6,126.00
Dutch Solid	Universal	C569-SDS-U*	385	7,581.00	C569-NDS-U	275	6,436.00
Dutch Solid	Lip Load	C569-SDS-L*	375	7,470.00	C569-NDS-L	270	6,332.00
Full Clear	Universal	C569-SFC-U	415	8,020.00	C569-NFC-U	275	6,851.00
Full Clear	Lip Load	C569-SFC-L	415	7,910.00	C569-NFC-L	270	6,748.00
Dutch Clear	Universal	C569-SDC-U	415	8,239.00	C569-NDC-U	280	7,058.00
Dutch Clear	Lip Load	C569-SDC-L	415	8,129.00	C569-NDC-L	270	6,954.00
3/4 Height							
Full Solid	Universal	C567-SFS-U*	285	6,625.00	C567-NFS-U	210	5,626.00
Full Solid	Lip Load	C567-SFS-L*	307	6,514.00	C567-NFS-L	205	5,522.00
Full Clear	Universal	C567-SFC-U*	307	6,955.00	C567-NFC-U	215	5,935.00
Full Clear	Lip Load	C567-SFC-L	280	6,845.00	C567-NFC-L	210	5,832.00
1/2 Height							
Full Solid	Universal	C565-SFS-U*	175	5,889.00	C565-NFS-U	140	5,002.00
Full Solid	Lip Load	C565-SFS-L*	175	5,779.00	C565-NFS-L	135	4,897.00
Full Clear	Universal	C565-SFC-U*	205	6,218.00	C565-NFC-U	145	5,312.00
Full Clear	Lip Load	C565-SFC-L*	205	6,108.00	C565-NFC-L	140	5,208.00
Under Counter (Not available in 120V, 2000W)							
Full Solid	Universal	C563L-SFS-U	80	5,593.00	C563L-NFS-U	70	4,751.00
Full Solid	Lip Load	C563L-SFS-L	70	5,484.00	C563L-NFS-L	65	4,647.00
Full Clear	Universal	C563L-SFC-U	105	5,923.00	C563L-NFC-U	75	5,062.00
Full Clear	Lip Load	C563L-SFC-L	100	5,814.00	C563L-NFC-L	70	4,958.00

*120V 2000W and 1440W models with and without accessories are ENERGY STAR rated.

Pass-Thru Model Number Description

Pass Thru

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

C5 6 9 - S D S - U P D S

PASS-THRU CABINETS (Not available in 3/4 Height)

Doors/Rear Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height Pass-Thru							
Full Solid/Full Solid	Universal	C569-SFS-UPFS	375	8,119.00	C569-NFS-UPFS	270	6,873.00
Full Solid/Full Clear	Universal	C569-SFS-UPFC	435	8,777.00	C569-NFS-UPFC	280	7,495.00
Full Solid/Full Solid	Lip Load	C569-SFS-LPFS	385	8,010.00	C569-NFS-LPFS	265	6,769.00
Full Solid/Full Clear	Lip Load	C569-SFS-LPFC	435	8,668.00	C569-NFS-LPFC	275	7,391.00
Dutch Solid/Dutch Solid	Universal	C569-SDS-UPDS	380	8,338.00	C569-NDS-UPDS	275	7,081.00
Dutch Solid/Dutch Clear	Universal	C569-SDS-UPDC	430	8,998.00	C569-NDS-UPDC	275	7,703.00
Dutch Solid/Dutch Solid	Lip Load	C569-SDS-LPDS	390	8,229.00	C569-NDS-LPDS	270	6,976.00
Dutch Solid/Dutch Clear	Lip Load	C569-SDS-LPDC	430	8,889.00	C569-NDS-LPDC	270	7,598.00
Full Clear/Full Clear	Universal	C569-SFC-UPFC	400	9,437.00	C569-NFC-UPFC	275	8,115.00
Full Clear/Full Solid	Universal	C569-SFC-UPFS	435	8,777.00	C569-NFC-UPFS	280	7,495.00
Full Clear/Full Clear	Lip Load	C569-SFC-LPFC	390	9,326.00	C569-NFC-LPFC	270	8,013.00
Full Clear/Full Solid	Lip Load	C569-SFC-LPFS	435	8,668.00	C569-NFC-LPFS	275	7,391.00
Dutch Clear/Dutch Clear	Universal	C569-SDC-UPDC	410	9,656.00	C569-NDC-UPDC	280	8,323.00
Dutch Clear/Dutch Solid	Universal	C569-SDC-UPDS	435	8,998.00	C569-NDC-UPDS	275	7,703.00
Dutch Clear/Dutch Clear	Lip Load	C569-SDC-LPDC	400	9,547.00	C569-NDC-LPDC	275	8,219.00
Dutch Clear/Dutch Solid	Lip Load	C569-SDC-LPDS	435	8,889.00	C569-NDC-LPDS	270	7,598.00

1/2 Height Pass-Thru							
Full Solid/Full Solid	Universal	C565-SFS-UPFS	170	6,477.00	C565-NFS-UPFS	150	5,500.00
Full Solid/Full Clear	Universal	C565-SFS-UPFC	218	6,808.00	C565-NFS-UPFC	150	5,811.00
Full Solid/Full Solid	Lip Load	C565-SFS-LPFS	165	6,368.00	C565-NFS-LPFS	145	5,396.00
Full Solid/Full Clear	Lip Load	C565-SFS-LPFC	210	6,699.00	C565-NFS-LPFC	140	5,707.00
Full Clear/Full Clear	Universal	C565-SFC-UPFC	218	7,136.00	C565-NFC-UPFC	155	6,123.00
Full Clear/Full Solid	Universal	C565-SFC-UPFS	218	6,808.00	C565-NFC-UPFS	150	5,811.00
Full Clear/Full Clear	Lip Load	C565-SFC-LPFC	210	7,028.00	C565-NFC-LPFC	145	6,018.00
Full Clear/Full Solid	Lip Load	C565-SFC-LPFS	210	6,699.00	C565-NFC-LPFS	140	5,707.00



NEMA 5-20P
2000 Watt, 120 Volt,
Standard



Full and 1/2 height stainless
steel reach-in models with
solid doors and all 1/2 height
stainless steel reach-in models

C5 6 9 L - S D S - U

For Lower Wattage (1440W, 120V, 60Hz) cabinets. (No Up-charge)




C5 6 9 X - S D S - U

For Export (220-240V, 50/60Hz,) cabinets. (No Up-charge)



C5 6 9 - S D S - U A
C5 6 9 - S D S - U P D S A

An "A" suffix indicates that
accessories need to be factory
assembled to the cabinet.
Order accessories separately.



All cabinets are 29.125" wide and 32.625" deep
(Pass-thru are 34.625" deep)




Cabinet Size	Universal Wire Pan Capacity						Lip Load Pan Capacity	
	Slide Pairs Provided	Slide Pairs Max*	Sheet Pans 18"x26"	Steam Pans 12"x20"x2.5"	Steam Pans 12"x20"x4"	Steam Pans 12"x20"x6"	Gastronorm 65mm Depth 2/1	Sheet Pans 18"x26"
Full Height	18	37	18	34	24	18	17	34
Full Height Dutch	18	35	17	32	22	16	16	32
3/4 Height	14	29	13	26	16	12	13	26
1/2 Height	8	17	8	16	10	8	8	16
Under Counter	5	10	5	10	6	4	5	10

*Maximum number of slide pairs @ 1 1/2" spacing. Additional slide pairs ordered separately.



PIZZA HOLDING — 13.9Z

Metro® C5™ **Pizza Series** heated holding cabinets hold pizza hot and maintain that “straight from the oven” taste. **Double deep box capacity** allows you to hold two 16" pizza boxes per level. Simple and effective temperature controls, passive humidity generation system, and a wide variety of configurations make the C5 Pizza Series the ideal solution for the high volume pizza purveyor.



All cabinets are 28" wide and 38 1/4" deep
(Pass-thru are 40 1/2" deep)



	Universal Wire Pan Capacity							Wire Shelf Capacity		
Cabinet Size	Slide Pairs	16" Pizza Boxes	Sheet Pans	Steam Pans			Gastronorm 65mm Depth		Shelves Provided	16" Pizza Boxes
			18"x26"	12"x20"x2.5"	12"x20"x4"	12"x20"x6"	2/1	1/1		
Full Height Dutch	17	34	17	34	22	16	17	34	4	34+
1/2 Height	8	16	8	16	10	8	8	16	2	16+

*Maximum number of slide pairs @ 1 1/2" spacing. Additional slide pairs ordered separately.

> 6 Series Temperature Control

> Adjustable universal wire slides on 1½" increments with SiteSelect™

> Wire shelf models

> Removable water pan for passive humidity generation

> Double pane, insulated, tempered glass doors

> Easy-to-clean surfaces


> Built-to-last door latches and lift-off hinges

> High-quality casters

> Recessed handles on all four corners

Options:

Small Item Shelf
Stainless Steel Legs
Universal Slide Pairs
Straight Plug
Twist-Lock Plug
Flush-Mounted Door Latch
Twist Locking Flush-Mounted Door Latch
Key Locking Flush-Mounted Door Latch
Control Panel Cover
6" Casters
Polymer Bumper Drip Trough Pair
Rigid Rear Casters
Factory Left Hand Hinging



NEMA 5-20P
2000 Watt, 120
Volt,
Standard

Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height							
Dutch Solid	Universal	C5Z69-SDS-U	395	8,112.00	C5Z69-NDS-U	278	6,896.00
Dutch Solid	(4) Shelves	C5Z69-SDS-S	400	8,112.00	C5Z69-NDS-S	285	6,896.00
Dutch Clear	Universal	C5Z69-SDC-U	395	8,817.00	C5Z69-NDC-U	278	7,562.00
Dutch Clear	(4) Shelves	C5Z69-SDC-S	400	8,817.00	C5Z69-NDC-S	285	7,562.00
1/2 Height							
Full Solid	Universal	C5Z65-SFS-U	180	6,300.00	C5Z65-NFS-U	145	5,359.00
Full Solid	(2) Shelves	C5Z65-SFS-S	190	6,300.00	C5Z65-NFS-S	150	5,359.00
Full Clear	Universal	C5Z65-SFC-U	180	6,653.00	C5Z65-NFC-U	145	5,691.00
Full Clear	(2) Shelves	C5Z65-SFC-S	190	6,653.00	C5Z65-NFC-S	150	5,691.00

Doors/Rear Doors	Slides	Cat. No. Stainless Steel	Approx. Pkd. Wt. (lbs.)	List Price Each	Cat. No. Aluminum	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height Pass-Thru							
Dutch Clear/Dutch Clear	Universal	C5Z69-SDC-UPDC	400	10,331.00	C5Z69-NDC-UPDC	285	8,917.00
Dutch Clear/Dutch Clear	(4) Shelves	C5Z69-SDC-SPDC	400	10,331.00	C5Z69-NDC-SPDC	285	8,917.00
1/2 Height Pass-Thru							
Full Clear/Full Clear	Universal	C5Z65-SFC-UPFC	200	7,636.00	C5Z65-NFC-UPFC	155	6,559.00
Full Clear/Full Clear	(2) Shelves	C5Z65-SFC-SPFC	200	7,636.00	C5Z65-NFC-SPFC	155	6,559.00

P

Heated Holding	•
Humidity Control	
Proofing	
Digital Solid State Controller	
Analog Control	•
Digital Display	
Analog Thermometer	•
Low-Temp Alarm	
Low-Water Alarm	
Corner Bumpers	a
Drip Trough and Pan	a
Large Water Reservoir	
Water Pan (Passive Humidity)	•
Fully Insulated	•
Insulation Armour™	
Reach-In	•
Pass-Thru	a
Full Height	a
3/4 Height	
1/2 Height	a
Under Counter	
Dutch Doors	a
Clear Doors	a
Insulated Doors	•
Universal Wire Slides	a
Lip Load Slides	a
Fixed Wire Slides	
Max Temp (F)	200°
2000 Watts	•
1440 Watts	
20 Amp Service	•
15 Amp Service	
Heavy-Duty Handle	•
Lift-Off Doors	•
Field Reversible Doors	•
Stainless Steel Construction	a
Aluminum Construction	a

• Standard Feature

a Available Feature





COMBINATION MODULE

Higher temperatures without moisture for holding
OR lower temperatures and moisture for proofing.

Temperature
 Easy-to-use dial puts you in control of cabinet temperature.

Easy-to-read
 Digital Thermometer can be seen from a distance.

Moisture
 In Proofing mode control the amount of moisture in the cabinet.

Flexible
 Choose Holding or Proofing mode at the flip of a switch.



HOLDING MODULE

Higher temperatures without moisture for holding.

Temperature
 Easy-to-use dial puts you in control of cabinet temperature.

Easy-to-read
 Digital Thermometer can be seen from a distance.



3 & 1 SERIES MODULE CONTROL

THE OPTIONS YOU NEED TO KEEP YOU IN COMPLETE CONTROL

MOISTURE MODULE

Moisture control at any temperature for holding or proofing.
Exclusively available on 3 Series Cabinets.




PROOFING MODULE

Lower temperatures and moisture for proofing.
Only available on 1 Series Cabinets.



Insulation Armour™




Energy usage is an important consideration when purchasing any piece of foodservice equipment. Historically, operators have had only two choices of heated holding cabinets; non-insulated (one metal wall) or traditionally insulated (two metal walls with insulation sandwiched in-between). Insulation Armour™ “changes the game” with its patented design and unique technology. By utilizing the low thermal conductivity of high density polyethylene (HDPE) and the lightweight strength of aluminum, Insulation Armour delivers energy efficiency at an affordable price. Combine this with interchangeable module and slide systems, award winning aesthetics, built-in handles and bumpers, and you have a value that cannot be equaled in the foodservice industry.

Intelligent design delivers
unique



* Average annual energy cost based on \$.12 KWH electricity rate, 12 hours of daily use, 365 days a year. Energy cost and savings will vary depending on usage, electricity cost, and comparative model.

Moisture Module



value.

The most important consideration when choosing a heated holding cabinet is the food. Many foods, in particular proteins, hold best in a moist environment. The Moisture Module option for the C5 3 Series delivers 5 times the moisture-generating power of a standard “dry” cabinet at a price far below that of conventional high-humidity alternatives. Metro delivers the ability to assure food safety and improve food quality in a “game changing” design. The Moisture Module inside an Insulation Armour cabinet is a one-of-a-kind product, and an unbelievable value!









INSULATION ARMOUR™


Metro® C5™ **3 Series** Heated Holding & Proofing Cabinets with patented Insulation Armour™ protect you from the unpleasant effects of heat loss. Exclusive cool-to-touch Insulation Armour™ both insulates the cabinet, and protects employees from hot surfaces. Built-in hand holds make the cabinet easy to handle when used in mobile applications. 3 Series comes with a choice of holding modules and slide styles. Protection and control, in all the right configurations, make a difference you can see... and feel.





- > Cool-to-touch Insulation Armour™
- > Built-in hand holds and full body protection
- > Adjustable universal wire slides on 1½" increments with SiteSelect™
- > Lip-load slides for sheet pans
- > Fixed wire slides on 3" increments
- > Optional small item shelf
- > Removable module
- > Removable water pan for passive humidity generation
- > High-quality casters
- > Easy-to-clean polymer drip trough
- > Interchangeable slide systems

Options:
 Small Item Shelf
 Stainless Steel Legs
 Universal Slide Pairs
 Stainless Steel Universal Wire Slides
 Straight Plug
 6" Casters
 Travel Latch
 Flush Door Latch
 Rigid Rear Casters
 Factory Left Hand Hinging
 1440 Watt, 12 Amp Power
 220-240 Voltage for Export



3

Module Type	C	H	M
Heated Holding	•	•	•
Humidity Control			•
Proofing	•		•
Digital Solid State Controller			
Analog Control	•	•	•
Digital Display	•	•	•
Analog Thermometer			
Low-Temp Alarm			
Low-Water Alarm			
Corner Bumpers	•	•	•
Drip Trough and Pan	•	•	•
Active Water Reservoir			•
Passive Water Pan	•	•	
Fully Insulated	•	•	•
Insulation Armour™	•	•	•
Reach-In	•	•	•
Pass-Thru			
Full Height	a	a	a
3/4 Height	a	a	a
1/2 Height	a	a	a
Under Counter			
Dutch Doors	a	a	a
Clear Doors	a	a	a
Insulated Doors	a	a	a
Universal Wire Slides	a	a	a
Lip Load Slides	a	a	a
Fixed Wire Slides	a	a	a
Max Temp (F)	200°	200°	200°
2000 Watts	•	•	•
1440 Watts	a	a	
20 Amp Service	•	•	•
15 Amp Service	a	a	
Heavy-Duty Handle			
Lift-Off Doors			
Field Reversible Doors	•	•	•
Stainless Steel Construction			
Aluminum Construction	•	•	•

• Standard Feature
 a Available Feature

(C) Combination Module
 (H) Holding Module
 (M) Moisture Module

3 SERIES — 13.93

WITH INSULATION ARMOUR™



Model Number Description

Cabinet Height
9 = Full Height
7 = 3/4 Height
5 = 1/2 Height

Module Type
C = Combination
M = Moisture
H = Heated Holding

Door Style
FS = Full Length Solid
FC = Full Length Clear
DS = Dutch Solid
DC = Dutch Clear

Slide Type
U = Universal Wire
L = Lip Load Aluminum
4 = Fixed Wire

C5 3 9 - C DS - U

COMBINATION MODULE CABINETS

Doors	Slides	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
Full Height				
Full Length Clear	Fixed Wire	248	C539-CFC-4	4,875.00
Full Length Clear	Universal	262	C539-CFC-U	5,119.00
Full Length Clear	Lip Load	257	C539-CFC-L	5,273.00
Full Length Solid	Fixed Wire	268	C539-CFS-4	4,631.00
Full Length Solid	Universal	282	C539-CFS-U	4,863.00
Full Length Solid	Lip Load	277	C539-CFS-L	5,009.00
Dutch Clear	Fixed Wire	250	C539-CDC-4	5,119.00
Dutch Clear	Universal	264	C539-CDC-U	5,375.00
Dutch Clear	Lip Load	259	C539-CDC-L	5,538.00
Dutch Solid	Fixed Wire	270	C539-CDS-4	4,863.00
Dutch Solid	Universal	283	C539-CDS-U	5,109.00
Dutch Solid	Lip Load	278	C539-CDS-L	5,261.00
3/4 Height				
Full Length Clear	Fixed Wire	173	C537-CFC-4	4,631.00
Full Length Clear	Universal	144	C537-CFC-U	4,863.00
Full Length Clear	Lip Load	178	C537-CFC-L	5,009.00
Full Length Solid	Fixed Wire	173	C537-CFS-4	4,400.00
Full Length Solid	Universal	191	C537-CFS-U	4,622.00
Full Length Solid	Lip Load	186	C537-CFS-L	4,759.00
1/2 Height				
Full Length Clear	Fixed Wire	132	C535-CFC-4	4,291.00
Full Length Clear	Universal	138	C535-CFC-U	4,506.00
Full Length Clear	Lip Load	135	C535-CFC-L	4,640.00
Full Length Solid	Fixed Wire	142	C535-CFS-4	4,078.00
Full Length Solid	Universal	150	C535-CFS-U	4,281.00
Full Length Solid	Lip Load	145	C535-CFS-L	4,409.00

MOISTURE MODULE CABINETS

Doors	Slides	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
Full Height				
Full Length Clear	Fixed Wire	248	C539-MFC-4	5,119.00
Full Length Clear	Universal	262	C539-MFC-U	5,375.00
Full Length Clear	Lip Load	257	C539-MFC-L	5,537.00
Full Length Solid	Fixed Wire	268	C539-MFS-4	4,863.00
Full Length Solid	Universal	282	C539-MFS-U	5,108.00
Full Length Solid	Lip Load	277	C539-MFS-L	5,260.00
Dutch Clear	Fixed Wire	250	C539-MDC-4	5,375.00
Dutch Clear	Universal	264	C539-MDC-U	5,644.00
Dutch Clear	Lip Load	259	C539-MDC-L	5,814.00
Dutch Solid	Fixed Wire	270	C539-MDS-4	5,108.00
Dutch Solid	Universal	283	C539-MDS-U	5,364.00
Dutch Solid	Lip Load	278	C539-MDS-L	5,525.00
3/4 Height				
Full Length Clear	Fixed Wire	173	C537-MFC-4	4,863.00
Full Length Clear	Universal	144	C537-MFC-U	5,108.00
Full Length Clear	Lip Load	178	C537-MFC-L	5,260.00
Full Length Solid	Fixed Wire	173	C537-MFS-4	4,620.00
Full Length Solid	Universal	191	C537-MFS-U	4,853.00
Full Length Solid	Lip Load	186	C537-MFS-L	4,998.00
1/2 Height				
Full Length Clear	Fixed Wire	132	C535-MFC-4	4,506.00
Full Length Clear	Universal	138	C535-MFC-U	4,731.00
Full Length Clear	Lip Load	135	C535-MFC-L	4,872.00
Full Length Solid	Fixed Wire	142	C535-MFS-4	4,281.00
Full Length Solid	Universal	150	C535-MFS-U	4,496.00
Full Length Solid	Lip Load	145	C535-MFS-L	4,631.00

Add two letter color designation to the catalog number for Blue (-BU) or Gray (-GY) Insulation Armour. Cabinets ordered without a color designation ship Red.

HOLDING MODULE CABINETS

Doors	Slides	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
Full Height				
Full Length Clear	Fixed Wire	248	C539-HFC-4	4,387.00
Full Length Clear	Universal	262	C539-HFC-U	4,608.00
Full Length Clear	Lip Load	257	C539-HFC-L	4,746.00
Full Length Solid	Fixed Wire	268	C539-HFS-4	4,169.00
Full Length Solid	Universal	282	C539-HFS-U	4,378.00
Full Length Solid	Lip Load	277	C539-HFS-L	4,510.00
Dutch Clear	Fixed Wire	250	C539-HDC-4	4,608.00
Dutch Clear	Universal	264	C539-HDC-U	4,839.00
Dutch Clear	Lip Load	259	C539-HDC-L	4,984.00
Dutch Solid	Fixed Wire	270	C539-HDS-4	4,378.00
Dutch Solid	Universal	283	C539-HDS-U	4,598.00
Dutch Solid	Lip Load	278	C539-HDS-L	4,736.00

Doors	Slides	Approx. Pkd. Wt. (lbs.)	Cat. No.	List Price Each
3/4 Height				
Full Length Clear	Fixed Wire	173	C537-HFC-4	4,169.00
Full Length Clear	Universal	144	C537-HFC-U	4,378.00
Full Length Clear	Lip Load	178	C537-HFC-L	4,510.00
Full Length Solid	Fixed Wire	173	C537-HFS-4	3,961.00
Full Length Solid	Universal	191	C537-HFS-U	4,161.00
Full Length Solid	Lip Load	186	C537-HFS-L	4,286.00
1/2 Height				
Full Length Clear	Fixed Wire	132	C535-HFC-4	3,862.00
Full Length Clear	Universal	138	C535-HFC-U	4,056.00
Full Length Clear	Lip Load	135	C535-HFC-L	4,177.00
Full Length Solid	Fixed Wire	142	C535-HFS-4	3,669.00
Full Length Solid	Universal	150	C535-HFS-U	3,854.00
Full Length Solid	Lip Load	145	C535-HFS-L	3,969.00

Add two letter color designation to the catalog number for Blue (-BU) or Gray (-GY) Insulation Armour. Cabinets ordered without a color designation ship Red.

C539 - CLDS - U For Lower Wattage (1440W, 120V, 60Hz) combination & holding cabinets. (No Up-charge)  NEMA 5-15P


C539 - CXDS - U For Export (220-240V, 50/60Hz,) cabinets. (No Up-charge)  NEMA 6-15P

C539 - CDS - U - BU Color No Suffix = Red
BU = Blue
GY = Gray
No Up-charge for Blue or Gray Insulation Armour.
Contact your Metro representative for other color options.

C539 - CDS - UA
C539 - CDS - U - BUA
An "A" suffix indicates that accessories need to be factory assembled to the cabinet. Order accessories separately.



NEMA 5-20P
2000 Watt, 120 Volt,
Standard



All cabinets are 27⁵/₈" wide and 31¹/₂" deep

18" clearance required from any cooking equipment. Avoid contact with surfaces that exceed 200° F.

	Universal Wire Pan Capacity								Lip Load Pan Capacity	Fixed Wire Pan Capacity			
Cabinet Size	Slide Pairs		Sheet Pans	Steam Pans			Gastronorm 65mm Depth		Sheet Pans	Sheet Pans	Steam Pans	Gastronorm 65mm Depth	
	Provided	Max*	18"x26"	12"x20"x2.5"	12"x20"x4"	12"x20"x6"	2/1	1/1	18"x26"	18"x26"	12"x20"x2.5"	2/1	1/1
Full Height	18	37	18	34	24	18	17	34	35	18	34	17	34
Full Height Dutch	18	35	17	32	22	16	16	32	34	17	32	16	32
3/4 Height	14	29	14	26	16	12	13	26	27	14	26	13	26
1/2 Height	8	17	8	16	10	8	8	16	17	8	16	8	16


*Maximum number of slide pairs @ 1¹/₂" spacing. Additional slide pairs ordered separately.





NON-INSULATED HEATED HOLDING & PROOFING

Metro® C5™ 1 Series Non-Insulated Heated Holding & Proofing Cabinets deliver reliable performance in a tried and true design. 1 Series comes with the choice of combination holding & proofing, holding, or proofing control modules. An improved design, more configurations, and additional options make the 1 Series a worthy successor to the number one dealer stocked cabinet in the industry.





Options:
 Small Item Shelf
 Stainless Steel Legs
 Universal Slide Pairs
 Straight Plug
 6" Casters
 Rear Push Handle
 Perimeter Bumper
 Travel Latch
 Rigid Rear Casters
 Factory Left Hand Hinging
 220-240 Voltage for Export



- > Adjustable universal wire slides on 1 1/2" increments with SiteSelect™
- > Lip-load slides for sheet pans
- > Fixed wire slides on 3" increments
- > Optional small item shelf
- > Removable module
- > Removable water pan for passive humidity generation
- > High-quality casters
- > Easy-to-clean polymer drip trough
- > Interchangable slide systems

1

Module Type	C	H	P
Heated Holding	•	•	
Humidity Control			
Proofing	•		•
Digital Solid State Controller			
Analog Control	•	•	•
Digital Display	•	•	•
Analog Thermometer			
Low-Temp Alarm			
Low-Water Alarm			
Corner Bumpers	a	a	a
Drip Trough and Pan	•	•	•
Active Water Reservoir			•
Passive Water Pan	•	•	
Fully Insulated			
Insulation Armour™			
Reach-In	•	•	•
Pass-Thru			
Full Height	a	a	a
3/4 Height	a	a	a
1/2 Height	a	a	a
Under Counter			
Dutch Doors			
Clear Doors	•	•	•
Insulated Doors			
Universal Wire Slides	a	a	a
Lip Load Slides	a	a	a
Fixed Wire Slides	a	a	a
Max Temp (F)	190°	190°	120°
2000 Watts	•	•	
1440 Watts			•
20 Amp Service	•	•	
15 Amp Service			•
Heavy-Duty Handle			
Lift-Off Doors			
Field Reversible Doors	•	•	•
Stainless Steel Construction			
Aluminum Construction	•	•	•

• Standard Feature
 a Available Feature

(C) Combination Module
 (H) Holding Module
 (P) Proofing Module

1 SERIES — 13.91

THE ESSENTIAL HEATED HOLDING AND
PROOFING CABINET AVAILABLE IN JUST THE
RIGHT CONFIGURATION.

Doors	Slides	Module	Cat. No.	Approx. Pkd. Wt. (lbs.)	List Price Each
Full Height					
Full Length Clear	Fixed Wire	Combination	C519-CFC-4	197	3,678.00
Full Length Clear	Universal	Combination	C519-CFC-U	211	3,862.00
Full Length Clear	Lip Load	Combination	C519-CFC-L	206	3,978.00
Full Length Clear	Fixed Wire	Holding	C519-HFC-4	197	3,495.00
Full Length Clear	Universal	Holding	C519-HFC-U	211	3,671.00
Full Length Clear	Lip Load	Holding	C519-HFC-L	206	3,780.00
Full Length Clear	Fixed Wire	Proofing	C519-PFC-4	197	3,495.00
Full Length Clear	Universal	Proofing	C519-PFC-U	211	3,671.00
Full Length Clear	Lip Load	Proofing	C519-PFC-L	206	3,780.00

3/4 Height					
Full Length Clear	Fixed Wire	Combination	C517-CFC-4	130	3,495.00
Full Length Clear	Universal	Combination	C517-CFC-U	139.5	3,671.00
Full Length Clear	Lip Load	Combination	C517-CFC-L	135	3,780.00
Full Length Clear	Fixed Wire	Holding	C517-HFC-4	130	3,320.00
Full Length Clear	Universal	Holding	C517-HFC-U	139.5	3,487.00
Full Length Clear	Lip Load	Holding	C517-HFC-L	130	3,592.00
Full Length Clear	Fixed Wire	Proofing	C517-PFC-4	130	3,320.00
Full Length Clear	Universal	Proofing	C517-PFC-U	139.5	3,487.00
Full Length Clear	Lip Load	Proofing	C517-PFC-L	135	3,592.00


1/2 Height					
Full Length Clear	Fixed Wire	Combination	C515-CFC-4	98	3,238.00
Full Length Clear	Universal	Combination	C515-CFC-U	104	3,400.00
Full Length Clear	Lip Load	Combination	C515-CFC-L	101	3,503.00
Full Length Clear	Fixed Wire	Holding	C515-HFC-4	98	3,076.00
Full Length Clear	Universal	Holding	C515-HFC-U	104	3,230.00
Full Length Clear	Lip Load	Holding	C515-HFC-L	101	3,327.00
Full Length Clear	Fixed Wire	Proofing	C515-PFC-4	104	3,076.00
Full Length Clear	Universal	Proofing	C515-PFC-U	98	3,230.00
Full Length Clear	Lip Load	Proofing	C515-PFC-L	101	3,327.00




NEMA 5-20P
2000 Watt, 120 Volt,
Standard on
Combination & Holding



NEMA 5-15P
1440 Watt, 120 Volt,
Standard on
Proofing



All cabinets are 25 1/8" wide and 30 3/4" deep



Cabinet Size	Universal Wire Pan Capacity							Lip Load Pan Capacity		Fixed Wire Pan Capacity			
	Slide Pairs		Sheet Pans 18"x26"	Steam Pans			Gastronorm 65mm Depth		Sheet Pans 18"x26"	Sheet Pans 18"x26"	Steam Pans 12"x20"x2.5"	Gastronorm 65mm Depth	
	Provided	Max*		12"x20"x2.5"	12"x20"x4"	12"x20"x6"							
Full Height	18	37	18	34	24	18	17	34	35	18	34	17	34
3/4 Height	14	29	14	26	16	12	13	26	27	14	26	13	26
1/2 Height	8	17	8	16	10	8	8	16	17	8	16	8	16

*Maximum number of slide pairs @ 1 1/2" spacing. Additional slide pairs ordered separately.

RECOMMENDED C5 FOOD SETTINGS



PRODUCT	TEMPERATURE °F (°C)	RELATIVE HUMIDITY %*	PRODUCT	TEMPERATURE °F (°C)	RELATIVE HUMIDITY %*
MEATS			VEGETABLES		
Prime Rib	175 (79)	75	Broccoli, Spears	175 (79)	70
Hamburgers	180 (82)	60	Carrots, Sliced, Crinkled	175 (79)	70
Hot Dogs	170 (77)	70	Cauliflower, Clusters IQF	175 (79)	70
Roast Beef	175 (79)	65	Corn on the Cob	180 (82)	75
Roast Pork	175 (79)	65	Mixed Vegetables	175 (79)	70
Ribs (Pork Spareribs)	175 (79)	70			
FISH			STARCHES		
Fish, Baked (Cod Loin) IQF	170 (77)	45	Fry, Regular 3/8"	195 (91)	OFF ²
Fish, Batter Dipped	175 (79)	30	Potatoes, Mashed	175 (79)	70
			Potatoes, Baked	180 (82)	65
POULTRY			Potatoes, Scalloped	175 (79)	75
Chicken, Boneless, Skinless	175 (79)	70	Pasta, Elbow Macaroni	180 (82)	55
Chicken, Thigh, Baked, Fried	175 (79)	70	Rice	180 (82)	75
Chicken, Full Breast	175 (79)	70	Lasagna, Meat Sauce & Cheese	185 (85)	70
Chicken, Drum, Baked, Fried	175 (79)	55	Beans	175 (79)	65
Chicken, Leg	175 (79)	70			
Chicken, Fried Full Breast	175 (79)	45	BREADS		
Chicken, Fried Thigh	175 (79)	45	Biscuit, Buttermilk Mini	175 (79)	OFF ¹
Chicken, Fried Drum	175 (79)	45	Croissants, Sliced	155 (68)	OFF ¹
Chicken, Fried Boneless Skinless	175 (79)	45	French Toast, Thin Slice	175 (79)	OFF ¹
Chicken, Whole Roasted	170 (77)	65	Waffles, Original	175 (79)	OFF ¹
Turkey	175 (79)	70	Pancakes	175 (79)	OFF ¹
			Pizza	175 (79)	OFF ²
			Rolls	175 (79)	OFF ¹
			Dough (Proofing)	90 - 100 (32 - 38)	80 - 90

Developed in conjunction with the Center for Food Innovation (CFI), Penn State University
Temperature settings remain the same for non-humidity controlled cabinets.

(1) Water Reservoir **FULL**

(2) Water Reservoir **EMPTY**

* NOTE: Recommended Humidity Set point. Readout will display relative humidity inside the cabinet based on actual conditions and may vary from set point based on door opening, quantity and temperature of food, and moisture content of food. Use feedback to vary settings as required for individual products and desired results.

** NOTE: When Relative Humidity is set to OFF the cabinet will not generate additional humidity but will continue to display the actual relative humidity inside the cabinet.
To reduce humidity further, increase the temperature setting and/or drain the water reservoir.

For holding and transporting hot prepared foods.



ACCESSORIES

REAR PUSH HANDLE

Stainless steel tubular handle mounted on rear side of the cabinet for mobile applications.

Description	Availability	Cat. No.	List Price Each
Rear Push Handle	9,8,6	C5-HANDLE*	157.00

* Not available on pass-thru models.



BUMPER & DRIP TROUGH

Polymer drip trough bumper (pair) mounts to the front and back of the cabinet. Standard on 9 Series cabinets.

Description	Availability	Cat. No.	List Price Each
Polymer Corner Bumper/Drip Trough	8,6	C5-BUMPDRIP	140.00



FULL PERIMETER BUMPER

Aluminum and vinyl extrusion full perimeter bumper for mobile applications.

Description	Availability	Cat. No.	List Price Each
Full Perimeter Bumper	8,6	C5-PERMBUMP	436.00



1 SERIES PERIMETER BUMPER

Description	Availability	Cat. No.	List Price Each
Perimeter Bumper	1	C5-PERMBUMP-1	220.00



DOOR LATCH OPTIONS


Description	Availability	Cat. No.	List Price Each
Flush Latch Handle	9,8,6,P	C5-LATCHFLUSH	45.00
Twist Locking Handle*	9,8,6,P	C5-LATCHTWST	45.00
Key Locking Latch Handle*	9,8,6,P	C5-LATCHLOCK	54.00
Flush Door Latch	3,1	C5-LATCHFLUSH-1	45.00
Travel Latch/Hasp	T	C5T-TRVL	209.00
Travel Latch	3,1	C5-TRVL	111.00

Note: Order (1) per door. Ex: Dutch Pass-Thru models require (4) each.

* Not available on under counter units.



C5-TRVL & C5-LATCHFLUSH-1



Standard

Flush

Twist Lock

Key Locking

PLUG OPTIONS

- Right angle plug standard on all 120V and T-Series 220-240V units.
- Straight plug standard on all 220-240V units except T-Series.


Description	Availability	Cat. No.	List Price Each
Twist Lock Plug (20 Amp, 120V)	9,8,6,P	C5-RTWSTPLG	98.00
Twist Lock Plug (15 Amp, 120V)	9,8,6	C5-RTWSTPLG-15	98.00
Straight Plug (20 Amp, 120V)	9,8,6,P,3,1	C5-STRPLG-20	42.00
Straight Plug (15 Amp, 120V)	9,8,6,3,1	C5-STRPLG-15	42.00
Coiled Cord with Straight Plug (15 Amp, 120V)	T	C5T-STRPLG	53.00



Right Angle Plug



Twist Lock Plug



Straight Plug

CONTROL PANEL COVER

Locking cover protects settings but allows cabinet to be turned on and off.

Description	Availability	Cat. No.	List Price Each
Control Panel Cover	9,8,6,P	C5-COVER	133.00



1 SERIES REAR PUSH HANDLE

Stainless steel tubular handle mounted to the back of the cabinet.

Description	Availability	Cat. No.	List Price Each
Rear Push Handle	1	C5-RHANDLE	157.00



CASTER & LEG OPTIONS

Description	Availability	Cat. No.	List Price Each
5" Rear Rigid Casters (pair)	9,8,6,3,P,1	C5-5RDGCSTR	82.00
6" Casters (set of 4)	9,8,6,3,P,1	C5-6CASTER	144.00
6" Stainless Steel Legs (set of 4)	9,8,6,3,P,1	C5-SSLEGS	103.00



UNIVERSAL/ADJUSTABLE SLIDE OPTIONS

Description	Availability	Cat. No.	List Price Each
Universal Slide Pair (2 pieces) Chrome	9,8,6,3,1	C5-USLIDEPR-C†	54.00
Pizza Universal Slide Pair (2 pieces) Chrome	P	C5-ZUSLIDECPR	63.00
Full Height Stainless Steel Universal Slide Upgrade*	9,8,6,3,1	C5-USLIDE-9S†	362.00
3/4 Height Stainless Steel Universal Slide Upgrade*	9,8,6,3,1	C5-USLIDE-7S†	282.00
1/2 Height Stainless Steel Universal Slide Upgrade*	9,8,6,3,1	C5-USLIDE-5S†	161.00
Under Counter Stainless Steel Universal Slide Upgrade*	9,8,6	C5-USLIDE-3S	101.00
Universal Slide Pair (2 pieces) Stainless Steel	9,8,6,3,1	C5-USLIDEPR-S†	71.00
Transport Adjustable Bottom Load Slide Pair (2 pieces)	T	C5T-BSLIDEPR	63.00
Transport Adjustable Lip Load Slide Pair (2 pieces)	T	C5T-LSLIDEPR	63.00

*Note: Must order "U" model.

†Confirm part number with customer service or via online specification sheet prior to ordering on 3 and 1 series cabinets.



SMALL ITEM WIRE SHELF

Description	Availability	Cat. No.	List Price Each
Small Item Shelf *	9,8,6,3,1	C5-SHELF-S†	111.00
Small Item Shelf for Pizza Series	P	C5-ZSHELF	128.00
Small Item Shelf for T-Series**	T	C5T-SHELF	128.00

*Note: Can only be used with universal slides ("U" cabinets). Does not work with lip-load or fixed wire.

**Note: Can only be used with adjustable slides ("B" or "L"). Does not work with fixed lip-load.

†Confirm part number with customer service or via online specification sheet prior to ordering on 3 and 1 series cabinets.



SHELF ONLY CABINETS

Description	Shelves	Availability	Cat. No.	List Price Each
Full Height Models*	4	9,8,6,3,1	C5-SHELFONLY-9S†	321.00
3/4 Height Models*	3	9,8,6,3,1	C5-SHELFONLY-7S†	233.00
1/2 Height Models*	2	9,8,6,3,1	C5-SHELFONLY-5S†	177.00
Under Counter Models*	2	9,8,6	C5-SHELFONLY-3S	177.00
Full Height/Dual Cavity T-Series Models**	4	T	C5T-SHELFONLY-9	372.00
5/6 Height T-Series Models**	3	T	C5T-SHELFONLY-8	267.00
1/2 Height T-Series Models**	2	T	C5T-SHELFONLY-5	204.00

*Note: Shelves (C5-SHELF-S) in lieu of universal slides (Must order "U" model).

**Note: Shelves (C5T-SHELF) in lieu of universal slides (Must order "B" model).

†Confirm part number with customer service or via online specification sheet prior to ordering on 3 and 1 series cabinets.

CORRECTIONAL PACKAGES

Includes Lockable Control Panel Cover, Lockable Travel Latch / Hasp, Tamper Proof Screws on Exterior (Padlocks NOT included)

Description	Availability	Cat. No.	List Price Each
Dual Cavity Correctional Package*	T	C5T-CORR-9D	1,229.00
Full Height Correctional Package	T	C5T-CORR-9	1,065.00
5/6 Height Correctional Package	T	C5T-CORR-8	1,065.00
1/2 Height Correctional Package	T	C5T-CORR-5	1,065.00

*Note: Includes (2) Lockable Travel Latch Hasps.



METRO HEATED BANQUET CABINETS

Rugged and Intelligent...


Metro Heated Banquet Cabinets are engineered to withstand the heavy-duty use and abuse of the real world while offering one-of-a-kind tools to help improve your operation. The thermometer is easy-to-read and ergonomically located. The dry erase white-board makes labeling the cabinet simple and doubles as a clip board for printed paper. The timer adds a level of intelligence not found on common “cart-ers”.

No other banquet cabinet can match a Metro MBQ!



SUPERIOR PERFORMANCE WITH QUAD-HEAT™

Metro® Heated Banquet Cabinets are available in two thermal systems. Our Standard Electric thermal system features an easy-to-remove heating module that offers superior heat-up time and performance. Our patented Quad-Heat™ Dual Fuel thermal system combines the standard heating module with the most unique



canned fuel back-up system available, offering superior heat stratification and control. Quad-Heat™ corner chimneys utilize the “dead space” in the corners of the cabinet, surrounding plated meals with even heat distribution, minimizing the size of the cabinet, and maximizing heat efficiency. Our canned fuel drawers can be accessed without opening the cabinet doors for monitoring.

Radiators above canned fuel eliminate “hot spots” and Metro Heated Banquet Cabinets retain heat better than the competition, reducing costs while maintaining food quality and taste.





IT'S ALL ABOUT CONTROL

The hottest serving solution —

Metro® Heated Banquet Cabinets

This innovative, patented system puts you in control of time, temperature, and most importantly — taste. Features include an innovative dual heat system that plugs in or fires up; a control panel with temperature gauge, timer and dry-erase/clipboard all in one, so important details are right at hand; and a unique handle and swivel-lock caster system that allows you to maneuver a loaded cabinet in tight spaces with ease. All of which will delight chefs, managers, servers and patrons alike.





Options:
 Swivel Lock Caster System
 Swing-Up Pull Handle
 Travel Latch
 8" Casters
 8" Pneumatic Casters
 8" Swivel Lock Casters
 20-amp Plug (for CUL)
 Covered Plate Carriers
 Open Plate Carriers
 Mini-Rack
 Swing-Up Shelf Accessory
 220-240 Voltage for Export




NEMA 5-15P
 1650 Watt, 120 Volt,
 Standard

Note: cabinets destined for
 Canada require NEMA 5-20P

- > Three-Point-Control Handles give you the control to move the cabinet from all sides.
- > Optional Swing-Up Pull Handle gives you more control and visibility over and around the cabinet.
- > Kick Latches give you hands-free access to the cabinet when your hands are full.
- > Easy-to-Remove Heat Module provides quick access for cleaning or repairs, saving you time and money.
- > Canned Fuel can be easily maintained without opening the cabinet doors.
- > Quad-Heat™ Dual Fuel thermal system combines the standard electric heating module with a canned fuel back-up system. Quad-Heat™ corner chimneys and bottom heat baffle, channel and diffuse heat, eliminate "hot spots" and maintain a uniform and consistent temperature.
- > Swing-Up Shelf accessory provides better access to bottom shelves when loading and unloading.



Standard Features:

Top or Bottom Mounted Heat Module
 Welded, Reinforced, Stainless Steel Construction
 Heavy-Duty 6" Casters — 2 Swivel, 2 Rigid—Staggered Offset Mounting
 Heavy-Duty Wrap-Around Bumper
 1" Thick Insulation
 Heavy-Duty Long Life Lift-Off Hinges
 High Temperature Door Gaskets
 Flush High Strength Magnetic Pull Door Latches
 Ergonomic Three-Point-Control Handles
 Removable Nickel-Chrome Plated Shelves
 Heavy-Duty Non-Flattening Shelf Brackets
 Easy-to-Read Analog Thermometer
 Multi-Function Timer
 Dual Function White Board/Clip Board Labeling System
 Holds up to 12³/₄" Diameter Plates (2 Door Models)
 Holds Full Size Sheet Pans Front-to-Back (2 Door Models)
 1650 Watt Heating Module—Easily Removable, No-Tools
 Standard 15 AMP Plug NEMA 5-15P
 Quad-Heat™ Dual Fuel Back-Up Canned Fuel System (Quad-Heat™ Models)
 Quad-Heat™ Corner Chimneys (Quad-Heat™ Models)
 Anti-Tip Canned Heat Drawers — External Access (Quad-Heat™ Models)
 Hands-Free Access Kick Latch



All Double-Door cabinets are 67¹/₄" wide and 33³/₈" deep

CABINET SIZES



TWO-DOOR BANQUET CABINETS — 13.32

Two-door cabinets offer maximum accessibility, come with either standard electric or Quad-Heat™ thermal systems, and are designed to hold 11³/₄" (298mm) diameter covered plates. Covered plates up to 12³/₄" (324mm) diameter can be held in smaller quantities. Full-size sheet pans can be held front-to-back in two-door cabinets.



Quad-Heat™ unit shown with optional Swing-Up Pull Handle.

Two-Door Banquet Cabinets

Thermal System	11 ³ / ₄ " Plate Capacity			12 ³ / ₄ " Plate Capacity Stacked	Covered Plates Stacked High	Shelf Size (in.)	Shelves	Shelf Clearance (in.)	Height/Depth/Width (in.)	Shipping Weight (lbs.)	Cat. No.	List Price Each
	Stacked	Covered Carrier	Open Carrier									
Standard	200*	200	160	160	5	59x24	4	14	75.0x33.375x67.25	633	MBQ-200D	10,113.00
Quad-Heat	200*	200	160	160	5	59x24	4	14	75.0x33.375x67.25	668	MBQ-200D-QH	12,238.00
Standard	180*	180	150	144	6	59x24	3	17	69.5x33.375x67.25	595	MBQ-180D	9,516.00
Quad-Heat	180*	180	150	144	6	59x24	3	17	69.5x33.375x67.25	630	MBQ-180D-QH	11,520.00
Standard	150*	150	120	120	5	59x24	3	14	60.5x33.375x67.25	531	MBQ-150D	8,886.00
Quad-Heat	150*	150	120	120	5	59x24	3	14	60.5x33.375x67.25	566	MBQ-150D-QH	10,758.00
Standard	120*	120	100	96	6	59x24	2	17	52.0x33.375x67.25	483	MBQ-120D	7,875.00
Quad-Heat	120*	120	100	96	6	59x24	2	17	52.0x33.375x67.25	518	MBQ-120D-QH	9,771.00

*Capacities based on maximum cover diameter of 11³/₄" (298mm), plate and cover height of 2³/₄" (70mm).
NOTE: To order 220V Export Model, add X to catalog number. (ex. MBQ-200DX)

ONE-DOOR BANQUET CABINETS — 13.33

One-door cabinets are economical, come with either standard electric or Quad-Heat™ thermal systems, and are designed to hold up to 11" (279mm) diameter covered plates. Smaller capacity cabinets are available in one-door configurations.



Quad-Heat™ unit shown with optional Swing-Up Pull Handle.

One-Door Banquet Cabinets

Thermal System	Stacked	11" Plate Capacity Covered Carrier	Covered Plates Open Carrier	Shelf Stacked High	Size (in.)	Shelves	Shelf Clearance (in.)	Height/Depth/Width (in.)	Shipping Weight (lbs.)	Cat. No.	List Price Each
Standard	180*	180	150	6	55x22	3	17	69.5x30.625x63.625	521	MBQ-180	8,563.00
Quad-Heat	180*	180	150	6	55x22	3	17	69.5x30.625x63.625	556	MBQ-180-QH	10,366.00
Standard	144*	144	120	6	44x22	3	17	69.5x30.625x52.625	421	MBQ-144	7,931.00
Quad-Heat	144*	144	120	6	44x22	3	17	69.5x30.625x52.625	456	MBQ-144-QH	9,596.00
Standard	120*	120	96	5	44x22	3	14	60.5x30.625x52.625	408	MBQ-120	6,919.00
Quad-Heat	120*	120	96	5	44x22	3	14	60.5x30.625x52.625	443	MBQ-120-QH	9,530.00
Standard	90*	90	72	5	33x22	3	14	60.5x30.625x41.625	327	MBQ-90	6,613.00
Quad-Heat	90*	90	72	5	33x22	3	14	60.5x30.625x41.625	362	MBQ-90-QH	8,184.00
Standard	72*	72	60	6	33x22	2	17	52.0x30.625x41.625	302	MBQ-72	6,404.00
Quad-Heat	72*	72	60	6	33x22	2	17	52.0x30.625x41.625	337	MBQ-72-QH	8,032.00

Capacities based on maximum **cover diameter** of 11" (279mm), **plate and cover height** of 2³/₄" (70mm).
NOTE: To order 220V Export Model, add "X" to catalog number. (ex. MBQ-120X)

TOP-MOUNT BANQUET CABINETS — 13.35

Top-Mount two-door cabinets offer top-mounted control, maximum accessibility, come with either standard electric or Quad-Heat™ thermal systems, and are designed to hold 11³/₄" (298mm) diameter covered plates. Covered plates up to 12³/₄" (324mm) diameter can be held in smaller quantities. Full-size sheet pans can be held front-to-back in two-door cabinets.



Quad-Heat™ unit shown.

Top-Mount Banquet Cabinets

Thermal System	Stacked	11 ³ / ₄ " Plate Capacity Covered Carrier	Open Carrier	12 ³ / ₄ " Plate Capacity Stacked	Covered Plates Stacked High	Shelf Size (in.)	Shelves	Shelf Clearance (in.)	Height/Depth/Width (in.)	Shipping Weight (lbs.)	Cat. No.	List Price Each
Standard	180*	180	150	144	6	59x24	3	17	77.75x33.375x67.25	595	MBQT-180D	10,274.00
Quad-Heat	180*	180	150	144	6	59x24	3	17	77.75x33.375x67.25	630	MBQT-180D-QH	12,092.00
Standard	150*	150	120	120	5	59x24	3	14	68.75x33.375x67.25	531	MBQT-150D	9,596.00
Quad-Heat	150*	150	120	120	5	59x24	3	14	68.75x33.375x67.25	566	MBQT-150D-QH	11,616.00

*Capacities based on maximum **cover diameter** of 11³/₄" (298mm), **plate and cover height** of 2³/₄" (70mm).

BANQUET CABINET ACCESSORIES

13.34

Exclusive swivel-lock caster system option allows the cabinet to be moved in and out of line without “dragging.” Rigid casters can be made to swivel for movement in tight spaces and automatically switch back to rigid when needed for moving down halls.



SWIVEL-LOCK CASTER SYSTEM

Allows cabinet to be moved in- and out-of-line without “dragging.” Rigid casters can be made to swivel for movement in tight spaces and automatically switch back to rigid when needed for moving down halls. Available on both one- and two-door models.

Description	Cat. No.	List Price Each
6" (152mm) Swivel Lock Caster Upgrade for One-Door Cabinets	MBQ-SWLC-1	277.00
6" (152mm) Swivel Lock Caster Upgrade for Two-Door Cabinets	MBQ-SWLC-2	277.00
8" (203mm) Swivel Lock Caster Upgrade for One-Door Cabinets	MBQ-SWLC-18	467.00
8" (203mm) Swivel Lock Caster Upgrade for Two-Door Cabinets	MBQ-SWLC-28	467.00

Note: 8" (203mm) swivel lock upgrade includes caster upgrade.



SWING-UP SHELF ACCESSORY

Allows middle shelves to be lifted out of the way providing easy access for loading and unloading lower shelves. Available on both one- and two-door models.

Description	Cat. No.	List Price Each
Swing-Up Shelf Accessory	MBQ-SUSA	71.00



NEMA 5-20P

20 AMP PLUG FOR CUL *

Description	Cat. No.	List Price Each
NEMA 5-20P plug for CUL	MBQ-P20A	No Charge

*Note: Required for cabinets destined for Canada.



TRAVEL LATCH

Provides extra security when traveling longer distances in uncontrolled areas. Lockable design works on both one- and two-door models.

Description	Cat. No.	List Price Each
Travel Latch	MBQ-TRVL	181.00

Note: Two required for Top-Mount Cabinets

CASTER UPGRADES

Standard caster upgrades (non-swivel lock).

Description	Cat. No.	List Price Each
8" (203mm) Caster Upgrade	MBQ-8	165.00
8" (203mm) Pneumatic Caster Upgrade*	MBQ-8AIR	280.00

Note: Pneumatic casters are not available with swivel lock.

*Pneumatic casters are not available on 200 plate capacity cabinet. (MBQ-200D and MBQ-200D-QH)

SWING-UP PULL HANDLE

Provides additional control and visibility when moving the cabinet. Available on both one- and two-door models.

Description	Cat. No.	List Price Each
Swing-Up Pull Handle	MBQ-SUPH	209.00

MINI-RACK

Unique system holds 18"x26" (457x660mm) sheet pans. 12"x20"x3" (305x508x76mm) steamtable pans, or a combination of both. Available for 2 door models only.

Description	Cat. No.	List Price Each
Mini-Rack for 200 & 150 Two-Door Models (3 Levels at 3.4" Spacing)	MBQ-MR-14	123.00
Mini-Rack for 180 & 120 Two-Door Models (4 Levels at 3.4" Spacing)	MBQ-MR-17	123.00

CABINET MINI-RACK CAPACITIES

200 Two-Door holds (8) MBQ-MR-14	150 Two-Door holds (6) MBQ-MR-14
180 Two-Door holds (6) MBQ-MR-17	120 Two-Door holds (4) MBQ-MR-17



OPEN PLATE CARRIERS

Wire carrier for holding up to ten uncovered plated meals.

Description	Cat. No.	List Price Each
8-Plate Capacity Carrier for One-Door Cabinets	MBQ-P1-14	81.00
10-Plate Capacity Carrier for One-Door Cabinets	MBQ-P1-17	81.00
8-Plate Capacity Carrier for Two-Door Cabinets	MBQ-P2-14	81.00
10-Plate Capacity Carrier for Two-Door Cabinets	MBQ-P2-17	81.00

CABINET CARRIER CAPACITIES

200 Two-Door holds (20) MBQ-P2-14	144 One-Door holds (12) MBQ-P1-17
180 Two-Door holds (15) MBQ-P2-17	120 One-Door holds (12) MBQ-P1-14
150 Two-Door holds (15) MBQ-P2-14	90 One-Door holds (9) MBQ-P1-14
120 Two-Door holds (10) MBQ-P2-17	72 One-Door holds (6) MBQ-P1-17
180 One-Door holds (15) MBQ-P1-17	



COVERED PLATE CARRIERS

Wire carrier for holding up to twelve covered plated meals.

Description	Cat. No.	List Price Each
10-Plate Capacity Carrier for One-Door Cabinets	MBQ-C1-14	81.00
12-Plate Capacity Carrier for One-Door Cabinets	MBQ-C1-17	81.00
10-Plate Capacity Carrier for Two-Door Cabinets	MBQ-C2-14	81.00
12-Plate Capacity Carrier for Two-Door Cabinets	MBQ-C2-17	81.00




CABINET CARRIER CAPACITIES

200 Two-Door holds (20) MBQ-C2-14	144 One-Door holds (12) MBQ-C1-17
180 Two-Door holds (15) MBQ-C2-17	120 One-Door holds (12) MBQ-C1-14
150 Two-Door holds (15) MBQ-C2-14	90 One-Door holds (9) MBQ-C1-14
120 Two-Door holds (10) MBQ-C2-17	72 One-Door holds (6) MBQ-C1-17
180 One-Door holds (15) MBQ-C1-17	



BANQUET CABINET CAPACITIES

2 Door Models	Plate & Cover Height	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity
MBQ-200D	up to 2.75"	up to 11.75"	200	11.875" to 12.75"	160	12.875" to 13.125"	140
	2.875" - 3.375"		160		128		112
	3.5" - 4.625"		120		96		84
	4.75" - 6.875"		80		64		56
	7" & Over		40		32		28
MBQ-180D & MBQT-180D	up to 2.75"	up to 11.75"	180	11.875" to 12.75"	144	12.875" to 13.125"	126
	2.875" - 3.375"		150		120		105
	3.5" - 4.125"		120		96		84
	4.25" - 5.625"		90		72		63
	5.75" - 8.375"		60		48		42
8.5" & Over	30	24	21				
MBQ-150D & MBQT-150D	up to 2.75"	up to 11.75"	150	11.875" to 12.75"	120	12.875" to 13.125"	105
	2.875" - 3.375"		120		96		84
	3.5" - 4.625"		90		72		63
	4.75" - 6.875"		60		48		42
	7" & Over		30		24		21
MBQ-120D	up to 2.75"	up to 11.75"	120	11.875" to 12.75"	96	12.875" to 13.125"	84
	2.875" - 3.375"		100		80		70
	3.5" - 4.125"		80		64		56
	4.25" - 5.625"		60		48		42
	5.75" - 8.375"		40		32		28
8.5" & Over	20	16	14				
		(10) Plates per Level		(8) Plates per Level		(7) Plates per Level	



1 Door Models	Plate & Cover Height	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity
MBQ-180	up to 2.75"	up to 11"	180	11.125" to 11.75"	144	11.875" to 12.5"	108
	2.875" - 3.375"		150		120		90
	3.5" - 4.125"		120		96		72
	4.25" - 5.625"		90		72		54
	5.75" - 8.375"		60		48		36
	8.5" & Over		30		24		18
		(10) Plates per Level	(8) Plates per Level		(6) Plates per Level		

1 Door Models	Plate & Cover Height	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity
MBQ-144	up to 2.75"	up to 11"	144	11.125" to 11.75"	108	11.875" to 12.25"	90
	2.875" - 3.375"		120		90		75
	3.5" - 4.125"		96		72		60
	4.25" - 5.625"		72		54		45
	5.75" - 8.375"		48		36		30
	8.5" & Over		24		18		15
MBQ-120	up to 2.75"	up to 11"	120	11.125" to 11.75"	90	11.875" to 12.25"	75
	2.875" - 3.375"		96		72		60
	3.5" - 4.625"		72		54		45
	4.75" - 6.875"		48		36		30
	7" & Over		24		18		15
		(8) Plates per Level		(6) Plates per Level		(5) Plates per Level	

1 Door Models	Plate & Cover Height	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity	Cover Dia	Plate Capacity
MBQ-90	up to 2.75"	up to 11"	90	11.125" to 12"	60	12.125" to 13.125"	45
	2.875" - 3.375"		72		48		36
	3.5" - 4.625"		54		36		27
	4.75" - 6.875"		36		24		18
	7" & Over		18		12		9
MBQ-72	up to 2.75"	up to 11"	72	11.125" to 12"	48	12.125" to 13.125"	36
	2.875" - 3.375"		60		40		30
	3.5" - 4.125"		48		32		24
	4.25" - 5.625"		36		24		18
	5.75" - 8.375"		24		16		12
	8.5" & Over		12		8		6
(6) Plates per Level			(4) Plates per Level		(3) Plates per Level		



TC90 SERIES — HALF-HEIGHT HEATED INSULATED TRANSPORT CABINETS — 13.28

- Low center of gravity assures safe transport and use.
- Analog thermometer for consistent and accurate readings, even when unit is not plugged in.
- Stainless interior and removable slide racks provide easy cleaning.
- Convenient kick latch provides “hands-free” easy opening.
- Slide spacing is 2⁵/₈" (67mm) lip loaded for steam table pans and bottom loaded for bun pans.



NEMA 5-15P
950 W



TC90 Series — Half-Height Heated Insulated Transport Cabinets

Cat. No.	Style	Dimensions (HxWxD)	Pan Capacity				Approx. Pkd. Wt. (lbs.)	List Price Each
			Sheet Pans 18"x26"	12"x20"x2.5"	Steam Pans 12"x20"x4"	12"x20"x6"		
TC90S	Without Bumper	37"x 21 ¹ / ₄ "x 24 ³ / ₄ "	NA	9	4	3	110	2,927.00
TC90SB	With Bumper	37"x 22 ⁷ / ₁₆ "x 27 ¹ / ₄ "	NA	9	4	3	110	3,193.00
TC90B	Without Bumper	37"x 27 ¹ / ₄ "x 30 ³ / ₄ "	9	NA	NA	NA	128	3,175.00
TC90BB	With Bumper	37"x 28 ⁷ / ₁₆ "x 33 ¹ / ₄ "	9	NA	NA	NA	128	3,457.00



C190 SERIES — UNDER COUNTER HEATED INSULATED CABINET — 13.30

- Designed to hold hot prepared foods.
- Thermostat control provides quick heat-up and even operating temperature throughout.
- Fiberglass insulation and gasketed door keep heat in.
- 3" (76mm) casters allow for safe and convenient under-counter storage.
- Pan slides accommodate 18"x26" (457x660mm) or 12"x20" (305x508mm) pans. Optional “Converta-Slide” accommodates both sizes simultaneously.
- “Hands-free” kick latch for door opening.
- Humidifying water pan.
- Slide Spacing is 1³/₄" (44mm).



NEMA 5-15P
1400 W

C190 Series — Half-Height Heated Insulated Cabinets

Cat. No.	Dimensions (HxWxD)	Pan Capacity				Approx. Pkd. Wt. (lbs.)	List Price Each
		Sheet Pans 18"x26"	12"x20"x2.5"	Steam Pans 12"x20"x4"	12"x20"x6"		
C190	30 ¹ / ₄ "x 28 ⁵ / ₈ "x 29 ¹ / ₄ "	12	16	8	6	145	3,437.00



CD3N

CD Series Cabinets — 13.01

Designed for enclosed transport and storage of 18"x26" (457x660mm) bun pans.

- 14 gauge high-strength natural finish aluminum, riveted construction and cast aluminum corners.
- Lockable door recedes into sidewall so cabinets occupy minimum space.
- 1 1/2" (38mm) slide spacing.

Width/Height/Depth (in.)	Width/Height/Depth (mm)	Inside Height (in.)	Inside Height (mm)	Pan Capacity No.	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
21 1/2 x 63 1/4 x 28	533 x 1607 x 711	52 5/8	1336	35	85 38	CD3N	1,764.00
21 1/2 x 71 1/2 x 28	533 x 1816 x 711	60 5/8	1539	40	95 42	CD4N	1,794.00

Note: Brakes are standard on two casters, for the units listed above.

Accessories

Description	Model	List Price Each
Gray Corner Bumpers	A32	173.00
*Gray Continuous Bumper	A33	297.00
Floor Lock	A71	178.00

*Adds 2" (51mm) to overall width and depth of rack.



DSC7N

Delivery/Storage Cabinets — 13.04

Designed to hold food in various stages of preparation or to deliver prepared food.

- Lockable door recedes into sidewall so cabinets take minimal space.
- Stores 18"x26" (457x660mm) pans — 1 1/2" (38mm) slide spacing.

Width/Height/Depth (in.)	Width/Height/Depth (mm)	Inside Height (in.)	Inside Height (mm)	Pan Capacity No.	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
22 3/8 x 59 3/4 x 28 3/8	569 x 1517 x 721	48 3/4	1238	32	98 44	DSC6N	1,967.00
22 3/8 x 71 3/4 x 28 3/8	569 x 1822 x 721	60 3/4	1543	40	108 48	DSC7N	2,012.00

Note: Brakes are standard on two casters, for the unit listed above.



"Queen Mary"

Banquet Service Cart — "Queen Mary"

For banquet service, bussing, general back-of-the-house transportation and mobile storage.

- All welded 16-gauge stainless steel construction.
- 8" (203mm) polyurethane casters, two rigid, two swivel.
- Three-Point-Control Handle.
- Wraparound bumper protects cart, walls, and other equipment.
- Optional Swivel Lock Caster System and Swing-Up Pull Handle available.

Description	Length/Width/Height (in.)	Length/Width/Height (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
Five Flat Shelves	64x31x65	1626x787x1651	300 136	MQ-512F	5,321.00
Six Flat Shelves	64x31x66	1626x787x1767	325 147	MQ-609F	5,695.00
Five Ledged Shelves	64x31x65	1626x787x1651	300 136	MQ-512L	5,561.00
Six Ledged Shelves	64x31x66	1626x787x1767	325 147	MQ-609L	5,917.00

For swivel lock caster upgrade, add "-SL" to the part number. Example: MQ-609F-SL

For swing-up pull handle, add "-H" to the part number. Example: MQ-609F-H

Add "-SL-H" for both.

End-Load and Side-Load Wire Bun Pan Racks — 13.42

Economical solution for storage and transport of bun pans.

- End-load models provide a large tray landing area, side-load models are highly space efficient.
- Choice of 1½" (38mm) spacing (38 pans) or 3" (76mm) (20 pans) spacing.
- Quick, easy no-tool assembly, rolls easily on 5" (127mm) swivel casters.
- Durable Super Erecta Brite™ finish.
- All units are 69" (1752mm) high.

Width/Length (in.)	Width/Length (mm)	Slide Spacing (in.)	Slide Spacing (mm)	Pan Capacity		Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Description	Cat. No.	List Price Each
				No.	Size (in.)					
21¾x27	552x685	1½	38	38	18x26	457x660	61 27.7	End-Load	RE1	381.00
21¾x27	552x685	3	76	19	18x26	457x660	70 31.8	End-Load	RE3	347.00
19½x30	495x762	1½	38	38	18x26	457x660	61 27.6	Side-Load	RS1	381.00
19½x30	495x762	3	76	19	18x26	457x660	70 31.8	Side-Load	RS3	347.00

Weight Load Capacity: 30 lbs. (13.6kg) per level; 200 lbs. (91kg) per rack.

Accessories

Description	Model	List Price Each
3½" (90mm) Diameter Rubber Donut Bumper	9992DB	9.00
5½" (140mm) Diameter Rubber Donut Bumper	9992N	14.00



Wire Bun Pan Racks

Portable Wire Prep Rack — 13.44

Made to accommodate standard 18"x26" (457x660mm) trays or pans.

- The ½" (12.7mm) food grade polyethylene cutting board/work surface provides an area for slicing, mixing, garnishing or other types of food preparation.
- Rolls easily on 5" (127mm) swivel casters.
- Units assemble quickly and easily without special tools.

Width/Length (in.)	Width/Length (mm)	Height (in.)	Height (mm)	Slide Spacing (in.)	Slide Spacing (mm)	Pan Capacity		Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Description	Cat. No.	List Price Each
						No.	Size (in.)					
21¾x27	550x685	38	1750	1½	38	16	18x26	457x660	50 22.6	End-Load	RE1P	451.00
21¾x27	550x685	38	1750	3	76	8	18x26	457x660	60 27.2	End-Load	RE3P	420.00

Accessories

Description	Model	List Price Each
3½" (90mm) Diameter Rubber Donut Bumper	9992DB	9.00
5½" (140mm) Diameter Rubber Donut Bumper	9992N	14.00



Portable Wire
Prep Rack



RD3N

End-Load Racks — Single Section — **13.50**

- Units feature sturdy, riveted 6063-T6 aluminum construction. Pass-thru design affords maximum convenience.
- Space saving, ideal for freezers, coolers, bakeries.

Width/Height/Depth (in.) (mm)	Slide Spacing (in.) (mm)	Pan Capacity Size		No.	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
		(in.)	(mm)				
21 ¹ / ₂ x68 ¹ / ₄ x29	546x1734x736	3	76	20	18x26 457x660 Pans	52 23.6	RD3N 852.00
				or 40	14x18 355x457		
21 ¹ / ₄ x68 ¹ / ₄ x26 ¹ / ₂	546x1734x673	1 ¹ / ₂	38	40	18x26 457x660 Pans	52 23.6	RD13N 879.00
20x62 ¹ / ₄ x23	508x1581x584	3	76	18	15x20 381x508 Trays	49 22.2	RD15N 983.00
				or 18	16x22 406x553		
21 ¹ / ₂ x68 ¹ / ₄ x29	546x1734x736	5	127	12	18x26 457x660 Pans	45 20.4	RD23N 806.00
				or 24	14x18 355x457		

Note: 5" (127mm) swivel casters, two with brakes, are standard on units listed above.
Weight Load Capacity: 20 lbs. (9kg) per slide; 350 lbs. (159kg) per rack.

Accessories

Description	Model	List Price Each
*Gray Continuous Bumper	A33RD	301.00
**Gray Corner Bumpers	A37	170.00/set
Pan Stop	A120	95.00

*Adds 2" (51mm) to overall width and depth of rack.

**Adds 1/2" (12.7mm) to overall width and 1" (25mm) to overall depth of rack.

Notes: Accessories must be ordered with rack. Not designed for field installation. Accessorized racks shipped assembled. Part numbers will be combined to signify complete unit at time of order entry.



RD33N

Side-Load Rack — Single Section — **13.52**

Width/Height/Depth (in.) (mm)	Inside Height (in.) (mm)	Slide Spacing (in.) (mm)	Pan Capacity Size		No.	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
			(in.)	(mm)				
29 ³ / ₈ x69 ¹ / ₄ x18 ³ / ₈	746x1758x472	60 ¹ / ₂	1536	3	76	20 18x26 457x660	45 20.2	RD33N 852.00

Note: 5" (127mm) swivel casters, two with brakes, are standard on units listed above.

Weight Load Capacity: 20 lbs. (9kg) per slide level; 350 lbs. (159kg) per rack. Allowable temperature range: -30°F (-34°C) to 160°F (71°C).



RT3318N

Side-Load "Knock Down" Racks — **13.72**

Width/Height/Depth (in.) (mm)	Inside Height (in.) (mm)	Slide Spacing (in.) (mm)	Pan Capacity Size		No.	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
			(in.)	(mm)				
28 ³ / ₈ x64 ¹ / ₈ x18 ³ / ₄	721x1628x476	56 ¹ / ₂	1435	3	76	18 18x26 457x660	40 18	RT3318N 680.00
28 ³ / ₈ x64 ¹ / ₈ x18 ³ / ₄	721x1628x476	56 ¹ / ₂	1435	5	127	11 18x26 457x660	38 17.1	RT3511N 640.00

Note: 5" (127mm) swivel casters, two with brakes, are standard on units listed above.

Weight Load Capacity: 20 lbs. (9kg) per slide level; 300 lbs. (136kg) per rack. Allowable temperature range: -30°F (-34°C) to 160°F (71°C).

End-Load “Knock Down” Racks — Single Section — 13.70

Width/Height/Depth (in.) (mm)	Inside Height (in.) (mm)	Slide Spacing (in.) (mm)	No.	Pan Capacity Size		Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
				(in.)	(mm)			
20 ³ / ₈ x64 ¹ / ₈ x28	518x1630x711	55 ⁷ / ₈	18	18x26	457x660	53	23.8	RT183N
			or 36	14x18	355x457			
20 ³ / ₈ x64 ¹ / ₈ x28	518x1630x711	55 ⁷ / ₈	11	18x26	457x660	50	22.5	RT115N
			or 22	14x18	355x457			
20 ³ / ₈ x64 ¹ / ₈ x28	518x1630x711	55 ⁷ / ₈	34	18x26	457x660	55	24.7	RT1334N

Note: 5" (127mm) swivel casters, two with brakes, are standard on units listed above.

Weight Load Capacity: 20 lbs. (9kg) per slide level; 300 lbs. (136kg) per unit. Allowable temperature range: -30°F (-34°C) to 160°F (71°C).



RT115N

Roll-In Refrigerator Racks — 13.80

Rack rolls directly into refrigerator for quick and easy storage.

- Natural finish, high-strength, extruded aluminum (6063-T6 alloy), riveted construction.
- Pass-Thru Design can be loaded on one side and unloaded from the other for maximum efficiency and convenience.

Without Bumper Width/Height/Depth (in.) (mm)		With A33 Bumper Width/Depth (in.) (mm)		Slide Spacing (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)			List Price Each
							Cat. No.	
21 ¹ / ₄ x64x26	539x1625x660	23 ¹ / ₄ x28	590x711	1 ¹ / ₂	38	44	19.8	RF13N 917.00
21 ³ / ₈ x64x26	543x1625x660	23 ³ / ₈ x28	594x711	3	76	55	24.7	RF3N 881.00
21 ³ / ₈ x64x26	543x1625x660	23 ³ / ₈ x28	594x711	5	127	43	19.3	RF23N 823.00
24 ³ / ₈ x64 ¹ / ₂ x26	619x1638x660	26 ³ / ₈ x28	670x711	Adjustable	92	41.4		RF78N 1,488.00

Note: 5" (127mm) swivel casters, two with brakes, are standard on units listed above.

Weight Load Capacity: 20 lbs. (9kg) per slide level; 350 lbs. (159kg) per rack.

Allowable temperature range: -30°F (-34°C) to 160°F (71°C).

Accessories

Description	Model	List Price Each
*Gray Continuous Bumper	A33RD	301.00
**Gray Corner Bumpers	A37	170.00/set
Extra Slides for RF78N	A121	59.00/pair
Floor Lock (for use with RF78N Only)	A71	178.00

*Adds 2" (51mm) to overall width and depth of rack.

**Adds 1/2" (12.7mm) to overall width and 1" (25mm) to overall depth of rack.

Notes: Accessories must be ordered with rack. Not designed for field installation.

Accessorized racks shipped assembled. Part numbers will be combined to signify complete unit at time or order entry.



RF13N

Adjustable Rack — 13.56

Ideal for holding a variety of items of different sizes at different times.

- 13 Sets of “Vari-Slides” accommodate all popular modules used in the foodservice industry.
- Made of special extrusion (.100" or 2.5mm thick) with bending support design for heavy loads.
- Keyholes in uprights on 1 1/2" (38mm) spacing. Inside height is 60 1/4" (1530mm).



RD78N

Width/Height/Depth (in.) (mm)		Pan Capacity with (13) standard sets of slides on 4 1/2" (114mm) centers*						Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
		2 per slide Size (in.) (mm)		1 per slide Size (in.) (mm)		No.	No.				
24 3/8x69 1/2x26	619x1765x660	26	10 7/8x19 3/4	274x501	13	15x20	380x520	93	41.8	RD78N	1,510.00
		26	11 1/8x20	284x508	13	18x26	457x660				
		26	12x18	304x457	13	20x20	508x508				
		26	12x20	304x508	13	20x22	508x558				
		26	13x18	330x457	13	20x24	508x609				
		26	14x18	335x457							

*Vertical supports punched on 1 1/2" (38mm) centers for adjustability.

Note: 5" (127mm) heavy-duty swivel casters with neoprene wheels, two with brakes, are standard on unit listed above.

Notes: Accessories must be ordered with rack. Not designed for field installation.

Accessorized racks shipped assembled. Part numbers will be combined to signify complete unit at time of order entry.

Weight Load Capacity: 50 lbs. (22.7kg) per slide level; 350 lbs. (159kg) per rack. Allowable temperature range: -30°F (-34°C) to 160°F (71°C).

Accessories

Description	Model	List Price Each
*Gray Continuous Bumper	A33RD	301.00
**Gray Corner Bumpers	A37	170.00/set
Extra Slides (Will take 4 extra pair max.)	A121	59.00/pair
Floor Lock	A71	178.00

*Adds 2" (51mm) to overall width and depth of rack.

**Adds 1/2" (12.7mm) to overall width and 1" (25mm) to overall depth of rack.

Oval Tray Rack — 13.58

Special design, natural finish, high-strength, extruded aluminum (6063-T6 alloy) framework with 8-gauge brake-formed slides. Pass-thru design is lightweight, maneuvers easily. Ideal for banquet service.



RD27N

Width/Height/Depth (in.) (mm)		Slide Spacing (in.) (mm)		Pan Capacity Size (in.) (mm)		No.	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
27x70 1/4x29	685x1784x736	6	152	10	22 3/4x27 5/8	577x701	88	39.6	RD27N	1,394.00

Note: 5" (127mm) heavy-duty swivel casters with neoprene wheels, two with brakes, are standard on unit listed above.

Weight Load Capacity: 50 lbs. (22.7kg) per slide level; 350 lbs. (159kg) per rack.

Allowable temperature range: -30°F (-34°C) to 160°F (71°C).

Accessories

Description	Model	List Price Each
*Gray Continuous Bumper	A33RD	301.00
**Gray Corner Bumpers	A37	170.00/set
Pan Stop	A120	95.00
Floor Lock	A71	178.00

*Adds 2" (51mm) to overall width and depth of rack.

**Adds 1/2" (12.7mm) to overall width and 1" (25mm) to overall depth of rack.

Notes: Accessories must be ordered with rack. Not designed for field installation. Accessorized racks shipped assembled. Part numbers will be combined to signify complete unit at time of order entry.

T-SERIES
with Transport Armour™

DURABLE, EFFICIENT,
INTELLIGENT.





WORKTABLES & SERVICE CARTS

Heavy-Duty Work Tables & Accessories	168-170
Ice Cart	170

Worktables — 17.20

Built for cleanliness and stability.

- Seamless 14-gauge Type 304 stainless steel work surface and support structure.
- Shipped knocked down and can be assembled in minutes without tools.

All Work Tables are 34" (864mm) high with stationary posts and leveling feet.

Standard Worktables — 30" (760mm) Wide



Worktable with Bottom Shelf

Length (in.)	(mm)	Post Material	Bottom Shelf Material	Bottom 3-Sided Frame Material	Bottom H-Frame Material	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
48	1219	SS	SS	—	—	90	41	WT305FS	1,447.00
60	1524	SS	SS	—	—	130	59	WT306FS	1,547.50
72	1825	SS	SS	—	—	170	77	WT307FS	1,672.50
96	2439	SS	SS	—	—	226	103	WT309FS	2,041.50
60	1524	Chrome	Galvanized	—	—	146	66	WT306FC	1,076.50
72	1825	Chrome	Galvanized	—	—	180	82	WT307FC	1,231.00
96	2439	Chrome	Galvanized	—	—	226	103	WT309FC	1,474.50
48	1219	SS	—	SS	—	115	52	WT305US	1,185.00
60	1524	SS	—	SS	—	115	52	WT306US	1,281.50
72	1825	SS	—	SS	—	142	65	WT307US	1,396.50
96	2439	SS	—	SS	—	201	91	WT309US	1,665.50
60	1524	SS	—	—	SS	115	52	WT306HS	1,281.50
72	1825	SS	—	—	SS	142	65	WT307HS	1,396.50
96	2439	SS	—	—	SS	202	92	WT309HS	1,665.50

SS = Stainless Steel

Standard Worktables — 36" (914mm) Wide



Worktable with 3-Sided Frame

Length (in.)	(mm)	Post Material	Bottom Shelf Material	Bottom 3-Sided Frame Material	Bottom H-Frame Material	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
60	1524	SS	SS	—	—	125	57	WT366FS	1,777.00
72	1825	SS	SS	—	—	130	59	WT367FS	1,906.00
96	2439	SS	SS	—	—	185	84	WT369FS	2,295.50
60	1524	Chrome	Galvanized	—	—	125	57	WT366FC	1,407.00
72	1825	Chrome	Galvanized	—	—	130	59	WT367FC	1,583.50
96	2439	Chrome	Galvanized	—	—	185	84	WT369FC	1,790.50
60	1524	SS	—	SS	—	104	47	WT366US	1,495.50
72	1825	SS	—	SS	—	106	48	WT367US	1,619.00
96	2439	SS	—	SS	—	161	73	WT369US	1,898.00
60	1524	SS	—	—	SS	103	47	WT366HS	1,495.50
72	1825	SS	—	—	SS	107	49	WT367HS	1,619.00
96	2439	SS	—	—	SS	162	74	WT369HS	1,898.00

SS = Stainless Steel

Standard Worktables — 44" (1118mm) Wide



Worktable with H-Frame

Length (in.)	(mm)	Post Material	Bottom Shelf Material	Bottom 3-Sided Frame Material	Bottom H-Frame Material	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
60	1524	SS	SS	—	—	136	62	WT446FS	1,930.00
72	1825	SS	SS	—	—	160	73	WT447FS	2,060.00
96	2439	SS	SS	—	—	202	92	WT449FS	2,446.50
60	1524	Chrome	Galvanized	—	—	136	62	WT446FC	1,554.00
72	1825	Chrome	Galvanized	—	—	160	73	WT447FC	1,735.50
96	2439	Chrome	Galvanized	—	—	202	92	WT449FC	1,953.50
60	1524	SS	—	SS	—	114	52	WT446US	1,651.00
72	1825	SS	—	SS	—	135	61	WT447US	1,770.50
96	2439	SS	—	SS	—	177	81	WT449US	2,053.50
60	1524	SS	—	—	SS	113	51	WT446HS	1,651.00
72	1825	SS	—	—	SS	136	62	WT447HS	1,770.50
96	2439	SS	—	—	SS	178	81	WT449HS	2,053.50

SS = Stainless Steel

Mobile Worktables — 17.20

All Mobile Worktables are 34" (864mm) high. Mobile units have special posts and four 5" (127mm) poly casters — 2 swivel/2 brake.

Mobile Worktables — 30" (760mm) Wide

Length (in.)	Length (mm)	Post Material	Bottom Shelf Material	Bottom 3-Sided Frame Material	Bottom H-Frame Material	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
48	1219	SS	SS	—	—	105	48	MWT305FS	1,826.00
60	1524	SS	SS	—	—	160	73	MWT306FS	1,925.00
72	1825	SS	SS	—	—	182	83	MWT307FS	2,042.50
96	2439	SS	SS	—	—	226	103	MWT309FS	2,422.50
60	1524	Chrome	Galvanized	—	—	146	66	MWT306FC	1,352.50
72	1825	Chrome	Galvanized	—	—	180	82	MWT307FC	1,507.50
96	2439	Chrome	Galvanized	—	—	226	103	MWT309FC	1,751.50
48	1219	SS	—	SS	—	130	59	MWT305US	1,553.00
60	1524	SS	—	SS	—	139	63	MWT306US	1,654.50
72	1825	SS	—	SS	—	155	71	MWT307US	1,770.50
96	2439	SS	—	SS	—	201	91	MWT309US	2,037.50
60	1524	SS	—	—	SS	124	56	MWT306HS	1,654.50
72	1825	SS	—	—	SS	156	71	MWT307HS	1,770.50
96	2439	SS	—	—	SS	202	92	MWT309HS	2,037.50

SS = Stainless Steel



Mobile Worktable

Worktables with Overhead — 17.26

All Mobile Worktables with Overhead are 30" (760mm) wide and have rear posts that are approximately 88" (2235mm) high. Cantilever shelves for overhead models are sold separately (see page 160).

Length (in.)	Length (mm)	Post Material	Bottom Shelf Material	Bottom 3-Sided Frame Material	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
60	1524	SS	SS	—	158	71	WTC306FS	1,739.50
72	1825	SS	SS	—	251	114	WTC307FS	1,866.50
96	2440	SS	SS	—	288	131	WTC309FS	2,239.50
60	1524	Chrome	Galvanized	—	214	97	WTC306FC	1,191.50
72	1825	Chrome	Galvanized	—	251	114	WTC307FC	1,348.50
96	2440	Chrome	Galvanized	—	288	131	WTC309FC	1,587.00
60	1524	SS	—	SS	196	89	WTC306US	1,478.50
72	1825	SS	—	SS	230	105	WTC307US	1,593.00
96	2440	SS	—	SS	267	121	WTC309US	1,853.50

All overhead models are fitted with stationary posts and leveling feet.
For overhead models in other sizes, contact your InterMetro representative.
SS = Stainless Steel



Shown with optional Cantilever Shelf and Spice Rack



Cantilever Shelves

Accessories for Worktables with Overhead — 17.26

Cantilever Shelves for Overhead Models

All Cantilever Shelves are 12" (317mm) wide.

Length (in.)	(mm)	Fits Units (in.)	Finish	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
54	1370	60 long	Chrome-Plated	12	5	1254CHC	111.00
60	1524	72 long & 96 long	Chrome-Plated	13	6	1260CHC	111.00
54	1370	60 long	Stainless	12	5	1254CHS	260.50
60	1524	72 long & 96 long	Stainless	13	6	1260CHS	260.50



Spice Rack

Spice Racks for Overhead Models

Inside Height (in.)	(mm)	Inside Width (in.)	(mm)	Inside Length (in.)	(mm)	Fits Units (in.)	Finish	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
1 ¹⁵ / ₁₆	48	4 ³ / ₈	109	51 ⁹ / ₁₆	1406	60 long	Chrome-Plated	7.7	3.5	654SRC	92.50
1 ¹⁵ / ₁₆	48	4 ³ / ₈	109	57 ⁹ / ₁₆	1406	72 long & 96 long	Chrome-Plated	8.3	3.8	660SRC	97.00



Utility Hook

Utility Hook for Cantilever Shelves

Width/Height/Depth (in.)	(mm)	Finish	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
³ / ₈ x3 ⁷ / ₁₆ x1 ¹¹ / ₁₆	9x87x43	Chrome	0.1	.045	HK23C	5.30
³ / ₈ x3 ⁷ / ₁₆ x1 ¹¹ / ₁₆	9x87x43	Stainless	0.1	.045	HK23S	10.50



3¹/₂" (89mm) Foot Plates
Cat. No. **9993HS**
List Price 33.40 each



Post Clamps
Cat. No. **9994HZ**
List Price 12.60 each

Accessories for All Work Tables — 17.20



Deluxe Drawer

Economy Drawer

Overall Dimensions Width/Length/Height (in.)	(mm)	Dimensions Inside Bottom (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
14 ¹ / ₄ x28x5 ³ / ₄	362x711x146	10x16	254x406	6.8	3.1	WTD21C	113.00

Deluxe Drawer

Overall Dimensions Width/Length/Height (in.)	(mm)	Dimensions Inside Bottom (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No.	List Price Each
24x25 ³ / ₄ x7 ¹ / ₂	610x654x191	20x20	508x508	31	13.9	WTD51S	745.00



Ice Cart

Ice Cart — 13.37

Features unique patented multi-position lid which opens to 19¹/₂"x12" (495x305mm). Double wall and deep insulation will hold ice for extended periods. Rust and corrosion-proof polymer construction. Large rear wheels and front swivel casters for easy mobility.

Width/Depth/Height (in.)	(mm)	Capacity (lbs.)	(kg)	Casters	Cat. No.	List Price Each
22 ¹ / ₂ x28 ¹ / ₄ x33 ¹ / ₂	572x718x851	125	57	8" (203mm) rear; 5" (127mm) front (1 locking)	IC125	864.50



Take advantage
of our layout and
design services.

> **"SPACE AUDITS" TO MAXIMIZE YOUR STORAGE POTENTIAL**

We'll measure your space, assess your storage needs and generate a quotation and detailed drawings.

> **PRODUCT PLANNING AND ROOM LAYOUT**

Our team of architectural consultants are ready to support your room layout needs with computer aided drafting. Our drawings take the guess work out of the planning process.

> **PROJECT QUOTING AND MANAGEMENT**

Whether your Metro storage needs are small or you are stocking a complete facility, together our Sales Professionals and their Sales Support and Customer Service teams will work with you to ensure your project is a success.

> **3D PRODUCT AND APPLICATION VISUALIZATION**

With state-of-the-art computer generated imagery, Metro's Sales Support team can help you visualize our products in your space or future space....

Start the
process today.

Log on to
www.metro.com
to locate a
representative
near you.



WARE HANDLING

“Poker Chip” Dish Dollies.....	174-175
Side-Load Dish and Tray Carts	176
Ware Handling Racks/Carts & Accessories.....	177

Polymer “Poker Chip” Dish Dollies

DELIVERING ADJUSTABILITY, VARIETY & PROTECTION





Plate sizes 9 $\frac{5}{8}$ " – 11 $\frac{3}{4}$ "
4 Columns (60 per)
*Capacity 240



4 $\frac{1}{4}$ " – 4 $\frac{5}{8}$ "
8 Columns (40 per)
7 $\frac{1}{2}$ " – 9 $\frac{1}{2}$ "
2 Columns (60 per)




Plate sizes 4 $\frac{1}{4}$ " – 4 $\frac{5}{8}$ "
16 Columns (40 per)
*Capacity 640
*Varies on china shape & thickness.
Usable column height is 20"



EFFICIENCY, STYLE & AGILITY AT YOUR FINGERTIPS

- Built-in Microban® Antimicrobial Product Protection.
- “Fixed Position” PCD’s are designed to hold 5", 7", 8", 9", 11" or 12" plates securely in place.
- Versatile design allows transport of glass racks.

Side-Load Dish and Tray Carts

- Perfect for holding a variety of different sized dishes, odd-shaped platters and trays.
- New recessed handles increase maneuverability and make transport effortless.
- One-piece, sturdy polymer construction with built-in drain holes promote cleanability.



Inhibits the growth of stain and odor causing bacteria. Microban does not protect users from food borne illness. Normal cleaning practices should be maintained. Microban is a registered trademark of Microban Products Company.



Adjustable Polymer "Poker Chip" Dish Dollies — 16.21 (with * Microban® Antimicrobial Product Protection)

Unique design utilizing adjustable, removable towers provides total flexibility and maximum loading density. Two-handed access to all dish columns means easy retrieval and reduced chance of dish breakage. Handle dish sizes from 4¹/₄" (108mm) to 11³/₄" (298mm) in diameter.

- High-density polymer shell is resistant to cracking, peeling, and chipping. Smooth surfaces prevent snags.
- Square compact design allows for maximum space utilization and stores conveniently under counters, out of the way.
- Standard 5" (127mm) neoprene swivel casters (two with brakes) for easy maneuverability.
- Vinyl dust cover included.
- NSF listed.



PCD11A

Metro Tip:

Adjustable Poker Chip Dish Dollies are perfect for carrying multiple-size dishes, or if you're not sure of the sizes you will be using.

Metro Fact:

Poker Chip Dish Dollies are enhanced with built-in Microban® antimicrobial product protection, which protects the product from bacteria, mold, mildew and fungi that cause odors, stains and product degradation.

Width/Height/Depth (in.)	(mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
26 ⁵ / ₈ x31 ¹⁵ / ₁₆ x26 ⁵ / ₈	676x812x676	65 30	PCD11A	1,371.00

Protective cover is standard.

Accessories

Description	Model	List Price Each
4 Additional Dividers	AD11A	191.00
Additional Cover	PCDV11A	85.50

Polymer "Poker Chip" Dish Dollies — 16.23

(with * Microban® Antimicrobial Product Protection)

Two-handed dish access for easy retrieval and less chance of breakage.

- Chip-resistant polymer shell has snag-proof surface.
- Space efficient square design stores out of the way under counters.
- Standard 5" (127mm) neoprene swivel casters (two with brakes) provides easy maneuverability.
- Vinyl dust cover included.
- NSF listed.

Width/Height/Depth (in.)	(mm)	No. of Dish Columns	Approx. Dish Capacity Per Column*	Total Approx. Dish Capacity*	Maximum Dish Size (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Blue**	List Price Each
24 ¹ / ₁₆ x31 ¹⁵ / ₁₆ x24 ¹ / ₁₆	612x812x612	9	40	360-540	5 ⁵ / ₈ 143	61 27	PCD5	976.00
27 ¹³ / ₁₆ x31 ¹⁵ / ₁₆ x27 ¹³ / ₁₆	707x812x707	9	40-60	360-540	6 ⁷ / ₈ 175	72 32	PCD7	976.00
21 ¹ / ₂ x31 ¹⁵ / ₁₆ x21 ¹ / ₂	547x812x547	4	60	240	8 ³ / ₄ 210	51 22	PCD8	976.00
23 ¹⁵ / ₁₆ x31 ¹⁵ / ₁₆ x23 ¹⁵ / ₁₆	609x812x609	4	60	240	9 ¹ / ₂ 241	56 25	PCD9	976.00
26 ¹⁵ / ₁₆ x31 ¹⁵ / ₁₆ x26 ¹⁵ / ₁₆	685x812x685	4	60	240	11 279	65 29	PCD11	976.00
30 ¹ / ₈ x31 ¹⁵ / ₁₆ x30 ¹ / ₈	766x812x766	4	60	240	12 ⁵ / ₈ 321	70 32	PCD12	976.00

*Loading capacity dependent upon china shapes and thickness.

Protective cover is standard. For additional covers, see accessories below.

Accessories

Description	Model	List Price Each
Additional Cover for PCD5	PCDV5	85.50
Additional Cover for PCD7	PCDV7	85.50
Additional Cover for PCD8	PCDV8	85.50
Additional Cover for PCD9	PCDV9	85.50
Additional Cover for PCD11	PCDV11	85.50
Additional Cover for PCD12	PCDV12	85.50

Metro Tip:

Two-handed access to all dish columns provides for safer loading and unloading. Dollies have four swivel casters for maneuvering in and out of tight quarters.



PCD9

✓ Indicates antimicrobial product.

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.



SSD16 shown with optional Divider Accessory A110



DSD11 shown with optional Divider Accessory A110

Side-Load Polymer Dish and Tray Carts — 16.32

(with *Microban® Antimicrobial Product Protection)

Adjustable dividers accommodate a variety of different-sized dishes and trays.

- Side-load dish and tray carts come in single and double-sided models.
- Perfect for holding a variety of different sized dishes, odd-shaped platters and trays.
- Corrosion-free polymer construction makes surfaces smooth and easy to clean.
- Vinyl dust/splash cover included to protect stored contents.
- Standard 5" (127mm) neoprene swivel casters (two with brakes) for easy maneuverability.

Overall Width/Height/Depth (in.)	Overall Width/Height/Depth (mm)	Approx. Dish Capacity Per Column**	Approx. Tray Capacity Per Column**	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
39 ⁵ / ₈ x32 ⁵ / ₁₆ x21 ⁵ / ₈	1007x837x550	60	80	82	36	SSD16	1,034.50
39 ⁵ / ₈ x31 ¹⁵ / ₁₆ x29 ¹ / ₁₆	1007x812x739	60	80	100	45	DSD11	1,244.50

**Loading capacity dependent upon chain and tray shapes/thickness.
Protective cover is standard. For additional covers, see accessories below.

Accessories

Description	Model	List Price Each
Divider Assembly (1 rod and 2 dividers)	A110	139.50
Additional Divider	A115	45.00
Additional Cover for Single Side-Load Dish and Tray Cart	SSDV16	81.00
Additional Cover for Double Side-Load Dish and Tray Cart	DSDV11	81.00

Dish Rack Dollies — 16.14

Lightweight aluminum, but built for heavy service.

- 5" (127mm) non-marking swivel casters.
- Non-marking corner bumpers.
- Tubular steel handle optional on D2020N.



D2020N



CBH2121C Dish Rack Dolly (Racks not included)

Overall Width (in.)	Overall Width (mm)	Height (in.)	Height (mm)	Type	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
21 ¹ / ₂ sq.	546	6 ¹ / ₈	154	Without Handle	13 ³ / ₈	345	D2020N	227.50
21 ¹ / ₂ sq.	546	33 ³ / ₈	843	With Handle	15 ³ / ₄	400	DH2020N	256.00
				Handle			H2020C	69.50

Dollies under 21¹/₂" sq. (546mm) made to order.

Cup/Glass Rack Dollies — 16.14


Store cup/glass racks at a convenient, easy-access height.

Overall Dimensions Width/Length (in.)	Overall Dimensions Width/Length (mm)	Overall Height (in.)	Overall Height (mm)	Type	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
20 ⁷ / ₈ x20 ⁷ / ₈	530x530	12 ¹ / ₈	307	Without Bumpers and Handle	28	12.6	D2121C	491.50
20 ⁷ / ₈ x23 ⁷ / ₈	530x607	36 ⁵ / ₈	929	With Handle	33	14.8	DH2121C	535.00
23 ³ / ₈ x23 ³ / ₈	594x594	12 ¹ / ₈	307	With Corner Bumpers	29	13	CB2121C	535.00
23 ³ / ₈ x25	594x635	36 ⁵ / ₈	929	With Corner Bumpers and Handle	34	15.3	CBH2121C	580.50

Draining Grate

Outside Dimensions Width/Length (in.)	Outside Dimensions Width/Length (mm)	12 Pieces Per Package Approx. Pkd. Wt. (lbs.)	12 Pieces Per Package Approx. Pkd. Wt. (kg)	Cat. No.	List Price Each
8 ¹ / ₄ x10 ¹ / ₂	209x266	11	4.9	6511DR	20.50
10 ¹ / ₈ x18	256x457	22	9.9	6517DR*	32.00
16 ¹ / ₂ x24 ¹ / ₂	419x622	28	12.6	6518DR†	46.00

*Fits 12"x20" (305x508mm) pan (#200).
†Fits 18"x26" (457x660mm) baking sheet.



Draining Grate

✓ Indicates antimicrobial product.

*MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban Products Company, Huntersville, NC.



Dry it.

MetroMax i® Drying Rack Unit — 9.31

- Allows superior air circulation and fast drying of trays, pans, lids, pots and all pot sink items.
- Promotes food safety by eliminating moisture. Offers an efficient organized drying area.
- Includes two drop-ins (Cat. No. DR48S) and one cutting board/tray drying rack (Cat. No. MTR2448XE).

Stationary Unit

Width (in) (mm)		Length (in.) (mm)		Height (in.) (mm)		Pkd. Wt. (lbs.) (kg)		i Cat. No.	List Price Each
24	610	48	1219	75½	1917	106	49	PR48X3	1,715.00

Mobile Unit

Width (in.) (mm)		Length (in.) (mm)		Height (in.) (mm)		Pkd. Wt. (lbs.) (kg)		i Cat. No.	List Price Each
24	610	48	1219	69	1752	106	49	PR48VX3	2,005.00

*Note: Includes two 5PCX swivel casters and two 5PCBX swivel casters with brakes.



MetroMax i® Drying Rack Unit

Stainless Steel Drop-in Racks — 9.25

- Open wire design provides air flow to safely dry pots, pans, and containers
- To create a storage level with a stainless drop-in order one Drop-in rack, one Four-sided MetroMax i® frame, and one MetroMax i® center beam.
- Can be retrofitted to existing MetroMax i® shelves. Simply remove the mats and drop in the stainless drying rack.
- Center beams: RPMX36-CBEAM, RPMX48-CBEAM, RPMX60-CBEAM.

Width		Length		Height		Wire Spacing		Approx. Pkd. Wt.		Cat. No.	List Price Each
(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)		
24	610	33 ⁷ / ₈	854	5 ¹ / ₄	133	3 ¹ / ₄	19	9	4.1	DR36S	258.00
24	610	45 ⁷ / ₈	1156	5 ¹ / ₄	133	3 ¹ / ₄	19	12	5.4	DR48S	310.00
24	610	57 ⁷ / ₈	1458	5 ¹ / ₄	133	3 ¹ / ₄	19	15	6.8	DR60S	371.00

*Note: Can be retrofitted to original MetroMax and MetroMax Q.




Drop-in Racks

Cutting Board and Tray Drying Rack — 9.25

- Rack is mounted to standard MetroMax i® or MetroMax Q shelf.
- Promotes safe air drying of cutting boards and trays.
- 1⅞" (28mm) and 3" (76mm) slide spacing available.

Fits Shelf (in.)	Upright Spacing (in.)	Upright Height (in.)	Upright Height (mm)	Tray Capacity	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	i and Q Cat. No.	List Price Each
24x36	457x914	1⅞	28	6 150	24	13.5 6.1	MTR2436XE	92.50
24x48	457x1219	1⅞	28	6 150	34	18.0 8.2	MTR2448XE	112.00
24x60	457x1524	1⅞	28	6 150	42	22.5 10.2	MTR2460XE	129.00
24x36	457x914	3	76	6 150	10	9.8 4.4	MTR2436XEA	87.00
24x48	457x1219	3	76	6 150	14	13 5.9	MTR2448XEA	105.50
24x60	457x1524	3	76	6 150	17	16.3 7.4	MTR2460XEA	124.50

*Note: Can be retrofitted to original MetroMax and MetroMax Q.



Cutting Board and Tray Drying Rack

Pot and Pan Rack

Standard Full Rack												
Description	Width (in.) (mm)		Length (in.) (mm)		Height (in.) (mm)		Casters (amt.) (type)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
Solid Embossed	24	610	48	1219	68	1727	2	5MP	125	56	PR48ES	1,901.00
							2	5MPB				
Solid Embossed	24	610	60	1524	68	1727	2	5MP	153	66	PR60ES	2,209.00
							2	5MPB				



Pot and Pan Rack



HOUSEKEEPING & SPECIALTY

Lodgix Housekeeping Carts	180-181
Lodgix Houserunner Carts & Folding Station.....	182
Valet and Amenity Carts & Stations	183-185
Mini Bar Restocking Cart	186-187
Linen Trucks & Carts	188
Totes & Bins.....	189
Beer and Wine Storage & Accessories	190-191
Merchandising	192-197

Metro Lodgix™ Housekeeping Carts — 31.01

Designed to adapt as housekeeping requirements change. Aesthetic appearance presents an upscale image for any facility. Polymer construction means low maintenance and long life.

- **Flexible, Modular Design:** Designed to be upgradable in the field. Additional storage, locking doors and locking top shroud can be easily added in the field using simple hand tools.
- **Polymer Construction:** Will not rust, corrode, dent, flake, chip, or peel and is friendly to walls, doors and furnishings for lower maintenance costs.
- **8" (203mm) Wheels Standard:** Non-marking wheels are easy to maneuver over any floor surface.
- **"Natural Grip" Handle Design:** Positions hands properly for ease of use and less fatigue.

- **Unique, "Hookless" Bag Mounting Method:** Provides a convenient method for securing polyliners.
- **Bottom Shelf and Top Handle:** Combine to hold brooms, vacuum cleaner, or waste receptacle (with optional waste container bracket).
- **Integrated Paper Management System:** Convenient storage for menus, directories, etc.
- **Options and Accessories:***
 - Under Deck Vacuum Bracket
 - Under Deck Glass Rack Holder
 - Roller, Corner Bumpers
 - Side Storage Kit
 - Locking Door for Side Storage
 - Locking Top Shroud
 - Center Compartment Shelf
 - End Compartment Shelf
 - Waste Can Bracket

*All options and accessories can be added in the field.



Metro® Transfer/
Exchange Cart

Stock Housekeeping Cart
from Supply Closet
or Exchange Carts



Lodgix™
Housekeeping Cart

Storage



Metro® Amenity
Pick Station



Collect, Sort and Transport
Soiled Linen



Metro® Lodgix™
Houserunner Cart

Transport to Floor Closet



Metro® Transfer/
Exchange Cart

Wash, Dry, Press,
Fold and Stack



MetroTrux™ Convertible
Linen Truck

Metro Lodgix™ Housekeeping Carts — 31.01

Description	Exterior Dimensions				Height		Shelf Capacity		Approx. Pkd. Wt.		Cat. No.	List Price Each
	Length (in.)	Width (mm)	Length (in.)	Width (mm)	Height (in.)	Height (mm)	cu. ft.	cu. m.	(lbs.)	(kg)		
Metro Lodgix™ Essentials Standard Height	60	1524	22	559	42	1067	9.8	0.27	82	37.2	LXHK3-ESS	946.50
Metro Lodgix™ Plus Standard Height	60	1524	22	559	42	1067	13.4	0.37	112	50.8	LXHK3-PLUS	1,327.50
Metro Lodgix™ Pro Standard Height	60	1524	22	559	55	1397	13.4	0.37	132	59.9	LXHK3-PRO	1,678.50
Metro Lodgix™ Essentials Tall Height	60	1524	22	559	51	1295	13.1	0.37	96	43.5	LXHK4-ESS	1,079.00
Metro Lodgix™ Plus Tall Height	60	1524	22	559	51	1295	17.9	0.51	134	60.8	LXHK4-PLUS	1,495.00
Metro Lodgix™ Pro Tall Height	60	1524	22	559	64	1626	17.9	0.51	157	71.2	LXHK4-PRO	1,854.50

*Tall carts come standard with two center shelves.
Top Shroud adds 13" (330mm) to total height of cart.

Description	Interior Dimensions				Height		Shelf Capacity	
	Length (in.)	Width (mm)	Length (in.)	Width (mm)	Height (in.)	Height (mm)	cu. ft.	cu. m.
Center Storage Area: Standard Height	30	762	21	533	27	686	9.8	0.278
Center Storage Area: Tall Height	30	762	21	533	36	914	13.1	0.371
Optional Side Storage: Standard Height	11	279	21	533	27	686	3.6	0.102
Optional Side Storage: Tall Height	11	279	21	533	36	914	4.8	0.136
Under Deck Glass Rack Holder/Shelf	20	508	20	508	7	178	1.6	0.046

Options and Accessories

Description	Approx. Pkd. Wt.		Cat. No.	List Price Each
	(lbs.)	(kg)		
Roller, Corner Bumpers	1.25	0.56	LXHK-4CB	60.50
Under Deck Vacuum Holder	1	0.45	LXHK-VH	60.50
Under Deck Glass Rack Holder/Shelf	10.5	4.8	LXHK-UGRH	120.00
Center Compartment Adjustable Shelf	6.25	2.8	LXHK-AS	83.50
Locking Top Shroud	17	7.7	LXHK-TS	258.50
Side Storage Kit – Standard height carts	15.5	7.0	LXHK3-SSK	221.50
Side Storage Kit – Tall Carts	18.5	8.4	LXHK4-SSK	310.00
Side Storage Shelf	4.5	2.0	LXHK-SS	46.50
Locking Door Kit for Side Storage – Standard Height Carts	3.5	1.6	LXHK3-SDK	120.00
Locking Door for Side Storage – Tall Carts	4.5	2.0	LXHK4-SDK	126.50
Waste Can	6	2.7	LXHK-WCAN	128.00
Waste Can Holder – Standard Height Carts	1	0.45	LXHK3-WCH	28.50
Waste Can Holder – Tall Carts	2	0.91	LXHK4-WCH	46.50
Vinyl-Coated Nylon Laundry Bag – Standard Height Carts	2	0.91	LXHK3-NB	67.50
Vinyl-Coated Nylon Laundry Bag — Tall Carts	2.5	1.13	LXHK4-NB	75.50
3" (76mm) Large Capacity Tote (6 per carton)*	9	4.1	TB92035NAT-LX	21.50
6" (152mm) Large Capacity Tote (4 per carton)*	9.32	4.3	TB92060NAT-LX	24.00

*Items must be purchased in carton quantities to avoid a broken lot charge.



Lockable Side Storage Door



Lockable Top Shroud



Under-Deck Glass Rack Holder



Waste Can Bracket



Under-Deck Vacuum Bracket
(Shown with optional bumpers)



Large Capacity Totes



Metro Lodgix™ Essentials



Metro Lodgix™ Plus



Metro Lodgix™ Pro

Helpful Hint:

Make it easier for your cart to go over thresholds and take outdoors by adding pneumatic casters!

Just add "-P" to the Catalog No. and \$359.00 to the list price.

Metro Lodgix™ Houserunner Carts — 31.10

Versatile product designed to support the housekeeping function. Useful for the collection of bulk soiled linens as well as the restocking of housekeeping carts.

- Three models to fit a variety of needs.
- Easy to Clean design promotes sanitary operation.
- Bottom Shelf Supports laundry bag and helps contain spills. Bottom shelf on Plus and Pro models conveniently holds glass racks.
- Extra Shelves on Pro model expand the use of the Houserunner cart to that of a resupply cart.
- Corner Bumpers standard on all Houserunner Carts.



Metro Lodgix™ Houserunner Essentials
Basic collection cart featuring 7-bushel nylon laundry bag, solid bottom shelf and 5" (127mm) casters (two swivel, two rigid).



Metro Lodgix™ Houserunner Plus
All the features of the Essentials Cart plus the addition of a second open wire shelf for added capacity. Shelf can hold a standard glass rack.



Metro Lodgix™ Houserunner Pro
Pro model adds more capacity with a larger bottom shelf (24"x36" [610x914mm]) and the addition of two 12"x24" (305x610mm) adjustable shelves.

Description	Exterior Dimensions						Capacity Bu.	Approx. Pkd. Wt.		Cat. No.	List Price Each
	Length (in.)	Length (mm)	Width (in.)	Width (mm)	Height (in.)	Height (mm)		(lbs.)	(kg)		
Metro Lodgix™ Houserunner Essentials	24	610	24	610	33	838	7	39	17.7	LXHR-ESS	463.50
Metro Lodgix™ Houserunner Plus	24	610	24	610	39	991	7	52	23.6	LXHR-PLUS	538.00
Metro Lodgix™ Houserunner Pro	36	914	24	610	39	991	7	64	29.0	LXHR-PRO	761.00

Options and Accessories

Description	Approx. Pkd. Wt.		Model No.	List Price Each
	(lbs.)	(kg)		
Vinyl-coated Nylon Laundry Bag	2	0.91	LXHR-NB	97.00



Folding/Laundry Station

Folding/Laundry Stations

Can be assembled by ordering the individual components shown below.

As shown:

Description	Qty.	Cat. No.	List Price Each
Posts for Stem Casters	4	33UP	19.00
Stem Casters — Rigid	2	5MDRA	37.50
Stem Casters — Brake	2	5MDBA	37.50
Super Erecta® Stainless Solid Shelf	1	2448FS	354.50
Super Adjustable Super Erecta® Wire Shelf	1	A2448NC	102.00

Valet/Laundry or Special Delivery Cart — 31.54

Specially designed cart works both as a Laundry/Valet Cart for special garment cleaning requests or as a Valet Delivery Cart for special deliveries.

- Organized storage and transport cart provides both shelf and hanging storage. Lightweight cart is quick to the task leaving luggage carts for heavy-duty deliveries.
- Maneuverable: Five-inch (127mm) swivel casters, two with brakes, make the cart glide easily over all floor surfaces.
- Cart construction and finish: Super Erecta® construction with Brite™ chrome finish on post and shelves.



Standard Model #HVDC2448 on stem casters with 24" (610mm) intermediate shelves.

Style	Width (in.)	Width (mm)	Length (in.)	Length (mm)	Coat Hanger Tube Length (in.)	Coat Hanger Tube Length (mm)	Shelf Length (in.)	Shelf Length (mm)	No. of Dividers	Cat. No.	List Price Each
Standard	24	610	48	1219	24	610	24	610	8	HVDC2448	1,159.50

Covers* for Valet/Laundry Special Delivery Cart

Finish	Color*	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Zippered Closure	List Price Each	Cat. No. Velcro Closure	List Price Each
Uncoated	White	4	1.8	24X48X62UC	185.00	24X48X62VUC	195.50
Coated	White	4	1.8	24X48X62C	274.00	24X48X62VC	287.50
Uncoated	Mariner Blue	4	1.8	24X48X62UCMB	185.00	24X48X62VUCMB	195.50
Coated	Mariner Blue	6	2.7	24X48X62CMB	274.00	24X48X62VCMB	287.50

*Other colors available. Custom pricing applies.

Material – Coated Covers

#20 BeCheck: heavyweight, non-abrading, wipes clean, bacteria resistant, anti-static, flame retardant.


Material – Uncoated Covers

White: Polyester Spun Filled — heavyweight, durable and flexible.

Mariner Blue: 200 Denier Nylon — lightweight, flexible, can be machine washed.



Cover on Valet Cart



Tote Storage Cart

Tote Storage Cart

(Slanted Dispenser Racks) — **31.50**

- Tote storage carts can hold up to twenty 10" (254mm) wide totes.
- Slanted shelves add visibility and accessibility. Loading is quick, easy and organized.
- Open-wire construction and slope of shelves permit instant identification.
- Shelves are adjustable at 1" (25mm) intervals along the height of the post.
- 5" (127mm) casters add mobility, while brakes lock firmly in position.

Shelves	Length (in.) (mm)		Height (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Each Price
Four Slanted Shelves One Flat Top Shelf (Pkg. of 12 dividers)	24	610	60	1524	103	46.3	DC15EC	978.50
Five Slanted Shelves (Pkg. of 12 dividers)	24	610	60	1524	112	50.4	DC16EC	1,014.50
Four Slanted Shelves One Flat Top Shelf	36	914	60	1524	95	42.7	DC35EC	1,041.00
Five Slanted Shelves	36	914	70	1778	104	46.8	DC36EC	1,089.50
Four Slanted Shelves One Flat Top Shelf	48	1219	60	1524	112	50.4	DC55EC	1,102.00
Five Slanted Shelves	48	1219	70	1778	123	55.3	DC56EC	1,148.50

Additional Shelves

Additional shelves are 18" (457mm) wide.

Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
24 610	10.5	4.7	1824DNC	95.00
36 914	14	6.3	1836DNC	110.00
48 1219	18	8.1	1848DNC	121.00

Metro Tip:

Use the Tote Storage Cart to organize baskets for housekeepers prior to their shift.

Additional Retainer

Keeps different types of merchandise separate and in order.

Size Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
4x17 102x432	8	3.6	DCR17C	14.50

Plastic Shelf Marker

Snaps over shelf edge. Holds labels 3"x1¹/₄" (75x32mm).

Size Width/Length (in.) (mm)	Cat. No.	List Price Each
3x1 ¹ / ₄ 75x32	9990P	4.50

Amenity Pick Station — 31.50

- Organization eliminates hidden, forgotten stock. Pick station allows easy access for storage and dispensing.
- Pick stations available in 24" (610mm) and 30" (760mm) depths with back-up storage area below work surface.
- Work surface area features a raised "ship's edge" on all four sides to contain accidental spills.
- Top slanted shelves provide easy access to amenities.
- 72" (1829mm) overall height.
- 36" (914mm) countertop height.
- Counter units also available. See page 37.

Width (in.)		Length (in.)		Cat. No.	List Price Each
(mm)	(mm)	(mm)	(mm)		
24	610	48	1219	SWHPS2448	1,240.00
24	610	60	1524	SWHPS2460	1,352.50
30	760	48	1219	SWHPS3048	1,457.50
30	760	60	1524	SWHPS3060	1,594.50



Amenity Pick Station

Slanted Shelf Carts — 31.05

Shelves slant backwards to keep items secure during transport.

Width/Length (in.)		Height (in.)		No. of Shelves	Casters	Description	Approx. Pkd. Wt.		Cat. No.	List Price Each
(mm)	(mm)	(mm)	(mm)				(lbs.)	(kg)		
24x36	610x914	62	1575	3	2-BL6P, 2-6P	Heavy-Duty	140	63	AST35MC	1,852.00
24x48	610x1219	62	1575	3	2-BL6P, 2-6P	Heavy-Duty	162	72.4	AST55MC	1,919.50
24x60	610x1524	62	1575	3	2-BL6P, 2-6P	Heavy-Duty	187	84.1	AST65MC	2,024.50
24x36	610x914	59	1500	3	4-5MP Casters	Standard-Duty	105	47.2	AST35DC	981.50
24x48	610x1219	59	1500	3	4-5MP Casters	Standard-Duty	125	56.2	AST55DC	1,104.00
24x60	610x1524	59	1500	3	4-5MP Casters	Standard-Duty	150	67.5	AST65DC	1,179.00

Additional Slanted Shelves

Width/Length (in.)		Approx. Pkd. Wt.		Cat. No.	List Price Each
(mm)	(mm)	(in.)	(mm)		
24x36	610x914	13	6	SLT2436NC	122.50
24x48	610x1219	17	8	SLT2448NC	144.00
24x60	610x1524	22	10	SLT2460NC	155.00



AST35DC



HOLD. TRANSPORT. ORGANIZE .

THE MINI BAR RESTOCKING CART

AN ADVANCED SOLUTION DESIGNED FOR ALL YOUR MINI BAR RESTOCKING SUPPLIES.

MANEUVERABLE:

- Four 5" (127mm) diameter casters (2 directional, 2 with brake), provide easy maneuverability, control and stability.

STORAGE CAPACITY:

- Recessed side storage areas hold three (3) tilt-out bins on the right and one (1) tilt-out bin and wastebasket on the left side.
- A total of 27" (686mm) of drawer space provides ample room for beverage cans, juice and water bottles.

SECURED SUPPLIES:

- Key lock on right side protects valuable supplies in all drawers and right side tilt-out bins from loss or pilferage.

DURABLE CONSTRUCTION:

- Sturdy polymer construction is extremely easy to clean, and is resistant to cracking, peeling or chipping.
- Full extension drawers have self-closing ball bearing slides to provide easy access to all supplies.
- Spacious work surface provides a smooth writing surface or ample space for prep work.

SANITARY:

- Smooth, rounded corners and seamless cart surfaces simplify cleaning.

ATTRACTIVE:

- The clean modern design complements any environment.

MICROBAN® ANTIMICROBIAL PRODUCT PROTECTION:

- Advanced polymer construction has built-in Microban® Antimicrobial Product Protection which inhibits the growth of bacteria, mold, mildew, and fungi that cause odors, stains, and product degradation.



FLMB2

Width/Depth/Height (in.)	Width/Depth/Height (mm)	Weight (lbs.)	Weight (kg)	Drawers	Wastebasket	Tilt-out Bins	Drawer Divider Kit	Cat. No.	List Price Each
33x22x42	838x559x1067	125	57	(3) 6" (152mm) (1) 9" (229mm)	X	3 (Right) 1 (Left)	1*	FLMB1	2,606.50
33x22x42	838x559x1067	125	57	(1) 3" (76mm) (1) 6" (152mm) (2) 9" (229mm)	X	3 (Right) 1 (Left)	1*	FLMB2	2,594.50

*Divider Kit is for one 6" (152mm) or one 9" (229mm) drawer.

Accessories

Description	Model	List Price Each
3" (76mm) Drawer Divider Kit	FL113	107.50
6"/9" (152/229mm) Drawer Divider Kit	FL116	111.50
Touch Pad Electronic Lock (No Display)*	FL410	595.00

*Touch Pad Electronic Locking/Unlocking option is available. Please contact your local Metro Representative.



inhibits the growth of stain and odor causing bacteria. Microban does not protect users from food borne illness. Normal cleaning practices should be maintained. Microban is a registered trademark of Microban Products Company, Huntersville, NC.



Convertible Linen Truck



Bulk Trux



CLTH2460C



Standard-Duty Cart
(shown with optional slides
and tote boxes)

MetroTrux™ Convertible Linen Truck — 31.42

Exclusive integral, convertible shelving system in a polymer truck.

- Two folding shelves can be positioned horizontally or vertically to produce three different configurations: horizontal shelves for bulk items or linens; vertical for collecting and transporting bulk materials; and with lower shelf flipped up and out for easy loading and unloading.
- Advanced polymer design will not dent, rust or corrode.

Width/Length (in.) (mm)	Height (in.) (mm)	6" (152mm) Casters	Description	Cat. No.	List Price Each
28 1/4 x 48 718x1219	68 3/4 1734	4 swivel	48 cu. ft. (1.36 cu. m) capacity	CLT48	2,135.50
28 1/4 x 48 718x1219	68 3/4 1734	2 rigid; 2 swivel	48 cu. ft. (1.36 cu. m) capacity	CLT48A	2,135.50

MetroTrux™ Bulk Truck — 31.42

The perfect solution for storing and transporting bulky, hard-to-handle items, such as bagged dirty laundry. Advanced polymer design will not dent, rust or corrode.

Width/Length (in.) (mm)	Height (in.) (mm)	6" (152mm) Casters	Description	Cat. No.	List Price Each
28 1/4 x 48 718x1219	68 3/4 1734	4 swivel	48 cu. ft. (1.36 cu. m) capacity	BT48	1,534.50
28 1/4 x 48 718x1219	68 3/4 1734	2 swivel; 2 rigid	48 cu. ft. (1.36 cu. m) capacity	BT48A	1,534.50

Note 1: Standard color for Bulk and Convertible Linen Truck is charcoal blue.

Note 2: Drain holes are standard on Bulk and Convertible Linen Truck. If drain holes are not desired, indicate at time of order.

Accessories

Description	Model	List Price Each
Wheel Brake Accessory	MTWB	61.00
Swivel Lock Accessory	MTSL	103.00

Convertible Linen Truck — 31.12

Versatile construction allows folding shelves to be positioned horizontally or vertically to configure 3 different truck positions.

- Brake Lock/Swivel Lock combination casters increase flexibility.
- Open-wire design maximizes air circulation and visibility.

Shelf Size Width/Length (in.) (mm)	Height (in.) (mm)	Description	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
24x48 610x1219	70 1778	CLT with 3-sided top frame	180 82	CLTS2448C	2,675.50
24x60 610x1524	70 1778	CLT with 3-sided top frame	200 91	CLTS2460C	2,919.50

Standard-Duty — Stainless Steel

24x60 610x1524	70 1778	CLT with 3-sided top frame	169 77	CLT2460S	5,171.50
----------------	---------	----------------------------	--------	-----------------	----------

Heavy-Duty — Chrome

24x60 610x1524	70 1778	CLT with 3-sided top frame	241 109	CLTH2460C	3,304.00
----------------	---------	----------------------------	---------	------------------	----------

Material: Chrome Models: Chrome-plated steel dolly and aluminum tubes. Stainless Steel: Stainless steel dolly and aluminum tubes.

Note 1: Casters on above units consist of two 6P and one pair BL6P, 8P and BL8P available on special order.

Note 2: Before employing any of various cart-washing systems, please contact InterMetro Industries Corporation or your Metro representative for special recommendations on casters and for cleaning instructions.

Accessories

Description	Model	List Price Each
Card Holder	CLCHC	20.50
Push Handle	PH24NC	30.50

Transfer/Exchange Carts — 31.56

- Slanted shelves have 2" (50mm) slant front to back to reduce loss or breakage of items during transport.
 - Standard-Duty: mounted on four 5" (127mm) stem casters.
 - Heavy-Duty: mounted on aluminum dolly with bumper, two 6" (152mm) swivel casters and one set of brake lock/swivel lock casters.

Description	Width (in.) (mm)	Length (in.) (mm)	Height (in.) (mm)	No. of Shelves	Castors	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Each Price
Heavy-Duty	24 610	36 914	62 1575	3	2-BL6P, 2-6P	140 64	AST35MC	1,852.00
Heavy-Duty	24 610	48 1219	62 1575	3	2-BL6P, 2-6P	162 73	AST55MC	1,919.50
Heavy-Duty	24 610	60 1524	62 1575	3	2-BL6P, 2-6P	187 84	AST65MC	2,024.50
Standard-Duty	24 610	36 914	59 1495	3	4-5MP	105 47	AST35DC	981.50
Standard-Duty	24 610	48 1219	59 1495	3	4-5MP	125 56	AST55DC	1,104.00
Standard-Duty	24 610	60 1524	59 1495	3	4-5MP	150 66	AST65DC	1,179.00

For cart handles, tote box slide accessories, and covers see pages 47, 57, 61 and 189.

MetroTotes Divider Box Line — 16.64

Metro's Divider Tote Box Line offers safe and efficient storage of items in bulk, or in compartmentalized fashion with the use of optional dividers. Manufactured of polypropylene material, these injection-molded totes are available in white and can be stored and transported in a variety of standard Metro products (e.g. PT Slide Trucks, Super Slide System, etc.).

Outside Dimensions (includes lip) Length x Width (in.)		Inside Dimensions Length x Width (in.)		Height O.D. (in.)		I.D.* (in.)		Capacity (cu. ft.)		Approx. Tote Box Wt. (lbs.)		Cat. No.	List Price Each
10 ⁷ / ₈ x8 ¹ / ₄	276x210	9 ¹ / ₈ x6 ¹ / ₂	232x165	3 ¹ / ₂	89	3	76	.10	0.003	.77		MTB91035W	23.00
16 ¹ / ₂ x10 ⁷ / ₈	419x276	14 ⁷ / ₈ x9 ¹ / ₄	378x235	3 ¹ / ₂	89	3	76	.24	0.007	1.5		MTB92035W	34.50
16 ¹ / ₂ x10 ⁷ / ₈	419x276	14 ⁷ / ₈ x9 ¹ / ₄	378x235	6	152	5.5	140	.44	0.012	2.33		MTB92060W	37.50
22 ¹ / ₂ x17 ¹ / ₂	572x445	20 ¹ / ₄ x15 ¹ / ₈	514x384	3	76	2.5	64	.44	0.017	2.57		MTB93030W	55.50
22 ¹ / ₂ x17 ¹ / ₂	572x445	20 ¹ / ₄ x15 ¹ / ₈	514x384	5	127	4.5	114	.79	0.02	4.0		MTB93050W	56.50
22 ¹ / ₂ x17 ¹ / ₂	572x445	20 ¹ / ₄ x15 ¹ / ₈	514x384	6	152	5.5	140	.97	0.027	4.0		MTB93060W	62.50
22 ¹ / ₂ x17 ¹ / ₂	572x445	20 ¹ / ₄ x15 ¹ / ₈	514x384	8	203	7.5	191	1.32	0.037	5.25		MTB93080W	74.50
22 ¹ / ₂ x17 ¹ / ₂	572x445	20 ¹ / ₄ x15 ¹ / ₈	514x384	12	305	11.5	292	2.03	0.057	6.67		MTB93120W	89.50

*Loading height restrictions when using covers or stacking totes.



MetroTote Accessories — 16.64

Covers and Dividers

For Tote Box	Insert Cover	List Price Each	Dividers	List Price Each	Maximum Tote
MTB91035W	CI91000CLR	11.20	Short MDS91035NAT Long MDL91035NAT	4.70 5.40	7 5
MTB91060W	CI91000CLR	11.20			
MTB92035W	CI92000CLR	13.30	Short MDS92035NAT Long MDL92035NAT	5.40 5.90	11 7
MTB92050W	CI92050CLR	18.60	MDS92050NAT		11
MTB92060W	CI92000CLR	13.30	Short MDS92060NAT Long MDL92060NAT	5.90 7.00	11 7
MTB93030W	CI93000CLR	12.80	Short MDS93030NAT Long MDL93030NAT	9.50 9.50	15 11
MTB93060W	CI93000CLR	12.80	Short MDS93060NAT Long MDL93060NAT	9.50 9.50	15 11
MTB93080W	CI93000CLR	12.80	Short MDS93080NAT Long MDL93080NAT	9.50 10.50	15 11
MTB93120W	CI93000CLR	12.80	Short MDS93080NAT Long MDL93080NAT	9.50 10.50	15 11
MTB95050W					

Snap-On Card Holder Clear vinyl with clear window.

Size (in.)	Size (mm)	Cat. No.	List Price Each
4 ¹ / ₂ x8	114x199	OP2501CLR	4.80
2 ¹ / ₁₆ x5	76x127	OP2535CLR	4.80

Stacking Bins

Injection molded from polypropylene base material in natural gray color. All sizes have an open hopper front for easy access to contents and a slot on the back for use on bin holder bars.

Length (in.)	Width (mm)	Height (in.)	Height (mm)	Carton Qty.*	Est. Carton Wt. (lbs.)	Cat. No. Natural Polypropylene
8	203	3 ¹ / ₂	89	48	39	SB90835NAT
7 ³ / ₈	187	4 ¹ / ₈	105	3	76	SB90743NAT
10 ⁷ / ₈	276	5 ¹ / ₂	140	5	127	SB91055NAT
14 ³ / ₄	375	8 ¹ / ₄	210	7	179	SB91587NAT
14 ³ / ₄	375	16 ¹ / ₂	419	7	179	SB91516NAT

*Items must be purchased in carton quantities to avoid a broken lot charge.

**Pricing based on quantity ordered. Please consult your Metro representative.





3KR366FC Keg Handling Rack

HD Super™ Beer Keg Handling Racks — 10.70

Withstands the heavy load of full kegs and the repeated impact of being loaded and unloaded. Doubles storage capacity and provides a neat, orderly way to store kegs for easier inventory and stock rotation.

- Constructed of sturdy HD Super™ components, with 1⁵/₈" (41mm) diameter posts.

Shelf Length/Height (in.)	Shelf Length/Height (mm)	Shelves*	Keg 1/2 Barrel Storage Capacity	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each
42x56 ¹ / ₈	1067x1424	2-D	4	118	53.1	2KR345DC	1,722.00
60x56 ¹ / ₈	1524x1424	2-D	6	147	66.1	2KR365DC	1,975.00
42x56 ¹ / ₈	1067x1424	1-D	4	87	39.1	KR345DC	1,318.00
60x56 ¹ / ₈	1524x1424	1-D	6	104	46.8	KR365DC	1,466.50
42x64 ¹ / ₈	1067x1628	1-D, 2-S	2	121	54.4	3KR346FC	1,851.00
60x64 ¹ / ₈	1524x1628	1-D, 2-S	3	151	67.9	3KR366FC	2,220.50
42x64 ¹ / ₈	1067x1628	1-D, 1-S	4	112	50.4	2KR346MC	1,791.00
60x64 ¹ / ₈	1524x1628	1-D, 1-S	6	137	61.6	2KR366MC	2,068.50

*D = dunnage shelf; S = solid shelf; all shelves are 18" (457mm) wide.
All models include foot plates for stability and easy leveling.



WC257C Cradle Shelving

Super Erecta® Cradle Wine Shelving — 10.48

Each bottle is supported individually in a cradle formed by the wires of the shelf, so it cannot roll or bump against adjacent bottles.

- Open-wire construction keeps bottles and labels highly visible for easy reading and selection.
- Shelves, spaced 5" (127mm) apart, provide easy access to bottles for loading or removal and permit air to circulate freely around the bottles.

Width/Length (in.)	Width/Length (mm)	Overall Height (in.)	Overall Height (mm)	Capacity (750ml bottles)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each
14x36	355x914	74 ³ / ₄	1899	126	112	51	WC237C	1,478.00
14x36	355x914	86 ³ / ₄	2203	153	133	60	WC238C	1,766.00
14x48	355x1219	74 ³ / ₄	1899	168	133	60	WC257C	1,632.00
14x48	355x1219	86 ³ / ₄	2203	204	160	73	WC258C	1,954.00

All models include foot plates for stability and easy leveling.



WB257C Bulk Shelving

Super Erecta® Bulk Storage Wine Shelving — 10.47

Permits storage of a large quantity of wines in a limited space — an average of one case per linear foot (350mm) of shelf.

- Holds bottles at an upward slant of 10° to keep corks moist.
- Open-wire construction permits air flow, which is critical in maintaining the proper temperature.
- Units are enclosed by back and side panels which keep bottles secure and prevent accidents.
- For security from loss or pilferage, optional doors, which can be locked with a padlock, are available for the 16-case unit.

Width/Length (in.)	Width/Length (mm)	Overall Height (in.)	Overall Height (mm)	Capacity (Cases of 750ml bottles)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Chrome	List Price Each
14x36	355x914	74 ³ / ₄	1899	12	138	63	WB237C	1,520.00
14x36	355x914	86 ³ / ₄	2203	15	168	76	WB238C	1,692.50
14x48	355x1219	74 ³ / ₄	1899	16	168	76	WB257C	1,756.50
14x48	355x1219	86 ³ / ₄	2203	20	204	93	WB258C	2,086.00

All models include foot plates for stability and easy leveling.

Basic Wine Shelving Components — 10.49

Posts with Foot Plate



Overall Height (in.)	(mm)	Approx. Pkd. Wt. Each (lbs.) (kg)	Cat. No.	List Price Each
74 ³ / ₄	1899	4.5 2.0	74FPC	37.50
86 ³ / ₄	2203	5.5 2.5	86FPC	40.50

Wall Clamps
Give single units greater stability.
Cat. No. **9984C**
List Price 7.60 each



Wall Clamp

Templates
For assembling bin shelving.
Included in standard unit.
Request #C05-077*
No charge.

14" (355mm) Wall Mounts
Both types of wine shelves can be wall-mounted. See pages 79 and 80 for 14" (355mm) direct and post-type wall mounts.



14" (355mm) Cradle Shelves

Width/Length (in.) (mm)	Capacity (750ml bottles)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
14x36 355x914	9	7 3.2	W1436NC	99.50
14x48 355x1219	12	8.5 3.8	W1448NC	112.50

14" (355mm) Flat Wire Shelves

Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
14x36 355x914	9.5 4.3	1436NC	60.50
14x48 355x1219	12 5.4	1448NC	70.00

Enclosure Components — 10.49

End Panels*

Width (in.) (mm)	Height (in.) (mm)	Use With Posts	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
13 330	60 1524	74FPC	10.5 4.7	EP27C	96.50
13 330	75 1905	86FPC	12.5 5.6	EP28C	106.00

*For end and back panels to fit properly, there must be a shelf spaced every 15" (381mm) as in the standard 15" (381mm) spacing for bulk storage wine units and 5" (127mm) spacing for cradle wine units.

Back Panels*

Width (in.) (mm)	Height (in.) (mm)	Use With Posts	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
14 ¹ / ₂ 368	60 1524	74FPC	11 5.0	BP27C	103.50
14 ¹ / ₂ 368	75 1905	86FPC	13 5.9	BP28C	115.00

*For end and back panels to fit properly, there must be a shelf spaced every 15" (381mm) as in the standard 15" (381mm) spacing for bulk storage wine units and 5" (127mm) spacing for cradle wine units.

Bin Components for Bulk Storage Units — 10.49

Bin Dividers
Used to separate bottles.

Width (in.) (mm)	Height (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
12 ¹ / ₂ 317	19 482	1.5 .67	BD15C	41.50

Bottle Supports

Use when bottles are to be stacked in bins. For use with 1436NC or 1448NC shelves spaced 15" (381mm) apart.

Length (in.) (mm)	Shelf Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
35 889	36 914	1.5 .67	BS3C	37.50
47 1194	48 1219	2 .9	BS5C	44.00

Wine Shelving Accessories — 10.47 10.48 10.49

Door Set (Fits only WB257C and WC257C)

Width (in.) (mm)	Height (in.) (mm)	Fits Units	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No.	List Price Each
51 1295	60 1524	48" longx74 ³ / ₄ " high (1219x1898mm)	42 18.9	ED57C	372.50

Joining Hook

Used when units are placed back to back or end to end.



Width (in.) (mm)	Depth (in.) (mm)	Height (in.) (mm)	Cat. No.	List Price Each
2 ¹ / ₃₂ 15.2	1 ⁵ / ₈ 40.6	2 ¹ / ₄ 57	JH2C	8.70



Wine Cart

Wine Cart

Mobile wine merchandiser is perfect for creating “impulse” opportunities. The Wine Cart consists of the following components:

- 2 — 1436NC shelves — see page 42
- 1 — 1236CSNC cantilever shelf — see page 45
- 2 — 13P posts cut to 7" (179mm) — see page 42
- 2 — 27UP posts — see page 42
- 2 — 5M swivel casters — see page 48
- 2 — 5MB swivel/brake casters — see page 48

Slanted-Shelf Merchandisers/Dispenser Racks — 50.50

Slanted shelves add visibility and accessibility. Loading is quick, easy, and organized.

- Open-wire construction and slope of shelves permit instant identification.
- System eliminates duplication and confusion in ordering.
- Shelves are adjustable at 1" (25mm) intervals along the height of the post.
- 5" (127mm) casters add mobility, while brakes lock firmly in position.



DC56EC

Width (in.) (mm)		Length (in.) (mm)		Height (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Shelves	Cat. No.	List Price Each
18	457	24	610	60	1524	103	46.3	Four Slanted Shelves One Flat Top Shelf (Pkg. of 12 dividers)	DC15EC	978.50
18	457	24	610	70	1780	112	50.4	Five Slanted Shelves (Pkg. of 12 dividers)	DC16EC	1,014.50
18	457	36	914	60	1524	95	42.7	Four Slanted Shelves One Flat Top Shelf	DC35EC	1,041.00
18	457	36	914	70	1780	104	46.8	Five Slanted Shelves	DC36EC	1,089.50
18	457	48	1219	60	1524	112	50.4	Four Slanted Shelves One Flat Top Shelf	DC55EC	1,102.00
18	457	48	1219	70	1780	123	55.3	Five Slanted Shelves	DC56EC	1,148.50

Additional Shelves

Additional shelves are 18" (457mm) wide.

Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
24	610	10.5	4.7	1824DNC	95.00
36	914	14	6.3	1836DNC	110.00
48	1219	18	8.1	1848DNC	121.00

Additional Dividers

Keeps different types of merchandise separate and in order.

Size Width/Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No.	List Price Each
4x17	102x432	8	3.6	DCR17C	14.50

Plastic Shelf Marker

Snaps over shelf edge. Holds labels 3"x1 1/4" (75x32mm).

Size Width/Length (in.) (mm)		Cat. No.	List Price Each
3x1 1/4	75x32	9990P	4.50

qwikSLOT™ Display Shelving System

Set, Reset in a Flash.

Metro qwikSLOT shelves offer the quality of Super Erecta with the convenience of easily adjustable and removable shelves.

- Unique support system snaps into the posts, allowing instant shelf adjustment.
- Each unit requires a standard Super Erecta shelf at the top and bottom. (see page 42)

qwikSLOT™ Shelves — 10.11

Width/Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
14x36	7.25	1436QBR	60.00	1436QC	67.00	1436QBL	1436QW	1436Q-DSG	66.00
14x48	9.75	1448QBR	68.00	1448QC	76.50	1448QBL	1448QW	1448Q-DSG	75.50
18x36	8.5	1836QBR	67.00	1836QC	70.00	1836QBL	1836QW	1836Q-DSG	69.00
18x48	11.25	1848QBR	78.00	1848QC	84.00	1848QBL	1848QW	1848Q-DSG	82.50
18x60	17.0	1860QBR	91.50	—	—	—	—	—	—
21x36	10.75	2136QBR	74.50	2136QC	82.50	2136QBL	2136QW	2136Q-DSG	81.50
21x48	13.25	2148QBR	85.50	2148QC	94.50	2148QBL	2148QW	2148Q-DSG	93.50
21x60	18.0	2160QBR	101.50	—	—	—	—	—	—
24x36	12.25	2436QBR	79.00	2436QC	88.00	2436QBL	2436QW	2436Q-DSG	87.00
24x48	15.25	2448QBR	94.00	2448QC	102.50	2448QBL	2448QW	2448Q-DSG	101.50
24x60	21.00	2460QBR	113.50	—	—	—	—	—	—

Note: A typical unit will incorporate 4 qwikSLOT posts, at least 2 standard Super Erecta shelves (one at the top and bottom of unit) and as many qwikSLOT shelves as desired between the top and bottom shelf.

Note: A qwikSLOT shelf is rated at 300 lbs. (135kg) per shelf. A typical qwikSLOT unit is rated at 800 lbs. (375kg) capacity per unit. For higher unit capacities, an intermediate standard Super Erecta shelf must be installed approximately at mid-height on the unit.

Note: Mobile Applications: All mobile applications require an intermediate standard Super Erecta shelf installed approximately at mid-height on the unit.

qwikSLOT™ Posts — 10.11

Clips snap into slots along the height of the post for shelf adjustment at 1" (25mm) intervals. Use for qwikSLOT shelving only.

Stationary

Height† (in.)	Height† (mm)	Approx Pkd. Wt. (lbs.)	Approx Pkd. Wt. (kg)	Cat. No. Super Erecta Brite	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
34½	875	2	0.9	33PQ	33PQBL	33PQW	33PQ-DSG	23.50
54⅞	1385	3	1.4	54PQ	54PQBL	54PQW	54PQ-DSG	26.50
63⅞	1590	3½	1.6	63PQ	63PQBL	63PQW	63PQ-DSG	28.00
74⅞	1895	4	1.8	74PQ	74PQBL	74PQW	74PQ-DSG	30.00
86⅞	2200	5	2.3	86PQ	86PQBL	86PQW	86PQ-DSG	36.50

†Height includes leveling bolt and cap.

Mobile

Height† (in.)	Height† (mm)	Approx Pkd. Wt. (lbs.)	Approx Pkd. Wt. (kg)	Cat. No. Super Erecta Brite	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
33⅞	861	2	0.9	33UPQ	33UPQBL	33UPQW	33UPQ-DSG	23.50
54	1370	3	1.4	54UPQ	54UPQBL	54UPQW	54UPQ-DSG	26.50
62	1575	3½	1.6	63UPQ	63UPQBL	63UPQW	63UPQ-DSG	28.00
74	1880	4	1.8	74UPQ	74UPQBL	74UPQW	74UPQ-DSG	30.00
86	2185	5	2.3	86UPQ	86UPQBL	86UPQW	86UPQ-DSG	36.50

These posts come without leveling bolt assembly to accommodate stem casters.

For Mobile Applications refer to pages 48-49.

For a complete palette of Designer Colors, see page 195.



Super Erecta qwikSLOT™ shelving unit in black epoxy



qwikSLOT post with shelf clip



qwikSLOT Locking Clip

Recommended for mobile applications. Must be used with 9985QS shelf clips. (Package of 4)
Cat. No. **9985QSL**
List Price 10.50/pkg.



Replacement qwikSLOT Shelf Clips

(Package of 4)
Cat. No. **9985QS**
List Price 8.50/pkg.



Drop Mat Shelving Unit

qwikSLOT™ Drop Mat™ and Drop Mat™ Super Erecta® Display Shelving — 10.12

- Built-in shelf ledge, approximately 1" (25mm) high, provides security, preventing contents from falling off shelf.
- Each shelf holds up to 250 pounds (113kg). Available in Super Erecta and qwikSLOT styles.

qwikSLOT™ Drop Mat Shelves — 10.11

Drop Mat shelving can increase storage capacity by as much as 30%. Each shelf holds up to 250 pounds (113kg). qwikSLOT style promotes ease of adjustment and removal. Each qwikSLOT unit requires the use of a Super Erecta or Drop Mat Super Erecta shelf at top and bottom. Use with qwikSLOT posts.

Width/ Length (in.)	Approx. Pkd. Wt. (lbs.)	Cat. No. Super Erecta Brite	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
14x36	7.25	HDM1436QBR	62.50	HDM1436QC	69.50	HDM1436QBL	HDM1436QW	HDM1436Q-DSG	68.50
14x48	9.75	HDM1448QBR	70.50	HDM1448QC	79.00	HDM1448QBL	HDM1448QW	HDM1448Q-DSG	78.00
18x36	8.5	HDM1836QBR	69.50	HDM1836QC	72.50	HDM1836QBL	HDM1836QW	HDM1836Q-DSG	71.50
18x48	11.25	HDM1848QBR	80.50	HDM1848QC	86.50	HDM1848QBL	HDM1848QW	HDM1848Q-DSG	85.50
21x36	10.75	HDM2136QBR	77.00	HDM2136QC	85.00	HDM2136QBL	HDM2136QW	HDM2136Q-DSG	84.00
21x48	13.25	HDM2148QBR	88.00	HDM2148QC	97.00	HDM2148QBL	HDM2148QW	HDM2148Q-DSG	96.00
24x36	12.25	HDM2436QBR	81.50	HDM2436QC	90.50	HDM2436QBL	HDM2436QW	HDM2436Q-DSG	89.50
24x48	15.25	HDM2448QBR	96.50	HDM2448QC	105.00	HDM2448QBL	HDM2448QW	HDM2448Q-DSG	104.00

Drop Mat™ Super Erecta® Display Shelving — Use with qwikSLOT or Super Erecta posts

Width/Length (in.) (mm)		Approx. Pkd. Wt. (lbs.) (kg)		Cat. No. Super Erecta Brite	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
14x36	355x914	7.25	3.2	HDM1436BR	55.50	HDM1436NC	62.50	HDM1436BL	HDM1436W	HDM1436-DSG	61.50
14x48	355x1219	9.75	4.3	HDM1448BR	63.50	HDM1448NC	72.00	HDM1448BL	HDM1448W	HDM1448-DSG	71.00
18x36	457x914	8.5	3.8	HDM1836BR	62.50	HDM1836NC	65.50	HDM1836BL	HDM1836W	HDM1836-DSG	64.50
18x48	457x1219	11.25	5.0	HDM1848BR	73.50	HDM1848NC	79.00	HDM1848BL	HDM1848W	HDM1848-DSG	78.00
21x36	530x914	10.75	4.8	HDM2136BR	70.00	HDM2136NC	78.00	HDM2136BL	HDM2136W	HDM2136-DSG	77.00
21x48	530x1219	13.25	5.9	HDM2148BR	80.50	HDM2148NC	90.00	HDM2148BL	HDM2148W	HDM2148-DSG	89.00
24x24	610x614	8.5	3.8	HDM2424BR	72.50	HDM2424NC	80.50	HDM2424BL	HDM2424W	HDM2424-DSG	79.00
24x36	610x914	12.25	5.5	HDM2436BR	74.50	HDM2436NC	83.50	HDM2436BL	HDM2436W	HDM2436-DSG	82.50
24x48	610x1219	15.25	6.8	HDM2448BR	89.50	HDM2448NC	98.00	HDM2448BL	HDM2448W	HDM2448-DSG	97.00

For a complete palette of Designer Colors, see page 195.

qwikSLOT™ Posts — 10.11

Clips snap into slots along the height of the post for shelf adjustment at 1" (25mm) intervals. Use for qwikSLOT shelving only.

				STATIONARY					MOBILE				
Height† (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each
34½	875	2	0.9	33PQ	33PQBL	33PQW	33PQ-DSG	23.50	33UPQ	33UPQBL	33UPQW	33UPQ-DSG	23.50
54¾ ¹⁶	1385	3	1.4	54PQ	54PQBL	54PQW	54PQ-DSG	26.50	54UPQ	54UPQBL	54UPQW	54UPQ-DSG	26.50
63¾ ¹⁶	1590	3½	1.6	63PQ	63PQBL	63PQW	63PQ-DSG	28.00	63UPQ	63UPQBL	63UPQW	63UPQ-DSG	28.00
74¾ ⁸	1895	4	1.8	74PQ	74PQBL	74PQW	74PQ-DSG	30.00	74UPQ	74UPQBL	74UPQW	74UPQ-DSG	30.00
86¾ ⁸	2200	5	2.3	86PQ	86PQBL	86PQW	86PQ-DSG	36.50	86UPQ	86UPQBL	86UPQW	86UPQ-DSG	36.50

†Height includes leveling bolt and cap.

Super Erecta SiteSelect™ Posts — 10.01a

				STATIONARY				MOBILE			
Height* (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Chrome	List Price Each	Cat. No. Black	List Price Each	Cat. No. Chrome	List Price Each	Cat. No. Black	List Price Each
7½	191	½	0.3	7P	13.00	7PBL	12.50	—	—	—	—
14½	370	1	0.5	13P	15.00	13PBL	14.50	—	—	—	—
27½	699	1¾	0.75	27P	18.00	27PBL	17.50	27UP	18.00	27UPBL	17.50
34½	875	2	0.9	33P	19.00	33PBL	18.50	33UP	19.00	33UPBL	18.50
54¾	1385	3	1.4	54P	22.00	54PBL	21.50	54UP	22.00	54UPBL	21.50
62¾	1590	3½	1.6	63P	23.50	63PBL	23.00	63UP	23.50	63UPBL	23.00
74¾	1895	4	1.8	74P	25.50	74PBL	25.00	74UP	25.50	74UPBL	25.00
86¾	2200	5	2.3	86P	32.00	86PBL	31.50	86UP	32.00	86UPBL	31.50
96¾	2454	5½	2.5	***96P	36.50	—	—	—	—	—	—

Mobile posts come without leveling bolt assembly to accommodate stem casters.

*Height includes leveling bolt and cap.

***96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.

†Note: Special length posts are available, priced at next higher length plus a cutting charge of \$6.00. Post lengths to be specified as cut to a round number, ie: 74P cut to 69" (1753mm) ... This will result in an overall post height with adjustment of 69¾" (1762mm) to 69½" (1775mm).



Snap-On Divider

Snap-On Dividers for Drop Mat Shelves — 10.04

Organize your shelves with these 8" (203mm) high, easy to snap-in-place dividers.

Fits Shelf Width (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. Plated	Cat. No. Black	Cat. No. White	Cat. No. Smoked Glass	List Price Each	Cat. No. Designer Colors*	List Price Each
18	457	2.5	1.1	HD18C	HD18B	HD18W	HD18-DSG	22.00	HD18-D	24.00
24	614	3.5	1.6	HD24C	HD24B	HD24W	HD24-DSG	29.00	HD24-D	33.00

*Refer to page 195 for information about Designer Colors.

Designer Color Shelving (Super Erecta, Super Erecta Drop Mat, qwikSLOT, qwikSLOT Drop Mat) — 10.14

Available in a wide spectrum of colors that complement any décor or retail theme.

Width/Length (in.)	Width/Length (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Super Erecta*	List Price Each	Cat. No. qwikSLOT*	List Price Each	Cat. No. Super Erecta Drop Mat*	List Price Each	Cat. No. qwikSLOT Drop Mat*	List Price Each
14x24	355x610	6	2.7	1424N-D	62.50						
14x30	355x760	7	3.2	1430N-D	64.50						
14x36	355x914	8	3.6	1436N-D	64.50	1436Q-D	71.00	HDM1436-D	66.50	HDM1436Q-D	73.50
14x42	355x1066	9½	4.3	1442N-D	74.00						
14x48	355x1219	10½	4.7	1448N-D	74.00	1448Q-D	80.50	HDM1448-D	76.00	HDM1448Q-D	83.50
14x60	355x1524	14	6.3	1460N-D	85.50						
14x72	355x1825	17	7.7	1472N-D	97.00						
18x18	457x457	6	2.7	1818N-D	66.00						
18x24	457x610	7	3.2	1824N-D	66.00						
18x30	457x760	8	3.6	1830N-D	67.50						
18x36	457x914	9½	4.3	1836N-D	67.50	1836Q-D	74.00	HDM1836-D	69.50	HDM1836Q-D	76.50
18x42	457x1066	11	5.0	1842N-D	81.50						
18x48	457x1219	12	5.4	1848N-D	81.50	1848Q-D	88.00	HDM1848-D	83.50	HDM1848Q-D	90.50
18x54	457x1370	14½	6.6	1854N-D	94.00						
18x60	457x1524	17	7.7	1860N-D	94.00						
18x72	457x1825	20	9.1	1872N-D	112.50						
21x24	530x610	8	3.6	2124N-D	77.00						
21x30	530x760	9	4.1	2130N-D	80.00						
21x36	530x914	11	5.0	2136N-D	80.00	2136Q-D	86.50	HDM2136-D	82.50	HDM2136Q-D	89.00
21x42	530x1066	12	5.4	2142N-D	92.00						
21x48	530x1219	14	6.4	2148N-D	92.00	2148Q-D	98.50	HDM2148-D	94.00	HDM2148Q-D	101.00
21x54	530x1370	16	7.3	2154N-D	107.50						
21x60	530x1524	18	8.2	2160N-D	107.50						
21x72	530x1825	24	10.9	2172N-D	127.50						
24x24	610x610	9	4.1	2424N-D	82.50						
24x30	610x760	11	5.0	2430N-D	85.50						
24x36	610x914	13	5.9	2436N-D	85.50	2436Q-D	92.00	HDM2436-D	87.50	HDM2436Q-D	94.50
24x42	610x1066	15	6.8	2442N-D	100.00						
24x48	610x1219	16	7.3	2448N-D	100.00	2448Q-D	106.50	HDM2448-D	102.00	HDM2448Q-D	109.00
24x54	610x1370	18	8.6	2454N-D	117.50						
24x60	610x1524	21	9.5	2460N-D	117.50						
24x72	610x1825	26	11.8	2472N-D	139.50						

Note: All designer Super Erecta shelves come with black split sleeves. Designer Super Adjustable Super Erecta shelves come with black wedges and connectors.

Note: Shelving is not cart washable, but can be wiped down with a mild detergent.

Note: The actual length of the shelves is 1/8" (3.2mm) shorter than the nominal dimension shown.

Packaging: Shelves and posts are carton packed, but sold separately.

Designer Shelf Colors

*To order a Designer Color, add the appropriate color suffix to the desired catalog numbers above (example: 18"x36" [457x914mm] Hunter Green Shelf = 1836N-DHG).

BM — Black Matte SH — Silver Hammertone HG — Hunter Green
F — Flame CH — Copper Hammertone




Black Matte
(BM)



Flame (F)



Hunter Green
(HG)



Copper
Hammertone
(CH)



Silver
Hammertone
(SH)

For standard finishes:
Chrome, Black, White,
Smoked Glass, please refer
to pages 37, 42 and 193.
For accessories in Designer
Colors, see pages 53 and 58.

Posts

Round posts have a 1" (25mm) diameter. Shelves can be adjusted at 1" (25mm) increments for maximum adaptability to your changing retail needs.

		Super Erecta Shelving			Super Adjustable Super Erecta			qwikSLOT			
Height† (in.)	Height (mm)	Approx. Pkd. Wt. (lbs.)	Approx. Pkd. Wt. (kg)	Cat. No. Stationary*	Cat. No. Mobile*	List Price Each		Cat. No. Stationary*	Cat. No. Mobile*	List Price Each	
7½	191	½	0.3	7P-D		15.50					
14½	370	1	0.5	13P-D		17.50					
34½	875	2	0.9	33P-D	33UP-D	21.50		33PQ-D	33UPQ-D	26.00	
54¾/16	1385	3	1.4	54P-D	54UP-D	24.50		54PQ-D	54UPQ-D	29.50	
62¾/16	1590	3½	1.6	63P-D	63UP-D	26.00		63PQ-D	63UPQ-D	31.00	
74¾/8	1895	4	1.8	74P-D	74UP-D	28.00		74PQ-D	74UPQ-D	33.00	
86¾/8	2200	5	2.3	86P-D	86UP-D	34.50		86PQ-D	86UPQ-D	39.50	

†Height includes leveling bolt and cap.



NEW
APPEAL™
DISPLAY
SHELVING

The look that sells is also the look that moves. Appeal's curved front moves product right off the shelf and moves customers to make purchase decisions.

Stay ahead of the curve with the innovative, fully adjustable line of Metro retail shelving solutions. And take advantage of the look that sells, and sells, and sells.

PATENT PENDING

APPEAL Display Shelving

Perfect for end caps or create your own Store-Within-A-Store.

- **Curve APPEAL:** The shelf's attractive, curved front edge draws customers' attention to the products displayed. The open wire design promotes light penetration and visibility of displayed items.
- **Increase Facings:** The curved front design increases shelf storage area by 12% versus a traditional rectangular shelf.
- **Versatile:** Metro APPEAL™ shelving can be combined with Metro's Super Erecta, qwikSLOT™, or Drop Mat Display shelving systems to create a proprietary display for your store.
- **Fast, Secure Assembly:** SiteSelect™ posts, with Triple-groove visual guide feature, have circular grooves at 1" (25mm) intervals and are numbered at 2" (50 mm) intervals. A patented, tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves and provide a positive lock. Shelving is assembled in minutes without the use of any special tools.
- **Adjustability:** Shelves can be adjusted at 1" (25 mm) intervals along the length of the post.
- **Finishes:** Metro's APPEAL™ shelving is available in a chrome-plated finish or black epoxy coating.

Shelves

Width/Length (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	Cat. No. APPEAL Shelving Chrome	List Price Each	Cat. No. APPEAL Shelving Black	List Price Each
18x36	457x914	9	4.1	1836RC	125.00	1836RBL	124.00
18x48	457x1219	12	5.4	1848RC	142.50	1848RBL	141.50

SiteSelect™ Posts — 10.01a

Height* (in.)	(mm)	Approx. Pkd. Wt. (lbs.)	(kg)	STATIONARY			MOBILE		
				Cat. No. Chrome	List Price Each	Cat. No. Black	List Price Each	Cat. No. Chrome	List Price Each
7½	191	½	0.3	7P	13.00	7PBL	12.50	—	—
14½	370	1	0.5	13P	15.00	13PBL	14.50	—	—
27½	699	1¾	0.75	27P	18.00	27PBL	17.50	27UP	18.00
34½	875	2	0.9	33P	19.00	33PBL	18.50	33UP	19.00
54¾	1385	3	1.4	54P	22.00	54PBL	21.50	54UP	22.00
62¾	1590	3½	1.6	63P	23.50	63PBL	23.00	63UP	23.50
74¾	1895	4	1.8	74P	25.50	74PBL	25.00	74UP	25.50
86¾	2200	5	2.3	86P	32.00	86PBL	31.50	86UP	32.00
96¾	2454	5½	2.5	***96P	36.50	—	—	—	—

*Height includes leveling bolt and cap.

***96P should not be used on units less than 24" (610mm) deep. Consult Metro Engineering for alternate recommendations.


†Note: Special length posts are available, priced at next higher length plus a cutting charge of \$6.00. Post lengths to be specified as cut to a round number, ie: 74P cut to 69" (1753mm) . . . This will result in an overall post height with adjustment of 69¾" (1762mm) to 69½" (1775mm).

Mobile posts come without leveling bolt assembly to accommodate stem casters.



APPEAL™ Display Shelving

SUPER ERECTA® SHELVING
WITH AN ACCENTED CURVED
FRONT. PERFECT FOR END
CAP DISPLAYS OR TO CREATE
A STORE-WITHIN-A-STORE
DISPLAY!



**12%
MORE**
Holding Power
gets you
More SKU's,
More Facing,
More Sales & Profits!

ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
1224C	2J	26	43.00	67
1224CSNBL	2D	20	56.00	45
1224CSNC	2B	18	57.00	45
1224CSN-D	2D	20	61.00	45
1224CSN-DSG	2D	20	56.00	45
1224CSNNW	2D	20	56.00	45
1230C	2J	26	51.00	67
1230CSNBL	2D	20	58.50	45
1230CSNC	2B	18	59.50	45
1230CSN-D	2D	20	63.50	45
1230CSN-DSG	2D	20	58.50	45
1230CSNNW	2D	20	58.50	45
1236C	2J	26	56.50	67
1236CSNBL	2D	20	61.00	45
1236CSNC	2B	18	62.00	45
1236CSN-D	2D	20	66.00	45
1236CSN-DSG	2D	20	61.00	45
1236CSNNW	2D	20	61.00	45
1242C	2J	26	66.00	67
1242CSNBL	2D	20	69.00	45
1242CSNC	2B	18	70.00	45
1242CSN-D	2D	20	74.00	45
1242CSN-DSG	2D	20	69.00	45
1242CSNNW	2D	20	69.00	45
1248C	2J	26	71.00	67
1248CSNBL	2D	20	71.00	45
1248CSNC	2B	18	72.00	45
1248CSN-D	2D	20	76.00	45
1248CSN-DSG	2D	20	71.00	45
1248CSNNW	2D	20	71.00	45
1252C	2J	26	57.50	67
1254CHC	2F	22	111.00	69, 170
1254CHS	2F	22	260.50	69, 170
1260C	2J	26	92.00	67
1260CHC	2F	22	111.00	69, 170
1260CHS	2F	22	260.50	69, 170
1260CSNBL	2D	20	82.50	45
1260CSNC	2B	18	83.50	45
1260CSN-D	2D	20	87.50	45
1260CSN-DSG	2D	20	82.50	45
1260CSNNW	2D	20	82.50	45
1262C	2J	26	63.50	67
1272C	2J	26	68.00	67
1287C	2J	26	72.00	67
12WB1C	2J	26	31.50	78
12WB3C	2J	26	51.00	78
12WB5C	2J	26	69.50	78
12WS12C	2J	26	115.50	78
12WS32C	2J	26	140.50	78
12WS32C-SR	2J	26	140.50	78
12WS52C	2J	26	164.00	78
13P	2B	18	15.00	37, 42, 64
13PBL	2D	20	14.50	43
13P-D	2D	20	17.50	195
13PDF	2B	18	36.00	80
13PDFK3	2A	17	43.00	80
13PDFS	2C	19	68.50	80
13P-DSG	2D	20	14.50	80
13PK3	2A	17	17.00	35, 37, 42
13PS	2C	19	32.00	35, 37, 42, 64
13PW	2D	20	14.50	43
13UP	2B	18	15.00	37, 64
13UPBL	2D	20	14.50	43
13UPK3	2A	17	17.00	35, 37, 42
13UPS	2C	19	32.00	35, 37, 42, 64
13UPW	2D	20	14.50	43
1424BR	2B	18	49.50	42
1424FG	2K	27	82.50	65
1424FS	2K	27	207.00	65
1424LG	2K	27	94.50	65
1424LS	2K	27	219.00	65
1424NBL	2D	20	57.50	43
1424NC	2B	18	58.50	42
1424N-D	2D	20	62.50	43, 195
1424N-DSG	2D	20	57.50	43
1424NFS	2K	27	238.00	65
1424NK3	2A	17	66.50	42
1424NS	2C	19	183.50	42
1424NW	2D	20	57.50	43

Part Number	Sales Class	AQ Cat	List Price	Page #
1430BR	2B	18	53.50	42
1430FG	2K	27	88.50	65
1430FS	2K	27	211.50	65
1430LG	2K	27	100.50	65
1430LS	2K	27	223.50	65
1430NBL	2D	20	59.50	43
1430NC	2B	18	60.50	42
1430N-D	2D	20	64.50	43, 195
1430N-DSG	2D	20	59.50	43
1430NFS	2K	27	244.50	65
1430NK3	2A	17	69.00	42
1430NS	2C	19	190.00	42
1430NW	2D	20	59.50	43
1436BR	2B	18	53.50	42
1436BWI	2E	21	33.50	56
1436CI-4	2E	21	68.50	56
1436FG	2K	27	88.50	65
1436FS	2K	27	211.50	65
1436LG	2K	27	100.50	65
1436LS	2K	27	223.50	65
1436NBL	2D	20	59.50	43
1436NC	2B	18	60.50	42, 191
1436N-D	2D	20	64.50	43, 195
1436N-DSG	2D	20	59.50	43
1436NFS	2K	27	244.50	65
1436NK3	2A	17	69.00	42
1436NS	2C	19	190.00	42
1436NW	2D	20	59.50	43
1436QBL	2H	24	66.00	193
1436QBR	2H	24	60.00	193
1436QC	2H	24	67.00	193
1436Q-D	2H	24	71.00	195
1436Q-DSG	2H	24	66.00	193
1436QW	2H	24	66.00	193
1442BR	2B	18	61.50	42
1442FG	2K	27	97.50	65
1442FS	2K	27	258.00	65
1442LG	2K	27	109.50	65
1442LS	2K	27	270.00	65
1442NBL	2D	20	69.00	43
1442NC	2B	18	70.00	42
1442N-D	2D	20	74.00	43, 195
1442N-DSG	2D	20	69.00	43
1442NFS	2K	27	296.00	65
1442NK3	2A	17	81.50	42
1442NS	2C	19	234.00	42
1442NW	2D	20	69.00	43
1448BR	2B	18	61.50	42
1448BWI	2E	21	36.00	56
1448CI-4	2E	21	80.00	56
1448FG	2K	27	97.50	65
1448FS	2K	27	258.00	65
1448LG	2K	27	109.50	65
1448LS	2K	27	270.00	65
1448NBL	2D	20	69.00	43
1448NC	2B	18	70.00	42, 191
1448N-D	2D	20	74.00	43, 195
1448N-DSG	2D	20	69.00	43
1448NFS	2K	27	296.00	65
1448NK3	2A	17	81.50	42
1448NS	2C	19	234.00	42
1448NW	2D	20	69.00	43
1448QBL	2H	24	75.50	193
1448QBR	2H	24	68.00	193
1448QC	2H	24	76.50	193
1448Q-D	2H	24	80.50	195
1448Q-DSG	2H	24	75.50	193
1448QW	2H	24	75.50	193
1460BR	2B	18	72.50	42
1460CI-4	2E	21	95.00	56
1460FG	2K	27	106.50	65
1460FS	2K	27	307.00	65
1460LG	2K	27	118.50	65
1460LS	2K	27	319.00	65
1460NBL	2D	20	80.50	43
1460NC	2B	18	81.50	42
1460N-D	2D	20	85.50	43, 195
1460N-DSG	2D	20	80.50	43
1460NFS	2K	27	354.00	65

Part Number	Sales Class	AQ Cat	List Price	Page #
1460NK3	2A	17	92.00	42
1460NS	2C	19	295.50	42
1460NW	2D	20	80.50	43
1472BR	2B	18	85.00	42
1472NBL	2D	20	92.00	43
1472NC	2B	18	93.00	42
1472N-D	2D	20	97.00	195
1472N-DSG	2D	20	92.00	43
1472NK3	2A	17	105.50	43
1472NS	2C	19	332.50	42
1472NW	2D	20	92.00	43
155NC	2B	18	82.00	57
155NK3	2A	17	98.50	57
1818BWI	2E	21	30.50	56
1818NBL	2D	20	61.00	43
1818NC	2B	18	62.00	42
1818N-D	2D	20	66.00	43, 195
1818N-DSG	2D	20	61.00	43
1818NW	2D	20	61.00	43
1824BR	2B	18	59.00	42
1824BWI	2E	21	33.50	56
1824C	2J	26	54.00	67
1824DNC	2G	23	95.00	184, 192
1824DRC	2L	28	157.00	45
1824DRK3	2L	28	187.00	34, 45
1824FG	2K	27	88.50	65
1824FS	2K	27	235.00	65
1824LG	2K	27	100.50	65
1824LS	2K	27	247.00	65
1824NBL	2D	20	61.00	43
1824NC	2B	18	62.00	42
1824N-D	2D	20	66.00	43, 195
1824N-DSG	2D	20	61.00	43
1824NFS	2K	27	270.50	65
1824NK3	2A	17	74.50	42
1824NS	2C	19	231.50	42
1824NW	2D	20	61.00	43
1830BR	2B	18	60.50	42
1830C	2J	26	66.00	67
1830DRC	2L	28	171.50	45
1830DRK3	2L	28	204.50	34, 45
1830FG	2K	27	94.50	65
1830FS	2K	27	240.50	65
1830LG	2K	27	106.50	65
1830LS	2K	27	252.50	65
1830NBL	2D	20	62.50	43
1830NC	2B	18	63.50	42
1830N-D	2D	20	67.50	43, 195
1830N-DSG	2D	20	62.50	43
1830NFS	2K	27	277.00	65
1830NK3	2A	17	78.50	42
1830NS	2C	19	234.00	42
1830NW	2D	20	62.50	43
1836BR	2B	18	60.50	42
1836BWI	2E	21	36.00	56
1836C	2J	26	73.50	67
1836CI-4	2E	21	70.00	56
1836DNC	2G	23	110.00	184, 192
1836DRC	2L	28	171.50	45
1836DRK3	2L	28	204.50	34, 45
1836DRS	2L	28	499.50	45
1836FG	2K	27	94.50	65
1836FS	2K	27	240.50	65
1836HFG	2F	22	169.50	68
1836HFS	2F	22	382.50	68
1836HLS	2F	22	405.50	68
1836LG	2K	27	106.50	65
1836LS	2K	27	252.50	65
1836NBL	2D	20	62.50	43
1836NC	2B	18	63.50	42
1836N-D	2D	20	67.50	43, 195
1836N-DSG	2D	20	62.50	43
1836NF	2D	20	67.50	#N/A
1836NFS	2K	27	277.00	65
1836NK3	2A	17	78.50	42
1836NS	2C	19	234.00	42
1836NW	2D	20	62.50	43
1836QBL	2H	24	69.00	193
1836QBR	2H	24	67.00	102, 193



ALPHA - NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
1836QC	2H	24	70.00	193
1836Q-D	2H	24	74.00	195
1836Q-DSG	2H	24	69.00	193
1836QW	2H	24	69.00	193
1836RBL	2E	21	124.00	197
1836RC	2E	21	125.00	197
1842BR	2B	18	71.50	42
1842C	2J	26	83.50	67
1842FG	2K	27	106.50	65
1842FS	2K	27	294.00	65
1842HFG	2F	22	192.50	68
1842HFS	2F	22	466.50	68
1842HLS	2F	22	480.00	68
1842LG	2K	27	118.50	65
1842LS	2K	27	306.00	65
1842NBL	2D	20	76.50	43
1842NC	2B	18	77.50	42
1842N-D	2D	20	81.50	43, 195
1842N-DSG	2D	20	76.50	43
1842NF	2D	20	81.50	#N/A
1842NFS	2K	27	337.50	65
1842NK3	2A	17	94.00	42
1842NS	2C	19	277.50	42
1842NW	2D	20	76.50	43
1848BR	2B	18	71.50	42
1848BWI	2E	21	37.00	42
1848C	2J	26	92.50	67
1848CI-4	2E	21	84.00	56
1848DNC	2G	23	121.00	184192
1848DRC	2L	28	198.00	45
1848DRK3	2L	28	238.50	34, 45
1848DRS	2L	28	608.00	45
1848FG	2K	27	106.50	65
1848FS	2K	27	294.00	65
1848HDRC	2L	28	406.50	69
1848HDRK3	2L	28	484.00	34, 69
1848HDRS	2L	28	910.00	69
1848HFG	2F	22	192.50	68
1848HFS	2F	22	466.50	68
1848HLS	2F	22	480.00	68
1848LG	2K	27	118.50	65
1848LS	2K	27	306.00	65
1848NBL	2D	20	76.50	43
1848NC	2B	18	77.50	42
1848N-D	2D	20	81.50	43, 195
1848N-DSG	2D	20	76.50	43
1848NF	2D	20	81.50	
1848NFS	2K	27	337.50	65
1848NK3	2A	17	94.00	42
1848NS	2C	19	277.50	42
1848NW	2D	20	76.50	43
1848QBL	2H	24	83.00	193
1848QBR	2H	24	78.00	102, 193
1848QC	2H	24	84.00	193
1848Q-D	2H	24	88.00	195
1848Q-DSG	2H	24	83.00	193
1848QW	2H	24	83.00	193
1848RBL	2E	21	141.50	197
1848RC	2E	21	142.50	197
1852C	2J	26	69.50	67
1854BR	2B	18	85.00	68
1854HFG	2F	22	223.00	68
1854HFS	2F	22	558.00	68
1854HLS	2F	22	577.00	68
1854NBL	2D	20	89.00	43
1854NC	2B	18	90.00	42
1854N-D	2D	20	94.00	43, 195
1854N-DSG	2D	20	89.00	43
1854NK3	2A	17	111.50	43
1854NS	2C	19	352.50	43
1854NW	2D	20	89.00	43
1860BR	2B	18	85.00	42
1860C	2J	26	117.00	67
1860CI-4	2E	21	97.50	56
1860DRC	2L	28	228.50	45
1860DRK3	2L	28	270.00	34, 45
1860DRS	2L	28	714.00	45
1860FG	2K	27	120.00	65
1860FS	2K	27	358.00	65

Part Number	Sales Class	AQ Cat	List Price	Page #
1860HDRC	2L	28	484.50	69
1860HDRK3	2L	28	577.00	69
1860HDRS	2L	28	1,068.50	69
1860HFG	2F	22	223.00	68
1860HFS	2F	22	558.00	68
1860HLS	2F	22	577.00	68
1860LG	2K	27	132.00	65
1860LS	2K	27	370.00	65
1860NBL	2D	20	89.00	43
1860NC	2B	18	90.00	43
1860N-D	2D	20	94.00	43, 195
1860N-DSG	2D	20	89.00	43
1860NFS	2K	27	411.50	65
1860NK3	2A	17	111.50	42
1860NS	2C	19	352.50	42
1860NW	2D	20	89.00	43
1860QBR	2H	24	91.50	193
1862C	2J	26	74.50	67
1872BR	2B	18	99.00	42
1872C	2J	26	77.00	67
1872NBL	2D	20	107.50	43
1872NC	2B	18	108.50	42
1872N-D	2D	20	112.50	195
1872N-DSG	2D	20	107.50	43
1872NK3	2A	17	127.50	42
1872NS	2C	19	420.00	42
1872NW	2D	20	107.50	43
1887C	2J	26	83.00	67
18NC	2E	21	15.00	197
18RS	5A	80	35.00	197
18WB1C	2J	26	36.00	78
18WB3C	2J	26	56.50	78
18WB5C	2J	26	75.50	78
18X36X54C	5C	82	217.00	61
18X36X54CMB	5C	82	217.00	61
18X36X54UC	5C	82	128.50	61
18X36X54UCMB	5C	82	128.50	61
18X36X54VC	5C	82	225.00	61
18X36X54VCMB	5C	82	225.00	61
18X36X54VUC	5C	82	138.00	61
18X36X54VUCMB	5C	82	138.00	61
18X36X62C	5C	82	223.00	61
18X36X62CMB	5C	82	223.00	61
18X36X62UC	5C	82	134.00	61
18X36X62UCMB	5C	82	134.00	61
18X36X62VC	5C	82	233.00	61
18X36X62VCMB	5C	82	233.00	61
18X36X62VUC	5C	82	143.50	61
18X36X62VUCMB	5C	82	143.50	61
18X48X54C	5C	82	225.00	61
18X48X54CMB	5C	82	225.00	61
18X48X54UC	5C	82	141.50	61
18X48X54UCMB	5C	82	141.50	61
18X48X54VC	5C	82	238.00	61
18X48X54VCMB	5C	82	238.00	61
18X48X54VUC	5C	82	149.50	61
18X48X54VUCMB	5C	82	149.50	61
18X48X62C	5C	82	232.00	61
18X48X62CMB	5C	82	232.00	61
18X48X62UC	5C	82	142.50	61
18X48X62UCMB	5C	82	142.50	61
18X48X62VC	5C	82	241.50	61
18X48X62VCMB	5C	82	241.50	61
18X48X62VUC	5C	82	152.50	61
18X48X62VUCMB	5C	82	152.50	61
18X60X54C	5C	82	243.50	61
18X60X54CMB	5C	82	243.50	61
18X60X54UC	5C	82	146.00	61
18X60X54UCMB	5C	82	146.00	61
18X60X54VC	5C	82	252.00	61
18X60X54VCMB	5C	82	252.00	61
18X60X54VUC	5C	82	155.00	61
18X60X54VUCMB	5C	82	155.00	61
18X60X62C	5C	82	248.00	61
18X60X62CMB	5C	82	248.00	61
18X60X62UC	5C	82	147.00	61
18X60X62UCMB	5C	82	147.00	61
18X60X62VC	5C	82	258.50	61
18X60X62VCMB	5C	82	258.50	61

Part Number	Sales Class	AQ Cat	List Price	Page #
18X60X62VUC	5C	82	156.00	61
18X60X62VUCMB	5C	82	156.00	61
1WD14C	2B	18	38.50	80
1WD14K3	2A	17	44.50	80
1WD14S	2C	19	83.00	80
1WD18C	2B	18	39.50	80
1WD18K3	2A	17	45.50	80
1WD18S	2C	19	87.00	78, 80
1WD21C	2B	18	39.50	80
1WD21K3	2A	17	47.50	80
1WD21S	2C	19	90.50	80
1WD24C	2B	18	41.00	80
1WD24K3	2A	17	48.50	80
1WD24S	2C	19	95.00	78, 80
1WS14C	2B	18	36.50	80
1WS14K3	2A	17	43.50	80
1WS14S	2C	19	78.50	80
1WS18C	2B	18	38.50	80
1WS18K3	2A	17	45.00	80
1WS18S	2C	19	84.00	80
1WS21C	2B	18	38.50	80
1WS21S	2C	19	86.00	80
1WS24C	2B	18	39.50	80
1WS24K3	2A	17	48.50	80
1WS24S	2C	19	90.50	80
20SNC	2B	18	85.00	57
20SNK3	2A	17	103.00	57
2124BR	2B	18	66.00	42
2124FG	2K	27	96.50	65
2124FS	2K	27	268.00	65
2124LG	2K	27	108.50	65
2124LS	2K	27	280.00	65
2124NBL	2D	20	72.00	43
2124NC	2B	18	73.00	42
2124N-D	2D	20	77.00	43, 195
2124N-DSG	2D	20	72.00	43
2124NFS	2K	27	307.50	65
2124NK3	2A	17	85.50	42
2124NS	2C	19	264.50	42
2124NW	2D	20	72.00	43
2130BR	2B	18	68.00	42
2130FG	2K	27	101.00	65
2130FS	2K	27	272.50	65
2130LG	2K	27	113.00	65
2130LS	2K	27	284.50	65
2130NBL	2D	20	75.00	43
2130NC	2B	18	76.00	42
2130N-D	2D	20	80.00	43, 195
2130N-DSG	2D	20	75.00	43
2130NFS	2K	27	314.00	65
2130NK3	2A	17	88.00	42
2130NS	2C	19	268.00	42
2130NW	2D	20	75.00	43
2136BR	2B	18	68.00	42
2136CI-4	2E	21	73.50	56
2136FG	2K	27	101.00	65
2136FS	2K	27	272.50	65
2136LG	2K	27	113.00	65
2136LS	2K	27	284.50	65
2136NBL	2D	20	75.00	43
2136NC	2B	18	76.00	42
2136N-D	2D	20	80.00	43, 195
2136N-DSG	2D	20	75.00	43
2136NFS	2K	27	314.00	65
2136NK3	2A	17	88.00	42
2136NS	2C	19	268.00	42
2136NW	2D	20	75.00	43
2136QBL	2H	24	81.50	193
2136QBR	2H	24	74.50	193
2136QC	2H	24	82.50	193
2136Q-D	2H	24	86.50	195
2136Q-DSG	2H	24	81.50	193
2136QW	2H	24	81.50	193
2142BR	2B	18	79.00	42
2142FG	2K	27	118.00	65
2142FS	2K	27	333.00	65
2142LG	2K	27	130.00	65
2142LS	2K	27	345.00	65
2142NBL	2D	20	87.00	43

ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
2142NC	2B	18	88.00	42
2142N-D	2D	20	92.00	43, 195
2142N-DSG	2D	20	87.00	43
2142NFS	2K	27	383.50	65
2142NK3	2A	17	103.50	42
2142NS	2C	19	309.00	42
2142NW	2D	20	87.00	43
2148BR	2B	18	79.00	42
2148CI-4	2E	21	86.50	56
2148FG	2K	27	118.00	65
2148FS	2K	27	333.00	65
2148LG	2K	27	130.00	65
2148LS	2K	27	345.00	65
2148NBL	2D	20	87.00	43
2148NC	2B	18	88.00	42
2148N-D	2D	20	92.00	43, 195
2148N-DSG	2D	20	87.00	43
2148NFS	2K	27	383.50	65
2148NK3	2A	17	103.50	42
2148NS	2C	19	309.00	42
2148NW	2D	20	87.00	43
2148OBL	2H	24	93.50	193
2148OBR	2H	24	85.50	193
2148OC	2H	24	94.50	193
2148O-D	2H	24	98.50	195
2148O-DSG	2H	24	93.50	193
2148OW	2H	24	93.50	193
2154BR	2B	18	95.00	42
2154NBL	2D	20	102.50	43
2154NC	2B	18	103.50	42
2154N-D	2D	20	107.50	43, 195
2154N-DSG	2D	20	102.50	43
2154NK3	2A	17	121.00	42
2154NS	2C	19	411.00	42
2154NW	2D	20	102.50	43
2160BR	2B	18	95.00	42
2160CI-4	2E	21	100.00	56
2160FG	2K	27	135.00	65
2160FS	2K	27	416.50	65
2160LG	2K	27	147.00	65
2160LS	2K	27	428.50	65
2160NBL	2D	20	102.50	43
2160NC	2B	18	103.50	42
2160N-D	2D	20	107.50	43, 195
2160N-DSG	2D	20	102.50	43
2160NFS	2K	27	479.00	65
2160NK3	2A	17	121.00	42
2160NS	2C	19	411.00	42
2160NW	2D	20	102.50	43
2160OBR	2H	24	101.50	193
2172BR	2B	18	115.00	42
2172NBL	2D	20	122.50	43
2172NC	2B	18	123.50	42
2172N-D	2D	20	127.50	43, 195
2172N-DSG	2D	20	122.50	43
2172NK3	2A	17	147.50	42
2172NS	2C	19	487.00	42
2172NW	2D	20	122.50	43
21X48X54C	5C	82	250.50	61
21X48X54CMB	5C	82	250.50	61
21X48X54UC	5C	82	164.00	61
21X48X54UCMB	5C	82	164.00	61
21X48X54VC	5C	82	261.50	61
21X48X54VCMB	5C	82	261.50	61
21X48X54VUC	5C	82	173.50	61
21X48X54VUCMB	5C	82	173.50	61
21X48X62C	5C	82	261.50	61
21X48X62CMB	5C	82	261.50	61
21X48X62UC	5C	82	180.50	61
21X48X62UCMB	5C	82	180.50	61
21X48X62VC	5C	82	272.00	61
21X48X62VCMB	5C	82	272.00	61
21X48X62VUC	5C	82	189.00	61
21X48X62VUCMB	5C	82	189.00	61
21X48X74C	5C	82	266.50	61
21X48X74CMB	5C	82	266.50	61
21X48X74UC	5C	82	203.50	61
21X48X74UCMB	5C	82	203.50	61
21X48X74VC	5C	82	274.00	61

Part Number	Sales Class	AQ Cat	List Price	Page #
21X48X74VCMB	5C	82	274.00	61
21X48X74VUC	5C	82	214.00	61
21X48X74VUCMB	5C	82	214.00	61
21X60X54C	5C	82	287.50	61
21X60X54CMB	5C	82	287.50	61
21X60X54UC	5C	82	172.50	61
21X60X54UCMB	5C	82	172.50	61
21X60X54VC	5C	82	294.00	61
21X60X54VCMB	5C	82	294.00	61
21X60X54VUC	5C	82	183.00	61
21X60X54VUCMB	5C	82	183.00	61
21X60X62C	5C	82	292.00	61
21X60X62CMB	5C	82	292.00	61
21X60X62UC	5C	82	189.00	61
21X60X62UCMB	5C	82	189.00	61
21X60X62VC	5C	82	303.50	61
21X60X62VCMB	5C	82	303.50	61
21X60X62VUC	5C	82	197.50	61
21X60X62VUCMB	5C	82	197.50	61
21X60X74C	5C	82	296.50	61
21X60X74CMB	5C	82	296.50	61
21X60X74UC	5C	82	220.00	61
21X60X74UCMB	5C	82	220.00	61
21X60X74VC	5C	82	308.00	61
21X60X74VCMB	5C	82	308.00	61
21X60X74VUC	5C	82	231.00	61
21X60X74VUCMB	5C	82	231.00	61
2424BR	2B	18	70.50	42
2424BWI	2E	21	35.00	56
2424DRC	2L	28	171.50	45
2424DRK3	2L	28	203.50	34, 45
2424FG	2K	27	106.50	65
2424FS	2K	27	288.00	65
2424LG	2K	27	118.50	65
2424LS	2K	27	300.00	65
2424NBL	2D	20	77.50	43
2424NC	2B	18	78.50	42
2424N-D	2D	20	82.50	43, 195
2424N-DSG	2D	20	77.50	43
2424NFS	2K	27	331.50	65
2424NK3	2A	17	93.00	42
2424NS	2C	19	285.50	42
2424NW	2D	20	77.50	43
2430BR	2B	18	72.50	42
2430DRC	2L	28	187.50	45
2430DRK3	2L	28	220.50	34, 45
2430FG	2K	27	112.50	65
2430FS	2K	27	294.50	65
2430LG	2K	27	124.50	65
2430LS	2K	27	306.50	65
2430NBL	2D	20	80.50	43
2430NC	2B	18	81.50	42
2430N-D	2D	20	85.50	43, 195
2430N-DSG	2D	20	80.50	43
2430NFS	2K	27	339.00	65
2430NK3	2A	17	95.00	42
2430NS	2C	19	289.00	42
2430NW	2D	20	80.50	43
2436BR	2B	18	72.50	42
2436BWI	2E	21	39.00	56
2436CI-4	2E	21	75.50	56
2436DRC	2L	28	187.50	45
2436DRK3	2L	28	220.50	34, 45
2436DRS	2L	28	547.50	45
2436FG	2K	27	112.50	65
2436FS	2K	27	294.50	65
2436HFG	2F	22	191.00	68
2436HFS	2F	22	488.50	68
2436HLS	2F	22	506.50	68
2436LG	2K	27	124.50	65
2436LS	2K	27	306.50	65
2436NBL	2D	20	80.50	43
2436NC	2B	18	81.50	42
2436N-D	2D	20	85.50	43, 195
2436N-DSG	2D	20	80.50	43
2436NFS	2K	27	339.00	65
2436NK3	2A	17	95.00	42
2436NS	2C	19	289.00	42
2436NW	2D	20	80.50	43

Part Number	Sales Class	AQ Cat	List Price	Page #
2436QBL	2H	24	87.00	193
2436QBR	2H	24	79.00	102, 193
2436QC	2H	24	88.00	193
2436Q-D	2H	24	92.00	195
2436Q-DBM	2H	24	92.00	193
2436Q-DCH	2H	24	92.00	193
2436Q-DHG	2H	24	92.00	193
2436Q-DSG	2H	24	87.00	193
2436QW	2H	24	87.00	193
2442BR	2B	18	87.50	42
2442FG	2K	27	127.50	65
2442FS	2K	27	354.50	65
2442HFG	2F	22	223.00	68
2442HFS	2F	22	583.50	68
2442HLS	2F	22	595.50	68
2442LG	2K	27	139.50	65
2442LS	2K	27	366.50	65
2442NBL	2D	20	95.00	43
2442NC	2B	18	96.00	42
2442N-D	2D	20	100.00	43, 195
2442N-DSG	2D	20	95.00	43
2442NFS	2K	27	408.00	65
2442NK3	2A	17	116.00	42
2442NS	2C	19	349.50	42
2442NW	2D	20	95.00	43
2448BR	2B	18	87.50	42
2448BWI	2E	21	42.00	56
2448CI-4	2E	21	88.50	56
2448DRC	2L	28	212.50	45
2448DRK3	2L	28	253.50	34, 45
2448DRS	2L	28	658.50	45
2448FG	2K	27	127.50	65
2448FS	2K	27	354.50	65, 182
2448HDRC	2L	28	436.00	69
2448HDRK3	2L	28	519.00	69
2448HDRS	2L	28	989.00	69
2448HFG	2F	22	223.00	68
2448HFS	2F	22	583.50	68
2448HLS	2F	22	595.50	68
2448LG	2K	27	139.50	65
2448LS	2K	27	366.50	65
2448NBL	2D	20	95.00	43
2448NC	2B	18	96.00	42
2448N-D	2D	20	100.00	43, 195
2448N-DSG	2D	20	95.00	43
2448NFS	2K	27	408.00	65
2448NK3	2A	17	116.00	42
2448NS	2C	19	349.50	42
2448NW	2D	20	95.00	43
2448QBL	2H	24	101.50	193
2448QBR	2H	24	94.00	102, 193
2448QC	2H	24	102.50	193
2448Q-D	2H	24	106.50	195
2448Q-DSG	2H	24	101.50	193
2448QW	2H	24	101.50	193
2454BR	2B	18	107.00	42
2454HFG	2F	22	264.00	68
2454HFS	2F	22	698.50	68
2454HLS	2F	22	712.50	68
2454NBL	2D	20	112.50	43
2454NC	2B	18	113.50	42
2454N-D	2D	20	117.50	43, 195
2454N-DSG	2D	20	112.50	43
2454NK3	2A	17	137.50	42
2454NS	2C	19	427.00	42
2454NW	2D	20	112.50	43
2460BR	2B	18	107.00	42
2460CI-4	2E	21	102.00	56
2460DRC	2L	28	252.00	45
2460DRK3	2L	28	297.00	34, 45
2460DRS	2L	28	790.50	45
2460FG	2K	27	143.50	65
2460FS	2K	27	431.50	65
2460HDRC	2L	28	513.00	69
2460HDRK3	2L	28	612.00	69
2460HDRS	2L	28	1,172.00	69
2460HFG	2F	22	264.00	68
2460HFS	2F	22	698.50	68
2460HLS	2F	22	712.50	68



ALPHA - NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
2460LG	2K	27	155.50	65
2460LS	2K	27	443.50	65
2460NBL	2D	20	112.50	43
2460NC	2B	18	113.50	42
2460N-D	2D	20	117.50	43, 195
2460N-DSG	2D	20	112.50	43
2460NFS	2K	27	497.50	65
2460NK3	2A	17	137.50	42
2460NS	2C	19	427.00	42
2460NW	2D	20	112.50	43
2460QBR	2H	24	113.50	102
2472BR	2B	18	122.50	42
2472NBL	2D	20	134.50	43
2472NC	2B	18	135.50	42
2472N-D	2D	20	139.50	43, 195
2472N-DSG	2D	20	134.50	43
2472NK3	2A	17	161.00	42
2472NS	2C	19	533.50	42
2472NW	2D	20	134.50	43
24NC	2E	21	14.50	0
24X36X54C	5C	82	223.00	61
24X36X54CMB	5C	82	223.00	61
24X36X54UC	5C	82	144.50	61
24X36X54UCMB	5C	82	144.50	61
24X36X54VC	5C	82	233.00	61
24X36X54VCMB	5C	82	233.00	61
24X36X54VUC	5C	82	154.00	61
24X36X54VUCMB	5C	82	154.00	61
24X36X62C	5C	82	233.00	61
24X36X62CMB	5C	82	233.00	61
24X36X62UC	5C	82	149.50	61
24X36X62UCMB	5C	82	149.50	61
24X36X62VC	5C	82	243.50	61
24X36X62VCMB	5C	82	243.50	61
24X36X62VUC	5C	82	160.00	61
24X36X62VUCMB	5C	82	160.00	61
24X36X74C	5C	82	240.50	61
24X36X74CMB	5C	82	240.50	61
24X36X74UC	5C	82	183.00	61
24X36X74UCMB	5C	82	183.00	61
24X36X74VC	5C	82	249.00	61
24X36X74VCMB	5C	82	249.00	61
24X36X74VUC	5C	82	188.00	61
24X36X74VUCMB	5C	82	188.00	61
24X48X54C	5C	82	264.00	61
24X48X54CMB	5C	82	264.00	61
24X48X54UC	5C	82	156.00	61
24X48X54UCMB	5C	82	156.00	61
24X48X54VC	5C	82	273.00	61
24X48X54VCMB	5C	82	273.00	61
24X48X54VUC	5C	82	168.50	61
24X48X54VUCMB	5C	82	168.50	61
24X48X62C	5C	82	274.00	61, 183
24X48X62CMB	5C	82	274.00	61, 183
24X48X62UC	5C	82	185.00	61, 183
24X48X62UCMB	5C	82	185.00	61, 183
24X48X62VC	5C	82	287.50	61, 183
24X48X62VCMB	5C	82	287.50	61, 183
24X48X62VUC	5C	82	195.50	61, 183
24X48X62VUCMB	5C	82	195.50	61, 183
24X48X74C	5C	82	279.00	61
24X48X74CMB	5C	82	279.00	61
24X48X74UC	5C	82	201.50	61
24X48X74UCMB	5C	82	201.50	61
24X48X74VC	5C	82	291.00	61
24X48X74VCMB	5C	82	291.00	61
24X48X74VUC	5C	82	213.00	61
24X48X74VUCMB	5C	82	213.00	61
24X60X54C	5C	82	293.00	61
24X60X54CMB	5C	82	293.00	61
24X60X54UC	5C	82	210.50	61
24X60X54UCMB	5C	82	210.50	61
24X60X54VC	5C	82	305.00	61
24X60X54VCMB	5C	82	305.00	61
24X60X54VUC	5C	82	220.00	61
24X60X54VUCMB	5C	82	220.00	61
24X60X62C	5C	82	299.50	61
24X60X62CMB	5C	82	299.50	61
24X60X62UC	5C	82	217.00	61

Part Number	Sales Class	AQ Cat	List Price	Page #
24X60X62UCMB	5C	82	217.00	61
24X60X62VC	5C	82	311.50	61
24X60X62VCMB	5C	82	311.50	61
24X60X62VUC	5C	82	225.00	61
24X60X62VUCMB	5C	82	225.00	61
24X60X74C	5C	82	305.00	61
24X60X74CMB	5C	82	305.00	61
24X60X74UC	5C	82	247.00	61
24X60X74UCMB	5C	82	239.50	61
24X60X74VC	5C	82	314.50	61
24X60X74VCMB	5C	82	314.50	61
24X60X74VUC	5C	82	257.00	61
24X60X74VUCMB	5C	82	257.00	61
24X72X54C	5C	82	299.50	61
24X72X54UC	5C	82	214.00	61
24X72X54UCMB	5C	82	207.50	61
24X72X54VC	5C	82	311.50	61
24X72X54VCMB	5C	82	311.50	61
24X72X54VUC	5C	82	224.00	61
24X72X54VUCMB	5C	82	224.00	61
24X72X62C	5C	82	306.00	61
24X72X62CMB	5C	82	306.00	61
24X72X62UC	5C	82	232.00	61
24X72X62UCMB	5C	82	232.00	61
24X72X62VC	5C	82	315.50	61
24X72X62VCMB	5C	82	315.50	61
24X72X62VUC	5C	82	241.50	61
24X72X62VUCMB	5C	82	241.50	61
24X72X74C	5C	82	312.50	61
24X72X74CMB	5C	82	312.50	61
24X72X74UC	5C	82	252.00	61
24X72X74UCMB	5C	82	252.00	61
24X72X74VC	5C	82	319.50	61
24X72X74VCMB	5C	82	319.50	61
24X72X74VUC	5C	82	264.00	61
24X72X74VUCMB	5C	82	264.00	61
27P	2B	18	18.00	37, 42, 64
27PBL	2D	20	17.50	194
27PFB	2B	18	22.00	65
27PFS	2C	19	56.00	65
27PK3	2A	17	20.50	37
27PS	2C	19	45.00	37, 42, 64
27UP	2B	18	18.00	37, 42, 64
27UPK3	2A	17	20.50	37
27UPS	2C	19	45.00	37, 42, 64
2CASC	4A	61	438.00	0
2C84	4A	61	503.00	0
2C8SN	4A	61	564.00	0
2C8VN	4A	61	674.00	0
2CV4	4A	61	608.00	0
2CVSN	4A	61	781.00	0
2KR345DC	2F	22	1,722.00	190
2KR346MC	2F	22	1,791.00	190
2KR365DC	2F	22	1,975.00	190
2KR366MC	2F	22	2,068.50	190
2SPN33ABR	20	31	331.50	85
2SPN33DC	20	31	424.50	85
2SPN33PS	20	31	986.50	85
2SPN43ABR	20	31	366.00	85
2SPN43DC	20	31	452.50	85
2SPN43PS	20	31	1,056.50	85
2SPN53ABR	20	31	374.50	85
2SPN53DC	20	31	462.00	85
2SPN53PS	20	31	1,102.00	85
2SPN55ABR	20	31	402.50	85
2SPN55DC	20	31	492.00	85
2SPN55PS	20	31	1,222.50	85
2SPN56ABR	20	31	442.00	85
2SPN56DC	20	31	526.50	85
2SPN56PS	20	31	1,377.00	85
2WD14C	2B	18	58.50	80
2WD14K3	2A	17	67.50	80
2WD14S	2C	19	124.50	80
2WD18C	2B	18	59.50	80
2WD18K3	2A	17	68.50	80
2WD18S	2C	19	131.50	78, 80
2WD21C	2B	18	60.50	80
2WD21K3	2A	17	71.50	80
2WD21S	2C	19	135.50	80

Part Number	Sales Class	AQ Cat	List Price	Page #
2WD24C	2B	18	62.00	80
2WD24K3	2A	17	72.50	80
2WD24S	2C	19	139.50	78, 80
2WS14C	2B	18	56.00	80
2WS14K3	2A	17	65.00	80
2WS14S	2C	19	118.50	80
2WS18C	2B	18	57.00	80
2WS18K3	2A	17	67.50	80
2WS18S	2C	19	127.50	80
2WS21C	2B	18	58.50	80
2WS21S	2C	19	129.50	80
2WS24C	2B	18	59.50	80
2WS24K3	2A	17	71.00	80
2WS24S	2C	19	136.50	80
3036NC	2B	18	118.00	42
3036NK3	2A	17	140.00	42
3036NS	2C	19	387.00	42
3048NC	2B	18	136.50	42
3048NK3	2A	17	161.00	42
3048NS	2C	19	452.00	42
3060NC	2B	18	150.00	42
3060NK3	2A	17	183.50	42
3060NS	2C	19	502.00	42
3072NC	2B	18	180.00	42
3072NK3	2A	17	219.50	42
3072NS	2C	19	609.50	42
33P	2B	18	19.00	37, 42, 64, 194
33PBL	2D	20	18.50	194
33P-D	2D	20	21.50	195
33PDF	2B	18	55.50	80
33PDFK3	2A	17	65.50	80
33PDFS	2C	19	118.50	80
33P-DSG	2D	20	18.50	194
33PK3	2A	17	22.50	35, 37, 42
33PM	2B	18	23.00	65
33PMS	2C	19	57.00	65
33PO	2H	24	23.50	193, 194
33POBL	2H	24	23.50	193, 194
33PO-D	2H	24	26.00	195
33PO-DSG	2H	24	23.50	193, 194
33POW	2H	24	23.50	193, 194
33PS	2C	19	50.50	35, 37, 42
33PW	2D	20	18.50	194
33UP	2B	18	19.00	37, 42, 64
33UPBL	2D	20	18.50	194
33UP-D	2D	20	21.50	195
33UP-DSG	2D	20	18.50	194
33UPK3	2A	17	22.50	35, 37, 42
33UPQ-D	2H	24	26.00	195
33UPQ-DBM	5G	86	26.00	195
33UPS	2C	19	50.50	35, 37, 42
33UPS-SW	2C	19	53.50	48
33UPW	2D	20	18.50	194
3636NC	2B	18	131.50	42
3636NK3	2A	17	157.50	42
3636NS	2C	19	432.50	42
3648NC	2B	18	154.00	42
3648NK3	2A	17	183.50	42
3648NS	2C	19	513.50	42
3660NC	2B	18	175.00	42
3660NK3	2A	17	216.50	42
3660NS	2C	19	595.50	42
3672NC	2B	18	207.00	42
3672NK3	2A	17	253.50	42
3672NS	2C	19	707.50	42
39PF	2B	18	24.00	65
39PFS	2C	19	72.00	65
3KR346FC	2F	22	1,851.00	190
3KR366FC	2F	22	2,220.50	190
3SPN33ABR	20	31	407.00	85
3SPN33DC	20	31	488.00	85
3SPN33PS	20	31	1,220.50	85
3SPN43ABR	20	31	434.00	85
3SPN43DC	20	31	528.50	85
3SPN43PS	20	31	1,323.50	85
3SPN53ABR	20	31	447.00	85
3SPN53DC	20	31	543.50	85
3SPN53PS	20	31	1,391.00	85
3SPN55ABR	20	31	490.00	85

ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
3SPN55DC	20	31	588.00	85
3SPN55PS	20	31	1,571.00	85
3SPN56ABR	20	31	549.00	85
3SPN56DC	20	31	640.00	85
3SPN56PS	20	31	1,804.00	85
4LD	5A	80	24.00	48
54HPC	2F	22	67.50	68
54HPS	2F	22	138.50	68
54P	2B	18	22.00	37,42, 64
54PBL	2D	20	21.50	194
54P-D	2D	20	24.50	195
54PDF	2B	18	56.50	80
54PDFK3	2A	17	67.00	80
54PDFS	2C	19	153.50	80
54P-DSG	2D	20	21.50	194
54PK3	2A	17	24.00	35,37,42
54PK3-STKD	2A	17	30.00	194
54PQ	2H	24	26.50	193, 194
54PQBL	2H	24	26.50	193, 194
54PQ-D	2H	24	29.50	195
54PQ-DSG	2H	24	26.50	193, 194
54POW	2H	24	26.50	193, 194
54PS	2C	19	56.00	35,37,42
54PS-STKD	2C	19	62.00	50
54P-STKD	2B	18	28.00	50
54PW	2D	20	21.50	194
54SAP	2B	18	22.00	194
54UHP	2F	22	67.50	68
54UHPS	2F	22	138.50	68
54UP	2B	18	22.00	37,42, 64
54UPBL	2D	20	21.50	194
54UP-D	2D	20	24.50	195
54UP-DSG	2D	20	21.50	194
54UPK3	2A	17	24.00	35,37,42
54UPQ-D	2H	24	29.50	195
54UPQ-DBM	2H	24	29.50	195
54UPQ-DCH	2H	24	29.50	195
54UPQ-DHG	2H	24	29.50	195
54UPQ-DSG	2H	24	26.50	193, 194
54UPS	2C	19	56.00	35,37,42
54UPS-SW	2C	19	59.00	48
54UPW	2D	20	21.50	194
5A317C	1A	10	442.00	38
5A317K3	1C	12	522.50	38
5A327C	1A	10	449.50	38
5A327K3	1C	12	542.50	38
5A336BC	1A	10	579.50	39
5A336EC	1A	10	652.50	39
5A337C	1A	10	449.50	38
5A337K3	1C	12	542.50	38
5A347C	1A	10	519.50	38
5A347K3	1C	12	620.00	38
5A356BC	1A	10	649.50	39
5A356EC	1A	10	722.50	39
5A357C	1A	10	519.50	38
5A357K3	1C	12	620.00	38
5A366BC	1A	10	712.00	39
5A366EC	1A	10	785.00	39
5A367C	1A	10	582.00	38
5A367K3	1C	12	707.50	38
5A377C	1A	10	674.50	38
5A377K3	1C	12	787.50	38
5A417C	1A	10	497.00	38
5A417K3	1C	12	577.50	38
5A427C	1A	10	512.00	38
5A427K3	1C	12	590.00	38
5A436BC	1A	10	642.00	39
5A436EC	1A	10	715.00	39
5A437C	1A	10	512.00	38
5A437K3	1C	12	590.00	38
5A447C	1A	10	572.00	38
5A447K3	1C	12	667.50	38
5A456BC	1A	10	702.00	39
5A456EC	1A	10	775.00	39
5A457C	1A	10	572.00	38
5A457K3	1C	12	667.50	38
5A466BC	1A	10	779.50	39
5A466EC	1A	10	852.50	39
5A467C	1A	10	649.50	38

Part Number	Sales Class	AQ Cat	List Price	Page #
5A467K3	1C	12	755.00	38
5A477C	1A	10	749.50	38
5A477K3	1C	12	887.50	38
5A517C	1A	10	524.50	38
5A517K3	1C	12	615.00	38
5A527C	1A	10	539.50	38
5A527K3	1C	12	625.00	38
5A536BC	1A	10	669.50	39
5A536EC	1A	10	742.50	39
5A537C	1A	10	539.50	38
5A537K3	1C	12	625.00	38
5A547C	1A	10	612.00	38
5A547K3	1C	12	730.00	38
5A556BC	1A	10	742.00	39
5A556EC	1A	10	815.00	39
5A557C	1A	10	612.00	38
5A557K3	1C	12	730.00	38
5A566BC	1A	10	829.50	39
5A566EC	1A	10	902.50	39
5A567C	1A	10	699.50	38
5A567K3	1C	12	837.50	38
5A577C	1A	10	809.50	38
5A577K3	1C	12	955.00	38
5AA317C	1A	10	430.00	38
5AA317K3	1C	12	501.50	38
5AA327C	1A	10	437.50	38
5AA327K3	1C	12	521.50	38
5AA337C	1A	10	437.50	38
5AA337K3	1C	12	521.50	38
5AA347C	1A	10	507.50	38
5AA347K3	1C	12	599.00	38
5AA357C	1A	10	507.50	38
5AA357K3	1C	12	599.00	38
5AA367C	1A	10	570.00	38
5AA367K3	1C	12	686.50	38
5AA377C	1A	10	662.50	38
5AA377K3	1C	12	766.50	38
5AA417C	1A	10	485.00	38
5AA417K3	1C	12	556.50	38
5AA427C	1A	10	500.00	38
5AA427K3	1C	12	569.00	38
5AA437C	1A	10	500.00	38
5AA437K3	1C	12	569.00	38
5AA447C	1A	10	560.00	38
5AA447K3	1C	12	646.50	38
5AA457C	1A	10	560.00	38
5AA457K3	1C	12	646.50	38
5AA467C	1A	10	637.50	38
5AA467K3	1C	12	734.00	38
5AA477C	1A	10	737.50	38
5AA477K3	1C	12	866.50	38
5AA517C	1A	10	512.50	38
5AA517K3	1C	12	594.00	38
5AA527C	1A	10	527.50	38
5AA527K3	1C	12	604.00	38
5AA537C	1A	10	527.50	38
5AA537K3	1C	12	604.00	38
5AA547C	1A	10	600.00	38
5AA547K3	1C	12	709.00	38
5AA557C	1A	10	600.00	38
5AA557K3	1C	12	709.00	38
5AA567C	1A	10	687.50	38
5AA567K3	1C	12	816.50	38
5AA577C	1A	10	797.50	38
5AA577K3	1C	12	934.00	38
5AQ317G3	3B	42	569.50	21
5AQ327G3	3B	42	592.00	21
5AQ337G3	3B	42	592.00	21
5AQ347G3	3B	42	684.50	21
5AQ357G3	3B	42	684.50	21
5AQ367G3	3B	42	792.00	21
5AQ377G3	3B	42	882.00	21
5AQ417G3	3B	42	632.00	21
5AQ427G3	3B	42	647.00	21
5AQ437G3	3B	42	647.00	21
5AQ447G3	3B	42	739.50	21
5AQ457G3	3B	42	739.50	21
5AQ467G3	3B	42	842.00	21
5AQ477G3	3B	42	1,002.00	21

Part Number	Sales Class	AQ Cat	List Price	Page #
5AQ517G3	3B	42	679.50	21
5AQ527G3	3B	42	689.50	21
5AQ537G3	3B	42	689.50	21
5AQ547G3	3B	42	814.50	21
5AQ557G3	3B	42	814.50	21
5AQ567G3	3B	42	942.00	21
5AQ577G3	3B	42	1,079.50	21
5AX317GX3	3A	41	818.00	20
5AX327GX3	3A	41	845.50	20
5AX337GX3	3A	41	845.50	20
5AX347GX3	3A	41	988.00	20
5AX357GX3	3A	41	988.00	20
5AX367GX3	3A	41	1,148.00	20
5AX377GX3	3A	41	1,315.50	20
5AX517GX3	3A	41	980.50	20
5AX527GX3	3A	41	995.50	20
5AX537GX3	3A	41	995.50	20
5AX547GX3	3A	41	1,183.00	20
5AX557GX3	3A	41	1,183.00	20
5AX567GX3	3A	41	1,370.50	20
5AX577GX3	3A	41	1,593.00	20
5HHP	5A	80	69.50	68
5HHPB	5A	80	75.50	68
5LD	5A	80	27.50	48
5M	5A	80	31.50	48
5MB	5A	80	37.50	48
5MBC	5A	80	62.00	48
5MBX	3K	51	38.00	16
5MC	5A	80	55.50	48
5MDA	5A	80	31.50	48
5MDBA	5A	80	37.50	48,182
5MDBGSA	5A	80	154.50	48
5MDBXA	3K	51	38.00	16
5MDGSA	5A	80	147.00	48
5MDRA	5A	80	37.50	48,182
5MDRGSA	5A	80	154.50	48
5MDRXA	3K	51	38.00	16
5MDXA	3K	51	31.50	16
5MFA	5A	80	57.00	48
5MFBA	5A	80	63.00	48
5MHTN	5A	80	201.50	48
5MHTNB	5A	80	215.00	48
5MHTP	5A	80	201.50	48
5MHTPB	5A	80	215.00	48
5MP	5A	80	49.50	48
5MPB	5A	80	56.00	48
5MPBGSA	5A	80	162.00	48
5MPBX	3K	51	56.00	16
5MPBXGSA	3K	51	154.00	16
5MPGSA	5A	80	155.50	48
5MPR	5A	80	56.00	48
5MPRGSA	5A	80	162.00	48
5MPRX	3K	51	56.00	16
5MPRXGSA	3K	51	154.00	16
5MPX	3K	51	49.50	16
5MPXGSA	3K	51	149.00	16
5MR	5A	80	37.50	48
5MRC	5A	80	62.00	48
5MRX	3K	51	38.00	16
5MX	3K	51	31.50	16
5PC	5A	80	75.50	48
5PCB	5A	80	82.50	48
5PCBM	5A	80	90.50	48
5PCBX	3K	51	82.50	16
5PCBXM	3K	51	90.50	16
5PCM	5A	80	84.00	48
5PCR	5A	80	82.50	48
5PCRX	3K	51	82.50	16
5PCX	3K	51	75.50	16
5PCXM	3K	51	84.00	16
5Q317G3	3B	42	588.50	21
5Q327G3	3B	42	611.00	21
5Q337G3	3B	42	886.00	18
5Q337G3	3B	42	611.00	21
5Q347G3	3B	42	703.50	21
5Q357G3	3B	42	992.00	18
5Q357G3	3B	42	703.50	21
5Q367G3	3B	42	1,114.00	18
5Q367G3	3B	42	811.00	21



ALPHA - NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
50377G3	3B	42	901.00	21
50417G3	3B	42	651.00	21
50427G3	3B	42	666.00	21
50437G3	3B	42	666.00	21
50447G3	3B	42	758.50	21
50457G3	3B	42	758.50	21
50467G3	3B	42	861.00	21
50477G3	3B	42	1,021.00	21
50517G3	3B	42	698.50	21
50527G3	3B	42	708.50	21
50537EG3	3B	42	998.00	18
50537G3	3B	42	708.50	21
50547G3	3B	42	833.50	21
50557EG3	3B	42	1,140.00	18
50557G3	3B	42	833.50	21
50567EG3	3B	42	1,284.50	18
50567G3	3B	42	961.00	21
50577G3	3B	42	1,098.50	21
5X317GX3	3A	41	877.00	20
5X327GX3	3A	41	904.50	20
5X337EGX3	3A	41	1,134.00	18
5X337G3	3A	41	904.50	20
5X347GX3	3A	41	1,047.00	20
5X357EGX3	3A	41	1,280.00	18
5X357G3	3A	41	1,047.00	20
5X367EGX3	3A	41	1,444.00	18
5X367G3	3A	41	1,207.00	20
5X377GX3	3A	41	1,374.50	20
5X517GX3	3A	41	1,039.50	20
5X527GX3	3A	41	1,054.50	20
5X537EGX3	3A	41	1,288.00	18
5X537G3	3A	41	1,054.50	20
5X547GX3	3A	41	1,242.00	20
5X557EGX3	3A	41	1,480.00	18
5X557G3	3A	41	1,242.00	20
5X567EGX3	3A	41	1,672.50	18
5X567G3	3A	41	1,429.50	20
5X577GX3	3A	41	1,652.00	20
63HPC	2F	22	71.50	68
63HPS	2F	22	150.00	68
63P	2B	18	23.50	37,42,64
63PBL	2D	20	23.00	194
63P-D	2D	20	26.00	195
63PDF	2B	18	57.50	80
63PDFK3	2A	17	68.00	80
63PDFS	2C	19	162.50	80
63P-DSG	2D	20	23.00	194
63PK3	2A	17	27.50	35,37,42
63PK3-STKD	2A	17	33.50	194
63PQ	2H	24	28.00	193,194
63PQBL	2H	24	28.00	193,194
63PQ-D	2H	24	31.00	195
63PQ-DBM	2H	24	31.00	195
63PQ-DCH	2H	24	31.00	195
63PQ-DHG	2H	24	31.00	195
63PQ-DSG	2H	24	28.00	193,194
63PQ-DSH	2H	24	31.00	193,194
63PQW	2H	24	28.00	193,194
63PS	2C	19	63.00	35,37,42
63PS-STKD	2C	19	69.00	50
63P-STKD	2B	18	29.50	50
63PW	2D	20	23.00	194
63SAP	2B	18	24.00	194
63UHPC	2F	22	71.50	68
63UHPK3	5G	86	72.50	68
63UHPS	2F	22	150.00	68
63UP	2B	18	23.50	37,42,64
63UPBL	2D	20	23.00	194
63UP-D	2D	20	26.00	195
63UP-DSG	2D	20	23.00	194
63UPK3	2A	17	27.50	35,37,42
63UPQ-D	2H	24	31.00	195
63UPQ-DHG	2H	24	31.00	195
63UPQ-DSG	2H	24	28.00	193,194
63UPS	2C	19	63.00	37,42,64
63UPS-SW	2C	19	66.00	48
63UPW	2D	20	23.00	194
6511DR	3E	45	20.50	176
6517DR	3E	45	32.00	176

Part Number	Sales Class	AQ Cat	List Price	Page #
6518DR	3E	45	46.00	176
654SRC	4G	67	92.50	170
660SRC	4G	67	97.00	170
6703R	3E	45	37.50	170
6704R	3E	45	23.00	170
6MP	5A	80	65.50	48
6MPB	5A	80	77.50	48
6MPR	5A	80	77.50	48
6P	5A	80	143.50	37,42,64
6PR	5A	80	143.50	37,42,64
70UPK3	2A	17	36.00	35,37,42
74FPC	2N	30	37.50	191
74HPC	2F	22	75.50	68
74HPS	2F	22	162.50	68
74P	2B	18	25.50	37,42,64
74PBL	2D	20	25.00	194
74PC-TTMP	5B	18	33.50	194
74P-D	2D	20	28.00	194
74P-DSG	2D	20	25.00	194
74PK3	2A	17	30.00	35,37,42
74PK3-STKD	2A	17	36.00	194
74PK3-TTMP	5B	17	38.00	194
74PQ	2H	24	30.00	193,194
74PQBL	2H	24	30.00	193,194
74PQ-D	2H	24	33.00	193,194
74PQ-DBM	2H	24	33.00	193,194
74PQ-DCH	2H	24	33.00	193,194
74PQ-DHG	2H	24	33.00	193,194
74PQ-DSG	2H	24	30.00	193,194
74PQ-DSH	2H	24	33.00	193,194
74PQW	2H	24	30.00	193,194
74PS	2C	19	70.00	35,37,42
74PS-STKD	2C	19	76.00	50
74P-STKD	2B	18	31.50	50
74PS-TTMP	5B	19	78.00	193,194
74PW	2D	20	25.00	193,194
74SAP	2B	18	28.00	193,194
74UHPC	2F	22	75.50	68
74UHPK3	5G	86	80.50	193,194
74UHPS	2F	22	162.50	68
74UP	2B	18	25.50	37,42,64
74UPBL	2D	20	25.00	194
74UP-D	2D	20	28.00	195
74UP-DSG	2D	20	25.00	193,194
74UPK3	2A	17	30.00	35,37,42
74UPQ-D	2H	24	33.00	195
74UPQ-DBM	2H	24	33.00	195
74UPQ-DCH	2H	24	33.00	195
74UPQ-DHG	2H	24	33.00	195
74UPQ-DSG	2H	24	30.00	193,194
74UPQ-DSH	2H	24	33.00	193,194
74UPS	2C	19	70.00	35,37,42
74UPS-SW	2C	19	73.00	193,194
74UPW	2D	20	25.00	193,194
7P	2B	18	13.00	37,64,194
7PBL	2D	20	12.50	194
7P-D	2D	20	15.50	195
7P-DSG	2D	20	12.50	194
7PK3	2A	17	14.50	64
7UP	2B	18	13.00	64
7UPK3	2A	17	14.50	64
7UPS	2C	19	23.50	64
86FPC	2N	30	40.50	191
86P	2B	18	32.00	37,42,64
86PBL	2D	20	31.50	194
86P-D	2D	20	34.50	195
86P-DSG	2D	20	31.50	195
86PK3	2A	17	35.00	35,37,42
86PQ	2H	24	36.50	193,194
86PQBL	2H	24	36.50	193,194
86PQ-D	2H	24	39.50	195
86PQ-DBM	2H	24	39.50	193,194
86PQ-DCH	2H	24	39.50	193,194
86PQ-DHG	2H	24	39.50	193,194
86PQ-DSG	2H	24	36.50	193,194
86PQ-DSH	2H	24	39.50	193,194
86PQW	2H	24	36.50	193,194
86PS	2C	19	81.00	35,37,42
86PW	2D	20	31.50	193,194

Part Number	Sales Class	AQ Cat	List Price	Page #
86SAP	2B	18	33.00	193,194
86UP	2B	18	32.00	37,42,64
86UPBL	2D	20	31.50	194
86UP-D	2D	20	34.50	195
86UP-DSG	2D	20	31.50	193,194
86UPK3	2A	17	35.00	35,37,42
86UPQ-DHG	2H	24	39.50	193,194
86UPS	2C	19	81.00	35,37,42
86UPW	2D	20	31.50	195
8P	5A	80	162.00	0
8PR	5A	80	162.00	0
9084Z	2B	18	8.60	55
9184Z	2K	27	11.60	66
96P	2B	18	36.50	37,42,64
9970EPZ	2G	23	17.10	54
9971Z	2J	26	4.90	54
9975C	2J	26	3.70	54
9976C	2J	26	6.50	54
9982GR-4	2G	18	17.50	44
9984C	2N	30	7.60	191
9984HZ	2F	22	10.20	69
9985	2G	23	7.10	44
9985-ESD	2B	18	9.50	44
9985H	2F	22	15.90	69
9985QS	2H	24	8.50	193
9985QSL	2H	24	10.50	102,193
9985W	2D	20	7.00	44
9986HZ	2F	22	21.50	69
9986S	2C	19	14.00	44
9986Z	2G	23	9.30	44
9989PX	3C	43	4.80	25
9989X1	3C	43	8.50	25
9989X2	3C	43	10.90	25
9989X3	3C	43	13.20	25
9989X4	3C	43	14.90	25
9989X5	3C	43	17.90	25
9989X6	3C	43	19.00	25
9990CL	2G	23	4.50	59
9990CL1	2G	23	6.30	59
9990CL2	2G	23	9.00	59
9990CL3	2G	23	11.30	59
9990CL30	2G	23	10.10	59
9990CL4	2G	23	14.00	59
9990CL5	2G	23	19.00	59
9990P	2G	23	4.50	59,184,192
9990P1	2G	23	6.30	59
9990P2	2G	23	9.00	59
9990P3	2G	23	11.30	59
9990P30	2G	23	10.10	59
9990P4	2G	23	14.00	59
9990P5	2G	23	19.50	59
9990SL	2G	23	4.50	59
9990SL1	2G	23	6.30	59
9990SL2	2G	23	9.00	59
9990SL3	2G	23	11.30	59
9990SL30	2G	23	10.10	59
9990SL4	2G	23	14.00	59
9990SL5	2G	23	19.50	59
9991P	2G	23	3.50	44
9992DB	5A	80	9.00	49,161
9992H	2F	22	12.60	69
9992N	5A	80	14.00	49,161
9993BL	2D	20	13.10	44
9993HS	2F	22	33.40	69
9993S	2C	19	29.00	14,44
9993Z	2B	18	12.50	14,44
9994BL	2D	20	6.80	38
9994HZ	2F	22	12.60	69,170
9994X	3C	43	17.50	14
9994Z	2B	18	6.30	44
9995Z	2B	18	4.00	38
9997C	2B	18	3.50	80
9998Z	2K	27	5.10	66
9999Z	2J	26	5.50	67
A110	3G	47	139.50	176
A115	3G	47	45.00	176
A120	4E	65	95.00	176
A121	4E	65	59.00	163,164
A1424NC	1A	10	64.50	37

ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
A1424NK3	1C	12	72.50	34,37
A1424NS	1D	13	189.50	37
A1430NC	1A	10	66.50	37
A1430NK3	1C	12	75.00	34,37
A1430NS	1D	13	196.00	37
A1436NC	1A	10	66.50	37
A1436NK3	1C	12	75.00	34,37
A1436NS	1D	13	196.00	37
A1442NC	1A	10	76.00	37
A1442NK3	1C	12	87.50	34,37
A1442NS	1D	13	240.00	37
A1448NC	1A	10	76.00	37
A1448NK3	1C	12	87.50	34,37
A1448NS	1D	13	240.00	37
A1460NC	1A	10	87.50	37
A1460NK3	1C	12	98.00	34,37
A1460NS	1D	13	301.50	37
A1472NC	1A	10	99.00	37
A1472NK3	1C	12	111.50	34,37
A1472NS	1D	13	338.50	37
A1824NC	1A	10	68.00	37
A1824NK3	1C	12	80.50	34,37
A1824NS	1D	13	237.50	37
A1830NC	1A	10	69.50	37
A1830NK3	1C	12	84.50	34,37
A1830NS	1D	13	240.00	37
A1836NC	1A	10	69.50	37,101
A1836NK3	1C	12	84.50	34, 37,101
A1836NS	1D	13	240.00	37,101
A1842NC	1A	10	83.50	37
A1842NK3	1C	12	100.00	34,37
A1842NS	1D	13	283.50	37
A1848NC	1A	10	83.50	37,101
A1848NK3	1C	12	100.00	34, 37,101
A1848NS	1D	13	283.50	37,101
A1854NC	1A	10	96.00	37
A1854NK3	1C	12	117.50	34,37
A1854NS	1D	13	358.50	37
A1860NC	1A	10	96.00	37
A1860NK3	1C	12	117.50	34,37
A1860NS	1D	13	358.50	37
A1872NC	1A	10	114.50	37
A1872NK3	1C	12	133.50	34,37
A1872NS	1D	13	426.00	37
A190	4A	61	128.00	176
A2124NC	1A	10	79.00	37
A2124NK3	1C	12	91.50	34,37
A2124NS	1D	13	270.50	37
A2130NC	1A	10	82.00	37
A2130NK3	1C	12	94.00	34,37
A2130NS	1D	13	274.00	37
A2136NC	1A	10	82.00	37
A2136NK3	1C	12	94.00	34,37
A2136NS	1D	13	274.00	37
A2142NC	1A	10	94.00	37
A2142NK3	1C	12	109.50	34,37
A2142NS	1D	13	315.00	37
A2148NC	1A	10	94.00	37
A2148NK3	1C	12	109.50	34,37
A2148NS	1D	13	315.00	37
A2154NC	1A	10	109.50	37
A2154NK3	1C	12	127.00	34,37
A2154NS	1D	13	417.00	37
A2160NC	1A	10	109.50	37
A2160NK3	1C	12	127.00	34,37
A2160NS	1D	13	417.00	37
A2172NC	1A	10	129.50	37
A2172NK3	1C	12	153.50	34,37
A2172NS	1D	13	493.00	37
A2424NC	1A	10	84.50	37
A2424NK3	1C	12	99.00	34,37
A2424NS	1D	13	291.50	37
A2430NC	1A	10	87.50	37
A2430NK3	1C	12	101.00	34,37
A2430NS	1D	13	295.00	37
A2436NC	1A	10	87.50	37,101
A2436NK3	1C	12	101.00	34,37,101
A2436NS	1D	13	295.00	37,101
A2442NC	1A	10	102.00	37

Part Number	Sales Class	AQ Cat	List Price	Page #
A2442NK3	1C	12	122.00	34,37
A2442NS	1D	13	355.50	37
A2448NC	1A	10	102.00	37,101,182
A2448NK3	1C	12	122.00	34,37,101
A2448NS	1D	13	355.50	37,101
A2454NC	1A	10	119.50	37
A2454NK3	1C	12	143.50	34,37
A2454NS	1D	13	433.00	37
A2460NC	1A	10	119.50	37,101
A2460NK3	1C	12	143.50	34,37,101
A2460NS	1D	13	433.00	37,101
A2472NC	1A	10	141.50	37
A2472NK3	1C	12	167.00	34,37
A2472NS	1D	13	539.50	37
A3036NC	1A	10	118.00	101
A3036NS	1D	13	387.00	101
A3048NC	1A	10	136.50	101
A3048NS	1D	13	452.00	101
A3060NC	1A	10	150.00	101
A3060NS	1D	13	502.00	101
A3072NC	1A	10	180.00	101
A3072NS	1D	13	609.50	101
A336BC	1A	10	510.00	39
A336EC	1A	10	583.00	39
A336JC	2B	18	810.00	39
A33RD	4I	69	301.00	163,164
A356BC	1A	10	566.00	39
A356EC	1A	10	639.00	39
A356JC	1F	15	891.50	39
A356LC	1F	15	963.50	39
A3636NC	1A	10	131.50	39
A3636NS	1D	13	432.50	39
A3648NC	1A	10	154.00	39
A3648NS	1D	13	513.50	39
A3660NC	1A	10	175.00	39
A3660NS	1D	13	595.50	39
A366BC	1A	10	616.00	39
A366EC	1A	10	689.00	39
A366JC	2B	18	975.00	39
A366LC	2B	18	1,047.00	39
A3672NC	1A	10	207.00	39
A3672NS	1D	13	707.50	39
A37	4I	69	170.00	163,164
A436BC	1A	10	560.00	39
A436EC	1A	10	633.00	39
A436JC	2B	18	883.50	39
A456BC	1A	10	608.00	39
A456EC	1A	10	681.00	39
A456JC	2B	18	955.50	39
A456LC	2B	18	1,027.50	39
A466BC	1A	10	670.00	39
A466EC	1A	10	743.00	39
A466JC	2B	18	1,044.50	39
A466LC	2B	18	1,116.50	39
A536BC	1A	10	582.00	39
A536EC	1A	10	655.00	39
A536JC	2B	18	900.00	39
A536LC	2B	18	972.00	39
A536MC	2B	18	1,431.00	39
A556BC	1A	10	640.00	39
A556EC	1A	10	713.00	39
A556JC	2B	18	984.50	39
A556LC	2B	18	1,056.50	39
A556MC	2B	18	1,515.50	39
A556PC	2B	18	1,597.50	39
A566BC	1A	10	710.00	39
A566EC	1A	10	783.00	39
A566JC	2B	18	1,084.50	39
A566LC	2B	18	1,156.50	39
A566MC	2B	18	1,615.50	39
A566PC	2B	18	1,697.50	39
A71	4A	61	178.00	163,164
AD11A	3G	47	191.00	175
AST35DC	2G	23	981.50	47,185,188
AST35MC	2G	23	1,852.00	47,185,188
AST55DC	2G	23	1,104.00	47,185,188
AST55MC	2G	23	1,919.50	47,185,188
AST65DC	2G	23	1,179.00	47,185,188
AST65MC	2G	23	2,024.50	47,185,188

Part Number	Sales Class	AQ Cat	List Price	Page #
AT2418NC	2E	21	37.00	56
AT2421NC	2E	21	37.00	56
AT2424NC	2E	21	37.00	56
AT3018NC	2E	21	39.00	56
AT3021NC	2E	21	39.00	56
AT3024NC	2E	21	39.00	56
AT3618NC	2E	21	40.50	56
AT3621NC	2E	21	40.50	56
AT3624NC	2E	21	40.50	56
AT4218NC	2E	21	41.50	56
AT4221NC	2E	21	41.50	56
AT4224NC	2E	21	41.50	56
AT4818NC	2E	21	42.50	56
AT4821NC	2E	21	42.50	56
AT4824NC	2E	21	42.50	56
AT6018NC	2E	21	50.50	56
AT6021NC	2E	21	50.50	56
AT6024NC	2E	21	50.50	56
AT7218NC	2E	21	53.00	56
AT7221NC	2E	21	53.00	56
AT7224NC	2E	21	53.00	56
AW21C	2B	18	92.50	79
AW23C	2B	18	168.00	79
AW25C	2B	18	225.50	79
AW26C	2B	18	282.50	79
AW31C	2B	18	93.50	79
AW33C	2B	18	170.00	79
AW35C	2B	18	228.50	79
AW36C	2B	18	286.50	79
AW41C	2B	18	94.50	79
AW43C	2B	18	172.50	79
AW45C	2B	18	232.00	79
AW46C	2B	18	291.50	79
AW51C	2B	18	95.50	79
AW53C	2B	18	174.50	79
AW55C	2B	18	235.00	79
AW56C	2B	18	295.50	79
B3N-AS	5A	80	125.50	51
B3P-TL	5A	80	64.50	51
B5DN	5A	80	31.50	51
B5DNB	5A	80	38.00	51
B5DNR	5A	80	31.50	51
B5P	5A	80	49.50	51
B5PB	5A	80	56.00	51
B5PBGSA	5A	80	160.00	51
B5PC-TL	5A	80	105.50	51
B5PGSA	5A	80	153.50	51
B5PR	5A	80	49.50	51
B5PRGSA	5A	80	158.50	51
B5PTB	5A	80	60.50	51
BC1627-24BL	3H	48	219.50	82
BC1627-24BU	3H	48	219.50	82
BC1627-24G	3H	48	219.50	82
BC1627-24G-SR	3H	48	219.50	82
BC1627-24MB	3H	48	241.00	82
BC1627-24BL	3H	48	257.00	82
BC1627-24BU	3H	48	257.00	82
BC1627-24G	3H	48	257.00	82
BC1627-24G-SR	3H	48	257.00	82
BC1627-24MB	3H	48	283.00	82
BC2030-24BL	3H	48	237.00	82
BC2030-24BU	3H	48	237.00	82
BC2030-24G	3H	48	237.00	82
BC2030-24MB	3H	48	259.50	82
BC2030-24BL	3H	48	247.50	83
BC2030-24BU	3H	48	247.50	83
BC2030-24G	3H	48	247.50	83
BC2030-24MB	3H	48	274.00	83
BC2030-34BL	3H	48	290.00	82
BC2030-34BU	3H	48	290.00	82
BC2030-34G	3H	48	290.00	82
BC2030-34MB	3H	48	319.50	82
BC2030-3DBL	3H	48	305.00	83
BC2030-3DBU	3H	48	305.00	83
BC2030-3DG	3H	48	305.00	83
BC2030-3DMB	3H	48	336.50	83
BC2636-24BL	3H	48	277.50	82
BC2636-24BU	3H	48	277.50	82
BC2636-24G	3H	48	277.50	82



ALPHA - NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
BC2636-2DBL	3H	48	290.00	83
BC2636-2DBU	3H	48	290.00	83
BC2636-2DG	3H	48	290.00	83
BC2636-34BL	3H	48	339.00	82
BC2636-34BU	3H	48	339.00	82
BC2636-34G	3H	48	339.00	82
BC2636-3DBL	3H	48	355.50	83
BC2636-3DBU	3H	48	355.50	83
BC2636-3DG	3H	48	355.50	83
BCS	2B	18	8.80	80
BCSK3	2A	17	9.20	80
BCUB1	3H	48	60.00	82
BCUB2	3H	48	60.00	82
BCUB2D	3H	48	60.00	83
BCWB1	3H	48	72.00	82
BCWB2	3H	48	72.00	82
BCWB2D	3H	48	72.00	83
BD15C	2N	30	41.50	191
BES	2B	18	12.20	80
BESK3	2A	17	14.50	80
BH6K3	2P	32	54.00	77
BL6P24	5A	80	383.00	52
BL8P24	5A	80	428.00	52
BP27C	2N	30	103.50	191
BP28C	2N	30	115.00	191
BS3C	2N	30	37.50	191
BS5C	2N	30	44.00	191
BSD2218XA	3C	43	135.00	26
BSD2224XB	3C	43	137.50	26
BT48	3D	44	1,534.50	188
BT48A	3D	44	1,534.50	188
BT4N	5N	93	387.00	90
BTAC	5N	93	327.00	90
BTAK3	5N	93	397.00	90
BTAK3	5N	93	423.00	90
BTAS	5N	93	557.00	90
BTAX3	5N	93	489.00	90
BTEC	5N	93	429.00	90
BTE-CTN3	5N	93	263.00	90
BTEK3	5N	93	517.00	90
BTEQ3	5N	93	569.00	90
BTES	5N	93	837.00	90
BTEX3	5N	93	701.00	90
BTMC	5N	93	373.00	90
BTM-CTN3	5N	93	490.00	90
BTMK3	5N	93	637.00	90
BTM03	5N	93	663.00	90
BTMS	5N	93	797.00	90
BTMX3	5N	93	729.00	90
BTS10NA	5N	93	777.00	90
BTS11NA	5N	93	836.00	90
BTS12NA	5N	93	894.00	90
BTS13NA	5N	93	952.00	90
BTS14NA	5N	93	1,007.50	90
BTS15NA	5N	93	1,223.00	90
BTS16NA	5N	93	1,279.50	90
BTS17NA	5N	93	1,339.00	90
BTS18NA	5N	93	1,397.50	90
BTS19NA	5N	93	1,454.00	90
BTS2.5NA	5N	93	386.00	90
BTS20NA	5N	93	1,511.00	90
BTS21NA	5N	93	1,566.50	90
BTS6NA	5N	93	394.00	90
BTS7NA	5N	93	448.50	90
BTS8NA	5N	93	661.50	90
BTS9NA	5N	93	718.50	90
C190	4A	61	3,437.00	159
C307FS	4G	67	1,622.50	
C4SC	4A	61	201.00	
C515-CFC-4	4A	61	3,238.00	146
C515-CFC-4A	4A	61	3,238.00	146
C515-CFC-L	4A	61	3,503.00	146
C515-CFC-LA	4A	61	3,503.00	146
C515-CFC-U	4A	61	3,400.00	146
C515-CFC-UA	4A	61	3,400.00	146
C515-CXFC-4	4A	61	3,238.00	146
C515-CXFC-4A	4A	61	3,238.00	146
C515-CXFC-L	4A	61	3,503.00	146
C515-CXFC-LA	4A	61	3,503.00	146

Part Number	Sales Class	AQ Cat	List Price	Page #
C515-CXFC-U	4A	61	3,400.00	146
C515-CXFC-UA	4A	61	3,400.00	146
C515-HFC-4	4A	61	3,076.00	146
C515-HFC-4A	4A	61	3,076.00	146
C515-HFC-L	4A	61	3,327.00	146
C515-HFC-LA	4A	61	3,327.00	146
C515-HFC-U	4A	61	3,230.00	146
C515-HFC-UA	4A	61	3,230.00	146
C515-HXFC-4	4A	61	3,076.00	146
C515-HXFC-4A	4A	61	3,076.00	146
C515-HXFC-L	4A	61	3,327.00	146
C515-HXFC-LA	4A	61	3,327.00	146
C515-HXFC-U	4A	61	3,230.00	146
C515-HXFC-UA	4A	61	3,230.00	146
C515-PFC-4	4A	61	3,076.00	146
C515-PFC-4A	4A	61	3,076.00	146
C515-PFC-L	4A	61	3,327.00	146
C515-PFC-LA	4A	61	3,327.00	146
C515-PFC-U	4A	61	3,230.00	146
C515-PFC-UA	4A	61	3,230.00	146
C515-PXFC-4	4A	61	3,076.00	146
C515-PXFC-4A	4A	61	3,076.00	146
C515-PXFC-L	4A	61	3,327.00	146
C515-PXFC-LA	4A	61	3,327.00	146
C515-PXFC-U	4A	61	3,230.00	146
C515-PXFC-UA	4A	61	3,230.00	146
C517-CFC-4	4A	61	3,495.00	146
C517-CFC-4A	4A	61	3,495.00	146
C517-CFC-L	4A	61	3,780.00	146
C517-CFC-LA	4A	61	3,780.00	146
C517-CFC-U	4A	61	3,671.00	146
C517-CFC-UA	4A	61	3,671.00	146
C517-CXFC-4	4A	61	3,495.00	146
C517-CXFC-4A	4A	61	3,495.00	146
C517-CXFC-L	4A	61	3,780.00	146
C517-CXFC-LA	4A	61	3,780.00	146
C517-CXFC-U	4A	61	3,671.00	146
C517-CXFC-UA	4A	61	3,671.00	146
C517-HFC-4	4A	61	3,320.00	146
C517-HFC-4A	4A	61	3,320.00	146
C517-HFC-L	4A	61	3,592.00	146
C517-HFC-LA	4A	61	3,592.00	146
C517-HFC-U	4A	61	3,487.00	146
C517-HFC-UA	4A	61	3,487.00	146
C517-HXFC-4	4A	61	3,320.00	146
C517-HXFC-4A	4A	61	3,320.00	146
C517-HXFC-L	4A	61	3,592.00	146
C517-HXFC-LA	4A	61	3,592.00	146
C517-HXFC-U	4A	61	3,487.00	146
C517-HXFC-UA	4A	61	3,487.00	146
C517-PFC-4	4A	61	3,320.00	146
C517-PFC-4A	4A	61	3,320.00	146
C517-PFC-L	4A	61	3,592.00	146
C517-PFC-LA	4A	61	3,592.00	146
C517-PFC-U	4A	61	3,487.00	146
C517-PFC-UA	4A	61	3,487.00	146
C517-PXFC-4	4A	61	3,320.00	146
C517-PXFC-4A	4A	61	3,320.00	146
C517-PXFC-L	4A	61	3,592.00	146
C517-PXFC-LA	4A	61	3,592.00	146
C517-PXFC-U	4A	61	3,487.00	146
C517-PXFC-UA	4A	61	3,487.00	146
C519-CFC-4	4A	61	3,678.00	146
C519-CFC-4A	4A	61	3,678.00	146
C519-CFC-L	4A	61	3,978.00	146
C519-CFC-LA	4A	61	3,978.00	146
C519-CFC-U	4A	61	3,862.00	146
C519-CFC-UA	4A	61	3,862.00	146
C519-CXFC-4	4A	61	3,678.00	146
C519-CXFC-4A	4A	61	3,678.00	146
C519-CXFC-L	4A	61	3,978.00	146
C519-CXFC-LA	4A	61	3,978.00	146
C519-CXFC-U	4A	61	3,862.00	146
C519-CXFC-UA	4A	61	3,862.00	146
C519-HFC-4	4A	61	3,495.00	146
C519-HFC-4A	4A	61	3,495.00	146
C519-HFC-L	4A	61	3,780.00	146
C519-HFC-LA	4A	61	3,780.00	146
C519-HFC-U	4A	61	3,671.00	146

Part Number	Sales Class	AQ Cat	List Price	Page #
C519-HFC-UA	4A	61	3,671.00	146
C519-HXFC-4	4A	61	3,495.00	146
C519-HXFC-4A	4A	61	3,495.00	146
C519-HXFC-L	4A	61	3,780.00	146
C519-HXFC-LA	4A	61	3,780.00	146
C519-HXFC-U	4A	61	3,671.00	146
C519-HXFC-UA	4A	61	3,671.00	146
C519-PFC-4	4A	61	3,495.00	146
C519-PFC-4A	4A	61	3,495.00	146
C519-PFC-L	4A	61	3,780.00	146
C519-PFC-LA	4A	61	3,780.00	146
C519-PFC-U	4A	61	3,671.00	146
C519-PFC-UA	4A	61	3,671.00	146
C519-PXFC-4	4A	61	3,495.00	146
C519-PXFC-4A	4A	61	3,495.00	146
C519-PXFC-L	4A	61	3,780.00	146
C519-PXFC-LA	4A	61	3,780.00	146
C519-PXFC-U	4A	61	3,671.00	146
C519-PXFC-UA	4A	61	3,671.00	146
C535-CFC-4	4A	61	4,291.00	142
C535-CFC-4A	4A	61	4,291.00	142
C535-CFC-4-BU	4A	61	4,291.00	142
C535-CFC-4-BUA	4A	61	4,291.00	142
C535-CFC-4-GY	4A	61	4,291.00	142
C535-CFC-4-GYA	4A	61	4,291.00	142
C535-CFC-L	4A	61	4,640.00	142
C535-CFC-LA	4A	61	4,640.00	142
C535-CFC-L-BU	4A	61	4,640.00	142
C535-CFC-L-BUA	4A	61	4,640.00	142
C535-CFC-L-GY	4A	61	4,640.00	142
C535-CFC-L-GYA	4A	61	4,640.00	142
C535-CFC-U	4A	61	4,506.00	142
C535-CFC-UA	4A	61	4,506.00	142
C535-CFC-U-BU	4A	61	4,506.00	142
C535-CFC-U-BUA	4A	61	4,506.00	142
C535-CFC-U-GY	4A	61	4,506.00	142
C535-CFC-U-GYA	4A	61	4,506.00	142
C535-CFS-4	4A	61	4,078.00	142
C535-CFS-4A	4A	61	4,078.00	142
C535-CFS-4-BU	4A	61	4,078.00	142
C535-CFS-4-BUA	4A	61	4,078.00	142
C535-CFS-4-GY	4A	61	4,078.00	142
C535-CFS-4-GYA	4A	61	4,078.00	142
C535-CFS-L	4A	61	4,409.00	142
C535-CFS-LA	4A	61	4,409.00	142
C535-CFS-L-BU	4A	61	4,409.00	142
C535-CFS-L-BUA	4A	61	4,409.00	142
C535-CFS-L-GY	4A	61	4,409.00	142
C535-CFS-L-GYA	4A	61	4,409.00	142
C535-CFS-U	4A	61	4,281.00	142
C535-CFS-UA	4A	61	4,281.00	142
C535-CFS-U-BU	4A	61	4,281.00	142
C535-CFS-U-BUA	4A	61	4,281.00	142
C535-CFS-U-GY	4A	61	4,281.00	142
C535-CFS-U-GYA	4A	61	4,281.00	142
C535-CLFC-4	4A	61	4,291.00	142
C535-CLFC-4A	4A	61	4,291.00	142
C535-CLFC-4-BU	4A	61	4,291.00	142
C535-CLFC-4-BUA	4A	61	4,291.00	142
C535-CLFC-4-GY	4A	61	4,291.00	142
C535-CLFC-4-GYA	4A	61	4,291.00	142
C535-CLFC-L	4A	61	4,640.00	142
C535-CLFC-LA	4A	61	4,640.00	142
C535-CLFC-L-BU	4A	61	4,640.00	142
C535-CLFC-L-BUA	4A	61	4,640.00	142
C535-CLFC-L-GY	4A	61	4,640.00	142
C535-CLFC-L-GYA	4A	61	4,640.00	142
C535-CLFC-U	4A	61	4,506.00	142
C535-CLFC-UA	4A	61	4,506.00	142
C535-CLFC-U-BU	4A	61	4,506.00	142
C535-CLFC-U-BUA	4A	61	4,506.00	142
C535-CLFC-U-GY	4A	61	4,506.00	142
C535-CLFC-U-GYA	4A	61	4,506.00	142
C535-CLFS-4	4A	61	4,078.00	142
C535-CLFS-4A	4A	61	4,078.00	142
C535-CLFS-4-BU	4A	61	4,078.00	142
C535-CLFS-4-BUA	4A	61	4,078.00	142
C535-CLFS-4-GY	4A	61	4,078.00	142
C535-CLFS-4-GYA	4A	61	4,078.00	142

ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
C535-CLFS-L	4A	61	4,409.00	142
C535-CLFS-LA	4A	61	4,409.00	142
C535-CLFS-L-BU	4A	61	4,409.00	142
C535-CLFS-L-BUA	4A	61	4,409.00	142
C535-CLFS-L-GY	4A	61	4,409.00	142
C535-CLFS-L-GYA	4A	61	4,409.00	142
C535-CLFS-U	4A	61	4,281.00	142
C535-CLFS-UA	4A	61	4,281.00	142
C535-CLFS-U-BU	4A	61	4,281.00	142
C535-CLFS-U-BUA	4A	61	4,281.00	142
C535-CLFS-U-GY	4A	61	4,281.00	142
C535-CLFS-U-GYA	4A	61	4,281.00	142
C535-CXFC-4	4A	61	4,291.00	142
C535-CXFC-4A	4A	61	4,291.00	142
C535-CXFC-4-BU	4A	61	4,291.00	142
C535-CXFC-4-BUA	4A	61	4,291.00	142
C535-CXFC-4-GY	4A	61	4,291.00	142
C535-CXFC-4-GYA	4A	61	4,291.00	142
C535-CXFC-L	4A	61	4,640.00	142
C535-CXFC-LA	4A	61	4,640.00	142
C535-CXFC-L-BU	4A	61	4,640.00	142
C535-CXFC-L-BUA	4A	61	4,640.00	142
C535-CXFC-L-GY	4A	61	4,640.00	142
C535-CXFC-L-GYA	4A	61	4,640.00	142
C535-CXFC-U	4A	61	4,506.00	142
C535-CXFC-UA	4A	61	4,506.00	142
C535-CXFC-U-BU	4A	61	4,506.00	142
C535-CXFC-U-BUA	4A	61	4,506.00	142
C535-CXFC-U-GY	4A	61	4,506.00	142
C535-CXFC-U-GYA	4A	61	4,506.00	142
C535-CXFS-4	4A	61	4,078.00	142
C535-CXFS-4A	4A	61	4,078.00	142
C535-CXFS-4-BU	4A	61	4,078.00	142
C535-CXFS-4-BUA	4A	61	4,078.00	142
C535-CXFS-4-GY	4A	61	4,078.00	142
C535-CXFS-4-GYA	4A	61	4,078.00	142
C535-CXFS-L	4A	61	4,409.00	142
C535-CXFS-LA	4A	61	4,409.00	142
C535-CXFS-L-BU	4A	61	4,409.00	142
C535-CXFS-L-BUA	4A	61	4,409.00	142
C535-CXFS-L-GY	4A	61	4,409.00	142
C535-CXFS-L-GYA	4A	61	4,409.00	142
C535-CXFS-U	4A	61	4,281.00	142
C535-CXFS-UA	4A	61	4,281.00	142
C535-CXFS-U-BU	4A	61	4,281.00	142
C535-CXFS-U-BUA	4A	61	4,281.00	142
C535-CXFS-U-GY	4A	61	4,281.00	142
C535-CXFS-U-GYA	4A	61	4,281.00	142
C535-HFC-4	4A	61	3,862.00	143
C535-HFC-4A	4A	61	3,862.00	143
C535-HFC-4-BU	4A	61	3,862.00	143
C535-HFC-4-BUA	4A	61	3,862.00	143
C535-HFC-4-GY	4A	61	3,862.00	143
C535-HFC-4-GYA	4A	61	3,862.00	143
C535-HFC-L	4A	61	4,177.00	143
C535-HFC-LA	4A	61	4,177.00	143
C535-HFC-L-BU	4A	61	4,177.00	143
C535-HFC-L-BUA	4A	61	4,177.00	143
C535-HFC-L-GY	4A	61	4,177.00	143
C535-HFC-L-GYA	4A	61	4,177.00	143
C535-HFC-U	4A	61	4,056.00	143
C535-HFC-UA	4A	61	4,056.00	143
C535-HFC-U-BU	4A	61	4,056.00	143
C535-HFC-U-BUA	4A	61	4,056.00	143
C535-HFC-U-GY	4A	61	4,056.00	143
C535-HFC-U-GYA	4A	61	4,056.00	143
C535-HFS-4	4A	61	3,669.00	143
C535-HFS-4A	4A	61	3,669.00	143
C535-HFS-4-BU	4A	61	3,669.00	143
C535-HFS-4-BUA	4A	61	3,669.00	143
C535-HFS-4-GY	4A	61	3,669.00	143
C535-HFS-4-GYA	4A	61	3,669.00	143
C535-HFS-L	4A	61	3,969.00	143
C535-HFS-LA	4A	61	3,969.00	143
C535-HFS-L-BU	4A	61	3,969.00	143
C535-HFS-L-BUA	4A	61	3,969.00	143
C535-HFS-L-GY	4A	61	3,969.00	143
C535-HFS-L-GYA	4A	61	3,969.00	143
C535-HFS-U	4A	61	3,854.00	143

Part Number	Sales Class	AQ Cat	List Price	Page #
C535-HFS-UA	4A	61	3,854.00	143
C535-HFS-U-BU	4A	61	3,854.00	143
C535-HFS-U-BUA	4A	61	3,854.00	143
C535-HFS-U-GY	4A	61	3,854.00	143
C535-HFS-U-GYA	4A	61	3,854.00	143
C535-HLFC-4	4A	61	3,862.00	143
C535-HLFC-4A	4A	61	3,862.00	143
C535-HLFC-4-BU	4A	61	3,862.00	143
C535-HLFC-4-BUA	4A	61	3,862.00	143
C535-HLFC-4-GY	4A	61	3,862.00	143
C535-HLFC-4-GYA	4A	61	3,862.00	143
C535-HLFC-L	4A	61	4,177.00	143
C535-HLFC-LA	4A	61	4,177.00	143
C535-HLFC-L-BU	4A	61	4,177.00	143
C535-HLFC-L-BUA	4A	61	4,177.00	143
C535-HLFC-L-GY	4A	61	4,177.00	143
C535-HLFC-L-GYA	4A	61	4,177.00	143
C535-HLFC-U	4A	61	4,056.00	143
C535-HLFC-UA	4A	61	4,056.00	143
C535-HLFC-U-BU	4A	61	4,056.00	143
C535-HLFC-U-BUA	4A	61	4,056.00	143
C535-HLFC-U-GY	4A	61	4,056.00	143
C535-HLFC-U-GYA	4A	61	4,056.00	143
C535-HLFS-4	4A	61	3,669.00	143
C535-HLFS-4A	4A	61	3,669.00	143
C535-HLFS-4-BU	4A	61	3,669.00	143
C535-HLFS-4-BUA	4A	61	3,669.00	143
C535-HLFS-4-GY	4A	61	3,669.00	143
C535-HLFS-4-GYA	4A	61	3,669.00	143
C535-HLFS-L	4A	61	3,969.00	143
C535-HLFS-LA	4A	61	3,969.00	143
C535-HLFS-L-BU	4A	61	3,969.00	143
C535-HLFS-L-BUA	4A	61	3,969.00	143
C535-HLFS-L-GY	4A	61	3,969.00	143
C535-HLFS-L-GYA	4A	61	3,969.00	143
C535-HLFS-U	4A	61	3,854.00	143
C535-HLFS-UA	4A	61	3,854.00	143
C535-HLFS-U-BU	4A	61	3,854.00	143
C535-HLFS-U-BUA	4A	61	3,854.00	143
C535-HLFS-U-GY	4A	61	3,854.00	143
C535-HLFS-U-GYA	4A	61	3,854.00	143
C535-HXFC-4	4A	61	3,862.00	143
C535-HXFC-4A	4A	61	3,862.00	143
C535-HXFC-4-BU	4A	61	3,862.00	143
C535-HXFC-4-BUA	4A	61	3,862.00	143
C535-HXFC-4-GY	4A	61	3,862.00	143
C535-HXFC-4-GYA	4A	61	3,862.00	143
C535-HXFC-L	4A	61	4,177.00	143
C535-HXFC-LA	4A	61	4,177.00	143
C535-HXFC-L-BU	4A	61	4,177.00	143
C535-HXFC-L-BUA	4A	61	4,177.00	143
C535-HXFC-L-GY	4A	61	4,177.00	143
C535-HXFC-L-GYA	4A	61	4,177.00	143
C535-HXFC-U	4A	61	4,056.00	143
C535-HXFC-UA	4A	61	4,056.00	143
C535-HXFC-U-BU	4A	61	4,056.00	143
C535-HXFC-U-BUA	4A	61	4,056.00	143
C535-HXFC-U-GY	4A	61	4,056.00	143
C535-HXFC-U-GYA	4A	61	4,056.00	143
C535-HXFS-4	4A	61	3,669.00	143
C535-HXFS-4A	4A	61	3,669.00	143
C535-HXFS-4-BU	4A	61	3,669.00	143
C535-HXFS-4-BUA	4A	61	3,669.00	143
C535-HXFS-4-GY	4A	61	3,669.00	143
C535-HXFS-4-GYA	4A	61	3,669.00	143
C535-HXFS-L	4A	61	3,969.00	143
C535-HXFS-LA	4A	61	3,969.00	143
C535-HXFS-L-BU	4A	61	3,969.00	143
C535-HXFS-L-BUA	4A	61	3,969.00	143
C535-HXFS-L-GY	4A	61	3,969.00	143
C535-HXFS-L-GYA	4A	61	3,969.00	143
C535-HXFS-U	4A	61	3,854.00	143
C535-HXFS-UA	4A	61	3,854.00	143
C535-HXFS-U-BU	4A	61	3,854.00	143
C535-HXFS-U-BUA	4A	61	3,854.00	143
C535-HXFS-U-GY	4A	61	3,854.00	143
C535-HXFS-U-GYA	4A	61	3,854.00	143
C535-MFC-4	4A	61	4,506.00	142
C535-MFC-4A	4A	61	4,506.00	142

Part Number	Sales Class	AQ Cat	List Price	Page #
C535-MFC-4-BU	4A	61	4,506.00	142
C535-MFC-4-BUA	4A	61	4,506.00	142
C535-MFC-4-GY	4A	61	4,506.00	142
C535-MFC-4-GYA	4A	61	4,506.00	142
C535-MFC-L	4A	61	4,872.00	142
C535-MFC-LA	4A	61	4,872.00	142
C535-MFC-L-BU	4A	61	4,872.00	142
C535-MFC-L-BUA	4A	61	4,872.00	142
C535-MFC-L-GY	4A	61	4,872.00	142
C535-MFC-L-GYA	4A	61	4,872.00	142
C535-MFC-U	4A	61	4,731.00	142
C535-MFC-UA	4A	61	4,731.00	142
C535-MFC-U-BU	4A	61	4,731.00	142
C535-MFC-U-BUA	4A	61	4,731.00	142
C535-MFC-U-GY	4A	61	4,731.00	142
C535-MFC-U-GYA	4A	61	4,731.00	142
C535-MFS-4	4A	61	4,281.00	142
C535-MFS-4A	4A	61	4,281.00	142
C535-MFS-4-BU	4A	61	4,281.00	142
C535-MFS-4-BUA	4A	61	4,281.00	142
C535-MFS-4-GY	4A	61	4,281.00	142
C535-MFS-4-GYA	4A	61	4,281.00	142
C535-MFS-L	4A	61	4,631.00	142
C535-MFS-LA	4A	61	4,631.00	142
C535-MFS-L-BU	4A	61	4,631.00	142
C535-MFS-L-BUA	4A	61	4,631.00	142
C535-MFS-L-GY	4A	61	4,631.00	142
C535-MFS-L-GYA	4A	61	4,631.00	142
C535-MFS-U	4A	61	4,496.00	142
C535-MFS-UA	4A	61	4,496.00	142
C535-MFS-U-BU	4A	61	4,496.00	142
C535-MFS-U-BUA	4A	61	4,496.00	142
C535-MFS-U-GY	4A	61	4,496.00	142
C535-MFS-U-GYA	4A	61	4,496.00	142
C535-MXFC-4	4A	61	4,506.00	142
C535-MXFC-4A	4A	61	4,506.00	142
C535-MXFC-4-BU	4A	61	4,506.00	142
C535-MXFC-4-BUA	4A	61	4,506.00	142
C535-MXFC-4-GY	4A	61	4,506.00	142
C535-MXFC-4-GYA	4A	61	4,506.00	142
C535-MXFC-L	4A	61	4,872.00	142
C535-MXFC-LA	4A	61	4,872.00	142
C535-MXFC-L-BU	4A	61	4,872.00	142
C535-MXFC-L-BUA	4A	61	4,872.00	142
C535-MXFC-L-GY	4A	61	4,872.00	142
C535-MXFC-L-GYA	4A	61	4,872.00	142
C535-MXFC-U	4A	61	4,731.00	142
C535-MXFC-UA	4A	61	4,731.00	142
C535-MXFC-U-BU	4A	61	4,731.00	142
C535-MXFC-U-BUA	4A	61	4,731.00	142
C535-MXFC-U-GY	4A	61	4,731.00	142
C535-MXFC-U-GYA	4A	61	4,731.00	142
C535-MXFS-4	4A	61	4,281.00	142
C535-MXFS-4A	4A	61	4,281.00	142
C535-MXFS-4-BU	4A	61	4,281.00	142
C535-MXFS-4-BUA	4A	61	4,281.00	142
C535-MXFS-4-GY	4A	61	4,281.00	142
C535-MXFS-4-GYA	4A	61	4,281.00	142
C535-MXFS-L	4A	61	4,631.00	142
C535-MXFS-LA	4A	61	4,631.00	142
C535-MXFS-L-BU	4A	61	4,631.00	142
C535-MXFS-L-BUA	4A	61	4,631.00	142
C535-MXFS-L-GY	4A	61	4,631.00	142
C535-MXFS-L-GYA	4A	61	4,631.00	142
C535-MXFS-U	4A	61	4,496.00	142
C535-MXFS-UA	4A	61	4,496.00	142
C535-MXFS-U-BU	4A	61	4,496.00	142
C535-MXFS-U-BUA	4A	61	4,496.00	142
C535-MXFS-U-GY	4A	61	4,496.00	142
C535-MXFS-U-GYA	4A	61	4,496.00	142
C537-CFC-4	4A	61	4,631.00	142
C537-CFC-4A	4A	61	4,631.00	142
C537-CFC-4-BU	4A	61	4,631.00	142
C537-CFC-4-BUA	4A	61	4,631.00	142
C537-CFC-4-GY	4A	61	4,631.00	142
C537-CFC-4-GYA	4A	61	4,631.00	142
C537-CFC-L	4A	61	5,009.00	142
C537-CFC-LA	4A	61	5,009.00	142
C537-CFC-L-BU	4A	61	5,009.00	142



Part Number	Sales Class	AQ Cat	List Price	Page #
C537-HLFS-4-GYA	4A	61	3,961.00	143
C537-HLFS-L	4A	61	4,286.00	143
C537-HLFS-LA	4A	61	4,286.00	143
C537-HLFS-L-BU	4A	61	4,286.00	143
C537-HLFS-L-BUA	4A	61	4,286.00	143
C537-HLFS-L-GY	4A	61	4,286.00	143
C537-HLFS-L-GYA	4A	61	4,286.00	143
C537-HLFS-U	4A	61	4,161.00	143
C537-HLFS-UA	4A	61	4,161.00	143
C537-HLFS-U-BU	4A	61	4,161.00	143
C537-HLFS-U-BUA	4A	61	4,161.00	143
C537-HLFS-U-GY	4A	61	4,161.00	143
C537-HLFS-U-GYA	4A	61	4,161.00	143
C537-HXFC-4	4A	61	4,169.00	143
C537-HXFC-4A	4A	61	4,169.00	143
C537-HXFC-4-BU	4A	61	4,169.00	143
C537-HXFC-4-BUA	4A	61	4,169.00	143
C537-HXFC-4-GY	4A	61	4,169.00	143
C537-HXFC-4-GYA	4A	61	4,169.00	143
C537-HXFC-L	4A	61	4,510.00	143
C537-HXFC-LA	4A	61	4,510.00	143
C537-HXFC-L-BU	4A	61	4,510.00	143
C537-HXFC-L-BUA	4A	61	4,510.00	143
C537-HXFC-L-GY	4A	61	4,510.00	143
C537-HXFC-L-GYA	4A	61	4,510.00	143
C537-HXFC-U	4A	61	4,378.00	143
C537-HXFC-UA	4A	61	4,378.00	143
C537-HXFC-U-BU	4A	61	4,378.00	143
C537-HXFC-U-BUA	4A	61	4,378.00	143
C537-HXFC-U-GY	4A	61	4,378.00	143
C537-HXFC-U-GYA	4A	61	4,378.00	143
C537-HXFS-4	4A	61	3,961.00	143
C537-HXFS-4A	4A	61	3,961.00	143
C537-HXFS-4-BU	4A	61	3,961.00	143
C537-HXFS-4-BUA	4A	61	3,961.00	143
C537-HXFS-4-GY	4A	61	3,961.00	143
C537-HXFS-4-GYA	4A	61	3,961.00	143
C537-HXFS-L	4A	61	4,286.00	143
C537-HXFS-LA	4A	61	4,286.00	143
C537-HXFS-L-BU	4A	61	4,286.00	143
C537-HXFS-L-BUA	4A	61	4,286.00	143
C537-HXFS-L-GY	4A	61	4,286.00	143
C537-HXFS-L-GYA	4A	61	4,286.00	143
C537-HXFS-U	4A	61	4,161.00	143
C537-HXFS-UA	4A	61	4,161.00	143
C537-HXFS-U-BU	4A	61	4,161.00	143
C537-HXFS-U-BUA	4A	61	4,161.00	143
C537-HXFS-U-GY	4A	61	4,161.00	143
C537-HXFS-U-GYA	4A	61	4,161.00	143
C537-MFC-4	4A	61	4,863.00	142
C537-MFC-4A	4A	61	4,863.00	142
C537-MFC-4-BU	4A	61	4,863.00	142
C537-MFC-4-BUA	4A	61	4,863.00	142
C537-MFC-4-GY	4A	61	4,863.00	142
C537-MFC-4-GYA	4A	61	4,863.00	142
C537-MFC-L	4A	61	5,260.00	142
C537-MFC-LA	4A	61	5,260.00	142
C537-MFC-L-BU	4A	61	5,260.00	142
C537-MFC-L-BUA	4A	61	5,260.00	142
C537-MFC-L-GY	4A	61	5,260.00	142
C537-MFC-L-GYA	4A	61	5,260.00	142
C537-MFC-U	4A	61	5,108.00	142
C537-MFC-UA	4A	61	5,108.00	142
C537-MFC-U-BU	4A	61	5,108.00	142
C537-MFC-U-BUA	4A	61	5,108.00	142
C537-MFC-U-GY	4A	61	5,108.00	142
C537-MFC-U-GYA	4A	61	5,108.00	142
C537-MFS-4	4A	61	4,620.00	142
C537-MFS-4A	4A	61	4,620.00	142
C537-MFS-4-BU	4A	61	4,620.00	142
C537-MFS-4-BUA	4A	61	4,620.00	142
C537-MFS-4-GY	4A	61	4,620.00	142
C537-MFS-4-GYA	4A	61	4,620.00	142
C537-MFS-L	4A	61	4,998.00	142
C537-MFS-LA	4A	61	4,998.00	142
C537-MFS-L-BU	4A	61	4,998.00	142
C537-MFS-L-BUA	4A	61	4,998.00	142
C537-MFS-L-GY	4A	61	4,998.00	142
C537-MFS-L-GYA	4A	61	4,998.00	142


ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
C537-MFS-U	4A	61	4,853.00	142
C537-MFS-UA	4A	61	4,853.00	142
C537-MFS-U-BU	4A	61	4,853.00	142
C537-MFS-U-BUA	4A	61	4,853.00	142
C537-MFS-U-GY	4A	61	4,853.00	142
C537-MFS-U-GYA	4A	61	4,853.00	142
C537-MXFC-4	4A	61	4,863.00	142
C537-MXFC-4A	4A	61	4,863.00	142
C537-MXFC-4-BU	4A	61	4,863.00	142
C537-MXFC-4-BUA	4A	61	4,863.00	142
C537-MXFC-4-GY	4A	61	4,863.00	142
C537-MXFC-4-GYA	4A	61	4,863.00	142
C537-MXFC-L	4A	61	5,260.00	142
C537-MXFC-LA	4A	61	5,260.00	142
C537-MXFC-L-BU	4A	61	5,260.00	142
C537-MXFC-L-BUA	4A	61	5,260.00	142
C537-MXFC-L-GY	4A	61	5,260.00	142
C537-MXFC-L-GYA	4A	61	5,260.00	142
C537-MXFC-U	4A	61	5,108.00	142
C537-MXFC-UA	4A	61	5,108.00	142
C537-MXFC-U-BU	4A	61	5,108.00	142
C537-MXFC-U-BUA	4A	61	5,108.00	142
C537-MXFC-U-GY	4A	61	5,108.00	142
C537-MXFC-U-GYA	4A	61	5,108.00	142
C537-MXFS-4	4A	61	4,620.00	142
C537-MXFS-4A	4A	61	4,620.00	142
C537-MXFS-4-BU	4A	61	4,620.00	142
C537-MXFS-4-BUA	4A	61	4,620.00	142
C537-MXFS-4-GY	4A	61	4,620.00	142
C537-MXFS-4-GYA	4A	61	4,620.00	142
C537-MXFS-L	4A	61	4,998.00	142
C537-MXFS-LA	4A	61	4,998.00	142
C537-MXFS-L-BU	4A	61	4,998.00	142
C537-MXFS-L-BUA	4A	61	4,998.00	142
C537-MXFS-L-GY	4A	61	4,998.00	142
C537-MXFS-L-GYA	4A	61	4,998.00	142
C537-MXFS-U	4A	61	4,853.00	142
C537-MXFS-UA	4A	61	4,853.00	142
C537-MXFS-U-BU	4A	61	4,853.00	142
C537-MXFS-U-BUA	4A	61	4,853.00	142
C537-MXFS-U-GY	4A	61	4,853.00	142
C537-MXFS-U-GYA	4A	61	4,853.00	142
C539-CDC-4	4A	61	5,119.00	142
C539-CDC-4A	4A	61	5,119.00	142
C539-CDC-4-BU	4A	61	5,119.00	142
C539-CDC-4-BUA	4A	61	5,119.00	142
C539-CDC-4-GY	4A	61	5,119.00	142
C539-CDC-4-GYA	4A	61	5,119.00	142
C539-CDC-L	4A	61	5,538.00	142
C539-CDC-LA	4A	61	5,538.00	142
C539-CDC-L-BU	4A	61	5,538.00	142
C539-CDC-L-BUA	4A	61	5,538.00	142
C539-CDC-L-GY	4A	61	5,538.00	142
C539-CDC-L-GYA	4A	61	5,538.00	142
C539-CDC-U	4A	61	5,375.00	142
C539-CDC-UA	4A	61	5,375.00	142
C539-CDC-U-BU	4A	61	5,375.00	142
C539-CDC-U-BUA	4A	61	5,375.00	142
C539-CDC-U-GY	4A	61	5,375.00	142
C539-CDC-U-GYA	4A	61	5,375.00	142
C539-CDS-4	4A	61	4,863.00	142
C539-CDS-4A	4A	61	4,863.00	142
C539-CDS-4-BU	4A	61	4,863.00	142
C539-CDS-4-BUA	4A	61	4,863.00	142
C539-CDS-4-GY	4A	61	4,863.00	142
C539-CDS-4-GYA	4A	61	4,863.00	142
C539-CDS-L	4A	61	5,261.00	142
C539-CDS-LA	4A	61	5,261.00	142
C539-CDS-L-BU	4A	61	5,261.00	142
C539-CDS-L-BUA	4A	61	5,261.00	142
C539-CDS-L-GY	4A	61	5,261.00	142
C539-CDS-L-GYA	4A	61	5,261.00	142
C539-CDS-U	4A	61	5,109.00	142
C539-CDS-UA	4A	61	5,109.00	142
C539-CDS-U-BU	4A	61	5,109.00	142
C539-CDS-U-BUA	4A	61	5,109.00	142
C539-CDS-U-GY	4A	61	5,109.00	142
C539-CDS-U-GYA	4A	61	5,109.00	142
C539-CFC-4	4A	61	4,875.00	142

Part Number	Sales Class	AQ Cat	List Price	Page #
C539-CFC-4A	4A	61	4,875.00	142
C539-CFC-4-BU	4A	61	4,875.00	142
C539-CFC-4-BUA	4A	61	4,875.00	142
C539-CFC-4-GY	4A	61	4,875.00	142
C539-CFC-4-GYA	4A	61	4,875.00	142
C539-CFC-L	4A	61	5,273.00	142
C539-CFC-LA	4A	61	5,273.00	142
C539-CFC-L-BU	4A	61	5,273.00	142
C539-CFC-L-BUA	4A	61	5,273.00	142
C539-CFC-L-GY	4A	61	5,273.00	142
C539-CFC-L-GYA	4A	61	5,273.00	142
C539-CFC-U	4A	61	5,119.00	142
C539-CFC-UA	4A	61	5,119.00	142
C539-CFC-U-BU	4A	61	5,119.00	142
C539-CFC-U-BUA	4A	61	5,119.00	142
C539-CFC-U-GY	4A	61	5,119.00	142
C539-CFC-U-GYA	4A	61	5,119.00	142
C539-CFS-4	4A	61	4,631.00	142
C539-CFS-4A	4A	61	4,631.00	142
C539-CFS-4-BU	4A	61	4,631.00	142
C539-CFS-4-BUA	4A	61	4,631.00	142
C539-CFS-4-GY	4A	61	4,631.00	142
C539-CFS-4-GYA	4A	61	4,631.00	142
C539-CFS-L	4A	61	5,009.00	142
C539-CFS-LA	4A	61	5,009.00	142
C539-CFS-L-BU	4A	61	5,009.00	142
C539-CFS-L-BUA	4A	61	5,009.00	142
C539-CFS-L-GY	4A	61	5,009.00	142
C539-CFS-L-GYA	4A	61	5,009.00	142
C539-CFS-U	4A	61	4,863.00	142
C539-CFS-UA	4A	61	4,863.00	142
C539-CFS-U-BU	4A	61	4,863.00	142
C539-CFS-U-BUA	4A	61	4,863.00	142
C539-CFS-U-GY	4A	61	4,863.00	142
C539-CFS-U-GYA	4A	61	4,863.00	142
C539-CLDC-4	4A	61	5,119.00	142
C539-CLDC-4A	4A	61	5,119.00	142
C539-CLDC-4-BU	4A	61	5,119.00	142
C539-CLDC-4-BUA	4A	61	5,119.00	142
C539-CLDC-4-GY	4A	61	5,119.00	142
C539-CLDC-4-GYA	4A	61	5,119.00	142
C539-CLDC-L	4A	61	5,538.00	142
C539-CLDC-LA	4A	61	5,538.00	142
C539-CLDC-L-BU	4A	61	5,538.00	142
C539-CLDC-L-BUA	4A	61	5,538.00	142
C539-CLDC-L-GY	4A	61	5,538.00	142
C539-CLDC-L-GYA	4A	61	5,538.00	142
C539-CLDC-U	4A	61	5,375.00	142
C539-CLDC-UA	4A	61	5,375.00	142
C539-CLDC-U-BU	4A	61	5,375.00	142
C539-CLDC-U-BUA	4A	61	5,375.00	142
C539-CLDC-U-GY	4A	61	5,375.00	142
C539-CLDC-U-GYA	4A	61	5,375.00	142
C539-CLDS-4	4A	61	4,863.00	142
C539-CLDS-4A	4A	61	4,863.00	142
C539-CLDS-4-BU	4A	61	4,863.00	142
C539-CLDS-4-BUA	4A	61	4,863.00	142
C539-CLDS-4-GY	4A	61	4,863.00	142
C539-CLDS-4-GYA	4A	61	4,863.00	142
C539-CLDS-L	4A	61	5,261.00	142
C539-CLDS-LA	4A	61	5,261.00	142
C539-CLDS-L-BU	4A	61	5,261.00	142
C539-CLDS-L-BUA	4A	61	5,261.00	142
C539-CLDS-L-GY	4A	61	5,261.00	142
C539-CLDS-L-GYA	4A	61	5,261.00	142
C539-CLDS-U	4A	61	5,109.00	142
C539-CLDS-UA	4A	61	5,109.00	142
C539-CLDS-U-BU	4A	61	5,109.00	142
C539-CLDS-U-BUA	4A	61	5,109.00	142
C539-CLDS-U-GY	4A	61	5,109.00	142
C539-CLDS-U-GYA	4A	61	5,109.00	142
C539-CLFC-4	4A	61	4,875.00	142
C539-CLFC-4A	4A	61	4,875.00	142
C539-CLFC-4-BU	4A	61	4,875.00	142
C539-CLFC-4-BUA	4A	61	4,875.00	142
C539-CLFC-4-GY	4A	61	4,875.00	142
C539-CLFC-4-GYA	4A	61	4,875.00	142
C539-CLFC-L	4A	61	5,273.00	142
C539-CLFC-LA	4A	61	5,273.00	142

Part Number	Sales Class	AQ Cat	List Price	Page #
C539-CLFC-L-BU	4A	61	5,273.00	142
C539-CLFC-L-BUA	4A	61	5,273.00	142
C539-CLFC-L-GY	4A	61	5,273.00	142
C539-CLFC-L-GYA	4A	61	5,273.00	142
C539-CLFC-U	4A	61	5,119.00	142
C539-CLFC-UA	4A	61	5,119.00	142
C539-CLFC-U-BU	4A	61	5,119.00	142
C539-CLFC-U-BUA	4A	61	5,119.00	142
C539-CLFC-U-GY	4A	61	5,119.00	142
C539-CLFC-U-GYA	4A	61	5,119.00	142
C539-CLFS-4	4A	61	4,631.00	142
C539-CLFS-4A	4A	61	4,631.00	142
C539-CLFS-4-BU	4A	61	4,631.00	142
C539-CLFS-4-BUA	4A	61	4,631.00	142
C539-CLFS-4-GY	4A	61	4,631.00	142
C539-CLFS-4-GYA	4A	61	4,631.00	142
C539-CLFS-L	4A	61	5,009.00	142
C539-CLFS-LA	4A	61	5,009.00	142
C539-CLFS-L-BU	4A	61	5,009.00	142
C539-CLFS-L-BUA	4A	61	5,009.00	142
C539-CLFS-L-GY	4A	61	5,009.00	142
C539-CLFS-L-GYA	4A	61	5,009.00	142
C539-CLFS-U	4A	61	4,863.00	142
C539-CLFS-UA	4A	61	4,863.00	142
C539-CLFS-U-BU	4A	61	4,863.00	142
C539-CLFS-U-BUA	4A	61	4,863.00	142
C539-CLFS-U-GY	4A	61	4,863.00	142
C539-CLFS-U-GYA	4A	61	4,863.00	142
C539-CXDC-4	4A	61	5,119.00	142
C539-CXDC-4A	4A	61	5,119.00	142
C539-CXDC-4-BU	4A	61	5,119.00	142
C539-CXDC-4-BUA	4A	61	5,119.00	142
C539-CXDC-4-GY	4A	61	5,119.00	142
C539-CXDC-4-GYA	4A	61	5,119.00	142
C539-CXDC-L	4A	61	5,538.00	142
C539-CXDC-LA	4A	61	5,538.00	142
C539-CXDC-L-BU	4A	61	5,538.00	142
C539-CXDC-L-BUA	4A	61	5,538.00	142
C539-CXDC-L-GY	4A	61	5,538.00	142
C539-CXDC-L-GYA	4A	61	5,538.00	142
C539-CXDC-U	4A	61	5,375.00	142
C539-CXDC-UA	4A	61	5,375.00	142
C539-CXDC-U-BU	4A	61	5,375.00	142
C539-CXDC-U-BUA	4A	61	5,375.00	142
C539-CXDC-U-GY	4A	61	5,375.00	142
C539-CXDC-U-GYA	4A	61	5,375.00	142
C539-CXDS-4	4A	61	4,863.00	142
C539-CXDS-4A	4A	61	4,863.00	142
C539-CXDS-4-BU	4A	61	4,863.00	142
C539-CXDS-4-BUA	4A	61	4,863.00	142
C539-CXDS-4-GY	4A	61	4,863.00	142
C539-CXDS-4-GYA	4A	61	4,863.00	142
C539-CXDS-L	4A	61	5,261.00	142
C539-CXDS-LA	4A	61	5,261.00	142
C539-CXDS-L-BU	4A	61	5,261.00	142
C539-CXDS-L-BUA	4A	61	5,261.00	142
C539-CXDS-L-GY	4A	61	5,261.00	142
C539-CXDS-L-GYA	4A	61	5,261.00	142
C539-CXDS-U	4A	61	5,109.00	142
C539-CXDS-UA	4A	61	5,109.00	142
C539-CXDS-U-BU	4A	61	5,109.00	142
C539-CXDS-U-BUA	4A	61	5,109.00	142
C539-CXDS-U-GY	4A	61	5,109.00	142
C539-CXDS-U-GYA	4A	61	5,109.00	142
C539-CXFC-4	4A	61	4,875.00	142
C539-CXFC-4A	4A	61	4,875.00	142
C539-CXFC-4-BU	4A	61	4,875.00	142
C539-CXFC-4-BUA	4A	61	4,875.00	142
C539-CXFC-4-GY	4A	61	4,875.00	142
C539-CXFC-4-GYA	4A	61	4,875.00	142
C539-CXFC-L	4A	61	5,273.00	142
C539-CXFC-LA	4A	61	5,273.00	142
C539-CXFC-L-BU	4A	61	5,273.00	142
C539-CXFC-L-BUA	4A	61	5,273.00	142
C539-CXFC-L-GY	4A	61	5,273.00	142
C539-CXFC-L-GYA	4A	61	5,273.00	142
C539-CXFC-U	4A	61	5,119.00	142
C539-CXFC-UA	4A	61	5,119.00	142
C539-CXFC-U-BU	4A	61	5,119.00	142



Part Number	Sales Class	AQ Cat	List Price	Page #
C539-HLFS-L-GYA	4A	61	4,510.00	143
C539-HLFS-U	4A	61	4,378.00	143
C539-HLFS-UA	4A	61	4,378.00	143
C539-HLFS-U-BU	4A	61	4,378.00	143
C539-HLFS-U-BUA	4A	61	4,378.00	143
C539-HLFS-U-GY	4A	61	4,378.00	143
C539-HLFS-U-GYA	4A	61	4,378.00	143
C539-HXDC-4	4A	61	4,608.00	143
C539-HXDC-4A	4A	61	4,608.00	143
C539-HXDC-4-BU	4A	61	4,608.00	143
C539-HXDC-4-BUA	4A	61	4,608.00	143
C539-HXDC-4-GY	4A	61	4,608.00	143
C539-HXDC-4-GYA	4A	61	4,608.00	143
C539-HXDC-L	4A	61	4,984.00	143
C539-HXDC-LA	4A	61	4,984.00	143
C539-HXDC-L-BU	4A	61	4,984.00	143
C539-HXDC-L-BUA	4A	61	4,984.00	143
C539-HXDC-L-GY	4A	61	4,984.00	143
C539-HXDC-L-GYA	4A	61	4,984.00	143
C539-HXDC-U	4A	61	4,839.00	143
C539-HXDC-UA	4A	61	4,839.00	143
C539-HXDC-U-BU	4A	61	4,839.00	143
C539-HXDC-U-BUA	4A	61	4,839.00	143
C539-HXDC-U-GY	4A	61	4,839.00	143
C539-HXDC-U-GYA	4A	61	4,839.00	143
C539-HXDS-4	4A	61	4,378.00	143
C539-HXDS-4A	4A	61	4,378.00	143
C539-HXDS-4-BU	4A	61	4,378.00	143
C539-HXDS-4-BUA	4A	61	4,378.00	143
C539-HXDS-4-GY	4A	61	4,378.00	143
C539-HXDS-4-GYA	4A	61	4,378.00	143
C539-HXDS-L	4A	61	4,736.00	143
C539-HXDS-LA	4A	61	4,736.00	143
C539-HXDS-L-BU	4A	61	4,736.00	143
C539-HXDS-L-BUA	4A	61	4,736.00	143
C539-HXDS-L-GY	4A	61	4,736.00	143
C539-HXDS-L-GYA	4A	61	4,736.00	143
C539-HXDS-U	4A	61	4,598.00	143
C539-HXDS-UA	4A	61	4,598.00	143
C539-HXDS-U-BU	4A	61	4,598.00	143
C539-HXDS-U-BUA	4A	61	4,598.00	143
C539-HXDS-U-GY	4A	61	4,598.00	143
C539-HXDS-U-GYA	4A	61	4,598.00	143
C539-HXFC-4	4A	61	4,387.00	143
C539-HXFC-4A	4A	61	4,387.00	143
C539-HXFC-4-BU	4A	61	4,387.00	143
C539-HXFC-4-BUA	4A	61	4,387.00	143
C539-HXFC-4-GY	4A	61	4,387.00	143
C539-HXFC-4-GYA	4A	61	4,387.00	143
C539-HXFC-L	4A	61	4,746.00	143
C539-HXFC-LA	4A	61	4,746.00	143
C539-HXFC-L-BU	4A	61	4,746.00	143
C539-HXFC-L-BUA	4A	61	4,746.00	143
C539-HXFC-L-GY	4A	61	4,746.00	143
C539-HXFC-L-GYA	4A	61	4,746.00	143
C539-HXFC-U	4A	61	4,608.00	143
C539-HXFC-UA	4A	61	4,608.00	143
C539-HXFC-U-BU	4A	61	4,608.00	143
C539-HXFC-U-BUA	4A	61	4,608.00	143
C539-HXFC-U-GY	4A	61	4,608.00	143
C539-HXFC-U-GYA	4A	61	4,608.00	143
C539-HXFS-4	4A	61	4,169.00	143
C539-HXFS-4A	4A	61	4,169.00	143
C539-HXFS-4-BU	4A	61	4,169.00	143
C539-HXFS-4-BUA	4A	61	4,169.00	143
C539-HXFS-4-GY	4A	61	4,169.00	143
C539-HXFS-4-GYA	4A	61	4,169.00	143
C539-HXFS-L	4A	61	4,510.00	143
C539-HXFS-LA	4A	61	4,510.00	143
C539-HXFS-L-BU	4A	61	4,510.00	143
C539-HXFS-L-BUA	4A	61	4,510.00	143
C539-HXFS-L-GY	4A	61	4,510.00	143
C539-HXFS-L-GYA	4A	61	4,510.00	143
C539-HXFS-U	4A	61	4,378.00	143
C539-HXFS-UA	4A	61	4,378.00	143
C539-HXFS-U-BU	4A	61	4,378.00	143
C539-HXFS-U-BUA	4A	61	4,378.00	143
C539-HXFS-U-GY	4A	61	4,378.00	143
C539-HXFS-U-GYA	4A	61	4,378.00	143

ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
C539-MDC-4	4A	61	5,375.00	142
C539-MDC-4A	4A	61	5,375.00	142
C539-MDC-4-BU	4A	61	5,375.00	142
C539-MDC-4-BUA	4A	61	5,375.00	142
C539-MDC-4-GY	4A	61	5,375.00	142
C539-MDC-4-GYA	4A	61	5,375.00	142
C539-MDC-L	4A	61	5,814.00	142
C539-MDC-LA	4A	61	5,814.00	142
C539-MDC-L-BU	4A	61	5,814.00	142
C539-MDC-L-BUA	4A	61	5,814.00	142
C539-MDC-L-GY	4A	61	5,814.00	142
C539-MDC-L-GYA	4A	61	5,814.00	142
C539-MDC-U	4A	61	5,644.00	142
C539-MDC-UA	4A	61	5,644.00	142
C539-MDC-U-BU	4A	61	5,644.00	142
C539-MDC-U-BUA	4A	61	5,644.00	142
C539-MDC-U-GY	4A	61	5,644.00	142
C539-MDC-U-GYA	4A	61	5,644.00	142
C539-MDS-4	4A	61	5,108.00	142
C539-MDS-4A	4A	61	5,108.00	142
C539-MDS-4-BU	4A	61	5,108.00	142
C539-MDS-4-BUA	4A	61	5,108.00	142
C539-MDS-4-GY	4A	61	5,108.00	142
C539-MDS-4-GYA	4A	61	5,108.00	142
C539-MDS-L	4A	61	5,525.00	142
C539-MDS-LA	4A	61	5,525.00	142
C539-MDS-L-BU	4A	61	5,525.00	142
C539-MDS-L-BUA	4A	61	5,525.00	142
C539-MDS-L-GY	4A	61	5,525.00	142
C539-MDS-L-GYA	4A	61	5,525.00	142
C539-MDS-U	4A	61	5,364.00	142
C539-MDS-UA	4A	61	5,364.00	142
C539-MDS-U-BU	4A	61	5,364.00	142
C539-MDS-U-BUA	4A	61	5,364.00	142
C539-MDS-U-GY	4A	61	5,364.00	142
C539-MDS-U-GYA	4A	61	5,364.00	142
C539-MFC-4	4A	61	5,119.00	142
C539-MFC-4A	4A	61	5,119.00	142
C539-MFC-4-BU	4A	61	5,119.00	142
C539-MFC-4-BUA	4A	61	5,119.00	142
C539-MFC-4-GY	4A	61	5,119.00	142
C539-MFC-4-GYA	4A	61	5,119.00	142
C539-MFC-L	4A	61	5,537.00	142
C539-MFC-LA	4A	61	5,537.00	142
C539-MFC-L-BU	4A	61	5,537.00	142
C539-MFC-L-BUA	4A	61	5,537.00	142
C539-MFC-L-GY	4A	61	5,537.00	142
C539-MFC-L-GYA	4A	61	5,537.00	142
C539-MFC-U	4A	61	5,375.00	142
C539-MFC-UA	4A	61	5,375.00	142
C539-MFC-U-BU	4A	61	5,375.00	142
C539-MFC-U-BUA	4A	61	5,375.00	142
C539-MFC-U-GY	4A	61	5,375.00	142
C539-MFC-U-GYA	4A	61	5,375.00	142
C539-MFS-4	4A	61	4,863.00	142
C539-MFS-4A	4A	61	4,863.00	142
C539-MFS-4-BU	4A	61	4,863.00	142
C539-MFS-4-BUA	4A	61	4,863.00	142
C539-MFS-4-GY	4A	61	4,863.00	142
C539-MFS-4-GYA	4A	61	4,863.00	142
C539-MFS-L	4A	61	5,260.00	142
C539-MFS-LA	4A	61	5,260.00	142
C539-MFS-L-BU	4A	61	5,260.00	142
C539-MFS-L-BUA	4A	61	5,260.00	142
C539-MFS-L-GY	4A	61	5,260.00	142
C539-MFS-L-GYA	4A	61	5,260.00	142
C539-MFS-U	4A	61	5,108.00	142
C539-MFS-UA	4A	61	5,108.00	142
C539-MFS-U-BU	4A	61	5,108.00	142
C539-MFS-U-BUA	4A	61	5,108.00	142
C539-MFS-U-GY	4A	61	5,108.00	142
C539-MFS-U-GYA	4A	61	5,108.00	142
C539-MXDC-4	4A	61	5,375.00	142
C539-MXDC-4A	4A	61	5,375.00	142
C539-MXDC-4-BU	4A	61	5,375.00	142
C539-MXDC-4-BUA	4A	61	5,375.00	142
C539-MXDC-4-GY	4A	61	5,375.00	142
C539-MXDC-4-GYA	4A	61	5,375.00	142
C539-MXDC-L	4A	61	5,814.00	142

Part Number	Sales Class	AQ Cat	List Price	Page #
C539-MXDC-LA	4A	61	5,814.00	142
C539-MXDC-L-BU	4A	61	5,814.00	142
C539-MXDC-L-BUA	4A	61	5,814.00	142
C539-MXDC-L-GY	4A	61	5,814.00	142
C539-MXDC-L-GYA	4A	61	5,814.00	142
C539-MXDC-U	4A	61	5,644.00	142
C539-MXDC-UA	4A	61	5,644.00	142
C539-MXDC-U-BU	4A	61	5,644.00	142
C539-MXDC-U-BUA	4A	61	5,644.00	142
C539-MXDC-U-GY	4A	61	5,644.00	142
C539-MXDC-U-GYA	4A	61	5,644.00	142
C539-MXDS-4	4A	61	5,108.00	142
C539-MXDS-4A	4A	61	5,108.00	142
C539-MXDS-4-BU	4A	61	5,108.00	142
C539-MXDS-4-BUA	4A	61	5,108.00	142
C539-MXDS-4-GY	4A	61	5,108.00	142
C539-MXDS-4-GYA	4A	61	5,108.00	142
C539-MXDS-L	4A	61	5,525.00	142
C539-MXDS-LA	4A	61	5,525.00	142
C539-MXDS-L-BU	4A	61	5,525.00	142
C539-MXDS-L-BUA	4A	61	5,525.00	142
C539-MXDS-L-GY	4A	61	5,525.00	142
C539-MXDS-L-GYA	4A	61	5,525.00	142
C539-MXDS-U	4A	61	5,364.00	142
C539-MXDS-UA	4A	61	5,364.00	142
C539-MXDS-U-BU	4A	61	5,364.00	142
C539-MXDS-U-BUA	4A	61	5,364.00	142
C539-MXDS-U-GY	4A	61	5,364.00	142
C539-MXDS-U-GYA	4A	61	5,364.00	142
C539-MXFC-4	4A	61	5,119.00	142
C539-MXFC-4A	4A	61	5,119.00	142
C539-MXFC-4-BU	4A	61	5,119.00	142
C539-MXFC-4-BUA	4A	61	5,119.00	142
C539-MXFC-4-GY	4A	61	5,119.00	142
C539-MXFC-4-GYA	4A	61	5,119.00	142
C539-MXFC-L	4A	61	5,537.00	142
C539-MXFC-LA	4A	61	5,537.00	142
C539-MXFC-L-BU	4A	61	5,537.00	142
C539-MXFC-L-BUA	4A	61	5,537.00	142
C539-MXFC-L-GY	4A	61	5,537.00	142
C539-MXFC-L-GYA	4A	61	5,537.00	142
C539-MXFC-U	4A	61	5,375.00	142
C539-MXFC-UA	4A	61	5,375.00	142
C539-MXFC-U-BU	4A	61	5,375.00	142
C539-MXFC-U-BUA	4A	61	5,375.00	142
C539-MXFC-U-GY	4A	61	5,375.00	142
C539-MXFC-U-GYA	4A	61	5,375.00	142
C539-MXFS-4	4A	61	4,863.00	142
C539-MXFS-4A	4A	61	4,863.00	142
C539-MXFS-4-BU	4A	61	4,863.00	142
C539-MXFS-4-BUA	4A	61	4,863.00	142
C539-MXFS-4-GY	4A	61	4,863.00	142
C539-MXFS-4-GYA	4A	61	4,863.00	142
C539-MXFS-L	4A	61	5,260.00	142
C539-MXFS-LA	4A	61	5,260.00	142
C539-MXFS-L-BU	4A	61	5,260.00	142
C539-MXFS-L-BUA	4A	61	5,260.00	142
C539-MXFS-L-GY	4A	61	5,260.00	142
C539-MXFS-L-GYA	4A	61	5,260.00	142
C539-MXFS-U	4A	61	5,108.00	142
C539-MXFS-UA	4A	61	5,108.00	142
C539-MXFS-U-BU	4A	61	5,108.00	142
C539-MXFS-U-BUA	4A	61	5,108.00	142
C539-MXFS-U-GY	4A	61	5,108.00	142
C539-MXFS-U-GYA	4A	61	5,108.00	142
C5-5RDCGSTR	4P	76	82.00	149
C563L-NFC-L	4P	76	4,958.00	132
C563L-NFC-LA	4P	76	4,958.00	132
C563L-NFC-U	4P	76	5,062.00	132
C563L-NFC-UA	4P	76	5,062.00	132
C563L-NFS-L	4P	76	4,647.00	132
C563L-NFS-LA	4P	76	4,647.00	132
C563L-NFS-U	4P	76	4,751.00	132
C563L-NFS-UA	4P	76	4,751.00	132
C563L-SFC-L	4P	76	5,814.00	132
C563L-SFC-LA	4P	76	5,814.00	132
C563L-SFC-U	4P	76	5,923.00	132
C563L-SFC-UA	4P	76	5,923.00	132
C563L-SFS-L	4P	76	5,484.00	132

Part Number	Sales Class	AQ Cat	List Price	Page #
C563L-SFS-LA	4P	76	5,484.00	132
C563L-SFS-U	4P	76	5,593.00	132
C563L-SFS-UA	4P	76	5,593.00	132
C563X-NFC-L	4P	76	4,958.00	132
C563X-NFC-LA	4P	76	4,958.00	132
C563X-NFC-U	4P	76	5,062.00	132
C563X-NFC-UA	4P	76	5,062.00	132
C563X-NFS-L	4P	76	4,647.00	132
C563X-NFS-LA	4P	76	4,647.00	132
C563X-NFS-U	4P	76	4,751.00	132
C563X-NFS-UA	4P	76	4,751.00	132
C563X-SFC-L	4P	76	5,814.00	132
C563X-SFC-LA	4P	76	5,814.00	132
C563X-SFC-U	4P	76	5,923.00	132
C563X-SFC-UA	4P	76	5,923.00	132
C563X-SFS-L	4P	76	5,484.00	132
C563X-SFS-LA	4P	76	5,484.00	132
C563X-SFS-U	4P	76	5,593.00	132
C563X-SFS-UA	4P	76	5,593.00	132
C565L-NFC-L	4P	76	5,208.00	132
C565L-NFC-LA	4P	76	5,208.00	132
C565L-NFC-LPFC	4P	76	6,018.00	132
C565L-NFC-LPFC-A	4P	76	6,018.00	132
C565L-NFC-LPFS	4P	76	5,707.00	132
C565L-NFC-LPFS-A	4P	76	5,707.00	132
C565L-NFC-U	4P	76	5,312.00	132
C565L-NFC-UA	4P	76	5,312.00	132
C565L-NFC-UPFC	4P	76	6,123.00	132
C565L-NFC-UPFC-A	4P	76	6,123.00	132
C565L-NFC-UPFS	4P	76	5,811.00	132
C565L-NFC-UPFS-A	4P	76	5,811.00	132
C565L-NFS-L	4P	76	4,897.00	132
C565L-NFS-LA	4P	76	4,897.00	132
C565L-NFS-LPFC	4P	76	5,707.00	132
C565L-NFS-LPFC-A	4P	76	5,707.00	132
C565L-NFS-LPFS	4P	76	5,396.00	132
C565L-NFS-LPFS-A	4P	76	5,396.00	132
C565L-NFS-U	4P	76	5,002.00	132
C565L-NFS-UA	4P	76	5,002.00	132
C565L-NFS-UPFC	4P	76	5,811.00	132
C565L-NFS-UPFC-A	4P	76	5,811.00	132
C565L-NFS-UPFS	4P	76	5,500.00	132
C565L-NFS-UPFS-A	4P	76	5,500.00	132
C565L-SFC-L	4P	76	6,108.00	132
C565L-SFC-LA	4P	76	6,108.00	132
C565L-SFC-LPFC	4P	76	7,028.00	132
C565L-SFC-LPFC-A	4P	76	7,028.00	132
C565L-SFC-LPFS	4P	76	6,699.00	132
C565L-SFC-LPFS-A	4P	76	6,699.00	132
C565L-SFC-U	4P	76	6,218.00	132
C565L-SFC-UA	4P	76	6,218.00	132
C565L-SFC-UPFC	4P	76	7,136.00	132
C565L-SFC-UPFC-A	4P	76	7,136.00	132
C565L-SFC-UPFS	4P	76	6,808.00	132
C565L-SFC-UPFS-A	4P	76	6,808.00	132
C565L-SFS-L	4P	76	5,779.00	132
C565L-SFS-LA	4P	76	5,779.00	132
C565L-SFS-LPFC	4P	76	6,699.00	132
C565L-SFS-LPFC-A	4P	76	6,699.00	132
C565L-SFS-LPFS	4P	76	6,368.00	132
C565L-SFS-LPFS-A	4P	76	6,368.00	132
C565L-SFS-U	4P	76	5,889.00	132
C565L-SFS-UA	4P	76	5,889.00	132
C565L-SFS-UPFC	4P	76	6,808.00	132
C565L-SFS-UPFC-A	4P	76	6,808.00	132
C565L-SFS-UPFS	4P	76	6,477.00	132
C565L-SFS-UPFS-A	4P	76	6,477.00	132
C565-NFC-L	4P	76	5,208.00	132
C565-NFC-LA	4P	76	5,208.00	132
C565-NFC-LPFC	4P	76	6,018.00	133
C565-NFC-LPFC-A	4P	76	6,018.00	133
C565-NFC-LPFS	4P	76	5,707.00	133
C565-NFC-LPFS-A	4P	76	5,707.00	133
C565-NFC-U	4P	76	5,312.00	132
C565-NFC-UA	4P	76	5,312.00	132
C565-NFC-UPFC	4P	76	6,123.00	133
C565-NFC-UPFC-A	4P	76	6,123.00	133
C565-NFC-UPFS	4P	76	5,811.00	133
C565-NFC-UPFS-A	4P	76	5,811.00	133



ALPHA - NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
C565-NFS-L	4P	76	4,897.00	132
C565-NFS-LA	4P	76	4,897.00	132
C565-NFS-LPFC	4P	76	5,707.00	133
C565-NFS-LPFCFA	4P	76	5,707.00	133
C565-NFS-LPFS	4P	76	5,396.00	133
C565-NFS-LPFSFA	4P	76	5,396.00	133
C565-NFS-U	4P	76	5,002.00	132
C565-NFS-UA	4P	76	5,002.00	132
C565-NFS-UPFC	4P	76	5,811.00	133
C565-NFS-UPFCFA	4P	76	5,811.00	133
C565-NFS-UPFS	4P	76	5,500.00	133
C565-NFS-UPFSFA	4P	76	5,500.00	133
C565-SFC-L	4P	76	6,108.00	132
C565-SFC-LA	4P	76	6,108.00	132
C565-SFC-LPFC	4P	76	7,028.00	133
C565-SFC-LPFCFA	4P	76	7,028.00	133
C565-SFC-LPFS	4P	76	6,699.00	133
C565-SFC-LPFSFA	4P	76	6,699.00	133
C565-SFC-U	4P	76	6,218.00	132
C565-SFC-UA	4P	76	6,218.00	132
C565-SFC-UPFC	4P	76	7,136.00	133
C565-SFC-UPFCFA	4P	76	7,136.00	133
C565-SFC-UPFS	4P	76	6,808.00	133
C565-SFC-UPFSFA	4P	76	6,808.00	133
C565-SFS-L	4P	76	5,779.00	132
C565-SFS-LA	4P	76	5,779.00	132
C565-SFS-LPFC	4P	76	6,699.00	133
C565-SFS-LPFCFA	4P	76	6,699.00	133
C565-SFS-LPFS	4P	76	6,368.00	133
C565-SFS-LPFSFA	4P	76	6,368.00	133
C565-SFS-U	4P	76	5,889.00	132
C565-SFS-UA	4P	76	5,889.00	132
C565-SFS-UPFC	4P	76	6,808.00	133
C565-SFS-UPFCFA	4P	76	6,808.00	133
C565-SFS-UPFS	4P	76	6,477.00	133
C565-SFS-UPFSFA	4P	76	6,477.00	133
C565X-NFC-L	4P	76	5,208.00	133
C565X-NFC-LA	4P	76	5,208.00	133
C565X-NFC-LPFC	4P	76	6,018.00	133
C565X-NFC-LPFCFA	4P	76	6,018.00	133
C565X-NFC-LPFS	4P	76	5,707.00	133
C565X-NFC-LPFSFA	4P	76	5,707.00	133
C565X-NFC-U	4P	76	5,312.00	133
C565X-NFC-UA	4P	76	5,312.00	133
C565X-NFC-UPFC	4P	76	6,123.00	133
C565X-NFC-UPFCFA	4P	76	6,123.00	133
C565X-NFC-UPFS	4P	76	5,811.00	133
C565X-NFC-UPFSFA	4P	76	5,811.00	133
C565X-NFS-L	4P	76	4,897.00	133
C565X-NFS-LA	4P	76	4,897.00	133
C565X-NFS-LPFC	4P	76	5,707.00	133
C565X-NFS-LPFCFA	4P	76	5,707.00	133
C565X-NFS-LPFS	4P	76	5,396.00	133
C565X-NFS-LPFSFA	4P	76	5,396.00	133
C565X-NFS-U	4P	76	5,002.00	133
C565X-NFS-UA	4P	76	5,002.00	133
C565X-NFS-UPFC	4P	76	5,811.00	133
C565X-NFS-UPFCFA	4P	76	5,811.00	133
C565X-NFS-UPFS	4P	76	5,500.00	133
C565X-NFS-UPFSFA	4P	76	5,500.00	133
C565X-SFC-L	4P	76	6,108.00	133
C565X-SFC-LA	4P	76	6,108.00	133
C565X-SFC-LPFC	4P	76	7,028.00	133
C565X-SFC-LPFCFA	4P	76	7,028.00	133
C565X-SFC-LPFS	4P	76	6,699.00	133
C565X-SFC-LPFSFA	4P	76	6,699.00	133
C565X-SFC-U	4P	76	6,218.00	133
C565X-SFC-UA	4P	76	6,218.00	133
C565X-SFC-UPFC	4P	76	7,136.00	133
C565X-SFC-UPFCFA	4P	76	7,136.00	133
C565X-SFC-UPFS	4P	76	6,808.00	133
C565X-SFC-UPFSFA	4P	76	6,808.00	133
C565X-SFS-L	4P	76	5,779.00	133
C565X-SFS-LA	4P	76	5,779.00	133
C565X-SFS-LPFC	4P	76	6,699.00	133
C565X-SFS-LPFCFA	4P	76	6,699.00	133
C565X-SFS-LPFS	4P	76	6,368.00	133
C565X-SFS-LPFSFA	4P	76	6,368.00	133
C565X-SFS-U	4P	76	5,889.00	133

Part Number	Sales Class	AQ Cat	List Price	Page #
C565X-SFS-UA	4P	76	5,889.00	133
C565X-SFS-UPFC	4P	76	6,808.00	133
C565X-SFS-UPFCFA	4P	76	6,808.00	133
C565X-SFS-UPFS	4P	76	6,477.00	133
C565X-SFS-UPFSFA	4P	76	6,477.00	133
C567L-NFC-L	4P	76	5,832.00	133
C567L-NFC-LA	4P	76	5,832.00	133
C567L-NFC-U	4P	76	5,935.00	133
C567L-NFC-UA	4P	76	5,935.00	133
C567L-NFS-L	4P	76	5,522.00	133
C567L-NFS-LA	4P	76	5,522.00	133
C567L-NFS-U	4P	76	5,626.00	133
C567L-NFS-UA	4P	76	5,626.00	133
C567L-SFC-L	4P	76	6,845.00	133
C567L-SFC-LA	4P	76	6,845.00	133
C567L-SFC-U	4P	76	6,955.00	133
C567L-SFC-UA	4P	76	6,955.00	133
C567L-SFS-L	4P	76	6,514.00	133
C567L-SFS-LA	4P	76	6,514.00	133
C567L-SFS-U	4P	76	6,625.00	133
C567L-SFS-UA	4P	76	6,625.00	133
C567-NFC-L	4P	76	5,832.00	132
C567-NFC-LA	4P	76	5,832.00	132
C567-NFC-U	4P	76	5,935.00	132
C567-NFC-UA	4P	76	5,935.00	132
C567-NFS-L	4P	76	5,522.00	132
C567-NFS-LA	4P	76	5,522.00	132
C567-NFS-U	4P	76	5,626.00	132
C567-NFS-UA	4P	76	5,626.00	132
C567-SFC-L	4P	76	6,845.00	132
C567-SFC-LA	4P	76	6,845.00	132
C567-SFC-U	4P	76	6,955.00	132
C567-SFC-UA	4P	76	6,955.00	132
C567-SFS-L	4P	76	6,514.00	132
C567-SFS-LA	4P	76	6,514.00	132
C567-SFS-U	4P	76	6,625.00	132
C567-SFS-UA	4P	76	6,625.00	132
C567X-NFC-L	4P	76	5,832.00	132
C567X-NFC-LA	4P	76	5,832.00	132
C567X-NFC-U	4P	76	5,935.00	132
C567X-NFC-UA	4P	76	5,935.00	132
C567X-NFS-L	4P	76	5,522.00	132
C567X-NFS-LA	4P	76	5,522.00	132
C567X-NFS-U	4P	76	5,626.00	132
C567X-NFS-UA	4P	76	5,626.00	132
C567X-SFC-L	4P	76	6,845.00	132
C567X-SFC-LA	4P	76	6,845.00	132
C567X-SFC-U	4P	76	6,955.00	132
C567X-SFC-UA	4P	76	6,955.00	132
C567X-SFS-L	4P	76	6,514.00	132
C567X-SFS-LA	4P	76	6,514.00	132
C567X-SFS-U	4P	76	6,625.00	132
C567X-SFS-UA	4P	76	6,625.00	132
C569L-NDC-L	4P	76	6,954.00	132
C569L-NDC-LA	4P	76	6,954.00	132
C569L-NDC-LPDC	4P	76	8,219.00	133
C569L-NDC-LPDCFA	4P	76	8,219.00	133
C569L-NDC-LPDS	4P	76	7,598.00	133
C569L-NDC-LPDSFA	4P	76	7,598.00	133
C569L-NDC-U	4P	76	7,058.00	132
C569L-NDC-UA	4P	76	7,058.00	132
C569L-NDC-UPDC	4P	76	8,323.00	133
C569L-NDC-UPDCFA	4P	76	8,323.00	133
C569L-NDC-UPDS	4P	76	7,703.00	133
C569L-NDC-UPDSFA	4P	76	7,703.00	133
C569L-NDS-L	4P	76	6,332.00	132
C569L-NDS-LA	4P	76	6,332.00	132
C569L-NDS-LPDC	4P	76	7,598.00	133
C569L-NDS-LPDCFA	4P	76	7,598.00	133
C569L-NDS-LPDS	4P	76	6,976.00	133
C569L-NDS-LPDSFA	4P	76	6,976.00	133
C569L-NDS-U	4P	76	6,436.00	132
C569L-NDS-UA	4P	76	6,436.00	132
C569L-NDS-UPDC	4P	76	7,703.00	133
C569L-NDS-UPDCFA	4P	76	7,703.00	133
C569L-NDS-UPDS	4P	76	7,081.00	133
C569L-NDS-UPDSFA	4P	76	7,081.00	133
C569L-NFC-L	4P	76	6,748.00	132
C569L-NFC-LA	4P	76	6,748.00	132

Part Number	Sales Class	AQ Cat	List Price	Page #
C569L-NFC-LPFC	4P	76	8,013.00	133
C569L-NFC-LPFCFA	4P	76	8,013.00	133
C569L-NFC-LPFS	4P	76	7,391.00	133
C569L-NFC-LPFSFA	4P	76	7,391.00	133
C569L-NFC-U	4P	76	6,851.00	132
C569L-NFC-UA	4P	76	6,851.00	132
C569L-NFC-UPFC	4P	76	8,115.00	133
C569L-NFC-UPFCFA	4P	76	8,115.00	133
C569L-NFC-UPFS	4P	76	7,495.00	133
C569L-NFC-UPFSFA	4P	76	7,495.00	133
C569L-NFS-L	4P	76	6,126.00	132
C569L-NFS-LA	4P	76	6,126.00	132
C569L-NFS-LPFC	4P	76	7,391.00	133
C569L-NFS-LPFCFA	4P	76	7,391.00	133
C569L-NFS-LPFS	4P	76	6,769.00	133
C569L-NFS-LPFSFA	4P	76	6,769.00	133
C569L-NFS-U	4P	76	6,228.00	132
C569L-NFS-UA	4P	76	6,228.00	132
C569L-NFS-UPFC	4P	76	7,495.00	133
C569L-NFS-UPFCFA	4P	76	7,495.00	133
C569L-NFS-UPFS	4P	76	6,873.00	133
C569L-NFS-UPFSFA	4P	76	6,873.00	133
C569L-SDC-L	4P	76	8,129.00	132
C569L-SDC-LA	4P	76	8,129.00	132
C569L-SDC-LPDC	4P	76	9,547.00	133
C569L-SDC-LPDCFA	4P	76	9,547.00	133
C569L-SDC-LPDS	4P	76	8,889.00	133
C569L-SDC-LPDSFA	4P	76	8,889.00	133
C569L-SDC-U	4P	76	8,239.00	132
C569L-SDC-UA	4P	76	8,239.00	132
C569L-SDC-UPDC	4P	76	9,656.00	133
C569L-SDC-UPDCFA	4P	76	9,656.00	133
C569L-SDC-UPDS	4P	76	8,998.00	133
C569L-SDC-UPDSFA	4P	76	8,998.00	133
C569L-SDS-L	4P	76	7,470.00	132
C569L-SDS-LA	4P	76	7,470.00	132
C569L-SDS-LPDC	4P	76	8,889.00	133
C569L-SDS-LPDCFA	4P	76	8,889.00	133
C569L-SDS-LPDS	4P	76	8,229.00	133
C569L-SDS-LPDSFA	4P	76	8,229.00	133
C569L-SDS-U	4P	76	7,581.00	132
C569L-SDS-UA	4P	76	7,581.00	132
C569L-SDS-UPDC	4P	76	8,998.00	133
C569L-SDS-UPDCFA	4P	76	8,998.00	133
C569L-SDS-UPDS	4P	76	8,338.00	133
C569L-SDS-UPDSFA	4P	76	8,338.00	133
C569L-SFC-L	4P	76	7,910.00	132
C569L-SFC-LA	4P	76	7,910.00	132
C569L-SFC-LPFC	4P	76	9,326.00	133
C569L-SFC-LPFCFA	4P	76	9,326.00	133
C569L-SFC-LPFS	4P	76	8,668.00	133
C569L-SFC-LPFSFA	4P	76	8,668.00	133
C569L-SFC-U	4P	76	8,020.00	132
C569L-SFC-UA	4P	76	8,020.00	132
C569L-SFC-UPFC	4P	76	9,437.00	133
C569L-SFC-UPFCFA	4P	76	9,437.00	133
C569L-SFC-UPFS	4P	76	8,777.00	133
C569L-SFC-UPFSFA	4P	76	8,777.00	133
C569L-SFS-L	4P	76	7,251.00	132
C569L-SFS-LA	4P	76	7,251.00	132
C569L-SFS-LPFC	4P	76	8,668.00	133
C569L-SFS-LPFCFA	4P	76	8,668.00	133
C569L-SFS-LPFS	4P	76	8,010.00	133
C569L-SFS-LPFSFA	4P	76	8,010.00	133
C569L-SFS-U	4P	76	7,361.00	132
C569L-SFS-UA	4P	76	7,361.00	132
C569L-SFS-UPFC	4P	76	8,777.00	133
C569L-SFS-UPFCFA	4P	76	8,777.00	133
C569L-SFS-UPFS	4P	76	8,119.00	133
C569L-SFS-UPFSFA	4P	76	8,119.00	133
C569-NDC-L	4P	76	6,954.00	132
C569-NDC-LA	4P	76	6,954.00	132
C569-NDC-LPDC	4P	76	8,219.00	133
C569-NDC-LPDCFA	4P	76	8,219.00	133
C569-NDC-LPDS	4P	76	7,598.00	133
C569-NDC-LPDSFA	4P	76	7,598.00	133
C569-NDC-U	4P	76	7,058.00	132
C569-NDC-UA	4P	76	7,058.00	132
C569-NDC-UPDC	4P	76	8,323.00	133

ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
C569-NDC-UPDCA	4P	76	8,323.00	133
C569-NDC-UPDS	4P	76	7,703.00	133
C569-NDC-UPDSA	4P	76	7,703.00	133
C569-NDS-L	4P	76	6,332.00	132
C569-NDS-LA	4P	76	6,332.00	132
C569-NDS-LPDC	4P	76	7,598.00	133
C569-NDS-LPDCA	4P	76	7,598.00	133
C569-NDS-LPDS	4P	76	6,976.00	133
C569-NDS-LPDSA	4P	76	6,976.00	133
C569-NDS-U	4P	76	6,436.00	132
C569-NDS-UA	4P	76	6,436.00	132
C569-NDS-UPDC	4P	76	7,703.00	133
C569-NDS-UPDCA	4P	76	7,703.00	133
C569-NDS-UPDS	4P	76	7,081.00	133
C569-NDS-UPDSA	4P	76	7,081.00	133
C569-NFC-L	4P	76	6,748.00	132
C569-NFC-LA	4P	76	6,748.00	132
C569-NFC-LPFC	4P	76	8,013.00	133
C569-NFC-LPFCFA	4P	76	8,013.00	133
C569-NFC-LPFS	4P	76	7,391.00	133
C569-NFC-LPFSFA	4P	76	7,391.00	133
C569-NFC-U	4P	76	6,851.00	132
C569-NFC-UA	4P	76	6,851.00	132
C569-NFC-UPFC	4P	76	8,115.00	133
C569-NFC-UPFCFA	4P	76	8,115.00	133
C569-NFC-UPFS	4P	76	7,495.00	133
C569-NFC-UPFSFA	4P	76	7,495.00	133
C569-NFS-L	4P	76	6,126.00	132
C569-NFS-LA	4P	76	6,126.00	132
C569-NFS-LPFC	4P	76	7,391.00	133
C569-NFS-LPFCFA	4P	76	7,391.00	133
C569-NFS-LPFS	4P	76	6,769.00	133
C569-NFS-LPFSFA	4P	76	6,769.00	133
C569-NFS-U	4P	76	6,228.00	132
C569-NFS-UA	4P	76	6,228.00	132
C569-NFS-UPFC	4P	76	7,495.00	133
C569-NFS-UPFCFA	4P	76	7,495.00	133
C569-NFS-UPFS	4P	76	6,873.00	133
C569-NFS-UPFSFA	4P	76	6,873.00	133
C569-SDC-L	4P	76	8,129.00	132
C569-SDC-LA	4P	76	8,129.00	132
C569-SDC-LPDC	4P	76	9,547.00	133
C569-SDC-LPDCA	4P	76	9,547.00	133
C569-SDC-LPDS	4P	76	8,889.00	133
C569-SDC-LPDSA	4P	76	8,889.00	133
C569-SDC-U	4P	76	8,239.00	132
C569-SDC-UA	4P	76	8,239.00	132
C569-SDC-UPDC	4P	76	9,656.00	133
C569-SDC-UPDCA	4P	76	9,656.00	133
C569-SDC-UPDS	4P	76	8,998.00	133
C569-SDC-UPDSA	4P	76	8,998.00	133
C569-SDS-L	4P	76	7,470.00	132
C569-SDS-LA	4P	76	7,470.00	132
C569-SDS-LPDC	4P	76	8,889.00	133
C569-SDS-LPDCA	4P	76	8,889.00	133
C569-SDS-LPDS	4P	76	8,229.00	133
C569-SDS-LPDSA	4P	76	8,229.00	133
C569-SDS-U	4P	76	7,581.00	132
C569-SDS-UA	4P	76	7,581.00	132
C569-SDS-UPDC	4P	76	8,998.00	133
C569-SDS-UPDCA	4P	76	8,998.00	133
C569-SDS-UPDS	4P	76	8,338.00	133
C569-SDS-UPDSA	4P	76	8,338.00	133
C569-SFC-L	4P	76	7,910.00	132
C569-SFC-LA	4P	76	7,910.00	132
C569-SFC-LPFC	4P	76	9,326.00	133
C569-SFC-LPFCFA	4P	76	9,326.00	133
C569-SFC-LPFS	4P	76	8,668.00	133
C569-SFC-LPFSFA	4P	76	8,668.00	133
C569-SFC-U	4P	76	8,020.00	132
C569-SFC-UA	4P	76	8,020.00	132
C569-SFC-UPFC	4P	76	9,437.00	133
C569-SFC-UPFCFA	4P	76	9,437.00	133
C569-SFC-UPFS	4P	76	8,777.00	133
C569-SFC-UPFSFA	4P	76	8,777.00	133
C569-SFS-L	4P	76	7,251.00	132
C569-SFS-LA	4P	76	7,251.00	132
C569-SFS-LPFC	4P	76	8,668.00	133
C569-SFS-LPFCFA	4P	76	8,668.00	133

Part Number	Sales Class	AQ Cat	List Price	Page #
C569-SFS-LPFS	4P	76	8,010.00	133
C569-SFS-LPFSFA	4P	76	8,010.00	133
C569-SFS-U	4P	76	7,361.00	132
C569-SFS-UA	4P	76	7,361.00	132
C569-SFS-UPFC	4P	76	8,777.00	133
C569-SFS-UPFCFA	4P	76	8,777.00	133
C569-SFS-UPFS	4P	76	8,119.00	133
C569-SFS-UPFSFA	4P	76	8,119.00	133
C569X-NDC-L	4P	76	6,954.00	133
C569X-NDC-LA	4P	76	6,954.00	133
C569X-NDC-LPDC	4P	76	8,219.00	133
C569X-NDC-LPDCA	4P	76	8,219.00	133
C569X-NDC-LPDS	4P	76	7,598.00	133
C569X-NDC-LPDSA	4P	76	7,598.00	133
C569X-NDC-U	4P	76	7,058.00	133
C569X-NDC-UA	4P	76	7,058.00	133
C569X-NDC-UPDC	4P	76	8,323.00	133
C569X-NDC-UPDCA	4P	76	8,323.00	133
C569X-NDC-UPDS	4P	76	7,703.00	133
C569X-NDC-UPDSA	4P	76	7,703.00	133
C569X-NDS-L	4P	76	6,332.00	133
C569X-NDS-LA	4P	76	6,332.00	133
C569X-NDS-LPDC	4P	76	7,598.00	133
C569X-NDS-LPDCA	4P	76	7,598.00	133
C569X-NDS-LPDS	4P	76	6,976.00	133
C569X-NDS-LPDSA	4P	76	6,976.00	133
C569X-NDS-U	4P	76	6,436.00	133
C569X-NDS-UA	4P	76	6,436.00	133
C569X-NDS-UPDC	4P	76	7,703.00	133
C569X-NDS-UPDCA	4P	76	7,703.00	133
C569X-NDS-UPDS	4P	76	7,081.00	133
C569X-NDS-UPDSA	4P	76	7,081.00	133
C569X-NFC-L	4P	76	6,748.00	132
C569X-NFC-LA	4P	76	6,748.00	132
C569X-NFC-LPFC	4P	76	8,013.00	133
C569X-NFC-LPFCFA	4P	76	8,013.00	133
C569X-NFC-LPFS	4P	76	7,391.00	133
C569X-NFC-LPFSFA	4P	76	7,391.00	133
C569X-NFC-U	4P	76	6,851.00	133
C569X-NFC-UA	4P	76	6,851.00	133
C569X-NFC-UPFC	4P	76	8,115.00	133
C569X-NFC-UPFCFA	4P	76	8,115.00	133
C569X-NFC-UPFS	4P	76	7,495.00	133
C569X-NFC-UPFSFA	4P	76	7,495.00	133
C569X-NFS-L	4P	76	6,126.00	132
C569X-NFS-LA	4P	76	6,126.00	132
C569X-NFS-LPFC	4P	76	7,391.00	133
C569X-NFS-LPFCFA	4P	76	7,391.00	133
C569X-NFS-LPFS	4P	76	6,769.00	133
C569X-NFS-LPFSFA	4P	76	6,769.00	133
C569X-NFS-U	4P	76	6,228.00	132
C569X-NFS-UA	4P	76	6,228.00	132
C569X-NFS-UPFC	4P	76	7,495.00	133
C569X-NFS-UPFCFA	4P	76	7,495.00	133
C569X-NFS-UPFS	4P	76	6,873.00	133
C569X-NFS-UPFSFA	4P	76	6,873.00	133
C569X-SDC-L	4P	76	8,129.00	133
C569X-SDC-LA	4P	76	8,129.00	133
C569X-SDC-LPDC	4P	76	9,547.00	133
C569X-SDC-LPDCA	4P	76	9,547.00	133
C569X-SDC-LPDS	4P	76	8,889.00	133
C569X-SDC-LPDSA	4P	76	8,889.00	133
C569X-SDC-U	4P	76	8,239.00	133
C569X-SDC-UA	4P	76	8,239.00	133
C569X-SDC-UPDC	4P	76	9,656.00	133
C569X-SDC-UPDCA	4P	76	9,656.00	133
C569X-SDC-UPDS	4P	76	8,998.00	133
C569X-SDC-UPDSA	4P	76	8,998.00	133
C569X-SDS-L	4P	76	7,470.00	133
C569X-SDS-LA	4P	76	7,470.00	133
C569X-SDS-LPDC	4P	76	8,889.00	133
C569X-SDS-LPDCA	4P	76	8,889.00	133
C569X-SDS-LPDS	4P	76	8,229.00	133
C569X-SDS-LPDSA	4P	76	8,229.00	133
C569X-SDS-U	4P	76	7,581.00	133
C569X-SDS-UA	4P	76	7,581.00	133
C569X-SDS-UPDC	4P	76	8,998.00	133
C569X-SDS-UPDCA	4P	76	8,998.00	133
C569X-SDS-UPDS	4P	76	8,338.00	133

Part Number	Sales Class	AQ Cat	List Price	Page #
C569X-SDS-UPDSA	4P	76	8,338.00	133
C569X-SFC-L	4P	76	7,910.00	133
C569X-SFC-LA	4P	76	7,910.00	133
C569X-SFC-LPFC	4P	76	9,326.00	133
C569X-SFC-LPFCFA	4P	76	9,326.00	133
C569X-SFC-LPFS	4P	76	8,668.00	133
C569X-SFC-LPFSFA	4P	76	8,668.00	133
C569X-SFC-U	4P	76	8,020.00	133
C569X-SFC-UA	4P	76	8,020.00	133
C569X-SFC-UPFC	4P	76	9,437.00	133
C569X-SFC-UPFCFA	4P	76	9,437.00	133
C569X-SFC-UPFS	4P	76	8,777.00	133
C569X-SFC-UPFSFA	4P	76	8,777.00	133
C569X-SFS-L	4P	76	7,251.00	133
C569X-SFS-LA	4P	76	7,251.00	133
C569X-SFS-LPFC	4P	76	8,668.00	133
C569X-SFS-LPFCFA	4P	76	8,668.00	133
C569X-SFS-LPFS	4P	76	8,010.00	133
C569X-SFS-LPFSFA	4P	76	8,010.00	133
C569X-SFS-U	4P	76	7,361.00	133
C569X-SFS-UA	4P	76	7,361.00	133
C569X-SFS-UPFC	4P	76	8,777.00	133
C569X-SFS-UPFCFA	4P	76	8,777.00	133
C569X-SFS-UPFS	4P	76	8,119.00	133
C569X-SFS-UPFSFA	4P	76	8,119.00	133
C5-6CASTER	4P	76	144.00	133
C583L-NFC-L	4P	76	5,603.00	129
C583L-NFC-LA	4P	76	5,603.00	129
C583L-NFC-U	4P	76	5,720.00	129
C583L-NFC-UA	4P	76	5,720.00	129
C583L-NFS-L	4P	76	5,251.00	129
C583L-NFS-LA	4P	76	5,251.00	129
C583L-NFS-U	4P	76	5,369.00	129
C583L-NFS-UA	4P	76	5,369.00	129
C583L-SFC-L	4P	76	6,329.00	129
C583L-SFC-LA	4P	76	6,329.00	129
C583L-SFC-U	4P	76	6,451.00	129
C583L-SFC-UA	4P	76	6,451.00	129
C583L-SFS-L	4P	76	5,974.00	129
C583L-SFS-LA	4P	76	5,974.00	129
C583L-SFS-U	4P	76	6,090.00	129
C583L-SFS-UA	4P	76	6,090.00	129
C583X-NFC-L	4P	76	5,603.00	129
C583X-NFC-LA	4P	76	5,603.00	129
C583X-NFC-U	4P	76	5,720.00	129
C583X-NFC-UA	4P	76	5,720.00	129
C583X-NFS-L	4P	76	5,251.00	129
C583X-NFS-LA	4P	76	5,251.00	129
C583X-NFS-U	4P	76	5,369.00	129
C583X-NFS-UA	4P	76	5,369.00	129
C583X-SFC-L	4P	76	6,329.00	129
C583X-SFC-LA	4P	76	6,329.00	129
C583X-SFC-U	4P	76	6,451.00	129
C583X-SFC-UA	4P	76	6,451.00	129
C583X-SFS-L	4P	76	5,974.00	129
C583X-SFS-LA	4P	76	5,974.00	129
C583X-SFS-U	4P	76	6,090.00	129
C583X-SFS-UA	4P	76	6,090.00	129
C585L-NFC-L	4P	76	5,885.00	129
C585L-NFC-LA	4P	76	5,885.00	129
C585L-NFC-LPFC	4P	76	6,801.00	129
C585L-NFC-LPFCFA	4P	76	6,801.00	129
C585L-NFC-LPFS	4P	76	6,451.00	129
C585L-NFC-LPFSFA	4P	76	6,451.00	129
C585L-NFC-U	4P	76	6,002.00	129
C585L-NFC-UA	4P	76	6,002.00	129
C585L-NFC-UPFC	4P	76	6,919.00	129
C585L-NFC-UPFCFA	4P	76	6,919.00	129
C585L-NFC-UPFS	4P	76	6,567.00	



ALPHA - NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
C585L-NFS-UPFCA	4P	76	6,567.00	129
C585L-NFS-UPFS	4P	76	6,217.00	129
C585L-NFS-UPFSA	4P	76	6,217.00	129
C585L-SFC-L	4P	76	6,649.00	129
C585L-SFC-LA	4P	76	6,649.00	129
C585L-SFC-LPFC	4P	76	7,651.00	129
C585L-SFC-LPFCFA	4P	76	7,651.00	129
C585L-SFC-LPFS	4P	76	7,290.00	129
C585L-SFC-LPFSFA	4P	76	7,290.00	129
C585L-SFC-U	4P	76	6,770.00	129
C585L-SFC-UA	4P	76	6,770.00	129
C585L-SFC-UPFC	4P	76	7,770.00	129
C585L-SFC-UPFCFA	4P	76	7,770.00	129
C585L-SFC-UPFS	4P	76	7,411.00	129
C585L-SFC-UPFSA	4P	76	7,411.00	129
C585L-SFS-L	4P	76	6,293.00	129
C585L-SFS-LA	4P	76	6,293.00	129
C585L-SFS-LPFC	4P	76	7,290.00	129
C585L-SFS-LPFCFA	4P	76	7,290.00	129
C585L-SFS-LPFS	4P	76	6,933.00	129
C585L-SFS-LPFSFA	4P	76	6,933.00	129
C585L-SFS-U	4P	76	6,411.00	129
C585L-SFS-UA	4P	76	6,411.00	129
C585L-SFS-UPFC	4P	76	7,411.00	129
C585L-SFS-UPFCFA	4P	76	7,411.00	129
C585L-SFS-UPFS	4P	76	7,052.00	129
C585L-SFS-UPFSA	4P	76	7,052.00	129
C585-NFC-L	4P	76	5,885.00	128
C585-NFC-LA	4P	76	5,885.00	128
C585-NFC-LPFC	4P	76	6,801.00	129
C585-NFC-LPFCFA	4P	76	6,801.00	129
C585-NFC-LPFS	4P	76	6,451.00	129
C585-NFC-LPFSFA	4P	76	6,451.00	129
C585-NFC-U	4P	76	6,002.00	128
C585-NFC-UA	4P	76	6,002.00	128
C585-NFC-UPFC	4P	76	6,919.00	129
C585-NFC-UPFCFA	4P	76	6,919.00	129
C585-NFC-UPFS	4P	76	6,567.00	129
C585-NFC-UPFSA	4P	76	6,567.00	129
C585-NFS-L	4P	76	5,534.00	128
C585-NFS-LA	4P	76	5,534.00	128
C585-NFS-LPFC	4P	76	6,451.00	129
C585-NFS-LPFCFA	4P	76	6,451.00	129
C585-NFS-LPFS	4P	76	6,099.00	129
C585-NFS-LPFSFA	4P	76	6,099.00	129
C585-NFS-U	4P	76	5,651.00	128
C585-NFS-UA	4P	76	5,651.00	128
C585-NFS-UPFC	4P	76	6,567.00	129
C585-NFS-UPFCFA	4P	76	6,567.00	129
C585-NFS-UPFS	4P	76	6,217.00	129
C585-NFS-UPFSA	4P	76	6,217.00	129
C585-SFC-L	4P	76	6,649.00	128
C585-SFC-LA	4P	76	6,649.00	128
C585-SFC-LPFC	4P	76	7,651.00	129
C585-SFC-LPFCFA	4P	76	7,651.00	129
C585-SFC-LPFS	4P	76	7,290.00	129
C585-SFC-LPFSFA	4P	76	7,290.00	129
C585-SFC-U	4P	76	6,770.00	128
C585-SFC-UA	4P	76	6,770.00	128
C585-SFC-UPFC	4P	76	7,770.00	129
C585-SFC-UPFCFA	4P	76	7,770.00	129
C585-SFC-UPFS	4P	76	7,411.00	129
C585-SFC-UPFSA	4P	76	7,411.00	129
C585-SFS-L	4P	76	6,293.00	128
C585-SFS-LA	4P	76	6,293.00	128
C585-SFS-LPFC	4P	76	7,290.00	129
C585-SFS-LPFCFA	4P	76	7,290.00	129
C585-SFS-LPFS	4P	76	6,933.00	129
C585-SFS-LPFSFA	4P	76	6,933.00	129
C585-SFS-U	4P	76	6,411.00	128
C585-SFS-UA	4P	76	6,411.00	128
C585-SFS-UPFC	4P	76	7,411.00	129
C585-SFS-UPFCFA	4P	76	7,411.00	129
C585-SFS-UPFS	4P	76	7,052.00	129
C585-SFS-UPFSA	4P	76	7,052.00	129
C585X-NFC-L	4P	76	5,885.00	129
C585X-NFC-LA	4P	76	5,885.00	129
C585X-NFC-LPFC	4P	76	6,801.00	129
C585X-NFC-LPFCFA	4P	76	6,801.00	129

Part Number	Sales Class	AQ Cat	List Price	Page #
C585X-NFC-LPFS	4P	76	6,451.00	129
C585X-NFC-LPFSFA	4P	76	6,451.00	129
C585X-NFC-U	4P	76	6,002.00	129
C585X-NFC-UA	4P	76	6,002.00	129
C585X-NFC-UPFC	4P	76	6,919.00	129
C585X-NFC-UPFCFA	4P	76	6,919.00	129
C585X-NFC-UPFS	4P	76	6,567.00	129
C585X-NFC-UPFSA	4P	76	6,567.00	129
C585X-NFS-L	4P	76	5,534.00	129
C585X-NFS-LA	4P	76	5,534.00	129
C585X-NFS-LPFC	4P	76	6,451.00	129
C585X-NFS-LPFCFA	4P	76	6,451.00	129
C585X-NFS-LPFS	4P	76	6,099.00	129
C585X-NFS-LPFSFA	4P	76	6,099.00	129
C585X-NFS-U	4P	76	5,651.00	129
C585X-NFS-UA	4P	76	5,651.00	129
C585X-NFS-UPFC	4P	76	6,567.00	129
C585X-NFS-UPFCFA	4P	76	6,567.00	129
C585X-NFS-UPFS	4P	76	6,217.00	129
C585X-NFS-UPFSA	4P	76	6,217.00	129
C585X-SFC-L	4P	76	6,649.00	129
C585X-SFC-LA	4P	76	6,649.00	129
C585X-SFC-LPFC	4P	76	7,651.00	129
C585X-SFC-LPFCFA	4P	76	7,651.00	129
C585X-SFC-LPFS	4P	76	7,290.00	129
C585X-SFC-LPFSFA	4P	76	7,290.00	129
C585X-SFC-U	4P	76	6,770.00	129
C585X-SFC-UA	4P	76	6,770.00	129
C585X-SFC-UPFC	4P	76	7,770.00	129
C585X-SFC-UPFCFA	4P	76	7,770.00	129
C585X-SFC-UPFS	4P	76	7,411.00	129
C585X-SFC-UPFSA	4P	76	7,411.00	129
C585X-SFS-L	4P	76	6,293.00	129
C585X-SFS-LA	4P	76	6,293.00	129
C585X-SFS-LPFC	4P	76	7,290.00	129
C585X-SFS-LPFCFA	4P	76	7,290.00	129
C585X-SFS-LPFS	4P	76	6,933.00	129
C585X-SFS-LPFSFA	4P	76	6,933.00	129
C585X-SFS-U	4P	76	6,411.00	129
C585X-SFS-UA	4P	76	6,411.00	129
C585X-SFS-UPFC	4P	76	7,411.00	129
C585X-SFS-UPFCFA	4P	76	7,411.00	129
C585X-SFS-UPFS	4P	76	7,052.00	129
C585X-SFS-UPFSA	4P	76	7,052.00	129
C587L-NFC-L	4P	76	6,591.00	129
C587L-NFC-LA	4P	76	6,591.00	129
C587L-NFC-U	4P	76	6,708.00	129
C587L-NFC-UA	4P	76	6,708.00	129
C587L-NFS-L	4P	76	6,240.00	129
C587L-NFS-LA	4P	76	6,240.00	129
C587L-NFS-U	4P	76	6,358.00	129
C587L-NFS-UA	4P	76	6,358.00	129
C587L-SFC-L	4P	76	7,451.00	129
C587L-SFC-LA	4P	76	7,451.00	129
C587L-SFC-U	4P	76	7,573.00	129
C587L-SFC-UA	4P	76	7,573.00	129
C587L-SFS-L	4P	76	7,093.00	129
C587L-SFS-LA	4P	76	7,093.00	129
C587L-SFS-U	4P	76	7,214.00	129
C587L-SFS-UA	4P	76	7,214.00	129
C587-NFC-L	4P	76	6,591.00	128
C587-NFC-LA	4P	76	6,591.00	128
C587-NFC-U	4P	76	6,708.00	128
C587-NFC-UA	4P	76	6,708.00	128
C587-NFS-L	4P	76	6,240.00	128
C587-NFS-LA	4P	76	6,240.00	128
C587-NFS-U	4P	76	6,358.00	128
C587-NFS-UA	4P	76	6,358.00	128
C587-SFC-L	4P	76	7,451.00	128
C587-SFC-LA	4P	76	7,451.00	128
C587-SFC-U	4P	76	7,573.00	128
C587-SFC-UA	4P	76	7,573.00	128
C587-SFS-L	4P	76	7,093.00	128
C587-SFS-LA	4P	76	7,093.00	128
C587-SFS-U	4P	76	7,214.00	128
C587-SFS-UA	4P	76	7,214.00	128
C587X-NFC-L	4P	76	6,591.00	129
C587X-NFC-LA	4P	76	6,591.00	129
C587X-NFC-U	4P	76	6,708.00	129

Part Number	Sales Class	AQ Cat	List Price	Page #
C587X-NFC-UA	4P	76	6,708.00	129
C587X-NFS-L	4P	76	6,240.00	129
C587X-NFS-LA	4P	76	6,240.00	129
C587X-NFS-U	4P	76	6,358.00	129
C587X-NFS-UA	4P	76	6,358.00	129
C587X-SFC-L	4P	76	7,451.00	129
C587X-SFC-LA	4P	76	7,451.00	129
C587X-SFC-U	4P	76	7,573.00	129
C587X-SFC-UA	4P	76	7,573.00	129
C587X-SFS-L	4P	76	7,093.00	129
C587X-SFS-LA	4P	76	7,093.00	129
C587X-SFS-U	4P	76	7,214.00	129
C587X-SFS-UA	4P	76	7,214.00	129
C589L-NDC-L	4P	76	7,861.00	129
C589L-NDC-LA	4P	76	7,861.00	129
C589L-NDC-LPDC	4P	76	9,291.00	129
C589L-NDC-LPDCFA	4P	76	9,291.00	129
C589L-NDC-LPDS	4P	76	8,586.00	129
C589L-NDC-LPDSFA	4P	76	8,586.00	129
C589L-NDC-U	4P	76	7,975.00	129
C589L-NDC-UA	4P	76	7,975.00	129
C589L-NDC-UPDC	4P	76	9,407.00	129
C589L-NDC-UPDCFA	4P	76	9,407.00	129
C589L-NDC-UPDS	4P	76	8,704.00	129
C589L-NDC-UPDSFA	4P	76	8,704.00	129
C589L-NDS-L	4P	76	7,157.00	129
C589L-NDS-LA	4P	76	7,157.00	129
C589L-NDS-LPDC	4P	76	8,586.00	129
C589L-NDS-LPDCFA	4P	76	8,586.00	129
C589L-NDS-LPDS	4P	76	7,884.00	129
C589L-NDS-LPDSFA	4P	76	7,884.00	129
C589L-NDS-U	4P	76	7,275.00	129
C589L-NDS-UA	4P	76	7,275.00	129
C589L-NDS-UPDC	4P	76	8,704.00	129
C589L-NDS-UPDCFA	4P	76	8,704.00	129
C589L-NDS-UPDS	4P	76	8,001.00	129
C589L-NDS-UPDSFA	4P	76	8,001.00	129
C589L-NFC-L	4P	76	7,626.00	129
C589L-NFC-LA	4P	76	7,626.00	129
C589L-NFC-LPFC	4P	76	9,055.00	129
C589L-NFC-LPFCFA	4P	76	9,055.00	129
C589L-NFC-LPFS	4P	76	8,353.00	129
C589L-NFC-LPFSFA	4P	76	8,353.00	129
C589L-NFC-U	4P	76	7,743.00	129
C589L-NFC-UA	4P	76	7,743.00	129
C589L-NFC-UPFC	4P	76	9,172.00	129
C589L-NFC-UPFCFA	4P	76	9,172.00	129
C589L-NFC-UPFS	4P	76	8,470.00	129
C589L-NFC-UPFSFA	4P	76	8,470.00	129
C589L-NFS-L	4P	76	6,923.00	129
C589L-NFS-LA	4P	76	6,923.00	129
C589L-NFS-LPFC	4P	76	8,353.00	129
C589L-NFS-LPFCFA	4P	76	8,353.00	129
C589L-NFS-LPFS	4P	76	7,650.00	129
C589L-NFS-LPFSFA	4P	76	7,650.00	129
C589L-NFS-U	4P	76	7,040.00	129
C589L-NFS-UA	4P	76	7,040.00	129
C589L-NFS-UPFC	4P	76	8,470.00	129
C589L-NFS-UPFCFA	4P	76	8,470.00	129
C589L-NFS-UPFS	4P	76	7,767.00	129
C589L-NFS-UPFSFA	4P	76	7,767.00	129
C589L-SDC-L	4P	76	8,851.00	129
C589L-SDC-LA	4P	76	8,851.00	129
C589L-SDC-LPDC	4P	76	10,394.00	129
C589L-SDC-LPDCFA	4P	76	10,394.00	129
C589L-SDC-LPDS	4P	76	9,675.00	129
C589L-SDC-LPDSFA	4P	76	9,675.00	129
C589L-SDC-U	4P	76	8,972.00	129
C589L-SDC-UA	4P	76	8,972.00	129
C589L-SDC-UPDC	4P	76	10,511.00	129
C589L-SDC-UPDCFA	4P	76	10,511.00	129
C589L-SDC-UPDS	4P	76	9,797.00	129
C589L-SDC-UPDSFA	4P	76	9,797.00	129
C589L-SDS-L	4P	76	8,133.00	12

Part Number	Sales Class	AQ Cat	List Price	Page #
C589X-NFC-UPFC	4P	76	9,172.00	129
C589X-NFC-UPFCA	4P	76	9,172.00	129
C589X-NFC-UPFS	4P	76	8,470.00	129
C589X-NFC-UPFSA	4P	76	8,470.00	129
C589X-NFS-L	4P	76	6,923.00	129
C589X-NFS-LA	4P	76	6,923.00	129
C589X-NFS-LPFC	4P	76	8,353.00	129
C589X-NFS-LPFCA	4P	76	8,353.00	129
C589X-NFS-LPFS	4P	76	7,650.00	129
C589X-NFS-LPFSa	4P	76	7,650.00	129
C589X-NFS-U	4P	76	7,040.00	129
C589X-NFS-UA	4P	76	7,040.00	129
C589X-NFS-UPFC	4P	76	8,470.00	129
C589X-NFS-UPFCA	4P	76	8,470.00	129
C589X-NFS-UPFS	4P	76	7,767.00	129
C589X-NFS-UPFSA	4P	76	7,767.00	129
C589X-SDC-L	4P	76	8,851.00	129
C589X-SDC-LA	4P	76	8,851.00	129
C589X-SDC-LPDC	4P	76	10,394.00	129
C589X-SDC-LPDCA	4P	76	10,394.00	129
C589X-SDC-LPDS	4P	76	9,675.00	129
C589X-SDC-LPDSA	4P	76	9,675.00	129
C589X-SDC-U	4P	76	8,972.00	129
C589X-SDC-UA	4P	76	8,972.00	129
C589X-SDC-UPDC	4P	76	10,511.00	129
C589X-SDC-UPDCA	4P	76	10,511.00	129
C589X-SDC-UPDS	4P	76	9,797.00	129
C589X-SDC-UPDSA	4P	76	9,797.00	129
C589X-SDS-L	4P	76	8,133.00	129
C589X-SDS-LA	4P	76	8,133.00	129
C589X-SDS-LPDC	4P	76	9,675.00	129
C589X-SDS-LPDCA	4P	76	9,675.00	129
C589X-SDS-LPDS	4P	76	8,959.00	129
C589X-SDS-LPDSA	4P	76	8,959.00	129
C589X-SDS-U	4P	76	8,253.00	129
C589X-SDS-UA	4P	76	8,253.00	129
C589X-SDS-UPDC	4P	76	9,797.00	129
C589X-SDS-UPDCA	4P	76	9,797.00	129
C589X-SDS-UPDS	4P	76	9,077.00	129
C589X-SDS-UPDSA	4P	76	9,077.00	129
C589X-SFC-L	4P	76	8,612.00	129
C589X-SFC-LA	4P	76	8,612.00	129
C589X-SFC-LPFC	4P	76	10,153.00	129
C589X-SFC-LPFCA	4P	76	10,153.00	129
C589X-SFC-LPFS	4P	76	9,437.00	129
C589X-SFC-LPFSa	4P	76	9,437.00	129
C589X-SFC-U	4P	76	8,731.00	129
C589X-SFC-UA	4P	76	8,731.00	129
C589X-SFC-UPFC	4P	76	10,273.00	129
C589X-SFC-UPFCA	4P	76	10,273.00	129
C589X-SFC-UPFS	4P	76	9,556.00	129
C589X-SFC-UPFSA	4P	76	9,556.00	129
C589X-SFS-L	4P	76	7,893.00	129
C589X-SFS-LA	4P	76	7,893.00	129
C589X-SFS-LPFC	4P	76	9,437.00	129
C589X-SFS-LPFCA	4P	76	9,437.00	129
C589X-SFS-LPFS	4P	76	8,719.00	129
C589X-SFS-LPFSa	4P	76	8,719.00	129
C589X-SFS-U	4P	76	8,013.00	129
C589X-SFS-UA	4P	76	8,013.00	129
C589X-SFS-UPFC	4P	76	9,556.00	129
C589X-SFS-UPFCA	4P	76	9,556.00	129
C589X-SFS-UPFS	4P	76	8,838.00	129
C589X-SFS-UPFSA	4P	76	8,838.00	129
C593L-NFC-L	4P	76	6,202.00	124
C593L-NFC-LA	4P	76	6,202.00	124
C593L-NFC-U	4P	76	6,332.00	124
C593L-NFC-UA	4P	76	6,332.00	124
C593L-NFS-L	4P	76	5,812.00	124
C593L-NFS-LA	4P	76	5,812.00	124
C593L-NFS-U	4P	76	5,943.00	124
C593L-NFS-UA	4P	76	5,943.00	124
C593L-SFC-L	4P	76	7,004.00	124
C593L-SFC-LA	4P	76	7,004.00	124
C593L-SFC-U	4P	76	7,137.00	124
C593L-SFC-UA	4P	76	7,137.00	124
C593L-SFS-L	4P	76	6,606.00	124
C593L-SFS-LA	4P	76	6,606.00	124
C593L-SFS-U	4P	76	6,740.00	124



Part Number	Sales Class	AQ Cat	List Price	Page #
C595X-SFS-UPFCA	4P	76	8,201.00	125
C595X-SFS-UPFS	4P	76	7,803.00	125
C595X-SFS-UPFSA	4P	76	7,803.00	125
C597L-NFC-L	4P	76	7,296.00	124
C597L-NFC-LA	4P	76	7,296.00	124
C597L-NFC-U	4P	76	7,426.00	124
C597L-NFC-UA	4P	76	7,426.00	124
C597L-NFS-L	4P	76	6,907.00	124
C597L-NFS-LA	4P	76	6,907.00	124
C597L-NFS-U	4P	76	7,036.00	124
C597L-NFS-UA	4P	76	7,036.00	124
C597L-SFC-L	4P	76	8,244.00	124
C597L-SFC-LA	4P	76	8,244.00	124
C597L-SFC-U	4P	76	8,377.00	124
C597L-SFC-UA	4P	76	8,377.00	124
C597L-SFS-L	4P	76	7,849.00	124
C597L-SFS-LA	4P	76	7,849.00	124
C597L-SFS-U	4P	76	7,981.00	124
C597L-SFS-UA	4P	76	7,981.00	124
C597-NFC-L	4P	76	7,296.00	124
C597-NFC-LA	4P	76	7,296.00	124
C597-NFC-U	4P	76	7,426.00	124
C597-NFC-UA	4P	76	7,426.00	124
C597-NFS-L	4P	76	6,907.00	124
C597-NFS-LA	4P	76	6,907.00	124
C597-NFS-U	4P	76	7,036.00	124
C597-NFS-UA	4P	76	7,036.00	124
C597-SFC-L	4P	76	8,244.00	124
C597-SFC-LA	4P	76	8,244.00	124
C597-SFC-U	4P	76	8,377.00	124
C597-SFC-UA	4P	76	8,377.00	124
C597-SFS-L	4P	76	7,849.00	124
C597-SFS-LA	4P	76	7,849.00	124
C597-SFS-U	4P	76	7,981.00	124
C597-SFS-UA	4P	76	7,981.00	124
C597X-NFC-L	4P	76	7,296.00	124
C597X-NFC-LA	4P	76	7,296.00	124
C597X-NFC-U	4P	76	7,426.00	124
C597X-NFC-UA	4P	76	7,426.00	124
C597X-NFS-L	4P	76	6,907.00	124
C597X-NFS-LA	4P	76	6,907.00	124
C597X-NFS-U	4P	76	7,036.00	124
C597X-NFS-UA	4P	76	7,036.00	124
C597X-SFC-L	4P	76	8,244.00	124
C597X-SFC-LA	4P	76	8,244.00	124
C597X-SFC-U	4P	76	8,377.00	124
C597X-SFC-UA	4P	76	8,377.00	124
C597X-SFS-L	4P	76	7,849.00	124
C597X-SFS-LA	4P	76	7,849.00	124
C597X-SFS-U	4P	76	7,981.00	124
C597X-SFS-UA	4P	76	7,981.00	124
C599L-NDC-L	4P	76	8,699.00	125
C599L-NDC-LA	4P	76	8,699.00	125
C599L-NDC-LPDC	4P	76	10,282.00	125
C599L-NDC-LPDCA	4P	76	10,282.00	125
C599L-NDC-LPDS	4P	76	9,505.00	125
C599L-NDC-LPDSA	4P	76	9,505.00	125
C599L-NDC-U	4P	76	8,830.00	125
C599L-NDC-UA	4P	76	8,830.00	125
C599L-NDC-UPDC	4P	76	10,413.00	125
C599L-NDC-UPDCA	4P	76	10,413.00	125
C599L-NDC-UPDS	4P	76	9,634.00	125
C599L-NDC-UPDSA	4P	76	9,634.00	125
C599L-NDS-L	4P	76	7,922.00	125
C599L-NDS-LA	4P	76	7,922.00	125
C599L-NDS-LPDC	4P	76	9,505.00	125
C599L-NDS-LPDCA	4P	76	9,505.00	125
C599L-NDS-LPDS	4P	76	8,727.00	125
C599L-NDS-LPDSA	4P	76	8,727.00	125
C599L-NDS-U	4P	76	8,052.00	125
C599L-NDS-UA	4P	76	8,052.00	125
C599L-NDS-UPDC	4P	76	9,634.00	125
C599L-NDS-UPDCA	4P	76	9,634.00	125
C599L-NDS-UPDS	4P	76	8,727.00	125
C599L-NDS-UPDSA	4P	76	8,727.00	125
C599L-NFC-L	4P	76	8,440.00	125
C599L-NFC-LA	4P	76	8,440.00	

Part Number	Sales Class	AQ Cat	List Price	Page #
C599-SFS-U	4P	76	8,867.00	124
C599-SFS-UA	4P	76	8,867.00	124
C599-SFS-UPFC	4P	76	10,574.00	125
C599-SFS-UPFCA	4P	76	10,574.00	125
C599-SFS-UPFS	4P	76	9,780.00	125
C599-SFS-UPFSA	4P	76	9,780.00	125
C599X-NDC-L	4P	76	8,699.00	125
C599X-NDC-LA	4P	76	8,699.00	125
C599X-NDC-LPDC	4P	76	10,282.00	125
C599X-NDC-LPDCA	4P	76	10,282.00	125
C599X-NDC-LPDS	4P	76	9,505.00	125
C599X-NDC-LPDSA	4P	76	9,505.00	125
C599X-NDC-U	4P	76	8,830.00	125
C599X-NDC-UA	4P	76	8,830.00	125
C599X-NDC-UPDC	4P	76	10,413.00	125
C599X-NDC-UPDCA	4P	76	10,413.00	125
C599X-NDC-UPDS	4P	76	9,634.00	125
C599X-NDC-UPDSA	4P	76	9,634.00	125
C599X-NDS-L	4P	76	7,922.00	125
C599X-NDS-LA	4P	76	7,922.00	125
C599X-NDS-LPDC	4P	76	9,505.00	125
C599X-NDS-LPDCA	4P	76	9,505.00	125
C599X-NDS-LPDS	4P	76	8,727.00	125
C599X-NDS-LPDSA	4P	76	8,727.00	125
C599X-NDS-U	4P	76	8,052.00	125
C599X-NDS-UA	4P	76	8,052.00	125
C599X-NDS-UPDC	4P	76	9,634.00	125
C599X-NDS-UPDCA	4P	76	9,634.00	125
C599X-NDS-UPDS	4P	76	8,727.00	125
C599X-NDS-UPDSA	4P	76	8,727.00	125
C599X-NFC-L	4P	76	8,440.00	125
C599X-NFC-LA	4P	76	8,440.00	125
C599X-NFC-LPFC	4P	76	10,022.00	125
C599X-NFC-LPFCA	4P	76	10,022.00	125
C599X-NFC-LPFS	4P	76	9,246.00	125
C599X-NFC-LPFSa	4P	76	9,246.00	125
C599X-NFC-U	4P	76	8,570.00	125
C599X-NFC-UA	4P	76	8,570.00	125
C599X-NFC-UPFC	4P	76	10,153.00	125
C599X-NFC-UPFCA	4P	76	10,153.00	125
C599X-NFC-UPFS	4P	76	9,375.00	125
C599X-NFC-UPFSA	4P	76	9,375.00	125
C599X-NFS-L	4P	76	7,662.00	125
C599X-NFS-LA	4P	76	7,662.00	125
C599X-NFS-LPFC	4P	76	9,246.00	125
C599X-NFS-LPFCA	4P	76	9,246.00	125
C599X-NFS-LPFS	4P	76	8,468.00	125
C599X-NFS-LPFSa	4P	76	8,468.00	125
C599X-NFS-U	4P	76	7,792.00	125
C599X-NFS-UA	4P	76	7,792.00	125
C599X-NFS-UPFC	4P	76	9,375.00	125
C599X-NFS-UPFCA	4P	76	9,375.00	125
C599X-NFS-UPFS	4P	76	8,597.00	125
C599X-NFS-UPFSA	4P	76	8,597.00	125
C599X-SDC-L	4P	76	7,794.00	125
C599X-SDC-LA	4P	76	7,794.00	125
C599X-SDC-LPDC	4P	76	11,498.00	125
C599X-SDC-LPDCA	4P	76	11,498.00	125
C599X-SDC-LPDS	4P	76	10,706.00	125
C599X-SDC-LPDSA	4P	76	10,706.00	125
C599X-SDC-U	4P	76	9,925.00	125
C599X-SDC-UA	4P	76	9,925.00	125
C599X-SDC-UPDC	4P	76	11,631.00	125
C599X-SDC-UPDCA	4P	76	11,631.00	125
C599X-SDC-UPDS	4P	76	10,838.00	125
C599X-SDC-UPDSA	4P	76	10,838.00	125
C599X-SDS-L	4P	76	9,000.00	125
C599X-SDS-LA	4P	76	9,000.00	125
C599X-SDS-LPDC	4P	76	10,706.00	125
C599X-SDS-LPDCA	4P	76	10,706.00	125
C599X-SDS-LPDS	4P	76	9,913.00	125
C599X-SDS-LPDSA	4P	76	9,913.00	125
C599X-SDS-U	4P	76	9,132.00	125
C599X-SDS-UA	4P	76	9,132.00	125
C599X-SDS-UPDC	4P	76	10,838.00	125
C599X-SDS-UPDCA	4P	76	10,838.00	125
C599X-SDS-UPDS	4P	76	10,044.00	125
C599X-SDS-UPDSA	4P	76	10,044.00	125
C599X-SFC-I	4P	76	9,528.00	125



ALPHA-NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
C599X-SFC-LA	4P	76	9,528.00	125
C599X-SFC-LPFC	4P	76	11,235.00	125
C599X-SFC-LPFC-A	4P	76	11,235.00	125
C599X-SFC-LPFS	4P	76	10,440.00	125
C599X-SFC-LPFS-A	4P	76	10,440.00	125
C599X-SFC-U	4P	76	9,660.00	125
C599X-SFC-UA	4P	76	9,660.00	125
C599X-SFC-UPFC	4P	76	11,369.00	125
C599X-SFC-UPFCA	4P	76	11,369.00	125
C599X-SFC-UPFS	4P	76	10,574.00	125
C599X-SFC-UPFSA	4P	76	10,574.00	125
C599X-SFS-L	4P	76	8,735.00	125
C599X-SFS-LA	4P	76	8,735.00	125
C599X-SFS-LPFC	4P	76	10,440.00	125
C599X-SFS-LPFC-A	4P	76	10,440.00	125
C599X-SFS-LPFS	4P	76	9,648.00	125
C599X-SFS-LPFS-A	4P	76	9,648.00	125
C599X-SFS-U	4P	76	8,867.00	125
C599X-SFS-UA	4P	76	8,867.00	125
C599X-SFS-UPFC	4P	76	10,574.00	125
C599X-SFS-UPFCA	4P	76	10,574.00	125
C599X-SFS-UPFS	4P	76	9,780.00	125
C599X-SFS-UPFSA	4P	76	9,780.00	125
C5-BUMPDRIP	4P	76	140.00	148
C5-COVER	4P	76	133.00	148
C5-HANDLE	4P	76	157.00	148
C5-LATCHFLUSH-1	4P	76	45.00	148
C5-LATCHLOCK	4P	76	54.00	148
C5-LATCHTWST	4P	76	45.00	148
C5P	5A	80	87.50	51
C5PB	5A	80	95.50	51
C5-PERMBUMP	4P	76	436.00	148
C5-PERMBUMP-1	4A	61	220.00	148
C5PR	5A	80	87.50	51
C5-RHANDLE	4A	61	157.00	148
C5-RTWSTPLG	4P	76	98.00	148
C5-RTWSTPLG-15	4P	76	98.00	148
C5-SAMESIDE	4A	61	220.00	
C5-SHELFONLY-3S	4P	76	177.00	149
C5-SHELFONLY-5S	4P	76	177.00	149
C5-SHELFONLY-7S	4P	76	233.00	149
C5-SHELFONLY-9S	4P	76	321.00	149
C5-SHELF-S	4P	76	111.00	149
C5-SLEGS	4P	76	103.00	149
C5T5-ASB	4P	76	7,453.00	118
C5T5-ASBA	4P	76	7,453.00	118
C5T5-ASF	4P	76	7,453.00	118
C5T5-ASFA	4P	76	7,453.00	118
C5T5-ASL	4P	76	7,453.00	118
C5T5-ASLA	4P	76	7,453.00	118
C5T5-DSB	4P	76	8,281.00	118
C5T5-DSBA	4P	76	8,281.00	118
C5T5-DSF	4P	76	8,281.00	118
C5T5-DSFA	4P	76	8,281.00	118
C5T5-DSL	4P	76	8,281.00	118
C5T5-DSLA	4P	76	8,281.00	118
C5T5X-ASB	4P	76	7,453.00	118
C5T5X-ASBA	4P	76	7,453.00	118
C5T5X-ASF	4P	76	7,453.00	118
C5T5X-ASFA	4P	76	7,453.00	118
C5T5X-ASL	4P	76	7,453.00	118
C5T5X-ASLA	4P	76	7,453.00	118
C5T5X-DSB	4P	76	8,281.00	118
C5T5X-DSBA	4P	76	8,281.00	118
C5T5X-DSF	4P	76	8,281.00	118
C5T5X-DSFA	4P	76	8,281.00	118
C5T5X-DSL	4P	76	8,281.00	118
C5T5X-DSLA	4P	76	8,281.00	118
C5T8-ASB	4P	76	8,600.00	118
C5T8-ASBA	4P	76	8,600.00	118
C5T8-ASF	4P	76	8,600.00	118
C5T8-ASFA	4P	76	8,600.00	118
C5T8-ASL	4P	76	8,600.00	118
C5T8-ASLA	4P	76	8,600.00	118
C5T8-DSB	4P	76	9,554.00	118
C5T8-DSBA	4P	76	9,554.00	118
C5T8-DSF	4P	76	9,554.00	118
C5T8-DSFA	4P	76	9,554.00	118
C5T8-DSL	4P	76	9,554.00	118

Part Number	Sales Class	AQ Cat	List Price	Page #
C5T8-DSLA	4P	76	9,554.00	118
C5T8X-ASB	4P	76	8,600.00	118
C5T8X-ASBA	4P	76	8,600.00	118
C5T8X-ASF	4P	76	8,600.00	118
C5T8X-ASFA	4P	76	8,600.00	118
C5T8X-ASL	4P	76	8,600.00	118
C5T8X-ASLA	4P	76	8,600.00	118
C5T8X-DSB	4P	76	9,554.00	118
C5T8X-DSBA	4P	76	9,554.00	118
C5T8X-DSF	4P	76	9,554.00	118
C5T8X-DSFA	4P	76	9,554.00	118
C5T8X-DSL	4P	76	9,554.00	118
C5T8X-DSLA	4P	76	9,554.00	118
C5T9-ASB	4P	76	9,555.00	118
C5T9-ASBA	4P	76	9,555.00	118
C5T9-ASF	4P	76	9,555.00	118
C5T9-ASFA	4P	76	9,555.00	118
C5T9-ASL	4P	76	9,555.00	118
C5T9-ASLA	4P	76	9,555.00	118
C5T9D-ASB	4P	76	10,702.00	118
C5T9D-ASBA	4P	76	10,702.00	118
C5T9D-ASF	4P	76	10,702.00	118
C5T9D-ASFA	4P	76	10,702.00	118
C5T9D-ASL	4P	76	10,702.00	118
C5T9D-ASLA	4P	76	10,702.00	118
C5T9D-DSB	4P	76	11,986.00	118
C5T9D-DSBA	4P	76	11,986.00	118
C5T9D-DSF	4P	76	11,986.00	118
C5T9D-DSFA	4P	76	11,986.00	118
C5T9D-DSL	4P	76	11,986.00	118
C5T9D-DSLA	4P	76	11,986.00	118
C5T9D-DSB	4P	76	10,621.00	118
C5T9D-DSBA	4P	76	10,621.00	118
C5T9D-DSF	4P	76	10,621.00	118
C5T9D-DSFA	4P	76	10,621.00	118
C5T9D-DSL	4P	76	10,621.00	118
C5T9D-DSLA	4P	76	10,621.00	118
C5T9DX-ASB	4P	76	10,702.00	118
C5T9DX-ASBA	4P	76	10,702.00	118
C5T9DX-ASF	4P	76	10,702.00	118
C5T9DX-ASFA	4P	76	10,702.00	118
C5T9DX-ASL	4P	76	10,702.00	118
C5T9DX-ASLA	4P	76	10,702.00	118
C5T9DX-DSB	4P	76	11,986.00	118
C5T9DX-DSBA	4P	76	11,986.00	118
C5T9DX-DSF	4P	76	11,986.00	118
C5T9DX-DSFA	4P	76	11,986.00	118
C5T9DX-DSL	4P	76	11,986.00	118
C5T9DX-DSLA	4P	76	11,986.00	118
C5T9X-ASB	4P	76	9,555.00	118
C5T9X-ASBA	4P	76	9,555.00	118
C5T9X-ASF	4P	76	9,555.00	118
C5T9X-ASFA	4P	76	9,555.00	118
C5T9X-ASL	4P	76	9,555.00	118
C5T9X-ASLA	4P	76	9,555.00	118
C5T9X-DSB	4P	76	10,621.00	118
C5T9X-DSBA	4P	76	10,621.00	118
C5T9X-DSF	4P	76	10,621.00	118
C5T9X-DSFA	4P	76	10,621.00	118
C5T9X-DSL	4P	76	10,621.00	118
C5T9X-DSLA	4P	76	10,621.00	118
C5TSLIDEPR	4A	61	63.00	149
C5T-CORR-5	4P	76	1,065.00	149
C5T-CORR-8	4P	76	1,065.00	149
C5T-CORR-9	4P	76	1,065.00	149
C5T-CORR-9D	4P	76	1,229.00	149
C5T-LSLIDEPR	4A	61	63.00	149
C5T-SHELFONLY-5	4A	61	204.00	149
C5T-SHELFONLY-8	4A	61	267.00	149
C5T-SHELFONLY-9	4A	61	372.00	149
C5T-STRPLG	4A	61	53.00	148
C5T-TRVL	4A	61	209.00	148
C5-STRPLG-15	4A	61	42.00	148
C5-STRPLG-20	4A	61	42.00	148
C5-TRVL	4A	61	111.00	148
C5-USLIDE-3S	4P	76	101.00	149
C5-USLIDE-5S	4P	76	161.00	149
C5-USLIDE-7S	4P	76	282.00	149
C5-USLIDE-9S	4P	76	362.00	149

Part Number	Sales Class	AQ Cat	List Price	Page #
C5-USLIDEPR-C	4P	76	54.00	149
C5-USLIDEPR-S	4P	76	71.00	149
C5Z65-NFC-S	4P	76	5,691.00	135
C5Z65-NFC-SPFC	4P	76	6,559.00	135
C5Z65-NFC-U	4P	76	5,691.00	135
C5Z65-NFC-UPFC	4P	76	6,559.00	135
C5Z65-NFS-S	4P	76	5,359.00	135
C5Z65-NFS-U	4P	76	5,359.00	135
C5Z65-SFC-S	4P	76	6,653.00	135
C5Z65-SFC-SPFC	4P	76	7,636.00	135
C5Z65-SFC-U	4P	76	6,653.00	135
C5Z65-SFC-UPFC	4P	76	7,636.00	135
C5Z65-SFS-S	4P	76	6,300.00	135
C5Z65-SFS-U	4P	76	6,300.00	135
C5Z69-NDC-S	4P	76	7,562.00	135
C5Z69-NDC-SPDC	4P	76	8,917.00	135
C5Z69-NDC-U	4P	76	7,562.00	135
C5Z69-NDC-UPDC	4P	76	8,917.00	135
C5Z69-SDS-S	4P	76	6,896.00	135
C5Z69-SDS-U	4P	76	6,896.00	135
C5Z69-SDC-S	4P	76	8,817.00	135
C5Z69-SDC-SPDC	4P	76	10,331.00	135
C5Z69-SDC-U	4P	76	8,817.00	135
C5Z69-SDC-UPDC	4P	76	10,331.00	135
C5Z69-SDS-S	4P	76	8,112.00	135
C5Z69-SDS-U	4P	76	8,112.00	135
C5-ZSHELF	4P	76	128.00	148
C5-ZUSLIDEPR	4P	76	63.00	148
C6DA	5A	80	96.50	51
C6DBA	5A	80	102.00	51
C6DRA	5A	80	96.50	51
C6DSLA	5A	80	139.50	51
C6P	5A	80	96.50	51.52
C6PB	5A	80	102.00	51
C6PBGSA	5A	80	207.00	51
C6PGSA	5A	80	201.00	51
C6PR	5A	80	96.50	51.52
C6PRGSA	5A	80	201.00	51
C6PS/LGS-LHA	5A	80	268.00	51
C6PS/L-LH	5A	80	117.50	51
C8AIR	5A	80	171.00	51
C8AIRR	5A	80	171.00	51
C8DA	5A	80	109.00	51
C8DBA	5A	80	115.00	51
C8DRA	5A	80	109.00	51
C8DSLA	5A	80	139.50	51
C8P	5A	80	103.00	51.52
C8PB	5A	80	110.00	51
C8PBGSA	5A	80	219.50	51
C8PGSA	5A	80	212.50	51
C8PR	5A	80	103.00	51.52
C8PRGSA	5A	80	212.50	51
C8PS/LGS-LHA	5A	80	275.00	51
C8PS/L-LH	5A	80	125.50	51
C8SN	4A	61	688.00	51
CB2121C	3E	45	535.00	176
CBH2121C	3E	45	580.50	176
CC9744	5G	86	130.50	44
CC9744A	5G	86	111.50	44
CC9744B	5G	86	130.50	44
CC9744C	5G	86	111.50	44
CD3N	4A	61	1,764.00	160
CD3NA32	4A	61	1,937.50	160
CD3NA33	4A	61	2,061.00	160
CD4N	4A	61	1,794.00	160
CD4NA32	4A	61	1,967.50	160
CD4NA33	4A	61	2,091.00	160
C191000BAS	5F	85	13.80	189
C191000CAS	5F	85	13.80	189
C191000CLR	5F	85	11.20	189
C191000NAT	5F	85	6.90	189
C192000BAS	5F	85	22.30	189
C192000CAS	5F	85	22.30	189
C192000CLR	5F	85	13.30	189
C192000NAT	5F	85	7.50	189
C192050BAS	5F	85	28.70	189
C192050CAS	5F	85	28.70	189
C192050CLR	5F	85	18.60	189
C192050NAT	5F	85	10.10	189

ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
C193000BAS	5F	85	31.80	189
C193000CAS	5F	85	31.80	189
C193000CLR	5F	85	12.80	189
C193000NAT	5F	85	12.80	189
C195050BAS	5F	85	25.50	189
C195050CAS	5F	85	25.50	189
C195050NAT	5F	85	9.10	189
CLT2460S	2G	23	5,171.50	188
CLT48	3D	44	2,135.50	188
CLT48A	3D	44	2,135.50	188
CLTH2460C	2G	23	3,304.00	188
CLTS2448C	2G	23	2,675.50	188
CLTS2460C	2G	23	2,919.50	188
CPC-CTN1	2B	18	71.00	
CR24E	3C	43	106.50	26
CR4BR	2P	32	70.00	77
CR4LPBR	2P	32	70.00	77
CSM6-B	2G	23	5.00	59
CSM6-BQ	3C	43	5.40	25,35
CSM6-BX	3C	43	5.40	25
CSM6-G	2G	23	5.00	59
CSM6-GO	3C	43	5.40	25,35
CSM6-GR	2G	23	5.00	59
CSM6-GRQ	3C	43	5.40	25,35
CSM6-GRX	3C	43	5.40	25
CSM6-GX	3C	43	5.40	25
CSM6-R	2G	23	5.00	59
CSM6-RO	3C	43	5.40	25,35
CSM6-RX	3C	43	5.40	25
CSM6-T	2G	23	5.00	59
CSM6-TQ	3C	43	5.40	25,35
CSM6-TX	3C	43	5.40	25
CSM6-W	2G	23	5.00	59
CSM6-WQ	3C	43	5.40	25,35
CSM6-WX	3C	43	5.40	25
CSM6-Y	2G	23	5.00	59
CSM6-YO	3C	43	5.40	25,35
CSM6-YX	3C	43	5.40	25
CVSN	4A	61	1,078.00	59
CWM	2G	23	9.00	62
D1824NCB	4I	69	173.50	50
D1824NP	4I	69	268.50	50
D1824SCB	4I	69	525.00	50
D1824SP	4I	69	623.50	50
D1830NCB	4I	69	186.50	50
D1830NP	4I	69	289.00	50
D1830SCB	4I	69	542.00	50
D1830SP	4I	69	650.00	50
D1836NCB	4I	69	192.00	50
D1836NP	4I	69	299.00	50
D1836SCB	4I	69	563.50	50
D1836SP	4I	69	680.00	50
D1842NCB	4I	69	204.00	50
D1842NP	4I	69	315.00	50
D1842SCB	4I	69	581.00	50
D1842SP	4I	69	700.00	50
D1848NCB	4I	69	205.50	50
D1848NP	4I	69	324.50	50
D1848SCB	4I	69	602.50	50
D1848SP	4I	69	721.50	50
D1860NCB	4I	69	235.50	50
D1860NP	4I	69	358.00	50
D1860SCB	4I	69	638.50	50
D1860SP	4I	69	767.00	50
D1872NCB	4I	69	280.50	50
D1872NP	4I	69	414.50	50
D1872SCB	4I	69	677.00	50
D1872SP	4I	69	816.50	50
D2020N	3E	45	227.50	50,176
D2121C	3E	45	491.50	50,176
D2124NCB	4I	69	194.00	50
D2124NP	4I	69	295.00	50
D2124SCB	4I	69	547.00	50
D2124SP	4I	69	652.50	50
D2130NCB	4I	69	200.50	50
D2130NP	4I	69	308.50	50
D2130SCB	4I	69	558.50	50
D2130SP	4I	69	672.50	50
D2136NCB	4I	69	207.50	50

Part Number	Sales Class	AQ Cat	List Price	Page #
D2136NP	4I	69	322.50	50
D2136SCB	4I	69	584.00	50
D2136SP	4I	69	701.50	50
D2142NCB	4I	69	220.00	50
D2142NP	4I	69	333.00	50
D2142SCB	4I	69	607.50	50
D2142SP	4I	69	727.50	50
D2148NCB	4I	69	224.00	50
D2148NP	4I	69	346.50	50
D2148SCB	4I	69	624.50	50
D2148SP	4I	69	754.00	50
D2160NCB	4I	69	245.00	50
D2160NP	4I	69	373.50	50
D2160SCB	4I	69	658.50	50
D2160SP	4I	69	797.00	50
D2172NCB	4I	69	269.00	50
D2172NP	4I	69	415.50	50
D2172SCB	4I	69	764.50	50
D2172SP	4I	69	914.00	50
D2424NCB	4I	69	192.00	50
D2424NP	4I	69	296.00	50
D2424SCB	4I	69	541.00	50
D2424SP	4I	69	649.00	50
D2430NCB	4I	69	203.00	50
D2430NP	4I	69	308.50	50
D2430SCB	4I	69	565.00	50
D2430SP	4I	69	680.00	50
D2436NCB	4I	69	206.50	50
D2436NP	4I	69	317.00	50
D2436SCB	4I	69	581.00	50
D2436SP	4I	69	700.00	50
D2442NCB	4I	69	220.00	50
D2442NP	4I	69	332.00	50
D2442SCB	4I	69	602.50	50
D2442SP	4I	69	718.00	50
D2448NCB	4I	69	222.50	50
D2448NP	4I	69	343.50	50
D2448SCB	4I	69	620.00	50
D2448SP	4I	69	750.50	50
D2460NCB	4I	69	245.00	50
D2460NP	4I	69	373.50	50
D2460SCB	4I	69	655.50	50
D2460SP	4I	69	797.00	50
D2472NCB	4I	69	296.00	50
D2472NP	4I	69	438.00	50
D2472SP	4I	69	907.50	50
D53JN	4I	69	456.00	50
D53LN	4I	69	528.00	50
D53MN	4I	69	987.00	50
D55JN	4I	69	482.50	50
D55JN-CB	4I	69	361.50	50
D55LN	4I	69	554.50	50
D55MN	4I	69	1,013.50	50
D55PN	4I	69	1,095.50	50
D55PSLN	4I	69	840.50	50
D56JN	4I	69	512.50	50
D56JN-CB	4I	69	384.00	50
D56LN	4I	69	584.50	50
D56MN	4I	69	1,043.50	50
D56PN	4I	69	1,125.50	50
D56PSLN	4I	69	870.50	50
DC15EC	2G	23	978.50	184,192
DC16EC	2G	23	1,014.50	184,192
DC35EC	2G	23	1,041.00	184,192
DC36EC	2G	23	1,089.50	184,192
DC55EC	2G	23	1,102.00	184,192
DC56EC	2G	23	1,148.50	184,192
DCLIP	3C	43	6.00	22
DCR17C	2B	18	14.50	184,192
DCT2436N	4I	69	136.00	50
DCT2442N	4I	69	154.00	50
DCT2448N	4I	69	177.50	50
DCT2460N	4I	69	208.50	50
DCT2472N	4I	69	231.50	50
DD12C	2B	18	18.50	67
DD14BL	2D	20	18.50	53
DD14C	2B	18	18.50	53
DD14-D	2D	20	20.50	53
DD14-DSG	2D	20	18.50	53

Part Number	Sales Class	AQ Cat	List Price	Page #
DD14FC	2K	27	20.50	66
DD14K3	2A	17	22.00	53
DD14S	2C	19	54.50	53
DD14W	2D	20	18.50	53
DD18BL	2D	20	21.50	53
DD18C	2B	18	21.50	67
DD18-D	2D	20	23.50	53
DD18-DSG	2D	20	21.50	53
DD18FC	2K	27	24.00	66
DD18FS	2K	27	66.50	66
DD18K3	2A	17	26.50	53
DD18S	2C	19	63.00	53
DD18W	2D	20	21.50	53
DD21BL	2D	20	24.00	53
DD21C	2B	18	24.00	53
DD21-D	2D	20	26.00	53
DD21-DSG	2D	20	24.00	53
DD21FC	2K	27	27.00	66
DD21K3	2A	17	29.50	53
DD21S	2C	19	70.00	53
DD21W	2D	20	24.00	53
DD24BL	2D	20	28.50	53
DD24C	2B	18	28.50	67
DD24-D	2D	20	30.50	53
DD24-DSG	2D	20	28.50	53
DD24FC	2K	27	30.50	66
DD24FS	2K	27	79.50	66
DD24K3	2A	17	35.50	53
DD24S	2C	19	76.50	53
DD24W	2D	20	28.50	53
DD30BL	2D	20	33.50	53
DD30C	2B	18	33.50	53
DD30-DSG	2D	20	33.50	53
DD30S	2C	19	93.50	53
DD30W	2D	20	33.50	53
DD3448A	5G	86	110.50	44
DD3448B	5G	86	129.50	44
DD36BL	2D	20	40.50	53
DD36C	2B	18	40.50	53
DD36-DSG	2D	20	40.50	53
DD36S	2C	19	112.50	53
DD36W	2D	20	40.50	53
DD3722A	2P	32	17.50	77
DEMO-NK3	2A	17	16.50	0
DH2020N	3E	45	256.00	176
DH2121C	3E	45	535.00	176
DMK-1X	4I	69	51.00	51
DMK-2X	4I	69	8.00	51
DR36S	3C	43	258.00	28,177
DR48S	3C	43	310.00	28,177
DR60S	3C	43	371.00	28,177
DSC6N	4A	61	1,967.00	160
DSC7N	4A	61	2,012.00	160
DS11	3G	47	1,244.50	176
DSDV11	3G	47	81.00	176
ED57C	2N	30	372.50	191
EH14NC	2B	18	30.50	47,52
EH14NS	2C	19	98.50	47,52
EH18NC	2B	18	37.50	47,52
EH18NS	2C	19	118.50	47,52
EH21NC	2B	18	38.50	47,52
EH21NS	2C	19	123.00	47,52
EH24NC	2B	18	38.50	47,52
EH24NS	2C	19	131.50	47,52
EH30NC	2B	18	48.00	47,52
EH36NC	2B	18	57.00	47,52
EP27C	2N	30	96.50	47,54,191
EP28C	2N	30	106.00	47,54,191
EP35C	2B	18	62.00	47,54
EP35S	2C	19	136.50	47,54
EP36C	2B	18	65.50	47,54
EP36S	2C	19	143.50	47,54
EP37C	2B	18	71.00	47,54
EP55C	2B	18	73.00	47,54
EP55S	2C	19	164.00	47,54
EP56C	2B	18	78.50	47,54
EP56S	2C	19	179.00	47,54
EP57C	2B	18	83.00	47,54
EZ1836BR-4	2B	18	357.00	45



ALPHA - NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
EZ1836NC-4	2B	18	395.00	45
EZ1836NK3-4	2A	17	470.00	45
EZ1848BR-4	2B	18	415.00	45
EZ1848NC-4	2B	18	439.00	45
EZ1848NK3-4	2A	17	538.50	45
EZ1860BR-4	2B	18	462.50	45
EZ1860NC-4	2B	18	489.00	45
EZ1860NK3-4	2A	17	615.00	45
EZ2436BR-4	2B	18	411.50	45
EZ2436NC-4	2B	18	460.00	45
EZ2436NK3-4	2A	17	543.00	45
EZ2448BR-4	2B	18	473.00	45
EZ2448NC-4	2B	18	515.00	45
EZ2448NK3-4	2A	17	642.00	45
EZ2460BR-4	2B	18	550.00	45
EZ2460NC-4	2B	18	585.50	45
EZ2460NK3-4	2A	17	730.00	45
F536EG	2K	27	755.00	46
F556EG	2K	27	815.00	46
F566EG	2K	27	879.00	46
FC1	3E	45	13.00	77
FCH	2P	32	32.00	77
FGS1224K3	2P	32	113.00	77
FL112	3I	49	277.50	187
FL113	3I	49	107.50	187
FL114	3I	49	64.50	187
FL115	3I	49	54.00	187
FL116	3I	49	111.50	187
FL117	3I	49	64.50	187
FL403	3I	49	76.50	187
FL410	3I	49	595.00	187
FL411	3I	49	1,325.50	187
FLMB1	3I	49	2,606.50	187
FLMB2	3I	49	2,594.50	187
FPS10N	5B	81	374.00	96
FPS11N	5B	81	397.00	96
FPS12N	5B	81	446.00	96
FPS13N	5B	81	470.00	96
FPS14N	5B	81	490.00	96
FPS15N	5B	81	541.50	96
FPS16N	5B	81	566.00	96
FPS17N	5B	81	589.50	96
FPS18N	5B	81	643.00	96
FPS19N	5B	81	659.00	96
FPS20N	5B	81	692.50	96
FPS21N	5B	81	738.50	96
FPS6N	5B	81	248.00	96
FPS7N	5B	81	269.50	96
FPS8N	5B	81	300.50	96
FPS9N	5B	81	345.50	96
FSBC	4G	67	26.50	0
GBHVK3	2P	32	31.00	77
GS1436K3	2P	32	126.00	77
GS1448K3	2P	32	150.00	77
GS1830K3	2P	32	126.00	77
GS1836K3	2P	32	138.50	77
GS1848K3	2P	32	166.00	77
GWBSKT36	3A	41	351.00	61
GWBX3-1	3A	41	768.50	61
GWBX3-2	3A	41	1,282.50	61
GWCVCA1	3A	41	256.00	61
GWCVCA2	3A	41	307.00	61
GWOLYKIT	3A	41	155.00	61
GWSCVCA1	3A	41	256.00	61
GWSCVCA2	3A	41	307.00	61
GWTX3-1	3A	41	768.50	61
GWTX3-2	3A	41	1,282.50	61
H110R	2D	20	16.00	58
H114B	2D	20	19.00	55
H114C	2B	18	19.00	55
H114-D	2D	20	20.50	55
H114-DSG	2D	20	19.00	55
H114W	2D	20	19.00	55
H118B	2D	20	20.00	55
H118C	2B	18	20.00	55
H118-D	2D	20	22.00	55
H118-DSG	2D	20	20.00	55
H118W	2D	20	20.00	55
H124B	2D	20	21.00	55

Part Number	Sales Class	AQ Cat	List Price	Page #
H124C	2B	18	21.00	55
H124-D	2D	20	23.00	55
H124-DSG	2D	20	21.00	55
H124W	2D	20	21.00	55
H130B	2D	20	23.50	55
H130C	2B	18	23.50	55
H130-D	2D	20	25.50	55
H130-DSG	2D	20	23.50	55
H130W	2D	20	23.50	55
H136B	2D	20	24.50	55
H136C	2B	18	24.50	55
H136-D	2D	20	26.50	55
H136-DSG	2D	20	24.50	55
H136W	2D	20	24.50	55
H148B	2D	20	28.00	55
H148C	2B	18	28.00	55
H148-D	2D	20	30.00	55
H148-DSG	2D	20	28.00	55
H148W	2D	20	28.00	55
H2020C	3E	45	69.50	176
H209B	2E	21	35.00	58
H209C	2G	23	34.50	58,77
H209-D	2E	21	37.50	58
H209-DBM	2E	21	37.50	58
H209-DCH	2E	21	37.50	58
H209-DHG	2E	21	37.50	58
H209-DSG	2E	21	35.00	58
H209-DSH	2E	21	37.50	58
H209F	2E	21	50.50	58
H209K3	2P	32	38.50	77
H209W	2E	21	35.00	58
H210B	2E	21	38.00	58
H210C	2G	23	37.50	58,77
H210-D	2E	21	40.50	58
H210-DBM	2E	21	40.50	58
H210-DCH	2E	21	40.50	58
H210-DHG	2E	21	40.50	58
H210-DSG	2E	21	38.00	58
H210-DSH	2E	21	40.50	58
H210K3	2P	32	48.00	77
H210W	2E	21	38.00	78
H212B	2E	21	50.50	58
H212C	2G	23	50.00	58,77
H212-D	2E	21	53.00	58
H212-DBM	2E	21	53.00	58
H212-DCH	2E	21	53.00	58
H212-DF	2E	21	53.00	58
H212-DHG	2E	21	53.00	58
H212-DSG	2E	21	50.50	58
H212-DSH	2E	21	53.00	58
H212F	2E	21	61.00	58
H212W	2E	21	50.50	58
H3C	20	31	42.00	85
H3S	20	31	102.50	85
H4C	20	31	43.50	85
H4S	20	31	103.50	85
H5C	20	31	43.50	85
H5S	20	31	105.00	85
H9995B	2D	20	8.00	38
H9995C	2B	18	7.70	38
HD18B	2E	21	22.00	194
HD18C	2B	18	21.50	194
HD18-D	2D	20	24.00	194
HD18-DSG	2D	20	22.00	194
HD18W	2D	20	22.00	194
HD24B	2E	21	29.00	194
HD24C	2B	18	28.50	194
HD24-D	2D	20	33.00	194
HD24-DSG	2D	20	29.00	194
HD24W	2D	20	29.00	194
HDC3BB	5A	80	11.40	49
HDC5B	5A	80	24.00	49
HDC5BB	5A	80	30.00	49
HDFB	2E	21	7.20	44
HDFC	2E	21	7.20	44
HDM1436BL	2D	20	61.50	194
HDM1436BR	2B	18	55.50	194
HDM1436-D	2D	20	66.50	195
HDM1436-DSG	2D	20	61.50	194

Part Number	Sales Class	AQ Cat	List Price	Page #
HDM1436NC	2B	18	62.50	194
HDM1436QBL	2H	24	68.50	194
HDM1436QBR	2H	24	62.50	194
HDM1436QC	2H	24	69.50	194
HDM1436Q-D	2H	24	73.50	195
HDM1436Q-DSG	2H	24	68.50	194
HDM1436QW	2H	24	68.50	194
HDM1436W	2D	20	61.50	194
HDM1448BL	2D	20	71.00	194
HDM1448BR	2B	18	63.50	194
HDM1448-D	2D	20	76.00	195
HDM1448-DSG	2D	20	71.00	194
HDM1448NC	2B	18	72.00	194
HDM1448QBL	2H	24	78.00	194
HDM1448QBR	2H	24	70.50	194
HDM1448QC	2H	24	79.00	194
HDM1448Q-D	2H	24	83.00	195
HDM1448Q-DSG	2H	24	78.00	194
HDM1448QW	2H	24	78.00	194
HDM1448W	2D	20	71.00	194
HDM1836BL	2D	20	64.50	194
HDM1836BR	2B	18	62.50	194
HDM1836-D	2D	20	69.50	195
HDM1836-DSG	2D	20	64.50	194
HDM1836NC	2B	18	65.50	194
HDM1836QBL	2H	24	71.50	194
HDM1836QBR	2H	24	69.50	194
HDM1836QC	2H	24	72.50	194
HDM1836Q-D	2H	24	76.50	195
HDM1836Q-DSG	2H	24	71.50	194
HDM1836QW	2H	24	71.50	194
HDM1836W	2D	20	64.50	194
HDM1848BL	2D	20	78.50	194
HDM1848BR	2B	18	73.50	194
HDM1848-D	2D	20	83.50	195
HDM1848-DSG	2D	20	78.50	194
HDM1848NC	2B	18	79.50	194
HDM1848QBL	2H	24	85.50	194
HDM1848QBR	2H	24	80.50	194
HDM1848QC	2H	24	86.50	194
HDM1848Q-D	2H	24	90.50	195
HDM1848Q-DSG	2H	24	85.50	194
HDM1848QW	2H	24	85.50	194
HDM1848W	2D	20	78.50	194
HDM2136BL	2D	20	77.00	194
HDM2136BR	2B	18	70.00	194
HDM2136-D	2D	20	82.00	195
HDM2136-DSG	2D	20	77.00	194
HDM2136F	2D	20	82.00	194
HDM2136NC	2B	18	78.00	194
HDM2136QBL	2H	24	84.00	194
HDM2136QBR	2H	24	77.00	194
HDM2136QC	2H	24	85.00	194
HDM2136Q-D	2H	24	89.00	195
HDM2136Q-DSG	2H	24	84.00	194
HDM2136QW	2H	24	84.00	194
HDM2136W	2D	20	77.00	194
HDM2148BL	2D	20	89.00	194
HDM2148BR	2B	18	81.00	194
HDM2148-D	2D	20	94.00	195
HDM2148-DSG	2D	20	89.00	194
HDM2148NC	2B	18	90.00	194
HDM2148QBL	2H	24	96.00	194
HDM2148QBR	2H	24	88.00	194
HDM2148QC	2H	24	97.00	194
HDM2148Q-D	2H	24	101.00	195
HDM2148Q-DSG	2H	24	96.00	194
HDM2148QW	2H	24	96.00	194
HDM2148W	2D	20	89.00	194
HDM2424BR	2B	18	72.50	194
HDM2424NC	2B	18	80.50	194
HDM2436BL	2D	20	82.50	194
HDM2436BR	2B	18	74.50	194
HDM2436-D	2D	20	87.50	195
HDM2436-DSG	2D	20	82.50	194
HDM2436NC	2B	18	83.50	194
HDM2436QBL	2H	24	89.50	194
HDM2436QBR	2H	24	81.50	194
HDM2436QC	2H	24	90.50	194

ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
HDM2436Q-D	2H	24	94.50	195
HDM2436Q-DSG	2H	24	89.50	194
HDM2436QW	2H	24	89.50	194
HDM2436W	2D	20	82.50	194
HDM2448BL	2D	20	97.00	194
HDM2448BR	2B	18	89.50	194
HDM2448-D	2D	20	102.00	195
HDM2448-DSG	2D	20	97.00	194
HDM2448NC	2B	18	98.00	194
HDM2448QBL	2H	24	104.00	194
HDM2448QBR	2H	24	96.50	194
HDM2448QC	2H	24	105.00	194
HDM2448Q-D	2H	24	109.00	195
HDM2448Q-DSG	2H	24	104.00	194
HDM2448QW	2H	24	104.00	194
HDM2448W	2D	20	97.00	194
HDP35C	2L	28	614.50	98
HDP35K3	2L	28	727.00	98
HDP35S	2L	28	1,234.50	98
HDP36C	2L	28	699.00	98
HDP36K3	2L	28	834.00	98
HDP36S	2L	28	1,428.00	98
HDP55C	2L	28	648.00	98
HDP55K3	2L	28	773.50	98
HDP55S	2L	28	1,325.50	98
HDP56C	2L	28	737.00	98
HDP56K3	2L	28	883.50	98
HDP56S	2L	28	1,534.00	98
HFCB	2E	21	18.00	58
HK6B	2E	21	9.30	58
HK6C	2E	21	9.50	58
HK8B	2E	21	10.50	58
HK8C	2E	21	10.80	58
HK23B	2E	21	5.20	56
HK23C	2G	23	5.30	56,77,170
HK23S	4G	67	10.50	170
HK25B	2E	21	5.90	56
HK25C	2G	23	5.90	56,77
HK26C	2G	23	9.40	56,77
HMCB	2E	21	30.00	58
HMCC	2E	21	30.50	58
HP2230PD	3F	46	219.00	97
HP2230PDMB	3F	46	255.00	97
HP2236PD	3F	46	219.00	97
HP2236PDMB	3F	46	255.00	97
HP2236PD-SR	3F	46	219.00	
HP2248PD	3F	46	252.00	97
HP2248PDMB	3F	46	287.00	97
HP2260PD	3F	46	290.00	97
HP2260PDMB	3F	46	323.50	97
HP31C	2L	28	249.50	98
HP31K3	2L	28	286.00	98
HP32C	2L	28	265.00	98
HP32K3	2L	28	304.00	98
HP33C	2L	28	265.00	98
HP33K3	2L	28	304.00	98
HP33S	2L	28	655.00	98
HP35C	2L	28	314.00	98
HP35K3	2L	28	366.00	98
HP35S	2L	28	844.00	98
HP51C	2L	28	269.00	98
HP51K3	2L	28	315.00	98
HP52C	2L	28	287.00	98
HP52K3	2L	28	331.50	98
HP53C	2L	28	287.00	98
HP53K3	2L	28	331.50	98
HP53S	2L	28	725.50	98
HP55C	2L	28	338.00	98
HP55K3	2L	28	391.50	98
HP55S	2L	28	925.00	98
HPLC3X3	3A	41	890.00	
HPLC4X3	3A	41	1,027.50	
HS5M	5A	80	51.00	
HS5MB	5A	80	57.00	
HVDC2448	5I	88	1,159.50	
IC125	3L	52	864.50	170
IWA-11K3	2P	32	45.50	77
IWA-12K3	2P	32	51.50	77
IWA-14K3	2P	32	55.00	77

Part Number	Sales Class	AQ Cat	List Price	Page #
IWA-S11K3	2P	32	101.00	77
JH2C	2N	30	8.70	191
KR345DC	2F	22	1,318.00	190
KR365DC	2F	22	1,466.50	190
L14N-1BL	2D	20	12.00	53
L14N-1C	2B	18	12.00	53
L14N-1-D	2D	20	14.00	53
L14N-1-DSG	2D	20	12.00	53
L14N-1S	2C	19	21.50	53
L14N-1W	2D	20	12.00	53
L14N-4BL	2D	20	16.00	53
L14N-4C	2B	18	16.00	53
L14N-4-D	2D	20	18.00	53
L14N-4-DSG	2D	20	16.00	53
L14N-4K3	2A	17	19.50	53
L14N-4S	2C	19	34.50	53
L14N-4W	2D	20	16.00	53
L14WC	2K	27	19.50	66
L14WS	2K	27	41.50	66
L18N-1BL	2D	20	13.00	53
L18N-1C	2B	18	13.00	53
L18N-1-D	2D	20	15.00	53
L18N-1-DSG	2D	20	13.00	53
L18N-1S	2C	19	23.00	53
L18N-1W	2D	20	13.00	53
L18N-4BL	2D	20	17.50	53
L18N-4C	2B	18	17.50	53
L18N-4-D	2D	20	19.50	53
L18N-4-DSG	2D	20	17.50	53
L18N-4K3	2A	17	21.00	53
L18N-4S	2C	19	40.00	53
L18N-4W	2D	20	17.50	53
L18WC	2K	27	20.50	66
L18WS	2K	27	43.00	66
L21N-1BL	2D	20	14.00	53
L21N-1C	2B	18	14.00	53
L21N-1-D	2D	20	16.00	53
L21N-1-DSG	2D	20	14.00	53
L21N-1S	2C	19	24.50	53
L21N-1W	2D	20	14.00	53
L21N-4BL	2D	20	18.50	53
L21N-4C	2B	18	18.50	53
L21N-4-D	2D	20	20.50	53
L21N-4-DSG	2D	20	18.50	53
L21N-4K3	2A	17	22.00	53
L21N-4S	2C	19	46.00	53
L21N-4W	2D	20	18.50	53
L21WC	2K	27	21.50	66
L21WS	2K	27	48.50	66
L24N-1BL	2D	20	15.00	53
L24N-1C	2B	18	15.00	53
L24N-1-DSG	2D	20	15.00	53
L24N-1S	2C	19	28.00	53
L24N-1W	2D	20	15.00	53
L24N-4BL	2D	20	19.50	53
L24N-4C	2B	18	19.50	53
L24N-4-D	2D	20	21.50	53
L24N-4-DSG	2D	20	19.50	53
L24N-4K3	2A	17	24.00	53
L24N-4S	2C	19	49.00	53
L24N-4W	2D	20	19.50	53
L24WC	2K	27	22.50	66
L24WS	2K	27	53.00	66
L30N-1BL	2D	20	17.50	53
L30N-1C	2B	18	17.50	53
L30N-1-DSG	2D	20	17.50	53
L30N-1S	2C	19	37.50	53
L30N-1W	2D	20	17.50	53
L30N-4BL	2D	20	23.00	53
L30N-4C	2B	18	23.00	53
L30N-4-D	2D	20	25.00	53
L30N-4-DSG	2D	20	23.00	53
L30N-4K3	2A	17	28.00	53
L30N-4S	2C	19	58.00	53
L30N-4W	2D	20	23.00	53
L30WC	2K	27	29.50	66
L30WS	2K	27	63.50	66
L36N-1BL	2D	20	19.50	53
L36N-1C	2B	18	19.50	53

Part Number	Sales Class	AQ Cat	List Price	Page #
L36N-1-D	2D	20	21.50	53
L36N-1-DSG	2D	20	19.50	53
L36N-1S	2C	19	41.00	53
L36N-1W	2D	20	19.50	53
L36N-4BL	2D	20	25.00	53
L36N-4C	2B	18	25.00	53
L36N-4-D	2D	20	27.00	53
L36N-4-DSG	2D	20	25.00	53
L36N-4K3	2A	17	31.50	53
L36N-4S	2C	19	68.50	53
L36N-4W	2D	20	25.00	53
L36WC	2K	27	33.00	66
L36WS	2K	27	75.50	66
L42N-1BL	2D	20	20.00	53
L42N-1C	2B	18	20.00	53
L42N-1-D	2D	20	22.00	53
L42N-1-DSG	2D	20	20.00	53
L42N-1S	2C	19	46.00	53
L42N-1W	2D	20	20.00	53
L42N-4BL	2D	20	31.50	53
L42N-4C	2B	18	31.50	53
L42N-4-D	2D	20	33.50	53
L42N-4-DSG	2D	20	31.50	53
L42N-4K3	2A	17	38.00	53
L42N-4S	2C	19	87.00	53
L42N-4W	2D	20	31.50	53
L42WC	2K	27	34.00	66
L42WS	2K	27	81.00	66
L48N-1BL	2D	20	20.50	53
L48N-1C	2B	18	20.50	53
L48N-1-D	2D	20	22.50	53
L48N-1-DSG	2D	20	20.50	53
L48N-1S	2C	19	46.00	53
L48N-1W	2D	20	20.50	53
L48N-4BL	2D	20	31.50	53
L48N-4C	2B	18	31.50	53
L48N-4-D	2D	20	33.50	53
L48N-4-DSG	2D	20	31.50	53
L48N-4K3	2A	17	38.00	53
L48N-4S	2C	19	87.00	53
L48N-4W	2D	20	31.50	53
L48WC	2K	27	39.00	66
L48WS	2K	27	93.50	66
L54N-1BL	2D	20	24.00	53
L54N-1C	2B	18	24.00	53
L54N-1-D	2D	20	26.00	53
L54N-1-DSG	2D	20	24.00	53
L54N-1S	2C	19	56.00	53
L54N-1W	2D	20	24.00	53
L54N-4BL	2D	20	33.50	53
L54N-4C	2B	18	33.50	53
L54N-4-D	2D	20	35.50	53
L54N-4-DSG	2D	20	33.50	53
L54N-4K3	2A	17	41.00	53
L54N-4S	2C	19	99.50	53
L54N-4W	2D	20	33.50	53
L60N-1BL	2D	20	24.00	53
L60N-1C	2B	18	24.00	53
L60N-1-D	2D	20	26.00	53
L60N-1-DSG	2D	20	24.00	53
L60N-1F	2D	20	26.00	53
L60N-1S	2C	19	56.00	53
L60N-1W	2D	20	24.00	53
L60N-4BL	2D	20	33.50	53
L60N-4C	2B	18	33.50	53
L60N-4-D	2D	20	35.50	53
L60N-4-DBM	2D	20	35.50	53
L60N-4-DCH	2D	20	35.50	53
L60N-4-DHG	2D	20	35.50	53
L60N-4-DSG	2D	20	33.50	53
L60N-4F	2D	20	35.50	53
L60N-4K3	2A	17	41.00	53
L60N-4S	2C	19	99.50	53
L60N-4W	2D	20	33.50	53
L60WC	2K	27	42.00	66
L60WS	2K	27	107.00	66
L72N-1BL	2D	20	25.00	53
L72N-1C	2B	18	25.00	53
L72N-1-D	2D	20	27.00	53



Part Number	Sales Class	AQ Cat	List Price	Page #
LXHK4-PRO-P	5I	88	2,242.50	181
LXHK4-SDK	5I	88	126.50	181
LXHK4-SSK	5I	88	310.00	181
LXHK4-WCH	5I	88	46.50	181
LXHK-AS	5I	88	83.50	181
LXHK-HDLKIT	5I	88	65.50	181
LXHK-SS	5I	88	46.50	181
LXHK-TS	5I	88	258.50	181
LXHK-UGRH	5I	88	120.00	181
LXHK-VH	5I	88	60.50	181
LXHK-WCAN	5I	88	128.00	181
LXHR-ESS	5I	88	463.50	182
LXHR-NB	5I	88	97.00	182
LXHR-PLUS	5I	88	538.00	182
LXHR-PRO	5I	88	761.00	182
M3TF1824E	3C	43	93.50	27
M3TF1830E	3C	43	95.50	27
M3TF1836E	3C	43	95.50	27
M3TF1848E	3C	43	100.50	27
M3TF1860E	3C	43	118.00	27
M3TF2424E	3C	43	99.00	27
M3TF2430E	3C	43	100.50	27
M3TF2436E	3C	43	100.50	27
M3TF2448E	3C	43	105.50	27
M3TF2460E	3C	43	126.50	27
M4F1824	3C	43	110.50	27
M4F1830	3C	43	117.50	27
M4F1836	3C	43	117.50	27
M4F1842	3C	43	134.50	27
M4F1848	3C	43	134.50	27
M4F1854	3C	43	153.50	27
M4F1860	3C	43	153.50	27
M4F1872	3C	43	179.00	27
M4F2424	3C	43	128.00	27
M4F2430	3C	43	134.50	27
M4F2436	3C	43	134.50	27
M4F2442	3C	43	146.50	27
M4F2448	3C	43	146.50	27
M4F2454	3C	43	169.50	27
M4F2460	3C	43	169.50	27
M4F2472	3C	43	208.50	27
M9995	3C	43	4.70	20,21
M9997	3C	43	3.90	20,21
M9997-4	3C	43	11.20	80
MB1816XE	3C	43	103.00	27
MB1822XE	3C	43	118.00	27
MB2416XE	3C	43	108.50	27
MB2422XE	3C	43	124.00	27
MB30120Y	5D	83	5.40	60
MB30124Y	5D	83	16.00	60
MB30128Y	5D	83	6.50	60
MB30130Y	5D	83	7.00	60
MB30138Y	5D	83	10.00	60
MB30164Y	5D	83	19.00	60
MB30174Y	5D	83	33.00	60
MB30178Y	5D	83	23.00	60
MB30230B	5D	83	14.00	60,77
MB30234B	5D	83	21.50	60
MB30235B	5D	83	19.00	60,77
MB30240B	5D	83	23.00	60,77
MB30250B	5D	83	32.00	60
MB30265B	5D	83	43.50	60
MB30281B	5D	83	41.00	60
MB30283B	5D	83	71.00	60
MB34240G	5D	83	63.50	60
MB40120	5D	83	28.00	60
MB40130	5D	83	34.00	60
MB40170	5D	83	72.00	60
MB40230	5D	83	24.50	60
MB40245	5D	83	33.00	60
MB40265	5D	83	54.50	60
MBQ-120	4B	62	6,919.00	155
MBQ-120D	4B	62	7,875.00	154
MBQ-120D-QH	4B	62	9,771.00	154
MBQ-120DX	4B	62	7,875.00	154
MBQ-120DX-QH	4B	62	9,771.00	154
MBQ-120-QH	4B	62	9,530.00	155
MBQ-120X	4B	62	6,919.00	155
MBQ-120X-QH	4B	62	9,530.00	155

ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
MBQ-144	4B	62	7,931.00	155
MBQ-144-QH	4B	62	9,596.00	155
MBQ-144X	4B	62	7,931.00	155
MBQ-144X-QH	4B	62	9,596.00	155
MBQ-150D	4B	62	8,886.00	154
MBQ-150D-QH	4B	62	10,758.00	154
MBQ-150DX	4B	62	8,886.00	154
MBQ-150DX-QH	4B	62	10,758.00	154
MBQ-180	4B	62	8,563.00	155
MBQ-180D	4B	62	9,516.00	154
MBQ-180D-QH	4B	62	11,520.00	154
MBQ-180DX	4B	62	9,516.00	154
MBQ-180DX-QH	4B	62	11,520.00	154
MBQ-180-QH	4B	62	10,366.00	155
MBQ-180X	4B	62	8,563.00	155
MBQ-180X-QH	4B	62	10,366.00	155
MBQ-200D	4B	62	10,113.00	155
MBQ-200D-QH	4B	62	12,238.00	155
MBQ-200DX	4B	62	10,113.00	155
MBQ-200DX-QH	4B	62	12,238.00	155
MBQ-72	4B	62	6,404.00	155
MBQ-72-QH	4B	62	8,032.00	155
MBQ-72X	4B	62	6,404.00	155
MBQ-72X-QH	4B	62	8,032.00	155
MBQ-8	5A	80	165.00	156
MBQ-8AIR	5A	80	280.00	156
MBQ-90	4B	62	6,613.00	156
MBQ-90-QH	4B	62	8,184.00	154
MBQ-90X	4B	62	6,613.00	154
MBQ-90X-QH	4B	62	8,184.00	154
MBQ-BQ1700	4B	62	1,053.00	157
MBQ-C1-14	4B	62	81.00	157
MBQ-C1-17	4B	62	81.00	157
MBQ-C2-14	4B	62	81.00	157
MBQ-C2-17	4B	62	81.00	157
MBQ-MR-14	4B	62	123.00	157
MBQ-MR-17	4B	62	123.00	157
MBQ-P1-14	4B	62	81.00	157
MBQ-P1-17	4B	62	81.00	157
MBQ-P2-14	4B	62	81.00	157
MBQ-P2-17	4B	62	81.00	157
MBQ-SUPH	4B	62	220.00	156
MBQ-SUSA	4B	62	71.00	156
MBQ-SWLC-1	4B	62	277.00	156
MBQ-SWLC-18	4B	62	467.00	156
MBQ-SWLC-2	4B	62	277.00	156
MBQ-SWLC-28	4B	62	467.00	156
MBQT-150D	4B	62	9,596.00	155
MBQT-150D-QH	4B	62	11,616.00	155
MBQT-180D	4B	62	10,274.00	155
MBQT-180D-QH	4B	62	12,092.00	155
MBQ-TRVL	4B	62	181.00	156
MD18-16	3C	43	51.00	23,35,53
MD18-20	3C	43	56.50	23,35,53
MD18-24	3C	43	62.50	23,35,53
MD24-16	3C	43	55.50	23,35,53
MD24-20	3C	43	61.00	23,35,53
MD24-24	3C	43	66.50	23,35,53
MDL91035NAT	5D	83	5.40	189
MDL92035NAT	5D	83	5.90	189
MDL92060NAT	5D	83	7.00	189
MDL93030NAT	5D	83	9.50	189
MDL93060NAT	5D	83	9.50	189
MDL93080NAT	5D	83	10.50	189
MDL93035NAT	5D	83	4.70	189
MDL93035NAT	5D	83	5.40	189
MDL93060NAT	5D	83	5.90	189
MDL93030NAT	5D	83	9.50	189
MDL93060NAT	5D	83	9.50	189
MDL93080NAT	5D	83	9.50	189
MEH18S	3C	43	85.00	17
MEH21S	3C	43	87.50	17
MEH24S	3C	43	89.50	17
MEP35E	3C	43	88.50	24
MEP36E	3C	43	92.50	24
MEP37E	3C	43	102.00	24
MEP55E	3C	43	95.50	24
MEP56E	3C	43	106.50	24
MEP57E	3C	43	110.00	24

Part Number	Sales Class	AQ Cat	List Price	Page #
MERGH18S	3C	43	94.00	17
MERGH24S	3C	43	98.50	17
MF222	3I	49	37.50	
MHP1836F	3A	41	168.50	14
MHP1836G	3A	41	153.00	14
MHP1848F	3A	41	200.50	14
MHP1848G	3A	41	182.00	14
MHP1860F	3A	41	241.50	14
MHP1860G	3A	41	218.00	14
MHP2436F	3A	41	209.50	14
MHP2436G	3A	41	186.00	14
MHP2448F	3A	41	241.50	14
MHP2448G	3A	41	221.00	14
MHP2460F	3A	41	290.00	14
MHP2460G	3A	41	266.00	14
MHP33C	2L	28	575.50	98
MHP33K3	2L	28	633.50	98
MHP33S	2L	28	1,004.50	98
MHP35C	2L	28	627.50	98
MHP35K3	2L	28	695.00	98
MHP35S	2L	28	1,186.50	98
MHP53C	2L	28	593.00	98
MHP53K3	2L	28	654.50	98
MHP53S	2L	28	1,071.50	98
MHP55C	2L	28	646.00	98
MHP55K3	2L	28	719.00	98
MHP55S	2L	28	1,264.50	98
MQ13PE	3B	42	22.00	15
MQ13UPE	3B	42	22.00	15
MQ1824G	3B	42	88.50	15
MQ1830G	3B	42	93.00	15
MQ1836G	3B	42	93.00	15
MQ1842G	3B	42	111.50	15
MQ1848G	3B	42	111.50	15
MQ1854G	3B	42	133.00	15
MQ1860G	3B	42	133.00	15
MQ1872G	3B	42	151.00	15
MQ18SE	3C	43	113.00	26
MQ2124G	3B	42	101.00	15
MQ2130G	3B	42	104.00	15
MQ2136G	3B	42	104.00	15
MQ2142G	3B	42	122.50	15
MQ2148G	3B	42	122.50	15
MQ2154G	3B	42	143.00	15
MQ2160G	3B	42	143.00	15
MQ2172G	3B	42	175.00	15
MQ2424G	3B	42	110.50	15
MQ2430G	3B	42	112.50	15
MQ2436G	3B	42	112.50	15,103
MQ2442G	3B	42	137.50	15
MQ2448G	3B	42	137.50	15,103
MQ2454G	3B	42	163.00	15
MQ2460G	3B	42	163.00	15,103
MQ2472G	3B	42	190.50	15
MQ24SE	3C	43	115.50	26
MQ27PE	3B	42	26.00	15
MQ27UPE	3B	42	26.00	15
MQ33PE	3B	42	29.50	15
MQ33UPE	3B	42	29.50	15
MQ-512F	4B	62	5,321.00	16
MQ-512F-H	4B	62	5,538.00	16
MQ-512F-SL	4B	62	5,799.00	16
MQ-512F-SL-H	4B	62	6,015.00	16
MQ-512L	4B	62	5,561.00	16
MQ-512L-H	4B	62	5,779.00	16
MQ-512L-SL	4B	62	6,039.00	16
MQ-512L-SL-H	4B	62	6,256.00	16
MQ54PE	3B	42	31.00	15
MQ54UPE	3B	42	31.00	15
MQ-609F	4B	62	5,695.00	16
MQ-609F-H	4B	62	5,912.00	16
MQ-609F-SL	4B	62	6,172.00	16
MQ-609F-SL-H	4B	62	6,389.00	16
MQ-609L	4B	62	5,917.00	16
MQ-609L-H	4B	62	6,134.00	16
MQ-609L-SL	4B	62	6,394.00	16
MQ-609L-SL-H	4B	62	6,611.00	16
MQ63PE	3B	42	34.50	15
MQ63UPE	3B	42	34.50	15

Part Number	Sales Class	AQ Cat	List Price	Page #
MQ70UPE	3B	42	44.00	15
MQ74PE	3B	42	36.50	15
MQ74UPE	3B	42	36.50	15
MQ86PE	3B	42	42.00	15
MQ86UPE	3B	42	42.00	15
MQ9985	3B	42	10.00	15
MOD18-8	3C	43	20.00	22
MOD24-8	3C	43	22.00	22
MLQ24-2S	3C	43	22.00	23
MLQ24-4P	3C	43	42.00	23
MLQ30-2S	3C	43	24.00	23
MLQ30-4P	3C	43	46.00	23
MLQ36-2S	3C	43	28.00	23
MLQ36-4P	3C	43	53.00	23
MLQ42-2S	3C	43	34.00	23
MLQ42-4P	3C	43	64.50	23
MLQ48-2S	3C	43	34.00	23
MLQ48-4P	3C	43	64.50	23
MLQ54-2S	3C	43	38.00	23
MLQ54-4P	3C	43	72.00	23
MLQ60-2S	3C	43	38.00	23
MLQ60-4P	3C	43	72.00	23
MLQ72-2S	3C	43	43.00	23
MLQ18-2S	3C	43	21.00	23
MLQ18-4P	3C	43	40.00	23
MLQ21-2S	3C	43	21.50	23
MLQ21-4P	3C	43	41.00	23
MLQ24-2S	3C	43	22.00	23
MLQ24-4P	3C	43	42.00	23
MQSEC53DE	3B	42	1,729.00	103
MQSEC53E	3B	42	1,499.50	103
MQSEC53LE	3B	42	1,968.00	103
MQSEC53VE	3B	42	1,851.00	103
MQSEC55DE	3B	42	2,096.00	103
MQSEC55E	3B	42	1,867.00	103
MQSEC55LE	3B	42	2,356.50	103
MQSEC55VE	3B	42	2,217.50	103
MQSEC56DE	3B	42	2,254.00	103
MQSEC56E	3B	42	2,025.00	103
MQSEC56LE	3B	42	2,536.00	103
MQSEC56VE	3B	42	2,375.50	103
MQSS2E	3C	43	115.50	26
MQ-SUPH	4B	62	294.00	156
MQTTA18	5B	81	471.00	95
MQTTA21	5B	81	480.00	95
MQTTA24	5B	81	489.00	95
MQTT18	5B	81	769.00	95
MQTT21	5B	81	780.00	95
MQTT24	5B	81	791.00	95
MQTTM18C	5B	81	408.00	95
MQTTM18S	5B	81	718.00	95
MQTTM21C	5B	81	420.00	95
MQTTM21S	5B	81	730.00	95
MQTTM24C	5B	81	432.00	95
MQTTM24S	5B	81	742.00	95
MQUC1830G-25	3B	42	596.00	19,81
MQUC1830G-35	3B	42	689.00	19,81
MQUC2436G-25	3B	42	639.50	19,81
MQUC2436G-35	3B	42	752.00	19,81
MSUH24S	3C	43	143.00	17
MTB91035W	5D	83	23.00	189
MTB92035W	5D	83	34.50	189
MTB92060W	5D	83	37.50	189
MTB93030W	5D	83	55.50	189
MTB93050W	5D	83	56.50	189
MTB93060W	5D	83	62.50	189
MTB93080W	5D	83	74.50	189
MTB93120W	5D	83	89.50	189
MTLA	3C	43	11.00	17
MTR2436XE	3C	43	92.50	28,177
MTR2436XEA	3C	43	87.00	28,177
MTR2448XE	3C	43	112.00	28,177
MTR2448XEA	3C	43	105.50	28,177
MTR2460XE	3C	43	129.00	28,177
MTR2460XEA	3C	43	124.50	28,177
MTSL	5A	80	103.00	0
MTWB	5A	80	61.00	0
MUD18-8	3C	43	20.00	22,35,53
MUD24-8	3C	43	22.00	22,35,53



ALPHA - NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
MW103	20	31	696.50	84
MW104	20	31	788.00	84
MW105	20	31	788.00	84
MW106	20	31	851.50	84
MW108	20	31	900.50	84
MW203	20	31	931.50	84
MW204	20	31	1,028.50	84
MW205	20	31	1,028.50	84
MW206	20	31	1,124.00	84
MW208	20	31	1,195.00	84
MW401	20	31	463.50	84
MW402	20	31	524.50	84
MW403	20	31	524.50	84
MW404	20	31	572.00	84
MW406	20	31	603.00	84
MW601	20	31	294.50	84
MW602	20	31	652.50	84
MW603	20	31	313.00	84
MW604	20	31	744.50	84
MW605	20	31	313.00	84
MW606	20	31	744.50	84
MW607	20	31	341.00	84
MW608	20	31	833.00	84
MW611	20	31	351.00	84
MW612	20	31	879.00	84
MW701	20	31	356.50	84
MW702	20	31	884.00	84
MW703	20	31	376.50	84
MW704	20	31	978.50	84
MW705	20	31	376.50	84
MW706	20	31	978.50	84
MW707	20	31	417.00	84
MW708	20	31	1,101.00	84
MW711	20	31	432.50	84
MW712	20	31	1,168.00	84
MWT305FS	4G	67	1,826.00	169
MWT305US	4G	67	1,553.00	169
MWT306FC	4G	67	1,352.50	169
MWT306FS	4G	67	1,925.00	169
MWT306HS	4G	67	1,654.50	169
MWT306US	4G	67	1,654.50	169
MWT307FC	4G	67	1,507.50	169
MWT307FS	4G	67	2,042.50	169
MWT307HS	4G	67	1,770.50	169
MWT307US	4G	67	1,770.50	169
MWT309FC	4G	67	1,751.50	169
MWT309FS	4G	67	2,422.50	169
MWT309HS	4G	67	2,037.50	169
MWT309US	4G	67	2,037.50	169
MX13P	3A	41	26.50	14
MX13UP	3A	41	26.50	14
MX1824F	3A	41	150.50	14
MX1824G	3A	41	133.00	14
MX1830F	3A	41	157.00	14
MX1830G	3A	41	138.50	14
MX1836F	3A	41	157.00	14
MX1836G	3A	41	138.50	14
MX1842F	3A	41	189.00	14
MX1842G	3A	41	167.00	14
MX1848F	3A	41	189.00	14
MX1848G	3A	41	167.00	14
MX1854F	3A	41	225.00	14
MX1854G	3A	41	199.00	14
MX1860F	3A	41	225.00	14
MX1860G	3A	41	199.00	14
MX1872F	3A	41	263.50	14
MX1872G	3A	41	232.50	14
MX18SE	3C	43	123.00	26
MX2424F	3A	41	187.00	14
MX2424G	3A	41	165.50	14
MX2430F	3A	41	191.00	14
MX2430G	3A	41	168.50	14
MX2436F	3A	41	191.00	14,103
MX2436G	3A	41	168.50	14,103
MX2442F	3A	41	233.00	14
MX2442G	3A	41	206.00	14
MX2448F	3A	41	233.00	14,103
MX2448G	3A	41	206.00	14,103
MX2454F	3A	41	275.50	14

Part Number	Sales Class	AQ Cat	List Price	Page #
MX2454G	3A	41	243.50	14
MX2460F	3A	41	275.50	14,103
MX2460G	3A	41	243.50	14,103
MX2472F	3A	41	325.50	14
MX2472G	3A	41	288.00	14
MX24SE	3C	43	125.50	26
MX27P	3A	41	35.50	14
MX27UP	3A	41	35.50	14
MX33P	3A	41	39.00	14
MX33UP	3A	41	39.00	14
MX54P	3A	41	43.50	14
MX54UP	3A	41	43.50	14
MX63P	3A	41	46.50	14
MX63UP	3A	41	46.50	14
MX74P	3A	41	53.00	14
MX74UP	3A	41	53.00	14
MX86P	3A	41	61.50	14
MX86UP	3A	41	61.50	14
MX9985	3A	41	10.10	14
MX9996	3C	43	11.10	20
MX9UP	3A	41	23.00	14
MXD18-8	3C	43	20.00	22
MXD24-8	3C	43	22.00	22
MXL24-2S	3C	43	22.00	23
MXL24-4P	3C	43	42.00	23
MXL30-2S	3C	43	24.00	23
MXL30-4P	3C	43	46.00	23
MXL36-2S	3C	43	28.00	23
MXL36-4P	3C	43	53.00	23
MXL42-2S	3C	43	34.00	23
MXL42-4P	3C	43	64.50	23
MXL48-2S	3C	43	34.00	23
MXL48-4P	3C	43	64.50	23
MXL54-2S	3C	43	38.00	23
MXL54-4P	3C	43	72.00	23
MXL60-2S	3C	43	38.00	23
MXL60-4P	3C	43	72.00	23
MXL72-2S	3C	43	43.00	23
MXLS18-2S	3C	43	21.00	23
MXLS18-4P	3C	43	40.00	23
MXLS24-2S	3C	43	22.00	23
MXLS24-4P	3C	43	42.00	23
MXSS2E	3C	43	125.50	26
MXTT18	5B	81	549.00	95
MXTT24	5B	81	567.00	95
MXTTE18	5B	81	925.00	95
MXTTE24	5B	81	947.00	95
MXTTM18C	5B	81	474.00	95
MXTTM18S	5B	81	784.00	95
MXTTM24C	5B	81	498.00	95
MXTTM24S	5B	81	808.00	95
MXUC1830G-25	3A	41	829.00	19,81
MXUC1830G-35	3A	41	967.50	19,81
MXUC2436G-25	3A	41	893.50	19,81
MXUC2436G-35	3A	41	1,062.00	19,81
N336BBR	2B	18	474.00	46
N336BC	2B	18	486.00	46
N336EBR	2B	18	547.00	46
N336EC	2B	18	559.00	46
N356BBR	2B	18	518.00	46
N356BC	2B	18	542.00	46
N356EBR	2B	18	591.00	46
N356EC	2B	18	615.00	46
N366BBR	2B	18	572.00	46
N366BC	2B	18	592.00	46
N366EBR	2B	18	645.00	46
N366EC	2B	18	665.00	46
N436BBR	2B	18	504.00	46
N436BC	2B	18	536.00	46
N436EBR	2B	18	577.00	46
N436EC	2B	18	609.00	46
N456BBR	2B	18	548.00	46
N456BC	2B	18	584.00	46
N456EBR	2B	18	621.00	46
N456EC	2B	18	657.00	46
N466BBR	2B	18	612.00	46
N466BC	2B	18	646.00	46
N466EBR	2B	18	685.00	46
N466EC	2B	18	719.00	46

Part Number	Sales Class	AQ Cat	List Price	Page #
N536BBR	2B	18	522.00	46
N536BC	2B	18	558.00	46
N536EBR	2B	18	595.00	46
N536EC	2B	18	631.00	46
N536JC	2B	18	876.00	47
N536LC	2B	18	948.00	47
N536MC	2B	18	1,407.00	47
N556BBR	2B	18	582.00	46
N556BC	2B	18	616.00	46
N556EBR	2B	18	655.00	46
N556EC	2B	18	689.00	46
N556JC	2B	18	960.50	47
N556LC	2B	18	1,032.50	47
N556MC	2B	18	1,491.50	47
N566BBR	2B	18	660.00	46
N566BC	2B	18	686.00	46
N566EBR	2B	18	733.00	46
N566EC	2B	18	759.00	46
N566JC	2B	18	1,060.50	47
N566LC	2B	18	1,132.50	47
N566MC	2B	18	1,591.50	47
OP2501BAS	5F	85	4.80	189
OP2501CLR	5F	85	4.80	189
OP2535BAS	5F	85	4.80	189
OP2535CLR	5F	85	4.80	189
P1824BR	2B	18	119.00	98
P1824NC	2B	18	122.00	98
P1824NS	2C	19	359.50	98
P1830BR	2B	18	120.50	98
P1830NC	2B	18	123.50	98
P1830NS	2C	19	362.00	98
P1836BR	2B	18	120.50	98
P1836NC	2B	18	123.50	98
P1836NS	2C	19	362.00	98
P2124BR	2B	18	126.00	98
P2124NC	2B	18	133.00	98
P2124NS	2C	19	392.50	98
P2130BR	2B	18	128.00	98
P2130NC	2B	18	136.00	98
P2130NS	2C	19	396.00	98
P2136BR	2B	18	128.00	98
P2136NC	2B	18	136.00	98
P2136NS	2C	19	396.00	98
P2424BR	2B	18	130.50	98
P2424NC	2B	18	138.50	98
P2424NS	2C	19	413.50	98
P2430BR	2B	18	132.50	98
P2430NC	2B	18	141.50	98
P2430NS	2C	19	417.00	98
P2436BR	2B	18	132.50	98
P2436NC	2B	18	141.50	98
P2436NS	2C	19	417.00	98
PBA-1BH	2P	68	26.50	77
PBA-2BH	2P	68	33.50	77
PBA-CHD	2P	68	32.50	77
PBA-GPC	2P	68	83.50	76
PBA-GSD	2P	68	60.00	77
PBA-GSDK3	2P	68	67.00	77
PBA-MS	2P	68	61.00	77
PBA-MSK3	2P	68	68.00	77
PBA-PFH	2P	68	28.00	77
PCD11	3G	47	976.00	175
PCD11A	3G	47	1,371.00	175
PCD12	3G	47	976.00	175
PCD5	3G	47	976.00	175
PCD7	3G	47	976.00	175
PCD8	3G	47	976.00	175
PCD9	3G	47	976.00	175
PCDV11	3G	47	85.50	175
PCDV11A	3G	47	85.50	175
PCDV12	3G	47	85.50	175
PCDV5	3G	47	85.50	175
PCDV7	3G	47	85.50	175
PCDV8	3G	47	85.50	175
PCDV9	3G	47	85.50	175
PGHK6K3	2P	32	14.00	77
PH1239C	2G	23	44.00	57
PH14NC	2B	18	25.50	47,52
PH14NS	2C	19	68.50	47,52

ALPHA-NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
PH18NC	2B	18	29.50	47,52
PH18NS	2C	19	78.50	47,52
PH21NC	2B	18	30.50	47,52
PH21NS	2C	19	86.00	47,52
PH24NC	2B	18	30.50	47,52
PH24NS	2C	19	93.50	47,52
PH30NC	2B	18	37.50	47,52
PH36NC	2B	18	44.00	47,52
PR1824NK3	2T	34	88.50	34
PR1830NK3	2T	34	93.00	34
PR1836NK3	2T	34	93.00	34,101
PR1842NK3	2T	34	111.50	34
PR1848NK3	2T	34	111.50	34,101
PR1854NK3	2T	34	133.00	34
PR1860NK3	2T	34	133.00	34
PR1872NK3	2T	34	151.00	34
PR2124NK3	2T	34	101.00	34
PR2130NK3	2T	34	104.00	34
PR2136NK3	2T	34	104.00	34
PR2142NK3	2T	34	122.50	34
PR2148NK3	2T	34	122.50	34
PR2154NK3	2T	34	143.00	34
PR2160NK3	2T	34	143.00	34
PR2172NK3	2T	34	175.00	34
PR2424NK3	2T	34	110.50	34
PR2430NK3	2T	34	112.50	34
PR2436NK3	2T	34	112.50	34,101
PR2442NK3	2T	34	137.50	34
PR2448NK3	2T	34	137.50	34,101
PR2454NK3	2T	34	163.00	34
PR2460NK3	2T	34	163.00	34,101
PR2472NK3	2T	34	190.50	34
PR48ES	2K	27	1,901.00	177
PR48V3	3A	41	2,005.00	28,177
PR48X3	3A	41	1,715.00	28,177
PR60ES	2K	27	2,209.00	177
PT1C-5M	2G	23	524.50	57
PT1C-5MP	2G	23	620.50	57
PT2C-5M	2G	23	696.50	57
PT2C-5MP	2G	23	809.50	57
PT3C-5M	2G	23	888.50	57
PT3C-5MP	2G	23	968.00	57
Q04LH	3C	43	4.70	25
Q04LHC	3C	43	4.20	25
Q2124SM	3C	43	34.00	15
Q2130SM	3C	43	35.00	15
Q2136SM	3C	43	36.50	15
Q2142SM	3C	43	40.50	15
Q2148SM	3C	43	40.50	15
Q2154SM	3C	43	48.50	15
Q2160SM	3C	43	48.50	15
Q2172SM	3C	43	58.50	15
Q24LH	3C	43	11.00	25
Q24LHC	3C	43	7.00	25
Q30LH	3C	43	11.00	25
Q30LHC	3C	43	7.50	25
Q336BG3	3B	42	666.00	25
Q336EG3	3B	42	742.50	18
Q356BG3	3B	42	723.00	18
Q356EG3	3B	42	795.00	18
Q366BG3	3B	42	809.00	18
Q366EG3	3B	42	881.00	18
Q36LH	3C	43	12.10	25
Q36LHC	3C	43	7.50	25
Q42LH	3C	43	17.50	25
Q42LHC	3C	43	9.80	25
Q436BG3	3B	42	693.00	18
Q436EG3	3B	42	765.00	18
Q456BG3	3B	42	767.00	18
Q456EG3	3B	42	839.00	18
Q466BG3	3B	42	849.00	18
Q466EG3	3B	42	921.00	18
Q48LH	3C	43	17.50	25
Q48LHC	3C	43	9.80	25
Q536BG3	3B	42	732.50	18
Q536EG3	3B	42	809.50	18
Q54LH	3C	43	20.00	25
Q54LHC	3C	43	12.10	25
Q556BG3	3B	42	827.00	18

Part Number	Sales Class	AQ Cat	List Price	Page #
Q556EG3	3B	42	899.00	18
Q566BG3	3B	42	929.00	18
Q566EG3	3B	42	1,001.00	18
Q60LH	3C	43	20.00	25
Q60LHC	3C	43	12.10	25
Q72LH	3C	43	22.50	25
Q9995Z	3C	43	5.40	21
R52C	2B	18	9.70	55
R52FC	2K	27	11.00	66
R52S	2C	19	32.00	55
R60FC	2K	27	11.60	66
R61C	2B	18	10.90	55
R61S	2C	19	34.50	55
R72C	2B	18	12.00	55
R72FC	2K	27	12.70	66
R72S	2C	19	41.00	55
R84C	2B	18	14.00	55
R84FC	2K	27	14.20	66
R84S	2C	19	43.50	55
R86C	2B	18	14.40	55
RD13N	4E	65	879.00	162
RD13NA120	4E	65	974.00	162
RD13NA33	4E	65	1,180.00	162
RD13NA33A120	4E	65	1,275.00	162
RD13NA37	4E	65	1,049.00	162
RD13NA37A120	4E	65	1,144.00	162
RD15N	4E	65	983.00	162
RD15NA120	4E	65	1,078.00	162
RD15NA33	4E	65	1,284.00	162
RD15NA33A120	4E	65	1,379.00	162
RD15NA37	4E	65	1,153.00	162
RD15NA37A120	4E	65	1,248.00	162
RD23N	4E	65	806.00	162
RD23NA120	4E	65	901.00	162
RD23NA33	4E	65	1,107.00	162
RD23NA33A120	4E	65	1,202.00	162
RD23NA37	4E	65	976.00	162
RD23NA37A120	4E	65	1,071.00	162
RD27N	4E	65	1,394.00	164
RD27NA120	4E	65	1,489.00	164
RD27NA33	4E	65	1,695.00	164
RD27NA33A120	4E	65	1,790.00	164
RD27NA37	4E	65	1,564.00	164
RD27NA37A120	4E	65	1,659.00	164
RD33N	4E	65	852.00	162
RD33NA120	4E	65	947.00	162
RD33NA33	4E	65	1,153.00	162
RD33NA33A120	4E	65	1,248.00	162
RD33NA37	4E	65	1,022.00	162
RD33NA37A120	4E	65	1,117.00	162
RD3N	4E	65	852.00	162
RD3NA120	4E	65	947.00	162
RD3NA33	4E	65	1,153.00	162
RD3NA33A120	4E	65	1,248.00	162
RD3NA37	4E	65	1,022.00	162
RD3NA37A120	4E	65	1,117.00	162
RD78N	4E	65	1,510.00	164
RD78NA120	4E	65	1,605.00	164
RD78NA33	4E	65	1,811.00	164
RD78NA33A120	4E	65	1,906.00	164
RD78NA33A71	4E	65	1,989.00	164
RD78NA37	4E	65	1,680.00	164
RD78NA37A71	4E	65	1,858.00	164
RE1	2M	29	381.00	161
RE1P	2M	29	451.00	161
RE3	2M	29	347.00	161
RE3P	2M	29	420.00	161
RF13N	4E	65	917.00	163
RF13NA33	4E	65	1,218.00	163
RF13NA37	4E	65	1,087.00	163
RF23N	4E	65	823.00	163
RF23NA33	4E	65	1,124.00	163
RF23NA37	4E	65	993.00	163
RF3N	4E	65	881.00	163
RF3NA33	4E	65	1,182.00	163
RF3NA37	4E	65	1,051.00	163
RF78N	4E	65	1,488.00	163
RF78NA120	4E	65	1,583.00	163
RF78NA33	4E	65	1,789.00	163

Part Number	Sales Class	AQ Cat	List Price	Page #
RF78NA33A71	4E	65	1,967.00	163
RF78NA37	4E	65	1,658.00	163
RPBC4M-4	3H	80	78.50	83
RS1	2M	29	381.00	161
RS3	2M	29	347.00	161
RT115N	4E	65	630.00	163
RT1334N	4E	65	680.00	163
RT183N	4E	65	680.00	163
RT3318N	4E	65	680.00	162
RT3511N	4E	65	640.00	162
S1C	2G	23	43.00	
S3C	2G	23	23.50	
S4C	2G	23	33.50	
SA18EC	2B	18	58.50	94
SA21EC	2B	18	59.50	94
SA24EC	2B	18	60.50	94
SA30BC	2B	18	63.50	94
SA36BC	2B	18	66.50	94
SA39BEC	2B	18	69.00	94
SA42BC	2B	18	72.00	94
SA45BEC	2B	18	71.00	94
SA48BC	2B	18	72.00	94
SA48BEC	2B	18	72.00	94
SA48TTIS	5B	81	2,982.50	94
SA48TTS	5B	81	1,538.00	94
SA54BC	2B	18	81.00	94
SA54TTIS	5B	81	2,982.50	94
SA54TTS	5B	81	1,569.00	94
SA60BC	2B	18	81.00	94
SA60TTIS	5B	81	3,011.50	94
SA60TTS	5B	81	1,598.50	94
SAFP	2B	18	51.00	94
SAFP-2	2B	18	51.00	94
SAKITA2	1F	15	8.00	44
SAPC	2B	18	18.00	94
SAQHD25BP-1	2A	17	237.00	104
SAQHD25BP-2	2B	18	201.00	104
SAQHD25BP-4	2B	18	207.50	104
SAQHD50BP-1	2A	17	373.50	104
SAQHD50BP-2	2B	18	316.50	104
SAQHD50BP-4	2B	18	322.00	104
SASES25BP-1	2B	18	207.50	104
SASES25BP-2	2B	18	177.00	104
SASES25BP-4	2B	18	183.00	104
SASES50BP-1	2B	18	340.00	104
SASES50BP-2	2B	18	291.50	104
SASES50BP-4	2B	18	298.00	104
SB90443NAT	5F	85	5.00	189
SB90743BAS	5F	85	8.00	189
SB90743CAS	5F	85	8.00	189
SB90743NAT	5F	85	5.50	189
SB90835BAS	5F	85	10.50	189
SB90835CAS	5F	85	10.50	189
SB90835NAT	5F	85	6.00	189
SB91055BAS	5F	85	20.00	189
SB91055CAS	5F	85	20.00	189
SB91055NAT	5F	85	11.50	189
SB91516BAS	5F	85	43.00	189
SB91516CAS	5F	85	43.00	189
SB91516NAT	5F	85	29.00	189
SB91587BAS	5F	85	36.50	189
SB91587CAS	5F	85	36.50	189
SB91587NAT	5F	85	21.00	189
SBCS	2C	19	16.50	80
SBES	2C	19	23.00	80
SC2448-1	4B	62	946.00	
SEC33C	2I	25	1,099.00	100
SEC33CQ	2I	25	1,160.00	102
SEC33EC	2I	25	1,314.00	100
SEC33ECQ	2I	25	1,371.00	102
SEC33EK3	2I	25	1,540.50	100
SEC33K3	2I	25	1,322.00	100
SEC33S	2I	25	2,939.50	100
SEC33S-SD	2I	25	2,939.50	101
SEC35C	2I	25	1,367.50	100
SEC35CQ	2I	25	1,425.50	102
SEC35EC	2I	25	1,581.50	100
SEC35ECQ	2I	25	1,652.00	102
SEC35EK3	2I	25	1,864.50	100



ALPHA - NUMERIC PRICE LIST

Part Number	Sales Class	AQ Cat	List Price	Page #
SEC35K3	2I	25	1,642.50	100
SEC35S	2I	25	3,574.00	100
SEC35S-SD	2I	25	3,574.00	101
SEC53C	2I	25	1,129.00	100
SEC53CQ	2I	25	1,190.00	102
SEC53DC	2I	25	1,330.00	100
SEC53DCQ	2I	25	1,389.00	102
SEC53DK3	2I	25	1,562.50	100
SEC53EC	2I	25	1,343.00	100
SEC53ECQ	2I	25	1,402.00	102
SEC53EK3	2I	25	1,575.50	100
SEC53K3	2I	25	1,357.50	100
SEC53LC	2I	25	1,601.50	100
SEC53LCQ	2I	25	1,749.00	102
SEC53LK3	2I	25	1,825.00	100
SEC53S	2I	25	3,049.00	100
SEC53S-HD	2I	25	3,049.00	101
SEC53S-SD	2I	25	3,049.00	101
SEC53VK3	2I	25	1,681.50	100
SEC55C	2I	25	1,405.00	100
SEC55CQ	2I	25	1,461.50	102
SEC55DC	2I	25	1,606.00	100
SEC55DCQ	2I	25	1,676.50	102
SEC55DK3	2I	25	1,896.00	100
SEC55EC	2I	25	1,626.00	100
SEC55ECQ	2I	25	1,690.50	102
SEC55EK3	2I	25	1,909.00	100
SEC55K3	2I	25	1,688.00	100
SEC55LC	2I	25	1,891.00	100
SEC55LCQ	2I	25	2,050.00	102
SEC55LK3	2I	25	2,173.00	100
SEC55S	2I	25	3,715.00	100
SEC55S-HD	2I	25	3,715.00	101
SEC55S-SD	2I	25	3,715.00	101
SEC55VK3	2I	25	2,015.00	100
SEC56C	2I	25	1,523.50	100
SEC56CQ	2I	25	1,584.50	102
SEC56DC	2I	25	1,724.50	100
SEC56DCQ	2I	25	1,794.00	102
SEC56DK3	2I	25	2,039.00	100
SEC56EC	2I	25	1,738.50	100
SEC56ECQ	2I	25	1,807.00	102
SEC56EK3	2I	25	2,052.00	100
SEC56K3	2I	25	1,832.50	100
SEC56LC	2I	25	2,029.50	102
SEC56LCQ	2I	25	2,164.00	102
SEC56LK3	2I	25	2,339.50	100
SEC56S	2I	25	3,845.00	100
SEC56S-HD	2I	25	3,845.00	101
SEC56S-SD	2I	25	3,845.00	101
SEC56VK3	2I	25	2,158.00	100
SEC63C	2I	25	1,413.00	100
SEC63EC	2I	25	1,679.50	100
SEC63S	2I	25	3,810.00	100
SEC63S-SD	2I	25	3,810.00	101
SEC65C	2I	25	1,756.00	100
SEC65EC	2I	25	2,023.00	100
SEC65S	2I	25	4,642.00	100
SEC65S-SD	2I	25	4,642.00	101
SEC66C	2I	25	1,904.50	100
SEC66EC	2I	25	2,173.50	100
SEC66S	2I	25	4,806.00	100
SEC66S-SD	2I	25	4,806.00	101
SECM2430NC	2I	25	365.50	101
SECM2430NS	2I	25	807.00	101
SECM2448NC	2I	25	420.00	101
SECM2460NC	2I	25	454.50	101
SF31N3C	2B	18	63.50	55
SF32N3C	2B	18	64.50	55
SF33N3C	2B	18	64.50	55
SF33N4S	2R	33	297.50	55
SF34N3C	2B	18	67.50	55
SF35N3C	2B	18	67.50	55
SF35N4S	2R	33	315.00	55
SF36N3C	2B	18	77.50	55
SF36N4S	2R	33	356.00	55
SF37N3C	2B	18	85.50	55
SF41N3C	2B	18	65.50	55
SF42N3C	2B	18	67.50	55

Part Number	Sales Class	AQ Cat	List Price	Page #
SF43N3C	2B	18	67.50	55
SF44N3C	2B	18	71.00	55
SF45N3C	2B	18	71.00	55
SF46N3C	2B	18	84.50	55
SF47N3C	2B	18	110.50	55
SF51N3C	2B	18	65.50	55
SF52N3C	2B	18	69.00	55
SF53N3C	2B	18	69.00	55
SF54N3C	2B	18	72.00	55
SF55N3C	2B	18	72.00	55
SF56N3C	2B	18	85.50	55
SF57N3C	2B	18	110.50	55
SLT2436NC	2G	23	122.50	47,185
SLT2448NC	2G	23	144.00	47,185
SLT2460NC	2G	23	155.00	47,185
SR24BR	2P	32	46.50	77
SR24K3	2P	32	66.00	77
SS2NC	2G	23	115.50	57
SS3NC	2G	23	109.50	57
SS4NC	2G	23	112.50	57
SSD16	3G	47	1,034.50	176
SSDV16	3G	47	81.00	176
STP3BR	2P	32	27.00	77
SW21C	2B	18	145.00	79
SW23C	2B	18	257.00	79
SW25C	2B	18	332.00	79
SW26C	2B	18	407.00	79
SW31C	2B	18	149.00	79
SW33C	2B	18	265.00	79
SW35C	2B	18	344.00	79
SW36C	2B	18	423.00	79
SW40BR	2P	32	48.00	79
SW40K3	2P	32	53.50	79
SW41C	2B	18	149.00	79
SW43C	2B	18	265.00	79
SW45C	2B	18	344.00	79
SW46C	2B	18	423.00	79
SW51C	2B	18	151.00	79
SW53C	2B	18	269.00	79
SW55C	2B	18	350.00	79
SW56BR	2P	32	54.00	76
SW56C	2B	18	431.00	76
SW56K3	2P	32	59.00	76
SW72BR	2P	32	60.50	76
SW72K3	2P	32	66.00	76
SWA1	2P	32	198.50	75
SWA2	2P	32	254.50	75
SWD14BR	2P	32	59.50	76
SWD14K3	2P	32	71.00	76
SWD18BR	2P	32	61.50	76
SWD18K3	2P	32	72.50	76
SWD21BR	2P	32	61.50	76
SWD21K3	2P	32	72.50	76
SWD24BR	2P	32	62.50	76
SWD24K3	2P	32	76.00	76
SWG81	2P	32	33.00	76
SWG82	2P	32	33.00	76
SWHPS2448	5I	88	1,240.00	185
SWHPS2460	5I	88	1,352.50	185
SWHPS3048	5I	88	1,457.50	185
SWHPS3060	5I	88	1,594.50	185
SWK36-1	2P	32	420.00	75
SWK36-1A1-SR	2P	32	618.50	
SWK36-1A2-SR	2P	32	674.50	
SWK36-2	2P	32	321.50	75
SWS14BR	2P	32	40.50	76
SWS14K3	2P	32	47.50	76
SWS18BR	2P	32	42.50	76
SWS18K3	2P	32	49.00	76
SWS21BR	2P	32	42.50	76
SWS21K3	2P	32	49.00	76
SWS24BR	2P	32	44.00	76
SWS24K3	2P	32	53.00	76
SWU15BR	2P	32	48.00	76
SWU15K3	2P	32	57.50	76
SWU30BR	2P	32	56.50	76
SWU30K3	2P	32	67.00	76
SWU45BR	2P	32	68.00	76
SWU45K3	2P	32	78.50	76

Part Number	Sales Class	AQ Cat	List Price	Page #
T24C	2E	21	22.50	189
TB91035BAS	5F	85	19.00	189
TB91035CAS	5F	85	19.00	189
TB91035NAT	5F	85	12.00	189
TB91060BAS	5F	85	26.50	189
TB91060CAS	5F	85	26.50	189
TB91060NAT	5F	85	13.50	189
TB92035BAS	5F	85	29.00	189
TB92035CAS	5F	85	29.00	189
TB92035NAT	5F	85	17.00	189
TB92035NAT-LX	5I	88	21.50	181
TB92060CAS	5F	85	36.50	189
TB92060NAT	5F	85	20.00	189
TB92060NAT-LX	5I	88	24.00	181
TB92080BAS	5F	85	44.00	189
TB92080CAS	5F	85	44.00	189
TB92080NAT	5F	85	25.50	189
TB93030BAS	5F	85	59.00	189
TB93030CAS	5F	85	59.00	189
TB93030NAT	5F	85	22.50	189
TB93050BAS	5F	85	68.00	189
TB93050CAS	5F	85	68.00	189
TB93050NAT	5F	85	28.00	189
TB93060BAS	5F	85	70.50	189
TB93060CAS	5F	85	70.50	189
TB93060NAT	5F	85	30.00	189
TB93080BAS	5F	85	86.00	189
TB93080CAS	5F	85	86.00	189
TB93080NAT	5F	85	36.50	189
TB93120BAS	5F	85	103.50	189
TB93120CAS	5F	85	103.50	189
TB93120NAT	5F	85	47.50	189
TB95050BAS	5F	85	38.50	189
TB95050CAS	5F	85	38.50	189
TB95050NAT	5F	85	29.00	189
TBA48	4I	69	479.00	52
TC90B	4A	61	3,175.00	159
TC90BB	4A	61	3,457.00	159
TC90S	4A	61	2,927.00	159
TC90SB	4A	61	3,193.00	159
TDR48K3	2P	32	195.00	77
TF2460C	2F	22	246.50	
TTA18C	5B	81	366.00	94
TTA18K3	5B	81	378.00	94
TTA18S	5B	81	580.00	94
TTA21C	5B	81	375.00	94
TTA21K3	5B	81	387.00	94
TTA21S	5B	81	591.00	94
TTA24C	5B	81	384.00	94
TTA24K3	5B	81	396.00	94
TTA24S	5B	81	603.00	94
TTB48STRUT	5B	81	182.00	94
TTB54STRUT	5B	81	199.00	94
TTB60STRUT	5B	81	218.50	94
TTE18C	5B	81	618.00	92
TTE18K3	5B	81	642.00	92
TTE18S	5B	81	1,044.00	92
TTE21C	5B	81	629.00	92
TTE21K3	5B	81	653.00	92
TTE21S	5B	81	1,057.00	92
TTE24C	5B	81	640.00	92
TTE24K3	5B	81	664.00	92
TTE24S	5B	81	1,071.00	92
TTM18C	5B	81	396.00	92
TTM18K3	5B	81	689.00	92
TTM18S	5B	81	884.00	92
TTM21C	5B	81	408.00	92
TTM21K3	5B	81	699.00	92
TTM21S	5B	81	896.00	92
TTM24C	5B	81	420.00	92
TTM24K3	5B	81	711.00	92
TTM24S	5B	81	908.00	92
TTS10NA	5B	81	841.50	92,93,95
TTS11NA	5B	81	906.50	92,93,95
TTS12NA	5B	81	968.00	92,93,95
TTS13NA	5B	81	1,030.00	92,93,95
TTS14NA	5B	81	1,091.00	92,93,95
TTS15NA	5B	81	1,322.50	92,93,95
TTS16NA	5B	81	1,384.50	92,93,95

ALPHA - NUMERIC PRICE LIST



Part Number	Sales Class	AQ Cat	List Price	Page #
TTS17NA	5B	81	1,451.00	92,93,95
TTS18NA	5B	81	1,513.00	92,93,95
TTS19NA	5B	81	1,572.00	92,93,95
TTS2.5NA	5B	81	399.00	92,93,95
TTS20NA	5B	81	1,635.00	92,93,95
TTS21NA	5B	81	1,695.00	92,93,95
TTS6NA	5B	81	427.50	92,93,95
TTS7NA	5B	81	486.00	92,93,95
TTS8NA	5B	81	717.50	92,93,95
TTS9NA	5B	81	778.00	92,93,95
TTS1P	5B	81	38.50	96
TTWM	5B	81	123.50	96
UB1	3H	48	37.50	82,83
US18FA	2K	27	53.50	66
US18NA	2G	23	51.00	57
US21FA	2K	27	57.50	66
US21NA	2G	23	56.50	57
US24FA	2K	27	60.00	66
US24NA	2G	23	59.00	57
VS4N	4A	61	102.00	
W1436NC	2N	30	99.50	191
W1448NC	2N	30	112.50	191
W90	4A	61	573.00	0
WB237C	2N	30	1,520.00	190
WB238C	2N	30	1,692.50	190
WB257C	2N	30	1,756.50	190
WB258C	2N	30	2,086.00	190
WC237C	2N	30	1,478.00	190
WC238C	2N	30	1,766.00	190
WC257C	2N	30	1,632.00	190
WC258C	2N	30	1,954.00	190
WF116NW	2E	21	30.00	
WG1830K3	2P	32	53.00	76
WG1836BR	2P	32	39.00	76
WG1836K3	2P	32	56.00	76
WG1848BR	2P	32	48.50	76
WG1848K3	2P	32	70.00	76

Part Number	Sales Class	AQ Cat	List Price	Page #
WG1860BR	2P	32	60.00	76
WG1860K3	2P	32	87.50	76
WG2436K3	2P	32	96.50	76
WG2448K3	2P	32	121.00	76
WG3036K3	2P	32	96.50	76
WG3048K3	2P	32	121.00	76
WGBRKT	2P	32	21.00	76
WT305FS	4G	67	1,447.00	168
WT305US	4G	67	1,185.00	168
WT306FC	4G	67	1,076.50	168
WT306FS	4G	67	1,547.50	168
WT306HS	4G	67	1,281.50	168
WT306US	4G	67	1,281.50	168
WT307FC	4G	67	1,231.00	168
WT307FS	4G	67	1,672.50	168
WT307HS	4G	67	1,396.50	168
WT307US	4G	67	1,396.50	168
WT309FC	4G	67	1,474.50	168
WT309FS	4G	67	2,041.50	168
WT309HS	4G	67	1,665.50	168
WT309US	4G	67	1,665.50	168
WT366FC	4G	67	1,407.00	168
WT366FS	4G	67	1,777.00	168
WT366HS	4G	67	1,495.50	168
WT366US	4G	67	1,495.50	168
WT367FC	4G	67	1,583.50	168
WT367FS	4G	67	1,906.00	168
WT367HS	4G	67	1,619.00	168
WT367US	4G	67	1,619.00	168
WT369FC	4G	67	1,790.50	168
WT369FS	4G	67	2,295.50	168
WT369HS	4G	67	1,898.00	168
WT369US	4G	67	1,898.00	168
WT446FC	4G	67	1,554.00	168
WT446FS	4G	67	1,930.00	168
WT446HS	4G	67	1,651.00	168
WT446US	4G	67	1,651.00	168

Part Number	Sales Class	AQ Cat	List Price	Page #
WT447FC	4G	67	1,735.50	168
WT447FS	4G	67	2,060.00	168
WT447HS	4G	67	1,770.50	168
WT447US	4G	67	1,770.50	168
WT449FC	4G	67	1,953.50	168
WT449FS	4G	67	2,446.50	168
WT449HS	4G	67	2,053.50	168
WT449US	4G	67	2,053.50	168
WTC306FC	4G	67	1,191.50	169
WTC306FS	4G	67	1,739.50	169
WTC306US	4G	67	1,478.50	169
WTC307FC	4G	67	1,348.50	169
WTC307FS	4G	67	1,866.50	169
WTC307US	4G	67	1,593.00	169
WTC309FC	4G	67	1,587.00	169
WTC309FS	4G	67	2,239.50	169
WTC309US	4G	67	1,853.50	169
WTD21C	4G	67	113.00	170
WTD51S	4G	67	745.00	170
X336BGX3	3A	41	879.00	18
X336EFX3	3A	41	1,025.00	18
X336EGX3	3A	41	951.00	18
X356BGX3	3A	41	993.00	18
X356EFX3	3A	41	1,153.00	18
X356EGX3	3A	41	1,065.00	18
X366BGX3	3A	41	1,121.00	18
X366EFX3	3A	41	1,297.00	18
X366EGX3	3A	41	1,193.00	18
X536BGX3	3A	41	999.00	18
X536EFX3	3A	41	1,161.00	18
X536EGX3	3A	41	1,071.00	18
X556BGX3	3A	41	1,149.00	18
X556EFX3	3A	41	1,329.00	18
X556EGX3	3A	41	1,221.00	18
X566BGX3	3A	41	1,299.00	18
X566EFX3	3A	41	1,499.00	18
X566EGX3	3A	41	1,371.00	18

Metro Sales Class Code and AutoQuotes Category Table

Metro	AQ	Super Adjustable 2	Metro	AQ	Wire Storage/Transport	Metro	AQ	Polymer Storage/Transport	Metro	AQ	Fabricated Products	Metro	AQ	Other
1A	10	SA NC Shelves	2A	17	SES NK3 Post, Shelves & Accessories	3A	41	MetroMax i Post, Shelves & Accessories	4A	61	C5 3 & 1 Series, TC90, C190 Cabinets	5A	80	Casters
1B	11	SA BR Shelves	2B	18	SES NC/BR Posts, Shelves & Accessories	3B	42	MetroMax Q Post, Shelves & Accessories	4B	62	MBQ Banquet Cabinets	5B	81	Top-Track
1C	12	SA NK3 Shelves	2C	19	SES SS Posts, Shelves & Accessories	3C	43	Max iQ accessories (Shared)	4C			5C	82	Cart covers
1D	13	SA SS Shelves	2D	20	SES Designer Posts, Shelves & Accessories	3D	44	Polymer Trux	4D			5D	83	Metro Totes/Bins (HC)
1E	14	SA Designer	2E	21	Retail Display	3E	45	Ware Handling	4E	65	RD/RT/RF Racks	5E	84	
1F	15	SA Specialty	2F	22	SES HD Posts, Shelves & Accessories	3F	46	Polymer Dunnage	4F			5F	85	Metro Totes (CP)
1G			2G	23	SES Specialty	3G	47	PCD'S	4G	67	Worktables	5G	86	Custom
1H			2H	24	quikSLOT Posts, Shelves & Accessories	3H	48	BC Carts	4H	68	Workbench	5H		
1I			2I	25	SES Security	3I	49	Flex Mini Bar Cart	4I	69	Dollies	5I	88	Lodgix
1J			2J	26	Regular Erecta	3J			4J	70	Closed Aluminum Linen Carts	5J		
1K			2K	27	SES Solid Shelves & Accessories	3K	51	Casters (MetroMax) & MMQ only	4K			5K		
1L			2L	28	Metal Dunnage	3L	52	Ice Carts	4L	72	Clean Rooms	5L		
1M			2M	29	RE/RS Racks	3M			4M	73		5M		
1N			2N	30	Wine Units	3N			4N	74		5N	93	quikTRAK
1O			2O	31	Utility Carts, Wire	3O			4O			5O		
1P			2P	32	SmartWall G3	3P			4P	76	C5 9, 8, 6 & Pizza Series Cabinets	5P		
			2R	33	Clean Room (wire only)									
			2T	34	Super Erecta Pro Shelving									

Standard Terms and Conditions of Sale

These Terms and Conditions, the attendant quotation or acknowledgment and all documents incorporated by specific reference therein, will be the complete and exclusive statement of the terms of the agreement governing the sale of goods ("Goods") by InterMetro Industries Corporation and its divisions ("Seller") to Customer ("Buyer"). Buyer's acceptance of the goods will manifest buyer's assent to these terms and conditions. If these terms and conditions differ in any way from the terms and conditions of buyer's order, or other documentation, this document will be construed as a counteroffer and will not be deemed an acceptance of buyer's terms and conditions which conflict herewith.

1. Prices:

Unless otherwise specified in writing by Seller, Seller's price for the goods shall remain in effect for thirty (30) days after the date of Seller's quotation or acknowledgment of Buyer's order for the Goods, whichever occurs first, provided an unconditional, complete authorization for the immediate shipment of the Goods is received and accepted by Seller within such time period. If such authorization is not received by Seller within such thirty (30) day period, Seller shall have the right to change the price for the Goods to Seller's price for the Goods at the time of shipment.

2. Taxes:

Any tax or governmental charge or increase in same hereafter becoming effective increasing the cost to Seller of producing, selling or delivering the Goods or of procuring material used therein, and any tax now in effect or increase in same payable by the Seller because of the manufacture, sale or delivery of the Goods, may at Seller's option, be added to the price.

3. Terms and Payment:

Subject to the approval of Seller's Credit Department, terms are 1% ten (10) days net thirty (30) days from date of Seller's invoice in U.S. currency. Freight and handling charges are not subject to discount. If any payment owed to Seller is not paid when due, it shall bear interest at a rate to be determined by Seller, which shall not exceed the maximum rate permitted by law, from the date on which it is due until it is paid. Seller shall have the right among other remedies, either to terminate the Agreement or to suspend further performance under this and/or other agreements with Buyer in the event Buyer fails to make any payment when due. Buyer shall be liable for all expenses, including attorneys' fees, relating to the collection of past due amounts.

Minimum Order:

Orders under \$250.00 net, routed prepaid via small package carriers (UPS and FedEx), will be charged \$39.00 freight and handling. Orders under \$250.00 net, routed air freight, LTL, third party, or collect, will be charged a handling fee of \$29.00 plus actual freight costs when applicable. (All amounts in U.S. currency.)

Returns:

Written approval is required from the factory to return merchandise. All merchandise must be returned within 45 days from the invoice date and be returned in original, unopened, and resalable packaging.

1. Minimum return value — \$200.00 net.

2. Restocking charge — 15% (\$50.00 minimum).

3. Exceptions — Special orders of cut posts, made to order dollies, cart covers, Designer Color product, Starsys, and custom are not returnable. (All amounts in U.S. currency.)

4. Shipment and Delivery:

Shipments are made FOB Seller's shipping point. We reserve the right to split orders based on the FOB Shipping Point. Order consolidation is available for an additional charge. Contact customer service for more information. Any claims for shortages or damages suffered in transit shall be submitted by the Buyer directly to the carrier. While Seller will use all reasonable commercial efforts to maintain the delivery date acknowledged or quoted by Seller, all shipping dates are approximate. Seller reserves the right to make partial shipments and to segregate "specials" and made-to-order Goods from normal stock Goods. Seller shall not be bound to tender delivery of any Goods for which Buyer has not provided shipping instructions.

5. Limited Warranty:

Subject to the limitations of Section 1, Seller warrants that the Goods will be free from defects in material and workmanship under normal use, service and maintenance for a period of one year (unless otherwise specified by Seller in writing) from the date of shipment of the Goods by Seller. THIS IS THE SOLE AND EXCLUSIVE WARRANTY GIVEN BY SELLER WITH RESPECT TO THE GOODS AND IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, ARISING BY OPERATION OF LAW OR OTHERWISE, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WHETHER OR NOT THE PURPOSE OR USE HAS BEEN DISCLOSED TO SELLER IN SPECIFICATIONS, DRAWINGS OR OTHERWISE, AND WHETHER OR NOT SELLER'S PRODUCTS ARE SPECIFICALLY DESIGNED AND/OR MANUFACTURED BY SELLER FOR BUYER'S USE OR PURPOSE.

This warranty does not extend to any losses or damages due to misuse, accident, abuse, neglect, normal wear and tear, unauthorized modification or alteration, use beyond rated capacity, or improper installation, maintenance or application. To the extent that Buyer or its agents has supplied specifications, information, representation of operating conditions or other data to Seller in the selection or design of the Goods and the preparation of Seller's quotation, and in the event that actual operating conditions or other conditions differ from those represented by Buyer, any warranties or other provisions contained herein which are affected by such conditions shall be null and void. If within thirty (30) days after Buyer's discovery of any warranty defects within the warranty period, Buyer notifies Seller thereof in writing, Seller shall, at its option, repair or replace F.O.B. point of manufacture, or refund the purchase price for, that portion of the goods found by Seller to be defective. Failure by Buyer to give such written notice within the applicable time period shall be deemed an absolute and unconditional waiver of Buyer's claim for such defects. Goods

repaired or replaced during the warranty period shall be covered by the foregoing warranty for the remainder of the original warranty period or ninety (90) days, whichever is longer. Buyer assumes all other responsibility for any loss, damage, or injury to persons or property arising out of, connected with, or resulting from the use of Goods, either alone or in combination with other products/components.

(a) Notification and Warranty Procedure. If, in Customer's estimation, the Product is defective, Customer shall promptly notify Seller in writing of the nature of the defect, or shall notify Seller of the nature of the defect through Seller's Customer Service offices via telephone at 800.992.1776 or as specified at www.metro.com. If Seller determines the Product is covered under the warranties provided in this Sections 5 and 6, Seller will promptly provide a return authorization number and communicate shipping instructions to Customer. Products will be returned to Seller at Customer's expense. Collect shipments will not be accepted. Upon receipt, the Product will be examined and repaired without charge, provided such examination discloses, in Seller's reasonable judgment, that it is in fact defective. Should examination reveal that the Product is not defective, Seller will notify Customer and request shipping instructions. In this event, Seller will be due all shipping expenses it has incurred, as well as a reasonable charge for the examination. In the event that the examination reveals that the Product is defective, but for any reason is not covered under the warranties provided in Sections 5 and 6, Seller will prepare a failure analysis report and a quotation of the cost to repair, and communicate this information to Customer. Customer may then either authorize repair of the Product or direct that the defective Product be returned to Customer. In the latter event, Seller will be due all shipping charges incurred, as well as a reasonable charge for the examination of the Product and the preparation of the failure analysis report. Seller may, at its option, elect to correct any warranty defects by sending its supervisory or technical representatives, at Seller's expense, to Customer's site within the continental United States or Canada to make on-site corrections. The repair of Products damaged in transit to Seller's designated service location will be billed on a T&M basis at Seller's then-current rates. For Product that proves to be defective and covered under the warranties provided in Sections 5 and 6, Seller will repair or replace and ship, via two-day express delivery service. Services provided hereunder on a T&M basis are warranted by Seller under the warranty terms of Sections 5 and 6 for a period of 30 days from the date such Services are provided. For Product that proves to be defective within 30 days from the time of delivery, Seller will ship to Customer at Seller's expense replacement Equipment (Advanced Exchange) upon Customer's request. Seller has the option to repair or replace the defective Equipment with Equipment of equal or similar features

and/or functionality. Upon Seller's receipt of the Equipment; the Equipment will be examined and repaired without additional charge. Any Equipment received by Seller from Customer will become the property of Seller and any Equipment shipped to Customer by Seller under this provision shall become the property of Customer. Should Seller's examination of returned Equipment disclose, in Seller's reasonable judgment, that it is in fact defective; no further action under the claim will be required of Seller or Customer. Should Seller's examination reveal, in Seller's reasonable judgment, that the Equipment is not defective, or in the event that the examination reveals that the Equipment is defective, but for any reason is not covered under the warranties provided in Sections 5 and 6, Seller will prepare a failure analysis report and a quotation for the cost to repair, or replacement and communicate this information to Customer.

SECTIONS 5 AND 6 APPLY TO ANY ENTITY OR PERSON WHO MAY BUY, ACQUIRE OR USE SELLER'S GOODS, INCLUDING ANY ENTITY OR PERSON WHO BUYS THE GOODS FROM SELLER'S DISTRIBUTOR AND SUCH ENTITY OR PERSON SHALL BE BOUND BY THE LIMITATIONS THEREIN.

- (b) For Product that has been installed by Seller or Seller authorized service providers as part of a system for which Seller has acknowledged interoperability responsibility in writing, Seller will provide telephone technical support services in accordance with Seller's standard procedures for 60 days beginning on the Warranty Start Date for such Products. Products sold as add-on equipment to a system are not covered by this technical support warranty.
- (c) Batteries and Accessories. All batteries and accessory items, sold by Seller to Customer hereunder receive the Product warranty under Sections 5 and 6 with a Warranty Period of one year from the Warranty Start Date. Battery adjustments will be prorated over a one year period.
- (b) Software: Seller has no obligation under the warranties provided in Sections 5 and 6 to correct any Licensed Software programming error(s) that do not significantly adversely affect the use of the Products; however, such programming error corrections shall be made available from time to time to those Customers electing applicable contract maintenance services from the Seller.

6. Limitation of Remedy and Liability:

THE SOLE AND EXCLUSIVE REMEDY FOR BREACH OF ANY WARRANTY HEREUNDER (OTHER THAN THE WARRANTY PROVIDED UNDER SECTION 13) SHALL BE LIMITED TO REPAIR, REPLACEMENT OR REFUND OF THE PURCHASE PRICE UNDER SECTION 6. SELLER SHALL NOT BE LIABLE FOR DAMAGES CAUSED BY DELAY IN PERFORMANCE AND IN NO EVENT, REGARDLESS OF THE FORM OF THE CLAIM OR CAUSE OF ACTION (WHETHER BASED IN CONTRACT, INFRINGEMENT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE), SHALL SELLER'S LIABILITY TO BUYER AND/OR ITS CUSTOMERS EXCEED

THE PRICE TO BUYER OF THE SPECIFIC GOODS PROVIDED BY SELLER GIVING RISE TO THE CLAIM OR CAUSE OF ACTION. BUYER AGREES THAT IN NO EVENT SHALL SELLER'S LIABILITY TO BUYER AND/OR ITS CUSTOMERS EXTEND TO INCLUDE INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES. THE TERM

"CONSEQUENTIAL DAMAGES" SHALL INCLUDE, BUT NOT BE LIMITED TO, LOSS OF ANTICIPATED PROFITS, LOSS OF USE, LOSS OF REVENUE, COST OF CAPITAL AND DAMAGE OR LOSS OF OTHER PROPERTY OR EQUIPMENT.

It is expressly understood that any technical advice furnished by Seller with respect to the use of the Goods is given without charge, and Seller assumes no obligation or liability for the advice given, or resumes obtained, all such advice being given and accepted at Buyer's risk.

7. Excuse of Performance:

Seller shall not be liable for delays in performance or for non-performance due to acts of God, acts of Buyer, war, riot, fire, flood, power surges, other severe weather, sabotage, or epidemics; strikes or labor disturbances; governmental requests, restrictions, laws, regulations, orders or actions; unavailability of or delays in transportation; default of suppliers; or unforeseen circumstances or any events or causes beyond Seller's reasonable control. Deliveries may be suspended for an appropriate period of time as a result of the foregoing. If Seller determines that its ability to supply the total demand for the Goods is hindered, limited or made impracticable due to causes addressed in this Section 7, Seller may allocate its available supply of the Goods or such material (without obligation to acquire other supplies of any such Goods or such materials) among itself and its purchasers on such basis as Seller determines to be equitable without liability for any failure of performance which may result therefrom. Deliveries suspended or not made by reason of this section may be canceled by Seller upon notice to Buyer without liability, but the balance of the agreement shall otherwise remain unaffected.

8. Cancellation:

The Buyer may cancel orders only upon written notice and upon payment to Seller of cancellation or restocking charges which include, among other things, all costs and expenses incurred and commitments made by the Seller and a reasonable profit thereon. Large requirements of build-to order products may require a non-cancelable purchase order.

9. Changes:

Buyer may request changes or additions to the Goods consistent with Seller's specifications and criteria. In the event such changes or additions are accepted by Seller, Seller may revise the price and delivery schedule. Seller reserves the right to change designs and specifications for the Goods without prior notice to Buyer, except with respect to Goods being made-to-order for Buyer.

10. Tooling:

Tool, die, and pattern charges, if any, are in addition to the price of the Goods and are due and payable upon completion of the tooling. All such tools, dies and patterns shall be and remain the property of Seller. Charges for tools,

dies, and patterns do not convey to Buyer, title, ownership interests in, or rights to possession or removal, nor prevent their use by Seller for other purchasers, except as otherwise expressly provided by Seller and Buyer in writing with reference to this provision.

11. Assignment:

Buyer shall not assign its rights or delegate its duties hereunder or any interest therein or any rights hereunder without the prior written consent of the Seller, and any such assignment, without such consent, shall be void.

12. Patents and Copyrights:

Subject to Section 7, Seller warrants that the Goods sold, except as are made specifically for Buyer according to Buyer's specifications, do not infringe any valid U.S. patent or copyright in existence as of the date of delivery. This warranty is given upon the condition that Buyer promptly notify Seller of any claim or suit involving Buyer in which such infringement is alleged, and, that Buyer cooperate fully with Seller and permit Seller to control completely the defense or compromise of any such allegation of infringement. Seller's warranty as to use only applies to infringements arising solely out of the inherent operation (1) of such Goods, or (2) of any combination of Goods in a system designed by Seller. In the event such Goods, singularly or in combination, are held to infringe a U.S. patent or copyright in such suit, and the use of such Goods is enjoined, or in the case of a compromise by Seller, Seller shall have the right at its option and expense, to procure for Buyer the right to continue using such Goods, or replace them with non-infringing Goods; or modify same to become non-infringing; or grant Buyer a credit for the depreciated value of such Goods and accept return of them.

13. General Provisions:

These terms and conditions supersede all other communications, negotiations and prior oral or written statements regarding the subject matter of these terms and conditions. No change, modification, rescission, discharge, abandonment or waiver of these terms and conditions shall be binding upon the Seller unless made in writing and signed on its behalf by a duly authorized representative of Seller. No conditions, usage of trade, course of dealing or performance, understanding or agreement purporting to modify, vary, explain, or supplement these terms and conditions shall be binding unless hereafter made in writing and signed by the party to be bound, and no modification or additional terms shall be applicable to this agreement by Seller's receipt, acknowledgment, or acceptance of purchase orders, shipping instruction forms, or other documentation containing terms at variance with or in addition to those set forth herein. Any such modifications or additional terms are specifically rejected by Seller. No waiver by either party with respect to any breach or default or of any right or remedy, and no course of dealing, shall be deemed to constitute a continuing waiver of any other breach or default or of any other right or remedy, unless such waiver be expressed in writing and signed by the party to be bound. All typographical or clerical errors made by Seller in any quotation, acknowledgment or publication are subject to correction.

The validity, performance, and all other matters relating to the interpretation and effect of this agreement shall be governed by the law of the state of Pennsylvania. Buyer and Seller agree that the proper venue for all actions arising in connection herewith shall be only in Pennsylvania and the parties agree to submit to such jurisdiction. No action, regardless of form, arising out of transactions relating to this contract, may be brought by either party more than two (2) years after the cause of action has accrued. [The Convention for the International Sales of Goods shall not apply to this agreement.]

Buyer agrees that all applicable import, export control and sanctions laws, regulations, orders and requirements, as they may be amended from time to time, including without limitation those of the United States, the European Union and the jurisdictions in which Seller and Buyer are established or from which items may be supplied, and the requirements of any licenses, authorizations, general licenses or license exceptions relating thereto will apply to its receipt and use of hardware, software, services and technology. Buyer agrees furthermore that it shall not engage in any activity that would expose Seller or any of its affiliates to a risk of penalties under laws and regulations of any relevant jurisdiction prohibiting improper payments, including but not limited to bribes, to officials of any government or of any agency, instrumentality or political subdivision thereof, to political parties or political party officials or candidates for public office, or to any employee of any customer or supplier. Buyer agrees to comply with all appropriate legal, ethical and compliance requirements.

Configured Products*

Terms & Conditions and Order Change/Cancellation Policy

All order change requests must be requested through customer service. Changes/cancellations requested within 7 workdays of the scheduled ship date that will impact order production, will incur, at minimum, a 20% Change/Cancellation Fee, up to the full order value, depending on the percentage of the order completed. Customer service will relay percentage of order completed along with the Change/ Cancellation Fee amount. Prior to Metro accepting the change, a revised purchase order (including associated Fee) is required. Orders for C5 cabinets with an "A" suffix are non-cancellable and non-returnable.

Configured Products Return Policy.

- Configured units, components, countertops, Lionville Fixtures, assembled Open Starsys, Flo and Lionville Point of Care carts and custom items are nonreturnable.
- Med Dispense units, Lionville Med Carts, and accessories are returnable at the discretion of Metro.
 - A Return Merchandise Authorization (RMA) must be obtained through InterMetro's customer service department prior to returning the product.
 - All returns will be coordinated by InterMetro and return freight costs will be charged back.
 - All returns must be in original packaging, unused and in saleable condition.

Starsys Order Change/Cancellation Policy

All order change requests must be requested through customer service. Changes/cancellations requested within 7 workdays of the scheduled ship date that will impact order production, will incur, at minimum, a 20% Change/Cancellation Fee, up to the full order value, depending on the percentage of the order completed. Customer service will relay percentage of order completed along with the Change/Cancellation Fee amount. Prior to Metro accepting the change, a revised purchase order (including associated Fee) is required.

Lead Time:

Orders for Standard Starsys products ship within 4-6 weeks after receipt of Purchase Order and Signed Drawings. Custom Starsys product is acknowledged to order. Shipping: All Starsys Orders ship FOB: Wilkes-Barre, PA — InterMetro Industries utilizes air-ride carriers exclusively when shipping the Starsys product system domestically. In the case of customer arranged freight, the use of air-ride carriers is strongly recommended. InterMetro Industries is not responsible for freight damage incurred on customer arranged transportation.

Starsys Return Policy

- Starsys units, components, countertops, assembled Open Starsys and custom items are nonreturnable.
- Accessories are returnable at the discretion of Metro.
 - A Return Merchandise Authorization (RMA) must be obtained through InterMetro's customer service department prior to returning the product.
 - All returns will be coordinated by InterMetro and return freight costs will be charged back.
 - All returns must be in original packaging, unused and in saleable condition.
 - All returns must be made within 45 days of invoice date.
 - Minimum return value is \$100.00 net.
 - There will be a 20% Restocking Fee (\$25.00 minimum) based on items credited after an inspection is performed on the product at the Wilkes-Barre, PA distribution facility.

**Configured products apply to C5 Heated Cabinets, Lifeline, Flexline, Starsys, MetroBasix Pus, MetroBasix, MetroBasix Compact, Flo and Lionville Point of Care Carts, Lionville Fixtures and Lionville i-Med carts.*

***Those Terms and Conditions provided expressly for Starsys products supersede those stated for all other Metro product. Those situations not specifically addressed by Starsys Terms and Conditions are covered by Metro's standard Terms and Conditions of Sale as provided.*

****Most Metro Foodservice Products are listed by National Sanitation Foundation. For specific items, please check the latest NSF foodservice listing.*

ISO REGISTERED
9 0 0 1 - 9 0 0 2



Most Metro Foodservice Products are listed by National Sanitation Foundation. For specific items, please check the latest NSF foodservice listing.

PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
Cabinets		Dollies		Pot & Pan	177	Shelving Accessories	
C5.....	110-149	Cup/Glass Rack	176	Slanted Shelf	192	Baskets	27, 57, 58
Delivery/Storage.....	160	Made-To-Order/Truck.....	50	Merchandising.....	28	Bins	60, 189
Heated Banquet	150-159	Poker Chip	174-175	Tray Drying		Cart Covers.....	61, 183
Carts		Hangers		Racks, Mobile Pan & Tray		Color Identification Tubes	58
Basket.....	46	Extension Display.....	58	Adjustable	164	Dividers.....	22, 23, 35, 53, 66, 194
Bussing.....	82-83	Garment Tube	56	End Load.....	161-163	Enclosure Panels	24, 54
Dish & Tray.....	176	Rail	55	Oval Trays	164	Foot Plates.....	14, 44, 69
Ice	170	Swing	58	Portable Wire Prep	161-162	Glides	44
Linen	188	High-Density Storage		Roll In	163	Handles	17, 47
Lodgix.....	180-182	qwikTRAK.....	88, 90-91	Side Load	161-162	Hooks	56
Mini Bar Restocking	186-187	Top-Track.....	89, 92-96	Wire Bun Pan	161	Joining Clamps.....	44, 66
Slanted Shelf.....	47, 184	Housekeeping		Security Trucks & Units ... 99-103		Keyboard Tray.....	62
Stem Caster	18, 39, 46	Housekeeping Carts	181	Shelving		Label Holders.....	25, 35, 59
Utility		Houserunner Carts	182	APPEAL.....	196-197	Ledges.....	22, 23, 53
Accessories	48-62, 64-69	Linen Trucks & Carts	188	Cantilever	45, 170	Leveling Feet.....	44
BC Series	82	Lodgix Carts	180-182	Convenience Pak	45	Post Boot	44
Deep Ledge.....	83	Mini Bar		Designer	43, 195	Post Clamps.....	14, 44
MetroMax i.....	19, 81	Restocking Cart	186-187	Drop Mat	194	Rods & Tabs	55
MetroMax Q	19, 81	Totes & Bins	189	Dunnage	14, 34, 45, 69	Shelf Inlays.....	56
Wire: Heavy Duty	81	Transfer Exchange.....	188	Erecta	67	Shelf Markers.....	25, 35
Wire: Standard Duty.....	82	Valet/Special Delivery	183	HD Super	68-69	Slides	26, 57, 66
Wine.....	192	Posts		Hi-Rise	96	Split Sleeves.....	44
Caster Guide.....	49	Designer	43, 195	MetroMax iQ.....	22-28	Three-Sided Frames.....	55
Casters		HD Super	68	qwikSLOT.....	193	Tote Boxes	189
Antimicrobial.....	48	MetroMax i	14	Seismic Approved	104-105	Tow Bar Assembly.....	52
HD Super	68	MetroMax Q	15	Starter & Add-On Units		Wall Shelving	
Decorative.....	49	qwikSLOT.....	193	MetroMax i.....	20	Brackets.....	72-80
Plate	51	SuperErecta		MetroMax Q	21	Erecta Shelf	78
Polymer.....	16, 48	Site Select...35, 37, 42, 194, 197		Super Adjustable		MetroMax i	78
Stainless Steel.....	16, 48	Racks		Super Erecta.....	38	SmartWall G3	72-77
Stem Casters	16, 48	Beer Keg	190	Super Erecta Pro	32-35	Super Erecta Shelf.....	79-80
Counter Units	65	Can.....	26	Super Adjustable		Ware Handling	
Draining Grate.....	176	Drying	28, 177	Super Erecta	36-37	Poker Chip Dish Dollies	175
		Dunnage	97-98	Super Erecta Shelf		Side-Load Dish & Tray Carts...	176
		Platform	98	— Solid.....	64-66	Work Tables & Accessories.....	168-170
				Super Erecta Shelf			
				— Wire	36-62		
				Wine.....	190-191		

WE PUT SPACE TO WORK. WORLDWIDE

U.S. CUSTOMER SERVICE

Phone: 1.800.992.1776
Fax (PA): 1.800.638.9263
Fax: (CA): 1.800.638.3292

CANADA CUSTOMER SERVICE

Phone: 1.905.676.9890
Phone: 1.800.992.1776
Fax: 1.905.676.9262

PRODUCT INFORMATION/LITERATURE

(U.S. and Canada Only):
U.S./Canadian Toll-Free
Phone: 1.800.992.1776

DISTRIBUTION CENTERS

California
9393 Arrow Highway
Cucamonga, CA 91730

Pennsylvania
Thomas & Second Streets
Wilkes-Barre, PA 18705

Tennessee
3263 Elam Farms Parkway
Murfreesboro, TN 37127

Canada
Metropolitan Wire (Canada) LTD.
3160 Orlando Drive
Mississauga, Ontario
Canada L4V 1R5

InterMetro European
Distribution Center
De Riemsdijk 1
4004 LC Tiel
The Netherlands

INTERNATIONAL SALES/ CUSTOMER SERVICE OFFICES

Asia/Pacific
Metro International Corporation
151 Lorong Chuan, Lobby D #05-04
New Tech Park, Singapore 556741
Phone: 65.6350.1291
Fax: 65.6285.1516

Middle East/Africa
InterMetro Industries Corporation
P.O. BOX: 17034
Jebel Ali Free Zone
Dubai-United Arab Emirates
Phone: 009714 8118286
Fax: 009714 886 5465

Europe
InterMetro Industries B.V.
Heerbaan 242
4817 NL Breda
Breda
The Netherlands
Phone: 00.31.(0).76.587.7550
Fax: 00.31.(0).76.581.1313

Latin America
Metro International Corporation
16562 83rd Place North
Loxahatchee, FL 33470
Phone: +1.561.333.4893
Fax: +1.561.792.6351

CORPORATE HEADQUARTERS

651 North Washington Street
Wilkes-Barre, PA 18705
Phone: 1.570.825.2741
Fax: 1.570.825.2852

www.metro.com/support
LO4-029 • Rev. 02/12

Information and specifications are subject to
change without notice. Please confirm at time of order.

© 2012 InterMetro Industries Corporation, Wilkes-Barre, PA 18705
The Emerson logo is a trademark and a service mark of Emerson Electric Company.



We put space to work.™



EMERSON™