2005
BRAKE SYSTEMS

CONTENTS

PRODUCT INFORMATION
Regional Aftermarket Office Reference P-2
Product Features ..... P-3 – P-12
Brake Wheel Seal Dimensions P-13
BRAKE SYSTEMS – PASSENGER CARS
Ford 1-85
Lincoln 86-118
Mercury 119-177
Merkur 178-179
BRAKE SYSTEMS – LIGHT/MEDIUM TRUCKS
Ford 180-350
Lincoln 351-357
Mercury 358-368
BUYER'S GUIDE 369-456
CROSS REFERENCE
Competitive Interchange 457-477
RECOMMENDED CHEMICALS AND LUBRICANTS 478-482
CATALOG LOCATION OF PART NAME AND PREFIX 483-490

Ford Motorcraft®

Printed in U.S.A.

Motorcraft® Offers You Both Quality Parts and Support

CENTRAL
Aftermarket Operations Manager
Ford Customer Service Division
5700 Granite Parkway, Suite 1000
Plano, TX 75024

Phone: (972) 334-1789
Fax: (972) 334-1833

SOUTHEAST
Aftermarket Operations Manager
Ford Customer Service Division
590 Oakstone Glen
Alpharetta, GA 30004

Phone: (770) 475-5423
Fax: (770) 371-1846

WESTERN
Aftermarket Operations Manager
Ford Customer Service Division
12677 Alcosta Blvd.
San Ramon, CA 94583

Phone: (925) 904-5881
Fax: (925) 904-5800

NORTHEAST
Aftermarket Operations Manager
Ford Customer Service Division
Crossroads Corporate Center
One International Blvd., Suite 1101
Mahwah, NJ 07494

Phone: (201) 529-7237
Fax: (201) 529-7270

Motorcraft® Catalogs . . . Revised and updated annually to provide you with the latest Application, Cross Reference and Product Information available. Your comments and recommendations will help you make your Motorcraft catalogs a more useful tool.

Please mail your comments to:
Motorcraft Publications
Mail Drop MD-31, Room 1119D
29500 Plymouth Rd.
Livonia, MI 48150



Why Motorcraft® Brakes?

Designed, engineered and recommended by Ford Motor Company

Using quality brake parts from Motorcraft tells your customers you care enough to use the best parts for their Ford, Lincoln, or Mercury vehicle.

When it comes to the safety of your customers – don't comprise on the parts you use.

Why Are Motorcraft Brakes Better for Your Customer's Vehicle?

- We build brake parts for Ford Motor Company vehicles only.
- We have a better understanding of Ford, Lincoln, and Mercury vehicles than other competitors that try to copy our parts after we engineer, manufacture, and sell those vehicles to your customers.

Why Is This Important To You?

Most of your customers know very little about their vehicle's braking system. They rely on you to provide a high quality repair at a fair price – that includes selecting the best parts.

With a name like Motorcraft on the box, you have Ford Motor Company standing behind you.

PADS AND SHOES

Competitors like Bendix, Raybestos, and Wagner make claims about how their pads match OE specifications with shims, slots, and chamfers. However, after investigation we found many cases where there claims just aren't true. More comprehensive use of shims, slots, and chamfers results in higher customer satisfaction and less comebacks from noise.

We've also taken the time to identify which pads it's most critical to replace specific hardware like guides and anti rattle clips, and included them in the box of those pads.

ROTORS AND DRUMS

Our specifications for lateral *runout,* thickness variation, surface finish, and balance are more demanding than the aftermarket competition. This **eliminates the need to turn rotors at installation (do not machine),** and improves customer satisfaction by reducing wheel vibrations, and new brake pedal force.




REMANUFACTURED CALIPERS

Your customers don't know the difference between a Motorcraft remanufactured caliper and the low price offer they see in the weekend paper (other than the price). You know that by using Motorcraft Remanufactured Calipers that are equipped with original Ford Motor Company housing and steel pistons, all new phenolic and steel-faced phenolic pistons to match the OE, and 100% production line leak tested, you deliver a high quality caliper that improves your success with the brake repair.

WHEEL CYLINDERS

Motorcraft wheel cylinders have been tested to ensure the seals and casting will maintain their integrity well beyond the highest possible brake fluid pressure possible for that vehicle.

All Motorcraft wheel cylinders are 100% production line leak tasted. This provides you the peace of mind you selected the right part to ensure your customers' safety.



BRAKE HARDWARE KITS

By using new hardware to complete the repair, you've made the most thorough repair for your customer. When you tell your customer they can spend a little bit more, and get the hardware replaced with no extra labor, they'll be happy you're looking after their best interest.





OK, We've Told You Why Our Brake Parts Are Better What About The Price?

We offer high value through high quality

If you're looking for the most inexpensive brake parts, you may be compromising safety – brakes are an important safety system on the vehicle.

We offer competitive prices – to other high quality aftermarket brands you have access to today. Don't compare our price to their medium or discount line; our goal is to be competitive with their highest quality line. After all, the Motorcraft brand provides high value through high quality.

Motorcraft® Pads & Shoes

Why you should use Motorcraft Pads and Shoes on your customers' Ford, Lincoln and Mercury vehicles:

Ford Motor Company engineers know the Ford, Lincoln, and Mercury vehicles' better than our competitors that copy the OE pads, and then promote how they are just like OE.

What Makes Ours Better

- Friction formulas that were selected for their performance on Ford Motor Company vehicles.
- Each formula has been tested to ensure they meet the stopping and fade performance requirements of the Federal Motor Vehicle Safety Standards (FMVSS).
- More comprehensive use of shims, slots, and chamfers to reduce noise.
- Attaching hardware on specific applications based on the importance of their replacement.
- We test them to meet FMVSS Standards. Our competitors generally do not.



What Our Competition Says About Their Pads

- Raybestos and Bendix say they match OE with their use of shims, slots, and chamfers. However, when we tested their pads, against Ford pads, we found that they don't. O.E pads are always improving, and the competition is using the Friction Material Standards Institute's (FMSI) version of what our first OE pad for each vehicle looked like.
- Many installers believe that Bendix is used for Original Equipment production. Ford Motor Company does not use Bendix Titanium Metallic or SUV for vehicle production. Bendix does provide some friction material (raw pucks) to our primary brake suppliers, however so does Ferodo, and Abex (Federal Mogul), Akebono, PFC, JBI, and BBA.

Motorcraft® Pads & Shoes (Cont'd.)

Why Are Shims, Slots and Chamfers So Important?

SHIMS

Sometimes shims are also called insulators; they are a thin piece of steel with multiple layers of sound damping materials between the stamped metal. By placing these on the backside of the backing plate they reduce the vibrations that cause squeals your customers complain about.

CHAMFERS

Chamfers are angled or beveled edges on the leading or trailing ends of brake pads. To explain their function we need to go back to basics. When chalk is pushed across a blackboard the leading edge of the chalk digs in and then releases causing a stick – slip vibration and noise. When chalk is pulled across the same blackboard it doesn't dig in and no noise is produced. Chamfering the leading edge of a brake pad reduces it's tendency to dig in and cause brake noise.

SLOTS

Slots are grooves cut vertically, diagonally or horizontally in brake pads.

When disc brakes are applied the surface of the pad that rubs the rotor becomes hot and expands. The opposite side of the pad is cooler and does not expand as much. This unequal rate of expansion causes the pad to bend and the rubbing surface to become slightly convex. With continued braking against a flat rotor the hot convex rubbing surface is worn flat. When braking is discontinued the pads cool off and the rubbing surface becomes slightly concave. When braking is resumed the ends of the concave rubbing surface contact the rotor producing brake squeal. Cutting a vertical or diagonal slot in the pad significantly reduces the tendency for the pad to bend when heated. Slots also help reduce brake fade by providing a passage for gasses and dust to escape at high brake temperatures.

Motorcraft® Super Duty Pads

Designed, engineered and recommended by Ford Motor Company (with an increased resilience to heat) to meet the needs of severe duty service. Ford Motor Company engineers used their extensive knowledge of Ford vehicles and experience with Motorcraft Preferred Value Pads to design the Motorcraft Super Duty Pads to deliver:


Reduced Fade • Improved Pad Wear • Decreased Brake Noise Improved Rotor Wear

Improved Backing-Plate Design
All front pads include backing-plates that increase the bonding strength between the friction material and the backing-plate to help ensure pads remain intact under high-heat and stress conditions.

Advanced Shim Design
Improves the sound abatement qualities and adhesion to the backing-plate, helping provide consistent noise reduction for the life of the pad.

Engineered Slots
Specially engineered to help provide improved heat and water fade by providing a path for gases, wear debris and water to escape from between the pad and rotor surface while enhancing noise reduction.

Ford Selected Formula
Based on testing, Ford engineers selected the formula for your vehicle that is designed to deliver increased fade resistance, pad life and reduced rotor wear under the most severe, high-heat driving conditions.



Ford "Blue" Powder Coated
Powder-coat finish helps provide excellent durability and protection from corrosion for a long-lasting appearance.

Abutment Points
OE quality pad abutment points help reduce pad clatter/rattle and help ensure uniform pad wear.

Engineered Chamfers
Designed to reduce the possibility of excessive noise during severe braking and the initial break-in period.

Hardware Included
All recommended hardware is included for installing a new set of pads, helping reduce the chance of abnormal noises, wear and performance.


Motorcraft® Rotors & Drums

Why you should use Motorcraft Rotors and Drums on your customers' Ford, Lincoln and Mercury vehicles:

Using Motorcraft rotors and drums will result in less wheel vibrations both initially after you complete the brake job, and many miles down the road.

Our goal is to deliver a rotor that has the lowest thickness variation available when you install it, and after many miles of driving.

What Makes Ours Better?



The Ford Motor Company supplier has invested millions of dollars in dedicated equipment to produce rotor lateral runout, thickness variation, surface finish, and balance that exceed competitive aftermarket brands like Raybestos, Bendix, and Wagner allowing you to **install them without turning (do not machine),** and providing less wheel vibration and reduced new brake pedal force.

- Consistent process control on the chemical composition of the U.S. iron leads to consistent hardness and strength resulting in better long-term durability.
- Maintaining strict standards on the rotor plate thickness reduces high temperature warpage.
- By using more mounting points and lower mounting pressures for each point, when machining the rotor, we reduce metal distortions during the machining process.
- *All critical surfaces are machined on the same mounting resulting in the hub-mounting surface being parallel to the braking surfaces providing more even wear over longer periods. Aftermarket brands typically machine the hub-mounting surface and the braking surfaces on separate mountings, resulting in higher thickness variation* and lateral runout *causing vibrations both initially and at higher mileage.*
- We don't offer composite rotors because they can't be consistently manufactured to our lateral runout tolerances.
- Smooth surface finish (between 14 and 17 micro inches):
  - Reduces customer noises (clack)
  - Reduces new brake pedal force
- Bolt hole chamfers on mounting surfaces have been added or enlarged to minimize concerns of rotor distortion during rotor and wheel installation. (Always remember that hub mounting surfaces should be thoroughly cleaned and lug nuts should be tightened in a star or cross pattern to manufacturer's specifications using a torque wrench or torque stick.)


Motorcraft® Rotors & Drums (Cont'd.)



- Product availability (no backorders) is very important to us. Motorcraft rotors and drums are manufactured in a plant that has both the foundry operation and the machining process in the same building. This reduces our reaction time to abnormal product demands 8 days over our competition that relies on an outside foundry to provide their castings.

WHAT IS LATERAL RUN OUT AND THICKNESS VARIATION?

Why We Think It Is So Important



Lateral Run Out is the angular difference between the hub mounting surface and the braking surfaces of the rotor, or in other words “the amount of wobble in a rotor.”

Excessive run out causes the rotor to alternately contact the pads as they are lightly applied, or even when the brakes are not applied, therefore producing Thickness Variation (T.V.). This can cause chatter, vibration and pedal pulsation when braking.

The average Lateral run out (L.R.O) on Motorcraft Rotors for a Ford Taurus is 18.6 Microns.

When we tested our competitors their average Lateral Run out for a Ford Taurus was 31 Microns.

Motorcraft® Rotors & Drums (Cont'd.)


Thickness Variation (T.V.) is the variation in thickness between the two-faces/braking surfaces of the rotor.

Excessive T.V. will cause the brake pads and caliper piston(s) to oscillate.


This oscillation can cause steering wheel, seat and brake pedal vibration/shudder.

The average thickness variation (T.V.) on Motorcraft Rotors for a Ford Taurus is 6 Microns.

When we tested our competitors their average thickness variation (T.V.) for a Ford Taurus was 8.4 Microns.



How Big Is A Micron?



- The average human hair measures almost 90 Microns.
  - The average upper limit for thickness variation (T.V.) on Motorcraft Rotors is 12 microns.
    - The average upper limit for Lateral run out (L.R.O) on Motorcraft Rotors is 63 microns.
      - Some Ford, Lincoln and Mercury vehicles demand thee following levels of accuracy:
        - T.V. Less than 9 microns.
        - L.R.O. Less than 25 microns.
        - All Motorcraft rotors & drums are produced to OE Specifications for T.V. & L.R.O.

Motorcraft® Remanufactured Un-Loaded Calipers

With our calipers quality comes from the materials used, and the production type testing every Motorcraft remanufactured caliper must endure.





- All Motorcraft remanufactured calipers start with the original equipment casting.
- 100% of our remanufactured calipers receive new:
  - Seals
  - Boots
  - Phenolic pistons (where originally specified)
  - Bleed screws and caps
- All new slide pins and boots (on all applications that have slide pins and boots)
- Our remanufactured calipers get tested using the same methodology as Original Equipment calipers, which includes:
  - Seals are tested for durability
  - Boots are tested for leaks
  - Pistons are tested for abrasion resistance
  - 100% of our calipers are tested for high and low pressure leaks





As you can see, we take our quality very seriously. There are many suppliers of aftermarket brake parts, however few have the engineering resources and expertise that Ford Motor Company dedicates to our brake products. Through our quality and competitive price, we deliver high value to you and your customers.

Motorcraft® Remanufactured Loaded Calipers

Why you should use Motorcraft Loaded Calipers on your customers' Ford, Lincoln and Mercury vehicles:

One hundred percent (100%) of our calipers are high- and low-pressure tested for leaks, and Motorcraft Preferred Value pads are installed; reducing your risk of a customer returning for reasons that could have been avoided, thus increasing customer satisfaction.

OUR LOADED CALIPERS ARE REMANUFACTURED TO THE SAME HIGH STANDARDS AS OUR UNLOADED CALIPERS.

Each and every Motorcraft remanufactured caliper receives new:

- Piston seals.
- Dust boots.
- Phenolic pistons and steel-capped pistons (where originally specified.)
- Bleed screw and caps.
- Slide pin boots.
- Inlet port copper washers.

Motorcraft remanufactured calipers are tested using the same methods as Original Equipment calipers, which include:

- Seals and boots, tested for durability.
- Boots, tested for water leaks while submerged.
- Pistons, tested for abrasion resistance Calipers, 100% tested for high- and low-pressure leaks.

After being remanufactured, our Motorcraft pads are installed in the calipers. These are the same pads you purchase in the Motorcraft box, and since we only offer the highest quality, you won't get a lower-grade friction. Some of the features that help these pads perform so well, include:

- Friction formulas that have been selected specifically for how they perform on Ford, Lincoln, and Mercury vehicles.
- Shims, slots, and chamfers that match the configuration of the OE pads, and not the FMSI version of the OE pads like many of our competitors.
- Friction formulas that have all been vehicle tested to the Federal Motor Vehicle Safety Standards (FMVSS), and not just a simulation like some of our competitors.

When you use Motorcraft loaded calipers for your customers' Ford Motor Company vehicles you can be confident that your customers will be satisfied with the repair.

Motorcraft® Brake Wheel Seal Dimensions

Motorcraft Number	Ford Service Number	ID	OD	Width
BRS-1	D5HZ-1S190-B	3.500	4.848	0.986
BRS-2	D5HZ-1S190-E	3.500	4.552	0.740
BRS-3	E7TZ-1S190-B	2.430	3.000	0.780
BRS-4	E7HZ-1S175-A	3.438	4.770	0.700
BRS-5	E6HZ-1S175-E	3.875	5.704	0.892
BRS-6	F2HZ-1S175-C	4.766	6.316	1.125
BRS-7	F2HZ-1S175-A	3.438	4.760	0.850
BRS-8	E7HZ-1S190-A	3.500	4.854	0.903
BRS-9	E6TZ-1S190-A	2.000	2.626	0.286
BRS-10	F0ZZ-1S190-A	1.938	2.562	0.294
BRS-11	E5TZ-1S190-A	1.938	2.500	0.380
BRS-12	F7UZ-1S175-A	2.875	3.881	0.610
BRS-13	E1FZ-1S175-A	1.575	2.170	0.328
BRS-14	C9TZ-1S175-A	2.500	3.306	0.453
BRS-15	F2HZ-1S175-B	3.875	5.696	0.938
BRS-16	F7TZ-1S175-AA	2.750	3.881	0.438
BRS-17	E3TZ-1S190-A	2.136	2.910	0.453
BRS-18	C9TZ-1S175-C	2.500	3.306	0.453
BRS-20	E3TZ-1S175-A	1.792	2.500	0.600
BRS-21	F81Z-1S175-EA	3.875	5.506	0.938
BRS-22	E4TZ-1S190-A	2.500	3.300	0.450
BRS-23	F5TZ-1S190-AA	2.327	3.134	0.315
BRS-24	F81Z-1S175-AA	3.500	4.689	0.451
BRS-25	F2TZ-1S175-A	3.248	4.506	0.610
BRS-27	F87Z-1S190-AA	2.624	3.951	0.891
BRS-28	F57Z-1S190-BB	2.500	3.305	0.276
BRS-31	F57Z-1S190-AA	2.708	3.959	0.512
BRS-33	E7TZ-1S190-A	2.700	3.504	0.475
BRS-37	D0TZ-1S175-E	3.938	5.509	0.875
BRS-38	D0TZ-1S175-A	3.262	4.631	0.500
BRS-40	E3TZ-1S177-A	1.618	2.579	0.475
BRS-42	F75Z-1S177-BA	1.705	3.039	0.562
BRS-43	YL8Z-1S177-AA	2.225	2.763	0.340
BRS-46	F5RZ-1S177-AA	1.575	2.175	0.511
BRS-48	F4TZ-1S177-C	2.625	4.438	1.150
BRS-50	E1FZ-1S177-A	1.653	2.528	0.378
BRS-51	F81Z-1S177-CA	2.941	3.887	0.774
BRS-52	F7UZ-1S177-A	1.705	3.039	0.500
BRS-53	C9HZ-1S190-A	2.875	4.183	0.844
BRS-54	F65Z-1S190-AA	2.933	3.539	0.650
BRS-55	C5TZ-1S190-D	3.500	4.456	0.525
BRS-56	YC2Z-1S175-BA	2.420	3.005	0.339

Motorcraft Number	Ford Service Number	ID	OD	Width
BRS-57	F32Z-1S177-A	2.205	2.688	0.516
BRS-59	F87Z-1S177-AA	3.712	3.779	0.060
BRS-60A	D5HZ-1S190-AA	3.500	4.552	0.818
BRS-62A	D0HZ-1S190-AA	2.878	4.180	0.780
BRS-63A	E3HZ-1S190-CA	4.375	5.908	0.955
BRS-64A	F1HZ-1S175-AA	3.875	5.255	1.043
BRS-65A	D7HZ-1S175-DA	4.767	6.315	1.141
BRS-66A	D0HZ-1S190-BA	3.500	4.845	0.875
BRS-67A	D0HZ-1S175-BA	3.437	4.630	0.934
BRS-68A	D0HZ-1S175-AA	3.125	4.441	0.812
BRS-69	E92Z-1S177-AA	2.205	2.682	0.421
BRS-70	E7GZ-1S177-B	2.008	2.486	0.236
BRS-71	E7GZ-1S177-A	2.047	2.677	0.276
BRS-72	E92Z-1S177-B	1.654	2.288	0.276
BRS-73	E7GZ-1S177-C	1.575	2.131	0.319
BRS-78	D6TZ-1S175-AA	2.230	3.110	0.469
BRS-79	E3TZ-1S175-DA	2.250	3.110	0.469
BRS-80	D8TZ-1S175-CA	1.500	1.870	0.180
BRS-81	E0TZ-1S177-BA	1.875	3.146	0.930
BRS-82	E0TZ-1S177-CA	1.500	2.506	0.450
BRS-83	F4TZ-1S177-BA	3.424	4.768	0.842
BRS-84	F81Z-1S175-HCA	2.177	3.156	0.729
BRS-85	D6TZ-1S175-CA	1.313	1.625	0.156
BRS-86	F3TZ-1S175-BBA	1.890	2.813	0.700
BRS-87	F2TZ-1S175-CA	1.500	2.514	0.350
BRS-88	F3TZ-1S175-AA	1.312	1.632	0.331
BRS-89	D8TZ-1S175-AA	2.500	3.150	0.410
BRS-90	F67Z-1S177-ACA	1.396	2.276	0.518
BRS-92	E8BZ-1S17-B	1.378	2.218	0.354
BRS-93	1C2Z-1S175-BA	2.420	3.465	0.535
BRS-94	1M5Z-1S175-AA	1.575	1.929	0.630
BRS-95	E8BZ-1S177-A	1.535	1.988	0.335
BRS-97	2L1Z-1S177-AA	3.740	NA	0.070
BRS-98	2C2Z-1175-AB	1.950	3.095	0.444
BRS-100	5C3Z-1S175-AA	2.187	3.465	0.720
BRS-101	5R3Z-1S177-AA	1.535	2.901	0.561
BRS-103	3U2Z-1S177-AA	1.400	2.560	0.540
BRS-107	4C4Z-1175-BA	3.500	4.847	0.904
BRS-109	F87Z-1S177-BB	2.220	2.287	0.067
BRS-110	5C3Z-1S175-GA	3.405	4.692	0.635
BRS-112	F87Z-1S177-AC	3.712	3.779	0.060

Motorcraft

2005 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D931,I,ORG	**BR-931B**
Pads - SuperDuty	w/Police Pkg, Taxi,D931,I,SM	**BRSD-931**
Un-Loaded Caliper — Left		**BRC-162ARM**
Un-Loaded Caliper — Right		**BRC-161RM**
Rotor		**BRR-111**
ABS Wheel Speed Sensor — Left		**BRAB-19**
ABS Wheel Speed Sensor — Right		**BRAB-19**
Rear:		
Pads	D932,I,ORG	**BR-932B**
Pads - SuperDuty	Police & Taxi,D932,I,ORG	**BRSD-932**
Rotor	w/5 Mounting Holes	**BRR-112**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-103**
ABS Wheel Speed Sensor — Left		**BRAB-148**
ABS Wheel Speed Sensor — Right		**BRAB-148**

2005 — Five Hundred

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
ABS Wheel Speed Sensor — Left		**BRAB-132**
ABS Wheel Speed Sensor — Right		**BRAB-132**
Rear:		
ABS Wheel Speed Sensor — Left	RWD	**BRAB-134**
	4WD	**BRAB-136**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-133**
	4WD	**BRAB-135**

2005 — Focus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
ABS Wheel Speed Sensor — Left		**BRAB-154**
ABS Wheel Speed Sensor — Right		**BRAB-154**
Rear:		
Shoes	S747,B,ORG	**BR-1265**
Hardware Pad Attachment Kit		**BRPK-13119A**
Hardware Combi Kit (Spring Kit)		**BRSK-7307A**
Wheel Cylinder — Left		**BRWC-45**
Wheel Cylinder — Right		**BRWC-45**
Rotor		**BRR-125**
Drum		**BRD-39**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2005 — Focus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left		BRAB-127
ABS Wheel Speed Sensor — Right		BRAB-126

2005 — Freestyle

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
ABS Wheel Speed Sensor — Left		BRAB-132
ABS Wheel Speed Sensor — Right		BRAB-132
Rear:		
ABS Wheel Speed Sensor — Left	RWD	BRAB-134
	4WD	BRAB-136
ABS Wheel Speed Sensor — Right	RWD	BRAB-133
	4WD	BRAB-135

2005 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
ABS Wheel Speed Sensor — Left	4-Wheel ABS	BRAB-140
ABS Wheel Speed Sensor — Right	4-Wheel ABS	BRAB-140
Rear:		
Wheel Seal	Inner	BRS-101
ABS Wheel Speed Sensor — Right	4-Wheel ABS	BRAB-139

2005 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
ABS Wheel Speed Sensor — Left		BRAB-11
ABS Wheel Speed Sensor — Right		BRAB-10
Rear:		
Pads	D610,R,ORG	BR-71B
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Rotor		BRR-51

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2005 — Taurus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Drum	Sedan	**BRD-40**

2005 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D805,I,ORG	**BR-1273**
Un-Loaded Caliper — Left		**BRC-170RM**
		BRC-172RMA
Un-Loaded Caliper — Right		**BRC-171RMA**
		BRC-169RM
Rotor		**BRR-109**
ABS Wheel Speed Sensor — Left	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
ABS Wheel Speed Sensor — Right	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
Rear:		
Pads	D806,I,ORG	**BR-1278**
Rotor		**BRR-105**

2004 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D931,I,ORG	**BR-931B**
Pads - SuperDuty	w/Police Pkg,D931,I,SM	**BRSD-931**
Hardware Pad Attachment Kit		**BRPK-5681**
Hardware Caliper Attaching Kit		**BRCK-5087**
		BRCK-5087
Un-Loaded Caliper — Left		**BRC-162ARM**
Un-Loaded Caliper — Right		**BRC-161RM**
Rotor		**BRR-111**
ABS Wheel Speed Sensor — Left		**BRAB-19**
ABS Wheel Speed Sensor — Right		**BRAB-19**
Rear:		
Pads	D932,I,ORG	**BR-932B**
Pads - SuperDuty	Police & Taxi,D932,I,ORG	**BRSD-932**
Hardware Pad Attachment Kit		**BRPK-5682**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7302**
Rotor	w/5 Mounting Holes	**BRR-112**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-103**
ABS Wheel Speed Sensor — Left		**BRAB-17**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2004 — Crown Victoria — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Right		**BRAB-17**

2004 — Focus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D816,I,SM	**BR-1274**
Hardware Pad Attachment Kit	SVT	**BRPK-5622**
	LX, S2, SE, Street, ZX3, ZX4, ZXW	**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left	LX, SE, ZTS, ZTW, ZX3, ZX5; Before 04/05/04	**BRCL-151RM**
Loaded Caliper — Right	LX, SE, ZTS, ZTW, ZX3, ZX5; Before 04/05/04	**BRCL-152RM**
Un-Loaded Caliper — Left	SVT; Before 4/05/04	**BRC-168RM**
	LX, SE, ZTS, ZTW, ZX3, ZX5; Before 4/05/04	**BRC-151RM**
Un-Loaded Caliper — Right	SVT; Before 4/05/04	**BRC-167RM**
	LX, SE, ZTS, ZTW, ZX3, ZX5; Before 4/05/04	**BRC-152RM**
Rotor	SVT; Before 4/05/04	**BRR-124**
ABS Wheel Speed Sensor — Left		**BRAB-154**
ABS Wheel Speed Sensor — Right		**BRAB-154**
Rear:		
Shoes	S747,B,ORG	**BR-1265**
Hardware Pad Attachment Kit		**BRPK-13119A**
Hardware Caliper Attaching Kit		**BRCK-5084**
Hardware Combi Kit (Spring Kit)		**BRSK-7307A**
Wheel Cylinder — Left		**BRWC-45**
Wheel Cylinder — Right		**BRWC-45**
Rotor		**BRR-125**
	SVT; Before 4/05/04	**BRR-126**
Drum		**BRD-39**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**
	w/o Interactive Vehicle Dynamics 1.575 ID x 1.929 OD x 0.630 Width	**BRS-94**
ABS Wheel Speed Sensor — Left		**BRAB-127**
ABS Wheel Speed Sensor — Right		**BRAB-126**

2004 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D804,I,ORG	**BR-1268**
	Cobra, Mach 1,D412,I,SM	**BR-12B**
Hardware Pad Attachment Kit	Cobra, GT, GT Bullitt, Mach 1	**BRPK-5610**
		BRPK-5652
Hardware Caliper Attaching Kit	GT, Mach 1	**BRCK-5074A**
Rotor	8 Cyl. GT, Mach I; Before 5/10/04	**BRR-54**
ABS Wheel Speed Sensor — Left	Cobra, GT	**BRAB-65**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2004 — Mustang — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
ABS Wheel Speed Sensor — Right	Cobra, GT, Mach 1	**BRAB-64**
Rear:		
Pads	D627,I,ORG	**BR-65B**
	I,ORG	**BR-72B**
Hardware Pad Attachment Kit		**BRPK-5618A**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Un-Loaded Caliper — Left	Before 5/10/04	**BRC-55RM**
Un-Loaded Caliper — Right	Before 5/10/04	**BRC-54RM**
Rotor	3.8L, 4.6L SOHC Before 5/10/04	**BRR-55**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Cobra	**BRAB-90**
	GT	**BRAB-138**
ABS Wheel Speed Sensor — Right	Cobra	**BRAB-90**
	GT	**BRAB-137**

2004 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit		**BRPK-5694**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Rotor		**BRR-68**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-11**
ABS Wheel Speed Sensor — Right		**BRAB-10**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRVP-1177A**
	Sedan	**BRSK-17326A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor		**BRR-51**
Drum	Sedan	**BRD-40**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

2004 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D805,I,ORG	**BR-1273**
Hardware Pad Attachment Kit		**BRPK-5657**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Un-Loaded Caliper — Left		**BRC-172RMA**
Un-Loaded Caliper — Right		**BRC-171RMA**
Rotor		**BRR-109**
ABS Wheel Speed Sensor — Left	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
ABS Wheel Speed Sensor — Right	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
Rear:		
Pads	D806,I,ORG	**BR-1278**
Hardware Pad Attachment Kit		**BRPK-5676**
Hardware Caliper Attaching Kit		**BRCK-5085**
Rotor		**BRR-105**

2003 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D931,I,ORG	**BR-931B**
Pads - SuperDuty	w/Police Pkg,D931,I,SM	**BRSD-931**
Hardware Pad Attachment Kit		**BRPK-5681**
Hardware Caliper Attaching Kit		**BRCK-5087**
Un-Loaded Caliper — Left		**BRC-162ARM**
Un-Loaded Caliper — Right		**BRC-161RM**
Rotor		**BRR-111**
ABS Wheel Speed Sensor — Left		**BRAB-19**
ABS Wheel Speed Sensor — Right		**BRAB-19**
Rear:		
Pads	D932,I,ORG	**BR-932B**
Pads - SuperDuty	Police & Taxi,D932,I,SM	**BRSD-932**
Hardware Pad Attachment Kit		**BRPK-5682**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7302**
Rotor	w/5 Mounting Holes	**BRR-112**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-103**
ABS Wheel Speed Sensor — Left		**BRAB-17**
ABS Wheel Speed Sensor — Right		**BRAB-17**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2003 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Loaded Caliper — Left	ZX2	**BRCL-41RM**
Loaded Caliper — Right	ZX2	**BRCL-40RM**
Un-Loaded Caliper — Left		**BRC-41RM**
Un-Loaded Caliper — Right	ZX2	**BRC-40RM**
	ZX2	**BRC-40RM**
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe; w/10.25" Wheel	**BRR-81**
Rear:		
Un-Loaded Caliper — Left	ZX2	**BRC-114RM**
Un-Loaded Caliper — Right	ZX2	**BRC-115RM**
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	**BRR-45**
Drum	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	**BRD-7**

2003 — Focus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D816,I,SM	**BR-1274**
Hardware Pad Attachment Kit	SVT	**BRPK-5622**
	LX, S2, SE, Sony Limited Edition, Street, ZTS, ZTW, ZX3, ZX5	**BRPK-5568**
	LX, S2, SE, Sony Limited Edition, Street, ZTS, ZTW, ZX3, ZX5	**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left	LX, SE, ZTS, ZTW, ZX3, ZX5	**BRCL-151RM**
Loaded Caliper — Right	LX, SE, ZTS, ZTW, ZX3, ZX5	**BRCL-152RM**
Un-Loaded Caliper — Left	LX, SE, ZTS, ZTW, ZX3, ZX5	**BRC-151RM**
	SVT	**BRC-168RM**
Un-Loaded Caliper — Right	LX, SE, ZTS, ZTW, ZX3, ZX5	**BRC-152RM**
	SVT	**BRC-167RM**
Rotor	SVT	**BRR-124**
	w/15" & 16" Alloy Wheels	**BRR-87**
	w/14" x 5.5 Steel Wheels	**BRR-87**
ABS Wheel Speed Sensor — Left		**BRAB-154**
ABS Wheel Speed Sensor — Right		**BRAB-154**
Rear:		
Shoes	S747,B,ORG	**BR-1265**
Hardware Pad Attachment Kit		**BRPK-13119A**
Hardware Caliper Attaching Kit		**BRCK-5084**
Hardware Combi Kit (Spring Kit)		**BRSK-7307A**
Wheel Cylinder — Left		**BRWC-45**
Wheel Cylinder — Right		**BRWC-45**
Rotor		**BRR-125**
	SVT	**BRR-126**
Drum		**BRD-39**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**
	w/o Interactive Vehicle Dynamics 1.575 ID x 1.929 OD x 0.630 Width	**BRS-94**
ABS Wheel Speed Sensor — Left		**BRAB-127**
ABS Wheel Speed Sensor — Right		**BRAB-126**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

2003 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Cobra, Mach 1,D412,I,SM	**BR-12B**
	GT,D804,I,ORG	**BR-1268**
Hardware Pad Attachment Kit		**BRPK-5652**
	Cobra, GT, GT Bullitt, Mach 1	**BRPK-5610**
Hardware Caliper Attaching Kit	GT, Mach 1	**BRCK-5074A**
Rotor	8 Cyl. GT, Mach I	**BRR-54**
ABS Wheel Speed Sensor — Left	Cobra	**BRAB-65**
	GT, Mach 1	**BRAB-65**
ABS Wheel Speed Sensor — Right	GT, Mach 1	**BRAB-64**
Rear:		
Pads	Mach I, SVT Cobra,I,ORG	**BR-72B**
	GT,D627,I,ORG	**BR-65B**
Hardware Pad Attachment Kit		**BRPK-5618A**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Un-Loaded Caliper — Left		**BRC-55RM**
Un-Loaded Caliper — Right		**BRC-54RM**
Rotor	3.8L, 4.6L SOHC	**BRR-55**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Cobra	**BRAB-90**
	GT	**BRAB-138**
ABS Wheel Speed Sensor — Right	Cobra	**BRAB-90**
	GT	**BRAB-137**

2003 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit		**BRPK-5694**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Rotor		**BRR-68**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-11**
ABS Wheel Speed Sensor — Right		**BRAB-10**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-17326A**
	Sedan	**BRVP-1177A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor		**BRR-51**
Drum	Sedan	**BRD-40**
ABS Wheel Speed Sensor — Left	Sedan	**BRAB-8**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2003 — Taurus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left — Cont'd	Wagon	**BRAB-9**
ABS Wheel Speed Sensor — Right	Sedan	**BRAB-6**
	Wagon	**BRAB-7**

2003 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D805,I,ORG	**BR-1273**
Hardware Pad Attachment Kit		**BRPK-5657**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Un-Loaded Caliper — Left		**BRC-172RMA**
Un-Loaded Caliper — Right		**BRC-171RMA**
Rotor		**BRR-109**
ABS Wheel Speed Sensor — Left	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
ABS Wheel Speed Sensor — Right	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
Rear:		
Pads	D806,I,ORG	**BR-1278**
Hardware Pad Attachment Kit		**BRPK-5676**
Hardware Caliper Attaching Kit		**BRCK-5085**
Rotor		**BRR-105**

2002 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	**BR-26A**
Pads - SuperDuty	D748,I,SM	**BRSD-748**
Hardware Pad Attachment Kit		**BRPK-5646A**
Hardware Caliper Attaching Kit		**BRCK-5073A**
Un-Loaded Caliper — Left		**BRC-156RM**
Un-Loaded Caliper — Right		**BRC-155RM**
Rotor		**BRR-64**
ABS Wheel Speed Sensor — Left		**BRAB-75**
ABS Wheel Speed Sensor — Right		**BRAB-75**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	D674,I,SM	**BRSD-674**
	Police & Taxi w/Phenolic Piston Calipers,D674A,I,SM	**BRSD-674A**
	Exc. Police Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
Hardware Pad Attachment Kit		**BRPK-5629**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2002 — Crown Victoria — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A
Un-Loaded Caliper — Left		BRC-175RMA
Un-Loaded Caliper — Right		BRC-175RMA
Rotor		BRR-61
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-13
ABS Wheel Speed Sensor — Right		BRAB-13

2002 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,SM	BR-18B
Hardware Pad Attachment Kit		BRPK-13245A
Hardware Caliper Attaching Kit		BRCK-5050A
Loaded Caliper — Left	ZX2	BRCL-41RM
Loaded Caliper — Right	ZX2	BRCL-40RM
Un-Loaded Caliper — Left	ZX2	BRC-41RM
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe; w/10.25" Wheel	BRR-81
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69
Rear:		
Pads	D663,I,ORG	BR-67B
Shoes	Rear,S721,B,ORG	BR-94B
Hardware Pad Attachment Kit		BRPK-13306
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRVP-1456 BRSK-7297A
Un-Loaded Caliper — Left	ZX2	BRC-114RM
Un-Loaded Caliper — Right	ZX2	BRC-115RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	BRR-45
Drum	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	BRD-7
ABS Wheel Speed Sensor — Right		BRAB-76

2002 — Focus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D816,I,SM	BR-1274
Hardware Pad Attachment Kit	LX, S2, SE, Sony Limited Edition, Street, ZTS, ZTW, ZX3, ZX5	BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left	LX, S2, SE, Street, ZTS, ZTW, ZX3, ZX5	BRCL-151RM
Loaded Caliper — Right	LX, S2, SE, Street, ZTS, ZTW, ZX3, ZX5	BRCL-152RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2002 — Focus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Left	LX, SE, ZTS, ZTW, ZX3, ZX5	**BRC-151RM**
	SVT	**BRC-168RM**
Un-Loaded Caliper — Right	LX, SE, ZTS, ZTW, ZX3, ZX5	**BRC-152RM**
	SVT	**BRC-167RM**
Rotor	SVT	**BRR-124**
	w/14" x 5.5 Steel Wheels	**BRR-87**
	w/15" x 16" Alloy Wheels	**BRR-87**
ABS Wheel Speed Sensor — Left		**BRAB-154**
ABS Wheel Speed Sensor — Right		**BRAB-154**
Rear:		
Shoes	S747,B,ORG	**BR-1265**
Hardware Pad Attachment Kit		**BRPK-13119A**
Hardware Caliper Attaching Kit		**BRCK-5084**
Hardware Combi Kit (Spring Kit)		**BRSK-7307A**
Wheel Cylinder — Left		**BRWC-45**
Wheel Cylinder — Right		**BRWC-45**
Rotor		**BRR-125**
	SVT	**BRR-126**
Drum		**BRD-39**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**
	w/o Interactive Vehicle Dynamics 1.575 ID x 1.929 OD x 0.630 Width	**BRS-94**
ABS Wheel Speed Sensor — Left		**BRAB-127**
ABS Wheel Speed Sensor — Right		**BRAB-126**

2002 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Cobra,D412,I,SM	**BR-12B**
	GT,D804,I,ORG	**BR-1268**
Hardware Pad Attachment Kit		**BRPK-5652**
	BULLITT, Cobra, GT, Mach 1	**BRPK-5610**
Hardware Caliper Attaching Kit	3.8L, 4.6L GT	**BRCK-5074A**
Un-Loaded Caliper — Left	Cobra; Before 5/05/02	**BRC-149RM**
	GT; Before 8/05/02	**BRC-147RM**
Un-Loaded Caliper — Right	Cobra; Before 5/05/02	**BRC-150RM**
	GT; Before 8/05/02	**BRC-148RM**
Rotor	8 Cyl. GT	**BRR-54**
ABS Wheel Speed Sensor — Left	3.8L, 4.6L GT	**BRAB-65**
	Cobra	**BRAB-65**
ABS Wheel Speed Sensor — Right	Cobra	**BRAB-64**
Rear:		
Pads	3.8L, 4.6L GT,D627,I,ORG	**BR-65B**
	Cobra,I,ORG	**BR-72B**
Hardware Pad Attachment Kit		**BRPK-5618A**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Un-Loaded Caliper — Left		**BRC-55RM**
Un-Loaded Caliper — Right		**BRC-54RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2002 — Mustang — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Rotor	3.8L, 4.6L SOHC From 8/05/02	**BRR-55**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Cobra	**BRAB-90**
	GT	**BRAB-138**
ABS Wheel Speed Sensor — Right	Cobra	**BRAB-90**
	GT	**BRAB-137**

2002 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-20RM**
Loaded Caliper — Right		**BRCL-19RM**
Un-Loaded Caliper — Left		**BRC-20RM**
Un-Loaded Caliper — Right		**BRC-19RM**
Rotor		**BRR-68**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-11**
ABS Wheel Speed Sensor — Right		**BRAB-10**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-17326A**
	Sedan	**BRVP-1177A**
	Wagon	**BRSK-7280A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor		**BRR-51**
Drum	Sedan	**BRD-40**
ABS Wheel Speed Sensor — Left	Sedan	**BRAB-8**
	Wagon	**BRAB-9**
ABS Wheel Speed Sensor — Right	Sedan	**BRAB-6**
	Wagon	**BRAB-7**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2002 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D805,I,ORG	**BR-1273**
Hardware Pad Attachment Kit		**BRPK-5657**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Un-Loaded Caliper — Left	From 6/04/01	**BRC-172RMA**
Un-Loaded Caliper — Right	From 6/04/01	**BRC-171RMA**
Rotor	From 6/4/01	**BRR-109**
Rear:		
Pads	D806,I,ORG	**BR-1278**
Hardware Pad Attachment Kit		**BRPK-5676**
Hardware Caliper Attaching Kit		**BRCK-5085**
Rotor	From 6/04/01	**BRR-105**

2001 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	**BR-26A**
Pads - SuperDuty	D748,I,SM	**BRSD-748**
Hardware Pad Attachment Kit		**BRPK-5646A**
Hardware Caliper Attaching Kit		**BRCK-5073A**
Un-Loaded Caliper — Left		**BRC-156RM**
Un-Loaded Caliper — Right		**BRC-155RM**
Rotor		**BRR-64**
ABS Wheel Speed Sensor — Left		**BRAB-75**
ABS Wheel Speed Sensor — Right		**BRAB-75**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	D674,I,SM	**BRSD-674**
	Police & Taxi w/Phenolic Piston Calipers,D674A,I,SM	**BRSD-674A**
	Exc. Police Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
Loaded Caliper — Left		**BRCL-51RM**
Loaded Caliper — Right		**BRCL-51RM**
Un-Loaded Caliper — Left		**BRC-51RM**
Un-Loaded Caliper — Right		**BRC-51RM**
Rotor		**BRR-61**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-13**
ABS Wheel Speed Sensor — Right		**BRAB-13**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

2001 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,SM	**BR-18B**
Hardware Pad Attachment Kit		**BRPK-13245A**
Hardware Caliper Attaching Kit		**BRCK-5050A**
Loaded Caliper — Left	ZX2	**BRCL-41RM**
Loaded Caliper — Right	ZX2	**BRCL-40RM**
Un-Loaded Caliper — Left	ZX2	**BRC-41RM**
Un-Loaded Caliper — Right	ZX2	**BRC-40RM**
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe; w/10.25" Wheel	**BRR-81**
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	**BRS-69**
Rear:		
Pads	D663,I,ORG	**BR-67B**
Shoes	Rear,S721,B,ORG	**BR-94B**
Hardware Pad Attachment Kit		**BRPK-13306**
Hardware Caliper Attaching Kit		**BRCK-14100A**
Hardware Combi Kit (Spring Kit)		**BRSK-7297A**
		BRVP-1456
Un-Loaded Caliper — Left	ZX2	**BRC-114RM**
Un-Loaded Caliper — Right	ZX2	**BRC-115RM**
Wheel Cylinder — Left		**BRWC-28A**
Wheel Cylinder — Right		**BRWC-28A**
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	**BRR-45**
Drum	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	**BRD-7**
ABS Wheel Speed Sensor — Left		**BRAB-77**
ABS Wheel Speed Sensor — Right		**BRAB-76**

2001 — Focus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D816,I,SM	**BR-1274**
Hardware Pad Attachment Kit	LX, S2, SE, Sony Limited Edition, Street, ZTS, ZTW, ZX3, ZX5	**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left	LE, LX, S2, SE, Street, ZTS, ZX3	**BRCL-151RM**
Loaded Caliper — Right	LE, LX, S2, SE, Street, ZTS, ZX3	**BRCL-152RM**
Un-Loaded Caliper — Left	LE, LX, S2, SE, Street, ZTS, ZX3	**BRC-151RM**
Un-Loaded Caliper — Right	LE, LX, S2, SE, Street, ZTS, ZX3	**BRC-152RM**
Rotor	w/15" & 16" Alloy Wheels	**BRR-87**
	w/14" x 5.5 Steel Wheels	**BRR-87**
ABS Wheel Speed Sensor — Left		**BRAB-154**
ABS Wheel Speed Sensor — Right		**BRAB-154**
Rear:		
Shoes	S747,B,ORG	**BR-1265**
Hardware Combi Kit (Spring Kit)		**BRSK-7307A**
Wheel Cylinder — Left		**BRWC-45**
Wheel Cylinder — Right		**BRWC-45**
Rotor		**BRR-125**
Drum		**BRD-39**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2001 — Focus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left		BRAB-127
ABS Wheel Speed Sensor — Right		BRAB-126

2001 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Cobra,D412,I,SM	BR-12B
	GT,D804,I,ORG	BR-1268
Hardware Pad Attachment Kit		BRPK-5652
Hardware Caliper Attaching Kit	Cobra	BRPK-5610
	GT	BRCK-5074A
Un-Loaded Caliper — Left	Cobra	BRC-149RM
	GT	BRC-147RM
Un-Loaded Caliper — Right	Cobra	BRC-150RM
	GT	BRC-148RM
Rotor	8 Cyl. GT, GT Bullitt	BRR-54
ABS Wheel Speed Sensor — Left	Cobra	BRAB-65
	BULLITT, GT	BRAB-65
ABS Wheel Speed Sensor — Right	Cobra	BRAB-64
	BULLITT, GT	BRAB-64
Rear:		
Pads	BULLITT, GT,D627,I,ORG	BR-65B
	Cobra,I,ORG	BR-72B
Hardware Pad Attachment Kit		BRPK-5618A
Hardware Caliper Attaching Kit		BRCK-14082A
Un-Loaded Caliper — Left		BRC-55RM
Un-Loaded Caliper — Right		BRC-54RM
Rotor	BULLITT, GT	BRR-55
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left	Cobra	BRAB-90
	GT	BRAB-138
ABS Wheel Speed Sensor — Right	Cobra	BRAB-90
	GT	BRAB-137

2001 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left		BRCL-20RM
Loaded Caliper — Right		BRCL-19RM
Un-Loaded Caliper — Left		BRC-20RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2001 — Taurus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Right		BRC-19RM
Rotor		BRR-68
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-11
ABS Wheel Speed Sensor — Right		BRAB-10
Rear:		
Pads	D610,R,ORG	BR-71B
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17326A
	Sedan	BRVP-1177A
	Wagon	BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left	Front Disc	BRC-15RM
Un-Loaded Caliper — Right	Front Disc	BRC-14RM
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Rotor		BRR-51
Drum	Sedan	BRD-40
	Wagon	BRD-32
ABS Wheel Speed Sensor — Left	Sedan	BRAB-8
	Wagon	BRAB-9
ABS Wheel Speed Sensor — Right	Sedan	BRAB-6
	Wagon	BRAB-7

2000 — Contour

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	SVT,D762,I,SM	BR-1271
	w/Wear Sensor,D801,I,ORG	BR-1267
	w/o Wear Sensor,D648,I,SM	BR-23B
Hardware Pad Attachment Kit		BRPK-5622
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-107RM
Loaded Caliper — Right		BRCL-108RM
Un-Loaded Caliper — Left		BRC-107RM
	SVT; Before 5/26/99	BRC-170RM
Un-Loaded Caliper — Right		BRC-108RM
	SVT; Before 5/26/99	BRC-169RM
Rotor		BRR-58
	SVT	BRR-69
ABS Wheel Speed Sensor — Left		BRAB-151
	Sensor Wire	BRAB-155
ABS Wheel Speed Sensor — Right		BRAB-151

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2000 — Contour — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
ABS Wheel Speed Sensor — Right — Cont'd	Sensor Wire	**BRAB-155**
Rear:		
Pads	w/o Wear Sensor,D661,I,ORG	**BR-66B**
	w/Wear Sensor,D661,I,ORG	**BR-1277**
Shoes	w/8" Brake,S696,B,ORG	**BR-93B**
	w/9" Brake,S736,B,ORG	**BR-1264**
Hardware Pad Attachment Kit		**BRPK-5638A**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)	2.0L	**BRSK-7293A**
Un-Loaded Caliper — Left		**BRC-141RM**
Un-Loaded Caliper — Right		**BRC-142RM**
Wheel Cylinder — Left	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Wheel Cylinder — Right	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Rotor		**BRR-95**
Drum	2.5L w/9" Brake	**BRD-9**
	w/8" Brake	**BRD-6**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**
ABS Wheel Speed Sensor — Left		**BRAB-60**
ABS Wheel Speed Sensor — Right		**BRAB-60**

2000 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	**BR-26A**
Pads - SuperDuty	D748,I,SM	**BRSD-748**
Hardware Pad Attachment Kit		**BRPK-5646A**
Hardware Caliper Attaching Kit		**BRCK-5073A**
Loaded Caliper — Left		**BRCL-49RM**
Loaded Caliper — Right		**BRCL-50RM**
Un-Loaded Caliper — Left		**BRC-49RM**
Un-Loaded Caliper — Right		**BRC-50RM**
Rotor		**BRR-64**
ABS Wheel Speed Sensor — Left		**BRAB-75**
ABS Wheel Speed Sensor — Right		**BRAB-75**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	D674,I,SM	**BRSD-674**
	Police & Taxi w/Phenolic Piston Calipers,D674A,I,SM	**BRSD-674A**
	Exc. Police Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
Hardware Pad Attachment Kit		**BRPK-5629**
	Police	**BRPK-5593**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
Loaded Caliper — Left		**BRCL-51RM**
Loaded Caliper — Right		**BRCL-51RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2000 — Crown Victoria — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Left		BRC-51RM
Un-Loaded Caliper — Right		BRC-51RM
Rotor		BRR-61
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-74
ABS Wheel Speed Sensor — Right		BRAB-74

2000 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,SM	BR-18B
Hardware Pad Attachment Kit		BRPK-13245A
Hardware Caliper Attaching Kit		BRCK-5050A
Loaded Caliper — Left	ZX2	BRCL-41RM
Loaded Caliper — Right	ZX2	BRCL-40RM
Un-Loaded Caliper — Left	ZX2	BRC-41RM
Un-Loaded Caliper — Right	ZX2	BRC-40RM
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe; w/10.25" Wheel	BRR-81
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69
Rear:		
Pads	D663,I,ORG	BR-67B
Shoes	Rear,S721,B,ORG	BR-94B
Hardware Pad Attachment Kit		BRPK-13306
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7297A
		BRVP-1456
Un-Loaded Caliper — Left	ZX2	BRC-114RM
Un-Loaded Caliper — Right	ZX2	BRC-115RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	BRR-45
Drum	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	BRD-7
ABS Wheel Speed Sensor — Left		BRAB-77
ABS Wheel Speed Sensor — Right		BRAB-76

2000 — Focus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D816,I,SM	BR-1274
Hardware Pad Attachment Kit	LX, S2, SE, Sony Limited Edition, Street, ZTS, ZTW, ZX3, ZX5	BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left	LE, LX, SE, ZTS, ZX3	BRCL-151RM
Loaded Caliper — Right	LE, LX, SE, ZTS, ZX3	BRCL-152RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2000 — Focus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Left	LE, SE, ZTS, ZX3	**BRC-151RM**
Un-Loaded Caliper — Right	LE, SE, ZTS, ZX3	**BRC-152RM**
Rotor	w/15" & 16" Alloy Wheels	**BRR-87**
	w/14" x 5.5 Steel Wheels	**BRR-87**
	Before 10/15/99; w/15 x 6.0 Alloy Wheel	**BRR-87**
ABS Wheel Speed Sensor — Left		**BRAB-154**
ABS Wheel Speed Sensor — Right		**BRAB-154**
Rear:		
Shoes	S747,B,ORG	**BR-1265**
Hardware Combi Kit (Spring Kit)		**BRSK-7307A**
Wheel Cylinder — Left		**BRWC-45**
Wheel Cylinder — Right		**BRWC-45**
Rotor		**BRR-125**
Drum		**BRD-39**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**
ABS Wheel Speed Sensor — Left		**BRAB-127**
ABS Wheel Speed Sensor — Right		**BRAB-126**

2000 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Cobra,D412,I,SM	**BR-12B**
	GT,D804,I,ORG	**BR-1268**
Hardware Pad Attachment Kit	Cobra	**BRPK-5610**
	GT	**BRPK-5652**
Hardware Caliper Attaching Kit	GT	**BRCK-5074A**
Un-Loaded Caliper — Left	Cobra	**BRC-149RM**
	GT	**BRC-147RM**
Un-Loaded Caliper — Right	Cobra	**BRC-150RM**
	GT	**BRC-148RM**
Rotor	V8 GT	**BRR-54**
ABS Wheel Speed Sensor — Left		**BRAB-65**
ABS Wheel Speed Sensor — Right		**BRAB-64**
Rear:		
Pads	Cobra,I,ORG	**BR-72B**
	GT,D627,I,ORG	**BR-65B**
Hardware Pad Attachment Kit		**BRPK-5618A**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Un-Loaded Caliper — Left		**BRC-55RM**
Un-Loaded Caliper — Right		**BRC-54RM**
Rotor	V8 GT	**BRR-55**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Cobra; w/4 Wheel Independent Suspension	**BRAB-90**
	GT	**BRAB-138**
ABS Wheel Speed Sensor — Right	Cobra; w/4 Wheel Independent Suspension	**BRAB-90**
	GT	**BRAB-137**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

2000 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	G, GL, LX, SE; Exc. Police,D601,I,ORG	**BR-37B**
Pads - SuperDuty	D601,I,SM	**BRSD-601**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Rotor		**BRR-46**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-104**
ABS Wheel Speed Sensor — Right		**BRAB-103**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-17326A**
	Wagon	**BRSK-7280A**
	Sedan	**BRVP-1177A**
	Wagon	**BRVP-1168**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Loaded Caliper — Left		**BRCL-15RM**
Loaded Caliper — Right		**BRCL-14RM**
Un-Loaded Caliper — Left		**BRC-15RM**
Un-Loaded Caliper — Right		**BRC-14RM**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor		**BRR-51**
Drum	Sedan	**BRD-31**
	Wagon	**BRD-32**
ABS Wheel Speed Sensor — Left	Sedan	**BRAB-120**
ABS Wheel Speed Sensor — Right	Sedan	**BRAB-119**
	Wagon	**BRAB-55**

1999 — Contour

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	SVT; Before 5/26/99 w/Wear Sensor,D762,I,SM	**BR-1272**
	SVT; From 5/26/99,D762,I,SM	**BR-1271**
	w/Wear Sensor,D801,I,ORG	**BR-1267**
	w/o Wear Sensor,D648,I,SM	**BR-23B**
Hardware Pad Attachment Kit		**BRPK-5622**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-107RM**
Loaded Caliper — Right		**BRCL-108RM**
Un-Loaded Caliper — Left		**BRC-107RM**
	SVT	**BRC-170RM**
Un-Loaded Caliper — Right		**BRC-108RM**
	SVT	**BRC-169RM**
Rotor		**BRR-58**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — Contour — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor — Cont'd	SVT	**BRR-69**
ABS Wheel Speed Sensor — Left		**BRAB-151**
	Sensor Wire	**BRAB-155**
ABS Wheel Speed Sensor — Right		**BRAB-151**
	Sensor Wire	**BRAB-155**
Rear:		
Pads	w/o Wear Sensor,D661,I,ORG	**BR-66B**
	w/Wear Sensor,D661,I,ORG	**BR-1277**
Shoes	w/8" Brake,S696,B,ORG	**BR-93B**
	w/9" Brake,S736,B,ORG	**BR-1264**
Hardware Pad Attachment Kit		**BRPK-5638A**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRSK-7293A**
Un-Loaded Caliper — Left		**BRC-141RM**
Un-Loaded Caliper — Right		**BRC-142RM**
Wheel Cylinder — Left	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Wheel Cylinder — Right	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Rotor		**BRR-95**
Drum	2.5L w/9" Brake	**BRD-9**
	w/8" Brake	**BRD-6**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**
ABS Wheel Speed Sensor — Left		**BRAB-60**
ABS Wheel Speed Sensor — Right		**BRAB-60**

1999 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	**BR-26A**
Pads - SuperDuty	D748,I,SM	**BRSD-748**
Hardware Pad Attachment Kit		**BRPK-5646A**
Hardware Caliper Attaching Kit		**BRCK-5073A**
Loaded Caliper — Left		**BRCL-49RM**
Loaded Caliper — Right		**BRCL-50RM**
Un-Loaded Caliper — Left		**BRC-49RM**
Un-Loaded Caliper — Right		**BRC-50RM**
Rotor		**BRR-64**
ABS Wheel Speed Sensor — Left		**BRAB-75**
ABS Wheel Speed Sensor — Right		**BRAB-75**
Rear:		
Pads	Exc. All Exc. Police w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	Exc. All Exc. Police,D674,I,SM	**BRSD-674**
	Police & Taxi w/Phenolic Piston Calipers,D674A,I,SM	**BRSD-674A**
	Exc. Police Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
Hardware Pad Attachment Kit	Exc. Police	**BRPK-5629**
	Police	**BRPK-5593**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — Crown Victoria — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A
Loaded Caliper — Left		BRCL-51RM
Loaded Caliper — Right		BRCL-51RM
Un-Loaded Caliper — Left		BRC-51RM
Un-Loaded Caliper — Right		BRC-51RM
Rotor		BRR-61
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-74
ABS Wheel Speed Sensor — Right		BRAB-74

1999 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	ZX2,D473,I,SM	BR-18B
Hardware Pad Attachment Kit	ZX2	BRPK-13245A
Hardware Caliper Attaching Kit	ZX2	BRCK-5050A
Loaded Caliper — Left	ZX2	BRCL-41RM
Loaded Caliper — Right	ZX2	BRCL-40RM
Un-Loaded Caliper — Left	ZX2	BRC-41RM
Un-Loaded Caliper — Right	ZX2	BRC-40RM
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe; w/10.25" Wheel	BRR-81
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69
Rear:		
Pads	D663,I,ORG	BR-67B
Shoes	Rear,S721,B,ORG	BR-94B
Hardware Pad Attachment Kit		BRPK-13306
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7297A BRVP-1456
Un-Loaded Caliper — Left		BRC-114RM
Un-Loaded Caliper — Right		BRC-115RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	BRR-45
Drum	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	BRD-7
ABS Wheel Speed Sensor — Left		BRAB-77
ABS Wheel Speed Sensor — Right		BRAB-76

1999 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Cobra,D412,I,SM	BR-12B

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — Mustang — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Pads — Cont'd	GT,D804,I,ORG	**BR-1268**
Hardware Pad Attachment Kit	Cobra	**BRPK-5610**
	GT	**BRPK-5652**
Hardware Caliper Attaching Kit	GT	**BRCK-5074A**
Un-Loaded Caliper — Left	Cobra	**BRC-149RM**
	GT	**BRC-147RM**
Un-Loaded Caliper — Right	Cobra	**BRC-150RM**
	GT	**BRC-148RM**
Rotor	V8 GT	**BRR-54**
ABS Wheel Speed Sensor — Left		**BRAB-65**
ABS Wheel Speed Sensor — Right		**BRAB-64**
Rear:		
Pads	Cobra,I,ORG	**BR-72B**
	GT,D627,I,ORG	**BR-65B**
Hardware Pad Attachment Kit		**BRPK-5618A**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Un-Loaded Caliper — Left		**BRC-55RM**
Un-Loaded Caliper — Right		**BRC-54RM**
Rotor	V8 GT	**BRR-55**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Cobra; w/4 Wheel Independent Suspension	**BRAB-90**
	GT	**BRAB-138**
ABS Wheel Speed Sensor — Right	Cobra; w/4 Wheel Independent Suspension	**BRAB-90**
	GT	**BRAB-137**

1999 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	G, GL, LX, SE; Exc. Police,D601,I,ORG	**BR-37B**
	SHO,D598,I,ORG	**BR-35B**
Pads - SuperDuty	D601,I,SM	**BRSD-601**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left	Exc. Police	**BRCL-32RM**
Loaded Caliper — Right	Exc. Police	**BRCL-33RM**
Un-Loaded Caliper — Left	Exc. Police	**BRC-32RM**
Un-Loaded Caliper — Right	Exc. Police	**BRC-33RM**
Rotor	3.0L 12 Valve	**BRR-46**
		BRR-68
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-104**
ABS Wheel Speed Sensor — Right		**BRAB-103**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
	Wagon,S618,R,ORG	**BR-88B**
Hardware Pad Attachment Kit		**BRPK-5617**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — Taurus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17326A
	Sedan	BRVP-1177A
	Wagon	BRVP-1168
	Wagon	BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Rotor		BRR-51
Drum	Sedan	BRD-31
	Wagon	BRD-32
ABS Wheel Speed Sensor — Left	Sedan	BRAB-120
ABS Wheel Speed Sensor — Right	Sedan	BRAB-119
	Wagon	BRAB-55
		BRAB-55

1998 — Contour

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	SVT; w/Wear Sensor,D762,I,SM	BR-1272
	GL, LX, SE; w/Wear Sensor,D801,I,ORG	BR-1267
	w/o Wear Sensor,D648,I,SM	BR-23B
Hardware Pad Attachment Kit		BRPK-5622
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-107RM
Loaded Caliper — Right		BRCL-108RM
Un-Loaded Caliper — Left		BRC-107RM
	SVT	BRC-170RM
Un-Loaded Caliper — Right		BRC-108RM
	SVT	BRC-169RM
Rotor		BRR-58
	SVT	BRR-69
ABS Wheel Speed Sensor — Left		BRAB-151
	Sensor Wire	BRAB-155
ABS Wheel Speed Sensor — Right		BRAB-151
	Sensor Wire	BRAB-155
Rear:		
Pads	w/o Wear Sensor,D661,I,ORG	BR-66B
	w/Wear Sensor,D661,I,ORG	BR-1277
Shoes	w/8" Brake,S696,B,ORG	BR-93B
	w/9" Brake,S736,B,ORG	BR-1264
Hardware Pad Attachment Kit		BRPK-5638A
Hardware Caliper Attaching Kit		BRCK-5025A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — Contour — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit)		BRSK-7293A
Un-Loaded Caliper — Left		BRC-141RM
Un-Loaded Caliper — Right		BRC-142RM
Wheel Cylinder — Left	w/8" Brake	BRWC-33
	w/9" Brake	BRWC-43
Wheel Cylinder — Right	w/8" Brake	BRWC-33
	w/9" Brake	BRWC-43
Rotor		BRR-95
Drum	2.5L w/9" Brake	BRD-9
	w/8" Brake	BRD-6
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	BRS-46
ABS Wheel Speed Sensor — Left		BRAB-60
ABS Wheel Speed Sensor — Right		BRAB-60

1998 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	BR-26A
Pads - SuperDuty	D748,I,SM	BRSD-748
Hardware Pad Attachment Kit		BRPK-5646A
Hardware Caliper Attaching Kit		BRCK-5073A
Loaded Caliper — Left		BRCL-49RM
Loaded Caliper — Right		BRCL-50RM
Un-Loaded Caliper — Left		BRC-49RM
Un-Loaded Caliper — Right		BRC-50RM
Rotor		BRR-64
ABS Wheel Speed Sensor — Left		BRAB-75
ABS Wheel Speed Sensor — Right		BRAB-75
Rear:		
Pads	Exc. All Exc. Police w/Steel Piston Caliper,D674,I,ORG	BR-73B
Pads - SuperDuty	Exc. Police,D674,I,SM	BRSD-674
	Police & Taxi w/Phenolic Piston Calipers,D674A,I,SM	BRSD-674A
	Exc. Police Exc. w/Phenolic Pistons,D674,I,SM	BRSD-674
Hardware Pad Attachment Kit	Exc. Police	BRPK-5629
	Police	BRPK-5593
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A
Loaded Caliper — Left		BRCL-51RM
Loaded Caliper — Right		BRCL-51RM
Un-Loaded Caliper — Left		BRC-51RM
Un-Loaded Caliper — Right		BRC-51RM
Rotor		BRR-61
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-74
ABS Wheel Speed Sensor — Right		BRAB-74

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,SM	**BR-18B**
Hardware Pad Attachment Kit		**BRPK-13245A**
Hardware Caliper Attaching Kit		**BRCK-5050A**
Loaded Caliper — Left	ZX2	**BRCL-41RM**
Loaded Caliper — Right	ZX2	**BRCL-40RM**
Un-Loaded Caliper — Left	ZX2	**BRC-41RM**
Un-Loaded Caliper — Right	ZX2	**BRC-40RM**
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe; w/10.25" Wheel	**BRR-81**
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	**BRS-69**
Rear:		
Pads	D663,I,ORG	**BR-67B**
Shoes	Rear,S721,B,ORG	**BR-94B**
Hardware Pad Attachment Kit		**BRPK-13306**
Hardware Caliper Attaching Kit		**BRCK-14100A**
Hardware Combi Kit (Spring Kit)		**BRSK-7297A**
		BRVP-1456
Un-Loaded Caliper — Left	ZX2	**BRC-114RM**
Un-Loaded Caliper — Right	ZX2	**BRC-115RM**
Wheel Cylinder — Left		**BRWC-28A**
Wheel Cylinder — Right		**BRWC-28A**
Rotor	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	**BRR-45**
Drum	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	**BRD-7**
ABS Wheel Speed Sensor — Left		**BRAB-77**
ABS Wheel Speed Sensor — Right		**BRAB-76**

1998 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Cobra,D412,I,SM	**BR-12B**
	GT,D600,I,ORG	**BR-36B**
Hardware Pad Attachment Kit	Cobra	**BRPK-5610**
	GT	**BRPK-5615**
Hardware Caliper Attaching Kit	GT	**BRCK-5062**
Loaded Caliper — Left	GT	**BRCL-43RM**
Loaded Caliper — Right	GT	**BRCL-44RM**
Un-Loaded Caliper — Left	GT	**BRC-43RM**
	SVT Cobra	**BRC-66RM**
Un-Loaded Caliper — Right		**BRC-44RM**
		BRC-44RM
	SVT Cobra	**BRC-67RM**
Rotor	GT	**BRR-54**
ABS Wheel Speed Sensor — Left		**BRAB-65**
ABS Wheel Speed Sensor — Right		**BRAB-64**
Rear:		
Pads	Cobra,I,ORG	**BR-72B**
	GT,D627,I,ORG	**BR-65B**
Hardware Pad Attachment Kit		**BRPK-5618A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — Mustang — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Caliper Attaching Kit		BRCK-14082A
Un-Loaded Caliper — Left		BRC-55RM
Un-Loaded Caliper — Right		BRC-54RM
Rotor	GT	BRR-55
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left	GT	BRAB-138
ABS Wheel Speed Sensor — Right		BRAB-34
	GT	BRAB-137

1998 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	G, GL, LX; Exc. Police,D601,I,ORG	BR-37B
	SHO,D598,I,ORG	BR-35B
Pads - SuperDuty	D601,I,SM	BRSD-601
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left	3.0L Exc. Police	BRCL-32RM
Loaded Caliper — Right	3.0L Exc. Police	BRCL-33RM
Un-Loaded Caliper — Left	Exc. Police	BRC-32RM
	SHO	BRC-32RM
Un-Loaded Caliper — Right	Exc. Police	BRC-33RM
	SHO	BRC-33RM
Rotor	3.0L 12 Valve	BRR-46
	SHO	BRR-68
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-104
ABS Wheel Speed Sensor — Right		BRAB-103
Rear:		
Pads	D610,R,ORG	BR-71B
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
	Wagon,S618,R,ORG	BR-88B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17326A
	Sedan	BRVP-1177A
	Wagon	BRVP-1168
	Wagon	BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Wheel Cylinder — Left	w/9" Brake	BRWC-31
Wheel Cylinder — Right	w/9" Brake	BRWC-31
Rotor		BRR-51
Drum	Sedan	BRD-31

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — Taurus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Drum — Cont'd	Wagon	BRD-32
ABS Wheel Speed Sensor — Left	Sedan	BRAB-79
ABS Wheel Speed Sensor — Right	Sedan	BRAB-78
	Wagon	BRAB-55

1997 — Aspire

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D319,I,SM	BR-8B
Hardware Pad Attachment Kit		BRPK-13287A
Hardware Caliper Attaching Kit		BRCK-14110
Rear:		
Shoes	S688,B,ORG	BR-92
Hardware Combi Kit (Spring Kit)		BRSK-17345
Wheel Cylinder — Left		BRWC-32
Wheel Cylinder — Right		BRWC-32
Drum		BRD-17

1997 — Contour

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/o Wear Sensor,D648,I,SM	BR-23B
Hardware Pad Attachment Kit		BRPK-5622
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-107RM
Loaded Caliper — Right		BRCL-108RM
Un-Loaded Caliper — Left		BRC-107RM
Un-Loaded Caliper — Right		BRC-108RM
Rotor	GL, SE	BRR-58
ABS Wheel Speed Sensor — Left		BRAB-151
	Sensor Wire	BRAB-155
ABS Wheel Speed Sensor — Right		BRAB-151
	Sensor Wire	BRAB-155
Rear:		
Pads	w/o Wear Sensor,D661,I,ORG	BR-66B
Shoes	w/8" Brake,S696,B,ORG	BR-93B
	w/9" Brake,S736,B,ORG	BR-1264
Hardware Pad Attachment Kit		BRPK-5638A
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7293A
Un-Loaded Caliper — Left		BRC-141RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1997 — Contour — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Right		**BRC-142RM**
Wheel Cylinder — Left	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Wheel Cylinder — Right	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Rotor		**BRR-95**
Drum	2.5L w/9" Brake	**BRD-9**
	w/8" Brake	**BRD-6**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**

1997 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D659,I,SM	**BR-24B**
Pads - SuperDuty	Police,D678,I,SM	**BRSD-678**
Hardware Pad Attachment Kit		**BRPK-5623**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-30RM**
Loaded Caliper — Right		**BRCL-29RM**
Un-Loaded Caliper — Left		**BRC-30RM**
Un-Loaded Caliper — Right		**BRC-29RM**
Rotor		**BRR-60**
ABS Wheel Speed Sensor — Left		**BRAB-44**
ABS Wheel Speed Sensor — Right		**BRAB-44**
Rear:		
Pads	Exc. All Exc. Police w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	Police & Taxi w/Phenolic Piston Calipers,D674A,I,SM	**BRSD-674A**
	Exc. Police Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Exc. Police Exc. w/Phenolic Piston Calipers,D674,I,SM	**BRSD-674**
Hardware Pad Attachment Kit	Exc. Police	**BRPK-5629**
	Police	**BRPK-5593**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
Loaded Caliper — Left	Exc. Police	**BRCL-51RM**
	Incl. Police, Steel or Phenolic Piston	**BRCL-18RM**
Loaded Caliper — Right	Exc. Police	**BRCL-51RM**
	Incl. Police, Steel or Phenolic Piston	**BRCL-18RM**
Un-Loaded Caliper — Left	Exc. Police	**BRC-51RM**
	Incl. Police, Steel or Phenolic Piston	**BRC-18RM**
Un-Loaded Caliper — Right	Exc. Police	**BRC-51RM**
	Incl. Police, Steel or Phenolic Piston	**BRC-18RM**
Rotor		**BRR-61**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-43**
ABS Wheel Speed Sensor — Right		**BRAB-43**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1997 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,SM	**BR-18B**
Hardware Pad Attachment Kit		**BRPK-13245A**
Hardware Caliper Attaching Kit		**BRCK-5050A**
Loaded Caliper — Left		**BRCL-41RM**
Loaded Caliper — Right		**BRCL-40RM**
Un-Loaded Caliper — Left		**BRC-41RM**
Un-Loaded Caliper — Right		**BRC-40RM**
Rotor	w/10.25" Wheel	**BRR-81**
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	**BRS-69**
Rear:		
Pads	D663,I,ORG	**BR-67B**
Shoes	Rear,S721,B,ORG	**BR-94B**
Hardware Pad Attachment Kit		**BRPK-13306**
Hardware Caliper Attaching Kit		**BRCK-14100A**
Hardware Combi Kit (Spring Kit)		**BRSK-7297A**
		BRVP-1456
Un-Loaded Caliper — Left		**BRC-114RM**
Un-Loaded Caliper — Right		**BRC-115RM**
Wheel Cylinder — Left		**BRWC-28A**
Wheel Cylinder — Right		**BRWC-28A**
Rotor		**BRR-45**
Drum	LX, SE, Sport, ZX2, ZX2 Cool Coupe, ZX2 Hot Coupe	**BRD-7**

1997 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Cobra,D412,I,SM	**BR-12B**
	GT,D600,I,ORG	**BR-36B**
Hardware Pad Attachment Kit	Cobra	**BRPK-5610**
	GT	**BRPK-5615**
Hardware Caliper Attaching Kit	GT	**BRCK-5062**
Loaded Caliper — Left	GT	**BRCL-43RM**
Loaded Caliper — Right	GT	**BRCL-44RM**
Un-Loaded Caliper — Left	GT	**BRC-43RM**
	SVT Cobra	**BRC-66RM**
Un-Loaded Caliper — Right		**BRC-44RM**
	SVT Cobra	**BRC-67RM**
Rotor	GT	**BRR-54**
ABS Wheel Speed Sensor — Left		**BRAB-65**
ABS Wheel Speed Sensor — Right		**BRAB-64**
Rear:		
Pads	Cobra,I,ORG	**BR-72B**
	GT,D627,I,ORG	**BR-65B**
Hardware Pad Attachment Kit		**BRPK-5618A**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Un-Loaded Caliper — Left		**BRC-55RM**
Un-Loaded Caliper — Right		**BRC-54RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1997 — Mustang — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Rotor	GT	BRR-55
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left	GT	BRAB-138
ABS Wheel Speed Sensor — Right		BRAB-34
	GT	BRAB-137

1997 — Probe

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D637,I,SM	BR-22
Hardware Pad Attachment Kit		BRPK-13261
Hardware Caliper Attaching Kit		BRCK-14104
Un-Loaded Caliper — Left		BRC-80RM
Un-Loaded Caliper — Right		BRC-81RM
Rotor		BRR-49
Wheel Seal	Seal 2.205 ID x 2.688 OD x 0.516 Thick; Inner	BRS-57
Rear:		
Pads	D584,I,ORG	BR-63B
Shoes	S667,B,ORG	BR-91B
Hardware Pad Attachment Kit		BRPK-13262
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7291A
		BRVP-5342
Loaded Caliper — Left		BRCL-35RM
Loaded Caliper — Right		BRCL-34RM
Un-Loaded Caliper — Left		BRC-35RM
Un-Loaded Caliper — Right		BRC-34RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-50
Drum		BRD-2
Wheel Seal	2.225 ID x 2.763 OD x 0.34 Thick	BRS-43

1997 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	SHO,D598,I,ORG	BR-35B
Pads - SuperDuty	D601,I,SM	BRSD-601
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left	Exc. Police	BRCL-32RM
Loaded Caliper — Right	Exc. Police	BRCL-33RM
Un-Loaded Caliper — Left	Exc. Police	BRC-32RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1997 — Taurus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Left — Cont'd	SHO	**BRC-32RM**
Un-Loaded Caliper — Right	Exc. Police	**BRC-33RM**
	SHO	**BRC-33RM**
Rotor	3.0L 12 Valve	**BRR-46**
	SHO	**BRR-68**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-104**
ABS Wheel Speed Sensor — Right		**BRAB-103**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
	Wagon,S618,R,ORG	**BR-88B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-17326A**
	Sedan	**BRVP-1177A**
	Wagon	**BRVP-1168**
	Wagon	**BRSK-7280A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Loaded Caliper — Left		**BRCL-15RM**
Loaded Caliper — Right		**BRCL-14RM**
Un-Loaded Caliper — Left		**BRC-15RM**
Un-Loaded Caliper — Right		**BRC-14RM**
Wheel Cylinder — Left	w/9" Brake	**BRWC-31**
Wheel Cylinder — Right	w/9" Brake	**BRWC-31**
Rotor		**BRR-51**
Drum	Sedan	**BRD-31**
	Wagon	**BRD-32**
ABS Wheel Speed Sensor — Left	Wagon	**BRAB-56**
ABS Wheel Speed Sensor — Right	Wagon	**BRAB-55**

1997 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Sport Option,D600,I,SM	**BR-20B**
	w/Sport Option,D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit	Exc. Sport Option	**BRPK-5615**
Hardware Caliper Attaching Kit		**BRCK-5062**
Loaded Caliper — Left		**BRCL-43RM**
Loaded Caliper — Right		**BRCL-44RM**
Un-Loaded Caliper — Left		**BRC-43RM**
	Sport or Special Equip. Pkg	**BRC-32RM**
Un-Loaded Caliper — Right		**BRC-44RM**
	Sport or Special Equip. Pkg	**BRC-33RM**
Rotor		**BRR-46**
	w/Sport Suspension	**BRR-68**
ABS Wheel Speed Sensor — Left		**BRAB-24**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1997 — Thunderbird — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
ABS Wheel Speed Sensor — Right		BRAB-50
Rear:		
Pads	I,ORG	BR-57B
Shoes	S618,R,ORG	BR-89B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor		BRR-52
Drum		BRD-32
ABS Wheel Speed Sensor — Left		BRAB-49
ABS Wheel Speed Sensor — Right		BRAB-49

1996 — Aspire

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D466,I,SM	BR-17B
Hardware Pad Attachment Kit		BRPK-13287A
Hardware Caliper Attaching Kit		BRCK-14110
Rotor	AT 3 Spd	BRR-82
	MT 5 Spd	BRR-57
Rear:		
Shoes	S688,B,ORG	BR-92
Hardware Combi Kit (Spring Kit)		BRSK-17345
Wheel Cylinder — Left		BRWC-32
Wheel Cylinder — Right		BRWC-32
Drum		BRD-17

1996 — Contour

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/o Wear Sensor,D648,I,SM	BR-23B
Hardware Pad Attachment Kit		BRPK-5622
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-107RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1996 — Contour — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Right		**BRCL-108RM**
Un-Loaded Caliper — Left		**BRC-107RM**
Un-Loaded Caliper — Right		**BRC-108RM**
Rotor	GL	**BRR-58**
ABS Wheel Speed Sensor — Left		**BRAB-151**
	Sensor Wire	**BRAB-155**
ABS Wheel Speed Sensor — Right		**BRAB-151**
	Sensor Wire	**BRAB-155**
Rear:		
Pads	w/o Wear Sensor,D661,I,ORG	**BR-66B**
Shoes	w/8" Brake,S696,B,ORG	**BR-93B**
	w/9" Brake,S736,B,ORG	**BR-1264**
Hardware Pad Attachment Kit		**BRPK-5638A**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRSK-7293A**
Un-Loaded Caliper — Left		**BRC-141RM**
Un-Loaded Caliper — Right		**BRC-142RM**
Wheel Cylinder — Left	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Wheel Cylinder — Right	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Rotor		**BRR-95**
Drum	w/8" Brake	**BRD-6**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**

1996 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D659,I,SM	**BR-24B**
Pads - SuperDuty	Police,D678,I,SM	**BRSD-678**
Hardware Pad Attachment Kit		**BRPK-5623**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-30RM**
Loaded Caliper — Right		**BRCL-29RM**
Un-Loaded Caliper — Left		**BRC-30RM**
Un-Loaded Caliper — Right		**BRC-29RM**
Rotor		**BRR-60**
ABS Wheel Speed Sensor — Left		**BRAB-44**
ABS Wheel Speed Sensor — Right		**BRAB-44**
Rear:		
Pads	Exc. All Exc. Police w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	Police & Taxi w/Phenolic Piston Calipers,D674A,I,SM	**BRSD-674A**
	Exc. Police Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Exc. Police Exc. w/Phenolic Piston Calipers,D674,I,SM	**BRSD-674**
Hardware Pad Attachment Kit	Exc. Police	**BRPK-5629**
	Police	**BRPK-5593**
Hardware Caliper Attaching Kit		**BRCK-5066**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1996 — Crown Victoria — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
Loaded Caliper — Left	Exc. Police	**BRCL-51RM**
	Incl. Police, Steel or Phenolic Piston	**BRCL-18RM**
Loaded Caliper — Right	Exc. Police	**BRCL-51RM**
	Incl. Police, Steel or Phenolic Piston	**BRCL-18RM**
Un-Loaded Caliper — Left	Exc. Police	**BRC-51RM**
	Incl. Police, Steel or Phenolic Piston	**BRC-18RM**
Un-Loaded Caliper — Right	Exc. Police	**BRC-51RM**
	Incl. Police, Steel or Phenolic Piston	**BRC-18RM**
Rotor		**BRR-61**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-43**
ABS Wheel Speed Sensor — Right		**BRAB-43**

1996 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,ORG	**BR-32B**
Hardware Pad Attachment Kit		**BRPK-13245A**
Hardware Caliper Attaching Kit		**BRCK-5050A**
Loaded Caliper — Left	14 & 15" Wheel	**BRCL-41RM**
Loaded Caliper — Right	14 & 15" Wheel	**BRCL-40RM**
Un-Loaded Caliper — Left	14 & 15" Wheel	**BRC-41RM**
	13" wheel	**BRC-73RM**
Un-Loaded Caliper — Right	14 & 15" Wheel	**BRC-40RM**
	13" wheel	**BRC-72RM**
Rotor	w/10.25" Wheel	**BRR-81**
	w/9.25" Diameter	**BRR-82**
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	**BRS-69**
Rear:		
Pads	D458,I,ORG	**BR-109B**
Shoes	S659,B,ORG	**BR-90B**
Hardware Pad Attachment Kit		**BRPK-13247**
Hardware Caliper Attaching Kit		**BRCK-14100A**
Hardware Combi Kit (Spring Kit)		**BRSK-7290A**
		BRVP-1456
Un-Loaded Caliper — Left		**BRC-58RM**
Un-Loaded Caliper — Right		**BRC-59RM**
Wheel Cylinder — Left		**BRWC-28A**
Wheel Cylinder — Right		**BRWC-28A**
Rotor		**BRR-45**
Drum		**BRD-1**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1996 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Cobra,D412,I,SM	**BR-12B**
	GT,D600,I,ORG	**BR-36B**
Hardware Pad Attachment Kit	Cobra	**BRPK-5610**
	GT	**BRPK-5615**
Hardware Caliper Attaching Kit	GT	**BRCK-5062**
Loaded Caliper — Left	GT, LX	**BRCL-43RM**
Loaded Caliper — Right	GT, LX	**BRCL-44RM**
Un-Loaded Caliper — Left		**BRC-43RM**
	SVT Cobra	**BRC-66RM**
Un-Loaded Caliper — Right		**BRC-44RM**
	SVT Cobra	**BRC-67RM**
Rotor	V8 GT	**BRR-54**
ABS Wheel Speed Sensor — Left		**BRAB-37**
ABS Wheel Speed Sensor — Right		**BRAB-36**
Rear:		
Pads	Cobra,I,ORG	**BR-72B**
	GT,D627,I,ORG	**BR-65B**
Hardware Pad Attachment Kit		**BRPK-5618A**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Un-Loaded Caliper — Left		**BRC-55RM**
Un-Loaded Caliper — Right		**BRC-54RM**
Rotor	V8 GT	**BRR-55**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	GT	**BRAB-138**
ABS Wheel Speed Sensor — Right		**BRAB-34**
	GT	**BRAB-137**

1996 — Probe

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D637,I,SM	**BR-22**
Hardware Pad Attachment Kit		**BRPK-13261**
Hardware Caliper Attaching Kit		**BRCK-14104**
Un-Loaded Caliper — Left		**BRC-80RM**
Un-Loaded Caliper — Right		**BRC-81RM**
Rotor		**BRR-49**
Wheel Seal	Seal 2.205 ID x 2.688 OD x 0.516 Thick; Inner	**BRS-57**
Rear:		
Pads	D584,I,ORG	**BR-63B**
Shoes	S667,B,ORG	**BR-91B**
Hardware Pad Attachment Kit		**BRPK-13262**
Hardware Caliper Attaching Kit		**BRCK-14100A**
Hardware Combi Kit (Spring Kit)		**BRSK-7291A**
		BRVP-5342
Loaded Caliper — Left		**BRCL-35RM**
Loaded Caliper — Right		**BRCL-34RM**
Un-Loaded Caliper — Left		**BRC-35RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1996 — Probe — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Right		BRC-34RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-50
Drum		BRD-2
Wheel Seal	2.225 ID x 2.763 OD x 0.34 Thick	BRS-43

1996 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	L, LX; Exc. Police,D601,I,ORG	BR-37B
	SHO,D598,I,ORG	BR-35B
Pads - SuperDuty	D601,I,SM	BRSD-601
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left	G, GL, L, LX, SE	BRCL-32RM
Loaded Caliper — Right	G, GL, L, LX, SE	BRCL-33RM
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
Rotor	3.0L 12 Valve	BRR-46
	SHO	BRR-68
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-104
ABS Wheel Speed Sensor — Right		BRAB-103
Rear:		
Pads	D610,R,ORG	BR-71B
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
	Wagon,S618,R,ORG	BR-88B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17326A
	Sedan	BRVP-1177A
	Wagon	BRVP-1168
	Wagon	BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Wheel Cylinder — Left	w/9" Brake	BRWC-31
Wheel Cylinder — Right	w/9" Brake	BRWC-31
Rotor		BRR-51
Drum	Sedan	BRD-31
	Wagon	BRD-32
ABS Wheel Speed Sensor — Right	Wagon	BRAB-55

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1996 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Sport Option,D600,I,SM	**BR-20B**
	w/Sport Option,D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit	Exc. Sport Option	**BRPK-5615**
Hardware Caliper Attaching Kit		**BRCK-5062**
Loaded Caliper — Left		**BRCL-43RM**
Loaded Caliper — Right		**BRCL-44RM**
Un-Loaded Caliper — Left	Sport or Special Equip. Pkg	**BRC-32RM**
	3.8L, 4.6L	**BRC-43RM**
Un-Loaded Caliper — Right	Sport or Special Equip. Pkg	**BRC-33RM**
	3.8L, 4.6L	**BRC-44RM**
Rotor		**BRR-46**
	w/Sport Suspension	**BRR-68**
ABS Wheel Speed Sensor — Left		**BRAB-24**
ABS Wheel Speed Sensor — Right		**BRAB-50**
Rear:		
Pads	I,ORG	**BR-57B**
Shoes	S618,R,ORG	**BR-89B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)		**BRVP-1168**
		BRSK-7280A
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Un-Loaded Caliper — Left		**BRC-78RM**
Un-Loaded Caliper — Right		**BRC-79RM**
Wheel Cylinder — Left		**BRWC-31**
Wheel Cylinder — Right		**BRWC-31**
Rotor		**BRR-52**
Drum		**BRD-32**

1995 — Aspire

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D466,I,SM	**BR-17B**
Hardware Pad Attachment Kit		**BRPK-13287A**
Hardware Caliper Attaching Kit		**BRCK-14110**
Rotor	AT 3 Spd	**BRR-82**
	MT 5 Spd	**BRR-57**
Rear:		
Shoes	S688,B,ORG	**BR-92**
Hardware Combi Kit (Spring Kit)		**BRSK-17345**
Wheel Cylinder — Left		**BRWC-32**
Wheel Cylinder — Right		**BRWC-32**
Drum		**BRD-17**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — Contour

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/o Wear Sensor,D648,I,SM	**BR-23B**
Hardware Pad Attachment Kit		**BRPK-5622**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left		**BRC-74RM**
Un-Loaded Caliper — Right		**BRC-75RM**
Rotor	GL, LX	**BRR-58**
Rear:		
Pads	w/o Wear Sensor,D661,I,ORG	**BR-66B**
Shoes	w/8" Brake,S696,B,ORG	**BR-93B**
	w/9" Brake,S736,B,ORG	**BR-1264**
Hardware Pad Attachment Kit		**BRPK-5638A**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRSK-7293A**
Un-Loaded Caliper — Left		**BRC-141RM**
Un-Loaded Caliper — Right		**BRC-142RM**
Wheel Cylinder — Left	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Wheel Cylinder — Right	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Rotor		**BRR-95**
Drum	w/8" Brake	**BRD-6**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**

1995 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D659,I,SM	**BR-24B**
Pads - SuperDuty	Police,D678,I,SM	**BRSD-678**
Hardware Pad Attachment Kit		**BRPK-5623**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-30RM**
Loaded Caliper — Right		**BRCL-29RM**
Un-Loaded Caliper — Left		**BRC-30RM**
Un-Loaded Caliper — Right		**BRC-29RM**
Rotor		**BRR-60**
ABS Wheel Speed Sensor — Left		**BRAB-44**
ABS Wheel Speed Sensor — Right		**BRAB-44**
Rear:		
Pads	Exc. Police or Taxi,D544,R,ORG	**BR-110B**
	Police or Taxi,I,SM	**BR-107B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRSK-7001**
	Parking Brake	**BRVP-1456**
Loaded Caliper — Left		**BRCL-3RM**
Loaded Caliper — Right		**BRCL-3RM**
Un-Loaded Caliper — Left		**BRC-3RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — Crown Victoria — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Right		BRC-3RM
Rotor		BRR-2
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-43
ABS Wheel Speed Sensor — Right		BRAB-43

1995 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,ORG	BR-32B
Hardware Pad Attachment Kit		BRPK-13245A
Hardware Caliper Attaching Kit		BRCK-5050A
Loaded Caliper — Left	14 & 15" Wheel	BRCL-41RM
Loaded Caliper — Right	14 & 15" Wheel	BRCL-40RM
Un-Loaded Caliper — Left	14 & 15" Wheel	BRC-41RM
	13" wheel	BRC-73RM
Un-Loaded Caliper — Right	14 & 15" Wheel	BRC-40RM
	13" wheel	BRC-72RM
Rotor	w/10.25" Wheel	BRR-81
	w/9.25" Diameter	BRR-82
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69
Rear:		
Pads	D458,I,ORG	BR-109B
Shoes	S659,B,ORG	BR-90B
Hardware Pad Attachment Kit		BRPK-13247
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7290A
		BRVP-1456
Un-Loaded Caliper — Left		BRC-58RM
Un-Loaded Caliper — Right		BRC-59RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-45
Drum		BRD-1

1995 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Cobra R, Cobra SVT,D412,I,SM	BR-12B
	GT, GTS,D600,I,ORG	BR-36B
Hardware Pad Attachment Kit	Cobra R, Cobra SVT	BRPK-5610
	GT, GTS	BRPK-5615
Hardware Caliper Attaching Kit	GT, GTS	BRCK-5062

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — Mustang — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Left	GT, GTS, LX	**BRCL-43RM**
Loaded Caliper — Right	GT, GTS, LX	**BRCL-44RM**
Un-Loaded Caliper — Left		**BRC-43RM**
	SVT Cobra	**BRC-66RM**
Un-Loaded Caliper — Right		**BRC-44RM**
	SVT Cobra, SVT Cobra R	**BRC-67RM**
Rotor	V8 GT	**BRR-54**
Wheel Seal	5.0L Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
ABS Wheel Speed Sensor — Left		**BRAB-37**
ABS Wheel Speed Sensor — Right		**BRAB-36**
Rear:		
Pads	Cobra R, Cobra SVT,I,ORG	**BR-72B**
	GT, GTS,D627,I,ORG	**BR-65B**
Hardware Pad Attachment Kit		**BRPK-5618A**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Un-Loaded Caliper — Left		**BRC-55RM**
Un-Loaded Caliper — Right		**BRC-54RM**
Rotor	V8 GT	**BRR-55**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Right		**BRAB-34**

1995 — Probe

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D637,I,SM	**BR-22**
Hardware Pad Attachment Kit		**BRPK-13261**
Hardware Caliper Attaching Kit		**BRCK-14104**
Un-Loaded Caliper — Left		**BRC-80RM**
Un-Loaded Caliper — Right		**BRC-81RM**
Rotor		**BRR-49**
Wheel Seal	Seal 2.205 ID x 2.688 OD x 0.516 Thick; Inner	**BRS-57**
Rear:		
Pads	D584,I,ORG	**BR-63B**
Shoes	S667,B,ORG	**BR-91B**
Hardware Pad Attachment Kit		**BRPK-13262**
Hardware Caliper Attaching Kit		**BRCK-14100A**
Hardware Combi Kit (Spring Kit)		**BRSK-7291A**
		BRVP-5342
Loaded Caliper — Left		**BRCL-35RM**
Loaded Caliper — Right		**BRCL-34RM**
Un-Loaded Caliper — Left		**BRC-35RM**
Un-Loaded Caliper — Right		**BRC-34RM**
Wheel Cylinder — Left		**BRWC-28A**
Wheel Cylinder — Right		**BRWC-28A**
Rotor		**BRR-50**
Drum		**BRD-2**
Wheel Seal	2.225 ID x 2.763 OD x 0.34 Thick	**BRS-43**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1995 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D601,I,ORG	**BR-37B**
	SHO,D598,I,ORG	**BR-35B**
Pads - SuperDuty	D601,I,SM	**BRSD-601**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left	G, GL, L, LX, SE	**BRCL-32RM**
Loaded Caliper — Right	G, GL, L, LX, SE	**BRCL-33RM**
Un-Loaded Caliper — Left		**BRC-32RM**
Un-Loaded Caliper — Right		**BRC-33RM**
Rotor		**BRR-46**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-94**
ABS Wheel Speed Sensor — Right		**BRAB-94**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
	Wagon,S618,R,ORG	**BR-88B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-17326A**
	Sedan	**BRVP-1177A**
	Wagon	**BRVP-1168**
	Wagon	**BRSK-7280A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Loaded Caliper — Left		**BRCL-15RM**
Loaded Caliper — Right		**BRCL-14RM**
Un-Loaded Caliper — Left		**BRC-15RM**
Un-Loaded Caliper — Right	3.0L	**BRC-14RM**
Wheel Cylinder — Left	w/9" Brake	**BRWC-31**
Wheel Cylinder — Right	w/9" Brake	**BRWC-31**
Rotor		**BRR-51**
Drum	Sedan	**BRD-31**
	Wagon	**BRD-32**
ABS Wheel Speed Sensor — Left		**BRAB-22**
ABS Wheel Speed Sensor — Right		**BRAB-21**

1995 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D600,I,SM	**BR-20B**
Hardware Pad Attachment Kit		**BRPK-5615**
Hardware Caliper Attaching Kit		**BRCK-5062**
Loaded Caliper — Left		**BRCL-43RM**
Loaded Caliper — Right		**BRCL-44RM**
Un-Loaded Caliper — Left	Sport or Special Equip. Pkg	**BRC-32RM**
	3.8L, 4.6L	**BRC-43RM**
Un-Loaded Caliper — Right	Sport or Special Equip. Pkg	**BRC-33RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — Thunderbird — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Right — Cont'd	3.8L, 4.6L	BRC-44RM
Rotor		BRR-46
ABS Wheel Speed Sensor — Left		BRAB-24
Rear:		
Pads	D599,R,ORG	BR-64B
Shoes	S618,R,ORG	BR-89B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor		BRR-52
Drum		BRD-32

1994 — Aspire

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D466,I,SM	BR-17B
Hardware Pad Attachment Kit		BRPK-13287A
Hardware Caliper Attaching Kit		BRCK-14110
Rotor	AT 3 Spd	BRR-82
	MT 5 Spd	BRR-57
Rear:		
Shoes	S688,B,ORG	BR-92
Hardware Combi Kit (Spring Kit)		BRSK-17345
Wheel Cylinder — Left		BRWC-32
Wheel Cylinder — Right		BRWC-32
Drum		BRD-17

1994 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police & Phenolic Piston Calipers,D499,I,ORG	BR-33B
	Police,D499,I,SM	BR-19
	Exc. w/Phenolic Piston Calipers Exc. Police,D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1994 — Crown Victoria — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left	Exc. Police	BRCL-57BRM
Loaded Caliper — Right	Exc. Police	BRCL-56ARM
Un-Loaded Caliper — Left	Exc. Police	BRC-57RM
	Police	BRC-68RM
Un-Loaded Caliper — Right	Exc. Police	BRC-56RM
	Police	BRC-69RM
Rotor		BRR-47
ABS Wheel Speed Sensor — Left		BRAB-98
ABS Wheel Speed Sensor — Right		BRAB-98
Rear:		
Pads	Exc. Police or Taxi,D544,R,ORG	BR-110B
	Police or Taxi,I,SM	BR-107B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7001
	Parking Brake	BRVP-1456
Loaded Caliper — Left		BRCL-3RM
Loaded Caliper — Right		BRCL-3RM
Un-Loaded Caliper — Left		BRC-3RM
Un-Loaded Caliper — Right		BRC-3RM
Rotor		BRR-2
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-23
ABS Wheel Speed Sensor — Right		BRAB-23

1994 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,ORG	BR-32B
Hardware Pad Attachment Kit		BRPK-13245A
Hardware Caliper Attaching Kit		BRCK-5050A
Loaded Caliper — Left	14 & 15" Wheel	BRCL-41RM
Loaded Caliper — Right	14 & 15" Wheel	BRCL-40RM
Un-Loaded Caliper — Left	14 & 15" Wheel	BRC-41RM
	13" wheel	BRC-73RM
Un-Loaded Caliper — Right	14 & 15" Wheel	BRC-40RM
	13" wheel	BRC-72RM
Rotor	w/10.25" Wheel	BRR-81
	w/9.25" Diameter	BRR-82
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69
Rear:		
Pads	D458,I,ORG	BR-109B
Shoes	S659,B,ORG	BR-90B
Hardware Pad Attachment Kit		BRPK-13247
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7290A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1994 — Escort/EXP — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd		BRVP-1456
Un-Loaded Caliper — Left	1.8L	BRC-58RM
Un-Loaded Caliper — Right	1.8L	BRC-59RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-45
Drum		BRD-1

1994 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Cobra,D412,I,SM	BR-12B
	GT,D600,I,ORG	BR-36B
Hardware Pad Attachment Kit	Cobra	BRPK-5610
	GT	BRPK-5615
Hardware Caliper Attaching Kit	GT	BRCK-5062
Loaded Caliper — Left	GT, GTS, LX	BRCL-43RM
Loaded Caliper — Right	GT, GTS, LX	BRCL-44RM
Un-Loaded Caliper — Left		BRC-43RM
	SVT Cobra	BRC-66RM
Un-Loaded Caliper — Right		BRC-44RM
	SVT Cobra	BRC-67RM
Rotor	V8 GT	BRR-54
Wheel Seal	5.0L Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	Cobra,I,ORG	BR-72B
	GT,D627,I,ORG	BR-65B
Hardware Pad Attachment Kit		BRPK-5618A
Hardware Caliper Attaching Kit		BRCK-14082A
Un-Loaded Caliper — Left		BRC-55RM
Un-Loaded Caliper — Right		BRC-54RM
Wheel Cylinder — Left		BRWC-13
Wheel Cylinder — Right		BRWC-13
Rotor	V8 GT	BRR-55
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-35
ABS Wheel Speed Sensor — Right		BRAB-34

1994 — Probe

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D637,I,SM	BR-22
Hardware Pad Attachment Kit		BRPK-13261

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1994 — Probe — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Caliper Attaching Kit		BRCK-14104
Un-Loaded Caliper — Left		BRC-80RM
Un-Loaded Caliper — Right		BRC-81RM
Rotor		BRR-49
Wheel Seal	Seal 2.205 ID x 2.688 OD x 0.516 Thick; Inner	BRS-57
Rear:		
Pads	D584,I,ORG	BR-63B
Shoes	S667,B,ORG	BR-91B
Hardware Pad Attachment Kit		BRPK-13262
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7291A
		BRVP-5342
Loaded Caliper — Left		BRCL-35RM
Loaded Caliper — Right		BRCL-34RM
Un-Loaded Caliper — Left		BRC-35RM
Un-Loaded Caliper — Right		BRC-34RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-50
Drum		BRD-2
Wheel Seal	2.225 ID x 2.763 OD x 0.34 Thick	BRS-43

1994 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D601,I,ORG	BR-37B
Pads - SuperDuty	D601,I,SM	BRSD-601
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left	G, GL, L, LX, SE	BRCL-32RM
Loaded Caliper — Right	G, GL, L, LX, SE	BRCL-33RM
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
Rotor		BRR-46
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-94
ABS Wheel Speed Sensor — Right		BRAB-94
Rear:		
Pads	D610,R,ORG	BR-71B
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
	Wagon,S618,R,ORG	BR-88B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17326A
	Sedan	BRVP-1177A
	Wagon	BRVP-1168
	Wagon	BRSK-7280A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1994 — Taurus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right	3.0L	BRC-14RM
Wheel Cylinder — Left	w/9" Brake	BRWC-31
Wheel Cylinder — Right	w/9" Brake	BRWC-31
Rotor		BRR-51
Drum	Sedan	BRD-31
	Wagon	BRD-32
ABS Wheel Speed Sensor — Left		BRAB-22
ABS Wheel Speed Sensor — Right		BRAB-21

1994 — Tempo

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	BR-6B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2654
Hardware Self Adjuster Kit — Right		BRAK-2655
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

1994 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D600,I,SM	BR-20B
Hardware Pad Attachment Kit		BRPK-5615
Hardware Caliper Attaching Kit		BRCK-5062

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1994 — Thunderbird — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Left		BRCL-43RM
Loaded Caliper — Right		BRCL-44RM
Un-Loaded Caliper — Left		BRC-43RM
	Sport or Special Equip. Pkg	BRC-32RM
Un-Loaded Caliper — Right		BRC-44RM
	Sport or Special Equip. Pkg	BRC-33RM
Rotor		BRR-46
ABS Wheel Speed Sensor — Left		BRAB-24
Rear:		
Pads	D599,R,ORG	BR-64B
Shoes	S618,R,ORG	BR-89B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor		BRR-52
Drum		BRD-32

1993 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police & Phenolic Piston Calipers From 6/10/93,D499,I,ORG	BR-33B
	Exc. Police Before 6/10/93,D199,I,ORG	BR-29B
	Police Before 6/10/93,D150,R,SM	BR-4B
	Police From 6/10/93,D499,I,SM	BR-19
Hardware Pad Attachment Kit	Exc. Police	BRPK-5560
	Police Before 6/10/93	BRPK-5541
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left	Exc. Police Before 11/01/93	BRCL-12RM
	Exc. Police; From 11/01/93	BRCL-57BRM
Loaded Caliper — Right	Exc. Police Before 11/01/93	BRCL-13RM
	Exc. Police From 11/01/93	BRCL-56ARM
Un-Loaded Caliper — Left	Police Interceptor; Before 6/10/93	BRC-83RM
	Before 11/01/93; Exc. Police	BRC-12RM
	Exc. Police; From 11/01/93	BRC-57RM
	from 6/10/93, Police	BRC-68RM
Un-Loaded Caliper — Right	Police Interceptor; Before 6/10/93	BRC-82RM
	Before 11/01/93; Exc. Police	BRC-13RM
	Exc. Police; From 11/01/93	BRC-56RM
	from 6/10/93, Police	BRC-69RM
Rotor		BRR-47
ABS Wheel Speed Sensor — Left		BRAB-98

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1993 — Crown Victoria — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
ABS Wheel Speed Sensor — Right		BRAB-98
Rear:		
Pads	Exc. Police or Taxi,D544,R,ORG	BR-110B
	Police or Taxi,I,SM	BR-107B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7001
	Parking Brake	BRVP-1456
Loaded Caliper — Left		BRCL-3RM
Loaded Caliper — Right		BRCL-3RM
Un-Loaded Caliper — Left		BRC-3RM
Un-Loaded Caliper — Right		BRC-3RM
Rotor		BRR-2
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-23
ABS Wheel Speed Sensor — Right		BRAB-23
		BRAB-23

1993 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D466,I,SM	BR-17B
Hardware Pad Attachment Kit		BRPK-13245A
Hardware Caliper Attaching Kit		BRCK-5050A
Loaded Caliper — Left	14 & 15" Wheel	BRCL-41RM
Loaded Caliper — Right	14 & 15" Wheel	BRCL-40RM
Un-Loaded Caliper — Left	1.8L 14 & 15" Wheel	BRC-41RM
	1.9L 13" wheel	BRC-73RM
Un-Loaded Caliper — Right	1.8L 14 & 15" Wheel	BRC-40RM
	1.9L 13" wheel	BRC-72RM
Rotor	w/10.25" Wheel	BRR-81
	w/9.25" Diameter	BRR-82
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69
Rear:		
Pads	D458,I,ORG	BR-109B
Shoes	All w/8" Brake,S659,B,ORG	BR-90B
	All w/9" Brake,S598,B,ORG	BR-86B
Hardware Pad Attachment Kit		BRPK-13247
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7290A
		BRVP-1456
Un-Loaded Caliper — Left	1.8L	BRC-58RM
Un-Loaded Caliper — Right	1.8L	BRC-59RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-45
Drum		BRD-1

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1993 — Festiva

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	"O" Ring Seal 1.535 ID x 1.988 OD x 0.335 Width	**BRS-95**
Pads	I,SM	**BR-11B**
Hardware Pad Attachment Kit		**BRPK-13169**
Hardware Caliper Attaching Kit		**BRCK-14083A**
Rotor		**BRR-79**
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	**BRS-71**
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	**BRS-70**
Rear:		
Shoes	S595,B,ORG	**BR-85B**
Hardware Combi Kit (Spring Kit)		**BRSK-17305A**
Wheel Cylinder — Left		**BRWC-26**
Wheel Cylinder — Right		**BRWC-26**
Drum		**BRD-17**
Wheel Seal	MT Oil Differential Seal 1.378 ID x 2.218 OD x 0.354 Thick; Inner	**BRS-92**

1993 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	4 Cyl.,D310,I,SM	**BR-7B**
	8 Cyl.,D431,R,SM	**BR-16B**
Hardware Pad Attachment Kit	4 Cyl. 2.3L	**BRPK-5567**
	8 Cyl. 5.0L	**BRPK-5560**
Hardware Caliper Attaching Kit	4 Cyl. 2.3L	**BRCK-5016**
	8 Cyl. 5.0L	**BRCK-5022**
Un-Loaded Caliper — Left	2.3L	**BRC-126RM**
	5.0L	**BRC-89RM**
Un-Loaded Caliper — Right	2.3L	**BRC-124RM**
	5.0L	**BRC-88RM**
Rotor	5.0L GT, LX	**BRR-41**
	w/Steel Wheels	**BRR-38**
Wheel Seal	5.0L Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
Rear:		
Pads	D347A,R,ORG	**BR-59B**
Shoes	GT, LX,S474,R,ORG	**BR-75B**
Hardware Pad Attachment Kit		**BRPK-5600A**
Hardware Caliper Attaching Kit		**BRCK-5049**
Hardware Combi Kit (Spring Kit)	GT, LX	**BRSK-7246A**
	GT, LX	**BRVP-1456**
	GT, LX	**BRVP-1177A**
Hardware Self Adjuster Kit — Left		**BRAK-2596**
Hardware Self Adjuster Kit — Right		**BRAK-2597**
Un-Loaded Caliper — Left	5.0L	**BRC-123RM**
Un-Loaded Caliper — Right	5.0L	**BRC-122RM**
Wheel Cylinder — Left	GT, LX	**BRWC-13**
Wheel Cylinder — Right	GT, LX	**BRWC-13**
Rotor		**BRR-12**
Drum	GT; Exc. w/9 x 1 3/4" Brake	**BRD-25**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1993 — Mustang — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1993 — Probe

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	I,ORG	**BR-34B**
Hardware Pad Attachment Kit		**BRPK-13261**
Hardware Caliper Attaching Kit		**BRCK-14104**
Un-Loaded Caliper — Left		**BRC-80RM**
Un-Loaded Caliper — Right		**BRC-81RM**
Rotor		**BRR-49**
Wheel Seal	Seal 2.205 ID x 2.688 OD x 0.516 Thick; Inner	**BRS-57**
Rear:		
Pads	D584,I,ORG	**BR-63B**
Shoes	S667,B,ORG	**BR-91B**
Hardware Pad Attachment Kit		**BRPK-13262**
Hardware Caliper Attaching Kit		**BRCK-14100A**
Hardware Combi Kit (Spring Kit)		**BRSK-7291A**
		BRVP-5342
Loaded Caliper — Left		**BRCL-35RM**
Loaded Caliper — Right		**BRCL-34RM**
Un-Loaded Caliper — Left		**BRC-35RM**
Un-Loaded Caliper — Right		**BRC-34RM**
Wheel Cylinder — Left		**BRWC-28A**
Wheel Cylinder — Right		**BRWC-28A**
Rotor		**BRR-50**
Drum		**BRD-2**

1993 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421A,R,SM	**BR-15B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left	OHV	**BRC-47RM**
	SHO	**BRC-100RM**
Un-Loaded Caliper — Right	OHV	**BRC-48RM**
	SHO	**BRC-101RM**
Rotor		**BRR-48**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-94**
ABS Wheel Speed Sensor — Right		**BRAB-94**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1993 — Taurus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
	Wagon,S618,R,ORG	**BR-88B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-17326A**
	Sedan	**BRVP-1177A**
	Wagon	**BRVP-1168**
	Wagon	**BRSK-7280A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Loaded Caliper — Left		**BRCL-15RM**
Loaded Caliper — Right		**BRCL-14RM**
Un-Loaded Caliper — Left		**BRC-15RM**
Un-Loaded Caliper — Right	3.0L	**BRC-14RM**
Wheel Cylinder — Left	w/9" Brake	**BRWC-31**
Wheel Cylinder — Right	w/9" Brake	**BRWC-31**
Rotor		**BRR-51**
Drum	Sedan	**BRD-31**
	Wagon	**BRD-32**
ABS Wheel Speed Sensor — Left		**BRAB-22**
ABS Wheel Speed Sensor — Right		**BRAB-21**

1993 — Tempo

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	**BR-6B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-26AMR**
Loaded Caliper — Right		**BRCL-25RM**
Un-Loaded Caliper — Left		**BRC-26RM**
Un-Loaded Caliper — Right		**BRC-25RM**
Rotor		**BRR-11**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Shoes	S501,B,ORG	**BR-79B**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRSK-7252**
		BRVP-1456
Hardware Self Adjuster Kit — Left		**BRAK-2654**
Hardware Self Adjuster Kit — Right		**BRAK-2655**
Wheel Cylinder — Left		**BRWC-19**
Wheel Cylinder — Right		**BRWC-18**
Drum	AWD, FWD	**BRD-28**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1993 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D600,I,SM	BR-20B
Hardware Pad Attachment Kit		BRPK-5615
Hardware Caliper Attaching Kit		BRCK-5062
Loaded Caliper — Left		BRCL-43RM
Loaded Caliper — Right		BRCL-44RM
Un-Loaded Caliper — Left	Sport or Special Equip. Pkg	BRC-32RM
		BRC-43RM
Un-Loaded Caliper — Right	Sport or Special Equip. Pkg	BRC-33RM
		BRC-44RM
Rotor		BRR-46
ABS Wheel Speed Sensor — Left		BRAB-24
Rear:		
Pads	D599,R,ORG	BR-64B
Shoes	S618,R,ORG	BR-89B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor		BRR-52
Drum		BRD-32

1992 — Crown Victoria

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	BR-29B
	Police,D150,R,SM	BR-4B
Hardware Pad Attachment Kit	Exc. Police	BRPK-5560
	Police	BRPK-5541
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left	Exc. Police	BRCL-12RM
Loaded Caliper — Right	Exc. Police	BRCL-13RM
Un-Loaded Caliper — Left	Police	BRC-83RM
	Exc. Police	BRC-12RM
Un-Loaded Caliper — Right	Police	BRC-82RM
	Exc. Police	BRC-13RM
	Exc. Police	BRC-13RM
Rotor		BRR-47
ABS Wheel Speed Sensor — Left		BRAB-98
ABS Wheel Speed Sensor — Right		BRAB-98
Rear:		
Pads	Exc. Police or Taxi,D544,R,ORG	BR-110B

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1992 — Crown Victoria — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Pads — Cont'd	Police or Taxi,I,SM	**BR-107B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRSK-7001**
	Parking Brake	**BRVP-1456**
Loaded Caliper — Left		**BRCL-3RM**
Loaded Caliper — Right		**BRCL-3RM**
Un-Loaded Caliper — Left		**BRC-3RM**
Un-Loaded Caliper — Right		**BRC-3RM**
Rotor		**BRR-2**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-23**
ABS Wheel Speed Sensor — Right		**BRAB-23**

1992 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D466,I,SM	**BR-17B**
Hardware Pad Attachment Kit		**BRPK-13245A**
Hardware Caliper Attaching Kit		**BRCK-5050A**
Loaded Caliper — Left	14 & 15" Wheel	**BRCL-41RM**
Loaded Caliper — Right	14 & 15" Wheel	**BRCL-40RM**
Un-Loaded Caliper — Left	1.9L 13" wheel	**BRC-73RM**
	14 & 15" Wheel	**BRC-41RM**
Un-Loaded Caliper — Right	1.9L 13" wheel	**BRC-72RM**
	14 & 15" Wheel	**BRC-40RM**
Rotor	w/10.25" Wheel	**BRR-81**
	w/9.25" Diameter	**BRR-82**
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	**BRS-69**
Rear:		
Pads	D458,I,ORG	**BR-109B**
Shoes	All w/8" Brake,S659,B,ORG	**BR-90B**
	All w/9" Brake,S598,B,ORG	**BR-86B**
Hardware Pad Attachment Kit		**BRPK-13247**
Hardware Caliper Attaching Kit		**BRCK-14100A**
Hardware Combi Kit (Spring Kit)		**BRSK-17306A**
		BRVP-1456
Un-Loaded Caliper — Left	1.8L	**BRC-58RM**
Un-Loaded Caliper — Right	1.8L	**BRC-59RM**
Wheel Cylinder — Left		**BRWC-28A**
Wheel Cylinder — Right		**BRWC-28A**
Rotor		**BRR-45**
Drum		**BRD-16**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1992 — Festiva

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	I,SM	**BR-11B**
Hardware Pad Attachment Kit		**BRPK-13169**
Hardware Caliper Attaching Kit		**BRCK-14083A**
Rotor		**BRR-79**
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	**BRS-71**
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	**BRS-70**
Rear:		
Shoes	S595,B,ORG	**BR-85B**
Hardware Combi Kit (Spring Kit)		**BRSK-17305A**
Wheel Cylinder — Left		**BRWC-26**
Wheel Cylinder — Right		**BRWC-26**
Drum		**BRD-17**
Wheel Seal	MT Oil Differential Seal 1.378 ID x 2.218 OD x 0.354 Thick; Inner	**BRS-92**

1992 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	4 Cyl.,D310,I,SM	**BR-7B**
	8 Cyl.,D431,R,SM	**BR-16B**
Hardware Pad Attachment Kit	4 Cyl. 2.3L	**BRPK-5567**
	8 Cyl. 5.0L	**BRPK-5560**
Hardware Caliper Attaching Kit	4 Cyl. 2.3L	**BRCK-5016**
	8 Cyl. 5.0L	**BRCK-5022**
Un-Loaded Caliper — Left	2.3L	**BRC-126RM**
	5.0L	**BRC-89RM**
Un-Loaded Caliper — Right	2.3L	**BRC-124RM**
	5.0L	**BRC-88RM**
Rotor	5.0L GT, LX	**BRR-41**
	w/Steel Wheels	**BRR-38**
Wheel Seal	5.0L Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRSK-7246A**
		BRVP-1456
		BRVP-1177A
Hardware Self Adjuster Kit — Left		**BRAK-2596**
Hardware Self Adjuster Kit — Right		**BRAK-2597**
Wheel Cylinder — Left		**BRWC-13**
Wheel Cylinder — Right		**BRWC-13**
Drum	GT, LX; Exc. w/9 x 1 3/4" Brake	**BRD-25**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1992 — Probe

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D399,I,SM	**BR-10B**
Hardware Pad Attachment Kit		**BRPK-13240**
Hardware Caliper Attaching Kit		**BRCK-14080**
Un-Loaded Caliper — Left		**BRC-95RM**
Un-Loaded Caliper — Right		**BRC-94RM**
Rotor		**BRR-78**
Wheel Seal	Seal 2.205 ID x 2.682 OD x 0.421 Thick; Inner	**BRS-69**
Rear:		
Pads	D400,I,ORG	**BR-61B**
Shoes	S598,B,ORG	**BR-86B**
Hardware Pad Attachment Kit		**BRPK-13228**
Hardware Combi Kit (Spring Kit)		**BRSK-17306A**
Un-Loaded Caliper — Left		**BRC-121RM**
Un-Loaded Caliper — Right		**BRC-120RM**
Wheel Cylinder — Left	GL, LX, SE	**BRWC-38**
Wheel Cylinder — Right	GL, LX, SE	**BRWC-38**
Rotor		**BRR-77**
Drum		**BRD-18**
Wheel Seal	1.654 ID x 2.288 OD x 0.276 Thick	**BRS-72**

1992 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	GL, L, LX; I,D421,R,SM	**BR-14B**
	SHO,D421A,R,SM	**BR-15B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left	G, GL, L, LX, MT5, SE	**BRC-27ARM**
	Police	**BRC-119RM**
	SHO	**BRC-100RM**
Un-Loaded Caliper — Right	3.0L SHO	**BRC-101RM**
	3.0L, 3.8L Police	**BRC-118RM**
	G, GL, L, LX, MT5, SE	**BRC-28ARM**
Rotor		**BRR-48**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-94**
ABS Wheel Speed Sensor — Right		**BRAB-94**
Rear:		
Pads	D347A,R,ORG	**BR-59B**
Shoes	Wagon Before 3/15/92,S567,R,ORG	**BR-82B**
	Sedan Exc. Before 3/15/92,S566,R,ORG	**BR-81B**
	Rear Drum Sedan From 3/15/92 w/9" Brake,S599,R,ORG	**BR-87B**
	Wagon From 3/15/92,S618,R,ORG	**BR-88B**
Hardware Pad Attachment Kit		**BRPK-5600A**
Hardware Caliper Attaching Kit		**BRCK-5049**
Hardware Combi Kit (Spring Kit)	Before 3/15/92	**BRVP-21938**
	Sedan Before 3/15/92	**BRSK-7286A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1992 — Taurus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	Sedan From 3/15/92	**BRSK-17326A**
	Sedan From 3/15/92	**BRVP-1177A**
	Wagon	**BRVP-1168**
	Wagon	**BRSK-7280A**
Hardware Self Adjuster Kit — Left	Before 3/14/92	**BRAK-2632**
	From 3/14/92	**BRAK-2652A**
Hardware Self Adjuster Kit — Right	From 3/14/92	**BRAK-2653A**
	Before 3/14/92	**BRAK-2633**
Loaded Caliper — Left		**BRCL-36RM**
Loaded Caliper — Right		**BRCL-37RM**
Un-Loaded Caliper — Left		**BRC-36RM**
Un-Loaded Caliper — Right		**BRC-37RM**
Wheel Cylinder — Left	Before 3/15/92	**BRWC-22**
	w/9" Brake From 3/15/92	**BRWC-31**
Wheel Cylinder — Right	Before 3/15/92	**BRWC-22**
	w/9" Brake From 3/15/92	**BRWC-31**
Rotor		**BRR-44**
Drum	Sedan	**BRD-31**
	Wagon	**BRD-32**
ABS Wheel Speed Sensor — Left		**BRAB-22**
ABS Wheel Speed Sensor — Right		**BRAB-21**

1992 — Tempo

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	**BR-6B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-26AMR**
Loaded Caliper — Right		**BRCL-25RM**
Un-Loaded Caliper — Left		**BRC-26RM**
Un-Loaded Caliper — Right		**BRC-25RM**
Rotor		**BRR-11**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Shoes	S501,B,ORG	**BR-79B**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRSK-7252**
		BRVP-1456
Hardware Self Adjuster Kit — Left		**BRAK-2654**
Hardware Self Adjuster Kit — Right		**BRAK-2655**
Wheel Cylinder — Left		**BRWC-19**
Wheel Cylinder — Right		**BRWC-18**
Drum	AWD, FWD	**BRD-28**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1992 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D417,R,SM	BR-13B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-70RM
Un-Loaded Caliper — Right		BRC-71RM
Rotor		BRR-46
Rear:		
Pads	D347A,R,ORG	BR-59B
Shoes	S618,R,ORG	BR-89B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left	Before 12/91	BRAK-2650
	From 12/91	BRAK-2652A
Hardware Self Adjuster Kit — Right	Before 12/91	BRAK-2651
	From 12/91	BRAK-2653A
Un-Loaded Caliper — Left		BRC-110RM
Un-Loaded Caliper — Right		BRC-109RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor	Rear	BRR-76
Drum		BRD-32

1991 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	1.8L,D473,I,SM	BR-18B
	1.9L,D466,I,SM	BR-17B
Hardware Pad Attachment Kit		BRPK-13245A
Hardware Caliper Attaching Kit		BRCK-5050A
Loaded Caliper — Left	14 & 15" Wheel	BRCL-41RM
Loaded Caliper — Right	14 & 15" Wheel	BRCL-40RM
Un-Loaded Caliper — Left	1.9L 13" wheel	BRC-73RM
	14 & 15" Wheel	BRC-41RM
Un-Loaded Caliper — Right	1.9L 13" wheel	BRC-72RM
	14 & 15" Wheel	BRC-40RM
Rotor	w/10.15" Wheel	BRR-81
	w/9.25" Diameter	BRR-82
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69
Rear:		
Pads	1.8L,D458,I,ORG	BR-109B
	1.9L,D458,I,ORG	BR-109B
Shoes	1.8L,S598,B,ORG	BR-86B
	1.9L,S598,B,ORG	BR-86B
Hardware Pad Attachment Kit		BRPK-13247
Hardware Caliper Attaching Kit		BRCK-14100A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1991 — Escort/EXP — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit)		BRSK-17306A
		BRVP-1456
Un-Loaded Caliper — Left	1.8L	BRC-58RM
Un-Loaded Caliper — Right	1.8L	BRC-59RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-45
Drum		BRD-16

1991 — Festiva

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	I,SM	BR-11B
Hardware Pad Attachment Kit		BRPK-13169
Hardware Caliper Attaching Kit		BRCK-14083A
Rotor		BRR-79
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	BRS-71
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	BRS-70
Rear:		
Shoes	S595,B,ORG	BR-85B
Hardware Combi Kit (Spring Kit)		BRSK-17305A
Wheel Cylinder — Left		BRWC-26
Wheel Cylinder — Right		BRWC-26
Drum		BRD-17
Wheel Seal	MT Oil Differential Seal 1.378 ID x 2.218 OD x 0.354 Thick; Inner	BRS-92

1991 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	BR-29B
	Police,D150,R,SM	BR-4B
Hardware Pad Attachment Kit	Exc. Police	BRPK-5560
	Police	BRPK-5541
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left	Exc. Police	BRCL-12RM
Loaded Caliper — Right	Exc. Police	BRCL-13RM
Un-Loaded Caliper — Left	Police	BRC-83RM
	Exc. Police	BRC-12RM
Un-Loaded Caliper — Right		BRC-82RM
	Exc. Police	BRC-13RM
Rotor		BRR-14
		BRR-47

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1991 — Full Size — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Shoes	w/10" Brake,S481,R,ORG	**BR-76B**
	w/11" Brake,S482,R,ORG	**BR-77B**
Hardware Combi Kit (Spring Kit)	Exc. Police	**BRVP-1177A**
	Exc. Police	**BRVP-3310**
	w/10" Brake	**BRSK-7224A**
	w/10" Brake	**BRVP-1456**
	w/11" Brake	**BRSK-7225A**
	Exc. w/11" Brake Exc. Police	**BRVP-1456**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2606**
	w/11" Brake Incl. Police & SW	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2607**
	Exc. w/11" Brake Exc. Police	**BRAK-2545A**
Wheel Cylinder — Left	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Wheel Cylinder — Right	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Rotor		**BRR-2**
Drum	Wagon w/11" Brake	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1991 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	4 Cyl.,D310,I,SM	**BR-7B**
	8 Cyl.,D431,R,SM	**BR-16B**
Hardware Pad Attachment Kit	4 Cyl. 2.3L	**BRPK-5567**
	8 Cyl. 5.0L	**BRPK-5560**
Hardware Caliper Attaching Kit	4 Cyl. 2.3L	**BRCK-5016**
	8 Cyl. 5.0L	**BRCK-5022**
Un-Loaded Caliper — Left	2.3L	**BRC-126RM**
	5.0L	**BRC-89RM**
Un-Loaded Caliper — Right	2.3L	**BRC-124RM**
	5.0L	**BRC-88RM**
Rotor	5.0L GT, LX; 10.9" Diameter	**BRR-41**
	w/Steel Wheels	**BRR-38**
Wheel Seal	5.0L Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRSK-7246A**
		BRVP-1456
		BRVP-1177A
Hardware Self Adjuster Kit — Left		**BRAK-2596**
Hardware Self Adjuster Kit — Right		**BRAK-2597**
Wheel Cylinder — Left		**BRWC-13**
Wheel Cylinder — Right		**BRWC-13**
Drum	GT, GTS, LX; Exc. w/9 x 1 3/4" Brake	**BRD-25**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1991 — Probe

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D399,I,SM	**BR-10B**
Hardware Pad Attachment Kit		**BRPK-13240**
Hardware Caliper Attaching Kit		**BRCK-14080**
Un-Loaded Caliper — Left		**BRC-95RM**
Un-Loaded Caliper — Right		**BRC-94RM**
Rotor		**BRR-78**
Wheel Seal	Seal 2.205 ID x 2.682 OD x 0.421 Thick; Inner	**BRS-69**
Rear:		
Pads	D400,I,ORG	**BR-61B**
Shoes	S598,B,ORG	**BR-86B**
Hardware Pad Attachment Kit		**BRPK-13228**
Hardware Combi Kit (Spring Kit)		**BRSK-17306A**
Un-Loaded Caliper — Left	From 09/04/90	**BRC-121RM**
Un-Loaded Caliper — Right	From 09/04/90	**BRC-120RM**
Wheel Cylinder — Left	GL, LX, SE	**BRWC-38**
Wheel Cylinder — Right	GL, LX, SE	**BRWC-38**
Rotor		**BRR-77**
Drum		**BRD-18**
Wheel Seal	1.654 ID x 2.288 OD x 0.276 Thick	**BRS-72**

1991 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	G, GL, L, LX; Exc. Police,D421,R,SM	**BR-14B**
	SHO Police,D421A,R,SM	**BR-15B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left	G, GL, L, LX, MT5, SE	**BRC-27ARM**
	Police	**BRC-119RM**
	SHO	**BRC-100RM**
Un-Loaded Caliper — Right		**BRC-28ARM**
	Police	**BRC-118RM**
	SHO	**BRC-101RM**
Rotor	GL, L, LX; Before 2/91	**BRR-80**
	GL, L, LX; L, From 2/91	**BRR-48**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-94**
ABS Wheel Speed Sensor — Right		**BRAB-94**
Rear:		
Pads	D347A,R,ORG	**BR-59B**
Shoes	Sedan,S566,R,ORG	**BR-81B**
	Wagon,S567,R,ORG	**BR-82B**
Hardware Pad Attachment Kit		**BRPK-5600A**
Hardware Caliper Attaching Kit		**BRCK-5049**
Hardware Combi Kit (Spring Kit)		**BRVP-21938**
		BRSK-7286A
Hardware Self Adjuster Kit — Left		**BRAK-2632**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1991 — Taurus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Self Adjuster Kit — Right		BRAK-2633
Loaded Caliper — Left		BRCL-36RM
Loaded Caliper — Right		BRCL-37RM
Un-Loaded Caliper — Left		BRC-36RM
Un-Loaded Caliper — Right		BRC-37RM
Wheel Cylinder — Left		BRWC-22
Wheel Cylinder — Right		BRWC-22
Rotor		BRR-44
Drum	Sedan	BRD-31
	Wagon	BRD-32
ABS Wheel Speed Sensor — Left		BRAB-22
ABS Wheel Speed Sensor — Right		BRAB-21

1991 — Tempo

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	BR-6B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7252 BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2602
Hardware Self Adjuster Kit — Right		BRAK-2603
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

1991 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D417,R,SM	BR-13B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-70RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1991 — Thunderbird — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Right		BRC-71RM
Rotor		BRR-46
Rear:		
Pads	D347A,R,ORG	BR-59B
Shoes	S618,R,ORG	BR-89B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2650
Hardware Self Adjuster Kit — Right		BRAK-2651
Un-Loaded Caliper — Left		BRC-110RM
Un-Loaded Caliper — Right		BRC-109RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor	Rear	BRR-76
Drum		BRD-32

1990 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	BR-6B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	w/7" Brake,S500,B,ORG	BR-78B
	w/8" Brake,S501,B,ORG	BR-79B
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRVP-1456
	w/7" Brake	BRSK-7251
	w/7" Brake	BRVP-1168
	w/8" Brake	BRVP-3310
	w/7" Brake	BRVP-1168
	w/8" Brake	BRSK-7252
Hardware Self Adjuster Kit — Left	w/8" Brake	BRAK-2602
Hardware Self Adjuster Kit — Right	w/8" Brake	BRAK-2603
Wheel Cylinder — Left		BRWC-15
Wheel Cylinder — Right		BRWC-16
Drum	w/8" Brake	BRD-28
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.575 ID x 2.17 OD x 0.328 Thick	BRS-13

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1990 — Festiva

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	I,SM	**BR-11B**
Hardware Pad Attachment Kit		**BRPK-13169**
Hardware Caliper Attaching Kit		**BRCK-14083A**
Rotor		**BRR-79**
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	**BRS-71**
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	**BRS-70**
Rear:		
Shoes	S595,B,ORG	**BR-85B**
Hardware Combi Kit (Spring Kit)		**BRSK-17305A**
Wheel Cylinder — Left		**BRWC-26**
Wheel Cylinder — Right		**BRWC-26**
Drum		**BRD-17**
Wheel Seal	MT Oil Differential Seal 1.378 ID x 2.218 OD x 0.354 Thick; Inner	**BRS-92**

1990 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	**BR-29B**
	Police,D150,R,SM	**BR-4B**
Hardware Pad Attachment Kit	Exc. Police	**BRPK-5560**
	Police	**BRPK-5541**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left	Exc. Police	**BRCL-12RM**
Loaded Caliper — Right	Exc. Police	**BRCL-13RM**
Un-Loaded Caliper — Left	Police	**BRC-83RM**
	Exc. Police	**BRC-12RM**
Un-Loaded Caliper — Right		**BRC-82RM**
	Exc. Police	**BRC-13RM**
Rotor		**BRR-14**
Rear:		
Shoes	w/10" Brake,S481,R,ORG	**BR-76B**
	w/11" Brake,S482,R,ORG	**BR-77B**
Hardware Combi Kit (Spring Kit)	Exc. Police	**BRVP-1177A**
	Exc. Police	**BRVP-3310**
	Exc. w/10" Brake Exc. Police	**BRVP-1456**
	Sedan Exc. w/10" Brake Exc. Police	**BRSK-7224A**
	w/11" Brake	**BRSK-7225A**
	Exc. w/11" Brake Exc. Police	**BRVP-1456**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2606**
	w/11" Brake Incl. Police & SW	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2607**
	Exc. w/11" Brake Exc. Police	**BRAK-2545A**
Wheel Cylinder — Left	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Wheel Cylinder — Right	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Drum	w/10" Brake	**BRD-26**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1990 — Full Size — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Drum — Cont'd	Wagon w/11" Brake	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1990 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	4 Cyl.,D310,I,SM	**BR-7B**
	8 Cyl.,D431,R,SM	**BR-16B**
	4 Cyl. w/o Moon Roof or T Roof,I,ORG	**BR-28B**
Hardware Pad Attachment Kit	4 Cyl. 2.3L	**BRPK-5567**
	8 Cyl. 5.0L	**BRPK-5560**
Hardware Caliper Attaching Kit	4 Cyl. 2.3L	**BRCK-5016**
	8 Cyl. 5.0L	**BRCK-5022**
Un-Loaded Caliper — Left		**BRC-126RM**
	5.0L	**BRC-89RM**
Un-Loaded Caliper — Right		**BRC-124RM**
	5.0L	**BRC-88RM**
Rotor	2.3L	**BRR-38**
	5.0L GT, LX; 10.9" Diameter	**BRR-41**
Wheel Seal	5.0L Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1456**
		BRVP-1177A
	w/10" Brake	**BRSK-7248A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left		**BRWC-13**
Wheel Cylinder — Right		**BRWC-13**
Drum	GT, GTS, LX; Exc. w/9 x 1 3/4" Brake	**BRD-25**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1990 — Probe

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D399,I,SM	**BR-10B**
Hardware Pad Attachment Kit		**BRPK-13240**
Hardware Caliper Attaching Kit		**BRCK-14080**
Un-Loaded Caliper — Left		**BRC-95RM**
Un-Loaded Caliper — Right		**BRC-94RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1990 — Probe — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor		BRR-78
Wheel Seal	Seal 2.205 ID x 2.682 OD x 0.421 Thick; Inner	BRS-69
Rear:		
Pads	D400,I,ORG	BR-61B
Shoes	S598,B,ORG	BR-86B
Hardware Pad Attachment Kit		BRPK-13228
Hardware Combi Kit (Spring Kit)		BRSK-17306A
Wheel Cylinder — Left	GL, LX, SE	BRWC-38
Wheel Cylinder — Right	GL, LX, SE	BRWC-38
Rotor		BRR-77
Drum		BRD-18
Wheel Seal	1.654 ID x 2.288 OD x 0.276 Thick	BRS-72

1990 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. L, GL, LX Exc. Police,D421,R,SM	BR-14B
	SHO Police,D421A,R,SM	BR-15B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left	GL, L, LX, MT5, SE; Exc. Police	BRC-27ARM
	Police	BRC-119RM
	SHO	BRC-100RM
Un-Loaded Caliper — Right	Exc. Police	BRC-28ARM
	Police	BRC-118RM
	SHO	BRC-101RM
Rotor		BRR-80
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-94
ABS Wheel Speed Sensor — Right		BRAB-94
Rear:		
Pads	D347A,R,ORG	BR-59B
Shoes	Sedan,S566,R,ORG	BR-81B
	Wagon,S567,R,ORG	BR-82B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Hardware Combi Kit (Spring Kit)		BRVP-21938
		BRSK-7286A
Hardware Self Adjuster Kit — Left		BRAK-2632
Hardware Self Adjuster Kit — Right		BRAK-2633
Loaded Caliper — Left		BRCL-36RM
Loaded Caliper — Right		BRCL-37RM
Un-Loaded Caliper — Left		BRC-36RM
Un-Loaded Caliper — Right		BRC-37RM
Wheel Cylinder — Left		BRWC-22
Wheel Cylinder — Right		BRWC-22
Rotor		BRR-44

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1990 — Taurus — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Drum	Sedan	**BRD-31**
	Wagon	**BRD-32**

1990 — Tempo

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	**BR-6B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-26AMR**
Loaded Caliper — Right		**BRCL-25RM**
Un-Loaded Caliper — Left		**BRC-26RM**
Un-Loaded Caliper — Right		**BRC-25RM**
Rotor		**BRR-11**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Shoes	S501,B,ORG	**BR-79B**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRSK-7252**
		BRVP-1456
Hardware Self Adjuster Kit — Left		**BRAK-2602**
Hardware Self Adjuster Kit — Right		**BRAK-2603**
Wheel Cylinder — Left		**BRWC-19**
Wheel Cylinder — Right		**BRWC-18**
Drum	AWD, FWD	**BRD-28**
Wheel Seal	Inner	**BRS-90**

1990 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D417,R,SM	**BR-13B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left		**BRC-70RM**
Un-Loaded Caliper — Right		**BRC-71RM**
Rotor		**BRR-84**
Rear:		
Pads	D347A,R,ORG	**BR-59B**
Shoes	S618,R,ORG	**BR-89B**
Hardware Pad Attachment Kit		**BRPK-5600A**
Hardware Caliper Attaching Kit		**BRCK-5049**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1990 — Thunderbird — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2650
Hardware Self Adjuster Kit — Right		BRAK-2651
Un-Loaded Caliper — Left		BRC-110RM
Un-Loaded Caliper — Right		BRC-109RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor	Rear	BRR-76
Drum		BRD-32

1989 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	BR-6B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	w/7" Brake,S500,B,ORG	BR-78B
	w/8" Brake,S501,B,ORG	BR-79B
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRVP-1456
	w/7" Brake	BRSK-7251
	w/7" Brake	BRVP-1168
	w/8" Brake	BRVP-3310
	w/7" Brake	BRVP-1168
	w/8" Brake	BRSK-7252
Hardware Self Adjuster Kit — Left	w/8" Brake	BRAK-2602
Hardware Self Adjuster Kit — Right	w/8" Brake	BRAK-2603
Wheel Cylinder — Left		BRWC-15
Wheel Cylinder — Right		BRWC-16
Drum	w/8" Brake	BRD-28
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.575 ID x 2.17 OD x 0.328 Thick	BRS-13

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1989 — Festiva

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	I,SM	**BR-11B**
Hardware Pad Attachment Kit		**BRPK-13169**
Hardware Caliper Attaching Kit		**BRCK-14083A**
Rotor		**BRR-79**
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	**BRS-71**
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	**BRS-70**
Rear:		
Shoes	S595,B,ORG	**BR-85B**
Hardware Combi Kit (Spring Kit)		**BRSK-17305A**
Wheel Cylinder — Left		**BRWC-26**
Wheel Cylinder — Right		**BRWC-26**
Drum		**BRD-19**
Wheel Seal	MT Oil Differential Seal 1.378 ID x 2.218 OD x 0.354 Thick; Inner	**BRS-92**

1989 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	**BR-29B**
	Police,D150,R,SM	**BR-4B**
Hardware Pad Attachment Kit	Exc. Police	**BRPK-5560**
	Police	**BRPK-5541**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left	Exc. Police	**BRCL-12RM**
Loaded Caliper — Right	Exc. Police	**BRCL-13RM**
Un-Loaded Caliper — Left	Police Interceptor	**BRC-83RM**
	Exc. Police	**BRC-12RM**
Un-Loaded Caliper — Right		**BRC-82RM**
	Exc. Police	**BRC-13RM**
Rotor		**BRR-14**
Rear:		
Shoes	w/10" Brake,S481,R,ORG	**BR-76B**
	w/11" Brake,S482,R,ORG	**BR-77B**
Hardware Combi Kit (Spring Kit)	Exc. Police	**BRVP-1177A**
	Exc. Police	**BRVP-3310**
	Sedan Exc. w/10" Brake Exc. Police	**BRSK-7224A**
	w/11" Brake	**BRSK-7225A**
	Exc. w/11" Brake Exc. Police	**BRVP-1456**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2606**
	w/11" Brake Incl. Police & SW	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2607**
	w/11" Brake Incl. Police & SW	**BRAK-2545A**
Wheel Cylinder — Left	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Wheel Cylinder — Right	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Drum	w/10" Brake	**BRD-26**
	w/11" Brake	**BRD-27**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1989 — Full Size — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1989 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	4 Cyl.,D310,I,SM	**BR-7B**
	8 Cyl.,D431,R,SM	**BR-16B**
	4 Cyl. w/o Moon Roof or T Roof,I,ORG	**BR-28B**
Hardware Pad Attachment Kit	4 Cyl. 2.3L	**BRPK-5567**
	8 Cyl. 5.0L	**BRPK-5560**
Hardware Caliper Attaching Kit	4 Cyl.	**BRCK-5016**
	8 Cyl.	**BRCK-5022**
Un-Loaded Caliper — Left	2.3L	**BRC-126RM**
	5.0L	**BRC-89RM**
Un-Loaded Caliper — Right	2.3L	**BRC-124RM**
	5.0L	**BRC-88RM**
Rotor	5.0L GT, LX; 10.9" Diameter	**BRR-41**
	GT, L, LX	**BRR-38**
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1456**
		BRVP-1177A
	w/10" Brake	**BRSK-7248A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left		**BRWC-13**
Wheel Cylinder — Right		**BRWC-13**
Drum	GT, L, LX; Exc. w/9 x 1 3/4" Brake	**BRD-25**

1989 — Probe

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D399,I,SM	**BR-10B**
Hardware Pad Attachment Kit		**BRPK-13240**
Hardware Caliper Attaching Kit		**BRCK-14080**
Un-Loaded Caliper — Left		**BRC-70RM**
Un-Loaded Caliper — Right		**BRC-71RM**
Rotor		**BRR-78**
Wheel Seal	Seal 2.205 ID x 2.682 OD x 0.421 Thick; Inner	**BRS-69**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1989 — Probe — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Pads	D400,I,ORG	**BR-61B**
Shoes	S598,B,ORG	**BR-86B**
Hardware Pad Attachment Kit		**BRPK-13228**
Hardware Combi Kit (Spring Kit)		**BRSK-17306A**
Wheel Cylinder — Left	GL, LX, SE	**BRWC-38**
Wheel Cylinder — Right	GL, LX, SE	**BRWC-38**
Rotor		**BRR-77**
Drum		**BRD-18**
Wheel Seal	1.654 ID x 2.288 OD x 0.276 Thick	**BRS-72**

1989 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	GL, L, LX,D421,R,SM	**BR-14B**
	SHO,D421A,R,SM	**BR-15B**
Hardware Pad Attachment Kit	GL, L, LX	**BRPK-5568**
	SHO	**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left	GL, L, LX, MT5; Exc. Police	**BRC-27ARM**
	SHO	**BRC-100RM**
Un-Loaded Caliper — Right	GL, L, LX, MT5; Exc. Police	**BRC-28ARM**
	SHO	**BRC-101RM**
Rotor		**BRR-80**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Pads	D347A,R,ORG	**BR-59B**
Shoes	Sedan,S566,R,ORG	**BR-81B**
	Wagon,S567,R,ORG	**BR-82B**
Hardware Pad Attachment Kit		**BRPK-5600A**
Hardware Caliper Attaching Kit		**BRCK-5049**
Hardware Combi Kit (Spring Kit)		**BRVP-21938**
	Sedan	**BRSK-7286A**
Hardware Self Adjuster Kit — Left		**BRAK-2632**
Hardware Self Adjuster Kit — Right		**BRAK-2633**
Loaded Caliper — Left	SHO	**BRCL-36RM**
Loaded Caliper — Right	SHO	**BRCL-37RM**
Un-Loaded Caliper — Left	SHO	**BRC-36RM**
Un-Loaded Caliper — Right	SHO	**BRC-37RM**
Wheel Cylinder — Left		**BRWC-22**
Wheel Cylinder — Right		**BRWC-22**
Rotor	SHO	**BRR-80**
Drum	Sedan	**BRD-31**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1989 — Tempo

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,I,ORG	BR-30B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2602
Hardware Self Adjuster Kit — Right		BRAK-2603
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

1989 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D417,R,SM	BR-13B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-70RM
Un-Loaded Caliper — Right		BRC-71RM
Rotor		BRR-84
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	D347A,R,ORG	BR-59B
Shoes	S618,R,ORG	BR-89B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2650
Hardware Self Adjuster Kit — Right		BRAK-2651
Un-Loaded Caliper — Left		BRC-110RM
Un-Loaded Caliper — Right		BRC-109RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor	Rear	BRR-76
Drum		BRD-32
	w/9 x 1 3/4" Brake	BRD-25

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1988 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	**BR-6B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-26AMR**
Loaded Caliper — Right		**BRCL-25RM**
Un-Loaded Caliper — Left		**BRC-26RM**
Un-Loaded Caliper — Right		**BRC-25RM**
Rotor		**BRR-11**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Shoes	S501,B,ORG	**BR-79B**
	w/7" Brake,S500,B,ORG	**BR-78B**
	w/8" Brake,S501,B,ORG	**BR-79B**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRVP-1456**
	w/7" Brake	**BRSK-7251**
	w/7" Brake	**BRVP-1168**
	w/8" Brake	**BRVP-3310**
	w/7" Brake	**BRVP-1168**
	w/8" Brake	**BRSK-7252**
Hardware Self Adjuster Kit — Left	w/8" Brake	**BRAK-2602**
Hardware Self Adjuster Kit — Right	w/8" Brake	**BRAK-2603**
Wheel Cylinder — Left		**BRWC-15**
Wheel Cylinder — Right		**BRWC-16**
Drum	w/8" Brake	**BRD-28**
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.575 ID x 2.17 OD x 0.328 Thick	**BRS-13**

1988 — Festiva

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	I,SM	**BR-11B**
Hardware Pad Attachment Kit		**BRPK-13169**
Hardware Caliper Attaching Kit		**BRCK-14083A**
Rotor		**BRR-79**
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	**BRS-71**
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	**BRS-70**
Rear:		
Shoes	S595,B,ORG	**BR-85B**
Hardware Combi Kit (Spring Kit)		**BRSK-17305A**
Wheel Cylinder — Left		**BRWC-26**
Wheel Cylinder — Right		**BRWC-26**
Drum		**BRD-19**
Wheel Seal	MT Oil Differential Seal 1.378 ID x 2.218 OD x 0.354 Thick; Inner	**BRS-92**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1988 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	**BR-29B**
	Police,D150,R,SM	**BR-4B**
Hardware Pad Attachment Kit	Exc. Police	**BRPK-5560**
	Police	**BRPK-5541**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left	Exc. Police	**BRCL-12RM**
Loaded Caliper — Right	Exc. Police	**BRCL-13RM**
Un-Loaded Caliper — Left	Exc. Police	**BRC-12RM**
		BRC-83RM
Un-Loaded Caliper — Right	Police	**BRC-82RM**
	Exc. Police	**BRC-13RM**
Rotor		**BRR-14**
Rear:		
Shoes	w/10" Brake,S481,R,ORG	**BR-76B**
	w/11" Brake,S482,R,ORG	**BR-77B**
Hardware Combi Kit (Spring Kit)	Exc. Police	**BRVP-1177A**
	Exc. Police	**BRVP-3310**
	Sedan Exc. w/10" Brake Exc. Police	**BRSK-7224A**
	Exc. w/10" Exc. Police	**BRVP-1456**
	w/11" Brake	**BRSK-7225A**
	Exc. w/11" Exc. Police	**BRVP-1456**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2606**
	w/11" Brake Incl. Police & SW	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2607**
	w/11" Brake Incl. Police & SW	**BRAK-2545A**
Wheel Cylinder — Left	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Wheel Cylinder — Right	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Drum	w/10" Brake	**BRD-26**
	w/11" Brake	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1988 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	4 Cyl.,D310,I,SM	**BR-7B**
	8 Cyl.,D431,R,SM	**BR-16B**
	4 Cyl. w/o Moon Roof or T Roof,I,ORG	**BR-28B**
Hardware Pad Attachment Kit	4 Cyl. 2.3L	**BRPK-5567**
	8 Cyl. 5.0L	**BRPK-5560**
Hardware Caliper Attaching Kit	4 Cyl. 2.3L	**BRCK-5016**
	8 Cyl. 5.0L	**BRCK-5022**
Un-Loaded Caliper — Left	2.3L	**BRC-126RM**
	5.0L	**BRC-89RM**
Un-Loaded Caliper — Right	2.3L	**BRC-124RM**
	5.0L	**BRC-88RM**
Rotor	5.0L GT, LX; 10.9" Diameter	**BRR-41**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1988 — Mustang — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor — Cont'd	GT, L, LX	**BRR-38**
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1456**
		BRVP-1177A
	w/10" Brake	**BRSK-7248A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left		**BRWC-13**
Wheel Cylinder — Right		**BRWC-13**
Drum	GT, L, LX; Exc. w/9 x 1 3/4" Brake	**BRD-25**

1988 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	**BR-14B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left	GL, L, LX, MT5; Exc. Police	**BRC-27ARM**
Un-Loaded Caliper — Right	GL, L, LX, MT5; Exc. Police	**BRC-28ARM**
Rotor		**BRR-80**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Shoes	Sedan,S566,R,ORG	**BR-81B**
	Wagon,S567,R,ORG	**BR-82B**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRVP-21938**
		BRSK-7286A
Hardware Self Adjuster Kit — Left		**BRAK-2632**
Hardware Self Adjuster Kit — Right		**BRAK-2633**
Wheel Cylinder — Left		**BRWC-22**
Wheel Cylinder — Right		**BRWC-22**
Rotor	SHO	**BRR-80**
Drum	Sedan	**BRD-31**
		BRD-31

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1988 — Tempo

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,I,ORG	BR-30B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2602
Hardware Self Adjuster Kit — Right		BRAK-2603
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

1988 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	LX, Sport,D310,I,SM	BR-7B
	Turbo Coupe,D431,R,SM	BR-16B
Hardware Pad Attachment Kit		BRPK-5567
Hardware Caliper Attaching Kit		BRCK-5016
Un-Loaded Caliper — Left		BRC-126RM
	2.3L Turbo	BRC-89RM
Un-Loaded Caliper — Right		BRC-124RM
	2.3L Turbo	BRC-88RM
Rotor		BRR-38
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	D347A,R,ORG	BR-59B
Shoes	w/10" Brake,S151,R,ORG	BR-111B
	w/9" Brake,S474,R,ORG	BR-75B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Hardware Combi Kit (Spring Kit)		BRVP-1177A
	w/10" Brake	BRSK-7248A
	w/10" Brake	BRVP-1456
	w/9" Brake	BRSK-7246A
	w/9" Brake	BRVP-1456
Hardware Self Adjuster Kit — Left	w/10" Brake	BRAK-2514
	w/9" Brake	BRAK-2596
Hardware Self Adjuster Kit — Right	w/10" Brake	BRAK-2515
	w/9" Brake	BRAK-2597

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1988 — Thunderbird — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Left		**BRC-117RM**
Un-Loaded Caliper — Right		**BRC-116RM**
Wheel Cylinder — Left	w/9" Brake	**BRWC-31**
Wheel Cylinder — Right	w/9" Brake	**BRWC-31**
Rotor	Turbo; Rear	**BRR-12**
Drum		**BRD-32**
	w/9 x 1 3/4" Brake	**BRD-25**

1987 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Gas,D257,I,ORG	**BR-30B**
	Diesel,D257,R,SM	**BR-6B**
	Non-Turbo,D257,R,SM	**BR-6B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-26AMR**
Loaded Caliper — Right		**BRCL-25RM**
Un-Loaded Caliper — Left		**BRC-26RM**
Un-Loaded Caliper — Right		**BRC-25RM**
Rotor		**BRR-11**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Shoes	HO, Luxury, Sport,S501,B,ORG	**BR-79B**
	w/7" Brake,S500,B,ORG	**BR-78B**
	w/8" Brake,S501,B,ORG	**BR-79B**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRVP-1456**
	w/7" Brake	**BRSK-7251**
	w/7" Brake	**BRVP-1168**
	w/8" Brake	**BRVP-3310**
	w/7" Brake	**BRVP-1168**
	w/8" Brake	**BRSK-7252**
Hardware Self Adjuster Kit — Left	w/8" Brake	**BRAK-2602**
Hardware Self Adjuster Kit — Right	w/8" Brake	**BRAK-2603**
Wheel Cylinder — Left		**BRWC-15**
Wheel Cylinder — Right		**BRWC-16**
Drum	w/8" Brake	**BRD-28**
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.575 ID x 2.17 OD x 0.328 Thick	**BRS-13**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1987 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	**BR-29B**
	Police,D150,R,SM	**BR-4B**
Hardware Pad Attachment Kit	Exc. Police	**BRPK-5560**
	Police	**BRPK-5541**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left	Exc. Police	**BRCL-12RM**
Loaded Caliper — Right	Exc. Police	**BRCL-13RM**
Un-Loaded Caliper — Left	Exc. Police	**BRC-12RM**
	Police	**BRC-83RM**
Un-Loaded Caliper — Right	Police	**BRC-82RM**
	Exc. Police	**BRC-13RM**
Rotor		**BRR-14**
Rear:		
Shoes	w/10" Brake,S481,R,ORG	**BR-76B**
	w/11" Brake,S482,R,ORG	**BR-77B**
Hardware Combi Kit (Spring Kit)	Exc. Police	**BRVP-1177A**
	Exc. Police	**BRVP-3310**
	Exc. w/10" Brake Exc. Police	**BRVP-1456**
	Sedan Exc. w/10" Brake Exc. Police	**BRSK-7224A**
	w/11" Brake	**BRSK-7225A**
	Exc. w/11" Brake Exc. Police	**BRVP-1456**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2606**
	w/11" Brake Incl. Police & SW	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2607**
	w/11" Brake Incl. Police & SW	**BRAK-2545A**
Wheel Cylinder — Left	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Wheel Cylinder — Right	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Drum	w/10" Brake	**BRD-26**
	w/11" Brake	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1987 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	4 Cyl.,D310,I,SM	**BR-7B**
	8 Cyl.,D431,R,SM	**BR-16B**
	4 Cyl. w/o Moon Roof or T Roof,I,ORG	**BR-28B**
Hardware Pad Attachment Kit	4 Cyl. 2.3L	**BRPK-5567**
	8 Cyl. 5.0L	**BRPK-5560**
Hardware Caliper Attaching Kit	4 Cyl. 2.3L	**BRCK-5016**
	8 Cyl. 5.0L	**BRCK-5022**
Loaded Caliper — Left	SVO	**BRCL-12RM**
Loaded Caliper — Right	SVO	**BRCL-13RM**
Un-Loaded Caliper — Left	5.0L	**BRC-89RM**
		BRC-12RM
Un-Loaded Caliper — Right	5.0L	**BRC-88RM**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1987 — Mustang — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor	5.0L GT, LX; 10.9" Diameter	**BRR-41**
	GL, GLX, GT, Ghia, L, LX	**BRR-38**
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
ABS Wheel Speed Sensor — Left		**BRC-13RM**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1456**
		BRVP-1177A
	w/10" Brake	**BRSK-7248A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Un-Loaded Caliper — Left	SVO	**BRC-98RM**
Un-Loaded Caliper — Right	SVO	**BRC-99RM**
Wheel Cylinder — Left		**BRWC-13**
Wheel Cylinder — Right		**BRWC-13**
Drum	GL, GLX, GT, Ghia, L, LX; Exc. w/9 x 1 3/4" Brake	**BRD-25**

1987 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	**BR-14B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left	GL, L, LX, MT5; Exc. Police	**BRC-27ARM**
Un-Loaded Caliper — Right	GL, L, LX, MT5; Exc. Police	**BRC-28ARM**
Rotor		**BRR-80**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Shoes	Sedan,S566,R,ORG	**BR-81B**
	Wagon,S567,R,ORG	**BR-82B**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRVP-21938**
		BRSK-7286A
Hardware Self Adjuster Kit — Left		**BRAK-2632**
Hardware Self Adjuster Kit — Right		**BRAK-2633**
Wheel Cylinder — Left		**BRWC-22**
Wheel Cylinder — Right		**BRWC-22**
Drum	Sedan	**BRD-31**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1987 — Tempo

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,I,ORG	BR-30B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2602
Hardware Self Adjuster Kit — Right		BRAK-2603
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

1987 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	LX, Sport,D310,I,SM	BR-7B
	Turbo Coupe,D431,R,SM	BR-16B
Hardware Pad Attachment Kit		BRPK-5567
Hardware Caliper Attaching Kit		BRCK-5016
Un-Loaded Caliper — Left	Turbo	BRC-89RM
		BRC-126RM
Un-Loaded Caliper — Right		BRC-124RM
	2.3L Turbo	BRC-88RM
Rotor		BRR-38
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	D347A,R,ORG	BR-59B
Shoes	w/10" Brake,S151,R,ORG	BR-111B
	w/9" Brake,S474,R,ORG	BR-75B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Hardware Combi Kit (Spring Kit)		BRVP-1177A
	w/10" Brake	BRSK-7248A
	w/10" Brake	BRVP-1456
	w/9" Brake	BRSK-7246A
	w/9" Brake	BRVP-1456
Hardware Self Adjuster Kit — Left	w/10" Brake	BRAK-2514
	w/9" Brake	BRAK-2596
Hardware Self Adjuster Kit — Right	w/10" Brake	BRAK-2515
	w/9" Brake	BRAK-2597

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1987 — Thunderbird — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Left		**BRC-117RM**
Un-Loaded Caliper — Right		**BRC-116RM**
Wheel Cylinder — Left	w/9" Brake	**BRWC-13**
Wheel Cylinder — Right	w/9" Brake	**BRWC-13**
Rotor	Turbo; Rear	**BRR-12**
Drum	w/9 x 1 3/4" Brake	**BRD-25**

1986 — Escort/EXP

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Gas,D257,I,ORG	**BR-30B**
	Diesel,D257,R,SM	**BR-6B**
	Non-Turbo,D257,R,SM	**BR-6B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-26AMR**
Loaded Caliper — Right		**BRCL-25RM**
Un-Loaded Caliper — Left		**BRC-26RM**
Un-Loaded Caliper — Right		**BRC-25RM**
Rotor		**BRR-11**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Shoes	HO, Luxury, Sport,S501,B,ORG	**BR-79B**
	w/7" Brake,S500,B,ORG	**BR-78B**
	w/8" Brake,S501,B,ORG	**BR-79B**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRVP-1456**
	w/7" Brake	**BRSK-7251**
	w/7" Brake	**BRVP-1168**
	w/8" Brake	**BRVP-3310**
	w/7" Brake	**BRVP-1168**
	w/8" Brake	**BRSK-7252**
Hardware Self Adjuster Kit — Left	w/8" Brake	**BRAK-2602**
Hardware Self Adjuster Kit — Right	w/8" Brake	**BRAK-2603**
Wheel Cylinder — Left		**BRWC-15**
Wheel Cylinder — Right		**BRWC-16**
Drum	w/8" Brake	**BRD-28**
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.575 ID x 2.17 OD x 0.328 Thick	**BRS-13**

1986 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	**BR-29B**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1986 — Full Size — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Pads — Cont'd	Police,D150,R,SM	**BR-4B**
Hardware Pad Attachment Kit	Exc. Police	**BRPK-5560**
	Police	**BRPK-5541**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left	Exc. Police	**BRCL-12RM**
Loaded Caliper — Right	Exc. Police	**BRCL-13RM**
Un-Loaded Caliper — Left	Police	**BRC-83RM**
	Exc. Police	**BRC-12RM**
Un-Loaded Caliper — Right	Police	**BRC-82RM**
	Exc. Police	**BRC-13RM**
Rotor		**BRR-14**
Rear:		
Shoes	w/10" Brake,S481,R,ORG	**BR-76B**
	w/11" Brake,S482,R,ORG	**BR-77B**
Hardware Combi Kit (Spring Kit)	Exc. Police	**BRVP-1177A**
	Exc. Police	**BRVP-3310**
	Exc. w/10" Brake Exc. Police	**BRVP-1456**
	Sedan Exc. w/10" Brake Exc. Police	**BRSK-7224A**
	w/11" Brake	**BRSK-7225A**
	Exc. w/11" Brake Exc. Police	**BRVP-1456**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2606**
	w/11" Brake Incl. Police & SW	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2607**
	w/11" Brake Incl. Police & SW	**BRAK-2545A**
Wheel Cylinder — Left	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Wheel Cylinder — Right	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Drum	w/10" Brake	**BRD-26**
	w/11" Brake	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1986 — LTD

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Midsize,D310,I,SM	**BR-7B**
Hardware Pad Attachment Kit	Midsize	**BRPK-5567**
Hardware Caliper Attaching Kit	Midsize	**BRCK-5016**
Rotor	w/9 x 1 3/4" Brake	**BRR-38**
Rear:		
Shoes	Sedan,S474,R,ORG	**BR-75B**
	Wagon,S151,R,ORG	**BR-111B**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-7246A**
	Sedan	**BRVP-1456**
	Sedan	**BRVP-1177A**
	Wagon	**BRSK-7248A**
	Wagon	**BRVP-1456**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1986 — LTD — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Self Adjuster Kit — Left	Sedan	**BRAK-2596**
	Wagon	**BRAK-2514**
Hardware Self Adjuster Kit — Right	Sedan	**BRAK-2597**
	Wagon	**BRAK-2515**
Wheel Cylinder — Left	w/9" Brake	**BRWC-1A**
Wheel Cylinder — Right	w/9" Brake	**BRWC-1A**
Drum	w/9 x 1 3/4" Brake	**BRD-25**

1986 — Mustang

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Cobra, GL, GLX, GT, Ghia, L, LX,D310,I,SM	**BR-7B**
	4 Cyl., 6 Cyl., 8 Cyl. GT, LX; w/o Moon Roof or T Roof,I,ORG	**BR-28B**
Hardware Pad Attachment Kit	Cobra, GL, GLX, GT, Ghia, L, LX	**BRPK-5567**
	4 Cyl., 6 Cyl., 8 Cyl. GT, LX; w/o Moon Roof or T Roof	**BRPK-5567**
	SVO	**BRPK-5560**
Hardware Caliper Attaching Kit	Cobra, GL, GLX, GT, Ghia, L, LX	**BRCK-5016**
	SVO	**BRCK-5022**
Loaded Caliper — Left	SVO	**BRCL-12RM**
Loaded Caliper — Right	SVO	**BRCL-13RM**
Un-Loaded Caliper — Left	SVO	**BRC-12RM**
	2.3L, 3.8L, 5.0L Turbo	**BRC-126RM**
Un-Loaded Caliper — Right	2.3L, 3.8L, 5.0L Turbo	**BRC-124RM**
Rotor	Cobra, GL, GLX, GT, Ghia, L, LX	**BRR-38**
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
ABS Wheel Speed Sensor — Left	SVO	**BRC-13RM**
Rear:		
Pads	D204,R,ORG	**BR-108B**
Shoes	S474,R,ORG	**BR-75B**
Hardware Pad Attachment Kit	SVO	**BRPK-5572**
Hardware Caliper Attaching Kit	SVO	**BRCK-5028**
Hardware Combi Kit (Spring Kit)		**BRSK-7246A**
		BRVP-1456
		BRVP-1177A
Hardware Self Adjuster Kit — Left		**BRAK-2596**
Hardware Self Adjuster Kit — Right		**BRAK-2597**
Un-Loaded Caliper — Left	SVO	**BRC-98RM**
Un-Loaded Caliper — Right	SVO	**BRC-99RM**
Wheel Cylinder — Left		**BRWC-13**
Wheel Cylinder — Right		**BRWC-13**
Rotor	SVO	**BRR-72**
Drum	Exc. w/9 x 1 3/4" Brake	**BRD-25**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
FORD

Motorcraft

1986 — Taurus

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	BR-14B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left	GL, L, LX, MT5; Exc. Police	BRC-27ARM
Un-Loaded Caliper — Right	GL, L, LX, MT5; Exc. Police	BRC-28ARM
Rotor		BRR-80
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	Sedan,S566,R,ORG	BR-81B
	Wagon,S567,R,ORG	BR-82B
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRVP-21938
		BRSK-7286A
Hardware Self Adjuster Kit — Left		BRAK-2632
Hardware Self Adjuster Kit — Right		BRAK-2633
Wheel Cylinder — Left		BRWC-22
Wheel Cylinder — Right		BRWC-22
Drum	Sedan	BRD-31

1986 — Tempo

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,I,ORG	BR-30B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2602
Hardware Self Adjuster Kit — Right		BRAK-2603
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	FWD	BRD-28

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1986 — Thunderbird

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D310,I,SM	**BR-7B**
Hardware Pad Attachment Kit		**BRPK-5567**
Hardware Caliper Attaching Kit		**BRCK-5016**
Un-Loaded Caliper — Left		**BRC-126RM**
	2.3L Turbo	**BRC-126RM**
Un-Loaded Caliper — Right		**BRC-124RM**
	2.3L Turbo	**BRC-124RM**
Rotor		**BRR-38**
Rear:		
Shoes	w/10" Brake,S151,R,ORG	**BR-111B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
	w/10" Brake	**BRSK-7248A**
	w/10" Brake	**BRVP-1456**
	w/9" Brake	**BRSK-7246A**
	w/9" Brake	**BRVP-1456**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/9" Brake	**BRWC-13**
Wheel Cylinder — Right	w/9" Brake	**BRWC-13**
Drum	w/9 x 1 3/4" Brake	**BRD-25**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
LINCOLN

Motorcraft

2005 — LS

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D805,I,ORG	**BR-1273**
Un-Loaded Caliper — Left		**BRC-170RM**
		BRC-172RMA
Un-Loaded Caliper — Right		**BRC-169RM**
		BRC-171RMA
Rotor		**BRR-109**
ABS Wheel Speed Sensor — Left	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
ABS Wheel Speed Sensor — Right	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
Rear:		
Pads	D806,I,ORG	**BR-1278**

2005 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D931,I,ORG	**BR-931B**
Pads - SuperDuty	D931,I,SM	**BRSD-931**
Un-Loaded Caliper — Left		**BRC-162ARM**
Un-Loaded Caliper — Right		**BRC-161RM**
Rotor		**BRR-111**
Rear:		
Pads	D932,I,ORG	**BR-932B**
Pads - SuperDuty	D932,I,ORG	**BRSD-932**
Rotor	Exc. Limo; w/10 Mounting Holes	**BRR-114**
	w/Limo Conversion Pkg. & 5 Mounting Holes	**BRR-118**
Wheel Seal	Limo; Inner	**BRS-101**
	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-103**
ABS Wheel Speed Sensor — Left		**BRAB-148**
	Limousine	**BRAB-149**
ABS Wheel Speed Sensor — Right		**BRAB-148**
	Limousine	**BRAB-149**

2004 — LS

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D805,I,ORG	**BR-1273**
Hardware Pad Attachment Kit		**BRPK-5657**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Un-Loaded Caliper — Left		**BRC-172RMA**
Un-Loaded Caliper — Right		**BRC-171RMA**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2004 — LS — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor		**BRR-109**
ABS Wheel Speed Sensor — Left	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
ABS Wheel Speed Sensor — Right	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
Rear:		
Pads	D806,I,ORG	**BR-1278**
Hardware Pad Attachment Kit		**BRPK-5696**
Hardware Caliper Attaching Kit		**BRCK-5085**

2004 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D931,I,ORG	**BR-931B**
Pads - SuperDuty	D931,I,SM	**BRSD-931**
Hardware Pad Attachment Kit	Limousine, Sedan	**BRPK-5681**
Hardware Caliper Attaching Kit		**BRCK-5087**
Un-Loaded Caliper — Left		**BRC-162ARM**
Un-Loaded Caliper — Right		**BRC-161RM**
Rotor		**BRR-111**
ABS Wheel Speed Sensor — Left		**BRAB-19**
ABS Wheel Speed Sensor — Right		**BRAB-19**
Rear:		
Pads	D932,I,ORG	**BR-932B**
Pads - SuperDuty	D932,I,ORG	**BRSD-932**
Hardware Pad Attachment Kit	Limousine, Sedan	**BRPK-5682**
	Limousine	**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7302**
	Limousine Drum-In-Hat Parking Brake	**BRSK-7002A**
Rotor	w/Limo Conversion Pkg. & 5 Mounting Holes	**BRR-118**
	Exc. Limo; w/10 Mounting Holes	**BRR-114**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-103**
ABS Wheel Speed Sensor — Left	Exc. Limo Conversion Pkg	**BRAB-17**
	w/Limo Conversion Pkg	**BRAB-18**
ABS Wheel Speed Sensor — Right	Exc. Limo Conversion Pkg	**BRAB-17**
	w/Limo Conversion Pkg	**BRAB-18**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
LINCOLN

Motorcraft

2003 — LS

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D805,I,ORG	**BR-1273**
Hardware Pad Attachment Kit		**BRPK-5657**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Un-Loaded Caliper — Left		**BRC-172RMA**
Un-Loaded Caliper — Right		**BRC-171RMA**
Rotor		**BRR-109**
ABS Wheel Speed Sensor — Left	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
ABS Wheel Speed Sensor — Right	Snap On Type	**BRAB-129**
	Bolt On Type	**BRAB-167**
Rear:		
Pads	D806,I,ORG	**BR-1278**
Hardware Pad Attachment Kit		**BRPK-5696**
Hardware Caliper Attaching Kit		**BRCK-5085**

2003 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D931,I,ORG	**BR-931B**
Pads - SuperDuty	D931,I,SM	**BRSD-931**
Hardware Pad Attachment Kit	Limousine, Sedan	**BRPK-5681**
Hardware Caliper Attaching Kit		**BRCK-5087**
Un-Loaded Caliper — Left		**BRC-162ARM**
Un-Loaded Caliper — Right		**BRC-161RM**
Rotor		**BRR-111**
ABS Wheel Speed Sensor — Left		**BRAB-19**
ABS Wheel Speed Sensor — Right		**BRAB-19**
Rear:		
Pads	D932,I,ORG	**BR-932B**
Pads - SuperDuty	D932,I,ORG	**BRSD-932**
Hardware Pad Attachment Kit	Limousine, Sedan	**BRPK-5682**
	Limousine	**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7302**
	Drum-In-Hat Parking Brake	**BRSK-7002A**
Rotor	w/Limo Conversion Pkg. & 5 Mounting Holes	**BRR-118**
	Exc. Limo; w/10 Mounting Holes	**BRR-114**
Drum	Limousine w/11" Brake Only	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-103**
ABS Wheel Speed Sensor — Left	Exc. Limo Conversion Pkg	**BRAB-17**
	w/Limo Conversion Pkg	**BRAB-18**
ABS Wheel Speed Sensor — Right	Exc. Limo Conversion Pkg	**BRAB-17**
	w/Limo Conversion Pkg	**BRAB-18**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2002 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left		BRCL-20RM
Loaded Caliper — Right		BRCL-19RM
Un-Loaded Caliper — Left		BRC-20RM
Un-Loaded Caliper — Right		BRC-19RM
Rotor		BRR-68
ABS Wheel Speed Sensor — Left		BRAB-85A
ABS Wheel Speed Sensor — Right		BRAB-85A
Rear:		
Pads	D610,R,ORG	BR-71B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A
	w/E150 Axle	BRSK-7298A
Hardware Self Adjuster Kit — Left		BRAK-2666A
Hardware Self Adjuster Kit — Right		BRAK-2667A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
ABS Wheel Speed Sensor — Left		BRAB-84
ABS Wheel Speed Sensor — Right		BRAB-84

2002 — LS

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D805,I,ORG	BR-1273
Hardware Pad Attachment Kit		BRPK-5657
Hardware Caliper Attaching Kit		BRCK-5060A
Un-Loaded Caliper — Left		BRC-172RMA
Un-Loaded Caliper — Right		BRC-171RMA
Rotor		BRR-109
ABS Wheel Speed Sensor — Left	Snap On Type	BRAB-129
ABS Wheel Speed Sensor — Right	Snap On Type	BRAB-129
Rear:		
Pads	D806,I,ORG	BR-1278
	D806,I,ORG	BR-1278
Hardware Pad Attachment Kit		BRPK-5676
Hardware Caliper Attaching Kit		BRCK-5085

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
LINCOLN

2002 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	**BR-26A**
Pads - SuperDuty	D748,I,SM	**BRSD-748**
Hardware Pad Attachment Kit		**BRPK-5646A**
Hardware Caliper Attaching Kit		**BRCK-5073A**
Un-Loaded Caliper — Left		**BRC-156RM**
Un-Loaded Caliper — Right		**BRC-155RM**
Rotor		**BRR-64**
ABS Wheel Speed Sensor — Left		**BRAB-75**
ABS Wheel Speed Sensor — Right		**BRAB-75**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Exc. w/Phenolic Piston,D674,I,SM	**BRSD-674**
	w/Phenolic Piston,D674A,I,SM	**BRSD-674A**
Shoes	Limousine w/E150 Axle,S723,B,ORG	**BR-105B**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
	Limousine w/E150 Axle	**BRVP-1177A**
	Limousine	**BRSK-7298A**
Hardware Self Adjuster Kit — Left	Limousine	**BRAK-2666A**
Hardware Self Adjuster Kit — Right	Limousine	**BRAK-2667A**
Un-Loaded Caliper — Left		**BRC-175RMA**
Un-Loaded Caliper — Right		**BRC-175RMA**
Wheel Cylinder — Left	Limousine	**BRWC-46**
Wheel Cylinder — Right	Limousine	**BRWC-47**
Rotor		**BRR-61**
Drum	Limousine w/11" Brake Only	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Exc. Limo Conversion Pkg	**BRAB-13**
	w/Limo Conversion Pkg	**BRAB-14**
ABS Wheel Speed Sensor — Right	Exc. Limo Conversion Pkg	**BRAB-13**
	w/Limo Conversion Pkg	**BRAB-14**
		BRAB-14

2001 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Rotor		**BRR-68**
ABS Wheel Speed Sensor — Left		**BRAB-85A**
ABS Wheel Speed Sensor — Right		**BRAB-85A**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Hardware Pad Attachment Kit		**BRPK-5617**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — Continental — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A
	w/E150 Axle	BRSK-7298A
Hardware Self Adjuster Kit — Left		BRAK-2666A
Hardware Self Adjuster Kit — Right		BRAK-2667A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
ABS Wheel Speed Sensor — Left		BRAB-84
ABS Wheel Speed Sensor — Right		BRAB-84

2001 — LS

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D805,I,ORG	BR-1273
Hardware Pad Attachment Kit		BRPK-5657
Hardware Caliper Attaching Kit		BRCK-5060A
Un-Loaded Caliper — Left		BRC-172RMA
Un-Loaded Caliper — Right		BRC-171RMA
Rotor		BRR-109
ABS Wheel Speed Sensor — Left	Snap On Type	BRAB-129
ABS Wheel Speed Sensor — Right	Snap On Type	BRAB-129
Rear:		
Pads	D806,I,ORG	BR-1278
Hardware Pad Attachment Kit		BRPK-16040
Hardware Caliper Attaching Kit		BRCK-14082A
Rotor	Before 7/16/01	BRR-105

2001 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	BR-26A
Pads - SuperDuty	D748,I,SM	BRSD-748
Hardware Pad Attachment Kit		BRPK-5646A
Hardware Caliper Attaching Kit		BRCK-5073A
Un-Loaded Caliper — Left		BRC-156RM
Un-Loaded Caliper — Right		BRC-155RM
Rotor		BRR-64
ABS Wheel Speed Sensor — Left		BRAB-75
ABS Wheel Speed Sensor — Right		BRAB-75

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2001 — Town Car — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	BR-73B
Pads - SuperDuty	Exc. w/Phenolic Pistons,D674,I,SM	BRSD-674
	Exc. w/Phenolic Piston,D674,I,SM	BRSD-674
	w/Phenolic Piston,D674A,I,SM	BRSD-674A
Shoes	Limousine w/E150 Axle,S723,B,ORG	BR-105B
Hardware Pad Attachment Kit		BRPK-5629
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)		BRVP-1456
	Drum-In-Hat Parking Brake	BRSK-7002A
	Limousine w/E150 Axle	BRVP-1177A
	Limousine	BRSK-7298A
Hardware Self Adjuster Kit — Left	Limousine	BRAK-2666A
Hardware Self Adjuster Kit — Right	Limousine	BRAK-2667A
Loaded Caliper — Left	Exc. Limousine	BRCL-51RM
Loaded Caliper — Right	Exc. Limousine	BRCL-51RM
Un-Loaded Caliper — Left	Exc. Limo	BRC-51RM
Un-Loaded Caliper — Right	Exc. Limo	BRC-51RM
Wheel Cylinder — Left	Limousine	BRWC-46
Wheel Cylinder — Right	Limousine	BRWC-47
Rotor		BRR-61
Drum	Limousine w/11" Brake Only	BRD-27
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left	Exc. Limo	BRAB-13
	w/Limo Conversion Pkg	BRAB-14
ABS Wheel Speed Sensor — Right	Exc. Limo	BRAB-13
	w/Limo Conversion Pkg	BRAB-14

2000 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Rotor		BRR-68
ABS Wheel Speed Sensor — Left		BRAB-85A
ABS Wheel Speed Sensor — Right		BRAB-85A
Rear:		
Pads	D610,R,ORG	BR-71B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A
	w/E150 Axle	BRSK-7298A
Hardware Self Adjuster Kit — Left		BRAK-2666A
Hardware Self Adjuster Kit — Right		BRAK-2667A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2000 — Continental — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left		BRAB-84
ABS Wheel Speed Sensor — Right		BRAB-84

2000 — LS

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D805,I,ORG	BR-1273
Hardware Pad Attachment Kit		BRPK-5657
Hardware Caliper Attaching Kit		BRCK-5060A
Un-Loaded Caliper — Left	From 3/22/99	BRC-172RMA
Un-Loaded Caliper — Right	From 3/22/99	BRC-171RMA
Rotor	From 3/22/99	BRR-109
ABS Wheel Speed Sensor — Left	Snap On Type	BRAB-129
ABS Wheel Speed Sensor — Right	Snap On Type	BRAB-129
Rear:		
Pads	D806,I,ORG	BR-1278
Hardware Pad Attachment Kit		BRPK-16040
Hardware Caliper Attaching Kit		BRCK-14082A
Rotor	From 3/22/99	BRR-105

2000 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	BR-26A
Pads - SuperDuty	D748,I,SM	BRSD-748
Hardware Pad Attachment Kit		BRPK-5646A
Hardware Caliper Attaching Kit		BRCK-5073A
Loaded Caliper — Left		BRCL-49RM
Loaded Caliper — Right		BRCL-50RM
Un-Loaded Caliper — Left		BRC-49RM
Un-Loaded Caliper — Right		BRC-50RM
Rotor		BRR-64
ABS Wheel Speed Sensor — Left		BRAB-75
ABS Wheel Speed Sensor — Right		BRAB-75
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	BR-73B
Pads - SuperDuty	Exc. w/Phenolic Pistons,D674,I,SM	BRSD-674
	Exc. w/Phenolic Piston,D674,I,SM	BRSD-674
	w/Phenolic Piston,D674A,I,SM	BRSD-674A
Shoes	Limousine w/E150 Axle,S723,B,ORG	BR-105B
Hardware Pad Attachment Kit		BRPK-5629

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2000 — Town Car — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)		BRVP-1456
	Drum-In-Hat Parking Brake	BRSK-7002A
	Limousine w/E150 Axle	BRVP-1177A
	Limousine	BRSK-7298A
Hardware Self Adjuster Kit — Left	Limousine	BRAK-2666A
Hardware Self Adjuster Kit — Right	Limousine	BRAK-2667A
Loaded Caliper — Left	Exc. Limousine	BRCL-51RM
Loaded Caliper — Right	Exc. Limousine	BRCL-51RM
Un-Loaded Caliper — Left	Exc. Limo	BRC-51RM
Un-Loaded Caliper — Right	Exc. Limo	BRC-51RM
Wheel Cylinder — Left	Limousine	BRWC-14A
Wheel Cylinder — Right	Limousine	BRWC-14A
Rotor		BRR-61
Drum	Limousine w/11" Brake Only	BRD-27
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
	Limousine Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	BRS-40
ABS Wheel Speed Sensor — Left	Exc. Limo	BRAB-74
	Limo	BRAB-86
ABS Wheel Speed Sensor — Right	Exc. Limo	BRAB-74
	Limo	BRAB-86

1999 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Rotor		BRR-68
ABS Wheel Speed Sensor — Left		BRAB-85A
ABS Wheel Speed Sensor — Right		BRAB-85A
Rear:		
Pads	D610,R,ORG	BR-71B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A
	w/E150 Axle	BRSK-7298A
Hardware Self Adjuster Kit — Left		BRAK-2666A
Hardware Self Adjuster Kit — Right		BRAK-2667A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Rotor		BRR-51
ABS Wheel Speed Sensor — Left		BRAB-84
ABS Wheel Speed Sensor — Right		BRAB-84

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	**BR-26A**
Pads - SuperDuty	D748,I,SM	**BRSD-748**
Hardware Pad Attachment Kit		**BRPK-5646A**
Hardware Caliper Attaching Kit		**BRCK-5073A**
Loaded Caliper — Left		**BRCL-49RM**
Loaded Caliper — Right		**BRCL-50RM**
Un-Loaded Caliper — Left		**BRC-49RM**
Un-Loaded Caliper — Right		**BRC-50RM**
Rotor		**BRR-64**
ABS Wheel Speed Sensor — Left		**BRAB-75**
ABS Wheel Speed Sensor — Right		**BRAB-75**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Exc. w/Phenolic Piston,D674,I,SM	**BRSD-674**
	w/Phenolic Piston,D674A,I,SM	**BRSD-674A**
Shoes	Limousine w/E150 Axle,S723,B,ORG	**BR-105B**
Hardware Pad Attachment Kit		**BRPK-5629**
		BRPK-5629
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)		**BRVP-1456**
	Drum-In-Hat Parking Brake	**BRSK-7002A**
	Limousine w/E150 Axle	**BRVP-1177A**
	Limousine	**BRSK-7298A**
Hardware Self Adjuster Kit — Left	Limousine	**BRAK-2666A**
Hardware Self Adjuster Kit — Right	Limousine	**BRAK-2667A**
Loaded Caliper — Left		**BRCL-51RM**
Loaded Caliper — Right		**BRCL-51RM**
Un-Loaded Caliper — Left		**BRC-51RM**
Un-Loaded Caliper — Right		**BRC-51RM**
Wheel Cylinder — Left	Limousine w/E150 Axle	**BRWC-14A**
Wheel Cylinder — Right	Limousine w/E150 Axle	**BRWC-14A**
Rotor		**BRR-61**
Drum	Limousine w/11" Brake Only	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	Limousine Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Exc. Limo	**BRAB-74**
	Limo	**BRAB-86**
ABS Wheel Speed Sensor — Right	Exc. Limo	**BRAB-74**
	Limo	**BRAB-86**

1998 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Un-Loaded Caliper — Left		**BRC-32RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — Continental — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Right		BRC-33RM
Rotor		BRR-68
ABS Wheel Speed Sensor — Left		BRAB-85A
ABS Wheel Speed Sensor — Right		BRAB-85A
Rear:		
Pads	D610,R,ORG	BR-71B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Rotor		BRR-51
ABS Wheel Speed Sensor — Left		BRAB-84
ABS Wheel Speed Sensor — Right		BRAB-84

1998 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
Rotor		BRR-68
ABS Wheel Speed Sensor — Left		BRAB-83
ABS Wheel Speed Sensor — Right		BRAB-82
Rear:		
Pads	I,ORG	BR-57B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Rotor		BRR-52
ABS Wheel Speed Sensor — Left		BRAB-81
ABS Wheel Speed Sensor — Right		BRAB-80

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	**BR-26A**
Pads - SuperDuty	D748,I,SM	**BRSD-748**
Hardware Pad Attachment Kit		**BRPK-5623**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-49RM**
Loaded Caliper — Right		**BRCL-50RM**
Un-Loaded Caliper — Left		**BRC-49RM**
Un-Loaded Caliper — Right		**BRC-50RM**
Rotor		**BRR-64**
ABS Wheel Speed Sensor — Left		**BRAB-75**
ABS Wheel Speed Sensor — Right		**BRAB-75**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Exc. w/Phenolic Piston,D674,I,SM	**BRSD-674**
	w/Phenolic Piston,D674A,I,SM	**BRSD-674A**
Shoes	Limo Exc. E150 Axle,S482,R,ORG	**BR-77B**
	Limousine w/E150 Axle,S723,B,ORG	**BR-105B**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
	Limousine	**BRVP-1456**
	Limousine	**BRVP-1177A**
	Limo Exc. E150 Axle	**BRVP-3310**
Loaded Caliper — Left		**BRCL-51RM**
Loaded Caliper — Right		**BRCL-51RM**
Un-Loaded Caliper — Left		**BRC-51RM**
Un-Loaded Caliper — Right		**BRC-51RM**
Wheel Cylinder — Left	Limousine w/E150 Axle	**BRWC-14A**
Wheel Cylinder — Right	Limousine w/E150 Axle	**BRWC-14A**
Rotor		**BRR-61**
Drum	Limousine w/11" Brake Only	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	Limousine Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Exc. Limo	**BRAB-74**
	Limo	**BRAB-86**
ABS Wheel Speed Sensor — Right	Exc. Limo	**BRAB-74**
	Limo	**BRAB-86**

1997 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Un-Loaded Caliper — Left		**BRC-32RM**
Un-Loaded Caliper — Right		**BRC-33RM**
Rotor		**BRR-68**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1997 — Continental — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
ABS Wheel Speed Sensor — Left		BRAB-46
ABS Wheel Speed Sensor — Right		BRAB-46
Rear:		
Pads	D610,R,ORG	BR-71B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Rotor		BRR-51
ABS Wheel Speed Sensor — Left		BRAB-45
ABS Wheel Speed Sensor — Right		BRAB-45

1997 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
Rotor		BRR-68
ABS Wheel Speed Sensor — Left	w/Eng. # F6SC-2C205-AB	BRAB-24
	w/Eng. # F7LC-2C205-AD	BRAB-59
ABS Wheel Speed Sensor — Right		BRAB-58
Rear:		
Pads	I,ORG	BR-57B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Rotor		BRR-52
ABS Wheel Speed Sensor — Left		BRAB-57
ABS Wheel Speed Sensor — Right		BRAB-57

1997 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Limo,D659,I,SM	BR-24B

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1997 — Town Car — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Pads - SuperDuty	Limousine,D678,I,SM	**BRSD-678**
Hardware Pad Attachment Kit		**BRPK-5623**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-30RM**
Loaded Caliper — Right		**BRCL-29RM**
Un-Loaded Caliper — Left		**BRC-30RM**
Un-Loaded Caliper — Right		**BRC-29RM**
Rotor		**BRR-60**
ABS Wheel Speed Sensor — Left		**BRAB-44**
ABS Wheel Speed Sensor — Right		**BRAB-44**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Exc. w/Phenolic Piston,D674,I,SM	**BRSD-674**
	w/Phenolic Piston,D674A,I,SM	**BRSD-674A**
Shoes	w/11" Brake,S482,R,ORG	**BR-77B**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
Loaded Caliper — Left		**BRCL-51RM**
Loaded Caliper — Right		**BRCL-51RM**
Un-Loaded Caliper — Left		**BRC-51RM**
Un-Loaded Caliper — Right		**BRC-51RM**
Wheel Cylinder — Left	Limousine w/E150 Axle	**BRWC-14A**
Wheel Cylinder — Right	Limousine w/E150 Axle	**BRWC-14A**
Rotor		**BRR-61**
Drum	Limousine w/11" Brake Only	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	Limousine Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Exc. Limo	**BRAB-43**
	Limousine	**BRAB-48**
ABS Wheel Speed Sensor — Right	Exc. Limo	**BRAB-43**
	Limousine	**BRAB-48**

1996 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Un-Loaded Caliper — Left		**BRC-32RM**
Un-Loaded Caliper — Right		**BRC-33RM**
Rotor		**BRR-68**
ABS Wheel Speed Sensor — Left		**BRAB-46**
ABS Wheel Speed Sensor — Right		**BRAB-46**
Rear:		
Pads	D610,R,ORG	**BR-71B**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1996 — Continental — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Rotor		BRR-51
ABS Wheel Speed Sensor — Left		BRAB-45
ABS Wheel Speed Sensor — Right		BRAB-45

1996 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
Rotor		BRR-68
ABS Wheel Speed Sensor — Left		BRAB-24
ABS Wheel Speed Sensor — Right		BRAB-50
Rear:		
Pads	I,ORG	BR-57B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Rotor		BRR-52
ABS Wheel Speed Sensor — Left	From 10/96	BRAB-57
ABS Wheel Speed Sensor — Right	From 10/96	BRAB-57

1996 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Limo,D659,I,SM	BR-24B
Pads - SuperDuty	Limousine,D678,I,SM	BRSD-678
Hardware Pad Attachment Kit		BRPK-5623
Hardware Caliper Attaching Kit		BRCK-5064A
Loaded Caliper — Left		BRCL-30RM
Loaded Caliper — Right		BRCL-29RM
Un-Loaded Caliper — Left		BRC-30RM
Un-Loaded Caliper — Right		BRC-29RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1996 — Town Car — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor		**BRR-60**
ABS Wheel Speed Sensor — Left		**BRAB-44**
ABS Wheel Speed Sensor — Right		**BRAB-44**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Exc. w/Phenolic Piston,D674,I,SM	**BRSD-674**
	w/Phenolic Piston,D674A,I,SM	**BRSD-674A**
Shoes	w/11" Brake,S482,R,ORG	**BR-77B**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
Loaded Caliper — Left		**BRCL-51RM**
Loaded Caliper — Right		**BRCL-51RM**
Un-Loaded Caliper — Left		**BRC-51RM**
Un-Loaded Caliper — Right		**BRC-51RM**
Wheel Cylinder — Left	Limousine w/E150 Axle	**BRWC-14A**
Wheel Cylinder — Right	Limousine w/E150 Axle	**BRWC-14A**
Rotor		**BRR-61**
Drum	Limousine w/11" Brake Only	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	Limousine Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Exc. Limo	**BRAB-43**
	Limousine	**BRAB-48**
ABS Wheel Speed Sensor — Right	Exc. Limo	**BRAB-43**
	Limousine	**BRAB-48**

1995 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit		**BRPK-5616**
	Limousine	**BRPK-5560**
Hardware Caliper Attaching Kit		**BRCK-5022**
Un-Loaded Caliper — Left		**BRC-32RM**
Un-Loaded Caliper — Right		**BRC-33RM**
Rotor		**BRR-68**
ABS Wheel Speed Sensor — Left		**BRAB-46**
ABS Wheel Speed Sensor — Right		**BRAB-46**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)		**BRSK-7001**
		BRVP-1456
Loaded Caliper — Left		**BRCL-15RM**
Loaded Caliper — Right		**BRCL-14RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — Continental — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Rotor		BRR-51
ABS Wheel Speed Sensor — Left		BRAB-45
ABS Wheel Speed Sensor — Right		BRAB-45

1995 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
ABS Wheel Speed Sensor — Left		BRAB-24
Rear:		
Pads	I,ORG	BR-57B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Rotor		BRR-52

1995 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Limo,D659,I,SM	BR-24B
Pads - SuperDuty	Limousine,D678,I,SM	BRSD-678
Hardware Pad Attachment Kit	Exc. Limo	BRPK-5623
	Limousine	BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5064A
Loaded Caliper — Left		BRCL-30RM
Loaded Caliper — Right		BRCL-29RM
Un-Loaded Caliper — Left		BRC-30RM
Un-Loaded Caliper — Right		BRC-29RM
Rotor		BRR-60
ABS Wheel Speed Sensor — Left		BRAB-44
ABS Wheel Speed Sensor — Right		BRAB-44
Rear:		
Pads	Exc. Limo,D544,R,ORG	BR-110B
	Limousine,I,SM	BR-107B

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1995 — Town Car — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Shoes	w/11" Brake,S482,R,ORG	BR-77B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit	Limousine	BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7001
		BRVP-1456
Loaded Caliper — Left		BRCL-3RM
Loaded Caliper — Right		BRCL-3RM
Un-Loaded Caliper — Left		BRC-3RM
Un-Loaded Caliper — Right		BRC-3RM
Wheel Cylinder — Left	Limousine w/E150 Axle	BRWC-14A
Wheel Cylinder — Right	Limousine w/E150 Axle	BRWC-14A
Rotor		BRR-2
Drum	Limousine w/11" Brake Only	BRD-27
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
	Limousine Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	BRS-40
ABS Wheel Speed Sensor — Left	Exc. Limo	BRAB-43
	Limousine	BRAB-48
ABS Wheel Speed Sensor — Right	Exc. Limo	BRAB-43
	Limousine	BRAB-48

1994 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,SM	BR-31
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left		BRCL-32RM
Loaded Caliper — Right		BRCL-33RM
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
Rotor		BRR-46
ABS Wheel Speed Sensor — Left		BRAB-96
ABS Wheel Speed Sensor — Right		BRAB-95
Rear:		
Pads	D610,R,ORG	BR-71B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)		BRSK-7001
		BRVP-1456
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Rotor		BRR-51
ABS Wheel Speed Sensor — Left		BRAB-93
ABS Wheel Speed Sensor — Right		BRAB-92

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
LINCOLN

Motorcraft

1994 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Un-Loaded Caliper — Left		**BRC-32RM**
Un-Loaded Caliper — Right		**BRC-33RM**
ABS Wheel Speed Sensor — Left		**BRAB-24**
Rear:		
Pads	D599,R,ORG	**BR-64B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Un-Loaded Caliper — Left		**BRC-78RM**
Un-Loaded Caliper — Right		**BRC-79RM**
Rotor		**BRR-52**

1994 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Limo,D499,I,ORG	**BR-33B**
	Exc. Limo,D199,I,ORG	**BR-29B**
	Limousine,D499,I,SM	**BR-19**
	Limousine Before 6/10/93,I,SM	**BR-5B**
Hardware Pad Attachment Kit		**BRPK-5560**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left		**BRCL-57BRM**
Loaded Caliper — Right		**BRCL-56ARM**
Un-Loaded Caliper — Left		**BRC-57RM**
Un-Loaded Caliper — Right		**BRC-56RM**
Rotor		**BRR-47**
ABS Wheel Speed Sensor — Left		**BRAB-98**
ABS Wheel Speed Sensor — Right		**BRAB-98**
Rear:		
Pads	D544,R,ORG	**BR-110B**
Shoes	w/11" Brake,S482,R,ORG	**BR-77B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRSK-7001**
		BRVP-1456
Loaded Caliper — Left		**BRCL-3RM**
Loaded Caliper — Right		**BRCL-3RM**
Un-Loaded Caliper — Left		**BRC-3RM**
Un-Loaded Caliper — Right		**BRC-3RM**
Wheel Cylinder — Left	Limousine w/E150 Axle	**BRWC-14A**
Wheel Cylinder — Right	Limousine w/E150 Axle	**BRWC-14A**
Rotor		**BRR-2**
Drum	Limousine w/11" Brake Only	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	Limousine Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1994 — Town Car — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left	Exc. Limo	BRAB-23
	Limousine	BRAB-97
ABS Wheel Speed Sensor — Right	Exc. Limo	BRAB-23
	Limousine	BRAB-97

1993 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,SM	BR-31
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left		BRCL-32RM
Loaded Caliper — Right		BRCL-33RM
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
Rotor		BRR-46
ABS Wheel Speed Sensor — Left		BRAB-96
ABS Wheel Speed Sensor — Right		BRAB-95
Rear:		
Pads	D610,R,ORG	BR-71B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)		BRSK-7001
		BRVP-1456
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Rotor		BRR-51
ABS Wheel Speed Sensor — Left		BRAB-93
ABS Wheel Speed Sensor — Right		BRAB-92

1993 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
ABS Wheel Speed Sensor — Left		BRAB-24

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1993 — Mark — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Pads	D599,R,ORG	BR-64B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Rotor		BRR-52

1993 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Limo,D199,I,ORG	BR-29B
	Exc. Limo From 6/10/93,D499,I,ORG	BR-33B
	Limousine,I,SM	BR-5B
	Limousine From 6/10/93,D499,I,SM	BR-19
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left	From 11/01/93	BRCL-57BRM
	Before 11/01/93	BRCL-12RM
Loaded Caliper — Right	From 11/01/93	BRCL-56ARM
	Before 11/01/93	BRCL-13RM
Un-Loaded Caliper — Left	From 11/01/93	BRC-57RM
	Before 11/01/93	BRC-12RM
Un-Loaded Caliper — Right	From 11/01/93	BRC-56RM
	Before 11/01/93	BRC-13RM
Rotor		BRR-47
ABS Wheel Speed Sensor — Left		BRAB-98
ABS Wheel Speed Sensor — Right		BRAB-98
Rear:		
Pads	D544,R,ORG	BR-110B
Shoes	w/11" Brake,S482,R,ORG	BR-77B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7001
		BRVP-1456
Loaded Caliper — Left		BRCL-3RM
Loaded Caliper — Right		BRCL-3RM
Un-Loaded Caliper — Left		BRC-3RM
Un-Loaded Caliper — Right		BRC-3RM
Rotor		BRR-2
Drum	Limousine w/11" Brake Only	BRD-27
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
	Limousine Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	BRS-40
ABS Wheel Speed Sensor — Left	Exc. Limo	BRAB-23
	Limousine	BRAB-97
ABS Wheel Speed Sensor — Right	Exc. Limo	BRAB-23
	Limousine	BRAB-97

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1992 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	BR-14B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-27ARM
Un-Loaded Caliper — Right		BRC-28ARM
Rotor		BRR-48
ABS Wheel Speed Sensor — Left		BRAB-96
ABS Wheel Speed Sensor — Right		BRAB-95
Rear:		
Pads	D347A,R,ORG	BR-59B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Hardware Combi Kit (Spring Kit)		BRSK-7001
		BRVP-1456
Loaded Caliper — Left		BRCL-36RM
Loaded Caliper — Right		BRCL-37RM
Un-Loaded Caliper — Left		BRC-36RM
Un-Loaded Caliper — Right		BRC-37RM
Rotor		BRR-44
ABS Wheel Speed Sensor — Left		BRAB-93
ABS Wheel Speed Sensor — Right		BRAB-92

1992 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	D347A,R,ORG	BR-59B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Loaded Caliper — Left		BRCL-36RM
Loaded Caliper — Right		BRCL-37RM
Un-Loaded Caliper — Left		BRC-36RM
Un-Loaded Caliper — Right		BRC-37RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1992 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Limo,D199,I,ORG	**BR-29B**
	Limousine,I,SM	**BR-5B**
Hardware Pad Attachment Kit		**BRPK-5560**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left		**BRCL-12RM**
Loaded Caliper — Right		**BRCL-13RM**
Un-Loaded Caliper — Left		**BRC-12RM**
Un-Loaded Caliper — Right		**BRC-13RM**
Rotor		**BRR-47**
ABS Wheel Speed Sensor — Left		**BRAB-98**
ABS Wheel Speed Sensor — Right		**BRAB-98**
Rear:		
Pads	D544,R,ORG	**BR-110B**
Shoes	w/11" Brake,S482,R,ORG	**BR-77B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRSK-7001**
		BRVP-1456
Loaded Caliper — Left		**BRCL-3RM**
Loaded Caliper — Right		**BRCL-3RM**
Un-Loaded Caliper — Left		**BRC-3RM**
Un-Loaded Caliper — Right		**BRC-3RM**
Rotor		**BRR-2**
Drum	Limousine w/11" Brake Only	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	Limousine Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Exc. Limo	**BRAB-23**
	Limousine	**BRAB-97**
ABS Wheel Speed Sensor — Right	Exc. Limo	**BRAB-23**
	Limousine	**BRAB-97**

1991 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	**BR-14B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left		**BRC-27ARM**
Un-Loaded Caliper — Right		**BRC-28ARM**
Rotor	All From 2/91	**BRR-48**
	Before 2/91	**BRR-80**
ABS Wheel Speed Sensor — Left		**BRAB-96**
ABS Wheel Speed Sensor — Right		**BRAB-95**
Rear:		
Pads	D347A,R,ORG	**BR-59B**
Hardware Pad Attachment Kit		**BRPK-5600A**
Hardware Caliper Attaching Kit		**BRCK-5049**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1991 — Continental — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit)		BRSK-7001
		BRVP-1456
Loaded Caliper — Left		BRCL-36RM
Loaded Caliper — Right		BRCL-37RM
Un-Loaded Caliper — Left		BRC-36RM
Un-Loaded Caliper — Right		BRC-37RM
Rotor		BRR-44
ABS Wheel Speed Sensor — Left		BRAB-93
ABS Wheel Speed Sensor — Right		BRAB-92

1991 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	D347A,R,ORG	BR-59B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Loaded Caliper — Left		BRCL-36RM
Loaded Caliper — Right		BRCL-37RM
Un-Loaded Caliper — Left		BRC-36RM
Un-Loaded Caliper — Right		BRC-37RM

1991 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Limo,D199,I,ORG	BR-29B
	Limousine,I,SM	BR-5B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Rotor		BRR-47
	Non-ABS	BRR-14

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1991 — Town Car — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
ABS Wheel Speed Sensor — Left		BRAB-98
ABS Wheel Speed Sensor — Right		BRAB-98
Rear:		
Pads	D544,R,ORG	BR-110B
Shoes	S481,R,ORG	BR-76B
	w/11" Brake,S482,R,ORG	BR-77B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7001
		BRVP-1456
	w/11" Brake	BRVP-1177A
	w/11" Brake	BRSK-7225A
Loaded Caliper — Left		BRCL-3RM
Loaded Caliper — Right		BRCL-3RM
Un-Loaded Caliper — Left		BRC-3RM
Un-Loaded Caliper — Right		BRC-3RM
Rotor		BRR-2
Drum	Limousine w/11" Brake Only	BRD-27
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
	Limousine Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	BRS-40
ABS Wheel Speed Sensor — Left	Exc. Limo	BRAB-23
	Limousine	BRAB-97
ABS Wheel Speed Sensor — Right	Exc. Limo	BRAB-23
	Limousine	BRAB-97

1990 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	BR-14B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-27ARM
Un-Loaded Caliper — Right		BRC-28ARM
Rotor		BRR-80
ABS Wheel Speed Sensor — Left		BRAB-96
ABS Wheel Speed Sensor — Right		BRAB-95
Rear:		
Pads	D347A,R,ORG	BR-59B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Hardware Combi Kit (Spring Kit)	w/10" Brake	BRSK-7224A
	w/11" Brake	BRSK-7225A
Hardware Self Adjuster Kit — Left	w/10" Brake	BRAK-2606
	w/11" Brake	BRAK-2544A
Hardware Self Adjuster Kit — Right	w/10" Brake	BRAK-2607
	w/11" Brake	BRAK-2545A
Loaded Caliper — Left		BRCL-36RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1990 — Continental — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Loaded Caliper — Right		BRCL-37RM
Un-Loaded Caliper — Left		BRC-36RM
Un-Loaded Caliper — Right		BRC-37RM
Rotor		BRR-44
ABS Wheel Speed Sensor — Left		BRAB-93
ABS Wheel Speed Sensor — Right		BRAB-92

1990 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	D204,R,ORG	BR-108B
Hardware Pad Attachment Kit		BRPK-5572
Hardware Caliper Attaching Kit		BRCK-5028
Un-Loaded Caliper — Left		BRC-98RM
Un-Loaded Caliper — Right		BRC-99RM
Rotor		BRR-72

1990 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Rotor	2-Wheel ABS	BRR-84
	Non-ABS	BRR-14
ABS Wheel Speed Sensor — Left		BRAB-98
ABS Wheel Speed Sensor — Right		BRAB-98

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1990 — Town Car — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Shoes	w/10" Brake,S481,R,ORG	BR-76B
	w/11" Brake,S482,R,ORG	BR-77B
Hardware Combi Kit (Spring Kit)		BRVP-1177A
	w/10" Brake	BRSK-7224A
	w/11" Brake	BRVP-1456
	w/11" Brake	BRVP-3310
	w/11" Brake	BRSK-7225A
Hardware Self Adjuster Kit — Left	w/10" Brakes	BRAK-2606
	w/11" Brake	BRAK-2544A
Hardware Self Adjuster Kit — Right	w/10" Brakes	BRAK-2607
	w/11" Brake	BRAK-2545A
Wheel Cylinder — Left		BRWC-14A
Wheel Cylinder — Right		BRWC-14A
Rotor		BRR-44
Drum	w/10" Brake	BRD-26
	Limousine w/11" Brake Only	BRD-27
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
	Limousine Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	BRS-40
ABS Wheel Speed Sensor — Left		BRAB-97
ABS Wheel Speed Sensor — Right		BRAB-97

1989 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	BR-14B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-27ARM
Un-Loaded Caliper — Right		BRC-28ARM
Rotor		BRR-80
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	D347A,R,ORG	BR-59B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Hardware Combi Kit (Spring Kit)	w/10" Brake	BRSK-7224A
	w/11" Brake	BRSK-7225A
Hardware Self Adjuster Kit — Left	w/10" Brake	BRAK-2606
	w/11" Brake	BRAK-2544A
Hardware Self Adjuster Kit — Right	w/10" Brake	BRAK-2607
	w/11" Brake	BRAK-2545A
Loaded Caliper — Left		BRCL-36RM
Loaded Caliper — Right		BRCL-37RM
Un-Loaded Caliper — Left		BRC-36RM
Un-Loaded Caliper — Right		BRC-37RM
Rotor		BRR-80

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1989 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	D204,R,ORG	BR-108B
Hardware Pad Attachment Kit		BRPK-5572
Hardware Caliper Attaching Kit		BRCK-5028
Un-Loaded Caliper — Left		BRC-98RM
Un-Loaded Caliper — Right		BRC-99RM
Rotor		BRR-72

1989 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Rotor		BRR-14
Rear:		
Shoes	w/10" Brake,S481,R,ORG	BR-76B
	w/11" Brake,S482,R,ORG	BR-77B
Hardware Combi Kit (Spring Kit)		BRVP-1177A
	w/10" Brake	BRSK-7224A
	w/11" Brake	BRVP-1456
	w/11" Brake	BRVP-3310
	w/11" Brake	BRSK-7225A
Hardware Self Adjuster Kit — Left	w/10" Brakes	BRAK-2606
	w/11" Brake	BRAK-2544A
Hardware Self Adjuster Kit — Right	w/10" Brakes	BRAK-2607
	w/11" Brake	BRAK-2545A
Wheel Cylinder — Left		BRWC-14A
Wheel Cylinder — Right		BRWC-14A
Drum	w/10" Brake	BRD-26
	w/11" Brake Only	BRD-27
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
LINCOLN

Motorcraft

1988 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	**BR-14B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left		**BRC-27ARM**
Un-Loaded Caliper — Right		**BRC-28ARM**
Rotor		**BRR-80**
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
Rear:		
Pads	D347A,R,ORG	**BR-59B**
Hardware Pad Attachment Kit		**BRPK-5600A**
Hardware Caliper Attaching Kit		**BRCK-5049**
Hardware Combi Kit (Spring Kit)	w/10" Brake	**BRSK-7224A**
	w/11" Brake	**BRSK-7225A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2606**
	w/11" Brake	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2607**
	w/11" Brake	**BRAK-2545A**
Loaded Caliper — Left		**BRCL-36RM**
Loaded Caliper — Right		**BRCL-37RM**
Un-Loaded Caliper — Left		**BRC-36RM**
Un-Loaded Caliper — Right		**BRC-37RM**
Rotor		**BRR-80**

1988 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	**BR-29B**
Hardware Pad Attachment Kit		**BRPK-5560**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left		**BRCL-12RM**
Loaded Caliper — Right		**BRCL-13RM**
Un-Loaded Caliper — Left		**BRC-12RM**
Un-Loaded Caliper — Right		**BRC-13RM**
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
Rear:		
Pads	D204,R,ORG	**BR-108B**
Hardware Pad Attachment Kit		**BRPK-5572**
Hardware Caliper Attaching Kit		**BRCK-5028**
Un-Loaded Caliper — Left		**BRC-98RM**
Un-Loaded Caliper — Right		**BRC-99RM**
Rotor		**BRR-72**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1988 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Rotor		BRR-14
Rear:		
Shoes	w/10" Brake,S481,R,ORG	BR-76B
	w/11" Brake,S482,R,ORG	BR-77B
Hardware Combi Kit (Spring Kit)		BRVP-1177A
	w/10" Brake	BRSK-7224A
	w/11" Brake	BRVP-1456
	w/11" Brake	BRVP-3310
	w/11" Brake	BRSK-7225A
Hardware Self Adjuster Kit — Left	w/10" Brakes	BRAK-2606
	w/11" Brake	BRAK-2544A
Hardware Self Adjuster Kit — Right	w/10" Brakes	BRAK-2607
	w/11" Brake	BRAK-2545A
Wheel Cylinder — Left		BRWC-14A
Wheel Cylinder — Right		BRWC-14A
Drum	w/10" Brake	BRD-26
	w/11" Brake Only	BRD-27
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90

1987 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	D204,R,ORG	BR-108B
Hardware Pad Attachment Kit		BRPK-5572
Hardware Caliper Attaching Kit		BRCK-5028
Hardware Combi Kit (Spring Kit)	w/10" Brake	BRSK-7224A
	w/11" Brake	BRSK-7225A
Hardware Self Adjuster Kit — Left	w/10" Brake	BRAK-2606
	w/11" Brake	BRAK-2544A
Hardware Self Adjuster Kit — Right	w/10" Brake	BRAK-2607
	w/11" Brake	BRAK-2545A

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1987 — Continental — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Left		BRC-98RM
Un-Loaded Caliper — Right		BRC-99RM
Rotor		BRR-72

1987 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	D204,R,ORG	BR-108B
Hardware Pad Attachment Kit		BRPK-5572
Hardware Caliper Attaching Kit		BRCK-5028
Un-Loaded Caliper — Left		BRC-98RM
Un-Loaded Caliper — Right		BRC-99RM
Rotor		BRR-72

1987 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Rotor		BRR-14
Rear:		
Shoes	w/10" Brake,S481,R,ORG	BR-76B
	w/11" Brake,S482,R,ORG	BR-77B
Hardware Combi Kit (Spring Kit)		BRVP-1177A
	w/10" Brake	BRSK-7224A
	w/11" Brake	BRVP-1456
	w/11" Brake	BRVP-3310

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1987 — Town Car — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	w/11" Brake	**BRSK-7225A**
Hardware Self Adjuster Kit — Left	w/10" Brakes	**BRAK-2606**
	w/11" Brake	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	w/10" Brakes	**BRAK-2607**
	w/11" Brake	**BRAK-2545A**
Wheel Cylinder — Left		**BRWC-14A**
Wheel Cylinder — Right		**BRWC-14A**
Drum	w/10" Brake	**BRD-26**
	w/11" Brake Only	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1986 — Continental

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	**BR-29B**
Hardware Pad Attachment Kit		**BRPK-5560**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left		**BRCL-12RM**
Loaded Caliper — Right		**BRCL-13RM**
Un-Loaded Caliper — Left		**BRC-12RM**
Un-Loaded Caliper — Right		**BRC-13RM**
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
Rear:		
Pads	D204,R,ORG	**BR-108B**
Hardware Pad Attachment Kit		**BRPK-5572**
Hardware Caliper Attaching Kit		**BRCK-5028**
Hardware Combi Kit (Spring Kit)	w/10" Brake	**BRSK-7224A**
	w/11" Brake	**BRSK-7225A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2606**
	w/11" Brake	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2607**
	w/11" Brake	**BRAK-2545A**
Un-Loaded Caliper — Left		**BRC-98RM**
Un-Loaded Caliper — Right		**BRC-99RM**
Rotor		**BRR-72**

1986 — Mark

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	**BR-29B**
Hardware Pad Attachment Kit		**BRPK-5560**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left		**BRCL-12RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1986 — Mark — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Wheel Seal	Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
Rear:		
Pads	D204,R,ORG	BR-108B
Hardware Pad Attachment Kit		BRPK-5572
Hardware Caliper Attaching Kit		BRCK-5028
Un-Loaded Caliper — Left		BRC-98RM
Un-Loaded Caliper — Right		BRC-99RM
Rotor		BRR-72

1986 — Town Car

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Rotor		BRR-14
Rear:		
Shoes	w/10" Brake,S481,R,ORG	BR-76B
	w/11" Brake,S482,R,ORG	BR-77B
Hardware Combi Kit (Spring Kit)		BRVP-1177A
	w/10" Brake	BRSK-7224A
	w/11" Brake	BRVP-1456
	w/11" Brake	BRVP-3310
	w/11" Brake	BRSK-7225A
Hardware Self Adjuster Kit — Left	w/10" Brakes	BRAK-2606
	w/11" Brake	BRAK-2544A
Hardware Self Adjuster Kit — Right	w/10" Brakes	BRAK-2607
	w/11" Brake	BRAK-2545A
Wheel Cylinder — Left		BRWC-14A
Wheel Cylinder — Right		BRWC-14A
Drum	w/10" Brake	BRD-26
	w/11" Brake Only	BRD-27
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2005 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D931,I,ORG	BR-931B
Pads - SuperDuty	D931,I,SM	BRSD-931
Un-Loaded Caliper — Left		BRC-162ARM
Un-Loaded Caliper — Right		BRC-161RM
Rotor		BRR-111
ABS Wheel Speed Sensor — Left		BRAB-19
ABS Wheel Speed Sensor — Right		BRAB-19
Rear:		
Pads	D932,I,ORG	BR-932B
Pads - SuperDuty	D932,I,ORG	BRSD-932
Rotor	w/5 Mounting Holes	BRR-112
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-103
ABS Wheel Speed Sensor — Left		BRAB-148
ABS Wheel Speed Sensor — Right		BRAB-148

2005 — Montego

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
ABS Wheel Speed Sensor — Left		BRAB-132
ABS Wheel Speed Sensor — Right		BRAB-132
Rear:		
ABS Wheel Speed Sensor — Left	RWD	BRAB-134
	4WD	BRAB-136
ABS Wheel Speed Sensor — Right	RWD	BRAB-133
	4WD	BRAB-135

2005 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
ABS Wheel Speed Sensor — Left		BRAB-11
ABS Wheel Speed Sensor — Right		BRAB-10
Rear:		
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Rotor		BRR-51
Drum	Sedan	BRD-40

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2004 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D931,I,ORG	BR-931B
Pads - SuperDuty	D931,I,SM	BRSD-931
Hardware Pad Attachment Kit		BRPK-5681
Hardware Caliper Attaching Kit		BRCK-5087
Un-Loaded Caliper — Left		BRC-162ARM
Un-Loaded Caliper — Right		BRC-161RM
Rotor		BRR-111
ABS Wheel Speed Sensor — Left		BRAB-19
ABS Wheel Speed Sensor — Right		BRAB-19
Rear:		
Pads	D932,I,ORG	BR-932B
Pads - SuperDuty	D932,I,ORG	BRSD-932
Hardware Pad Attachment Kit		BRPK-5682
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7302
Rotor	w/5 Mounting Holes	BRR-112
	w/10 Mounting Holes	BRR-114
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-103
ABS Wheel Speed Sensor — Left		BRAB-17
ABS Wheel Speed Sensor — Right		BRAB-17

2004 — Marauder

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads - SuperDuty	D931,I,SM	BRSD-931
Hardware Pad Attachment Kit		BRPK-5681
Hardware Caliper Attaching Kit		BRCK-5087
Rear:		
Hardware Pad Attachment Kit		BRPK-5682
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7302
Rotor	w/10 Mounting Holes	BRR-114

2004 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
Hardware Pad Attachment Kit		BRPK-5694
Hardware Caliper Attaching Kit		BRCK-5060A
Rotor		BRR-68

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2004 — Sable — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-11**
ABS Wheel Speed Sensor — Right		**BRAB-10**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRVP-1177A**
	Sedan	**BRSK-17326A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor		**BRR-51**
Drum	Sedan	**BRD-40**

2003 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D931,I,ORG	**BR-931B**
Pads - SuperDuty	D931,I,SM	**BRSD-931**
Hardware Pad Attachment Kit		**BRPK-5681**
Hardware Caliper Attaching Kit		**BRCK-5087**
Un-Loaded Caliper — Left		**BRC-162ARM**
Un-Loaded Caliper — Right		**BRC-161RM**
Rotor		**BRR-111**
ABS Wheel Speed Sensor — Left		**BRAB-19**
ABS Wheel Speed Sensor — Right		**BRAB-19**
Rear:		
Pads	D932,I,ORG	**BR-932B**
Pads - SuperDuty	D932,I,ORG	**BRSD-932**
Hardware Pad Attachment Kit		**BRPK-5682**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7302**
Rotor	w/5 Mounting Holes	**BRR-112**
	w/10 Mounting Holes	**BRR-114**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-103**
ABS Wheel Speed Sensor — Left		**BRAB-17**
ABS Wheel Speed Sensor — Right		**BRAB-17**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
MERCURY

2003 — Marauder

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads - SuperDuty	D931,I,SM	**BRSD-931**
Hardware Pad Attachment Kit		**BRPK-5681**
Hardware Caliper Attaching Kit		**BRCK-5087**
ABS Wheel Speed Sensor — Left		**BRAB-19**
ABS Wheel Speed Sensor — Right		**BRAB-19**
Rear:		
Hardware Pad Attachment Kit		**BRPK-5682**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7302**
Rotor	w/10 Mounting Holes	**BRR-114**
ABS Wheel Speed Sensor — Left		**BRAB-17**
ABS Wheel Speed Sensor — Right		**BRAB-17**

2003 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit		**BRPK-5694**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Rotor		**BRR-68**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-11**
ABS Wheel Speed Sensor — Right		**BRAB-10**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-17326A**
	Sedan	**BRVP-1177A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor		**BRR-51**
Drum	Sedan	**BRD-40**
ABS Wheel Speed Sensor — Left	Sedan	**BRAB-8**
	Wagon	**BRAB-9**
ABS Wheel Speed Sensor — Right	Sedan	**BRAB-6**
	Wagon	**BRAB-7**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2002 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/Wear Sensor,D801,I,ORG	**BR-1267**
	w/o Wear Sensor,D648,I,SM	**BR-23B**
Hardware Pad Attachment Kit		**BRPK-5622**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left	XR-7	**BRCL-107RM**
Loaded Caliper — Right	XR-7	**BRCL-108RM**
Un-Loaded Caliper — Left	XR-7	**BRC-107RM**
Un-Loaded Caliper — Right	XR-7	**BRC-108RM**
Rotor	2.5L w/16" & 17" Wheels - 278mm Diameter	**BRR-69**
	w/15" Wheels	**BRR-58**
ABS Wheel Speed Sensor — Left		**BRAB-61**
ABS Wheel Speed Sensor — Right		**BRAB-61**
Rear:		
Pads	w/Wear Sensor,D661,I,ORG	**BR-1277**
	w/o Wear Sensor,D661,I,ORG	**BR-66B**
Shoes	w/8" Brake,S696,B,ORG	**BR-93B**
	w/9" Brake,S736,B,ORG	**BR-1264**
Hardware Pad Attachment Kit		**BRPK-5683**
Hardware Combi Kit (Spring Kit)		**BRSK-7293A**
Un-Loaded Caliper — Left	XR-7	**BRC-141RM**
Un-Loaded Caliper — Right	XR-7	**BRC-142RM**
Rotor		**BRR-95**
Drum	2.5L w/9" Brake	**BRD-9**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**
ABS Wheel Speed Sensor — Left		**BRAB-60**
ABS Wheel Speed Sensor — Right		**BRAB-60**

2002 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	**BR-26A**
Pads - SuperDuty	D748,I,SM	**BRSD-748**
Hardware Pad Attachment Kit		**BRPK-5646A**
Hardware Caliper Attaching Kit		**BRCK-5073A**
Un-Loaded Caliper — Left		**BRC-156RM**
Un-Loaded Caliper — Right		**BRC-155RM**
Rotor		**BRR-64**
ABS Wheel Speed Sensor — Left		**BRAB-75**
ABS Wheel Speed Sensor — Right		**BRAB-75**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	D674,I,SM	**BRSD-674**
	Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Taxi w/Phenolic Piston Calipers,D674A,I,SM	**BRSD-674A**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2002 — Grand Marquis — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Left		BRC-175RMA
Un-Loaded Caliper — Right		BRC-175RMA
Rotor		BRR-61
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-13
ABS Wheel Speed Sensor — Right		BRAB-13

2002 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	BR-35B
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left		BRCL-20RM
Loaded Caliper — Right		BRCL-19RM
Un-Loaded Caliper — Left		BRC-20RM
Un-Loaded Caliper — Right		BRC-19RM
Rotor		BRR-68
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-11
ABS Wheel Speed Sensor — Right		BRAB-10
Rear:		
Pads	D610,R,ORG	BR-71B
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17326A
	Sedan	BRVP-1177A
	Wagon	BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Rotor		BRR-51
Drum	Sedan	BRD-40
ABS Wheel Speed Sensor — Left	Sedan	BRAB-8
	Wagon	BRAB-9
ABS Wheel Speed Sensor — Right	Sedan	BRAB-6
	Wagon	BRAB-7

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/Wear Sensor,D801,I,ORG	**BR-1267**
	w/o Wear Sensor,D648,I,SM	**BR-23B**
Hardware Pad Attachment Kit		**BRPK-5622**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left	XR-7	**BRCL-107RM**
Loaded Caliper — Right	XR-7	**BRCL-108RM**
Un-Loaded Caliper — Left	XR-7	**BRC-107RM**
Un-Loaded Caliper — Right	XR-7	**BRC-108RM**
Rotor	2.5L w/16" & 17" Wheels - 278mm Diameter	**BRR-69**
	w/15" Wheels	**BRR-58**
ABS Wheel Speed Sensor — Left		**BRAB-61**
ABS Wheel Speed Sensor — Right		**BRAB-61**
Rear:		
Pads	w/Wear Sensor,D661,I,ORG	**BR-1277**
	w/o Wear Sensor,D661,I,ORG	**BR-66B**
Shoes	w/8" Brake,S696,B,ORG	**BR-93B**
	w/9" Brake,S736,B,ORG	**BR-1264**
Hardware Pad Attachment Kit		**BRPK-5683**
Hardware Combi Kit (Spring Kit)		**BRSK-7293A**
Un-Loaded Caliper — Left	XR-7	**BRC-141RM**
Un-Loaded Caliper — Right	XR-7	**BRC-142RM**
Wheel Cylinder — Left	w/9" Brake	**BRWC-43**
	w/8" Brake	**BRWC-33**
Wheel Cylinder — Right	w/9" Brake	**BRWC-43**
	w/8" Brake	**BRWC-33**
Rotor		**BRR-95**
Drum	2.0L w/8" Brake	**BRD-6**
	2.5L w/9" Brake	**BRD-9**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**
ABS Wheel Speed Sensor — Left		**BRAB-60**
ABS Wheel Speed Sensor — Right		**BRAB-60**

2001 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	**BR-26A**
Pads - SuperDuty	D748,I,SM	**BRSD-748**
Hardware Pad Attachment Kit		**BRPK-5646A**
Hardware Caliper Attaching Kit		**BRCK-5073A**
Un-Loaded Caliper — Left		**BRC-156RM**
Un-Loaded Caliper — Right		**BRC-155RM**
Rotor		**BRR-64**
ABS Wheel Speed Sensor — Left		**BRAB-75**
ABS Wheel Speed Sensor — Right		**BRAB-75**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	D674,I,SM	**BRSD-674**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2001 — Grand Marquis — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Pads - SuperDuty — Cont'd	Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Taxi w/Phenolic Piston Calipers,D674A,I,SM	**BRSD-674A**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
Loaded Caliper — Left		**BRCL-51RM**
Loaded Caliper — Right		**BRCL-51RM**
Un-Loaded Caliper — Left		**BRC-51RM**
Un-Loaded Caliper — Right		**BRC-51RM**
Rotor		**BRR-61**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-13**
ABS Wheel Speed Sensor — Right		**BRAB-13**

2001 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D598,I,ORG	**BR-35B**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-20RM**
Loaded Caliper — Right		**BRCL-19RM**
Un-Loaded Caliper — Left		**BRC-20RM**
Un-Loaded Caliper — Right		**BRC-19RM**
Rotor		**BRR-68**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-11**
ABS Wheel Speed Sensor — Right		**BRAB-10**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-17326A**
	Sedan	**BRVP-1177A**
	Wagon	**BRSK-7280A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Loaded Caliper — Left		**BRCL-15RM**
Loaded Caliper — Right		**BRCL-14RM**
Un-Loaded Caliper — Left		**BRC-15RM**
Un-Loaded Caliper — Right		**BRC-14RM**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor		**BRR-51**
Drum	Sedan	**BRD-40**
	Wagon	**BRD-32**
ABS Wheel Speed Sensor — Left	Sedan	**BRAB-8**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — Sable — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left — Cont'd	Wagon	**BRAB-9**
ABS Wheel Speed Sensor — Right	Sedan	**BRAB-6**
	Wagon	**BRAB-7**

2000 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/o Wear Sensor,D648,I,SM	**BR-23B**
	w/Wear Sensor,D801,I,ORG	**BR-1267**
Hardware Pad Attachment Kit		**BRPK-5622**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left	XR-7	**BRCL-107RM**
Loaded Caliper — Right	XR-7	**BRCL-108RM**
Un-Loaded Caliper — Left	XR-7	**BRC-107RM**
Un-Loaded Caliper — Right	XR-7	**BRC-108RM**
Rotor	4 Cyl. 2.0L 260mm Diameter	**BRR-58**
	2.5L w/16" & 17" Wheels - 278mm Diameter	**BRR-69**
	6 Cyl. 2.5L w/15" Wheels	**BRR-58**
ABS Wheel Speed Sensor — Left		**BRAB-61**
ABS Wheel Speed Sensor — Right		**BRAB-61**
Rear:		
Pads	w/o Wear Sensor,D661,I,ORG	**BR-66B**
	w/Wear Sensor,D661,I,ORG	**BR-1277**
Shoes	w/8" Brake,S696,B,ORG	**BR-93B**
	w/9" Brake,S736,B,ORG	**BR-1264**
Hardware Pad Attachment Kit		**BRPK-5683**
Hardware Combi Kit (Spring Kit)		**BRSK-7293A**
Un-Loaded Caliper — Left	XR-7	**BRC-141RM**
Un-Loaded Caliper — Right	XR-7	**BRC-142RM**
Wheel Cylinder — Left	w/9" Brake	**BRWC-43**
	w/8" Brake	**BRWC-33**
Wheel Cylinder — Right	w/9" Brake	**BRWC-43**
	w/8" Brake	**BRWC-33**
Rotor		**BRR-95**
Drum	2.0L w/8" Brake	**BRD-6**
	2.5L w/9" Brake	**BRD-9**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**
ABS Wheel Speed Sensor — Left		**BRAB-60**
ABS Wheel Speed Sensor — Right		**BRAB-60**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
MERCURY

Motorcraft

2000 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	**BR-26A**
Pads - SuperDuty	D748,I,SM	**BRSD-748**
Hardware Pad Attachment Kit		**BRPK-5646A**
Hardware Caliper Attaching Kit		**BRCK-5073A**
Loaded Caliper — Left		**BRCL-49RM**
Loaded Caliper — Right		**BRCL-50RM**
Un-Loaded Caliper — Left		**BRC-49RM**
Un-Loaded Caliper — Right		**BRC-50RM**
Rotor		**BRR-64**
ABS Wheel Speed Sensor — Left		**BRAB-75**
ABS Wheel Speed Sensor — Right		**BRAB-75**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	D674,I,SM	**BRSD-674**
	Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Taxi w/Phenolic Piston Calipers,D674A,I,SM	**BRSD-674A**
Hardware Pad Attachment Kit		**BRPK-5629**
		BRPK-5593
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
Loaded Caliper — Left		**BRCL-51RM**
Loaded Caliper — Right		**BRCL-51RM**
Un-Loaded Caliper — Left		**BRC-51RM**
Un-Loaded Caliper — Right		**BRC-51RM**
Rotor		**BRR-61**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-74**
ABS Wheel Speed Sensor — Right		**BRAB-74**

2000 — Mystique

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/Wear Sensor,D801,I,ORG	**BR-1267**
	w/o Wear Sensor,D648,I,SM	**BR-23B**
Hardware Pad Attachment Kit		**BRPK-5622**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-107RM**
Loaded Caliper — Right		**BRCL-108RM**
Un-Loaded Caliper — Left		**BRC-107RM**
Un-Loaded Caliper — Right		**BRC-108RM**
Rotor		**BRR-58**
ABS Wheel Speed Sensor — Left		**BRAB-151**
	Sensor Wire	**BRAB-155**
ABS Wheel Speed Sensor — Right		**BRAB-151**
	Sensor Wire	**BRAB-155**
Rear:		
Pads	w/Wear Sensor,D661,I,ORG	**BR-1277**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2000 — Mystique — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Pads — Cont'd	w/o Wear Sensor,D661,I,ORG	**BR-66B**
Shoes	w/8" Brake,S696,B,ORG	**BR-93B**
	w/9" Brake,S736,B,ORG	**BR-1264**
Hardware Pad Attachment Kit		**BRPK-5638A**
Hardware Combi Kit (Spring Kit)		**BRSK-7293A**
Un-Loaded Caliper — Left		**BRC-141RM**
Un-Loaded Caliper — Right		**BRC-142RM**
Wheel Cylinder — Left	w/9" Brake	**BRWC-43**
	w/8" Brake	**BRWC-33**
Wheel Cylinder — Right	w/9" Brake	**BRWC-43**
	w/8" Brake	**BRWC-33**
Rotor		**BRR-95**
Drum	2.5L w/9" Brake	**BRD-9**
	w/8" Brake	**BRD-6**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**
ABS Wheel Speed Sensor — Left		**BRAB-60**
ABS Wheel Speed Sensor — Right		**BRAB-60**

2000 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,ORG	**BR-37B**
Pads - SuperDuty	D601,I,SM	**BRSD-601**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Rotor		**BRR-46**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-104**
ABS Wheel Speed Sensor — Right		**BRAB-103**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRVP-1177A**
	Sedan	**BRSK-17326A**
	Wagon	**BRVP-1168**
	Wagon	**BRSK-7280A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Loaded Caliper — Left		**BRCL-15RM**
Loaded Caliper — Right		**BRCL-14RM**
Un-Loaded Caliper — Left		**BRC-15RM**
Un-Loaded Caliper — Right		**BRC-14RM**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor		**BRR-51**
Drum	Wagon	**BRD-32**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2000 — Sable — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Drum — Cont'd	Sedan	**BRD-31**
ABS Wheel Speed Sensor — Left	Sedan	**BRAB-120**
ABS Wheel Speed Sensor — Right	Sedan	**BRAB-119**
	Wagon	**BRAB-55**

1999 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/o Wear Sensor,D648,I,SM	**BR-23B**
	w/Wear Sensor,D801,I,ORG	**BR-1267**
Hardware Pad Attachment Kit		**BRPK-5622**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left	XR-7	**BRCL-107RM**
Loaded Caliper — Right	XR-7	**BRCL-108RM**
Un-Loaded Caliper — Left	XR-7	**BRC-107RM**
Un-Loaded Caliper — Right	XR-7	**BRC-108RM**
Rotor	4 Cyl. 2.0L 260mm Diameter	**BRR-58**
	2.5L w/16" & 17" Wheels - 278mm Diameter; From 10/01/98	**BRR-69**
	6 Cyl. 2.5L w/15" Wheels w/260mm Diameter From 10/1/98	**BRR-58**
	2.5L w/15" & 16" Wheels - 278mm Diameter; Before 10/01/98	**BRR-69**
ABS Wheel Speed Sensor — Left		**BRAB-61**
ABS Wheel Speed Sensor — Right		**BRAB-61**
Rear:		
Pads	w/o Wear Sensor,D661,I,ORG	**BR-66B**
	w/Wear Sensor,D661,I,ORG	**BR-1277**
Shoes	w/8" Brake,S696,B,ORG	**BR-93B**
	w/9" Brake,S736,B,ORG	**BR-1264**
Hardware Pad Attachment Kit		**BRPK-5638A**
Hardware Combi Kit (Spring Kit)		**BRSK-7293A**
Un-Loaded Caliper — Left	XR-7	**BRC-141RM**
Un-Loaded Caliper — Right	XR-7	**BRC-142RM**
Wheel Cylinder — Left	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Wheel Cylinder — Right	w/8" Brake	**BRWC-33**
	w/9" Brake	**BRWC-43**
Rotor		**BRR-95**
Drum	2.0L w/8" Brake	**BRD-6**
	2.5L w/9" Brake	**BRD-9**
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	**BRS-46**
ABS Wheel Speed Sensor — Left		**BRAB-60**
ABS Wheel Speed Sensor — Right		**BRAB-60**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	**BR-26A**
Pads - SuperDuty	D748,I,SM	**BRSD-748**
Hardware Pad Attachment Kit		**BRPK-5646A**
Hardware Caliper Attaching Kit		**BRCK-5073A**
Loaded Caliper — Left		**BRCL-49RM**
Loaded Caliper — Right		**BRCL-50RM**
Un-Loaded Caliper — Left		**BRC-49RM**
Un-Loaded Caliper — Right		**BRC-50RM**
Rotor		**BRR-64**
ABS Wheel Speed Sensor — Left		**BRAB-75**
ABS Wheel Speed Sensor — Right		**BRAB-75**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	D674,I,SM	**BRSD-674**
	Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Taxi w/Phenolic Piston Calipers,D674A,I,SM	**BRSD-674A**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
Loaded Caliper — Left		**BRCL-51RM**
Loaded Caliper — Right		**BRCL-51RM**
Un-Loaded Caliper — Left		**BRC-51RM**
Un-Loaded Caliper — Right		**BRC-51RM**
Rotor		**BRR-61**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-74**
ABS Wheel Speed Sensor — Right		**BRAB-74**

1999 — Mystique

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/Wear Sensor,D801,I,ORG	**BR-1267**
	w/o Wear Sensor,D648,I,SM	**BR-23B**
Hardware Pad Attachment Kit		**BRPK-5622**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-107RM**
Loaded Caliper — Right		**BRCL-108RM**
Un-Loaded Caliper — Left	2.5L	**BRC-170RM**
		BRC-107RM
Un-Loaded Caliper — Right	2.5L	**BRC-169RM**
		BRC-108RM
Rotor		**BRR-58**
ABS Wheel Speed Sensor — Left		**BRAB-151**
	Sensor Wire	**BRAB-155**
ABS Wheel Speed Sensor — Right		**BRAB-151**
	Sensor Wire	**BRAB-155**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — Mystique — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Pads	w/Wear Sensor,D661,I,ORG	BR-1277
	w/o Wear Sensor,D661,I,ORG	BR-66B
Shoes	w/8" Brake,S696,B,ORG	BR-93B
	w/9" Brake,S736,B,ORG	BR-1264
Hardware Pad Attachment Kit		BRPK-5638A
Hardware Combi Kit (Spring Kit)		BRSK-7293A
Un-Loaded Caliper — Left		BRC-141RM
Un-Loaded Caliper — Right		BRC-142RM
Wheel Cylinder — Left	w/9" Brake	BRWC-43
	w/8" Brake	BRWC-33
Wheel Cylinder — Right	w/9" Brake	BRWC-43
	w/8" Brake	BRWC-33
Rotor		BRR-95
Drum	2.5L w/9" Brake	BRD-9
	w/8" Brake	BRD-6
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	BRS-46
ABS Wheel Speed Sensor — Left		BRAB-60
ABS Wheel Speed Sensor — Right		BRAB-60

1999 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,ORG	BR-37B
Pads - SuperDuty	D601,I,SM	BRSD-601
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left		BRCL-32RM
Loaded Caliper — Right		BRCL-33RM
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
Rotor		BRR-46
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-104
ABS Wheel Speed Sensor — Right		BRAB-103
Rear:		
Pads	D610,R,ORG	BR-71B
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
	Wagon,S618,R,ORG	BR-88B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRVP-1177A
	Sedan	BRSK-17326A
	Wagon	BRVP-1168
	Wagon	BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1999 — Sable — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Rotor		BRR-51
Drum	Sedan	BRD-31
	Wagon	BRD-32
ABS Wheel Speed Sensor — Left	Sedan	BRAB-120
ABS Wheel Speed Sensor — Right	Sedan	BRAB-119
	Wagon	BRAB-55

1999 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,SM	BR-18B
Hardware Pad Attachment Kit		BRPK-13245A
Hardware Caliper Attaching Kit		BRCK-5050A
Loaded Caliper — Left		BRCL-41RM
Loaded Caliper — Right		BRCL-40RM
Un-Loaded Caliper — Left		BRC-41RM
Un-Loaded Caliper — Right		BRC-40RM
Rotor	w/10.25" Wheel	BRR-81
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69
Rear:		
Pads	D663,I,ORG	BR-67B
Shoes	Rear,S721,B,ORG	BR-94B
Hardware Pad Attachment Kit		BRPK-13306
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7297A
Un-Loaded Caliper — Left		BRC-114RM
Un-Loaded Caliper — Right		BRC-115RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-45
Drum		BRD-7
ABS Wheel Speed Sensor — Left		BRAB-77
ABS Wheel Speed Sensor — Right		BRAB-76

1998 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D748,I,SM	BR-26A
Pads - SuperDuty	D748,I,SM	BRSD-748

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — Grand Marquis — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Pad Attachment Kit		BRPK-5646A
Hardware Caliper Attaching Kit		BRCK-5073A
Loaded Caliper — Left		BRCL-49RM
Loaded Caliper — Right		BRCL-50RM
Un-Loaded Caliper — Left		BRC-49RM
Un-Loaded Caliper — Right		BRC-50RM
Rotor		BRR-64
ABS Wheel Speed Sensor — Left		BRAB-75
ABS Wheel Speed Sensor — Right		BRAB-75
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	BR-73B
Pads - SuperDuty	D674,I,SM	BRSD-674
	Exc. w/Phenolic Pistons,D674,I,SM	BRSD-674
	Taxi w/Phenolic Piston Calipers,D674A,I,SM	BRSD-674A
Hardware Pad Attachment Kit		BRPK-5629
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A
Loaded Caliper — Left		BRCL-51RM
Loaded Caliper — Right		BRCL-51RM
Un-Loaded Caliper — Left		BRC-51RM
Un-Loaded Caliper — Right		BRC-51RM
Rotor		BRR-61
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-74
ABS Wheel Speed Sensor — Right		BRAB-74

1998 — Mystique

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/Wear Sensor,D801,I,ORG	BR-1267
	w/o Wear Sensor,D648,I,SM	BR-23B
Hardware Pad Attachment Kit		BRPK-5622
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-107RM
Loaded Caliper — Right		BRCL-108RM
Un-Loaded Caliper — Left		BRC-107RM
Un-Loaded Caliper — Right		BRC-108RM
Rotor		BRR-58
ABS Wheel Speed Sensor — Left		BRAB-151
	Sensor Wire	BRAB-155
ABS Wheel Speed Sensor — Right		BRAB-151
	Sensor Wire	BRAB-155
Rear:		
Pads	w/Wear Sensor,D661,I,ORG	BR-1277
	w/o Wear Sensor,D661,I,ORG	BR-66B
Shoes	w/8" Brake,S696,B,ORG	BR-93B
	w/9" Brake,S736,B,ORG	BR-1264

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1998 — Mystique — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Pad Attachment Kit		BRPK-5638A
Hardware Combi Kit (Spring Kit)		BRSK-7293A
Un-Loaded Caliper — Left		BRC-141RM
Un-Loaded Caliper — Right		BRC-142RM
Wheel Cylinder — Left	w/9" Brake	BRWC-43
	w/8" Brake	BRWC-33
Wheel Cylinder — Right	w/9" Brake	BRWC-43
	w/8" Brake	BRWC-33
Rotor		BRR-95
Drum	2.5L w/9" Brake	BRD-9
	w/8" Brake	BRD-6
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	BRS-46
ABS Wheel Speed Sensor — Left		BRAB-60
ABS Wheel Speed Sensor — Right		BRAB-60

1998 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,ORG	BR-37B
Pads - SuperDuty	D601,I,SM	BRSD-601
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left		BRCL-32RM
Loaded Caliper — Right		BRCL-33RM
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
Rotor		BRR-46
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-104
ABS Wheel Speed Sensor — Right		BRAB-103
Rear:		
Pads	D610,R,ORG	BR-71B
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
	Wagon,S618,R,ORG	BR-88B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17326A
	Sedan	BRVP-1177A
	Wagon	BRVP-1168
	Wagon	BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Wheel Cylinder — Left	w/9" Brake	BRWC-31
Wheel Cylinder — Right	w/9" Brake	BRWC-31

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — Sable — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Rotor		BRR-51
Drum	Sedan	BRD-31
	Wagon	BRD-32
ABS Wheel Speed Sensor — Left	Sedan	BRAB-79
ABS Wheel Speed Sensor — Right	Sedan	BRAB-78
	Wagon	BRAB-55

1998 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,SM	BR-18B
Hardware Pad Attachment Kit		BRPK-13245A
Hardware Caliper Attaching Kit		BRCK-5050A
Loaded Caliper — Left		BRCL-41RM
Loaded Caliper — Right		BRCL-40RM
Un-Loaded Caliper — Left		BRC-41RM
Un-Loaded Caliper — Right		BRC-40RM
Rotor	w/10.25" Wheel	BRR-81
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69
Rear:		
Pads	D663,I,ORG	BR-67B
Shoes	Rear,S721,B,ORG	BR-94B
Hardware Pad Attachment Kit		BRPK-13306
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7297A
Un-Loaded Caliper — Left		BRC-114RM
Un-Loaded Caliper — Right		BRC-115RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-45
Drum		BRD-7
ABS Wheel Speed Sensor — Left		BRAB-77
ABS Wheel Speed Sensor — Right		BRAB-76

1997 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Sport Option,D600,I,SM	BR-20B
	w/Sport Option,D598,I,ORG	BR-35B
Hardware Pad Attachment Kit	Exc. Sport Option	BRPK-5615
Hardware Caliper Attaching Kit		BRCK-5062
Loaded Caliper — Left		BRCL-43RM
Loaded Caliper — Right		BRCL-44RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1997 — Cougar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Left		BRC-43RM
	Sport or Special Equip. Pkg	BRC-32RM
Un-Loaded Caliper — Right		BRC-44RM
	Sport or Special Equip. Pkg	BRC-33RM
Rotor		BRR-46
	w/Sport Suspension	BRR-68
ABS Wheel Speed Sensor — Left		BRAB-24
ABS Wheel Speed Sensor — Right		BRAB-50
Rear:		
Pads	I,ORG	BR-57B
Shoes	S618,R,ORG	BR-89B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor		BRR-52
Drum		BRD-32
ABS Wheel Speed Sensor — Left		BRAB-49
ABS Wheel Speed Sensor — Right		BRAB-49

1997 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D659,I,SM	BR-24B
Hardware Pad Attachment Kit		BRPK-5623
Hardware Caliper Attaching Kit		BRCK-5064A
Loaded Caliper — Left		BRCL-30RM
Loaded Caliper — Right		BRCL-29RM
Un-Loaded Caliper — Left		BRC-30RM
Un-Loaded Caliper — Right		BRC-29RM
Rotor		BRR-60
ABS Wheel Speed Sensor — Left		BRAB-44
ABS Wheel Speed Sensor — Right		BRAB-44
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	BR-73B
Pads - SuperDuty	Exc. w/Phenolic Pistons,D674,I,SM	BRSD-674
	Taxi w/Phenolic Piston Calipers,D674A,I,SM	BRSD-674A
	Exc. Phenolic Piston Calipers,D674,I,SM	BRSD-674
Hardware Pad Attachment Kit		BRPK-5629
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	BRSK-7002A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1997 — Grand Marquis — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Loaded Caliper — Left		BRCL-51RM
Loaded Caliper — Right		BRCL-51RM
Un-Loaded Caliper — Left		BRC-51RM
Un-Loaded Caliper — Right		BRC-51RM
Rotor		BRR-61
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-43
ABS Wheel Speed Sensor — Right		BRAB-43

1997 — Mystique

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/o Wear Sensor,D648,I,SM	BR-23B
Hardware Pad Attachment Kit		BRPK-5622
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-107RM
Loaded Caliper — Right		BRCL-108RM
Un-Loaded Caliper — Left		BRC-107RM
Un-Loaded Caliper — Right		BRC-108RM
Rotor		BRR-58
ABS Wheel Speed Sensor — Left		BRAB-151
	Sensor Wire	BRAB-155
ABS Wheel Speed Sensor — Right		BRAB-151
	Sensor Wire	BRAB-155
Rear:		
Pads	w/o Wear Sensor,D661,I,ORG	BR-66B
Shoes	w/8" Brake,S696,B,ORG	BR-93B
	w/9" Brake,S736,B,ORG	BR-1264
Hardware Pad Attachment Kit		BRPK-5638A
Hardware Combi Kit (Spring Kit)		BRSK-7293A
Un-Loaded Caliper — Left		BRC-141RM
Un-Loaded Caliper — Right		BRC-142RM
Wheel Cylinder — Left	w/9" Brake	BRWC-43
	w/8" Brake	BRWC-33
Wheel Cylinder — Right	w/9" Brake	BRWC-43
	w/8" Brake	BRWC-33
Rotor		BRR-95
Drum	2.5L w/9" Brake	BRD-9
	w/8" Brake	BRD-6
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	BRS-46

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1997 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,ORG	**BR-37B**
Pads - SuperDuty	D601,I,SM	**BRSD-601**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-32RM**
Loaded Caliper — Right		**BRCL-33RM**
Un-Loaded Caliper — Left		**BRC-32RM**
Un-Loaded Caliper — Right		**BRC-33RM**
Rotor		**BRR-46**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-104**
ABS Wheel Speed Sensor — Right		**BRAB-103**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
	Wagon,S618,R,ORG	**BR-88B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-17326A**
	Sedan	**BRVP-1177A**
	Wagon	**BRVP-1168**
	Wagon	**BRSK-7280A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Loaded Caliper — Left		**BRCL-15RM**
Loaded Caliper — Right		**BRCL-14RM**
Un-Loaded Caliper — Left		**BRC-15RM**
Un-Loaded Caliper — Right		**BRC-14RM**
Wheel Cylinder — Left	w/9" Brake	**BRWC-31**
Wheel Cylinder — Right	w/9" Brake	**BRWC-31**
Rotor		**BRR-51**
Drum	Sedan	**BRD-31**
	Wagon	**BRD-32**
ABS Wheel Speed Sensor — Left	Wagon	**BRAB-56**
ABS Wheel Speed Sensor — Right	Wagon	**BRAB-55**

1997 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,SM	**BR-18B**
Hardware Pad Attachment Kit		**BRPK-13245A**
Hardware Caliper Attaching Kit		**BRCK-5050A**
Loaded Caliper — Left		**BRCL-41RM**
Loaded Caliper — Right		**BRCL-40RM**
Un-Loaded Caliper — Left		**BRC-41RM**
Un-Loaded Caliper — Right		**BRC-40RM**
Rotor	w/10.25" Wheel	**BRR-81**
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	**BRS-69**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1997 — Tracer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Pads	D663,I,ORG	BR-67B
Shoes	Rear,S721,B,ORG	BR-94B
Hardware Pad Attachment Kit		BRPK-13306
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7297A
Un-Loaded Caliper — Left		BRC-114RM
Un-Loaded Caliper — Right		BRC-115RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-45
Drum		BRD-7
ABS Wheel Speed Sensor — Right		BRAB-76

1996 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Sport Option,D600,I,SM	BR-20B
	w/Sport Option,D598,I,ORG	BR-35B
Hardware Pad Attachment Kit	Exc. Sport Option	BRPK-5615
Hardware Caliper Attaching Kit		BRCK-5062
Loaded Caliper — Left		BRCL-43RM
Loaded Caliper — Right		BRCL-44RM
Un-Loaded Caliper — Left		BRC-43RM
	Sport or Special Equip. Pkg	BRC-32RM
Un-Loaded Caliper — Right		BRC-44RM
	Sport or Special Equip. Pkg	BRC-33RM
Rotor		BRR-46
	w/Sport Suspension	BRR-68
ABS Wheel Speed Sensor — Left		BRAB-24
ABS Wheel Speed Sensor — Right		BRAB-50
Rear:		
Pads	I,ORG	BR-57B
Shoes	S618,R,ORG	BR-89B
Hardware Pad Attachment Kit	w/Sport Option	BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor		BRR-52
Drum		BRD-32

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1996 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D659,I,SM	**BR-24B**
Hardware Pad Attachment Kit		**BRPK-5623**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-30RM**
Loaded Caliper — Right		**BRCL-29RM**
Un-Loaded Caliper — Left		**BRC-30RM**
Un-Loaded Caliper — Right		**BRC-29RM**
Rotor		**BRR-60**
ABS Wheel Speed Sensor — Left		**BRAB-44**
ABS Wheel Speed Sensor — Right		**BRAB-44**
Rear:		
Pads	w/Steel Piston Caliper,D674,I,ORG	**BR-73B**
Pads - SuperDuty	Exc. w/Phenolic Pistons,D674,I,SM	**BRSD-674**
	Taxi w/Phenolic Piston Calipers,D674A,I,SM	**BRSD-674A**
	Exc. Phenolic Piston Calipers,D674,I,SM	**BRSD-674**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Drum-In-Hat Parking Brake	**BRSK-7002A**
Loaded Caliper — Left		**BRCL-51RM**
Loaded Caliper — Right		**BRCL-51RM**
Un-Loaded Caliper — Left		**BRC-51RM**
Un-Loaded Caliper — Right		**BRC-51RM**
Rotor		**BRR-61**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-43**
ABS Wheel Speed Sensor — Right		**BRAB-43**

1996 — Mystique

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/o Wear Sensor,D648,I,SM	**BR-23B**
Hardware Pad Attachment Kit		**BRPK-5622**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-107RM**
Loaded Caliper — Right		**BRCL-108RM**
Un-Loaded Caliper — Left		**BRC-107RM**
Un-Loaded Caliper — Right		**BRC-108RM**
Rotor		**BRR-58**
ABS Wheel Speed Sensor — Left		**BRAB-151**
	Sensor Wire	**BRAB-155**
ABS Wheel Speed Sensor — Right		**BRAB-151**
	Sensor Wire	**BRAB-155**
Rear:		
Pads	w/o Wear Sensor,D661,I,ORG	**BR-66B**
Shoes	w/8" Brake,S696,B,ORG	**BR-93B**
	w/9" Brake,S736,B,ORG	**BR-1264**
Hardware Pad Attachment Kit		**BRPK-5638A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1996 — Mystique — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit)		BRSK-7293A
Un-Loaded Caliper — Left		BRC-141RM
Un-Loaded Caliper — Right		BRC-142RM
Wheel Cylinder — Left	w/9" Brake	BRWC-43
	w/8" Brake	BRWC-33
Wheel Cylinder — Right	w/9" Brake	BRWC-43
	w/8" Brake	BRWC-33
Rotor		BRR-95
Drum	w/8" Brake	BRD-6
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	BRS-46

1996 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,ORG	BR-37B
Pads - SuperDuty	D601,I,SM	BRSD-601
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left		BRCL-32RM
Loaded Caliper — Right		BRCL-33RM
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
Rotor		BRR-46
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-104
ABS Wheel Speed Sensor — Right		BRAB-103
Rear:		
Pads	D610,R,ORG	BR-71B
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
	Wagon,S618,R,ORG	BR-88B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17326A
	Sedan	BRVP-1177A
	Wagon	BRVP-1168
	Wagon	BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Wheel Cylinder — Left	w/9" Brake	BRWC-31
Wheel Cylinder — Right	w/9" Brake	BRWC-31
Rotor		BRR-51
Drum	Sedan	BRD-31
	Wagon	BRD-32
ABS Wheel Speed Sensor — Right	Wagon	BRAB-55

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1996 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,ORG	**BR-32B**
Hardware Pad Attachment Kit		**BRPK-13245A**
Hardware Caliper Attaching Kit		**BRCK-5050A**
Loaded Caliper — Left	14 & 15" Wheel	**BRCL-41RM**
Loaded Caliper — Right	14 & 15" Wheel	**BRCL-40RM**
Un-Loaded Caliper — Left	14 and 15" wheel	**BRC-41RM**
	13" wheel	**BRC-73RM**
Un-Loaded Caliper — Right	14 and 15" wheel	**BRC-40RM**
	13" wheel	**BRC-72RM**
Rotor	w/10.25" Wheel	**BRR-81**
	w/9.25" Diameter	**BRR-82**
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	**BRS-69**
Rear:		
Pads	D458,I,ORG	**BR-109B**
Shoes	S659,B,ORG	**BR-90B**
Hardware Pad Attachment Kit		**BRPK-13247**
Hardware Caliper Attaching Kit		**BRCK-14100A**
Hardware Combi Kit (Spring Kit)		**BRSK-7290A**
Un-Loaded Caliper — Left		**BRC-58RM**
Un-Loaded Caliper — Right		**BRC-59RM**
Wheel Cylinder — Left		**BRWC-28A**
Wheel Cylinder — Right		**BRWC-28A**
Rotor		**BRR-45**
Drum		**BRD-1**

1995 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D600,I,SM	**BR-20B**
Hardware Pad Attachment Kit		**BRPK-5615**
Hardware Caliper Attaching Kit		**BRCK-5062**
Loaded Caliper — Left		**BRCL-43RM**
Loaded Caliper — Right		**BRCL-44RM**
Un-Loaded Caliper — Left		**BRC-43RM**
	Sport or Special Equip. Pkg	**BRC-32RM**
Un-Loaded Caliper — Right		**BRC-44RM**
	Sport or Special Equip. Pkg	**BRC-33RM**
Rotor		**BRR-46**
ABS Wheel Speed Sensor — Left		**BRAB-24**
Rear:		
Pads	D599,R,ORG	**BR-64B**
Shoes	S618,R,ORG	**BR-89B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)		**BRVP-1168**
		BRSK-7280A
Hardware Self Adjuster Kit — Left		**BRAK-2652A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — Cougar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Self Adjuster Kit — Right		BRAK-2653A
Un-Loaded Caliper — Left		BRC-78RM
Un-Loaded Caliper — Right		BRC-79RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor		BRR-52
Drum		BRD-32

1995 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D659,I,SM	BR-24B
Hardware Pad Attachment Kit		BRPK-5623
Hardware Caliper Attaching Kit		BRCK-5064A
Loaded Caliper — Left		BRCL-30RM
Loaded Caliper — Right		BRCL-29RM
Un-Loaded Caliper — Left		BRC-30RM
Un-Loaded Caliper — Right		BRC-29RM
Rotor		BRR-60
ABS Wheel Speed Sensor — Left		BRAB-44
ABS Wheel Speed Sensor — Right		BRAB-44
Rear:		
Pads	Exc. Taxi,D544,R,ORG	BR-110B
	Taxi,I,SM	BR-107B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7001
	Parking Brake	BRVP-1456
Loaded Caliper — Left		BRCL-3RM
Loaded Caliper — Right		BRCL-3RM
Un-Loaded Caliper — Left		BRC-3RM
Un-Loaded Caliper — Right		BRC-3RM
Rotor		BRR-2
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-43
ABS Wheel Speed Sensor — Right		BRAB-43

1995 — Mystique

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	w/o Wear Sensor,D648,I,SM	BR-23B
Hardware Pad Attachment Kit		BRPK-5622
Hardware Caliper Attaching Kit		BRCK-5025A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1995 — Mystique — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Left		BRC-74RM
Un-Loaded Caliper — Right		BRC-75RM
Rotor		BRR-58
Rear:		
Pads	w/o Wear Sensor,D661,I,ORG	BR-66B
Shoes	w/8" Brake,S696,B,ORG	BR-93B
	w/9" Brake,S736,B,ORG	BR-1264
Hardware Pad Attachment Kit		BRPK-5638A
Hardware Combi Kit (Spring Kit)		BRSK-7293A
Un-Loaded Caliper — Left		BRC-141RM
Un-Loaded Caliper — Right		BRC-142RM
Wheel Cylinder — Left	w/9" Brake	BRWC-43
	w/8" Brake	BRWC-33
Wheel Cylinder — Right	w/9" Brake	BRWC-43
	w/8" Brake	BRWC-33
Rotor		BRR-95
Drum	w/8" Brake	BRD-6
Wheel Seal	MTX75 1.575 ID x 2.175 OD x 0.511 Thick	BRS-46

1995 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,ORG	BR-37B
Pads - SuperDuty	D601,I,SM	BRSD-601
Hardware Pad Attachment Kit		BRPK-5616
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left		BRCL-32RM
Loaded Caliper — Right		BRCL-33RM
Un-Loaded Caliper — Left		BRC-32RM
Un-Loaded Caliper — Right		BRC-33RM
Rotor		BRR-46
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-94
ABS Wheel Speed Sensor — Right		BRAB-94
Rear:		
Pads	D610,R,ORG	BR-71B
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
	Wagon,S618,R,ORG	BR-88B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17326A
	Sedan	BRVP-1177A
	Wagon	BRVP-1168
	Wagon	BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Loaded Caliper — Left		BRCL-15RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — Sable — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Wheel Cylinder — Left	w/9" Brake	BRWC-31
Wheel Cylinder — Right	w/9" Brake	BRWC-31
Rotor		BRR-51
Drum	Sedan	BRD-31
	Wagon	BRD-32
ABS Wheel Speed Sensor — Left		BRAB-22
ABS Wheel Speed Sensor — Right		BRAB-21

1995 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,ORG	BR-32B
Hardware Pad Attachment Kit		BRPK-13245A
Hardware Caliper Attaching Kit		BRCK-5050A
Loaded Caliper — Left	14 & 15" Wheel	BRCL-41RM
Loaded Caliper — Right	14 & 15" Wheel	BRCL-40RM
Un-Loaded Caliper — Left	14 and 15" wheel	BRC-41RM
	13" wheel	BRC-73RM
Un-Loaded Caliper — Right	14 and 15" wheel	BRC-40RM
	13" wheel	BRC-72RM
Rotor	w/10.25" Wheel	BRR-81
	w/9.25" Diameter	BRR-82
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69
Rear:		
Pads	D458,I,ORG	BR-109B
Shoes	S659,B,ORG	BR-90B
Hardware Pad Attachment Kit		BRPK-13247
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7290A
Un-Loaded Caliper — Left	1.8L	BRC-58RM
Un-Loaded Caliper — Right	1.8L	BRC-59RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-45
Drum		BRD-1

1994 — Capri

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D319,I,SM	BR-8B

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1994 — Capri — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor	Non-Turbo	**BRR-75**
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	**BRS-71**
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	**BRS-70**
Rear:		
Pads	I,ORG	**BR-60B**
Wheel Seal	1.575 ID x 2.131 OD x 0.319 Thick	**BRS-73**

1994 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D600,I,SM	**BR-20B**
Hardware Pad Attachment Kit		**BRPK-5615**
Hardware Caliper Attaching Kit		**BRCK-5062**
Loaded Caliper — Left		**BRCL-43RM**
Loaded Caliper — Right		**BRCL-44RM**
Un-Loaded Caliper — Left		**BRC-43RM**
	Sport or Special Equip. Pkg	**BRC-32RM**
Un-Loaded Caliper — Right		**BRC-44RM**
	Sport or Special Equip. Pkg	**BRC-33RM**
Rotor		**BRR-46**
ABS Wheel Speed Sensor — Left		**BRAB-24**
Rear:		
Pads	D599,R,ORG	**BR-64B**
Shoes	S618,R,ORG	**BR-89B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)		**BRVP-1168**
		BRSK-7280A
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Un-Loaded Caliper — Left		**BRC-78RM**
Un-Loaded Caliper — Right		**BRC-79RM**
Wheel Cylinder — Left		**BRWC-31**
Wheel Cylinder — Right		**BRWC-31**
Rotor		**BRR-52**
Drum		**BRD-32**

1994 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Phenolic Piston Calipers,D499,I,ORG	**BR-33B**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1994 — Grand Marquis — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Pads — Cont'd	w/Phenolic Piston Calipers,D199,I,ORG	**BR-29B**
Hardware Pad Attachment Kit		**BRPK-5560**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left		**BRCL-57BRM**
Loaded Caliper — Right		**BRCL-56ARM**
Un-Loaded Caliper — Left		**BRC-57RM**
Un-Loaded Caliper — Right		**BRC-56RM**
Rotor		**BRR-47**
ABS Wheel Speed Sensor — Left		**BRAB-98**
ABS Wheel Speed Sensor — Right		**BRAB-98**
Rear:		
Pads	Exc. Taxi,D544,R,ORG	**BR-110B**
	Taxi,I,SM	**BR-107B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRSK-7001**
	Parking Brake	**BRVP-1456**
	Sedan	**BRVP-1177A**
Loaded Caliper — Left		**BRCL-3RM**
Loaded Caliper — Right		**BRCL-3RM**
Un-Loaded Caliper — Left		**BRC-3RM**
Un-Loaded Caliper — Right		**BRC-3RM**
Rotor		**BRR-2**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-23**
ABS Wheel Speed Sensor — Right		**BRAB-23**

1994 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,ORG	**BR-37B**
Pads - SuperDuty	D601,I,SM	**BRSD-601**
Hardware Pad Attachment Kit		**BRPK-5616**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-32RM**
Loaded Caliper — Right		**BRCL-33RM**
Un-Loaded Caliper — Left		**BRC-32RM**
Un-Loaded Caliper — Right		**BRC-33RM**
Rotor		**BRR-46**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-94**
ABS Wheel Speed Sensor — Right		**BRAB-94**
Rear:		
Pads	D610,R,ORG	**BR-71B**
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	**BR-87B**
	Wagon,S618,R,ORG	**BR-88B**
Hardware Pad Attachment Kit		**BRPK-5617**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1994 — Sable — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17326A
	Sedan	BRVP-1177A
	Wagon	BRVP-1168
	Wagon	BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Wheel Cylinder — Left	w/9" Brake	BRWC-31
Wheel Cylinder — Right	w/9" Brake	BRWC-31
Rotor		BRR-51
Drum	Sedan	BRD-31
	Wagon	BRD-32
ABS Wheel Speed Sensor — Left		BRAB-22
ABS Wheel Speed Sensor — Right		BRAB-21

1994 — Topaz

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	BR-6B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2654
Hardware Self Adjuster Kit — Right		BRAK-2655
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
MERCURY

Motorcraft

1994 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D473,I,ORG	**BR-32B**
Hardware Pad Attachment Kit		**BRPK-13245A**
Hardware Caliper Attaching Kit		**BRCK-5050A**
Loaded Caliper — Left	14 & 15" Wheel	**BRCL-41RM**
Loaded Caliper — Right	14 & 15" Wheel	**BRCL-40RM**
Un-Loaded Caliper — Left	13" wheel	**BRC-73RM**
	14 & 15" Wheel	**BRC-41RM**
Un-Loaded Caliper — Right	13" wheel	**BRC-72RM**
	14 & 15" Wheel	**BRC-40RM**
Rotor	w/10.25" Wheel	**BRR-81**
	w/9.25" Diameter	**BRR-82**
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	**BRS-69**
Rear:		
Pads	D458,I,ORG	**BR-109B**
Shoes	S659,B,ORG	**BR-90B**
Hardware Pad Attachment Kit		**BRPK-13247**
Hardware Caliper Attaching Kit		**BRCK-14100A**
Hardware Combi Kit (Spring Kit)		**BRSK-7290A**
Un-Loaded Caliper — Left	1.8L	**BRC-58RM**
Un-Loaded Caliper — Right	1.8L	**BRC-59RM**
Wheel Cylinder — Left		**BRWC-28A**
Wheel Cylinder — Right		**BRWC-28A**
Rotor		**BRR-45**
Drum		**BRD-1**

1993 — Capri

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D319,I,SM	**BR-8B**
Hardware Pad Attachment Kit		**BRPK-13165**
Hardware Caliper Attaching Kit		**BRCK-14099**
Rotor	Non-Turbo	**BRR-75**
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	**BRS-71**
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	**BRS-70**
Rear:		
Pads	I,ORG	**BR-60B**
Wheel Seal	1.575 ID x 2.131 OD x 0.319 Thick	**BRS-73**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1993 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D600,I,SM	**BR-20B**
Hardware Pad Attachment Kit		**BRPK-5615**
Hardware Caliper Attaching Kit		**BRCK-5062**
Loaded Caliper — Left		**BRCL-43RM**
Loaded Caliper — Right		**BRCL-44RM**
Un-Loaded Caliper — Left		**BRC-43RM**
	Sport or Special Equip. Pkg	**BRC-32RM**
Un-Loaded Caliper — Right	Sport or Special Equip. Pkg	**BRC-33RM**
		BRC-44RM
Rotor		**BRR-46**
ABS Wheel Speed Sensor — Left		**BRAB-24**
Rear:		
Pads	D599,R,ORG	**BR-64B**
Shoes	S618,R,ORG	**BR-89B**
Hardware Pad Attachment Kit		**BRPK-5617**
Hardware Caliper Attaching Kit		**BRCK-14082A**
Hardware Combi Kit (Spring Kit)		**BRVP-1168**
		BRSK-7280A
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Un-Loaded Caliper — Left		**BRC-78RM**
Un-Loaded Caliper — Right		**BRC-79RM**
Wheel Cylinder — Left		**BRWC-31**
Wheel Cylinder — Right		**BRWC-31**
Rotor		**BRR-52**
Drum		**BRD-32**

1993 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Phenolic Piston Calipers; From 6/10/93,D499,I,ORG	**BR-33B**
	Before 6/10/93,D199,I,ORG	**BR-29B**
Hardware Pad Attachment Kit		**BRPK-5560**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left	Before 11/01/93	**BRCL-12RM**
	From 11/01/93	**BRCL-57BRM**
Loaded Caliper — Right	Before 11/01/93	**BRCL-13RM**
	From 11/01/93	**BRCL-56ARM**
Un-Loaded Caliper — Left	Before 11/01/93	**BRC-12RM**
	From 11/01/93	**BRC-57RM**
Un-Loaded Caliper — Right	Before 11/01/93	**BRC-13RM**
	From 11/01/93	**BRC-56RM**
Rotor		**BRR-47**
ABS Wheel Speed Sensor — Left		**BRAB-98**
ABS Wheel Speed Sensor — Right		**BRAB-98**
Rear:		
Pads	Exc. Taxi,D544,R,ORG	**BR-110B**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1993 — Grand Marquis — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Pads — Cont'd	Taxi,I,SM	BR-107B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7001
	Parking Brake	BRVP-1456
	Sedan	BRVP-1177A
Loaded Caliper — Left		BRCL-3RM
Loaded Caliper — Right		BRCL-3RM
Un-Loaded Caliper — Left		BRC-3RM
Un-Loaded Caliper — Right		BRC-3RM
Rotor		BRR-2
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-23
ABS Wheel Speed Sensor — Right		BRAB-23

1993 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421A,R,SM	BR-15B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-47RM
Un-Loaded Caliper — Right		BRC-48RM
Rotor		BRR-48
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-94
ABS Wheel Speed Sensor — Right		BRAB-94
Rear:		
Pads	D610,R,ORG	BR-71B
Shoes	Rear Drum Sedan w/9" Brake,S599,R,ORG	BR-87B
	Wagon,S618,R,ORG	BR-88B
Hardware Pad Attachment Kit		BRPK-5617
Hardware Caliper Attaching Kit		BRCK-14082A
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17326A
	Sedan	BRVP-1177A
	Wagon	BRVP-1168
	Wagon	BRSK-7280A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Loaded Caliper — Left		BRCL-15RM
Loaded Caliper — Right		BRCL-14RM
Un-Loaded Caliper — Left		BRC-15RM
Un-Loaded Caliper — Right		BRC-14RM
Wheel Cylinder — Left	w/9" Brake	BRWC-31
Wheel Cylinder — Right	w/9" Brake	BRWC-31
Rotor		BRR-51
Drum	Sedan	BRD-31
	Wagon	BRD-32

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1993 — Sable — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left		BRAB-22
ABS Wheel Speed Sensor — Right		BRAB-21

1993 — Topaz

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	BR-6B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2654
Hardware Self Adjuster Kit — Right		BRAK-2655
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

1993 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	1.8L,D473,I,SM	BR-18B
	1.9L,D466,I,SM	BR-17B
Hardware Pad Attachment Kit		BRPK-13245A
Hardware Caliper Attaching Kit		BRCK-5050A
Loaded Caliper — Left	14 & 15" Wheel	BRCL-41RM
Loaded Caliper — Right	14 & 15" Wheel	BRCL-40RM
Un-Loaded Caliper — Left	14 and 15" wheel	BRC-41RM
	13" wheel	BRC-73RM
Un-Loaded Caliper — Right	14 and 15" wheel	BRC-40RM
	13" wheel	BRC-72RM
Rotor	w/10.25" Wheel	BRR-81
	w/9.25" Diameter	BRR-82
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1993 — Tracer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Pads	1.8L,D458,I,ORG	BR-109B
	1.9L,D458,I,ORG	BR-109B
Shoes	All w/8" Brake,S659,B,ORG	BR-90B
	All w/9" Brake,S598,B,ORG	BR-86B
Hardware Pad Attachment Kit		BRPK-13247
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-7290A
Un-Loaded Caliper — Left	1.8L	BRC-58RM
Un-Loaded Caliper — Right	1.8L	BRC-59RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-45
Drum		BRD-1

1992 — Capri

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D319,I,SM	BR-8B
Hardware Pad Attachment Kit		BRPK-13165
Hardware Caliper Attaching Kit		BRCK-14099
Rotor	Non-Turbo	BRR-75
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	BRS-71
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	BRS-70
Rear:		
Pads	I,ORG	BR-60B
Wheel Seal	1.575 ID x 2.131 OD x 0.319 Thick	BRS-73

1992 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D417,R,SM	BR-13B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-70RM
Un-Loaded Caliper — Right		BRC-71RM
Rotor		BRR-46
Rear:		
Pads	D347A,R,ORG	BR-59B
Shoes	S618,R,ORG	BR-89B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1992 — Cougar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left	Before 12/91	BRAK-2650
	From 12/91	BRAK-2652A
Hardware Self Adjuster Kit — Right	Before 12/91	BRAK-2651
	From 12/91	BRAK-2653A
Un-Loaded Caliper — Left		BRC-110RM
Un-Loaded Caliper — Right		BRC-109RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor	Front Disc Rear	BRR-76
Drum		BRD-32

1992 — Grand Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D199,I,ORG	BR-29B
Hardware Pad Attachment Kit		BRPK-5560
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left		BRCL-12RM
Loaded Caliper — Right		BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Rotor		BRR-47
ABS Wheel Speed Sensor — Left		BRAB-98
ABS Wheel Speed Sensor — Right		BRAB-98
Rear:		
Pads	Exc. Taxi,D544,R,ORG	BR-110B
	Taxi,I,SM	BR-107B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7001
	Parking Brake	BRVP-1456
	Sedan	BRVP-1177A
Loaded Caliper — Left		BRCL-3RM
Loaded Caliper — Right		BRCL-3RM
Un-Loaded Caliper — Left		BRC-3RM
Un-Loaded Caliper — Right		BRC-3RM
Rotor		BRR-2
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-23
ABS Wheel Speed Sensor — Right		BRAB-23

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
MERCURY

Motorcraft

1992 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	**BR-14B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left		**BRC-27ARM**
Un-Loaded Caliper — Right		**BRC-28ARM**
Rotor		**BRR-48**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-94**
ABS Wheel Speed Sensor — Right		**BRAB-94**
Rear:		
Pads	D347A,R,ORG	**BR-59B**
Shoes	Wagon Before 3/15/92,S567,R,ORG	**BR-82B**
	Sedan Exc. Before 3/15/92,S566,R,ORG	**BR-81B**
	Rear Drum Sedan From 3/15/92 w/9" Brake,S599,R,ORG	**BR-87B**
	Wagon From 3/15/92,S618,R,ORG	**BR-88B**
Hardware Pad Attachment Kit	Front Disc Rear	**BRPK-5600A**
Hardware Caliper Attaching Kit	Front Disc Rear	**BRCK-5049**
Hardware Combi Kit (Spring Kit)	Before 3/15/92	**BRVP-21938**
	Sedan Before 3/15/92	**BRSK-7286A**
	Sedan From 3/15/92	**BRSK-17326A**
	Sedan From 3/15/92	**BRVP-1177A**
	Wagon	**BRSK-7280A**
	Wagon From 3/15/92	**BRVP-1168**
Hardware Self Adjuster Kit — Left	Before 3/14/92	**BRAK-2632**
	From 3/15/92	**BRAK-2652A**
Hardware Self Adjuster Kit — Right	Before 3/14/92	**BRAK-2633**
	From 3/15/92	**BRAK-2653A**
Loaded Caliper — Left		**BRCL-36RM**
Loaded Caliper — Right		**BRCL-37RM**
Un-Loaded Caliper — Left		**BRC-36RM**
Un-Loaded Caliper — Right		**BRC-37RM**
Wheel Cylinder — Left	Before 3/15/92	**BRWC-22**
	w/9" Brake From 3/15/92	**BRWC-31**
Wheel Cylinder — Right	Before 3/15/92	**BRWC-22**
	w/9" Brake From 3/15/92	**BRWC-31**
Rotor		**BRR-44**
Drum	Sedan	**BRD-31**
	Wagon	**BRD-32**
ABS Wheel Speed Sensor — Left		**BRAB-22**
ABS Wheel Speed Sensor — Right		**BRAB-21**

1992 — Topaz

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	**BR-6B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-26AMR**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1992 — Topaz — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2654
Hardware Self Adjuster Kit — Right		BRAK-2655
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

1992 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	1.8L,D473,I,SM	BR-18B
	1.9L,D466,I,SM	BR-17B
Hardware Pad Attachment Kit		BRPK-13165
Hardware Caliper Attaching Kit		BRCK-5050A
Loaded Caliper — Left	14 & 15" Wheel	BRCL-41RM
Loaded Caliper — Right	14 & 15" Wheel	BRCL-40RM
Un-Loaded Caliper — Left	14 and 15 " wheel	BRC-41RM
	13" wheel	BRC-73RM
Un-Loaded Caliper — Right	14 and 15" wheel	BRC-40RM
	13" wheel	BRC-72RM
Rotor	w/10.25" Wheel	BRR-81
	w/9.25" Diameter	BRR-82
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	BRS-69
Rear:		
Pads	1.8L,D458,I,ORG	BR-109B
	1.9L,D458,I,ORG	BR-109B
Shoes	All w/8" Brake,S659,B,ORG	BR-90B
	All w/9" Brake,S598,B,ORG	BR-86B
Hardware Pad Attachment Kit		BRPK-13247
Hardware Caliper Attaching Kit		BRCK-14100A
Hardware Combi Kit (Spring Kit)		BRSK-17306A
Un-Loaded Caliper — Left	1.8L	BRC-58RM
Un-Loaded Caliper — Right	1.8L	BRC-59RM
Wheel Cylinder — Left		BRWC-28A
Wheel Cylinder — Right		BRWC-28A
Rotor		BRR-45
Drum		BRD-16

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
MERCURY

Motorcraft

1991 — Capri

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D319,I,SM	BR-8B
Hardware Pad Attachment Kit		BRPK-13165
Hardware Caliper Attaching Kit		BRCK-14099
Rotor	Non-Turbo	BRR-75
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	BRS-71
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	BRS-70
Rear:		
Pads	I,ORG	BR-60B
Wheel Seal	1.575 ID x 2.131 OD x 0.319 Thick	BRS-73

1991 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D417,R,SM	BR-13B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-70RM
Un-Loaded Caliper — Right		BRC-71RM
Rotor		BRR-46
Rear:		
Pads	D347A,R,ORG	BR-59B
Shoes	S618,R,ORG	BR-89B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Hardware Combi Kit (Spring Kit)		BRVP-1168
		BRSK-7280A
Hardware Self Adjuster Kit — Left	Front Drum	BRAK-2650
Hardware Self Adjuster Kit — Right	Front Drum	BRAK-2651
Un-Loaded Caliper — Left	3.8L	BRC-110RM
	5.0L	BRC-110RM
Un-Loaded Caliper — Right	3.8L	BRC-109RM
	5.0L	BRC-109RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor		BRR-76
Drum		BRD-32

1991 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	BR-29B

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1991 — Full Size — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Pad Attachment Kit	Exc. Police	**BRPK-5560**
	Police	**BRPK-5541**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left	Exc. Police	**BRCL-12RM**
Loaded Caliper — Right	Exc. Police	**BRCL-13RM**
Un-Loaded Caliper — Left		**BRC-12RM**
Un-Loaded Caliper — Right		**BRC-13RM**
Rotor		**BRR-14**
		BRR-47
Rear:		
Shoes	Exc. w/10" Brake Exc. Police,S481,R,ORG	**BR-76B**
	Exc. w/11" Brake Exc. Police,S482,R,ORG	**BR-77B**
Hardware Combi Kit (Spring Kit)	Exc. Police	**BRVP-3310**
	Sedan	**BRVP-1177A**
	Exc. w/10" Brake Exc. Police	**BRSK-7224A**
	Exc. w/10" Brake Exc. Police	**BRVP-1456**
	Exc. w/11" Brake Exc. Police	**BRSK-7225A**
	Exc. w/11" Brake Exc. Police	**BRVP-1456**
Hardware Self Adjuster Kit — Left	Exc. w/10" Brake Exc. Police	**BRAK-2606**
	w/11" Brake	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	Exc. w/10" Brake Exc. Police	**BRAK-2607**
	w/11" Brake	**BRAK-2545A**
Wheel Cylinder — Left	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Wheel Cylinder — Right	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Rotor		**BRR-2**
Drum	Wagon w/11" Brake	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
		BRS-90

1991 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	**BR-14B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left		**BRC-27ARM**
Un-Loaded Caliper — Right		**BRC-28ARM**
Rotor	All From 2/91	**BRR-48**
	Before 2/91	**BRR-80**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-94**
ABS Wheel Speed Sensor — Right		**BRAB-94**
Rear:		
Pads	D347A,R,ORG	**BR-59B**
Shoes	Sedan,S566,R,ORG	**BR-81B**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1991 — Sable — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Shoes — Cont'd	Wagon,S567,R,ORG	BR-82B
Hardware Pad Attachment Kit	Front Disc Rear	BRPK-5600A
Hardware Caliper Attaching Kit	Front Disc Rear	BRCK-5049
Hardware Combi Kit (Spring Kit)		BRVP-21938
		BRSK-7286A
Hardware Self Adjuster Kit — Left		BRAK-2632
Hardware Self Adjuster Kit — Right		BRAK-2633
Loaded Caliper — Left		BRCL-36RM
Loaded Caliper — Right		BRCL-37RM
Un-Loaded Caliper — Left		BRC-36RM
Un-Loaded Caliper — Right		BRC-37RM
Wheel Cylinder — Left		BRWC-22
Wheel Cylinder — Right		BRWC-22
Rotor		BRR-44
Drum	Sedan	BRD-31
	Wagon	BRD-32
ABS Wheel Speed Sensor — Left		BRAB-22
ABS Wheel Speed Sensor — Right		BRAB-21
		BRAB-21

1991 — Topaz

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	BR-6B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2602
Hardware Self Adjuster Kit — Right		BRAK-2603
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1991 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	1.8L,D473,I,SM	**BR-18B**
	1.9L,D473,I,SM	**BR-18B**
Hardware Pad Attachment Kit	Sedan	**BRPK-13165**
Hardware Caliper Attaching Kit		**BRCK-5050A**
Loaded Caliper — Left	14 & 15" Wheel	**BRCL-41RM**
Loaded Caliper — Right	14 & 15" Wheel	**BRCL-40RM**
Un-Loaded Caliper — Left	14 and 15" wheel	**BRC-41RM**
	13" wheel	**BRC-73RM**
Un-Loaded Caliper — Right	14 and 15" wheel	**BRC-40RM**
	13" wheel	**BRC-72RM**
Rotor	w/9.25" Diameter	**BRR-82**
Wheel Seal	Axle Shaft Inner Oil Seal 2.205 ID x 2.682 OD x 0.421 Thick; Front	**BRS-69**
Rear:		
Pads	1.8L,D458,I,ORG	**BR-109B**
	1.9L,D458,I,ORG	**BR-109B**
Shoes	1.8L,S598,B,ORG	**BR-86B**
	1.9L,S598,B,ORG	**BR-86B**
Hardware Pad Attachment Kit		**BRPK-13247**
Hardware Caliper Attaching Kit		**BRCK-14100A**
Hardware Combi Kit (Spring Kit)		**BRSK-17306A**
Un-Loaded Caliper — Left	1.8L	**BRC-58RM**
Un-Loaded Caliper — Right	1.8L	**BRC-59RM**
Wheel Cylinder — Left		**BRWC-28A**
Wheel Cylinder — Right		**BRWC-28A**
Rotor		**BRR-45**
Drum		**BRD-16**

1990 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D417,R,SM	**BR-13B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left		**BRC-70RM**
Un-Loaded Caliper — Right		**BRC-71RM**
Rotor		**BRR-84**
Rear:		
Pads	D347A,R,ORG	**BR-59B**
Shoes	S618,R,ORG	**BR-89B**
Hardware Pad Attachment Kit		**BRPK-5600A**
Hardware Caliper Attaching Kit		**BRCK-5049**
Hardware Combi Kit (Spring Kit)		**BRVP-1168**
		BRSK-7280A
Hardware Self Adjuster Kit — Left		**BRAK-2650**
Hardware Self Adjuster Kit — Right	Front Drum	**BRAK-2651**
Un-Loaded Caliper — Left		**BRC-110RM**
Un-Loaded Caliper — Right		**BRC-109RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1990 — Cougar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor		BRR-76
Drum		BRD-32

1990 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	BR-29B
	Police,D150,R,SM	BR-4B
Hardware Pad Attachment Kit	Exc. Police	BRPK-5560
	Police	BRPK-5541
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left	Exc. Police	BRCL-12RM
Loaded Caliper — Right	Exc. Police	BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Rotor		BRR-14
Rear:		
Shoes	Exc. w/10" Brake Exc. Police,S481,R,ORG	BR-76B
	Exc. w/11" Brake Exc. Police,S482,R,ORG	BR-77B
Hardware Combi Kit (Spring Kit)	Exc. Police	BRVP-1177A
	Exc. Police	BRVP-3310
	Exc. w/10" Brake Exc. Police	BRSK-7224A
	Exc. w/10" Brake Exc. Police	BRVP-1456
	Exc. w/11" Brake Exc. Police	BRSK-7225A
	Exc. w/11" Brake Exc. Police	BRVP-1456
Hardware Self Adjuster Kit — Left	Exc. w/10" Brake Exc. Police	BRAK-2606
	w/11" Brake	BRAK-2544A
Hardware Self Adjuster Kit — Right	Exc. w/10" Brake Exc. Police	BRAK-2607
	w/11" Brake	BRAK-2545A
Wheel Cylinder — Left	w/10" Brake	BRWC-14A
	w/11" Brake	BRWC-12
Wheel Cylinder — Right	w/10" Brake	BRWC-14A
	w/11" Brake	BRWC-12
Drum	w/10" Brake	BRD-26
	Wagon w/11" Brake	BRD-27
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90

1990 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	BR-14B

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1990 — Sable — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7286
Un-Loaded Caliper — Left		BRC-27ARM
Un-Loaded Caliper — Right		BRC-28ARM
Rotor		BRR-80
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
ABS Wheel Speed Sensor — Left		BRAB-94
ABS Wheel Speed Sensor — Right		BRAB-94
Rear:		
Pads	D347A,R,ORG	BR-59B
Shoes	Sedan,S566,R,ORG	BR-81B
	Wagon,S567,R,ORG	BR-82B
Hardware Pad Attachment Kit	Front Disc Rear	BRPK-5600A
Hardware Caliper Attaching Kit	Front Disc Rear	BRCK-5049
Hardware Combi Kit (Spring Kit)		BRVP-21938
Hardware Self Adjuster Kit — Left		BRAK-2632
Hardware Self Adjuster Kit — Right		BRAK-2633
Loaded Caliper — Left		BRCL-36RM
Loaded Caliper — Right		BRCL-37RM
Un-Loaded Caliper — Left		BRC-36RM
Un-Loaded Caliper — Right		BRC-37RM
Wheel Cylinder — Left		BRWC-22
Wheel Cylinder — Right		BRWC-22
Rotor		BRR-44
Drum	Sedan	BRD-31
	Wagon	BRD-32
		BRD-32
	Sedan	BRD-32

1990 — Topaz

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,R,SM	BR-6B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2602

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1990 — Topaz — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Self Adjuster Kit — Right		BRAK-2603
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

1989 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D417,R,SM	BR-13B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-70RM
Un-Loaded Caliper — Right		BRC-71RM
Rotor		BRR-84
Rear:		
Pads	D347A,R,ORG	BR-59B
Shoes	w/9" Brake,S618,R,ORG	BR-89B
	w/10" Brake,S151,R,ORG	BR-111B
Hardware Pad Attachment Kit		BRPK-5600A
Hardware Caliper Attaching Kit		BRCK-5049
Hardware Combi Kit (Spring Kit)		BRSK-7280A
	Parking Brake	BRVP-1456
	w/9" Brake	BRVP-1168
		BRVP-1177A
	w/10" Brake	BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2650
Hardware Self Adjuster Kit — Right		BRAK-2651
Un-Loaded Caliper — Left		BRC-110RM
Un-Loaded Caliper — Right		BRC-109RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor	Front Disc Rear	BRR-76
Drum		BRD-32
	w/9 x 1 3/4" Brake	BRD-25

1989 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	BR-29B
	Police,D150,R,SM	BR-4B
Hardware Pad Attachment Kit	Exc. Police	BRPK-5560
	Police	BRPK-5541
Hardware Caliper Attaching Kit		BRCK-5022

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1989 — Full Size — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Left	Exc. Police	**BRCL-12RM**
Loaded Caliper — Right	Exc. Police	**BRCL-13RM**
Un-Loaded Caliper — Left		**BRC-12RM**
Un-Loaded Caliper — Right		**BRC-13RM**
Rotor		**BRR-14**
Rear:		
Shoes	Exc. w/10" Brake Exc. Police,S481,R,ORG	**BR-76B**
	Exc. w/11" Brake Exc. Police,S482,R,ORG	**BR-77B**
Hardware Combi Kit (Spring Kit)	Exc. Police	**BRVP-1177A**
	Exc. Police	**BRVP-3310**
	Exc. w/10" Brake Exc. Police	**BRSK-7224A**
	Exc. w/10" Brake Exc. Police	**BRVP-1456**
	Exc. w/11" Brake Exc. Police	**BRSK-7225A**
	Exc. w/11" Brake Exc. Police	**BRVP-1456**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2606**
	w/11" Brake	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	Exc. w/10" Brake Exc. Police	**BRAK-2607**
	w/11" Brake	**BRAK-2545A**
Wheel Cylinder — Left	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Wheel Cylinder — Right	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Drum	w/10" Brake	**BRD-26**
	w/11" Brake	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1989 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	**BR-14B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left		**BRC-27ARM**
Un-Loaded Caliper — Right		**BRC-28ARM**
Rotor		**BRR-80**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Pads	D347A,R,ORG	**BR-59B**
Shoes	Sedan,S566,R,ORG	**BR-81B**
	Wagon,S567,R,ORG	**BR-82B**
Hardware Pad Attachment Kit	Rear	**BRPK-5600A**
Hardware Caliper Attaching Kit		**BRCK-5049**
Hardware Combi Kit (Spring Kit)		**BRVP-21938**
		BRSK-7286A
Hardware Self Adjuster Kit — Left		**BRAK-2632**
Hardware Self Adjuster Kit — Right		**BRAK-2633**
Wheel Cylinder — Left		**BRWC-22**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1989 — Sable — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Right		BRWC-22
Drum	Sedan	BRD-31

1989 — Topaz

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,I,ORG	BR-30B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2602
Hardware Self Adjuster Kit — Right		BRAK-2603
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

1989 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Sedan,D319,I,SM	BR-8B
	Wagon,D348,I,SM	BR-9
Hardware Pad Attachment Kit	Sedan	BRPK-13165
	Wagon	BRPK-13243
Hardware Caliper Attaching Kit		BRCK-14099
Rotor		BRR-75
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	BRS-71
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	BRS-70
Rear:		
Pads	I,ORG	BR-60B
Shoes	Sedan,S577,B,ORG	BR-83
	Wagon,B,ORG	BR-84
Hardware Combi Kit (Spring Kit)	Sedan	BRSK-17303A
	Wagon	BRSK-17315A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1989 — Tracer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Left		BRWC-27
Wheel Cylinder — Right		BRWC-27
Wheel Seal	1.575 ID x 2.131 OD x 0.319 Thick	BRS-73

1988 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D310,I,SM	BR-7B
Hardware Pad Attachment Kit		BRPK-5567
Hardware Caliper Attaching Kit		BRCK-5016
Un-Loaded Caliper — Left		BRC-126RM
Un-Loaded Caliper — Right		BRC-124RM
Rotor		BRR-38
Rear:		
Shoes	w/9" Brake,S474,R,ORG	BR-75B
	w/10" Brake,S151,R,ORG	BR-111B
Hardware Combi Kit (Spring Kit)	w/9" Brake	BRSK-7246A
	w/9" Brake	BRVP-1456
		BRVP-1177A
	w/10" Brake	BRSK-7248A
	w/10" Brake	BRVP-1456
Hardware Self Adjuster Kit — Left	w/9" Brake	BRAK-2596
	w/10" Brake	BRAK-2514
Hardware Self Adjuster Kit — Right	w/9" Brake	BRAK-2597
	w/10" Brake	BRAK-2515
Un-Loaded Caliper — Left		BRC-117RM
Un-Loaded Caliper — Right		BRC-116RM
Wheel Cylinder — Left	w/9" Brake	BRWC-31
Wheel Cylinder — Right	w/9" Brake	BRWC-31
Rotor	Rear	BRR-12
Drum		BRD-32
	w/9 x 1 3/4" Brake	BRD-25

1988 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	BR-29B
	Police,D150,R,SM	BR-4B
Hardware Pad Attachment Kit	Exc. Police	BRPK-5560
	Police	BRPK-5541
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left	Exc. Police	BRCL-12RM
Loaded Caliper — Right	Exc. Police	BRCL-13RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
MERCURY

Ford Motorcraft

1988 — Full Size — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Rotor		BRR-14
Rear:		
Shoes	Exc. w/10" Brake Exc. Police,S481,R,ORG	BR-76B
	Exc. w/11" Brake Exc. Police,S482,R,ORG	BR-77B
Hardware Combi Kit (Spring Kit)	Exc. Police	BRVP-1177A
	Exc. Police	BRVP-3310
	Exc. w/10" Brake Exc. Police	BRSK-7224A
	Exc. w/10" Brake Exc. Police	BRVP-1456
	Exc. w/11" Brake Exc. Police	BRSK-7225A
	Exc. w/11" Brake Exc. Police	BRVP-1456
Hardware Self Adjuster Kit — Left	Exc. w/10" Brake Exc. Police	BRAK-2606
	w/11" Brake	BRAK-2544A
Hardware Self Adjuster Kit — Right	Exc. w/10" Brake Exc. Police	BRAK-2607
	w/11" Brake	BRAK-2545A
Wheel Cylinder — Left	w/10" Brake	BRWC-14A
	w/11" Brake	BRWC-12
Wheel Cylinder — Right	w/10" Brake	BRWC-14A
	w/11" Brake	BRWC-12
Drum	w/10" Brake	BRD-26
	w/11" Brake	BRD-27
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90

1988 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	BR-14B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-27ARM
Un-Loaded Caliper — Right		BRC-28ARM
Rotor		BRR-80
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	Sedan,S566,R,ORG	BR-81B
	Wagon,S567,R,ORG	BR-82B
Hardware Combi Kit (Spring Kit)		BRVP-21938
		BRSK-7286A
Hardware Self Adjuster Kit — Left		BRAK-2632
Hardware Self Adjuster Kit — Right		BRAK-2633
Wheel Cylinder — Left		BRWC-22
Wheel Cylinder — Right		BRWC-22
Drum	Sedan	BRD-31

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1988 — Topaz

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,I,ORG	**BR-30B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-26AMR**
Loaded Caliper — Right		**BRCL-25RM**
Un-Loaded Caliper — Left		**BRC-26RM**
Un-Loaded Caliper — Right		**BRC-25RM**
Rotor		**BRR-11**
Rear:		
Shoes	S501,B,ORG	**BR-79B**
Hardware Combi Kit (Spring Kit)		**BRSK-7252**
		BRVP-1456
Hardware Self Adjuster Kit — Left		**BRAK-2602**
Hardware Self Adjuster Kit — Right		**BRAK-2603**
Wheel Cylinder — Left		**BRWC-19**
Wheel Cylinder — Right		**BRWC-18**
Drum	AWD, FWD	**BRD-28**

1988 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Sedan,D319,I,SM	**BR-8B**
	Wagon,D348,I,SM	**BR-9**
Hardware Pad Attachment Kit	Sedan	**BRPK-13165**
	Wagon	**BRPK-13243**
Hardware Caliper Attaching Kit		**BRCK-14099**
Rotor		**BRR-75**
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	**BRS-71**
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	**BRS-70**
Rear:		
Pads	I,ORG	**BR-60B**
Shoes	Sedan,S577,B,ORG	**BR-83**
	Wagon,B,ORG	**BR-84**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-17303A**
	Wagon	**BRSK-17315A**
Wheel Cylinder — Left		**BRWC-27**
Wheel Cylinder — Right		**BRWC-27**
Wheel Seal	1.575 ID x 2.131 OD x 0.319 Thick	**BRS-73**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1987 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D310,I,SM	BR-7B
Hardware Pad Attachment Kit		BRPK-5567
Hardware Caliper Attaching Kit		BRCK-5016
Un-Loaded Caliper — Left		BRC-126RM
Un-Loaded Caliper — Right		BRC-124RM
Rotor		BRR-38
Rear:		
Shoes	w/9" Brake,S474,R,ORG	BR-75B
	w/10" Brake,S151,R,ORG	BR-111B
Hardware Combi Kit (Spring Kit)	w/9" Brake	BRSK-7246A
	w/9" Brake	BRVP-1456
		BRVP-1177A
	w/10" Brake	BRSK-7248A
	w/10" Brake	BRVP-1456
Hardware Self Adjuster Kit — Left	w/9" Brake	BRAK-2596
	w/10" Brake	BRAK-2514
Hardware Self Adjuster Kit — Right	w/9" Brake	BRAK-2597
	w/10" Brake	BRAK-2515
Un-Loaded Caliper — Left		BRC-117RM
		BRC-117RM
Un-Loaded Caliper — Right		BRC-116RM
		BRC-116RM
Wheel Cylinder — Left	w/9" Brake	BRWC-13
Wheel Cylinder — Right	w/9" Brake	BRWC-13
Rotor	Rear	BRR-12
Drum	w/9 x 1 3/4" Brake	BRD-25

1987 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	BR-29B
	Police,D150,R,SM	BR-4B
Hardware Pad Attachment Kit	Exc. Police	BRPK-5560
	Police	BRPK-5541
Hardware Caliper Attaching Kit		BRCK-5022
Loaded Caliper — Left	Exc. Police	BRCL-12RM
Loaded Caliper — Right	Exc. Police	BRCL-13RM
Un-Loaded Caliper — Left		BRC-12RM
Un-Loaded Caliper — Right		BRC-13RM
Rotor		BRR-14
Rear:		
Shoes	Exc. w/10" Brake Exc. Police,S481,R,ORG	BR-76B
	Exc. w/11" Brake Exc. Police,S482,R,ORG	BR-77B
Hardware Combi Kit (Spring Kit)	Exc. Police	BRVP-1456
	Exc. Police	BRVP-1177A
	Exc. Police	BRVP-3310
	Exc. w/10" Brake Exc. Police	BRSK-7224A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1987 — Full Size — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	Exc. w/11" Brake Exc. Police	**BRSK-7225A**
Hardware Self Adjuster Kit — Left	Exc. w/10" Brake Exc. Police	**BRAK-2606**
	w/11" Brake	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	Exc. w/10" Brake Exc. Police	**BRAK-2607**
	w/11" Brake	**BRAK-2545A**
Wheel Cylinder — Left	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Wheel Cylinder — Right	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Drum	w/10" Brake	**BRD-26**
	w/11" Brake	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1987 — Lynx/LN7

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Gas,D257,I,ORG	**BR-30B**
	Diesel,D257,R,SM	**BR-6B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-26AMR**
Loaded Caliper — Right		**BRCL-25RM**
Un-Loaded Caliper — Left	1.9L	**BRC-26RM**
	2.0L Diesel	**BRC-26RM**
Un-Loaded Caliper — Right	1.9L	**BRC-25RM**
	2.0L Diesel	**BRC-25RM**
Rotor		**BRR-11**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Shoes	w/7" Brake,S500,B,ORG	**BR-78B**
	w/8" Brake,S501,B,ORG	**BR-79B**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRVP-1456**
	w/7" Brake	**BRSK-7251**
	w/7" Brake	**BRVP-1168**
	w/7" Brake	**BRVP-3310**
	w/8" Brake	**BRSK-7252**
	w/8" Brake	**BRVP-1168**
Hardware Self Adjuster Kit — Left	w/8" Brake	**BRAK-2602**
Hardware Self Adjuster Kit — Right	w/8" Brake	**BRAK-2603**
Wheel Cylinder — Left		**BRWC-15**
Wheel Cylinder — Right		**BRWC-16**
Drum	w/8" Brake	**BRD-28**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
MERCURY

Motorcraft

1987 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	BR-14B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-27ARM
Un-Loaded Caliper — Right		BRC-28ARM
Rotor		BRR-80
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	Sedan,S566,R,ORG	BR-81B
	Wagon,S567,R,ORG	BR-82B
Hardware Combi Kit (Spring Kit)		BRVP-21938
		BRSK-7286A
Hardware Self Adjuster Kit — Left		BRAK-2632
Hardware Self Adjuster Kit — Right		BRAK-2633
Wheel Cylinder — Left		BRWC-22
Wheel Cylinder — Right		BRWC-22
Drum	Sedan	BRD-31

1987 — Topaz

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,I,ORG	BR-30B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2602
Hardware Self Adjuster Kit — Right		BRAK-2603
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	AWD, FWD	BRD-28

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1987 — Tracer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Sedan,D319,I,SM	**BR-8B**
	Wagon,D348,I,SM	**BR-9**
Hardware Pad Attachment Kit	Sedan	**BRPK-13165**
Hardware Caliper Attaching Kit		**BRCK-14099**
Rotor		**BRR-75**
Wheel Seal	Seal 2.047 ID x 2.677 OD x 0.276 Thick; Inner	**BRS-71**
	Seal 2.008 ID x 2.486 OD x 0.236 Thick; Outer	**BRS-70**
Rear:		
Pads	I,ORG	**BR-60B**
Shoes	Sedan,S577,B,ORG	**BR-83**
	Wagon,B,ORG	**BR-84**
Hardware Combi Kit (Spring Kit)	Sedan	**BRSK-17303A**
Wheel Cylinder — Left		**BRWC-27**
Wheel Cylinder — Right		**BRWC-27**
Wheel Seal	1.575 ID x 2.131 OD x 0.319 Thick	**BRS-73**

1986 — Capri

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	6 Cyl., 8 Cyl.,D310,I,SM	**BR-7B**
	4 Cyl. w/T Roof or Manual Reclining Seats,D310,I,SM	**BR-7B**
	4 Cyl. w/o T Roof or Manual Reclining Seats,I,ORG	**BR-28B**
Hardware Pad Attachment Kit		**BRPK-5567**
Hardware Caliper Attaching Kit		**BRCK-5016**
Un-Loaded Caliper — Left	3.8L, 5.0L	**BRC-126RM**
Un-Loaded Caliper — Right	3.8L, 5.0L	**BRC-124RM**
Rotor		**BRR-38**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRSK-7246A**
		BRVP-1456
		BRVP-1177A
Hardware Self Adjuster Kit — Left		**BRAK-2596**
Hardware Self Adjuster Kit — Right		**BRAK-2597**
Wheel Cylinder — Left		**BRWC-13**
Wheel Cylinder — Right		**BRWC-13**
Drum	w/9 x 1 3/4" Brake	**BRD-25**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
PASSENGER CARS
MERCURY

Motorcraft

1986 — Cougar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D310,I,SM	**BR-7B**
Hardware Pad Attachment Kit		**BRPK-5567**
Hardware Caliper Attaching Kit		**BRCK-5016**
Un-Loaded Caliper — Left		**BRC-126RM**
Un-Loaded Caliper — Right		**BRC-124RM**
Rotor		**BRR-38**
Rear:		
Shoes	w/9" Brake,S474,R,ORG	**BR-75B**
	w/10" Brake,S151,R,ORG	**BR-111B**
Hardware Combi Kit (Spring Kit)	w/9" Brake	**BRSK-7246A**
	w/9" Brake	**BRVP-1456**
		BRVP-1177A
	w/10" Brake	**BRSK-7248A**
	w/10" Brake	**BRVP-1456**
Hardware Self Adjuster Kit — Left	w/9" Brake	**BRAK-2596**
	w/10" Brake	**BRAK-2514**
Hardware Self Adjuster Kit — Right	w/9" Brake	**BRAK-2597**
	w/10" Brake	**BRAK-2515**
Wheel Cylinder — Left	w/9" Brake	**BRWC-13**
Wheel Cylinder — Right	w/9" Brake	**BRWC-13**
Drum	w/9 x 1 3/4" Brake	**BRD-25**

1986 — Full Size

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Exc. Police,D199,I,ORG	**BR-29B**
	Police,D150,R,SM	**BR-4B**
Hardware Pad Attachment Kit	Exc. Police	**BRPK-5560**
	Police	**BRPK-5541**
Hardware Caliper Attaching Kit		**BRCK-5022**
Loaded Caliper — Left	Exc. Police	**BRCL-12RM**
Loaded Caliper — Right	Exc. Police	**BRCL-13RM**
Un-Loaded Caliper — Left		**BRC-12RM**
Un-Loaded Caliper — Right		**BRC-13RM**
Rotor		**BRR-14**
Rear:		
Shoes	Exc. w/10" Brake Exc. Police,S481,R,ORG	**BR-76B**
	Exc. w/11" Brake Exc. Police,S482,R,ORG	**BR-77B**
Hardware Combi Kit (Spring Kit)	Exc. Police	**BRVP-1456**
	Exc. Police	**BRVP-3310**
	Sedan	**BRVP-1177A**
	Exc. w/10" Brake Exc. Police	**BRSK-7224A**
	Exc. w/11" Brake Exc. Police	**BRSK-7225A**
Hardware Self Adjuster Kit — Left	Exc. w/10" Brake Exc. Police	**BRAK-2606**
	w/11" Brake	**BRAK-2544A**
Hardware Self Adjuster Kit — Right	Exc. w/10" Brake Exc. Police	**BRAK-2607**
	w/11" Brake	**BRAK-2545A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1986 — Full Size — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Left	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Wheel Cylinder — Right	w/10" Brake	**BRWC-14A**
	w/11" Brake	**BRWC-12**
Drum	w/10" Brake	**BRD-26**
	w/11" Brake	**BRD-27**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**

1986 — Lynx/LN7

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Gas,D257,I,ORG	**BR-30B**
	Diesel,D257,R,SM	**BR-6B**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Loaded Caliper — Left		**BRCL-26AMR**
Loaded Caliper — Right		**BRCL-25RM**
Un-Loaded Caliper — Left		**BRC-26RM**
Un-Loaded Caliper — Right		**BRC-25RM**
Rotor		**BRR-11**
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	**BRS-50**
Rear:		
Shoes	w/7" Brake,S500,B,ORG	**BR-78B**
	w/8" Brake,S501,B,ORG	**BR-79B**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)		**BRVP-1456**
	w/7" Brake	**BRSK-7251**
	w/7" Brake	**BRVP-1168**
	w/7" Brake	**BRVP-3310**
	w/8" Brake	**BRSK-7252**
	w/8" Brake	**BRVP-1168**
Hardware Self Adjuster Kit — Left	w/8" Brake	**BRAK-2602**
Hardware Self Adjuster Kit — Right	w/8" Brake	**BRAK-2603**
Wheel Cylinder — Left		**BRWC-15**
Wheel Cylinder — Right		**BRWC-16**
Drum	w/8" Brake	**BRD-28**

1986 — Marquis

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D310,I,SM	**BR-7B**
Hardware Pad Attachment Kit		**BRPK-5567**
Hardware Caliper Attaching Kit		**BRCK-5016**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1986 — Marquis — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor	w/9 x 1 3/4" Brake	BRR-38
Rear:		
Shoes	Sedan,S474,R,ORG	BR-75B
	Wagon,S151,R,ORG	BR-111B
Hardware Combi Kit (Spring Kit)		BRVP-1456
		BRVP-1177A
	Sedan Exc. Police	BRSK-7246A
	Wagon Police	BRSK-7248A
Hardware Self Adjuster Kit — Left	Sedan	BRAK-2596
	Wagon	BRAK-2514
Hardware Self Adjuster Kit — Right	Sedan	BRAK-2597
	Wagon	BRAK-2515
Wheel Cylinder — Left	Sedan	BRWC-1A
Wheel Cylinder — Right	Sedan	BRWC-1A
Drum	w/9 x 1 3/4" Brake	BRD-25

1986 — Sable

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D421,R,SM	BR-14B
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-27ARM
Un-Loaded Caliper — Right		BRC-28ARM
Rotor		BRR-80
Wheel Seal	MT Wheel Bearing Oil Seal 1.653 ID x 2.528 OD x 0.378 Thick; Inner	BRS-50
Rear:		
Shoes	Sedan,S566,R,ORG	BR-81B
	Wagon,S567,R,ORG	BR-82B
Hardware Combi Kit (Spring Kit)		BRVP-21938
		BRSK-7286A
Hardware Self Adjuster Kit — Left		BRAK-2632
Hardware Self Adjuster Kit — Right		BRAK-2633
Wheel Cylinder — Left		BRWC-22
Wheel Cylinder — Right		BRWC-22
Drum	Sedan	BRD-31

1986 — Topaz

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D257,I,ORG	BR-30B

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1986 — Topaz — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Loaded Caliper — Left		BRCL-26AMR
Loaded Caliper — Right		BRCL-25RM
Un-Loaded Caliper — Left		BRC-26RM
Un-Loaded Caliper — Right		BRC-25RM
Rotor		BRR-11
Rear:		
Shoes	S501,B,ORG	BR-79B
Hardware Combi Kit (Spring Kit)		BRSK-7252
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2602
Hardware Self Adjuster Kit — Right		BRAK-2603
Wheel Cylinder — Left		BRWC-19
Wheel Cylinder — Right		BRWC-18
Drum	FWD	BRD-28

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1989 — Scorpio

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D298,I,SM	BR-27
Hardware Pad Attachment Kit		BRPK-13308
Hardware Caliper Attaching Kit		BRCK-5025A
Rear:		
Pads	D382,I,SM	BR-54
Hardware Pad Attachment Kit		BRPK-13119A

1989 — XR4Ti

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D298,I,SM	BR-27
Hardware Pad Attachment Kit		BRPK-13308
Hardware Caliper Attaching Kit		BRCK-5025A
Rear:		
Shoes	S557,B,ORG	BR-80
Hardware Combi Kit (Spring Kit)		BRSK-17296
Wheel Cylinder — Left		BRWC-20
Wheel Cylinder — Right		BRWC-20

1988 — Scorpio

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D298,I,SM	BR-27
Hardware Pad Attachment Kit		BRPK-13308
Hardware Caliper Attaching Kit		BRCK-5025A
Rear:		
Pads	D382,I,SM	BR-54
Hardware Pad Attachment Kit		BRPK-13119A

1988 — XR4Ti

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D298,I,SM	BR-27
Hardware Pad Attachment Kit		BRPK-13308
Hardware Caliper Attaching Kit		BRCK-5025A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1988 — XR4Ti — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Shoes	S557,B,ORG	BR-80
Hardware Combi Kit (Spring Kit)		BRSK-17296
Wheel Cylinder — Left		BRWC-20
Wheel Cylinder — Right		BRWC-20

1987 — XR4Ti

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D298,I,SM	BR-27
Hardware Pad Attachment Kit		BRPK-13308
Hardware Caliper Attaching Kit		BRCK-5025A
Rear:		
Shoes	S557,B,ORG	BR-80
Hardware Combi Kit (Spring Kit)		BRSK-17296
Wheel Cylinder — Left		BRWC-20
Wheel Cylinder — Right		BRWC-20

1986 — XR4Ti

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D298,I,SM	BR-27
Hardware Pad Attachment Kit		BRPK-13308
Hardware Caliper Attaching Kit		BRCK-5025A
Rear:		
Shoes	S557,B,ORG	BR-80
Hardware Combi Kit (Spring Kit)		BRSK-17296
Wheel Cylinder — Left		BRWC-20
Wheel Cylinder — Right		BRWC-20

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2005 — Escape

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
ABS Wheel Speed Sensor — Left	Hybrid	BRAB-124
ABS Wheel Speed Sensor — Right	Hybrid	BRAB-123
Rear:		
Wheel Cylinder — Left		BRWC-44
Wheel Cylinder — Right		BRWC-44
Drum		BRD-38
Wheel Seal	2.225 ID x 2.763 OD x 0.34 Thick	BRS-43

2005 — Excursion

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D756,I,SM	BR-1266
Pads - SuperDuty	D756,I,SM	BRSD-756
Loaded Caliper — Left		BRCL-76RM
Loaded Caliper — Right		BRCL-77RM
Un-Loaded Caliper — Left		BRC-76RM
Un-Loaded Caliper — Right		BRC-77RM
Rotor	RWD 2-Wheel ABS Twin I-Beam Single Wheel	BRR-101
	4WD Mono Beam 3.73, 4.10, 4.3 Ratio	BRR-89
	RWD 2-Wheel ABS Twin I-Beam Dual Wheel	BRR-93
Rear:		
Pads	D757,I,SM	BR-1275
Pads - SuperDuty	D757,I,SM	BRSD-757
Loaded Caliper — Left		BRCL-65RM
Loaded Caliper — Right		BRCL-64RM
Un-Loaded Caliper — Left		BRC-65RM
Un-Loaded Caliper — Right		BRC-64RM
Rotor	Sterling 10.5" Fullfloat Axle; w/8 Mounting Holes	BRR-94
ABS Wheel Speed Sensor — Left	Speed Sensor	BRAB-130
ABS Wheel Speed Sensor — Right	Speed Sensor	BRAB-130

2005 — Expedition

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D934,I,SM	BR-934C
Wheel Seal	SOHC Wheel Spindle O-Ring 3.740 ID x 0.070 Width; Front	BRS-97
Rear:		
Pads	D935,I,SM	BR-935C
Rotor		BRR-116
ABS Wheel Speed Sensor — Left		BRAB-15

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2005 — Expedition — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Right		**BRAB-15**

2005 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,ORG	**BR-114**
Rotor		**BRR-98**

2005 — Explorer Sport Trac

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,SM	**BR-11438**
Rotor	RWD	**BRR-106**
ABS Wheel Speed Sensor — Left		**BRAB-121**
ABS Wheel Speed Sensor — Right		**BRAB-121**
Rear:		
Pads	Front Disc w/Phenolic Pistons; Rear,D667A,I,SM	**BR-1400**
Rotor		**BRR-119**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2005 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Rotor	4-Wheel ABS E150; w/5 Mounting Holes	**BRR-117**
	4-Wheel ABS E-250, E-250 Econoline Club Wagon, E-350, E-350 Club Wagon; Single Rear Wheel; w/8 Mounting Holes	**BRR-23**
	2-Wheel ABS E-250, E-350; Single Wheel w/8 Mounting Holes	**BRR-20**
	4-Wheel ABS E-350; Dual Wheel, 8 Mounting Holes	**BRR-30**
	2-Wheel ABS E-150; 5 Mounting Holes	**BRR-26**
	2-Wheel ABS E-350; Dual Wheel, 8 Mounting Holes	**BRR-29**
Wheel Seal	E-150, E-250, E-350; Wheel Hub Grease Retainer 2.420 ID x 3.465 OD x 0.535 Thick; Front	**BRS-93**
	E-150; Wheel Hub Grease Retainer 1.95 ID x 3.095 OD x 0.444 Thick; Front	**BRS-98**
ABS Wheel Speed Sensor — Left	E-250, E-350, E-450 Econoline	**BRAB-165**
ABS Wheel Speed Sensor — Right	E-250, E-350, E-450 Econoline	**BRAB-164**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2005 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Loaded Caliper — Left	E-250, E-350	**BRCL-139RM**
Loaded Caliper — Right	E-250, E-350	**BRCL-138RM**
Un-Loaded Caliper — Left	E-250, E-350	**BRC-139RM**
Un-Loaded Caliper — Right	E-250, E-350	**BRC-138RM**
Rotor	E-150	**BRR-128**
	E-250; Single Wheel	**BRR-71**
	Gear E-350, E-350 Club Wagon; Single Wheel, 12 1/8 x 3 1/2 Brake, 9.75 Ratio Gear, 8 Mounting Holes	**BRR-71**
	E-350, E-350 Club Wagon; Single or Dual Wheel, 12 1/8 x 3 1/2 Brake, 10.5 Ratio Gear, 8 Mounting Holes	**BRR-72**
Drum	E-150; 11 x 2 1/4 Brake, 5 Mounting Holes, 9.75 Ratio Gear & Axle 710E & 711E	**BRD-41**
	E-250, E-250 Econoline Club Wagon, E-350, E-350 Club Wagon; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, 9.75 Ratio Gear	**BRD-36**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2005 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D1083,I,SM	**BR-1083**
Pads - SuperDuty	F-150,D1083,I,SM	**BRSD-1083**
Rotor	F-150; w/Base Payload Pkg	**BRR-120**
	F-150; w/Heavy Payload Upgrade Pkg	**BRR-122**
	RWD 2-Wheel ABS F250/350 Super Duty; Twin I-Beam Single Wheel Incl. Bearing & Wheel Bolts	**BRR-101**
	RWD 2-Wheel ABS, 4-Wheel ABS F250/350 Super Duty; Twin I-Beam Axle Dual Wheel	**BRR-93**
	4WD F250/550SD; Mono Beam 4.88, 5.38 Ratio	**BRR-91**
	4WD 2-Wheel ABS, 4-Wheel ABS F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam 3.73, 4.10, 4.3 Ratio w/Single Wheel From 3/22/99	**BRR-89**
	RWD F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam	**BRR-91**
	RWD F-550 Super Duty; w/Mono Beam	**BRR-91**
Wheel Seal	Medium Truck F650/750 Grease Retainer; Inner	**BRS-107**
ABS Wheel Speed Sensor — Left	F-150, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Before 11/29/04	**BRAB-157**
	F-150, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; From 11/29/04	**BRAB-156**
	4WD F250/350 Super Duty	**BRAB-144**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRAB-145**
ABS Wheel Speed Sensor — Right	RWD 4-Wheel ABS F-150, F-250 Super Duty, F-350 Super Duty	**BRAB-152**
	RWD F-150, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Before 11/29/04	**BRAB-157**
	RWD F-150, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; From 11/29/04	**BRAB-156**
	4WD F250/350 Super Duty	**BRAB-144**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRAB-145**
Rear:		
Pads	F-150,D1012,I,SM	**BR-1012B**
Pads - SuperDuty	F-150,D1012,I,SM	**BRSD-1012**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2005 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Rotor	F-150; w/Base Payload Pkg	**BRR-121**
	F-150; w/Heavy Payload Upgrade Pkg	**BRR-123**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW; w/o Exciter Ring	**BRR-113**
	F250/350 Super Duty; Single Wheel, 8 Mounting Holes, Sterling 10.5" Fullfloat Axle	**BRR-94**
	F-350 Super Duty; w/Dual Wheel	**BRR-96**
Wheel Seal	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW Grease Retainer 2.187 ID x 3.465 OD x 0.720 Thick; Inner	**BRS-100**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW Grease Retainer 3.5 ID x 4.689 OD x 0.451 Thick; Inner	**BRS-110**
	F-150; Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
	F53	**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**
	F53	**BRAB-130**

2005 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,SM	**BR-11438**
Rotor	RWD 2-Wheel ABS 11.28" OD - Torsion Bar Suspension - 5 Mounting Holes	**BRR-104**
	RWD 4-Wheel ABS 10.28 OD; Front	**BRR-83**
	RWD 2-Wheel ABS Coil Spring Front Suspension	**BRR-83**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD 2-Wheel ABS 2.624 ID x 3.951 OD x 0.891 Thick	**BRS-27**
Rear:		
Shoes	Flex, Gas Rear Drum w/9" Brake,S704,R,ORG	**BR-103B**
	Flex, Gas w/10" Brake,S705,R,ORG	**BR-104B**
Wheel Cylinder — Left	w/10" Cast Iron Brake	**BRWC-50**
	w/9" Brake	**BRWC-48**
Wheel Cylinder — Right	w/10" Cast Iron Brake	**BRWC-50**
	w/9" Brake	**BRWC-48**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	9 x 1 3/4 Brake; w/5 Mounting Holes	**BRD-23**
Wheel Seal	4WD "O" Ring 2.22 ID x 2.287 OD x 0.067 Thick - Hub to Hub Lock	**BRS-109**
	4WD 2-Wheel ABS Bearing "O" Ring Knuckle Seal 3.712 ID x 3.779 OD x 0.060 Thick	**BRS-112**
	2790 lb. Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

2004 — Escape

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D843,I,SM	**BR-11439**
Hardware Pad Attachment Kit		**BRPK-13305**
Hardware Caliper Attaching Kit		**BRCK-5025A**
ABS Wheel Speed Sensor — Left		**BRAB-124**
ABS Wheel Speed Sensor — Right		**BRAB-123**
Rear:		
Shoes	S760,B,ORG	**BR-11441A**
Hardware Combi Kit (Spring Kit)		**BRSK-7310A**
Hardware Self Adjuster Kit — Left		**BRAK-2668A**
Hardware Self Adjuster Kit — Right		**BRAK-2669A**
Wheel Cylinder — Left		**BRWC-44**
Wheel Cylinder — Right		**BRWC-44**
Drum		**BRD-38**
Wheel Seal	2.225 ID x 2.763 OD x 0.34 Thick	**BRS-43**
ABS Wheel Speed Sensor — Left		**BRAB-125**
ABS Wheel Speed Sensor — Right		**BRAB-122**

2004 — Excursion

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D756,I,SM	**BR-1266**
Pads - SuperDuty	D756,I,SM	**BRSD-756**
Hardware Pad Attachment Kit		**BRPK-5660**
Hardware Caliper Attaching Kit		**BRCK-5072A**
Loaded Caliper — Left		**BRCL-76RM**
Loaded Caliper — Right		**BRCL-77RM**
Un-Loaded Caliper — Left		**BRC-76RM**
Un-Loaded Caliper — Right		**BRC-77RM**
Rotor	RWD 2-Wheel ABS Twin I-Beam Single Wheel	**BRR-101**
	4WD Mono Beam 3.73, 4.10, 4.3 Ratio	**BRR-89**
	RWD w/Mono Beam	**BRR-91**
	RWD 2-Wheel ABS Twin I-Beam Dual Wheel	**BRR-93**
Rear:		
Pads	D757,I,SM	**BR-1275**
Pads - SuperDuty	D757,I,SM	**BRSD-757**
Hardware Pad Attachment Kit		**BRPK-5643A**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7332**
Loaded Caliper — Left		**BRCL-65RM**
Loaded Caliper — Right		**BRCL-64RM**
Un-Loaded Caliper — Left		**BRC-65RM**
Un-Loaded Caliper — Right		**BRC-64RM**
Rotor	Sterling 10.5" Fullfloat Axle; w/8 Mounting Holes	**BRR-94**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2004 — Expedition

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D934,I,SM	**BR-934C**
Hardware Pad Attachment Kit		**BRPK-5756**
Hardware Caliper Attaching Kit		**BRCK-5089**
Rotor	Before 11/29/04	**BRR-115**
Wheel Seal	SOHC Wheel Spindle O-Ring 3.740 ID x 0.070 Width; Front	**BRS-97**
Rear:		
Pads	D935,I,SM	**BR-935C**
Hardware Pad Attachment Kit		**BRPK-5689**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7325**
Rotor		**BRR-116**
ABS Wheel Speed Sensor — Left		**BRAB-15**
ABS Wheel Speed Sensor — Right		**BRAB-15**

2004 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,ORG	**BR-114**
Hardware Pad Attachment Kit		**BRPK-5677**
Hardware Caliper Attaching Kit		**BRCK-5086**
Rotor		**BRR-98**
Rear:		
Pads	D881,I,ORG	**BR-2000**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7315**
Rotor	Before 8/02/04	**BRR-102**
Wheel Seal	Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**

2004 — Explorer Sport Trac

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,SM	**BR-11438**
Hardware Pad Attachment Kit		**BRPK-5666**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Rotor	RWD	**BRR-106**
Wheel Seal	RWD Knuckle & Hub Seal 1.938 ID x 2.562 OD x 0.294 Thick; Front	**BRS-10**
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left		**BRAB-121**
ABS Wheel Speed Sensor — Right		**BRAB-121**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2004 — Explorer Sport Trac — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Pads	Front Disc w/Phenolic Pistons; Rear,D667A,I,SM	**BR-1400**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Rotor		**BRR-119**
Wheel Seal	Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2004 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E-250, E-350,D655,I,SM	**BR-48B**
	E-450 Econoline,D655,I,SM	**BR-48B**
Pads - SuperDuty	E-250, E-350,D655,I,SM	**BRSD-655**
	E-450 Econoline,D655,I,SM	**BRSD-655**
Hardware Pad Attachment Kit	E-250, E-350	**BRPK-5621A**
	E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis	**BRPK-5621A**
	E150	**BRPK-5762**
Hardware Caliper Attaching Kit	E-150	**BRCK-5063**
	E-250, E-350	**BRCK-5067A**
	E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis	**BRCK-5067A**
Rotor	4-Wheel ABS E150; w/5 Mounting Holes	**BRR-117**
	4-Wheel ABS E-250, E-250 Econoline Club Wagon, E-350, E-350 Club Wagon; Single Rear Wheel; w/8 Mounting Holes	**BRR-23**
	2-Wheel ABS E-250, E-350; Single Wheel w/8 Mounting Holes	**BRR-20**
	4-Wheel ABS E-350; Dual Wheel, 8 Mounting Holes	**BRR-30**
	2-Wheel ABS E-150; 5 Mounting Holes	**BRR-26**
	2-Wheel ABS E-350; Dual Wheel, 8 Mounting Holes	**BRR-29**
Wheel Seal	E Series, E-150, E-250, E-350; Wheel Hub Grease Retainer 2.420 ID x 3.465 OD x 0.535 Thick; Front	**BRS-93**
	E-150; Wheel Hub Grease Retainer 1.95 ID x 3.095 OD x 0.444 Thick; Front	**BRS-98**
	4-Wheel ABS E-250, E-350; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	E-250, E-350, E-450 Econoline, E-550 Econoline	**BRAB-102**
ABS Wheel Speed Sensor — Right	E-250, E-350, E-450 Econoline	**BRAB-101**
Rear:		
Pads	E-250, E-350, E-450 Econoline,D802,I,SM	**BR-1276**
	E-450 Econoline; Commercial Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	E-450 Econoline,D411,I,SM	**BRSD-411**
Shoes	E-250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	E-250	**BRPK-5628A**
	E-350	**BRPK-5628A**
	E-450 Econoline	**BRPK-5635A**
Hardware Caliper Attaching Kit	E-250, E-350	**BRCK-5063**
Hardware Combi Kit (Spring Kit)	E-250, E-350; Axle w/Tags - Parking Brake	**BRSK-7311A**
	E-250; w/12 x 2.5" Brake	**BRSK-7146**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2004 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	E-250, E-350; Axle w/o Tags - Parking Brake Kit	**BRSK-7312A**
	E-250; w/12 x 3" Brake	**BRSK-7181**
	E-550 Super Duty Cutaway; Parking Brake Kit	**BRSK-7309A**
Hardware Self Adjuster Kit — Left	E-250	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E-250	**BRAK-2599**
Loaded Caliper — Left	E-250, E-350	**BRCL-139RM**
Loaded Caliper — Right	E-250, E-350	**BRCL-138RM**
Un-Loaded Caliper — Left	E-250, E-350	**BRC-139RM**
Un-Loaded Caliper — Right	E-250, E-350	**BRC-138RM**
Rotor	E-150	**BRR-128**
	Front Disc E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; 11.25 Ratio Gear, 8 Mounting Holes, Dana 80 Axle	**BRR-6**
	Gear E-350, E-350 Club Wagon, E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; Single Wheel, 12 1/8 x 3 1/2 Brake, 9.75 Ratio Gear, 8 Mounting Holes	**BRR-71**
	E-250; Single Wheel	**BRR-71**
	E-350, E-350 Club Wagon, E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; Single or Dual Wheel, 12 1/8 x 3 1/2 Brake, 10.5 Ratio Gear, 8 Mounting Holes	**BRR-72**
Drum	E-150; 11 x 2 1/4 Brake, 5 Mounting Holes, 9.75 Ratio Gear & Axle 710E & 711E	**BRD-41**
	E-250, E-250 Econoline Club Wagon, E-350, E-350 Club Wagon; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, 9.75 Ratio Gear	**BRD-36**
	E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; Single Wheel, 9.75 Ratio Gear, 12 1/8 x 3 1/2 Brake	**BRD-3**
Wheel Seal	E-150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
	E-550 Super Duty Cutaway	**BRR-113**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2004 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150, F-150 Heritage; Lightning,D679,I,SM	**BR-49**
	F150 Heritage; O/7700 GVW,D702,I,SM	**BR-50**
	F-250 Super Duty,D756,I,SM	**BR-1266**
	F-350 Super Duty,D756,I,SM	**BR-1266**
	F-450 Super Duty, F-550 Super Duty Pickup,D777,I,SM	**BR-1269**
	F-150; Exc. Heritage,I,SM	**BR-11449**
	F-150,D1083,I,SM	**BR-1083**
	F-150,D1083,I,SM	**BR-1083**
Pads - SuperDuty	F150 Heritage; HD (7700 GVW),D702,I,SM	**BRSD-702**
	F150 Heritage; u/7700 GVW,D679,I,SM	**BRSD-679**
	F-250 Super Duty,D756,I,SM	**BRSD-756**
	F-350 Super Duty,D756,I,SM	**BRSD-756**
	F-150,D1083,I,SM	**BRSD-1083**
Hardware Pad Attachment Kit	F150 Heritage; w/7700 GVW	**BRPK-5628A**
	Rear Drum F150 Heritage	**BRPK-5624**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2004 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Pad Attachment Kit — Cont'd	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRPK-5651A**
	F250/350 Super Duty	**BRPK-5660**
	F-150	**BRPK-5754**
Hardware Caliper Attaching Kit	F150 Heritage	**BRCK-5064A**
	F-250 Pickup, F-250 Super Duty	**BRCK-5072A**
	F-350 Super Duty	**BRCK-5072A**
	F-150, F-150 Heritage; Lightning; HD (7700 GVW)	**BRCK-5067A**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCK-5077A**
	F-150	**BRCK-5093**
Loaded Caliper — Left	F150 Heritage; w/48mm Piston	**BRCL-53RM**
	F53	**BRCL-93RM**
	F-450 Super Duty, F-550 Super Duty	**BRCL-93RM**
	F250/350 Super Duty	**BRCL-76RM**
	F-150, F-150 Heritage; Lightning, SVT Lightning; (7700 GVW)	**BRCL-125RM**
	F150 Heritage	**BRCL-145RM**
Loaded Caliper — Right	F250/350 Super Duty	**BRCL-77RM**
	Rear Disc F-150, F-250 Super Duty, F-350 Super Duty; XL, XLT	**BRCL-146RM**
	Rear Drum F150 Heritage; w/48mm Piston	**BRCL-52RM**
	F53	**BRCL-92RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-92RM**
	F150 Heritage; (7700 GVW)	**BRCL-62RM**
	F150 Heritage; w/48mm Piston	**BRCL-52RM**
Un-Loaded Caliper — Left	Rear Drum F-150; King Ranch, Lariat, XL, XLT; w/48mm Piston	**BRC-53RM**
	F250/350 Super Duty	**BRC-76RM**
	F150 Heritage; (7700 GVW)	**BRC-125RM**
	F53	**BRC-93RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-93RM**
Un-Loaded Caliper — Right	Rear Disc F-150; King Ranch, Lariat, XL, XLT; w/48mm Piston	**BRC-52RM**
	F250/350 Super Duty	**BRC-77RM**
	F-150; Lightning, SVT Lightning; (7700 GVW)	**BRC-62RM**
	F53	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-92RM**
	F150 Heritage	**BRC-146RM**
Rotor	F-150; w/Base Payload Pkg; From 6/02/03	**BRR-120**
	F-150; w/Heavy Payload Upgrade Pkg; From 6/02/03	**BRR-122**
	RWD F-150, F-150 Heritage; SVT Lightning; (7700 GVW) w/Single Wheel and 8 Mounting Holes	**BRR-20**
	RWD 2-Wheel ABS F250/350 Super Duty; Twin I-Beam Single Wheel Incl. Bearing & Wheel Bolts	**BRR-101**
	4WD 2-Wheel ABS, 4-Wheel ABS F-150, F-150 Heritage; SVT Lightning; (7700 GVW), 7 Mounting Holes	**BRR-66**
	RWD 2-Wheel ABS, 4-Wheel ABS F250/350 Super Duty; Twin I-Beam Axle Dual Wheel	**BRR-93**
	4WD F250/550SD; Mono Beam 4.88, 5.38 Ratio	**BRR-91**
	RWD 2-Wheel ABS F-150, F-150 Heritage; SVT Lightning; (7700 GVW) w/Single Wheel, 7 Mounting Holes	**BRR-32**
	RWD 2-Wheel ABS, 4-Wheel ABS F-150, F-150 Heritage; SVT Lightning; M14 Wheel Bolts Exc. Nascar Truck Option	**BRR-99**
	4WD 2-Wheel ABS, 4-Wheel ABS F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam 3.73, 4.10, 4.3 Ratio w/Single Wheel From 3/22/99	**BRR-89**
	RWD F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam	**BRR-91**
	RWD F-550 Super Duty; w/Mono Beam	**BRR-91**
	F-150, F-150 Heritage; SVT Lightning; w/M12 Bolts	**BRR-62**
Wheel Seal	Medium Truck F650/750 Grease Retainer; Inner	**BRS-107**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2004 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	Front Disc Medium Truck; Wheel Hub Oil Retainer 3.5 ID x 4.847 OD x 0.84 Thick w/21000/23000/40000 lb. Rear Axle, Budd or Dayton Wheels; Front	**BRS-60A**
	F150 Heritage; (7700) w/Single Wheel w/7 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
ABS Wheel Speed Sensor — Left	RWD F-150, F-250 Pickup, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty	**BRAB-157**
	4WD F-150, F-150 Heritage; Lightning	**BRAB-117**
	RWD F-150, F-150 Heritage; Lightning; U/8500 GVW	**BRAB-118**
	Stripped Chassis F53	**BRAB-3**
	Medium Truck F650/750	**BRAB-142**
	Medium Truck F650/750 w/Standard WABCO Hydraulic - 67" Wire	**BRAB-141**
	2-Wheel ABS Medium Truck F650/750 w/Optional Bendix (Air Brake) - 40" Wire Length	**BRAB-142**
ABS Wheel Speed Sensor — Right	RWD 4-Wheel ABS F-150, F-250 Pickup, F-250 Super Duty, F-350 Super Duty	**BRAB-152**
	RWD F-150, F-250 Pickup, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty	**BRAB-157**
	4WD F-150, F-150 Heritage; Lightning	**BRAB-117**
	F-150, F-150 Heritage; Lightning; U/8500 GVW	**BRAB-116**
	Stripped Chassis F53	**BRAB-2**
	Medium Truck F650/750	**BRAB-142**
	2-Wheel ABS Medium Truck F650/750 w/Standard WABCO Hydraulic - 67" Wire	**BRAB-141**
	2-Wheel ABS Medium Truck F650/750 w/Optional Bendix (Air Brake) - 40" Wire Length	**BRAB-142**
Rear:		
Pads	F-150, F-150 Heritage; Lightning,D879,I,SM	**BR-3**
	F250/350 Super Duty,D757,I,SM	**BR-1275**
	F-450 Super Duty,D777,I,SM	**BR-1269**
	F-550 Super Duty Pickup,D777,I,SM	**BR-1269**
	F-150,I,SM	**BR-1012**
	F-150,I,SM	**BR-11448**
Pads - SuperDuty	F250/350 Super Duty,D757,I,SM	**BRSD-757**
	F-150,D1012,I,SM	**BRSD-1012**
Hardware Pad Attachment Kit	F150 Heritage	**BRPK-5629**
	F-250 Pickup, F-250 Super Duty; O/8500 GVW	**BRPK-5643A**
	F-350 Super Duty	**BRPK-5643A**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRPK-5651A**
	F-150	**BRPK-5751**
Hardware Caliper Attaching Kit	F-250 Pickup, F-250 Super Duty; O/8500 GVW	**BRCK-5060A**
	F-350 Super Duty	**BRCK-5060A**
	F150 Heritage	**BRCK-5066**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCK-5077A**
	F-150	**BRCK-5094**
Hardware Combi Kit (Spring Kit)	F150 Heritage; Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-65RM**
	F53	**BRCL-65RM**
	F53; Caliper Mounts To Front Of Axle	**BRCL-92RM**
	F53; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Front Of Axle	**BRCL-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
	F150 Heritage; SVT Lightning	**BRCL-60RM**
Loaded Caliper — Right	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-64RM**
	F53	**BRCL-92RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-92RM**
	F53	**BRCL-64RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2004 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Loaded Caliper — Right — Cont'd	F150 Heritage; SVT Lightning	**BRCL-61RM**
Un-Loaded Caliper — Left	F-250 Pickup, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup	**BRC-65RM**
	F53	**BRC-65RM**
	F150 Heritage	**BRC-60RM**
	F53; Caliper Mounts To Rear Of Axle	**BRC-93RM**
	F53; Caliper Mounts To Front Of Axle	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Front Of Axle	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Rear Of Axle	**BRC-93RM**
Un-Loaded Caliper — Right	F53	**BRC-64RM**
	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup	**BRC-64RM**
	F150 Heritage	**BRC-61RM**
	F53	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-92RM**
Rotor	F-150; w/Base Payload Pkg; From 6/02/03	**BRR-121**
	F-150; w/Heavy Payload Upgrade Pkg; From 6/02/03	**BRR-123**
	F53; 0/8500 GVW; w/o Exciter Ring	**BRR-113**
	F-450 Super Duty, F-550 Super Duty Pickup; 0/8500 GVW; w/o Exciter Ring	**BRR-113**
	F250/350 Super Duty; Single Wheel, 8 Mounting Holes, Sterling 10.5" Fullfloat Axle	**BRR-94**
	F-350 Super Duty; w/Dual Wheel	**BRR-96**
	F-150, F-150 Heritage; SVT Lightning; w/M14 Wheel Bolts	**BRR-97**
	F-150, F-150 Heritage; SVT Lightning; (7700 GVW)	**BRR-67**
Drum	F150 Heritage; SVT Lightning; Sterling Axle, 8.8 & 9.75 Ratio Gear, 3800 LBS. Rear Axle Capacity - Disc w/5-M14 Mounting Bolts; Exc. Super Crew	**BRD-22**
	F150 Heritage; SVT Lightning; Sterling Axle, 8.8 & 9.75 Ratio, 3800 LBS. Axle Capacity - Disc w/5-M14 Mounting Bolts	**BRD-8**
Wheel Seal	F-150, F-150 Heritage; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F250/350 Super Duty; Seal 2.941 ID x 3.887 OD x 0.774 Thick w/Sterling Full Float Axle - Single Rear Wheel w/10.5 Ratio; Inner	**BRS-51**
	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup; 0/8500 GVW Grease Retainer 3.5 ID x 4.689 OD x 0.451 Thick; Inner	**BRS-110**
	F-150, F-150 Heritage; Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
	F53	**BRAB-1**
	F53	**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**
	F53	**BRAB-1**
	F53	**BRAB-130**

2004 — Freestar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5082**
Rear:		
Hardware Pad Attachment Kit		**BRPK-5568**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2004 — Freestar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Caliper Attaching Kit		**BRCK-5096**

2004 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Flex, Gas,D833,I,SM	**BR-11438**
Hardware Pad Attachment Kit		**BRPK-5677**
Rotor	RWD 4-Wheel ABS 10.28 OD; Front	**BRR-83**
	RWD 2-Wheel ABS 11.28" OD - Torsion Bar Suspension - 5 Mounting Holes	**BRR-104**
	RWD 2-Wheel ABS Coil Spring Front Suspension	**BRR-83**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD 2-Wheel ABS 2.624 ID x 3.951 OD x 0.891 Thick	**BRS-27**
Rear:		
Shoes	Flex, Gas w/10" Brake,S705,R,ORG	**BR-104B**
	Flex, Gas Rear Drum w/9" Brake,S704,R,ORG	**BR-103B**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	w/1.75" Shoe	**BRSK-7294A**
	w/2 1/2" Shoe	**BRSK-7295A**
Hardware Self Adjuster Kit — Left	Flex, Gas w/10" Brake	**BRAK-2662A**
	Flex, Gas w/9" Brake	**BRAK-2660A**
Hardware Self Adjuster Kit — Right	Flex, Gas w/10" Brake	**BRAK-2663A**
	Flex, Gas w/9" Brake	**BRAK-2661A**
Wheel Cylinder — Left	w/10" Cast Iron Brake; Rear	**BRWC-50**
	w/9" Cast Iron Brake; Rear	**BRWC-48**
Wheel Cylinder — Right	w/10" Cast Iron Brake; Rear	**BRWC-50**
	w/9" Cast Iron Brake; Rear	**BRWC-48**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	9 x 1 3/4 Brake; w/5 Mounting Holes	**BRD-23**
Wheel Seal	4WD "O" Ring 2.22 ID x 2.287 OD x 0.067 Thick - Hub to Hub Lock	**BRS-109**
	4WD 2-Wheel ABS Bearing "O" Ring Knuckle Seal 3.712 ID x 3.779 OD x 0.060 Thick	**BRS-112**
	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2003 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Rotor	RWD 4-Wheel ABS F-150, F-150 Heritage; Harley-Davidson Edition, Lightning; NASCAR & w/5-M14 Mounting Bolts	**BRR-100**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2003 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	F-150 Heritage, F-250 Pickup, F-250 Super Duty, F-350 Super Duty; Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**

2003 — Escape

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D843,I,SM	**BR-11439**
Hardware Pad Attachment Kit		**BRPK-13305**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left	Before 12/22/03	**BRC-174RM**
Un-Loaded Caliper — Right	Before 12/22/03	**BRC-173RM**
Rotor	Before 12/22/03	**BRR-108**
ABS Wheel Speed Sensor — Left		**BRAB-124**
ABS Wheel Speed Sensor — Right		**BRAB-123**
Rear:		
Shoes	S760,B,ORG	**BR-11441A**
Hardware Combi Kit (Spring Kit)		**BRSK-7310A**
Hardware Self Adjuster Kit — Left		**BRAK-2668A**
Hardware Self Adjuster Kit — Right		**BRAK-2669A**
Wheel Cylinder — Left		**BRWC-44**
Wheel Cylinder — Right		**BRWC-44**
Drum		**BRD-38**
Wheel Seal	2.225 ID x 2.763 OD x 0.34 Thick	**BRS-43**
ABS Wheel Speed Sensor — Left		**BRAB-125**
ABS Wheel Speed Sensor — Right		**BRAB-122**

2003 — Excursion

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D756,I,SM	**BR-1266**
Pads - SuperDuty	D756,I,SM	**BRSD-756**
Hardware Pad Attachment Kit		**BRPK-5660**
Hardware Caliper Attaching Kit		**BRCK-5072A**
		BRCK-5072A
Loaded Caliper — Left		**BRCL-76RM**
Loaded Caliper — Right		**BRCL-77RM**
Un-Loaded Caliper — Left		**BRC-76RM**
Un-Loaded Caliper — Right		**BRC-77RM**
Rotor	4WD Mono Beam 3.73, 4.10, 4.3 Ratio	**BRR-89**
	RWD 2-Wheel ABS Twin I-Beam Single Wheel	**BRR-101**
	RWD w/Mono Beam	**BRR-91**
	RWD 2-Wheel ABS Twin I-Beam Dual Wheel	**BRR-93**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2003 — Excursion — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal	Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-70**
	4WD	**BRAB-68**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-67**
	4WD	**BRAB-68**
Rear:		
Pads	D757,I,SM	**BR-1275**
Pads - SuperDuty	D757,I,SM	**BRSD-757**
Hardware Pad Attachment Kit		**BRPK-5643A**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7332**
Loaded Caliper — Left		**BRCL-65RM**
Loaded Caliper — Right		**BRCL-64RM**
Un-Loaded Caliper — Left		**BRC-65RM**
Un-Loaded Caliper — Right		**BRC-64RM**
Rotor	Sterling 10.5" Fullfloat Axle; w/8 Mounting Holes	**BRR-94**
Wheel Seal	4WD 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2003 — Expedition

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D934,I,SM	**BR-934C**
Hardware Pad Attachment Kit		**BRPK-5688**
Hardware Caliper Attaching Kit		**BRCK-5089**
Un-Loaded Caliper — Left	Before 7/15/02; From 3/18/02	**BRC-166RM**
Un-Loaded Caliper — Right	Before 7/15/02; From 3/18/02	**BRC-165RM**
Rotor	From 3/18/02	**BRR-115**
Wheel Seal	SOHC Wheel Spindle O-Ring 3.740 ID x 0.070 Width; Front	**BRS-97**
Rear:		
Pads	D935,I,SM	**BR-935C**
Hardware Pad Attachment Kit		**BRPK-5689**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7325**
Rotor	From 3/18/02	**BRR-116**
ABS Wheel Speed Sensor — Left		**BRAB-15**
ABS Wheel Speed Sensor — Right		**BRAB-15**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2003 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,ORG	**BR-114**
Hardware Pad Attachment Kit		**BRPK-5677**
Hardware Caliper Attaching Kit		**BRCK-5086**
Rotor		**BRR-98**
Rear:		
Pads	D881,I,ORG	**BR-2000**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7315**
Rotor		**BRR-102**
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**

2003 — Explorer Sport

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,SM	**BR-11438**
Hardware Pad Attachment Kit		**BRPK-5666**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Rotor	RWD Before 5/09/03	**BRR-106**
Wheel Seal	RWD Knuckle & Hub Seal 1.938 ID x 2.562 OD x 0.294 Thick; Front	**BRS-10**
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
Rear:		
Pads	Front Disc w/Phenolic Pistons; Rear,D667A,I,SM	**BR-1400**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Rotor	Before 5/09/03	**BRR-119**
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2003 — Explorer Sport Trac

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,SM	**BR-11438**
Hardware Pad Attachment Kit		**BRPK-5666**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Rotor	RWD	**BRR-106**
Wheel Seal	RWD Knuckle & Hub Seal 1.938 ID x 2.562 OD x 0.294 Thick; Front	**BRS-10**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2003 — Explorer Sport Trac — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left		**BRAB-121**
ABS Wheel Speed Sensor — Right		**BRAB-121**
Rear:		
Pads	Front Disc w/Phenolic Pistons; Rear,D667A,I,SM	**BR-1400**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Hardware Self Adjuster Kit — Left		**BRAK-2666A**
Hardware Self Adjuster Kit — Right		**BRAK-2667A**
Rotor		**BRR-119**
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2003 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E-150,D632,I,SM	**BR-46**
	E-250, E-350,D655,I,SM	**BR-48B**
	E Super Duty, E-450 Econoline,D655,I,SM	**BR-48B**
Pads - SuperDuty	E-150,D632,I,SM	**BRSD-632**
	E-250, E-350,D655,I,SM	**BRSD-655**
	E Super Duty, E-450 Econoline,D655,I,SM	**BRSD-655**
	E-550 Econoline,D777,I,SM	**BRSD-777**
Hardware Pad Attachment Kit	E-150	**BRPK-5620**
	E-250, E-350	**BRPK-5621A**
	E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis	**BRPK-5621A**
Hardware Caliper Attaching Kit	E-150	**BRCK-5066**
	E-250, E-350	**BRCK-5067A**
	E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis	**BRCK-5067A**
Loaded Caliper — Left	E-150	**BRCL-11RM**
Loaded Caliper — Right	E-150	**BRCL-10RM**
	E Super Duty	**BRCL-6RM**
Un-Loaded Caliper — Left	E-150	**BRC-11RM**
Un-Loaded Caliper — Right	E-150	**BRC-10ARM**
Rotor	2-Wheel ABS E-150; 5 Mounting Holes	**BRR-26**
	4-Wheel ABS E-150; w/5 Mounting Holes	**BRR-16**
	4-Wheel ABS E-350; Dual Wheel, 8 Mounting Holes	**BRR-30**
	4-Wheel ABS E-250, E-250 Econoline Club Wagon, E-350, E-350 Club Wagon; Single Rear Wheel; w/8 Mounting Holes	**BRR-23**
	2-Wheel ABS E-250, E-350; Single Wheel w/8 Mounting Holes	**BRR-20**
	2-Wheel ABS E-350; Dual Wheel, 8 Mounting Holes	**BRR-29**
Wheel Seal	E-150, E-250, E-350; Wheel Hub Grease Retainer 2.420 ID x 3.465 OD x 0.535 Thick; Front	**BRS-93**
	E-150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2003 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	4-Wheel ABS E Super Duty, E-250, E-350; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	E-150	**BRAB-100**
	E-250, E-350, E-450 Econoline	**BRAB-102**
ABS Wheel Speed Sensor — Right	E-150	**BRAB-99**
	E-250, E-350, E-450 Econoline	**BRAB-101**
Rear:		
Pads	E-250, E-350,D802,I,SM	**BR-1276**
	E-450 Econoline; Commercial Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	E Super Duty, E-450 Econoline,D411,I,SM	**BRSD-411**
Shoes	E-150; w/11" x 2 1/4" Brake,S723,B,ORG	**BR-105B**
	E-250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	E-250	**BRPK-5628A**
	E-350	**BRPK-5628A**
	E-450 Econoline	**BRPK-5635A**
Hardware Caliper Attaching Kit	E-250, E-350	**BRCK-5063**
Hardware Combi Kit (Spring Kit)	E-150	**BRSK-7298A**
	E-250, E-350; Axle w/Tags - Parking Brake	**BRSK-7311A**
	E-250, E-350; Axle w/o Tags - Parking Brake Kit	**BRSK-7312A**
	E-250; w/12 x 2.5" Brake	**BRSK-7146**
	E-250; w/12 x 3" Brake	**BRSK-7181**
	E-550 Super Duty Cutaway; Parking Brake Kit	**BRSK-7309A**
Hardware Self Adjuster Kit — Left	E-150	**BRAK-2666A**
	E-250	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E-150	**BRAK-2667A**
	E-250	**BRAK-2599**
Loaded Caliper — Left	E-250, E-350	**BRCL-139RM**
Loaded Caliper — Right	E-250, E-350	**BRCL-138RM**
Un-Loaded Caliper — Left	E-250, E-350	**BRC-139RM**
	E Super Duty	**BRC-9RM**
Un-Loaded Caliper — Right	E-250, E-350	**BRC-138RM**
Rotor	Gear E-350, E-350 Club Wagon, E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; Single Wheel, 12 1/8 x 3 1/2 Brake, 9.75 Ratio Gear, 8 Mounting Holes	**BRR-71**
	Front Disc E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; 11.25 Ratio Gear, 8 Mounting Holes, Dana 80 Axle	**BRR-6**
	Gear E-250; Single Wheel	**BRR-71**
	E-350, E-350 Club Wagon, E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; Single or Dual Wheel, 12 1/8 x 3 1/2 Brake, 10.5 Ratio Gear, 8 Mounting Holes	**BRR-72**
Drum	E-150; 11 x 2 1/4 Brake, 5 Mounting Holes, 9.75 Ratio Gear & Axle 710E & 711E	**BRD-41**
	E-350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E-250, E-250 Econoline Club Wagon, E-350, E-350 Club Wagon; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, 9.75 Ratio Gear	**BRD-36**
	E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; Single Wheel, 9.75 Ratio Gear, 12 1/8 x 3 1/2 Brake	**BRD-3**
Wheel Seal	E-250; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E-550 Econoline; Grease Retainer 3.5 ID x 4.689 OD x 0.451 Thick; Inner	**BRS-110**
	E-150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2003 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
	E-550 Super Duty Cutaway	**BRR-113**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2003 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D679,I,SM	**BR-49**
	F-150; 0/7700 GVW,D702,I,SM	**BR-50**
	F-250 Super Duty,D756,I,SM	**BR-1266**
	F-350 Super Duty,D756,I,SM	**BR-1266**
	F-450 Super Duty,D777,I,SM	**BR-1269**
	F-550 Super Duty Pickup,D777,I,SM	**BR-1269**
Pads - SuperDuty	Bi-Fuel, CNG, Gas F-150; u/7700 GVW,D679,I,SM	**BRSD-679**
	F-250 Super Duty,D756,I,SM	**BRSD-756**
	F-350 Super Duty,D756,I,SM	**BRSD-756**
	F-150; HD (7700 GVW),D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit	F-150	**BRPK-5624**
	F-150; w/7700 GVW	**BRPK-5628A**
	F250/350 Super Duty	**BRPK-5660**
	F-450 Super Duty, F-550 Super Duty Pickup; 0/8500 GVW	**BRPK-5651A**
	Stripped Chassis F53	**BRPK-5651A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5064A**
	F-250 Pickup, F-250 Super Duty	**BRCK-5072A**
	F-350 Super Duty	**BRCK-5072A**
	F-150; HD (7700 GVW)	**BRCK-5067A**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCK-5077A**
Loaded Caliper — Left	F-150; (7700 GVW)	**BRCL-125RM**
	Rear Drum F-150; FX4, Harley-Davidson Edition, King Ranch, Lariat, STX, XL, XLT; Exc. w/48mm Piston	**BRCL-53RM**
	F-150; Lightning	**BRCL-125RM**
	Rear Disc F-150; FX4, Harley-Davidson Edition, King Ranch, Lariat, STX, XL, XLT	**BRCL-145RM**
	F250/350 Super Duty	**BRCL-76RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-65RM**
	F53	**BRCL-93RM**
	F-450 Super Duty, F-550 Super Duty	**BRCL-93RM**
Loaded Caliper — Right	F-150; Lightning; (7700 GVW)	**BRCL-62RM**
	Rear Drum F-150; King Ranch, Lariat, XL, XLT; w/48mm Piston	**BRCL-52RM**
	Rear Disc F-150; XL, XLT	**BRCL-146RM**
	F250/350 Super Duty	**BRCL-77RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-92RM**
	F53	**BRCL-92RM**
Un-Loaded Caliper — Left	F-150; Lightning; (7700 GVW)	**BRC-125RM**
	Rear Disc F-150; King Ranch, Lariat, XL, XLT	**BRC-145RM**
	Rear Drum F-150; King Ranch, Lariat, XL, XLT; w/48mm Piston	**BRC-53RM**
	F250/350 Super Duty	**BRC-76RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-93RM**
	F53	**BRC-93RM**
Un-Loaded Caliper — Right	Rear Disc F-150; King Ranch, Lariat, XL, XLT	**BRC-146RM**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2003 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Right — Cont'd	Rear Disc F-150; King Ranch, Lariat, XL, XLT; w/48mm Piston	**BRC-52RM**
	F250/350 Super Duty	**BRC-77RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-92RM**
	F53	**BRC-92RM**
	F-150; Lightning; (7700 GVW)	**BRC-62RM**
Rotor	RWD 4-Wheel ABS F-150; Harley-Davidson Edition, Lightning; NASCAR & w/5-M14 Mounting Bolts	**BRR-100**
	4WD F-150; w/5-M14 Mounting Bolts	**BRR-62**
	4WD 2-Wheel ABS, 4-Wheel ABS F-150; (7700 GVW), 7 Mounting Holes	**BRR-66**
	RWD F-150; (7700 GVW) w/Single Wheel and 8 Mounting Holes	**BRR-20**
	RWD 2-Wheel ABS F250/350 Super Duty; Twin I-Beam Single Wheel Incl. Bearing & Wheel Bolts	**BRR-101**
	RWD 2-Wheel ABS, 4-Wheel ABS F250/350 Super Duty; Twin I-Beam Axle Dual Wheel	**BRR-93**
	4WD F-250 Pickup, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup; Mono Beam 4.88, 5.38 Ratio	**BRR-91**
	RWD 2-Wheel ABS F-150; (7700 GVW) w/Single Wheel, 7 Mounting Holes	**BRR-32**
	RWD 4-Wheel ABS F-150; (7700 GVW) w/Single Wheel, 7 Mounting Holes	**BRR-33**
	RWD 2-Wheel ABS, 4-Wheel ABS F-150; M14 Wheel Bolts Exc. Nascar Truck Option	**BRR-99**
	RWD 4-Wheel ABS F-150, F-150 Heritage; SVT Lightning; (7700 GVW) w/Single Wheel, 7 Mounting Holes	**BRR-33**
	4WD 2-Wheel ABS, 4-Wheel ABS F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam 3.73, 4.10, 4.3 Ratio w/Single Wheel From 3/22/99	**BRR-89**
	4WD 4-Wheel ABS F-250; Mono Beam 3.73, 4.10, 4.3 Ratio w/Dual Wheel; From 3/22/99	**BRR-89**
	RWD F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam	**BRR-91**
	RWD F-550 Super Duty; w/Mono Beam	**BRR-91**
	F-150; w/M12 Bolts	**BRR-62**
Wheel Seal	F-150; (7700) w/Single Wheel w/7 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	Front Disc Medium Truck; Medium Truck Wheel Hub Oil Retainer 3.5 ID x 4.847 OD x 0.84 Thick w/21000/23000/40000 lb. Rear Axle, Budd or Dayton Wheels; Front	**BRS-60A**
ABS Wheel Speed Sensor — Left	RWD F-150; U/8500 GVW	**BRAB-118**
	4WD F-150	**BRAB-117**
	RWD F250/350 Super Duty	**BRAB-70**
	4WD F250/350 Super Duty	**BRAB-68**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRAB-68**
	Stripped Chassis F53	**BRAB-3**
	Medium Truck F650/750 w/Hydraulic Split Brake System w/Eng. #1C44-2C205-AA	**BRAB-5**
ABS Wheel Speed Sensor — Right	RWD F-150; U/8500 GVW	**BRAB-116**
	4WD F-150	**BRAB-117**
	RWD F250/350 Super Duty	**BRAB-67**
	4WD F250/350 Super Duty	**BRAB-68**
	Stripped Chassis F53	**BRAB-2**
	Medium Truck F650/750 w/Hydraulic Split Brake System From 9/1/01	**BRAB-4**
Rear:		
Pads	F-150,D879,I,SM	**BR-3**
	F-250 Super Duty,D757,I,SM	**BR-1275**
	F-350 Super Duty,D757,I,SM	**BR-1275**
	F-450 Super Duty,D777,I,SM	**BR-1269**
	F-550 Super Duty Pickup,D777,I,SM	**BR-1269**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2003 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Pads - SuperDuty	F250/350 Super Duty,D757,I,SM	**BRSD-757**
Hardware Pad Attachment Kit	F-150	**BRPK-5629**
	F-250 Pickup, F-250 Super Duty; O/8500 GVW	**BRPK-5643A**
	F-350 Super Duty	**BRPK-5643A**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRPK-5643A**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRPK-5651A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5066**
	F-250 Pickup, F-250 Super Duty; O/8500 GVW	**BRCK-5060A**
	F-350 Super Duty	**BRCK-5060A**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCK-5060A**
	Stripped Chassis F53	**BRCK-5060A**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCK-5077A**
Hardware Combi Kit (Spring Kit)	F-150; Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left	F-150	**BRCL-60RM**
	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-65RM**
	F53	**BRCL-65RM**
	F53; Caliper Mounts To Front Of Axle	**BRCL-92RM**
	F53; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Front Of Axle	**BRCL-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
Loaded Caliper — Right	F-150	**BRCL-61RM**
	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-64RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-64RM**
	F53	**BRCL-64RM**
	F53	**BRCL-92RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-92RM**
Un-Loaded Caliper — Left	F-150	**BRC-60RM**
	F-250 Pickup, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup	**BRC-65RM**
	F53	**BRC-65RM**
	F53; Caliper Mounts To Rear Of Axle	**BRC-93RM**
	F53; Caliper Mounts To Front Of Axle	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Front Of Axle	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Rear Of Axle	**BRC-93RM**
Un-Loaded Caliper — Right	F-150	**BRC-61RM**
	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup	**BRC-64RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRC-64RM**
	F53	**BRC-64RM**
	F53	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-92RM**
Rotor	F250/350 Super Duty; Single Wheel, 8 Mounting Holes, Sterling 10.5" Fullfloat Axle	**BRR-94**
	F-350 Super Duty; w/Dual Wheel	**BRR-96**
	F53; O/8500 GVW; w/o Exciter Ring	**BRR-113**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW; w/o Exciter Ring	**BRR-113**
	F-150; w/M14 Wheel Bolts	**BRR-97**
	F-150; (7700 GVW)	**BRR-67**
Drum	F-150; Harley-Davidson Edition, King Ranch, Lariat, XL, XLT; Sterling Axle, 8.8 & 9.75 Ratio Gear, 3800 LBS. Rear Axle Capacity - Disc w/5-M14 Mounting Bolts; Exc. Super Crew	**BRD-22**
	F-150; Harley-Davidson Edition, King Ranch, Lariat, XL, XLT; (7700 GVW), Sterling Axle, 9.75 & 10.25 Ratio Gear	**BRD-8**
Wheel Seal	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Rear Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2003 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Seal — Cont'd	Gear F250/350 Super Duty; Seal 2.941 ID x 3.887 OD x 0.774 Thick w/Sterling	
	Full Float Axle - Single Rear Wheel w/10.5 Ring; Inner	**BRS-51**
	F-250 Pickup, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup; 0/8500 GVW Rear Wheel Grease Retainer 3.5 ID x 4.689 OD x 0.451 Thick; Inner	**BRS-110**
	F-150, F-250 Pickup, F-250 Super Duty, F-350 Super Duty; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left		**BRAB-130**
	F53	**BRAB-1**
	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup, F53	**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**
	F53	**BRAB-1**
	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup, F53	**BRAB-130**
	Medium Truck F650/750 w/Hydraulic Split Brake System	**BRAB-66**

2003 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Flex, Gas,D833,I,SM	**BR-11438**
Hardware Pad Attachment Kit		**BRPK-5677**
Rotor	RWD 4-Wheel ABS 10.28 OD	**BRR-83**
	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	RWD 2-Wheel ABS 11.28" OD - Torsion Bar Suspension - 5 Mounting Holes	**BRR-104**
	RWD 2-Wheel ABS Coil Spring Front Suspension	**BRR-83**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD 2-Wheel ABS 2.624 ID x 3.951 OD x 0.891 Thick	**BRS-27**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-121**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-121**
Rear:		
Shoes	Flex, Gas w/10" Brake,S705,R,ORG	**BR-104B**
	Flex, Gas Rear Drum w/9" Brake,S704,R,ORG	**BR-103B**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Combi Kit (Spring Kit)	w/1.75" Shoe	**BRSK-7294A**
	w/2 1/2" Shoe	**BRSK-7295A**
Hardware Self Adjuster Kit — Left	Flex, Gas w/10" Brake	**BRAK-2662A**
	Flex, Gas w/9" Brake	**BRAK-2660A**
Hardware Self Adjuster Kit — Right	Flex, Gas w/10" Brake	**BRAK-2663A**
	Flex, Gas w/9" Brake	**BRAK-2661A**
Wheel Cylinder — Left	Flex, Gas w/10" Brake	**BRWC-39A**
	w/10" Cast Iron Brake	**BRWC-50**
	w/9" Cast Iron Brake	**BRWC-48**
Wheel Cylinder — Right	Flex, Gas w/10" Brake	**BRWC-39A**
	w/10" Cast Iron Brake	**BRWC-50**
	w/9" Cast Iron Brake	**BRWC-48**
Rotor	Electric w/5 Mounting Holes	**BRR-59**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2003 — Ranger — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Drum — Cont'd	9 x 1 3/4 Brake; w/5 Mounting Holes	**BRD-23**
Wheel Seal	4WD "O" Ring 2.22 ID x 2.287 OD x 0.067 Thick - Hub to Hub Lock	**BRS-109**
	4WD 2-Wheel ABS Bearing "O" Ring Knuckle Seal 3.712 ID x 3.779 OD x 0.060 Thick	**BRS-112**
	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Electric, Flex, Gas 75hp - 3 Phase Motor	**BRAB-87**
	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Electric, Flex, Gas 75hp - 3 Phase Motor	**BRAB-88**
	Speed Sensor	**BRAB-130**

2003 — Windstar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D803,I,SM	**BR-1270**
Hardware Pad Attachment Kit		**BRPK-5656**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-143RM**
Loaded Caliper — Right		**BRCL-144RM**
Un-Loaded Caliper — Left		**BRC-143RM**
Un-Loaded Caliper — Right		**BRC-144RM**
Rotor		**BRR-70**
ABS Wheel Speed Sensor — Left		**BRAB-108**
ABS Wheel Speed Sensor — Right		**BRAB-107**
Rear:		
Pads	GYG-1329,I,SM	**BR-1**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Combi Kit (Spring Kit)		**BRSK-7285A**
	Parking Brake Kit	**BRSK-7318**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Un-Loaded Caliper — Left		**BRC-106RM**
Un-Loaded Caliper — Right		**BRC-105RM**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor	Front Disc	**BRR-3**
Axle Seal	w/5 Mounting Holes & 10 x 2 Brakes	**BRD-4**
ABS Wheel Speed Sensor — Left	w/Front Disc/Rear Drum	**BRAB-109**
	Front Disc Power	**BRAB-110**
ABS Wheel Speed Sensor — Right	w/Front Disc/Rear Drum	**BRAB-105**
	Front Disc Power	**BRAB-106**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2002 — Escape

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D843,I,SM	BR-11439
Hardware Pad Attachment Kit		BRPK-13305
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-174RM
Un-Loaded Caliper — Right		BRC-173RM
Rotor		BRR-108
ABS Wheel Speed Sensor — Left	Hand Drive; Left	BRAB-124
ABS Wheel Speed Sensor — Right	Hand Drive; Left	BRAB-123
Rear:		
Shoes	S760,B,ORG	BR-11441A
Hardware Combi Kit (Spring Kit)		BRSK-7310A
Hardware Self Adjuster Kit — Left		BRAK-2668A
Hardware Self Adjuster Kit — Right		BRAK-2669A
Wheel Cylinder — Left		BRWC-44
Wheel Cylinder — Right		BRWC-44
Drum		BRD-38
Wheel Seal	2.225 ID x 2.763 OD x 0.34 Thick	BRS-43
ABS Wheel Speed Sensor — Left	Hand Drive; Left	BRAB-125
ABS Wheel Speed Sensor — Right	Hand Drive; Left	BRAB-122

2002 — Excursion

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D756,I,SM	BR-1266
Pads - SuperDuty	D756,I,SM	BRSD-756
Hardware Pad Attachment Kit		BRPK-5660
Hardware Caliper Attaching Kit		BRCK-5072A
Loaded Caliper — Left		BRCL-76RM
Loaded Caliper — Right		BRCL-77RM
Un-Loaded Caliper — Left		BRC-76RM
Un-Loaded Caliper — Right		BRC-77RM
Rotor	RWD 4-Wheel ABS Single Wheel, Twin I-Beam	BRR-92
	4WD Mono Beam 3.73, 4.10, 4.3 Ratio	BRR-89
	RWD 2-Wheel ABS Twin I-Beam Single Wheel	BRR-101
	RWD 4-Wheel ABS Twin I-Beam Single Wheel	BRR-93
	RWD w/Mono Beam	BRR-91
	RWD 2-Wheel ABS Twin I-Beam Dual Wheel	BRR-93
Wheel Seal	Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	BRS-3
ABS Wheel Speed Sensor — Left	RWD	BRAB-70
	4WD	BRAB-68
ABS Wheel Speed Sensor — Right	RWD	BRAB-67
	4WD	BRAB-68
Rear:		
Pads	D757,I,SM	BR-1275
Pads - SuperDuty	D757,I,SM	BRSD-757
Hardware Pad Attachment Kit		BRPK-5643A
Hardware Caliper Attaching Kit		BRCK-5060A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2002 — Excursion — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7332**
Loaded Caliper — Left		**BRCL-65RM**
Loaded Caliper — Right		**BRCL-64RM**
Un-Loaded Caliper — Left		**BRC-65RM**
Un-Loaded Caliper — Right		**BRC-64RM**
Rotor	Front Disc w/8 Mounting Holes - Sterling 10.5" Fullfloat Axle; Rear	**BRR-94**
	Sterling 10.5" Fullfloat Axle; w/8 Mounting Holes	**BRR-94**
Wheel Seal	4WD 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2002 — Expedition

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D702,I,SM	**BR-50**
Pads - SuperDuty	D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit		**BRPK-5628A**
Hardware Caliper Attaching Kit		**BRCK-5067A**
Loaded Caliper — Left		**BRCL-125RM**
Loaded Caliper — Right		**BRCL-62RM**
Un-Loaded Caliper — Right		**BRC-62RM**
Rotor	RWD 4-Wheel ABS w/5-M14 Mounting Bolts	**BRR-100**
	4WD w/5-M14 Mounting Bolts	**BRR-63**
Wheel Seal	4.6L, 5.4L RWD Front Disc w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD Front Disc w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-118**
	4WD	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-116**
	4WD	**BRAB-117**
Rear:		
Pads	D879,I,SM	**BR-3**
Pads - SuperDuty	D711,I,SM	**BRSD-711**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left		**BRCL-60RM**
Loaded Caliper — Right		**BRCL-61RM**
Un-Loaded Caliper — Left		**BRC-60RM**
Un-Loaded Caliper — Right		**BRC-61RM**
Rotor		**BRR-97**
Wheel Seal	Front Disc 3900 & 4200 lb. Rear Axle Capacity - w/5 Mounting Holes Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2002 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,ORG	**BR-114**
Hardware Pad Attachment Kit		**BRPK-5677**
Hardware Caliper Attaching Kit		**BRCK-5086**
Rotor	From 8/19/02	**BRR-98**
ABS Wheel Speed Sensor — Left		**BRAB-12**
ABS Wheel Speed Sensor — Right		**BRAB-12**
Rear:		
Pads	D881,I,ORG	**BR-2000**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7315**
Rotor		**BRR-102**
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**

2002 — Explorer Sport

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,SM	**BR-11438**
Hardware Pad Attachment Kit		**BRPK-5666**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Un-Loaded Caliper — Left	Before 8/19/02	**BRC-154RM**
Un-Loaded Caliper — Right	Before 8/19/02	**BRC-153RM**
Rotor	RWD	**BRR-106**
	4WD Before 8/19/02	**BRR-107**
Wheel Seal	RWD Knuckle & Hub Seal 1.938 ID x 2.562 OD x 0.294 Thick; Front	**BRS-10**
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
Rear:		
Pads	Front Disc w/Phenolic Pistons; Rear,D667A,I,SM	**BR-1400**
	Front Disc w/Steel Piston Calipers; Rear,D667,I,SM	**BR-2**
Pads - SuperDuty	w/Steel Piston Calipers,D667,I,SM	**BRSD-667**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Rotor	From 8/19/02	**BRR-119**
	Before 8/19/02	**BRR-59**
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2002 — Explorer Sport Trac

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,SM	**BR-11438**
Hardware Pad Attachment Kit		**BRPK-5666**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Un-Loaded Caliper — Left	Before 8/19/02	**BRC-154RM**
Un-Loaded Caliper — Right	Before 8/19/02	**BRC-153RM**
Rotor	RWD	**BRR-106**
	4WD Before 8/19/02	**BRR-107**
Wheel Seal	RWD Knuckle & Hub Seal 1.938 ID x 2.562 OD x 0.294 Thick; Front	**BRS-10**
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left	Before 8/19/02	**BRAB-115**
	From 8/19/02	**BRAB-121**
ABS Wheel Speed Sensor — Right	Before 8/19/02	**BRAB-115**
	From 8/19/02	**BRAB-121**
Rear:		
Shoes	S734,B,ORG	**BR-11440A**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)		**BRSK-7298A**
Hardware Self Adjuster Kit — Left		**BRAK-2666A**
Hardware Self Adjuster Kit — Right		**BRAK-2667A**
		BRAK-2667A
Wheel Cylinder — Left		**BRWC-41A**
Wheel Cylinder — Right		**BRWC-42A**
Rotor	From 8/19/02	**BRR-119**
Drum		**BRD-37**
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2002 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D632,I,SM	**BR-46**
	E250/350,D655,I,SM	**BR-48B**
	E-450 Econoline,D655,I,SM	**BR-48B**
Pads - SuperDuty	E150,D632,I,SM	**BRSD-632**
	E250/350,D655,I,SM	**BRSD-655**
	E-450 Econoline,D655,I,SM	**BRSD-655**
	E-550,D777,I,SM	**BRSD-777**
Hardware Pad Attachment Kit	E150	**BRPK-5620**
	E250/350	**BRPK-5621A**
Hardware Caliper Attaching Kit	E150	**BRCK-5066**
	E250/350	**BRCK-5067A**
Loaded Caliper — Left	E150	**BRCL-11RM**
Loaded Caliper — Right	E150	**BRCL-10RM**
	E Super Duty	**BRCL-6RM**
Un-Loaded Caliper — Left	E150	**BRC-11RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2002 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Right	E150	**BRC-10ARM**
Rotor	2-Wheel ABS E-150, E-150 Econoline, E-150 Econoline Club Wagon; 5 Mounting Holes	**BRR-26**
	4-Wheel ABS E150; w/5 Mounting Holes	**BRR-16**
	4-Wheel ABS E350; Dual Wheel, 8 Mounting Holes	**BRR-30**
	4-Wheel ABS E250/350; Single Rear Wheel; w/8 Mounting Holes	**BRR-23**
	2-Wheel ABS E250/350; Single Wheel w/8 Mounting Holes	**BRR-20**
	2-Wheel ABS E-350; Dual Wheel, 8 Mounting Holes	**BRR-29**
Wheel Seal	4.2L, 4.6L Front Disc E150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	E150/350; Wheel Hub Grease Retainer 2.420 ID x 3.465 OD x 0.535 Thick; Front	**BRS-93**
	4-Wheel ABS E250/350, E Super Duty; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	E150	**BRAB-100**
	E250/450	**BRAB-102**
ABS Wheel Speed Sensor — Right	E150	**BRAB-99**
	E250/450	**BRAB-101**
Rear:		
Pads	E250/350,D802,I,SM	**BR-1276**
	E-450 Econoline,D411,I,SM	**BR-51**
Pads - SuperDuty	E250/350,D802,I,SM	**BRSD-802**
	E-450 Econoline,D411,I,SM	**BRSD-411**
Shoes	E150; w/11" x 2 1/4" Brake,S723,B,ORG	**BR-105B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	E-250 Econoline	**BRPK-5628A**
	E350	**BRPK-5628A**
	E Super Duty	**BRPK-5635A**
Hardware Caliper Attaching Kit	Front Disc E250/350; Rear	**BRCK-5063**
Hardware Combi Kit (Spring Kit)	E150	**BRSK-7298A**
	E250/350; Axle w/Tags - Parking Brake	**BRSK-7311A**
	E250/350; Axle w/o Tags - Parking Brake Kit	**BRSK-7312A**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E-550 Econoline Super Duty Cutaway, E-550 Super Duty Cutaway; Parking Brake Kit	**BRSK-7309A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2666A**
	E-250 Econoline	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2667A**
	E-250 Econoline	**BRAK-2599**
Loaded Caliper — Left	E250/350	**BRCL-139RM**
Loaded Caliper — Right	E250/350	**BRCL-138RM**
Un-Loaded Caliper — Left	E250/350	**BRC-139RM**
	E Super Duty	**BRC-9RM**
Un-Loaded Caliper — Right	E250/350	**BRC-138RM**
Rotor	Front Disc E-450 Econoline Super Duty Cutaway, E-450 Econoline Super Duty Stripped, E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; 11.25 Ratio Gear, 8 Mounting Holes, Dana 80 Axle	**BRR-6**
	Gear E-350, E-350 Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon, E-450 Econoline Super Duty Cutaway, E-450 Econoline Super Duty Stripped, E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; Single Wheel, 12 1/8 x 3 1/2 Brake, 9.75 Ratio Gear, 8 Mounting Holes	**BRR-71**
	E-250, E-250 Econoline; Single Wheel	**BRR-71**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2002 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Rotor — Cont'd	E-350, E-350 Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon, E-450 Econoline Super Duty Cutaway, E-450 Econoline Super Duty Stripped, E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; Single or Dual Wheel, 12 1/8 x 3 1/2 Brake, 10.5 Ratio Gear, 8 Mounting Holes	**BRR-72**
Drum	E150; 11 x 2 1/4 Brake, 5 Mounting Holes, 9.75 Ratio Gear & Axle 710E & 711E	**BRD-41**
	E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E250/350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, 9.75 Ratio Gear	**BRD-36**
	E-450 Econoline Super Duty Cutaway, E-450 Econoline Super Duty Stripped, E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; Single Wheel, 9.75 Ratio Gear, 12 1/8 x 3 1/2 Brake	**BRD-3**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E-550; Grease Retainer 3.5 ID x 4.689 OD x 0.451 Thick; Inner	**BRS-110**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
	E-550 Econoline Super Duty Cutaway, E-550 Super Duty Cutaway	**BRR-113**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2002 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D679,I,SM	**BR-49**
	F-150; 0/7700 GVW,D702,I,SM	**BR-50**
	F-250 Super Duty,D756,I,SM	**BR-1266**
	F-350 Super Duty,D756,I,SM	**BR-1266**
	F-450 Super Duty,D777,I,SM	**BR-1269**
	F-550 Super Duty Pickup,D777,I,SM	**BR-1269**
Pads - SuperDuty	Bi-Fuel, Gas F-150; u/7700 GVW,D679,I,SM	**BRSD-679**
	F-250 Super Duty,D756,I,SM	**BRSD-756**
	F-350 Super Duty,D756,I,SM	**BRSD-756**
	F-450 Super Duty, F-550 Super Duty Pickup,D777,I,SM	**BRSD-777**
	F-150; HD (7700 GVW),D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit	F-150	**BRPK-5624**
	F-150; w/7700 GVW	**BRPK-5628A**
	F250/350 Super Duty	**BRPK-5660**
	F-450 Super Duty, F-550 Super Duty Pickup; 0/8500 GVW	**BRPK-5651A**
	F53	**BRPK-5651A**
	F650/750	**BRPK-5671**
Hardware Caliper Attaching Kit	F-150	**BRCK-5064A**
	F-250 Pickup, F-250 Super Duty	**BRCK-5072A**
	F-250 Pickup, F-250 Super Duty; U/8500 GVW	**BRCK-5067A**
	F-350 Super Duty	**BRCK-5072A**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCK-5077A**
	F53	**BRCK-5077A**
	F-150; HD (7700 GVW)	**BRCK-5067A**
Loaded Caliper — Left	F-150; (7700 GVW)	**BRCL-125RM**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2002 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Left — Cont'd	Rear Drum F-150; King Ranch, Lariat, XL, XLT; w/48mm Piston	**BRCL-53RM**
	F-150; Lightning	**BRCL-125RM**
	Rear Disc F-150; King Ranch, Lariat, XL, XLT	**BRCL-145RM**
	F250/350 Super Duty	**BRCL-76RM**
	F-450 Super Duty, F-550 Super Duty	**BRCL-93RM**
	F53	**BRCL-93RM**
Loaded Caliper — Right	F-150; Harley-Davidson Edition, Lightning; (7700 GVW)	**BRCL-62RM**
	Rear Drum F-150; Lariat, XL, XLT; w/48mm Piston	**BRCL-52RM**
	Rear Disc F-150; Lariat, XL, XLT	**BRCL-146RM**
	F250/350 Super Duty	**BRCL-77RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-92RM**
	F53	**BRCL-92RM**
Un-Loaded Caliper — Left	F-150; Harley-Davidson Edition, Lightning; (7700 GVW)	**BRC-125RM**
	Rear Disc F-150; Lariat, XL, XLT	**BRC-145RM**
	Rear Drum F-150; Lariat, XL, XLT; w/48mm Piston	**BRC-53RM**
	F250/350 Super Duty	**BRC-76RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-93RM**
	F53	**BRC-93RM**
Un-Loaded Caliper — Right	F-150; Harley-Davidson Edition, Lightning; (7700 GVW)	**BRC-62RM**
	Rear Disc F-150; Lariat, XL, XLT	**BRC-146RM**
	Rear Drum F-150; Lariat, XL, XLT; w/48mm Piston	**BRC-52RM**
	F250/350 Super Duty	**BRC-77RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-92RM**
	F53	**BRC-92RM**
Rotor	RWD 4-Wheel ABS F-150; Harley-Davidson Edition, Lightning; NASCAR & w/5-M14 Mounting Bolts	**BRR-100**
	4WD F-150; w/5-M14 Mounting Bolts	**BRR-62**
	RWD F-150; (7700 GVW) w/Single Wheel and 8 Mounting Holes	**BRR-20**
	RWD 4-Wheel ABS F250/350 Super Duty; Twin I-Beam Axle - Single Wheel	**BRR-92**
	4WD F250/550SD; Mono Beam 4.88, 5.38 Ratio	**BRR-91**
	RWD 2-Wheel ABS F250/350 Super Duty; Twin I-Beam Single Wheel Incl. Bearing & Wheel Bolts	**BRR-101**
	RWD 2-Wheel ABS, 4-Wheel ABS F250/350 Super Duty; Twin I-Beam Axle Dual Wheel	**BRR-93**
	RWD 2-Wheel ABS F-150; (7700 GVW) w/Single Wheel, 7 Mounting Holes	**BRR-32**
	RWD 4-Wheel ABS F-150; (7700 GVW) w/Single Wheel, 7 Mounting Holes	**BRR-33**
	RWD 2-Wheel ABS, 4-Wheel ABS F-150; M14 Wheel Bolts Exc. Nascar Truck Option	**BRR-99**
	4WD 2-Wheel ABS, 4-Wheel ABS F-150; (7700 GVW), 7 Mounting Holes	**BRR-66**
	4WD 2-Wheel ABS, 4-Wheel ABS F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam 3.73, 4.10, 4.3 Ratio w/Single Wheel From 3/22/99	**BRR-89**
	4WD 4-Wheel ABS F-250, F-350; Mono Beam 3.73, 4.10, 4.3 Ratio w/Dual Wheel; From 3/22/99	**BRR-89**
	RWD F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam	**BRR-91**
	RWD F-550 Super Duty; w/Mono Beam	**BRR-91**
	F-150; w/M12 Bolts	**BRR-62**
Wheel Seal	F-150; (7700) w/Single Wheel w/7 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD Front Disc F-150; (7700) w/7 Mounting Holes - Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	F-150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD Front Disc F-150; w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2002 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	4WD F-150; U/8500 GVWWheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	Front Disc Medium Truck; Medium Truck Wheel Hub Oil Retainer 3.5 ID x 4.847 OD x 0.84 Thick w/21000/23000/40000 lb. Rear Axle, Budd or Dayton Wheels; Front	**BRS-60A**
ABS Wheel Speed Sensor — Left	RWD F-150; U/8500 GVW	**BRAB-118**
	4WD F-150	**BRAB-117**
	RWD F250/350 Super Duty	**BRAB-70**
	4WD F250/350 Super Duty	**BRAB-68**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRAB-68**
	Stripped Chassis F53; From 4/1/02	**BRAB-3**
	Medium Truck F650/750 w/Hydraulic Split Brake System w/Eng. #1C44-2C205-AA	**BRAB-5**
ABS Wheel Speed Sensor — Right	RWD F-150; U/8500 GVW	**BRAB-116**
	4WD F-150	**BRAB-117**
	RWD F250/350 Super Duty	**BRAB-67**
	4WD F250/350 Super Duty	**BRAB-68**
	Stripped Chassis F53; From 4/1/02	**BRAB-2**
	Medium Truck F650/750 w/Hydraulic Split Brake System From 9/1/01	**BRAB-4**
Rear:		
Pads	F-150,D879,I,SM	**BR-3**
	F-250 Super Duty,D757,I,SM	**BR-1275**
	F-350 Super Duty,D757,I,SM	**BR-1275**
	F-450 Super Duty,D777,I,SM	**BR-1269**
	F-550 Super Duty Pickup,D777,I,SM	**BR-1269**
Pads - SuperDuty	F-150,D711,I,SM	**BRSD-711**
	F-250 Super Duty,D757,I,SM	**BRSD-757**
	F-350 Super Duty,D757,I,SM	**BRSD-757**
	F-450 Super Duty, F-550 Super Duty Pickup,D777,I,SM	**BRSD-777**
Hardware Pad Attachment Kit	F-150	**BRPK-5629**
	F-250 Pickup, F-250 Super Duty; 0/8500 GVW	**BRPK-5643A**
	F-350 Super Duty	**BRPK-5643A**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRPK-5643A**
	F-450 Super Duty, F-550 Super Duty Pickup; 0/8500 GVW	**BRPK-5651A**
	Stripped Chassis F53/59	**BRPK-5643A**
	F53	**BRPK-5651A**
	F650/750	**BRPK-5671**
Hardware Caliper Attaching Kit	F-150	**BRCK-5066**
	F-250 Pickup, F-250 Super Duty; 0/8500 GVW	**BRCK-5060A**
	F-350 Super Duty	**BRCK-5060A**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCK-5060A**
	Stripped Chassis F53	**BRCK-5060A**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCK-5077A**
Hardware Combi Kit (Spring Kit)	F-150; Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left	F-150	**BRCL-60RM**
	F250/350 Super Duty	**BRCL-65RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-65RM**
	F53	**BRCL-65RM**
	F53; Caliper Mounts To Front Of Axle	**BRCL-92RM**
	F53; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Front Of Axle	**BRCL-92RM**
	F-450 Super Duty, F-550 Super Duty Pickup; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
Loaded Caliper — Right	F-150	**BRCL-61RM**
	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-64RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2002 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Loaded Caliper — Right — Cont'd	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-64RM**
	F53	**BRCL-64RM**
	F53	**BRCL-92RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-92RM**
Un-Loaded Caliper — Left	F-150	**BRC-60RM**
	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup	**BRC-65RM**
	F53	**BRC-65RM**
	F53; Caliper Mounts To Rear Of Axle	**BRC-93RM**
	F53; Caliper Mounts To Front Of Axle	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Front Of Axle	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Rear Of Axle	**BRC-93RM**
Un-Loaded Caliper — Right	F-150	**BRC-61RM**
	F250/550SD	**BRC-64RM**
	F53	**BRC-64RM**
	F53	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-92RM**
Rotor	F-150; w/M14 Wheel Bolts	**BRR-97**
	F250/350 Super Duty; Single Wheel, 8 Mounting Holes, Sterling 10.5" Fullfloat Axle	**BRR-94**
	F-350 Super Duty; w/Dual Wheel	**BRR-96**
	F53; 0/8500 GVW; w/o Exciter Ring	**BRR-113**
	F-450 Super Duty, F-550 Super Duty Pickup; 0/8500 GVW; w/o Exciter Ring	**BRR-113**
	F-150; (7700 GVW)	**BRR-67**
Drum	F-150; Harley-Davidson Edition, King Ranch, Lariat, XL, XLT; Exc. Super Crew; Exc. Sterling Axle, 8.8 & 9.75 Ratio Gear, 3800 LBS. Rear Axle Capacity - Disc w/5-M14 Mounting Bolts	**BRD-22**
	F-150; Harley-Davidson Edition, King Ranch, Lariat, XL, XLT; Exc. (7700 GVW), Sterling Axle, 9.75 & 10.25 Ratio Gear	**BRD-8**
Wheel Seal	F-150, F-250 Pickup, F-250 Super Duty, F-350 Super Duty; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Rear Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
	Gear F250/350 Super Duty; Seal 2.941 ID x 3.887 OD x 0.774 Thick w/Sterling Full Float Axle - Single Wheel w/10.5 Ring; Inner	**BRS-51**
	F-250 Pickup, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup; 0/8500 GVW Rear Wheel Grease Retainer 3.5 ID x 4.689 OD x 0.451 Thick; Inner	**BRS-110**
	Front Disc Medium Truck F650/750 Grease Retainer 3.875 ID x 5.506 OD x 0.938 Thick , 17000 lb. Rear Axle w/Dayton Wheels; Inner	**BRS-21**
ABS Wheel Speed Sensor — Left		**BRAB-130**
	F53	**BRAB-1**
	F53	**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**
	F53	**BRAB-1**
	F53	**BRAB-130**
	Medium Truck F650/750 w/Hydraulic Split Brake System	**BRAB-66**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2002 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Flex, Gas,D652,I,SM	**BR-47B**
Pads - SuperDuty	Flex, Gas,D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit	Flex, Gas	**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	RWD 4-Wheel ABS 10.28 OD; Front	**BRR-83**
	4WD	**BRR-5**
	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	RWD 2-Wheel ABS 11.28" OD - Torsion Bar Suspension - 5 Mounting Holes	**BRR-104**
	RWD 2-Wheel ABS Coil Spring Front Suspension	**BRR-83**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD 2-Wheel ABS 2.624 ID x 3.951 OD x 0.891 Thick	**BRS-27**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-121**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-121**
Rear:		
Shoes	Flex, Gas w/10" Brake,S705,R,ORG	**BR-104B**
	Flex, Gas Rear Drum w/9" Brake,S704,R,ORG	**BR-103B**
Hardware Combi Kit (Spring Kit)	Flex, Gas	**BRVP-1177A**
	Flex, Gas	**BRVP-1456**
	w/1.75" Shoe	**BRSK-7294A**
	w/2 1/2" Shoe	**BRSK-7295A**
Hardware Self Adjuster Kit — Left	Flex, Gas w/10" Brake	**BRAK-2662A**
	Flex, Gas w/9" Brake	**BRAK-2660A**
Hardware Self Adjuster Kit — Right	Flex, Gas w/10" Brake	**BRAK-2663A**
	Flex, Gas w/9" Brake	**BRAK-2661A**
Wheel Cylinder — Left	Flex, Gas w/10" Brake	**BRWC-39A**
	w/10" Cast Iron Brake	**BRWC-49**
	w/9" Cast Iron Brake	**BRWC-48**
Wheel Cylinder — Right	Flex, Gas w/10" Brake	**BRWC-39A**
	w/10" Cast Iron Brake	**BRWC-49**
	w/9" Cast Iron Brake	**BRWC-48**
Rotor	Electric w/5 Mounting Holes	**BRR-59**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	9 x 1 3/4 Brake; w/5 Mounting Holes	**BRD-23**
Wheel Seal	4WD "O" Ring 2.22 ID x 2.287 OD x 0.067 Thick - Hub to Hub Lock	**BRS-109**
	4WD 2-Wheel ABS Bearing "O" Ring Knuckle Seal 3.712 ID x 3.779 OD x 0.060 Thick	**BRS-112**
	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Electric, Flex, Gas 75hp - 3 Phase Motor	**BRAB-87**
	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Electric, Flex, Gas 75hp - 3 Phase Motor	**BRAB-88**
	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

2002 — Windstar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D803,I,SM	**BR-1270**
Hardware Pad Attachment Kit		**BRPK-5656**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-143RM**
Loaded Caliper — Right		**BRCL-144RM**
Un-Loaded Caliper — Left		**BRC-143RM**
Un-Loaded Caliper — Right		**BRC-144RM**
Rotor		**BRR-70**
ABS Wheel Speed Sensor — Left		**BRAB-108**
ABS Wheel Speed Sensor — Right		**BRAB-107**
Rear:		
Pads	GYG-1329,I,SM	**BR-1**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)		**BRSK-7285A**
		BRVP-1177A
	Parking Brake Kit	**BRSK-7318**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Un-Loaded Caliper — Left		**BRC-106RM**
Un-Loaded Caliper — Right		**BRC-105RM**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor	Front Disc	**BRR-3**
Axle Seal	w/5 Mounting Holes & 10 x 2 Brakes	**BRD-4**
ABS Wheel Speed Sensor — Left	Rear Drum	**BRAB-109**
	Front Disc Power	**BRAB-110**
ABS Wheel Speed Sensor — Right	Rear Drum	**BRAB-105**
	Front Disc Power	**BRAB-106**

2001 — Escape

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D843,I,SM	**BR-11439**
Hardware Pad Attachment Kit		**BRPK-13305**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left	From 6/12/00	**BRC-174RM**
Un-Loaded Caliper — Right	From 6/12/00	**BRC-173RM**
Rotor	From 6/12/00	**BRR-108**
ABS Wheel Speed Sensor — Left	Hand Drive; Left	**BRAB-124**
ABS Wheel Speed Sensor — Right	Hand Drive; Left	**BRAB-123**
Rear:		
Shoes	S760,B,ORG	**BR-11441A**
Hardware Combi Kit (Spring Kit)		**BRSK-7310A**
Hardware Self Adjuster Kit — Left		**BRAK-2668A**
Hardware Self Adjuster Kit — Right		**BRAK-2669A**
Wheel Cylinder — Left		**BRWC-44**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — Escape — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Right		**BRWC-44**
Drum	From 6/12/00	**BRD-38**
Wheel Seal	2.225 ID x 2.763 OD x 0.34 Thick	**BRS-43**
ABS Wheel Speed Sensor — Left	Hand Drive; Left	**BRAB-125**
ABS Wheel Speed Sensor — Right	Hand Drive; Left	**BRAB-122**

2001 — Excursion

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D756,I,SM	**BR-1266**
Pads - SuperDuty	D756,I,SM	**BRSD-756**
Hardware Pad Attachment Kit		**BRPK-5660**
Hardware Caliper Attaching Kit		**BRCK-5072A**
Loaded Caliper — Left		**BRCL-76RM**
Loaded Caliper — Right		**BRCL-77RM**
Un-Loaded Caliper — Left		**BRC-76RM**
Un-Loaded Caliper — Right		**BRC-77RM**
Rotor	4WD Mono Beam 3.73, 4.10, 4.3 Ratio	**BRR-89**
	RWD 2-Wheel ABS Twin I-Beam Single Wheel	**BRR-101**
	RWD 4-Wheel ABS Single Wheel, Twin I-Beam	**BRR-92**
	RWD 4-Wheel ABS Twin I-Beam Single Wheel	**BRR-93**
	RWD w/Mono Beam	**BRR-91**
	RWD 2-Wheel ABS Twin I-Beam Dual Wheel	**BRR-93**
Wheel Seal	Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-70**
	4WD	**BRAB-68**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-67**
	4WD	**BRAB-68**
Rear:		
Pads	D757,I,SM	**BR-1275**
Pads - SuperDuty	D757,I,SM	**BRSD-757**
Hardware Pad Attachment Kit		**BRPK-5643A**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7332**
Loaded Caliper — Left		**BRCL-65RM**
Loaded Caliper — Right		**BRCL-64RM**
Un-Loaded Caliper — Left		**BRC-65RM**
Un-Loaded Caliper — Right		**BRC-64RM**
Rotor	Front Disc w/8 Mounting Holes - Sterling 10.5" Fullfloat Axle; Rear	**BRR-94**
	Sterling 10.5" Fullfloat Axle; w/8 Mounting Holes	**BRR-94**
Wheel Seal	4WD 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2001 — Expedition

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D702,I,SM	**BR-50**
Pads - SuperDuty	D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit		**BRPK-5628A**
Hardware Caliper Attaching Kit		**BRCK-5067A**
Loaded Caliper — Left		**BRCL-125RM**
Loaded Caliper — Right		**BRCL-62RM**
Un-Loaded Caliper — Left		**BRC-125RM**
Un-Loaded Caliper — Right	4.6L, 5.4L	**BRC-62RM**
Rotor	RWD 4-Wheel ABS w/5-M14 Mounting Bolts	**BRR-100**
	4WD w/5-M14 Mounting Bolts	**BRR-63**
Wheel Seal	4.6L, 5.4L RWD Front Disc w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD	**BRS-9**
Front:		
Wheel Seal	4WD Front Disc w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-118**
	4WD	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-116**
	4WD	**BRAB-117**
Rear:		
Pads	D879,I,SM	**BR-3**
Pads - SuperDuty	D711,I,SM	**BRSD-711**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left		**BRCL-60RM**
Loaded Caliper — Right		**BRCL-61RM**
Un-Loaded Caliper — Left		**BRC-60RM**
Un-Loaded Caliper — Right		**BRC-61RM**
Rotor		**BRR-97**
Wheel Seal	Front Disc 3900 & 4200 lb. Rear Axle Capacity - w/5 Mounting Holes Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

2001 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	**BR-47B**
Pads - SuperDuty	D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — Explorer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	4WD	**BRR-5**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
	Postal Vehicle Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-115**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-115**
Rear:		
Pads	D667,I,SM	**BR-2**
Pads - SuperDuty	D667,I,SM	**BRSD-667**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Loaded Caliper — Left	Before 01/02/01	**BRCL-45RM**
Loaded Caliper — Right	Before 1/02/01	**BRCL-46RM**
Un-Loaded Caliper — Left	Before 1/02/01	**BRC-45RM**
Un-Loaded Caliper — Right	Before 1/02/01	**BRC-46RM**
Rotor	All	**BRR-59**
Wheel Seal	Rear Axle Bearing Oil Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2001 — Explorer Sport

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,SM	**BR-11438**
Hardware Pad Attachment Kit		**BRPK-5666**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Un-Loaded Caliper — Left		**BRC-154RM**
Un-Loaded Caliper — Right	From 1/31/00	**BRC-153RM**
Rotor	RWD From 1/31/00	**BRR-106**
	4WD From 1/31/00	**BRR-107**
Wheel Seal	RWD Knuckle & Hub Seal 1.938 ID x 2.562 OD x 0.294 Thick; Front	**BRS-10**
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
Rear:		
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Rotor	From 1/31/00	**BRR-59**
ABS Wheel Speed Sensor — Left	2 Door Speed Sensor 2WD/AWD From 1/31/00	**BRAB-130**
ABS Wheel Speed Sensor — Right	2 Door Speed Sensor 2WD/AWD From 1/31/00	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2001 — Explorer Sport Trac

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,SM	**BR-11438**
Hardware Pad Attachment Kit		**BRPK-5666**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Un-Loaded Caliper — Left	From 1/31/00	**BRC-154RM**
Un-Loaded Caliper — Right	From 1/31/00	**BRC-153RM**
Rotor	RWD From 1/31/00	**BRR-106**
	4WD From 1/31/00	**BRR-107**
Wheel Seal	RWD Knuckle & Hub Seal 1.938 ID x 2.562 OD x 0.294 Thick; Front	**BRS-10**
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left	From 1/31/00	**BRAB-115**
ABS Wheel Speed Sensor — Right	From 1/31/00	**BRAB-115**
Rear:		
Shoes	S734,B,ORG	**BR-11440A**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)		**BRSK-7298A**
Hardware Self Adjuster Kit — Left		**BRAK-2666A**
Hardware Self Adjuster Kit — Right		**BRAK-2667A**
		BRAK-2667A
Wheel Cylinder — Left		**BRWC-41A**
Wheel Cylinder — Right		**BRWC-42A**
Drum		**BRD-37**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2001 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D632,I,SM	**BR-46**
	E250/350,D655,I,SM	**BR-48B**
	E-450 Econoline,D655,I,SM	**BR-48B**
Pads - SuperDuty	E150,D632,I,SM	**BRSD-632**
	E250/350,D655,I,SM	**BRSD-655**
	E-450 Econoline,D655,I,SM	**BRSD-655**
Hardware Pad Attachment Kit	E150	**BRPK-5620**
	E250/350	**BRPK-5621A**
Hardware Caliper Attaching Kit	E150	**BRCK-5066**
	E250/350	**BRCK-5067A**
Loaded Caliper — Left	E150	**BRCL-11RM**
	E250/350; Before 1/22/01	**BRCL-7RM**
	E Super Duty	**BRCL-7RM**
Loaded Caliper — Right	E150	**BRCL-10RM**
	E-250, E-350; Before 1/22/01	**BRCL-6RM**
	E Super Duty	**BRCL-6RM**
Un-Loaded Caliper — Left	E150	**BRC-11RM**
	E250/350; Before 1/22/01	**BRC-7RM**
	E Super Duty	**BRC-7RM**
Un-Loaded Caliper — Right	E150	**BRC-10ARM**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Right — Cont'd	E250/350; Before 1/22/01	**BRC-6RM**
	E Super Duty	**BRC-6RM**
Rotor	2-Wheel ABS E-150, E-150 Club Wagon, E-150 Econoline, E-150 Econoline Club Wagon; 5 Mounting Holes	**BRR-26**
	4-Wheel ABS E150; w/5 Mounting Holes	**BRR-16**
	2-Wheel ABS E250/350; Single Wheel w/8 Mounting Holes	**BRR-20**
	2-Wheel ABS E-350; Dual Wheel, 8 Mounting Holes	**BRR-29**
	2-Wheel ABS E Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-29**
	4-Wheel ABS E350, E Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-30**
	4-Wheel ABS E250/350; Single Rear Wheel; w/8 Mounting Holes	**BRR-23**
Wheel Seal	4.2L, 4.6L, 5.4L Front Disc E150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	E150/350; Wheel Hub Grease Retainer 2.420 ID x 3.465 OD x 0.535 Thick; Front	**BRS-93**
	4-Wheel ABS E250/350, E Super Duty; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	E150	**BRAB-100**
	E250/450	**BRAB-102**
ABS Wheel Speed Sensor — Right	E150	**BRAB-99**
	E250/450	**BRAB-101**
Rear:		
Pads	E-250 Econoline,D802,I,SM	**BR-1276**
	E350,D802,I,SM	**BR-1276**
	E Super Duty; E,D802,I,SM	**BR-1276**
	E-450 Econoline; Commercial Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	E250/350,D802,I,SM	**BRSD-802**
	E-450 Econoline,D411,I,SM	**BRSD-411**
Shoes	E150; w/11" x 2 1/4" Brake,S723,B,ORG	**BR-105B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	E-250 Econoline	**BRPK-5628A**
	E350	**BRPK-5628A**
	E350	**BRPK-5628A**
	E Super Duty	**BRPK-5635A**
Hardware Caliper Attaching Kit	Front Disc E-250 Econoline; Rear	**BRCK-5063**
	Front Disc E350; Rear	**BRCK-5063**
Hardware Combi Kit (Spring Kit)	E150	**BRSK-7298A**
	E250/350; Axle w/Tags - Parking Brake	**BRSK-7311A**
	E250/350; Axle w/o Tags - Parking Brake Kit	**BRSK-7312A**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2666A**
	E-250 Econoline	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2667A**
	E-250 Econoline	**BRAK-2599**
Loaded Caliper — Left	E250/350	**BRCL-139RM**
	E Super Duty	**BRCL-9RM**
Loaded Caliper — Right	E250/350	**BRCL-138RM**
	E Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	E250/350	**BRC-139RM**
	E Super Duty	**BRC-9RM**
Un-Loaded Caliper — Right	E250/350	**BRC-138RM**
	E Super Duty	**BRC-8RM**
Wheel Cylinder — Left	E150	**BRWC-10A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

2001 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Left — Cont'd	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-36A**
Wheel Cylinder — Right	E150	**BRWC-11A**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
Rotor	Front Disc E Super Duty; 11.25 Ratio Gear, 8 Mounting Holes, Dana 80 Axle	**BRR-6**
	Front Disc E-450 Econoline Super Duty Cutaway, E-450 Econoline Super Duty Stripped, E-450 Super Duty, E-450 Super Duty Cutaway, E-450 Super Duty Stripped Chassis; 11.25 Ratio Gear, 8 Mounting Holes, Dana 80 Axle	**BRR-6**
	Gear E-350, E-350 Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon; Single Wheel, 12 1/8 x 3 1/2 Brake, 9.75 Ratio Gear, 8 Mounting Holes	**BRR-71**
	E-250, E-250 Econoline; Single Wheel	**BRR-71**
	E-350, E-350 Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon; Single or Dual Wheel, 12 1/8 x 3 1/2 Brake, 10.5 Ratio Gear, 8 Mounting Holes	**BRR-72**
Drum	E150; 11 x 2 1/4 Brake, 5 Mounting Holes, 9.75 Ratio Gear & Axle 710E & 711E	**BRD-41**
	E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E250/350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, 9.75 Ratio Gear	**BRD-36**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
	Front Disc E Super Duty; Dana 80 Axle w/11.25" Ring - 11000 lb. Rear Axle Capacity - w/8 Mounting Holes Grease Retainer Seal 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2001 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D679,I,SM	**BR-49**
	F-150; O/7700 GVW,D702,I,SM	**BR-50**
	F-350 Super Duty,D756,I,SM	**BR-1266**
	F-450 Super Duty,D777,I,SM	**BR-1269**
	F-550 Super Duty Pickup,D777,I,SM	**BR-1269**
Pads - SuperDuty	F-150; Lariat, XL, XLT; U7700 GVW,D679,I,SM	**BRSD-679**
	F-250 Super Duty,D756,I,SM	**BRSD-756**
	F-350 Super Duty,D756,I,SM	**BRSD-756**
	F-450 Super Duty, F-550 Super Duty Pickup,D777,I,SM	**BRSD-777**
	F-150; HD (7700 GVW),D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit	F-150	**BRPK-5624**
	F-150; w/7700 GVW	**BRPK-5628A**
	F250/350 Super Duty	**BRPK-5660**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRPK-5651A**
	F53	**BRPK-5651A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Pad Attachment Kit — Cont'd	F650/750	**BRPK-5671**
Hardware Caliper Attaching Kit	F-150	**BRCK-5064A**
	F-250 Pickup, F-250 Super Duty	**BRCK-5072A**
	F-250 Pickup, F-250 Super Duty; U/8500 GVW	**BRCK-5067A**
	F-350 Super Duty	**BRCK-5072A**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCK-5077A**
	F53	**BRCK-5077A**
	F-150; HD (7700 GVW)	**BRCK-5067A**
Loaded Caliper — Left	F-150; (7700 GVW)	**BRCL-125RM**
	Rear Drum F-150; Eddie Bauer, Lariat, XL, XLT; w/48mm Piston	**BRCL-53RM**
	F-150; Lightning	**BRCL-125RM**
	Rear Disc F-150; Eddie Bauer, Lariat, Special, XL, XLT	**BRCL-145RM**
	F250/350 Super Duty	**BRCL-76RM**
	F-450 Super Duty, F-550 Super Duty	**BRCL-93RM**
	F53	**BRCL-93RM**
Loaded Caliper — Right	F-150; Lightning; (7700 GVW)	**BRCL-62RM**
	Rear Drum F-150; Eddie Bauer, King Ranch, Lariat, Special, XL, XLT; w/48mm Piston	**BRCL-52RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRCL-146RM**
	F250/350 Super Duty	**BRCL-77RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-92RM**
	F53	**BRCL-92RM**
Un-Loaded Caliper — Left	F-150; Lightning; (7700 GVW)	**BRC-125RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRC-145RM**
	Rear Drum F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT; w/48mm Piston	**BRC-53RM**
	F250/350 Super Duty	**BRC-76RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRC-93RM**
	F53	**BRC-93RM**
Un-Loaded Caliper — Right	F-150; Lightning; (7700 GVW)	**BRC-62RM**
	Rear Drum F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT; w/48mm Piston	**BRC-52RM**
	Rear Disc F-150	**BRC-146RM**
	F250/350 Super Duty	**BRC-77RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-92RM**
	F53	**BRC-92RM**
Rotor	RWD 2-Wheel ABS F-150; (7700 GVW) w/Single Wheel, 7 Mounting Holes	**BRR-32**
	RWD 4-Wheel ABS F-150; (7700 GVW) w/Single Wheel, 7 Mounting Holes	**BRR-33**
	RWD 4-Wheel ABS F-150; Lightning; NASCAR & w/5-M14 Mounting Bolts	**BRR-100**
	4WD F-150; w/5-M14 Mounting Bolts	**BRR-62**
	RWD F-150; (7700 GVW) w/Single Wheel and 8 Mounting Holes	**BRR-20**
	RWD 4-Wheel ABS F250/350 Super Duty; Twin I-Beam Axle - Single Wheel	**BRR-92**
	4WD F250/550SD; Mono Beam 4.88, 5.38 Ratio	**BRR-91**
	F53; O/8500 GVW	**BRR-113**
	RWD 2-Wheel ABS F250/350 Super Duty; Twin I-Beam Single Wheel Incl. Bearing & Wheel Bolts	**BRR-101**
	RWD 2-Wheel ABS, 4-Wheel ABS F-150; M14 Wheel Bolts Exc. Nascar Truck Option	**BRR-99**
	4WD 2-Wheel ABS, 4-Wheel ABS F-150; (7700 GVW), 7 Mounting Holes	**BRR-66**
	4WD 2-Wheel ABS, 4-Wheel ABS F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam 3.73, 4.10, 4.3 Ratio w/Single Wheel From 3/22/99	**BRR-89**
	RWD 2-Wheel ABS, 4-Wheel ABS F250/350 Super Duty; Twin I-Beam Axle Dual Wheel	**BRR-93**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

2001 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor — Cont'd	4WD 4-Wheel ABS F-250, F-350; Mono Beam 3.73, 4.10, 4.3 Ratio w/Dual Wheel; From 3/22/99	**BRR-89**
	RWD F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam	**BRR-91**
	RWD F-550 Super Duty; w/Mono Beam	**BRR-91**
	F-150; w/M12 Bolts	**BRR-62**
Wheel Seal	F-150; (7700) w/Single Wheel w/7 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD Front Disc F-150; (7700) w/7 Mounting Holes - Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	F-150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD Front Disc F-150; w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	4WD F-150; U/8500 GVWWheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRS-1**
	Front Disc Medium Truck F650/750 w/21000/23000/40000 lb. Axle, Dayton Wheels 3.5 ID x 4.552 OD x 0.740 Thick; Rear	**BRS-2**
	Front Disc Medium Truck; Medium Truck Wheel Hub Oil Retainer 3.5 ID x 4.847 OD x 0.84 Thick w/21000/23000/40000 lb. Rear Axle, Budd or Dayton Wheels; Front	**BRS-60A**
	Front Disc Medium Truck; Medium Truck Wheel Hub Oil Retainer , 17500/18500/19000/34000 lb. Rear Axle w/Dayton Wheels 3.5 ID x 4.854 OD x 0.903 Thick; Front	**BRS-8**
ABS Wheel Speed Sensor — Left	RWD F-150; U/8500 GVW	**BRAB-118**
	4WD F-150	**BRAB-117**
	RWD F250/350 Super Duty	**BRAB-70**
	4WD F250/350 Super Duty	**BRAB-68**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRAB-68**
	Medium Truck F650/750 w/Hydraulic Split Brake System From 9/1/01	**BRAB-5**
ABS Wheel Speed Sensor — Right	RWD F-150; U/8500 GVW	**BRAB-116**
	4WD F-150	**BRAB-117**
	RWD F250/350 Super Duty	**BRAB-67**
	4WD F250/350 Super Duty	**BRAB-68**
	Medium Truck F650/750 w/Hydraulic Split Brake System From 9/1/01	**BRAB-4**
Rear:		
Pads	F-150,D879,I,SM	**BR-3**
	F-250 Super Duty,D757,I,SM	**BR-1275**
	F-250 Pickup, F-250 Super Duty; U/8500 GVW,D879,I,SM	**BR-3**
	F-350 Super Duty,D757,I,SM	**BR-1275**
	F-450 Super Duty,D777,I,SM	**BR-1269**
	F-550 Super Duty Pickup,D777,I,SM	**BR-1269**
Pads - SuperDuty	F-150,D711,I,SM	**BRSD-711**
	F-250 Super Duty,D757,I,SM	**BRSD-757**
	F-350 Super Duty,D757,I,SM	**BRSD-757**
	F-450 Super Duty, F-550 Super Duty Pickup,D777,I,SM	**BRSD-777**
Hardware Pad Attachment Kit	F-150	**BRPK-5629**
	F-250 Pickup, F-250 Super Duty; O/8500 GVW	**BRPK-5643A**
	F-350 Super Duty	**BRPK-5643A**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRPK-5651A**
	F53	**BRPK-5651A**
	F650/750	**BRPK-5671**
Hardware Caliper Attaching Kit	F-150	**BRCK-5066**
	F-250 Pickup, F-250 Super Duty; O/8500 GVW	**BRCK-5060A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Caliper Attaching Kit — Cont'd	F-350 Super Duty	**BRCK-5060A**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCK-5077A**
	F53	**BRCK-5077A**
Hardware Combi Kit (Spring Kit)	F-150; Parking Brake Kit	**BRSK-7303A**
	F-450 Super Duty, F-550 Super Duty Pickup, F53; o/8500 GVW w/Single Wheels	**BRSK-7308A**
	F-450 Super Duty, F-550 Super Duty Pickup, F53; o/8500 GVW w/Dual Wheels; Rear	**BRSK-7309A**
Loaded Caliper — Left	F-150	**BRCL-60RM**
	F250/350 Super Duty; Caliper Mounts To Rear Of Axle	**BRCL-65RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
	F53; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
	F250/350 Super Duty; Caliper Mounts To Front Of Axle	**BRCL-64RM**
	F53; Caliper Mounts To Front Of Axle	**BRCL-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Front Of Axle	**BRCL-92RM**
Loaded Caliper — Right	F-150	**BRCL-61RM**
	F250/350 Super Duty	**BRCL-64RM**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRCL-92RM**
	F53	**BRCL-92RM**
Un-Loaded Caliper — Left	F-150	**BRC-60RM**
	F-250 Super Duty, F-350; Caliper Mounts To Front Of Axle	**BRC-64RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Rear Of Axle	**BRC-93RM**
	F53; Caliper Mounts To Rear Of Axle	**BRC-93RM**
	F53; Caliper Mounts To Front Of Axle	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Front Of Axle	**BRC-92RM**
	F250/350 Super Duty; Caliper Mounts To Rear Of Axle	**BRC-65RM**
Un-Loaded Caliper — Right	F-150	**BRC-61RM**
	F250/350 Super Duty	**BRC-64RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-92RM**
	F53	**BRC-92RM**
Rotor	F-150; w/M14 Wheel Bolts	**BRR-97**
	F250/350 Super Duty; Single Wheel, 8 Mounting Holes, Sterling 10.5" Fullfloat Axle	**BRR-94**
	F-350 Super Duty; w/Dual Wheel	**BRR-96**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRR-113**
	F53; O/8500 GVW	**BRR-113**
	F-150; (7700 GVW)	**BRR-67**
Drum	F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Lightning, XL, XLT; Sterling Axle, 8.8 & 9.75 Ratio Gear, 3800 LBS. Rear Axle Capacity - Disc w/5-M14 Mounting Bolts; Exc. Super Crew	**BRD-22**
	Gear F-250 Super Duty; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring	**BRD-13**
	F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Lightning, XL, XLT; (7700 GVW), Sterling Axle, 9.75 & 10.25 Ratio Gear	**BRD-8**
Wheel Seal	F-150, F-250 Pickup, F-250 Super Duty, F-350 Super Duty; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Rear Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
	4WD F-250 Pickup, F-250 Super Duty, F-350 Super Duty; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Gear F250/350 Super Duty; Seal 2.941 ID x 3.887 OD x 0.774 Thick w/Sterling Full Float Axle - Single Rear Wheel w/10.5 Ring; Inner	**BRS-51**
	F-250 Pickup, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW Rear Wheel Grease Retainer 3.5 ID x 4.689 OD x 0.451 Thick; Inner	**BRS-110**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Seal — Cont'd	Front Disc Medium Truck F650/750 Grease Retainer 3.875 ID x 5.506 OD x 0.938 Thick , 17000 lb. Rear Axle w/Dayton Wheels; Inner	**BRS-21**
	Medium Truck w/Chicago Rawhide, 15" x 7" & 16.5" x 7", 21000/23000 lb. Axle 4.766 ID x 6.316 OD x 1.125 Thick; Rear	**BRS-6**
ABS Wheel Speed Sensor — Left		**BRAB-130**
	F53	**BRAB-1**
	F53	**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**
	F53	**BRAB-1**
	F53	**BRAB-130**
	Medium Truck F650/750 w/Hydraulic Split Brake System	**BRAB-66**

2001 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Flex, Gas,D652,I,SM	**BR-47B**
Pads - SuperDuty	Flex, Gas,D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit	Flex, Gas	**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	Electric RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	RWD 4-Wheel ABS 10.28 OD	**BRR-83**
	4WD	**BRR-5**
	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	RWD 2-Wheel ABS 11.28" OD - Torsion Bar Suspension - 5 Mounting Holes	**BRR-104**
	RWD 2-Wheel ABS Coil Spring Front Suspension	**BRR-83**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD 2-Wheel ABS 2.624 ID x 3.951 OD x 0.891 Thick	**BRS-27**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-121**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-121**
Rear:		
Shoes	Flex, Gas w/10" Brake,S705,R,ORG	**BR-104B**
	Flex, Gas Rear Drum w/9" Brake,S704,R,ORG	**BR-103B**
Hardware Combi Kit (Spring Kit)	Flex, Gas	**BRVP-1177A**
	Flex, Gas	**BRVP-1456**
	w/1.75" Shoe	**BRSK-7294A**
	w/2 1/2" Shoe	**BRSK-7295A**
Hardware Self Adjuster Kit — Left	Flex, Gas w/10" Brake	**BRAK-2662A**
	Flex, Gas w/9" Brake	**BRAK-2660A**
Hardware Self Adjuster Kit — Right	Flex, Gas w/10" Brake	**BRAK-2663A**
	Flex, Gas w/9" Brake	**BRAK-2661A**
Loaded Caliper — Left	Electric	**BRCL-45RM**
Loaded Caliper — Right	Electric	**BRCL-46RM**
Un-Loaded Caliper — Left	Electric	**BRC-45RM**
Un-Loaded Caliper — Right	Electric	**BRC-46RM**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — Ranger — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Left	Flex, Gas w/10" Brake	**BRWC-39A**
	w/10" Cast Iron Brake	**BRWC-49**
	w/9" Brake	**BRWC-1A**
Wheel Cylinder — Right	Flex, Gas w/10" Brake	**BRWC-39A**
	w/10" Cast Iron Brake	**BRWC-49**
	w/9" Brake	**BRWC-1A**
Rotor	Electric w/5 Mounting Holes	**BRR-59**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	9 x 1 3/4 Brake; w/5 Mounting Holes	**BRD-23**
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes	
	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	4WD "O" Ring 2.22 ID x 2.287 OD x 0.067 Thick - Hub to Hub Lock	**BRS-109**
	4WD 2-Wheel ABS Bearing "O" Ring Knuckle Seal 3.712 ID x 3.779 OD x 0.060 Thick	**BRS-112**
ABS Wheel Speed Sensor — Left	Electric, Flex, Gas 75hp - 3 Phase Motor	**BRAB-87**
	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Electric, Flex, Gas 75hp - 3 Phase Motor	**BRAB-88**
	Speed Sensor	**BRAB-130**

2001 — Windstar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D803,I,SM	**BR-1270**
Hardware Pad Attachment Kit		**BRPK-5656**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-143RM**
Loaded Caliper — Right		**BRCL-144RM**
Un-Loaded Caliper — Left		**BRC-143RM**
Un-Loaded Caliper — Right		**BRC-144RM**
Rotor		**BRR-70**
ABS Wheel Speed Sensor — Left		**BRAB-108**
ABS Wheel Speed Sensor — Right		**BRAB-107**
Rear:		
Pads	Front Disc,GYG-1329,I,SM	**BR-1**
Shoes	S665,R,ORG	**BR-102B**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)		**BRSK-7285A**
		BRVP-1177A
	Parking Brake Kit	**BRSK-7318**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Un-Loaded Caliper — Left		**BRC-106RM**
Un-Loaded Caliper — Right		**BRC-105RM**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor	Front Disc	**BRR-3**
Axle Seal	w/5 Mounting Holes & 10 x 2 Brakes	**BRD-4**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — Windstar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left	Rear Drum	**BRAB-109**
	Front Disc Power	**BRAB-110**
ABS Wheel Speed Sensor — Right	Rear Drum	**BRAB-105**
	Front Disc Power	**BRAB-106**

2000 — Excursion

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D756,I,SM	**BR-1266**
Pads - SuperDuty	D756,I,SM	**BRSD-756**
Hardware Pad Attachment Kit		**BRPK-5660**
Hardware Caliper Attaching Kit		**BRCK-5072A**
Loaded Caliper — Left		**BRCL-76RM**
Loaded Caliper — Right		**BRCL-77RM**
Un-Loaded Caliper — Left	5.4L	**BRC-76RM**
	6.8L	**BRC-76RM**
	7.3L	**BRC-76RM**
Un-Loaded Caliper — Right	5.4L	**BRC-77RM**
	6.8L	**BRC-77RM**
	7.3L	**BRC-77RM**
Rotor	4WD Mono Beam 3.73, 4.10, 4.3 Ratio; From 3/22/99	**BRR-89**
	RWD 2-Wheel ABS Twin I-Beam Single Wheel	**BRR-101**
	RWD 4-Wheel ABS Single Wheel, Twin I-Beam	**BRR-92**
	RWD 4-Wheel ABS Twin I-Beam Single Wheel	**BRR-93**
	RWD 2-Wheel ABS Twin I-Beam Dual Wheel	**BRR-93**
Wheel Seal	Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-70**
	4WD	**BRAB-68**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-67**
	4WD	**BRAB-68**
Rear:		
Pads	D757,I,SM	**BR-1275**
Pads - SuperDuty	D757,I,SM	**BRSD-757**
Hardware Pad Attachment Kit		**BRPK-5643A**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-65RM**
Loaded Caliper — Right		**BRCL-64RM**
Un-Loaded Caliper — Left	5.4L	**BRC-65RM**
	6.8L	**BRC-65RM**
	7.3L	**BRC-65RM**
Un-Loaded Caliper — Right	5.4L	**BRC-64RM**
	6.8L	**BRC-64RM**
	7.3L	**BRC-64RM**
Rotor	Sterling 10.5" Fullfloat Axle; w/8 Mounting Holes	**BRR-94**
	Front Disc w/8 Mounting Holes - Sterling 10.5" Fullfloat Axle; Rear	**BRR-94**
Wheel Seal	4WD 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Gear Seal 2.941 ID x 3.887 OD x 0.774 Thick w/Sterling Full Float Axle - 10.5 Ring; Inner	**BRS-51**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2000 — Excursion — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2000 — Expedition

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D702,I,SM	**BR-50**
Pads - SuperDuty	D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit		**BRPK-5628A**
Hardware Caliper Attaching Kit		**BRCK-5067A**
Loaded Caliper — Left		**BRCL-125RM**
Loaded Caliper — Right		**BRCL-62RM**
Un-Loaded Caliper — Left	4.6L	**BRC-125RM**
	5.4L	**BRC-125RM**
Un-Loaded Caliper — Right	4.6L	**BRC-62RM**
	5.4L	**BRC-62RM**
Rotor	RWD 4-Wheel ABS w/5-M12 Mounting Bolts Before 11/29/99	**BRR-31**
	RWD 4-Wheel ABS w/5-M14 Mounting Bolts From 11/29/99	**BRR-100**
	4WD w/5-M14 Mounting Bolts From 11/29/99	**BRR-63**
	4WD w/5-M12 Mounting Bolts Before 11/29/99	**BRR-63**
Wheel Seal	4.6L, 5.4L RWD Front Disc w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD Front Disc w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-118**
	4WD	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-116**
	4WD	**BRAB-117**
Rear:		
Pads	D879,I,SM	**BR-3**
Pads - SuperDuty	D711,I,SM	**BRSD-711**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left		**BRCL-60RM**
Loaded Caliper — Right		**BRCL-61RM**
Un-Loaded Caliper — Left	4.6L	**BRC-60RM**
	5.4L	**BRC-60RM**
Un-Loaded Caliper — Right	4.6L	**BRC-61RM**
	5.4L	**BRC-61RM**
Rotor		**BRR-97**
Wheel Seal	Front Disc 3900 & 4200 lb. Rear Axle Capacity - w/5 Mounting Holes Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2000 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	**BR-47B**
Pads - SuperDuty	D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	4WD	**BRR-5**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-115**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-115**
Rear:		
Pads	D667,I,SM	**BR-2**
Pads - SuperDuty	D667,I,SM	**BRSD-667**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Loaded Caliper — Left		**BRCL-45RM**
Loaded Caliper — Right		**BRCL-46RM**
Un-Loaded Caliper — Left		**BRC-45RM**
Un-Loaded Caliper — Right		**BRC-46RM**
Rotor	All	**BRR-59**
Wheel Seal	Rear Axle Bearing Oil Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2000 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D632,I,SM	**BR-46**
	E250/350,D655,I,SM	**BR-48B**
Pads - SuperDuty	E150,D632,I,SM	**BRSD-632**
	E250/350, E Super Duty,D655,I,SM	**BRSD-655**
Hardware Pad Attachment Kit	E150	**BRPK-5620**
	E250/350	**BRPK-5621A**
Hardware Caliper Attaching Kit	E150	**BRCK-5066**
	E-250 Econoline	**BRCK-5067A**
	E350	**BRCK-5067A**
Loaded Caliper — Left	E150	**BRCL-11RM**
	E250/350	**BRCL-7RM**
	E Super Duty	**BRCL-7RM**
Loaded Caliper — Right	E150	**BRCL-10RM**
	E-250 Econoline, E-350 Econoline, Econoline Super Duty	**BRCL-6RM**
	E Super Duty	**BRCL-6RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2000 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Left	E Super Duty	**BRC-7RM**
	E150	**BRC-11RM**
	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-7RM**
Un-Loaded Caliper — Right	E Super Duty	**BRC-6RM**
	E150	**BRC-10ARM**
	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-6RM**
Rotor	2-Wheel ABS E-150, E-150 Club Wagon, E-150 Econoline, E-150 Econoline Club Wagon; 5 Mounting Holes	**BRR-26**
	4-Wheel ABS E150; w/5 Mounting Holes	**BRR-16**
	4-Wheel ABS E250/350; Single Rear Wheel; w/8 Mounting Holes	**BRR-23**
	2-Wheel ABS E250/350; Single Wheel w/8 Mounting Holes	**BRR-20**
	2-Wheel ABS E350; Dual Wheel, 8 Mounting Holes	**BRR-29**
	4-Wheel ABS E-350, E-350 Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-30**
	2-Wheel ABS E Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-29**
Wheel Seal	4.2L, 4.6L, 5.4L Front Disc E150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4-Wheel ABS E250/350, E Super Duty; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	E150	**BRAB-100**
	E250/350, E Super Duty; E	**BRAB-102**
ABS Wheel Speed Sensor — Right	E150	**BRAB-99**
	E250/350, E Super Duty; E	**BRAB-101**
Rear:		
Pads	E-250 Econoline,D802,I,SM	**BR-1276**
	E350,D802,I,SM	**BR-1276**
	E Super Duty; E,D802,I,SM	**BR-1276**
Pads - SuperDuty	E250/350,D802,I,SM	**BRSD-802**
	E Super Duty,D411,I,SM	**BRSD-411**
Shoes	E150; w/11" x 2 1/4" Brake,S723,B,ORG	**BR-105B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	E-250 Econoline	**BRPK-5628A**
	E350	**BRPK-5628A**
	E Super Duty	**BRPK-5635A**
Hardware Caliper Attaching Kit	Front Disc E-250 Econoline; Rear	**BRCK-5063**
	Front Disc E350; Rear	**BRCK-5063**
Hardware Combi Kit (Spring Kit)	E150	**BRSK-7298A**
	E250/350; Axle w/Tags - Parking Brake	**BRSK-7311A**
	E250/350; Axle w/o Tags - Parking Brake Kit	**BRSK-7312A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12 x 3" Brake	**BRSK-7181**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2666A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2667A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Loaded Caliper — Left	E250/350	**BRCL-139RM**
	E Super Duty	**BRCL-9RM**
Loaded Caliper — Right	E250/350	**BRCL-138RM**
	E Super Duty	**BRCL-8RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2000 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Left	E250/350	**BRC-139RM**
	E Super Duty	**BRC-9RM**
Un-Loaded Caliper — Right	E250/350	**BRC-138RM**
	E Super Duty	**BRC-8RM**
Wheel Cylinder — Left	E150	**BRWC-10A**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
Wheel Cylinder — Right	E150	**BRWC-11A**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-36A**
Rotor	Front Disc E Super Duty; 11.25 Ratio Gear, 8 Mounting Holes, Dana 80 Axle	**BRR-6**
	Gear E-350, E-350 Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon; Single Wheel, 12 1/8 x 3 1/2 Brake, 9.75 Ratio Gear, 8 Mounting Holes	**BRR-71**
	E-250, E-250 Econoline; Single Wheel	**BRR-71**
	E-350, E-350 Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon; Single or Dual Wheel, 12 1/8 x 3 1/2 Brake, 10.5 Ratio Gear, 8 Mounting Holes	**BRR-72**
Drum	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 9.75 Ratio Gear; w/Axle 710A, 710A1, 710D, PM710D	**BRD-34**
	E150; 11 x 2 1/4 Brake, 5 Mounting Holes, 9.75 Ratio Gear & Axle 710E & 711E	**BRD-41**
	E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E250/350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, 9.75 Ratio Gear	**BRD-36**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E250/350; Grease Retainer 2.42 ID x 3.005 OD x 0.339 Thick	**BRS-56**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
	Front Disc E Super Duty; Dana 80 Axle w/11.25" Ring - 11000 lb. Rear Axle Capacity - w/8 Mounting Holes Grease Retainer Seal 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2000 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D679,I,SM	**BR-49**
	F-150; O/7700 GVW,D702,I,SM	**BR-50**
	F-250 Super Duty,D756,I,SM	**BR-1266**
	F-350 Super Duty,D756,I,SM	**BR-1266**
	F-450 Super Duty,D777,I,SM	**BR-1269**
	F-550 Super Duty Pickup,D777,I,SM	**BR-1269**
Pads - SuperDuty	F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT; u/7700 GVW,D679,I,SM	**BRSD-679**
	F-250 Super Duty,D756,I,SM	**BRSD-756**
	F-350 Super Duty,D756,I,SM	**BRSD-756**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2000 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Pads - SuperDuty — Cont'd	F-450 Super Duty, F-550 Super Duty Pickup,D777,I,SM	**BRSD-777**
	F-150; HD (7700 GVW),D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit	F-150	**BRPK-5624**
	Front Disc F-150	**BRPK-5628A**
	F-250 Super Duty	**BRPK-5660**
	F-350 Super Duty	**BRPK-5642A**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRPK-5651A**
	F53, F53 Stripped Chassis	**BRPK-5651A**
	F650/750	**BRPK-5671**
Hardware Caliper Attaching Kit	F-150	**BRCK-5064A**
	Front Disc F-150	**BRCK-5067A**
	F-250 Super Duty	**BRCK-5072A**
	F-250 Super Duty; U/8500 GVW	**BRCK-5067A**
	F-350 Super Duty	**BRCK-5072A**
	F-450 Super Duty	**BRCK-5077A**
	F53	**BRCK-5077A**
	F-550 Super Duty Pickup	**BRCK-5077A**
Loaded Caliper — Left	F-150; Lightning; (7700 GVW)	**BRCL-125RM**
	Rear Drum F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT; w/48mm Piston	**BRCL-53RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRCL-145RM**
	F250/350 Super Duty	**BRCL-76RM**
	F-450 Super Duty, F-550 Super Duty	**BRCL-93RM**
	F53	**BRCL-93RM**
Loaded Caliper — Right	F-150; Lightning; (7700 GVW)	**BRCL-62RM**
	Rear Drum F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT; w/48mm Piston	**BRCL-52RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRCL-146RM**
	F250/350 Super Duty	**BRCL-77RM**
	F-450 Super Duty, F-550 Super Duty	**BRCL-92RM**
	F53	**BRCL-92RM**
Un-Loaded Caliper — Left	F-250 Super Duty	**BRC-76RM**
	F-350 Super Duty	**BRC-76RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-93RM**
	F53	**BRC-93RM**
	F-150; SVT Lightning; (7700 GVW)	**BRC-125RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRC-145RM**
	Rear Drum F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT; w/48mm Piston	**BRC-53RM**
Un-Loaded Caliper — Right	Rear Drum F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT; w/48mm Piston	**BRC-52RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-92RM**
	F53	**BRC-92RM**
	F-150; SVT Lightning; (7700 GVW)	**BRC-62RM**
	F250/350 Super Duty	**BRC-77RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRC-146RM**
Rotor	RWD 4-Wheel ABS F-150; Lightning, SUPER CAB; NASCAR & w/5-M14 Mounting Bolts From 11/29/99	**BRR-100**
	RWD 4-Wheel ABS F-150; Lightning; NASCAR & w/5-M12 Mounting Bolts Before 11/29/99	**BRR-31**
	RWD 2-Wheel ABS, 4-Wheel ABS F-150; Before 11/29/99 Exc. NASCAR	**BRR-24**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2000 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor — Cont'd	RWD 2-Wheel ABS, 4-Wheel ABS F-150; M14 Wheel Bolts Exc. Nascar Truck Option From 11/29/99	**BRR-99**
	4WD F-150; w/5-M12 Mounting Bolts Before 11/29/99	**BRR-62**
	4WD F-150; w/5-M14 Mounting Bolts From 11/29/99	**BRR-62**
	RWD F-150; (7700 GVW) w/Single Wheel and 8 Mounting Holes	**BRR-20**
	RWD 4-Wheel ABS F250/350 Super Duty; Twin I-Beam Axle - Single Wheel	**BRR-92**
	4WD F250/550SD; Mono Beam 4.88, 5.38 Ratio	**BRR-91**
	F53 Stripped Chassis; O/8500 GVW	**BRR-113**
	RWD 2-Wheel ABS F250/350 Super Duty; Twin I-Beam Single Wheel Incl. Bearing & Wheel Bolts	**BRR-101**
	RWD 2-Wheel ABS F-150; (7700 GVW) w/Single Wheel, 7 Mounting Holes	**BRR-32**
	RWD 4-Wheel ABS F-150; (7700 GVW) w/Single Wheel, 7 Mounting Holes	**BRR-33**
	4WD 2-Wheel ABS, 4-Wheel ABS F-150; (7700 GVW), 7 Mounting Holes	**BRR-66**
	4WD 2-Wheel ABS, 4-Wheel ABS F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam 3.73, 4.10, 4.3 Ratio w/Single Wheel From 3/22/99	**BRR-89**
	4WD 4-Wheel ABS F-250, F-350; Mono Beam 3.73, 4.10, 4.3 Ratio w/Dual Wheel; From 3/22/99	**BRR-89**
	RWD F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam	**BRR-91**
	RWD F-550 Super Duty; w/Mono Beam	**BRR-91**
	RWD 2-Wheel ABS, 4-Wheel ABS F250/350 Super Duty; Twin I-Beam Axle Dual Wheel	**BRR-93**
	F-150; w/M12 Bolts	**BRR-62**
Wheel Seal	F-150; (7700) w/Single Wheel w/7 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	F-150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD Front Disc F-150; (7700) w/7 Mounting Holes - Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	4WD Front Disc F-150; w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	4WD F-150; U/8500 GVWWheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRS-1**
	Front Disc Stripped Chassis F53, F53 Stripped Chassis; w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick	**BRS-53**
	Front Disc Medium Truck F650/750 w/21000/23000/40000 lb. Axle, Dayton Wheels 3.5 ID x 4.552 OD x 0.740 Thick; Rear	**BRS-2**
	Front Disc Medium Truck F650/750 15000 lb. Axle w/Dayton Wheels w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**
	Front Disc Medium Truck; Medium Truck Wheel Hub Oil Retainer 3.5 ID x 4.847 OD x 0.84 Thick w/21000/23000/40000 lb. Rear Axle, Budd or Dayton Wheels; Front	**BRS-60A**
	Front Disc Medium Truck; Medium Truck Wheel Hub Oil Retainer , 17500/18500/19000/34000 lb. Rear Axle w/Dayton Wheels 3.5 ID x 4.854 OD x 0.903 Thick; Front	**BRS-8**
ABS Wheel Speed Sensor — Left	RWD F-150; U/8500 GVW	**BRAB-118**
	4WD F-150	**BRAB-117**
	RWD F250/350 Super Duty	**BRAB-70**
	4WD F250/350 Super Duty	**BRAB-68**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRAB-68**
ABS Wheel Speed Sensor — Right	RWD F-150; U/8500 GVW	**BRAB-116**
	4WD F-150	**BRAB-117**
	RWD F250/350 Super Duty	**BRAB-67**
	4WD F250/350 Super Duty	**BRAB-68**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2000 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
ABS Wheel Speed Sensor — Right — Cont'd	Medium Truck F650/750 w/Hydraulic Split Brake System w/Eng. #F81A-2C204-DD	**BRAB-4**
Rear:		
Pads	F-150,D879,I,SM	**BR-3**
	F-250 Super Duty,D757,I,SM	**BR-1275**
	F-250 Super Duty; U/8500 GVW,D879,I,SM	**BR-3**
	F-350 Super Duty,D757,I,SM	**BR-1275**
	F-450 Super Duty,D777,I,SM	**BR-1269**
	F-550 Super Duty Pickup,D777,I,SM	**BR-1269**
Pads - SuperDuty	F-150,D711,I,SM	**BRSD-711**
	F-250 Super Duty,D757,I,SM	**BRSD-757**
	F-350 Super Duty,D757,I,SM	**BRSD-757**
	F-450 Super Duty, F-550 Super Duty Pickup,D777,I,SM	**BRSD-777**
Shoes	Front Drum F-150; 11" x 2 1/4" Brake; Rear,S723,B,ORG	**BR-105B**
Hardware Pad Attachment Kit	F-150	**BRPK-5629**
	F-250 Super Duty; O/8500 GVW	**BRPK-5643A**
	F-350 Super Duty	**BRPK-5643A**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRPK-5651A**
	F53, F53 Stripped Chassis	**BRPK-5651A**
	F650/750	**BRPK-5671**
Hardware Caliper Attaching Kit	F-150	**BRCK-5066**
	F-250 Super Duty; O/8500 GVW	**BRCK-5060A**
	F-350 Super Duty	**BRCK-5060A**
	F-450 Super Duty	**BRCK-5077A**
	F53	**BRCK-5077A**
	F-550 Super Duty Pickup	**BRCK-5077A**
Hardware Combi Kit (Spring Kit)	F-150	**BRSK-7298A**
	F-150; Parking Brake Kit	**BRSK-7303A**
	F-450 Super Duty, F-550 Super Duty Pickup, F53, F53 Stripped Chassis; o/8500 GVW w/Dual Wheels; Rear	**BRSK-7309A**
	F-450 Super Duty, F-550 Super Duty Pickup, F53, F53 Stripped Chassis; o/8500 GVW w/Single Wheels	**BRSK-7308A**
Hardware Self Adjuster Kit — Left	Front Drum F-150; Rear	**BRAK-2666A**
Hardware Self Adjuster Kit — Right	Front Drum F-150; Rear	**BRAK-2667A**
Loaded Caliper — Left	F-150	**BRCL-60RM**
	F250/350 Super Duty; Caliper Mounts To Rear Of Axle	**BRCL-65RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
	F53; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
	F250/350 Super Duty; Caliper Mounts To Front Of Axle	**BRCL-64RM**
	F53; Caliper Mounts To Front Of Axle	**BRCL-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Front Of Axle	**BRCL-92RM**
Loaded Caliper — Right	F-150	**BRCL-61RM**
	F250/350 Super Duty	**BRCL-64RM**
	F-450 Super Duty, F-550 Super Duty	**BRCL-92RM**
	F53	**BRCL-92RM**
Un-Loaded Caliper — Left	F250/350 Super Duty; Caliper Mounts To Front Of Axle	**BRC-64RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Rear Of Axle	**BRC-93RM**
	F53; Caliper Mounts To Rear Of Axle	**BRC-93RM**
	F-150	**BRC-60RM**
	F53; Caliper Mounts To Front Of Axle	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Front Of Axle	**BRC-92RM**
Un-Loaded Caliper — Right	F250/350 Super Duty	**BRC-64RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-92RM**
	F53	**BRC-92RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

2000 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Right — Cont'd	F-150	**BRC-61RM**
Wheel Cylinder — Left	F-150	**BRWC-10A**
Wheel Cylinder — Right	Front Drum F-150; Rear	**BRWC-11A**
Rotor	F-150; w/M14 Wheel Bolts	**BRR-97**
	F250/350 Super Duty; Single Wheel, 8 Mounting Holes, Sterling 10.5" Fullfloat Axle	**BRR-94**
	F-350 Super Duty; w/Dual Wheel	**BRR-96**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRR-113**
	F53 Stripped Chassis; O/8500 GVW	**BRR-113**
	F-150; (7700 GVW)	**BRR-67**
Drum	F-150; Sterling Axle, 8.8 & 9.75 Ratio Gear, 3800 LBS. Rear Axle Capacity - Disc w/5-M14 Mounting Bolts	**BRD-22**
	Sterling Axle, 8.8 & 9.75 Ratio Gear, 3800 LBS. Rear Axle Capacity - Disc w/5-M14 Mounting Bolts; Exc. Super Crew	**BRD-22**
	Gear F-250 Super Duty; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring	**BRD-13**
	F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Lightning, XL, XLT; (7700 GVW), Sterling Axle, 9.75 & 10.25 Ratio Gear	**BRD-8**
Wheel Seal	F-150, F-250 Super Duty, F-350 Super Duty; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Rear Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
	4WD F250/350 Super Duty; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Gear F250/350 Super Duty; Seal 2.941 ID x 3.887 OD x 0.774 Thick w/Sterling Full Float Axle - Single Rear Wheel w/10.5 Ring; Inner	**BRS-51**
	F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW Rear Wheel Grease Retainer 3.5 ID x 4.689 OD x 0.451 Thick; Inner	**BRS-110**
	Front Disc Medium Truck F650/750 Grease Retainer 3.875 ID x 5.506 OD x 0.938 Thick , 17000 lb. Rear Axle w/Dayton Wheels; Inner	**BRS-21**
	Medium Truck; Medium Truck w/Chicago Rawhide, 15" x 7" & 16.5" x 7", 21000/23000 lb. Axle 4.766 ID x 6.316 OD x 1.125 Thick; Rear	**BRS-6**
ABS Wheel Speed Sensor — Left		**BRAB-130**
	F53, F53 Stripped Chassis	**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**
	F53, F53 Stripped Chassis	**BRAB-130**
	Medium Truck F650/750 w/Hydraulic Split Brake System	**BRAB-66**

2000 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Flex, Gas,D652,I,SM	**BR-47B**
Pads - SuperDuty	Flex, Gas,D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit	Flex, Gas	**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2000 — Ranger — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	Electric RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	RWD 4-Wheel ABS 10.28 OD; Front	**BRR-83**
	4WD	**BRR-5**
	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	RWD 2-Wheel ABS 11.28" OD - Torsion Bar Suspension - 5 Mounting Holes	**BRR-104**
	RWD 2-Wheel ABS Coil Spring Front Suspension	**BRR-83**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD 2-Wheel ABS 2.624 ID x 3.951 OD x 0.891 Thick	**BRS-27**
ABS Wheel Speed Sensor — Left	4WD Before 11/1/99	**BRAB-71**
	4WD From 11/1/99	**BRAB-121**
ABS Wheel Speed Sensor — Right	4WD Before 11/1/99	**BRAB-71**
	4WD From 11/1/99	**BRAB-121**
Rear:		
Shoes	Flex, Gas w/10" Brake,S705,R,ORG	**BR-104B**
	Flex, Gas Rear Drum w/9" Brake,S704,R,ORG	**BR-103B**
Hardware Combi Kit (Spring Kit)	Flex, Gas	**BRVP-1177A**
	Flex, Gas	**BRVP-1456**
	w/1.75" Shoe	**BRSK-7294A**
	w/2 1/2" Shoe	**BRSK-7295A**
Hardware Self Adjuster Kit — Left	Flex, Gas w/10" Brake	**BRAK-2662A**
	Flex, Gas w/9" Brake	**BRAK-2660A**
Hardware Self Adjuster Kit — Right	Flex, Gas w/10" Brake	**BRAK-2663A**
	Flex, Gas w/9" Brake	**BRAK-2661A**
Loaded Caliper — Left	Electric	**BRCL-45RM**
Loaded Caliper — Right	Electric	**BRCL-46RM**
Un-Loaded Caliper — Left	Electric	**BRC-45RM**
Un-Loaded Caliper — Right	Electric	**BRC-46RM**
Wheel Cylinder — Left	Flex, Gas w/10" Brake	**BRWC-39A**
	w/9" Brake	**BRWC-1A**
Wheel Cylinder — Right	Flex, Gas w/10" Brake	**BRWC-39A**
	w/9" Brake	**BRWC-1A**
Rotor	Electric w/5 Mounting Holes	**BRR-59**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	w/Heavy Duty Suspension & 10" Brakes	**BRD-24**
	9 x 1 3/4 Brake; w/5 Mounting Holes	**BRD-23**
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes	
	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	4WD "O" Ring 2.22 ID x 2.287 OD x 0.067 Thick - Hub to Hub Lock	**BRS-109**
	4WD 2-Wheel ABS Bearing "O" Ring Knuckle Seal 3.712 ID x 3.779 OD x 0.060 Thick	**BRS-112**
ABS Wheel Speed Sensor — Left	Flex, Gas 75hp - 3 Phase Motor	**BRAB-87**
	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Flex, Gas 75hp - 3 Phase Motor	**BRAB-88**
	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

2000 — Windstar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D803,I,SM	**BR-1270**
Hardware Pad Attachment Kit		**BRPK-5656**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-143RM**
Loaded Caliper — Right		**BRCL-144RM**
Un-Loaded Caliper — Left		**BRC-143RM**
Un-Loaded Caliper — Right		**BRC-144RM**
Rotor		**BRR-70**
Wheel Seal		**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-108**
ABS Wheel Speed Sensor — Right		**BRAB-107**
Rear:		
Pads	Front Disc,GYG-1329,I,SM	**BR-1**
Shoes	S665,R,ORG	**BR-102B**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
		BRSK-7285A
	Parking Brake Kit	**BRSK-7318**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Un-Loaded Caliper — Left		**BRC-106RM**
Un-Loaded Caliper — Right		**BRC-105RM**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor	Front Disc	**BRR-3**
Drum	w/5 Mounting Holes & 10 x 2 Brakes	**BRD-4**
ABS Wheel Speed Sensor — Left	Rear Drum	**BRAB-109**
	Front Disc Power	**BRAB-110**
ABS Wheel Speed Sensor — Right	Rear Drum	**BRAB-105**
	Front Disc Power	**BRAB-106**
	Front Drum	**BRAB-106**

1999 — Expedition

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D702,I,SM	**BR-50**
Pads - SuperDuty	D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit		**BRPK-5628A**
Hardware Caliper Attaching Kit		**BRCK-5067A**
Loaded Caliper — Left		**BRCL-125RM**
Loaded Caliper — Right		**BRCL-62RM**
Un-Loaded Caliper — Left	4.6L	**BRC-125RM**
	5.4L	**BRC-125RM**
Un-Loaded Caliper — Right	4.6L	**BRC-62RM**
	5.4L	**BRC-62RM**
Rotor	RWD 4-Wheel ABS w/5-M12 Mounting Bolts	**BRR-31**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1999 — Expedition — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor — Cont'd	4WD w/5-M12 Mounting Bolts	**BRR-63**
Wheel Seal	4.6L, 5.4L RWD Front Disc w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD Front Disc w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-118**
	4WD	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-116**
	4WD	**BRAB-117**
Rear:		
Pads	D879,I,SM	**BR-3**
Pads - SuperDuty	D711,I,SM	**BRSD-711**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left		**BRCL-60RM**
Loaded Caliper — Right		**BRCL-61RM**
Un-Loaded Caliper — Left		**BRC-60RM**
		BRC-60RM
Un-Loaded Caliper — Right		**BRC-61RM**
		BRC-61RM
Rotor		**BRR-65**
Wheel Seal	Front Disc 3900 & 4200 lb. Rear Axle Capacity - w/5 Mounting Holes Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1999 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	**BR-47B**
Pads - SuperDuty	D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	4WD	**BRR-5**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-115**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-115**
Rear:		
Pads	D667,I,SM	**BR-2**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1999 — Explorer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Pads - SuperDuty	D667,I,SM	**BRSD-667**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Loaded Caliper — Left		**BRCL-45RM**
Loaded Caliper — Right		**BRCL-46RM**
Un-Loaded Caliper — Left	4.0L SOHC	**BRC-45RM**
	5.0L	**BRC-45RM**
Un-Loaded Caliper — Right	4.0L SOHC	**BRC-46RM**
	5.0L	**BRC-46RM**
Rotor	All	**BRR-59**
Wheel Seal	Rear Axle Bearing Oil Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1999 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D632,I,SM	**BR-46**
	E250/350,D655,I,SM	**BR-48B**
Pads - SuperDuty	E150,D632,I,SM	**BRSD-632**
	E250/350, E Super Duty,D655,I,SM	**BRSD-655**
Hardware Pad Attachment Kit	E150	**BRPK-5620**
	E250/350	**BRPK-5621A**
Hardware Caliper Attaching Kit	E150	**BRCK-5066**
	E Super Duty, E-250 Econoline; E	**BRCK-5063**
	E-250 Econoline	**BRCK-5067A**
	E350, E Super Duty; E	**BRCK-5063**
	E350	**BRCK-5067A**
Loaded Caliper — Left	E150	**BRCL-11RM**
	E250/350	**BRCL-7RM**
	E Super Duty	**BRCL-7RM**
Loaded Caliper — Right	E150	**BRCL-10RM**
	E-250, E-350	**BRCL-6RM**
	E Super Duty	**BRCL-6RM**
Un-Loaded Caliper — Left	E Super Duty	**BRC-7RM**
	E150	**BRC-11RM**
Un-Loaded Caliper — Right	E150	**BRC-10ARM**
	Econoline Super Duty	**BRC-6RM**
	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-6RM**
Rotor	2-Wheel ABS E-150, E-150 Club Wagon, E-150 Econoline, E-150 Econoline Club Wagon; 5 Mounting Holes	**BRR-26**
	4-Wheel ABS E150; w/5 Mounting Holes	**BRR-16**
	4-Wheel ABS E250/350; Single Rear Wheel; w/8 Mounting Holes	**BRR-23**
	2-Wheel ABS E250/350; Single Wheel w/8 Mounting Holes	**BRR-20**
	2-Wheel ABS E350; Dual Wheel, 8 Mounting Holes	**BRR-29**
	4-Wheel ABS E-350, E-350 Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-30**
	2-Wheel ABS E-350; Dual Wheel, 8 Mounting Holes	**BRR-29**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1999 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal	4.2L, 4.6L, 5.4L Front Disc E150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4-Wheel ABS E250/350, E Super Duty; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	E150	**BRAB-100**
	E250/350, E Super Duty; E	**BRAB-102**
ABS Wheel Speed Sensor — Right	E150	**BRAB-99**
	E250/350, E Super Duty; E	**BRAB-101**
Rear:		
Pads	E-250 Econoline,D802,I,SM	**BR-1276**
	E350,D802,I,SM	**BR-1276**
	E Super Duty; E,D802,I,SM	**BR-1276**
Pads - SuperDuty	E250/350, E Super Duty,D802,I,SM	**BRSD-802**
Shoes	E150; w/11" x 2 1/4" Brake,S723,B,ORG	**BR-105B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	E-250 Econoline	**BRPK-5628A**
	E350	**BRPK-5628A**
	E350, E Super Duty; 1 Ton - & Commercial Chassis	**BRPK-5635A**
Hardware Caliper Attaching Kit	Front Disc E-250 Econoline; Rear	**BRCK-5063**
	Front Disc E350; Rear	**BRCK-5063**
Hardware Combi Kit (Spring Kit)	E150	**BRSK-7298A**
	E250/350; Axle w/Tags - Parking Brake	**BRSK-7311A**
	E250/350; Axle w/o Tags - Parking Brake Kit	**BRSK-7312A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12 x 3" Brake	**BRSK-7181**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2666A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2667A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Loaded Caliper — Left	E250/350	**BRCL-139RM**
	E Super Duty	**BRCL-9RM**
Loaded Caliper — Right	E250/350	**BRCL-138RM**
	E Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	E250/350	**BRC-139RM**
	E Super Duty	**BRC-9RM**
Un-Loaded Caliper — Right	E250/350	**BRC-138RM**
	E Super Duty	**BRC-8RM**
Wheel Cylinder — Left	E150	**BRWC-10A**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
Wheel Cylinder — Right	E150	**BRWC-11A**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-36A**
Rotor	Front Disc E Super Duty; 11.25 Ratio Gear, 8 Mounting Holes, Dana 80 Axle	**BRR-6**
	Gear E-350, E-350 Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon; Single Wheel, 12 1/8 x 3 1/2 Brake, 9.75 Ratio Gear, 8 Mounting Holes	**BRR-71**
	E-250, E-250 Econoline; Single Wheel	**BRR-71**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Rotor — Cont'd	E-350, E-350 Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon; Single or Dual Wheel, 12 1/8 x 3 1/2 Brake, 10.5 Ratio Gear, 8 Mounting Holes	**BRR-72**
Drum	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 9.75 Ratio Gear; w/Axle 710A, 710A1, 710D, PM710D	**BRD-34**
	E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
	E250/350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, 9.75 Ratio Gear	**BRD-36**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
	Front Disc E Super Duty; Dana 80 Axle w/11.25" Ring - 11000 lb. Rear Axle Capacity - w/8 Mounting Holes Grease Retainer Seal 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1999 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D679,I,SM	**BR-49**
	F-250 Super Duty,D756,I,SM	**BR-1266**
	F250; U/8500 GVW,D702,I,SM	**BR-50**
	F-350 Super Duty,D756,I,SM	**BR-1266**
	F-450 Super Duty,D777,I,SM	**BR-1269**
	F-550 Super Duty Pickup,D777,I,SM	**BR-1269**
Pads - SuperDuty	F-150,D679,I,SM	**BRSD-679**
	F250,D756,I,SM	**BRSD-756**
	F250; U/8500 GVW,D702,I,SM	**BRSD-702**
	F-350 Super Duty,D756,I,SM	**BRSD-756**
	F-450 Super Duty, F-550 Super Duty Pickup,D777,I,SM	**BRSD-777**
Hardware Pad Attachment Kit	F-150	**BRPK-5624**
	Front Disc F-150	**BRPK-5628A**
	F-250 Super Duty	**BRPK-5660**
	F-250 Pickup, F-250 Super Duty; U/8500 GVW	**BRPK-5628A**
	F-250 Pickup, F-250 Super Duty; O/8500 GVW	**BRPK-5642A**
	F-350 Super Duty	**BRPK-5642A**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRPK-5651A**
	F53, F53 Stripped Chassis	**BRPK-5651A**
	F650/750	**BRPK-5671**
Hardware Caliper Attaching Kit	F-150	**BRCK-5064A**
	Front Disc F-150	**BRCK-5067A**
	F-250 Pickup, F-250 Super Duty	**BRCK-5072A**
	F250; U/8500 GVW	**BRCK-5067A**
	F-350 Super Duty	**BRCK-5072A**
	F-450 Super Duty	**BRCK-5077A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1999 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Caliper Attaching Kit — Cont'd	F53	**BRCK-5077A**
	F-550 Super Duty Pickup	**BRCK-5077A**
Loaded Caliper — Left	F-150; Lightning	**BRCL-125RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRCL-145RM**
	Rear Drum F-150; w/48mm Piston	**BRCL-53RM**
	F250/350 Super Duty	**BRCL-76RM**
	F-250 Pickup, F-250 Super Duty; U/8500 GVW	**BRCL-125RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
	F53	**BRCL-93RM**
Loaded Caliper — Right	F-150; Lightning	**BRCL-62RM**
	Rear Drum F-150; w/48mm Piston	**BRCL-52RM**
	F250/350 Super Duty	**BRCL-77RM**
	F-250; U/8500 GVW	**BRCL-62RM**
	F-450 Super Duty, F-550 Super Duty	**BRCL-92RM**
	F53	**BRCL-92RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRCL-146RM**
Un-Loaded Caliper — Left	Rear Drum F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT; w/48mm Piston	**BRC-53RM**
	F-150; Lightning	**BRC-125RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRC-145RM**
	F-350 Super Duty	**BRC-76RM**
	F53	**BRC-93RM**
	F-250; U/8500 GVW	**BRC-125RM**
	F-250 Super Duty	**BRC-76RM**
Un-Loaded Caliper — Right	F-250 Super Duty	**BRC-77RM**
	5.4L F-350 Super Duty	**BRC-77RM**
	Rear Drum F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT; w/48mm Piston	**BRC-52RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRC-146RM**
	F-450 Super Duty, F-550 Super Duty	**BRC-92RM**
	F53	**BRC-92RM**
	F-250; U/8500 GVW	**BRC-62RM**
	F-150; SVT Lightning	**BRC-62RM**
Rotor	RWD 4-Wheel ABS F-150; NASCAR & w/5-M12 Mounting Bolts Before 11/29/99	**BRR-31**
	RWD 2-Wheel ABS, 4-Wheel ABS F-150; Exc. Exc. NASCAR	**BRR-24**
	4WD F-150; w/5-M12 Mounting Bolts	**BRR-62**
	RWD 4-Wheel ABS F250/350 Super Duty; Twin I-Beam Axle - Single Wheel	**BRR-92**
	4WD 2-Wheel ABS, 4-Wheel ABS F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam 3.73, 4.10, 4.3 Ratio w/Single Wheel From 3/22/99	**BRR-89**
	4WD F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam 3.73, 4.10, 4.3 Ratio Single Before 3/29/99	**BRR-103**
	4WD F250/550SD; Mono Beam 4.88, 5.38 Ratio From 3/22/99	**BRR-91**
	4WD F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup; Mono Beam 4.88, 5.38 Ratio Before 3/22/99	**BRR-90**
	RWD 4-Wheel ABS F-250; U/8500 GVW w/Single Wheel, 7 Mounting Holes	**BRR-33**
	RWD F-250; Single Wheel and 8 Mounting Holes	**BRR-20**
	F53 Stripped Chassis; O/8500 GVW	**BRR-113**
	RWD 2-Wheel ABS F250/350 Super Duty; Twin I-Beam Single Wheel Incl. Bearing & Wheel Bolts	**BRR-101**
	4WD 4-Wheel ABS F-250, F-350; Mono Beam 3.73, 4.10, 4.3 Ratio w/Dual Wheel; From 3/22/99	**BRR-89**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor — Cont'd	RWD F-250 Super Duty, F-350 Super Duty, F-450 Super Duty; Mono Beam	**BRR-91**
	RWD F-550 Super Duty; w/Mono Beam	**BRR-91**
	4WD 2-Wheel ABS, 4-Wheel ABS F-250; U/8500 GVW w/7 Mounting Holes	**BRR-66**
	RWD 2-Wheel ABS F250; U/8500 GVW w/Single Wheel, 7 Mounting Holes	**BRR-32**
	F-150	**BRR-62**
	RWD 2-Wheel ABS, 4-Wheel ABS F250/350 Super Duty; Twin I-Beam Axle Dual Wheel	**BRR-93**
Wheel Seal	F-150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4.6L, 5.4L RWD Front Disc F-250; U/8500 GVW w/Single Wheel w/7 Mounting Holes - Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD Front Disc F-150; w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	4WD F-150; U/8500 GVWWheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	4WD Front Disc F-250, F-250 Pickup; U/8500 GVW w/7 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRS-1**
	Front Disc Stripped Chassis F53, F53 Stripped Chassis; w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick	**BRS-53**
	Medium Truck; Medium Truck w/Stemco, 15000 lb. Axle w/Dayton Wheels 2.878 ID x 4.18 OD x 0.78 Thick; Rear	**BRS-62A**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels 3.5 ID x 4.845 OD x 0.875 Thick; Rear	**BRS-66A**
	Front Disc Medium Truck; Medium Truck w/Stemco, Brakes, 21000/23000 lb. Axle 3.5 ID x 4.552 OD x 0.818 Thick; Rear	**BRS-60A**
	Front Disc Medium Truck w/21000/23000/40000 lb. Axle, Dayton Wheels 3.5 ID x 4.552 OD x 0.740 Thick; Rear	**BRS-2**
ABS Wheel Speed Sensor — Left	RWD F-150; U/8500 GVW	**BRAB-118**
	4WD F-150	**BRAB-117**
	RWD F250/350 Super Duty	**BRAB-70**
	4WD F250/350 Super Duty	**BRAB-68**
	RWD F250; U/8500 GVW	**BRAB-118**
	4WD F-250 Pickup, F-250 Super Duty; U/8500 GVW	**BRAB-117**
	F-450 Super Duty, F-550 Super Duty Pickup	**BRAB-68**
ABS Wheel Speed Sensor — Right	RWD F-150; U/8500 GVW	**BRAB-116**
	4WD F-150	**BRAB-117**
	RWD F250/350 Super Duty	**BRAB-67**
	4WD F250/350 Super Duty	**BRAB-68**
	RWD F250; U/8500 GVW	**BRAB-116**
	4WD F-250 Pickup, F-250 Super Duty; U/8500 GVW	**BRAB-117**
Rear:		
Pads	F-150,D879,I,SM	**BR-3**
	F250,D757,I,SM	**BR-1275**
	F-250 Pickup, F-250 Super Duty; U/8500 GVW,D879,I,SM	**BR-3**
	F-350 Super Duty,D757,I,SM	**BR-1275**
	F-450 Super Duty,D777,I,SM	**BR-1269**
	F-550 Super Duty Pickup,D777,I,SM	**BR-1269**
Pads - SuperDuty	F-150; U/8500 GVW,D711,I,SM	**BRSD-711**
	F250,D711,I,SM	**BRSD-711**
	F-250 Super Duty,D757,I,SM	**BRSD-757**
	F-350 Super Duty,D757,I,SM	**BRSD-757**
	F-450 Super Duty, F-550 Super Duty Pickup,D777,I,SM	**BRSD-777**
Shoes	Front Drum F-150; 11" x 2 1/4" Brake; Rear,S723,B,ORG	**BR-105B**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1999 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Shoes — Cont'd	F-250 Pickup, F-250 Super Duty; U/8500 GVW w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
Hardware Pad Attachment Kit	F-150	**BRPK-5629**
	F-250 Pickup, F-250 Super Duty; O/8500 GVW	**BRPK-5643A**
	F-250 Pickup, F-250 Super Duty; U/8500 GVW	**BRPK-5629**
	F-350 Super Duty	**BRPK-5643A**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRPK-5651A**
	F53, F53 Stripped Chassis	**BRPK-5651A**
	F650/750	**BRPK-5671**
Hardware Caliper Attaching Kit	F-150	**BRCK-5066**
	F-250 Pickup, F-250 Super Duty; O/8500 GVW	**BRCK-5060A**
	F-250 Pickup, F-250 Super Duty; U/8500 GVW	**BRCK-5066**
	F-350 Super Duty	**BRCK-5060A**
	F-450 Super Duty	**BRCK-5077A**
	F53	**BRCK-5077A**
	F-550 Super Duty Pickup	**BRCK-5077A**
Hardware Combi Kit (Spring Kit)	F-150	**BRSK-7298A**
	F-150; Parking Brake Kit	**BRSK-7303A**
	F-250 Pickup, F-250 Super Duty; O/8500 GVW w/12 x 3" Brake	**BRVP-1456**
	F-250 Pickup, F-250 Super Duty; Parking Brake Kit	**BRSK-7303A**
	F-250 Pickup, F-250 Super Duty; w/12 x 2.5" Brake	**BRSK-7146**
	F-450 Super Duty, F-550 Super Duty Pickup, F53, F53 Stripped Chassis; o/8500 GVW w/Single Wheels	**BRSK-7308A**
	F-450 Super Duty, F-550 Super Duty Pickup, F53, F53 Stripped Chassis; o/8500 GVW w/Dual Wheels; Rear	**BRSK-7309A**
Hardware Self Adjuster Kit — Left	Front Drum F-150; Rear	**BRAK-2666A**
	F-250 Pickup, F-250 Super Duty	**BRAK-2598**
Hardware Self Adjuster Kit — Right	Front Drum F-150; Rear	**BRAK-2667A**
	F-250 Pickup, F-250 Super Duty	**BRAK-2599**
Loaded Caliper — Left	F-150	**BRCL-60RM**
	F250/350 Super Duty; Caliper Mounts To Rear Of Axle	**BRCL-65RM**
	F-250; U/8500 GVW	**BRCL-60RM**
	F-450 Super Duty, F-550 Super Duty Pickup; Caliper Mounts To Rear Of Axle; From 6/15/98	**BRCL-93RM**
	F53; Caliper Mounts To Rear Of Axle	**BRCL-93RM**
	F250/350 Super Duty; Caliper Mounts To Front Of Axle	**BRCL-64RM**
	F53; Caliper Mounts To Front Of Axle	**BRCL-92RM**
	F-450 Super Duty, F-550 Super Duty; From 6/15/98; Caliper Mounts To Front Of Axle	**BRCL-92RM**
Loaded Caliper — Right	F-150	**BRCL-61RM**
	F-250 Pickup, F-250 Super Duty, F-350 Super Duty	**BRCL-64RM**
	F-250; U/8500 GVW	**BRCL-61RM**
	F-450 Super Duty, F-550 Super Duty	**BRCL-92RM**
	F53	**BRCL-92RM**
Un-Loaded Caliper — Left	F250/350 Super Duty; Caliper Mounts To Rear Of Axle	**BRC-65RM**
	F-450 Super Duty, F-550 Super Duty; From 6/15/98; Caliper Mounts To Rear Of Axle	**BRC-93RM**
	F53; Caliper Mounts To Rear Of Axle	**BRC-93RM**
	F-150	**BRC-60RM**
	F-250; U/8500 GVW	**BRC-60RM**
	F53; Caliper Mounts To Front Of Axle	**BRC-92RM**
	F-450 Super Duty, F-550 Super Duty; Caliper Mounts To Front Of Axle; From 6/15/98	**BRC-92RM**
	F-250 Pickup, F-250 Super Duty, F-350 Super Duty; Caliper Mounts To Front Of Axle	**BRC-64RM**
Un-Loaded Caliper — Right	F250/350 Super Duty	**BRC-64RM**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Right — Cont'd	F-450 Super Duty, F-550 Super Duty; From 6/15/98	**BRC-92RM**
	F53	**BRC-92RM**
	F-150	**BRC-61RM**
	F-250; U/8500 GVW	**BRC-61RM**
Wheel Cylinder — Left	F-150	**BRWC-10A**
	F-250 Pickup, F-250 Super Duty; w/12 x 2.5" Brake	**BRWC-10A**
Wheel Cylinder — Right	F-150	**BRWC-11A**
	F-250 Pickup, F-250 Super Duty; w/12 x 2.5" Brake	**BRWC-11A**
Rotor	F250/350 Super Duty; Single Wheel, 8 Mounting Holes, Sterling 10.5" Fullfloat Axle	**BRR-94**
	F-350 Super Duty; w/Dual Wheel	**BRR-96**
	F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW	**BRR-113**
	F53 Stripped Chassis; O/8500 GVW	**BRR-113**
	F250; U/8500 GVW	**BRR-67**
Drum	Sterling Axle, 8.8 & 9.75 Ratio Gear, 3800 LBS. Rear Axle Capacity - Disc w/5-M12 Mounting Bolts; Exc. Super Crew	**BRD-22**
	Gear F-250 Pickup, F-250 Super Duty; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring	**BRD-13**
	F-250; U/8500 GVW	**BRD-8**
Wheel Seal	F-150, F-250 Pickup, F-350 Super Duty; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Rear Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
	4WD F-250 Pickup, F-250 Super Duty, F-350 Super Duty; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Gear F-250 Pickup, F-250 Super Duty, F-350 Super Duty; Seal 2.941 ID x 3.887 OD x 0.774 Thick w/Sterling Full Float Axle - Single Rear Wheel w/10.5 Ring; Inner	**BRS-51**
	F-250 Pickup, F-250 Super Duty, F-350 Super Duty, F-450 Super Duty, F-550 Super Duty Pickup; O/8500 GVW Rear Wheel Grease Retainer 3.5 ID x 4.689 OD x 0.451 Thick; Inner	**BRS-110**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.437 ID x 4.630 OD x 0.934 Thick; Rear	**BRS-67A**
	Medium Truck; Medium Truck Seal 4.767 ID x 6.315 OD x 1.141 Thick w/Stemco, 16.5" x 7", 21000/23000 lb. Rear Axle, Gunite Wheels; Inner	**BRS-65A**
	Medium Truck; Medium Truck Seal 4.723 ID x 6.316 OD x 1.187 Thick w/o Stemco, 16.5" x 7", 21000/23000/38000 lb. Rear Axle w/Budd Wheels; Inner	**BRS-65A**
	Medium Truck; Medium Truck 16.5" x 7", 34000 Axle w/Budd Wheels 3.875 ID x 5.704 OD x 0.892 Thick; Rear	**BRS-5**
	Medium Truck; Medium Truck Grease Retainer 3.262 ID x 4.631 OD x 0.5 Thick	**BRS-38**
	Medium Truck; Medium Truck Stemco, 16.5" x 7", 34000 lb. Axle, Budd or Dayton Wheels Grease Retainer 3.875 ID x 5.255 OD x 1.043 Thick; Rear	**BRS-64A**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.125 ID x 4.441 OD x 0.812 Thick; Rear	**BRS-68A**
ABS Wheel Speed Sensor — Left		**BRAB-130**
	F53, F53 Stripped Chassis	**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**
	F53, F53 Stripped Chassis	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Flex, Gas,D652,I,SM	**BR-47B**
Pads - SuperDuty	Flex, Gas,D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit	Flex, Gas	**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	Electric RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	RWD 4-Wheel ABS 10.28 OD	**BRR-83**
	4WD	**BRR-5**
	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	RWD 2-Wheel ABS 11.28" OD - Torsion Bar Suspension - 5 Mounting Holes	**BRR-104**
	RWD 2-Wheel ABS Coil Spring Front Suspension	**BRR-83**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD 2-Wheel ABS 2.624 ID x 3.951 OD x 0.891 Thick	**BRS-27**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-71**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-71**
Rear:		
Shoes	Flex, Gas w/10" Brake,S705,R,ORG	**BR-104B**
	Flex, Gas Rear Drum w/9" Brake,S704,R,ORG	**BR-103B**
Hardware Combi Kit (Spring Kit)	Flex, Gas	**BRVP-1177A**
	Flex, Gas	**BRVP-1456**
	w/1.75" Shoe	**BRSK-7294A**
	w/2 1/2" Shoe	**BRSK-7295A**
Hardware Self Adjuster Kit — Left	Flex, Gas w/10" Brake	**BRAK-2662A**
	Flex, Gas w/9" Brake	**BRAK-2660A**
Hardware Self Adjuster Kit — Right	Flex, Gas w/10" Brake	**BRAK-2663A**
	Flex, Gas w/9" Brake	**BRAK-2661A**
Loaded Caliper — Left	Electric	**BRCL-45RM**
Loaded Caliper — Right	Electric	**BRCL-46RM**
Un-Loaded Caliper — Left	Electric	**BRC-45RM**
Un-Loaded Caliper — Right	Electric	**BRC-46RM**
Wheel Cylinder — Left	Flex, Gas w/10" Brake	**BRWC-39A**
	w/9" Brake	**BRWC-1A**
Wheel Cylinder — Right	Flex, Gas w/10" Brake	**BRWC-39A**
	w/9" Brake	**BRWC-1A**
Rotor	Electric w/5 Mounting Holes	**BRR-59**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	w/Heavy Duty Suspension & 10" Brakes	**BRD-24**
	9 x 1 3/4 Brake; w/5 Mounting Holes	**BRD-23**
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes	
	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	4WD "O" Ring 2.22 ID x 2.287 OD x 0.067 Thick - Hub to Hub Lock	**BRS-109**
	4WD 2-Wheel ABS Bearing "O" Ring Knuckle Seal 3.712 ID x 3.779 OD x 0.060 Thick	**BRS-112**
ABS Wheel Speed Sensor — Left	Flex, Gas 75hp - 3 Phase Motor	**BRAB-87**
	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Flex, Gas 75hp - 3 Phase Motor	**BRAB-88**
	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

1999 — Windstar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D803,I,SM	**BR-1270**
Hardware Pad Attachment Kit		**BRPK-5656**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-143RM**
Loaded Caliper — Right		**BRCL-144RM**
Un-Loaded Caliper — Left		**BRC-143RM**
Un-Loaded Caliper — Right		**BRC-144RM**
Rotor		**BRR-70**
Wheel Seal		**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-108**
ABS Wheel Speed Sensor — Right		**BRAB-107**
Rear:		
Pads	Front Disc,GYG-1329,I,SM	**BR-1**
Shoes	S665,R,ORG	**BR-102B**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
		BRSK-7285A
	Parking Brake Kit	**BRSK-7318**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Un-Loaded Caliper — Left		**BRC-106RM**
Un-Loaded Caliper — Right		**BRC-105RM**
Wheel Cylinder — Left		**BRWC-30A**
Wheel Cylinder — Right		**BRWC-30A**
Rotor	Front Disc	**BRR-3**
Drum	w/5 Mounting Holes & 10 x 2 Brakes	**BRD-4**
ABS Wheel Speed Sensor — Left	Rear Drum	**BRAB-109**
	Front Disc Power	**BRAB-110**
ABS Wheel Speed Sensor — Right	Rear Drum	**BRAB-105**
	Front Disc Power	**BRAB-106**
	Front Drum	**BRAB-106**

1998 — B-F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Medium Truck B-F Series w/Stemco, 15000 lb. Axle w/Dayton Wheels 2.878 ID x 4.18 OD x 0.78 Thick; Rear	**BRS-62A**
	Medium Truck B-F Series w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels 3.5 ID x 4.845 OD x 0.875 Thick; Rear	**BRS-66A**
	Front Disc Medium Truck B-F Series w/Stemco, Brakes, 21000/23000 lb. Axle 3.5 ID x 4.552 OD x 0.818 Thick; Rear	**BRS-60A**
	Front Disc Medium Truck B-F Series 15000 lb. Axle w/Dayton Wheels w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**
	Medium Truck B-F Series Grease Retainer 3.5 ID x 4.456 OD x 0.525 Thick	**BRS-55**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1998 — B-F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	Medium Truck B-F Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**
	Medium Truck B-F Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**
	Medium Truck B-F Series Seal 4.767 ID x 6.315 OD x 1.141 Thick w/Stemco, 16.5" x 7", 21000/23000 lb. Rear Axle, Gunite Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series Seal 4.723 ID x 6.316 OD x 1.187 Thick w/o Stemco, 16.5" x 7", 21000/23000/38000 lb. Rear Axle w/Budd Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series 16.5" x 7", 34000 Axle w/Budd Wheels 3.875 ID x 5.704 OD x 0.892 Thick; Rear	**BRS-5**
	Medium Truck B-F Series Grease Retainer 3.262 ID x 4.631 OD x 0.5 Thick	**BRS-38**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.437 ID x 4.630 OD x 0.934 Thick; Rear	**BRS-67A**
	Medium Truck; Medium Truck Stemco, 16.5" x 7", 34000 lb. Axle, Budd or Dayton Wheels Grease Retainer 3.875 ID x 5.704 OD x 0.892 Thick; Rear	**BRS-5**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.125 ID x 4.441 OD x 0.812 Thick; Rear	**BRS-68A**

1998 — Expedition

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D702,I,SM	**BR-50**
Pads - SuperDuty	D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit		**BRPK-5628A**
Hardware Caliper Attaching Kit		**BRCK-5067A**
Loaded Caliper — Left		**BRCL-125RM**
Loaded Caliper — Right		**BRCL-62RM**
Un-Loaded Caliper — Left	4.6L	**BRC-125RM**
	5.4L	**BRC-125RM**
Un-Loaded Caliper — Right	4.6L	**BRC-62RM**
	5.4L	**BRC-62RM**
Rotor	RWD 4-Wheel ABS w/5-M12 Mounting Bolts	**BRR-31**
	4WD w/5-M12 Mounting Bolts	**BRR-63**
Wheel Seal	4.6L, 5.4L RWD Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick; Front	**BRS-9**
	4WD Front Disc w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-118**
	4WD	**BRAB-117**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-117**
	RWD	**BRAB-116**
Rear:		
Pads	D879,I,SM	**BR-3**
Pads - SuperDuty	D711,I,SM	**BRSD-711**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left		**BRCL-60RM**
Loaded Caliper — Right		**BRCL-61RM**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1998 — Expedition — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Left	4.6L	**BRC-60RM**
	5.4L	**BRC-60RM**
Un-Loaded Caliper — Right	4.6L	**BRC-61RM**
	5.4L	**BRC-61RM**
Rotor		**BRR-65**
Wheel Seal	Front Disc 3900 & 4200 lb. Rear Axle Capacity - w/5 Mounting Holes Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1998 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	**BR-47B**
Pads - SuperDuty	D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	4WD	**BRR-5**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-115**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-115**
Rear:		
Pads	D667,I,SM	**BR-2**
Pads - SuperDuty	D667,I,SM	**BRSD-667**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Loaded Caliper — Left		**BRCL-45RM**
Loaded Caliper — Right		**BRCL-46RM**
Un-Loaded Caliper — Left		**BRC-45RM**
Un-Loaded Caliper — Right		**BRC-46RM**
Rotor	All	**BRR-59**
Wheel Seal	Rear Axle Bearing Oil Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D632,I,SM	**BR-46**
	E250/350,D655,I,SM	**BR-48B**
	E Super Duty,D655,I,SM	**BR-48B**
Pads - SuperDuty	E150,D632,I,SM	**BRSD-632**
	E250/350,D655,I,SM	**BRSD-655**
	E Super Duty,D655,I,SM	**BRSD-655**
Hardware Pad Attachment Kit	E150	**BRPK-5620**
	E250/350	**BRPK-5621A**
Hardware Caliper Attaching Kit	E150	**BRCK-5066**
	E250/350, E Super Duty	**BRCK-5063**
	E-250 Econoline	**BRCK-5067A**
	E350	**BRCK-5067A**
Loaded Caliper — Left	E150	**BRCL-11RM**
	E250/350	**BRCL-7RM**
	E Super Duty	**BRCL-7RM**
Loaded Caliper — Right	E150	**BRCL-10RM**
	E250/350	**BRCL-6RM**
	E Super Duty	**BRCL-6RM**
Un-Loaded Caliper — Left	E Super Duty	**BRC-7RM**
	E150	**BRC-11RM**
	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-7RM**
Un-Loaded Caliper — Right	4.2L	**BRC-10ARM**
	4.6L	**BRC-10ARM**
	5.4L	**BRC-10ARM**
	E Super Duty	**BRC-6RM**
	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-6RM**
Rotor	2-Wheel ABS E-150, E-150 Club Wagon, E-150 Econoline, E-150 Econoline Club Wagon; 5 Mounting Holes	**BRR-26**
	4-Wheel ABS E150; w/5 Mounting Holes	**BRR-16**
	4-Wheel ABS E250/350; Single Rear Wheel; w/8 Mounting Holes	**BRR-23**
	2-Wheel ABS E250/350; Single Wheel w/8 Mounting Holes	**BRR-20**
	2-Wheel ABS E350; Dual Wheel, 8 Mounting Holes	**BRR-29**
	4-Wheel ABS E-350, Econoline Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-30**
	4-Wheel ABS E Super Duty; w/Dual Wheel - 8 Mounting Holes; Rear	**BRR-30**
	2-Wheel ABS E Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-29**
Wheel Seal	4.2L, 4.6L, 5.4L Front Disc E150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4-Wheel ABS E250/350, E Super Duty; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	E150	**BRAB-63**
	E250/350; w/90' Bend Sensor	**BRAB-52**
ABS Wheel Speed Sensor — Right	E150	**BRAB-62**
	E250/350; w/90' Bend Sensor	**BRAB-51**
Rear:		
Pads	E Super Duty; Commercial Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	E Super Duty,D411,I,SM	**BRSD-411**
Shoes	E150; w/11" x 2 1/4" Brake,S723,B,ORG	**BR-105B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	E250/350, E Super Duty; 1 Ton - & Commercial Chassis	**BRPK-5635A**
	E-250 Econoline	**BRPK-5628A**
Hardware Combi Kit (Spring Kit)	E150	**BRSK-7298A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	E150	**BRVP-1177A**
	E150	**BRVP-1456**
	E250/350; Axle w/Tags - Parking Brake	**BRSK-7311A**
	E250/350; Axle w/o Tags - Parking Brake Kit	**BRSK-7312A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2666A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2667A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Loaded Caliper — Left	E Super Duty	**BRCL-9RM**
Loaded Caliper — Right	Econoline Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	Econoline Super Duty	**BRC-9RM**
Un-Loaded Caliper — Right	Econoline Super Duty	**BRC-8RM**
Wheel Cylinder — Left	E150	**BRWC-10A**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	E350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-24A**
	E350; w/12.125 x 3.5" Brake w/Single Wheel	**BRWC-36A**
Wheel Cylinder — Right	E150	**BRWC-11A**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-36A**
	E350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-25A**
	E350; w/12.125 x 3.5" Brake w/Single Wheel	**BRWC-37A**
Rotor	Front Disc E Super Duty; 11.25 Ratio Gear, 8 Mounting Holes, Dana 80 Axle	**BRR-6**
Drum	E350; Single Wheel, 9.75 Ratio Gear, 12 1/8 x 3 1/2 Brake	**BRD-3**
	Gear E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 9.75 Ratio Gear; w/Axle 710A, 710A1, 710D, PM710D	**BRD-34**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
	E250/350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, 9.75 Ratio Gear	**BRD-36**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
	Front Disc E Super Duty; Dana 80 Axle w/11.25" Ring - 11000 lb. Rear Axle Capacity - w/8 Mounting Holes Grease Retainer Seal 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Stripped Chassis F150/250; 1 Ton,D411,I,SM	**BR-51**
	Front Drum F-150; 11" x 2 1/4" Brake; Rear,D679,I,SM	**BR-49**
	F250; O/8500 GVW,D655,I,SM	**BR-48B**
	F250; U/8500 GVW,D702,I,SM	**BR-50**
	Stripped Chassis F-350; 1 Ton,D655,I,SM	**BR-48B**
Pads - SuperDuty	F-150,D679,I,SM	**BRSD-679**
	F250; O/8500 GVW,D655,I,SM	**BRSD-655**
	F250; U/8500 GVW,D702,I,SM	**BRSD-702**
	Stripped Chassis F-350; 1 Ton,D655,I,SM	**BRSD-655**
Hardware Pad Attachment Kit	F-150	**BRPK-5624**
	Front Disc F-150	**BRPK-5628A**
	F250; U/8500 GVW	**BRPK-5628A**
	F53 Stripped Chassis	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5064A**
	F250	**BRCK-5067A**
	F250; O/8500 GVW	**BRCK-5063**
	F-350	**BRCK-5072A**
Hardware Self Adjuster Kit — Left	Front Disc F-150	**BRCK-5067A**
Loaded Caliper — Left	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRCL-145RM**
	F-150; w/48mm Piston	**BRCL-53RM**
	F250; U/8500 GVW	**BRCL-125RM**
Loaded Caliper — Right	F-150; w/48mm Piston	**BRCL-52RM**
	F250; U/8500 GVW	**BRCL-62RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRCL-146RM**
Un-Loaded Caliper — Left	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRC-145RM**
	F-150; w/48mm Piston	**BRC-53RM**
	F-250; U/8500 GVW	**BRC-125RM**
Un-Loaded Caliper — Right	4.6L F-250; U/8500 GVW	**BRC-62RM**
	F-150; w/48mm Piston	**BRC-52RM**
	Rear Disc F-150; Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT	**BRC-146RM**
Rotor	RWD 2-Wheel ABS F-150; NASCAR	**BRR-35**
	RWD 2-Wheel ABS, 4-Wheel ABS F-150; Exc. Exc. NASCAR	**BRR-24**
	4WD F-150; w/5-M12 Mounting Bolts	**BRR-62**
	RWD 4-Wheel ABS F-250; U/8500 GVW w/Single Wheel, 7 Mounting Holes	**BRR-33**
	4WD F-250, F-350; w/Manual or Auto. Locking Hubs	**BRR-4**
	RWD F-250; Single Wheel and 8 Mounting Holes	**BRR-20**
	F-150	**BRR-62**
	RWD 2-Wheel ABS F250; U/8500 GVW w/Single Wheel, 7 Mounting Holes	**BRR-32**
	4WD 2-Wheel ABS, 4-Wheel ABS F-250; U/8500 GVW w/7 Mounting Holes	**BRR-66**
Wheel Seal	F-150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	F-250; U/8500 GVW w/Single Wheel w/7 Mounting Holes - Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD Front Disc F-150; w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	SOHC 4WD F-150; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	4WD F-150; U/8500 GVWWheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	4WD Front Disc F250; U/8500 GVW w/7 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

1998 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	Front Disc Medium Truck B-F Series w/21000/23000/40000 lb. Axle, Dayton Wheels 3.5 ID x 4.552 OD x 0.740 Thick; Rear	**BRS-2**
ABS Wheel Speed Sensor — Left	RWD F-150; U/8500 GVW	**BRAB-118**
	4WD F-150	**BRAB-117**
	RWD F250; U/8500 GVW	**BRAB-118**
	4WD F250; U/8500 GVW	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD F-150; U/8500 GVW	**BRAB-116**
	4WD F-150	**BRAB-117**
	RWD F250; U/8500 GVW	**BRAB-116**
	4WD F250; U/8500 GVW	**BRAB-117**
Rear:		
Pads	Stripped Chassis F150/250; 1 Ton,D411,I,SM	**BR-51**
	F-150,D879,I,SM	**BR-3**
	F250; U/8500 GVW,D879,I,SM	**BR-3**
Pads - SuperDuty	F-150; U/8500 GVW,D711,I,SM	**BRSD-711**
	F250,D711,I,SM	**BRSD-711**
Shoes	Front Drum F-150; 11" x 2 1/4" Brake; Rear,S723,B,ORG	**BR-105B**
	F250; O/8500 GVW w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; O/8500 GVW w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F250; U/8500 GVW w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F-350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F-350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	Stripped Chassis F150/250; 1 Ton	**BRPK-5635A**
	F-150	**BRPK-5629**
	F250; U/8500 GVW	**BRPK-5629**
	F53 Stripped Chassis	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5066**
	F250; U/8500 GVW	**BRCK-5066**
Hardware Combi Kit (Spring Kit)	F-150	**BRSK-7298A**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150; Parking Brake Kit	**BRSK-7303A**
	F250	**BRVP-1456**
	F250; O/8500 GVW Parking Brake Kit	**BRSK-7303A**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F-350	**BRVP-1456**
	F-350; w/12 x 3" Brake	**BRSK-7181**
	F-350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	Front Drum F-150; Rear	**BRAK-2666A**
	F250	**BRAK-2598**
Hardware Self Adjuster Kit — Right	Front Drum F-150; Rear	**BRAK-2667A**
	F250	**BRAK-2599**
	F-350	**BRAK-2599**
Loaded Caliper — Left	F-150	**BRCL-60RM**
	F250; U/8500 GVW	**BRCL-60RM**
Loaded Caliper — Right	F-150	**BRCL-61RM**
	F250; U/8500 GVW	**BRCL-61RM**
Un-Loaded Caliper — Left	F-150	**BRC-60RM**
	F-250; U/8500 GVW	**BRC-60RM**
Un-Loaded Caliper — Right	F-150	**BRC-61RM**
	F-250; U/8500 GVW	**BRC-61RM**
Wheel Cylinder — Left	F-150	**BRWC-10A**
	F250; w/12 x 2.5" Brake	**BRWC-10A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1998 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Left — Cont'd	F250; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	F-350; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	F-350; w/Dual Wheels; Rear	**BRWC-24A**
Wheel Cylinder — Right	F-150	**BRWC-11A**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	F-350; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	F-350; w/Dual Wheels; Rear	**BRWC-25A**
Rotor	F250; U/8500 GVW	**BRR-67**
Drum	Sterling Axle, 8.8 & 9.75 Ratio Gear, 3800 LBS. Rear Axle Capacity - Disc w/5-M12 Mounting Bolts; Exc. Super Crew	**BRD-22**
	F-250; U/8500 GVW	**BRD-8**
Wheel Seal	F150/250; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Rear Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
	4WD F250; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
ABS Wheel Speed Sensor — Left	F150/250	**BRAB-130**
	F53 Stripped Chassis	**BRAB-130**
ABS Wheel Speed Sensor — Right	F150/250	**BRAB-130**
	F53 Stripped Chassis	**BRAB-130**

1998 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Gas,D652,I,SM	**BR-47B**
Pads - SuperDuty	Gas,D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	Electric RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	RWD 4-Wheel ABS 10.28 OD	**BRR-83**
	4WD	**BRR-5**
	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	RWD 2-Wheel ABS 11.28" OD - Torsion Bar Suspension - 5 Mounting Holes	**BRR-104**
	RWD 2-Wheel ABS Coil Spring Front Suspension	**BRR-83**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD 2-Wheel ABS 2.624 ID x 3.951 OD x 0.891 Thick	**BRS-27**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-71**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-71**
Rear:		
Shoes	Gas w/10" Brake,S705,R,ORG	**BR-104B**
	Gas Rear Drum w/9" Brake,S704,R,ORG	**BR-103B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
	Gas	**BRVP-1456**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1998 — Ranger — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	w/1.75" Shoe	**BRSK-7294A**
	w/2 1/2" Shoe	**BRSK-7295A**
Hardware Self Adjuster Kit — Left	Gas w/10" Brake	**BRAK-2662A**
	Gas w/9" Brake	**BRAK-2660A**
Hardware Self Adjuster Kit — Right	Gas w/10" Brake	**BRAK-2663A**
	Gas w/9" Brake	**BRAK-2661A**
Loaded Caliper — Left	Electric	**BRCL-45RM**
Loaded Caliper — Right	Electric	**BRCL-46RM**
Un-Loaded Caliper — Left	Electric	**BRC-45RM**
Un-Loaded Caliper — Right	Electric	**BRC-46RM**
Wheel Cylinder — Left	w/10" Brake	**BRWC-39A**
	w/9" Brake	**BRWC-1A**
Wheel Cylinder — Right	w/10" Brake	**BRWC-39A**
	w/9" Brake	**BRWC-1A**
Rotor	Electric w/5 Mounting Holes	**BRR-59**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	w/Heavy Duty Suspension & 10" Brakes	**BRD-24**
	9 x 1 3/4 Brake; w/5 Mounting Holes	**BRD-23**
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
	4WD "O" Ring 2.22 ID x 2.287 OD x 0.067 Thick - Hub to Hub Lock	**BRS-109**
	4WD 2-Wheel ABS Bearing "O" Ring Knuckle Seal 3.712 ID x 3.779 OD x 0.060 Thick	**BRS-112**
ABS Wheel Speed Sensor — Left	Electric, Gas 75hp - 3 Phase Motor	**BRAB-87**
	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Electric, Gas 75hp - 3 Phase Motor	**BRAB-88**
	Speed Sensor	**BRAB-130**

1998 — Windstar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,SM	**BR-31**
Pads - SuperDuty	D601,I,SM	**BRSD-601**
Hardware Pad Attachment Kit		**BRPK-5619**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-20RM**
Loaded Caliper — Right		**BRCL-19RM**
Un-Loaded Caliper — Left	3.0L	**BRC-20RM**
	3.8L	**BRC-20RM**
Un-Loaded Caliper — Right	3.0L	**BRC-19RM**
	3.8L	**BRC-19RM**
Rotor		**BRR-46**
Wheel Seal		**BRS-50**
ABS Wheel Speed Sensor — Left		**BRAB-42**
ABS Wheel Speed Sensor — Right		**BRAB-41**
Rear:		
Pads	Front Disc,GYG-1329,I,SM	**BR-1**
Shoes	S665,R,ORG	**BR-102B**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1998 — Windstar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Pad Attachment Kit		BRPK-5627
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)		BRSK-7285A
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Un-Loaded Caliper — Left		BRC-106RM
Un-Loaded Caliper — Right		BRC-105RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor	Front Disc	BRR-3
Drum	w/5 Mounting Holes & 10 x 2 Brakes	BRD-4
ABS Wheel Speed Sensor — Left	Rear Drum	BRAB-54
	Front Disc Power	BRAB-73
ABS Wheel Speed Sensor — Right	Rear Drum	BRAB-53
	Front Disc Power	BRAB-72
	Front Drum	BRAB-72

1997 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	BR-39B
Hardware Pad Attachment Kit		BRPK-5554
Hardware Caliper Attaching Kit		BRCK-5030
Loaded Caliper — Left		BRCL-5RM
Loaded Caliper — Right		BRCL-4RM
Un-Loaded Caliper — Left	3.0L	BRC-5RM
	4.0L	BRC-5RM
Un-Loaded Caliper — Right	3.0L	BRC-4RM
	4.0L	BRC-4RM
Rotor	RWD	BRR-39
	4WD	BRR-1
Wheel Seal	RWD Front Disc w/5 Mounting Holes Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	BRS-11
Rear:		
Shoes	S169,R,ORG	BR-95B
Hardware Combi Kit (Spring Kit)		BRSK-7279A
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2514
Hardware Self Adjuster Kit — Right		BRAK-2515
Wheel Cylinder — Left		BRWC-34
Wheel Cylinder — Right		BRWC-34
Drum		BRD-21
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-130
ABS Wheel Speed Sensor — Right		BRAB-130

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

1997 — B-F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Medium Truck B-F Series w/Stemco, 15000 lb. Axle w/Dayton Wheels 2.878 ID x 4.18 OD x 0.78 Thick; Rear	**BRS-62A**
	Medium Truck B-F Series w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels 3.5 ID x 4.845 OD x 0.875 Thick; Rear	**BRS-66A**
	Front Disc Medium Truck B-F Series w/Stemco, Brakes, 21000/23000 lb. Axle 3.5 ID x 4.552 OD x 0.818 Thick; Rear	**BRS-60A**
	Front Disc Medium Truck B-F Series 15000 lb. Axle w/Dayton Wheels w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**
	Medium Truck B-F Series Grease Retainer 3.5 ID x 4.456 OD x 0.525 Thick	**BRS-55**
Rear:		
Wheel Seal	Medium Truck B-F Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**
	Medium Truck B-F Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**
	Medium Truck B-F Series Seal 4.767 ID x 6.315 OD x 1.141 Thick w/Stemco, 16.5" x 7", 21000/23000 lb. Rear Axle, Gunite Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series Seal 4.723 ID x 6.316 OD x 1.187 Thick w/o Stemco, 16.5" x 7", 21000/23000/38000 lb. Rear Axle w/Budd Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series 16.5" x 7", 34000 Axle w/Budd Wheels 3.875 ID x 5.704 OD x 0.892 Thick; Rear	**BRS-5**
	Medium Truck B-F Series Grease Retainer 3.262 ID x 4.631 OD x 0.5 Thick	**BRS-38**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.437 ID x 4.630 OD x 0.934 Thick; Rear	**BRS-67A**
	Medium Truck; Medium Truck Stemco, 16.5" x 7", 34000 lb. Axle, Budd or Dayton Wheels Grease Retainer 3.875 ID x 5.255 OD x 1.043 Thick; Rear	**BRS-64A**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.125 ID x 4.441 OD x 0.812 Thick; Rear	**BRS-68A**

1997 — CF Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	Medium Truck CF Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**

1997 — Expedition

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D702,I,SM	**BR-50**
Pads - SuperDuty	D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit		**BRPK-5628A**
Hardware Caliper Attaching Kit		**BRCK-5067A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1997 — Expedition — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Left		**BRCL-125RM**
Loaded Caliper — Right		**BRCL-62RM**
Un-Loaded Caliper — Left	4.6L	**BRC-125RM**
	5.4L	**BRC-125RM**
Un-Loaded Caliper — Right	4.6L	**BRC-62RM**
	5.4L	**BRC-62RM**
Rotor	RWD 4-Wheel ABS w/5-M12 Mounting Bolts	**BRR-31**
	4WD w/5-M12 Mounting Bolts	**BRR-63**
Wheel Seal	4.6L, 5.4L RWD Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick; Front	**BRS-9**
	4WD Front Disc w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-118**
	4WD	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-116**
	4WD	**BRAB-117**
Rear:		
Pads	D879,I,SM	**BR-3**
Pads - SuperDuty	D711,I,SM	**BRSD-711**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left		**BRCL-60RM**
Loaded Caliper — Right		**BRCL-61RM**
Un-Loaded Caliper — Left	4.6L	**BRC-60RM**
	5.4L	**BRC-60RM**
Un-Loaded Caliper — Right	4.6L	**BRC-61RM**
	5.4L	**BRC-61RM**
Rotor		**BRR-65**
Wheel Seal	Front Disc 3900 & 4200 lb. Rear Axle Capacity - w/5 Mounting Holes Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1997 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	**BR-47B**
Pads - SuperDuty	D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	4WD	**BRR-5**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1997 — Explorer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-47**
	4WD	**BRAB-115**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-153**
	4WD	**BRAB-115**
Rear:		
Pads	D667,I,SM	**BR-2**
Pads - SuperDuty	D667,I,SM	**BRSD-667**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Loaded Caliper — Left		**BRCL-45RM**
Loaded Caliper — Right		**BRCL-46RM**
Un-Loaded Caliper — Left		**BRC-45RM**
Un-Loaded Caliper — Right		**BRC-46RM**
Rotor	All	**BRR-59**
Wheel Seal	Rear Axle Bearing Oil Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1997 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D632,I,SM	**BR-46**
	E250/350,D655,I,SM	**BR-48B**
	E Super Duty,D655,I,SM	**BR-48B**
Pads - SuperDuty	E150,D632,I,SM	**BRSD-632**
	E250/350,D655,I,SM	**BRSD-655**
	E Super Duty,D655,I,SM	**BRSD-655**
Hardware Pad Attachment Kit	E150	**BRPK-5620**
	E250/350	**BRPK-5621A**
Hardware Caliper Attaching Kit	E150	**BRCK-5066**
	E Super Duty, E-250 Econoline	**BRCK-5063**
	E-250 Econoline	**BRCK-5067A**
	E350, E Super Duty	**BRCK-5063**
	E350	**BRCK-5067A**
Loaded Caliper — Left	E150	**BRCL-11RM**
	E250/350	**BRCL-7RM**
	E Super Duty	**BRCL-7RM**
Loaded Caliper — Right	E150	**BRCL-10RM**
	E250/350	**BRCL-6RM**
	E Super Duty	**BRCL-6RM**
	E-250 Econoline, E-350 Econoline, Econoline Super Duty	**BRCL-6RM**
Un-Loaded Caliper — Left	E Super Duty	**BRC-7RM**
	E150	**BRC-11RM**
	E250/350	**BRC-7RM**
Un-Loaded Caliper — Right	E Super Duty	**BRC-6RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1997 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Right — Cont'd	E150	**BRC-10ARM**
	E250/350	**BRC-6RM**
Rotor	2-Wheel ABS E150; 5 Mounting Holes	**BRR-26**
	4-Wheel ABS E150; w/5 Mounting Holes	**BRR-16**
	4-Wheel ABS E250/350; Single Rear Wheel; w/8 Mounting Holes	**BRR-23**
	2-Wheel ABS E250/350; Single Wheel w/8 Mounting Holes	**BRR-20**
	2-Wheel ABS E350; Dual Wheel, 8 Mounting Holes	**BRR-29**
	4-Wheel ABS E-350 Econoline, Econoline Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-30**
	4-Wheel ABS E Super Duty; w/Dual Wheel - 8 Mounting Holes; Rear	**BRR-30**
	2-Wheel ABS E Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-29**
Wheel Seal	4.2L, 4.6L, 5.4L Front Disc E150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4-Wheel ABS E250/350, E Super Duty; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	E150	**BRAB-63**
	E250/350; w/90' Bend Sensor	**BRAB-52**
ABS Wheel Speed Sensor — Right	E150	**BRAB-62**
	E250/350; w/90' Bend Sensor	**BRAB-51**
Rear:		
Pads	E Super Duty; Commercial Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	E Super Duty,D411,I,SM	**BRSD-411**
Shoes	E150; w/11" x 2 1/4" Brake,S723,B,ORG	**BR-105B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	E250/350, E Super Duty; 1 Ton - & Commercial Chassis	**BRPK-5635A**
Hardware Combi Kit (Spring Kit)	E150	**BRSK-7298A**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; Axle w/Tags - Parking Brake	**BRSK-7311A**
	E350; Axle w/o Tags - Parking Brake	**BRSK-7312A**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2666A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2667A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Loaded Caliper — Left	E Super Duty	**BRCL-9RM**
Loaded Caliper — Right	Econoline Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	Econoline Super Duty	**BRC-9RM**
Un-Loaded Caliper — Right	Econoline Super Duty	**BRC-8RM**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	E350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-24A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1997 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Left — Cont'd	E350; w/12.125 x 3.5" Brake w/Single Wheel	**BRWC-36A**
Wheel Cylinder — Right	E150	**BRWC-7**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-36A**
	E350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-25A**
	E350; w/12.125 x 3.5" Brake w/Single Wheel	**BRWC-37A**
Rotor	Front Disc E Super Duty; 11.25 Ratio Gear, 8 Mounting Holes, Dana 80 Axle	**BRR-6**
Drum	Gear E350; Single Wheel, 9.75 Ratio Gear, 12 1/8 x 3 1/2 Brake	**BRD-3**
	E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 9.75 Ratio Gear; w/Axle 710A, 710A1, 710D, PM710D	**BRD-34**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
	E250/350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, 9.75 Ratio Gear	**BRD-36**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
	Front Disc E Super Duty; Dana 80 Axle w/11.25" Ring - 11000 lb. Rear Axle Capacity - w/8 Mounting Holes Grease Retainer Seal 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1997 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Front Drum F-150; 11" x 2 1/4" Brake; Rear,D679,I,SM	**BR-49**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F250; O/8500 GVW,D655,I,SM	**BR-48B**
	F250; U/8500 GVW,D702,I,SM	**BR-50**
	Stripped Chassis F350; 1 Ton,D655,I,SM	**BR-48B**
	F53, F53 Stripped Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	F-150,D679,I,SM	**BRSD-679**
	F250; O/8500 GVW,D655,I,SM	**BRSD-655**
	F250; U/8500 GVW,D702,I,SM	**BRSD-702**
	Stripped Chassis F350; 1 Ton,D655,I,SM	**BRSD-655**
	F53, F53 Stripped Chassis,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Hardware Pad Attachment Kit	F-150	**BRPK-5624**
	Front Disc F-150	**BRPK-5628A**
	F250	**BRPK-5621A**
	F250; O/8500 GVW	**BRPK-5621A**
	F250; U/8500 GVW	**BRPK-5628A**
	F350	**BRPK-5621A**
	F-450 Super Duty	**BRPK-5635A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1997 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Pad Attachment Kit — Cont'd	F53/59	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5064A**
	Front Disc F-150	**BRCK-5067A**
	F250	**BRCK-5067A**
	F250; O/8500 GVW	**BRCK-5063**
	F350	**BRCK-5063**
Loaded Caliper — Left	Rear Disc F-150; Custom, Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT, XLT Lariat	**BRCL-145RM**
	F-150; w/48mm Piston	**BRCL-53RM**
	F250/350; O/8500 GVW	**BRCL-7RM**
	F250; U/8500 GVW	**BRCL-125RM**
	F53 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F-150; w/48mm Piston	**BRCL-52RM**
	F250/350; O/8500 GVW	**BRCL-6RM**
	F250; U/8500 GVW	**BRCL-62RM**
	F53 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
	Rear Disc F-150; Custom, Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT, XLT Lariat	**BRCL-146RM**
Un-Loaded Caliper — Left	Rear Disc F-150; Custom, Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT, XLT Lariat	**BRC-145RM**
	F-150; w/48mm Piston	**BRC-53RM**
	F-250; U/8500 GVW	**BRC-125RM**
	F Super Duty	**BRC-9RM**
	Stripped Chassis F53	**BRC-9RM**
	F250/350; O/8500 GVW	**BRC-7RM**
Un-Loaded Caliper — Right	F-150; w/48mm Piston	**BRC-52RM**
	F-250; U/8500 GVW	**BRC-62RM**
	F-250, F-350; O/8500 GVW	**BRC-6RM**
	F Super Duty	**BRC-8RM**
	F53	**BRC-8RM**
	Rear Disc F-150; Custom, Eddie Bauer, Harley-Davidson Edition, King Ranch, Lariat, Special, XL, XLT, XLT Lariat	**BRC-146RM**
Rotor	RWD 2-Wheel ABS, 4-Wheel ABS F-150; Exc. Exc. NASCAR	**BRR-24**
	4WD F-150; w/5-M12 Mounting Bolts	**BRR-62**
	RWD F350; w/Dual Wheels; Rear	**BRR-28**
	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
	4WD F-250, F-350; w/Manual or Auto. Locking Hubs	**BRR-4**
	RWD F-250; Single Wheel and 8 Mounting Holes	**BRR-20**
	RWD F Super Duty; w/Single Wheel and 8 Mounting Holes	**BRR-20**
	RWD F-350; Single Wheel and 8 Mounting Holes	**BRR-20**
	F-150	**BRR-62**
	RWD 4-Wheel ABS F-250; U/8500 GVW w/Single Wheel, 7 Mounting Holes	**BRR-33**
	RWD 2-Wheel ABS F250; U/8500 GVW w/Single Wheel, 7 Mounting Holes	**BRR-32**
	4WD 2-Wheel ABS, 4-Wheel ABS F-250; U/8500 GVW w/7 Mounting Holes	**BRR-66**
Wheel Seal	F-150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD F-150; U/8500 GVWWheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	4WD F-150; w/3.55 Final Drive Ratio Seal Kit 2.327 ID x 3.134 OD x 0.315 Thick	**BRS-23**
	4WD Front Disc F-150; w/5 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1997 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	SOHC 4WD F-150; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	F-250; U/8500 GVW w/Single Wheel w/7 Mounting Holes - Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD Front Disc F250; U/8500 GVW w/7 Mounting Holes Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
	SOHC 4WD F-350 Pickup, F-450 Super Duty; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	F-450 Super Duty	**BRS-1**
	Front Disc Medium Truck B-C-F Series w/21000/23000/40000 lb. Axle, Dayton Wheels 3.5 ID x 4.552 OD x 0.740 Thick; Rear	**BRS-2**
ABS Wheel Speed Sensor — Left	RWD F-150; U/8500 GVW	**BRAB-118**
	4WD F-150	**BRAB-117**
	RWD F250; U/8500 GVW	**BRAB-118**
	4WD F250; U/8500 GVW	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD F-150; U/8500 GVW	**BRAB-116**
	4WD F-150	**BRAB-117**
	RWD F250; U/8500 GVW	**BRAB-116**
Rear:		
Pads	F-150,D879,I,SM	**BR-3**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F250; U/8500 GVW,D879,I,SM	**BR-3**
	F53, F53 Stripped Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	F-150; U/8500 GVW,D711,I,SM	**BRSD-711**
	F250,D711,I,SM	**BRSD-711**
	F53, F53 Stripped Chassis,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Shoes	Front Drum F-150; 11" x 2 1/4" Brake; Rear,S723,B,ORG	**BR-105B**
	F250; U/8500 GVW w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	F-150	**BRPK-5629**
	F250; U/8500 GVW	**BRPK-5629**
	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5066**
	F250; U/8500 GVW	**BRCK-5066**
	F250; U/8500 GVW	**BRCK-5066**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-1177A**
	F-150	**BRSK-7298A**
	F-150	**BRVP-1456**
	F-150; Parking Brake Kit	**BRSK-7303A**
	F250	**BRVP-1456**
	F250; O/8500 GVW Parking Brake Kit	**BRSK-7303A**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12.125 x 3.5" Brake	**BRSK-7209**
	F350; w/12 x 3" Brake	**BRSK-7181**
	F350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	Front Drum F-150; Rear	**BRAK-2666A**
	F250	**BRAK-2598**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1997 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Self Adjuster Kit — Left — Cont'd	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	Front Drum F-150; Rear	**BRAK-2667A**
	F250	**BRAK-2599**
	F350	**BRAK-2599**
Loaded Caliper — Left	F-150	**BRCL-60RM**
	F250; U/8500 GVW	**BRCL-60RM**
	F53 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F-150	**BRCL-61RM**
	F250; U/8500 GVW	**BRCL-61RM**
	F53 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	4.6L F-250; U/8500 GVW	**BRC-60RM**
	F-150	**BRC-60RM**
	F Super Duty, F53	**BRC-9RM**
Un-Loaded Caliper — Right	F-150	**BRC-61RM**
	F-250; U/8500 GVW	**BRC-61RM**
	F Super Duty, F53	**BRC-8RM**
Wheel Cylinder — Left	F-150; Rear	**BRWC-10A**
	F250; w/12 x 2.5" Brake	**BRWC-10A**
	F250; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	F350; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	F350; w/Dual Wheels; Rear	**BRWC-24A**
Wheel Cylinder — Right	F-150; Rear	**BRWC-11A**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	F350; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	F350; w/Dual Wheels; Rear	**BRWC-25A**
Rotor	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
	F250; U/8500 GVW	**BRR-67**
Drum	Sterling Axle, 8.8 & 9.75 Ratio Gear, 3800 LBS. Rear Axle Capacity - Disc w/5-M12 Mounting Bolts; Exc. Super Crew	**BRD-22**
	F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ratio	**BRD-13**
	F250; w/Dual Wheel - Sterling Axle 10.25 R/G w/12 1/8 x 3 1/2" Brakes; Rear	**BRD-15**
	F-250; U/8500 GVW	**BRD-8**
	F350; w/12 1/8 x 3 1/2" Brakes	**BRD-15**
	Gear F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ring	**BRD-13**
Wheel Seal	7.3L F-250, F-350; Rear Wheel Bearing Seal 3.424 ID x 4.768 OD x 0.842 Thick; Inner	**BRS-83**
	F-150, F-250 Pickup, F-350 Pickup; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	4WD F250/350; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton - & Wheel Grease Retainer 3.248 ID x 4.506 OD x 0.610 Thick; Inner	**BRS-25**
	F350; 2.75 ID x 3.881 OD x 0.438 Thick	**BRS-16**
ABS Wheel Speed Sensor — Left	F-150, F-250 Pickup, F-350 Pickup, F-450 Super Duty, F53, F53 Stripped Chassis, F59 Stripped Chassis; F53/59	**BRAB-130**
ABS Wheel Speed Sensor — Right	F-150, F-250 Pickup, F-350 Pickup, F-450 Super Duty, F53, F53 Stripped Chassis, F59 Stripped Chassis; F53/59	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

1997 — L-LN Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Front Disc L-LN Series 15000 lb. Axle w/Dayton Wheels w/8 Mounting Holes	
	Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**

1997 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	**BR-47B**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left	4WD	**BRCL-23RM**
Loaded Caliper — Right	4WD	**BRCL-24RM**
Un-Loaded Caliper — Left	4WD	**BRC-23RM**
Un-Loaded Caliper — Right	4WD	**BRC-24RM**
Rotor	RWD 4-Wheel ABS	**BRR-22**
	RWD 2-Wheel ABS	**BRR-21**
	4WD 2-Wheel ABS	**BRR-27**
	4WD 2-Wheel ABS All Ratio Gears	**BRR-34**
	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD 2-Wheel ABS 2.5 ID x 3.305 OD x 0.276 Thick	**BRS-28**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-38**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-38**
Rear:		
Shoes	w/10" Brake,S705,R,ORG	**BR-104B**
	Rear Drum w/9" Brake,S704,R,ORG	**BR-103B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/1.75" Shoe	**BRSK-7294A**
	w/2 1/2" Shoe	**BRSK-7295A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2662A**
	w/9" Brake	**BRAK-2660A**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2663A**
	w/9" Brake	**BRAK-2661A**
Wheel Cylinder — Left	w/10" Brake	**BRWC-35**
	w/9" Brake	**BRWC-17**
Wheel Cylinder — Right	w/10" Brake	**BRWC-35**
	w/9" Brake	**BRWC-17**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**
	w/Heavy Duty Suspension & 10" Brakes	**BRD-24**
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes	
	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1997 — Windstar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,SM	BR-31
Pads - SuperDuty	D601,I,SM	BRSD-601
Hardware Pad Attachment Kit		BRPK-5619
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left		BRCL-20RM
Loaded Caliper — Right		BRCL-19RM
Un-Loaded Caliper — Left	3.0L	BRC-20RM
	3.8L	BRC-20RM
Un-Loaded Caliper — Right	3.0L	BRC-19RM
	3.8L	BRC-19RM
Rotor		BRR-46
Wheel Seal		BRS-50
ABS Wheel Speed Sensor — Left		BRAB-42
ABS Wheel Speed Sensor — Right		BRAB-41
Rear:		
Pads	Front Disc,GYG-1329,I,SM	BR-1
Shoes	S665,R,ORG	BR-102B
Hardware Pad Attachment Kit		BRPK-5627
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)		BRSK-7285A
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Un-Loaded Caliper — Left		BRC-106RM
Un-Loaded Caliper — Right		BRC-105RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor	Front Disc	BRR-3
Drum	w/5 Mounting Holes & 10 x 2 Brakes	BRD-4
ABS Wheel Speed Sensor — Left	Rear Drum	BRAB-54
	Front Disc Power	BRAB-40
ABS Wheel Speed Sensor — Right	Rear Drum	BRAB-53
	Front Disc Power	BRAB-39
	Front Drum	BRAB-39

1996 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	BR-39B
Hardware Pad Attachment Kit		BRPK-5554
Hardware Caliper Attaching Kit		BRCK-5030
Loaded Caliper — Left		BRCL-5RM
Loaded Caliper — Right		BRCL-4RM
Un-Loaded Caliper — Left	3.0L	BRC-5RM
	4.0L	BRC-5RM
Un-Loaded Caliper — Right	3.0L	BRC-4RM
	4.0L	BRC-4RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1996 — Aerostar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor	RWD	**BRR-39**
	4WD	**BRR-1**
Wheel Seal	RWD Front Disc w/5 Mounting Holes Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
Rear:		
Shoes	S169,R,ORG	**BR-95B**
Hardware Combi Kit (Spring Kit)		**BRSK-7279A**
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		**BRAK-2514**
Hardware Self Adjuster Kit — Right		**BRAK-2515**
Wheel Cylinder — Left		**BRWC-34**
Wheel Cylinder — Right		**BRWC-34**
Drum		**BRD-21**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1996 — Bronco

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D632,I,SM	**BR-46**
Pads - SuperDuty	D632,I,SM	**BRSD-632**
Hardware Pad Attachment Kit		**BRPK-5620**
Hardware Caliper Attaching Kit		**BRCK-5066**
Loaded Caliper — Left		**BRCL-11RM**
Loaded Caliper — Right		**BRCL-10RM**
Un-Loaded Caliper — Left	5.0L	**BRC-11RM**
	5.8L	**BRC-11RM**
Un-Loaded Caliper — Right	5.0L	**BRC-10ARM**
	5.8L	**BRC-10ARM**
Rotor		**BRR-56**
Wheel Seal	SOHC 4WD Spindle Seal 1.313 ID x 1.625 OD x 0.156 Thick - Block Vee Design; Outer	**BRS-85**
	4WD w/3.55 Final Drive Ratio Seal Kit 2.327 ID x 3.134 OD x 0.315 Thick	**BRS-23**
	Hub Seal 2.5 ID x 3.306 OD x 0.453 Thick; Front	**BRS-18**
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**
ABS Wheel Speed Sensor — Left		**BRAB-30**
ABS Wheel Speed Sensor — Right		**BRAB-30**
Rear:		
Shoes	S263,R,ORG	**BR-96B**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)		**BRSK-7225A**
		BRVP-3310
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		**BRAK-2544A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1996 — Bronco — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Self Adjuster Kit — Right		**BRAK-2545A**
Wheel Cylinder — Left		**BRWC-6**
Wheel Cylinder — Right		**BRWC-7**
Drum	w/11 x 2 1/4" Brakes & 5 Mounting Holes	**BRD-34**
Wheel Seal	Front Disc 11 x 2 1/2 Brakes - w/5 Mounting Holes Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	Oil Seal Kit 2.25 ID x 3.11 OD x 0.469 Thick; Rear	**BRS-79**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1996 — B-F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Medium Truck B-F Series w/Stemco, 15000 lb. Axle w/Dayton Wheels 2.878 ID x 4.18 OD x 0.78 Thick; Rear	**BRS-62A**
	Medium Truck B-F Series w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels 3.5 ID x 4.845 OD x 0.875 Thick; Rear	**BRS-66A**
	Front Disc Medium Truck B-F Series w/Stemco, Brakes, 21000/23000 lb. Axle 3.5 ID x 4.552 OD x 0.818 Thick; Rear	**BRS-60A**
	Front Disc Medium Truck B-F Series 15000 lb. Axle w/Dayton Wheels w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**
	Medium Truck B-F Series Grease Retainer 3.5 ID x 4.456 OD x 0.525 Thick	**BRS-55**
Rear:		
Wheel Seal	Medium Truck B-F Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**
	Medium Truck B-F Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**
	Medium Truck B-F Series Seal 4.767 ID x 6.315 OD x 1.141 Thick w/Stemco, 16.5" x 7", 21000/23000 lb. Rear Axle, Gunite Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series Seal 4.723 ID x 6.316 OD x 1.187 Thick w/o Stemco, 16.5" x 7", 21000/23000/38000 lb. Rear Axle w/Budd Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series 16.5" x 7", 34000 Axle w/Budd Wheels 3.875 ID x 5.704 OD x 0.892 Thick; Rear	**BRS-5**
	Medium Truck B-F Series Grease Retainer 3.262 ID x 4.631 OD x 0.5 Thick	**BRS-38**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.437 ID x 4.630 OD x 0.934 Thick; Rear	**BRS-67A**
	Medium Truck; Medium Truck Stemco, 16.5" x 7", 34000 lb. Axle, Budd or Dayton Wheels Grease Retainer 3.875 ID x 5.255 OD x 1.043 Thick; Rear	**BRS-64A**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.125 ID x 4.441 OD x 0.812 Thick; Rear	**BRS-68A**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

1996 — CF Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	Medium Truck CF Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**

1996 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	**BR-47B**
Pads - SuperDuty	D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	4WD	**BRR-5**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-47**
	4WD	**BRAB-115**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-153**
	4WD	**BRAB-115**
Rear:		
Pads	D667,I,SM	**BR-2**
Pads - SuperDuty	D667,I,SM	**BRSD-667**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Loaded Caliper — Left		**BRCL-45RM**
Loaded Caliper — Right		**BRCL-46RM**
Un-Loaded Caliper — Left		**BRC-45RM**
Un-Loaded Caliper — Right		**BRC-46RM**
Rotor	All	**BRR-59**
Wheel Seal	Rear Axle Bearing Oil Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1996 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D632,I,SM	**BR-46**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1996 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Pads — Cont'd	E250/350,D655,I,SM	**BR-48B**
	E Super Duty,D655,I,SM	**BR-48B**
Pads - SuperDuty	E150,D632,I,SM	**BRSD-632**
	E250/350,D655,I,SM	**BRSD-655**
	E Super Duty,D655,I,SM	**BRSD-655**
Hardware Pad Attachment Kit	E150	**BRPK-5620**
	E250/350	**BRPK-5621A**
	E250/350, E Super Duty; 1 Ton - & Commercial Chassis	**BRPK-5635A**
Hardware Caliper Attaching Kit	E150	**BRCK-5066**
	E250/350, E Super Duty	**BRCK-5063**
	Bi-Fuel, Gas E-250 Econoline	**BRCK-5067A**
	Bi-Fuel, Diesel, Gas E350	**BRCK-5067A**
Loaded Caliper — Left	E150	**BRCL-11RM**
	E250/350	**BRCL-7RM**
	E Super Duty	**BRCL-7RM**
Loaded Caliper — Right	E150	**BRCL-10RM**
	E250/350	**BRCL-6RM**
	E Super Duty	**BRCL-6RM**
Un-Loaded Caliper — Left	E Super Duty	**BRC-7RM**
	E250/350	**BRC-7RM**
	E150	**BRC-11RM**
Un-Loaded Caliper — Right	5.8L	**BRC-6RM**
	E150	**BRC-10ARM**
	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-6RM**
Rotor	2-Wheel ABS E150; 5 Mounting Holes	**BRR-26**
	4-Wheel ABS E150; w/5 Mounting Holes	**BRR-16**
	4-Wheel ABS E250/350; Single Rear Wheel; w/8 Mounting Holes	**BRR-23**
	2-Wheel ABS E250/350; Single Wheel w/8 Mounting Holes	**BRR-20**
	2-Wheel ABS E350; Dual Wheel, 8 Mounting Holes	**BRR-29**
	4-Wheel ABS E-350 Econoline, Econoline Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-30**
	4-Wheel ABS E Super Duty; w/Dual Wheel - 8 Mounting Holes; Rear	**BRR-30**
	2-Wheel ABS E Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-29**
Wheel Seal	4.9L, 5.0L, 5.8L Front Disc E150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4-Wheel ABS E250/350, E Super Duty; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	E150	**BRAB-63**
	E250/350; w/90' Bend Sensor	**BRAB-52**
ABS Wheel Speed Sensor — Right	E150	**BRAB-62**
	E250/350; w/90' Bend Sensor	**BRAB-51**
Rear:		
Pads	E Super Duty; Commercial Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	E Super Duty,D411,I,SM	**BRSD-411**
Shoes	E150,S263,R,ORG	**BR-96B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	E250/350, E Super Duty; 1 Ton - & Commercial Chassis	**BRPK-5635A**
Hardware Caliper Attaching Kit	E150	**BRCK-5066**
Hardware Combi Kit (Spring Kit)	E150	**BRVP-3310**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1996 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	E150	**BRSK-7225A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; Axle w/Tags - Parking Brake	**BRSK-7311A**
	E350; Axle w/o Tags - Parking Brake	**BRSK-7312A**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2544A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2545A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Loaded Caliper — Left	E Super Duty	**BRCL-9RM**
Loaded Caliper — Right	Econoline Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	Econoline Super Duty	**BRC-9RM**
Un-Loaded Caliper — Right	Econoline Super Duty	**BRC-8RM**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	E350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-24A**
	E350; w/Single Wheel	**BRWC-37A**
Wheel Cylinder — Right	E150	**BRWC-7**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-36A**
	E350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-25A**
	E350; w/Single Wheel	**BRWC-36A**
Rotor	Front Disc E Super Duty; 11.25 Ratio Gear, 8 Mounting Holes, Dana 80 Axle	**BRR-6**
Drum	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
	E350; Single Wheel, 9.75 Ratio, 12 1/8 x 3 1/2 Brake	**BRD-3**
	Gear E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E250/350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, 9.75 Ratio Gear	**BRD-36**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
	Front Disc E Super Duty; Dana 80 Axle w/11.25" Ring - 11000 lb. Rear Axle Capacity - w/8 Mounting Holes Grease Retainer Seal 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1996 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D632,I,SM	**BR-46**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F250,D655,I,SM	**BR-48B**
	Stripped Chassis F350; 1 Ton,D655,I,SM	**BR-48B**
	F53 Stripped Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	F-150,D632,I,SM	**BRSD-632**
	F250,D655,I,SM	**BRSD-655**
	Stripped Chassis F350; 1 Ton,D655,I,SM	**BRSD-655**
	F53 Stripped Chassis,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Hardware Pad Attachment Kit	F-150	**BRPK-5620**
	F250	**BRPK-5621A**
	F350	**BRPK-5621A**
	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5066**
	F250	**BRCK-5063**
	F350	**BRCK-5063**
Loaded Caliper — Left	F-150	**BRCL-11RM**
	F250/350; O/8500 GVW	**BRCL-7RM**
	F53 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F-150	**BRCL-10RM**
	F250/350; O/8500 GVW	**BRCL-6RM**
	F53 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F-150	**BRC-11RM**
	F Super Duty	**BRC-9RM**
	Stripped Chassis F53	**BRC-9RM**
	F250/350; O/8500 GVW	**BRC-7RM**
Un-Loaded Caliper — Right	F-150	**BRC-10ARM**
	F-250, F-350; O/8500 GVW	**BRC-6RM**
	F Super Duty	**BRC-8RM**
	F53	**BRC-8RM**
Rotor	4WD F-150	**BRR-56**
	4WD F250; U/8500 GVW	**BRR-7**
	RWD F350; w/Dual Wheels; Rear	**BRR-28**
	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
	4WD F-250, F-350; w/Manual or Auto. Locking Hubs	**BRR-4**
	RWD F-250; Single Wheel and 8 Mounting Holes	**BRR-20**
	RWD F Super Duty; w/Single Wheel and 8 Mounting Holes	**BRR-20**
	RWD 2-Wheel ABS F-150	**BRR-26**
	RWD F-350; Single Wheel and 8 Mounting Holes	**BRR-20**
Wheel Seal	F-150; w/5 Mounting Holes Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD F-150; w/3.55 Final Drive Ratio Seal Kit 2.327 ID x 3.134 OD x 0.315 Thick	**BRS-23**
	SOHC 4WD F-150; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	SOHC 4WD F-350 Pickup, F-450 Super Duty; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	F-450 Super Duty	**BRS-1**
	Front Disc Medium Truck B-C-F Series w/21000/23000/40000 lb. Axle, Dayton Wheels 3.5 ID x 4.552 OD x 0.740 Thick; Rear	**BRS-2**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

1996 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Pads	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F53 Stripped Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	F53 Stripped Chassis,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Shoes	F-150,S263,R,ORG	**BR-96B**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-3310**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150	**BRSK-7225A**
	F250	**BRVP-1456**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12.125 x 3.5" Brake	**BRSK-7209**
	F350; w/12 x 3" Brake	**BRSK-7181**
	F350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	F-150	**BRAK-2544A**
	F250	**BRAK-2598**
	F250	**BRAK-2598**
	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	F-150	**BRAK-2545A**
	F250	**BRAK-2599**
	F350	**BRAK-2599**
Loaded Caliper — Left	F53 Stripped Chassis	**BRCL-9RM**
	F-450 Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F53 Stripped Chassis	**BRCL-8RM**
	F-450 Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F Super Duty, F53	**BRC-9RM**
Un-Loaded Caliper — Right	F Super Duty, F53 Stripped Chassis	**BRC-8RM**
Wheel Cylinder — Left	F-150	**BRWC-6**
	F250; w/12 x 2.5" Brake	**BRWC-10A**
	F250; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	F350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-24A**
	F350; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
Wheel Cylinder — Right	F-150	**BRWC-7**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	F350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-25A**
	F350; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
Rotor	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
Drum	F-150; Sterling Axle, 8.8 Ratio Gear, 11 1/32 x 2 1/4" Brake & 5 Mounting Holes	**BRD-34**
	F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring	**BRD-13**
	F250; O/8500 GVW, 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	F250; w/Dual Wheel - Sterling Axle 10.25 R/G w/12 1/8 x 3 1/2" Brakes; Rear	**BRD-15**
	F350; w/12 1/8 x 3 1/2" Brakes	**BRD-15**
	Gear F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ring	**BRD-13**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1996 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Seal	7.3L F-250, F-350; Sterling Full Float Axle w/10.25 Ring Bearing Seal 3.424 ID x 4.768 OD x 0.842 Thick; Inner	**BRS-83**
	F-150, F-250 Pickup, F-350 Pickup; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Bearing Seal 1.875 ID x 3.146 OD x 0.930 Thick; Inner	**BRS-81**
	4WD F250/350; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton - & Wheel Grease Retainer 3.248 ID x 4.506 OD x 0.610 Thick; Inner	**BRS-25**
	F350; 2.75 ID x 3.881 OD x 0.438 Thick	**BRS-16**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1996 — L-LN Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Front Disc L-LN Series 15000 lb. Axle w/Dayton Wheels w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**

1996 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	**BR-47B**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left	4WD	**BRCL-23RM**
Loaded Caliper — Right	4WD	**BRCL-24RM**
Un-Loaded Caliper — Left	4WD	**BRC-23RM**
Un-Loaded Caliper — Right	4WD	**BRC-24RM**
Rotor	RWD 4-Wheel ABS	**BRR-22**
	RWD 2-Wheel ABS	**BRR-21**
	4WD 4-Wheel ABS	**BRR-27**
	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD 2-Wheel ABS 2.5 ID x 3.305 OD x 0.276 Thick	**BRS-28**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-38**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-38**
Rear:		
Shoes	w/10" Brake,S705,R,ORG	**BR-104B**
	Rear Drum w/9" Brake,S704,R,ORG	**BR-103B**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1996 — Ranger — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit)		BRVP-1177A
		BRVP-1456
	w/1.75" Shoe	BRSK-7294A
	w/2 1/2" Shoe	BRSK-7295A
Hardware Self Adjuster Kit — Left	w/10" Brake	BRAK-2662A
	w/9" Brake	BRAK-2660A
Hardware Self Adjuster Kit — Right	w/10" Brake	BRAK-2663A
	w/9" Brake	BRAK-2661A
Wheel Cylinder — Left	w/10" Brake	BRWC-35
	w/9" Brake	BRWC-17
Wheel Cylinder — Right	w/10" Brake	BRWC-35
	w/9" Brake	BRWC-17
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	BRD-20
	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	BRD-29
	w/9 x 1 3/4" Brakes	BRD-30
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes	
	Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	BRS-90
ABS Wheel Speed Sensor — Left	Speed Sensor	BRAB-130
ABS Wheel Speed Sensor — Right	Speed Sensor	BRAB-130

1996 — Windstar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,SM	BR-31
Pads - SuperDuty	D601,I,SM	BRSD-601
Hardware Pad Attachment Kit		BRPK-5619
Hardware Caliper Attaching Kit		BRCK-5060A
Loaded Caliper — Left		BRCL-20RM
Loaded Caliper — Right		BRCL-19RM
Un-Loaded Caliper — Left	3.0L	BRC-20RM
	3.8L	BRC-20RM
Un-Loaded Caliper — Right	3.0L	BRC-19RM
	3.8L	BRC-19RM
Rotor		BRR-46
Wheel Seal		BRS-50
ABS Wheel Speed Sensor — Left		BRAB-42
ABS Wheel Speed Sensor — Right		BRAB-41
Rear:		
Pads	Front Disc,GYG-1329,I,SM	BR-1
Shoes	S665,R,ORG	BR-102B
Hardware Pad Attachment Kit		BRPK-5627
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)		BRSK-7285A
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Un-Loaded Caliper — Left		BRC-106RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1996 — Windstar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Un-Loaded Caliper — Right		**BRC-105RM**
Wheel Cylinder — Left		**BRWC-31**
Wheel Cylinder — Right		**BRWC-31**
Rotor	Front Disc	**BRR-3**
Drum	w/5 Mounting Holes & 10 x 2 Brakes	**BRD-4**
ABS Wheel Speed Sensor — Left	Rear Drum	**BRAB-54**
	Front Disc Power	**BRAB-40**
ABS Wheel Speed Sensor — Right	Rear Drum	**BRAB-53**
	Front Disc Power	**BRAB-39**
	Front Drum	**BRAB-39**

1995 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	3.0L	**BRC-5RM**
	4.0L	**BRC-5RM**
Un-Loaded Caliper — Right	3.0L	**BRC-4RM**
	4.0L	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD	**BRR-1**
Wheel Seal	RWD Front Disc w/5 Mounting Holes - Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
Rear:		
Shoes	S169,R,ORG	**BR-95B**
Hardware Combi Kit (Spring Kit)		**BRSK-7279A**
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		**BRAK-2514**
Hardware Self Adjuster Kit — Right		**BRAK-2515**
Wheel Cylinder — Left		**BRWC-34**
Wheel Cylinder — Right		**BRWC-34**
Drum		**BRD-21**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

1995 — Bronco

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D632,I,SM	**BR-46**
Pads - SuperDuty	D632,I,SM	**BRSD-632**
Hardware Pad Attachment Kit		**BRPK-5620**
Hardware Caliper Attaching Kit		**BRCK-5066**
Loaded Caliper — Left		**BRCL-11RM**
Loaded Caliper — Right		**BRCL-10RM**
Un-Loaded Caliper — Left	5.0L	**BRC-11RM**
	5.8L	**BRC-11RM**
Un-Loaded Caliper — Right	5.0L	**BRC-10ARM**
	5.8L	**BRC-10ARM**
Rotor		**BRR-56**
Wheel Seal	SOHC 4WD Spindle Seal 1.313 ID x 1.625 OD x 0.156 Thick - Block Vee Design; Outer	**BRS-85**
	4WD w/3.55 Final Drive Ratio Seal Kit 2.327 ID x 3.134 OD x 0.315 Thick	**BRS-23**
	Hub Seal 2.5 ID x 3.306 OD x 0.453 Thick; Front	**BRS-18**
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**
ABS Wheel Speed Sensor — Left		**BRAB-30**
ABS Wheel Speed Sensor — Right		**BRAB-30**
Rear:		
Shoes	S263,R,ORG	**BR-96B**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)		**BRSK-7225A**
		BRVP-3310
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		**BRAK-2544A**
Hardware Self Adjuster Kit — Right		**BRAK-2545A**
Wheel Cylinder — Left		**BRWC-6**
Wheel Cylinder — Right		**BRWC-7**
Drum	w/11 x 2 1/4" Brakes & 5 Mounting Holes	**BRD-34**
Wheel Seal	Front Disc 11 x 2 1/2 Brakes - w/5 Mounting Holes Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	Oil Seal Kit 2.25 ID x 3.11 OD x 0.469 Thick; Rear	**BRS-79**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1995 — B-F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Medium Truck B-F Series w/Stemco, 15000 lb. Axle w/Dayton Wheels 2.878 ID x 4.18 OD x 0.78 Thick; Rear	**BRS-62A**
	Medium Truck B-F Series w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels 3.5 ID x 4.845 OD x 0.875 Thick; Rear	**BRS-66A**
	Front Disc Medium Truck B-F Series w/Stemco, Brakes, 21000/23000 lb. Axle 3.5 ID x 4.552 OD x 0.818 Thick; Rear	**BRS-60A**
	Medium Truck B-F Series, 15" x 6" & 15" x 7", 21000 lb. Axle w/Budd Wheels 4.375 ID x 5.908 OD x 0.955 Thick; Rear	**BRS-63A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1995 — B-F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	Front Disc Medium Truck B-F Series 15000 lb. Axle w/Dayton Wheels w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**
	Medium Truck B-F Series Grease Retainer 3.5 ID x 4.456 OD x 0.525 Thick	**BRS-55**
Rear:		
Wheel Seal	Medium Truck B-F Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**
	Medium Truck B-F Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**
	Medium Truck B-F Series Seal 4.767 ID x 6.315 OD x 1.141 Thick w/Stemco, 16.5" x 7", 21000/23000 lb. Rear Axle, Gunite Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series Seal 4.723 ID x 6.316 OD x 1.187 Thick w/o Stemco, 16.5" x 7", 21000/23000/38000 lb. Rear Axle w/Budd Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series 16.5" x 7", 34000 Axle w/Budd Wheels 3.875 ID x 5.704 OD x 0.892 Thick; Rear	**BRS-5**
	Medium Truck B-F Series Grease Retainer 3.262 ID x 4.631 OD x 0.5 Thick	**BRS-38**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.437 ID x 4.630 OD x 0.934 Thick; Rear	**BRS-67A**
	Medium Truck; Medium Truck Stemco, 16.5" x 7", 34000 lb. Axle, Budd or Dayton Wheels Grease Retainer 3.875 ID x 5.255 OD x 1.043 Thick; Rear	**BRS-64A**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.125 ID x 4.441 OD x 0.812 Thick; Rear	**BRS-68A**

1995 — CF Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	Medium Truck CF Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**

1995 — CL Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	Medium Truck CL Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	**BR-47B**
Pads - SuperDuty	D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	4WD	**BRR-5**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD Front Disc w/5 Mounting Holes - Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-47**
	4WD	**BRAB-115**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-153**
	4WD	**BRAB-115**
Rear:		
Pads	D667,I,SM	**BR-2**
Pads - SuperDuty	D667,I,SM	**BRSD-667**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Loaded Caliper — Left		**BRCL-45RM**
Loaded Caliper — Right		**BRCL-46RM**
Un-Loaded Caliper — Left		**BRC-45RM**
Un-Loaded Caliper — Right		**BRC-46RM**
Rotor	All	**BRR-59**
Wheel Seal	Rear Axle Bearing Oil Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1995 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D632,I,SM	**BR-46**
	E250/350,D655,I,SM	**BR-48B**
Pads - SuperDuty	E150,D632,I,SM	**BRSD-632**
	E250/350,D655,I,SM	**BRSD-655**
Hardware Pad Attachment Kit	E150	**BRPK-5620**
	E250/350	**BRPK-5621A**
Hardware Caliper Attaching Kit	E150	**BRCK-5066**
	E250/350	**BRCK-5063**
	Bi-Fuel, Gas E-250 Econoline	**BRCK-5067A**
	Bi-Fuel, Diesel, Gas E350	**BRCK-5067A**
Loaded Caliper — Left	E150	**BRCL-11RM**
	E250/350	**BRCL-7RM**
Loaded Caliper — Right	E150	**BRCL-10RM**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1995 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Right — Cont'd	E250/350	**BRCL-6RM**
Un-Loaded Caliper — Left	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-7RM**
	E150	**BRC-11RM**
Un-Loaded Caliper — Right	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-6RM**
	E150	**BRC-10ARM**
Rotor	2-Wheel ABS E150; 5 Mounting Holes	**BRR-26**
	4-Wheel ABS E150; w/5 Mounting Holes	**BRR-16**
	4-Wheel ABS E250/350; Single Rear Wheel; w/8 Mounting Holes	**BRR-23**
	2-Wheel ABS E250/350; Single Wheel w/8 Mounting Holes	**BRR-20**
	2-Wheel ABS E350; Dual Wheel, 8 Mounting Holes	**BRR-29**
	4-Wheel ABS E-350 Econoline, Econoline Super Duty; Dual Wheel, 8 Mounting Holes	**BRR-30**
	4-Wheel ABS E Super Duty; w/Dual Wheel - 8 Mounting Holes; Rear	**BRR-30**
Wheel Seal	4.9L, 5.0L, 5.8L Front Disc E150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4-Wheel ABS E250/350, E Super Duty; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	E150	**BRAB-63**
	E250/350; w/90' Bend Sensor	**BRAB-52**
ABS Wheel Speed Sensor — Right	E150	**BRAB-62**
	E250/350; w/90' Bend Sensor	**BRAB-51**
Rear:		
Shoes	E150,S263,R,ORG	**BR-96B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	E150	**BRVP-3310**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**
	E150	**BRSK-7225A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; Axle w/Tags - Parking Brake	**BRSK-7311A**
	E350; Axle w/o Tags - Parking Brake	**BRSK-7312A**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2544A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2545A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	E350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-24A**
	E350; w/Single Wheel	**BRWC-37A**
Wheel Cylinder — Right	E150	**BRWC-7**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-36A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Right — Cont'd	E350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-25A**
	E350; w/Single Wheel	**BRWC-36A**
Drum	E350; Single Wheel, 9.75 Ratio, 12 1/8 x 3 1/2 Brake	**BRD-3**
	Gear E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
	E250/350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, 9.75 Ratio Gear	**BRD-36**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1995 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D632,I,SM	**BR-46**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F250,D655,I,SM	**BR-48B**
	Stripped Chassis F350; 1 Ton,D655,I,SM	**BR-48B**
	F53 Stripped Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	F-150,D632,I,SM	**BRSD-632**
	F250,D655,I,SM	**BRSD-655**
	Stripped Chassis F350; 1 Ton,D655,I,SM	**BRSD-655**
	F53 Stripped Chassis,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Hardware Pad Attachment Kit	F-150	**BRPK-5620**
	F250	**BRPK-5621A**
	F350	**BRPK-5621A**
	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5066**
	F250	**BRCK-5063**
	F350	**BRCK-5063**
Loaded Caliper — Left	F-150	**BRCL-11RM**
	F250/350; O/8500 GVW	**BRCL-7RM**
	F53 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F-150	**BRCL-10RM**
	F250/350; O/8500 GVW	**BRCL-6RM**
	F53 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F-150	**BRC-11RM**
	F Super Duty	**BRC-9RM**
	Stripped Chassis F53	**BRC-9RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Left — Cont'd	F250/350; O/8500 GVW	**BRC-7RM**
Un-Loaded Caliper — Right	F-150	**BRC-10ARM**
	F-250, F-350; O/8500 GVW	**BRC-6RM**
	F Super Duty	**BRC-8RM**
	F53	**BRC-8RM**
Rotor	4WD F-150	**BRR-56**
	4WD F250; U/8500 GVW	**BRR-7**
	4WD F-250, F-350; w/Manual or Auto. Locking Hubs	**BRR-4**
	RWD F350; w/Dual Wheels; Rear	**BRR-28**
	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	RWD F Super Duty; w/Single Wheel and 8 Mounting Holes	**BRR-20**
	F250; w/10 Mounting Holes	**BRR-13**
	RWD F-250; Single Wheel and 8 Mounting Holes	**BRR-20**
	RWD 2-Wheel ABS F-150	**BRR-26**
	RWD F-350; Single Wheel and 8 Mounting Holes	**BRR-20**
Wheel Seal	F-150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4WD F-150; w/3.55 Final Drive Ratio Seal Kit 2.327 ID x 3.134 OD x 0.315 Thick	**BRS-23**
	SOHC 4WD F-150; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	SOHC 4WD F-350 Pickup, F-450 Super Duty; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	F-450 Super Duty	**BRS-1**
	Front Disc Medium Truck B-C-F Series w/21000/23000/40000 lb. Axle, Dayton Wheels 3.5 ID x 4.552 OD x 0.740 Thick; Rear	**BRS-2**
Rear:		
Pads	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F53 Stripped Chassis,D411,I,SM	**BR-51**
Pads - SuperDuty	F53 Stripped Chassis,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Shoes	F-150,S263,R,ORG	**BR-96B**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-3310**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150	**BRSK-7225A**
	F250	**BRVP-1456**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12.125 x 3.5" Brake	**BRSK-7209**
	F350; w/12 x 3" Brake	**BRSK-7181**
	F350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	F-150	**BRAK-2544A**
	F250	**BRAK-2598**
	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	F-150	**BRAK-2545A**
	F250	**BRAK-2599**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Self Adjuster Kit — Right — Cont'd	F350	**BRAK-2599**
Loaded Caliper — Left	F53 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F53 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F-450 Super Duty, F53 Stripped Chassis	**BRC-9RM**
Wheel Cylinder — Left	F-150	**BRWC-6**
	F250; w/12 x 2.5" Brake	**BRWC-10A**
	F250; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
	F350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-24A**
	F350; w/12 x 3" Brake w/Single Wheel	**BRWC-37A**
Wheel Cylinder — Right	F-150	**BRWC-7**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake w/Single Wheel	**BRWC-36A**
	F350; w/12.125 x 3.5" Brake w/Dual Wheels; Rear	**BRWC-25A**
	F350; w/12 x 3" Brake w/Single Wheel	**BRWC-36A**
Rotor	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
Drum	F-150; Sterling Axle, 8.8 Ratio Gear, 11 1/32 x 2 1/4" Brake & 5 Mounting Holes	**BRD-34**
	F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ratio	**BRD-13**
	F250; O/8500 GVW, 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	F250; w/Dual Wheel - Sterling Axle 10.25 R/G w/12 1/8 x 3 1/2" Brakes; Rear	**BRD-15**
	F350; w/12 1/8 x 3 1/2" Brakes	**BRD-15**
	Gear F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ratio	**BRD-13**
Wheel Seal	F-250, F-350; Sterling Full Float Axle w/10.25 Ring Bearing Seal 3.424 ID x 4.768 OD x 0.842 Thick; Inner	**BRS-83**
	F-150, F-250 Pickup, F-350 Pickup; 2.5 ID x 3.306 OD x 0.453 Thick	**BRS-14**
	F-150, F-250 Pickup, F-350 Pickup; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Bearing Seal 1.875 ID x 3.146 OD x 0.930 Thick; Inner	**BRS-81**
	4WD F250/350; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton - & Wheel Grease Retainer 3.248 ID x 4.506 OD x 0.610 Thick; Inner	**BRS-25**
	F350; 2.75 ID x 3.881 OD x 0.438 Thick	**BRS-16**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1995 — L-LN Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Front Disc L-LN Series 15000 lb. Axle w/Dayton Wheels - w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	**BR-47B**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left	4WD	**BRCL-23RM**
Loaded Caliper — Right	4WD	**BRCL-24RM**
Un-Loaded Caliper — Left	4WD	**BRC-23RM**
Un-Loaded Caliper — Right	4WD	**BRC-24RM**
Rotor	RWD 4-Wheel ABS	**BRR-22**
	RWD 2-Wheel ABS	**BRR-21**
	4WD 4-Wheel ABS	**BRR-27**
	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD 2-Wheel ABS 2.5 ID x 3.305 OD x 0.276 Thick	**BRS-28**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-38**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-38**
Rear:		
Shoes	w/10" Brake,S705,R,ORG	**BR-104B**
	Rear Drum w/9" Brake,S704,R,ORG	**BR-103B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/1.75" Shoe	**BRSK-7294A**
	w/2 1/2" Shoe	**BRSK-7295A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2662A**
	w/9" Brake	**BRAK-2660A**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2663A**
	w/9" Brake	**BRAK-2661A**
Wheel Cylinder — Left	w/10" Brake	**BRWC-35**
	w/9" Brake	**BRWC-17**
Wheel Cylinder — Right	w/10" Brake	**BRWC-35**
	w/9" Brake	**BRWC-17**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1995 — Windstar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D601,I,SM	**BR-31**
Pads - SuperDuty	D601,I,SM	**BRSD-601**
Hardware Pad Attachment Kit		**BRPK-5619**
Hardware Caliper Attaching Kit		**BRCK-5060A**
Loaded Caliper — Left		**BRCL-20RM**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1995 — Windstar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Right		BRCL-19RM
Un-Loaded Caliper — Left	3.0L	BRC-20RM
	3.8L	BRC-20RM
Un-Loaded Caliper — Right	3.0L	BRC-19RM
	3.8L	BRC-19RM
Rotor	From 8/03/95	BRR-46
Wheel Seal		BRS-50
ABS Wheel Speed Sensor — Left		BRAB-42
ABS Wheel Speed Sensor — Right		BRAB-41
Rear:		
Pads	Front Disc,GYG-1329,I,SM	BR-1
Shoes	S665,R,ORG	BR-102B
Hardware Pad Attachment Kit		BRPK-5627
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)		BRSK-7285A
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Un-Loaded Caliper — Left		BRC-106RM
Un-Loaded Caliper — Right		BRC-105RM
Wheel Cylinder — Left		BRWC-31
Wheel Cylinder — Right		BRWC-31
Rotor	Front Disc	BRR-3
Drum	w/5 Mounting Holes & 10 x 2 Brakes	BRD-4
ABS Wheel Speed Sensor — Left	Rear Drum	BRAB-54
	Front Disc Power	BRAB-40
ABS Wheel Speed Sensor — Right	Rear Drum	BRAB-53
	Front Disc Power	BRAB-39
	Front Drum	BRAB-39

1994 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	BR-39B
Hardware Pad Attachment Kit		BRPK-5554
Hardware Caliper Attaching Kit		BRCK-5030
Loaded Caliper — Left		BRCL-5RM
Loaded Caliper — Right		BRCL-4RM
Un-Loaded Caliper — Left	3.0L	BRC-5RM
	4.0L	BRC-5RM
Un-Loaded Caliper — Right	3.0L	BRC-4RM
	4.0L	BRC-4RM
Rotor	RWD	BRR-39
	4WD	BRR-1
Wheel Seal	RWD Front Disc w/5 Mounting Holes - Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	BRS-11

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1994 — Aerostar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Shoes	S169,R,ORG	**BR-95B**
Hardware Combi Kit (Spring Kit)		**BRSK-7279A**
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		**BRAK-2514**
Hardware Self Adjuster Kit — Right		**BRAK-2515**
Wheel Cylinder — Left		**BRWC-34**
Wheel Cylinder — Right		**BRWC-34**
Drum		**BRD-21**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1994 — Bronco

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D632,I,SM	**BR-46**
Pads - SuperDuty	D632,I,SM	**BRSD-632**
Hardware Pad Attachment Kit		**BRPK-5620**
Hardware Caliper Attaching Kit		**BRCK-5066**
Loaded Caliper — Left		**BRCL-11RM**
Loaded Caliper — Right		**BRCL-10RM**
Un-Loaded Caliper — Left	5.0L	**BRC-11RM**
	5.8L	**BRC-11RM**
Un-Loaded Caliper — Right	5.0L	**BRC-10ARM**
	5.8L	**BRC-10ARM**
Rotor		**BRR-56**
Wheel Seal	SOHC 4WD Spindle Seal 1.313 ID x 1.625 OD x 0.156 Thick - Block Vee Design; Outer	**BRS-85**
	Hub Seal 2.5 ID x 3.306 OD x 0.453 Thick; Front	**BRS-18**
	SOHC Wheel Spindle Inner Oil Seal 1.89 ID x 2.813 OD x 0.7 Thick; Front	**BRS-86**
	SOHC Wheel Spindle Outer Oil Seal 1.312 ID x 1.632 OD x 0.331 Thick; Front	**BRS-88**
ABS Wheel Speed Sensor — Left		**BRAB-30**
ABS Wheel Speed Sensor — Right		**BRAB-30**
Rear:		
Shoes	S263,R,ORG	**BR-96B**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)		**BRVP-3310**
		BRVP-1177A
		BRVP-1456
		BRSK-7225A
Hardware Self Adjuster Kit — Left		**BRAK-2544A**
Hardware Self Adjuster Kit — Right		**BRAK-2545A**
Wheel Cylinder — Left		**BRWC-6**
Wheel Cylinder — Right		**BRWC-7**
Drum	w/11 x 2 1/4" Brakes & 5 Mounting Holes	**BRD-34**
Wheel Seal	Front Disc 11 x 2 1/2 Brakes - w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1994 — Bronco — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Seal — Cont'd	Oil Seal Kit 2.25 ID x 3.11 OD x 0.469 Thick; Rear	**BRS-79**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1994 — B-F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Medium Truck B-F Series w/Stemco, 15000 lb. Axle w/Dayton Wheels 2.878 ID x 4.18 OD x 0.78 Thick; Rear	**BRS-62A**
	Medium Truck B-F Series w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels 3.5 ID x 4.845 OD x 0.875 Thick; Rear	**BRS-66A**
	Front Disc Medium Truck B-F Series w/Stemco, Brakes, 21000/23000 lb. Axle 3.5 ID x 4.552 OD x 0.818 Thick; Rear	**BRS-60A**
	Medium Truck B-F Series, 15" x 6" & 15" x 7", 21000 lb. Axle w/Budd Wheels 4.375 ID x 5.908 OD x 0.955 Thick; Rear	**BRS-63A**
	Front Disc Medium Truck B-F Series 15000 lb. Axle w/Dayton Wheels - w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**
	Medium Truck B-F Series Grease Retainer 3.5 ID x 4.456 OD x 0.525 Thick	**BRS-55**
Rear:		
Wheel Seal	Medium Truck B-F Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**
	Medium Truck B-F Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**
	Medium Truck B-F Series Seal 4.767 ID x 6.315 OD x 1.141 Thick w/Stemco, 16.5" x 7", 21000/23000 lb. Rear Axle, Gunite Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series Seal 4.723 ID x 6.316 OD x 1.187 Thick w/o Stemco, 16.5" x 7", 21000/23000/38000 lb. Rear Axle w/Budd Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series 16.5" x 7", 34000 Axle w/Budd Wheels 3.875 ID x 5.704 OD x 0.892 Thick; Rear	**BRS-5**
	Medium Truck B-F Series Grease Retainer 3.262 ID x 4.631 OD x 0.5 Thick	**BRS-38**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.437 ID x 4.630 OD x 0.934 Thick; Rear	**BRS-67A**
	Medium Truck; Medium Truck Stemco, 16.5" x 7", 34000 lb. Axle, Budd or Dayton Wheels Grease Retainer 3.875 ID x 5.255 OD x 1.043 Thick; Rear	**BRS-64A**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.125 ID x 4.441 OD x 0.812 Thick; Rear	**BRS-68A**

1994 — CF Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Medium Truck C-F Series Grease Retainer 3.5 ID x 4.456 OD x 0.525 Thick	**BRS-55**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1994 — CF Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	Medium Truck CF Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**

1994 — CL Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	Medium Truck CL Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**

1994 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left		**BRC-5RM**
Un-Loaded Caliper — Right	4.0L OHV	**BRC-4RM**
Rotor	RWD 2-Wheel ABS 5 Mounting Holes	**BRR-43**
	4WD w/3.45 & 4.10 Ratio Gears	**BRR-40**
	RWD 4-Wheel ABS	**BRR-19**
	4WD w/3.55 Ratio	**BRR-15**
	4WD w/3.73 & 3.27 Ratio	**BRR-36**
Wheel Seal	RWD Front Disc w/5 Mounting Holes - Wheel Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle Inner Oil Seal 1.89 ID x 2.813 OD x 0.7 Thick; Front	**BRS-86**
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-25**
	4WD	**BRAB-26**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-25**
	4WD	**BRAB-26**
Rear:		
Shoes	S169,R,ORG	**BR-95B**
Hardware Combi Kit (Spring Kit)		**BRSK-7279A**
	Volume Pack "C" Clips	**BRVP-1177A**
	Volume Pack Dust Hole Covers	**BRVP-1456**
Hardware Self Adjuster Kit — Left		**BRAK-2514**
Hardware Self Adjuster Kit — Right		**BRAK-2515**
Loaded Caliper — Left		**BRCL-45RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1994 — Explorer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Loaded Caliper — Right		**BRCL-46RM**
Un-Loaded Caliper — Left		**BRC-45RM**
Un-Loaded Caliper — Right		**BRC-46RM**
Wheel Cylinder — Left		**BRWC-29**
Wheel Cylinder — Right		**BRWC-29**
Drum	10 x 2 1/2" Brakes; w/71mm Diameter Center Hole	**BRD-20**
Wheel Seal	Rear Axle Bearing Oil Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1994 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D632,I,SM	**BR-46**
	E-250 Econoline,D557,I,SM	**BR-44**
	E350,D557,I,SM	**BR-44**
Pads - SuperDuty	E150,D632,I,SM	**BRSD-632**
Hardware Pad Attachment Kit	E150	**BRPK-5620**
	E-250 Econoline	**BRPK-5647**
	E350	**BRPK-5647**
Hardware Caliper Attaching Kit	E150	**BRCK-5066**
	E-250 Econoline	**BRCK-5055**
	E350	**BRCK-5055**
Loaded Caliper — Left	E150	**BRCL-11RM**
	E250/350	**BRCL-16RM**
Loaded Caliper — Right	E150	**BRCL-10RM**
	E250/350	**BRCL-17RM**
Un-Loaded Caliper — Left	E150	**BRC-11RM**
	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-16RM**
Un-Loaded Caliper — Right	E150	**BRC-10ARM**
	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-17RM**
Rotor	2-Wheel ABS E150; 5 Mounting Holes	**BRR-26**
	4-Wheel ABS E150; w/5 Mounting Holes	**BRR-16**
	2-Wheel ABS E-250 Econoline; Single Wheels	**BRR-17**
	4-Wheel ABS E250/350; Single Wheel; w/8 Mounting Holes	**BRR-18**
	E350; w/Dual Rear Wheels	**BRR-9**
	2-Wheel ABS E350; Single Wheels	**BRR-17**
Wheel Seal	4.9L, 5.0L, 5.8L Front Disc E150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4-Wheel ABS E250/350; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
ABS Wheel Speed Sensor — Left	E150	**BRAB-63**
	E250/350	**BRAB-32**
ABS Wheel Speed Sensor — Right	E150	**BRAB-62**
	E250/350	**BRAB-31**
Rear:		
Shoes	E150,S263,R,ORG	**BR-96B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1994 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Shoes — Cont'd	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	E150	**BRVP-3310**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**
	E150	**BRSK-7225A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2544A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2545A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-9**
	E350	**BRWC-9**
	E350; w/12.125 x 3.5" Brake w/Dual Wheel; Rear	**BRWC-24A**
	E350; w/12 x 3" Brake w/Dual Wheels; Rear	**BRWC-9**
Wheel Cylinder — Right	E150	**BRWC-7**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel	**BRWC-8**
	E350	**BRWC-8**
	E350; w/12.125 x 3.5" Brake w/Dual Wheel; Rear	**BRWC-25A**
	E350; w/12 x 3" Brake w/Dual Wheels; Rear	**BRWC-8**
Drum	E250/350; Single Wheel, 12 x 3 Brake, 9.75 Ratio, 8 Mounting Holes	**BRD-12**
	E350; Single Wheel, 9.75 Ratio, 12 1/8 x 3 1/2 Brake	**BRD-3**
	Gear E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

1994 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D632,I,SM	**BR-46**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F250,D120,I,SM	**BR-52**
	F350,D120,I,SM	**BR-52**
	F53/59,D411,I,SM	**BR-51**
Pads - SuperDuty	F-150,D632,I,SM	**BRSD-632**
	F250/350,D450,I,SM	**BRSD-450**
	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Hardware Pad Attachment Kit	F-150	**BRPK-5620**
	F250	**BRPK-5584**
	F350	**BRPK-5584**
	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150, F-250 Pickup, F-350 Pickup	**BRCK-5030**
Loaded Caliper — Left	F-150	**BRCL-11RM**
	F250; O/8500 GVW	**BRCL-1RM**
	F350; O/8500 GVW	**BRCL-1RM**
	F53 Stripped Chassis	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F-150	**BRCL-10RM**
	F250; O/8500 GVW	**BRCL-2RM**
	F350; O/8500 GVW	**BRCL-2RM**
	F53 Stripped Chassis	**BRCL-8RM**
	F59 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	7.3L F59	**BRC-9RM**
	7.3L F-250, F-350	**BRC-9RM**
	7.5L Stripped Chassis F53	**BRC-9RM**
	7.5L F Super Duty, F-250, F-350	**BRC-9RM**
	F-150	**BRC-11RM**
	F-250, F-350; O/8500 GVW	**BRC-1RM**
Un-Loaded Caliper — Right	F250/350; O/8500 GVW	**BRC-2RM**
	F-150	**BRC-10ARM**
	F59	**BRC-8RM**
	F53	**BRC-8RM**
	F Super Duty	**BRC-8RM**
Rotor	4WD F-150	**BRR-56**
	4WD F250	**BRR-7**
	F-250; Heavy Duty	**BRR-42**
	RWD F-350; w/Single Wheels	**BRR-42**
	4WD F350	**BRR-7**
	4WD F350; Dual Wheels w/Auto. or Manual Locking Hubs; Rear	**BRR-10**
	RWD 2-Wheel ABS F350; w/Dual Rear Wheels	**BRR-9**
	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
	RWD 2-Wheel ABS F-150	**BRR-26**
Wheel Seal	F-150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	RWD Front Disc F-150, F-250 Pickup, F-350 Pickup; w/Single Wheel w/8 Mounting Holes 2.43 ID x 3 OD x 0.78 Thick	**BRS-3**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1994 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	SOHC F-150, F-250 Pickup, F-350 Pickup; Wheel Spindle Inner Oil Seal 1.89 ID x 2.813 OD x 0.7 Thick; Front	**BRS-86**
	SOHC 4WD F-150; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	SOHC 4WD F-350 Pickup, F-450 Super Duty; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	SOHC 4WD F-350 Pickup, F-450 Super Duty; w/Spicer Axle Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	F-450 Super Duty	**BRS-1**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle Outer Oil Seal 1.312 ID x 1.632 OD x 0.331 Thick; Front	**BRS-88**
	Front Disc Medium Truck B-C-F Series w/21000/23000/40000 lb. Axle, Dayton Wheels 3.5 ID x 4.552 OD x 0.740 Thick; Rear	**BRS-2**
Rear:		
Pads	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F53/59,D411,I,SM	**BR-51**
Pads - SuperDuty	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Shoes	F-150,S263,R,ORG	**BR-96B**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-3310**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150	**BRSK-7225A**
	F250	**BRVP-1456**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12.125 x 3.5" Brake	**BRSK-7209**
	F350; w/12 x 3" Brake	**BRSK-7181**
	F350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	F-150	**BRAK-2544A**
	F250	**BRAK-2598**
	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	F-150	**BRAK-2545A**
	F250	**BRAK-2599**
	F350	**BRAK-2599**
Loaded Caliper — Left	F53 Stripped Chassis	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F53 Stripped Chassis	**BRCL-8RM**
	F59 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F-450 Super Duty, F53 Stripped Chassis	**BRC-9RM**
	F59	**BRC-9RM**
Un-Loaded Caliper — Right	F Super Duty, F53 Stripped Chassis	**BRC-8RM**
	F59	**BRC-8RM**
Wheel Cylinder — Left	F-150	**BRWC-6**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1994 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Left — Cont'd	F250; w/12 x 2.5" Brake	**BRWC-10A**
	F250; w/12 x 3" Brake w/Single Wheel	**BRWC-9**
	F350; w/12 x 3" Brake w/Single Wheel	**BRWC-9**
	F350; w/Dual Wheels; Rear	**BRWC-24A**
Wheel Cylinder — Right	F-150	**BRWC-7**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake w/Single Wheel	**BRWC-8**
	F350; w/12 x 3" Brake w/Single Wheel	**BRWC-8**
	F350; w/Dual Wheels; Rear	**BRWC-25A**
Rotor	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
Drum	F-150; Sterling Axle, 8.8 Ratio Gear, 11 1/32 x 2 1/4" Brake & 5 Mounting Holes	**BRD-34**
	F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ratio	**BRD-13**
	F250; O/8500 GVW, 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	F250; w/Dual Wheel - Sterling Axle 10.25 R/G w/12 1/8 x 3 1/2" Brakes; Rear	**BRD-15**
	F350; w/12 1/8 x 3 1/2" Brakes	**BRD-15**
	Gear F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ratio	**BRD-13**
	F-250, F-350; Single Wheel, 12 x 3 Brake, 8 Mounting Holes; From 2/83	**BRD-12**
Wheel Seal	F-250, F-350; From 4/94 Sterling Full Float Axle w/10.25 Ring Bearing Seal 3.424 ID x 4.768 OD x 0.842 Thick; Inner	**BRS-83**
	F-150, F-250 Pickup, F-350 Pickup; 2.5 ID x 3.306 OD x 0.453 Thick	**BRS-14**
	F-150, F-250 Pickup, F-350 Pickup; Grease Retainer 3.938 ID x 5.509 OD x 0.875 Thick	**BRS-37**
	F-150, F-250 Pickup, F-350 Pickup; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Bearing Seal 1.875 ID x 3.146 OD x 0.930 Thick; Inner	**BRS-81**
	4WD F250/350; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton - & Wheel Grease Retainer 3.248 ID x 4.506 OD x 0.610 Thick; Inner	**BRS-25**
	F350; 2.75 ID x 3.881 OD x 0.438 Thick	**BRS-16**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1994 — L-LN Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Front Disc L-LN Series 15000 lb. Axle w/Dayton Wheels w/8 Mounting Holes - Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1994 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	2.3L	**BRC-5RM**
	3.0L	**BRC-5RM**
	4.0L OHV	**BRC-5RM**
Un-Loaded Caliper — Right	2.3L	**BRC-4RM**
	3.0L	**BRC-4RM**
	4.0L OHV	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD w/3.45 Ratio Gear	**BRR-40**
	4WD All Ratios Exc. 3.45	**BRR-36**
Wheel Seal	RWD w/5 Mounting Holes Wheel Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle Inner Oil Seal 1.89 ID x 2.813 OD x 0.7 Thick; Front	**BRS-86**
	SOHC Wheel Spindle Outer Oil Seal 1.312 ID x 1.632 OD x 0.331 Thick; Front	**BRS-88**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7279A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-21**
Wheel Cylinder — Right	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-21**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1993 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1993 — Aerostar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Pad Attachment Kit		BRPK-5554
Hardware Caliper Attaching Kit		BRCK-5030
Loaded Caliper — Left		BRCL-5RM
Loaded Caliper — Right		BRCL-4RM
Un-Loaded Caliper — Left	3.0L	BRC-5RM
	4.0L	BRC-5RM
Un-Loaded Caliper — Right	3.0L	BRC-4RM
	4.0L	BRC-4RM
Rotor	RWD	BRR-39
	4WD	BRR-1
Wheel Seal	RWD Front Disc w/5 Mounting Holes - Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	BRS-11
Rear:		
Shoes	S169,R,ORG	BR-95B
Hardware Combi Kit (Spring Kit)		BRSK-7279A
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2514
Hardware Self Adjuster Kit — Right		BRAK-2515
Wheel Cylinder — Left		BRWC-34
Wheel Cylinder — Right		BRWC-34
Drum		BRD-21
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-130
ABS Wheel Speed Sensor — Right		BRAB-130

1993 — Bronco

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D360,R,SM	BR-41B
Hardware Pad Attachment Kit		BRPK-5554
Hardware Caliper Attaching Kit		BRCK-5030
Loaded Caliper — Left		BRCL-21RM
Loaded Caliper — Right		BRCL-22RM
Un-Loaded Caliper — Left	5.0L	BRC-21RM
	5.8L	BRC-21RM
Un-Loaded Caliper — Right	5.0L	BRC-22RM
	5.8L	BRC-22RM
Rotor	4WD w/Manual or Auto. Locking Hubs	BRR-8
Wheel Seal	SOHC 4WD Spindle Seal 1.313 ID x 1.625 OD x 0.156 Thick - Block Vee Design; Outer	BRS-85
	Hub Seal 2.5 ID x 3.306 OD x 0.453 Thick; Front	BRS-18
	SOHC Wheel Spindle Inner Oil Seal 1.89 ID x 2.813 OD x 0.7 Thick; Front	BRS-86
	SOHC Wheel Spindle Outer Oil Seal 1.312 ID x 1.632 OD x 0.331 Thick; Front	BRS-88
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	BRS-78
ABS Wheel Speed Sensor — Left		BRAB-30
ABS Wheel Speed Sensor — Right		BRAB-30

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1993 — Bronco — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Shoes	S263,R,ORG	**BR-96B**
Hardware Combi Kit (Spring Kit)		**BRVP-3310**
		BRVP-1177A
		BRVP-1456
		BRSK-7225A
Hardware Self Adjuster Kit — Left		**BRAK-2544A**
Hardware Self Adjuster Kit — Right		**BRAK-2545A**
Wheel Cylinder — Left		**BRWC-6**
Wheel Cylinder — Right		**BRWC-7**
Drum	w/11 x 2 1/4" Brakes & 5 Mounting Holes	**BRD-34**
Wheel Seal	Front Disc 11 x 2 1/2 Brakes - w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	Oil Seal Kit 2.25 ID x 3.11 OD x 0.469 Thick; Rear	**BRS-79**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1993 — B-F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Medium Truck B-F Series w/Stemco, 15000 lb. Axle w/Dayton Wheels 2.878 ID x 4.18 OD x 0.78 Thick; Rear	**BRS-62A**
	Medium Truck B-F Series w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels 3.5 ID x 4.845 OD x 0.875 Thick; Rear	**BRS-66A**
	Front Disc Medium Truck B-F Series w/Stemco, Brakes, 21000/23000 lb. Axle 3.5 ID x 4.552 OD x 0.818 Thick; Rear	**BRS-60A**
	Medium Truck B-F Series, 15" x 6" & 15" x 7", 21000 lb. Axle w/Budd Wheels 4.375 ID x 5.908 OD x 0.955 Thick; Rear	**BRS-63A**
	Front Disc Medium Truck B-F Series 15000 lb. Axle w/Dayton Wheels - w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**
	Medium Truck B-F Series Grease Retainer 3.5 ID x 4.456 OD x 0.525 Thick	**BRS-55**
Rear:		
Wheel Seal	Medium Truck B-F Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**
	Medium Truck B-F Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**
	Medium Truck B-F Series Seal 4.767 ID x 6.315 OD x 1.141 Thick w/Stemco, 16.5" x 7", 21000/23000 lb. Rear Axle, Gunite Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series Seal 4.723 ID x 6.316 OD x 1.187 Thick w/o Stemco, 16.5" x 7", 21000/23000/38000 lb. Rear Axle w/Budd Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series 16.5" x 7", 34000 Axle w/Budd Wheels 3.875 ID x 5.704 OD x 0.892 Thick; Rear	**BRS-5**
	Medium Truck B-F Series Grease Retainer 3.262 ID x 4.631 OD x 0.5 Thick	**BRS-38**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.437 ID x 4.630 OD x 0.934 Thick; Rear	**BRS-67A**
	Medium Truck; Medium Truck Stemco, 16.5" x 7", 34000 lb. Axle, Budd or Dayton Wheels Grease Retainer 3.875 ID x 5.255 OD x 1.043 Thick; Rear	**BRS-64A**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1993 — B-F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Seal — Cont'd	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.125 ID x 4.441 OD x 0.812 Thick; Rear	**BRS-68A**

1993 — CF Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Medium Truck C-F Series Grease Retainer 3.5 ID x 4.456 OD x 0.525 Thick	**BRS-55**
Rear:		
Wheel Seal	Medium Truck CF Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**

1993 — CL Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	Medium Truck CL Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**

1993 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left		**BRC-5RM**
Un-Loaded Caliper — Right	4.0L OHV	**BRC-4RM**
Rotor	RWD 2-Wheel ABS 5 Mounting Holes	**BRR-43**
	4WD w/3.45 & 4.10 Ratio Gears	**BRR-40**
	RWD 4-Wheel ABS	**BRR-19**
	4WD w/3.55 Ratio	**BRR-15**
	4WD w/3.73 & 3.27 Ratio	**BRR-36**
Wheel Seal	RWD Front Disc w/5 Mounting Holes - Wheel Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle Inner Oil Seal 1.89 ID x 2.813 OD x 0.7 Thick; Front	**BRS-86**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1993 — Explorer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-25**
	4WD	**BRAB-26**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-25**
	4WD	**BRAB-26**
Rear:		
Shoes	S169,R,ORG	**BR-95B**
Hardware Combi Kit (Spring Kit)		**BRSK-7279A**
	Volume Pack "C" Clips	**BRVP-1177A**
	Volume Pack Dust Hole Covers	**BRVP-1456**
Hardware Self Adjuster Kit — Left		**BRAK-2514**
Hardware Self Adjuster Kit — Right		**BRAK-2515**
Wheel Cylinder — Left		**BRWC-29**
Wheel Cylinder — Right		**BRWC-29**
Drum	10 x 2 1/2" Brakes; w/71mm Diameter Center Hole	**BRD-20**
Wheel Seal	Rear Axle Bearing Oil Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1993 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D360,R,SM	**BR-41B**
	E-250 Econoline,D557,I,SM	**BR-44**
	E350,D557,I,SM	**BR-44**
Hardware Pad Attachment Kit	E150	**BRPK-5554**
	E-250 Econoline	**BRPK-5647**
	E350	**BRPK-5647**
Hardware Caliper Attaching Kit	E150	**BRCK-5030**
	E-250 Econoline	**BRCK-5055**
	E350	**BRCK-5055**
Loaded Caliper — Left	E150	**BRCL-21RM**
	E250/350	**BRCL-16RM**
Loaded Caliper — Right	E150	**BRCL-22RM**
	E250/350	**BRCL-17RM**
Un-Loaded Caliper — Left	5.8L	**BRC-21RM**
	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-16RM**
	E150	**BRC-21RM**
Un-Loaded Caliper — Right	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-17RM**
	E150	**BRC-22RM**
Rotor	E150	**BRR-37**
	2-Wheel ABS E-250 Econoline; Single Wheels; Rear	**BRR-17**
	E350; w/Dual Rear Wheels	**BRR-9**
	2-Wheel ABS E350; Single Wheels; Rear	**BRR-17**
Wheel Seal	4.9L, 5.0L, 5.8L Front Disc E150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4-Wheel ABS E250/350; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1993 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Shoes	E150,S263,R,ORG	**BR-96B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	E150	**BRVP-3310**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**
	E150	**BRSK-7225A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2544A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2545A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel; Rear	**BRWC-9**
	E350	**BRWC-9**
	E350; w/12.125 x 3.5" Brake w/Dual Wheel; Rear	**BRWC-24A**
	E350; w/12 x 3" Brake w/Dual Wheels; Rear	**BRWC-9**
Wheel Cylinder — Right	E150	**BRWC-7**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake w/Single Wheel; Rear	**BRWC-8**
	E350	**BRWC-8**
	E350; w/12.125 x 3.5" Brake w/Dual Wheel; Rear	**BRWC-25A**
	E350; w/12 x 3" Brake w/Dual Wheels; Rear	**BRWC-8**
Drum	E-250 Econoline; Single Rear Wheel, 12 x 3 Brake, 9.75 Ratio Gear, 8 Mounting Holes; Rear	**BRD-12**
	Gear E350; Single Rear Wheel, 9.75 Ratio Gear, 12 1/8 x 3 1/2 Brake	**BRD-3**
	E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1993 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D360,R,SM	**BR-41B**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F250,D120,I,SM	**BR-52**
	F350,D120,I,SM	**BR-52**
	F53/59,D411,I,SM	**BR-51**
Pads - SuperDuty	F250/350,D450,I,SM	**BRSD-450**
	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Hardware Pad Attachment Kit	F-150	**BRPK-5554**
	F250	**BRPK-5584**
	F350	**BRPK-5584**
	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150, F-250 Pickup, F-350 Pickup	**BRCK-5030**
Loaded Caliper — Left	F-150	**BRCL-21RM**
	F250; O/8500 GVW	**BRCL-1RM**
	F350; O/8500 GVW	**BRCL-1RM**
	F53 Stripped Chassis	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F-150	**BRCL-22RM**
	F250; O/8500 GVW	**BRCL-2RM**
	F350; O/8500 GVW	**BRCL-2RM**
	F53 Stripped Chassis	**BRCL-8RM**
	F59 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	7.5L Stripped Chassis F53	**BRC-9RM**
	7.5L F-250, F-350	**BRC-9RM**
	F-150	**BRC-21RM**
	F-250, F-350; O/8500 GVW	**BRC-1RM**
	F59	**BRC-9RM**
	F Super Duty	**BRC-9RM**
Un-Loaded Caliper — Right	F250/350; O/8500 GVW	**BRC-2RM**
	F-150	**BRC-22RM**
	F59	**BRC-8RM**
	F Super Duty	**BRC-8RM**
	F53	**BRC-8RM**
Rotor	RWD F-150	**BRR-37**
	4WD F250	**BRR-7**
	F-250; Heavy Duty	**BRR-42**
	RWD F-350; w/Single Wheels	**BRR-42**
	4WD F350	**BRR-7**
	4WD F350; Dual Wheels w/Auto. or Manual Locking Hubs; Rear	**BRR-10**
	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
	RWD 2-Wheel ABS F350; w/Dual Rear Wheels	**BRR-9**
	4WD F-150; w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	F-150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	RWD Front Disc F-150, F-250 Pickup, F-350 Pickup; w/Single Wheel w/8 Mounting Holes 2.43 ID x 3 OD x 0.78 Thick; Rear	**BRS-3**
	F-150, F-250 Pickup, F-350 Pickup; Wheel Hub Grease Retainer 2.7 ID x 3.504 OD x 0.475 Thick w/DANA 44 Axle; Front	**BRS-33**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1993 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	SOHC F-150, F-250 Pickup, F-350 Pickup; Wheel Spindle Inner Oil Seal 1.89 ID x 2.813 OD x 0.7 Thick; Front	**BRS-86**
	SOHC 4WD F-150; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	SOHC 4WD F-350 Pickup, F-450 Super Duty; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	SOHC 4WD F-350 Pickup, F-450 Super Duty; w/Spicer Axle Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	F-450 Super Duty	**BRS-1**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle Outer Oil Seal 1.312 ID x 1.632 OD x 0.331 Thick; Front	**BRS-88**
	Front Disc Medium Truck B-C-F Series w/21000/23000/40000 lb. Axle, Dayton Wheels 3.5 ID x 4.552 OD x 0.740 Thick; Rear	**BRS-2**
Rear:		
Pads	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F53/59,D411,I,SM	**BR-51**
Pads - SuperDuty	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Shoes	F-150,S263,R,ORG	**BR-96B**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-3310**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150	**BRSK-7225A**
	F250	**BRVP-1456**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12.125 x 3.5" Brake	**BRSK-7209**
	F350; w/12 x 3" Brake	**BRSK-7181**
	F350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	F-150	**BRAK-2544A**
	F250	**BRAK-2598**
	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	F-150	**BRAK-2545A**
	F250	**BRAK-2599**
	F350	**BRAK-2599**
Loaded Caliper — Left	F53 Stripped Chassis	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F53 Stripped Chassis	**BRCL-8RM**
	F59 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F Super Duty, F53 Stripped Chassis	**BRC-9RM**
	F59	**BRC-9RM**
Un-Loaded Caliper — Right	F Super Duty, F53 Stripped Chassis	**BRC-8RM**
	F59	**BRC-8RM**
Wheel Cylinder — Left	F-150	**BRWC-6**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1993 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Left — Cont'd	F250; w/12 x 2.5" Brake	**BRWC-10A**
Wheel Cylinder — Right	F250; w/12 x 3" Brake w/Single Wheel; Rear	**BRWC-8**
Wheel Cylinder — Left	F250; w/12 x 3" Brake w/Single Wheel; Rear	**BRWC-9**
	F350; w/12 x 3" Brake w/Single Wheel; Rear	**BRWC-9**
	F350; w/Dual Wheels; Rear	**BRWC-24A**
Wheel Cylinder — Right	F-150	**BRWC-7**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F350; w/12 x 3" Brake w/Single Wheel; Rear	**BRWC-8**
	F350; w/Dual Wheels; Rear	**BRWC-25A**
Rotor	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
Drum	F-150; Sterling Axle, 8.8 Ratio Gear, 11 1/32 x 2 1/4" Brake & 5 Mounting Holes	**BRD-34**
	Gear F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
	F250; O/8500 GVW, 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	F250; w/Dual Wheel - Sterling Axle 10.25 R/G w/12 1/8 x 3 1/2" Brakes; Rear	**BRD-15**
	F350; w/12 1/8 x 3 1/2" Brakes	**BRD-15**
	F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
Wheel Seal	F-150, F-250 Pickup, F-350 Pickup; 2.5 ID x 3.306 OD x 0.453 Thick	**BRS-14**
	F-150, F-250 Pickup, F-350 Pickup; Grease Retainer 3.938 ID x 5.509 OD x 0.875 Thick	**BRS-37**
	F-150, F-250 Pickup, F-350 Pickup; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Bearing Seal 1.875 ID x 3.146 OD x 0.930 Thick; Inner	**BRS-81**
	4WD F250/350; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton - & Wheel Grease Retainer 3.248 ID x 4.506 OD x 0.610 Thick; Inner	**BRS-25**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1993 — L-LN Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Front Disc L-LN Series 15000 lb. Axle w/Dayton Wheels - w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**

1993 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1993 — Ranger — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	2.3L	**BRC-5RM**
	3.0L	**BRC-5RM**
	4.0L OHV	**BRC-5RM**
Un-Loaded Caliper — Right	2.3L	**BRC-4RM**
	3.0L	**BRC-4RM**
	4.0L OHV	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD w/3.45 Ratio Gear	**BRR-40**
	4WD All Ratios Exc. 3.45	**BRR-36**
Wheel Seal	RWD w/5 Mounting Holes Wheel Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle Inner Oil Seal 1.89 ID x 2.813 OD x 0.7 Thick; Front	**BRS-86**
	SOHC Wheel Spindle Outer Oil Seal 1.312 ID x 1.632 OD x 0.331 Thick; Front	**BRS-88**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A** **BRVP-1456**
	w/10" Brake	**BRSK-7279A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-21**
Wheel Cylinder — Right	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-21**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1992 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1992 — Aerostar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	3.0L	**BRC-5RM**
	4.0L	**BRC-5RM**
Un-Loaded Caliper — Right	3.0L	**BRC-4RM**
	4.0L	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD	**BRR-1**
Wheel Seal	SOHC RWD Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
	RWD Front Disc w/5 Mounting Holes - Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
Rear:		
Shoes	S169,R,ORG	**BR-95B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7279A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left		**BRWC-29**
Wheel Cylinder — Right		**BRWC-29**
Drum		**BRD-21**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1992 — Bronco

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D360,R,SM	**BR-41B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-21RM**
Loaded Caliper — Right		**BRCL-22RM**
Un-Loaded Caliper — Left	4.9L	**BRC-21RM**
	5.0L	**BRC-21RM**
	5.8L	**BRC-21RM**
Un-Loaded Caliper — Right	4.9L	**BRC-22RM**
	5.0L	**BRC-22RM**
	5.8L	**BRC-22RM**
Rotor	4WD w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	SOHC 4WD Spindle Seal 1.313 ID x 1.625 OD x 0.156 Thick - Block Vee Design; Outer	**BRS-85**
	Hub Seal 2.5 ID x 3.306 OD x 0.453 Thick; Front	**BRS-18**
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1992 — Bronco — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Shoes	S263,R,ORG	**BR-96B**
Hardware Combi Kit (Spring Kit)		**BRSK-7225A**
		BRVP-3310
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		**BRAK-2544A**
Hardware Self Adjuster Kit — Right		**BRAK-2545A**
Wheel Cylinder — Left		**BRWC-6**
Wheel Cylinder — Right		**BRWC-7**
Drum	w/11 x 2 1/4" Brakes & 5 Mounting Holes	**BRD-34**
Wheel Seal	Front Disc 11 x 2 1/2 Brakes - w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	Oil Seal Kit 2.25 ID x 3.11 OD x 0.469 Thick; Rear	**BRS-79**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1992 — B-F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Medium Truck B-F Series w/Stemco, 15000 lb. Axle w/Dayton Wheels 2.878 ID x 4.18 OD x 0.78 Thick; Rear	**BRS-62A**
	Medium Truck B-F Series w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels 3.5 ID x 4.845 OD x 0.875 Thick; Rear	**BRS-66A**
	Front Disc Medium Truck B-F Series w/Stemco, Brakes, 21000/23000 lb. Axle 3.5 ID x 4.552 OD x 0.818 Thick; Rear	**BRS-60A**
	Medium Truck B-F Series, 15" x 6" & 15" x 7", 21000 lb. Axle w/Budd Wheels 4.375 ID x 5.908 OD x 0.955 Thick; Rear	**BRS-63A**
	Front Disc Medium Truck B-F Series 15000 lb. Axle w/Dayton Wheels - w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**
	Medium Truck B-F Series Grease Retainer 3.5 ID x 4.456 OD x 0.525 Thick	**BRS-55**
Rear:		
Wheel Seal	Medium Truck B-F Series, CR Seals From 5/92 w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**
	Medium Truck B-F Series From 5/92 w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**
	Medium Truck B-F Series Grease Retainer & Gasket w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels Before 5/92 3.438 ID x 4.77 OD x 0.7 Thick; Inner	**BRS-4**
	Medium Truck B-F Series Seal 4.767 ID x 6.315 OD x 1.141 Thick w/Stemco, 16.5" x 7", 21000/23000 lb. Rear Axle, Gunite Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series Seal 4.723 ID x 6.316 OD x 1.187 Thick w/o Stemco, 16.5" x 7", 21000/23000/38000 lb. Rear Axle w/Budd Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series w/o Stemco Before 5/92 16.5" x 7", 34000 Axle w/Budd Wheels 3.875 ID x 5.704 OD x 0.892 Thick; Rear	**BRS-5**
	Medium Truck B-F Series Grease Retainer 3.262 ID x 4.631 OD x 0.5 Thick	**BRS-38**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.437 ID x 4.630 OD x 0.934 Thick; Rear	**BRS-67A**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1992 — B-F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Seal — Cont'd	Medium Truck; Medium Truck Stemco, 16.5" x 7", 34000 lb. Axle, Budd or Dayton Wheels Grease Retainer 3.875 ID x 5.255 OD x 1.043 Thick; Rear	**BRS-64A**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.125 ID x 4.441 OD x 0.812 Thick; Rear	**BRS-68A**

1992 — CF Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	Medium Truck CF Series, CR Seals From 5/92 w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**

1992 — CL Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	Medium Truck CL Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels From 5/92 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**

1992 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left		**BRC-5RM**
Un-Loaded Caliper — Right	4.0L OHV	**BRC-4RM**
Rotor	RWD 2-Wheel ABS 5 Mounting Holes	**BRR-43**
	4WD w/3.45 & 4.10 Ratio Gears	**BRR-40**
	4WD 3.27, 3.55, 3.73 Ratio	**BRR-15**
Wheel Seal	RWD Front Disc w/5 Mounting Holes - Wheel Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
	Wheel Hub Grease Retainer (2.5" ID x 3.5" OD) w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**
Rear:		
Shoes	S169,R,ORG	**BR-95B**
Hardware Combi Kit (Spring Kit)		**BRSK-7279A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1992 — Explorer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	Volume Pack "C" Clips	**BRVP-1177A**
	Volume Pack Dust Hole Covers	**BRVP-1456**
Hardware Self Adjuster Kit — Left		**BRAK-2514**
Hardware Self Adjuster Kit — Right		**BRAK-2515**
Wheel Cylinder — Left		**BRWC-29**
Wheel Cylinder — Right		**BRWC-29**
Drum	10 x 2 1/2" Brakes; w/71mm Diameter Center Hole	**BRD-20**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1992 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D360,R,SM	**BR-41B**
	E-250 Econoline,D557,I,SM	**BR-44**
	E350,D557,I,SM	**BR-44**
Hardware Pad Attachment Kit	E150	**BRPK-5554**
	E-250 Econoline	**BRPK-5647**
	E350	**BRPK-5647**
Hardware Caliper Attaching Kit	E150	**BRCK-5030**
	E-250 Econoline	**BRCK-5055**
	E350	**BRCK-5055**
Loaded Caliper — Left	E150	**BRCL-21RM**
	E250/350	**BRCL-16RM**
Loaded Caliper — Right	E150	**BRCL-22RM**
	E250/350	**BRCL-17RM**
Un-Loaded Caliper — Left	5.8L	**BRC-21RM**
	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-16RM**
	E150	**BRC-21RM**
Un-Loaded Caliper — Right	E-250 Econoline, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-17RM**
	E150	**BRC-22RM**
Rotor	E150	**BRR-37**
	2-Wheel ABS E-250 Econoline; Single Wheels; Rear	**BRR-17**
	E350; w/Dual Rear Wheels	**BRR-9**
	2-Wheel ABS E350; Single Wheels; Rear	**BRR-17**
Wheel Seal	4.9L, 5.0L, 5.8L Front Disc E150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4-Wheel ABS E250/350; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
Rear:		
Shoes	E150,S263,R,ORG	**BR-96B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	E150	**BRVP-3310**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1992 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	E150	**BRSK-7225A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2544A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2545A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-9**
	E350; w/12.125 x 3.5" Brake w/Dual Wheel; Rear	**BRWC-24A**
	E350; w/12.125 x 3.5" Brake w/Single Wheel; Rear	**BRWC-24A**
	E350; w/12 x 3" Brake w/Single Wheel; Rear	**BRWC-9**
	E350; w/12 x 3" Brake w/Dual Wheels; Rear	**BRWC-24A**
Wheel Cylinder — Right	E150	**BRWC-7**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-8**
	E350; w/12.125 x 3.5" Brake w/Dual Wheel; Rear	**BRWC-25A**
	E350; w/12.125 x 3.5" Brake w/Single Wheel; Rear	**BRWC-25A**
	E350; w/12 x 3" Brake w/Single Wheel; Rear	**BRWC-8**
	E350; w/12 x 3" Brake w/Dual Wheels; Rear	**BRWC-25A**
Drum	E-250 Econoline; Single Rear Wheel, 12 x 3 Brake, 9.75 Ratio Gear, 8 Mounting Holes; Rear	**BRD-12**
	Gear E350; Single Rear Wheel, 9.75 Ratio Gear, 12 1/8 x 3 1/2 Brake	**BRD-3**
	E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1992 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D360,R,SM	**BR-41B**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1992 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Pads — Cont'd	F250,D120,I,SM	**BR-52**
	F350,D120,I,SM	**BR-52**
	F53/59,D411,I,SM	**BR-51**
Pads - SuperDuty	F250/350,D450,I,SM	**BRSD-450**
	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Hardware Pad Attachment Kit	F-150	**BRPK-5554**
	F250	**BRPK-5584**
	F350	**BRPK-5584**
	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150, F-250 Pickup, F-350 Pickup	**BRCK-5030**
Loaded Caliper — Left	F-150	**BRCL-21RM**
	F250; O/8500 GVW	**BRCL-1RM**
	F350; O/8500 GVW	**BRCL-1RM**
	F53 Stripped Chassis	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F-150	**BRCL-22RM**
	F250; O/8500 GVW	**BRCL-2RM**
	F350; O/8500 GVW	**BRCL-2RM**
	F53 Stripped Chassis	**BRCL-8RM**
	F59 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	4.9L F-150	**BRC-21RM**
	F-250, F-350; O/8500 GVW	**BRC-1RM**
	F59	**BRC-9RM**
	F Super Duty	**BRC-9RM**
	Stripped Chassis F53	**BRC-9RM**
Un-Loaded Caliper — Right	F250/350; O/8500 GVW	**BRC-2RM**
	F-150	**BRC-22RM**
	F59	**BRC-8RM**
	F53	**BRC-8RM**
	F Super Duty	**BRC-8RM**
Rotor	RWD F-150	**BRR-37**
	4WD F250	**BRR-7**
	F-250; Heavy Duty	**BRR-42**
	RWD F-350; w/Single Wheels	**BRR-42**
	4WD F350; w/Dual Wheels From 4/14/92; Rear	**BRR-7**
	4WD F350; Dual Wheels w/Auto. or Manual Locking Hubs; Rear	**BRR-10**
	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
	RWD 2-Wheel ABS F350; w/Dual Rear Wheels	**BRR-9**
	4WD F-150; w/Manual or Auto. Locking Hubs	**BRR-8**
	4WD F350; w/Single Wheels; Rear	**BRR-7**
Wheel Seal	F-150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	RWD Front Disc F-150, F-250 Pickup, F-350 Pickup; w/Single Wheel w/8 Mounting Holes 2.43 ID x 3 OD x 0.78 Thick; Rear	**BRS-3**
	SOHC 4WD F-150; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	SOHC 4WD F-350 Pickup, F-450 Super Duty; Wheel Spindle 1.5 ID x 2.514 OD x 0.35 Thick; Front Inner	**BRS-87**
	SOHC 4WD F-350 Pickup, F-450 Super Duty; w/Spicer Axle Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1992 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	F-450 Super Duty	**BRS-1**
	Front Disc Medium Truck B-C-F Series w/21000/23000/40000 lb. Axle, Dayton Wheels 3.5 ID x 4.552 OD x 0.740 Thick; Rear	**BRS-2**
Rear:		
Pads	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411,I,SM	**BR-51**
	F53/59,D411,I,SM	**BR-51**
Pads - SuperDuty	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Shoes	F-150,S263,R,ORG	**BR-96B**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-3310**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150	**BRSK-7225A**
	F250	**BRVP-1456**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12.125 x 3.5" Brake	**BRSK-7209**
	F350; w/12 x 3" Brake	**BRSK-7181**
	F350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	F-150	**BRAK-2544A**
	F250	**BRAK-2598**
	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	F-150	**BRAK-2545A**
	F250	**BRAK-2599**
	F350	**BRAK-2599**
Loaded Caliper — Left	F53 Stripped Chassis	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F53 Stripped Chassis	**BRCL-8RM**
	F59 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F Super Duty, F53 Stripped Chassis	**BRC-9RM**
	F59	**BRC-9RM**
Un-Loaded Caliper — Right	F Super Duty, F53 Stripped Chassis	**BRC-8RM**
	F59	**BRC-8RM**
Wheel Cylinder — Left	F-150	**BRWC-6**
	F250; w/12 x 2.5" Brake	**BRWC-10A**
	F250; w/12 x 3" Brake	**BRWC-4**
	F350; w/Dual Wheels; Rear	**BRWC-24A**
	F350; w/Single Wheel; Rear	**BRWC-4**
Wheel Cylinder — Right	F-150	**BRWC-7**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake	**BRWC-5**
	F350; w/Dual Wheels; Rear	**BRWC-25A**
	F350; w/Single Wheel; Rear	**BRWC-5**
Rotor	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1992 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Rotor — Cont'd	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
Drum	F-150; Sterling Axle, 8.8 Ratio Gear, 11 1/32 x 2 1/4" Brake & 5 Mounting Holes	**BRD-34**
	Gear F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
	F250; O/8500 GVW, 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	F250; w/Dual Wheel - Sterling Axle 10.25 R/G w/12 1/8 x 3 1/2" Brakes; Rear	**BRD-15**
	F350; w/12 1/8 x 3 1/2" Brakes	**BRD-15**
	F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
Wheel Seal	F-150, F-250 Pickup, F-350 Pickup; 2.5 ID x 3.306 OD x 0.453 Thick	**BRS-14**
	F-150, F-250 Pickup, F-350 Pickup; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Bearing Seal 1.875 ID x 3.146 OD x 0.930 Thick; Inner	**BRS-81**
	4WD F250/350; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton - & Wheel Grease Retainer 3.248 ID x 4.506 OD x 0.610 Thick; Inner	**BRS-25**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1992 — L-LN Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Front Disc L-LN Series 15000 lb. Axle w/Dayton Wheels - w/8 Mounting Holes	
	Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**

1992 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	2.3L	**BRC-5RM**
	2.9L	**BRC-5RM**
	3.0L	**BRC-5RM**
	4.0L OHV	**BRC-5RM**
Un-Loaded Caliper — Right	2.3L	**BRC-4RM**
	2.9L	**BRC-4RM**
	3.0L	**BRC-4RM**
	4.0L OHV	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD w/3.45 Ratio Gear	**BRR-40**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1992 — Ranger — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor — Cont'd	4WD All Ratios Exc. 3.45	**BRR-15**
Wheel Seal	SOHC RWD Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
	RWD w/5 Mounting Holes Wheel Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7279A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-21**
Wheel Cylinder — Right	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-21**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1991 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	3.0L	**BRC-5RM**
	4.0L	**BRC-5RM**
Un-Loaded Caliper — Right	3.0L	**BRC-4RM**
	4.0L	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD	**BRR-1**
Wheel Seal	SOHC RWD Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
	RWD Front Disc w/5 Mounting Holes - Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
Rear:		
Shoes	S169,R,ORG	**BR-95B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1991 — Aerostar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd		BRVP-1456
	w/10" Brake	BRSK-7279A
	w/9" Brake	BRSK-7246A
Hardware Self Adjuster Kit — Left	w/10" Brake	BRAK-2514
	w/9" Brake	BRAK-2596
Hardware Self Adjuster Kit — Right	w/10" Brake	BRAK-2515
	w/9" Brake	BRAK-2597
Wheel Cylinder — Left		BRWC-29
Wheel Cylinder — Right		BRWC-29
Drum	w/10 x 2 1/2" Brakes	BRD-29
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	BRS-90
ABS Wheel Speed Sensor — Left		BRAB-130
ABS Wheel Speed Sensor — Right		BRAB-130

1991 — Bronco

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D360,R,SM	BR-41B
Hardware Pad Attachment Kit		BRPK-5554
Hardware Caliper Attaching Kit		BRCK-5030
Loaded Caliper — Left		BRCL-21RM
Loaded Caliper — Right		BRCL-22RM
Un-Loaded Caliper — Left	4.9L	BRC-21RM
	5.0L	BRC-21RM
	5.8L	BRC-21RM
Un-Loaded Caliper — Right	4.9L	BRC-22RM
	5.0L	BRC-22RM
	5.8L	BRC-22RM
Rotor	4WD w/Manual or Auto. Locking Hubs	BRR-8
Wheel Seal	SOHC 4WD Spindle Seal 1.313 ID x 1.625 OD x 0.156 Thick - Block Vee Design; Outer	BRS-85
	Hub Seal 2.5 ID x 3.306 OD x 0.453 Thick; Front	BRS-18
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	BRS-78
Rear:		
Shoes	S263,R,ORG	BR-96B
Hardware Combi Kit (Spring Kit)		BRVP-3310 BRVP-1177A BRVP-1456 BRSK-7225A
Hardware Self Adjuster Kit — Left		BRAK-2544A
Hardware Self Adjuster Kit — Right		BRAK-2545A
Wheel Cylinder — Left		BRWC-6
Wheel Cylinder — Right		BRWC-7
Drum	w/11 x 2 1/4" Brakes & 5 Mounting Holes	BRD-34
Wheel Seal	Front Disc 11 x 2 1/2 Brakes - w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	BRS-40
	Oil Seal Kit 2.25 ID x 3.11 OD x 0.469 Thick; Rear	BRS-79
ABS Wheel Speed Sensor — Left	Speed Sensor	BRAB-130

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1991 — Bronco — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1991 — B-F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Medium Truck B-F Series w/Stemco, 15000 lb. Axle w/Dayton Wheels 2.878 ID x 4.18 OD x 0.78 Thick; Rear	**BRS-62A**
	Medium Truck B-F Series w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels 3.5 ID x 4.845 OD x 0.875 Thick; Rear	**BRS-66A**
	Front Disc Medium Truck B-F Series w/Stemco, Brakes, 21000/23000 lb. Axle 3.5 ID x 4.552 OD x 0.818 Thick; Rear	**BRS-60A**
	Medium Truck B-F Series, 15" x 6" & 15" x 7", 21000 lb. Axle w/Budd Wheels 4.375 ID x 5.908 OD x 0.955 Thick; Rear	**BRS-63A**
	Front Disc Medium Truck B-F Series 15000 lb. Axle w/Dayton Wheels - w/8 Mounting Holes Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**
	Medium Truck B-F Series Grease Retainer 3.5 ID x 4.456 OD x 0.525 Thick	**BRS-55**
Rear:		
Wheel Seal	Medium Truck B-F Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**
	Medium Truck B-F Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	**BRS-7**
	Medium Truck B-F Series Grease Retainer & Gasket w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels Before 5/92 3.438 ID x 4.77 OD x 0.7 Thick; Inner	**BRS-4**
	Medium Truck B-F Series Seal 4.767 ID x 6.315 OD x 1.141 Thick w/Stemco, 16.5" x 7", 21000/23000 lb. Rear Axle, Gunite Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series Seal 4.723 ID x 6.316 OD x 1.187 Thick w/o Stemco, 16.5" x 7", 21000/23000/38000 lb. Rear Axle w/Budd Wheels; Inner	**BRS-65A**
	Medium Truck B-F Series 16.5" x 7", 34000 Axle w/Budd Wheels 3.875 ID x 5.704 OD x 0.892 Thick; Rear	**BRS-5**
	Medium Truck B-F Series Grease Retainer 3.262 ID x 4.631 OD x 0.5 Thick	**BRS-38**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.437 ID x 4.630 OD x 0.934 Thick; Rear	**BRS-67A**
	Medium Truck; Medium Truck Stemco, 16.5" x 7", 34000 lb. Axle, Budd or Dayton Wheels Grease Retainer 3.875 ID x 5.255 OD x 1.043 Thick; Rear	**BRS-64A**
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.125 ID x 4.441 OD x 0.812 Thick; Rear	**BRS-68A**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1991 — CF Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Wheel Seal	Medium Truck CF Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	**BRS-15**

1991 — Explorer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left		**BRC-5RM**
Un-Loaded Caliper — Right	4.0L OHV	**BRC-4RM**
Rotor	RWD 2-Wheel ABS 5 Mounting Holes	**BRR-43**
	4WD w/3.45 & 4.10 Ratio Gears	**BRR-40**
	4WD 3.55, 3.73 Ratio	**BRR-15**
Wheel Seal	RWD Front Disc w/5 Mounting Holes - Wheel Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**
Rear:		
Shoes	S169,R,ORG	**BR-95B**
Hardware Combi Kit (Spring Kit)		**BRSK-7279A**
	Volume Pack "C" Clips	**BRVP-1177A**
	Volume Pack Dust Hole Covers	**BRVP-1456**
Hardware Self Adjuster Kit — Left		**BRAK-2514**
Hardware Self Adjuster Kit — Right		**BRAK-2515**
Wheel Cylinder — Left		**BRWC-29**
Wheel Cylinder — Right		**BRWC-29**
Drum	10 x 2 1/2" Brakes; w/71mm Diameter Center Hole	**BRD-20**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1991 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D360,R,SM	**BR-41B**
	E250/350,D120,I,SM	**BR-52**
Pads - SuperDuty	E250/350,D450,I,SM	**BRSD-450**
Hardware Pad Attachment Kit	E150	**BRPK-5554**
	E250/350	**BRPK-5584**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1991 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Caliper Attaching Kit	E150	**BRCK-5030**
	E250/350	**BRCK-5030**
Loaded Caliper — Left	E150	**BRCL-21RM**
	E250/350	**BRCL-1RM**
Loaded Caliper — Right	E150	**BRCL-22RM**
	E250/350	**BRCL-2RM**
Un-Loaded Caliper — Left	E150	**BRC-21RM**
	E150	**BRC-1RM**
	E250/350	**BRC-1RM**
Un-Loaded Caliper — Right	E150	**BRC-22RM**
	E-250 Econoline Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-2RM**
Rotor	E150	**BRR-37**
	E-250 Econoline; Single Wheel, 8 Mounting Holes	**BRR-42**
	E350; w/Dual Rear Wheels	**BRR-9**
	E350; Single Wheel, 8 Mounting Holes	**BRR-42**
Wheel Seal	4.9L, 5.0L, 5.8L Front Disc E150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4-Wheel ABS E250/350; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
Rear:		
Shoes	E150,S263,R,ORG	**BR-96B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	E150	**BRVP-3310**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**
	E150	**BRSK-7225A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2544A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2545A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-2**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-8**
	E350; w/Dual Wheel; Rear	**BRWC-2**
	E350; w/Single Wheel; Rear	**BRWC-4**
Wheel Cylinder — Right	E150	**BRWC-7**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-3**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-9**
	E350; w/Dual Wheel; Rear	**BRWC-3**
	E350; w/Single Wheel; Rear	**BRWC-5**
Drum	E-250 Econoline; 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	E-250 Econoline; w/12 x 3" Brakes	**BRD-13**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1991 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Drum — Cont'd	Gear E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
	E350; w/12 x 3" Brakes	**BRD-13**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1991 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D360,R,SM	**BR-41B**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F250,D120,I,SM	**BR-52**
	F350,D120,I,SM	**BR-52**
	F53/59,D411,I,SM	**BR-51**
Pads - SuperDuty	F250/350,D450,I,SM	**BRSD-450**
	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Hardware Pad Attachment Kit	F-150	**BRPK-5554**
	F250	**BRPK-5584**
	F350	**BRPK-5584**
	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5030**
	F250	**BRCK-5030**
	F350	**BRCK-5030**
Loaded Caliper — Left	F-150	**BRCL-21RM**
	F250; O/8500 GVW	**BRCL-1RM**
	F350; O/8500 GVW	**BRCL-1RM**
	F53 Stripped Chassis	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F-150	**BRCL-22RM**
	F250; O/8500 GVW	**BRCL-2RM**
	F350; O/8500 GVW	**BRCL-2RM**
	F53 Stripped Chassis	**BRCL-8RM**
	F59 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	4.9L F-150	**BRC-21RM**
	F-250, F-350; O/8500 GVW	**BRC-1RM**
	F59	**BRC-9RM**
	F Super Duty	**BRC-9RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1991 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Left — Cont'd	Stripped Chassis F53	**BRC-9RM**
Un-Loaded Caliper — Right	F250/350; O/8500 GVW	**BRC-2RM**
	F-150	**BRC-22RM**
	F59	**BRC-8RM**
	F Super Duty	**BRC-8RM**
	F53	**BRC-8RM**
Rotor	RWD F-150	**BRR-37**
	4WD F250; w/Dual Piston Calipers	**BRR-7**
	F-250; Heavy Duty	**BRR-42**
	RWD F-350; w/Single Wheels	**BRR-42**
	4WD F350; w/Single Wheels; Rear	**BRR-7**
	4WD F350; Dual Wheels w/Auto. or Manual Locking Hubs; Rear	**BRR-10**
	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
	RWD 2-Wheel ABS F350; w/Dual Rear Wheels	**BRR-9**
	4WD F-150; w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	F-150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	RWD Front Disc F-150, F-250 Pickup, F-350 Pickup; w/Single Wheel w/8 Mounting Holes 2.43 ID x 3 OD x 0.78 Thick; Rear	**BRS-3**
	SOHC 4WD F-150; Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	SOHC 4WD F350; Spindle Seal 2.5 ID x 3.15 OD x 0.41 Thick - Face Lip V-Ring for 2.5" Diameter Shaft; Outer	**BRS-89**
Rear:		
Pads	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F53/59,D411,I,SM	**BR-51**
Pads - SuperDuty	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Shoes	F-150,S263,R,ORG	**BR-96B**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-3310**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150	**BRSK-7225A**
	F250	**BRVP-1456**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12.125 x 3.5" Brake	**BRSK-7209**
	F350; w/12 x 3" Brake	**BRSK-7181**
	F350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	F-150	**BRAK-2544A**
	F250	**BRAK-2598**
	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	F-150	**BRAK-2545A**
	F250	**BRAK-2599**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1991 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Self Adjuster Kit — Right — Cont'd	F350	**BRAK-2599**
Loaded Caliper — Left	F53 Stripped Chassis	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F53 Stripped Chassis	**BRCL-8RM**
	F59 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F Super Duty, F53 Stripped Chassis	**BRC-9RM**
	F59	**BRC-9RM**
Un-Loaded Caliper — Right	F Super Duty, F53 Stripped Chassis	**BRC-8RM**
	F59	**BRC-8RM**
Wheel Cylinder — Left	F-150	**BRWC-6**
	F250; w/12 x 2.5" Brake	**BRWC-10A**
	F250; w/12 x 3" Brake	**BRWC-4**
	F350; w/Dual Wheels; Rear	**BRWC-24A**
	F350; w/Single Wheel; Rear	**BRWC-4**
Wheel Cylinder — Right	F-150	**BRWC-7**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake	**BRWC-5**
	F350; w/Dual Wheels; Rear	**BRWC-25A**
	F350; w/Single Wheel; Rear	**BRWC-5**
Rotor	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
Drum	F-150; Sterling Axle, 8.8 Ratio Gear, 11 1/32 x 2 1/4" Brake & 5 Mounting Holes	**BRD-34**
	Gear F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
	F250; O/8500 GVW, 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	F250; w/Dual Wheel - Sterling Axle 10.25 R/G w/12 1/8 x 3 1/2" Brakes; Rear	**BRD-15**
	F350; w/12 1/8 x 3 1/2" Brakes	**BRD-15**
	F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
Wheel Seal	F-150, F-250 Pickup, F-350 Pickup; 2.5 ID x 3.306 OD x 0.453 Thick	**BRS-14**
	F-150, F-250 Pickup, F-350 Pickup; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Bearing Seal 1.875 ID x 3.146 OD x 0.930 Thick; Inner	**BRS-81**
	4WD F250/350; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton - & Wheel Grease Retainer 3.248 ID x 4.506 OD x 0.610 Thick; Inner	**BRS-25**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1991 — L-LN Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Front Disc L-LN Series 15000 lb. Axle w/Dayton Wheels w/8 Mounting Holes - Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1991 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	2.3L	**BRC-5RM**
	2.9L	**BRC-5RM**
	3.0L	**BRC-5RM**
	4.0L OHV	**BRC-5RM**
Un-Loaded Caliper — Right	2.3L	**BRC-4RM**
	2.9L	**BRC-4RM**
	3.0L	**BRC-4RM**
	4.0L OHV	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD w/3.45 Ratio Gear	**BRR-40**
	4WD All Ratios Exc. 3.45	**BRR-15**
Wheel Seal	SOHC RWD Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
	RWD w/5 Mounting Holes Wheel Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7279A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-21**
Wheel Cylinder — Right	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-21**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1990 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1990 — Aerostar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	3.0L	**BRC-5RM**
	4.0L	**BRC-5RM**
Un-Loaded Caliper — Right	3.0L	**BRC-4RM**
	4.0L	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD	**BRR-1**
Wheel Seal	SOHC RWD Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
	RWD Front Disc w/5 Mounting Holes - Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
Rear:		
Shoes	S169,R,ORG	**BR-95B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7279A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left		**BRWC-29**
Wheel Cylinder — Right		**BRWC-29**
Drum	w/10 x 2 1/2" Brakes	**BRD-29**
Wheel Seal	Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1990 — Bronco

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D360,R,SM	**BR-41B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-21RM**
Loaded Caliper — Right		**BRCL-22RM**
Un-Loaded Caliper — Left	4.9L	**BRC-21RM**
	5.0L	**BRC-21RM**
	5.8L	**BRC-21RM**
Un-Loaded Caliper — Right	4.9L	**BRC-22RM**
	5.0L	**BRC-22RM**
	5.8L	**BRC-22RM**
Rotor	4WD w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	SOHC 4WD Spindle Seal 1.313 ID x 1.625 OD x 0.156 Thick - Block Vee Design; Outer	**BRS-85**
	Hub Seal 2.5 ID x 3.306 OD x 0.453 Thick; Front	**BRS-18**
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1990 — Bronco — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Shoes	S263,R,ORG	**BR-96B**
Hardware Combi Kit (Spring Kit)		**BRVP-3310**
		BRVP-1177A
		BRVP-1456
		BRSK-7225A
Hardware Self Adjuster Kit — Left		**BRAK-2544A**
Hardware Self Adjuster Kit — Right		**BRAK-2545A**
Wheel Cylinder — Left		**BRWC-6**
Wheel Cylinder — Right		**BRWC-7**
Drum	w/11 x 2 1/4" Brakes & 5 Mounting Holes	**BRD-34**
Wheel Seal	Front Disc 11 x 2 1/2 Brakes - w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	Oil Seal Kit 2.25 ID x 3.11 OD x 0.469 Thick; Rear	**BRS-79**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1990 — Bronco II

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	2.9L	**BRC-5RM**
Un-Loaded Caliper — Right	2.9L	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD Before 10/89; 3.73 Ratio, Manual Locking Hubs	**BRR-15**
	4WD 3.73 Ratio, Automatic Locking Hubs; From 10/89	**BRR-15**
	4WD Auto. or Manual Locking Hubs; Exc. Limited Slip	**BRR-40**
Wheel Seal	SOHC RWD Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
	RWD Front Disc w/5 Mounting Holes - Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7279A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left		**BRWC-21**
Wheel Cylinder — Right		**BRWC-21**
Drum	w/9 x 1 3/4" Brakes	**BRD-30**
	w/10 x 2 1/2" Brakes	**BRD-29**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1990 — Bronco II — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left		BRAB-130
ABS Wheel Speed Sensor — Right		BRAB-130

1990 — B-F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Medium Truck B-F Series w/Stemco, 15000 lb. Axle w/Dayton Wheels 2.878 ID x 4.18 OD x 0.78 Thick; Rear	BRS-62A
	Medium Truck B-F Series w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels 3.5 ID x 4.845 OD x 0.875 Thick; Rear	BRS-66A
	Front Disc Medium Truck B-F Series w/Stemco, Brakes, 21000/23000 lb. Axle 3.5 ID x 4.552 OD x 0.818 Thick; Rear	BRS-60A
	Medium Truck B-F Series, 15" x 6" & 15" x 7", 21000 lb. Axle w/Budd Wheels 4.375 ID x 5.908 OD x 0.955 Thick; Rear	BRS-63A
	Front Disc Medium Truck B-F Series 15000 lb. Axle w/Dayton Wheels w/8 Mounting Holes - Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	BRS-53
	Medium Truck B-F Series Grease Retainer 3.5 ID x 4.456 OD x 0.525 Thick	BRS-55
Rear:		
Wheel Seal	Medium Truck B-F Series w/o Stemco, 15" x 7" & 16.5" x 7", 17500/19000/34000 lb. Axle 3.875 ID x 5.696 OD x 0.938 Thick; Rear	BRS-15
	Medium Truck B-F Series w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels 3.438 ID x 4.76 OD x 0.85 Thick; Inner	BRS-7
	Medium Truck B-F Series Grease Retainer & Gasket w/o Stemco, 15" x 5", 15000 lb. Rear Axle w/Dayton Wheels Before 5/92 3.438 ID x 4.77 OD x 0.7 Thick; Inner	BRS-4
	Medium Truck B-F Series Seal 4.767 ID x 6.315 OD x 1.141 Thick w/Stemco, 16.5" x 7", 21000/23000 lb. Rear Axle, Gunite Wheels; Inner	BRS-65A
	Medium Truck B-F Series Seal 4.723 ID x 6.316 OD x 1.187 Thick w/o Stemco, 16.5" x 7", 21000/23000/38000 lb. Rear Axle w/Budd Wheels; Inner	BRS-65A
	Medium Truck B-F Series 16.5" x 7", 34000 Axle w/Budd Wheels 3.875 ID x 5.704 OD x 0.892 Thick; Rear	BRS-5
	Medium Truck B-F Series Grease Retainer 3.262 ID x 4.631 OD x 0.5 Thick	BRS-38
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.437 ID x 4.630 OD x 0.934 Thick; Rear	BRS-67A
	Medium Truck; Medium Truck Stemco, 16.5" x 7", 34000 lb. Axle, Budd or Dayton Wheels Grease Retainer 3.875 ID x 5.255 OD x 1.043 Thick; Rear	BRS-64A
	Medium Truck; Medium Truck w/Stemco, 15" x 5", 15000 lb. Axle w/Dayton Wheels Oil Seal Kit 3.125 ID x 4.441 OD x 0.812 Thick; Rear	BRS-68A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1990 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D360,R,SM	**BR-41B**
	E250/350,D120,I,SM	**BR-52**
Pads - SuperDuty	E250/350,D450,I,SM	**BRSD-450**
Hardware Pad Attachment Kit	E150	**BRPK-5554**
	E250/350	**BRPK-5584**
Hardware Caliper Attaching Kit	E150	**BRCK-5030**
	E250/350	**BRCK-5030**
Loaded Caliper — Left	E150	**BRCL-21RM**
	E250/350	**BRCL-1RM**
Loaded Caliper — Right	E150	**BRCL-22RM**
	E250/350	**BRCL-2RM**
Un-Loaded Caliper — Left	E150	**BRC-21RM**
	E-250 Econoline Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-1RM**
Un-Loaded Caliper — Right	E150	**BRC-22RM**
	E-250 Econoline Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-2RM**
Rotor	E150	**BRR-37**
	E-250 Econoline; Single Wheel, 8 Mounting Holes	**BRR-42**
	E350; w/Dual Rear Wheels	**BRR-9**
	E350; Single Wheel, 8 Mounting Holes	**BRR-42**
Wheel Seal	4.9L, 5.0L, 5.8L Front Disc E150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	4-Wheel ABS E250/350; Wheel Hub Grease Retainer 2.43 ID x 3 OD x 0.78 Thick; Front	**BRS-3**
Rear:		
Shoes	E150,S263,R,ORG	**BR-96B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	E150	**BRVP-3310**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**
	E150	**BRSK-7225A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2544A**
	E-250 Econoline	**BRAK-2598**
	E350; w/12.125 x 3.5" Brake	**BRAK-2598**
	E350; w/12 x 3" Brake	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2545A**
	E-250 Econoline	**BRAK-2599**
	E350; w/12.125 x 3.5" Brake	**BRAK-2599**
	E350; w/12 x 3" Brake	**BRAK-2599**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-4**
	E350; w/Dual Wheel; Rear	**BRWC-2**
	E350; w/Single Wheel; Rear	**BRWC-4**
Wheel Cylinder — Right	E150	**BRWC-7**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1990 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Right — Cont'd	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-5**
	E350; w/Dual Wheel; Rear	**BRWC-3**
	E350; w/Single Wheel; Rear	**BRWC-5**
Drum	E-250 Econoline; 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	E-250 Econoline; w/12 x 3" Brakes	**BRD-13**
	Gear E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
	E350; w/12 x 3" Brakes	**BRD-13**
Wheel Seal	E150; Sterling Axle w/11 x 2 1/4 " Brakes w/5 Mounting Holes - Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	E-250 Econoline; Seal 1.705 ID x 3.039 OD x 0.5 Thick w/Dana Axle - 12" x 2.5" or 12" x 3" Brake w/Semi-float Rear Axle; Inner	**BRS-52**
	E350; w/8 Mounting Holes Wheel Grease Retainer 2.875 ID x 3.881 OD x 0.610 Thick; Inner	**BRS-12**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1990 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D360,R,SM	**BR-41B**
	F53/59,D411,I,SM	**BR-51**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F250,D120,I,SM	**BR-52**
	F350,D120,I,SM	**BR-52**
Pads - SuperDuty	F250/350,D450,I,SM	**BRSD-450**
	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Hardware Pad Attachment Kit	F-150	**BRPK-5554**
	F250	**BRPK-5584**
	F350	**BRPK-5584**
	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5030**
	F250	**BRCK-5030**
	F350	**BRCK-5030**
Loaded Caliper — Left	F-150	**BRCL-21RM**
	F250; O/8500 GVW	**BRCL-1RM**
	F350; O/8500 GVW	**BRCL-1RM**
	F53 Stripped Chassis	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F-150	**BRCL-22RM**
	F250; O/8500 GVW	**BRCL-2RM**
	F350; O/8500 GVW	**BRCL-2RM**
	F53 Stripped Chassis	**BRCL-8RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1990 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Right — Cont'd	F59 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F-150	**BRC-21RM**
	F-250, F-350; O/8500 GVW	**BRC-1RM**
	F59	**BRC-9RM**
	F Super Duty	**BRC-9RM**
	Stripped Chassis F53	**BRC-9RM**
	F Super Duty	**BRC-9RM**
Un-Loaded Caliper — Right	F250/350; O/8500 GVW	**BRC-2RM**
	F-150	**BRC-22RM**
	F59	**BRC-8RM**
	F Super Duty	**BRC-8RM**
	F53	**BRC-8RM**
Rotor	RWD F-150	**BRR-37**
	4WD F250; w/Dual Piston Calipers	**BRR-7**
	F-250; Heavy Duty	**BRR-42**
	RWD F-350; w/Single Wheels	**BRR-42**
	4WD F350; w/Single Wheels; Rear	**BRR-7**
	4WD F350; Dual Wheels w/Auto. or Manual Locking Hubs; Rear	**BRR-10**
	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
	RWD 2-Wheel ABS F350; w/Dual Rear Wheels	**BRR-9**
	4WD F-150; w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	F-150; w/5 Mounting Holes - Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick	**BRS-9**
	RWD Front Disc F-150, F-250 Pickup, F-350 Pickup; w/Single Wheel w/8 Mounting Holes 2.43 ID x 3 OD x 0.78 Thick; Rear	**BRS-3**
	SOHC 4WD F-150; Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	SOHC 4WD F350; Spindle Seal 2.5 ID x 3.15 OD x 0.41 Thick - Face Lip V-Ring for 2.5" Diameter Shaft; Outer	**BRS-89**
Rear:		
Pads	F53/59,D411,I,SM	**BR-51**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
Pads - SuperDuty	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Shoes	F-150,S263,R,ORG	**BR-96B**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-3310**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150	**BRSK-7225A**
	F250	**BRVP-1456**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12.125 x 3.5" Brake	**BRSK-7209**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1990 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	F350; w/12 x 3" Brake	**BRSK-7181**
	F350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	F-150	**BRAK-2544A**
	F250	**BRAK-2598**
	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	F-150	**BRAK-2545A**
	F250	**BRAK-2599**
	F350	**BRAK-2599**
Loaded Caliper — Left	F Super Duty	**BRCL-9RM**
	F53 Stripped Chassis	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
Loaded Caliper — Right	F53 Stripped Chassis	**BRCL-8RM**
	F59 Stripped Chassis	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	7.5L F Super Duty, F-250, F-350	**BRC-9RM**
	F Super Duty, F53	**BRC-9RM**
	F59	**BRC-9RM**
Un-Loaded Caliper — Right	F Super Duty, F53	**BRC-8RM**
	F59	**BRC-8RM**
Wheel Cylinder — Left	F-150	**BRWC-6**
	F350; w/Dual Wheels; Rear	**BRWC-24A**
	F250; w/12 x 2.5" Brake	**BRWC-10A**
	F250; w/12 x 3" Brake	**BRWC-4**
	F350; w/Single Wheel; Rear	**BRWC-4**
Wheel Cylinder — Right	F-150	**BRWC-7**
	F350; w/Dual Wheels; Rear	**BRWC-25A**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake	**BRWC-5**
	F350; w/Single Wheel; Rear	**BRWC-5**
Rotor	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
Drum	F-150; Sterling Axle, 8.8 Ratio Gear, 11 1/32 x 2 1/4" Brake & 5 Mounting Holes	**BRD-34**
	Gear F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
	F250; O/8500 GVW, 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	F250; w/Dual Wheel - Sterling Axle 10.25 R/G w/12 1/8 x 3 1/2" Brakes; Rear	**BRD-15**
	F350; w/12 1/8 x 3 1/2" Brakes	**BRD-15**
	F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
Wheel Seal	F-150, F-250 Pickup, F-350 Pickup; 2.5 ID x 3.306 OD x 0.453 Thick	**BRS-14**
	F-150, F-250 Pickup, F-350 Pickup; Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
	F-150; Bearing Seal 1.396 ID x 2.276 OD x 0.518 Thick w/Sterling Axle; Inner	**BRS-90**
	F-150; Bearing Seal 1.875 ID x 3.146 OD x 0.930 Thick; Inner	**BRS-81**
	4WD F250/350; O/8500 GVWInner Wheel Grease Retainer 2.177 ID x 3.156 OD x 0.729 Thick	**BRS-84**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton - & Wheel Grease Retainer 3.248 ID x 4.506 OD x 0.610 Thick; Inner	**BRS-25**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**
	SOHC 4WD F350; Spindle Seal - Face Lip V-Ring for 2.5" Diameter Shaft	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1990 — L-LN Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Wheel Seal	Front Disc L-LN Series 15000 lb. Axle w/Dayton Wheels w/8 Mounting Holes - Wheel Hub Grease Retainer 2.875 ID x 4.183 OD x 0.844 Thick; Rear	**BRS-53**

1990 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	2.3L	**BRC-5RM**
	2.9L	**BRC-5RM**
	4.0L	**BRC-5RM**
Un-Loaded Caliper — Right	2.3L	**BRC-4RM**
	2.9L	**BRC-4RM**
	4.0L	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD w/3.45 Ratio Gear	**BRR-40**
	4WD w/3.73 & 4.10 Ratio Gears; Before 10/89	**BRR-40**
	4WD All Ratios Exc. 3.45 From 10/89	**BRR-15**
Wheel Seal	SOHC RWD Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
	RWD w/5 Mounting Holes Wheel Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7279A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-21**
Wheel Cylinder — Right	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-21**
Drum	w/10 x 2 1/2" Brakes - 71mm Diameter Center Hole	**BRD-20**
	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**
Wheel Seal	2790 lb. Rear Axle Capacity - 9 x 1 3/4" or 10 x 2 1/2" w/5 Mounting Holes Seal 1.396 ID x 2.276 OD x 0.518 Thick; Inner	**BRS-90**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1989 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left		**BRC-5RM**
Un-Loaded Caliper — Right	3.0L	**BRC-4RM**
Rotor	RWD	**BRR-39**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7267A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake Before 3/89	**BRWC-23**
	w/10" Brake From 3/89	**BRWC-29**
	w/9" Brake	**BRWC-17**
Wheel Cylinder — Right	w/10" Brake Before 3/89	**BRWC-23**
	w/9" Brake	**BRWC-17**
	w/10" Brake From 3/89	**BRWC-29**
Drum	w/10 x 2 1/2" Brakes	**BRD-29**

1989 — Bronco

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D360,R,SM	**BR-41B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-21RM**
Loaded Caliper — Right		**BRCL-22RM**
Un-Loaded Caliper — Left	4.9L	**BRC-21RM**
	5.0L	**BRC-21RM**
	5.8L	**BRC-21RM**
Un-Loaded Caliper — Right	4.9L	**BRC-22RM**
	5.0L	**BRC-22RM**
	5.8L	**BRC-22RM**
Rotor	4WD w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	4WD Grease Retainer 1.792 ID x 2.5 OD x 0.6 Thick; Outer	**BRS-20**
	SOHC 4WD Spindle Seal 1.313 ID x 1.625 OD x 0.156 Thick - Block Vee Design; Outer	**BRS-85**
	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
	Wheel Hub Grease Retainer 2.7 ID x 3.504 OD x 0.475 Thick w/DANA 44 Axle; Front	**BRS-33**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1989 — Bronco — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**
Rear:		
Shoes	S263,R,ORG	**BR-96B**
Hardware Combi Kit (Spring Kit)		**BRVP-3310**
		BRVP-1177A
		BRVP-1456
		BRSK-7225A
Hardware Self Adjuster Kit — Left		**BRAK-2544A**
Hardware Self Adjuster Kit — Right		**BRAK-2545A**
Wheel Cylinder — Left		**BRWC-6**
Wheel Cylinder — Right		**BRWC-7**
Drum	w/11 x 2 1/4" Brakes & 5 Mounting Holes	**BRD-34**

1989 — Bronco II

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	2.9L	**BRC-5RM**
Un-Loaded Caliper — Right	2.9L	**BRC-4RM**
Rotor	RWD	**BRR-43**
	4WD Auto. or Manual Locking Hubs; Exc. Limited Slip	**BRR-40**
Wheel Seal	RWD Front Disc w/5 Mounting Holes - Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7279A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left		**BRWC-21**
Wheel Cylinder — Right		**BRWC-21**
Drum	w/9 x 1 3/4" Brakes	**BRD-30**
	w/10 x 2 1/2" Brakes	**BRD-29**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
FORD TRUCK

Motorcraft

1989 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D360,R,SM	**BR-41B**
	E250/350,D120,I,SM	**BR-52**
Pads - SuperDuty	E250/350,D450,I,SM	**BRSD-450**
Hardware Pad Attachment Kit	E150	**BRPK-5554**
	E250/350	**BRPK-5584**
Hardware Caliper Attaching Kit	E150	**BRCK-5030**
	E250/350	**BRCK-5030**
Loaded Caliper — Left	E150	**BRCL-21RM**
	E250/350	**BRCL-1RM**
Loaded Caliper — Right	E150	**BRCL-22RM**
	E250/350	**BRCL-2RM**
Un-Loaded Caliper — Left	E150	**BRC-21RM**
	E-250 Econoline Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-1RM**
Un-Loaded Caliper — Right	E150	**BRC-22RM**
	E-250 Econoline Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-2RM**
Rotor	E150	**BRR-37**
	E-250 Econoline; Single Wheel, 8 Mounting Holes	**BRR-42**
	E350; w/Dual Rear Wheels	**BRR-9**
	E350; Single Wheel, 8 Mounting Holes	**BRR-42**
Wheel Seal	E150/350; Wheel Hub Grease Retainer 2.7 ID x 3.504 OD x 0.475 Thick w/DANA 44 Axle; Front	**BRS-33**
	SOHC E-150 Econoline, E-250 Econoline, E-250/350, E-350 Econoline; Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	E150/350; Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC E150/350; Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
Rear:		
Shoes	E150,S263,R,ORG	**BR-96B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	E150	**BRVP-3310**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**
	E150	**BRSK-7225A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2544A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2545A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-4**
	E350; w/Dual Wheel; Rear	**BRWC-2**
	E350; w/Single Wheel; Rear	**BRWC-4**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1989 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Right	E150	**BRWC-7**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-5**
	E350; w/Dual Wheel; Rear	**BRWC-3**
	E350; w/Single Wheel; Rear	**BRWC-5**
Drum	E-250 Econoline; 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	E-250 Econoline; w/12 x 3" Brakes	**BRD-13**
	Gear E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
	E350; w/12 x 3" Brakes	**BRD-13**
Wheel Seal	E-150 Econoline, E-250 Econoline, E-250/350, E-350 Econoline; 1.5 ID x 2.506 OD x 0.45 Thick	**BRS-82**
	E-150 Econoline, E-250 Econoline, E-250/350, E-350 Econoline; Grease Retainer 3.938 ID x 5.509 OD x 0.875 Thick	**BRS-37**
	E-150 Econoline, E-250 Econoline, E-250/350, E-350 Econoline; Bearing Oil Seal 2.625 ID x 4.438 OD x 1.15 Thick w/Sterling Full Float Axle - 10.25 Ring; Inner	**BRS-48**

1989 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D360,R,SM	**BR-41B**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F250,D120,I,SM	**BR-52**
	F350,D120,I,SM	**BR-52**
	F53/59,D411,I,SM	**BR-51**
Pads - SuperDuty	F250/350,D450,I,SM	**BRSD-450**
	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Hardware Pad Attachment Kit	F-150	**BRPK-5554**
	F250	**BRPK-5584**
	F350	**BRPK-5584**
	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5030**
	F250	**BRCK-5030**
	F350	**BRCK-5030**
Loaded Caliper — Left	F-150	**BRCL-21RM**
	F250	**BRCL-1RM**
	F350	**BRCL-1RM**
	F53	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F-150	**BRCL-22RM**
	F250	**BRCL-2RM**
	F350	**BRCL-2RM**
	F53	**BRCL-8RM**
	F59	**BRCL-8RM**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1989 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Right — Cont'd	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F-250, F-350	**BRC-1RM**
	F-150	**BRC-21RM**
	F59	**BRC-9RM**
	Stripped Chassis F53	**BRC-9RM**
Un-Loaded Caliper — Right	F250/350	**BRC-2RM**
	F-150	**BRC-22RM**
	F59	**BRC-8RM**
	F53	**BRC-8RM**
Rotor	RWD F-150	**BRR-37**
	4WD F250; w/Dual Piston Calipers	**BRR-7**
	F-250; Heavy Duty	**BRR-42**
	RWD F-350; w/Single Wheels	**BRR-42**
	4WD F350; Dual Wheels w/Auto. or Manual Locking Hubs; Rear	**BRR-10**
	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
	RWD 2-Wheel ABS F350; w/Dual Rear Wheels	**BRR-9**
	4WD F-150; w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	F-150, F-250 Pickup, F-350 Pickup; Wheel Hub Grease Retainer 2.7 ID x 3.504 OD x 0.475 Thick w/DANA 44 Axle; Front	**BRS-33**
	SOHC F-150, F-250 Pickup, F-350 Pickup; Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
	SOHC 4WD F-150; Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	SOHC 4WD F350; Spindle Seal 2.5 ID x 3.15 OD x 0.41 Thick - Face Lip V-Ring for 2.5" Diameter Shaft; Outer	**BRS-89**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
Rear:		
Pads	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F53/59,D411,I,SM	**BR-51**
Pads - SuperDuty	F53/59,D411,I,SM	**BRSD-411**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Shoes	F-150,S263,R,ORG	**BR-96B**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	F-450 Super Duty	**BRPK-5635A**
	F53/59	**BRPK-5635A**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-3310**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150	**BRSK-7225A**
	F250	**BRVP-1456**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12.125 x 3.5" Brake	**BRSK-7209**
	F350; w/12 x 3" Brake	**BRSK-7181**
	F350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	F-150	**BRAK-2544A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1989 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Self Adjuster Kit — Left — Cont'd	F250; w/12 x 2.5" Brake	**BRAK-2598**
	F250; w/12 x 3" Brake	**BRAK-2598**
	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	F-150	**BRAK-2545A**
	F250; w/12 x 2.5" Brake	**BRAK-2599**
	F250; w/12 x 3" Brake	**BRAK-2599**
	F350	**BRAK-2599**
Loaded Caliper — Left	F53 Stripped Chassis	**BRCL-9RM**
	F59 Stripped Chassis	**BRCL-9RM**
	F-450 Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F53	**BRCL-8RM**
	F59	**BRCL-8RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F59	**BRC-9RM**
	Stripped Chassis F53	**BRC-9RM**
Un-Loaded Caliper — Right	F59	**BRC-8RM**
	F53	**BRC-8RM**
Wheel Cylinder — Left	F-150	**BRWC-6**
	F250; w/12 x 2.5" Brake	**BRWC-10A**
	F250; w/12 x 3" Brake	**BRWC-4**
	F350; w/Dual Wheels; Rear	**BRWC-24A**
	F350; w/Single Wheel; Rear	**BRWC-4**
Wheel Cylinder — Right	F-150	**BRWC-7**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake	**BRWC-5**
	F350; w/Dual Wheels; Rear	**BRWC-25A**
	F350; w/Single Wheel; Rear	**BRWC-5**
Rotor	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
Drum	F-150; Sterling Axle, 8.8 Ratio Gear, 11 1/32 x 2 1/4" Brake & 5 Mounting Holes	**BRD-34**
	Gear F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
	F250; 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	F250; w/Dual Wheel - Sterling Axle 10.25 R/G w/12 1/8 x 3 1/2" Brakes; Rear	**BRD-15**
	F-250, F-350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, All Ratio Gear; Exc. 10.25 Ratio Gear	**BRD-11**
	F350; w/12 1/8 x 3 1/2" Brakes	**BRD-15**
	F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
Wheel Seal	F-150, F-250 Pickup, F-350, F-350 Pickup; 1.5 ID x 2.506 OD x 0.45 Thick	**BRS-82**
	F-150, F-250 Pickup, F-350 Pickup; 2.5 ID x 3.306 OD x 0.453 Thick	**BRS-14**
	F-150, F-250 Pickup, F-350, F-350 Pickup; Grease Retainer 3.938 ID x 5.509 OD x 0.875 Thick	**BRS-37**
	F250/350; Bearing Oil Seal 2.625 ID x 4.438 OD x 1.15 Thick w/Sterling Full Float Axle - 10.25 Ring; Inner	**BRS-48**

1989 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1989 — Ranger — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	2.3L	**BRC-5RM**
	2.9L	**BRC-5RM**
Un-Loaded Caliper — Right	2.3L	**BRC-4RM**
	2.9L	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD	**BRR-40**
Wheel Seal	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7267A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Wheel Cylinder — Right	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Drum	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**

1988 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left		**BRC-5RM**
Un-Loaded Caliper — Right	3.0L	**BRC-4RM**
Rotor	RWD	**BRR-39**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1988 — Aerostar — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	w/10" Brake	**BRSK-7267A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Wheel Cylinder — Right	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Drum	w/10 x 2 1/2" Brakes	**BRD-29**

1988 — Bronco

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D360,R,SM	**BR-41B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-21RM**
Loaded Caliper — Right		**BRCL-22RM**
Un-Loaded Caliper — Left	4.9L	**BRC-21RM**
	5.0L	**BRC-21RM**
	5.8L	**BRC-21RM**
Un-Loaded Caliper — Right	4.9L	**BRC-22RM**
	5.0L	**BRC-22RM**
	5.8L	**BRC-22RM**
Rotor	4WD w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	4WD Grease Retainer 1.792 ID x 2.5 OD x 0.6 Thick; Outer	**BRS-20**
	SOHC 4WD Spindle Seal 1.313 ID x 1.625 OD x 0.156 Thick - Block Vee Design; Outer	**BRS-85**
	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
	Wheel Hub Grease Retainer 2.7 ID x 3.504 OD x 0.475 Thick w/DANA 44 Axle; Front	**BRS-33**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**
Rear:		
Shoes	S263,R,ORG	**BR-96B**
Hardware Combi Kit (Spring Kit)		**BRVP-3310**
		BRVP-1177A
		BRVP-1456
		BRSK-7225A
Hardware Self Adjuster Kit — Left		**BRAK-2544A**
Hardware Self Adjuster Kit — Right		**BRAK-2545A**
Wheel Cylinder — Left		**BRWC-6**
Wheel Cylinder — Right		**BRWC-7**
Drum	w/11 x 2 1/4" Brakes & 5 Mounting Holes	**BRD-34**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1988 — Bronco II

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	2.9L	**BRC-5RM**
Un-Loaded Caliper — Right	2.9L	**BRC-4RM**
Rotor	RWD	**BRR-43**
	4WD Auto. or Manual Locking Hubs; Exc. Limited Slip	**BRR-40**
Wheel Seal	RWD Front Disc w/5 Mounting Holes - Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
	4WD Wheel Hub Grease Retainer2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7279A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left		**BRWC-21**
Wheel Cylinder — Right		**BRWC-21**
Drum	w/9 x 1 3/4" Brakes	**BRD-30**
	w/10 x 2 1/2" Brakes	**BRD-29**

1988 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D360,R,SM	**BR-41B**
	E-250 Econoline,D120,I,ORG	**BR-52**
	E350; w/Dual Wheels; Rear,D120,I,ORG	**BR-52**
Pads - SuperDuty	E250/350,D450,I,SM	**BRSD-450**
Hardware Pad Attachment Kit	E150	**BRPK-5554**
	E-250 Econoline	**BRPK-5584**
	E350	**BRPK-5584**
Hardware Caliper Attaching Kit	E150	**BRCK-5030**
	E250/350	**BRCK-5030**
Loaded Caliper — Left	E150	**BRCL-21RM**
	E250/350	**BRCL-1RM**
Loaded Caliper — Right	E150	**BRCL-22RM**
	E250/350	**BRCL-2RM**
Un-Loaded Caliper — Left	E150	**BRC-21RM**
	E-250 Econoline Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-1RM**
Un-Loaded Caliper — Right	E150	**BRC-22RM**
	E-250 Econoline Club Wagon, E-350 Econoline, E-350 Econoline Club Wagon	**BRC-2RM**
Rotor	E150	**BRR-37**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1988 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor — Cont'd	E-250 Econoline; Single Wheel, 8 Mounting Holes	**BRR-42**
	E350; w/Dual Rear Wheels	**BRR-9**
	E350; Single Wheel, 8 Mounting Holes	**BRR-42**
Wheel Seal	4WD E-150 Econoline, E-250 Econoline, E-350, E-350 Econoline; Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
	E150/350; Wheel Hub Grease Retainer 2.7 ID x 3.504 OD x 0.475 Thick w/DANA 44 Axle; Front	**BRS-33**
	SOHC E-150 Econoline, E-250 Econoline, E-250/350, E-350 Econoline; Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	E150/350; Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC E150/350; Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
Rear:		
Shoes	E150,S263,R,ORG	**BR-96B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	E150	**BRVP-3310**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**
	E150	**BRSK-7225A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2544A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2545A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-4**
	E350; w/Dual Wheel; Rear	**BRWC-2**
	E350; w/Single Wheel; Rear	**BRWC-4**
Wheel Cylinder — Right	E150	**BRWC-7**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-5**
	E350; w/Dual Wheel; Rear	**BRWC-3**
	E350; w/Single Wheel; Rear	**BRWC-5**
Drum	E-250 Econoline; 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	E-250 Econoline; w/12 x 3" Brakes	**BRD-13**
	Gear E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
	E350; w/12 x 3" Brakes	**BRD-13**
Wheel Seal	E-150 Econoline, E-250 Econoline, E-250/350, E-350 Econoline; 1.5 ID x 2.506 OD x 0.45 Thick	**BRS-82**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1988 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Seal — Cont'd	E-150 Econoline, E-250 Econoline, E-250/350, E-350 Econoline; Grease Retainer 3.938 ID x 5.509 OD x 0.875 Thick	**BRS-37**
	E-150 Econoline, E-250 Econoline, E-250/350, E-350 Econoline; Bearing Oil Seal 2.625 ID x 4.438 OD x 1.15 Thick w/Sterling Full Float Axle - 10.25 Ring; Inner	**BRS-48**

1988 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D360,R,SM	**BR-41B**
	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
	F250,D120,I,ORG	**BR-52**
	F350,D120,I,ORG	**BR-52**
Pads - SuperDuty	F250/350,D450,I,SM	**BRSD-450**
	F-450 Super Duty,D411,I,SM	**BRSD-411**
Hardware Pad Attachment Kit	F-150	**BRPK-5554**
	F250	**BRPK-5584**
	F350	**BRPK-5584**
	F-450 Super Duty	**BRPK-5635A**
Hardware Caliper Attaching Kit	F-150	**BRCK-5030**
	F250	**BRCK-5030**
	F350	**BRCK-5030**
Loaded Caliper — Left	F-150	**BRCL-21RM**
	F250	**BRCL-1RM**
	F350	**BRCL-1RM**
	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F-150	**BRCL-22RM**
	F250	**BRCL-2RM**
	F350	**BRCL-2RM**
	F Super Duty	**BRCL-8RM**
Un-Loaded Caliper — Left	F-250, F-350	**BRC-1RM**
	F-150	**BRC-21RM**
Un-Loaded Caliper — Right	F250/350	**BRC-2RM**
	F-150	**BRC-22RM**
Rotor	RWD F-150	**BRR-37**
	4WD F250; w/Dual Piston Calipers	**BRR-7**
	F-250; Heavy Duty	**BRR-42**
	RWD F-350; w/Single Wheels	**BRR-42**
	4WD F350; w/Single Wheels; Rear	**BRR-7**
	4WD F350; Dual Wheels w/Auto. or Manual Locking Hubs; Rear	**BRR-10**
	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
	RWD 2-Wheel ABS F350; w/Dual Rear Wheels	**BRR-9**
	4WD F-150; w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	F-150, F-250 Pickup, F-350 Pickup; Wheel Hub Grease Retainer 2.7 ID x 3.504 OD x 0.475 Thick w/DANA 44 Axle; Front	**BRS-33**
	SOHC F-150, F-250 Pickup, F-350 Pickup; Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1988 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	SOHC 4WD F-150; Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	SOHC 4WD F350; Spindle Seal 2.5 ID x 3.15 OD x 0.41 Thick - Face Lip V-Ring for 2.5" Diameter Shaft; Outer	**BRS-89**
	Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
Rear:		
Pads	Stripped Chassis F-250 Pickup, F-350 Pickup, F-450 Super Duty; 1 Ton,D411, I,SM	**BR-51**
Pads - SuperDuty	F-450 Super Duty,D411,I,SM	**BRSD-411**
Shoes	F-150,S263,R,ORG	**BR-96B**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Pad Attachment Kit	F-450 Super Duty	**BRPK-5635A**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-3310**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150	**BRSK-7225A**
	F250	**BRVP-1456**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12.125 x 3.5" Brake	**BRSK-7209**
	F350; w/12 x 3" Brake	**BRSK-7181**
	F350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	F-150	**BRAK-2544A**
	F250	**BRAK-2598**
	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	F-150	**BRAK-2545A**
	F250	**BRAK-2599**
	F350	**BRAK-2599**
Loaded Caliper — Left	F Super Duty	**BRCL-9RM**
Loaded Caliper — Right	F Super Duty	**BRCL-8RM**
Wheel Cylinder — Left	F-150	**BRWC-6**
	F250; w/12 x 2.5" Brake	**BRWC-10A**
	F250; w/12 x 3" Brake	**BRWC-4**
	F350; w/Dual Wheels; Rear	**BRWC-24A**
	F350; w/Single Wheel; Rear	**BRWC-4**
Wheel Cylinder — Right	F-150	**BRWC-7**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake	**BRWC-5**
	F350; w/Dual Wheels; Rear	**BRWC-25A**
	F350; w/Single Wheel; Rear	**BRWC-5**
Rotor	Stripped Chassis F53 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	Stripped Chassis F59 Stripped Chassis; w/10 Mounting Holes	**BRR-13**
	F250; w/10 Mounting Holes	**BRR-13**
Drum	F-150; Sterling Axle, 8.8 Ratio Gear, 11 1/32 x 2 1/4" Brake & 5 Mounting Holes	**BRD-34**
	Gear F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
	F250; 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	F250; w/Dual Wheel - Sterling Axle 10.25 R/G w/12 1/8 x 3 1/2" Brakes; Rear	**BRD-15**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1988 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Drum — Cont'd	F-250, F-350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, All Ratio Gear; Exc. 10.25 Ratio Gear	**BRD-11**
	F350; w/12 1/8 x 3 1/2" Brakes	**BRD-15**
	F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
Wheel Seal	F-150, F-250 Pickup, F-350 Pickup; 1.5 ID x 2.506 OD x 0.45 Thick	**BRS-82**
	F-150, F-250 Pickup, F-350 Pickup; 2.5 ID x 3.306 OD x 0.453 Thick	**BRS-14**
	F-150, F-250 Pickup, F-350 Pickup; Grease Retainer 3.938 ID x 5.509 OD x 0.875 Thick	**BRS-37**
	F250/350; Bearing Oil Seal 2.625 ID x 4.438 OD x 1.15 Thick w/Sterling Full Float Axle - 10.25 Ring; Inner	**BRS-48**

1988 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-5RM**
Loaded Caliper — Right		**BRCL-4RM**
Un-Loaded Caliper — Left	2.0L	**BRC-5RM**
	2.3L	**BRC-5RM**
	2.9L	**BRC-5RM**
Un-Loaded Caliper — Right	2.0L	**BRC-4RM**
	2.3L	**BRC-4RM**
	2.9L	**BRC-4RM**
Rotor	RWD	**BRR-39**
	4WD	**BRR-40**
Wheel Seal	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7267A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Wheel Cylinder — Right	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Drum	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1987 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	I,SM	**BR-40B**
	From 3/87,D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left	From 3/87	**BRCL-5RM**
Loaded Caliper — Right	From 3/87	**BRCL-4RM**
Un-Loaded Caliper — Left	From 3/87	**BRC-5RM**
	before 3/87	**BRC-104RM**
Un-Loaded Caliper — Right	From 3/87	**BRC-4RM**
	before 3/87	**BRC-103RM**
Rotor	RWD	**BRR-39**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7267A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Wheel Cylinder — Right	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Drum	w/10 x 2 1/2" Brakes	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**

1987 — Bronco

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D360,R,SM	**BR-41B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-21RM**
Loaded Caliper — Right		**BRCL-22RM**
Un-Loaded Caliper — Left	4.9L	**BRC-21RM**
	5.0L	**BRC-21RM**
	5.8L	**BRC-21RM**
Un-Loaded Caliper — Right	4.9L	**BRC-22RM**
	5.0L	**BRC-22RM**
	5.8L	**BRC-22RM**
Rotor	4WD w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	4WD Grease Retainer 1.792 ID x 2.5 OD x 0.6 Thick; Outer	**BRS-20**
	SOHC 4WD Spindle Seal 1.313 ID x 1.625 OD x 0.156 Thick - Block Vee Design; Outer	**BRS-85**
	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1987 — Bronco — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal — Cont'd	Wheel Hub Grease Retainer 2.7 ID x 3.504 OD x 0.475 Thick w/DANA 44 Axle; Front	**BRS-33**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**
Rear:		
Shoes	S263,R,ORG	**BR-96B**
Hardware Combi Kit (Spring Kit)		**BRVP-3310**
		BRVP-1177A
		BRVP-1456
		BRSK-7225A
Hardware Self Adjuster Kit — Left		**BRAK-2544A**
Hardware Self Adjuster Kit — Right		**BRAK-2545A**
Wheel Cylinder — Left		**BRWC-6**
Wheel Cylinder — Right		**BRWC-7**
Drum	w/11 x 2 1/4" Brakes & 5 Mounting Holes	**BRD-34**

1987 — Bronco II

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Before 10/86,I,SM	**BR-40B**
	From 10/86,D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left	From 3/87	**BRCL-5RM**
Loaded Caliper — Right	From 3/87	**BRCL-4RM**
Un-Loaded Caliper — Left	2.9L From 3/87	**BRC-5RM**
	2.9L Before 10/86	**BRC-104RM**
	2.9L from 10/86 to 3/87	**BRC-112RM**
Un-Loaded Caliper — Right	2.9L Before 10/86	**BRC-103RM**
	2.9L from 10/86 to 3/87	**BRC-111RM**
	2.9L From 3/87	**BRC-4RM**
Rotor	RWD	**BRR-43**
	4WD Auto. or Manual Locking Hubs; Exc. Limited Slip	**BRR-40**
Wheel Seal	RWD Front Disc w/5 Mounting Holes - Hub Grease Retainer 1.938 ID x 2.5 OD x 0.38 Thick	**BRS-11**
	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7279A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1987 — Bronco II — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Left		**BRWC-21**
Wheel Cylinder — Right		**BRWC-21**
Drum	w/9 x 1 3/4" Brakes	**BRD-30**
	w/10 x 2 1/2" Brakes	**BRD-29**

1987 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	E150,D360,R,SM	**BR-41B**
	E-250 Econoline,D120,I,ORG	**BR-52**
	E350; w/Dual Wheels; Rear,D120,I,ORG	**BR-52**
Pads - SuperDuty	E250/350,D450,I,SM	**BRSD-450**
Hardware Pad Attachment Kit	E150	**BRPK-5554**
	E-250 Econoline	**BRPK-5584**
	E350	**BRPK-5584**
Hardware Caliper Attaching Kit	E150	**BRCK-5030**
	E250/350	**BRCK-5030**
Loaded Caliper — Left	E150	**BRCL-21RM**
	E250/350	**BRCL-1RM**
Loaded Caliper — Right	E150	**BRCL-22RM**
	E250/350	**BRCL-2RM**
Un-Loaded Caliper — Left	E150	**BRC-21RM**
	E250/350	**BRC-1RM**
Un-Loaded Caliper — Right	E150	**BRC-22RM**
	E250/350	**BRC-2RM**
Rotor	E150	**BRR-37**
	E-250 Econoline; Single Wheel, 8 Mounting Holes	**BRR-42**
	E350; w/Dual Rear Wheels	**BRR-9**
	E350; Single Wheel, 8 Mounting Holes	**BRR-42**
Wheel Seal	E150/350; Wheel Hub Grease Retainer 2.7 ID x 3.504 OD x 0.475 Thick w/DANA 44 Axle; Front	**BRS-33**
	SOHC E-150 Econoline, E-250 Econoline, E-350, E-350 Econoline; Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	E150/350; Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC E150/350; Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
Rear:		
Shoes	E150,S263,R,ORG	**BR-96B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	E150	**BRVP-3310**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**
	E150	**BRSK-7225A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1987 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12.125 x 3.5" Brake	**BRSK-7209**
	E350; w/12 x 3" Brake	**BRSK-7181**
	E350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2544A**
	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2545A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-4**
	E350; w/Dual Wheel; Rear	**BRWC-2**
	E350; w/Single Wheel; Rear	**BRWC-4**
Wheel Cylinder — Right	E150	**BRWC-7**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-5**
	E350; w/Dual Wheel; Rear	**BRWC-3**
	E350; w/Single Wheel; Rear	**BRWC-5**
Drum	E-250 Econoline; w/12 x 3" Brakes	**BRD-13**
	Gear E350; w/12 1/8 x 3 1/2" Brakes w/Dana 70 Axle - 10.50 Ring - 8000 lb. Axle Capacity	**BRD-15**
	E150; 11 x 2 1/4" Brakes; w/5 Mounting Holes & 8.8 Ratio Gear	**BRD-34**
	E-250 Econoline; 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	E350; w/12 x 3" Brakes	**BRD-13**
Wheel Seal	E-150 Econoline, E-250 Econoline, E-350, E-350 Econoline; 1.5 ID x 2.506 OD x 0.45 Thick	**BRS-82**
	E-150 Econoline, E-250 Econoline, E-350, E-350 Econoline; Grease Retainer 3.938 ID x 5.509 OD x 0.875 Thick	**BRS-37**
	E-150 Econoline, E-250 Econoline, E-350, E-350 Econoline; Bearing Oil Seal 2.625 ID x 4.438 OD x 1.15 Thick w/Sterling Full Float Axle - 10.25 Ring; Inner	**BRS-48**
	E-150 Econoline, E-250 Econoline, E-350, E-350 Econoline; Bearing Seal 1.875 ID x 3.146 OD x 0.930 Thick; Inner	**BRS-81**

1987 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D360,R,SM	**BR-41B**
	F250,D120,I,ORG	**BR-52**
	F350,D120,I,ORG	**BR-52**
Pads - SuperDuty	F250/350,D450,I,SM	**BRSD-450**
Hardware Pad Attachment Kit	F-150	**BRPK-5554**
	F250	**BRPK-5584**
	F350	**BRPK-5584**
Hardware Caliper Attaching Kit	F-150	**BRCK-5030**
	F250	**BRCK-5030**
	F350	**BRCK-5030**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1987 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Loaded Caliper — Left	F-150	**BRCL-21RM**
	F250	**BRCL-1RM**
	F350	**BRCL-1RM**
Loaded Caliper — Right	F-150	**BRCL-22RM**
	F250	**BRCL-2RM**
	F350	**BRCL-2RM**
Un-Loaded Caliper — Left	F-250, F-350	**BRC-1RM**
	F-150	**BRC-21RM**
Un-Loaded Caliper — Right	F250/350	**BRC-2RM**
	F-150	**BRC-22RM**
Rotor	RWD F-150	**BRR-37**
	4WD F250; w/Dual Piston Calipers	**BRR-7**
	F-250; Heavy Duty	**BRR-42**
	RWD F-350; w/Single Wheels	**BRR-42**
	4WD F350; w/Single Wheels; Rear	**BRR-7**
	4WD F350; Dual Wheels w/Auto. or Manual Locking Hubs; Rear	**BRR-10**
	RWD 2-Wheel ABS F350; w/Dual Rear Wheels	**BRR-9**
	4WD F-150; w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	F-150, F-250 Pickup, F-350 Pickup; Wheel Hub Grease Retainer 2.7 ID x 3.504 OD x 0.475 Thick w/DANA 44 Axle; Front	**BRS-33**
	SOHC 4WD F-150; Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	SOHC 4WD F350; Spindle Seal 2.5 ID x 3.15 OD x 0.41 Thick - Face Lip V-Ring for 2.5" Diameter Shaft; Outer	**BRS-89**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
Rear:		
Shoes	F-150,S263,R,ORG	**BR-96B**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12.125 x 3.5" Brake,S583,R,ORG	**BR-101**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-3310**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150	**BRSK-7225A**
	F250	**BRVP-1456**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12.125 x 3.5" Brake	**BRSK-7209**
	F350; w/12 x 3" Brake	**BRSK-7181**
	F350; w/12 x 3.5" Brake	**BRVP-1177A**
Hardware Self Adjuster Kit — Left	F-150	**BRAK-2544A**
	F250	**BRAK-2598**
	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	F-150	**BRAK-2545A**
	F250	**BRAK-2599**
	F350	**BRAK-2599**
Wheel Cylinder — Left	F-150	**BRWC-6**
	F250; w/12 x 2.5" Brake	**BRWC-10A**
	F250; w/12 x 3" Brake	**BRWC-4**
	F350; w/Dual Wheels; Rear	**BRWC-24A**
	F350; w/Single Wheel; Rear	**BRWC-4**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1987 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Right	F-150	**BRWC-7**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake	**BRWC-5**
	F350; w/Dual Wheels; Rear	**BRWC-25A**
	F350; w/Single Wheel; Rear	**BRWC-5**
Drum	F-150; Sterling Axle, 8.8 Ratio Gear, 11 1/32 x 2 1/4" Brake & 5 Mounting Holes	**BRD-34**
	Gear F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
	F250; 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	F250; w/Dual Wheel - Sterling Axle 10.25 R/G w/12 1/8 x 3 1/2" Brakes; Rear	**BRD-15**
	F-250, F-350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, All Ratio Gear; Exc. 10.25 Ratio Gear	**BRD-11**
	F350; w/12 1/8 x 3 1/2" Brakes	**BRD-15**
	F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
Wheel Seal	F-150, F-250 Pickup, F-350, F-350 Pickup; 1.5 ID x 2.506 OD x 0.45 Thick	**BRS-82**
	F-150, F-250 Pickup, F-350 Pickup; 2.5 ID x 3.306 OD x 0.453 Thick	**BRS-14**
	F-150, F-250 Pickup, F-350, F-350 Pickup; Grease Retainer 3.938 ID x 5.509 OD x 0.875 Thick	**BRS-37**
	F-150, F-250 Pickup, F-350, F-350 Pickup; Bearing Seal 1.875 ID x 3.146 OD x 0.930 Thick; Inner	**BRS-81**
	F250/350; Bearing Oil Seal 2.625 ID x 4.438 OD x 1.15 Thick w/Sterling Full Float Axle - 10.25 Ring; Inner	**BRS-48**

1987 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Before 10/86,I,SM	**BR-40B**
	From 10/86,D249,I,SM	**BR-39B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left	From 3/87	**BRCL-5RM**
Loaded Caliper — Right	From 3/87	**BRCL-4RM**
Un-Loaded Caliper — Left	From 3/87	**BRC-5RM**
	Before 10/86	**BRC-104RM**
	from 10/86 to 3/87	**BRC-112RM**
Un-Loaded Caliper — Right	From 3/87	**BRC-4RM**
	Before 10/86	**BRC-103RM**
	from 10/86 to 3/87	**BRC-111RM**
Rotor	RWD	**BRR-39**
	4WD	**BRR-40**
Wheel Seal	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7267A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1987 — Ranger — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Combi Kit (Spring Kit) — Cont'd	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Wheel Cylinder — Right	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Drum	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**

1986 — Aerostar

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	before 3/87,I,SM	**BR-40B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit	before 3/87	**BRCK-5030**
Un-Loaded Caliper — Left	2.3L	**BRC-104RM**
	3.0L	**BRC-104RM**
Un-Loaded Caliper — Right	2.3L	**BRC-103RM**
	3.0L	**BRC-103RM**
Rotor	RWD	**BRR-39**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7267A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Wheel Cylinder — Right	w/10" Brake	**BRWC-23**
	w/9" Brake	**BRWC-17**
Drum	w/10 x 2 1/2" Brakes	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1986 — Bronco

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Manual,D50,R,SM	**BR-43B**
	Power,D360,R,SM	**BR-41B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Loaded Caliper — Left		**BRCL-21RM**
Loaded Caliper — Right		**BRCL-22RM**
Un-Loaded Caliper — Left	4.9L	**BRC-21RM**
	5.0L	**BRC-21RM**
	5.8L	**BRC-21RM**
Un-Loaded Caliper — Right	4.9L	**BRC-22RM**
	5.0L	**BRC-22RM**
	5.8L	**BRC-22RM**
Rotor	4WD w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	4WD Grease Retainer 1.792 ID x 2.5 OD x 0.6 Thick; Outer	**BRS-20**
	SOHC 4WD Spindle Seal 1.313 ID x 1.625 OD x 0.156 Thick - Block Vee Design; Outer	**BRS-85**
	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Inner	**BRS-78**
Rear:		
Shoes	S263,R,ORG	**BR-96B**
Hardware Combi Kit (Spring Kit)		**BRVP-3310**
		BRVP-1177A
		BRVP-1456
		BRSK-7225A
Hardware Self Adjuster Kit — Left		**BRAK-2544A**
Hardware Self Adjuster Kit — Right		**BRAK-2545A**
Wheel Cylinder — Left		**BRWC-6**
Wheel Cylinder — Right		**BRWC-7**

1986 — Bronco II

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	I,SM	**BR-40B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Un-Loaded Caliper — Left		**BRC-104RM**
Un-Loaded Caliper — Right		**BRC-103RM**
Rotor	RWD	**BRR-43**
	4WD Auto. or Manual Locking Hubs; Exc. Limited Slip	**BRR-40**
Wheel Seal	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
Rear:		
Shoes	S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
Wheel Cylinder — Left		**BRWC-21**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1986 — Bronco II — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Right		**BRWC-21**
Drum	w/9 x 1 3/4" Brakes	**BRD-30**
	w/10 x 2 1/2" Brakes	**BRD-29**

1986 — E Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	Manual E150,D50,R,SM	**BR-43B**
	E-250 Econoline,D120,I,ORG	**BR-52**
	E350; w/Dual Wheels; Rear,D120,I,ORG	**BR-52**
Pads - SuperDuty	E250/350,D450,I,SM	**BRSD-450**
Hardware Pad Attachment Kit	E150	**BRPK-5554**
	E-250 Econoline	**BRPK-5584**
	E350	**BRPK-5584**
Hardware Caliper Attaching Kit	E150	**BRCK-5030**
	E250/350	**BRCK-5030**
Loaded Caliper — Left	E150	**BRCL-21RM**
	E250/350	**BRCL-1RM**
Loaded Caliper — Right	E150	**BRCL-22RM**
	E250/350	**BRCL-2RM**
Un-Loaded Caliper — Left	E150	**BRC-21RM**
	E250/350	**BRC-1RM**
Un-Loaded Caliper — Right	E150	**BRC-22RM**
	E250/350	**BRC-2RM**
Rotor	E150	**BRR-37**
	E-250 Econoline; Single Wheel, 8 Mounting Holes	**BRR-42**
	E350; w/Dual Rear Wheels	**BRR-9**
	E350; Single Wheel, 8 Mounting Holes	**BRR-42**
Wheel Seal	SOHC E150/350; Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	E150/350; Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
	SOHC E150/350; Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
Rear:		
Shoes	E150,S263,R,ORG	**BR-96B**
	E-250 Econoline; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	E-250 Econoline; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	E350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	E150	**BRVP-3310**
	E150	**BRVP-1177A**
	E150	**BRVP-1456**
	E150	**BRSK-7225A**
	E-250 Econoline	**BRVP-1456**
	E-250 Econoline; w/12 x 2.5" Brake	**BRSK-7146**
	E-250 Econoline; w/12 x 3" Brake	**BRSK-7181**
	E350	**BRVP-1456**
	E350; w/12 x 3" Brake	**BRSK-7181**
Hardware Self Adjuster Kit — Left	E150	**BRAK-2544A**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1986 — E Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Self Adjuster Kit — Left — Cont'd	E-250 Econoline	**BRAK-2598**
	E350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	E150	**BRAK-2545A**
	E-250 Econoline	**BRAK-2599**
	E350	**BRAK-2599**
Wheel Cylinder — Left	E150	**BRWC-6**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-10A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-4**
	E350; w/Dual Wheel; Rear	**BRWC-2**
	E350; w/Single Wheel; Rear	**BRWC-4**
Wheel Cylinder — Right	E150	**BRWC-7**
	E-250 Econoline; w/12 x 2.5" Brake	**BRWC-11A**
	E-250 Econoline; w/12 x 3" Brake	**BRWC-5**
	E350; w/Dual Wheel; Rear	**BRWC-3**
	E350; w/Single Wheel; Rear	**BRWC-5**
Drum	E-250 Econoline; 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	E250/350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes; Rear	**BRD-11**
Wheel Seal	E150/350; 1.5 ID x 2.506 OD x 0.45 Thick	**BRS-82**
	E150/350; Grease Retainer 3.938 ID x 5.509 OD x 0.875 Thick	**BRS-37**
	Gear E150/350; Bearing Oil Seal 2.625 ID x 4.438 OD x 1.15 Thick w/Sterling Full Float Axle - 10.25 Ring; Inner	**BRS-48**
	E150/350; Bearing Seal 1.875 ID x 3.146 OD x 0.930 Thick; Inner	**BRS-81**

1986 — F Series

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	F-150,D360,R,SM	**BR-41B**
	Manual F-150,D50,R,SM	**BR-43B**
	F250,D120,I,ORG	**BR-52**
	F350,D120,I,ORG	**BR-52**
Pads - SuperDuty	F250/350,D450,I,SM	**BRSD-450**
Hardware Pad Attachment Kit	F-150	**BRPK-5554**
	F250	**BRPK-5584**
	F350	**BRPK-5584**
Hardware Caliper Attaching Kit	Power F-150	**BRCK-5030**
	F250	**BRCK-5030**
	F350	**BRCK-5030**
Loaded Caliper — Left	F-150	**BRCL-21RM**
	F250	**BRCL-1RM**
	F350	**BRCL-1RM**
Loaded Caliper — Right	F-150	**BRCL-22RM**
	F250	**BRCL-2RM**
	F350	**BRCL-2RM**
Un-Loaded Caliper — Left	F-150	**BRC-21RM**
	F-250, F-350	**BRC-1RM**
Un-Loaded Caliper — Right	F250/350	**BRC-2RM**
	F-150	**BRC-22RM**
Rotor	RWD F-150	**BRR-37**
	4WD F250	**BRR-7**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1986 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Rotor — Cont'd	F-250; Heavy Duty	**BRR-42**
	RWD F-350; w/Single Wheels	**BRR-42**
	4WD F350; w/Single Wheels; Rear	**BRR-7**
	4WD F350; Dual Wheels w/Auto. or Manual Locking Hubs; Rear	**BRR-10**
	RWD 2-Wheel ABS F350; w/Dual Rear Wheels	**BRR-9**
	4WD F-150; w/Manual or Auto. Locking Hubs	**BRR-8**
Wheel Seal	SOHC F-150, F-250 Pickup, F-350 Pickup; Wheel Spindle 2.23 ID x 3.11 OD x 0.469 Thick; Front Inner	**BRS-78**
	SOHC 4WD F-150; Wheel Spindle Outer Oil Seal 1.5 ID x 1.87 OD x 0.18 Thick; Front	**BRS-80**
	SOHC 4WD F-350, F-350 Pickup; Spindle Seal 2.5 ID x 3.15 OD x 0.41 Thick - Face Lip V-Ring for 2.5" Diameter Shaft; Outer	**BRS-89**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
Rear:		
Shoes	F-150,S263,R,ORG	**BR-96B**
	F250; w/12 x 2.5" Brake,S357,R,ORG	**BR-98**
	F250; w/12 x 3" Brake,S358,R,ORG	**BR-100**
	F350; w/12 x 3" Brake,S358,R,ORG	**BR-100**
Hardware Combi Kit (Spring Kit)	F-150	**BRVP-3310**
	F-150	**BRVP-1177A**
	F-150	**BRVP-1456**
	F-150	**BRSK-7225A**
	F250	**BRVP-1456**
	F250; w/12 x 2.5" Brake	**BRSK-7146**
	F250; w/12 x 3" Brake	**BRSK-7181**
	F350	**BRVP-1456**
	F350; w/12 x 3" Brake	**BRSK-7181**
Hardware Self Adjuster Kit — Left	F-150	**BRAK-2544A**
	F250	**BRAK-2598**
	F350	**BRAK-2598**
Hardware Self Adjuster Kit — Right	F-150	**BRAK-2545A**
	F250	**BRAK-2599**
	F-350, F-350 Pickup	**BRAK-2599**
Wheel Cylinder — Left	F-150	**BRWC-6**
	F250; w/12 x 2.5" Brake	**BRWC-10A**
	F250; w/12 x 3" Brake	**BRWC-4**
	F350; w/Dual Wheel; Rear	**BRWC-2**
	F350; w/Single Wheel; Rear	**BRWC-4**
Wheel Cylinder — Right	F-150	**BRWC-7**
	F250; w/12 x 2.5" Brake	**BRWC-11A**
	F250; w/12 x 3" Brake	**BRWC-5**
	F350; w/Dual Wheel; Rear	**BRWC-3**
	F350; w/Single Wheel; Rear	**BRWC-5**
Drum	Gear F250; O/8500 GVW w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
	F250; 12 x 2 1/2 Brake, 8 Mounting Holes	**BRD-14**
	F-250, F-350; Single Rear Wheel, 12 x 3 Brake, 8 Mounting Holes, All Ratio Gear; Exc. 10.25 Ratio Gear	**BRD-11**
	F350; w/12 x 3" Brakes - Single Wheels w/10.25 Ring; Rear	**BRD-13**
Wheel Seal	F-150, F-250 Pickup, F-350, F-350 Pickup; 1.5 ID x 2.506 OD x 0.45 Thick	**BRS-82**
	F-150, F-250 Pickup, F-350 Pickup; 2.5 ID x 3.306 OD x 0.453 Thick	**BRS-14**
	F-150, F-250 Pickup, F-350, F-350 Pickup; Grease Retainer 3.938 ID x 5.509 OD x 0.875 Thick	**BRS-37**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1986 — F Series — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Seal — Cont'd	F-150, F-250 Pickup, F-350, F-350 Pickup; Bearing Seal 1.875 ID x 3.146 OD x 0.930 Thick; Inner	**BRS-81**
	F250/350; Bearing Oil Seal 2.625 ID x 4.438 OD x 1.15 Thick w/Sterling Full Float Axle - 10.25 Ring; Inner	**BRS-48**

1986 — Ranger

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	I,SM	**BR-40B**
Hardware Pad Attachment Kit		**BRPK-5554**
Hardware Caliper Attaching Kit		**BRCK-5030**
Un-Loaded Caliper — Left	2.0L	**BRC-104RM**
	2.3L	**BRC-104RM**
	2.9L	**BRC-104RM**
Un-Loaded Caliper — Right	2.0L	**BRC-103RM**
	2.3L	**BRC-103RM**
	2.9L	**BRC-103RM**
Rotor	RWD	**BRR-39**
	4WD	**BRR-40**
Wheel Seal	4WD Wheel Hub Grease Retainer 2.136 ID x 2.910 OD x 0.453 Thick; Front	**BRS-17**
	Wheel Hub Grease Retainer 2.5 ID x 3.3 OD x 0.450 Thick w/DANA 44 Axle; Front	**BRS-22**
Rear:		
Shoes	w/10" Brake,S169,R,ORG	**BR-95B**
	w/9" Brake,S474,R,ORG	**BR-75B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
	w/10" Brake	**BRSK-7267A**
	w/9" Brake	**BRSK-7246A**
Hardware Self Adjuster Kit — Left	w/10" Brake	**BRAK-2514**
	w/9" Brake	**BRAK-2596**
Hardware Self Adjuster Kit — Right	w/10" Brake	**BRAK-2515**
	w/9" Brake	**BRAK-2597**
Wheel Cylinder — Left	w/10" Brake From 10/86	**BRWC-23**
	w/9" Brake	**BRWC-21**
Wheel Cylinder — Right	w/10" Brake From 10/86	**BRWC-23**
	w/9" Brake	**BRWC-21**
Drum	w/10 x 2 1/2" Brakes - 64.5mm Diameter Center Hole	**BRD-29**
	w/9 x 1 3/4" Brakes	**BRD-30**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2005 — Aviator

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D953,I,ORG	BR-953B
Rotor		BRR-127
Rear:		
Pads	D952,I,ORG	BR-952B

2005 — Navigator

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D934,I,SM	BR-934C
Wheel Seal	SOHC Wheel Spindle O-Ring 3.740 ID x 0.070 Width; Front	BRS-97
Rear:		
Pads	D935,I,SM	BR-935C
Rotor		BRR-116
ABS Wheel Speed Sensor — Left		BRAB-15
ABS Wheel Speed Sensor — Right		BRAB-15

2004 — Aviator

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D953,I,ORG	BR-953B
Hardware Pad Attachment Kit		BRPK-5681
Hardware Caliper Attaching Kit		BRCK-5087
Rotor		BRR-127
Rear:		
Pads	D952,I,ORG	BR-952B
Hardware Pad Attachment Kit		BRPK-5627 BRPK-5682
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7315

2004 — Navigator

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D934,I,SM	BR-934C
Hardware Pad Attachment Kit		BRPK-5756

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2004 — Navigator — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Caliper Attaching Kit		BRCK-5089
Rotor	Before 11/29/04	BRR-115
Wheel Seal	SOHC Wheel Spindle O-Ring 3.740 ID x 0.070 Width; Front	BRS-97
Rear:		
Pads	D935,I,SM	BR-935C
Hardware Pad Attachment Kit		BRPK-5689
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7325
Rotor		BRR-116
ABS Wheel Speed Sensor — Left		BRAB-15
ABS Wheel Speed Sensor — Right		BRAB-15

2003 — Aviator

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D953,I,ORG	BR-953B
Hardware Pad Attachment Kit		BRPK-5681
Hardware Caliper Attaching Kit		BRCK-5087
Rotor	From 9/03/02	BRR-127
Rear:		
Pads	D952,I,ORG	BR-952B
Hardware Pad Attachment Kit		BRPK-5627 BRPK-5682
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7315

2003 — Blackwood

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Hardware Pad Attachment Kit		BRPK-5624
Hardware Caliper Attaching Kit		BRCK-5064A
Loaded Caliper — Left		BRCL-145RM
Loaded Caliper — Right		BRCL-146RM
Un-Loaded Caliper — Left		BRC-145RM
Un-Loaded Caliper — Right		BRC-146RM
Rotor		BRR-99
Wheel Seal	5.4L Knuckle & Hub ID x 2.626 OD x 0.286 Thick	BRS-9
ABS Wheel Speed Sensor — Left		BRAB-118
ABS Wheel Speed Sensor — Right		BRAB-116

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2003 — Blackwood — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Hardware Pad Attachment Kit		BRPK-5629
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7303A
Wheel Seal	Rear Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	BRS-42
ABS Wheel Speed Sensor — Left	Speed Sensor Limited Slip	BRAB-130
ABS Wheel Speed Sensor — Right	Speed Sensor Limited Slip	BRAB-130

2003 — Navigator

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D934,I,SM	BR-934C
Hardware Pad Attachment Kit		BRPK-5688
Hardware Caliper Attaching Kit		BRCK-5089
Un-Loaded Caliper — Left	Before 7/15/02; From 3/18/02	BRC-166RM
Un-Loaded Caliper — Right	Before 7/15/02; From 3/18/02	BRC-165RM
Rotor	From 3/18/02	BRR-115
Wheel Seal	SOHC Wheel Spindle O-Ring 3.740 ID x 0.070 Width; Front	BRS-97
Rear:		
Pads	D935,I,SM	BR-935C
Hardware Pad Attachment Kit		BRPK-5689
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7325
Rotor	From 3/18/02	BRR-116
ABS Wheel Speed Sensor — Left		BRAB-15
ABS Wheel Speed Sensor — Right		BRAB-15

2002 — Blackwood

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Hardware Pad Attachment Kit		BRPK-5624
Hardware Caliper Attaching Kit		BRCK-5064A
Loaded Caliper — Left	From 10/15/01	BRCL-145RM
Loaded Caliper — Right	From 10/15/01	BRCL-146RM
Un-Loaded Caliper — Left	From 10/15/01	BRC-145RM
Un-Loaded Caliper — Right	From 10/15/01	BRC-146RM
Rotor	From 10/15/01	BRR-99
Wheel Seal	5.4L Knuckle & Hub ID x 2.626 OD x 0.286 Thick; Front	BRS-9
ABS Wheel Speed Sensor — Left		BRAB-118
ABS Wheel Speed Sensor — Right		BRAB-116
Rear:		
Hardware Pad Attachment Kit		BRPK-5629

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2002 — Blackwood — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Rotor		**BRR-97**
	From 10/15/01	**BRR-97**
Wheel Seal	Rear Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left	Speed Sensor Limited Slip From 10/15/01	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor Limited Slip From 10/15/01	**BRAB-130**

2002 — Navigator

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D702,I,SM	**BR-50**
Pads - SuperDuty	D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit		**BRPK-5628A**
Hardware Caliper Attaching Kit		**BRCK-5067A**
Loaded Caliper — Left		**BRCL-125RM**
Loaded Caliper — Right		**BRCL-62RM**
Un-Loaded Caliper — Left		**BRC-125RM**
Un-Loaded Caliper — Right		**BRC-62RM**
Rotor	RWD 4-Wheel ABS w/5-M14 Mounting Bolts	**BRR-100**
	4WD w/5-M14 Mounting Bolts	**BRR-63**
Wheel Seal	5.4L RWD Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick; Front	**BRS-9**
	4WD Front Disc w/5 Mounting Holes - Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-118**
	4WD	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-116**
	4WD	**BRAB-117**
Rear:		
Pads	D879,I,SM	**BR-3**
Pads - SuperDuty	D711,I,SM	**BRSD-711**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left		**BRCL-60RM**
Loaded Caliper — Right		**BRCL-61RM**
Un-Loaded Caliper — Left		**BRC-60RM**
Un-Loaded Caliper — Right		**BRC-61RM**
Rotor		**BRR-97**
Wheel Seal	Front Disc 3900 & 4200 lb. Rear Axle Capacity - w/5 Mounting Holes - Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — Navigator

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D702,I,SM	**BR-50**
Pads - SuperDuty	D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit		**BRPK-5628A**
Hardware Caliper Attaching Kit		**BRCK-5067A**
Loaded Caliper — Left		**BRCL-125RM**
Loaded Caliper — Right		**BRCL-62RM**
Un-Loaded Caliper — Left		**BRC-125RM**
Un-Loaded Caliper — Right	5.4L	**BRC-62RM**
Rotor	RWD 4-Wheel ABS w/5-M14 Mounting Bolts	**BRR-100**
	4WD w/5-M14 Mounting Bolts	**BRR-63**
Wheel Seal	5.4L RWD Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick; Front	**BRS-9**
	4WD Front Disc w/5 Mounting Holes - Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-118**
	4WD	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-116**
	4WD	**BRAB-117**
Rear:		
Pads	D879,I,SM	**BR-3**
Pads - SuperDuty	D711,I,SM	**BRSD-711**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left		**BRCL-60RM**
Loaded Caliper — Right		**BRCL-61RM**
Un-Loaded Caliper — Left		**BRC-60RM**
Un-Loaded Caliper — Right		**BRC-61RM**
Rotor		**BRR-97**
Wheel Seal	Front Disc 3900 & 4200 lb. Rear Axle Capacity - w/5 Mounting Holes - Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

2000 — Navigator

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D702,I,SM	**BR-50**
Pads - SuperDuty	D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit		**BRPK-5628A**
Hardware Caliper Attaching Kit		**BRCK-5067A**
Loaded Caliper — Left		**BRCL-125RM**
Loaded Caliper — Right		**BRCL-62RM**
Un-Loaded Caliper — Left		**BRC-125RM**
Un-Loaded Caliper — Right	5.4L	**BRC-62RM**
Rotor	RWD 4-Wheel ABS w/5-M12 Mounting Bolts Before 11/29/99	**BRR-31**
	RWD 4-Wheel ABS w/5-M14 Mounting Bolts From 11/29/99	**BRR-100**
	4WD w/5-M12 Mounting Bolts Before 11/29/99	**BRR-63**
	4WD w/5-M14 Mounting Bolts From 11/29/99	**BRR-63**

R = Riveted I = Integrally Molded B = Bonded **SM = Semi-Metallic ORG = Organic**

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2000 — Navigator — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Wheel Seal	5.4L RWD Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick; Front	**BRS-9**
	4WD Front Disc w/5 Mounting Holes - Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-118**
	4WD	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-116**
	4WD	**BRAB-117**
Rear:		
Pads	D879,I,SM	**BR-3**
Pads - SuperDuty	D711,I,SM	**BRSD-711**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left		**BRCL-60RM**
Loaded Caliper — Right		**BRCL-61RM**
Un-Loaded Caliper — Left		**BRC-60RM**
Un-Loaded Caliper — Right	5.4L	**BRC-61RM**
Rotor		**BRR-97**
Wheel Seal	Front Disc 3900 & 4200 lb. Rear Axle Capacity - w/5 Mounting Holes - Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1999 — Navigator

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D702,I,SM	**BR-50**
Pads - SuperDuty	D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit		**BRPK-5628A**
Hardware Caliper Attaching Kit		**BRCK-5067A**
Loaded Caliper — Left		**BRCL-125RM**
Loaded Caliper — Right		**BRCL-62RM**
Un-Loaded Caliper — Left		**BRC-125RM**
Un-Loaded Caliper — Right	5.4L	**BRC-62RM**
Rotor	RWD 4-Wheel ABS w/5-M12 Mounting Bolts	**BRR-31**
	4WD w/5-M12 Mounting Bolts	**BRR-63**
Wheel Seal	5.4L RWD Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick; Front	**BRS-9**
	4WD Front Disc w/5 Mounting Holes - Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-118**
	4WD	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-116**
	4WD	**BRAB-117**
Rear:		
Pads	D879,I,SM	**BR-3**
Pads - SuperDuty	D711,I,SM	**BRSD-711**
Hardware Pad Attachment Kit		**BRPK-5629**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1999 — Navigator — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left		**BRCL-60RM**
Loaded Caliper — Right		**BRCL-61RM**
Un-Loaded Caliper — Left		**BRC-60RM**
Un-Loaded Caliper — Right	5.4L	**BRC-61RM**
Rotor		**BRR-65**
Wheel Seal	Front Disc 3900 & 4200 lb. Rear Axle Capacity - w/5 Mounting Holes - Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

1998 — Navigator

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D702,I,SM	**BR-50**
Pads - SuperDuty	D702,I,SM	**BRSD-702**
Hardware Pad Attachment Kit		**BRPK-5628A**
Hardware Caliper Attaching Kit		**BRCK-5067A**
Loaded Caliper — Left		**BRCL-125RM**
Loaded Caliper — Right		**BRCL-62RM**
Un-Loaded Caliper — Left		**BRC-125RM**
Un-Loaded Caliper — Right	5.4L	**BRC-62RM**
Rotor	RWD 4-Wheel ABS w/5-M12 Mounting Bolts	**BRR-31**
	4WD w/5-M12 Mounting Bolts	**BRR-63**
Wheel Seal	5.4L RWD Wheel Hub Grease Retainer ID x 2.626 OD x 0.286 Thick; Front	**BRS-9**
	4WD Front Disc w/5 Mounting Holes - Wheel Hub Dust Seal 2.933 ID x 3.539 OD x 0.65 Thick; Inner	**BRS-54**
ABS Wheel Speed Sensor — Left	RWD	**BRAB-118**
	4WD	**BRAB-117**
ABS Wheel Speed Sensor — Right	RWD	**BRAB-116**
	4WD	**BRAB-117**
Rear:		
Pads	D879,I,SM	**BR-3**
Pads - SuperDuty	D711,I,SM	**BRSD-711**
Hardware Pad Attachment Kit		**BRPK-5629**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7303A**
Loaded Caliper — Left		**BRCL-60RM**
Loaded Caliper — Right		**BRCL-61RM**
Un-Loaded Caliper — Left		**BRC-60RM**
Un-Loaded Caliper — Right	5.4L	**BRC-61RM**
Rotor		**BRR-65**
Wheel Seal	Front Disc 3900 & 4200 lb. Rear Axle Capacity - w/5 Mounting Holes - Wheel Bearing Oil Seal 1.705 ID x 3.039 OD x 0.562 Thick; Inner	**BRS-42**
ABS Wheel Speed Sensor — Left		**BRAB-130**
ABS Wheel Speed Sensor — Right		**BRAB-130**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

2005 — Mariner

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Hardware Pad Attachment Kit		BRPK-13305 BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Rear:		
Hardware Combi Kit (Spring Kit)		BRSK-7310A
Hardware Self Adjuster Kit — Left		BRAK-2668A
Hardware Self Adjuster Kit — Right		BRAK-2669A
Drum		BRD-38

2005 — Mountaineer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,ORG	BR-114
Rotor		BRR-98

2004 — Monterey

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5082
Rear:		
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5096

2004 — Mountaineer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,ORG	BR-114
Hardware Pad Attachment Kit		BRPK-5677
Hardware Caliper Attaching Kit		BRCK-5086
Rotor		BRR-98
Rear:		
Pads	D881,I,ORG	BR-2000
Hardware Pad Attachment Kit		BRPK-5627
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7315

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2004 — Mountaineer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Rotor	Before 8/02/04	**BRR-102**
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**

2003 — Mountaineer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,ORG	**BR-114**
Hardware Pad Attachment Kit		**BRPK-5677**
Hardware Caliper Attaching Kit		**BRCK-5086**
Rotor		**BRR-98**
Rear:		
Pads	D881,I,ORG	**BR-2000**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7315**
Rotor		**BRR-102**
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**

2002 — Mountaineer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D833,I,ORG	**BR-114**
Hardware Pad Attachment Kit		**BRPK-5677**
Hardware Caliper Attaching Kit		**BRCK-5086**
Rotor	From 8/19/02	**BRR-98**
ABS Wheel Speed Sensor — Left		**BRAB-12**
ABS Wheel Speed Sensor — Right		**BRAB-12**
Rear:		
Pads	D881,I,ORG	**BR-2000**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7315**
Rotor		**BRR-102**
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

BRAKE SYSTEMS
LIGHT/MEDIUM TRUCKS
MERCURY TRUCK

Motorcraft

2002 — Villager

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-96RM
Un-Loaded Caliper — Right	3.3L	BRC-97RM
Rotor		BRR-88
ABS Wheel Speed Sensor — Left		BRAB-113
ABS Wheel Speed Sensor — Right		BRAB-112
Rear:		
Hardware Combi Kit (Spring Kit)		BRSK-7285A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Wheel Cylinder — Left		BRWC-40A
Wheel Cylinder — Right		BRWC-40A
Drum		BRD-35
ABS Wheel Speed Sensor — Left		BRAB-114
ABS Wheel Speed Sensor — Right		BRAB-111

2001 — Mountaineer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	BR-47B
Pads - SuperDuty	D652,I,SM	BRSD-652
Hardware Pad Attachment Kit		BRPK-5624
Hardware Caliper Attaching Kit		BRCK-5064A
Loaded Caliper — Left		BRCL-23RM
Loaded Caliper — Right		BRCL-24RM
Un-Loaded Caliper — Left		BRC-23RM
Un-Loaded Caliper — Right		BRC-24RM
Rotor	RWD 4-Wheel ABS 11.28" Diameter	BRR-25
	4WD	BRR-5
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
	4WD Front Disc w/5 Mounting Holes - Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	BRS-31
ABS Wheel Speed Sensor — Left	4WD	BRAB-115
ABS Wheel Speed Sensor — Right	4WD	BRAB-115
Rear:		
Pads	D667,I,SM	BR-2
Pads - SuperDuty	D667,I,SM	BRSD-667
Hardware Pad Attachment Kit		BRPK-5627
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7299A
Loaded Caliper — Left	Before 01/02/01	BRCL-45RM
Loaded Caliper — Right	Before 01/02/01	BRCL-46RM
Un-Loaded Caliper — Left	Before 01/02/01	BRC-45RM
Un-Loaded Caliper — Right	Before 01/02/01	BRC-46RM
Rotor	All	BRR-59
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	BRS-40

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2001 — Mountaineer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

2001 — Villager

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D576,I,SM	**BR-106**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left		**BRC-96RM**
Un-Loaded Caliper — Right	3.3L	**BRC-97RM**
Rotor		**BRR-88**
ABS Wheel Speed Sensor — Left		**BRAB-113**
ABS Wheel Speed Sensor — Right		**BRAB-112**
Rear:		
Shoes	S665,R,ORG	**BR-102B**
Hardware Combi Kit (Spring Kit)		**BRSK-7285A**
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**
Wheel Cylinder — Left		**BRWC-40A**
Wheel Cylinder — Right		**BRWC-40A**
Drum		**BRD-35**
ABS Wheel Speed Sensor — Left		**BRAB-114**
ABS Wheel Speed Sensor — Right		**BRAB-111**

2000 — Mountaineer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	**BR-47B**
Pads - SuperDuty	D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	4WD	**BRR-5**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD Front Disc w/5 Mounting Holes - Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-115**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-115**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

2000 — Mountaineer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Pads	D667,I,SM	BR-2
Pads - SuperDuty	D667,I,SM	BRSD-667
Hardware Pad Attachment Kit		BRPK-5627
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7299A
Loaded Caliper — Left		BRCL-45RM
Loaded Caliper — Right		BRCL-46RM
Un-Loaded Caliper — Left		BRC-45RM
Un-Loaded Caliper — Right		BRC-46RM
Rotor	All	BRR-59
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	BRS-40
ABS Wheel Speed Sensor — Left	Speed Sensor	BRAB-130
ABS Wheel Speed Sensor — Right	Speed Sensor	BRAB-130

2000 — Villager

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D576,I,SM	BR-106
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-96RM
Un-Loaded Caliper — Right	3.3L	BRC-97RM
Rotor		BRR-88
ABS Wheel Speed Sensor — Left		BRAB-113
ABS Wheel Speed Sensor — Right		BRAB-112
Rear:		
Shoes	S665,R,ORG	BR-102B
Hardware Combi Kit (Spring Kit)		BRVP-1177A BRVP-1456 BRSK-7285A
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Wheel Cylinder — Left		BRWC-40A
Wheel Cylinder — Right		BRWC-40A
Drum		BRD-35
ABS Wheel Speed Sensor — Left		BRAB-114
ABS Wheel Speed Sensor — Right		BRAB-111

1999 — Mountaineer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	BR-47B

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — Mountaineer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Pads - SuperDuty	D652,I,SM	**BRSD-652**
Hardware Pad Attachment Kit		**BRPK-5624**
Hardware Caliper Attaching Kit		**BRCK-5064A**
Loaded Caliper — Left		**BRCL-23RM**
Loaded Caliper — Right		**BRCL-24RM**
Un-Loaded Caliper — Left		**BRC-23RM**
Un-Loaded Caliper — Right		**BRC-24RM**
Rotor	RWD 4-Wheel ABS 11.28" Diameter	**BRR-25**
	4WD	**BRR-5**
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	**BRS-10**
	4WD Front Disc w/5 Mounting Holes - Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	**BRS-31**
ABS Wheel Speed Sensor — Left	4WD	**BRAB-115**
ABS Wheel Speed Sensor — Right	4WD	**BRAB-115**
Rear:		
Pads	D667,I,SM	**BR-2**
Pads - SuperDuty	D667,I,SM	**BRSD-667**
Hardware Pad Attachment Kit		**BRPK-5627**
Hardware Caliper Attaching Kit		**BRCK-5066**
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	**BRSK-7299A**
Loaded Caliper — Left		**BRCL-45RM**
Loaded Caliper — Right		**BRCL-46RM**
Un-Loaded Caliper — Left		**BRC-45RM**
Un-Loaded Caliper — Right		**BRC-46RM**
Rotor	All	**BRR-59**
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	**BRS-40**
ABS Wheel Speed Sensor — Left	Speed Sensor	**BRAB-130**
ABS Wheel Speed Sensor — Right	Speed Sensor	**BRAB-130**

1999 — Villager

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D576,I,SM	**BR-106**
Hardware Pad Attachment Kit		**BRPK-5568**
Hardware Caliper Attaching Kit		**BRCK-5025A**
Un-Loaded Caliper — Left		**BRC-96RM**
Un-Loaded Caliper — Right	3.3L	**BRC-97RM**
Rotor		**BRR-88**
ABS Wheel Speed Sensor — Left		**BRAB-113**
ABS Wheel Speed Sensor — Right		**BRAB-112**
Rear:		
Shoes	S665,R,ORG	**BR-102B**
Hardware Combi Kit (Spring Kit)		**BRVP-1177A**
		BRVP-1456
		BRSK-7285A
Hardware Self Adjuster Kit — Left		**BRAK-2652A**
Hardware Self Adjuster Kit — Right		**BRAK-2653A**

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1999 — Villager — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Wheel Cylinder — Left		BRWC-40A
Wheel Cylinder — Right		BRWC-40A
Drum		BRD-35
ABS Wheel Speed Sensor — Left		BRAB-114
ABS Wheel Speed Sensor — Right		BRAB-111

1998 — Mountaineer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	BR-47B
Pads - SuperDuty	D652,I,SM	BRSD-652
Hardware Pad Attachment Kit		BRPK-5624
Hardware Caliper Attaching Kit		BRCK-5064A
Loaded Caliper — Left		BRCL-23RM
Loaded Caliper — Right		BRCL-24RM
Un-Loaded Caliper — Left		BRC-23RM
Un-Loaded Caliper — Right		BRC-24RM
Rotor	RWD 4-Wheel ABS 11.28" Diameter	BRR-25
	4WD	BRR-5
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
	4WD Front Disc w/5 Mounting Holes - Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	BRS-31
ABS Wheel Speed Sensor — Left	4WD	BRAB-115
ABS Wheel Speed Sensor — Right	4WD	BRAB-115
Rear:		
Pads	D667,I,SM	BR-2
Pads - SuperDuty	D667,I,SM	BRSD-667
Hardware Pad Attachment Kit		BRPK-5627
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7299A
Loaded Caliper — Left		BRCL-45RM
Loaded Caliper — Right		BRCL-46RM
Un-Loaded Caliper — Left		BRC-45RM
Un-Loaded Caliper — Right		BRC-46RM
Rotor	All	BRR-59
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	BRS-40
ABS Wheel Speed Sensor — Left	Speed Sensor	BRAB-130
ABS Wheel Speed Sensor — Right	Speed Sensor	BRAB-130

1998 — Villager

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D576,I,SM	BR-106

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1998 — Villager — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-96RM
Un-Loaded Caliper — Right	3.0L	BRC-97RM
Rotor		BRR-88
ABS Wheel Speed Sensor — Left		BRAB-29
ABS Wheel Speed Sensor — Right		BRAB-33
Rear:		
Shoes	S665,R,ORG	BR-102B
Hardware Combi Kit (Spring Kit)		BRSK-7285A
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Drum		BRD-35
ABS Wheel Speed Sensor — Left	4-Wheel ABS	BRAB-28
ABS Wheel Speed Sensor — Right	4-Wheel ABS	BRAB-27

1997 — Mountaineer

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D652,I,SM	BR-47B
Pads - SuperDuty	D652,I,SM	BRSD-652
Hardware Pad Attachment Kit		BRPK-5624
Hardware Caliper Attaching Kit		BRCK-5064A
Loaded Caliper — Left		BRCL-23RM
Loaded Caliper — Right		BRCL-24RM
Un-Loaded Caliper — Left		BRC-23RM
Un-Loaded Caliper — Right		BRC-24RM
Rotor	RWD 4-Wheel ABS 11.28" Diameter	BRR-25
	4WD	BRR-5
Wheel Seal	RWD Wheel Hub Grease Retainer or Seal 1.938 ID x 2.562 OD x 0.294 Thick	BRS-10
	4WD Front Disc w/5 Mounting Holes Hub Oil Slinger 2.708 ID x 3.959 OD x 0.512 Thick	BRS-31
ABS Wheel Speed Sensor — Left	RWD	BRAB-47
	4WD	BRAB-115
ABS Wheel Speed Sensor — Right	RWD	BRAB-153
	4WD	BRAB-115
Rear:		
Pads	D667,I,SM	BR-2
Pads - SuperDuty	D667,I,SM	BRSD-667
Hardware Pad Attachment Kit		BRPK-5627
Hardware Caliper Attaching Kit		BRCK-5066
Hardware Combi Kit (Spring Kit)	Parking Brake Kit	BRSK-7299A
Loaded Caliper — Left		BRCL-45RM

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1997 — Mountaineer — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear: — Cont'd		
Loaded Caliper — Right		BRCL-46RM
Un-Loaded Caliper — Left		BRC-45RM
Un-Loaded Caliper — Right		BRC-46RM
Rotor	All	BRR-59
Wheel Seal	Rear Axle Oil Bearing Seal 1.618 ID x 2.579 OD x 0.475 Thick; Outer	BRS-40
ABS Wheel Speed Sensor — Left	Speed Sensor	BRAB-130
ABS Wheel Speed Sensor — Right	Speed Sensor	BRAB-130

1997 — Villager

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D576,I,SM	BR-106
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-96RM
Un-Loaded Caliper — Right	3.0L	BRC-97RM
Rotor		BRR-88
ABS Wheel Speed Sensor — Left		BRAB-29
ABS Wheel Speed Sensor — Right		BRAB-33
Rear:		
Shoes	S665,R,ORG	BR-102B
Hardware Combi Kit (Spring Kit)		BRSK-7285A BRVP-1177A BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Drum		BRD-35
ABS Wheel Speed Sensor — Left	4-Wheel ABS	BRAB-28
ABS Wheel Speed Sensor — Right	4-Wheel ABS	BRAB-27

1996 — Villager

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D576,I,SM	BR-106
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-96RM
Un-Loaded Caliper — Right	3.0L	BRC-97RM
Rotor		BRR-88
ABS Wheel Speed Sensor — Left		BRAB-29
ABS Wheel Speed Sensor — Right		BRAB-33

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

1996 — Villager — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Rear:		
Shoes	S665,R,ORG	BR-102B
Hardware Combi Kit (Spring Kit)		BRSK-7285A
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Drum		BRD-35
ABS Wheel Speed Sensor — Left	4-Wheel ABS	BRAB-28
ABS Wheel Speed Sensor — Right	4-Wheel ABS	BRAB-27

1995 — Villager

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D576,I,SM	BR-106
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-96RM
Un-Loaded Caliper — Right	3.0L	BRC-97RM
Rotor		BRR-88
ABS Wheel Speed Sensor — Left		BRAB-29
ABS Wheel Speed Sensor — Right		BRAB-33
Rear:		
Shoes	S665,R,ORG	BR-102B
Hardware Combi Kit (Spring Kit)		BRSK-7285A
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Drum		BRD-35
ABS Wheel Speed Sensor — Left	4-Wheel ABS	BRAB-28
ABS Wheel Speed Sensor — Right	4-Wheel ABS	BRAB-27

1994 — Villager

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D576,I,SM	BR-106
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

Motorcraft

1994 — Villager — Cont'd

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front: — Cont'd		
Un-Loaded Caliper — Left		BRC-96RM
Un-Loaded Caliper — Right	3.0L	BRC-97RM
Rotor		BRR-88
ABS Wheel Speed Sensor — Left		BRAB-29
ABS Wheel Speed Sensor — Right		BRAB-33
Rear:		
Shoes	S665,R,ORG	BR-102B
Hardware Combi Kit (Spring Kit)		BRSK-7285A
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Drum		BRD-35
ABS Wheel Speed Sensor — Left	4-Wheel ABS	BRAB-28
ABS Wheel Speed Sensor — Right	4-Wheel ABS	BRAB-27

1993 — Villager

PART DESCRIPTION	QUALIFIER	PART NUMBER
Front:		
Pads	D576,I,SM	BR-106
Hardware Pad Attachment Kit		BRPK-5568
Hardware Caliper Attaching Kit		BRCK-5025A
Un-Loaded Caliper — Left		BRC-96RM
Un-Loaded Caliper — Right	3.0L	BRC-97RM
Rotor		BRR-88
ABS Wheel Speed Sensor — Left		BRAB-29
ABS Wheel Speed Sensor — Right		BRAB-33
Rear:		
Shoes	S665,R,ORG	BR-102B
Hardware Caliper Attaching Kit		BRCK-5025A
Hardware Combi Kit (Spring Kit)		BRSK-7285A
		BRVP-1177A
		BRVP-1456
Hardware Self Adjuster Kit — Left		BRAK-2652A
Hardware Self Adjuster Kit — Right		BRAK-2653A
Wheel Cylinder — Left		BRWC-30A
Wheel Cylinder — Right		BRWC-30A
Drum		BRD-35
ABS Wheel Speed Sensor — Left	4-Wheel ABS	BRAB-28
ABS Wheel Speed Sensor — Right	4-Wheel ABS	BRAB-27

R = Riveted I = Integrally Molded B = Bonded SM = Semi-Metallic ORG = Organic

D-Plate numbers for friction parts, Pads & Shoes, are noted within the Qualifier text for easier part identification.

MAKE	YEAR

BRAKE PARTS
REAR DISC PAD

BR-1
(Sales Rating: C)
(XU2Z-2V200RA) (XU2J-2C453RA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-95

BRAKE PARTS
REAR DISC PAD

BR-2
(Sales Rating: A)
(XU2Z-2V200SA) (XU2J-2C453SA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-95
Explorer Sport 2002
MERCURY TRUCK
Mountaineer 2001-97

BRAKE PARTS
REAR DISC PAD

BR-3
(Sales Rating: A)
(XU2Z-2V200TA) (XU2J-2C453TA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98

BRAKE PARTS
FRONT DISC PAD

BR-4B
(Sales Rating: C)
(2U2Z-2V200-PARM) (RM2U2J-2C453-PA)
PASSENGER CARS
FORD 1991-79
Crown Victoria 1993-92
MERCURY|.‼1990-79

BRAKE PARTS
FRONT DISC PAD

BR-5B
(Sales Rating: C)
(2U2Z-2V001-BA)
PASSENGER CARS
LINCOLN
Town Car 1994-91

BRAKE PARTS
FRONT DISC PAD

BR-6B
(Sales Rating: C)
(2U2Z-2V001-CA) (2U2J-2C452-CA)
PASSENGER CARS
FORD
Escort/EXP 1990-84
Tempo 1994-90
MERCURY
Lynx/LN7 1987-84
Topaz 1994-90

BRAKE PARTS
FRONT DISC PAD

BR-7B
(Sales Rating: C)
(2U2Z-2V001-DA) (2U2J-2C452-DA)
PASSENGER CARS
FORD
Fairmont 1983
LTD 1986-83
Mustang 1993-83
Thunderbird 1988-83
MERCURY
Capri 1986-85
Cougar 1988-83
Marquis 1986-83
Zephyr 1983

BRAKE PARTS
Front Disc Pad

BR-8B
(Sales Rating: C)
(1U2Z-2V001-FA) (1U2J-2C452-FA)
PASSENGER CARS
FORD
Aspire 1997
MERCURY
Capri 1994-91
Tracer 1989-87

BRAKE PARTS
FRONT DISC PAD

BR-9
(Sales Rating: C)
(XU2Z-2V001FA) (XU2J2C452FA)
PASSENGER CARS
MERCURY
Tracer 1989-87

BRAKE PARTS
Front Disc Pad

BR-10B
(Sales Rating: C)
(1U2Z-2V001-RA) (1U2J-2C452-RA)
PASSENGER CARS
FORD
Probe 1992-89

BRAKE PARTS
FRONT DISC PAD

BR-11B
(Sales Rating: C)
(2U2Z-2V001-EA)
PASSENGER CARS
FORD
Festiva 1993-88

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS
FRONT DISC PAD

BR-12B
(Sales Rating: C)
(2U2Z-2V001-PA) (2U2J-2C452-PA)
PASSENGER CARS
FORD
Mustang 2004-94

BRAKE PARTS
FRONT DISC PAD

BR-13B
(Sales Rating: C)
(2U2Z-2V001-FA) (2U2J-2C452-FA)
PASSENGER CARS
FORD
Thunderbird 1992-89
MERCURY
Cougar 1992-89

BRAKE PARTS
FRONT DISC PAD

BR-14B
(Sales Rating: C)
(2U2Z-2V001-GA) (2U2J-2C452-GA)
PASSENGER CARS
FORD
Taurus 1992-86
LINCOLN
Continental 1992-88
MERCURY
Sable 1992-86

BRAKE PARTS
FRONT DISC PAD

BR-15B
(Sales Rating: C)
(2U2Z-2V001-RA) (2U2J-2C452-RA)
PASSENGER CARS
FORD
Taurus 1993-89
MERCURY
Sable 1993

BRAKE PARTS
FRONT DISC PAD

BR-16B
(Sales Rating: C)
(2U2Z-2V001-SA) (2U2J-2C452-SA)
PASSENGER CARS
FORD
Mustang 1993-87
Thunderbird 1988-87

BRAKE PARTS
FRONT DISC PAD

BR-17B
(Sales Rating: C)
(1U2Z-2V001MA) (1U2J-2C452MA)
PASSENGER CARS
FORD
Aspire 1996-94
Escort/EXP 1993-91
MERCURY
Tracer 1993-92

BRAKE PARTS
FRONT DISC PAD

BR-18B
(Sales Rating: A)
(1U2Z-2V001NA) (1U2J-2C452NA)
PASSENGER CARS
FORD
Escort/EXP 2002-91
MERCURY
Tracer 1999-91

BRAKE PARTS
FRONT DISC PAD

BR-19
(Sales Rating: C)
(XU2Z-2V001SA) (XU2J-2C452SA)
PASSENGER CARS
FORD
Crown Victoria 1994-93
LINCOLN
Town Car 1994-93

BRAKE PARTS
FRONT DISC PAD

BR-20B
(Sales Rating: C)
(2U2Z-2V001-HA) (2U2J-2C452-HA)
PASSENGER CARS
FORD
Thunderbird 1997-93
MERCURY
Cougar 1997-93

BRAKE PARTS
FRONT DISC PAD

BR-22
(Sales Rating: C)
(XU2Z-2V001VA) (XU2J-2C452VA)
PASSENGER CARS
FORD
Probe 1997-94

BRAKE PARTS
FRONT DISC PAD

BR-23B
(Sales Rating: B)
(2U2Z-2V001-JA) (2U2J-2C452-JA)
PASSENGER CARS
FORD
Contour 2000-95
MERCURY
Cougar 2002-99
Mystique 2000-95

BRAKE PARTS
FRONT DISC PAD

BR-24B
(Sales Rating: A)
(2U2Z-2V001-KA) (2U2J-2C452-KA)
PASSENGER CARS
FORD
Crown Victoria 1997-95
LINCOLN
Town Car 1997-95

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BR-24B — Cont'd

MERCURY

Grand Marquis 1997-95

BRAKE PARTS
FRONT DISC PAD

BR-26A

(Sales Rating: A)

(XU2Z-2V001AB) (XU2J-2C452AAA)

PASSENGER CARS

FORD

Crown Victoria 2002-98

LINCOLN

Town Car 2002-98

MERCURY

Grand Marquis 2002-98

BRAKE PARTS
FRONT DISC PAD

BR-27

(Sales Rating: C)

(XU2Z-2V001ABA) (XU2J-2C452ABA)

PASSENGER CARS

MERKUR

Scorpio 1989-88

XR4Ti 1989-85

BRAKE PARTS
FRONT DISC PAD

BR-28B

(Sales Rating: C)

(1U2Z-2V001-CA) (1U2J-2C452-CA)

PASSENGER CARS

FORD

Mustang 1990-85

MERCURY

Capri 1986-85

BRAKE PARTS
FRONT DISC PAD

BR-29B

(Sales Rating: A)

(1U2Z-2V001-DA) (1U2J-2C452-DA)

PASSENGER CARS

FORD 1991-81

Crown Victoria 1994-92

LINCOLN

Continental 1987-81

Mark 1992-81

Town Car 1994-82

MERCURY|.‼1991-82

Grand Marquis 1994-92

BRAKE PARTS
Front Disc Pad

BR-30B

(Sales Rating: C)

(1U2Z-2V001-EA) (1U2J-2C452-EA)

PASSENGER CARS

FORD

Escort/EXP 1987-84

Tempo 1989-84

MERCURY

Lynx/LN7 1987-83

Topaz 1989-84

BRAKE PARTS
FRONT DISC PAD

BR-31

(Sales Rating: A)

(YU2Z-2V001AA) (YU2J-2C452AA)

PASSENGER CARS

LINCOLN

Continental 1994-93

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Windstar 1998-95

BRAKE PARTS
Front Disc Pad

BR-32B

(Sales Rating: C)

(1U2Z-2V001-FA) (1U2J-2C452-FA)

PASSENGER CARS

FORD

Escort/EXP 1996-94

MERCURY

Tracer 1996-94

BRAKE PARTS
FRONT DISC PAD

BR-33B

(Sales Rating: B)

(1U2Z-2V001-GA) (1U2J-2C452-GA)

PASSENGER CARS

FORD

Crown Victoria 1994-93

LINCOLN

Town Car 1994-93

MERCURY

Grand Marquis 1994-93

BRAKE PARTS
FRONT DISC PAD

BR-34B

(Sales Rating: C)

(1U2Z-2V001-HA)

PASSENGER CARS

FORD

Probe 1993

BRAKE PARTS
FRONT DISC PAD

BR-35B

(Sales Rating: A)

(1U2Z-2V001JA) (1U2J-2C452JA)

PASSENGER CARS

FORD

Taurus 2005-95

Thunderbird 1997-96

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME

FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BR-35B — Cont'd

LINCOLN

Continental 2002-95
Mark 1998-93

MERCURY

Cougar 1997-96
Sable 2005-01

BRAKE PARTS
Front Disc Pad

BR-36B

(Sales Rating: B)

(1U2Z-2V001-KA) (1U2J-2C452-KA)

PASSENGER CARS

FORD

Mustang 1998-94

BRAKE PARTS
Front Disc Pad

BR-37B

(Sales Rating: A)

(1U2Z-2V001-LA) (1U2J-2C452-LA)

PASSENGER CARS

FORD

Taurus 2000-94

MERCURY

Sable 2000-94

BRAKE PARTS
Front Disc Pad

BR-39B

(Sales Rating: A)

(1U2Z-2V001-SA) (1U2J-2C452-SA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Aerostar 1997-87
Bronco II 1990-84
Explorer 1994-91
Ranger 1994-83

BRAKE PARTS
FRONT DISC PAD

BR-40B

(Sales Rating: C)

(2U2Z-2V001-LA) (2U2J-2C452-LA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Aerostar 1987-86
Bronco II 1987-86
Ranger 1987-86

BRAKE PARTS
Front Disc Pad

BR-41B

(Sales Rating: B)

(2U2Z-2V001-TA) (2U2J-2C452-TA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Bronco 1993-86
E Series 1993-87
F Series 1993-86

BRAKE PARTS
FRONT DISC PAD

BR-43B

(Sales Rating: C)

(2U2Z-2V001-UA) (2U2J-2C452-UA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Bronco 1986-79
E Series 1986-84
F Series 1986-84

BRAKE PARTS
FRONT DISC PAD

BR-44

(Sales Rating: C)

(XU2Z-2V001AMA) (XU2J-2C452AMA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK

E Series 1994-92

BRAKE PARTS
FRONT DISC PAD

BR-46

(Sales Rating: A)

(XU2Z-2V001APA) (XU2J2C452APA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Bronco 1996-94
E Series 2003-94
F Series 1996-94

BRAKE PARTS
Front Disc Pad

BR-47B

(Sales Rating: A)

(1U2Z-2V001-TA) (1U2J-2C452-TA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Explorer 2001-95
Ranger 2002-95

MERCURY TRUCK

Mountaineer 2001-97

BRAKE PARTS
FRONT DISC PAD

BR-48B

(Sales Rating: A)

(2U2Z-2V001-VA) (2U2J-2C452-VA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK

E Series 2004-95
F Series 1998-95

BRAKE PARTS
FRONT DISC PAD

BR-49

(Sales Rating: A)

(XU2Z-2V001ATA) (XU2J-2C452ATA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK

F Series 2004-97

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS
FRONT DISC PAD

BR-50
(Sales Rating: A)
(XU2Z-2V001AUA) (XU2J-2C452AUA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98

BRAKE PARTS
FRONT & REAR DISC PAD

BR-51
(Sales Rating: B)
(XU2Z-2V001AVA) (XU2J-2C452AVA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-96
F Series 1998-88

BRAKE PARTS
FRONT DISC PAD

BR-52
(Sales Rating: C)
(XU2Z-2V001AXA) (XU2J-2C452AXA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-79
F Series 1994-79

BRAKE PARTS
REAR DISC PAD

BR-54
(Sales Rating: C)
(XU2Z-2V200AA) (XU2J-2C453AA)
PASSENGER CARS
MERKUR
Scorpio 1989-88

BRAKE PARTS
REAR DISC PAD

BR-57B
(1U2Z-2V200-TA)
PASSENGER CARS
FORD
Thunderbird 1997-96
LINCOLN
Mark 1998-95
MERCURY
Cougar 1997-96

BRAKE PARTS
REAR DISC PAD

BR-59B
(Sales Rating: C)
(1U2Z-2V200-MA) (1U2J-2C453-MA)
PASSENGER CARS
FORD
Mustang 1993
Taurus 1992-89
Thunderbird 1992-87
LINCOLN
Continental 1992-88
Mark 1992-91
MERCURY
Cougar 1992-89
Sable 1992-89

BRAKE PARTS
REAR DISC PAD

BR-60B
(1U2Z-2V200-CA)
PASSENGER CARS
MERCURY
Capri 1994-91
Tracer 1989-87

BRAKE PARTS
REAR DISC PAD

BR-61B
(Sales Rating: C)
(1U2Z-2V200-DA) (1U2J-2C453-DA)
PASSENGER CARS
FORD
Probe 1992-89

BRAKE PARTS
REAR DISC PAD

BR-63B
(Sales Rating: C)
(1U2Z-2V200-EA) (1U2J-2C453-EA)
PASSENGER CARS
FORD
Probe 1997-93

BRAKE PARTS
REAR DISC PAD

BR-64B
(Sales Rating: C)
1U2Z-2V200-NA) (1U2J-2C453-NA)
PASSENGER CARS
FORD
Thunderbird 1995-93
LINCOLN
Mark 1994-93
MERCURY
Cougar 1995-93

BRAKE PARTS
REAR DISC PAD

BR-65B
(Sales Rating: A)
(1U2Z-2V200-FA) (1U2J-2C453-FA)
PASSENGER CARS
FORD
Mustang 2004-94

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS
REAR DISC PAD

BR-66B
(Sales Rating: C)
(1U2Z-2V200-GA) (1U2J-2C453-GA)
PASSENGER CARS
FORD
Contour 2000-95
MERCURY
Cougar 2002-99
Mystique 2000-95

BRAKE PARTS
REAR DISC PAD

BR-67B
(Sales Rating: C)
(1U2Z-2V200-HA) (1U2J-2C453-HA)
PASSENGER CARS
FORD
Escort/EXP 2002-97
MERCURY
Tracer 1999-97

BRAKE PARTS
REAR DISC PAD

BR-71B
(Sales Rating: A)
(1U2Z-2V200-PA) (1U2J-2C453-PA)
PASSENGER CARS
FORD
Taurus 2005-93
LINCOLN
Continental 2002-93
MERCURY
Sable 2004-93

BRAKE PARTS
REAR DISC PAD

BR-72B
(Sales Rating: C)
(1U2Z-2V200-JA) (1U2J-2C453-JA)
PASSENGER CARS
FORD
Mustang 2004-94

BRAKE PARTS
REAR DISC PAD

BR-73B
(Sales Rating: A)
(1U2Z-2V200-KA) (1U2J-2C453-KA)
PASSENGER CARS
FORD
Crown Victoria 2002-96
LINCOLN
Town Car 2002-96
MERCURY
Grand Marquis 2002-96

BRAKE PARTS
REAR SHOES

BR-75B
(Sales Rating: C)
(2U2Z-2V200-AARM) (RM2U2J-2C453-AA)
PASSENGER CARS
FORD
LTD 1986-83
Mustang 1993-83
Thunderbird 1988-81
MERCURY
Capri 1986-79
Cougar 1988-81
Marquis 1986-83
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1989-86
Bronco II 1990-84
Ranger 1994-84

BRAKE PARTS
REAR SHOES

BR-76B
(Sales Rating: C)
(2U2Z-2V200-BARM) (RM2U2J-2C453-BA)
PASSENGER CARS
FORD 1991-79
LTD II 1979
LINCOLN
Town Car 1991-82
MERCURY 1991-79

BRAKE PARTS
REAR SHOES

BR-77B
(Sales Rating: C)
2U2Z-2V200-CARM) (RM2U2J-2C453-CA)
PASSENGER CARS
FORD 1991-79
LTD II 1979
LINCOLN
Town Car 1998-82
MERCURY 1991-79

BRAKE PARTS
REAR SHOES

BR-78B
(Sales Rating: C)
1U2Z-2V200-ABRM) (RM1U2J-2C453-AA)
PASSENGER CARS
FORD
Escort/EXP 1990-81
MERCURY
Lynx/LN7 1987-81

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS
REAR SHOES

BR-79B
(Sales Rating: C)
(1U2Z-2V200-BBRM) (RM1U2J-2C453-BA)
PASSENGER CARS

FORD	
Escort/EXP	1990-81
Tempo	1994-84
MERCURY	
Lynx/LN7	1987-81
Topaz	1994-84

BRAKE PARTS
REAR SHOES

BR-80
(Sales Rating: C)
(XU2Z-2V200GARM) (RMXU2J-2C453GA)
PASSENGER CARS

MERKUR	
XR4Ti	1989-85

BRAKE PARTS
REAR SHOES

BR-81B
(Sales Rating: C)
(2U2Z-2V200-DARM) (RM2U2J-2C453-DA)
PASSENGER CARS

FORD	
Taurus	1992-86
MERCURY	
Sable	1992-86

BR-82B
(Sales Rating: C)
(REAR SHOES)
(2U2Z-2V200-EARM) (RM2U2J-2C453-EA)
PASSENGER CARS

FORD	
Taurus	1992-86
MERCURY	
Sable	1992-86

BRAKE PARTS
REAR SHOES

BR-83
(Sales Rating: C)
(XU2Z-2V200KARM) (RMXU2J-2C453KA)
PASSENGER CARS

MERCURY	
Tracer	1989-87

BRAKE PARTS
REAR SHOES

BR-84
(Sales Rating: C)
(XU2Z-2V200LARM) (RMXU2J-2C453LA)
PASSENGER CARS

MERCURY	
Tracer	1989-87

BRAKE PARTS
REAR SHOES

BR-85B
(Sales Rating: C)
(1U2Z-2V200-FARM) (RM1U2J-2C453-FA)
PASSENGER CARS

FORD	
Festiva	1993-88

BR-86B
(Sales Rating: C)
PASSENGER CARS

FORD	
Escort/EXP	1993-91
Probe	1992-89
MERCURY	
Tracer	1993-91

BRAKE PARTS
REAR SHOES

BR-87B
(Sales Rating: A)
(2U2Z-2V200-FARM) (RM2U2J-2C453-FA)
PASSENGER CARS

FORD	
Taurus	2005-92
MERCURY	
Sable	2005-92

BRAKE PARTS
REAR SHOES

BR-88B
(Sales Rating: C)
(2U2Z-2V200-GARM) (RM2U2J-2C453-GA)
PASSENGER CARS

FORD	
Taurus	1999-92
MERCURY	
Sable	1999-92

BRAKE PARTS
REAR SHOES

BR-89B
(Sales Rating: C)
(2U2Z-2V200-HARM) (RM2U2J-2C453-HA)
PASSENGER CARS

FORD	
Thunderbird	1997-89
MERCURY	
Cougar	1997-89

BRAKE PARTS
REAR SHOES

BR-90B
(Sales Rating: C)
(1U2Z-2V200-HARM) (RM1U2J-2C453-HA)
PASSENGER CARS

FORD	
Escort/EXP	1996-92
MERCURY	
Tracer	1996-92

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS
REAR SHOES

BR-91B
(Sales Rating: C)
(1U2Z-2V200-JARM) (RM1U2J-2C453-JA)
PASSENGER CARS
FORD
Probe 1997-93

BRAKE PARTS
REAR SHOES

BR-92
(Sales Rating: C)
(XU2Z-2V200AHARM) (RMXU2J-2C453AHA)
PASSENGER CARS
FORD
Aspire 1997-94

BRAKE PARTS
REAR SHOES

BR-93B
(Sales Rating: C)
(1U2Z-2V200-LARM) (RM1U2J-2C453-LA)
PASSENGER CARS
FORD
Contour 2000-95
MERCURY
Cougar 2002-99
Mystique 2000-95

BRAKE PARTS
REAR SHOES

BR-94B
(Sales Rating: C)
(1U2Z-2V200-MARM) (RM1U2J-2C453-MA)
PASSENGER CARS
FORD
Escort/EXP 2002-97
MERCURY
Tracer 1999-97

BRAKE PARTS
REAR SHOES

BR-95B
(Sales Rating: B)
(2U2Z-2V200-JARM) (RM2U2J-2C453-JA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-86
Explorer 1994-91
Ranger 1994-84

BRAKE PARTS
REAR SHOES

BR-96B
(Sales Rating: C)
(2U2Z-2V200-KARM) (RM2U2J-2C453-KA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-85
E Series 1996-85
F Series 1996-85

BRAKE PARTS
REAR SHOES

BR-98
(Sales Rating: C)
(XU2Z-2V200YARM) (RMXU2J-2C453YA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-84
F Series 1999-84

BRAKE PARTS
REAR SHOES

BR-100
(Sales Rating: B)
(XU2Z-2V200AAARM) (RMXU2J-2C453AAA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-79
F Series 1998-80

BRAKE PARTS
REAR SHOES

BR-101
(Sales Rating: B)
(XU2Z-2V200ABARM) (RMXU2J-2C453ABA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1998-87
F Series 1998-87

BRAKE PARTS
REAR SHOES

BR-102B
(Sales Rating: A)
(2U2Z-2V200-LARM) (RM2U2J-2C453-LA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2001-95
MERCURY TRUCK
Villager 2001-93

BRAKE PARTS
REAR SHOES

BR-103B
(Sales Rating: C)
(2U2Z-2V200-MARM) (RM2U2J-2C453-MA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2005-95

BRAKE PARTS
REAR SHOES

BR-104B
(Sales Rating: B)
(2U2Z-2V200-NARM) (RM2U2J-2C453-NA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2005-95

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS
REAR SHOES

BR-105B
(Sales Rating: B)
(1U2Z-2V200-NARM) (RM1U2J-2C453-NA)
PASSENGER CARS
LINCOLN
Town Car 2002-98
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2003-97
F Series 2000-97

BRAKE PARTS
FRONT DISC PAD

BR-106
(Sales Rating: B)
(XU2Z-2V001ANA) (XU2J-2C452ANA)
LIGHT/MEDIUM TRUCKS
MERCURY TRUCK
Villager 2001-93

BRAKE PARTS
REAR DISC PAD

BR-107B
(Sales Rating: C)
(1U2Z-2V200-UA)
PASSENGER CARS
FORD
Crown Victoria 1995-92
LINCOLN
Town Car 1995
MERCURY
Grand Marquis 1995-92

BRAKE PARTS
REAR DISC PAD

BR-108B
(Sales Rating: C)
(1U2Z-2V200-RA) (1U2J-2C453-RA)
PASSENGER CARS
FORD
Mustang 1986-85

BRAKE PARTS — Cont'd
REAR DISC PAD — Cont'd

BR-108B — Cont'd
LINCOLN
Continental 1987-82
Mark 1990-84

BRAKE PARTS
REAR DISC PAD

BR-109B
(Sales Rating: C)
(1U2Z-2V200-LA) (1U2J-2C453-LA)
PASSENGER CARS
FORD
Escort/EXP 1996-91
MERCURY
Tracer 1996-91

BRAKE PARTS
REAR DISC PAD

BR-110B
(Sales Rating: A)
(1U2Z-2V200-SA) (1U2J-2C453-SA)
PASSENGER CARS
FORD
Crown Victoria 1995-92
LINCOLN
Town Car 1995-91
MERCURY
Grand Marquis 1995-92

BRAKE PARTS
REAR SHOES

BR-111B
(Sales Rating: C)
(2U2Z-2V200-PARM) (RM2U2J-2C453-PA)
PASSENGER CARS
FORD
LTD 1986-83
Thunderbird 1988-81
MERCURY
Cougar 1989-81
Marquis 1986-83

BRAKE PARTS — Cont'd
REAR SHOES — Cont'd

BR-114
(Sales Rating: B)
(2U2Z-2V001-YA) (2U2J-2C452-YA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2005-02
MERCURY TRUCK
Mountaineer 2005-02

BRAKE PARTS
FRONT DISC PAD

BR-931B
(Sales Rating: A)
(4U2Z-2V001-BA)
PASSENGER CARS
FORD
Crown Victoria 2005-03
LINCOLN
Town Car 2005-03
MERCURY
Grand Marquis 2005-03

BRAKE PARTS
REAR DISC PAD

BR-932B
(Sales Rating: A)
(4U2Z-2V200-CA)
PASSENGER CARS
FORD
Crown Victoria 2005-03
LINCOLN
Town Car 2005-03
MERCURY
Grand Marquis 2005-03

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

BUYER'S GUIDE

Motorcraft

MAKE	YEAR

BRAKE PARTS
FRONT DISC PAD

BR-934C
(Sales Rating: A)
(3U2Z-2V001-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2005-03
LINCOLN TRUCK
Navigator 2005-03

BRAKE PARTS
REAR DISC PAD

BR-935C
(Sales Rating: A)
(3U2Z-2V200-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2005-03
LINCOLN TRUCK
Navigator 2005-03

BRAKE PARTS
REAR DISC PAD

BR-952B
(Sales Rating: B)
(4U2Z-2V200-BB)
LIGHT/MEDIUM TRUCKS
LINCOLN TRUCK
Aviator 2005-03

BRAKE PARTS
FRONT DISC PAD

BR-953B
(Sales Rating: B)
(4U2Z-2V001-AB)
LIGHT/MEDIUM TRUCKS
LINCOLN TRUCK
Aviator 2005-03

BRAKE PARTS
REAR DISC PAD

BR-1012
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004

BRAKE PARTS
REAR DISC PAD

BR-1012B
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005

BRAKE PARTS
FRONT DISC PAD

BR-1083
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005-04

BRAKE PARTS
REAR SHOES

BR-1264
(Sales Rating: C)
(YU2Z-2V200AARM) (RMYU2J-2C453AA)
PASSENGER CARS
FORD
Contour 2000-95
MERCURY
Cougar 2002-99
Mystique 2000-95

BRAKE PARTS
REAR SHOES

BR-1265
(Sales Rating: B)
(YU2Z-2V200BARM) (RMYU2J-2C453BA)
PASSENGER CARS
FORD
Focus 2005-00

BRAKE PARTS
FRONT DISC PAD

BR-1266
(Sales Rating: A)
(YU2Z-2V001BA) (YU2J-2C452BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

BRAKE PARTS
FRONT DISC PAD

BR-1267
(Sales Rating: C)
(YU2Z-2V001CA) (YU2J-2C452CA)
PASSENGER CARS
FORD
Contour 2000-98
MERCURY
Cougar 2002-99
Mystique 2000-98

BRAKE PARTS
FRONT DISC PAD

BR-1268
(Sales Rating: B)
(YU2Z-2V001DA) (YU2J-2C452DA)
PASSENGER CARS
FORD
Mustang 2004-99

BRAKE PARTS
FRONT DISC PAD

BR-1269
(Sales Rating: B)
(YU2Z-2V001EA) (YU2J-2C452EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-99

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS
FRONT DISC PAD

BR-1270
(Sales Rating: A)
(YU2Z-2V001FA) (YU2J-2C452FA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-99

BRAKE PARTS
FRONT DISC PAD

BR-1271
(Sales Rating: C)
(YU2Z-2V001GA) (YU2J-2C452GA)
PASSENGER CARS
FORD
Contour 2000-99

BRAKE PARTS
FRONT DISC PAD

BR-1272
(Sales Rating: C)
(YU2Z-2V001HA) (YU2J-2C452HA)
PASSENGER CARS
FORD
Contour 1999-98

BRAKE PARTS
FRONT DISC PAD

BR-1273
(Sales Rating: B)
(YU2Z-2V001JA) (YU2J-2C452JA)
PASSENGER CARS
FORD
Thunderbird 2005-02
LINCOLN
LS 2005-00

BRAKE PARTS
FRONT DISC PAD

BR-1274
(Sales Rating: A)
(YU2Z-2V001KA) (YU2J-2C452KA)
PASSENGER CARS
FORD
Focus 2004-00

BRAKE PARTS
FRONT DISC PAD

BR-1275
(Sales Rating: A)
(YU2Z-2V200AA) (YU2J-2C453AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

BRAKE PARTS
FRONT DISC PAD

BR-1276
(Sales Rating: A)
(YU2Z-2V200BA) (YU2J-2C453BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-99

BRAKE PARTS
REAR DISC PAD

BR-1277
(Sales Rating: C)
(YU2Z-2V200CA) (YU2J-2C453CA)
PASSENGER CARS
FORD
Contour 2000-98
MERCURY
Cougar 2002-99
Mystique 2000-98

BRAKE PARTS
REAR DISC PAD

BR-1278
(Sales Rating: B)
(YU2Z-2V200DA) (YU2J-2C453DA)
PASSENGER CARS
FORD
Thunderbird 2005-02
LINCOLN
LS 2005-00

BRAKE PARTS
REAR DISC PAD

BR-1400
(Sales Rating: C)
2U2Z-2V200-BB) (2U2J-2C453-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport 2003-02
Explorer Sport Trac 2005-03

BRAKE PARTS
REAR SHOES

BR-2000
(Sales Rating: A)
(2U2Z-2V200-AB) (2U2J-2C453-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2004-02
MERCURY TRUCK
Mountaineer 2004-02

BRAKE PARTS
FRONT DISC PAD

BR-11438
(Sales Rating: A)
(1U2Z-2V001AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport 2003-01
Explorer Sport Trac 2005-01
Ranger 2005-03

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

BUYER'S GUIDE

Ford Motorcraft

MAKE	YEAR

BRAKE PARTS
FRONT DISC PAD

BR-11439
(Sales Rating: A)
(1U2Z-2V001BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2004-01

BRAKE PARTS
REAR SHOES

BR-11440A
(Sales Rating: C)
(1U2Z-2V200PBRM) (RM1U2J-2C453PA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport Trac 2002-01

BRAKE PARTS
REAR SHOES

BR-11441A
(Sales Rating: C)
(1U2Z-2V200RBRM) (RM1U2J-2C453RA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2004-01

BRAKE PARTS
REAR DISC PAD

BR-11448
6L3Z-2200-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004

BRAKE PARTS
FRONT DISC PAD

BR-11449
(4L3Z-2001-AC)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004

BRAB-1
(1C3Z-2C190-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-01

BRAB-2
(1C3Z-2C204-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-02

BRAB-3
(1C3Z-2C205-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-02

BRAB-4
(1C4Z-2C204-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2003-00

BRAB-5
(1C4Z-2C205-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2003-01

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-6
(1F1Z-2C190-AB)
PASSENGER CARS
FORD
Taurus 2003-01
MERCURY
Sable 2003-01

BRAB-7
(1F1Z-2C190-BB
PASSENGER CARS
FORD
Taurus 2003-01
MERCURY
Sable 2003-01

BRAB-8
(1F1Z-2C190-CB)
PASSENGER CARS
FORD
Taurus 2003-01
MERCURY
Sable 2003-01

BRAB-9
(1F1Z-2C190-DB)
PASSENGER CARS
FORD
Taurus 2003-01
MERCURY
Sable 2003-01

BRAB-10
(1F1Z-2C204-AB)
PASSENGER CARS
FORD
Taurus 2005-01
MERCURY
Sable 2005-01

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-11
(1F1Z-2C204-BB)
PASSENGER CARS
FORD
Taurus 2005-01
MERCURY
Sable 2005-01

BRAB-12
(1L2Z-2C204-AC)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2002
MERCURY TRUCK
Mountaineer 2002

BRAB-13
(1W1Z-2C190-AB)
PASSENGER CARS
FORD
Crown Victoria 2002-01
LINCOLN
Town Car 2002-01
MERCURY
Grand Marquis 2002-01

BRAB-14
(1W1Z-2C190-BB)
PASSENGER CARS
LINCOLN
Town Car 2002-01

BRAB-15
(2L1Z-2C204-BB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2005-03
LINCOLN TRUCK
Navigator 2005-03

BRAB-17
(3W1Z-2C190-AB)
PASSENGER CARS
FORD
Crown Victoria 2004-03
LINCOLN
Town Car 2004-03
MERCURY
Grand Marquis 2004-03
Marauder 2003

BRAB-18
(3W1Z-2C190-BB)
PASSENGER CARS
LINCOLN
Town Car 2004-03

BRAB-19
(3W1Z-2C204-BB)
PASSENGER CARS
FORD
Crown Victoria 2005-03
LINCOLN
Town Car 2004-03
MERCURY
Grand Marquis 2005-03
Marauder 2003

BRAB-21
(F1DZ-2C190-AA)
PASSENGER CARS
FORD
Taurus 1995-91
MERCURY
Sable 1995-91

BRAB-22
(F1DZ-2C190-BA)
PASSENGER CARS
FORD
Taurus 1995-91

BRAB-22 — Cont'd
MERCURY
Sable 1995-91

BRAB-23
(F1VY-2C190-AA)
PASSENGER CARS
FORD
Crown Victoria 1994-92
LINCOLN
Town Car 1994-91
MERCURY
Grand Marquis 1994-92

BRAB-24
(F3LY-2C204-BA)
PASSENGER CARS
FORD
Thunderbird 1997-93
LINCOLN
Mark 1997-93
MERCURY
Cougar 1997-93

BRAB-25
(F3TZ-2C204-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 1994-93

BRAB-26
(F3TZ-2C204-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 1994-93

BRAB-27
(F3XY-2C190-AA)
LIGHT/MEDIUM TRUCKS
MERCURY TRUCK
Villager 1998-93

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-28
(F3XY-2C190-BA)
LIGHT/MEDIUM TRUCKS
MERCURY TRUCK
Villager 1998-93

BRAB-29
(F3XY-2C204-BA)
LIGHT/MEDIUM TRUCKS
MERCURY TRUCK
Villager 1998-93

BRAB-30
(F4TZ-2C204-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-93

BRAB-31
(F4UZ-2C204-CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994

BRAB-32
(F4UZ-2C204-DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994

BRAB-33
(F4XY-2C204-AA)
LIGHT/MEDIUM TRUCKS
MERCURY TRUCK
Villager 1998-93

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-34
(F4ZZ-2C190-BB)
PASSENGER CARS
FORD
Mustang 1998-94

BRAB-35
(F4ZZ-2C190-CB)
PASSENGER CARS
FORD
Mustang 1994

BRAB-36
(F4ZZ-2C204-BB)
PASSENGER CARS
FORD
Mustang 1996-95

BRAB-37
(F4ZZ-2C204-CB)
PASSENGER CARS
FORD
Mustang 1996-95

BRAB-38
(F57Z-2C204-GD)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 1997-95

BRAB-39
(F58Z-2C190-DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1997-95

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-40
(F58Z-2C190-EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1997-95

BRAB-41
(F58Z-2C204-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

BRAB-42
(F58Z-2C204-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

BRAB-43
(F5AZ-2C190-AB)
PASSENGER CARS
FORD
Crown Victoria 1997-95
LINCOLN
Town Car 1997-95
MERCURY
Grand Marquis 1997-95

BRAB-44
(F5AZ-2C204-AA)
PASSENGER CARS
FORD
Crown Victoria 1997-95
LINCOLN
Town Car 1997-95
MERCURY
Grand Marquis 1997-95

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-45
(F5OZ-2C190-BB)
PASSENGER CARS
LINCOLN
Continental 1997-95

BRAB-46
(F5OZ-2C204-BB)
PASSENGER CARS
LINCOLN
Continental 1997-95

BRAB-47
(F5TZ-2C204-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 1997-95
MERCURY TRUCK
Mountaineer 1997

BRAB-48
(F5VY-2C190-AA)
PASSENGER CARS
LINCOLN
Town Car 1997-95

BRAB-49
(F6SZ-2C190-CB)
PASSENGER CARS
FORD
Thunderbird 1997
MERCURY
Cougar 1997

BRAB-50
(F6SZ-2C204-AB)
PASSENGER CARS
FORD
Thunderbird 1997-96

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-50 — Cont'd
LINCOLN
Mark 1996
MERCURY
Cougar 1997-96

BRAB-51
(F6UZ-2C204-AC)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1998-95

BRAB-52
(F6UZ-2C204-AD)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1998-95

BRAB-53
(F78Z-2C190-BB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

BRAB-54
(F78Z-2C216-BB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

BRAB-55
(F7DZ-2C190-CB)
PASSENGER CARS
FORD
Taurus 2000-96
MERCURY
Sable 2000-96

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-56
(F7DZ-2C216-BB)
PASSENGER CARS
FORD
Taurus 1997
MERCURY
Sable 1997

BRAB-57
(F7LZ-2C190-AC)
PASSENGER CARS
LINCOLN
Mark 1997-96

BRAB-58
(F7LZ-2C204-AD)
PASSENGER CARS
LINCOLN
Mark 1997

BRAB-59
PASSENGER CARS
LINCOLN
Mark 1997

BRAB-60
(F7RZ-2C190-BB)
PASSENGER CARS
FORD
Contour 2000-98
MERCURY
Cougar 2002-99
Mystique 2000-98

BRAB-61
(F7RZ-2C204-AB)
PASSENGER CARS
MERCURY
Cougar 2002-99

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

Motorcraft

MAKE	YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-62
(F7UZ-2C204-BB
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1998-94

BRAB-63
(F7UZ-2C204-CB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1998-94

BRAB-64
(F7ZZ-2C204-AB)
PASSENGER CARS
FORD
Mustang 2004-97

BRAB-65
(F7ZZ-2C205-AB)
PASSENGER CARS
FORD
Mustang 2004-97

BRAB-66
(F81Z-2C190-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2003-00

BRAB-67
(F81Z-2C204-AD)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2003-00
F Series 2003-99

BRAB-68
(F81Z-2C204-BB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2003-00
F Series 2003-99

BRAB-70
(F81Z-2C205-AD)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2003-00
F Series 2003-99

BRAB-71
(F87Z-2C204-GB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2000-98

BRAB-72
(F88Z-2C190-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998

BRAB-73
(F88Z-2C216-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998

BRAB-74
(F8AZ-2C190-AB)
PASSENGER CARS
FORD
Crown Victoria 2000-98
LINCOLN
Town Car 2000-98

BRAB-74 — Cont'd
MERCURY
Grand Marquis 2000-98

BRAB-75
(F8AZ-2C204-AB)
PASSENGER CARS
FORD
Crown Victoria 2002-98
LINCOLN
Town Car 2002-98
MERCURY
Grand Marquis 2002-98

BRAB-76
(F8CZ-2C190-AB)
PASSENGER CARS
FORD
Escort/EXP 2002-98
MERCURY
Tracer 1999-97

BRAB-77
(F8CZ-2C190-BB)
PASSENGER CARS
FORD
Escort/EXP 2001-98
MERCURY
Tracer 1999-98

BRAB-78
(F8DZ-2C190-AB)
PASSENGER CARS
FORD
Taurus 1998
MERCURY
Sable 1998

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-79
(F8DZ-2C190-BB)
PASSENGER CARS
FORD
Taurus 1998
MERCURY
Sable 1998

BRAB-80
(F8LZ-2C190-AB)
PASSENGER CARS
LINCOLN
Mark 1998

BRAB-81
(F8LZ-2C190-BB)
PASSENGER CARS
LINCOLN
Mark 1998

BRAB-82
(F8LZ-2C204-AB)
PASSENGER CARS
LINCOLN
Mark 1998

BRAB-83
(F8LZ-2C204-BB)
PASSENGER CARS
LINCOLN
Mark 1998

BRAB-84
(F8OZ-2C190-BB)
PASSENGER CARS
LINCOLN
Continental 2002-98

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-85A
PASSENGER CARS
LINCOLN
Continental 2002-98

BRAB-86
(F8VZ-2C190-AB)
PASSENGER CARS
LINCOLN
Town Car 2000-98

BRAB-87
(F8YZ-2C190-AC)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2003-98

BRAB-88
(F8YZ-2C190-AD)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2003-98

BRAB-90
(F9ZZ-2C190-CB)
PASSENGER CARS
FORD
Mustang 2004-99

BRAB-92
(FODZ-2C190-CB)
PASSENGER CARS
LINCOLN
Continental 1994-90

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-93
(FODZ-2C190-DB)
PASSENGER CARS
LINCOLN
Continental 1994-90

BRAB-94
(FODZ-2C204-AB)
PASSENGER CARS
FORD
Taurus 1995-90
MERCURY
Sable 1995-90

BRAB-95
(FOOY-2C204-AB)
PASSENGER CARS
LINCOLN
Continental 1994-90

BRAB-96
(FOOY-2C204-BB)
PASSENGER CARS
LINCOLN
Continental 1994-90

BRAB-97
(FOVY-2C190-AB)
PASSENGER CARS
LINCOLN
Town Car 1994-90

BRAB-98
(FOVY-2C204-AA)
PASSENGER CARS
FORD
Crown Victoria 1994-92
LINCOLN
Town Car 1994-90

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR
BRAKE PARTS — Cont'd	
FRONT DISC PAD — Cont'd	
BRAB-98 — Cont'd	
MERCURY	
Grand Marquis	1994-92
BRAB-99	
(XC2Z-2C204-AC)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
E Series	2003-99
BRAB-100	
(XC2Z-2C204-BD)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
E Series	2003-99
BRAB-101	
(XC2Z-2C204-BE)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
E Series	2004-99
BRAB-102	
(XC2Z-2C205-BB	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
E Series	2004-99
BRAB-103	
(XF1Z-2C204-AB)	
PASSENGER CARS	
FORD	
Taurus	2000-96
MERCURY	
Sable	2000-96

MAKE	YEAR
BRAKE PARTS — Cont'd	
FRONT DISC PAD — Cont'd	
BRAB-104	
(XF1Z-2C204-BB)	
PASSENGER CARS	
FORD	
Taurus	2000-96
MERCURY	
Sable	2000-96
BRAB-105	
(XF2Z-2C190-AB)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Windstar	2003-99
BRAB-106	
(XF2Z-2C190-BC)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Windstar	2003-99
BRAB-107	
(XF2Z-2C204-AC)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Windstar	2003-99
BRAB-108	
(XF2Z-2C205-AC)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Windstar	2003-99
BRAB-109	
(XF2Z-2C216-AB)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Windstar	2003-99

MAKE	YEAR
BRAKE PARTS — Cont'd	
FRONT DISC PAD — Cont'd	
BRAB-110	
(XF2Z-2C216-BD)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Windstar	2003-99
BRAB-111	
(XF5Z-2C190-AB)	
LIGHT/MEDIUM TRUCKS	
MERCURY TRUCK	
Villager	2002-99
BRAB-112	
(XF5Z-2C204-AC)	
LIGHT/MEDIUM TRUCKS	
MERCURY TRUCK	
Villager	2002-99
BRAB-113	
(XF5Z-2C204-AD)	
LIGHT/MEDIUM TRUCKS	
MERCURY TRUCK	
Villager	2002-99
BRAB-114	
(XF5Z-2C216-AB)	
LIGHT/MEDIUM TRUCKS	
MERCURY TRUCK	
Villager	2002-99
BRAB-115	
(XL2Z-2C204-AB)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Explorer	2001-95
Explorer Sport Trac	2002-01
MERCURY TRUCK	
Mountaineer	2001-97

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-116
(XL3Z-2C204-BC)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Blackwood 2003-02
Navigator 2002-98

BRAB-117
(XL3Z-2C204-CB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98

BRAB-118
(XL3Z-2C205-AC)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Blackwood 2003-02
Navigator 2002-98

BRAB-119
(YF1Z-2C190-AB)
PASSENGER CARS
FORD
Taurus 2000-99
MERCURY
Sable 2000-99

BRAB-120
(YF1Z-2C190-BB)
PASSENGER CARS
FORD
Taurus 2000-99

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-120 — Cont'd
MERCURY
Sable 2000-99

BRAB-121
(YL5Z-2C204-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport Trac 2005-02
Ranger 2003-00

BRAB-122
(YL8Z-2C190-AC)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2004-01

BRAB-123
(YL8Z-2C204-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2005-01

BRAB-124
(YL8Z-2C205-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2005-01

BRAB-125
(YL8Z-2C216-AC)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2004-01

BRAB-126
(YS4Z-2C190-BB)
PASSENGER CARS
FORD
Focus 2005-00

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-127
(YS4Z-2C190-CB)
PASSENGER CARS
FORD
Focus 2005-00

BRAB-129
(3W4Z-2C204-AA)
PASSENGER CARS
FORD
Thunderbird 2005-03
LINCOLN
LS 2005-00

BRAB-130
(F85Z-2L373-AC)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-90
Bronco 1996-90
Bronco II 1990
E Series 2005-90
Excursion 2005-00
Expedition 2002-97
Explorer 2001-91
Explorer Sport 2003-01
Explorer Sport Trac 2005-01
F Series 2005-90
Ranger 2005-90
LINCOLN TRUCK
Blackwood 2003-02
Navigator 2002-98
MERCURY TRUCK
Mountaineer 2001-97

BRAB-132
(5F9Z-2C204-AA)
PASSENGER CARS
FORD
Five Hundred 2005
Freestyle 2005
MERCURY
Montego 2005

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-133
(5F9Z-2C190-BA)
PASSENGER CARS
FORD
Five Hundred 2005
Freestyle 2005
MERCURY
Montego 2005

BRAB-134
(5F9Z-2C190-CA)
PASSENGER CARS
FORD
Five Hundred 2005
Freestyle 2005
MERCURY
Montego 2005

BRAB-135
(5F9Z-2C190-AA)
PASSENGER CARS
FORD
Five Hundred 2005
Freestyle 2005
MERCURY
Montego 2005

BRAB-136
(5F9Z-2C190-DA)
PASSENGER CARS
FORD
Five Hundred 2005
Freestyle 2005
MERCURY
Montego 2005

BRAB-137
(3R3Z-2C190-BA)
PASSENGER CARS
FORD
Mustang 2004-96

MAKE	YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-138
(3R3Z-2C190-CA)
PASSENGER CARS
FORD
Mustang 2004-96

BRAB-139
(5R3Z-2C190-AA)
PASSENGER CARS
FORD
Mustang 2005

BRAB-140
(4R3Z-2C204-AA)
PASSENGER CARS
FORD
Mustang 2005

BRAB-141
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004

BRAB-142
(4C4Z-2C204-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004

BRAB-144
(5C3Z-2C204-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005

MAKE	YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-145
(5C3Z-2C204-CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005

BRAB-148
(5W1Z-2C190-AA)
PASSENGER CARS
FORD
Crown Victoria 2005
LINCOLN
Town Car 2005
MERCURY
Grand Marquis 2005

BRAB-149
(5W1Z-2C190-BA)
PASSENGER CARS
LINCOLN
Town Car 2005

BRAB-151
(F6RZ-2C182-BA)
PASSENGER CARS
FORD
Contour 2000-96
MERCURY
Mystique 2000-96

BRAB-152
(5C3Z-2C204-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005-04

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-153
(F5TZ-2B372-A)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 1997-95
MERCURY TRUCK
Mountaineer 1997

BRAB-154
(YS4Z-2B372-AA)
PASSENGER CARS
FORD
Focus 2005-00

BRAB-155
(F6RZ-2C182-AA)
PASSENGER CARS
FORD
Contour 2000-96
MERCURY
Mystique 2000-96

BRAB-156
(5L3Z-2C204-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005

BRAB-157
(5L3Z-2C204-AB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005-04

BRAB-164
(6C2Z-2C204-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005

MAKE YEAR

BRAKE PARTS — Cont'd
FRONT DISC PAD — Cont'd

BRAB-165
(6C2Z-2C205-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005

BRAB-167
(5W3Z-2C204-AA)
PASSENGER CARS
FORD
Thunderbird 2005-03
LINCOLN
LS 2005-03

ADJUSTER KIT



BRAK-2514
(Sales Rating: C)
(1L5Z-2V041AA)
PASSENGER CARS
FORD 1979-71
Fairlane 1970-62
Fairmont 1983-78
Falcon 1970-65
Granada 1982-75
LTD 1986-65
Maverick 1977-71
Mustang 1990-65
Thunderbird 1988-80
Torino 1975-62
MERCURY
Comet 1977-65
Cougar 1988-67
Marquis 1986-83
Monarch 1980-75
Montego 1975-68
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-86
Bronco II 1990-87
Explorer 1994-91

MAKE YEAR

ADJUSTER KIT — Cont'd

BRAK-2514 — Cont'd

FORD TRUCK — Cont'd
F Series 1983-80
Ranchero 1972-67
Ranger 1994-84




BRAK-2515
(Sales Rating: C)
(1L5Z-2V041BA)
PASSENGER CARS
FORD 1972-66
Fairlane 1970-62
Fairmont 1983-78
Falcon 1970-65
Granada 1982-75
LTD 1986-65
Maverick 1977-71
Mustang 1990-65
Thunderbird 1988-80
Torino 1975-62
MERCURY
Comet 1977-65
Cougar 1988-67
Marquis 1986-83
Monarch 1980-75
Montego 1975-68
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-86
Bronco II 1990-87
Explorer 1994-91
F Series 1983-80
Ranchero 1972-67
Ranger 1994-84

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

ADJUSTER KIT — Cont'd



BRAK-2544A

(Sales Rating: C)

PASSENGER CARS

FORD	1991-65
Fairlane	1973-72
LTD II	1979-77
Thunderbird	1979-67
Torino	1979-72

LINCOLN

Continental	1990-70
Mark	1981-68
Town Car	1990-82


MERCURY|.!!1991-65

Cougar	1979-76

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Bronco	1996-76
E Series	1996-69
F Series	1996-68
Ranchero	1979-73



BRAK-2545A

(Sales Rating: C)

PASSENGER CARS

FORD	1991-65
Fairlane	1973-72
LTD II	1979-77
Thunderbird	1979-67
Torino	1979-72

LINCOLN

Continental	1990-70
Mark	1981-68
Town Car	1990-82

MERCURY|.!!1991-65

Cougar	1979-76


ADJUSTER KIT — Cont'd

BRAK-2545A — Cont'd

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Bronco	1996-76
E Series	1996-69
F Series	1996-68
Ranchero	1979-73



BRAK-2596

(Sales Rating: C)

(1R3Z-2V041AA)

PASSENGER CARS

FORD	
Fairmont	1983-78
Granada	1981
LTD	1986-83
Mustang	1993-74
Pinto	1980-71
Thunderbird	1988-80

MERCURY


Bobcat	1980-75
Capri	1986-79
Cougar	1988-80
Marquis	1986-83
Zephyr	1983-78

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Aerostar	1992-86
Bronco II	1990-87
Ranger	1994-83

ADJUSTER KIT — Cont'd



BRAK-2597

(Sales Rating: C)

(1R3Z-2V041BA)

PASSENGER CARS

FORD	
Fairmont	1983-78
Granada	1981
LTD	1986-83
Mustang	1993-74
Pinto	1980-71
Thunderbird	1988-80


MERCURY

Bobcat	1980-75
Capri	1986-79
Cougar	1988-80
Marquis	1986-83
Zephyr	1983-78

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Aerostar	1992-86
Bronco II	1990-87
Ranger	1994-83



BRAK-2598

(Sales Rating: A)

(1C3Z-2V041AA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK


E Series	2004-69
F Series	1999-67
P-Series	1976-67

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME


FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

ADJUSTER KIT — Cont'd




BRAK-2599
(Sales Rating: B)
(1C3Z-2V041BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-69
F Series 1999-67
P-Series 1976-67




BRAK-2602
(Sales Rating: C)
(1S4Z-2V041AA)
PASSENGER CARS
FORD
Escort/EXP 1990-82
Tempo 1991-84
MERCURY
Lynx/LN7 1987-81
Topaz 1991-84

ADJUSTER KIT — Cont'd




BRAK-2603
(Sales Rating: C)
(1S4Z-2V041BA)
PASSENGER CARS
FORD
Escort/EXP 1990-82
Tempo 1991-84
MERCURY
Lynx/LN7 1987-81
Topaz 1991-84




BRAK-2606
(Sales Rating: B)
(1W7Z-2V041AA)
PASSENGER CARS
FORD 1991-79
LINCOLN
Continental 1990-80
Mark 1983-80
Town Car 1990-80
MERCURY 1991-80

ADJUSTER KIT — Cont'd



BRAK-2607
(Sales Rating: C)
(1W7Z-2V041BA)
PASSENGER CARS
FORD 1991-79
LINCOLN
Continental 1990-80
Mark 1983-80
Town Car 1990-80
MERCURY 1991-80




BRAK-2632
(Sales Rating: C)
(1F1Z-2V041AA)
PASSENGER CARS
FORD
Taurus 1992-86
MERCURY
Sable 1992-86

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER


Ford Motorcraft

MAKE	YEAR

ADJUSTER KIT — Cont'd




BRAK-2633
(Sales Rating: C)
(1F1Z-2V041BA)
PASSENGER CARS
FORD
Taurus 1992-86
MERCURY
Sable 1992-86




BRAK-2650
(Sales Rating: C)
(1W2Z-2V041AA)
PASSENGER CARS
FORD
Thunderbird 1992-89
MERCURY
Cougar 1992-89

ADJUSTER KIT — Cont'd




BRAK-2651
(Sales Rating: C)
(1W2Z-2V041BA)
PASSENGER CARS
FORD
Thunderbird 1992-89
MERCURY
Cougar 1992-89




BRAK-2652A
(Sales Rating: C)
PASSENGER CARS
FORD
Taurus 2004-92
Thunderbird 1997-92
MERCURY
Cougar 1997-92
Sable 2004-92
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-95
MERCURY TRUCK
Villager 2002-93

ADJUSTER KIT — Cont'd



BRAK-2653A
(Sales Rating: C)
PASSENGER CARS
FORD
Taurus 2004-92
Thunderbird 1997-92
MERCURY
Cougar 1997-92
Sable 2004-92
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-95
MERCURY TRUCK
Villager 2002-93




BRAK-2654
(Sales Rating: C)
(1S2Z-2V041AA)
PASSENGER CARS
FORD
Tempo 1994-92
MERCURY
Topaz 1994-92


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE YEAR

ADJUSTER KIT — Cont'd




BRAK-2655
(Sales Rating: C)
(1S2Z-2V041BA)
PASSENGER CARS
FORD
Tempo 1994-92
MERCURY
Topaz 1994-92



BRAK-2660A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2004-95

MAKE YEAR


ADJUSTER KIT — Cont'd



BRAK-2661A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2004-95




BRAK-2662A
(Sales Rating: B)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2004-95




BRAK-2663A
(Sales Rating: B)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2004-95

MAKE YEAR

ADJUSTER KIT — Cont'd



BRAK-2666A
(Sales Rating: C)
PASSENGER CARS
LINCOLN
Continental 2002-99
Town Car 2002-99
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2003-97
Explorer Sport Trac 2003-01
F Series 2000-97




BRAK-2667A
(Sales Rating: C)
PASSENGER CARS
LINCOLN
Continental 2002-99
Town Car 2002-99
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2003-97
Explorer Sport Trac 2003-01
F Series 2000-97

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER


Ford Motorcraft

MAKE	YEAR

ADJUSTER KIT — Cont'd



BRAK-2668A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2004-01
MERCURY TRUCK
Mariner 2005



BRAK-2669A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2004-01
MERCURY TRUCK
Mariner 2005

CALIPERS, UN-LOADED

BRC-1RM
(Sales Rating: B)
(F1TZ-2V121-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-86
F Series 1994-86

CALIPERS, UN-LOADED — Cont'd

BRC-2RM
(Sales Rating: B)
(F1TZ-2V120-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-86
F Series 1994-86

BRC-3RM
(Sales Rating: C)
(F5AZ-2V552-BARM)
PASSENGER CARS
FORD
Crown Victoria 1995-92
LINCOLN
Town Car 1995-91
MERCURY
Grand Marquis 1995-92

BRC-4RM
(Sales Rating: B)
(F79Z-2V120-CARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-87
Bronco II 1990-87
Explorer 1994-91
Ranger 1994-87

BRC-5RM
(Sales Rating: B)
(F79Z-2V121-CARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-87
Bronco II 1990-87
Explorer 1994-91
Ranger 1994-87

CALIPERS, UN-LOADED — Cont'd

BRC-6RM
(Sales Rating: A)
(F7TZ-2V120-AARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2001-95
F Series 1997-95

BRC-7RM
(Sales Rating: A)
(F7TZ-2V121-AARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2001-95
F Series 1997-95

BRC-8RM
(Sales Rating: A)
(F4TZ-2V120-AARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2001-96
F Series 1997-89

BRC-9RM
(Sales Rating: A)
(F4TZ-2V121-AARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2003-96
F Series 1997-89

BRC-10ARM
(Sales Rating: A)
(F4TZ-2V120-BRM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-94
E Series 2003-94
F Series 1996-94

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-11RM
(Sales Rating: A)
(F4TZ-2V121-BRM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-94
E Series 2003-94
F Series 1996-94

BRC-12RM
(Sales Rating: C)
(F1VY-2V121-ARM)
PASSENGER CARS
FORD 1991-80
Crown Victoria 1993-92
Mustang 1987-84
LINCOLN
Continental 1987-81
Mark 1992-81
Town Car 1993-82
MERCURY|.‼1991-80
Grand Marquis 1993-92

BRC-13RM
(Sales Rating: C)
(F1VY-2V120-ARM)
PASSENGER CARS
FORD 1991-80
Crown Victoria 1993-92
Mustang 1987-84
LINCOLN
Continental 1987-81
Mark 1992-81
Town Car 1993-82
MERCURY|.‼1991-81
Grand Marquis 1993-80

BRC-14RM
(Sales Rating: B)
(XF1Z-2V552-AARM)
PASSENGER CARS
FORD
Taurus 2001-93
LINCOLN
Continental 2002-93

MAKE YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-14RM — Cont'd
MERCURY
Sable 2001-93

BRC-15RM
(Sales Rating: B)
(XF1Z-2V553-AARM)
PASSENGER CARS
FORD
Taurus 2001-93
LINCOLN
Continental 2002-93
MERCURY
Sable 2001-93

BRC-16RM
(Sales Rating: C)
(F2UZ-2V121-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994-92

BRC-17RM
(Sales Rating: C)
(F2UZ-2V120-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994-92

BRC-18RM
(Sales Rating: A)
(F6AZ-2V552-CARM)
PASSENGER CARS
FORD
Crown Victoria 1997-96

BRC-19RM
(Sales Rating: B)
(F58Z-2V120-DRM)
PASSENGER CARS
FORD
Taurus 2002-01

MAKE YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-19RM — Cont'd
LINCOLN
Continental 2002
MERCURY
Sable 2002-01
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

BRC-20RM
(Sales Rating: C)
(F58Z-2V121-DRM)
PASSENGER CARS
FORD
Taurus 2002-01
LINCOLN
Continental 2002
MERCURY
Sable 2002-01
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

BRC-21RM
(Sales Rating: C)
(F2TZ-2V121-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1993-86
E Series 1993-86
F Series 1993-86

BRC-22RM
(Sales Rating: C)
(F2TZ-2V120-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1993-86
E Series 1993-86
F Series 1993-86

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-23RM
(Sales Rating: A)
(XL2Z-2V121-BARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-95
Ranger 2002-95
MERCURY TRUCK
Mountaineer 2001-97

BRC-24RM
(Sales Rating: A)
(XL2Z-2V120-BARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-95
Ranger 2002-95
MERCURY TRUCK
Mountaineer 2001-97

BRC-25RM
(Sales Rating: C)
(E43Z-2V120-ARM)
PASSENGER CARS
FORD
Escort/EXP 1990-83
Tempo 1994-84
MERCURY
Lynx/LN7 1987-83
Topaz 1994-84

BRC-26RM
(Sales Rating: C)
(E43Z-2V121-ARM)
PASSENGER CARS
FORD
Escort/EXP 1990-83
Tempo 1994-84
MERCURY
Lynx/LN7 1987-83
Topaz 1994-84

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-27ARM
(Sales Rating: C)
PASSENGER CARS
FORD
Taurus 1992-86
LINCOLN
Continental 1992-88
MERCURY
Sable 1992-86

BRC-28ARM
(Sales Rating: C)
PASSENGER CARS
FORD
Taurus 1992-86
LINCOLN
Continental 1992-88
MERCURY
Sable 1992-86

BRC-29RM
(Sales Rating: C)
(F5AZ-2V120-ARM)
PASSENGER CARS
FORD
Crown Victoria 1997-95
LINCOLN
Town Car 1997-95
MERCURY
Grand Marquis 1997-95

BRC-30RM
(Sales Rating: C)
(F5AZ-2V121-ARM)
PASSENGER CARS
FORD
Crown Victoria 1997-95
LINCOLN
Town Car 1997-95
MERCURY
Grand Marquis 1997-95

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-32RM
(Sales Rating: C)
(F4DZ-2V121-BRM)
PASSENGER CARS
FORD
Taurus 1999-94
Thunderbird 1997-93
LINCOLN
Continental 1998-93
Mark 1998-93
MERCURY
Cougar 1997-93
Sable 1999-94

BRC-33RM
(Sales Rating: C)
(F4DZ-2V120-BRM)
PASSENGER CARS
FORD
Taurus 1999-94
Thunderbird 1997-93
LINCOLN
Continental 1998-93
Mark 1998-93
MERCURY
Cougar 1997-93
Sable 1999-94

BRC-34RM
(Sales Rating: C)
(F52Z-2V552-ARM)
PASSENGER CARS
FORD
Probe 1997-93

BRC-35RM
(Sales Rating: C)
(F52Z-2V553-ARM)
PASSENGER CARS
FORD
Probe 1997-93

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-36RM
(Sales Rating: C)
(F1LY-2V553-ARM)
PASSENGER CARS
FORD
Taurus 1992-89
LINCOLN
Continental 1992-88
Mark 1992-91
MERCURY
Sable 1992-90

BRC-37RM
(Sales Rating: C)
(F1LY-2V552-ARM)
PASSENGER CARS
FORD
Taurus 1992-89
LINCOLN
Continental 1992-88
Mark 1992-91
MERCURY
Sable 1992-90

BRC-40RM
(Sales Rating: C)
(XS4Z-2V120-AARM)
PASSENGER CARS
FORD
Escort/EXP 2003-91
MERCURY
Tracer 1999-91

BRC-41RM
(Sales Rating: C)
(XS4Z-2V121-AARM)
PASSENGER CARS
FORD
Escort/EXP 2003-91
MERCURY
Tracer 1999-91

MAKE YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-43RM
(Sales Rating: C)
(F3SZ-2V121-ARM)
PASSENGER CARS
FORD
Mustang 1998-94
Thunderbird 1997-93
MERCURY
Cougar 1997-93

BRC-44RM
(Sales Rating: C)
(F3SZ-2V120-ARM)
PASSENGER CARS
FORD
Mustang 1998-94
Thunderbird 1997-93
MERCURY
Cougar 1997-93

BRC-45RM
(Sales Rating: C)
(F57Z-2V553-ADRM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-94
Ranger 2001-98
MERCURY TRUCK
Mountaineer 2001-97

BRC-46RM
(Sales Rating: C)
(F57Z-2V552-ADRM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-94
Ranger 2001-98
MERCURY TRUCK
Mountaineer 2001-97

MAKE YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-47RM
(Sales Rating: C)
(F3DZ-2V121-BRM)
PASSENGER CARS
FORD
Taurus 1993
MERCURY
Sable 1993

BRC-48RM
(Sales Rating: C)
(F3DZ-2V120-BRM)
PASSENGER CARS
FORD
Taurus 1993
MERCURY
Sable 1993

BRC-49RM
(Sales Rating: C)
(F8VZ-2V121-AARM)
PASSENGER CARS
FORD
Crown Victoria 2000-98
LINCOLN
Town Car 2000-98
MERCURY
Grand Marquis 2000-98

BRC-50RM
(Sales Rating: A)
(F8VZ-2V120-AARM)
PASSENGER CARS
FORD
Crown Victoria 2000-98
LINCOLN
Town Car 2000-98
MERCURY
Grand Marquis 2000-98

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-51RM
(Sales Rating: B)
(F7AZ-2V552-CARM)
PASSENGER CARS
FORD
Crown Victoria 2001-96
LINCOLN
Town Car 2001-96
MERCURY
Grand Marquis 2001-96

BRC-52RM
(Sales Rating: C)
(F65Z-2V120-EARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97

BRC-53RM
(Sales Rating: C)
(F65Z-2V121-EARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97

BRC-54RM
(Sales Rating: C)
(F6ZZ-2V552-BARM)
PASSENGER CARS
FORD
Mustang 2004-94

BRC-55RM
(Sales Rating: C)
(F6ZZ-2V553-BARM)
PASSENGER CARS
FORD
Mustang 2004-94

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-56RM
(Sales Rating: C)
(F3VY-2V120-ARM)
PASSENGER CARS
FORD
Crown Victoria 1994-93
LINCOLN
Town Car 1994-93
MERCURY
Grand Marquis 1994-93

BRC-57RM
(Sales Rating: C)
(F3VY-2V121-ARM)
PASSENGER CARS
FORD
Crown Victoria 1994-93
LINCOLN
Town Car 1994-93
MERCURY
Grand Marquis 1994-93

BRC-58RM
(Sales Rating: C)
(F4CZ-2V553-ARM)
PASSENGER CARS
FORD
Escort/EXP 1996-91
MERCURY
Tracer 1996-91

BRC-59RM
(Sales Rating: C)
(F4CZ-2V552-AARM)
PASSENGER CARS
FORD
Escort/EXP 1996-91
MERCURY
Tracer 1996-91

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-60RM
(Sales Rating: C)
(F75Z-2V553-BARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98

BRC-61RM
(Sales Rating: A)
(F75Z-2V552-BARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98

BRC-62RM
(Sales Rating: A)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98

BRC-64RM
(Sales Rating: C)
(YC3Z-2V552-AARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-65RM
(Sales Rating: C)
(YC3Z-2V553-AARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

BRC-66RM
(Sales Rating: C)
(F4ZZ-2V121-ARM)
PASSENGER CARS
FORD
Mustang 1998-94

BRC-67RM
(Sales Rating: C)
(F4ZZ-2V120-ARM)
PASSENGER CARS
FORD
Mustang 1998-94

BRC-68RM
(Sales Rating: C)
(F3AZ-2V121-ARM)
PASSENGER CARS
FORD
Crown Victoria 1994-93

BRC-69RM
(Sales Rating: C)
(F3AZ-2V120-ARM)
PASSENGER CARS
FORD
Crown Victoria 1994-93

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-70RM
(Sales Rating: C)
(E9SZ-2V121-ARM)
PASSENGER CARS
FORD
Probe 1989
Thunderbird 1992-89
MERCURY
Cougar 1992-89

BRC-71RM
(Sales Rating: C)
(E9SZ-2V120-ARM)
PASSENGER CARS
FORD
Probe 1989
Thunderbird 1992-89
MERCURY
Cougar 1992-89

BRC-72RM
(Sales Rating: C)
(F3CZ-2V120-BRM)
PASSENGER CARS
FORD
Escort/EXP 1996-91
MERCURY
Tracer 1996-91

BRC-73RM
(Sales Rating: C)
(F3CZ-2V121-BRM)
PASSENGER CARS
FORD
Escort/EXP 1996-91
MERCURY
Tracer 1996-91

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-74RM
(Sales Rating: B)
(F5RZ-2V121-ARM)
PASSENGER CARS
FORD
Contour 1995
MERCURY
Mystique 1995

BRC-75RM
(Sales Rating: B)
(F5RZ-2V120-ARM)
PASSENGER CARS
FORD
Contour 1995
MERCURY
Mystique 1995

BRC-76RM
(Sales Rating: C)
(YC3Z-2V121-CARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

BRC-77RM
(Sales Rating: C)
(YC3Z-2V120-CARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

BRC-78RM
(Sales Rating: C)
(F6SZ-2V553-AARM)
PASSENGER CARS
FORD
Thunderbird 1997-93
LINCOLN
Mark 1998-93

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-78RM — Cont'd
MERCURY
Cougar 1997-93

BRC-79RM
(Sales Rating: C)
(F6SZ-2V552-AARM)
PASSENGER CARS
FORD
Thunderbird 1997-93
LINCOLN
Mark 1998-93
MERCURY
Cougar 1997-93

BRC-80RM
(Sales Rating: C)
(F42Z-2V121-ARM)
PASSENGER CARS
FORD
Probe 1997-93

BRC-81RM
(Sales Rating: C)
(F42Z-2V120-ARM)
PASSENGER CARS
FORD
Probe 1997-93

BRC-82RM
(Sales Rating: C)
(F2AZ-2V120-ARM)
PASSENGER CARS
FORD 1991-80
Crown Victoria 1993-92
LINCOLN
Continental 1981-80
Mark 1981-80

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-83RM
(Sales Rating: C)
(F2AZ-2V121-ARM)
PASSENGER CARS
FORD 1991-80
Crown Victoria 1993-92
LINCOLN
Continental 1981-80
Mark 1981-80

BRC-84RM
(Sales Rating: C)
(E2TZ-2V120-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1983-80

BRC-85RM
(Sales Rating: C)
(E2TZ-2V121-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1983-80

BRC-86RM
(Sales Rating: C)
(E0TZ-2V120-BRM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1985-80
E Series 1985-84
F Series 1985-80

BRC-87RM
(Sales Rating: C)
(E0TZ-2V121-BRM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1985-80
E Series 1985-84
F Series 1985-80

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-88RM
(Sales Rating: C)
(F1ZZ-2V120-ARM)
PASSENGER CARS
FORD
Mustang 1993-87
Thunderbird 1988-87

BRC-89RM
(Sales Rating: C)
(F1ZZ-2V121-ARM)
PASSENGER CARS
FORD
Mustang 1993-87
Thunderbird 1988-87

BRC-92RM
(Sales Rating: C)
(F81Z-2V120-AARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-99

BRC-93RM
(Sales Rating: C)
(F81Z-2V121-AARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-99

BRC-94RM
(Sales Rating: C)
(F02Z-2V120-ARM)
PASSENGER CARS
FORD
Probe 1992-90

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-95RM
(Sales Rating: C)
(FO2Z-2V121-ARM)
PASSENGER CARS
FORD
Probe 1992-90

BRC-96RM
(Sales Rating: C)
(XF5Z-2V121-AARM)
LIGHT/MEDIUM TRUCKS
MERCURY TRUCK
Villager 2002-93

BRC-97RM
(Sales Rating: C)
(XF5Z-2V120-AARM)
LIGHT/MEDIUM TRUCKS
MERCURY TRUCK
Villager 2002-93

BRC-98RM
(Sales Rating: C)
(E4LY-2V553-ARM)
PASSENGER CARS
FORD
Mustang 1987-85
LINCOLN
Continental 1987-82
Mark 1990-82

BRC-99RM
(Sales Rating: C)
(E4LY-2V552-ARM)
PASSENGER CARS
FORD
Mustang 1987-85
LINCOLN
Continental 1987-82
Mark 1990-82

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-100RM
(Sales Rating: C)
(E9DZ-2V121-BRM)
PASSENGER CARS
FORD
Taurus 1993-89

BRC-101RM
(Sales Rating: C)
(E9DZ-2V120-BRM)
PASSENGER CARS
FORD
Taurus 1993-89

BRC-103RM
(Sales Rating: C)
(E79Z-2V120-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1987-86
Bronco II 1987-86
Ranger 1987-86

BRC-104RM
(Sales Rating: C)
(E79Z-2V121-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1987-86
Bronco II 1987-86
Ranger 1987-86

BRC-105RM
(Sales Rating: C)
(F58Z-2V552-CRM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-95

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-106RM
(Sales Rating: C)
(F58Z-2V553-DRM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-95

BRC-107RM
(Sales Rating: C)
(F8RZ-2V121-CBRM)
PASSENGER CARS
FORD
Contour 2000-96
MERCURY
Cougar 2002-99
Mystique 2000-96

BRC-108RM
(Sales Rating: C)
(F8RZ-2V120-CBRM)
PASSENGER CARS
FORD
Contour 2000-96
MERCURY
Cougar 2002-99
Mystique 2000-96

BRC-109RM
(Sales Rating: C)
(F1SZ-2V552-ARM)
PASSENGER CARS
FORD
Thunderbird 1992-89
MERCURY
Cougar 1992-89

BRC-110RM
(Sales Rating: C)
(F1SZ-2V553-ARM)
PASSENGER CARS
FORD
Thunderbird 1992-89

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-110RM — Cont'd
MERCURY
Cougar 1992-89

BRC-111RM
(Sales Rating: C)
(E4TZ-2V120-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco II 1987-84
Ranger 1987-83

BRC-112RM
(Sales Rating: C)
(E4TZ-2V121-ARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco II 1987-84
Ranger 1987-83

BRC-114RM
(Sales Rating: C)
(F7CZ-2V553-BARM)
PASSENGER CARS
FORD
Escort/EXP 2003-97
MERCURY
Tracer 1999-97

BRC-115RM
(Sales Rating: C)
(F7CZ-2V552-BARM)
PASSENGER CARS
FORD
Escort/EXP 2003-97
MERCURY
Tracer 1999-97

MAKE YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-116RM
(Sales Rating: C)
(E7SZ-2V552-ARM)
PASSENGER CARS
FORD
Thunderbird 1988-87
MERCURY
Cougar 1988-87

BRC-117RM
(Sales Rating: C)
(E7SZ-2V553-ARM)
PASSENGER CARS
FORD
Thunderbird 1988-87
MERCURY
Cougar 1988-87

BRC-118RM
(Sales Rating: C)
(FODZ-2V120-ARM)
PASSENGER CARS
FORD
Taurus 1992-90

BRC-119RM
(Sales Rating: C)
(FODZ-2V121-ARM)
PASSENGER CARS
FORD
Taurus 1992-90

BRC-120RM
(Sales Rating: C)
(FO2Z-2V552-DRM)
PASSENGER CARS
FORD
Probe 1992-91

MAKE YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-121RM
(Sales Rating: C)
(FO2Z-2V553-BRM)
PASSENGER CARS
FORD
Probe 1992-91

BRC-122RM
(Sales Rating: C)
(F3ZZ-2V552-ARM)
PASSENGER CARS
FORD
Mustang 1993

BRC-123RM
(Sales Rating: C)
(F3ZZ-2V553-ARM)
PASSENGER CARS
FORD
Mustang 1993

BRC-124RM
(Sales Rating: C)
E5SZ-2V120-BBRM
PASSENGER CARS
FORD
Fairmont 1983
LTD 1984-83
Mustang 1993-83
Thunderbird 1988-83
MERCURY
Capri 1986-85
Cougar 1988-83
Marquis 1985-83
Zephyr 1983

BRC-125RM
(Sales Rating: B)
XL3Z-2V121-BARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2001-97
F Series 2004-97

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-125RM — Cont'd
LINCOLN TRUCK
Navigator 2002-98

BRC-126RM
(Sales Rating: B)
E5SZ-2V121-BBRM
PASSENGER CARS
FORD
Fairmont 1983
LTD 1984-83
Mustang 1993-83
Thunderbird 1988-83
MERCURY
Capri 1986-85
Cougar 1988-83
Marquis 1985-83
Zephyr 1983

BRC-138RM
(Sales Rating: C)
XC2Z-2V552-ABRM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-99

BRC-139RM
(Sales Rating: C)
XC2Z-2V553-AARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-99

BRC-141RM
(Sales Rating: B)
(F8RZ-2V553-AARM)
PASSENGER CARS
FORD
Contour 2000-95
MERCURY
Cougar 2002-99
Mystique 2000-95

MAKE YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-142RM
(Sales Rating: B)
F8RZ-2V552-AARM
PASSENGER CARS
FORD
Contour 2000-95
MERCURY
Cougar 2002-99
Mystique 2000-95

BRC-143RM
(Sales Rating: C)
XF2Z-2V121-SARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-99

BRC-144RM
(Sales Rating: C)
XF2Z-2V120-AARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-99

BRC-145RM
(Sales Rating: C)
XL3Z-2V121-CARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2003-97
LINCOLN TRUCK
Blackwood 2003-02

BRC-146RM
(Sales Rating: C)
XL3Z-2V120-CARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97
LINCOLN TRUCK
Blackwood 2003-02

MAKE YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-147RM
(Sales Rating: C)
XR3Z-2V121-AARM
PASSENGER CARS
FORD
Mustang 2002-99

BRC-148RM
(Sales Rating: C)
XR3Z-2V120-AARM
PASSENGER CARS
FORD
Mustang 2002-99

BRC-149RM
(Sales Rating: C)
(XR3Z-2V121-BBRM)
PASSENGER CARS
FORD
Mustang 2002-99

BRC-150RM
(Sales Rating: C)
XR3Z-2V120-BBRM
PASSENGER CARS
FORD
Mustang 2002-99

BRC-151RM
(Sales Rating: C)
YS4Z-2V121-BARM
PASSENGER CARS
FORD
Focus 2004-00

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-152RM
(Sales Rating: C)
YS4Z-2V120-BARM
PASSENGER CARS
FORD
Focus 2004-00

BRC-153RM
(Sales Rating: C)
(1L5Z-2V120-AARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport 2002-01
Explorer Sport Trac 2002-01

BRC-154RM
(Sales Rating: C)
(1L5Z-2V121-AARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport 2002-01
Explorer Sport Trac 2002-01

BRC-155RM
(Sales Rating: C)
(1W1Z-2V120-BARM)
PASSENGER CARS
FORD
Crown Victoria 2002-01
LINCOLN
Town Car 2002-01
MERCURY
Grand Marquis 2002-01

BRC-156RM
(Sales Rating: C)
(1W1Z-2V121-BARM)
PASSENGER CARS
FORD
Crown Victoria 2002-01
LINCOLN
Town Car 2002-01

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-156RM — Cont'd
MERCURY
Grand Marquis 2002-01

BRC-161RM
(Sales Rating: C)
(3W1Z-2V120-DARM)
PASSENGER CARS
FORD
Crown Victoria 2005-03
LINCOLN
Town Car 2005-03
MERCURY
Grand Marquis 2005-03

BRC-162ARM
(Sales Rating: C)
(3W1Z-2V121-DARM)
PASSENGER CARS
FORD
Crown Victoria 2005-03
LINCOLN
Town Car 2005-03
MERCURY
Grand Marquis 2005-03

BRC-165RM
(Sales Rating: C)
(2L1Z-2V120-BARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2003
LINCOLN TRUCK
Navigator 2003

BRC-166RM
(Sales Rating: C)
((2L1Z-2V121-BARM))
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2003
LINCOLN TRUCK
Navigator 2003

MAKE	YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-167RM
(Sales Rating: C)
((4U2Z-2V120-BA))
PASSENGER CARS
FORD
Focus 2004-02

BRC-168RM
(Sales Rating: C)
((4U2Z-2V121-BA))
PASSENGER CARS
FORD
Focus 2004-02

BRC-169RM
(Sales Rating: C)
((4U2Z-2V120-CA))
PASSENGER CARS
FORD
Contour 2000-98
Thunderbird 2005
LINCOLN
LS 2005
MERCURY
Mystique 1999

BRC-170RM
(Sales Rating: C)
((4U2Z-2V121-CA))
PASSENGER CARS
FORD
Contour 2000-98
Thunderbird 2005
LINCOLN
LS 2005
MERCURY
Mystique 1999

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE YEAR

CALIPERS, UN-LOADED — Cont'd

BRC-171RMA
(Sales Rating: C)
((3W4Z-2V120-AARM))
PASSENGER CARS
FORD
Thunderbird 2005-02
LINCOLN
LS 2005-00

BRC-172RMA
(Sales Rating: C)
((3W4Z-2V121-AARM))
PASSENGER CARS
FORD
Thunderbird 2005-02
LINCOLN
LS 2005-00

BRC-173RM
(Sales Rating: C)
((YL8Z-2V120-ABRM))
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2003-01

BRC-174RM
(Sales Rating: C)
((YL8Z-2V121-ABRM))
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2003-01


BRC-175RMA
(Sales Rating: C)
((2W1Z-2V552-BARM))
PASSENGER CARS
FORD
Crown Victoria 2002
LINCOLN
Town Car 2002

MAKE YEAR


CALIPERS, UN-LOADED — Cont'd

BRC-175RMA — Cont'd
MERCURY
Grand Marquis 2002

CALIPER ATTACHMENT KIT




BRCK-5011
(Sales Rating: C)
(1C3Z-2V386AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1985-76
E Series 1985-75
F Series 1985-73




BRCK-5016
(Sales Rating: C)
(1R3Z-2V386AA)
PASSENGER CARS
FORD
Fairmont 1983
LTD 1986-83
Mustang 1993-83
Thunderbird 1988-83
MERCURY
Capri 1986-83
Cougar 1988-83
Marquis 1986-83
Zephyr 1983

MAKE YEAR

CALIPER ATTACHMENT KIT — Cont'd



BRCK-5022
(Sales Rating: C)
(1W7Z-2V386AA)
PASSENGER CARS
FORD 1991-79
Crown Victoria 1994-92
Mustang 1993-84
LINCOLN
Continental 1995-80
Mark 1992-80
Town Car 1994-80
MERCURY 1991-79
Grand Marquis 1994-92



BRCK-5025A
(Sales Rating: B)
(1S2Z-2386-AA)
PASSENGER CARS
FORD
Contour 2000-95
Crown Victoria 1995-92
Escort/EXP 1990-83
Focus 2004-00
Taurus 1993-86
Tempo 1994-84
Thunderbird 1992-89
LINCOLN
Continental 1992-88
Town Car 1995-91
MERCURY
Cougar 2002-89
Grand Marquis 1995-92
Lynx/LN7 1987-83
Mystique 2000-95
Sable 1993-86

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPER ATTACHMENT KIT — Cont'd

BRCK-5025A — Cont'd

MERCURY — Cont'd
Topaz 1994-84


MERKUR
Scorpio 1989-88
XR4Ti 1989-85

LIGHT/MEDIUM TRUCKS

FORD TRUCK
Escape 2004-01
Expedition 2004-03


LINCOLN TRUCK
Navigator 2004-03

MERCURY TRUCK
Mariner 2005
Villager 2002-93




BRCK-5028
(Sales Rating: C)
(1R9Z-2V386AA)
PASSENGER CARS
FORD
Mustang 1986-84
LINCOLN
Continental 1987-82
Mark 1990-84

CALIPER ATTACHMENT KIT — Cont'd




BRCK-5030
(Sales Rating: B)
(1L5Z-2V386AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-86
Bronco 1993-86
Bronco II 1990-84
E Series 1993-86
Explorer 1994-91
F Series 1994-86
Ranger 1994-83




BRCK-5049
(Sales Rating: B)
(1F1Z-2V386BA)
PASSENGER CARS
FORD
Mustang 1993
Taurus 1992-89
Thunderbird 1992-87
LINCOLN
Continental 1992-88
Mark 1992-91
MERCURY
Cougar 1992-89
Sable 1992-89

CALIPER ATTACHMENT KIT — Cont'd



BRCK-5050A
(Sales Rating: C)
(1S4Z-2386-AA)
PASSENGER CARS
FORD
Escort/EXP 2002-91
MERCURY
Tracer 1999-91




BRCK-5055
(Sales Rating: B)
(1C2Z-2V386AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994-92


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE YEAR

CALIPER ATTACHMENT KIT — Cont'd




BRCK-5060A
(Sales Rating: B)
(1F1Z-2386-AA)
PASSENGER CARS
FORD
Taurus 2004-94
Thunderbird 2004-02
LINCOLN
Continental 2002-93
LS 2004-00
Mark 1998-93
MERCURY
Sable 2004-94
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2004-00
F Series 2004-99
Windstar 2003-95




BRCK-5062
(Sales Rating: C)
(1R3Z-2V386BA)
PASSENGER CARS
FORD
Mustang 1998-94
Thunderbird 1997-93
MERCURY
Cougar 1997-93

MAKE YEAR

CALIPER ATTACHMENT KIT — Cont'd




BRCK-5063
(Sales Rating: B)
(1C3Z-2V386DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-95
F Series 1998-95



BRCK-5064A
(Sales Rating: A)
(1L2Z-2386-AA)
PASSENGER CARS
FORD
Crown Victoria 1997-95
LINCOLN
Town Car 1998-95
MERCURY
Grand Marquis 1997-95
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-95
Explorer Sport 2003-01
Explorer Sport Trac 2004-01
F Series 2004-97
Ranger 2002-95
LINCOLN TRUCK
Blackwood 2003-02
MERCURY TRUCK
Mountaineer 2001-97

MAKE YEAR

CALIPER ATTACHMENT KIT — Cont'd




BRCK-5066
(Sales Rating: B)
(1L3Z-2V386AA)
PASSENGER CARS
FORD
Crown Victoria 2004-96
LINCOLN
Town Car 2004-96
MERCURY
Grand Marquis 2004-96
Marauder 2004-03
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-94
E Series 2003-94
Expedition 2002-97
Explorer 2004-95
Explorer Sport 2003-01
Explorer Sport Trac 2004-01
F Series 2004-95
Ranger 2004
Windstar 2002-95
LINCOLN TRUCK
Aviator 2004-03
Blackwood 2003-02
Navigator 2002-98
MERCURY TRUCK
Mountaineer 2003-97


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPER ATTACHMENT KIT — Cont'd




BRCK-5067A
(Sales Rating: C)
(1L3Z-2386-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-95
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98




BRCK-5072A
(Sales Rating: C)
(1C3Z-2386-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2004-00
F Series 2004-98

CALIPER ATTACHMENT KIT — Cont'd



BRCK-5073A
(Sales Rating: C)
(1W7Z-2386-BA)
PASSENGER CARS
FORD
Crown Victoria 2002-98
LINCOLN
Town Car 2002-99
MERCURY
Grand Marquis 2002-98



BRCK-5074A
(Sales Rating: C)
(1R3Z-2386-CA)
PASSENGER CARS
FORD
Mustang 2004-99

CALIPER ATTACHMENT KIT — Cont'd



BRCK-5077A
(Sales Rating: C)
(1C3Z-2386-EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-99




BRCK-5082
(4U2Z-2386-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Freestar 2004
MERCURY TRUCK
Monterey 2004


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR


CALIPER ATTACHMENT KIT — Cont'd




BRCK-5084
(Sales Rating: C)
PASSENGER CARS
FORD
Focus 2004-02




BRCK-5085
(Sales Rating: C)
PASSENGER CARS
FORD
Thunderbird 2004-02
LINCOLN
LS 2004-02



BRCK-5086
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2004-02
MERCURY TRUCK
Mountaineer 2004-02



BRCK-5087
(Sales Rating: C)
PASSENGER CARS
FORD
Crown Victoria 2004-03
LINCOLN
Town Car 2004-03
MERCURY
Grand Marquis 2004-03
Marauder 2004-03
LIGHT/MEDIUM TRUCKS
LINCOLN TRUCK
Aviator 2004-03



BRCK-5089
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2004-03
LINCOLN TRUCK
Navigator 2004-03



BRCK-5093
(4U2Z-2386-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPER ATTACHMENT KIT — Cont'd




BRCK-5094
(4U2Z-2386-CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004




BRCK-5096
(4U2Z-2386-DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Freestar 2004
MERCURY TRUCK
Monterey 2004

CALIPER ATTACHMENT KIT — Cont'd




BRCK-14080
(Sales Rating: C)
(1S8Z-2V386BA)
PASSENGER CARS
FORD
Probe 1992-89




BRCK-14082A
(Sales Rating: A)
(1R3Z-2386-DA)
PASSENGER CARS
FORD
Mustang 2004-94
Taurus 2004-93
Thunderbird 1997-93
LINCOLN
Continental 2002-93
LS 2001-00
Mark 1998-93
MERCURY
Cougar 1997-93
Sable 2004-93

CALIPER ATTACHMENT KIT — Cont'd



BRCK-14083A
(Sales Rating: C)
(1W7Z-2386-CA)
PASSENGER CARS
FORD
Festiva 1993-88




BRCK-14099
(Sales Rating: C)
(1M1Z-2V386AA)
PASSENGER CARS
MERCURY
Capri 1993-91
Tracer 1989-87


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE YEAR

CALIPER ATTACHMENT KIT — Cont'd




BRCK-14100A
(Sales Rating: C)
(1S4Z-2386-BA)
PASSENGER CARS
FORD
Escort/EXP 2002-91
Probe 1997-93
MERCURY
Tracer 1999-91



BRCK-14104
(Sales Rating: C)
(1S8Z-2V386AA)
PASSENGER CARS
FORD
Probe 1997-93

MAKE YEAR

CALIPER ATTACHMENT KIT — Cont'd



BRCK-14110
(Sales Rating: C)
(1S1Z-2V386AA)
PASSENGER CARS
FORD
Aspire 1997-94

CALIPERS, LOADED

BRCL-1RM
(Sales Rating: A)
F1TZ-2V131-ARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-86
F Series 1994-86

BRCL-2RM
(Sales Rating: A)
F1TZ-2V130-ARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-86
F Series 1994-86

BRCL-3RM
(Sales Rating: C)
F5AZ-2V562-BARM
PASSENGER CARS
FORD
Crown Victoria 1995-92
LINCOLN
Town Car 1995-91
MERCURY
Grand Marquis 1995-92

MAKE YEAR

CALIPERS, LOADED — Cont'd

BRCL-4RM
(Sales Rating: A)
F79Z-2V130-CARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-87
Bronco II 1990-87
Explorer 1994-91
Ranger 1994-87

BRCL-5RM
(Sales Rating: A)
F79Z-2V131-CARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-87
Bronco II 1990-87
Explorer 1994-91
Ranger 1994-87

BRCL-6RM
(Sales Rating: A)
F7TZ-2V130-AARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2003-95
F Series 1997-95

BRCL-7RM
(Sales Rating: B)
F7TZ-2V131-AARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2001-95
F Series 1997-95

BRCL-8RM
(Sales Rating: B)
F4TZ-2V130-AARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2001-96
F Series 1997-88

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

Ford Motorcraft

MAKE	YEAR

CALIPERS, LOADED — Cont'd

BRCL-9RM
(Sales Rating: A)
F4TZ-2V131-AARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2001-96
F Series 1997-88

BRCL-10RM
(Sales Rating: A)
F4TZ-2V130BRM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-94
E Series 2003-94
F Series 1996-94

BRCL-11RM
(Sales Rating: C)
F4TZ-2V131-BRM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-94
E Series 2003-94
F Series 1996-94

BRCL-12RM
(Sales Rating: C)
F1VY-2V131-ARM
PASSENGER CARS
FORD 1991-85
Crown Victoria 1993-81
Mustang 1987-84
LINCOLN
Continental 1987-81
Mark 1992-81
Town Car 1993-82
MERCURY|.‼1991-85
Grand Marquis 1993-80

BRCL-13RM
(Sales Rating: C)
F1VY-2V130-ARM
PASSENGER CARS
FORD 1991-85
Crown Victoria 1993-80
Mustang 1987-84
LINCOLN
Continental 1987-81
Mark 1992-81
Town Car 1993-82
MERCURY|.‼1991-85
Grand Marquis 1993-80

BRCL-14RM
(Sales Rating: C)
XF1Z-2V562-AARM
PASSENGER CARS
FORD
Taurus 2001-93
LINCOLN
Continental 2002-93
MERCURY
Sable 2001-93

BRCL-15RM
(Sales Rating: C)
XF1Z-2V563-AARM
PASSENGER CARS
FORD
Taurus 2001-93
LINCOLN
Continental 2002-93
MERCURY
Sable 2001-93

BRCL-16RM
(Sales Rating: C)
F2UZ-2V131-ARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994-92

BRCL-17RM
(Sales Rating: C)
F2UZ-2V130-ARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994-92

BRCL-18RM
(Sales Rating: C)
F6AZ-2V562-CARM
PASSENGER CARS
FORD
Crown Victoria 1997-96

BRCL-19RM
(Sales Rating: C)
F58Z-2V130-DRM
PASSENGER CARS
FORD
Taurus 2002-01
LINCOLN
Continental 2002
MERCURY
Sable 2002-01
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

BRCL-20RM
(Sales Rating: C)
F58Z-2V131-DRM
PASSENGER CARS
FORD
Taurus 2002-01
LINCOLN
Continental 2002
MERCURY
Sable 2002-01
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPERS, LOADED — Cont'd

BRCL-21RM
(Sales Rating: C)
F2TZ-2V131-ARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1993-86
E Series 1993-86
F Series 1993-86

BRCL-22RM
(Sales Rating: B)
F2TZ-2V130-ARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1993-86
E Series 1993-86
F Series 1993-86

BRCL-23RM
(Sales Rating: A)
XL2Z-2V131VA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-95
Ranger 2002-95
MERCURY TRUCK
Mountaineer 2001-97

BRCL-24RM
(Sales Rating: C)
XL2Z-2V130-BARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-95
Ranger 2002-95
MERCURY TRUCK
Mountaineer 2001-97

MAKE	YEAR

CALIPERS, LOADED — Cont'd

BRCL-25RM
(Sales Rating: C)
E43Z-2V130-ARM
PASSENGER CARS
FORD
Escort/EXP 1990-83
Tempo 1994-84
MERCURY
Lynx/LN7 1987-83
Topaz 1994-84

BRCL-26AMR
(Sales Rating: C)
E43Z-2V131-ARM
PASSENGER CARS
FORD
Escort/EXP 1990-83
Tempo 1994-84
MERCURY
Lynx/LN7 1987-83
Topaz 1994-84

BRCL-29RM
(Sales Rating: C)
(F5AZ-2V130-ARM)
PASSENGER CARS
FORD
Crown Victoria 1997-95
LINCOLN
Town Car 1997-95
MERCURY
Grand Marquis 1997-95

BRCL-30RM
(Sales Rating: C)
(F5AZ-2V131-ARM)
PASSENGER CARS
FORD
Crown Victoria 1997-95
LINCOLN
Town Car 1997-95
MERCURY
Grand Marquis 1997-95

MAKE	YEAR

CALIPERS, LOADED — Cont'd

BRCL-32RM
(Sales Rating: C)
F4DZ-2V131-BRM
PASSENGER CARS
FORD
Taurus 1999-94
LINCOLN
Continental 1994-93
MERCURY
Sable 1999-94

BRCL-33RM
(Sales Rating: C)
F4DZ-2V130-BRM
PASSENGER CARS
FORD
Taurus 1999-94
LINCOLN
Continental 1994-93
MERCURY
Sable 1999-94

BRCL-34RM
(Sales Rating: C)
F52Z-2V562-ARM
PASSENGER CARS
FORD
Probe 1997-93

BRCL-35RM
(Sales Rating: C)
F52Z-2V563-ARM
PASSENGER CARS
FORD
Probe 1997-93

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPERS, LOADED — Cont'd

BRCL-36RM
(Sales Rating: C)
F1LY-2V563-ARM
PASSENGER CARS
FORD
Taurus 1992-89
LINCOLN
Continental 1992-88
Mark 1992-91
MERCURY
Sable 1992-90

BRCL-37RM
(Sales Rating: C)
F1LY-2V562-ARM
PASSENGER CARS
FORD
Taurus 1992-89
LINCOLN
Continental 1992-88
Mark 1992-91
MERCURY
Sable 1992-90

BRCL-40RM
(Sales Rating: C)
XS4Z-2V130-AARM
PASSENGER CARS
FORD
Escort/EXP 2003-91
MERCURY
Tracer 1999-91

BRCL-41RM
(Sales Rating: C)
XS4Z-2V131-AARM
PASSENGER CARS
FORD
Escort/EXP 2003-91
MERCURY
Tracer 1999-91

MAKE YEAR

CALIPERS, LOADED — Cont'd

BRCL-43RM
(Sales Rating: C)
F3SZ-2V131-ARM
PASSENGER CARS
FORD
Mustang 1998-94
Thunderbird 1997-93
MERCURY
Cougar 1997-93

BRCL-44RM
(Sales Rating: C)
F3SZ-2V130-ARM
PASSENGER CARS
FORD
Mustang 1998-94
Thunderbird 1997-93
MERCURY
Cougar 1997-93

BRCL-45RM
(Sales Rating: C)
(F57Z-2V563-ADRM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-94
Ranger 2001-98
MERCURY TRUCK
Mountaineer 2001-97

BRCL-46RM
(Sales Rating: C)
(F57Z-2V562-ADRM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-94
Ranger 2001-98
MERCURY TRUCK
Mountaineer 2001-97

MAKE YEAR

CALIPERS, LOADED — Cont'd

BRCL-49RM
(Sales Rating: C)
(F8VZ-2V131-AARM)
PASSENGER CARS
FORD
Crown Victoria 2000-98
LINCOLN
Town Car 2000-98
MERCURY
Grand Marquis 2000-98

BRCL-50RM
(Sales Rating: C)
(F8VZ-2V130-AARM)
PASSENGER CARS
FORD
Crown Victoria 2000-98
LINCOLN
Town Car 2000-98
MERCURY
Grand Marquis 2000-98

BRCL-51RM
(Sales Rating: C)
(F7AZ-2V562-AARM)
PASSENGER CARS
FORD
Crown Victoria 2001-96
LINCOLN
Town Car 2001-96
MERCURY
Grand Marquis 2001-96

BRCL-52RM
(Sales Rating: C)
F65Z-2V130-EARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

CALIPERS, LOADED — Cont'd

BRCL-53RM
(Sales Rating: C)
F65Z-2V131-EARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97

BRCL-56ARM
(Sales Rating: C)
(F3VY-2V130-AARM)
PASSENGER CARS
FORD
Crown Victoria 1994-93
LINCOLN
Town Car 1994-93
MERCURY
Grand Marquis 1994-93

BRCL-57BRM
(Sales Rating: C)
(F3VY-2V131-ABRM)
PASSENGER CARS
FORD
Crown Victoria 1994-93
LINCOLN
Town Car 1994-93
MERCURY
Grand Marquis 1994-93

BRCL-60RM
(Sales Rating: C)
F75Z-2V563-BARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98

MAKE	YEAR

CALIPERS, LOADED — Cont'd

BRCL-61RM
(Sales Rating: C)
F75Z-2V562-BARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98

BRCL-62RM
(Sales Rating: A)
XL3Z-2V130-BARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98

BRCL-64RM
(Sales Rating: B)
YC3Z-2V562-AARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

BRCL-65RM
(Sales Rating: A)
YC3Z-2V563-AARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

BRCL-76RM
(Sales Rating: A)
YC3Z-2V131-CARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

MAKE	YEAR

CALIPERS, LOADED — Cont'd

BRCL-77RM
(Sales Rating: A)
YC3Z-2V130-CARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

BRCL-92RM
(Sales Rating: B)
F81Z-2V130-AARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-99

BRCL-93RM
(Sales Rating: A)
F81Z-2V131-AARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-99

BRCL-107RM
(Sales Rating: C)
F8RZ-2V131-CBRM
PASSENGER CARS
FORD
Contour 2000-96
MERCURY
Cougar 2002-99
Mystique 2000-96

BRCL-108RM
(Sales Rating: C)
F8RZ-2V130-CBRM
PASSENGER CARS
FORD
Contour 2000-96
MERCURY
Cougar 2002-99
Mystique 2000-96

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

Ford Motorcraft

MAKE	YEAR

CALIPERS, LOADED — Cont'd

BRCL-125RM
(Sales Rating: C)
XL3Z-2V131-BARM
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98

BRCL-138RM
(Sales Rating: C)
(XC2Z-2V562-BARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-99

BRCL-139RM
(Sales Rating: C)
(XC2Z-2V563-AARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-99

BRCL-143RM
(Sales Rating: C)
(XF2Z-2V131-BARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-99

BRCL-144RM
(Sales Rating: C)
(XF2Z-2V130-BARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-99

CALIPERS, LOADED — Cont'd

BRCL-145RM
(Sales Rating: C)
(XL3Z-2V131-CARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97
LINCOLN TRUCK
Blackwood 2003-02

BRCL-146RM
(Sales Rating: C)
(XL3Z-2V130-CARM)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97
LINCOLN TRUCK
Blackwood 2003-02

BRCL-151RM
(Sales Rating: C)
(YS4Z-2V131-DARM)
PASSENGER CARS
FORD
Focus 2004-00

BRCL-152RM
(Sales Rating: C)
(YS4Z-2V130-DARM)
PASSENGER CARS
FORD
Focus 2004-00

DRUMS

BRD-1
(Sales Rating: C)
(YS4Z-1V126AA) (YS4J-2C503AA)
PASSENGER CARS
FORD
Escort/EXP 1996-93
MERCURY
Tracer 1996-93

DRUMS — Cont'd

BRD-2
(Sales Rating: C)
(YS8Z-1V126AA) (YS8J-2C503AA)
PASSENGER CARS
FORD
Probe 1997-93

BRD-3
(Sales Rating: C)
(YC2Z-1V126AA) (YC2J-2C503AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-92

BRD-4
(Sales Rating: C)
(YF2Z-1V126AA) (YF2J-2C503AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-95

BRD-6
(Sales Rating: C)
(YS2Z-1V126AA) (YS2J-2C503AA)
PASSENGER CARS
FORD
Contour 2000-95
MERCURY
Cougar 2001-99
Mystique 2000-95

BRD-7
(Sales Rating: C)
(YS4Z-1V126BA) (YS4J-2C503BA)
PASSENGER CARS
FORD
Escort/EXP 2003-97
MERCURY
Tracer 1999-97

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

DRUMS — Cont'd

BRD-8
(Sales Rating: C)
(YL3Z-1V126AA) (YL3J-2C503AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97

BRD-9
(Sales Rating: C)
(YS2Z-1V126BA) (YS2J-2C503BA)
PASSENGER CARS
FORD
Contour 2000-97
MERCURY
Cougar 2002-99
Mystique 2000-97

BRD-10
(Sales Rating: C)
(YC3Z-1V126AA) (YC3J-2C503AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1983-81
F Series 1983-80

BRD-11
(Sales Rating: C)
(YC3Z-1V126BA) (YC3J-2C503BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1986-84
F Series 1989-84

BRD-12
(Sales Rating: C)
(YC2Z-1V126BA) (YC2J-2C503BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994-92
F Series 1994

BRD-13
(Sales Rating: A)
(YC3Z-1V126CA) (YC2J-2C503CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-87
F Series 2001-85

BRD-14
(Sales Rating: C)
(YC3Z-1V126DA) (YC3J-2C503DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-81
F Series 1996-80

BRD-15
(Sales Rating: B)
(YC3Z-1V126EA) (YC3J-2C503EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2003-87
F Series 1997-87

BRD-16
(Sales Rating: C)
(YS4Z-1V126CA) (YS4J-2C503CA)
PASSENGER CARS
FORD
Escort/EXP 1992-91
MERCURY
Tracer 1992-91

BRD-17
(Sales Rating: C)
(YS1Z-1V126AA) (YS1J-2C504AA)
PASSENGER CARS
FORD
Aspire 1997-94
Festiva 1993-90

BRD-18
(Sales Rating: C)
(YS8Z-1V126BA) (YS8J-2C504AA)
PASSENGER CARS
FORD
Probe 1992-89

BRD-19
(Sales Rating: C)
(YS6Z-1V126AA) (YS6J-2C504AA)
PASSENGER CARS
FORD
Festiva 1989-88

BRD-20
(Sales Rating: C)
(YL2Z-1V126AA) (YL2J-2C505AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 1994-91
Ranger 2005-90

BRD-21
(Sales Rating: C)
(YL6Z-1V126AA) (YL6J-2C505AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-92

BRD-22
(Sales Rating: B)
(YL3Z-1V126BA) (YL3J-2C505AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

DRUMS — Cont'd

BRD-23
(Sales Rating: C)
(YL5Z-1V126AA) (YL5J-2C505AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2005-98

BRD-24
(Sales Rating: C)
(YL5Z-1V126DA) (YL5J-2C505DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2000-97

BRD-25
(Sales Rating: C)
(YR3Z-1V126AA) (YR3J-2C505AA)
PASSENGER CARS
FORD
LTD 1986-83
Mustang 1993-79
Thunderbird 1989-85
MERCURY
Capri 1986-79
Cougar 1989-85
Marquis 1986-83

BRD-26
(Sales Rating: C)
(YW7Z-1V126AA) (YW7J-2C505AA)
PASSENGER CARS
FORD 1990-79
LINCOLN
Town Car 1990-82
MERCURY|.‼1990-79

BRD-27
(Sales Rating: C)
(YW7Z-1V126BA) (YW7J-2C505BA)
PASSENGER CARS
FORD 1991-79

BRD-27 — Cont'd
LINCOLN
Town Car 2003-82
MERCURY|.‼1991-79

BRD-28
(Sales Rating: C)
(YS4Z-1V126DA) (YS4J-2C505AA)
PASSENGER CARS
FORD
Escort/EXP 1990-84
Tempo 1994-84
MERCURY
Lynx/LN7 1987-85
Topaz 1994-84

BRD-29
(Sales Rating: C)
(YL5Z-1V126BA) (YL5J-2C505BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1991-86
Bronco II 1990-84
Ranger 1997-84

BRD-30
(Sales Rating: C)
(YL5Z-1V126CA) (YL5J-2C505CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1987-86
Bronco II 1990-84
Ranger 1997-83

BRD-31
(Sales Rating: B)
(YF1Z-1V126AA) (YF1J-2C505AA)
PASSENGER CARS
FORD
Taurus 2000-86
MERCURY
Sable 2000-86

BRD-32
(Sales Rating: C)
(YF1Z-1V126BA) (YF1J-2C505BA)
PASSENGER CARS
FORD
Taurus 2001-90
Thunderbird 1997-88
MERCURY
Cougar 1997-88
Sable 2001-90

BRD-34
(Sales Rating: B)
(YL3Z-1V126CA) (YL3J-2C505BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-87
E Series 2000-87
F Series 1996-87

BRD-35
(Sales Rating: C)
(1F5Z-1V126-AA) (1F5J-2C503-AA)
LIGHT/MEDIUM TRUCKS
MERCURY TRUCK
Villager 2002-93

BRD-36
(Sales Rating: C)
(1C2Z-1V126-AA) (1C2J-2C503-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-95

BRD-37
(2U2Z-1V126-AA) (2U2J-2C503-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport Trac 2002-01

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

DRUMS — Cont'd


BRD-38
(2U2Z-1V126-BA) (2U2J-2C503-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2005-01
MERCURY TRUCK
Mariner 2005

BRD-39
(2U2Z-1V126-AB) (2U2J-2C504-AA)
PASSENGER CARS
FORD
Focus 2005-00


BRD-40
(4U2Z-1V126-AA)
PASSENGER CARS
FORD
Taurus 2005-01
MERCURY
Sable 2005-01

BRD-41
(4U2Z-1V126-BB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-00

PAD ATTACHMENT KIT




BRPK-5533A
(Sales Rating: C)
(1C3Z-2321-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1985-76
F Series 1985-76




BRPK-5541
(Sales Rating: C)
(1W7Z-2V321AA)
PASSENGER CARS
FORD 1991-79
Crown Victoria 1993-92
LINCOLN
Continental 1981-80
Mark 1981-80
Town Car 1981-80
MERCURY 1991-79

PAD ATTACHMENT KIT — Cont'd



BRPK-5545
(Sales Rating: C)
(1L3Z-2V321AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1985-76
E Series 1985-75
F Series 1985-73




BRPK-5554
(Sales Rating: B)
(1L3Z-2V321BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-86
Bronco 1993-86
Bronco II 1990-84
E Series 1993-86
Explorer 1994-91
F Series 1993-86
Ranger 1994-83

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

Ford Motorcraft

MAKE	YEAR

PAD ATTACHMENT KIT — Cont'd



BRPK-5560

(Sales Rating: C)

(1W7Z-2V321BA)


PASSENGER CARS

FORD 1991-81
Crown Victoria 1994-92
Mustang 1993-84

LINCOLN

Continental 1995-82
Mark 1992-82
Town Car 1995-82

MERCURY 1991-82
Grand Marquis 1994-81



BRPK-5567

(Sales Rating: C)


(1R3Z-2V321AA)

PASSENGER CARS

FORD
Fairmont 1983
LTD 1986-83
Mustang 1993-83
Thunderbird 1988-83

MERCURY

Capri 1986-83
Cougar 1988-83
Marquis 1986-83
Zephyr 1983



BRPK-5568

(Sales Rating: C)

(1F1Z-2V321AA)

PASSENGER CARS

FORD
Crown Victoria 1995-92
Escort/EXP 1990-83
Focus 2004-00
Taurus 1993-86
Tempo 1994-84
Thunderbird 1992-89

LINCOLN

Continental 1992-88
Town Car 1995-91

MERCURY

Cougar 1992-89
Grand Marquis 1995-92
Lynx/LN7 1987-83
Sable 1993-86
Topaz 1994-84


LIGHT/MEDIUM TRUCKS

FORD TRUCK

Freestar 2004

MERCURY TRUCK

Mariner 2005
Monterey 2004
Villager 2002-93



BRPK-5572

(Sales Rating: C)


(1R9Z-2V321AA)

PASSENGER CARS

FORD
Mustang 1986-84

LINCOLN

Continental 1987-84
Mark 1990-84



BRPK-5584

(Sales Rating: B)

(1C3Z-2V321BA)


LIGHT/MEDIUM TRUCKS

FORD TRUCK
E Series 1991-86
F Series 1994-86


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

PAD ATTACHMENT KIT — Cont'd




BRPK-5593
(Sales Rating: C)
(1W7Z-2V321FA)
PASSENGER CARS
FORD
Crown Victoria 2000-96
MERCURY
Grand Marquis 2000




BRPK-5600A
(Sales Rating: C)
PASSENGER CARS
FORD
Mustang 1993
Taurus 1992-89
Thunderbird 1992-87
LINCOLN
Continental 1992-88
Mark 1992-91
MERCURY
Cougar 1992-89
Sable 1992-89

MAKE	YEAR

PAD ATTACHMENT KIT — Cont'd




BRPK-5610
(Sales Rating: C)
(1R3Z-2V321BA)
PASSENGER CARS
FORD
Mustang 2004-94




BRPK-5615
(Sales Rating: C)
(1R3Z-2V321CA)
PASSENGER CARS
FORD
Mustang 1998-94
Thunderbird 1997-93
MERCURY
Cougar 1997-93

MAKE	YEAR

PAD ATTACHMENT KIT — Cont'd



BRPK-5616
(Sales Rating: C)
(1F1Z-2V321BA)
PASSENGER CARS
FORD
Taurus 2002-94
LINCOLN
Continental 2002-93
Mark 1998-93
MERCURY
Sable 2002-94




BRPK-5617
(Sales Rating: C)
(1F1Z-2V321DA)
PASSENGER CARS
FORD
Taurus 2004-93
Thunderbird 1997-93
LINCOLN
Continental 2002-93
Mark 1998-93
MERCURY
Cougar 1997-93
Sable 2004-93


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

PAD ATTACHMENT KIT — Cont'd



BRPK-5618A
(Sales Rating: C)
PASSENGER CARS
FORD
Mustang 2004-94



BRPK-5619
(Sales Rating: C)
(1F2Z-2V321AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

MAKE	YEAR

PAD ATTACHMENT KIT — Cont'd




BRPK-5620
(Sales Rating: C)
(1L3Z-2V321CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-94
E Series 2003-94
F Series 1996-94




BRPK-5621A
(Sales Rating: B)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-95
F Series 1997-95

MAKE	YEAR

PAD ATTACHMENT KIT — Cont'd



BRPK-5622
(Sales Rating: C)
(1S2Z-2V321AA)
PASSENGER CARS
FORD
Contour 2000-95
Focus 2004-03
MERCURY
Cougar 2002-99
Mystique 2000-95




BRPK-5623
(Sales Rating: B)
(1W7Z-2V321CA)
PASSENGER CARS
FORD
Crown Victoria 1997-95
LINCOLN
Town Car 1998-95
MERCURY
Grand Marquis 1997-95

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

PAD ATTACHMENT KIT — Cont'd



BRPK-5624

(Sales Rating: B)

(1L2Z-2V321AA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK
- Explorer 2001-95
- F Series 2004-97
- Ranger 2002-95

LINCOLN TRUCK
- Blackwood 2003-02

MERCURY TRUCK
- Mountaineer 2001-97



BRPK-5627

(Sales Rating: B)

(1L2Z-2V321BA)

LIGHT/MEDIUM TRUCKS


FORD TRUCK
- Explorer 2004-95
- Explorer Sport 2003-01
- Explorer Sport Trac 2004-02
- Ranger 2004-03
- Windstar 2003-95

LINCOLN TRUCK
- Aviator 2004-03

MERCURY TRUCK
- Mountaineer 2004-97

MAKE YEAR

PAD ATTACHMENT KIT — Cont'd



BRPK-5628A

(Sales Rating: B)

LIGHT/MEDIUM TRUCKS

FORD TRUCK
- E Series 2004-98
- Expedition 2002-97
- F Series 2004-97

LINCOLN TRUCK
- Navigator 2002-98



BRPK-5629

(Sales Rating: C)

(1L3Z-2V321EA)

PASSENGER CARS

FORD
- Crown Victoria 2002-96

LINCOLN
- Town Car 2004-96

MERCURY
- Grand Marquis 2002-96


LIGHT/MEDIUM TRUCKS

FORD TRUCK
- Expedition 2002-97
- F Series 2004-97

LINCOLN TRUCK
- Blackwood 2003-02
- Navigator 2002-98

MAKE YEAR

PAD ATTACHMENT KIT — Cont'd




BRPK-5635A

(Sales Rating: C)

LIGHT/MEDIUM TRUCKS

FORD TRUCK
- E Series 2004-96
- F Series 1998-88



BRPK-5638A

(Sales Rating: C)

PASSENGER CARS


FORD
- Contour 2000-95

MERCURY
- Cougar 1999
- Mystique 2000-95


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

PAD ATTACHMENT KIT — Cont'd




BRPK-5642A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2000-99




BRPK-5643A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2004-00
F Series 2004-99

PAD ATTACHMENT KIT — Cont'd




BRPK-5646A
(Sales Rating: C)
PASSENGER CARS
FORD
Crown Victoria 2002-98
LINCOLN
Town Car 2002-99
MERCURY
Grand Marquis 2002-98




BRPK-5647
(Sales Rating: C)
(1C2Z-2V321AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994-92

PAD ATTACHMENT KIT — Cont'd



BRPK-5651A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-99




BRPK-5652
(Sales Rating: C)
(1R3Z-2V321DA)
PASSENGER CARS
FORD
Mustang 2004-99


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR


PAD ATTACHMENT KIT — Cont'd




BRPK-5656
(Sales Rating: C)
(1F2Z-2V321BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-99




BRPK-5657
(Sales Rating: C)
(1W4Z-2V321AA)
PASSENGER CARS
FORD
Thunderbird 2004-02
LINCOLN
LS 2004-00




BRPK-5660
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2004-00
F Series 2004-99



BRPK-5666
(Sales Rating: C)
(2U2Z-2V321-DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport 2003-01
Explorer Sport Trac 2004-01



BRPK-5671
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2002-99




BRPK-5676
(Sales Rating: C)
PASSENGER CARS
FORD
Thunderbird 2004-02
LINCOLN
LS 2002


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

PAD ATTACHMENT KIT — Cont'd



BRPK-5677
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2004-02
Ranger 2004-03
MERCURY TRUCK
Mountaineer 2004-02




BRPK-5681
(Sales Rating: C)
PASSENGER CARS
FORD
Crown Victoria 2004-03
LINCOLN
Town Car 2004-03
MERCURY
Grand Marquis 2004-03
Marauder 2004-03
LIGHT/MEDIUM TRUCKS
LINCOLN TRUCK
Aviator 2004-03

PAD ATTACHMENT KIT — Cont'd




BRPK-5682
(Sales Rating: C)
PASSENGER CARS
FORD
Crown Victoria 2004-03
LINCOLN
Town Car 2004-03
MERCURY
Grand Marquis 2004-03
Marauder 2004-03
LIGHT/MEDIUM TRUCKS
LINCOLN TRUCK
Aviator 2004-03




BRPK-5683
(Sales Rating: C)
PASSENGER CARS
MERCURY
Cougar 2002-00

PAD ATTACHMENT KIT — Cont'd



BRPK-5688
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2003
LINCOLN TRUCK
Navigator 2003




BRPK-5689
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2004-03
LINCOLN TRUCK
Navigator 2004-03


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

PAD ATTACHMENT KIT — Cont'd



BRPK-5694
(Sales Rating: C)
PASSENGER CARS
FORD
Taurus 2004-03
MERCURY
Sable 2004-03




BRPK-5696
(Sales Rating: C)
PASSENGER CARS
LINCOLN
LS 2004-03




BRPK-5751
(4U2Z-2321-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004

PAD ATTACHMENT KIT — Cont'd




BRPK-5754
(4U2Z-2321-CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004




BRPK-5756
(4U2Z-2321-DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2004
LINCOLN TRUCK
Navigator 2004

PAD ATTACHMENT KIT — Cont'd



BRPK-5762
(4U2Z-2321-EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004




BRPK-13119A
(Sales Rating: C)
PASSENGER CARS
FORD
Focus 2005-02
MERKUR
Scorpio 1989-88


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR


PAD ATTACHMENT KIT — Cont'd




BRPK-13165
(Sales Rating: C)
(1S1Z-2V321AA)
PASSENGER CARS
MERCURY
Capri 1993-91
Tracer 1992-87




BRPK-13169
(Sales Rating: C)
(1W7Z-2V321EA)
PASSENGER CARS
FORD
Festiva 1993-88




BRPK-13228
(Sales Rating: C)
(1S8Z-2V321CA)
PASSENGER CARS
FORD
Probe 1992-89




BRPK-13240
(Sales Rating: C)
(1S8Z-2V321AA)
PASSENGER CARS
FORD
Probe 1992-89



BRPK-13243
(Sales Rating: C)
(1M1Z-2V321AA)
PASSENGER CARS
MERCURY
Tracer 1989-88



BRPK-13245A
(Sales Rating: C)
PASSENGER CARS
FORD
Escort/EXP 2002-91
MERCURY
Tracer 1999-93




BRPK-13247
(Sales Rating: C)
(1S4Z-2V321BA)
PASSENGER CARS
FORD
Escort/EXP 1996-91
MERCURY
Tracer 1996-91


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR


PAD ATTACHMENT KIT — Cont'd



BRPK-13261
(Sales Rating: C)
(1S8Z-2V321BA)
PASSENGER CARS
FORD
Probe 1997-93




BRPK-13262
(Sales Rating: C)
(1S8Z-2V321DA)
PASSENGER CARS
FORD
Probe 1997-93




BRPK-13287A
(Sales Rating: C)
PASSENGER CARS
FORD
Aspire 1997-94

PAD ATTACHMENT KIT — Cont'd




BRPK-13305
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2004-01
MERCURY TRUCK
Mariner 2005




BRPK-13306
(Sales Rating: C)
(1S4Z-2V321CAA)
PASSENGER CARS
FORD
Escort/EXP 2002-97
MERCURY
Tracer 1999-97

PAD ATTACHMENT KIT — Cont'd



BRPK-13308
(Sales Rating: C)
(1R4Z-2V321AA)
PASSENGER CARS
MERKUR
Scorpio 1989-88
XR4Ti 1989-85



BRPK-16040
(Sales Rating: C)
(1W4Z-2V321BA)
PASSENGER CARS
LINCOLN
LS 2001-00

ROTORS

BRR-1
(Sales Rating: B)
(YL6Z-1V125AA) (YL6J-2C502AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-90

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR
ROTORS — Cont'd	
BRR-2	
(Sales Rating: A)	
(YW7Z-1V125AA) (YW7J-2C502AA)	
PASSENGER CARS	
FORD	1991
Crown Victoria	1995-92
LINCOLN	
Town Car	1995-91
MERCURY	1991
Grand Marquis	1995-92
BRR-3	
(Sales Rating: C)	
(YF2Z-1V125AA) (YF2J-2C502AA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Windstar	2003-95
BRR-4	
(Sales Rating: A)	
(YC3Z-1V125AA) (YC3J-2C502AA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
F Series	1998-95
BRR-5	
(Sales Rating: C)	
(YL2Z-1V125AA) (YL2J-2C502AA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Explorer	2001-95
Ranger	2002-98
MERCURY TRUCK	
Mountaineer	2001-97
BRR-6	
(Sales Rating: C)	
(YC2Z-1V125AA) (YC2J-2C502AA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
E Series	2004-96

MAKE	YEAR
ROTORS — Cont'd	
BRR-7	
(Sales Rating: B)	
(YL3Z-1V125AA) (YL3J-2C502AA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
F Series	1996-81
BRR-8	
(Sales Rating: B)	
(YL3Z-1V125BA) (YL3J-2C502BA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Bronco	1993-81
F Series	1993-80
BRR-9	
(Sales Rating: B)	
(YC3Z-1V125BA) (YC3J-2C502BA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
E Series	1994-84
F Series	1994-84
BRR-10	
(Sales Rating: C)	
(YC3Z-1V125CA) (YC3J-2C502CA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
F Series	1994-85
BRR-11	
(Sales Rating: A)	
(YS4Z-1V125AA) (YS4J-2C502AA)	
PASSENGER CARS	
FORD	
Escort/EXP	1990-81
Tempo	1994-84
MERCURY	
Lynx/LN7	1987-81
Topaz	1994-84

MAKE	YEAR
ROTORS — Cont'd	
BRR-12	
(Sales Rating: C)	
(YF6Z-1V125AA) (YF6J-2C502AA)	
PASSENGER CARS	
FORD	
Mustang	1993
Thunderbird	1988-87
MERCURY	
Cougar	1988-87
BRR-13	
(Sales Rating: B)	
(YC3Z-1V125DA) (YC3J-2C502DA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
F Series	1997-88
BRR-14	
(Sales Rating: B)	
(YW7Z-1V102AA) (YW7J-2C501AA)	
PASSENGER CARS	
FORD	1991-79
LINCOLN	
Mark	1983-80
Town Car	1991-82
MERCURY	1991-78
BRR-15	
(Sales Rating: B)	
(YL2Z-1V102AA) (YL2J-2C501AA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Bronco II	1990
Explorer	1994-91
Ranger	1992-90
BRR-16	
(Sales Rating: A)	
(YC2Z-1V102FA) (YC2J-2C501FA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
E Series	2003-94

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

ROTORS — Cont'd

BRR-17
(Sales Rating: C)
(YC2Z-1V102AA) (YC2J-2C501AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994-92

BRR-18
(Sales Rating: C)
(YC2Z-1V102BA) (YC2J-2C501BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994

BRR-19
(Sales Rating: A)
(YL2Z-1V102BA) (YL2J-2C501BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 1994-93

BRR-20
(Sales Rating: A)
(YC3Z-1V102AA) (YC3J-2C501AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-95
F Series 2004-95

BRR-21
(Sales Rating: A)
(YL5Z-1V102AA) (YL5J-2C501AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 1997-95

BRR-22
(Sales Rating: C)
(YL5Z-1V102BA) (YL5J-2C501BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 1997-95

BRR-23
(Sales Rating: A)
(YC2Z-1V102CA) (YC2J-2C501CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-95

BRR-24
(Sales Rating: A)
(YL3Z-1V102AA) (YL3J-2C501AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2000-97

BRR-25
(Sales Rating: B)
(YL2Z-1V102CA) (YL2J-2C501CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-95
Ranger 2003-95
MERCURY TRUCK
Mountaineer 2001-97

BRR-26
(Sales Rating: A)
(YL3Z-1V102BA) (YL3J-2C501BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-94
F Series 1996-94

BRR-27
(Sales Rating: C)
(YL5Z-1V102CA) (YL5J-2C501CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 1997-95

BRR-28
(Sales Rating: A)
(YC3Z-1V102BA) (YC3J-2C501BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 1997-95

BRR-29
(Sales Rating: C)
(YC2Z-1V102DA) (YC2J-2C501DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-95

BRR-30
(Sales Rating: C)
(YC2Z-1V102EA) (YC2J-2C501EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-95

BRR-31
(Sales Rating: A)
(YL3Z-1V102CA) (YL3J-2C501CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2000-97
F Series 2000-99
LINCOLN TRUCK
Navigator 2000-98

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

ROTORS — Cont'd

BRR-32
(Sales Rating: B)
(YL3Z-1V102DA) (YL3J-2C501DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97

BRR-33
(Sales Rating: C)
(YL3Z-1V102EA) (YL3J-2C501EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2003-97

BRR-34
(Sales Rating: C)
(YL5Z-1V102DA) (YL5J-2C501DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 1997

BRR-35
(Sales Rating: C)
(YL3Z-1V102FA) (YL3J-2C501FA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 1998

BRR-36
(Sales Rating: A)
(YL2Z-1V102DA) (YL2J-2C501DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 1994-93
Ranger 1994-93

ROTORS — Cont'd

BRR-37
(Sales Rating: A)
(YL3Z-1V102GA) (YL3J-2C501GA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1993-80
F Series 1993-80

BRR-38
(Sales Rating: C)
(YR3Z-1V102AA) (YR3J-2C501AA)
PASSENGER CARS
FORD
Fairmont 1983-80
Granada 1982-81
LTD 1986-83
Mustang 1993-82
Thunderbird 1988-80
MERCURY
Capri 1986-82
Cougar 1988-80
Marquis 1986-83
Monarch 1980
Zephyr 1983-80

BRR-39
(Sales Rating: A)
(YL5Z-1V102EA) (YL5J-2C501EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-86
Bronco II 1990
Ranger 1994-83

BRR-40
(Sales Rating: C)
(YL2Z-1V102EA) (YL2J-2C501EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco II 1990-84
Explorer 1994-91
Ranger 1994-83

ROTORS — Cont'd

BRR-41
(Sales Rating: C)
(YR3Z-1V102BA) (YR3J-2C501BA)
PASSENGER CARS
FORD
Mustang 1993-87

BRR-42
(Sales Rating: B)
(YC3Z-1V102CA) (YC3J-2C501CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-86
F Series 1994-86

BRR-43
(Sales Rating: C)
(YL2Z-1V102FA) (YL2J-2C501FA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco II 1989-86
Explorer 1994-91

BRR-44
(Sales Rating: C)
(YF1Z-1V125AA) (YF1J-2C502AA)
PASSENGER CARS
FORD
Taurus 1992-90
LINCOLN
Continental 1992-90
Town Car 1990
MERCURY
Sable 1992-90

BRR-45
(Sales Rating: C)
(YS4Z-1V125BA) (YS4J-2C502BA)
PASSENGER CARS
FORD
Escort/EXP 2003-91

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

ROTORS — Cont'd

BRR-45 — Cont'd
MERCURY
Tracer 1999-91

BRR-46
(Sales Rating: A)
(YF1Z-1V125BA) (YF1J-2C502BA)
PASSENGER CARS
FORD
Taurus 2000-94
Thunderbird 1997-91
LINCOLN
Continental 1994-93
MERCURY
Cougar 1997-91
Sable 2000-94
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

BRR-47
(Sales Rating: A)
(YW7Z-1V125BA) (YW7J-2C502BA)
PASSENGER CARS
FORD 1991
Crown Victoria 1994-92
LINCOLN
Town Car 1994-91
MERCURY 1991
Grand Marquis 1994-92

BRR-48
(Sales Rating: A)
(YF1Z-1V125CA) (YF1J-2C502CA)
PASSENGER CARS
FORD
Taurus 1993-91
LINCOLN
Continental 1992-91
MERCURY
Sable 1993-91

BRR-49
(Sales Rating: C)
(YS8Z-1V125AA) (YS8J-2C502AA)
PASSENGER CARS
FORD
Probe 1997-93

BRR-50
(Sales Rating: C)
(YS8Z-1V125BA) (YS8J-2C502BA)
PASSENGER CARS
FORD
Probe 1997-93

BRR-51
(Sales Rating: A)
(YF1Z-1V125DA) (YF1J-2C502DA)
PASSENGER CARS
FORD
Taurus 2005-93
LINCOLN
Continental 1999-93
MERCURY
Sable 2005-93

BRR-52
(Sales Rating: C)
(YF6Z-1V125BA) (YF6J-2C502BA)
PASSENGER CARS
FORD
Thunderbird 1997-93
LINCOLN
Mark 1998-93
MERCURY
Cougar 1997-93

BRR-54
(Sales Rating: B)
(YR3Z-1V125AA) (YR3J-2C502AA)
PASSENGER CARS
FORD
Mustang 2004-94

BRR-55
(Sales Rating: B)
(YR3Z-1V125BA) (YR3J-2C502BA)
PASSENGER CARS
FORD
Mustang 2004-94

BRR-56
(Sales Rating: A)
(YL3Z-1V102HA) (YL3J-2C501HA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-94
F Series 1996-94

BRR-57
(Sales Rating: C)
(YS1Z-1V125AA) (YS1J-2C502AA)
PASSENGER CARS
FORD
Aspire 1996-94

BRR-58
(Sales Rating: A)
(YS2Z-1V125AA) (YS2J-2C502AA)
PASSENGER CARS
FORD
Contour 2000-95
MERCURY
Cougar 2002-99
Mystique 2000-95

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

Motorcraft

MAKE	YEAR

ROTORS — Cont'd

BRR-59
(Sales Rating: A)
(YL2Z-1V125BA) (YL2J-2C502BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-95
Explorer Sport 2002-01
Ranger 2003-98
MERCURY TRUCK
Mountaineer 2001-97

BRR-60
(Sales Rating: A)
(YW7Z-1V125CA) (YW7J-2C502CA)
PASSENGER CARS
FORD
Crown Victoria 1997-95
LINCOLN
Town Car 1997-95
MERCURY
Grand Marquis 1997-95

BRR-61
(Sales Rating: A)
(YW7Z-1V125DA) (YW7J-2C502DA)
PASSENGER CARS
FORD
Crown Victoria 2002-96
LINCOLN
Town Car 2002-96
MERCURY
Grand Marquis 2002-96

BRR-62
(Sales Rating: A)
(YL3Z-1V125DA) (YL3J-2C502DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97

BRR-63
(Sales Rating: A)
(YL7Z-1V125AA) (YL7J-2C502AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
LINCOLN TRUCK
Navigator 2002-98

BRR-64
(Sales Rating: A)
(YW7Z-1V125EA) (YW7J-2C502EA)
PASSENGER CARS
FORD
Crown Victoria 2002-98
LINCOLN
Town Car 2002-98
MERCURY
Grand Marquis 2002-98

BRR-65
(Sales Rating: A)
(YL7Z-1V125BA) (YL7J-2C502BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 1999-97
LINCOLN TRUCK
Navigator 1999-98

BRR-66
(Sales Rating: B)
(YL3Z-1V125EA) (YL3J-2C502EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97

BRR-67
(Sales Rating: C)
(YL3Z-1V125FA) (YL3J-2C502FA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97

BRR-68
(Sales Rating: A)
(YF1Z-1V125EA) (YF1J-2C502EA)
PASSENGER CARS
FORD
Taurus 2004-96
Thunderbird 1997-96
LINCOLN
Continental 2002-95
Mark 1998-96
MERCURY
Cougar 1997-96
Sable 2004-01

BRR-69
(Sales Rating: C)
(YS2Z-1V125BA) (YS2J-2C502BA)
PASSENGER CARS
FORD
Contour 2000-98
MERCURY
Cougar 2002-99

BRR-70
(Sales Rating: B)
(YF2Z-1V125BA) (YF2J-2C502BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-99

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

ROTORS — Cont'd

BRR-71
(Sales Rating: C)
(YC2Z-1V125BA) (YC2J-2C502BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-99

BRR-72
(Sales Rating: C)
(YC2Z-1V125CA) (YC2J-2C502CA)
PASSENGER CARS
FORD
Mustang 1986-84
LINCOLN
Continental 1987-82
Mark 1990-84
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-99

BRR-75
(Sales Rating: C)
(YM1Z-1V125AA) (YM1J-2C502AA)
PASSENGER CARS
MERCURY
Capri 1994-91
Tracer 1989-87

BRR-76
(Sales Rating: C)
(YF6Z-1V125CA) (YF6J-2C502CA)
PASSENGER CARS
FORD
Thunderbird 1992-89
MERCURY
Cougar 1992-89

ROTORS — Cont'd

BRR-77
(Sales Rating: C)
(YS8Z-1V125CA) (YS8J-2C502CA)
PASSENGER CARS
FORD
Probe 1992-89

BRR-78
(Sales Rating: C)
(YS8Z-1V125DA) (YS8J-2C502DA)
PASSENGER CARS
FORD
Probe 1992-89

BRR-79
(Sales Rating: C)
(YS6Z-1V125AA) (YS6J-2C502AA)
PASSENGER CARS
FORD
Festiva 1993-88

BRR-80
(Sales Rating: B)
(YF1Z-1V125GA) (YF1J-2C502GA)
PASSENGER CARS
FORD
Taurus 1991-86
LINCOLN
Continental 1991-88
MERCURY
Sable 1991-86

BRR-81
(Sales Rating: A)
(YS4Z-1V125CA) (YS4J-2C502CA)
PASSENGER CARS
FORD
Escort/EXP 2003-91
MERCURY
Tracer 1999-92

ROTORS — Cont'd

BRR-82
(Sales Rating: B)
(YS4Z-1V125DA) (YS4J-2C502DA)
PASSENGER CARS
FORD
Aspire 1996-94
Escort/EXP 1996-91
MERCURY
Tracer 1996-91

BRR-83
(Sales Rating: C)
(YL5Z-1V102FA) (YL5J-2C501FA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2005-98

BRR-84
(Sales Rating: C)
(YW1Z-1V125AA) (YW1J-2C502AA)
PASSENGER CARS
FORD
Thunderbird 1990-89
LINCOLN
Town Car 1990
MERCURY
Cougar 1990-89

BRR-87
(Sales Rating: C)
(1M5Z-1V125-AA) (1M5J-2C502-AA)
PASSENGER CARS
FORD
Focus 2003-00

BRR-88
(Sales Rating: C)
(1F5Z-1V125-AA) (1F5J-2C502-AA)
LIGHT/MEDIUM TRUCKS
MERCURY TRUCK
Villager 2002-93

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR
ROTORS — Cont'd	
BRR-89	
(Sales Rating: C)	
(1C3Z-1V125-AA) (1C3J-2C502-AA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Excursion	2005-00
F Series	2005-99
BRR-90	
(Sales Rating: C)	
(1C3Z-1V125-BA) (1C3J-2C502-BA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
F Series	1999
BRR-91	
(Sales Rating: C)	
(1C3Z-1V125-CA) (1C3J-2C502-CA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Excursion	2004-01
F Series	2005-99
BRR-92	
(Sales Rating: C)	
1C3Z-1V102-AA) (1C3J-2C501-AA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Excursion	2002-00
F Series	2002-99
BRR-93	
(Sales Rating: C)	
(1C3Z-1V102-BA) (1C3J-2C501-BA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Excursion	2005-00
F Series	2005-99

MAKE	YEAR
ROTORS — Cont'd	
BRR-94	
(Sales Rating: C)	
(1C3Z-1V125-DA) (1C3J-2C502-DA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Excursion	2005-00
F Series	2005-99
BRR-95	
(Sales Rating: C)	
(1S2Z-1V125-AA) (1S2J-2C502-AA)	
PASSENGER CARS	
FORD	
Contour	2000-95
MERCURY	
Cougar	2002-99
Mystique	2000-95
BRR-96	
(Sales Rating: C)	
(1C3Z-1V125-EA) (1C3J-2C502-EA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
F Series	2005-99
BRR-97	
(2U2Z-1V125-AA) (2U2J-2C502-AA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Expedition	2002-00
F Series	2004-00
LINCOLN TRUCK	
Blackwood	2002
Navigator	2002-00
BRR-98	
(2U2Z-1V125-BA) (2U2J-2C502-BA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Explorer	2005-02
MERCURY TRUCK	
Mountaineer	2005-02

MAKE	YEAR
ROTORS — Cont'd	
BRR-99	
(2U2Z-1V102-AA) (2U2J-2C501-AA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
F Series	2004-00
LINCOLN TRUCK	
Blackwood	2003-02
BRR-100	
(2U2Z-1V102-BA) (2U2J-2C501-BA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Expedition	2002-00
F Series	2003-00
LINCOLN TRUCK	
Navigator	2002-00
BRR-101	
(2U2Z-1V102-CA) (2U2J-2C501-CA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Excursion	2005-00
F Series	2005-99
BRR-102	
(2U2Z-1V125-CA) (2U2J-2C502-CA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Explorer	2004-02
MERCURY TRUCK	
Mountaineer	2004-02
BRR-103	
(2U2Z-1V125-DA) (2U2J-2C502-DA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
F Series	1999

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

ROTORS — Cont'd

BRR-104
2U2Z-1V102-DA) (2U2J-2C501-DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2005-98

BRR-105
2U2Z-1V125-EA) (2U2J-2C502-EA)
PASSENGER CARS
FORD
Thunderbird 2005-02
LINCOLN
LS 2001-00

BRR-106
(2U2Z-1V102-EA) (2U2J-2C501-EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport 2003-01
Explorer Sport Trac 2005-01

BRR-107
(2U2Z-1V125-FA) (2U2J-2C502-FA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport 2002-01
Explorer Sport Trac 2002-01

BRR-108
2U2Z-1V125-GA) (2U2J-2C502-GA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2003-01

BRR-109
(2U2Z-1V125-HA) (2U2J-2C502-HA)
PASSENGER CARS
FORD
Thunderbird 2005-02

MAKE	YEAR

ROTORS — Cont'd

BRR-109 — Cont'd
LINCOLN
LS 2005-00

BRR-111
(3W1Z-1V125-AA) (3U2J-2C502-AA)
PASSENGER CARS
FORD
Crown Victoria 2005-03
LINCOLN
Town Car 2005-03
MERCURY
Grand Marquis 2005-03

BRR-112
(3W7Z-1V125-AA) (3U2J-2C502-BA)
PASSENGER CARS
FORD
Crown Victoria 2005-03
MERCURY
Grand Marquis 2005-03

BRR-113
(F81Z-1V125-AA) (3U2J-2C502-CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-02
F Series 2005-99

BRR-114
(3W1Z-1V125-AB) (3U2J-2C502-DA)
PASSENGER CARS
LINCOLN
Town Car 2005-03
MERCURY
Grand Marquis 2004-03
Marauder 2004-03

BRR-115
(2L1Z-1V125-AA) (3U2J-2C502-EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2004-03

MAKE	YEAR

ROTORS — Cont'd

BRR-115 — Cont'd
LINCOLN TRUCK
Navigator 2004-03

BRR-116
(2L1Z-1V125-BA) (3U2J-2C502-FA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2005-03
LINCOLN TRUCK
Navigator 2005-03

BRR-117
(4U2Z-1V102-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-04

BRR-118
(4U2Z-1V125-AA)
PASSENGER CARS
LINCOLN
Town Car 2005-03

BRR-119
(4U2Z-1V125-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport 2003-02
Explorer Sport Trac 2005-02

BRR-120
(4U2Z-1V125-CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005-04

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

BUYER'S GUIDE

Ford Motorcraft

MAKE	YEAR

ROTORS — Cont'd

BRR-121
(4U2Z-1V125-DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series....2005-04

BRR-122
(4U2Z-1V125-EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series....2005-04

BRR-123
(4U2Z-1V125-FA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series....2005-04

BRR-124
(4U2Z-1V125-GA)
PASSENGER CARS
FORD
Focus....2004-02

BRR-125
(4U2Z-1V125-HA)
PASSENGER CARS
FORD
Focus....2005-00

BRR-126
(4U2Z-1V125-JA)
PASSENGER CARS
FORD
Focus....2004-02

ROTORS — Cont'd

BRR-127
(4U2Z-1V125-KA)
LIGHT/MEDIUM TRUCKS
LINCOLN TRUCK
Aviator....2005-03

BRR-128
(4U2Z-1V125-LA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series....2005-04

WHEEL SEAL

BRS-1
(Sales Rating: C)
D5HZ-1S190B
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series....2001-92

BRS-2
(Sales Rating: B)
D5HZ-1S190E
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series....2001-92

BRS-3
(Sales Rating: A)
E7TZ-1S190-B
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series....2004-90
Excursion....2003-00
F Series....1994-90

WHEEL SEAL — Cont'd

BRS-4
(Sales Rating: C)
E7HZ-1S175A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series....1992-90

BRS-5
(Sales Rating: C)
E6HZ-1S175E
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series....1998-90
F Series....1999

BRS-6
(Sales Rating: C)
F2HZ-1S175C
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series....2001-00

BRS-7
(Sales Rating: C)
F2HZ-1S175A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series....1998-90
CL Series....1995-92

BRS-8
(Sales Rating: C)
E7HZ-1S190A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series....2001-00

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

WHEEL SEAL — Cont'd

BRS-9
(Sales Rating: A)
E6TZ-1S190A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
- E Series ... 2003-90
- Expedition ... 2002-97
- F Series ... 2004-90

LINCOLN TRUCK
- Blackwood ... 2003-02
- Navigator ... 2002-98

BRS-10
(Sales Rating: A)
FOZZ-1S190-A
PASSENGER CARS
FORD
- Mustang ... 1995-84
- Thunderbird ... 1989-87

LINCOLN
- Continental ... 1989-82
- Mark ... 1992-84

LIGHT/MEDIUM TRUCKS
FORD TRUCK
- Explorer ... 2001-95
- Explorer Sport ... 2003-01
- Explorer Sport Trac ... 2004-01
- Ranger ... 2005-95

MERCURY TRUCK
- Mountaineer ... 2001-97

BRS-11
(Sales Rating: A)
E5TZ-1S190A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
- Aerostar ... 1997-90
- Bronco II ... 1990-87
- Explorer ... 1994-91
- Ranger ... 1994-90

BRS-12
(Sales Rating: A)
F7UZ-1S175A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
- E Series ... 2001-90

BRS-13
(Sales Rating: B)
E1FZ-1S175A
PASSENGER CARS
FORD
- Escort/EXP ... 1990-81

BRS-14
(Sales Rating: C)
C9TZ-1S175A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
- Bronco ... 1985-78
- E Series ... 1981
- F Series ... 1995-81

BRS-15
(Sales Rating: C)
F2HZ-1S175B
LIGHT/MEDIUM TRUCKS
FORD TRUCK
- B-F Series ... 1998-90
- CF Series ... 1997-91

BRS-16
(Sales Rating: A)
F7TZ-1S175AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
- F Series ... 1997-94

BRS-17
(Sales Rating: C)
E3TZ-1S190A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
- Bronco ... 1989-84
- Bronco II ... 1990-84
- E Series ... 1988
- F Series ... 1988
- Ranger ... 1994-83

BRS-18
(Sales Rating: C)
C9TZ-1S175C
LIGHT/MEDIUM TRUCKS
FORD TRUCK
- Bronco ... 1996-90

BRS-20
(Sales Rating: C)
E3TZ-1S175A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
- Bronco ... 1989-83

BRS-21
(Sales Rating: C)
F81Z-1S175EA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
- F Series ... 2002-00

BRS-22
(Sales Rating: A)
E4TZ-1S190A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
- Bronco ... 1989-85
- E Series ... 1989-84
- Explorer ... 1994-91
- F Series ... 1994-84
- Ranger ... 1997-86

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

WHEEL SEAL — Cont'd

BRS-23
(Sales Rating: B)
F5TZ-1S190AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-95
F Series 1997-95

BRS-25
(Sales Rating: A)
F2TZ-1S175A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 1997-90

BRS-27
(Sales Rating: B)
F87Z-1S190-AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2005-98

BRS-28
(Sales Rating: B)
F57Z-1S190BB
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 1997-95

BRS-31
(Sales Rating: B)
F57Z-1S190AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-95
Explorer Sport 2003-01
Explorer Sport Trac 2004-01
MERCURY TRUCK
Mountaineer 2001-97

WHEEL SEAL — Cont'd

BRS-33
(Sales Rating: C)
E7TZ-1S190A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1989-87
E Series 1989-87
F Series 1993-87

BRS-37
(Sales Rating: C)
D0TZ-1S175-E
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1989-78
F Series 1994-78

BRS-38
(Sales Rating: C)
D0TZ-1S175A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series 1998-90
F Series 1999

BRS-40
(Sales Rating: A)
E3TZ-1S177A
PASSENGER CARS
LINCOLN
Town Car 2000-90
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-90
E Series 2004-90
Explorer 2004-93
Explorer Sport 2003-02
Explorer Sport Trac 2004-02
F Series 2003-90
MERCURY TRUCK
Mountaineer 2004-97

WHEEL SEAL — Cont'd

BRS-42
(Sales Rating: A)
F75Z-1S177BA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2005-98
LINCOLN TRUCK
Blackwood 2003-02
Navigator 2002-98

BRS-43
(Sales Rating: C)
YL8Z-1S177AA
PASSENGER CARS
FORD
Probe 1997-94
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2005-01

BRS-46
(Sales Rating: B)
F5RZ-1S177AA
PASSENGER CARS
FORD
Contour 2000-95
Focus 2005-00
MERCURY
Cougar 2002-99
Mystique 2000-95

BRS-48
(Sales Rating: A)
F4TZ-1S177C
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1989-85
F Series 1989-85

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

WHEEL SEAL — Cont'd

BRS-50
(Sales Rating: B)
E1FZ-1S177A
PASSENGER CARS
FORD
Escort/EXP 1990-81
Taurus 2004-86
Tempo 1994-90
MERCURY
Lynx/LN7 1987-81
Sable 2004-86
Topaz 1994-90
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2000-95

BRS-51
(Sales Rating: A)
F81Z-1A177CA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2000
F Series 2004-99

BRS-52
(Sales Rating: B)
F7UZ-1S177A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2003-90

BRS-53
(Sales Rating: B)
C9HZ-1S190A
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series 1998-90
F Series 2000-99
L-LN Series 1997-90

WHEEL SEAL — Cont'd

BRS-54
(Sales Rating: B)
F65Z-1S190AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2002-97
LINCOLN TRUCK
Navigator 2002-98

BRS-55
(Sales Rating: C)
C5TZ-1S190-D
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series 1998-90
CF Series 1994-93

BRS-56
(Sales Rating: C)
YC2Z-1S175-BA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2000

BRS-57
(Sales Rating: C)
F32Z-1S177-A
PASSENGER CARS
FORD
Probe 1997-93

BRS-60A
(Sales Rating: C)
D5HZ-1S190-AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series 1998-90
F Series 2004-99

WHEEL SEAL — Cont'd

BRS-62A
(Sales Rating: C)
DOHZ-1S190-AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series 1998-90
F Series 1999

BRS-63A
(Sales Rating: C)
E3HZ-1S190-CA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series 1995-90

BRS-64A
(Sales Rating: C)
F1HZ-1S175-AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series 1997-90
F Series 1999

BRS-65A
(Sales Rating: C)
D7HZ-1S175-DA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series 1998-90
F Series 1999

BRS-66A
(Sales Rating: C)
DOHZ-1S190-BA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series 1998-90
F Series 1999

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

WHEEL SEAL — Cont'd

BRS-67A
(Sales Rating: C)
DOHZ-1S175-BA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series 1998-90
F Series 1999

BRS-68A
(Sales Rating: C)
DOHZ-1S175-AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
B-F Series 1998-90
F Series 1999

BRS-69
(Sales Rating: B)
E92Z-1S177AA
PASSENGER CARS
FORD
Escort/EXP 2002-91
Probe 1992-89
MERCURY
Tracer 1999-91

BRS-70
(Sales Rating: C)
E7GZ-1S177B
PASSENGER CARS
FORD
Festiva 1993-88
MERCURY
Capri 1994-91
Tracer 1989-87

BRS-71
(Sales Rating: C)
E7GZ-1S177A
PASSENGER CARS
FORD
Festiva 1993-88

WHEEL SEAL — Cont'd

BRS-71 — Cont'd
MERCURY
Capri 1994-91
Tracer 1989-87

BRS-72
(Sales Rating: C)
E92Z-1S177B
PASSENGER CARS
FORD
Probe 1992-89

BRS-73
(Sales Rating: C)
E7GZ-1S177C
PASSENGER CARS
MERCURY
Capri 1994-91
Tracer 1989-87

BRS-78
(Sales Rating: B)
D6TZ-1S175AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1992-90
Bronco 1996-73
Bronco II 1990
E Series 1989-85
Explorer 1994-91
F Series 1989-68
Ranger 1992-90

BRS-79
(Sales Rating: C)
E3TZ-1S175DA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-90

WHEEL SEAL — Cont'd

BRS-80
(Sales Rating: C)
D8TZ-1S175CA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1989-78
F Series 1994-78

BRS-81
(Sales Rating: C)
E0TZ-1S177-BA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1983-80
E Series 1987-80
F Series 1996-80

BRS-82
(Sales Rating: C)
E0TZ-1S177CA
PASSENGER CARS
FORD 1978
Granada 1979-78
LTD 1979-78
LTD II 1979-78
Thunderbird 1979-78
Torino 1979-78
LINCOLN 1979-78
Versailles 1980-78
MERCURY 1978
Cougar 1979-78
Marquis 1979-78
Monarch 1979-78
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1979-78
E Series 1989-78
F Series 1989-78

BRS-83
(Sales Rating: A)
F4TZ-1S177BA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 1997-94

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

WHEEL SEAL — Cont'd

BRS-84
(Sales Rating: A)
F81Z-1S175HCA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2003-00
F Series 2001-90

BRS-85
(Sales Rating: B)
D6TZ-1S175CA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-73

BRS-86
(Sales Rating: A)
F3TZ-1S175BBA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1994-93
Explorer 1994-93
F Series 1994-93
Ranger 1994-93

BRS-87
(Sales Rating: B)
F2TZ-1S175CA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 1998-92

BRS-88
(Sales Rating: B)
F3TZ-1S175AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1994-93
F Series 1994-93
Ranger 1994-93

MAKE	YEAR

WHEEL SEAL — Cont'd

BRS-89
(Sales Rating: C)
D8TZ-1S175AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 1991-78

BRS-90
(Sales Rating: A)
F67Z-1S177ACA
PASSENGER CARS
FORD 1991-80
Crown Victoria 2002-92
Mustang 2004-90
Tempo 1990
LINCOLN
Town Car 2004-82
MERCURY 1991-80
Grand Marquis 2004-92
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-90
F Series 2004-90
Ranger 2005-90

BRS-92
(Sales Rating: C)
E8BZ-1S177B
PASSENGER CARS
FORD
Festiva 1993-88

BRS-93
(Sales Rating: C)
1C2Z-1S175-BA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-01

MAKE	YEAR

WHEEL SEAL — Cont'd

BRS-94
(Sales Rating: C)
1M5Z-1S175-AA
PASSENGER CARS
FORD
Focus 2004-02

BRS-95
(Sales Rating: C)
E8BZ-1S177-A
PASSENGER CARS
FORD
Festiva 1993

BRS-97
(Sales Rating: C)
2L1Z-1S177-AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2005-03
LINCOLN TRUCK
Navigator 2005-03

BRS-98
(Sales Rating: C)
2C2Z-1175-AB
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2005-04

BRS-100
5C3Z-1S175-AA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

WHEEL SEAL — Cont'd

BRS-101
(5R3Z-1S177-AA)
PASSENGER CARS
FORD
Mustang 2005
LINCOLN
Town Car 2005

BRS-103
(Sales Rating: C)
3U2Z-1S177-AA
PASSENGER CARS
FORD
Crown Victoria 2005-03
LINCOLN
Town Car 2005-03
MERCURY
Grand Marquis 2005-03

BRS-107
4C4Z-1175-BA
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005-04

BRS-109
F87Z-1S177-BB
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2005-98

BRS-110
(5C3Z-1S175-GA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2003-02
F Series 2005-99

WHEEL SEAL — Cont'd

BRS-112
(F87Z-1S177-AC)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2005-98

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-411
(Sales Rating: C)
(2U2Z-2V001-AH) (2U2J-2C452-AJA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-96
F Series 1997-88

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-450
(Sales Rating: C)
(2U2Z-2V001-AK) (2U2J-2C452-AHA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-85
F Series 1994-85

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-601
(Sales Rating: C)
(2U2Z-2V001-AC) (2U2J-2C452-ABA)
PASSENGER CARS
FORD
Taurus 2000-94
MERCURY
Sable 2000-94
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-632
(Sales Rating: B)
(2U2Z-2V001-AJ) (2U2J-2C452-AGA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-94
E Series 2003-94
F Series 1996-94

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-652
(Sales Rating: A)
(2U2Z-2V001-AD) (2U2J-2C452-ADA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-95
Ranger 2002-98
MERCURY TRUCK
Mountaineer 2001-97

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-655
(Sales Rating: A)
(2U2Z-2V001-AG) (2U2J-2C452-AFA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-95
F Series 1998-95

BRAKE PARTS
REAR PAD - SUPERDUTY

BRSD-667
(Sales Rating: B)
(2U2Z-2V200-CB) (2U2J-2C453-CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2001-95
Explorer Sport 2002
MERCURY TRUCK
Mountaineer 2001-97

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS
REAR PAD - SUPERDUTY

BRSD-674
(Sales Rating: C)
(2U2Z-2V200-GB) (2U2J-2C453-GA)
PASSENGER CARS
FORD
Crown Victoria 2002-96
LINCOLN
Town Car 2002-96
MERCURY
Grand Marquis 2002-96

BRAKE PARTS
REAR PAD - SUPERDUTY

BRSD-674A
(Sales Rating: B)
(2U2Z-2V200-DB) (2U2J-2C453-DA)
PASSENGER CARS
FORD
Crown Victoria 2002-96
LINCOLN
Town Car 2002-96
MERCURY
Grand Marquis 2002-96

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-678
(Sales Rating: C)
(2U2Z-2V001-AB) (2U2J-2C452-AAA)
PASSENGER CARS
FORD
Crown Victoria 1997-95
LINCOLN
Town Car 1997-95

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-679
(Sales Rating: A)
(2U2Z-2V001-AL) (2U2J-2C452-AKA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2004-97

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-702
(Sales Rating: B)
(2U2Z-2V001-AE) (2U2J-2C452-AEA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Navigator 2002-98

BRAKE PARTS
REAR PAD - SUPERDUTY

BRSD-711
(Sales Rating: B)
(2U2Z-2V200-EB) (2U2J-2C453-EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2002-97
LINCOLN TRUCK
Navigator 2002-98

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-748
(Sales Rating: A)
(2U2Z-2V001-ZA) (2U2J-2C452-ZA)
PASSENGER CARS
FORD
Crown Victoria 2002-98
LINCOLN
Town Car 2002-98

BRAKE PARTS — Cont'd
FRONT PAD - SUPERDUTY — Cont'd

BRSD-748 — Cont'd
MERCURY
Grand Marquis 2002-98

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-756
(Sales Rating: A)
(2U2Z-2V001-AF) (2U2J-2C452-ACA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

BRAKE PARTS
REAR PAD - SUPERDUTY

BRSD-757
(Sales Rating: A)
(2U2Z-2V200-FB) (2U2J-2C453-FA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2005-00
F Series 2004-99

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-777
(Sales Rating: A)
(2U2Z-2V001-AM) (2U2J-2C452-ALA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2003-02
F Series 2002-99

BRAKE PARTS
REAR PAD - SUPERDUTY

BRSD-802
(Sales Rating: B)
(2U2Z-2V200-HB) (2U2J-2C453-HA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2002-99

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-931
(Sales Rating: B)
(3U2Z-2V001-BA) (3U2J-2C452-BA)
PASSENGER CARS
FORD
Crown Victoria 2005-03
LINCOLN
Town Car 2005-03
MERCURY
Grand Marquis 2005-03
Marauder 2004-03

BRAKE PARTS
REAR PAD - SUPERDUTY

BRSD-932
(Sales Rating: B)
(4U2Z-2V200-AB) (4U2J-2C453-AA)
PASSENGER CARS
FORD
Crown Victoria 2005-03
LINCOLN
Town Car 2005-03
MERCURY
Grand Marquis 2005-03


BRAKE PARTS
REAR PAD - SUPERDUTY

BRSD-1012
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005-04


BRAKE PARTS
FRONT PAD - SUPERDUTY

BRSD-1083
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2005-04

SPRING KIT




BRSK-7001
(Sales Rating: C)
(1W3Z-2V225AA)
PASSENGER CARS
FORD
Crown Victoria 1995-92
LINCOLN
Continental 1995-91
Town Car 1995-91
MERCURY
Grand Marquis 1995-92




BRSK-7002A
(Sales Rating: C)
PASSENGER CARS
FORD
Crown Victoria 2002-96
LINCOLN
Continental 2002-96
Town Car 2004-96
MERCURY
Grand Marquis 2002-96

SPRING KIT — Cont'd



BRSK-7146
(Sales Rating: C)
(1L3Z-2V225AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-69
F Series 1999-67
P-Series 1976-67




BRSK-7181
(Sales Rating: B)
(1C3Z-2V225AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-76
F Series 1998-76

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

SPRING KIT — Cont'd



BRSK-7209


(Sales Rating: B)

(1C3Z-2V225BA)

LIGHT/MEDIUM TRUCKS

FORD TRUCK

E Series 1998-87
F Series 1997-87



BRSK-7224A

(Sales Rating: C)

PASSENGER CARS

FORD 1991-79
Granada 1980-75
Maverick 1975-71
Mustang 1973-72
Torino 1975-72

LINCOLN

Continental 1990-80
Mark 1982-80
Town Car 1990-82

MERCURY|.‼1991-72


Comet 1975-72
Cougar 1975-72
Monarch 1980-75
Montego 1975-72

LIGHT/MEDIUM TRUCKS

FORD TRUCK

F Series 1983-80

SPRING KIT — Cont'd



BRSK-7225A

(Sales Rating: C)

PASSENGER CARS

FORD 1991-80
LTD 1979-71
LTD II 1979-77
Thunderbird 1979-71
Torino 1976-72

LINCOLN

Continental 1990-70
Mark 1981-68
Town Car 1991-82


MERCURY|.‼1991-71

Cougar 1978-76
Montego 1976-73

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Bronco 1996-76
E Series 1996-69
F Series 1996-67
Ranchero 1979-73



BRSK-7246A

(Sales Rating: C)

PASSENGER CARS

FORD

Fairmont 1983-78
Granada 1981
LTD 1986-81
Mustang 1993-74
Pinto 1980-72
Thunderbird 1988-80

MERCURY

Bobcat 1980-75
Capri 1986-79
Cougar 1988-80
Marquis 1986-83
Zephyr 1983-78


SPRING KIT — Cont'd

BRSK-7246A — Cont'd

LIGHT/MEDIUM TRUCKS

FORD TRUCK

Aerostar 1992-86
Bronco II 1990-87
Ranger 1994-83



BRSK-7248A

(Sales Rating: C)


PASSENGER CARS

FORD

Fairmont 1983
Granada 1981
LTD 1986-83
Mustang 1990-87
Thunderbird 1988-80

MERCURY

Cougar 1988-80
Marquis 1986-83
Zephyr 1983-81



BRSK-7251

(Sales Rating: C)

(1S4Z-2V225AA)

PASSENGER CARS

FORD

Escort/EXP 1990-83


MERCURY

Lynx/LN7 1987-83


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

SPRING KIT — Cont'd




BRSK-7252
(Sales Rating: C)
(1S4Z-2V225BA)
PASSENGER CARS
FORD
Escort/EXP 1990-82
Tempo 1994-84
MERCURY
Lynx/LN7 1987-83
Topaz 1994-84




BRSK-7267A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1989-86
Ranger 1989-84

SPRING KIT — Cont'd




BRSK-7279A
(Sales Rating: B)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-90
Bronco II 1990-87
Explorer 1994-91
Ranger 1994-90




BRSK-7280A
(Sales Rating: C)
PASSENGER CARS
FORD
Taurus 2002-92
Thunderbird 1997-89
MERCURY
Cougar 1997-89
Sable 2002-92

SPRING KIT — Cont'd



BRSK-7285A
(Sales Rating: B)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-95
MERCURY TRUCK
Villager 2002-93

BRSK-7286
(Sales Rating: C)
(1F1Z-2V225BA)
PASSENGER CARS
MERCURY
Sable 1990




BRSK-7286A
(Sales Rating: C)
PASSENGER CARS
FORD
Taurus 1992-86
MERCURY
Sable 1992-86

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

SPRING KIT — Cont'd




BRSK-7290A

(Sales Rating: C)

PASSENGER CARS

FORD
- Escort/EXP 1996-93

MERCURY
- Tracer 1996-93




BRSK-7291A

(Sales Rating: C)

PASSENGER CARS

FORD
- Probe 1997-93



BRSK-7293A


(Sales Rating: C)

PASSENGER CARS

FORD
- Contour 2000-95

MERCURY
- Cougar 2002-99
- Mystique 2000-95

SPRING KIT — Cont'd




BRSK-7294A

(Sales Rating: B)

LIGHT/MEDIUM TRUCKS

FORD TRUCK
- Ranger 2004-95




BRSK-7295A

(Sales Rating: B)

LIGHT/MEDIUM TRUCKS

FORD TRUCK
- Ranger 2004-95



BRSK-7297A


(Sales Rating: C)

PASSENGER CARS

FORD
- Escort/EXP 2002-97

MERCURY
- Tracer 1999-97

SPRING KIT — Cont'd



BRSK-7298A

(Sales Rating: B)

PASSENGER CARS

LINCOLN
- Continental 2002-99
- Town Car 2002-99

LIGHT/MEDIUM TRUCKS

FORD TRUCK
- E Series 2003-97
- Explorer Sport Trac 2002-01
- F Series 2000-97



BRSK-7299A

(Sales Rating: B)

LIGHT/MEDIUM TRUCKS

FORD TRUCK
- Explorer 2001-95
- Explorer Sport 2003-01
- Explorer Sport Trac 2004-03

MERCURY TRUCK
- Mountaineer 2001-97

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

SPRING KIT — Cont'd




BRSK-7302
(Sales Rating: C)
PASSENGER CARS
FORD
Crown Victoria 2004-03
LINCOLN
Town Car 2004-03
MERCURY
Grand Marquis 2004-03
Marauder 2004-03




BRSK-7303A
(Sales Rating: B)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2002-97
F Series 2004-97
LINCOLN TRUCK
Blackwood 2003-02
Navigator 2002-98


SPRING KIT — Cont'd



BRSK-7307A
(Sales Rating: C)
PASSENGER CARS
FORD
Focus 2005-00




BRSK-7308A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
F Series 2001-99




BRSK-7309A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-02
F Series 2001-99


SPRING KIT — Cont'd



BRSK-7310A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2004-01
MERCURY TRUCK
Mariner 2005



BRSK-7311A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-95




BRSK-7312A
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2004-95


SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

SPRING KIT — Cont'd



BRSK-7315
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer 2004-02
LINCOLN TRUCK
Aviator 2004-03
MERCURY TRUCK
Mountaineer 2004-02




BRSK-7318
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-99




BRSK-7325
(Sales Rating: C)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Expedition 2004-03
LINCOLN TRUCK
Navigator 2004-03

SPRING KIT — Cont'd

BRSK-7332
(4U2Z-2225-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Excursion 2004-01




BRSK-17296
(Sales Rating: C)
(1R4Z-2V225AA)
PASSENGER CARS
MERKUR
XR4Ti 1989-85




BRSK-17303A
(Sales Rating: C)
PASSENGER CARS
MERCURY
Tracer 1989-87


SPRING KIT — Cont'd



BRSK-17305A
(Sales Rating: C)
PASSENGER CARS
FORD
Festiva 1993-88



BRSK-17306A
(Sales Rating: C)
PASSENGER CARS
FORD
Escort/EXP 1992-91
Probe 1992-89
MERCURY
Tracer 1992-91




BRSK-17315A
(Sales Rating: C)
PASSENGER CARS
MERCURY
Tracer 1989-88

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER


Motorcraft

MAKE	YEAR

SPRING KIT — Cont'd



BRSK-17326A
(Sales Rating: B)
PASSENGER CARS
FORD
Taurus 2004-92
MERCURY
Sable 2004-92



BRSK-17345
(Sales Rating: C)
(1S1Z-2V225AA)
PASSENGER CARS
FORD
Aspire 1997-94

BRVP-1168
(Sales Rating: C)
PASSENGER CARS
FORD
Escort/EXP 1990-81
Taurus 2000-92
Thunderbird 1997-89
MERCURY
Cougar 1997-89
Lynx/LN7 1987-81
Sable 2000-92

SPRING KIT — Cont'd

BRVP-1177A
(Sales Rating: C)
PASSENGER CARS
FORD 1991-79
LTD 1986-83
Mustang 1993-83
Taurus 2004-92
Thunderbird 1988-81
LINCOLN
Town Car 2002-82
MERCURY|.!!1991-79
Capri 1986-79
Cougar 1989-81
Grand Marquis 1994-92
Marquis 1986-83
Sable 2004-92
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-86
Bronco 1996-85
Bronco II 1990-84
E Series 1998-85
Explorer 1994-91
F Series 1998-85
Ranger 2002-84
Windstar 2002-95
MERCURY TRUCK
Villager 2000-93

BRVP-1456
(Sales Rating: C)
PASSENGER CARS
FORD 1991-79
Crown Victoria 1995-92
Escort/EXP 2002-81
LTD 1986-83
Mustang 1993-83
Tempo 1994-84
Thunderbird 1988-81
LINCOLN
Continental 1995-91
Town Car 2001-82
MERCURY|.!!1991-79
Capri 1986-79
Cougar 1989-81
Grand Marquis 1995-92
Lynx/LN7 1987-81
Marquis 1986-83
Topaz 1994-84
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-86
Bronco 1996-85
Bronco II 1990-84
E Series 2000-79
Explorer 1994-91

SPRING KIT — Cont'd

BRVP-1456 — Cont'd

FORD TRUCK — Cont'd
F Series 1999-80
Ranger 2002-84
Windstar 2000-95
MERCURY TRUCK
Villager 2000-93

BRVP-3310
(Sales Rating: C)
PASSENGER CARS
FORD 1991-79
Escort/EXP 1990-81
LINCOLN
Town Car 1998-82
MERCURY|.!!1991-79
Lynx/LN7 1987-81
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-85
E Series 1996-85
F Series 1996-85

BRVP-5342
(Sales Rating: C)
PASSENGER CARS
FORD
Probe 1997-93

BRVP-21938
(Sales Rating: C)
PASSENGER CARS
FORD
Taurus 1992-86
MERCURY
Sable 1992-86

WHEEL CYLINDER

BRWC-1A
(Sales Rating: C)
(1L5Z-2261-FA)
PASSENGER CARS
FORD
LTD 1986-83

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

WHEEL CYLINDER — Cont'd

BRWC-1A — Cont'd
MERCURY
Marquis 1986-83
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2001-98

BRWC-2
(Sales Rating: B)
(1C2Z-2V261DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-84
F Series 1986-85

BRWC-3
(Sales Rating: B)
(1C2Z-2V261CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-84
F Series 1986-85

BRWC-4
(Sales Rating: B)
(1C3Z-2V261BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-84
F Series 1992-84

BRWC-5
(Sales Rating: B)
(1C3Z-2V261AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1991-84
F Series 1992-84

BRWC-6
(Sales Rating: A)
(1L1Z-2V261BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-85
E Series 1997-85
F Series 1996-85

BRWC-7
(Sales Rating: B)
(1L1Z-2V261AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Bronco 1996-85
E Series 1997-85
F Series 1996-85

BRWC-8
(Sales Rating: B)
(1C2Z-2V261EA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994-91
F Series 1994-93

BRWC-9
(Sales Rating: B)
(1C2Z-2V261FA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 1994-91
F Series 1994-93

BRWC-10A
(Sales Rating: A)
(1C2Z-2261-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2001-84
F Series 2000-85

BRWC-11A
(Sales Rating: A)
(1C2Z-2261-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2001-84
F Series 2000-85

BRWC-12
(Sales Rating: C)
(1W7Z-2V261CA)
PASSENGER CARS
FORD 1991-83
MERCURY|.‼1991-83

BRWC-13
(Sales Rating: C)
(1R3Z-2V261AA)
PASSENGER CARS
FORD
Mustang 1994-83
Thunderbird 1987-85
MERCURY
Capri 1986-80
Cougar 1987-85

BRWC-14A
(Sales Rating: C)
PASSENGER CARS
FORD 1991-80
LINCOLN
Town Car 2000-82
MERCURY|.‼1991-80

BRWC-15
(Sales Rating: C)
(1S4Z-2V261BA)
PASSENGER CARS
FORD
Escort/EXP 1990-81

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR
WHEEL CYLINDER — Cont'd	
BRWC-15 — Cont'd	
MERCURY	
Lynx/LN7	1987-81
BRWC-16	
(Sales Rating: C)	
(1S4Z-2V261AA)	
PASSENGER CARS	
FORD	
Escort/EXP	1990-81
MERCURY	
Lynx/LN7	1987-81
BRWC-17	
(Sales Rating: C)	
(1L5Z-2V261AA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Aerostar	1989-86
Ranger	1997-87
BRWC-18	
(Sales Rating: B)	
(1S2Z-2V261AA)	
PASSENGER CARS	
FORD	
Tempo	1994-84
MERCURY	
Topaz	1994-84
BRWC-19	
(Sales Rating: B)	
(1S2Z-2V261BA)	
PASSENGER CARS	
FORD	
Tempo	1994-84
MERCURY	
Topaz	1994-84

MAKE	YEAR
WHEEL CYLINDER — Cont'd	
BRWC-20	
(Sales Rating: C)	
(1R4Z-2V261AA)	
PASSENGER CARS	
MERKUR	
XR4Ti	1989-85
BRWC-21	
(Sales Rating: B)	
(1L5Z-2V261BA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Bronco II	1990-84
Ranger	1994-84
BRWC-22	
(Sales Rating: B)	
(1F1Z-2V261AA)	
PASSENGER CARS	
FORD	
Taurus	1992-86
MERCURY	
Sable	1992-86
BRWC-23	
(Sales Rating: B)	
(1L5Z-2V261CA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Aerostar	1989-86
Ranger	1994-86
BRWC-24A	
(Sales Rating: A)	
(1C2Z-2261-HA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
E Series	1998-92
F Series	1998-87

MAKE	YEAR
WHEEL CYLINDER — Cont'd	
BRWC-25A	
(Sales Rating: A)	
(1C2Z-2261-GA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
E Series	1998-92
F Series	1998-87
BRWC-26	
(Sales Rating: C)	
(1W7Z-2V261BA)	
PASSENGER CARS	
FORD	
Festiva	1993-88
BRWC-27	
(Sales Rating: C)	
(1M1Z-2V261AA)	
PASSENGER CARS	
MERCURY	
Tracer	1989-87
BRWC-28A	
(Sales Rating: A)	
(1S4Z-2261-CA)	
PASSENGER CARS	
FORD	
Escort/EXP	2002-91
Probe	1997-93
MERCURY	
Tracer	1999-91
BRWC-29	
(Sales Rating: A)	
(1L2Z-2V261CA)	
LIGHT/MEDIUM TRUCKS	
FORD TRUCK	
Aerostar	1992-89
Explorer	1994-91

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

WHEEL CYLINDER — Cont'd

BRWC-30A
(Sales Rating: A)
(1F1Z-2261-CA)
PASSENGER CARS
FORD
Taurus 2005-99
MERCURY
Sable 2005-99
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 2003-99
MERCURY TRUCK
Villager 1998-93

BRWC-31
(Sales Rating: A)
(1F1Z-2V261BA)
PASSENGER CARS
FORD
Taurus 1998-92
Thunderbird 1997-88
MERCURY
Cougar 1997-88
Sable 1998-92
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Windstar 1998-95

BRWC-32
(Sales Rating: C)
(1S1Z-2V261AA)
PASSENGER CARS
FORD
Aspire 1997-94

BRWC-33
(Sales Rating: A)
(1S2Z-2V261DA)
PASSENGER CARS
FORD
Contour 2000-95
MERCURY
Cougar 2001-99

MAKE	YEAR

WHEEL CYLINDER — Cont'd

BRWC-33 — Cont'd

MERCURY — Cont'd
Mystique 2000-95

BRWC-34
(Sales Rating: C)
(1F5Z-2V261AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Aerostar 1997-93

BRWC-35
(Sales Rating: C)
(1L5Z-2V261DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 1997-95

BRWC-36A
(Sales Rating: A)
(1C2Z-2261-JA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2001-95
F Series 1995

BRWC-37A
(Sales Rating: A)
(1C2Z-2261-KA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
E Series 2001-95
F Series 1998-95

BRWC-38
(Sales Rating: C)
(1L5Z-2V261EA)
PASSENGER CARS
FORD
Probe 1992-89

MAKE	YEAR

WHEEL CYLINDER — Cont'd

BRWC-39A
(Sales Rating: A)
(1L5Z-2261-GA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2003-98

BRWC-40A
(Sales Rating: C)
(1F5Z-2261-BA)
LIGHT/MEDIUM TRUCKS
MERCURY TRUCK
Villager 2002-99

BRWC-41A
(Sales Rating: C)
(1L2Z-2261-BA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport Trac 2002-01

BRWC-42A
(Sales Rating: C)
(1L2Z-2261-AA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Explorer Sport Trac 2002-01

BRWC-43
(Sales Rating: C)
(F5RZ-2261-AB)
PASSENGER CARS
FORD
Contour 2000-95
MERCURY
Cougar 2001-99
Mystique 2000-95

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

MAKE	YEAR

WHEEL CYLINDER — Cont'd

BRWC-44
(Sales Rating: A)
(YL8Z-2261-BB)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Escape 2005-01

BRWC-45
(Sales Rating: B)
(YS4Z-2261-AC)
PASSENGER CARS
FORD
Focus 2005-00

BRWC-46
(Sales Rating: C)
(1W1Z-2262-AB)
PASSENGER CARS
LINCOLN
Town Car 2002-01

WHEEL CYLINDER — Cont'd

BRWC-47
(Sales Rating: C)
(1W1Z-2261-AB)
PASSENGER CARS
LINCOLN
Town Car 2002-01

BRWC-48
(Sales Rating: C)
(2L5Z-2262-CA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2005-02

BRWC-49
(Sales Rating: A)
(2L5Z-2262-DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2002-01

WHEEL CYLINDER — Cont'd

BRWC-50
(Sales Rating: C)
(3L5Z-2262-DA)
LIGHT/MEDIUM TRUCKS
FORD TRUCK
Ranger 2005-03

SALES RATINGS: A = HIGH VOLUME, B = MODERATE VOLUME, C = LOW VOLUME
FOR REFERENCE PURPOSES ONLY - CHECK VEHICLE APPLICATION LISTING FOR SPECIFIC MOTORCRAFT PART NUMBER

Motorcraft Brake Pads
Competitive Interchange

D Plate	Motorcraft Number	Ford Service Number	Wagner Number	Bendix Number	Raybestos Number
		PADS			
D120	BR-52	XU2Z2V001AXA	MX120	MKD450	PG D450M
D150	BR-4B	2U2Z2V001AA	MX150	MKD499	PB D499R
D199	BR-29B	1U2Z2V001DA	PD199	MKD199	PG D199R
D199	BR-5B	2U2ZUV001BA	MX199	MKD199	PG D199M
D204	BR-108B	1U2Z2V200RA	PD204	MKD204	PG D204
D249	BR-39B	1U2Z2V001SA	MX249	MKD249	PG D249M
D257	BR-30B	1U2Z2V001EA	PD257	MKD257	PG D257M
D257	BR-6B	2U2Z2V001CA	MX257	MKD257	PG D257M
D298	BR-27	XU2Z2V001ABA	MX298	MKD298	PG D298M
D210	BR-28B	1U2Z2V001CA	PD310	MKD310	PG D310M
D310	BR-7B	2U2Z2V001DA	MX310	MKD310	PG D310M
D319	BR-8B	1U2Z2V001PA	MX319	MKD319	PG D319M
D326	BR-40B	XU2Z2V001AHA	MX326	MKD326	PG D326
D347A	BR-59B	1U2Z2V200MA	PD347A	MKD347	PD D347R
D348	BR-9	XU2Z2V001FA	MX348	MKD348	PG D348M
D360	BR-41B	2U2Z2V001TA	MX360	MKD375	PG D375M
D366	BR-60	XU2Z2V200GA	PD366	MKD366	PG D366
D382	BR-54	XU272V200AA	MX382	MKD298	PG D298M
D399	BR-10B	1U2Z2V001RA	MX399	MKD399	PD D399M
D400	BR-61B	1U2Z2V200DA	PD400	MKD400	PG D400
D402	BR-11B	2U2Z2V001EA	MX402	MKD402	PG D402M
D411	BR-51	XU2Z2V001AVA	SX411	MKD411	PD D411M
D412	BR-12B	2U2Z2V001PA	MX412	MKD412	PG D412M
D417	BR-13B	2U2Z2V001FA	MX417	MKD417	PG D417M
D421	BR-14B	2U2Z2V001GA	MX421	MKD421	PG D421M
D421A	BR-15B	2U2Z2V001RA	MX421A	MKD421	PG D421AM
D431	BR-16B	XU2Z2V001NA	MX431	MKD431	PG D431
D458	BR109B	1U2Z2V200LA	PD458	MKD458	PG D458
D466	BR-178	1U2Z2V001MA	MX466	MKD466	PG D466M
D473	BR-18B	1U2Z2V001NA	MX473	MKD473	PG D473M
D473	BR-32B	1U2Z2V001FA	PD473	MKD473	PG D473M
D499	BR-19	XU2Z2V001SA	MX499	MKD499	PG D499R
D499	BR-33B	1U2Z2V001GA	PD499	MKD499	PG D499R
D50	BR-43B	2U2Z2V001UA	MX50	MKD50	PG D50
D544	BR-110B	1U2Z2V200SA	PD544	MKD725	725 PG
D577	BR-44	XU2Z2V001AMA	MX557	MKD557	PG D557M
D576	BR-106	XU2Z2V001ANA	MX576	MKD576	PG D576M
D583	BR-34B	1U2Z2V001HA	PD583	MKD583	PG D583

Motorcraft Brake Pads
Competitive Interchange

D Plate	Motorcraft Number	Ford Service Number	Wagner Number	Bendix Number	Raybestos Number
PADS (Continued)					
D584	BR-63B	1U2Z2V200EA	PD584	MKD584	584 PG
D598	BR-35B	1U2Z2V001JA	PD598	MKD598	PG D598
D599	BR-64B	1U2Z2V200NA	PD599	MKD599	599 PG
D600	BR-20B	XU2Z2V001TA	MX600	MKD600	600 PG
D600	BR-36B	1U2Z2V001KA	PD600	MKD600	PG D600M
D601	BR-31	YU2Z2V001AA	MX601	MKD601	PG D601M
D601	BR-37B	1U2Z2V001LA	PD601	MKD601	PG D601M
D610	BR-71B	1U2Z2V200PA	PD610	MKD610	PG D610R
D627	BR-65B	1U2Z2V200FA	PD627	MKD627	PG D627
D627A	BR-72B	1U2Z2V200JA	PD627A	MKD627	PG D627
D632	BR-46	XU2Z2V001APA	MX632	MKD632	PG D632M
D637	BR-22	XU2Z2V001VA	MX637	MKD637	PG D637
D648	BR-23B	2U2Z2V001JA	MX648	MKD648	PG D648M
D652	BR-47B	1U2Z2V001TA	MX652	MKD652	PG D652M
D655	BR-48B	2U2Z2V001VA	MX655	MKD655	PG D655M
D659	BR-24B	2U2Z2V001KA	MX659	MKD659	PG D659M
D661	BR-66B	1U2Z2V200GA	PD661	MKD661	PG D661
D661A	BR-1277	YU2Z2V200CA	PD661	MKD661	PG D661M
D662	BR-107	XU2Z2V200BA	MX662	MKD662	PG D662M
D663	BR-67B	1U2Z2V200HA	PD663	MKD663	663 PG
D664	BR-1	XU2Z2V200RA	MX664	MKD664	PG 664M
D667	BR-2	XU2Z2V200SA	MX667	MKD667	PG 667M
D667A	BR-1400	2U2Z2V200BB	MX667A	MKD667A	PG D667A
D674	BR-73B	1U2Z2V200KA	PD674	MKD659	PG D659M
D679	BR-49	XU2Z2V001ATA	MX679	MKD679	PG D679M
D702	BR-50	XU2Z2V001AUA	SX702	MKD702	PG D702M
D708	BR-57	XU2Z2V200DA	MX708	MKD708	PG D708M
D711	BR-3	XU2Z2V200TA	MX711	MKD711	PG D711M
D748	BR-26A	XU2Z2V001AB	MX748	MKD748	PG D748M
D756	BR-1266	YU2Z2V001BA	MX756	MKD756	PG D756M
D757	BR-1275	YU2Z2V200AA	MX757	MKD757	PG D757
D762	BR-1271	YU2Z2V001GA	MX762	MKD762	PG D762M
D762A	BR-1272	YU2Z2V001HA	MX762A	MKD762	PG D762M
D777	BR-1269	YU2Z2V001EA	SX777	MKD777	PG D777M
D801	BR-1267	YU2Z2V001CA	PD801	MKD801	PG D801M
D802	BR-1276	YU2Z2V200BA	MX802	MKD802	PG D802M
D803	BR-1270	YU2Z2V001FA	MX803	MKD601	PG D601M
D804	BR-1268	YU2Z2V001DA	PD804	MKD804	PG D804M

Motorcraft Brake Pads
Competitive Interchange

D Plate	Motorcraft Number	Ford Service Number	Wagner Number	Bendix Number	Raybestos Number
PADS (Continued)					
D805	BR-1273	YU2Z2V001JA	PD805	MKD805	PG D805M
D806	BR-1278	YU2Z2V200DA	PD806	MKD806	PG D806M
D816	BR-1274	YU2Z2V001KA	MX816	MKD816	PG D816M
D833	BR-114	2U2Z2V001YA	MX833	MKD833	833 PG
D833	BR-11438	1U2Z2V001AA	MX833	MKD833	PG D833
D843	BR-11439	1U2Z2V001BA	MX843	MKD843	PG D843
D881	BR-2000	2U2Z2V200AB	MX881	MKD881	881 PG
D931	BR-931B	4U2Z2V001BA	MX931	MKD931	PG D931M
D932	BR-932B	4U2Z2V200CA	MX932	MKD932	PG D932
D934	BR-934C	3U2Z2V001AB	MX934	MKD934	PG D934M
D935	BR-935C	3U2Z2V200AB	MX935	MKD935	PG D935M
D952	BR-952B	4U2Z2V200BB	MX952	MKD952	PG D952M
D953	BR-953B	4U2Z2V001AB	PD953	MKD953	PG D953

D Plate	Motorcraft Number	Ford Service Number	Wagner Number	Bendix Number	Raybestos Number
SUPER DUTY PADS					
D411	BRS-D411	2U2Z2V001AH	SX411	MKD411	SSD411
D450	BRS-D450	2U2Z2V001AK	SX450	MKD450FM	SSD450
D601	BRS-D601	2U2Z2V001AC	SX601	MKD601FM	BD601M
D632	BRS-D632	2U2Z2V001AJ	SX632	MKD632FM	BD632M
D652	BRS-D652	2U2Z2V001AD	SX652	MKD652FM	BD652M
D655	BRS-D655	2U2Z2V001AG	SX655	MKD655FM	SSD655
D667	BRS-D667	2U2Z2V200CB	SX667	MKD667FM	SSRD667
D674	BRS-D674	2U2Z2V200GB	SX674	MKD674CFM	BD674M
D674A	BRS-D674A	2U2Z2V200DB	SX674A	MKD674CFM	BD674AM
D679	BRS-D679	2U2Z2V001AL	SX679	MKD679FM	BD679M
D702	BRS-D702	2U2Z2V001AE	SX702	MKD702FM	SSD702
D711	BRS-D711	2U2Z2V200EB	SX711	MKD711FM	SSD711
D748	BRS-D748	2U2Z2V001ZA	SX748	MKD748FM	BD748M
D756	BRS-D756	2U2Z2V001AF	SX756	MKD756FM	SSD756
D757	BRS-D757	2U2Z2V200FB	SX757	MKD757FM	SSD757
D777	BRS-D777	2U2Z2V001AM	SX777	MKD777	PGD777M
D802	BRS-D802	2U2Z2V200HB	SX802	MKD802FM	SSD802
D832	BRS-D932	4U2Z2V200AB	SX932	MKD932FM	SSD932
D931	BRS-D931	3U2Z2V001BA	SX931	MKD931FM	SSD931

Motorcraft Shoes
Competitive Interchange

D Plate	Motorcraft Number	Ford Service Number	Wagner Number	Bendix Number	Raybestos Number
		SHOES			
169R	BR-95B	2U2Z2V200JARM	PAB169R	R169	169PG
263R	BR-96B	2U2Z2V200KARM	PAB263R	MKD263	263 RR
357AR	BR-98	XU2Z2V200YARM	PAB357AR	MKD316	316 PG
357NR	BR-99	XU2Z2V200ZARM	PAB357NR	MKD316	316 PG
358AR	BR-100	XU2Z2V200AAARM	PAB358AR	MKD655	PG D655M
474R	BR-75B	2U2Z2V200AARM	PAB474R	R474	474PG
481R	BR-76B	2U2Z2V200BARM	PAB481R	R481	481PG
482R	BR-77B	2U2Z2V200CARM	PAB482R	R482	482PG
500	BR-78B	1U2Z2V200ABR-M	PAB500	MKD500	500 PG
501	BR-79B	1U2Z2V200BBR-M	PAB501	MKD501	501 PG
557	BR-80	XU2Z2V200GARM	PAB557	MKD557	382 PG
566R	BR-81B	2U2Z2V200DARM	PAB566R	RAF566	566PG
567R	BR-82B	2U2Z2V200EARM	PAB567R	RAF567	567PG
577	BR-83	XU2Z2V200KARM	PAB577	577	577PG
583R	BR-101	XU2Z2V200ABARM	PAB583R	MKD583	583 PG
655	BR-84B	1U2Z2V200EARM	PAB592	MKD655	655 PG
595	BR-85B	1U2Z2V200FARM	PAB595	MKD595	595 RP
598	BR-86B	1U2Z2V200GARM	PAB598	MKD598	598 PG
599AR	BR-87B	2U2Z2V200FARM	PAB599AR	MKD599	599 PG
618	BR-111B	2U2Z2V200PARM	PAB151R	MKD618	618 PG
618AR	BR-88B	2U2Z2V200GARM	PAB618AR	RAF618AR	618PG
618R	BR-89B	2U2Z2V200HARM	PAB618R	618	618NR
659	BR-90B	1U2Z2V200HARM	PAB659	MKD659	659 PG
665R	BR-102B	2U2Z2V200LARM	PAB665R	MKD665	665 PG
667	BR-91B	1U2Z2V200JARM	PAB667	MKD667	667 PG
688	BR-92	XU2Z2V200AHARM	PAB688	MKD688	688 PG
696	BR-93B	1U2Z2V200LARM	PAB696	MKD696	696 PG
704R	BR-103B	XU2Z2V200ADARM	PAB704R	MKD704	PG D704
705R	BR-104B	2U2Z2V200NARM	PAB705R	MKD705	705 PG
721	BR-94B	1U2Z2V200MARM	PAB721	MKD721	721 PG
723	BR-105B	1U2Z2V200NARM	PAB723	MKD723	723 PG
S734	BR-11440A	1U2Z2V200PBR-M	PAB734	MKD734	734 PG
736	BR-1264	YU2Z2V200AARM	PAB736	MKD736	736 PG
747	BR-1265	YU2Z2V200BARM	PAB747	MKD747	747 PG
760	BR-11441A	1U2Z2V200RBR-M	PAB760	760	760PG

Motorcraft Rotors
Competitive Interchange

Motorcraft Number	Ford Service Number	Wagner Number	Raybestos Number	Bendix Number
		ROTORS		
BRR-1	YL6Z-1V125-AA	BD125109	6248	141727
BRR-2	YW7Z-1V125-AA	BD125155	66238	141547
BRR-3	YF2Z-1V125-AA	BD125461	66548	145053
BRR-4	YC3Z-1V125-AA	BD125474	66476	145055
BRR-5	YL2Z-1V125-AA	BD125494	66576	145075
BRR-6	YC2Z-1V125-AA	BD125550	66695	145162
BRR-7	YL3Z-1V125-AA	BD60394	6084	141237
BRR-8	YL3Z-1V125-BA	BD60441	6048	141214
BRR-9	YC3Z-1V125-BA	BD60468	6050	141505
BRR-10	YC3Z-1V125-CA	BD60530	6084	141808
BRR-11	YS4Z-1V125-AA	BD60545	6082	141195
BRR-12	YF6Z-1V125-AA	BD60888	6892	141527
BRR-13	YC3Z-1V125-DA	BD61833	66205	141455
BRR-14	YW7Z-1V102-AA	BD102133	6066	141176
BRR-15	YL2Z-1V102-AA	BD125160	66416	141860
BRR-16	YC2Z-1V102-FA	BD125404	66455	141906
BRR-17	YC2Z-1V102-AA	BD125410	66457	141934
BRR-18	YC2Z-1V102-BA	BD125411	66456	141917
BRR-19	YL2Z-1V102-BA	BD125460	6326	141857
BRR-20	YC3Z-1V102-AA	BD125468	66527	145049
BRR-21	YL5Z-1V102-AA	BD125469	66559	145067
BRR-22	YL5Z-1V102-BA	BD125473	66557	145216
BRR-23	YC2Z-1V102-CA	BD125477	66528	145057
BRR-24	YL3Z-1V102-AA	BD125490	60604	145235
BRR-25	YL2Z-1V102-CA	BD125495	66597	145076
BRR-26	YL3Z-1V102-BA	BD125496	66445	141907
BRR-27	YL5Z-1V102-CA	BD125498	66558	145059
BRR-28	YC3Z-1V102-BA	BD125552	66603	145054
BRR-29	YC2Z-1V102-DA	BD125629	66530	145192
BRR-30	YC2Z-1V102-EA	BD125630	66529	145071
BRR-31	YL3Z-1V102-CA	BD125689	66653	145141
BRR-32	YL3Z-1V102-DA	BD125706	66688	145144
BRR-33	YL3Z-1V102-EA	BD125707	66654	145143
BRR-34	YL5Z-1V102-DA	BD125711	66885	145272
BRR-35	YL3Z-1V102-FA	BD125712	96742	145130 / 145240
BRR-36	YL2Z-1V102-DA	BD125713	66402	141900
BRR-37	YL3Z-1V102-GA	BD60428	6032	141067
BRR-38	YR3Z-1V102-AA	BD60482	6060	141169
BRR-39	YL5Z-1V102-EA	BD60663	6865	141264
BRR-40	YL2Z-1V102-EA	BD60693	6005	141265
BRR-41	YR3Z-1V102-BA	BD60886	6984	141398
BRR-42	YC3Z-1V102-CA	BD61910	6163	141487

Motorcraft Rotors
Competitive Interchange

Motorcraft Number	Ford Service Number	Wagner Number	Raybestos Number	Bendix Number
ROTORS (Continued)				
BRR-43	YL2Z-1V102-FA	BD61911	66032	141519
BRR-44	YF1Z-1V125-AA	BD125015	66210	141467
BRR-45	YS4Z-1V125-BA	BD125108	6129	141504
BRR-46	YF1Z-1V125-BA	BD125150	66442	141903
BRR-47	YW7Z-1V125-BA	BD125153	66276	141621
BRR-48	YF1Z-1V125-CA	BD125169	66204	141741
BRR-49	YS8Z-1V125-AA	BD125274	96318	141845
BRR-50	YS8Z-1V125-BA	BD125286	96319	141846
BRR-51	YF1Z-1V125-DA	BD125328	66406	141893
BRR-52	YF6Z-1V125-BA	BD125336	66335	141880
BRR-53	YF6Z-1V125-EA	BD125337 / BD125532	66334 / 66749	145050
BRR-54	YR3Z-1V125-AA	BD125405	66443	141911
BRR-55	YR3Z-1V125-BA	BD125406	66448	141902
BRR-56	YL3Z-1V102-HA	BD125408	66438	141905
BRR-57	YS1Z-1V125-AA	BD125413	66468	141916
BRR-58	YS2Z-1V125-AA	BD125428	66489	145044
BRR-59	YL2Z-1V125-BA	BD125463	66565	145052
BRR-60	YW7Z-1V125-CA	BD125476	66492	145048
BRR-61	YW7Z-1V125-DA	BD125481	66595	145109
BRR-62	YL3Z-1V125-DA	BD125512	66630	145146
BRR-63	YL7Z-1V125-AA	BD125513	66647	145142
BRR-64	YW7Z-1V125-EA	BD125514	66744	145191
BRR-65	YL7Z-1V125-BA	BD125526	66670	145140
BRR-66	YL3Z-1V125-EA	BD125529	66648	145145
BRR-67	YL3Z-1V125-FA	BD125530	66671	145139
BRR-68	YF1Z-1V125-EA	BD125532	66749	145050
BRR-69	YS2Z-1V125-BA	BD125652	66745	145196
BRR-70	YF2Z-1V125-BA	BD125678	66833	145244
BRR-71	YC2Z-1V125-BA	BD125694	66799	145251
BRR-72	YC2Z-1V125-CA	BD125701	66834	145268
BRR-74	YR3Z-1V125-CA	BD60629	6001	141752
BRR-75	YM1Z-1V125-AA	BD60839	96015	141436
BRR-76	YF6Z-1V125-CA	BD60854	6000	141373
BRR-77	YS8Z-1V125-CA	BD61825	96001	141670
BRR-78	YS8Z-1V125-DA	BD61830	6972	141610
BRR-79	YS6Z-1V125-AA	BD61886	9970	141526
BRR-80	YF1Z-1V125-GA	BD61904	6886	141399
BRR-81	YS4Z-1V125-CA	BD61992	6131	141635
BRR-82	YS4Z-1V125-DA	BD61996	6130	141634
BRR-83	YL5Z-1V102-FA	Special		
BRR-84	YW1Z-1V125-AA	BD125020	66193	141553
BRR-86	YF6Z-1V125-DA	BD61923	6600	141470

Motorcraft Rotors
Competitive Interchange

Motorcraft Number	Ford Service Number	Wagner Number	Raybestos Number	Bendix Number
ROTORS (Continued)				
BRR-87	1M5Z-1V125-AA	BD125703	66913	145273
BRR-88	1F5Z-1V125-AA	BD125308	66327	141811
BRR-89	1C3Z-1V125-AA	BD125715	66914	145274
BRR-90	1C3Z-1V125-BA	BD125746	66798	145257
BRR-91	1C3Z-1V125-CA	BD125714	66924	
BRR-92	1C3Z-1V102-AA	BD125645	66785	145255
BRR-93	1C3Z-1V102-BA	BD125651	66768	145267
BRR-94	1C3Z-1V125-DA	BD125660	66823	145258
BRR-95	1S2Z-1V125-AA	BD125475	66584	145069
BRR-96	1C3Z-1V125-EA	BD125644	66824	145280
BRR-97	2U2Z-1V125-AA	BD125752	66947	145299
BRR-98	2U2Z-1V125-BA	BD125758	680014	145311
BRR-99	2U2Z-1V102-AA	BD125728	66997	145310
BRR-100	2U2Z-1V102-BA	BD125718	66984	145303
BRR-101	2U2Z-1V102-CA	BD125646	66786	145256
BRR-102	2U2Z-1V125-CA	BD125759	680026	
BRR-103	2U2Z-1V125-DA	BD125662	66746	145245
BRR-104	2U2Z-1V102-DA	BD125773	680093	
BRR-105	2U2Z-1V125-EA	BD125724	66840	145269
BRR-106	2U2Z-1V102-EA	BD125726	680021	145340
BRR-107	2U2Z-1V125-FA	BD125721	680027	
BRR-108	2U2Z-1V125-GA	BD125725	880025	145313
BRR-109	2U2Z-1V125-HA	BD125695	66841	145270
BRR-111	3W1Z-1V125-AA	BD125785	680110	145326
BRR-112	3W7Z-1V125-AA	BD125786	680129	145353
BRR-113	F81Z-1V125-AA	BD125649	66761	
BRR-114	3W1Z-1V125-AB	BD126008	680107	
BRR-115	2L1Z-1V125-AA	BD125780	680105	145367
BRR-116	2L1Z-1V125-BA	BD125781	680106	
BRR-117	4U2Z-1V102-AA	BD126114		
BRR-118	4U2Z-1V125-AA	BD126009	680108	145380
BRR-119	4U2Z-1V125-BA	BD126031	680147	
BRR-120	4U2Z-1V125-CA	BD126111		
BRR-121	4U2Z-1V125-DA	BD126110		
BRR-122	4U2Z-1V125-EA	BD126112		
BRR-123	4U2Z-1V125-FA	BD126117		
BRR-124	4U2Z-1V125-GA	BD125787	680130	
BRR-125	4U2Z-1V125-HA	BD126006	680035	
BRR-126	4U2Z-1V125-JA	BD126007	680146	
BRR-127	4U2Z-1V125-KA	BD126039	6800166	
BRR-128	4U2Z-1V125-LA	BD126118		

Motorcraft Drums
Competitive Interchange

Motorcraft Number	Ford Service Number	Wagner Number	Raybestos Number	Bendix Number
		DRUMS		
BRD-1	YS4Z-1V126-AA	BD125250	9538	140629
BRD-2	YS8Z-1V126-AA	BD125292	9544	140632
BRD-3	YC2Z-1V126-AA	BD125385	9533	140620
BRD-4	YF2Z-1V126-AA	BD125403	9570	140659
BRD-6	YS2Z-1V126-AA	BD125429	9605	140669
BRD-7	YS4Z-1V126-BA	BD125531	9646	140699
BRD-8	YL3Z-1V126-AA	BD125589	9652	140712
BRD-9	YS2Z-1V126-BA	BD125691	9661	140704
BRD-10	YC3Z-1V126-AA	BD60330	1661	140278
BRD-11	YC3Z-1V126-BA	BD60465	1665	140344
BRD-12	YC2Z-1V126-BA	BD60793	1603	140493
BRD-13	YC3Z-1V126-CA	BD60819	2320	140504
BRD-14	YC3Z-1V126-DA	BD60868	2325	140520
BRD-15	YC3Z-1V126-EA	BD60885	2751	140545
BRD-16	YS4Z-1V126-CA	BD61994	2767	140576
BRD-17	YS1Z-1V126-AA	BD125418	9562	140655
BRD-18	YS8Z-1V126-BA	BD61881	2782	140531
BRD-19	YS6Z-1V126-AA	BD61909	2752	140507
BRD-20	YL2Z-1V126-AA	BD125134	9498	140697
BRD-21	YL6Z-1V126-AA	BD125216	9499	140611
BRD-22	YL3Z-1V126-BA	BD125492	9626	140690
BRD-23	YL5Z-1V126-AA	BD125586	9651	140713
BRD-24	YL5Z-1V126-DA	BD125710	9498	145075
BR-D25	YR3Z-1V126-AA	BD60355	2681	140371
BRD-26	YW7Z-1V126-AA	BD60388	2683	140569
BRD-27	YW7Z-1V126-BA	BD60389	2685	140383
BRD-28	YS4Z-1V126-DA	BD60696	2692	140453
BR-D29	YL5Z-1V126-BA	BD60720	2603	140452
BRD-30	YL5Z-1V126-CA	BD60787	2601	140461
BRD-31	YF1Z-1V126-AA	BD60845	2301	140502
BRD-32	YF1Z-1V126-BA	BD60846	2313	140491
BRD-34	YL3Z-1V126-CA	BD60884	2324	140532
BRD-35	1F5Z-1V126-AA	BD125310	9540	140630
BRD-36	1C2Z-1V126-AA	BD125692	9620	140675
BRD-37	2U2Z-1V126-AA	BD125729	9710	
BRD-38	2U2Z-1V126-BA	BD125723	9711	140743
BRD-39	2U2Z-1V126-AB	BD125704	9702	140730
BRD-40	4U2Z-1V126-AA	BD125797	9712	140731
BRD-41	4U2Z-1V126-BB	BD126004	9741	

Motorcraft Un-Loaded Calipers
Competitive Interchange

Motorcraft Number	Ford Service Number	Wagner Number	Raybestos Number	Bendix Number
UN-LOADED CALIPERS				
BRC-1-RM	F1TZ-2V121-ARM	CR128780	RWC-6016	R55460
BRC-2-RM	F1TZ-2V120-ARM	CR128781	RWC-6015	R55461
BRC-3-RM	F5AZ-2V552-BARM	CR128661	RWC-50108	N/A
BRC-4-RM	F79Z-2V120-CARM	CR110413	RWC-5248	R55249
BRC-5-RM	F79Z-2V121-CARM	CR110414	RWC-5249	R55248
BRC-6-RM	F7TZ-2V120-AARM	CR133119	RWC-50358	R55749
BRC-7-RM	F7TZ-2V121-AARM	CR133118	RWC-50359	R55748
BRC-8-RM	F4TZ-2V120-AARM	N/A	RWC-7023	R55604
BRC-9-RM	F4TZ-2V121-AARM	N/A	RWC-7024	R55605
BRC-10-ARM	F4TZ-2V120-BRM	CR132686	RWC-4255	N/A
BRC-11-RM	F4TZ-2V121-BRM	CR132685	RWC-4256	N/A
BRC-12-RM	F1VY-2V121-ARM	CR132415	RWC-4158	R55246
BRC-13-RM	F1VY-2V120-ARM	CR132416	RWC-4157	R55247
BRC-14-RM	XF1Z-2V552-AARM	N/A	RWC-50138	R55757
BRC-15-RM	XF1Z-2V553-AARM	N/A	RWC-50139	R55756
BRC-16-RM	F2UZ-2V121-ARM	CR128780	RWC-50105	N/A
BRC-17-RM	F2UZ-2V120-ARM	CR128781	RWC-50104	N/A
BRC-18-RM	F6AZ-2V552-CARM	N/A	RWC10897	R55798
BRC-19-RM	F58Z-2V120-DRM	CR132687	RWC-10507	R55771
BRC-20-RM	F58Z-2V121-DRM	CR132688	RWC-10508	R55770
BRC-21-RM	F2TZ-2V121-ARM	CR112482	RWC-4256	R55254
BRC-22-RM	F2TZ-2V120-ARM	CR112483	RWC-4255	R55255
BRC-23-RM	XL2Z-2V121-BARM	N/A	RWC-10523	R55726
BRC-24-RM	XL2Z-2V120-BARM	N/A	RWC-10524	R55727
BRC-25-RM	E43Z-2V120-ARM	CR110416	RWC-4205	R55273
BRC-26-RM	E43Z-2V121-ARM	CR110415	RWC-4206	R55272
BRC-27-RM	E9OY-2V121-BRM	0	RWC-4248	R55256
BRC-28-RM	E9OY-2V120-BRM	0	RWC-4247	R55257
BRC-29-RM	F5AZ-2V120-ARM	N/A	RWC-50394	R55729
BRC-30-RM	F5AZ-2V121-ARM	N/A	RWC-50395	R55728
BRC-31-RM	F5TZ-2V553-BRM	N/A	RWC-10629	R55775
BRC-32-RM	F4DZ-2V121-BRM	CR132674	RWC-50137	R55723
BRC-33-RM	F4DZ-2V120-BRM	CR132673	RWC-50136	R55722
BRC-34-RM	F52Z-2V552-ARM	CR132485	RWC-50322	R46679
BRC-35-RM	F52Z-2V553-ARM	CR132484	RWC-50323	R46678
BRC-36-RM	F1LY-2V553-ARM	CR119430	RWC-5264	N/A
BRC-37-RM	F1LY-2V552-ARM	CR119431	RWC-5263	N/A
BRC-40-RM	XS4Z-2V120-AARM	N/A	RWC-4201	R46130
BRC-41-RM	XS4Z-2V121-AARM	N/A	RWC-4202	R461329
BRC-42-RM	F5TZ-2V552-ARM	N/A	RWC-10629	R55775
BRC-43-RM	F3SZ-2V121-ARM	N/A	RWC-50123	R55722
BRC-44-RM	F3SZ-2V120-ARM	N/A	RWC-50122	R55723

NA = Not Available

Motorcraft Un-Loaded Calipers
Competitive Interchange

Motorcraft Number	Ford Service Number	Wagner Number	Raybestos Number	Bendix Number
UN-LOADED CALIPERS (Continued)				
BRC-45-RM	F57Z-2V553-ADRM	CR132699	RWC-10630	R55774
BRC-46-RM	F57Z-2V552-ADRM	CR132700	RWC-10629	R55775
BRC-47-RM	F3DZ-2V121-BRM	CR119150	RWC-50135	R55482
BRC-48-RM	F3DZ-2V120-BRM	CR119151	RWC-50134	R55483
BRC-49-RM	F8VZ-2V121-AARM	N/A	RWC-10938	R55728
BRC-50-RM	F8VZ-2V120-AARM	N/A	RWC-10937	R55729
BRC-51-RM	F7AZ-2V552-CARM	CR134011	RWC-10643	R55798
BRC-52-RM	F65Z-2V120-EARM	N/A	RWC-50414	R55796
BRC-53-RM	F65Z-2V121-EARM	N/A	RWC-50415	R55797
BRC-54-RM	F6ZZ-2V552-BARM	CR132672	RWC-10545	R55777
BRC-55-RM	F6ZZ-2V553-BARM	CR132671	RWC-10546	R55776
BRC-56-RM	F3VY-2V120-ARM	CR132416S	RWC-50068	R55247
BRC-57-RM	F3VY-2V121-ARM	CR132415S	RWC-50069	R55246
BRC-58-RM	F4CZ-2V553-ARM	CR122874	RWC-50025	R46253
BRC-59-RM	F4CZ-2V552-AARM	CR122875	RWC-50024	R46254
BRC-60-RM	F75Z-2V553-BARM	N/A	RWC-10912	R55802
BRC-61-RM	F75Z-2V552-BARM	N/A	RWC-10911	R55801
BRC-62-RM	XL3Z-2V120-BARM	N/A	RWC-10909	N/A
BRC-64-RM	YC3Z-2V552-AARM	N/A	RWC-10962	N/A
BRC-65-RM	YC3Z-2V553-AARM	N/A	RWC-10961	N/A
BRC-66-RM	F4ZZ-2V121-ARM	CR133901	RWC-50123	R55723
BRC-67-RM	F4ZZ-2V120-ARM	CR133902	RWC-50122	R55722
BRC-68-RM	F3AZ-2V121-ARM	CR132699	RWC-50069	R55651F
BRC-69-RM	F3AZ-2V120-ARM	CR132700	RWC-50068	R55650F
BRC-70-RM	E9SZ-2V121-ARM	CR119151	RWC-5276	R552976
BRC-71-RM	E9SZ-2V120-ARM	CR119150	RWC-5275	R55297
BRC-72-RM	F3CZ-2V120-BRM	CR122873	RWC-4197	R46128
BRC-73-RM	F3CZ-2V121-BRM	CR122872	RWC-4198	R46127
BRC-74-RM	F5RZ-2V121-ARM	CR132304	RWC-50391	R55726
BRC-75-RM	F5RZ-2V120-ARM	CR132305	RWC-50390	R55727
BRC-76-RM	YC3Z-2V121-CARM	N/A	RWC-10960	N/A
BRC-77-RM	YC3Z-2V120-CARM	N/A	RWC-10959	N/A
BRC-78-RM	F6SZ-2V553-AARM	N/A	RWC-10418	R55764
BRC-79-RM	F6SZ-2V552-AARM	N/A	RWC-10417	R55765
BRC-80-RM	F42Z-2V121-ARM	CR132486	RWC-50131	R46749
BRC-81-RM	F42Z-2V120-ARM	CR132487	RWC-50130	R46748
BRC-82-RM	F2AZ-2V120-ARM	CR102427	RWC-50068	R55242
BRC-83-RM	F2AZ-2V121-ARM	CR102426	RWC-50069	R55241
BRC-84-RM	E2TZ-2V120-ARM	CR76819	RWC-5095	R55094
BRC-85-RM	E2TZ-2V121-ARM	CR76818	RWC5094	R55095
BRC-86-RM	E0TZ-2V120-BRM	CR102425	RWC-5243	R55243
BRC-87-RM	E0TZ-2V121-BRM	CR102428	RWC-5244	R55244

NA = Not Available

Motorcraft Un-Loaded Calipers
Competitive Interchange

Motorcraft Number	Ford Service Number	Wagner Number	Raybestos Number	Bendix Number
UN-LOADED CALIPERS (Continued)				
BRC-88-RM	F1ZZ-2V120-ARM	CR116996	RWC-4265	R55247
BRC-89-RM	F1ZZ-2V121-ARM	CR116995	RWC-4266	R55246
BRC-92-RM	F81Z-2V120-AARM	N/A	RWC-11007	N/A
BRC-93-RM	F81Z-2V121-AARM	N/A	RWC-11008	N/A
BRC-94-RM	FO2Z-2V120-ARM	CR116910	RWC-3931	R45973
BRC-95-RM	FO2Z-2V121-ARM	CR116909	RWC-3932	R45972
BRC-96-RM	XF5Z-2V121-AARM	N/A	RWC-50129	R55612
BRC-97-RM	XF5Z-2V120-AARM	N/A	RWC-50128	R55613
BRC-98-RM	E4LY-2V553-ARM	CR119565	RWC-4169	R55393
BRC-99-RM	E4LY-2V552-ARM	CR119566	RWC-4168	R55394
BRC-100-RM	E9DZ-2V121-BRM	CR119150A	RWC-5275	R55482
BRC-101-RM	E9DZ-2V120-BRM	CR119151A	RWC-5276	R55483
BRC-102-RM	F8AZ-2V552-AARM	N/A	RWC-10643	R55798
BRC-103-RM	E79Z-2V120-ARM	CR110413	RWC4245	R55258
BRC-104-RM	E79Z-2V121-ARM	CR110414	RWC4246	R55259
BRC-105-RM	F58Z-2V552-CRM	N/A	RWC10542	R55770
BRC-106-RM	F58Z-2V553-DRM	N/A	RWC10541	R55771
BRC-107-RM	F8RZ-2V121-CBRM	N/A	RWC-50391	R55731
BRC-108-RM	F8RZ-2V120-CBRM	N/A	RWC-50390	R55730
BRC-109-RM	F1SZ-2V552-ARM	CR119153	RWC5274	R55644
BRC-110-RM	F1SZ-2V553-ARM	CR119152	RWC5273	R55645
BRC-111-RM	E4TZ-2V120-ARM	CR110413	RWC-5248	R55489
BRC-112-RM	E4TZ-2V121-ARM	CR110414	RWC-5249	R55488
BRC-114-RM	F7CZ-2V553-BARM	CR133884	RWC-10939	R46253
BRC-115-RM	F7CZ-2V552-BARM	CR133885	RWC-10940	R46254
BRC-116-RM	E7SZ-2V552-AARM	CR119431	RWC-4267	R55401
BRC-117-RM	E7SZ2V553-ARM	CR119430	RWC-4268	R55402
BRC-118-RM	FODZ-2V120-ARM	CR119151A	RWC-50134	R55482
BRC-119-RM	FODZ-2V121-ARM	CR119150A	RWC-50135	R55483
BRC-120-RM	FO2Z-2V552-DRM	N/A	RWC-3962	R46231
BRC-121-RM	FO2Z-2V553-BRM	N/A	RWC-3961	R46232
BRC-122-RM	F3ZZ-2V552-ARM	N/A	RWC-50122	R55776
BRC-123-RM	F3ZZ-2V553-ARM	N/A	RWC-50123	R55777
BRC-124-RM	E5SZ-2V120-BBRM	N/A	RWC-4209	R55225
BRC-125-RM	XL3Z-2V121-BARM	N/A	RWC-10910	N/A
BRC-126-RM	E5SZ-2V121-BBRM	N/A	RWC-4210	R55226
BRC-138-RM	XC2Z2V552ABRM	N/A	RWC-11005	N/A
BRC-139-RM	XC2Z2V553AARM	N/A	RWC-11006	N/A
BRC-141-RM	F8RZ2V553AARM	N/A	RWC-10539	N/A
BRC-142-RM	F8RZ2V552AARM	N/A	RWC-10540	N/A
BRC-143-RM	XF2Z2V121SARM	N/A	RWC-11041	N/A
BRC-144-RM	XF2Z2V120SARM	N/A	RWC-11040	N/A

NA = Not Available

Motorcraft Un-Loaded Calipers
Competitive Interchange

Motorcraft Number	Ford Service Number	Wagner Number	Raybestos Number	Bendix Number
UN-LOADED CALIPERS (Continued)				
BRC-145-RM	XL3Z2V121CARM	N/A	RWC-50415	N/A
BRC-146-RM	XL3Z2V120CARM	N/A	RWC-50414	N/A
BRC-147-RM	XR3Z2V121AARM	N/A	RWC -11010	N/A
BRC-148-RM	XR3Z2V120AARM	N/A	RWC-11009	N/A
BRC-149-RM	XR3Z2V121BBRM	N/A	RWC-11013	N/A
BRC-150-RM	XR3Z2V120BBRM	N/A	RWC-11014	N/A
BRC-151-RM	YS4Z2V121BARM	N/A	RWC-11099	N/A
BRC-152-RM	YS4Z2V120BARM	N/A	RWC-11100	N/A
BRC-153-RM	1L5Z-2V120-AARM	N/A	RWC-11203	N/A
BRC-154-RM	1L5Z-2V121-AARM	N/A	RWC-11204	N/A
BRC-155-RM	1W1Z-2V120-BARM	N/A	RWC-10937	N/A
BRC-156-RM	1W1Z-2V121-BARM	N/A	RWC-10938	N/A
BRC-161-RM	3W1Z-2V120-DARM	N/A	N/A	N/A
BRC-162-ARM	3W1Z-2V121-DARM	N/A	N/A	N/A
BRC-165-RM	2L1Z-2V120-BARM	N/A	RWC11346	N/A
BRC-166-RM	2L1Z-2V120-BARM	N/A	RWC11345	N/A
BRC-167-RMA	2M5Z-2V120-AARM	N/A	RWC-11100	N/A
BRC-168-RMA	2M5Z-2V121-AARM	N/A	RWC-11099	N/A
BRC-169-RMA	F8RZ2V120AARM	N/A	RWC-50390	N/A
BRC-170-RMA	F8RZ2V121AARM	N/A	RWC-50391	N/A
BRC-171-RMA	3W4Z2V120AARM	N/A	N/A	N/A
BRC-172-RMA	3W4Z2V121AARM	N/A	N/A	N/A
BRC-173-RM	YL8Z2V120ABRM	N/A	N/A	N/A
BRC-174-RM	YL8Z2V121ABRM	N/A	N/A	N/A
BRC-175-RMA	2W1Z2V552BARM	N/A	RWC-10897	N/A

NA = Not Available

Motorcraft Loaded Calipers
Competitive Interchange

Motorcraft Number	Ford Service Number	Wagner Number	Raybestos Number	Bendix Number
LOADED CALIPERS				
BRCL-1-RM	F1TZ-2V131-ARM	L128780	RC-7016	L55460M
BRCL-2-RM	F1TZ-2V130-ARM	L128781	RC-7015	L55461M
BRCL-3-RM	F5AZ-2V562-BARM	L128661	RC-10279	L55638AFM
BRCL-4-RM	F79Z-2V130-CARM	L110413	RC-4177	L55249M
BRCL-5-RM	F79Z-2V131-CARM	L110414	RC-4178	L55248M
BRCL-6-RM	F7TZ-2V130-AARM	L133119	RC-10521	L55749M
BRCL-7-RM	F7TZ-2V131-AARM	L133118	RC-10522	L55748M
BRCL-8-RM	F4TZ-2V130-AARM	N/A	RC-7023	L55604M
BRCL-9-RM	F4TZ-2V131-AARM	N/A	RC-7024	L55605M
BRCL-10-RM	F4TZ-2V130-BRM	L132686	RC-7019	L55461PM
BRCL-11-RM	F4TZ-2V131-BRM	L132685	RC-7020	L55460PM
BRCL-12-RM	F1VY-2V131-ARM	L132415	RC10192	L55246
BRCL-13-RM	F1VY-2V130-ARM	L132416	RC-10191	L55247
BRCL-14-RM	XF1Z-2V562-AARM	N/A	RC-10416	L55757
BRCL-15-RM	XF1Z-2V563-AARM	N/A	RC-10415	L55756
BRCL-16-RM	F2UZ-2V131-ARM	L128780	RC10272	L55460M
BRCL-17-RM	F2UZ-2V130-ARM	L128781	RC10271	L55461PM
BRCL-18-RM	F6AZ-2V562-CARM	N/A	RC10897	L55798PAFM
BRCL-19-RM	F58Z-2V130-DRM	L132687	RC-10507	L55771M
BRCL-20-RM	F58Z-2V131-DRM	L132688	RC-10508	L55770M
BRCL-21-RM	F2TZ-2V131-ARM	L112482	RC-7020	L55254M
BRCL-22-RM	F2TZ-2V130-ARM	L112483	RC-7019	L55255M
BRCL-23-RM	XL2Z-2V131-BARM	N/A	RC-10523	L55726M
BRCL-24-RM	XL2Z-2V130-BARM	N/A	RC-10524	L55727M
BRCL-25-RM	E43Z-2V130-ARM	L110416	RC-4198	LR55273M
BRCL-26-AMR	E43Z-2V131-ARM	L110415	RC-4197	LR55272M
BRCL-29-RM	F5AZ-2V130-ARM	N/A	RC-10606	L55729M
BRCL-30-RM	F5AZ-2V131-ARM	N/A	RC-10605	L55728M
BRCL-32-RM	F4DZ-2V131-BRM	N/A	RC-10457	N/A
BRCL-33-RM	F4DZ-2V130-BRM	N/A	RC-10458	N/A
BRCL-34-RM	F52Z-2V562-ARM	L132485	RC-10395	L46679M
BRCL-35-RM	F52Z-2V563-ARM	L132484	RC-10396	L46678M
BRCL-36-RM	F1LY-2V563-ARM	L119430	RC-5264	L55638M
BRCL-37-RM	F1LY-2V562-ARM	L119431	RC-5263	L55638M
BRCL-40-RM	XS4Z-2V130-AARM	N/A	RC-4201	L46130M
BRCL-41-RM	XS4Z-2V131-AARM	N/A	RC-4202	L461329M
BRCL-43-RM	F3SZ-2V131-ARM	N/A	RC-10410	L55722M
BRCL-44-RM	F3SZ-2V130-ARM	N/A	RC-10409	L55723M
BRCL-45-RM	F57Z-2V563-ADRM	L132699	RC-10630	L55774M
BRCL-46-RM	F57Z-2V562-ADRM	L132700	RC-10629	L55775M
BRCL-49-RM	F8VZ-2V131-AARM	L134313	RC-10938	N/A
BRCL-50-RM	F8VZ-2V130-AARM	L134314	RC-10937	N/A

NA = Not Available

Motorcraft Loaded Calipers
Competitive Interchange

Motorcraft Number	Ford Service Number	Wagner Number	Raybestos Number	Bendix Number
LOADED CALIPERS (Continued)				
BRCL-51-RM	F7AZ-2V562-AARM	N/A	RC-10643	N/A
BRCL-52-RM	F65Z-2V130-EARM	N/A	RC-10673	L55796PM
BRCL-53-RM	F65Z-2V131-EARM	N/A	RC-10674	L55797PM
BRCL-56-RM	F3VY-2V130-AARM	N/A	RC-10189	N/A
BRCL-57-RM	F3VY-2V131-AARM	N/A	RC-10190	N/A
BRCL-60-RM	F75Z-2V563-BARM	N/A	RC-10912	L55802M
BRCL-61-RM	F75Z-2V562-BARM	N/A	RC-10911	L55801M
BRCL-62-RM	XL3Z-2V130-BARM	N/A	RC-10909	N/A
BRCL-64-RM	YC3Z-2V562-AARM	N/A	RC-10961	N/A
BRCL-65-RM	YC3Z-2V563-AARM	N/A	RC-10962	N/A
BRCL-76-RM	YC3Z-2V131-CARM	N/A	RC-10960	N/A
BRCL-77-RM	YC3Z-2V130-CARM	N/A	RC-10959	N/A
BRCL-92-RM	F81Z-2V130-AARM	N/A	RC-11007	N/A
BRCL-93-RM	F81Z-2V131-AARM	N/A	RC-11008	N/A
BRCL-107-RM	F8RZ-2V131-CBRM	N/A	RC-10525	L55731M
BRCL-108-RM	F8RZ-2V130-CBRM	N/A	RC-10526	L55730M
BRCL-125-RM	XL3Z-2V131-BARM	N/A	RC-10910	N/A
BRCL138RM	XC2Z-2V562-BARM	N/A	RC-11005	N/A
BRCL139RM	XC2Z-2V563-AARM	N/A	RC-11006	N/A
BRCL143RM	XF2Z-2V131-BARM	N/A	RC-11041	N/A
BRCL144RM	XF2Z-2V130-BARM	N/A	RC-11040	N/A
BRCL145RM	XL3Z-2V131-CARM	N/A	RC-10912	N/A
BRCL146RM	XL3Z-2V130-CARM	N/A	RC-10911	N/A
BRCL151RM	YS4Z-2V131-DARM	N/A	RC-11099	N/A
BRCL152RM	YS4Z-2V130-DARM	N/A	RC-11100	N/A

NA = Not Available

Motorcraft Wheel Cylinders
Competitive Interchange

SAP Part Number	Motorcraft Number	Ford Service Number	Motorcraft Warranty Program Number	Ford Service No. for Warranty	Wagner Number	Raybestos Number	Bendix Number
WHEEL CYLINDERS							
MNFBRWC1A	BRWC-1A	1L5Z2V261FA	MNFBRWC1A	1L5Z2261FA	F34876	WC34876	33504
MNFBRWC2	BRWC-2	1C2Z2V261DA			F35325	WC36057	33206
MNFBRWC3	BRWC-3	1C2Z2V261CA			F35326	WC36058	33207
MNFBRWC4	BRWC-4	1C3Z2V261BA			F57146	WC37132	33725
MNFBRWC5	BRWC-5	1C3Z2V261AA			F57147	WC37133	33726
MNFBRWC6	BRWC-6	1L1Z2V261BA			F59240	WC17509	33600
MNFBRWC7	BRWC-7	1L1Z2V261AA			F59241	WC17510	33601
MNFBRWC8	BRWC-8	1C2Z2V261EA			F73614	WC37262	33596
MNFBRWC9	BRWC-9	1C2Z2V261FA			F73615	WC37263	33595
MNFBRWC10A	BRWC-10A	1C2Z2V261BA	MNFBRWC10A	1C2Z2261BA	F78974	WC9025	
MNFBRWC11A	BRWC-11A	1C2Z2V261AA	MNFBRWC11A	1C2Z2261AA	F78975	WC9026	
MNFBRWC12	BRWC-12	1W7Z2V261CA			F78978	WC37271	33636
MNFBRWC13	BRWC-13	1R3Z2V261AA			F101604	WC37400	33825
MNFBRWC14A	BRWC-14A	1W7Z2V261AA	MNFBRWC14A	1W7Z2261AA	F101610	WC37343	33774
MNFBRWC15	BRWC-15	1S4Z2V261BA			F104390	WC37529	33827
MNFBRWC16	BRWC-16	1S4Z2V261AA			F104391	WC37530	33828
MNFBRWC17	BRWC-17	1L5Z2V261AA			F106492	WC37574	33851
MNFBRWC18	BRWC-18	1S2Z2V261AA			F108106	WC37592	33883
MNFBRWC19	BRWC-19	1S2Z2V261BA			F108107	WC37591	33882
MNFBRWC20	BRWC-20	1R4Z2V261AA			F110872	WC37660	33940
MNFBRWC21	BRWC-21	1L5Z2V261BA			F110873	WC37640	33904
MNFBRWC22	BRWC-22	1F1Z2V261AA			F112365	WC37668	33917
MNFBRWC23	BRWC-23	1L5Z2V261CA			F112409	WC37663	33930
MNFBRWC24A	BRWC-24A	1C2Z2V261HA	MNFBRWC24A	1C2Z2261HA	F113757	WC37250	33945
MNFBRWC25A	BRWC-25A	1C2Z2V261GA	MNFBRWC25A	1C2Z2261GA	F113758	WC37251	33946
MNFBRWC26	BRWC-26	1W7Z2V261BA			F116229	WC37782	34057
MNFBRWC27	BRWC-27	1M1Z2V261AA			F116386	WC37783	34033
MNFBRWC28A	BRWC-28A	1S4Z2V261CA	MNFBRWC28A	1S4Z2261CA	F116793	WC37787	34014
MNFBRWC29	BRWC-29	1L2Z2V261CA			F122406	WC37856	34028
MNFBRWC30A	BRWC-30A	1F1Z2V261CA	MNFBRWC30A	1F1Z2261CA	F128289	WC37857	34029
MNFBRWC31	BRWC-31	1F1Z2V261BA			F129564	WC37857	34029
MNFBRWC32	BRWC-32	1S1Z2V261AA			F131119	WC37994	34033
MNFBRWC33	BRWC-33	1S2Z2V261DA			F131262	WC37997	34112
MNFBRWC34	BRWC-34	1F5Z2V261AA			F131372	WC37999	34120
MNFBRWC35	BRWC-35	1L5Z2V261DA			F131518	WC370031	34161
MNFBRWC36A	BRWC-36A	1C2Z2V261JA	MNFBRWC36A	1C2Z2261JA	F131874	WC370043	34140
MNFBRWC37A	BRWC-37A	1C2Z2V261KA	MNFBRWC37A	1C2Z2261KA	F131875	WC370042	34139
MNFBRWC38	BRWC-38	1L5Z2V261EA			F133404	WC37787	34014
MNFBRWC39A	BRWC-39A	1L5Z2V261GA	MNFBRWC39A	1L5Z2261GA	F134318		
MNFBRWC40A	BRWC-40A	1F5Z2V261BA	MNFBRWC40A	1F5Z2261BA	F134494	WC370083	
MNFBRWC41A	BRWC-41A	1L2Z2V261BA	MNFBRWC41A	1L2Z2261BA	F134736	WC370091	
MNFBRWC42A	BRWC-42A	1L2Z2V261AA	MNFBRWC42A	1L2Z2261AA	F134737	WC370092	
MNFBRWC43	BRWC-43	F5RZ2261A			F139917	WC37997	34112
MNFBRWC44	BRWC-44	YL8Z2261BA			F139918		
MNFBRWC45	BRWC-45	YS4Z2261AB			F139919	WC370093	
MNFBRWC46	BRWC-46	1W1Z2262AA			F139920	WC37343	
MNFBRWC47	BRWC-47	1W1Z2261AA			F139921	WC37343	

Motorcraft Hardware Kits
Competitive Interchange

REAR SHOE ADJUSTER KITS

Motorcraft Number	Ford Service Number	Carlson Number	IBI Number	Autospecialty Number	Bendix Number	Lee Gibson Number	Raybestos Number	Wagner Number
BRAK-2514	1L5Z2V041AA	H2514	8107LRY	HS-6002	H2514	2514	H2514	F98346
BRAK-2515	1L5Z2V041BA	H2515	8107RRY	HS-6003	H2515	2515	H2515	F98347
BRAK-2544-A	1L3Z2041AA	H2544	8121L	HS-6016	H2544	2544	H2544	F98374
BRAK-2545-A	1L3Z2041BA	H2545	8121R	HS-6017	H2545	2545	H2545	F98375
BRAK-2596	1R3Z2V041AA	H2596	8143L	HS-6045	H2596	2592	H2592	F98414
BRAK-2597	1R3Z2V041BA	H2597	8143R	HS-6046	H2597	2593	H2593	F98415
BRAK-2598	1C3Z2V041AA	H2598	8144L	HS-6047	H2598	2588	H2588	F98416
BRAK-2599	1C3Z2V041BA	H2599	8144R	HS-6048	H2599	2589	H2589	F98417
BRAK-2602	1S4Z2V041AA	H2602	8149L	HS-6050	H2602	2598	H2598	F104643
BRAK-2603	1S4Z2V041BA	H2603	8149R	HS-6051	H2603	2599	H2599	F104644
BRAK-2606	1W7Z2V041AA	H2606	8151L	HS-6052	H2606	2594	H2650	F98976
BRAK-2607	1W7Z2V041BA	H2607	8151R	HS-6053	H2607	2595	H2651	F98977
BRAK-2632	1F1Z2V041AA	H2632	8166L	HS-6071	H2632	2608	H2632	F113371
BRAK-2633	1F1Z2V041BA	H2633	8166R	HS-6072	H2633	2609	H2633	F113372
BRAK-2650	1W2Z2V041AA	H2650	8174L	HS-6085	H2640	2620	H2654	F124498
BRAK-2651	1W2Z2V041BA	H2651	8174R	HS-6086	H2639	2621	H2655	F124999
BRAK-2652-A	1F1Z2041CA	H2652	8183L	HS-6087	H2666	2630	H2656	F130246
BRAK-2653-A	1F1Z2041DA	H2653	8183R	HS-6088	H2667	2631	H2657	F130247
BRAK-2654	1S2Z2V041AA	H2654	8184L	HS-6089	H2668	2688	H2658	
BRAK-2655	1S2Z2V041BA	H2655	8184R	HS-6090	H2669	2689	H2659	
BRAK-2660-A	1L5Z2041CA	H2660	8189L	HS-6095	H2679	2642	H2664	
BRAK-2661-A	1L5Z2041DA	H2661	8189R	HS-6096	H2681	2643	H2665	
BRAK-2662-A	1L5Z2041EA	H2662	8190L	HS-6097	H2680	2644	H2666	
BRAK-2663-A	1L5Z2041FA	H2663	8190R	HS-6098	H2682	2645	H2667	
BRAK-2666-A	1C2Z2041AA	H2666	8192L	HS-6101	H2685	2702	H2670	
BRAK-2667-A	1C2Z2041BA	H2667	8192R	HS-6102	H2686	2703	H2671	
BRAK-2668-A	2U2Z2041AA		8194L					
BRAK-2669-A	2U2Z2041BA		8194R					

CALIPER ATTACHING KITS

Motorcraft Number	Ford Service Number	Carlson Number	IBI Number	Bendix Number	Lee Gibson Number	Raybestos Number	Wagner Number
BRCK-13305	2U2Z2V321CA		13305A				
BRCK-14080	1S8Z2V386BA	14080	1480	H15003		H15069	
BRCK-14082-A	1R3Z2386DA	14082	1482	H15009	15063	H15076	F129645
BRCK-14083-A	1W7Z2386CA	14083	1483	H15010	15029	H15079	
BRCK-14099	1M1Z2V386AA	14099	1499	H15015	15026	H15084	F126902
BRCK-14100-A	1S4Z2386BA	14100	14100	H15025	15082	H15091	F130253
BRCK-14104	1SBZ2V386AA	14104	14104	H15040	14900	H15153	F130258
BRCK-14110	1S1Z2V386AA	14110	14110	H15050	15000	H15156	
BRCK-5011	1C3Z2V386AA	H5011	4418	H5025	5010	H5010	F102554
BRCK-5016	1R3Z2V386AA	H5016	5275	H5034	5032	H5016	F98979
BRCK-5022	1W7Z2V386AA	H5022	4384	H5022	5012	H5012	F98971
BRCK-5025-A	1S2Z2386AA	H5025	5161	H5071	5022	H5025	F104625
BRCK-5028	1R9Z2V386AA	H5028	5193	H5033	5039	H5028	F105855
BRCK-5030	1L5Z2V386AA	H5030	21783	H5045	5031	H5031	F111231

Motorcraft Hardware Kits
Competitive Interchange

CALIPER ATTACHING KITS (Continued)

Motorcraft Number	Ford Service Number	Carlson Number	IBI Number	Bendix Number	Lee Gibson Number	Raybestos Number	Wagner Number
BRCK-5049	1F1Z2V386BA	H5049	21078	H15017	5065	H5049	F130378
BRCK-5050-A	1S4Z2386AA	H5050	44170	H15018	15029	H5050	F132516
BRCK-5055	1C2Z2V386AA	H5055	44191	H15039	5068	H5055	F130379
BRCK-5060-A	1F1Z2386AA	H5060	44207	H15051		H5060	
BRCK-5062	1R3Z2V386BA	H5062	44209	H15057	5077	H5062	
BRCK-5063	1C3Z2V386DA	H5063	44216	H15056		H5063	
BRCK-5064-A	1L2Z2386AA	H5064	44222	H15058	14903	H5065	
BRCK-5066	1L3Z2V386AA	H5066	44228	H15068	5053	H5070	F124505
BRCK-5067-A	1L3Z2386BA	H5067	44230	H15070	5084	H5067	
BRCK-5072-A	1C3Z2386BA	H5072	44247	H15087		H5079	
BRCK-5073-A	1W7Z2386BA	H5073	44252	H15084		H5073	
BRCK-5074-A	1R3Z2386CA	H5074	44253	H15082	5081	H5074	
BRCK-5077-A	1C3Z2386EA	H5077	44258	H15088		H5077	
BRCK-5082	4U2Z-2386-AA		44288				
BRCK-5084	3U2Z-2386-CA		44299				
BRCK-5085	3U2Z-2386-DA		44302				
BRCK-5086	3U2Z-2386-BA		44305				
BRCK-5087	3U2Z-2386-EA		44311				
BRCK-5089	3U2Z-2386-AA		44321				
BRCK-5093	4U2Z-2386-BA		44337				
BRCK-5094	4U2Z-2386-CA		44341				
BRCK-5096	4U2Z-2386-DA		44349				

PAD ATTACHING KITS

Motorcraft Number	Ford Service Number	Carlson Number	IBI Number	Autospecialty Number	Bendix Number	Lee Gibson Number	Raybestos Number	Wagner Number
BRPK-13119-A	1R4Z2321BA	13119	13119A	HK-2006	H5659	15677	H15122	F138101
BRPK-13165	1S1Z2V321AA	13165	13165A	HK-1061	H5716	15578	H15672F	F117208
BRPK-13169	1W7Z2V321EA	13169	13169A	HK-2022	H5717		H15661	F117208
BRPK-13228	1S8Z2V321CA	13228	13228A	HK-2036	H5787	15651	H15725	F133153
BRPK-13240	1S8Z2V321AA	13240	13240A	HK-1095	H5768	15274	H15716	F117201
BRPK-13243	1M1Z2V321AA	13243	13243A	HK-2037	H5781		H15723	F117208
BRPK-13245-A	1S4Z2321AA	13245	13245A	HK-1124	H5798	15611	H15729	F126914
BRPK-13247	1S4Z2V321BA	13247	13247A	HK-2038	H5802	15634	H15731	F130395
BRPK-13261	1S8Z2V321BA	13261	13261A	HK-2042	H5822	15646	H15753	F132616
BRPK-13262	1S8Z2V321DA	13262	13262A	HK-2043	H5823	15655	H15762	F113181
BRPK-13287-A	1S1Z2321BA	13287	13287A	HK-2053	H5856		H15789	F126914
BRPK-13306	1S4Z2V321CAA	13306	13306A	HK-2087	H5887		H15804	
BRPK-13308	1R4Z2V321AA	13308	13308A	HK-1056	H5885		H15806	
BRPK-16040	1W4Z2V321BA	16040	1640A		H16040	18001	H16040	F117050
BRPK-5533-A	1C3Z2321AA	H5533	4166A	HK-3020	H5533		H5529	F97900
BRPK-5541	1W7Z2V321AA	H5541	4182A	HK-3026	H5541	5523	H5523	F98970
BRPK-5545	1L3Z2V321AA	H5545	4186A	HK-3009	H5545	5515	H5515	F102553
BRPK-5554	1L3Z2V321BA	H5554	44102A	HK-3063	H5653	5571	H5554	F114476
BRPK-5560	1W7Z2V321BA	H5560	44108A	HK-3048	H5632	5549	H5549	F117120
BRPK-5567	1R3Z2V321AA	H5567	44116A	HK-3049	H5633	5232	H5567	F113370

Motorcraft Hardware Kits
Competitive Interchange

Motorcraft Number	Ford Service Number	Carlson Number	IBI Number	Autospecialty Number	Bendix Number	Lee Gibson Number	Raybestos Number	Wagner Number
PAD ATTACHING KITS (Continued)								
BRPK-5568	1F1Z2V321AA	H5568	44117A		H5638	8210	H5600	F104635
BRPK-5572	1R9Z2V321AA	H5572	44121A	HK-3058	H5642	5583	H5572	F117219
BRPK-5584	1C3Z2V321BA	H5584	44140A	HK-3080	H5808	5572	H5548	F114477
BRPK-5593	1W7Z2V321FA	H5593	44148A	HK-3077	H5721	5588	H5593	F118808
BRPK-5600-A	1F1Z2321CA	H5600	44160A	HK-3082	H5739	5590	H5603	F118806
BRPK-5610	1R3Z2V321BA	H5610	44176A	HK-3089	H5800	5598	H5613	F130505
BRPK-5615	1R3Z2V321CA	H5615	44185A	HK-3092	H5827	5466	H5619	
BRPK-5616	1F1Z2V321BA	H5616	44187A	HK-3094	H5841	5603	H5622	F13899
BRPK-5617	1F1Z2V321DA	H5617	44210A	HK-3096	H5866	5467	H5624	F11180
BRPK-5618-A	1R3Z2321EA	H5618	44211A	HK-3095	H5867	5604	H5625	F132617
BRPK-5619	1F2Z2V321AA	H5619	44212A	HK-3098	H5868	5468	H5628	F138603
BRPK-5620	1L3Z2V321CA	H5620	44213A	HK-3097	H5858	5600	H5623	F132522
BRPK-5621-A	1C3Z2321CA	H5621	44214A	HK-3099	H5864	5602	H5626	F132611
BRPK-5622	1S2Z2V321AA	H5622	44215A	HK-3101	H5863	5470	H5627	
BRPK-5623	1W7Z2V321CA	H5623	44217A	HK-3102	H5869	5618	H5629	F134114
BRPK-5624	1L2Z2V321AA	H5624	44220A	HK-3100	H5875	5472	H5630	F132974
BRPK-5627	1L2Z2V321BA	H5627	44225A	HK-3108	H5897	5474	H5634	F138693
BRPK-5628-A	1L3Z2321DA	H5628	44229A	HK-3104	H5895	5616	H5635	F138118
BRPK-5629	1L3Z2V321EA	H5629	44239A	HK-3107	H5896	5479	H5640	F138116
BRPK-5635-A	1C3Z2321FA	H5635	44240A	HK-3081	H5916		H5662	
BRPK-5638-A	1S2Z2321BA	H5638	44243A		H5920		H5638	
BRPK-5642-A	1C3Z2321DA	H5642	44248A		H5928		H5648	
BRPK-5643-A	1C3Z2321EA	H5643	44249A		H5929		H5647	
BRPK-5646-A	1W7Z2321DA	H5646	44255A		H5938		H5646	F138692
BRPK-5647	1C2Z2V321AA	H5647	44257A		H5815		H5651	F130393
BRPK-5651A	2U2Z2321AB		44265A					
BRPK-5652	1R3Z2V321DA	H5652	44266A				H5658	
BRPK-5656	1F2Z2V321BA	H5656	44270A				H5657	
BRPK-5657	1W4Z2V321AA	H5657	44271A		H5942		H5660	
BRPK-5660	2U2Z-2V321-BA		44275A					
BRPK-5665	4U2Z-2321-AA		44281A					
BRPK-5666	2U2Z-2V321-DA		44282A					
BRPK-5671	3U2Z-2321-DA		44292A					
BRPK-5676	3U2Z-2321-GA		44297A					
BRPK-5677	3U2Z-2321-CA		44298A					
BRPK-5681	3U2Z-2321-HA		44306A					
BRPK-5682	3U2Z-2321-JA		44307A					
BRPK-5683	3U2Z-2321-EA		44308A					
BRPK-5688	3U2Z-2321-BA		44314A					
BRPK-5689	3U2Z-2321-KA		44315A					
BRPK-5694	3U2Z-2321-AA		44317A					
BRPK-5696	3U2Z-2321-FA		44323A					
BRPK-5751	4U2Z-2321-BA		44333A					
BRPK-5754	4U2Z-2321-CA		44336A					
BRPK-5756	4U2Z-2321-DA		44339A					
BRPK-5762	4U2Z-2321-EA		44347A					

Motorcraft Hardware Kits
Competitive Interchange

Motorcraft Number	Ford Service Number	Carlson Number	IBI Number	Autospecialty Number	Bendix Number	Lee Gibson Number	Raybestos Number	Wagner Number
REAR SHOE SPRING KITS								
BRSK-17303-A	1M1Z2225AA	17303	6189	HK-663	H7321	17173	H17303	F117193
BRSK-17305-A	1S6Z2225AA	17305	6188	HK-2255	H7319	17177	H17305	F117221
BRSK-17306-A	1S8Z2225BA	17306	6183	HK-664	H7326	17172	H17306	F129654
BRSK-17315-A	1M1Z2225BA	17315	6176	HK-670	H7338		H17315	
BRSK-17326-A	1F1Z2225CA	17326	6155	HK-2269	H7353	17213	H17326	F124527
BRSK-17345	1S1Z2V225AA	17345	6501	HK-2283	H7395	17226	H17345	F130265
BRSK-7001	1W3Z2V225AA	H7001	6524		H7412		H7001	
BRSK-7002-A	1W3Z2225BA	H7002	6527		H7415		H7002	
BRSK-7146	1L3Z2V225AA	H7146	6230	HK-4036	H7146	7146	H7146	F78555
BRSK-7181	1C3Z2V225AA	H7181	6325	HK-4075	H7181	7164	H7164	F102555
BRSK-7209	1C3Z2V225BA	H7209	6392	HK-4073	H7299	7197	H7209	F117217
BRSK-7224-A	1W7Z2225AA	H7224	6313	HK-4051	H7224	7067	H7067	F120994
BRSK-7225-A	1L3Z2225BA	H7225	6314	HK-4052	H7225	7041	H7071	F78551
BRSK-7246-A	1R3Z2225AA	H7246	6336	HK-4057	H7246	7157	H7246	F78550
BRSK-7248-A	1F6Z2225AA	H7248	6338	HK-4058	H7248	7161	H7248	
BRSK-7251	1S4Z2V225AA	H7251	6341	HK-4061	H7251	7165	H7165	F104637
BRSK-7252	1S4Z2V225BA	H7252	6342	HK-4062	H7252	7166	H7166	F104638
BRSK-7267-A	1L5Z2225AA	H7267	6372	HK-4070	H7284	7080	H7267	F113462
BRSK-7279-A	1L2Z2225AA	H7279	6170	HK-4084	H7340	7067	H7279	F98972
BRSK-7280-A	1F1Z2225AA	H7280	6162	HK-4082	H7342	7200	H7280	F124502
BRSK-7285-A	1F2Z2225AA	H7285	6105	HK-4088	H7370	7204	H7285	F130392
BRSK-7286-A	1F1Z2225BA	H7286	6103	HK-4072	H7371	7075	H7286	F113376
BRSK-7290-A	1S4Z2225CA	H7290	6507	HK-2280	H7400	17218	H7290	F129654
BRSK-7291-A	1S8Z2225AA	H7291	6508	HK-2282	H7401	17218	H7291	F130261
BRSK-7293-A	1S2Z2225AA	H7293	6510	HK-4091	H7391	7209	H7293	F132519
BRSK-7294-A	1L5Z2225BA	H7294	6512	HK-4092	H7397	7211	H7294	F134099
BRSK-7295-A	1L5Z2225CA	H7295	6513	HK-4093	H7398	7210	H7295	F134100
BRSK-7297-A	1S4Z2225DA	H7297	6521	HK-2294	H7406	17227	H7297	F134097
BRSK-7298-A	1L3Z2225CA	H7298	6523	HK-4095	H7411		H7298	F138801
BRSK-7299-A	1L2Z2225BA	H7299	6528		H7422		H7299	
BRSK-7302	3U2Z-2225-DA		6531					
BRSK-7303-A	1L3Z2225DA	H7303	6532		H7420		H7303	
BRSK-7307-A	2U2Z2225 AA		6540					
BRSK-7308-A	2U2Z2225 BA		6542					
BRSK-7309-A	2U2Z2225 CA		6543					
BRSK-7310-A	2U2Z2225 DA		6547					
BRSK-7311-A	2U2Z2225 EA		6549					
BRSK-7312-A	2U2Z2225 FA		6550					
BRSK-7314	2U2Z2V225GA		6554					
BRSK-7315	3U2Z-2225-CA		6556					
BRSK-7318	3U2Z-2225-AA		6566					
BRSK-7325	3U2Z-2225-BA		6576					
BRSK-7332	4U2Z-2225-AA		6584					

Motorcraft Number	Ford Service Number	Carlson Number	IBI Number	Bendix Number	Lee Gibson Number	Raybestos Number	Wagner Number
VOLUME PACK "C" CLIPS							
BRVP-1168	1W6Z2V225AB	H1168	4654	H1168	11186	H1170	F118804
BRVP-1177-A	1W7Z2225BB	H1177	3237	H1177	1177	H1177	F6477
BRVP-1456	1W7Z2225CB	H1456	3240	H1456	1456	H1456	F17814
BRVP-21938	1F1Z2V225DB		21938				
BRVP-3310	1W7Z2V225DB		3310				
BRVP-5342	1S8Z2225CB		5342				

Motorcraft Wheel Seals
Competitive Interchange

Motorcraft Number	Ford Service Number	Replacement Number	National Number
	WHEEL SEALS		
BRS-1	D5HZ-1S190-B	35062	6638S
BRS-10	F0ZZ-1S190-A	19223	9150S
BRS-11	E5TZ-1S190-A	19214	6815
BRS-12	F7UZ-1S175-A	28720	9864S
BRS-13	E1FZ-1S175-A	15746	473677
BRS-14	C9TZ-1S175-A	24917	4250
BRS-15	F2HZ-1S175-B	38780	370023A
BRS-16	F7TZ-1S175-AA	27471	415009
BRS-17	E3TZ-1S190-A	21400	8312
BRS-18	C9TZ-1S175-C	24917	4250
BRS-2	D5HZ-1S190-E	34980	—
BRS-20	E3TZ-1S175-A	17846	8314
BRS-21	F81Z-1S175-EA	38750	370024A
BRS-22	E4TZ-1S190-A	24917	4250
BRS-23	F5TZ-1S190-AA	25050	710430
BRS-24	F81Z-1S175-AA	34928	—
BRS-25	F2TZ-1S175-A	32519	6584S
BRS-27	F87Z-1S190-AA	26247	—
BRS-28	F57Z-1S190-BB	25013	—
BRS-3	E7TZ-1S190-B	24017	4160
BRS-31	F57Z-1S190-AA	—	—
BRS-33	E7TZ-1S190-A	26747	710091
BRS-37	D0TZ-1S175-E	1322	5089
BRS-38	D0TZ-1S175-A	1306	370046A
BRS-39	E4HZ-1S175-B	47697	370003A
BRS-4	E7TZ-1S175-A	34386	370047A
BRS-40	E3TZ-1S177-A	16044	8835S
BRS-42	F75Z-1S177-BA	17327	100357
BRS-43	YL8Z-1S177-AA	14006	2007N
BRS-46	F5RZ-1S177-AA	15716	710443
BRS-47	YS4Z-1S177-AA	15746	473677
BRS-48	F4TZ-1S177-C	BR3992K	—
BRS-5	E6HZ-1S175-E	38780	370023A
BRS-50	E1FZ-1S177-A	16901	710054
BRS-51	F81W-1S177-CA	—	—
BRS-52	F7UZ-1S177-A	17100	710067
BRS-53	C9HZ-1S190-A	28832	370054A
BRS-54	F65Z-1S190-AA	—	—
BRS-55	C5TZ-1S190-D	34885	9339S
BRS-56	YC2Z-1S175-BA	24012	—
BRS-57	F32Z-1S177-A	22454	1932
BRS-58	F87Z-1S177-BA	—	—
BRS-59	F87Z-1S177-AA	—	—
BRS-6	F2HZ-1S175-C	47697	370003A
BRS-60	D5HZ-1S190-A	34975	370132A

Motorcraft Wheel Seals
Competitive Interchange

Motorcraft Number	Ford Service Number	Replacement Number	National Number
WHEEL SEALS (Continued)			
BRS-61	E5HZ-1S190-A	34972	370132A
BRS-62	D0HZ-1S190-A	28832	370054A
BRS-63	E3HZ-1S190-C	43763	370182A
BRS-64	F1HZ-1S175-A	38779	370023A
BRS-65	D7HZ-1S175-D	47695	370003A
BRS-66	D0HZ-1S190-B	35059	370001A
BRS-67	D0HZ-1S175-B	34386	370047A
BRS-68	D0HZ-1S175-A	31307	370048A
BRS-69	E92Z-1S177-AA	22454	1932
BRS-7	F2HZ-1S175-A	34387	370047A
BRS-70	E7GZ-1S177-B	20205	710323
BRS-71	E7GZ-1S177-A	20427	4990
BRS-72	E92Z-1S177-B	16548	224215
BRS-73	E7GZ-1S177-C	15807	1213N
BRS-77	XS4Z-1S177-AA	15128	—
BRS-78	D6TZ-1S175-AA	22311	722109
BRS-79	E3TZ-1S175-DA	BK1	SBK1
BRS-8	E7HZ-1S190-A	35059	370001A
BRS-80	D8TZ-1S175-CA	711822	710044
BRS-81	E0TZ-1S177-BA	18881	3195
BRS-82	E0TZ-1S177-CA	15141	481837
BRS-83	F4TZ-1S177-BA	34386	370047A
BRS-84	F81Z-1S175-HCA	21918	710413
BRS-85	D6TZ-1S175-C	711818	722108
BRS-86	F3TZ-1S175-BB	18844	—
BRS-87	F2TZ-1S175-CA	14634	710414
BRS-88	F3TZ-1S175-AA	13144	—
BRS-89	D8TZ-1S175-AA	400659	710045
BRS-9	E6TZ-1S190-A	19743	4148
BRS-90	F67Z-1S177-ACA	13992	8660S
BRS-91	F0JY-1S177-A	14006	2007N
BRS-92	E8BZ-1S177-B	14129	—

Chemicals and Lubricants

Recommended Chemicals and Lubricants

The following pages contain Motorcraft® Chemicals and Lubricants that are related to servicing the vehicle systems within this Catalog for the user's convenience.

Motorcraft® Chemicals & Lubricants have been specifically engineered to fulfill your automotive needs; they are custom designed to complement the style, function, and appearance of your vehicle. Each product is made from high quality materials that meet or exceed Ford Motor Company's rigid specifications. For best results, only use Ford Motor Company approved products.


Motorcraft
Motorcraft
Motorcraft

Wheel and Tire Cleaner



Features

- Only tested and approved product for cleaning wheels on Ford Motor Company vehicles.
- Effectively removes brake dust.
- Spray-on, hose-off formula.
- May require some agitation with sponge for heavier deposits.
- Combination product. Safely cleans tires, including white-letters and white-walls.
- Available in three (3) convenient sizes.

Specifications

Part Number	ZC-37-A	ZC-37-B	ZC-37-C
Size	16 fl. oz.	1 gal.	5 gallon
Internal Reference Number	164646	164646	164646
Unit Pack	12 (case qty.)	6 (case qty.)	1

High-Temperature 4x4 Front Axle and Wheel Bearing Grease

Features

- Required lubricant for 4 x 4 Ford Light Truck front axle spindle bearings, wheel bearings and U-joints.
- Lithium complex, high-temperature grease.
- 572° F (300°C) dropping point – won't run off at high temperatures.
- NLGI grade #2




Specifications

Part Number	E8TZ-19590-A
Specifications Number	ESA-M1C198-A
Size	14 oz.
Internal Reference Number	023824
Unit Pack	1

Chemicals and Lubricants

Penetrating and Lock Lubricant



Features

- Excellent general-purpose lubricant.
- Displaces moisture
- Provides exceptional rust penetration.
- Protects metal parts against corrosion.

Specifications

Part Number	XL-1
Size	12 oz. aerosol
Internal Reference Number	168705
Unit Pack	12 (case qty.)

Silicone Brake Caliper Grease and Dielectric Compound

Features

Brake Application

- Lubricates disc brake caliper slide pins.
- High resistance to water and heat.
- Compatible with EPDM rubber.

Specifications

Part Number	XG-3-A
Specifications Number	ESE-M1C171-A
Size	3 oz.
Internal Reference Number	014471
Unit Pack	12 (case qty.)



Chemicals and Lubricants

Brake Parts Cleaner



Features

- Spray away grease and oil from metal parts.
- Fast cleaning – fast drying.
- Environmentally Friendly
- Low Volatile Organic Compound (VOC) formula, meets California Air Resource Board (CARB) requirements for Brake Parts Cleaner.
- Contains no chlorinated solvents or chlorofluorocarbon (CFC) propellants.

Specifications	
Part Number	PM-4
Size	15 oz. aerosol
Internal Reference Number	166761
Unit Pack	12 (case qty.)

High Temperature Nickel Anti-Seize Lubricant

Features

- Provides high temperature lubrication – up to 2552°F (1400°C).
- Prevents seizing and galling of metal parts.
- Guards against rust and corrosion caused by chemicals and weathering.

Specifications	
Part Number	XL-2
Specifications Number	ESE-M12A4-A
Size	8 oz.
Internal Reference Number	171943
Unit Pack	1



Motorcraft

Chemicals and Lubricants

Premium Long-Life Grease



Features

- Use on chassis, ball joints, U-joints, wheel bearings, brake self-adjusting screws, and steering gear.
- Resists washout and component wear under extreme pressure.
- Fights rust, abrasion and high-temperature breakdown.
- Contains high-density polyethylene and molybdenum disulfide.
- 275°F (135°C) upper temperature limit; 350°F (177°C) dropping point.
- NLGI Grade #2

Specifications

Part Number	XG-1-C	XG-1-T	XG-1-K
Specifications Number	ESA-M1C75-B	ESA-M1C75-B	ESA-M1C75-B
Size	14 oz.	2 lb.	120 lb.
Internal Reference Number	046977	046977	046977
Unit Pack	40 (case qty.)	12 (case qty.)	1

High Performance DOT 3 Motor Vehicle Brake Fluid

Features

- For vehicles with disc, drum or ABS.
- Factory-fill formulation
- Minimum dry boiling point of 550°F (288°C).
- Meets DOT 3, SAE J1703 and FMVSS 116 specification.



Specifications

Part Number	PM-1
Specifications Number	ESA-M6C25-A
Size	12 fl. oz.
Internal Reference Number	002092
Unit Pack	12 (case qty.)

Motorcraft

CATALOG LOCATION OF PART NAME AND PREFIX

Arranged by Catalog

PART NAME	PREFIX
Air Conditioner Parts	
Bearings	YP
Blower	MM, MME
Blower Motor	MM
Chemicals	YN
Clutch Assembly - Cooling Fan	YB
Clutches	YB
Compressors - New	YC
Condensers	YJ
Connector - Water Outlet Cooling	RH
Evaporators	YK
Fans & Spacers	YA
Fittings	YF
Gaskets	YE
Hose	YF
Idler Pulleys, Caps & Brackets	YS
Pulleys	YS
Pulleys & Fans	GP, GPE
Receiver Driers	YL
Regulator	GR, GRC, GRE
Relay Assembly - Engine Cooling Fan	RR
Relays	YH
Remanufactured Compressors	YCR
Remanufactured Compressor & Clutch Asy.	YCC
Remanufactured Clutch Kits	YBR
Seals	YE
Switches	YH
Tape	YZ
Transmission Oil Coolers	YO
Valves, Fixed Orifice	YG, YH
Alternator, Distributor, Starter, Major Components	
Armature	GM, GME
Armature	SME, SM
Bearing C.E. Head	GE, GEE, SH, SHE
Bearing D.E	MC
Bearing D.E. Head	GE
Brush	SB, SBE
Drive	SD, SDE
Field Coil	SC, SCE
Housing D.E	SE, SEE
Rectifier Assembly	GY
Rotor	GM
Starters	SA, SAE, SZ, SZE
Batteries	
Batteries	BH, BHA, BHB, BHC, BXL, BXT, BUC

PART NAME	PREFIX
Belts and Hoses	
Belts	JA, JB, JC, JE, JF, JH, JK3, JK4, JK5, JK6, JK7, JK8, JK14, JR, JU
Bulk Heater Hose	KH
Cooling Protector Powder	RA
Crankcase Vent Hose	KCV
Flex Hose	KB, KBC
Fuel Hose	KFL
Heather Hose Connector	KY
Molded Hose	KM, KMS, KS, KSS
Molded Heater Hose	KHM
Special Purpose Hose	KK, KW, KX
Transmission Filter	FT
Vacuum Hose	KDV
Brake Systems	
Caliper Attaching Kit	BRCK
Caliper - Loaded	BRCL
Caliper - Unloaded	BRC
Drums	BRD
Pads	BR
Pad Attaching Kit	BRPK
Rotors	BRR
Self Adjuster Kit	BRAK
Shoes	BR
Spring Kit	BRSK
Wheel Cylinder	BRWC
Wheel Seal	BRS
Caps, Thermostats & Water Pumps	
Cooling Protector Powder	RA
Fuel Cap	FC
Gasket	FM
Gaskets (Water Outlet)	RG
Oil Breather	EC
Radiator Cap	RL, RS
Thermostat	RT
Water Pump	PW
Electrical Parts, Wire & Cable	
Adapter Base	DJ
Adapter Plate	DZ
Alternator	GL, GLE
Armature – Distributor	DT
Armature – Generator	GM, GME
Armature – Starter	SME, SM
Battery Cable Supplies	WC, WT
Battery Cables	WC
Bearing C. E – Starter	MC, MCE

CATALOG LOCATION OF PART NAME AND PREFIX

Arranged by Catalog

PART NAME	PREFIX
Electrical Parts, Wire & Cable (Cont'd.)	
Bearing C.E. Head – Generator	GE, GEE, SH, SHE
Bearing D.E – Starter	MC
Bearing D.E. Head – Generator	GE
Blower Motor	MM, MME
Breaker Plate	DB
Brush	SB, SBE
Brush Sets	GB, GBE
Cam & Stop Plates	DF
Cap - Distributor	DH, DHC, DHE, DHG, DHX
Coil	DG, DGE
Coil Bracket	DY
Condenser	DC, DCC, DCG
Cover	GYE
D.E. Head – Generator	GD, GDE
Diode Assembly	GY
Distributor	DA, DAE
Drive – Starter	SD, SDE
Dust Cover	DZ
Governor	DX
Head Cover	DHG, DHX
Miscellaneous Wire Supplies	WA
Modulators	TM
Module – Distributor	DY, DYG
Motor & Fan Assy. - Engine Cooling	RF
Pick Up	DUC
Pigtail Kits	WPT
Point Set	DP, DPC, DPG, DPX
Primary Wire	WB
Pumps	WG, WGE
Rear Housing	GH, GHE
Rear Window Defogger Motor	MM
Rectifier Assembly	GY
Resistor	DY, DYE
RFI Capacitor	DCG
Rotor	DR, DRC, DRE, DRG, DRX
Seat Regulator Motor	MM
Sliding Roof Panel Motor	MM
Spark Plug Wire Sets	WR, WRE
Starter Repair Kit	SK
Starter Solenoid	SW, SWC, SWE, SWX
Starter	SA, SAE, SZ, SZE
Stator	DU, DUC, DUE
Stator (Field Coils)	GC, GCE
Terminal & Wiring Accessories	SWX, WT
Vacuum Control	DD, DDE
Window Lift Motor	MM
Window Regulator Motor	MM
Windshield Wiper Switch	SW, SWE
Wiper Motor	WM, WME

PART NAME	PREFIX
Electrical Switches	
Air, Oil Pressure	SW, SWC, SWE, SWX
Back Up Light	SW, SWE
Circuit Breaker	SWX
Clamp-On Bracket	SW
Connector	SXX
Dimmer	SW, SWE
Distributor Modulator Ambient	SW
Distributor Modulator Valve	SW
Distributor Retard Control Valve	DY
Door Jamb	SW, SWC
Door Open Warning	SW
Flasher	SF, SFE
Fuse Holder	SWX
Headlamp	SW, SWC, SWE, SWX
Heater	SWX
Horn Button	SWX
Ignition Lock Cylinder	SW, SWC, SWE, SWX
Neutral Safety	SW, SWC, SWE, SWX
Pigtail Sockets	LS
Push Pull	SWX
Regulator	GR, GRC, GRE
Regulator Instrument Cluster	GR, GRE, GRC
Relay Horn	HB, HBE
Resistor	DY, DYE
Solenoid	SW, SWC, SWX
Spark Control	SW
Starter Button	SW, SWX
Starter Relay	SWC, SWX
Starter Repair Kit	SK
Starter Solenoid	SW, SWC, SWE, SWX
Stoplight	SW, SWC, SWE, SWX
Temperature Sending	SW, SWC, SWE
Toggle	SW, SWX
Truck Lock	SW, SWC
Turn Indicator	SW, SWE
Windshield Washer	SW, SWE
Windshield Wiper	SW, SWE
Filters & PCV Valves	
Air	FA
Breather	FA
Canister	FA
Coolant	FW
Fuel (Diesel)	FD
Fuel (Gas)	FG
Gasket	FM
Hydraulic	FH
Oil	FL
PCV Valve	EV
Pollen	FP
Transmission	FT

Arranged by Catalog

PART NAME	PREFIX
Fuel & Emission Systems	
Air By-Pass Valve	CX
Air Charge Temperature Sensor	DY
Air Check Valve	CX
Air Cleaner Temperature Sensor	CX
Air Cleaner Temperature Sensor Override Valve	CX
Air Cleaner Vacuum Motor	CX
Air Control Valve	CX
Air Pump	CX
Anti-Backfire Valve	CX
Barometric & Manifold Absolute Pressure Sensor	DY
Brass Floats	CM
Breather	FA
Canister	FA
Carburetor Float Bowl Vent Solenoid Valve	CX
Carburetor Fuel Bowl Vent Valve	CM
Carburetor Solenoid Vacuum Valve	CX
Carburetors	CA
CFI Assemblies	CA
Choke Pull-Off	CK
Choke Thermostat	CM
Control Vacuum Switch	DY
Coolant Temperature Sensor	DY, SWE
Dashpots	CD, CM
Diaphragms & Pistons	CE, CM
Distributor Modulator Ambient	SW
Distributor Modulator Valve	DY
Distributor Modulator Valve Switch	SW
Distributor Retard Control Valve	DY
Distributor Vacuum & Vent Control Valve	DY
Distributor Vacuum Control Check Valve	DY
EGR Valve	CX
EGR Valve Gasket	CG
EGR Valve Sensor	CX
Emission	CX, CXE
Emission Vacuum Control Regulator	CX
Engine Air/Fuel Ratio Control Assy.	DY
Engine Coolant Temperature Sensor	DY
Feedback Actuator Motor	CM
Feedback Control Solenoid	CM
Fuel Injectors	CM
Fuel Pressure Regulator Diaphragms & Repair Kit	CM
Fuel Pressure Regulators	CM
Fuel Tank Sensor	PS, PSE
Fuel Vapor Storage Canister	CX
Fuel Vapor Storage Canister Purge Regulator Valve	CX
Fuel Vapor Storage Canister Valve	CX
Gaskets	CG
Gaskets & O-Rings	CG, CM
Heated Oxygen Sensor	DY
Idle Speed Control Actuator	CS
Idle Tracking Switch	CS
Ignition Barometric Pressure Switch	DY
Ignition Timing Vacuum Switch	DY, SW

PART NAME	PREFIX
Fuel & Emission Systems (Cont'd.)	
Intake Air Temperature Sensor	DY
Jets – Carburetor	CJ
Manifold Absolute Pressure Sensor	DY
Needles & Seats	CV
Oxygen Sensor	DY
PCV Valve	EV
Ported Vacuum Switches	CX, DY
Secondary Air Injection Bypass Valve	CX
Secondary Air Injection Control Valve	CX
Secondary Air Injection Pump	CX
Secondary Air Injection Supply Valve	CX
Solenoid/Actuator Assembly	CS
Spacer (Carburetor-to-Intake Manifold)	CM, CME
Throttle Control Actuator	CS
Throttle Emission Control Solenoid	CS
Throttle Position Assy.	CM
Throttle Position Sensor	CX
Tune-Up & Fuel Charging Kits	CT
Tune-Up Kit – Carburetor	CT
Vacuum Control Valve	DY
Vacuum Throttle Solenoid	CD
Popular Parts	
Adapter Base – Distributor	DJ
Air Filter	FA
Armature – Distributor	DT
Batteries	BH, BHA, BHB, BHC, BXL, BXT, BUC, BXE
Battery Cable Supplies	WC, WT
Battery Cables	WC
Cap – Distributor	DH, DHC, DHE, DHG, DHX
Coil	DG, DGE
Condenser	DC, DCC, DCE, DCG
Fuel Cap	FC
Fuel (Diesel) Filter	FD
Fuel (Gas) Filter	FG
Lift Supports	AL
Miscellaneous Wire Supplies	WA
Module – Distributor	DY, DYG
Oil Filter	FL
Oil Breather	EC
PCV Valves	EV
Pick Up – Distributor	DUC
Point Set	DP, DPC, DPG, DPX
Primary Wire	WB
Pumps	WG, WGE
Radiator Cap	RL, RS
Regulator – Generator	GR, GRC, GRE
Rotor	DR, DRC, DRE, DRG, DRX
Spark Plugs	A, AE, AES, AF, AG, AGS, AGSF, AGSP, AL, AS, ASF, AV, AWSF, AWSFA, AYSF, AZFS, B, BF, BSF, BT, BTF, BTS, BYSF, F, HG, PZT, TT, ZD (Glow Plug)
Spark Plug Wire Sets	WR, WRE

CATALOG LOCATION OF PART NAME AND PREFIX

Arranged by Catalog

PART NAME	PREFIX
Popular Parts (Cont'd.)	
Starter Solenoid Switch	SW, SWC, SWE, SWX
Stator	DU, DUC, DUE
Terminal & Wiring Accessories	SWX, WT
Thermostats	RT
Windshield Wiper Products	WW
Remanufactured Engines and Transmissions	
Diesel/Gas Engine Crankshaft Kits	CRK
Diesel/Gas Engine Cylinder Heads	CH
Diesel Engine Connecting Rod	CR, PR
Diesel Engine Fuel Injector	FI
Diesel Engine High Pressure Oil Pump Injector	OP
Diesel Engine Longblock	CALGB, SLGB
Diesel Engine Oil Cooler Assy.	OC
Diesel Engine Turbo Charger	TC
Diesel Engine Turbo Pedestal	PTC
Diesel Engine Water Pump	WP
Gas Engine Longblock	LGB
Gas Engine Shortblock	SHB
Transmission Assembly	TRM
Transmission Repair Kit	MTK, MTKV
Spark Plugs	
Spark Plugs	A, AE, AES, AF, AG, AGS, AGSF, AGSP, AL, AS, ASF, AV, AWSF, AWSFA, AYSF, AZFS, B, BF, BSF, BTF, BTS, BYSF, F, HG, PZT, TT, ZD (Glow Plug)

PART NAME	PREFIX
Steering, Suspension & Drive Line	
CV Drive Axles	CVH
Extra Heavy Duty Shock Absorbers	AX
FWD Boots	TS, TX
Koni Shock Absorbers	AK
Lift Supports	AL
McPherson Struts	AM
Mounting Hardware	AD
Remanufactured Power Steering Pumps	STP
Remanufactured Steering Gears	STG
Shocks & Struts	AS, AW, AT, ASH, AST
Spring Assist	AA, AB
Starter Repair Kit	SK
Starter Solenoid Switch	SW, SWC, SWE, SWX
Variable Shock Absorbers	AVS
Windshield Wiper Products	
Windshield Wiper Products	WW
Wiper & Window Lift Motors	
Remanufactured Window Lift	WLM
Remanufactured Wiper	WMV

CATALOG LOCATION OF PART NAME AND PREFIX

Arranged by Prefix

PART PREFIX	PART TYPE	CATALOG REFERENCE NUMBER
A, AE, AES, AF, AG, AGS, AGSF, AGSP, AL, AS, ASF, AV, AWSF, AWSFA, AYSF, AZFS	Spark Plugs	APF 200 M 200
AA, AB	Spring Assist	SSD 200
AD	Mounting Hardware	SSD 200
AK	Koni Shock Absorbers	SSD 200
AL	Lift Supports	APF 200 SSD 200
AM	McPherson Struts	SSD 200
AS, AW, AT, ASH, AST	Shocks & Struts	SSD 200
AVS	Variable Shock Absorbers	SSD 200
AX	Extra Heavy Duty Shock Absorbers	SSD 200
B, BF, BSF, BTF, BTS, BYSF, F	Spark Plugs	APF 200 M 200
BH, BHA, BHB, BHC, BXL, BXT, BUC	Batteries	BD 200 APF 200
BR	Brake Pads Brake Shoes	PV 200 PV 200
BRAK	Brake Self Adjuster Kit	PV 200
BRC	Brake Caliper - Unloaded	PV 200
BRCK	Brake Caliper Attaching Kit	PV 200
BRCL	Brake Caliper - Loaded	PV 200
BRD	Brake Drums	PV 200
BRPK	Brake Pad Attaching Kit	PV 200
BRR	Brake Rotors	PV 200
BRS	Brake Wheel Seal	PV 200
BRSK	Brake Spring Kit	PV 200
BRWC	Brake Wheel Cylinder	PV 200
CA	Carburetors CFI Assemblies	FES 200 FES 200
CALGB, SLGB	Diesel Engine Longblock	PTM 200
CD	Dashpot Vacuum Throttle Solenoid	FES 200 FES 200
CD, CM	Dashpots	FES 200
CE	Diaphragms & Pistons	FES 200
CG	EGR Valve Gasket	FES 200
CG	Gaskets	FES 200
CG, CM	Gaskets & O-Rings	FES 200
CH	Diesel/Gas Engine Cylinder Heads	PTM 200
CJ	Carburetor Jets	FES 200
CK	Choke Pull-Off	FES 200
CM	Brass Floats	FES 200
	Carburetor Fuel Bowl Vent Valve	FES 200
	Choke Thermostat	FES 200
	Diaphragms & Pistons	FES 200
	Feedback Actuator Motor	FES 200
	Feedback Control Solenoid	FES 200
	Fuel Injectors	FES 200
	Fuel Pressure Regulator Diaphragms & Repair Kit	FES 200
	Fuel Pressure Regulators	FES 200
	Throttle Position Assy.	FES 200
CM, CME	Spacer (Carburetor-to-Intake Manifold)	FES 200
CR	Diesel Engine Connecting Rod	PTM 200
CRK	Diesel/Gas Engine Crankshaft Kits	PTM 200
CS	Idle Speed Control Actuator	FES 200
	Idle Tracking Switch	FES 200
	Solenoid/Actuator Assembly	FES 200
	Throttle Control Actuator	FES 200
	Throttle Emission Control Solenoid	FES 200
CT	Tune-Up & Fuel Charging Kits	FES 200
CV	Needles & Seats	FES 200
CVH	CV Drive Axles	SSD 200
CX	Air By-Pass Valve	FES 200
	Air Check Valve	FES 200
	Air Cleaner Temperature Sensor	FES 200
	Air Cleaner Temperature Sensor Override Valve	FES 200
	Air Cleaner Vacuum Motor	FES 200
	Air Control Valve	FES 200
	Air Pump	FES 200
	Anti-Backfire Valve	FES 200
	Carburetor Float Bowl Vent Solenoid Valve	FES 200
	Carburetor Solenoid Vacuum Valve	FES 200
	EGR Valve	FES 200
	EGR Valve Sensor	FES 200
	Emission Vacuum Control Regulator	FES 200
	Fuel Vapor Storage Canister	FES 200
	Fuel Vapor Storage Canister Purge Regulator Valve	FES 200
	Fuel Vapor Storage Canister Valve	FES 200
	Secondary Air Injection Bypass Valve	FES 200
	Secondary Air Injection Control Valve	FES 200
	Secondary Air Injection Pump	FES 200
	Secondary Air Injection Supply Valve	FES 200
	Throttle Position Sensor	FES 200

CATALOG NAME AND REFERENCE NUMBER

AC 200	Air Conditioner Parts	FI 200	Filters and PCV Valves	SP 251	Electrical Switch
APF 200	Popular Parts	GSR 200	Belts and Hoses	SP 500	Alternator, Starter, Major Components
BD 200	Batteries	M 200	Spark Plugs	SSD 200	Steering, Suspension and Drive Line
CW 200	Caps, Thermostats and Water Pumps	PTM 200	Remanufactured Engines and Transmissions	WL 200	Wiper and Window Lift Motors
EWC 200	Electrical Parts, Wire and Cable	PV 200	Brake Systems	WW 200	Windshield Wiper Products
FES 200	Fuel and Emission Systems				

CATALOG LOCATION OF PART NAME AND PREFIX

Arranged by Prefix

PART PREFIX	PART TYPE	CATALOG REFERENCE NUMBER
CX, CXE	Emission	FES 200
CX, DY	Ported Vacuum Switches	FES 200
DA, DAE	Distributor	EWC 200
DB	Breaker Plates	EWC 200
DC, DCC, DCG	Condenser	EWC 200 APF 200
DCG	RFI Capacitor	EWC 200
DD, DDE	Vacuum Control	EWC 200
DF	Cam & Stop Plates	EWC 200
DG, DGE	Coil	EWC 200 APF 200
DH, DHC, DHE, DHG, DHX	Distributor Cap	EWC 200 APF 200
DHG, DHX	Head Cover	EWC 200
DJ	Adapter Base – Distributor	EWC 200 APF 200
DP, DPC, DPG, DPX	Point Set	EWC 200 APF 200
DR, DRC, DRE, DRG, DRX	Rotor	EWC 200 APF 200
DT	Armature – Distributor	EWC 200 APF 200
DU, DUC, DUE	Stator	EWC 200 APF 200
DUC	Pick Up – Distributor	EWC 200 APF 200
DX	Governor	EWC 200
DY	Air Charge Temperature Sensor	FES 200
	Barometric & Manifold Absolute Pressure Sensor	FES 200
	Barometric Absolute Pressure Sensor	FES 200
	Coil Bracket	EWC 200
	Control Vacuum Switch	FES 200
	Distributor Modulator Valve	FES 200
	Distributor Retard Control Valve	SP 251 FES 200
	Distributor Vacuum & Vent Control Valve	FES 200
	Distributor Vacuum Control Check Valve	FES 200
	Engine Air/Fuel Ratio Control Assy.	FES 200
	Engine Coolant Temperature Sensor	FES 200
	Heated Oxygen Sensor	FES 200
	Ignition Barometric Pressure Switch	FES 200

PART PREFIX	PART TYPE	CATALOG REFERENCE NUMBER
DY	Intake Air Temperature Sensor	FES 200
	Manifold Absolute Pressure Sensor	FES 200
	Oxygen Sensor	FES 200
	Vacuum Control Valve	FES 200
DY, DYE	Resistor	EWC 200 SP 251
DY, DYG	Module – Distributor	EWC 200 APF 200
DY, SW	Ignition Timing Vacuum Switch	FES 200
DY, SWE	Coolant Temperature Sensor	FES 200
DZ	Adapter Plate	EWC 200
EC	Oil Breather	APF 200 CW 200
EV	PCV Valve	FI 200 FES 200 APF 200
FA	Air Filter	FI 200 APF 200
	Breather	FI 200 FES 200
	Canister	FI 200 FES 200
FC	Fuel Cap	APF 200 CW 200
FD	Fuel (Diesel) Filter	FI 200 APF 200
FG	Fuel (Gas) Filter	FI 200 APF 200
FH	Hydraulic Filter	FI 200
FI	Diesel Engine Fuel Injector	PTM 200
FL	Oil Filter	FI 200 APF 200
FM	Gasket	CW 200 FI 200
FP	Pollen Filter	FI 200
FT	Transmission Filter	GSR 200 FI 200
FW	Coolant	FI 200
GB, GBE	Brush Sets	EWC 200
GC, GCE	Stator (Field Coils)	EWC 200
GD, GDE	D.E. Head – Distributor	EWC 200

CATALOG NAME AND REFERENCE NUMBER

AC 200	Air Conditioner Parts	FI 200	Filters and PCV Valves	SP 251	Electrical Switch
APF 200	Popular Parts	GSR 200	Belts and Hoses	SP 500	Alternator, Starter, Major Components
BD 200	Batteries	M 200	Spark Plugs	SSD 200	Steering, Suspension and Drive Line
CW 200	Caps, Thermostats and Water Pumps	PTM 200	Remanufactured Engines and Transmissions	WL 200	Wiper and Window Lift Motors
EWC 200	Electrical Parts, Wire and Cable	PV 200	Brake Systems	WW 200	Windshield Wiper Products
FES 200	Fuel and Emission Systems				

CATALOG LOCATION OF PART NAME AND PREFIX

Arranged by Prefix

PART PREFIX	PART TYPE	CATALOG REFERENCE NUMBER
GE	Bearing D.E. Head – Distributor	SP 200 EWC 200
GE, GEE	Bearing C.E. Head – Generator	SP 200 EWC 200
GH, GHE	Rear Housing	EWC 200
GL, GLE	Alternator	EWC 200
GM	Rotor	SP 200
GM, GME	Armature – Generator	SP 200 EWC 200
GP, GPE	Pulleys & Fans	AC 200
GR, GRC, GRE	Regulator – Generator	AC 200 SP 251 APF 200
GR, GRE, GRC	Regulator Instrument Cluster	SP 251
GY	Diode Assembly	EWC 200
GY	Rectifier Assembly	SP 200 EWC 200
GYE	Cover	EWC 200
HB, HBE	Relay Horn	SP 251
HG, TT, ZD (Glow Plug)	Spark Plugs	APF 200 M 200
JA, JB, JC, JE, JF, JH, JK3, JK4, JK5, JK6, JK7, JK8, JK14, JR, JU	Belts	GSR 200 GSR 200
KB, KBC	Flex hose	GSR 200
KCV	Crankcase Vent Hose	GSR 200
KDV	Vacuum Hose	GSR 200
KFL	Fuel Hose	GSR 200
KH	Bulk Heater Hose	GSR 200
KHM	Molded Heater	GSR 200
KK, KW, KX	Special Purpose Hose	GSR 200
KM, KMS, KS, KSS	Molded Hose	GSR 200
KY	Heather Hose Connector	GSR 200
LGB	Gas Engine Longblock	PTM 200
LS	Pigtail Sockets	SP 251
MC	Bearing D.E – Starter	SP 200 EWC 200
MC, MCE	Bearing C.E. – Starter	EWC 200
MM, MME	Blower Motor	AC 200 EWC 200
MM	Rear Window Defogger Motor Seat Regulator Motor Sliding Roof Panel Motor Window Lift Motor Window Regulator Motor	EWC 200 EWC 200 EWC 200 EWC 200 EWC 200
MTK, MTKV	Transmission Repair Kit	PTM 200
OC	Diesel Engine Oil Cooler Asy.	PTM 200
OP	Diesel Engine High Pressure Oil Pump Injector	PTM 200
PR	Diesel Engine Connecting Rod	PTM 200
PS, PSE	Fuel Tank Sensor	FES 200
PTC	Diesel Engine Turbo Pedestal	PTM 200
PW	Water Pump	CW 200
PZT	Spark Plug	APF 200 M 200
RA	Cooling Protector Powder	GSR 200 CW 200
RF	Motor & Fan Assy. - Engine Cooling	EWC 200
RG	Gaskets (Water Outlet)	CW 200
RH	Connector - Water Outlet Cooling	AC 200
RL, RS	Radiator Cap	APF 200 CW 200
RR	Relay Assembly – Engine Cooling Fan	AC 200
RT	Thermostat	APF 200 CW 200
SA, SAE, SZ, SZE	Starter	EWC 200 SP 200
SB, SBE	Brush	SP 200 EWC 200
SC, SCE	Field Coil	SP 200
SD, SDE	Drive – Starter	SP 200 EWC 200
SE, SEE	Housing D.E	SP 200
SF, SFE	Flasher	SP 251
SH, SHE	Bearing C.E. Head – Generator	SP 200 EWC 200
SHB	Gas Engine Shortblock	PTM 200
SK	Starter Repair Kit	EWC 200 SP 251 SSD 200
SME, SM	Armature – Starter	SP 200 EWC 200

CATALOG NAME AND REFERENCE NUMBER

AC 200	Air Conditioner Parts	FI 200	Filters and PCV Valves	SP 251	Electrical Switch
APF 200	Popular Parts	GSR 200	Belts and Hoses	SP 500	Alternator, Starter, Major Components
BD 200	Batteries	M 200	Spark Plugs	SSD 200	Steering, Suspension and Drive Line
CW 200	Caps, Thermostats and Water Pumps	PTM 200	Remanufactured Engines and Transmissions	WL 200	Wiper and Window Lift Motors
EWC 200	Electrical Parts, Wire and Cable	PV 200	Brake Systems	WW 200	Windshield Wiper Products
FES 200	Fuel and Emission Systems				

CATALOG LOCATION OF PART NAME AND PREFIX

Arranged by Prefix

PART PREFIX	PART TYPE	CATALOG REFERENCE NUMBER
STG	Remanufactured Steering Gears	SSD 200
STP	Remanufactured Power Steering Pumps	SSD 200
SW	Clamp-On Bracket Switch	SP 251
	Distributor Modulator Ambient Switch	SP 251
		FES 200
	Distributor Modulator Valve	SP 251
		FES 200
	Distributor Modulator Valve Switch	SP 251
		FES 200
	Door Open Warning Switch	SP 251
	Spark Control Switch	SP 251
SW, SWC, SWE, SWX	Air, Oil Pressure Switch	SP 251
	Back Up Light Switch	SP 251
	Circuit Breaker Switch	SP 251
	Dimmer Switch	SP 251
	Door Jamb Switch	SP 251
	Fuse Holder Switch	SP 251
	Headlamp Switch	SP 251
	Heater Switch	SP 251
	Horn Button Switch	SP 251
	Ignition Lock Cylinder Switch	SP 251
	Neutral Safety Switch	SP 251
	Push Pull Switch	SP 251
	Starter Solenoid Switch	EWC 200
		SP 251
		APF 200
		SSD 200
	Starter Button Switch	SP 251
	Starter Relay Switch	SP 251
	Stoplight Switch	SP 251
	Solenoid Switch	EWC 200
		SP 251
	Temperature Sending Switch	SP 251
	Toggle Switch	SP 251
	Truck Lock Switch	SP 251
	Turn Indicator Switch	SP 251
	Windshield Washer Switch	SP 251
	Windshield Wiper Switch	EWC 200
		SP 251
SWX, WT	Terminal & Wiring Accessories	EWC 200
	Terminal & Wiring Accessories	APF 200
SXX	Connector	SP 251
TC	Diesel Engine Turbo Charger	PTM 200
TM	Modulators	EWC 200
TRM	Transmission Assembly	PTM 200

PART PREFIX	PART TYPE	CATALOG REFERENCE NUMBER
TS, TX	FWD Boots	SSD 200
WA	Miscellaneous Wire Supplies	EWC 200
		APF 200
WB	Primary Wire	EWC 200
		APF 200
WC	Battery Cables	EWC 200
		APF 200
WC, WT	Battery Cable Supplies	EWC 200
		APF 200
WG, WGE	Pumps	EWC 200
		APF 200
WLM	Remanufactured Window Lift Motor	WL 200
WM, WME	Wiper Motor	EWC 200
WMV	Remanufactured Wiper Motor	WL 200
WP	Diesel Engine Water Pump	PTM 200
WPT	Pigtail Kits	EWC 200
WR, WRE	Spark Plug Wire Sets	EWC 200
		APF 200
WW	Windshield Wiper Products	APF 200
		WW 200
YA	Fans & Spacers	AC 200
YB	Clutch Assembly - Cooling Fan	AC 200
	Clutches	AC 200
YBR	Remanufactured Clutch Kits	AC 200
YC	Compressors - New	AC 200
YCC	Remanufactured Compressor & Clutch Asy.	AC 200
YCR	Remanufactured Compressors	AC 200
YE	Gaskets	AC 200
	Seals	AC 200
YF	Fittings	AC 200
	Hose	AC 200
YG, YH	Valves, Fixed Orifice	AC 200
YJ	Condensers	AC 200
YK	Evaporators	AC 200
YL	Receiver Driers	AC 200
YN	Chemicals	AC 200
YO	Transmission Oil Coolers	AC 200
YP	Bearings	AC 200
YS	Idler Pulleys, Caps & Brackets	AC 200
	Pulleys	AC 200
YZ	Tape	AC 200

CATALOG NAME AND REFERENCE NUMBER

AC 200	Air Conditioner Parts	FI 200	Filters and PCV Valves	SP 251	Electrical Switch
APF 200	Popular Parts	GSR 200	Belts and Hoses	SP 500	Alternator, Starter, Major Components
BD 200	Batteries	M 200	Spark Plugs	SSD 200	Steering, Suspension and Drive Line
CW 200	Caps, Thermostats and Water Pumps	PTM 200	Remanufactured Engines and Transmissions	WL 200	Wiper and Window Lift Motors
EWC 200	Electrical Parts, Wire and Cable	PV 200	Brake Systems	WW 200	Windshield Wiper Products
FES 200	Fuel and Emission Systems				

Cataloging & Product Line Inquiry/Comment Form

If you would like to state any concerns or make recommendations about the following:

- Product application omissions
- Cataloging part number recommendations
- Application recommendations

Please fill out the attached Cataloging & Product Line Inquiry/Comment Form.

Send completed form to:

Motorcraft® Publications
Mail Drop MD-31, Room 1119D
29500 Plymouth Road
Livonia, MI 48150

Your comments can also be sent directly to Motorcraft® Publications via FAX No. (734) 523-6159.

CATALOGING & PRODUCT LINE INQUIRY/COMMENT FORM
PLEASE DO NOT USE THIS CARD TO ORDER ADDITIONAL CATALOGS

Part or Catalog Description & Number: _____

Inquiry/Comment: _____

_____

_____

Submitted by: NAME: _____

ADDRESS: _____

PHONE NUMBER: _____ ☐ Information Only ☐ Response Requested

Thank you for your interest in Motorcraft® products and your time in submitting this form.