

NATIONAL

Furniture with Personality®

Casegoods



Arrowood™ Laminate

Arrowood™ Veneer

Barrington®

Captivate®

Casbah®

Clever®

EnvyWorks®

Escalade®

Flourish®

Franklin™

Hiland™

Roosevelt™

Exhibit™ Wall Rail Solution

Chameleon™ Dividers

Accessories/Work Tools

Bookcases/Files

1

Price List

Effective October 17, 2011

Limited Lifetime Warranty

National warrants that each piece of furniture will be free from defects in workmanship given normal use and care for as long as you, the original customer, owns and uses the product.

Normal use is defined as the equivalent of a single shift, 40 hour work week. In the event that a product is used more than normal use, the applicable warranty period will be reduced to 12 years and items that fall under different warranty limitations, as listed below, will be reduced to one-third (ex: Wood chair frames will be 4 years instead of 12 years). National, at its option, will repair or replace with comparable product any product, part or component shipped after September 1, 2000, if the claim is eligible under the conditions of this warranty.

Limitations

Twelve Years	Wood Chair Frames
Ten Years	Seating Controls, Wood Veneers and Laminates
Five Years	High wear parts such as: Electrical Components, Polymer Based Components, Pneumatic Cylinders, Swivel Arm Pads, Casters, Chair Glides, Textiles, Foam, Covering Materials and Decorative Trim

Exclusions

This warranty does not apply to:

- Damage caused by a carrier
- Normal wear and tear which is to be expected during the period of ownership
- Appearance, durability, quality, behavior, colorfastness or any other attribute of COM (Customer's Own Materials) or any other non-standard National material (including Arc-Com, CF Stinson, Maharam, Momentum, and Ultrafabrics) specified by the customer after application to a National product
- Color, grain or texture of wood, laminate and other covering materials
- Non-compliance with installation and maintenance instructions
- Damages or failures resulting from modifications, alterations, misuse, abuse or negligence of our products

Gotcha™ 24 Hour Use Seating

Warranty on Gotcha 24 Hour Use models is 5 years from date of purchase for seating controls and pneumatic cylinders and 2 years from date of purchase for casters, textiles and foam.

Engineer-to-Order Products

National warrants all Engineer-to-Order products to be free from defects in workmanship given normal use and care for 3 years of single shift service.

Finish Warranty

Minor variations in finish color may occur due to the unique texture and grain of wood.

Follow these procedures to process warranty issues:

1. Contact National Customer Service (800.482.1717) and provide them with the serial number from the product in question and the purchase order number or acknowledgement number and a detailed description of the warranty issue. **Serial numbers are mandatory before the claim can be processed.**
2. Customer Service will determine and pre-approve all resolutions to the claim such as replacement units, service parts, labor and repair charges. Upon approval, resolutions will be assigned an authorization number.
3. The authorization number must be included on all invoices for reimbursement. Any unauthorized charges will not be the responsibility of National.

As the manufacturer of your furniture, we stand behind our craftsmanship and pledge to do everything we can to resolve any problems you may have within the terms of this warranty as quickly as possible.

There are no other warranties except as expressly set forth here, either expressed or implied including any warranty of merchantability or fitness for any particular purpose. We exclude and will not pay consequential or incidental damages under this warranty.

National Office Furniture
1205 Kimball Boulevard
Jasper, Indiana 47549
800.482.1717
Fax 812.482.8800
www.NationalOfficeFurniture.com

GENERAL INFORMATION

Contact Information	2
Order Procedures	2
Order Confirmation	2
Changes and Cancellations	2
Terms and Pricing	2
Product Design	2
Shipping/Freight	2
Delivery	2
Claim Process	3
Quick Delivery Program	3
Sustainability Information	4
Asset Tag Locations	6
Life Cycle Management Program	7
The Essentials Collection	7
Finishes and Materials	7
BIFMA and ANSI Testing	8
National Seating Upholstery	11

CASEGOODS

Arrowood™ Laminate	15
Arrowood™ Veneer	29
Barrington®	47
Captivate®	71
Casbah®	99
Clever®	143
EnvyWorks®	159
Escalade®	173
Flourish®	195
Franklin™	207
Hiland™	217
Roosevelt™	231

WALL RAIL SOLUTION

Exhibit™	245
--------------------	-----

DIVIDERS

Chameleon™	267
----------------------	-----

ACCESSORIES

Personal Pax™	287
General Accessories	291

MYRIAD™ OCCASIONAL TABLES 311

BOOKCASES 319

FILES 337

INDEX 349

- DIMENSIONS REFLECTED IN THIS BOOK ARE NOMINAL
- NATIONAL RESERVES THE RIGHT TO CHANGE ANY PRODUCT SPECIFICATIONS CONTAINED IN THIS PRICE LIST

General Information

Contact Information

National Office Furniture
1205 Kimball Boulevard
Jasper, Indiana 47549

To order literature, check order status, and check lead times on-line, please visit us at www.NationalOfficeFurniture.com.

Telephone: 800.482.1717
Fax: 812.482.8800
E-mail customer service: Service@NationalOfficeFurniture.com

Ordering Procedures

For prompt delivery, all orders **MUST** include:

1. Purchase Order Number (on each page of order)
2. Billing Address
3. "Ship To" Information
4. Special Shipping Instructions (requested ship or delivery dates, ship complete or split shipments, and tags if applicable)
5. Complete Model Numbers
6. Net Price

National does not accept orders verbally. Fax or e-mail orders directly to:

Fax: 812.482.8800
E-mail: Orders@NationalOfficeFurniture.com

(This e-mail requires an attached PDF order. General correspondence should go through Service@NationalOfficeFurniture.com.)

Order Confirmation

All complete orders will be acknowledged with ship dates **upon entry of a clean, credit approved order** into our system. This acknowledgement is the final agreement between National and the customer superseding all previous communications regarding the order.

NOTE: Please examine this acknowledgement carefully and advise National immediately of any discrepancies.

Changes and Cancellations

We regret that changes and cancellations are not possible once your order is entered into our system. In order to support our lead time commitments, orders are scheduled into our production cycle immediately upon order entry.

This includes changes/cancellations to:

- Quick Delivery Casegoods
- Made-to-Order Casegoods
- Engineered-to-Order (ETO) Casegoods

Please contact customer service for assistance.

Terms and Pricing

Prices are list prices for shipment within the continental United States; for Canadian pricing, please reference www.NationalOfficeFurniture.com

Price subject to change without prior notice.

Merchandise will be billed at prices prevailing at time of placing order.

Distribution of this price list does not itself constitute an offer to sell.

Orders can be received only from authorized National Dealers.

Product Design

National reserves the right to make changes in design, specifications, and construction and to discontinue products without prior notice. Dimensions referenced in this book are nominal.

Shipping/Freight

All shipments are F.O.B. point of shipment, freight prepaid and allowed to one continental U.S. or one Canadian destination. International shipments and shipments into the states of Alaska and Hawaii are freight prepaid and allowed to port of exit.

Additional energy surcharges may apply.

National reserves the right to select the most appropriate F.O.B. point, carrier, and routing on all shipments.

Delivery Hours

Pricing is based on standard delivery between 7am and 5pm Monday through Thursday and 7am and 1pm on Friday.

Special Delivery Services

Any charges incurred from failure to receive a shipment, rerouting while in transit, or carrier storage charges are not included in prices shown and will be billed to the "sold to" account number on the order. Detention charges may be incurred for untimely off-loading of product.

Any order requiring **Special Delivery Services will incur additional charges.**

All such requirements must be noted on the purchase order. These are services that are not included in the price of the product or require the usage of specialized carriers. Examples of such Special Delivery services include:

- **Inside Delivery**
Minimum \$50 charge
- **Non-Standard Delivery Time (before 7:00am or after 5:00pm)**
Contact customer service for charges and availability
- **Non-Dock Delivery**
Minimum \$50 charge
- **JIT Delivery (specific day and/or time)**
Orders under \$10,000 list will incur a minimum \$125 charge
- **Weekend Delivery (Friday after 5:00pm until 7:00am Monday morning)**
Minimum \$500 charge per delivery
- **Residential Delivery**
Customer service may assist you in determining your special delivery requirement and any additional charges that may apply

Contact customer service if you are not sure if your order requires one or more of the above services. We will make every attempt to avoid the additional charges by giving options on what we can do within our standard delivery price.

Carrier Selection

National reserves the right to select the most appropriate mode of shipment. National relinquishes all responsibility for the goods shipped upon a clean receipt from the carrier. Customer bears the risk of loss or damage during shipment.

Packaging

National's standard method of shipping is to carton all items. Certain full truck load items may qualify for special consideration. Contact customer service for guidelines. International shipments can be crated at the customer's request. The expense of crating or specialized packaging will be the responsibility of the customer.

Loss, Damage, or Delay

National shall not be liable for loss, damage, detention, or delay resulting from causes beyond its reasonable control including but not limited to fire, strike, weather, wreck or delay in transportation. In the event of delay due to any such cause, the delivery date will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

Claim Process for Merchandise Damage/Shortage/Carrier Delay

All the products produced by National are carefully inspected and properly cartoned prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage or delivery has been delayed by the transportation carrier, **the following steps must be taken:**

1. Before signing for merchandise, **make notation** of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
2. **Contact National Customer Service within 15 calendar days of goods receipt to report issue.** We will advise whether a freight claim will need to be filed based on the mode of transportation. Claims must be filed by dealer on Redistribution/LTL carrier shipments. Claim will be disputed if product is moved from original consignee location.
3. If claim must be filed, carrier must be contacted **within 15 calendar days of goods receipt.** Retain all shipping cartons for inspection by the carrier agent.
4. **Copy of Carrier Disposition Letter must be sent to National** to receive additional credit on concealed damage issues via Redistribution/LTL carrier shipments.

For Concealed Damage, follow steps 2 through 4.

Claim Process for Warranty Issues

If a warranty issue is discovered, contact customer service immediately. To file the warranty claim, the following information is required:

- Serial number and warranty number are **mandatory** (see chart on page 6 for asset tag locations)
- Dealer purchase order number or National acknowledgement number
- Detailed description of issue

Customer service must **pre-approve** all resolutions such as replacement units, service parts, labor and repair charges. We reserve the right to resolve the issue in the most cost effective manner. All approved resolutions will be assigned an authorization number which must be included on all replacement orders or invoices for reimbursement. Any unauthorized charge will not be the responsibility of National.

Please see the inside Front cover for a full description of our Lifetime Product Warranty.

Finish Warranty

Minor variations in finish color may occur due to the unique texture and grain of wood.

Finishes, when exposed to ultraviolet rays, may change color. Also, some desktop accessories with plastic or rubber feet can penetrate or burn the finish. These issues are not warranty defects and will not be the responsibility of National.

Return Merchandise

We discourage product returns due to the likelihood of damage during the return transportation. In the event a product return is necessary, we will make every attempt to help keep the product in the field. Please contact customer service for assistance.

If attempts to keep the product in the field are unsuccessful, National will allow **returns on stocking items only** with the following stipulations:

50% Restocking fee

Freight Charge prepaid by dealer

Product NEVER removed from original carton

Product must be returned within 30 days of RGA issue date

Credit will not be issued if product returned is damaged

Please note most models in the Quick Delivery Program are produced on demand and cannot be returned.

Freight damage, signs of usage or removal from original carton, or missing parts will result in no credit being issued. All returns require written authorization; any unauthorized return will not receive credit.

National will not be responsible for resolving damage claims on returned product.

Quick Delivery Program

Our most popular series and options are available to you on our "To You in 10 Days or Less" Quick Delivery program.



Need 10 offices in 10 business days or less? No problem, with our Quick Delivery program, we've got you covered. Need more than 10? Just give us a call, and we'll work with you to get what you need, when you need it. Once in a while, demand exceeds capacity. Then, orders are subject to availability.

Specific models from the following series are available on Quick Delivery:

Arrowood Laminate	Flourish
Arrowood Veneer	Roosevelt
Barrington	Universal Bookcases
Clever	Universal Files
Escalade	

Quick Delivery Model Numbers

Quick Delivery models are available in select National finishes and have pre-determined options. The Quick Delivery finishes are shaded in grey at the top of each page and the model numbers are tagged with a "Q" and/or shaded in grey throughout the price list.

On the Product Specifications and Options page at the beginning of every series, there is a grey shaded box to show you what options are included with the Quick Delivery model numbers.

Quick Delivery Ordering

Orders may not be changed or cancelled. Include only Quick Delivery models on your order. Create a separate order for any products that are not included in the Quick Delivery program. Remember that 10 business days does not include weekends or holidays. The day your order is placed with National counts as day zero.

Large Quantity Ordering

Large quantities of models on an order, or large dollar volume orders, may receive lead times greater than those posted on www.NationalOfficeFurniture.com. Please work with your project management team to confirm availability on your specific project.

EZ Arrangement Model Numbers

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done. If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models.

Sustainability Information

Our Statement on Sustainability

We aim to create lasting stakeholder value through responsible growth and deep commitment to the well-being of future generations. We cherish the Earth's natural resources and hold sustainability and environmental protection as our key priorities.

As our company fulfills its responsibilities to our customers, shareholders, employees and the public, six commitments provide a framework for focusing our energies toward the greatest good:

- Product Stewardship
- Environmental Preservation
- Green Building Development
- Regulatory Compliance
- Social Accountability
- Economic Responsibility

Our Products Reflect Stewardship

National is committed to providing quality products that will improve indoor air quality for the health of building occupants and visitors. We have achieved certification on a variety of products to the Indoor Advantage label from Scientific Certification Systems (SCS) by meeting the BIFMA Furniture Emissions Standard (FES) for office furniture.

Many other National products earn the more stringent Indoor Advantage Gold mark from SCS for meeting the FES requirements and also the California 01350 Special Environmental Requirements and Collaborative for High Performance Schools (CHPS).

In addition, all National manufactured products carry the level® 2 or 3 label for meeting the far-reaching ANSI/BIFMA e3 Sustainability Standard. This standard addresses the areas of material and energy use, greenhouse gas impacts, human and eco-system health considerations, and social responsibility. Modeled after the LEED® building rating system, furniture products are evaluated against a variety of credit criteria (after first meeting certain prerequisites), accumulating points toward increasing levels of recognition associated with reduced environmental impact.

Purchasing products certified to level® gives you the assurance that the product was produced in an environmentally and socially responsible manner.

National products that meet the above specifications are identified with corresponding logos throughout this price list.



In further support of our commitment to indoor air quality, National utilizes IntegraClear, an environmentally-friendly, ultra-violet finish. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards and is standard on all casegoods. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through.

National offers products that are not only economically viable, but are environmentally responsible and socially beneficial. An example of this is the option of Forest Stewardship Council (FSC) Certified wood (call for availability). Additionally, our casegoods include a recycled material content of at least 82 percent. A wide range of 100 percent recycled polyester choices are available for upholstered seating products while our casegoods packaging contains an average of 60 percent recycled content and our seating packaging contains an average of 50 percent recycled content. Our Corporate Recycling Center diverts 5 million pounds of waste material per year from landfills by recycling 65 different types of materials.



What's more, National manufacturing facilities are registered to the ISO 14001 standard. This management tool enables us to identify and control the environmental impact of our operations, continually improve our company's environmental performance and systematically set environmental objectives and demonstrate their achievement.

At National, we realize that the environmental impact of a product throughout its entire life is important. Thus, we have conducted a Life Cycle Assessment (LCA) that is compliant to ISO 14040/14044 on a number of our products. LCA is a method of addressing the environmental aspects throughout a product's life cycle from raw material acquisition through production, use, end-of-life treatment and disposal. An LCA can help us establish targets for lessening the product's environmental impact.



We further support environmental improvements by shipping via our sister company, Kimball International Transit (KIT). KIT has earned certification in the SmartWaySM Transportation Partnership by the EPA. The SmartWaySM Transport Partnership is an innovative collaboration between the EPA and freight industry to increase energy efficiency while significantly reducing greenhouse gases and air pollution.

Growing With Green Buildings

National facilities testify to our belief in sustainable building practices. As a member of the U.S. Green Building Council (USGBC), we prioritize building practices that support the LEED® (Leadership in Energy and Environmental Design) Green Building Rating System.

LEED® Registered Projects

Corporate Showroom, Jasper, IN – LEED Gold

Research and Development Rooms, Jasper, IN – LEED Certified

Showroom, Chicago, IL – LEED Silver

Showroom, Dallas, TX – LEED Gold

Showroom, New York, NY – LEED Certified

Showroom, Orange County, CA – LEED Certified



ecoScorecard™

By partnering with ecoScorecard, we provide 24/7 access to research and compare the sustainable attributes of our products, making the specification of green products easier. EcoScorecard also does the calculations necessary for rating systems such as LEED®, the Green Guide for Health Care™, and others. This web-based tool produces the product documentation necessary for inclusion in the submission process.

Casegoods	Indoor Advantage	Indoor Advantage Gold	level® 2	level® 3	FSC-Certified Option	LCA
Arrowood Laminate	✓			✓	✓	✓
Arrowood Veneer	✓			✓	✓	✓
Barrington	✓			✓	✓	✓
Captivate	✓			✓	✓	✓
Casbah	✓			✓	✓	✓
Clever	✓			✓	✓	✓
EnvyWorks	✓			✓	✓	✓
Escalade	✓			✓	✓	✓
Flourish	✓ November 2011			✓ November 2011	✓	✓
Franklin			✓		✓	
Hiland	✓			✓	✓	✓
Myriad Laminate		✓	✓		✓	
Myriad Veneer	✓		✓		✓	
Roosevelt	✓ November 2011			✓ November 2011	✓	✓
Wall Rail Solution						
Exhibit		✓	✓			
Dividers						
Chameleon Polycarbonate		✓	✓			
Chameleon Veneer			✓		✓	



ecoScorecard™

For comprehensive sustainability information that includes LEED® point contribution information, visit NationalOfficeFurniture.ecoScorecard.com.

General Information

Each National Unit has an asset tag. The matrix below indicates the location of these asset tags. The asset tag includes the model number as well as the serial number and warranty number. It is necessary to provide customer service with this information for warranty issues, replacement units, service parts, labor and repairs, etc.

ASSET TAG LOCATIONS	
Bookcases	Underside of the lowest shelf on the front edge
Bridges Corner Units Modular Worksurfaces Computer Support Furniture	Underneath the top surface
Component Modesty Panels	Top, center of the panel on the inside (kneespace area)
Conference and Occasional Tables	Underneath the top surface
Desks (Double and Single Pedestal) Returns Credenzas Lateral Files Modular Pedestals Mobile Pedestals	Underside of top drawer bottom, near the front edge; tag would be on the right pedestal unless a left pedestal, desk, return, etc
Dividers Toppers	Underneath the bottom frame
Highback Organizers	Back side of task light facade on the left-hand side
Horizontal Wire Manager	Underside of the bottom
Overhead Cabinets (wall mount or suspended)	Back side of task light facade on the left-hand side
P-Shaped U-Shaped Keyhole Shaped Desks	Underneath the top surface on the front edge (user's side)
Slat Zone Magna Zone	On the back
Tack Boards	Back of panel
Vertical Storage Cabinets with Drawers	Underside of top drawer bottom, near the front edge
Vertical Storage Cabinets with Shelves (no drawers)	Underside of the lowest shelf

Life Cycle Management Program

National offers a diverse collection of surface materials as well as a Life Cycle Management Program. This program includes our Essentials collection and Discontinuation Policy to help make informed planning decisions.

Essentials Collection ♦

Essentials is a collection that offers an established range of complementary materials that integrate through National product lines. These harmonious, classic surface materials have been proven over time and maximize choices for long term standardization. This cohesive, easy-to-specify collection consists of timeless designs and colors that vary from warm to cool tones.

Discontinuation Policy

National strives to give all business partners advanced notification of surface materials that are scheduled for deletion. Efforts will be made to support discontinued materials as specified in the deletion announcement. Extended lead times and minimum order requirements may apply. Pricing cannot be guaranteed.

Disclaimer

National will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. National reserves the right to cancel or make changes to standard products and surface materials.

Essentials Collection For Casegoods

Solid Laminates

420 Sandstone
440 Cloud
461 Graphite
462 Cinder
480 Antique White

Wood Finishes

HN Honey
AC Autumn
MC Amber
CW Cordovan
MH Mocha

Mobile Pedestals

Sedona (Grade 2)
22123 Sierra
22147 Mesa
22162 Indigo
22177 Canyon
22185 Nighthawk

Spectrum (Grade 2)
20020 Black
20022 Burgundy
20045 Chocolate
20062 Grey
20067 Navy

Twilight (Grade 2)
23103 Nightshadow
23107 Aristocrat
23111 Bronze
23116 Cinder
23117 Vapor

Tack Board Fabrics

Dune (Grade A)
8600 Drift
8602 Erosion
8606 Pebble
8610 Clear Sky
8615 Raven

Repetition (Grade A)
3700 Ash
3713 Stainless
3715 Almond
3721 Reed
3744 Tawny

Silvertex™ (Grade 4)
41306 Mocha
41310 Sapphire
41311 Champagne
41312 Celery
41313 Meteor

Essence/Ultraleather (Grade 6)
3640 Garnet
3667 Taupe
3679 Raven
3690 Papyrus
3692 Admiral

Finishes and Materials

Wood Finish Color Matching

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. National carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

Fabric Color Matching

National will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

Customer Specified Laminate (CSL) Program

Program Details

- National understands that some orders have specialized needs regarding laminate specifications
- In order to better service our customers, National has partnered with suppliers to offer a CSL laminate program for **worksurfaces only**
- A **10% upcharge** applies to all CSL laminate orders
- National orders and procures all CSL customer specified laminates
- CSL program is not available on all laminate products within our offering

CSL Ordering Process

- Laminate sheen level not to exceed 60° for maximum durability of worksurfaces
- Send purchase order and quantities to customer service
Please include:
 1. Manufacturer's Name
 2. Laminate Name/Laminate Number
- Lead times may vary for certain laminates and quantities, contact customer service for details

CSL Policy

- National reserves the right to decline a laminate which may not be suitable for application
- National assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate

BIFMA and ANSI Casegoods Testing


ANSI/BIFMA X5.5-2008 Desk/Table Products-Tests

National products are designed and manufactured to meet or exceed BIFMA and American National Standards Institute (ANSI) standards. National is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA).




5 of the 21 tests in the ANSI/BIFMA X5.5-2008 Desk/Table Products – Tests

Top Load Ease Cyclic Test




- Evaluates the durability of casegoods to withstand cyclic loading of the top worksurface
- 200-lb. bag raised until entire weight is off the top and then eased onto the top
- 10,000 cycles

Extendible Elements Cycle Test




- Evaluates the operation of casegood extendible member to ensure that suspension systems can support typical loads while being opened and closed
- Extendible member load – .017 lb./cubic inch of filing volume
- 30,000 cycles in center of pull area
- 10,000 cycles on each side of center pull

Desk/Table Unit Drop Test




- Evaluates how well casegoods withstand impact on closed bases
- Each end of the desk is picked up 4.7" or 7.1" (depending on unit weight) one end at a time and dropped

Leg Panel Strength Test



- Evaluates the ability of end panels to withstand typical static loads
- Horizontal inward force
Functional load: 100 lbs.
Proof load: 150 lbs.
- Outward force
Functional load: 50 lbs.
Proof load: 75 lbs.

Stability Test



- Evaluates the stability of casegoods
- Largest drawer in each pedestal is opened and loaded
- Opening and loading should not tip the unit

The table below lists operating load capacities of various casegoods components. Components meet or exceed the ANSI/BIFMA X5.5-2008 Desk/Table Products Test and X5.9-2004 Storage Units Test Functional and Proof loading requirements.

The Operating Load Capacities listed below represent the BIFMA Functional Loads which is equivalent to loads that can be expected in normal use of the component.

Contact National Customer Service if additional testing information is needed.

COMPONENT	OPERATING LOAD CAPACITY
Desk/Table Top Load (Primary Surface, less than or Equal to 45" Long)	Concentrated - 200 lb. over 12" Diameter Area
Desk/Table Top Load (Primary Surface, greater than 45" to Less than or Equal to 72" Long)	Concentrated - 200 lb. over a 12" Diameter Area Distributive - 1.5 lb. per Linear inch of Product Top Perimeter
Desk/Table Top Load (Primary Surface, greater than 72" Long)	Concentrated - Two - 200 lb. over two 12" Diameter Areas Distributive - 1.5 lb. per Linear Inch of Product Top Perimeter
Pedestal Drawer	.017 lb. per Cubic Inch of Drawer Interior Filing Space (File Drawers are to Support Hanging Files Only; File Drawers are not Intended for Bottom Loading)
Secondary, Transaction, and Shelf Load (Secondary Surface, less than 16" Depth)	.017 lb. per Cubic Inch Above Surface
Adjustable Keyboard (less than or equal to 36" Width)	66 lb. Distributed Across the Keyboard Surface
Writing Shelf	25 lb. Distributed Across the Writing Shelf
Extendible Elements (Drawers, Shelves, etc.)	.017 lb. per Cubic Inch of Drawer Interior Filing Space Distributive Loading
Center/Pencil Drawers	5 lb. Distributive Loading
Unit Top (Storage/Bookcase, greater than 72" tall)	Distributive - .09 lb. per Square Inch of Surface Area
Unit Top (Storage/Bookcase, greater than 38" to less than 72" tall)	Distributive - .26 lb. per Square Inch of Surface Area
Unit Top (Storage/Bookcase, less than 38" tall)	Distributive - .26 lb. per Square Inch of Surface Area Concentrated - 200 lb.
Unit Bottom (Storage/Bookcase)	Distributive - .017 lb. per Cubic Inch Above Surface (Not More Than 18" in Height)

Square inches should be calculated using this formula:
Surface Depth x Surface Width of Available Storage

Cubic inches should be calculated using this formula:
Surface Length x Surface Depth x Height of Available Storage Above the Surface (limited to 18" above the surface)

General Information

Cut Yardage Program

All National textiles and leathers are available on a cut yardage basis. Cut yardage must be ordered in full yards. List prices include freight.

Fabric Price Grade	US List Price Per Yard	
1	\$ 38	
2	\$ 57	
3	\$ 76	
4	\$ 100	
6	\$ 162	
7	\$ 204	
Leather Price Grade	US List Price Per Half Hide (25-28 sq ft)	US List Price Per Full Hide (50-57 sq ft)
L7	\$ 588	\$ 1207
L8	\$ 698	\$ 1437

How to specify cut yardage:

1. Model Number

NOFUPHCUTYDG = seating fabric
NOFLTHRHIDE = leather (half hide)
NOFLTHRFHIDE = leather (full hide)

2. Upholstery grade

3. Upholstery number



CRYPTON®
Super Fabrics

Crypton® is a textile that is stain, water, odor and bacteria resistant.

Each fiber of a Crypton® Fabric is encapsulated to resist stains and bacteria, and Crypton's® moisture barrier is integrated into the fabric, ensuring permanent protection.

Crypton® is engineered to be extremely easy to clean, allowing spots and spills to be easily removed. Crypton® Care Stain Removers make cleaning upholstery simple and easy.

Crypton® Super Fabrics have ultra-low or non-detectable emissions.



Crypton® Green fabrics are designed and produced to meet or exceed the following standards, in addition to the regular Crypton® standards:

- All fibers must be selected from environmentally preferable choices
- All fabric ingredients—not just the fiber or the backing—are analyzed for human and ecological safety. It is MBDC Cradle to Cradle™ certified.
- Is certified for Scientific Certification Systems (SCS) for Gold Indoor Advantage™
- May contribute to points for LEED-CI

Source: www.cryptonfabric.com

Crypton® Cleaners www.cryptoncare.com



100% of the electricity used to make this product is matched by Green-e certified renewable energy certificates. www.green-e.org



RECYCLED FIBER BY UNIFI

- Reduces energy consumption and conserves petroleum-based resources by offsetting the need to produce virgin synthetic fibers, providing a reprieve for our environment.
- U Trust™ verification program ensures that Repreve recycled fibers are traceable, transparent and certifiably sustainable.
- Consistent yarn quality; adheres to Unifi's first-quality standards.
- Repreve supports environmental non-profit organizations through its "Repreve Gives Back" campaign.

Repreve is a trademark of Unifi, Inc. and is registered with the U.S. Patent and Trademark Office and with others.

U Trust is a trademark of Unifi, Inc.

www.repreve.com



SILVERGUARD® is a natural environmentally friendly bacteria-fighting defense to inhibit odor and stain causing bacteria, plus the SILVERGUARD® technology is EPA registered and FDA approved. SILVERGUARD® stays fresh and lasts long due to the proprietary manufacturing process which promotes a controlled release of antibacterial properties. It continues to provide its bacteria-fighting protection after repetitive cleanings. The elemental protection of silver in SILVERGUARD® is an antibacterial agent. It is safe and efficient in diminishing odors, promoting freshness, and extending the life cycle of a product by attacking bacteria and other destructive organisms.



Terratex is a registered trademark of True Textiles. Each Terratex fabric must meet these four criteria.

- Made of 100% post-consumer and/or pre-consumer fiber, or compostable material.
- Made using processes that reduce waste, emissions, energy water usage, and toxic by-products.
- Meets or exceeds the same quality standards of fabrics manufactured using virgin materials and conventional processes.
- Made of a single fiber type, without backcoating, so that it too can be recycled or composted.



Reduced environmental impact due to recycled content, improved manufacturing process, no backing, rapidly renewable materials, PVC-free and/or chrome-free.

American Graffiti — Grade 1

100% Polyester
54" Wide
No Finish; Acrylic Backing
Repeat: 15" H x 7.5" V (Non-matched)
Cleaning Code: W
96,000 Double Rubs

5304	Jeans	5318	Cruisin'	5379	Leather
5305	Honey Mustard	5336	Catsup	5392	Convertible
5312	Roller Skates	5375	Chrome	5395	Diner

Russo — Grade 1

55% Polyester, 45% Rayon
58" Wide
Soil and Stain Resistant Finish; Acrylic Backing
Repeat: 2.25" H x 2" V (Non-matched)
Cleaning Code: WS
33,000 Double Rubs

10201	Coin	10204	Imperial	10207	Mirror
10202	Ascot	10205	Mocha		
10203	Trellis	10206	Shadow		

Speedway — Grade 1

52% Polypropylene, 48% Pre-Consumer Recycled Polyester
54" Wide
BLOCKaide™ Finish; SBR Latex Backing
Repeat: 0.375" H x 0.5" V (Non-matched)
Cleaning Code: WS
45,000 Double Rubs

10105	Pace Car	10137	Victory Lap	10175	Start Your Engines
10110	Checkered Flag	10140	Infield	10190	Winner's Circle
10120	Trophy	10150	Finish Line		

Stardust — Grade 1

54% Polyester; 46% Repreve® Polyester
(30% Pre-Consumer/16% Post-Consumer blend)
54" Wide
No Finish; Acrylic Backing
Repeat: 5" H x 4.35" V (Non-matched)
Cleaning Code: W
30,000 Double Rubs



10501	Lynx	10504	Hydra	10507	Pavo
10502	Crux	10505	Carina	10508	Vela
10503	Draco	10506	Mensa	10509	Ara

Cathedral — Grade 2

100% Polyester
54" Wide
No Finish; Acrylic Backing
Repeat: 0.375" H x 0.875" V (Non-matched)
Cleaning Code: W
70,000 Double Rubs

3906	Chartres	3917	Stonehenge	3936	Derby
3907	Florence	3924	Belgrade	3982	Wells
3911	Westminster				

Charm — Grade 2

100% Pre-Consumer Recycled Polyester
54" Wide
Scotchgard™ Finish; No Backing
Repeat: 13.5" H x 13.5" V (Non-matched)
Cleaning Code: WS
60,000 Double Rubs



21601	Jade	21605	Ruby	21609	Aquamarine
21602	Sunstone	21606	Agate	21610	Lapis
21603	Topaz	21607	Onyx	21611	Jasper
21604	Amber	21608	Garnet		

Sedona — Grade 2

70% Vinyl, 25% Polyester Hi-Loft™ Textile, 5% Urethane
54" Wide
Napa Topcoat Finish: 100% Polyester Hi-Loft™ Backing
Repeat: none (Non-matched)
Antifungal/Antibacterial
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

22101	Cactus	22141	Sand	22157	Horizon
22115	Tumbleweed	22142	Terra Cotta	22159	Desert
22123	Sierra	22143	Earth	22162	Indigo
22125	Yucca	22145	Buckskin	22166	Sagebrush
22126	Poppy	22147	Mesa	22177	Canyon
22129	Mirage	22151	Plateau	22185	Nighthawk
22131	Adobe				

Shenanigans — Grade 2

67% Pre-Consumer Recycled Polyester, 33% Nylon
54" Wide
BLOCKaide™ Finish; SBR Latex Backing
Repeat: 4.5" H x 4.5" V (Non-matched)
Cleaning Code: WS
50,000 Double Rubs

20300	Gimmick	20344	Wile	20373	Ruse
20301	Antics	20352	Lark	20380	Tom Foolery
20317	Monkey Shine	20360	Maneuver	20389	Frolic
20322	Caper	20364	Stunt	20399	Mischievous

National Seating Fabric Offering

◆—Essentials Collection

Spectrum — Grade 2

100% Pre-Consumer Recycled Polyester
54" Wide
BLOCKaide™ Finish; SBR Latex Backing
Repeat: None (Non-matched)
Cleaning Code: WS
100,000 Double Rubs

20001 Mimosa	20039 Cornflower	20072 Breeze
20003 Lime	20040 Ruby	20079 Tangerine
20011 Sand	20045 Chocolate◆	20081 Charcoal
20015 Marigold	20050 Camel	20084 Royal
20020 Black◆	20062 Grey◆	20095 Red
20022 Burgundy◆	20067 Navy◆	
20033 Pine	20069 Grape	

Strand — Grade 2

100% Polyester
54" Wide
No Finish; Acrylic Backing
Repeat: 15" H x 5" V (Non-matched)
Cleaning Code: W
40,000 Double Rubs

20101 Charcoal	20105 Red Licorice	20109 Cumulus
20102 Mineral	20106 Wheat	20110 Coast
20103 Fudge	20107 Peacock	
20104 Blueberry	20108 Blaze	

Tranquility — Grade 2

100% Pre-Consumer Recycled Polyester
54" Wide
BLOCKaide™ Finish; SBR Latex Backing
Repeat: 3.375" H x 2.4375" V (Non-matched)
Cleaning Code: WS
50,000 Double Rubs

21302 Crackling Fire	21341 Subtle	21379 Shadow
21305 Flax	21354 Whisper	21386 Sonatas
21325 Poetry	21357 Bath	21398 Wisteria
21334 Hush	21361 Meadow	

Twilight — Grade 2

100% Pre-Consumer Recycled Polyester
54" Wide
BLOCKaide™ Finish; No Backing
Repeat: none (Non-matched)
Cleaning Code: WS
50,000 Double Rubs

23101 Ocean	23108 Rust	23115 Fresh
23102 Teal	23109 Barley	23116 Cinder◆
23103 Nightshadow◆	23110 Espresso	23117 Vapor◆
23104 Gaze	23111 Bronze◆	23118 Gingerbread
23105 Goldrush	23112 Chartreuse	23119 Tangerine
23106 Saucy	23113 Luxe	23120 Nude
23107 Aristocrat◆	23114 Willow	



Boardwalk — Grade 3

100% Pre-Consumer Recycled Polyester
54" Wide
BLOCKaide™ Finish; SBR Latex Backing
Repeat: 5" V (Non-matched)
Cleaning Code: WS
30,000 Double Rubs
This pattern is railroaded, stripes run vertically

30501 Boulevard	30504 Track	30507 Aisle
30502 Avenue	30505 Alley	30508 Lane
30503 Footpath	30506 Trail	30509 Gateway

Cachet — Grade 3

100% Polyester
54" Wide
Soil and Stain Resistant Finish; No Backing
Repeat: none (Non-matched)
Cleaning Code: WS
33,000 Double Rubs

30201 Blue Jean	30206 Goldleaf	30211 Soft Black
30202 Bordeaux	30207 Mink	30212 Spice
30203 Cardinal	30208 Moss	30213 Toast
30204 Ember	30209 Mud Pack	
30205 Fauna	30210 Rubine	

Fossil — Grade 3

54% Pre-Consumer Recycled Polyester, 32% Cotton, 14% Post-Consumer Recycled Polyester
58.25" Wide
Stain Repellent Finish; Light Acrylic Backing
Repeat: 15" H x 19.876" V (Non-matched)
Cleaning Code: WS
60,000 Double Rubs

30301 Element	30303 Trace	30305 Shadow
30302 Footprint	30304 Impression	30306 Fragment

Ripple — Grade 3

69% Pre-Consumer Recycled Polyester, 31% Polyester
54" Wide
BLOCKaide™ Finish; SBR Latex Backing
Repeat: none (Non-matched)
Cleaning Code: WS
50,000 Double Rubs

30401 Basin	30405 Cove	30409 Surge
30402 Sound	30406 Crest	30410 Gulf
30403 Inlet	30407 Rush	30411 Canal
30404 Marsh	30408 Tide	

 Crossbox — Grade 4

61% Polyester, 39% Cotton
54" Wide
Teflon Finish; Light Acrylic Backing
Repeat: 1.3" H x 1.44" V
Cleaning Code: W
60,000 Double Rubs

40101 Midnight	40106 Caviar	40111 Gunmetal
40102 Chestnut	40107 Birch	40112 Olive
40103 Orchard	40108 Oxblood	40113 Lapis
40104 Wheat	40109 Poppy	
40105 Moss	40110 Clementine	

 Echo — Grade 4

100% Pre-Consumer Recycled Polyester
54" Wide
Polyester Binder Finish; No Backing
Repeat: 6.75" H x 11.25" V (Non-matched)
Cleaning Code: WS
100,000 Double Rubs



41101 Natural	41106 Seaport	41111 Cabochon
41102 Gold	41107 Limestone	41112 Cedar
41103 Russet	41108 Crystal	41114 Henna
41104 Lichen	41109 Oxide	
41105 Jute	41110 Peppercorn	

Silvertex™ — Grade 4

60% Vinyl, 30% Polyester Hi-Loft²™ Textile,
10% Urethane
54" Wide
PERMABLOK³® Finish; 100% Polyester Hi-Loft™ Backing
Repeat: none (Non-matched)
SILVERGUARD® Silver Ion Technology
Antifungal/Antibacterial
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs



41301 Basil	41306 Mocha	41310 Sapphire
41302 Ice	41307 Carbon	41311 Champagne
41303 Mandarin	41308 Jet	41312 Celery
41304 Raspberry	41309 Storm	41313 Meteor
41305 Sunkist		

 Essence/Ultraleather™ — Grade 6

100% Polyurethane
54" Wide
No Finish; 100% Reinforced Rayon Backing
Repeat: none (Non-matched)
Cleaning Code: WS
400,000 Double Rubs

3611 Light Oyster	3628 Midnight Metallic	3667 Taupe
3612 Red	3636 Chamois	3679 Raven
3613 Wheat	3640 Garnet	3683 Pecan
3614 Stone	3647 Loden	3690 Papyrus
3615 Dove Grey	3651 Green Tea Metallic	3692 Admiral
3617 White	3663 Walnut	

 Redux — Grade 6

65% Pre-Consumer Recycled Polyester;
35% Post-Consumer Recycled Polyester
56" Wide
Crypton® Green Finish; Moisture Barrier;
Antimicrobial
Repeat: 0.5" H x 0.5" V (Non-matched)
Cleaning Code: W, 10:1 Bleach Solution or Crypton® Cleaners
138,000 Double Rubs



60301 Key Lime	60304 Jazz	60307 Sapphire
60302 Aztec	60305 Spice	
60303 Russet	60306 Mocha	

 Scribe — Grade 6

65% Pre-Consumer Recycled Polyester;
35% Post-Consumer Recycled Polyester
56" Wide
Crypton® Green Finish; Moisture Barrier;
Antimicrobial
Repeat: None (Non-matched)
Cleaning Code: W, 10:1 Bleach Solution or Crypton® Cleaners
210,000 Double Rubs



60201 Juniper	60204 Chianti	60207 Alloy
60202 Pool	60205 Atlantis	
60203 Flicker	60206 Nutmeg	

 Brisa® — Grade 7

100% Polyurethane
54" Wide
No Finish; 100% Reinforced Rayon Backing
Repeat: none (Non-matched)
Cleaning Code: WS
200,000 Double Rubs

71001 Black Onyx	71006 Celery	71011 Desert Clay
71002 Cambridge Blue	71007 Bark	71012 Sterling Blue
71003 Salsa	71008 Truffle	71013 Canyon
71004 Abyss	71009 Iguana	71014 Aztec
71005 Ash	71010 Butterscotch	71015 Cabernet

 Brisa® Distressed — Grade 7

100% Polyurethane
54" Wide
No Finish; 100% Reinforced Rayon Backing
Repeat: none (Non-matched)
Cleaning Code: WS
200,000 Double Rubs

72001 Buckskin	72004 Ponderosa	72006 Manila
72002 Prairie	72005 Iron	72007 Moccasin
72003 Lasso		

National Seating Fabric Offering

◆ Essentials Collection

Ostrich — Grade 7

100% Polyurethane
54" Wide
No Finish; 100% Reinforced Rayon Backing
Repeat: none (Non-matched)
Cleaning Code: WS
400,000 Double Rubs

74001 Marsh	74004 Swiss Café	74006 Tumbleweed
74002 Muslin	74005 Stucco	74007 Clay
74003 Dune		

Promessa® — Grade 7

100% Polyurethane
54" Wide
No Finish; 65% Polyester, 35% Rayon Backing
Antimicrobial
Repeat: none (Non-matched)
Cleaning Code: WS
400,000 Double Rubs

73001 Briarwood	73007 Aquamarine	73012 Woodpecker
73002 Horsehair	73008 Shale	73013 Sunshower
73003 Linen	73009 Georgian	73014 Moss
73004 Parchment	73010 Tudor	73015 Lily Pad
73005 Bronze	73011 Hunter	73016 Fields
73006 Atlantic		

Silica™ — Grade 7

100% Silicone
54" Wide
No Finish; Polyester Backing
Repeat: none (Non-matched)
Cleaning Code: W or 4:1 Bleach Solution
365,000 Double Rubs

70901 Appletini	70908 Skyward	70915 Quartz
70902 Medal	70909 Cumulus	70916 Brownstone
70903 Marigold	70910 Gallant	70917 Alloy
70904 Garnet	70911 Dewpoint	70918 Glade
70905 Bistro	70912 Ginger	70919 Haze
70906 Terra	70913 Coppercrest	70920 Tropic
70907 Nero	70914 Burnished	70921 Herbal

Sumatran Palm — Grade 7

53% Rayon, 47% Polyester
54" Wide
Crypton® Finish; Moisture Barrier; Antimicrobial
Repeat: 14.5" H x 20.5" V (Non-matched)
Cleaning Code: W or Crypton® Cleaners
50,000 Double Rubs

70801 Lime	70804 Clematis	70807 Cobalt
70802 Grain	70805 Firefly	70808 Fresco
70803 Cantaloupe	70806 Hawk	



Davenport — Grade L7

100% Leather
Top grain leather

70101 Chamois	70108 Celadon	70114 Tomato
70102 Camel	70109 Austin	70115 Black
70103 Earthy	70110 Olive	70116 Plum
70105 Bark	70111 Brown	70117 Smoke
70106 Fennel	70112 Atlantis	70118 Dusk
70107 Glass Block	70113 Yonder	

Showcase — Grade L8

100% Leather
Chrome free full grain leather

80101 Sky	80105 Greige	80109 Bittersweet
80102 Butler	80106 Power	80110 Jet
80103 Cream	80107 Garnet	
80104 Bonton	80108 Chestnut	

Cleaning Fabrics:

Cleaning Code S

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.
- See Ultrafabrics swatch card for additional cleaning information.

Cleaning Code W

- Use water-based cleaning agents or foam.

Crypton® Cleaners

- Cleaning solutions for Crypton® fabric maintenance available at www.cryptoncare.com

Fabric Characteristics

Different fabrics/constructions will respond better than others to specific seating applications. Certain fabrics/constructions are more prone to relaxing over time and can demonstrate characteristics such as wrinkling, pilling, fuzzing and puddling. Some upholsteries may experience dye transfer (clothing dyes transfer to the seating fabric). This does not mean that the fabric or application is deficient, but rather it is an inherent characteristic of that fabric or application and is considered normal behavior.

Leather Characteristics

Leather is a natural product. Healed scars, scratches, cuts and stretch marks are natural markings and are characteristics of leather. Leather may experience dye transfer (clothing dyes transfer to the leather). This does not mean that the leather or application is deficient, but rather it is an inherent characteristic of that leather or application and is considered normal behavior.

Cleaning Leather:

Regular Cleaning

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

Deep Cleaning

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Pat dry.
- Reference leather card for more information.

Arrowood

Laminate

Arrowood - Laminate

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1 $\frac{3}{16}$ " TFL (thermally fused laminate)
- Mitered rim
- Grain direction runs left-to-right unless noted

CHASSIS CONSTRUCTION

- TFL (thermally fused laminate) chassis fastened by screws, glue and hardwood cleats
- $\frac{3}{4}$ and full pedestal options
- $\frac{5}{8}$ " thick modesty panels
- Full height modesty panels on all full pedestal units, bridge units and arc top units
- $\frac{3}{4}$ height modesty panels on all $\frac{3}{4}$ pedestal units
- 1" thick end panels
- Standard leveling glides
- Horizontal grain direction unless noted

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain $\frac{1}{2}$ " thick, sides are laminated woodgrain $\frac{3}{8}$ " thick
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT


- Standard in bridges, returns, corner units and highback organizers
- Optional wire managers are available (See accessory pages)

LOCKING

- Standard locking in all pedestals and wall mount cabinets
- Highback organizers feature one standard lock for center compartment
- Black, removable cores are standard for all pedestal locks
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, change keys, and master keys, reference page 297

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models



Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Depth		
Box Drawer—Desk	12 $\frac{1}{16}$ "	17"	3 $\frac{1}{2}$ "	N/A
File Drawer—Desk	12 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Letter
Box Drawer—Executive Return & Multi-File	12 $\frac{1}{16}$ "	17"	3 $\frac{1}{2}$ "	N/A
File Drawer—Executive Return & Multi-File	12 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Letter
Box Drawer—Credenza	15 $\frac{1}{16}$ "	17"	3 $\frac{1}{2}$ "	N/A
File Drawer—Credenza	15 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Legal
Lateral File Drawer—Lateral File & Multi-File	31 $\frac{1}{16}$ "	15"	9 $\frac{1}{2}$ "	Letter, Legal, EDP


- All file drawers file Letter, Legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

LAMINATES

NM	Natural
HN	Honey
CL	Caramel
TF	Truffle
AC2	Autumn 2
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha

RIM PROFILE**GROMMET OPTIONS**

Round, black grommets are standard in bridges, returns, corner units and highback organizers

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Mitered
Grommets:	Included on highbacks, bridges and returns
Finish:	Must specify Amber (MC) or Cordovan (CW)

Arrowood - Laminate L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.





Arrangements Include:

- Center grommet in return
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC2	Autumn 2	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

L-CONFIGURATIONS		Model No./Description	List Price	L-CONFIGURATIONS		Model No./Description	List Price
Left L-Configuration Full Pedestal 	21-8572LLF	84¾D x 71¾W	\$ 2143	Right L-Configuration Full Pedestal 	21-8572LRF	84¾D x 71¾W	\$ 2143
	consists of				consists of		
	21-3672RH	Right Pedestal Desk	1331		21-3672LH	Left Pedestal Desk	1331
	21-2448LH	Left Pedestal Return	812		21-2448RH	Right Pedestal Return	812
	21-7972LLF	78¾D x 71¾W	\$ 2105		21-7972LRF	78¾D x 71¾W	\$ 2105
	consists of				consists of		
	21-3672RH	Right Pedestal Desk	1331		21-3672LH	Left Pedestal Desk	1331
	21-2442LH	Left Pedestal Return	774		21-2442RH	Right Pedestal Return	774
	21-7966LLF	78¾D x 66W	\$ 2056		21-7966LRF	78¾D x 66W	\$ 2056
	consists of				consists of		
	21-3066RH	Right Pedestal Desk	1244		21-3066LH	Left Pedestal Desk	1244
	21-2448LH	Left Pedestal Return	812		21-2448RH	Right Pedestal Return	812
	21-7366LLF	72¾D x 66W	\$ 2018		21-7366LRF	72¾D x 66W	\$ 2018
	consists of				consists of		
	21-3066RH	Right Pedestal Desk	1244		21-3066LH	Left Pedestal Desk	1244
	21-2442LH	Left Pedestal Return	774		21-2442RH	Right Pedestal Return	774
Left L-Configuration ¾ Pedestal 	Q21N8572LLQL	84¾D x 71¾W	\$ 1661	Right L-Configuration ¾ Pedestal 	Q21N8572LRQL	84¾D x 71¾W	\$ 1661
	21-8572LLQ	84¾D x 71¾W	\$ 1661		21-8572LRQ	84¾D x 71¾W	\$ 1661
	consists of				consists of		
	21-3672RP	Right Pedestal Desk	1017		21-3672LP	Left Pedestal Desk	1017
	21-2448LP	Left Pedestal Return	644		21-2448RP	Right Pedestal Return	644
	Q21N7972LLQL	78¾D x 71¾W	\$ 1621		Q21N7972LRQL	78¾D x 71¾W	\$ 1621
	21-7972LLQ	78¾D x 71¾W	\$ 1621		21-7972LRQ	78¾D x 71¾W	\$ 1621
	consists of				consists of		
	21-3672RP	Right Pedestal Desk	1017		21-3672LP	Left Pedestal Desk	1017
	21-2442LP	Left Pedestal Return	604		21-2442RP	Right Pedestal Return	604
	21-7966LLQ	78¾D x 66W	\$ 1575		21-7966LRQ	78¾D x 66W	\$ 1575
	consists of				consists of		
	21-3066RP	Right Pedestal Desk	931		21-3066LP	Left Pedestal Desk	931
	21-2448LP	Left Pedestal Return	644		21-2448RP	Right Pedestal Return	644
	21-7366LLQ	72¾D x 66W	\$ 1535		21-7366LRQ	72¾D x 66W	\$ 1535
	consists of				consists of		
	21-3066RP	Right Pedestal Desk	931		21-3066LP	Left Pedestal Desk	931
	21-2442LP	Left Pedestal Return	604		21-2442RP	Right Pedestal Return	604

Laminate - Arrowood U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:





- Center grommet in bridge
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC2	Autumn 2	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha

To You In
10 DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

U-CONFIGURATIONS		Model No./Description	List Price	U-CONFIGURATIONS		Model No./Description	List Price
Left U-Configuration Full Pedestal		21-10872ULF	107½D x 71¾W	Right U-Configuration Full Pedestal		21-10872URF	107½D x 71¾W
		consists of				consists of	
		21-3672RH	Right Pedestal Desk			21-3672LH	Left Pedestal Desk
		21-2448UP	Bridge			21-2448UP	Bridge
		21-2472LH	Left Pedestal Credenza			21-2472RH	Right Pedestal Credenza
		21-10472ULF	104D x 71¾W			21-10472URF	104D x 71¾W
		consists of				consists of	
		21-3672RH	Right Pedestal Desk			21-3672LH	Left Pedestal Desk
		21-2442UP	Bridge			21-2442UP	Bridge
		21-2472LH	Left Pedestal Credenza			21-2472RH	Right Pedestal Credenza
		21-10266ULF	101½D x 66W			21-10266URF	101½D x 66W
		consists of				consists of	
		21-3066RH	Right Pedestal Desk			21-3066LH	Left Pedestal Desk
		21-2448UP	Bridge			21-2448UP	Bridge
		21-2466LH	Left Pedestal Credenza			21-2466RH	Right Pedestal Credenza
		21-9866ULF	98D x 66W			21-9866URF	98D x 66W
		consists of				consists of	
		21-3066RH	Right Pedestal Desk			21-3066LH	Left Pedestal Desk
		21-2442UP	Bridge			21-2442UP	Bridge
		21-2466LH	Left Pedestal Credenza			21-2466RH	Right Pedestal Credenza
Left U-Configuration ¾ Pedestal		Q21N10872ULQL	107½D x 71¾W	Right U-Configuration ¾ Pedestal		Q21N10872URQL	107½D x 71¾W
		21-10872ULQ	107½D x 71¾W			21-10872URQ	107½D x 71¾W
		consists of				consists of	
		21-3672RP	Right Pedestal Desk			21-3672LP	Left Pedestal Desk
		21-2448UP	Bridge			21-2448UP	Bridge
		Q21N10472ULQL	104D x 71¾W			Q21N10472URQL	104D x 71¾W
		21-10472ULQ	104D x 71¾W			21-10472URQ	104D x 71¾W
		consists of				consists of	
		21-3672RP	Right Pedestal Desk			21-3672LP	Left Pedestal Desk
		21-2442UP	Bridge			21-2442UP	Bridge
		21-10266ULQ	101½D x 66W			21-10266URQ	101½D x 66W
		consists of				consists of	
		21-3066RP	Right Pedestal Desk			21-3066LP	Left Pedestal Desk
		21-2448UP	Bridge			21-2448UP	Bridge
		21-2466LP	Left Pedestal Credenza			21-2466RP	Right Pedestal Credenza
		21-9866ULQ	98D x 66W			21-9866URQ	98D x 66W
		consists of				consists of	
		21-3066RP	Right Pedestal Desk			21-3066LP	Left Pedestal Desk
		21-2442UP	Bridge			21-2442UP	Bridge
		21-2466LP	Left Pedestal Credenza			21-2466RP	Right Pedestal Credenza

Arrowood - Laminate

Dimension Key









D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

21-3672RHA	AC2
21-3672BLP	HN

To You In
10
...or Less






Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	21-3672DHA	\$ 1962	35¾	71¾	29½	12½	39½	307 lbs.	57.4
	- Arc rim has flat edge detail - Unit has a full modesty panel - Depth of arc top is 35¾" at its widest point								
	21-3672DPA	\$ 1618	35¾	71¾	29½	12½	39½	286 lbs.	57.4
	- Arc rim has flat edge detail - Unit has a full modesty panel - Depth of arc top is 35¾" at its widest point								
	21-3672DH	\$ 1557	35¾	71¾	29½	12½	39½	341 lbs.	57.4
	21-3060DH	1369	29¾	59¾	29½	6½	27½	247 lbs.	41.5
	Q21N3672DDQL3	\$ 1219	35¾	71¾	29½	12½	39½	320 lbs.	57.4
	21-3672DP	1219	35¾	71¾	29½	12½	39½	320 lbs.	57.4
	21-3060DP	1031	29¾	59¾	29½	5½	28	231 lbs.	41.5
	Unit has a ¾ modesty panel								
	Left Pedestal								
	21-3672LHA	\$ 1738	35¾	71¾	29½	12½	30¾	257 lbs.	57.4
	Right Pedestal								
	21-3672RHA		35¾	71¾	29½	12½	30¾	257 lbs.	57.4
	- Arc rim has flat edge detail - Unit has a full modesty panel - Depth of arc top is 35¾" at its widest point - Not recommended as a freestanding unit due to routing in the rim								

Left shown

Specify selections, left to right:

Base Model	Laminate
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC2 Autumn 2
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
21-3672RHA	AC2

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
Single Pedestal Desk Arc Top—¾ Pedestal 	21-3672LPA	21-3672RPA	\$ 1421	35¾	71¾	29½	12½	30¾	242 lbs.	57.4
	• Arc rim has flat edge detail • Unit has a full modesty panel • Depth of arc top is 35¾" at its widest point • Not recommended as a freestanding unit due to routing in the rim									
Right shown										
	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
Single Pedestal Desk Full Pedestal 	21-3672LH	21-3672RH	\$ 1331	35¾	71¾	29½	12½	30¾	291 lbs.	57.4
	21-3066LH	21-3066RH	1244	29¾	66	29½	6½	25½⁄₆	230 lbs.	45.3
	• Not recommended as a freestanding unit due to routing in the rim • Unit has a full modesty panel									
Left shown										
	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
Single Pedestal Desk ¾ Pedestal 	Q21N3672DLQL3	Q21N3672DRQL3	\$ 1017	35¾	71¾	29½	12½	30¾	276 lbs.	57.4
	21-3672LP	21-3672RP	1017	35¾	71¾	29½	12½	30¾	276 lbs.	57.4
	21-3066LP	21-3066RP	931	29¾	66	29½	6½	25½⁄₆	218 lbs.	45.3
	• Not recommended as a freestanding unit due to routing in the rim • Unit has a ¾ modesty panel									
Left shown										
	<i>Left U</i>	<i>Right U</i>								
U-Shaped Desk 	21-3672BLP	21-3672BRP	\$ 950	35¾	71¾	29½	—	30¾	143 lbs.	5.3
	• Must specify support base, see page 22 for support base options • Curved rim has flat edge detail • Not recommended as a freestanding unit due to routing in the rim									
Left shown										
	<i>Left U</i>	<i>Right U</i>								
U-Shaped Desk with Modesty 	21-3672BLMP	21-3672BRMP	\$ 1218	35¾	71¾	29½	—	30¾	152 lbs.	6.1
	• Must specify support base, see page 22 for support base options • Curved rim has flat edge detail • Not recommended as a freestanding unit due to routing in the rim									
Left shown										

Arrowood - Laminate

Dimension Key





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Number:

21-3636CU HN

To You In
10
...or Less





Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
	Support Bases		DI			H						
	NAC2804SFB	Cinder	\$ 244	4	—	27¾-29¼			—	10 lbs.	1.0	
	NAC2804SFBS	Platinum Metallic	244	4	—	27¾-29¼			—	10 lbs.	1.0	
	NAC2804SFBN	Satin Nickel Metallic	244	4	—	27¾-29¼			—	10 lbs.	1.0	
	NAC2804SFBA	Anthracite Metallic	244	4	—	27¾-29¼			—	10 lbs.	1.0	
	• For use with U-Shaped desks											
	Corner Unit		21-3636CU	\$ 839	37¼	37¼	29½	—	17	135 lbs.	5.9	
	• Some assembly required • Unit can be attached to bridge, return or multi-file return only • Not recommended as a freestanding unit due to routing in the rim											
	Transaction Counter Desk Unit		21-1472TCP	\$ 406	14¾	69	15¾	—	—	61 lbs.	2.4	
			21-1466TCP	383	14¾	63	15¾	—	—	58 lbs.	2.2	
	• Transaction surface spans over the desk only • Some assembly required											
	Transaction Counter L Unit		21-7284TCP	\$ 604	80 ²⁷ / ₃₂	69	15¾	—	—	87 lbs.	3.3	
			21-6678TCP	577	74 ²⁷ / ₃₂	63	15¾	—	—	81 lbs.	3.0	
	• Some assembly required											
	Return Full Pedestal		Left Pedestal	Right Pedestal								
	21-2448LH	21-2448RH	\$ 812	23¾	49	29½	—	31 ²⁷ / ₃₂	160 lbs.	28.7		
	21-2442LH	21-2442RH	774	23¾	43	29½	—	26 ²⁷ / ₃₂	150 lbs.	25.9		
	• Grain direction runs front-to-back on worksurface • Grain direction runs vertical on modesty panel • Unit has a full modesty panel											

Left shown

Specify selections, left to right:

Base Model	Laminate
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC2 Autumn 2
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
21-3636CU	HN

	Model No./Description	List Price	Dimensions					KW	Cartoned Weight	Cubic Feet
Return ¾ Pedestal 	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	Q21N2449RLEQL3	Q21N2449RREQL3	\$ 644	23¾	49	29½	—	31 ²⁷ / ₃₂	142 lbs.	28.7
	21-2448LP	21-2448RP	644	23¾	49	29½	—	31 ²⁷ / ₃₂	142 lbs.	28.7
	Q21N2443RLEQL3	Q21N2443RREQL3	604	23¾	43	29½	—	26 ²⁷ / ₃₂	133 lbs.	25.9
	21-2442LP	21-2442RP	604	23¾	43	29½	—	26 ²⁷ / ₃₂	133 lbs.	25.9
Left shown	• Grain direction runs front-to-back on worksurface • Grain direction runs vertical on modesty panel • Unit has a ¾ modesty panel									
Return Multi-File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	21-2472LPRM	21-2472RPRM	\$ 1288	23¾	71¾	29½	—	35 ⁶³ / ₆₄	191 lbs.	40.6
Bridge 	Q21N2448BEFL	\$ 352	23¾	47¾	29½	—	47¾	76 lbs.	3.9	
	21-2448UP	352	23¾	47¾	29½	—	47¾	76 lbs.	3.9	
	Q21N2445BEFL	334	23¾	44½	29½	—	44½	67 lbs.	3.5	
	21-2442UP	334	23¾	44½	29½	—	44½	67 lbs.	3.5	
	• Some assembly required • Grain direction runs front-to-back on worksurface • Grain direction runs vertical on modesty panel									
Storage Credenza Full Pedestal 	21-2472SH	\$ 1585	23¾	71¾	29½	—	—	346 lbs.	40.6	
	21-2466SH	1553	23¾	66	29½	—	—	334 lbs.	37.5	
	• Features a standard adjustable shelf									
Storage Credenza ¾ Pedestal 	Q21N2472CSQL3	\$ 1246	23¾	71¾	29½	—	—	296 lbs.	40.6	
	21-2472SP	1246	23¾	71¾	29½	—	—	296 lbs.	40.6	
	21-2466SP	1213	23¾	66	29½	—	—	284 lbs.	37.5	
	• Features a standard adjustable shelf • Unit has a ¾ modesty panel									

Arrowood - Laminate

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

21-2466RP	CW
21-2436LF	AC2


To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Kneespace Credenza Full Pedestal	21-2472XH	\$ 1390	23¾	71¾	29½	—	33½	279 lbs.	40.6
	21-2466XH	1353	23¾	66	29½	—	28¼	267 lbs.	37.5




Kneespace Credenza ¾ Pedestal	Q21N2472CKQL3	\$ 1051	23¾	71¾	29½	—	33½	239 lbs.	40.6
	21-2472XP	1051	23¾	71¾	29½	—	33½	239 lbs.	40.6
	21-2466XP	1017	23¾	66	29½	—	28¼	227 lbs.	37.5



- Unit has a ¾ modesty panel


	Pedestal		List Price	Dimensions					Cartoned Weight	Cubic Feet
	Left Pedestal	Right Pedestal		D	W	H	A	KW		
Single Pedestal Credenza Full Pedestal—File/File	21-2472LH	21-2472RH	\$ 1119	23¾	71¾	29½	—	27%	239 lbs.	40.6
	21-2466LH	21-2466RH	1081	23¾	66	29½	—	22%	227 lbs.	37.5



Left shown

- Not recommended as a freestanding unit due to routing in the rim


	Pedestal		List Price	Dimensions					Cartoned Weight	Cubic Feet
	Left Pedestal	Right Pedestal		D	W	H	A	KW		
Single Pedestal Credenza ¾ Pedestal—Box/File	Q21N2472CLQL3	Q21N2472CRQL3	\$ 889	23¾	71¾	29½	—	27%	219 lbs.	40.6
	21-2472LP	21-2472RP	889	23¾	71¾	29½	—	27%	219 lbs.	40.6
	21-2466LP	21-2466RP	853	23¾	66	29½	—	22%	207 lbs.	37.5



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Unit has a ¾ modesty panel

	Pedestal		List Price	Dimensions					Cartoned Weight	Cubic Feet
	Left Pedestal	Right Pedestal		D	W	H	A	KW		
Single Pedestal Credenza Full Pedestal—Lateral File	21-2472LP2	21-2472RP2	\$ 1251	23¾	71¾	29½	—	11¼	279 lbs.	40.6
	21-2466LP2	21-2466RP2	1217	23¾	66	29½	—	5¼	267 lbs.	37.5




Right shown

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Not recommended as a freestanding unit due to routing in the rim

Specify selections, left to right:

Base Model	Laminate
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC2 Autumn 2
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
21-2466RP	CW


	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
	<i>Left Pedestal</i>		D	W	H				
Single Pedestal Credenza Full Pedestal—Multi-File	<i>Left Pedestal</i>								
	<i>Right Pedestal</i>								
	21-2472LPCM	\$ 1300	23¾	71¾	29½	—	11¼	279 lbs.	40.6



Left shown


- Not recommended as a freestanding unit due to routing in the rim

Highback Organizer	Q21N6936HBHL	\$ 968	14¾	69	36¾	—	—	220 lbs.	25.8
	21-15720SC	968	14¾	69	36¾	—	—	220 lbs.	25.8
	21-15660SC	931	14¾	63	36¾	—	—	173 lbs.	23.6



- Highback organizer features (4) side hinged doors and full back panels with cord management
- For tack board options, see pages 304-308
- Not for use in open plan applications due to open pin holes in backs

Overhead Cabinet Wall Mount	17300S	TFL	\$ 452	14¾	29%	17	—	—	89 lbs.	8.3
	Q21N3617SOHMMW	TFL	500	14¾	35%	17	—	—	100 lbs.	9.7
	17360S	TFL	500	14¾	35%	17	—	—	100 lbs.	9.7

**Wall Mount Kit**

ABWMD	48" Wall Mount Kit	\$ 53	½	48	2	—	—	4 lbs.	0.1
ABWMF	72" Wall Mount Kit	56	½	72	2	—	—	4 lbs.	0.1

- Must specify wall mount kit
- Flat edge detail
- Inside dimensions of 17300S are 12¾" deep, 28¾" wide and 12¾" high
- Inside dimensions of 17360S are 12¾" deep, 34¾" wide and 12¾" high
- Wall mount extrusions can be cut to size in the field
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For tack board options, see pages 304-308

Lateral File Two Drawer	Q21N2436LFF2L	\$ 812	23¾	35¾	29½	—	—	184 lbs.	17.7
	21-2436LF	812	23¾	35¾	29½	—	—	184 lbs.	17.7



- Front-to-back filing is standard with lateral files; four rods per drawer are included

Arrowood - Laminate

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

21-2436LFF4 AC2



To You In
10
DAYS
...or Less

Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Lateral File Three Drawer 	21-2436LFF3	\$ 1324	23¾	35¾	44½	—	—	210 lbs.	30.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included								
Lateral File Four Drawer 	21-2436LFF4	\$ 1837	23¾	35¾	58¾	—	—	291 lbs.	40.2
	• Front-to-back filing is standard with lateral files; four rods per drawer are included								
Bookcase 	Q21N3366BC0FLW	\$ 732	13	33	65¾	—	—	135 lbs.	27.4
	21-3366BC0	732	13	33	65¾	—	—	135 lbs.	27.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Bookcase has an unfinished back								
Bookcase 	21-3353BC0F	\$ 634	13	33	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable								
Bookcase Set-On 	Q21N3336BC0L	\$ 516	13	33	36¾	—	—	85 lbs.	15.8
	21-3336BC0	516	13	33	36¾	—	—	85 lbs.	15.8
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelf is adjustable • Bookcase has an unfinished back								

Specify selections, left to right:

Base Model	Laminate
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC2 Autumn 2
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
21-2436LFF4	AC2

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
	D	W	H						
	21-2430ESP	\$ 622	23¾	29¾	29½	—	—	91 lbs.	14.3
	MPK-4 Set of 4 Casters	59	—	—	—	—	—	1 lbs.	0.2
	• Fixed shelf is 12" deep and 27¾" wide and ¾" thick • Open back • Casters are available for use as a mobile unit								
	36" Square	1¾" Top Thickness							
	21N3636SQL	\$ 436	36	36	1¾	—	—	42 lbs.	2.4
	42" Square								
	21N4242SQL	\$ 624	42	42	1¾	—	—	58 lbs.	3.2
	48" Square								
	21N4848SQL	\$ 856	48	48	1¾	—	—	76 lbs.	4.2
• Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases • Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 35 for options and upcharge									

Arrowood - Laminate

Arrowood

Veneer

Arrowood - Veneer

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1 $\frac{3}{16}$ " slipmatched cherry and maple veneer, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Grain direction runs left-to-right unless noted
- Two sheen options available on most worksurfaces; standard sheen featured on above surface units

FINISH APPLICATION

- Arrowood Veneer series finished with IntegraClear™ UV technology. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION


- All joints are securely fastened by screws, dowels, and concealed fasteners to ensure maximum strength
- Full and $\frac{3}{4}$ " pedestal options
- $\frac{3}{4}$ " modesty panels on HPL top $\frac{3}{4}$ " pedestal only. Other versions have full modesty panels
- $\frac{3}{4}$ " thick modesty panels
- 1 $\frac{1}{16}$ " thick end panels
- Units feature semi-finished backs (stained with some exposed hardware) unless noted
- Standard leveling glides
- Grain direction runs vertical on all modesty panels

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain $\frac{1}{2}$ " thick, sides are laminated woodgrain $\frac{3}{8}$ " thick
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below



DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT

- Grommets are available in predetermined locations
- Standard in highback organizers
- Optional wire managers are available (see accessory pages)

LOCKING

- Standard locking in all pedestals and wall mount cabinets
- Highback organizer features one standard lock for center compartment
- Black, removable cores are standard for all locks
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, change keys, and master keys, reference page 297

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions Width	Depth	Height	Front-To-Back Filing Capabilities
Box Drawer—Desk	12 $\frac{1}{16}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Desk	12 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Letter
Pencil Drawer—Operational Return	12 $\frac{1}{16}$ "	17"	1 $\frac{1}{2}$ "	N/A
Box Drawer—Return	12 $\frac{1}{16}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Return	12 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Letter
Box Drawer—Credenza				
21 x 72	15 $\frac{1}{16}$ "	17"	3 $\frac{3}{8}$ "	N/A
21 x 66	15 $\frac{1}{16}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Credenza				
21 x 72	15 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Legal
21 x 66	15 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Legal
Lateral File Drawer—Lateral File	31 $\frac{13}{32}$ "	15"	9 $\frac{1}{2}$ "	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.


WOOD FINISHES

- NM Natural
- HN Honey
- CL Caramel
- TF Truffle
- AC Autumn
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha

WORKSURFACE
SHEEN OPTIONS

- R Standard
- N Matte/Satin

RIM PROFILE



GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

- G13LR Left & Right
- G13C Center

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

- Rim Profile: Mitered
- Grommets: Included on bridges, returns and credenzas
- Sheen: Standard
- Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)

Arrowood - Veneer L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.





Arrangements Include:

- Standard sheen
- Center grommet in return
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

L-CONFIGURATIONS		Model No./Description	List Price	L-CONFIGURATIONS		Model No./Description	List Price
Left L-Configuration Full Pedestal Wood Top 	Q31N8872LLFW		87½D x 71¾W	31N8872LLFW		87½D x 71¾W	\$ 3752
	consists of			consists of			
	31N3672DRFW1		Right Pedestal Desk	31N3672DLFW1		Left Pedestal Desk	2190
	31N2452RLEFW2		Left Pedestal Return	31N2452RREFW2		Right Pedestal Return	1562
	Q31N8072LLFW		79½D x 71¾W	Q31N8072LRFW		79½D x 71¾W	\$ 3663
	31N8072LLFW		79½D x 71¾W	31N8072LRFW		79½D x 71¾W	\$ 3663
	consists of			consists of			
	31N3672DRFW1		Right Pedestal Desk	31N3672DLFW1		Left Pedestal Desk	2190
	31N2444RLEFW2		Left Pedestal Return	31N2444RREFW2		Right Pedestal Return	1473
	31N8266LLFW		81½D x 66W	31N8266LRFW		81½D x 66W	\$ 3562
Left L-Configuration Full Pedestal Laminate Top 	31N8872LLFLW		87½D x 71¾W	31N8872LRFLW		87½D x 71¾W	\$ 3436
	consists of			consists of			
	31N3672DRFLW1		Right Pedestal Desk	31N3672DLFLW1		Left Pedestal Desk	2032
	31N2452RLEFLW2		Left Pedestal Return	31N2452RREFLW2		Right Pedestal Return	1404
	31N8072LLFLW		79½D x 71¾W	31N8072LRFLW		79½D x 71¾W	\$ 3346
	consists of			consists of			
	31N3672DRFLW1		Right Pedestal Desk	31N3672DLFLW1		Left Pedestal Desk	2032
	31N2444RLEFLW2		Left Pedestal Return	31N2444RREFLW2		Right Pedestal Return	1314
	31N8266LLFLW		81½D x 66W	31N8266LRFLW		81½D x 66W	\$ 3245
	consists of			consists of			
Right L-Configuration Full Pedestal Wood Top 	31N8872LLFW		87½D x 71¾W	31N8872LRFLW		87½D x 71¾W	\$ 3436
	consists of			consists of			
	31N3672DRFLW1		Right Pedestal Desk	31N3672DLFLW1		Left Pedestal Desk	2032
	31N2452RLEFLW2		Left Pedestal Return	31N2452RREFLW2		Right Pedestal Return	1404
	31N8072LLFLW		79½D x 71¾W	31N8072LRFLW		79½D x 71¾W	\$ 3346
	consists of			consists of			
	31N3672DRFLW1		Right Pedestal Desk	31N3672DLFLW1		Left Pedestal Desk	2032
	31N2444RLEFLW2		Left Pedestal Return	31N2444RREFLW2		Right Pedestal Return	1314
	31N8266LLFLW		81½D x 66W	31N8266LRFLW		81½D x 66W	\$ 3245
	consists of			consists of			
Right L-Configuration Full Pedestal Laminate Top 	31N8872LLFW		87½D x 71¾W	31N8872LRFLW		87½D x 71¾W	\$ 3436
	consists of			consists of			
	31N3672DRFLW1		Right Pedestal Desk	31N3672DLFLW1		Left Pedestal Desk	2032
	31N2452RLEFLW2		Left Pedestal Return	31N2452RREFLW2		Right Pedestal Return	1404
	31N8072LLFLW		79½D x 71¾W	31N8072LRFLW		79½D x 71¾W	\$ 3346
	consists of			consists of			
	31N3672DRFLW1		Right Pedestal Desk	31N3672DLFLW1		Left Pedestal Desk	2032
	31N2444RLEFLW2		Left Pedestal Return	31N2444RREFLW2		Right Pedestal Return	1314
	31N8266LLFLW		81½D x 66W	31N8266LRFLW		81½D x 66W	\$ 3245
	consists of			consists of			
31N7466LLFW		73½D x 66W	\$ 3473	31N7466LRFW		73½D x 66W	\$ 3473
consists of				consists of			
31N3066DRFW1		Right Pedestal Desk	2000	31N3066DLFW1		Left Pedestal Desk	2000
31N2452RLEFW2		Left Pedestal Return	1562	31N2452RREFW2		Right Pedestal Return	1562
31N7466LLFLW		73½D x 66W	\$ 3155	31N7466LRFLW		73½D x 66W	\$ 3155
consists of				consists of			
31N3066DRFLW1		Right Pedestal Desk	1841	31N3066DLFLW1		Left Pedestal Desk	1841
31N2444RLEFLW2		Left Pedestal Return	1314	31N2444RREFLW2		Right Pedestal Return	1314

Veneer - Arrowood U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.





Arrangements Include:

- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha

To You In 10 DAYS ...or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

U-CONFIGURATIONS		Model No./Description	List Price	U-CONFIGURATIONS		Model No./Description	List Price
Left U-Configuration		Full Pedestal		Right U-Configuration		Full Pedestal	
Wood Top				Wood Top			
		Q31N10872ULFW	107¼D x 71¾W			Q31N10872URFW	107¼D x 71¾W
		31N10872ULFW	107¼D x 71¾W			31N10872URFW	107¼D x 71¾W
		consists of				consists of	
		31N3672DRFW1	Right Pedestal Desk			31N3672DLFW1	Left Pedestal Desk
		31N2451BEFW	Bridge			31N2451BEFW	Bridge
		31N2172CLFW2	Left Pedestal Credenza			31N2172CRFW2	Right Pedestal Credenza
		Q31N10272ULFW	101¼D x 71¾W			Q31N10272URFW	101¼D x 71¾W
		31N10272ULFW	101¼D x 71¾W			31N10272URFW	101¼D x 71¾W
		consists of				consists of	
		31N3672DRFW1	Right Pedestal Desk			31N3672DLFW1	Left Pedestal Desk
		31N2445BEFW	Bridge			31N2445BEFW	Bridge
		31N2172CLFW2	Left Pedestal Credenza			31N2172CRFW2	Right Pedestal Credenza
		31N10266ULFW	101¼D x 66W			31N10266URFW	101¼D x 66W
		consists of				consists of	
		31N3066DRFW1	Right Pedestal Desk			31N3066DLFW1	Left Pedestal Desk
		31N2451BEFW	Bridge			31N2451BEFW	Bridge
		31N2166CLFW2	Left Pedestal Credenza			31N2166CRFW2	Right Pedestal Credenza
		31N9666ULFW	95¼D x 66W			31N9666URFW	95¼D x 66W
		consists of				consists of	
		31N3066DRFW1	Right Pedestal Desk			31N3066DLFW1	Left Pedestal Desk
		31N2445BEFW	Bridge			31N2445BEFW	Bridge
		31N2166CLFW2	Left Pedestal Credenza			31N2166CRFW2	Right Pedestal Credenza
Left U-Configuration		Full Pedestal		Right U-Configuration		Full Pedestal	
Laminate Top				Laminate Top			
		31N10872ULFLW	107¼D x 71¾W			31N10872URFLW	107¼D x 71¾W
		31N10872ULFLW	107¼D x 71¾W			31N10872URFLW	107¼D x 71¾W
		consists of				consists of	
		31N3672DRFLW1	Right Pedestal Desk			31N3672DLFLW1	Left Pedestal Desk
		31N2451BEFLW	Bridge			31N2451BEFLW	Bridge
		31N2172CLFLW2	Left Pedestal Credenza			31N2172CRFLW2	Right Pedestal Credenza
		31N10272ULFLW	101¼D x 71¾W			31N10272URFLW	101¼D x 71¾W
		31N10272ULFLW	101¼D x 71¾W			31N10272URFLW	101¼D x 71¾W
		consists of				consists of	
		31N3672DRFLW1	Right Pedestal Desk			31N3672DLFLW1	Left Pedestal Desk
		31N2445BEFLW	Bridge			31N2445BEFLW	Bridge
		31N2172CLFLW2	Left Pedestal Credenza			31N2172CRFLW2	Right Pedestal Credenza
		31N10266ULFLW	101¼D x 66W			31N10266URFLW	101¼D x 66W
		consists of				consists of	
		31N3066DRFLW1	Right Pedestal Desk			31N3066DLFLW1	Left Pedestal Desk
		31N2451BEFLW	Bridge			31N2451BEFLW	Bridge
		31N2166CLFLW2	Left Pedestal Credenza			31N2166CRFLW2	Right Pedestal Credenza
		31N9666ULFLW	95¼D x 66W			31N9666URFLW	95¼D x 66W
		consists of				consists of	
		31N3066DRFLW1	Right Pedestal Desk			31N3066DLFLW1	Left Pedestal Desk
		31N2445BEFLW	Bridge			31N2445BEFLW	Bridge
		31N2166CLFLW2	Left Pedestal Credenza			31N2166CRFLW2	Right Pedestal Credenza

Arrowood - Veneer L Arrangements





Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Standard sheen
- Center grommet in return
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha

L-CONFIGURATIONS		Model No./Description	List Price	L-CONFIGURATIONS		Model No./Description	List Price
Left L-Configuration ¾ Pedestal Wood Top 	31N8872LLYW 87½D x 71¾W		\$ 3436	Right L-Configuration ¾ Pedestal Wood Top 	31N8872LRYW 87½D x 71¾W		\$ 3436
	consists of				consists of		
	31N3672DRYW3 Right Pedestal Desk		2032		31N3672DLYW3 Left Pedestal Desk		2032
	31N2452RLEYW3 Left Pedestal Return		1404		31N2452RREYW3 Right Pedestal Return		1404
	31N8072LLYW 79½D x 71¾W		\$ 3346		31N8072LRYW 79½D x 71¾W		\$ 3346
	consists of				consists of		
	31N3672DRYW3 Right Pedestal Desk		2032		31N3672DLYW3 Left Pedestal Desk		2032
	31N2444RLEYW3 Left Pedestal Return		1314		31N2444RREYW3 Right Pedestal Return		1314
	31N8266LLYW 81½D x 66W		\$ 3245		31N8266LRYW 81½D x 66W		\$ 3245
	consists of				consists of		
	31N3066DRYW3 Right Pedestal Desk		1841		31N3066DLYW3 Left Pedestal Desk		1841
	31N2452RLEYW3 Left Pedestal Return		1404		31N2452RREYW3 Right Pedestal Return		1404
	31N7466LLYW 73½D x 66W		\$ 3155		31N7466LRYW 73½D x 66W		\$ 3155
	consists of				consists of		
	31N3066DRYW3 Right Pedestal Desk		1841		31N3066DLYW3 Left Pedestal Desk		1841
	31N2444RLEYW3 Left Pedestal Return		1314		31N2444RREYW3 Right Pedestal Return		1314
Left L-Configuration ¾ Pedestal Laminate Top 	31N8872LLQLW 87½D x 71¾W		\$ 2964	Right L-Configuration ¾ Pedestal Laminate Top 	31N8872LRQLW 87½D x 71¾W		\$ 2964
	consists of				consists of		
	31N3672DRQLW3 Right Pedestal Desk		1714		31N3672DLQLW3 Left Pedestal Desk		1714
	31N2452RLEQLW3 Left Pedestal Return		1250		31N2452RREQLW3 Right Pedestal Return		1250
	31N8072LLQLW 79½D x 71¾W		\$ 2874		31N8072LRQLW 79½D x 71¾W		\$ 2874
	consists of				consists of		
	31N3672DRQLW3 Right Pedestal Desk		1714		31N3672DLQLW3 Left Pedestal Desk		1714
	31N2444RLEQLW3 Left Pedestal Return		1160		31N2444RREQLW3 Right Pedestal Return		1160
	31N8266LLQLW 81½D x 66W		\$ 2783		31N8266LRQLW 81½D x 66W		\$ 2783
	consists of				consists of		
	31N3066DRQLW3 Right Pedestal Desk		1533		31N3066DLQLW3 Left Pedestal Desk		1533
	31N2452RLEQLW3 Left Pedestal Return		1250		31N2452RREQLW3 Right Pedestal Return		1250
	31N7466LLQLW 73½D x 66W		\$ 2693		31N7466LRQLW 73½D x 66W		\$ 2693
	consists of				consists of		
	31N3066DRQLW3 Right Pedestal Desk		1533		31N3066DLQLW3 Left Pedestal Desk		1533
	31N2444RLEQLW3 Left Pedestal Return		1160		31N2444RREQLW3 Right Pedestal Return		1160

Veneer - Arrowood U Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


Arrangements Include:


- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish


To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha

U-CONFIGURATIONS	Model No./Description	List Price
Left U-Configuration ¾ Pedestal Wood Top 	31N10872ULYW 107¼D x 71¾W \$ 4059	
	consists of	
	31N3672DRYW3 Right Pedestal Desk	2032
	31N2451BEFW Bridge	465
	31N2172CLYW3 Left Pedestal Credenza	1562
	31N10272ULYW 101¼D x 71¾W \$ 4022	
	consists of	
	31N3672DRYW3 Right Pedestal Desk	2032
	31N2445BEFW Bridge	428
	31N2172CLYW3 Left Pedestal Credenza	1562
	31N10266ULYW 101¼D x 66W \$ 3834	
	consists of	
	31N3066DRYW3 Right Pedestal Desk	1841
	31N2451BEFW Bridge	465
	31N2166CLYW3 Left Pedestal Credenza	1528
	31N9666ULYW 95¼D x 66W \$ 3797	
	consists of	
	31N3066DRYW3 Right Pedestal Desk	1841
	31N2445BEFW Bridge	428
	31N2166CLYW3 Left Pedestal Credenza	1528

U-CONFIGURATIONS	Model No./Description	List Price
Right U-Configuration ¾ Pedestal Wood Top 	31N10872URYW 107¼D x 71¾W \$ 4059	
	consists of	
	31N3672DLYW3 Left Pedestal Desk	2032
	31N2451BEFW Bridge	465
	31N2172CRYW3 Right Pedestal Credenza	1562
	31N10272URYW 101¼D x 71¾W \$ 4022	
	consists of	
	31N3672DLYW3 Left Pedestal Desk	2032
	31N2445BEFW Bridge	428
	31N2172CRYW3 Right Pedestal Credenza	1562
	31N10266URYW 101¼D x 66W \$ 3834	
	consists of	
	31N3066DLYW3 Left Pedestal Desk	1841
	31N2451BEFW Bridge	465
	31N2166CRYW3 Right Pedestal Credenza	1528
	31N9666URYW 95¼D x 66W \$ 3797	
	consists of	
	31N3066DLYW3 Left Pedestal Desk	1841
	31N2445BEFW Bridge	428
	31N2166CRYW3 Right Pedestal Credenza	1528

Left U-Configuration ¾ Pedestal Laminate Top 	31N10872ULQLW 107¼D x 71¾W \$ 3512	
	consists of	
	31N3672DRQLW3 Right Pedestal Desk	1714
	31N2451BEFLW Bridge	402
	31N2172CLQLW3 Left Pedestal Credenza	1396
	31N10272ULQLW 101¼D x 71¾W \$ 3477	
	consists of	
	31N3672DRQLW3 Right Pedestal Desk	1714
	31N2445BEFLW Bridge	367
	31N2172CLQLW3 Left Pedestal Credenza	1396
	31N10266ULQLW 101¼D x 66W \$ 3293	
	consists of	
	31N3066DRQLW3 Right Pedestal Desk	1533
	31N2451BEFLW Bridge	402
	31N2166CLQLW3 Left Pedestal Credenza	1358
	31N9666ULQLW 95¼D x 66W \$ 3258	
	consists of	
	31N3066DRQLW3 Right Pedestal Desk	1533
	31N2445BEFLW Bridge	367
	31N2166CLQLW3 Left Pedestal Credenza	1358

Right U-Configuration ¾ Pedestal Laminate Top 	31N10872URQLW 107¼D x 71¾W \$ 3512	
	consists of	
	31N3672DLQLW3 Left Pedestal Desk	1714
	31N2451BEFLW Bridge	402
	31N2172CRQLW3 Right Pedestal Credenza	1396
	31N10272URQLW 101¼D x 71¾W \$ 3477	
	consists of	
	31N3672DLQLW3 Left Pedestal Desk	1714
	31N2445BEFLW Bridge	367
	31N2172CRQLW3 Right Pedestal Credenza	1396
	31N10266URQLW 101¼D x 66W \$ 3293	
	consists of	
	31N3066DLQLW3 Left Pedestal Desk	1533
	31N2451BEFLW Bridge	402
	31N2166CRQLW3 Right Pedestal Credenza	1358
	31N9666URQLW 95¼D x 66W \$ 3258	
	consists of	
	31N3066DLQLW3 Left Pedestal Desk	1533
	31N2445BEFLW Bridge	367
	31N2166CRQLW3 Right Pedestal Credenza	1358

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

31N3672DDFW8 X N CW
31N3672DDFLW8 G13LR CW
31N3672DRFW1 X R CW
31N3672DRFLW1 G13LR CW

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Double Pedestal Desk Arc Top—Full Pedestal 	31N3672DDFAW8 Wood Top	\$ 3128	35¾	71¾	29½	10%	39⅝	317 lbs.	57.4
	31N3672DDFALW8 HPL Top	2862	35¾	71¾	29½	10%	39⅝	317 lbs.	57.4
	- Unit has a full modesty panel - Depth of arc top is 35¾" at its widest point - Grommet (G13LR) available								
Double Pedestal Desk Arc Top—¾ Pedestal 	31N3672DDYAW3 Wood Top	\$ 2811	35¾	71¾	29½	10%	39⅝	291 lbs.	57.4
	31N3672DDQALW3 HPL Top	2562	35¾	71¾	29½	10%	39⅝	291 lbs.	57.4
	- Depth of arc top is 35¾" at its widest point - Grommet (G13LR) available - Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel								
Double Pedestal Desk Full Pedestal 	Q31N3672DDFW8 Wood Top	\$ 2562	35¾	71¾	29½	10%	39⅝	361 lbs.	57.4
	31N3672DDFW8 Wood Top	2562	35¾	71¾	29½	10%	39⅝	361 lbs.	57.4
	31N3672DDFLW8 HPL Top	2242	35¾	71¾	29½	10%	39⅝	361 lbs.	57.4
	31N3060DDFW8 Wood Top	\$ 2313	29¾	59¾	29½	4%	27⅝	261 lbs.	41.5
	31N3060DDFLW8 HPL Top	1995	29¾	59¾	29½	4%	27⅝	261 lbs.	41.5
	• Grommet (G13LR) available								
Double Pedestal Desk ¾ Pedestal 	31N3672DDYW3 Wood Top	\$ 2242	35¾	71¾	29½	10%	39⅝	325 lbs.	57.4
	31N3672DDQLW3 HPL Top	1926	35¾	71¾	29½	10%	39⅝	325 lbs.	57.4
	31N3060DDYW3 Wood Top	\$ 1995	29¾	59¾	29½	4%	27⅝	235 lbs.	41.5
	31N3060DDQLW3 HPL Top	1701	29¾	59¾	29½	4%	27⅝	235 lbs.	41.5
	- Grommet (G13LR) available - Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel								

Dimension Key




D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:

31N3672DULW	R	CW
31N3672DULFW	R	CW
31N2452RLEFW2	X	N MC


To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description			List Price	Dimensions						Cartoned Weight	Cubic Feet
					D	W	H	A	KW			
 Left shown	Left U		Right U									
	31N3672DULW	31N3672DURW	Wood Top	\$ 1843	35¾	71¾	29½	⅙	30¼	139 lbs.	5.9	
	31N3672DULLW	31N3672DURLW	HPL Top	1700	35¾	71¾	29½	⅙	30¼	143 lbs.	5.9	
	• Not recommended as a freestanding unit due to routing in the rim • Must specify support base; see below • Grommets not available											
 Left shown	Left U		Right U									
	31N3672DULFW	31N3672DURFW	Wood Top	\$ 2196	35¾	71¾	29½	⅓2	30¼	161 lbs.	5.9	
	31N3672DULFLW	31N3672DURFLW	HPL Top	2056	35¾	71¾	29½	⅓2	30¼	165 lbs.	5.9	
	• Not recommended as a freestanding unit due to routing in the rim • Must specify support base; see below • Grommets not available											
 					DI		H					
	NAC2804SFB	Cinder	\$ 244	4	—	27¾-29¼		—	10 lbs.	1.0		
	NAC2804SFB5	Platinum Metallic	244	4	—	27¾-29¼		—	10 lbs.	1.0		
	NAC2804SFBN	Satin Nickel Metallic	244	4	—	27¾-29¼		—	10 lbs.	1.0		
	NAC2804SFBFA	Anthracite Metallic	244	4	—	27¾-29¼		—	10 lbs.	1.0		
	NAC2804SFBW	Wood	445	4	—	27¾-29¼		—	6 lbs.	1.0		
					D	W	H	A	KW			
NAC2812SHB	Wood Half	\$ 556	6	11⅞	27¾	—	—	13.3 lbs.	2.6			
• Adjustable glide standard • Specify veneer finish on wood support base												
	31N3636CFSW	Wood Top	\$ 1416	36	36	29½	⅙	17	122 lbs.	5.2		
	31N3636CFLW	HPL Top	1336	36	36	29½	⅙	17	117 lbs.	5.2		
	• Unit can be attached to bridge, return or multi-file return only • Not recommended as a freestanding unit due to routing in the rim • Some assembly required • Grain direction runs diagonal on worksurface • Grommet (G13C) available											

Specify selections, left to right:


Base Model	Grommet Option	Sheen (wood tops only)	Finish
31N3672DULW	G13LR Black, Left & Right G13C Black, Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha CW


	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Transaction Counter Desk Unit 	31N1569TCW Wood Top	\$ 695	14 ²⁵ / ₃₂ 69 ¹ / ₃₂ 15 ³ / ₁₆ — —	73 lbs.	2.4
	31N1569TCLW HPL Top	638	14 ²⁵ / ₃₂ 69 ¹ / ₃₂ 15 ³ / ₁₆ — —	73 lbs.	2.4
	31N1563TCW Wood Top	\$ 623	14 ²⁵ / ₃₂ 63 ¹ / ₃₂ 15 ³ / ₁₆ — —	67 lbs.	2.2
	31N1563TCLW HPL Top	566	14 ²⁵ / ₃₂ 63 ¹ / ₃₂ 15 ³ / ₁₆ — —	67 lbs.	2.2

• Transaction surface spans over the desk only
• Some assembly required

Transaction Counter L Unit 	31N6983TCW Wood Top	\$ 993	82 ¹ / ₂ 69 ¹ / ₃₂ 15 ³ / ₁₆ — —	101 lbs.	3.3
	31N6983TCLW HPL Top	908	82 ¹ / ₂ 69 ¹ / ₃₂ 15 ³ / ₁₆ — —	101 lbs.	3.3
	31N6377TCW Wood Top	\$ 921	76 ¹ / ₂ 63 ¹ / ₃₂ 15 ³ / ₁₆ — —	84 lbs.	3.1
	31N6377TCLW HPL Top	836	76 ¹ / ₂ 63 ¹ / ₃₂ 15 ³ / ₁₆ — —	84 lbs.	3.1

• Some assembly required

Return Full Pedestal  Left shown	Left Pedestal	Right Pedestal									
	Q31N2452RLEFW2	Q31N2452RREFW2	Wood Top	\$ 1562	23 ³ / ₄	51 ³ / ₄	29 ¹ / ₂	¹ / ₁₆	34 ⁷ / ₈	169 lbs.	30.1
	31N2452RLEFW2	31N2452RREFW2	Wood Top	1562	23 ³ / ₄	51 ³ / ₄	29 ¹ / ₂	¹ / ₁₆	34 ⁷ / ₈	169 lbs.	30.1
	31N2452RLEFLW2	31N2452RREFLW2	HPL Top	1404	23 ³ / ₄	51 ³ / ₄	29 ¹ / ₂	¹ / ₁₆	34 ⁷ / ₈	169 lbs.	30.1
	Q31N2444RLEFW2	Q31N2444RREFW2	Wood Top	\$ 1473	23 ³ / ₄	43 ³ / ₄	29 ¹ / ₂	¹ / ₁₆	26 ¹ / ₈	156 lbs.	25.9
	31N2444RLEFW2	31N2444RREFW2	Wood Top	1473	23 ³ / ₄	43 ³ / ₄	29 ¹ / ₂	¹ / ₁₆	26 ¹ / ₈	156 lbs.	25.9
	31N2444RLEFLW2	31N2444RREFLW2	HPL Top	1314	23 ³ / ₄	43 ³ / ₄	29 ¹ / ₂	¹ / ₁₆	26 ¹ / ₈	156 lbs.	25.9
	• Grain direction runs front-to-back on worksurface • Grommet (G13C) available										

Return ¾ Pedestal  Right shown	Left Pedestal	Right Pedestal									
	31N2452RLEYW3	31N2452RREYW3	Wood Top	\$ 1404	23 ³ / ₄	51 ³ / ₄	29 ¹ / ₂	¹ / ₁₆	34 ⁷ / ₈	151 lbs.	30.1
	31N2452RLEQLW3	31N2452RREQLW3	HPL Top	1250	23 ³ / ₄	51 ³ / ₄	29 ¹ / ₂	¹ / ₁₆	34 ⁷ / ₈	151 lbs.	30.1
	31N2444RLEYW3	31N2444RREYW3	Wood Top	\$ 1314	23 ³ / ₄	43 ³ / ₄	29 ¹ / ₂	¹ / ₁₆	26 ¹ / ₈	139 lbs.	25.9
	31N2444RLEQLW3	31N2444RREQLW3	HPL Top	1160	23 ³ / ₄	43 ³ / ₄	29 ¹ / ₂	¹ / ₁₆	26 ¹ / ₈	139 lbs.	25.9
	• Grain direction runs front-to-back on worksurface • Grommet (G13C) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel										

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

31N2451BEFLW X MC
31N2451BEFW X R CL
31N2172CLFW2 G13LR R MH





To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Return Multi-File  Left shown	<i>Left Pedestal</i>								
	<i>Right Pedestal</i>								
	31N2472RLEFW10 31N2472RREFW10 Wood Top	\$ 2181	23¾	71¾	29½	⅞	35	197 lbs.	40.6
	31N2472RLEFLW10 31N2472RREFLW10 HPL Top	2021	23¾	71¾	29½	⅞	35	197 lbs.	40.6
	- Unit can be attached to corner unit, single pedestal desk or U-shaped desk only - Grommet (G13C) available								
Bridge 	Q31N2451BEFW Wood Top	\$ 465	23¾	50½	29½	⅞	48	81 lbs.	3.1
	31N2451BEFW Wood Top	465	23¾	50½	29½	⅞	48	81 lbs.	3.1
	31N2451BEFLW HPL Top	402	23¾	50½	29½	⅞	48	79 lbs.	3.1
	Q31N2445BEFW Wood Top	\$ 428	23¾	44½	29½	⅞	39½	71 lbs.	2.8
	31N2445BEFW Wood Top	428	23¾	44½	29½	⅞	39½	71 lbs.	2.8
	31N2445BEFLW HPL Top	367	23¾	44½	29½	⅞	39½	74 lbs.	2.8
	- Some assembly required - Grain direction runs front-to-back on worksurface - Grommet (G13C) available								
Storage Credenza Full Pedestal 	Q31N2172CSFW2 Wood Top	\$ 2423	21	71¾	29½	⅞	—	309 lbs.	36.4
	31N2172CSFW2 Wood Top	2423	21	71¾	29½	⅞	—	309 lbs.	36.4
	31N2172CSFLW2 HPL Top	2105	21	71¾	29½	⅞	—	309 lbs.	36.4
	31N2166CSFW2 Wood Top	\$ 2193	21	66	29½	⅞	—	307 lbs.	33.6
	31N2166CSFLW2 HPL Top	1876	21	66	29½	⅞	—	307 lbs.	33.6
	72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick) 66" credenza features an adjustable shelf (12" deep, 27½" wide and 1" thick) - Grommet (G13LR) available								
Storage Credenza ¾ Pedestal 	31N2172CSYW3 Wood Top	\$ 2105	21	71¾	29½	⅞	—	279 lbs.	36.4
	31N2172CSQLW3 HPL Top	1949	21	71¾	29½	⅞	—	279 lbs.	36.4
	31N2166CSYW3 Wood Top	\$ 1876	21	66	29½	⅞	—	257 lbs.	33.6
	31N2166CSQLW3 HPL Top	1698	21	66	29½	⅞	—	257 lbs.	33.6
	72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick) 66" credenza features an adjustable shelf (12" deep, 27½" wide and 1" thick) - Grommet (G13LR) available - Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel								

Specify selections, left to right:

Base Model	Grommet Option	Sheen (wood tops only)	Finish
	G13LR Black, Left & Right G13C Black, Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha MC
31N2451BEFLW	X		MC

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Entertainment Credenza 	31N2472CBVW Wood	\$ 3441	22 ²⁵ / ₃₂ 71 ¹³ / ₁₆ 34 ¹⁵ / ₁₆ — —	309 lbs.	36.4
	31N2472CBVLW Laminate/Wood	3441	22 ²⁵ / ₃₂ 71 ¹³ / ₁₆ 34 ¹⁵ / ₁₆ — —	309 lbs.	36.4
	• 72" credenza features an adjustable shelf (12" deep, 32³/₄" wide and 1" thick) • Inside dimension of each storage section is 21" deep x 34¹/₂" wide x 23¹/₄" high • Unfinished back panel • Cutouts in back panel for venting • Grommet (G13LR) available • Rim on front and sides of model				
Knespace Credenza Full Pedestal 	Q31N2172CKFW2 Wood Top	\$ 2370	21 71 ³ / ₄ 29 ¹ / ₂ ¹ / ₁₆ 34 ³ / ₁₆	252 lbs.	36.4
	31N2172CKFW2 Wood Top	2370	21 71 ³ / ₄ 29 ¹ / ₂ ¹ / ₁₆ 34 ³ / ₁₆	252 lbs.	36.4
	31N2172CKFLW2 HPL Top	2051	21 71 ³ / ₄ 29 ¹ / ₂ ¹ / ₁₆ 34 ³ / ₁₆	252 lbs.	36.4
	31N2166CKFW2 Wood Top	\$ 2142	21 66 29 ¹ / ₂ ¹ / ₁₆ 28 ⁸ / ₁₆	240 lbs.	33.6
	31N2166CKFLW2 HPL Top	1823	21 66 29 ¹ / ₂ ¹ / ₁₆ 28 ⁸ / ₁₆	240 lbs.	33.6
	• Standard wire management centered in the modesty panel and 1³/₄" from the top • Grommet (G13LR) available				
Knespace Credenza ¾ Pedestal 	31N2172CKYW3 Wood Top	\$ 2051	21 71 ³ / ₄ 29 ¹ / ₂ ¹ / ₁₆ 34 ³ / ₁₆	212 lbs.	36.4
	31N2172CKQLW3 HPL Top	1891	21 71 ³ / ₄ 29 ¹ / ₂ ¹ / ₁₆ 34 ³ / ₁₆	212 lbs.	36.4
	31N2166CKYW3 Wood Top	\$ 1823	21 66 29 ¹ / ₂ ¹ / ₁₆ 28 ⁸ / ₁₆	200 lbs.	33.6
	31N2166CKQLW3 HPL Top	1643	21 66 29 ¹ / ₂ ¹ / ₁₆ 28 ⁸ / ₁₆	200 lbs.	33.6
	• Standard wire management centered in the modesty panel and 1³/₄" from the top • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel				
Single Pedestal Credenza Full Pedestal 	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	Q31N2172CLFW2	Q31N2172CRFW2 Wood Top	\$ 1722	21 71 ³ / ₄ 29 ¹ / ₂ ¹ / ₁₆ 29 ³ / ₁₆	232 lbs. 36.4
	31N2172CLFW2	31N2172CRFW2 Wood Top	1722	21 71 ³ / ₄ 29 ¹ / ₂ ¹ / ₁₆ 29 ³ / ₁₆	232 lbs. 36.4
	31N2172CLFLW2	31N2172CRFLW2 HPL Top	1562	21 71 ³ / ₄ 29 ¹ / ₂ ¹ / ₁₆ 29 ³ / ₁₆	232 lbs. 36.4
	31N2166CLFW2	31N2166CRFW2 Wood Top	\$ 1681	21 66 29 ¹ / ₂ ¹ / ₁₆ 23 ³ / ₁₆	200 lbs. 33.6
	31N2166CLFLW2	31N2166CRFLW2 HPL Top	1528	21 66 29 ¹ / ₂ ¹ / ₁₆ 23 ³ / ₁₆	200 lbs. 33.6
	• Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available				

Left shown

Dimension Key





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

31N2172CRFW6	X	N	MH
31N7236HBHW	MC		
31N2136LFF2W	N	CW	


To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description				List Price	Dimensions							
						D	W	H	A	KW	Cartoned Weight	Cubic Feet	
Single Pedestal Credenza ¾ Pedestal  Left shown	Left Pedestal	Right Pedestal											
	31N2172CLYW3	31N2172CRYW3	Wood Top	\$ 1562	21	71¾	29½	⅞	29¾	192 lbs.	36.4		
	31N2172CLQLW3	31N2172CRQLW3	HPL Top	1396	21	71¾	29½	⅞	29¾	192 lbs.	36.4		
	31N2166CLYW3	31N2166CRYW3	Wood Top	\$ 1528	21	66	29½	⅞	23¾	180 lbs.	33.6		
	31N2166CLQLW3	31N2166CRQLW3	HPL Top	1358	21	66	29½	⅞	23¾	180 lbs.	33.6		
• Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel													
Single Pedestal Credenza Lateral File  Left shown	Left Pedestal	Right Pedestal											
	31N2172CLFW6	31N2172CRFW6	Wood Top	\$ 1913	21	71¾	29½	⅞	12¾	252 lbs.	36.4		
	31N2172CLFLW6	31N2172CRFLW6	HPL Top	1754	21	71¾	29½	⅞	12¾	252 lbs.	36.4		
	31N2166CLFW6	31N2166CRFW6	Wood Top	\$ 1803	21	66	29½	⅞	6¾	241 lbs.	33.6		
	31N2166CLFLW6	31N2166CRFLW6	HPL Top	1641	21	66	29½	⅞	6¾	241 lbs.	33.6		
• Front-to-back filing is standard with lateral files; four rods per drawer are included • Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available													
Single Pedestal Credenza Multi-File  Left shown	Left Pedestal	Right Pedestal											
	31N2472CLFW10	31N2472CRFW10	Wood Top	\$ 2343	23¾	71¾	29½	⅞	12¾	279 lbs.	40.6		
	31N2472CLFLW10	31N2472CRFLW10	HPL Top	2193	23¾	71¾	29½	⅞	12¾	279 lbs.	40.6		
	• Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available												
Highback Organizer  18 1/4"	Q31N7236HBHW			\$ 1778	14¾	69	36	⅞	—	181 lbs.	34.9		
	31N7236HBHW			1778	14¾	69	36	⅞	—	181 lbs.	34.9		
	31N6636HBHW			1723	14¾	63	36	⅞	—	165 lbs.	32.1		
	• Highback organizer features (4) side hinged doors, full back panels with cord management • Specify finish only • Features a laminate (LPL) top • For tack board options, see pages 304-308												

Specify selections, left to right:

Base Model	Grommet Option	Sheen (wood tops only)	Finish
	G13LR X Black, Left & Right No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
31N2172CRFW6	X	N	MH

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Overhead Cabinet Wall Mount 	Q31N3618SOHWMW Wood Top	\$ 873	14¾	35½	17½	—	—	101 lbs.	9.7
	31N3618SOHWMW Wood Top	873	14¾	35½	17½	—	—	101 lbs.	9.7
	31N3018SOHWMW Wood Top	800	14¾	29½	17½	—	—	86 lbs.	7.9

Wall Mount Kit

ABWMD	48" Wall Mount Kit	\$ 53	½	48	2	—	—	4 lbs.	0.1
ABWMF	72" Wall Mount Kit	56	½	72	2	—	—	4 lbs.	0.2


- Cabinet has flat edge detail
- Must specify wall mount kit
- Wall mount extrusions can be cut to size in the field
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Specify finish only
- For tack board options, see pages 304-308

Single Storage Cabinet/Wardrobe

Left shown

<i>Left Hinged</i>	<i>Right Hinged</i>								
31N1866VSWHLW	31N1866VSWHRW	Wood Top	\$ 1883	21	18½	65½	—	—	160 lbs. 23.6
Inside Dimensions				18½	16½	61½	—	—	—

- Single storage cabinet can be used as a wardrobe unit by removing the 4 adjustable shelves
- Removable coat rod is standard
- Unit has an unfinished back
- Specify finish only

Lateral File Two Drawer

Q31N2136LFF2W	Wood Top	\$ 1280	21	35½	29½	—	—	193 lbs.	15.6
31N2136LFF2W	Wood Top	1280	21	35½	29½	—	—	193 lbs.	15.6
31N2136LFF2LW	HPL Top	1231	21	35½	29½	—	—	201 lbs.	15.6

- Front-to-back filing is standard with lateral files; four rods per drawer are included

Lateral File Three Drawer

31N2136LFF3W	Wood Top	\$ 1662	21	36½	43½	—	—	210 lbs.	30.0
31N2136LFF3LW	HPL Top	1620	21	36½	43½	—	—	210 lbs.	30.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

31N2040MGLW AC
31N2430PTLW G13C MH






To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Lateral File Four Drawer 	31N2136LFF4W Wood Top	\$ 2091	21	36 $\frac{1}{16}$	57 $\frac{3}{16}$	—	—	291 lbs.	40.2
	31N2136LFF4LW HPL Top	2065	21	36 $\frac{1}{16}$	57 $\frac{3}{16}$	—	—	291 lbs.	40.2
• Front-to-back filing is standard with lateral files; four rods per drawer are included • Do not specify sheen option; features standard sheen									
Bookcase Set-On 	Q31N3238BCOW Wood Top	\$ 836	13	31 $\frac{1}{2}$	38	—	—	85 lbs.	16.9
	31N3238BCOW Wood Top	836	13	31 $\frac{1}{2}$	38	—	—	85 lbs.	16.9
• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable									
Bookcase 	Q31N3266BCOFW Wood Top	\$ 1210	13	31 $\frac{1}{2}$	65 $\frac{3}{4}$	—	—	111 lbs.	27.2
	31N3266BCOFW Wood Top	1210	13	31 $\frac{1}{2}$	65 $\frac{3}{4}$	—	—	111 lbs.	27.2
• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable									
Bookcase 	31N3253BCOFW Wood Top	\$ 946	13	31 $\frac{1}{2}$	53	—	—	92 lbs.	22.4
• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable									

Specify selections, left to right:


Base Model	Grommet Option	Sheen (wood tops only)	Finish
31N2040MGLW	G13C X Black, Center No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha AC

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Printer/Telephone Stand 	31N2430PTLW Laminate/Wood	\$ 984	23¾ 29½ 29½ — 27¾	89 lbs.	18.7
	MPK-4 Set of 4 casters	59	— — — — —	1 lbs.	0.2
	• Fixed shelf is 12" deep, 27¾" wide and ¾" thick • Open back • Grommet (G13C) available • Casters are available for use as a mobile unit				
Magazine Table Panel Legs 	31N2040MGLW HPL Top	\$ 618	19¾ 39½ 16 ¼ —	67 lbs.	12.2
End Table Panel Legs 	31N2424ENLW HPL Top	\$ 564	23¾ 23½ 19 ¼ —	63 lbs.	11.0
Magazine Table Turned Legs 	Q31N2040MGPLW HPL Top	\$ 896	19 ²⁵ / ₃₂ 39 ²⁵ / ₃₂ 17 ³ / ₁₆ — —	42 lbs.	3.0
	31N2040MGPLW HPL Top	896	19 ²⁵ / ₃₂ 39 ²⁵ / ₃₂ 17 ³ / ₁₆ — —	42 lbs.	3.0
	• Some assembly required				
End Table Turned Legs 	Q31N2424ENPLW HPL Top	\$ 840	23 ²⁵ / ₃₂ 23 ²⁵ / ₃₂ 20 ⁷ / ₁₆ — —	33 lbs.	2.2
	31N2424ENPLW HPL Top	840	23 ²⁵ / ₃₂ 23 ²⁵ / ₃₂ 20 ⁷ / ₁₆ — —	33 lbs.	2.2
	• Some assembly required				

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width


Square Table Top 1 $\frac{1}{16}$ " Thick



Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
36" Square 1 $\frac{1}{16}$ " Top Thickness			D	W	H				
31NN3636SQW	Wood	\$ 955	36	36	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
31NN3636SQLW	Laminate/Wood	955	36	36	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
42" Square									
31NN4242SQW	Wood	\$ 1072	42	42	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
31NN4242SQLW	Laminate/Wood	1072	42	42	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
48" Square									
31NN4848SQW	Wood	\$ 1191	48	48	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
31NN4848SQLW	Laminate/Wood	1191	48	48	1 $\frac{1}{16}$	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases
- See Tables Price List pages 36-39 for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 35 for options and upcharge

Square Table Top 1 $\frac{3}{16}$ " Thick



Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
36" Square 1 $\frac{3}{16}$ " Top Thickness			D	W	H				
31N3636SQW	Wood	\$ 851	36	36	1 $\frac{3}{16}$	—	—	42 lbs.	2.4
31N3636SQLW	Laminate/Wood	851	36	36	1 $\frac{3}{16}$	—	—	42 lbs.	2.4
42" Square									
31N4242SQW	Wood	\$ 968	42	42	1 $\frac{3}{16}$	—	—	58 lbs.	3.2
31N4242SQLW	Laminate/Wood	968	42	42	1 $\frac{3}{16}$	—	—	58 lbs.	3.2
48" Square									
31N4848SQW	Wood	\$ 1087	48	48	1 $\frac{3}{16}$	—	—	76 lbs.	4.2
31N4848SQLW	Laminate/Wood	1087	48	48	1 $\frac{3}{16}$	—	—	76 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases
- See Tables Price List pages 36-39 for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 35 for options and upcharge

Barrington

Barrington

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1 $\frac{1}{16}$ " bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered rim and base
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces; standard sheen featured on above surface units

FINISH APPLICATION

- Barrington series finished with IntegraClear™ UV technology. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- $\frac{3}{4}$ " thick full modesty panels
- Grain direction runs vertical on all modesty panels
- $\frac{3}{4}$ " thick end panels
- Standard leveling glides
- Back panels are semi-finished (stained with some exposed hardware) unless noted

MOLDING AND PULLS


- Solid wood, mitered, overlay moldings on modesty panel and end panels of desks
- Three pull styles available

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain $\frac{1}{2}$ " thick, sides are laminated woodgrain $\frac{3}{8}$ " thick
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT

- Grommets available in predetermined locations
- Optional wire managers are available (see accessory pages)
- Standard in highback organizers

LOCKING

- All units feature standard pedestal locking; desks have locking center drawer independent from the pedestals
- Highback organizers with wood doors feature one standard lock for center compartment
- Highback organizers with grille or glass doors feature two standard locks
- Black, removable cores are standard for all pedestal locks
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, in pedestals change keys and master keys, reference page 297
- Highbacks and bookcases use a brass lock (keyed random 1-5) with a non-removable/changeable lock core when the Provincial or Classic pulls are ordered
- Highbacks and bookcases use a black lock (keyed random 1-5) with a non-removable/changeable lock core when Verona pull is ordered

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Depth		
Dictation Slide	13 $\frac{1}{16}$ "	24 $\frac{1}{4}$ "	$\frac{3}{4}$ "	N/A
Center Drawers				
3672DP, 3066DP	28 $\frac{1}{2}$ "	17"	2 $\frac{7}{8}$ "	N/A
3672LP, 3672RP	28 $\frac{1}{2}$ "	17"	2 $\frac{7}{8}$ "	N/A
3066LP, 3066RP	22 $\frac{3}{4}$ "	17"	2 $\frac{7}{8}$ "	N/A
Box Drawer	12 $\frac{1}{16}$ "	17"	3 $\frac{1}{8}$ "	N/A
File Drawer – Desk	12 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Letter
File Drawer – Return and Credenza	15 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Legal
File Drawer – Lateral File	30 $\frac{1}{16}$ "	15"	9 $\frac{1}{2}$ "	Letter/Letter, Letter/Legal or Letter/EDP

- Dictation slide extends 17" from desk
- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.


WOOD FINISHES

- TF Truffle
- CW Cordovan
- DW Judicial
- MH Mocha


WORKSURFACE
SHEEN OPTIONS

- R Standard
- N Matte/Satin


RIM PROFILE



PULL OPTIONS



Provincial (80)
80AB Antique Brass
(Boring Pattern 76mm)



Classic (81)
81AB Antique Brass
(Boring Pattern 76mm)



Verona (85)
85AB Antique Brass
85CN Classic Nickel
(Boring Pattern 160mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black

- G13C Center

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

- Rim Profile: Traditional
- Pull: Classic 81AB Antique Brass
- Grommets: Included on bridges and returns
- Sheen: Standard
- Finish: Cordovan (CW)

Barrington L Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Classic, Antique Brass pulls
- Standard sheen
- Center grommet in return
- Must specify finish









To Order, Specify Finish:

TF Truffle DW Judicial
CW Cordovan MH Mocha



Classic, Antique Brass pulls

To You In 10 DAYS ...or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

L-CONFIGURATIONS		Model No./Description		List Price	L-CONFIGURATIONS		Model No./Description		List Price
Left L-Configuration		Wood Top			Right L-Configuration		Wood Top		
		Q50N8672LLFW	85¾D x 71¾W	\$ 4624			Q50N8672LRFW	85¾D x 71¾W	\$ 4624
		50N8672LLFW	85¾D x 71¾W	\$ 4624			50N8672LRFW	85¾D x 71¾W	\$ 4624
		consists of					consists of		
		50N3672DRFW1	Right Pedestal Desk	2614			50N3672DLFW1	Left Pedestal Desk	2614
		50N2450RLEFW2	Left Pedestal Return	2010			50N2450RREFW2	Right Pedestal Return	2010
		50N8066LLFW	79¾D x 66W	\$ 4550			50N8066LRFW	79¾D x 66W	\$ 4550
		consists of					consists of		
		50N3066DRFW1	Right Pedestal Desk	2540			50N3066DLFW1	Left Pedestal Desk	2540
		50N2450RLEFW2	Left Pedestal Return	2010			50N2450RREFW2	Right Pedestal Return	2010
Left L-Configuration		Laminate Top			Right L-Configuration		Laminate Top		
		50N8672LLFLW	85¾D x 71¾W	\$ 4624			50N8672LRFLW	85¾D x 71¾W	\$ 4624
		consists of					consists of		
		50N3672DRFLW1	Right Pedestal Desk	2614			50N3672DLFLW1	Left Pedestal Desk	2614
		50N2450RLEFLW2	Left Pedestal Return	2010			50N2450RREFLW2	Right Pedestal Return	2010
		50N8066LLFLW	79¾D x 66W	\$ 4550			50N8066LRFLW	79¾D x 66W	\$ 4550
		consists of					consists of		
		50N3066DRFLW1	Right Pedestal Desk	2540			50N3066DLFLW1	Left Pedestal Desk	2540
		50N2450RLEFLW2	Left Pedestal Return	2010			50N2450RREFLW2	Right Pedestal Return	2010

Barrington U Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Classic, Antique Brass pulls
- Standard sheen
- Center grommet in bridge
- Must specify finish

To Order, Specify Finish:

TF Truffle DW Judicial
CW Cordovan MH Mocha




Classic, Antique Brass pulls

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

U-CONFIGURATIONS


Left U-Configuration Wood Top



Model No./Description	List Price
Q50N10772ULFW 106¾D x 71¾W	\$ 5352
50N10772ULFW 106¾D x 71¾W	\$ 5352
consists of	
50N3672DRFW1 Right Pedestal Desk	2614
50N2450BEFW Bridge	703
50N2172CLFW2 Left Pedestal Credenza	2035
Q50N9972ULFW 98¾D x 71¾W	\$ 5314
50N9972ULFW 98¾D x 71¾W	\$ 5314
consists of	
50N3672DRFW1 Right Pedestal Desk	2614
50N2442BEFW Bridge	665
50N2172CLFW2 Left Pedestal Credenza	2035
50N10266ULFW 101¾D x 66W	\$ 5000
consists of	
50N3066DRFW1 Right Pedestal Desk	2540
50N2450BEFW Bridge	703
50N2166CLFW2 Left Pedestal Credenza	1757
50N9366ULFW 92¾D x 66W	\$ 4962
consists of	
50N3066DRFW1 Right Pedestal Desk	2540
50N2442BEFW Bridge	665
50N2166CLFW2 Left Pedestal Credenza	1757


U-CONFIGURATIONS

Right U-Configuration Wood Top




Model No./Description	List Price
Q50N10772URFW 106¾D x 71¾W	\$ 5352
50N10772URFW 106¾D x 71¾W	\$ 5352
consists of	
50N3672DLFW1 Left Pedestal Desk	2614
50N2450BEFW Bridge	703
50N2172CRFW2 Right Pedestal Credenza	2035
Q50N9972URFW 98¾D x 71¾W	\$ 5314
50N9972URFW 98¾D x 71¾W	\$ 5314
consists of	
50N3672DLFW1 Left Pedestal Desk	2614
50N2442BEFW Bridge	665
50N2172CRFW2 Right Pedestal Credenza	2035
50N10266URFW 101¾D x 66W	\$ 5000
consists of	
50N3066DLFW1 Left Pedestal Desk	2540
50N2450BEFW Bridge	703
50N2166CRFW2 Right Pedestal Credenza	1757
50N9366URFW 92¾D x 66W	\$ 4962
consists of	
50N3066DLFW1 Left Pedestal Desk	2540
50N2442BEFW Bridge	665
50N2166CRFW2 Right Pedestal Credenza	1757

Left U-Configuration Laminate Top



50N10772ULFLW 106¾D x 71¾W	\$ 5352
consists of	
50N3672DRFLW1 Right Pedestal Desk	2614
50N2450BEFLW Bridge	703
50N2172CLFLW2 Left Pedestal Credenza	2035
50N9972ULFLW 98¾D x 71¾W	\$ 5314
consists of	
50N3672DRFLW1 Right Pedestal Desk	2614
50N2442BEFLW Bridge	665
50N2172CLFLW2 Left Pedestal Credenza	2035
50N10266ULFLW 101¾D x 66W	\$ 5000
consists of	
50N3066DRFLW1 Right Pedestal Desk	2540
50N2450BEFLW Bridge	703
50N2166CLFLW2 Left Pedestal Credenza	1757
50N9366ULFLW 92¾D x 66W	\$ 4962
consists of	
50N3066DRFLW1 Right Pedestal Desk	2540
50N2442BEFLW Bridge	665
50N2166CLFLW2 Left Pedestal Credenza	1757

Right U-Configuration Laminate Top



50N10772URFLW 106¾D x 71¾W	\$ 5352
consists of	
50N3672DLFLW1 Left Pedestal Desk	2614
50N2450BEFLW Bridge	703
50N2172CRFLW2 Right Pedestal Credenza	2035
50N9972URFLW 98¾D x 71¾W	\$ 5314
consists of	
50N3672DLFLW1 Left Pedestal Desk	2614
50N2442BEFLW Bridge	665
50N2172CRFLW2 Right Pedestal Credenza	2035
50N10266URFLW 101¾D x 66W	\$ 5000
consists of	
50N3066DLFLW1 Left Pedestal Desk	2540
50N2450BEFLW Bridge	703
50N2166CRFLW2 Right Pedestal Credenza	1757
50N9366URFLW 92¾D x 66W	\$ 4962
consists of	
50N3066DLFLW1 Left Pedestal Desk	2540
50N2442BEFLW Bridge	665
50N2166CRFLW2 Right Pedestal Credenza	1757

Dimension Key



D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

50N3672DDFW8 80AB N MH
50N2450RLEFW2 81AB X R MH

To You In
10
...or Less

Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
Double Pedestal Desk 	Q50N3672DDFW8 Wood Top	\$ 3069	35¾	71¾	29½	7¾	32%	362 lbs.	57.4			
	50N3672DDFW8 Wood Top	3069	35¾	71¾	29½	7¾	32%	362 lbs.	57.4			
	50N3672DDFLW8 HPL Top	3069	35¾	71¾	29½	7¾	32%	362 lbs.	57.4			
	50N3066DDFW8 Wood Top	\$ 2860	29¾	66	29½	1¾	25⅓ ₁₆	285 lbs.	45.3			
	50N3066DDFLW8 HPL Top	2860	29¾	66	29½	1¾	25⅓ ₁₆	285 lbs.	45.3			
• Desk chassis measures 62⅞" • The user side overhang is 1" • Comes with center drawer and dictation slide												
Chippendale Table Desk 	50N3672DTW Wood Top	\$ 1880	35¾	71¾	29½	—	—	129 lbs.	10.7			
	50N3672DTLW HPL Top	1880	35¾	71¾	29½	—	—	129 lbs.	10.7			
	• Comes with center drawer • Some assembly required											
Queen Anne Table Desk 	50N3672DTQW Wood Top	\$ 2511	35¾	71¾	29½	—	—	130 lbs.	10.7			
	50N3672DTQLW HPL Top	2511	35¾	71¾	29½	—	—	129 lbs.	10.7			
	• Comes with center drawer • Some assembly required											
Single Pedestal Desk  Left shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>										
	Q50N3672DLFW1	Q50N3672DRFW1 Wood Top	\$ 2614	35¾	71¾	29½	7¾	31⅞	311 lbs.	57.4		
	50N3672DLFW1	50N3672DRFW1 Wood Top	2614	35¾	71¾	29½	7¾	31⅞	311 lbs.	57.4		
	50N3672DLFLW1	50N3672DRFLW1 HPL Top	2614	35¾	71¾	29½	7¾	31⅞	311 lbs.	57.4		
	50N3066DLFW1	50N3066DRFW1 Wood Top	\$ 2540	29¾	66	29½	1¾	25⅓ ₁₆	245 lbs.	45.3		
	50N3066DLFLW1	50N3066DRFLW1 HPL Top	2540	29¾	66	29½	1¾	25⅓ ₁₆	245 lbs.	45.3		
• Not recommended as a freestanding unit due to routing in the rim												


Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	G13C Black, Center X No Grommet	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha
50N3672DDFW8	80AB		N	MH


	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
--	-----------------------	------------	--------------------------	-----------------	------------

Reception Desk/Return

Left shown



Right shown

**Reception Desk****Left Pedestal Right Pedestal**

50N3072DTLFW1	50N3072DTRFW1	Wood Top	\$ 3652	30 ⁷ / ₃₂	71 ³ / ₄	43 ¹ / ₁₆	—	—	530 lbs.	69.9
50N3072DTLFLW1	50N3072DTRFLW1	HPL Top	3652	30 ⁷ / ₃₂	71 ³ / ₄	43 ¹ / ₁₆	—	—	530 lbs.	69.9

- Must be used with reception return
- Grommet (G13C) available

Reception Return**Left Right**

50N2451RTLW2	50N2451RTRW2	Wood Top	\$ 2328	23 ³ / ₁₆	50 ³ / ₄	42	—	—	300 lbs.	43.1
50N2451RTLW2	50N2451RTRLW2	HPL Top	2328	23 ³ / ₁₆	50 ³ / ₄	42	—	—	300 lbs.	43.1

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available


Return

Left shown

Left Pedestal Right Pedestal

Q50N2450RLEFW2	Q50N2450RREFW2	Wood Top	\$ 2010	23 ³ / ₄	50	29 ¹ / ₂	—	30 ³ / ₁₆	159 lbs.	29.7
50N2450RLEFW2	50N2450RREFW2	Wood Top	2010	23 ³ / ₄	50	29 ¹ / ₂	—	30 ³ / ₁₆	159 lbs.	29.7
50N2450RLEFLW2	50N2450RREFLW2	HPL Top	2010	23 ³ / ₄	50	29 ¹ / ₂	—	30 ³ / ₁₆	159 lbs.	29.7

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available

Corner Unit

50N3636CFSW	Wood Top	\$ 1753	36	36	29 ¹ / ₂	—	—	104 lbs.	5.2
50N3636CFSW	HPL Top	1753	36	36	29 ¹ / ₂	—	—	104 lbs.	5.2

- Unit should be attached to bridge and return
- Not recommended as a freestanding unit due to routing in the rim
- Some assembly required
- Grain direction runs diagonal on worksurface
- Grommet (G13C) available

Barrington

Product Specifications

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

Dimension Key




D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

50N2172CBW 80AB N MH
50N2172CBLW 80AB MH
50N2450BEFW X N MH
50N2172CLFW6 81AB N DW

To You In
10
DAYS
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Bridge 	Q50N2450BEFW Wood Top	\$ 703	23¾	50	29½	—	50	78 lbs.	3.0
	50N2450BEFW Wood Top	703	23¾	50	29½	—	50	78 lbs.	3.0
	50N2450BEFLW HPL Top	703	23¾	50	29½	—	50	72 lbs.	3.0
	Q50N2442BEFW Wood Top	\$ 665	23¾	42	29½	—	42	71 lbs.	2.6
	50N2442BEFW Wood Top	665	23¾	42	29½	—	42	71 lbs.	2.6
	50N2442BEFLW HPL Top	665	23¾	42	29½	—	42	65 lbs.	2.6
	• Some assembly required • Grain direction runs front-to-back on worksurface • Grommet (G13C) available								
Storage Credenza 	Q50N2172CSFW2 Wood Top	\$ 2919	21	71¾	29½	—	—	340 lbs.	36.4
	50N2172CSFW2 Wood Top	2919	21	71¾	29½	—	—	340 lbs.	36.4
	50N2172CSFLW2 HPL Top	2919	21	71¾	29½	—	—	340 lbs.	36.4
	• Storage credenza features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick								
Storage Credenza Ganging 	50N2169CSFW2C Wood Top	\$ 2919	21	69½	29½	—	—	269 lbs.	30.7
	50N2169CSFLW2C HPL Top	2919	21	69½	29½	—	—	269 lbs.	30.7
	• Storage credenza features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick								
Buffet Credenza 	50N2172CBW Wood	\$ 3383	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBLW Laminate/Wood	3383	21	71¾	34½	—	—	379 lbs.	42.9
	• Center storage section features an adjustable shelf • Inside dimension of center storage section is 18½" deep x 32¾" wide x 30¼" high • Locking featured on doors only • Unfinished back panel • Grommet option not available								
Entertainment Credenza 	50N2172CBVW Wood	\$ 3383	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBVLW Laminate/Wood	3383	21	71¾	34½	—	—	379 lbs.	42.9
	• Center storage section features an adjustable shelf • Inside dimension of center storage section is 18½" deep x 32¾" wide x 30¼" high • Locking featured on doors only • Cutouts in back panel for venting • Unfinished back panel • Grommet (G13C) available								

Specify selections, left to right:


Base Model	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	G13C Black, Center X No Grommet	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha
50N2172CBW	80AB		N	MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Lateral File Credenza	50N2172CFFW Wood Top	\$ 2919	21 71¾ 29½ — —	333 lbs.	36.4
	50N2172CFFLW HPL Top	2919	21 71¾ 29½ — —	333 lbs.	36.4




- Front-to-back filing is standard with lateral files; four rods per drawer are included

Kneespace Credenza	Q50N2172CKFW2 Wood Top	\$ 2823	21 71¾ 29½ — 33½	234 lbs.	36.4
	50N2172CKFW2 Wood Top	2823	21 71¾ 29½ — 33½	234 lbs.	36.4
	50N2172CKFLW2 HPL Top	2823	21 71¾ 29½ — 33½	234 lbs.	36.4
	50N2166CKFW2 Wood Top	\$ 2627	21 65¾ 29½ — 27½	175 lbs.	33.6
	50N2166CKFLW2 HPL Top	2627	21 65¾ 29½ — 27½	175 lbs.	33.6




- Kneespace credenza features standard wire management centered in the modesty panel and 1¾" down from the top

Kneespace Credenza Ganging	50N2169CKFW2C Wood Top	\$ 2823	21 69½ 29½ — 33½	221 lbs.	30.7
	50N2169CKFLW2C HPL Top	2823	21 69½ 29½ — 33½	221 lbs.	30.7
	50N2163CKFW2C Wood Top	\$ 2627	21 63½ 29½ — 27½	175 lbs.	33.1
	50N2163CKFLW2C HPL Top	2627	21 63½ 29½ — 27½	175 lbs.	33.1



- Kneespace credenza features standard wire management centered in the modesty panel and 1¾" down from the top


Single Pedestal Credenza Lateral File	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	50N2172CLFW6	50N2172CRFW6	Wood Top	\$ 2138	21 71¾ 29½ — 10½	234 lbs.	36.4			
	50N2172CLFLW6	50N2172CRFLW6	HPL Top	2138	21 71¾ 29½ — 10½	234 lbs.	36.4			



Left shown

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Not recommended as a freestanding unit due to routing in the rim

Single Pedestal Credenza File/File	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	Q50N2172CLFW2	Q50N2172CRFW2	Wood Top	\$ 2035	21 71¾ 29½ — 28½	195 lbs.	36.4			
	50N2172CLFW2	50N2172CRFW2	Wood Top	2035	21 71¾ 29½ — 28½	195 lbs.	36.4			
	50N2172CLFLW2	50N2172CRFLW2	HPL Top	2035	21 71¾ 29½ — 28½	195 lbs.	36.4			
	50N2166CLFW2	50N2166CRFW2	Wood Top	\$ 1757	21 65¾ 29½ — 22½	155 lbs.	33.6			
	50N2166CLFLW2	50N2166CRFLW2	HPL Top	1757	21 65¾ 29½ — 22½	155 lbs.	33.6			



Left shown

- Not recommended as a freestanding unit due to routing in the rim

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

50N7236HBHW 80AB MH
50N7129SOHMMW 81AB CW

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	36" High								
	Q50N7236HBHW	\$ 2065	14¾	71¾	36	—	—	177 lbs.	36.2
	50N7236HBHW	2065	14¾	71¾	36	—	—	177 lbs.	36.2
	50N6636HBHW	1959	14¾	66	36	—	—	156 lbs.	29.6
	• Highback organizer features (4) side hinged doors, full back panel with cord management • Tack boards are available in accessories; see matrix on page 307 • For tack board options, see pages 304-308								
	49" High								
	50N7149HBHRW Grille Doors	\$ 3771	16	71½	49½	—	—	246 lbs.	49.0
	50N7149HBHGW Glass Doors	3771	16	71½	49½	—	—	246 lbs.	49.0
	50N7149HBHW Wood Doors	3771	16	71½	49½	—	—	246 lbs.	49.0
	50N6649HBHRW Grille Doors	3665	16	66	49½	—	—	213 lbs.	42.0
	50N6649HBHGW Glass Doors	3665	16	66	49½	—	—	213 lbs.	42.0
	50N6649HBHW Wood Doors	3665	16	66	49½	—	—	213 lbs.	42.0
	• Highback organizer features (4) side hinged doors, full back panel with cord management • Tack boards are available in accessories; see matrix on page 307 • Unit features a veneer shelf inside each door • Grille, glass and wood doors have a framed feature • For tack board options, see pages 304-308								
									
									

Specify selections, left to right:




Base Model	Pull Option	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass	R Standard	TF Truffle
	81AB Classic, Antique Brass	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass		DW Judicial
	85CN Verona, Classic Nickel		MH Mocha
50N7236HBHW	80AB		MH

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Overhead Cabinet Wall Mount	18" High								
	Q50N7218S0HMW Wood Door	\$ 1874	14¾	71¾	18	—	—	150 lbs.	25.1
	50N7218S0HMW Wood Door	2392	14¾	71¾	18	—	—	150 lbs.	25.1
	50N6618S0HMW Wood Door	2236	14¾	66	18	—	—	117 lbs.	16.2



- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Wall mount bracket is included with unit
- For tack board options, see pages 304-308

Overhead Cabinet Wall Mount	29" High								
	50N7129S0HMW Wood Door	\$ 3580	16	71½	29	—	—	182 lbs.	29.0
	50N7129S0HMRW Grille Door	3580	16	71½	29	—	—	182 lbs.	29.0
	50N7129S0HMGW Glass Door	3580	16	71½	29	—	—	182 lbs.	29.0
	50N6629S0HMW Wood Door	3474	16	66	29	—	—	172 lbs.	27.0
	50N6629S0HMRW Grille Door	3474	16	66	29	—	—	172 lbs.	27.0
	50N6629S0HMGW Glass Door	3474	16	66	29	—	—	172 lbs.	27.0



- Unit features a veneer shelf inside each door
- Grille, glass and wood doors have a framed feature
- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Wall mount bracket is included with unit
- For tack board options, see pages 304-308

Barrington

Product Specification

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

Dimension Key




D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

50N2137LFF2W 81AB R CW
50N1974VSWHLW 81AB MH

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Lateral File Two Drawer 	Q50N2137LFF2W Wood Top	\$ 1670	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2W Wood Top	1670	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2LW HPL Top	1670	21	37¼	29½	—	—	123 lbs.	15.6
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back								
Lateral File Three Drawer 	50N2137LFF3W Wood Top	\$ 2236	21½	37¼	43¼	—	—	190 lbs.	24.0
	50N2137LFF3LW HPL Top	2236	21½	37¼	43¼	—	—	190 lbs.	24.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back								
Lateral File Four Drawer 	50N2137LFF4W Wood Top	\$ 2801	21	37¼	55½	—	—	236 lbs.	29.4
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back								
Wardrobe 	50N3778VHHW Wood Doors	\$ 2526	23½	37	78	—	—	250 lbs.	48.6
	• Wardrobe has unfinished back • Removable coat rod is standard; positioned on left side of wardrobe • Features three adjustable shelves and one fixed								
Wardrobe Ganging 	50N3778VHHWC Wood Doors	\$ 2526	23½	37	78	—	—	250 lbs.	48.6
	• Wardrobe has unfinished back • Removable coat rod is standard; positioned on left side of wardrobe • Base molding on three sides of unit to allow for ganging • Features three adjustable shelves and one fixed								

Specify selections, left to right:

Base Model	Pull Option	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass	R Standard	TF Truffle
	81AB Classic, Antique Brass	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass		DW Judicial
	85CN Verona, Classic Nickel		MH Mocha
50N2137LFF2W	81AB	R	CW


	Model No./Description			List Price	Dimensions					Cartoned Weight	Cubic Feet
					D	W	H	A	KW		
Wardrobe/Storage Cabinet	Left Hinged	Right Hinged									
	50N1974VSWHLW	50N1974VSWHRW	Wood Doors	\$ 2083	23½	19⅞	74	—	—	160 lbs.	26.7



Left shown

- Wardrobe has unfinished back
- Removable coat rod is standard
- Features three adjustable shelves and one fixed

Wardrobe/Storage Cabinet Ganging




Left shown

<i>Left Hinged</i>		<i>Right Hinged</i>								
50N1974VSWHLWC	50N1974VSWHRWC	Wood Doors	\$ 2083	23½	18¾	74	—	—	160 lbs.	26.7

- Wardrobe has unfinished back
- Removable coat rod is standard
- Features three adjustable shelves and one fixed
- Base molding on **two** sides of unit to allow for ganging

Bookcase Ganging




Left shown

<i>Left Ganging</i>	<i>Right Ganging</i>								
50N1974BCOLWC	50N1974BCORWC	\$ 1397	14½	18¾	74	—	—	150 lbs.	26.7

- Shaded shelves are adjustable
- Base molding on **two** sides of unit to allow for ganging
- Bookcase has an unfinished back

Bookcase Set-On



Q50N3436BCOW	Bookcase	\$ 1042	12¼	33½	35¾	—	—	76 lbs.	17.2
50N3436BCOW	Bookcase	1042	12¼	33½	35¾	—	—	76 lbs.	17.2
Q50N1436CPCFW	Cornice Frame	235	14½	35¾	1⅞	—	—	18 lbs.	0.6
50N1436CPCFW	Cornice Frame	235	14½	35¾	1⅞	—	—	18 lbs.	0.6
Q50N1435CPBW	Base	185	13%	34¾	3¼	—	—	18 lbs.	1.6
50N1435CPBW	Base	185	13%	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase has an unfinished back
- Shaded shelves are adjustable
- For set-on surface use, only the bookcase and the cornice frame need to be ordered

Barrington

Product Specification

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

Dimension Key



D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

50N3452BCHGW 80AB CW

To You In
10
Days
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	Double Bookcase	\$ 2952	14½	69¼	56½	—	—	243 lbs.	39.4
	Q50N3452BCOFW Bookcase (each—order 2)	1104	12¼	33½	51¾	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase (each—order 2)	1104	12¼	33½	51¾	—	—	92 lbs.	17.6
	50N1469CPCFW Cornice Frame	467	14½	69¼	1½	—	—	30 lbs.	1.2
	50N1468CPBW Base	277	13¾	68¼	3¼	—	—	29 lbs.	3.0
	• Must order (2) bookcases for double unit • Bookcase components are shipped separately • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable								
	Single Bookcase	\$ 1524	14½	35¾	56½	—	—	128 lbs.	19.8
	Q50N3452BCOFW Bookcase	1104	12¼	33½	51¾	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase	1104	12¼	33½	51¾	—	—	92 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	235	14½	35¾	1½	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	235	14½	35¾	1½	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	185	13¾	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW Base	185	13¾	34¾	3¼	—	—	18 lbs.	1.6
	• Bookcase components are shipped separately • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable								


Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
50N3452BCHGW	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel 80AB	G13C Black, Center X No Grommet	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha CW

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Bookcase with Glass Doors	Double Bookcase	\$ 4082	14½	69¼	56½	—	—	361 lbs.	39.4
	50N3452BCHGW Bookcase (each—order 2)	1669	12¼	33½	51¾	—	—	151 lbs.	17.6
	50N1469CPCFW Cornice Frame	467	14½	69¼	1½	—	—	30 lbs.	1.2
	50N1468CPBW Base	277	13¾	68¼	3¼	—	—	29 lbs.	3.0



- Must order (2) bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase has an unfinished back
- Shaded shelves are adjustable
- Standard locking

	Single Bookcase	\$ 2089	14½	35¾	56½	—	—	187 lbs.	19.8
	50N3452BCHGW Bookcase	1669	12¼	33½	51¾	—	—	151 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	235	14½	35¾	1½	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	235	14½	35¾	1½	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	185	13¾	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW Base	185	13¾	34¾	3¼	—	—	18 lbs.	1.6

- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase has an unfinished back
- Shaded shelves are adjustable
- Standard locking

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


Sample Model Numbers:

50N2430PTW	X	N	TF
50N2424ENW	N	MH	
50N2040MGQW	N	MH	

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
		D	W	H	A	KW		
Bookcase with Grille Doors								
Double Bookcase	\$ 4230	14½	69¼	56½	—	—	361 lbs.	39.4
50N3452BCHRW Bookcase (each—order 2)	1743	12¼	34¼	51¾	—	—	151 lbs.	17.6
50N1469CPCFW Cornice Frame	467	14½	69¼	1½	—	—	30 lbs.	1.2
50N1468CPBW Base	277	13%	68¼	3¼	—	—	29 lbs.	3.0




- Must order (2) bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase has an unfinished back
- Shaded shelves are adjustable
- Standard locking

Single Bookcase	\$ 2163	14½	35¾	56½	—	—	187 lbs.	19.8
50N3452BCHRW Bookcase	1743	12¼	34¼	51¾	—	—	151 lbs.	17.6
Q50N1436CPCFW Cornice Frame	235	14½	35¾	1½	—	—	18 lbs.	0.6
50N1436CPCFW Cornice Frame	235	14½	35¾	1½	—	—	18 lbs.	0.6
Q50N1435CPBW Base	185	13%	34¾	3¼	—	—	18 lbs.	1.6
50N1435CPBW Base	185	13%	34¾	3¼	—	—	18 lbs.	1.6



- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase has an unfinished back
- Shaded shelves are adjustable
- Standard locking

Printer/Telephone Stand	50N2430PTW Wood	\$ 1275	23¾	29¾	30	—	—	81 lbs.	18.7
	50N2430PTLW Laminate/Wood	1275	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4 Set of 4 casters	59	For use as a mobile unit					1 lbs.	0.2



- Fixed shelf is 12" deep, 26½" wide and ¾" thick
- Height from top of shelf to bottom of top is 18¾"
- Open back
- Grommet (G13C) available





Telephone Stand	50N2421PTHW Wood	\$ 1197	23¾	20¾	29½	—	—	115 lbs.	13.9
	50N2421PTHLW Laminate/Wood	1197	23¾	20¾	29½	—	—	115 lbs.	16.0



- Left-hinged door on unit
- Grommet option not available

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	G13C Black, Center X No Grommet	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha
50N2430PTW		X	N	TF

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
	D	W	H						
Magazine Table 	Q50N2040MGW	Wood Top	\$ 864	19¾	39¾	18¾	—	42 lbs.	3.0
	50N2040MGW	Wood Top	864	19¾	39¾	18¾	—	42 lbs.	3.0
	50N2040MGLW	HPL Top	751	19¾	39¾	18¾	—	46 lbs.	3.0
	- Some assembly required - HPL top tables have veneer legs/bases								
End Table 	Q50N2424ENW	Wood Top	\$ 761	23¾	23¾	22¾	—	38 lbs.	2.8
	50N2424ENW	Wood Top	761	23¾	23¾	22¾	—	38 lbs.	2.8
	50N2424ENLW	HPL Top	668	23¾	23¾	22¾	—	38 lbs.	2.8
	- Some assembly required - HPL top tables have veneer legs/bases								
Queen Anne Magazine Table 	50N2040MGQW	Wood Top	\$ 1193	19¾	39¾	18¾	—	36 lbs.	3.0
	Some assembly required								
Queen Anne End Table 	50N2424ENQW	Wood Top	\$ 1121	23¾	23¾	22¾	—	32 lbs.	3.3
	Some assembly required								
Traditional Visual Board 	50N4240VBW		\$ 2064	5	41¾	39¾	—	72 lbs.	7.4
	- Tackable black fabric covers inside panels - A set of 4 dry erase markers and an eraser are standard - Frame of visual board is black - Grommet option not available								
Keyboard Drawer 	Q50N1531KDFW		\$ 233	15	30¾	4¾	—	11 lbs.	1.1
	50N1531KDFW		233	15	30¾	4¾	—	11 lbs.	1.1
Keyboard drawer features flip-down front for easy access to keyboard									

Dimension Key


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:

50N3452BCOFW	MH	
50N1931BEXW	N	MH

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Round Table Top 	36" Round	1 1/4" Top Thickness		DI						
	50NN36RDW	Wood	\$ 1259	36	—	1 1/4	—	—	45 lbs.	2.4
	50NN36RDLW	Laminate/Wood	1259	36	—	1 1/4	—	—	45 lbs.	2.4
	42" Round									
	50NN42RDW	Wood	\$ 1376	42	—	1 1/4	—	—	61 lbs.	3.2
	50NN42RDLW	Laminate/Wood	1376	42	—	1 1/4	—	—	61 lbs.	3.2
	48" Round									
	50NN48RDW	Wood	\$ 1702	48	—	1 1/4	—	—	79 lbs.	4.2
	50NN48RDLW	Laminate/Wood	1702	48	—	1 1/4	—	—	79 lbs.	4.2
	• Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases • See Tables Price List pages 42-47 for coordinating conference table tops • Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 41 for options and upcharge									
Square Table Top 	36" Square	1 1/4" Top Thickness		D	W	H	A	KW		
	50NN3636SQW	Wood	\$ 1259	36	36	1 1/4	—	—	45 lbs.	2.4
	50NN3636SQLW	Laminate/Wood	1259	36	36	1 1/4	—	—	45 lbs.	2.4
	42" Square									
	50NN4242SQW	Wood	\$ 1376	42	42	1 1/4	—	—	61 lbs.	3.2
	50NN4242SQLW	Laminate/Wood	1376	42	42	1 1/4	—	—	61 lbs.	3.2
	48" Square									
	50NN4848SQW	Wood	\$ 1702	48	48	1 1/4	—	—	79 lbs.	4.2
	50NN4848SQLW	Laminate/Wood	1702	48	48	1 1/4	—	—	79 lbs.	4.2
	• Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases • See Tables Price List pages 42-47 for coordinating conference table tops • Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 41 for options and upcharge									

Specify selections, left to right:

Base Model	Pull Option	Sheen (wood tops only)	Finish
50N3452BC0FW	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha MH

Wall Unit



Model No./Description		List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
Wall Unit—Wood Top		\$ 7292	D	W	H	A			
Q50N3452BC0FW	Bookcase (each-order 2)	1104	12¼	34½	51¾	32½		92 lbs.	17.6
50N3452BC0FW	Bookcase (each-order 2)	1104	12¼	34½	51¾	32½		92 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	1670	21	37¼	29½	32½		158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	1670	21	37¼	29½	32½		158 lbs.	15.6
50N14102CPCFW	Cornice Frame	657	14½	101½	1¾	32½		45 lbs.	1.7
50N1931BEXW	Bridge	410	18¾	30½	1¾	32½		21 lbs.	1.1
50N3225S00W	Open storage unit	677	12¼	32¼	24¾	32½		56 lbs.	9.5
Wall Unit—HPL Top		\$ 7292	21	101½	82¾	32½		552 lbs.	78.7
Q50N3452BC0FW	Bookcase (each-order 2)	1104	12¼	34½	51¾	32½		92 lbs.	17.6
50N3452BC0FW	Bookcase (each-order 2)	1104	12¼	34½	51¾	32½		92 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	1670	21	37¼	29½	32½		123 lbs.	15.6
50N14102CPCFW	Cornice Frame	657	14½	101½	1¾	32½		45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	410	18¾	30½	1¾	32½		21 lbs.	1.1
50N3225S00W	Open storage unit	677	12¼	32¼	24¾	32½		56 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

50N1931BEXW N MH

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	Wall Unit—Wood Top	\$ 7745	21	101½	82¾	32½		612 lbs.	69.2
	50N3452BCHGW Bookcase (each-order 2)	1669	12¼	34½	51¾	32½		115 lbs.	17.6
	Q50N2137LFF2W Lat. File/Wood (each-order 2)	1670	21	37¼	29½	32½		158 lbs.	15.6
	50N2137LFF2W Lat. File/Wood (each-order 2)	1670	21	37¼	29½	32½		158 lbs.	15.6
	50N14102CPCFW Cornice Frame	657	14⅞	101½	1⅞	32½		45 lbs.	1.7
	50N1931BEXW Bridge	410	18¾	30½	1⅞	32½		21 lbs.	1.1
	Wall Unit—HPL Top	\$ 7745	21	101½	82¾	32½		614 lbs.	69.2
	50N3452BCHGW Bookcase (each-order 2)	1669	12¼	34½	51¾	32½		151 lbs.	17.6
	50N2137LFF2LW Lat. File/HPL (each-order 2)	1670	21	37¼	29½	32½		123 lbs.	15.6
	50N14102CPCFW Cornice Frame	657	14⅞	101½	1⅞	32½		45 lbs.	1.7
	50N1931BEXLW Bridge/HPL Top	410	18¾	30½	1⅞	32½		21 lbs.	1.1

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Standard locking in bookcases
- Units have an unfinished back

Specify selections, left to right:

Base Model	Pull Option	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass	R Standard	TF Truffle
	81AB Classic, Antique Brass	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass		DW Judicial
	85CN Verona, Classic Nickel		MH Mocha
50N1931BEXW		N	MH

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
	Wall Unit—Wood Top	\$ 7893	21	101½	82¾	32½		684 lbs.	69.2
	50N3452BCHRW Bookcase (each-order 2)	1743	12¼	34¼	51¾	32½		151 lbs.	17.6
	Q50N2137LFF2W Lat. File/Wood (each-order 2)	1670	18¾	37¼	1¼	32½		158 lbs.	15.6
	50N2137LFF2W Lat. File/Wood (each-order 2)	1670	18¾	37¼	1¼	32½		158 lbs.	15.6
	50N14102CPCFW Cornice Frame	657	14¼	101½	1¼	32½		45 lbs.	1.7
	50N1931BEXW Bridge	410	18¾	30½	1¼	32½		21 lbs.	1.1
	Wall Unit—HPL Top	\$ 7893	21	101½	82¾	32½		614 lbs.	69.2
	50N3452BCHRW Bookcase (each-order 2)	1743	12¼	34¼	51¾	32½		151 lbs.	17.6
	50N2137LFF2LW Lat. File/HPL (each-order 2)	1670	21	37¼	29½	32½		123 lbs.	15.6
	50N14102CPCFW Cornice Frame	657	14¼	101½	1¼	32½		45 lbs.	1.7
	50N1931BEXLW Bridge/HPL Top	410	18¾	30½	1¼	32½		21 lbs.	1.1

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Standard locking in bookcases and closed storage unit
- Units have an unfinished back

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

50N3452BCHRW 80AB DW

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Wall Unit with Glass Doors and Closed Storage Units



Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
		D	W	H	A	KW		
Wall Unit—Wood Top	\$ 8976	21	101½	82¾	32½		751 lbs.	78.7
50N3452BCHGW Bookcase (each-order 2)	1669	12¼	34½	51¾	32½		151 lbs.	17.6
Q50N2137LFF2W Lat. File/Wood (each-order 2)	1670	21	37¼	29½	32½		158 lbs.	15.6
50N2137LFF2W Lat. File/Wood (each-order 2)	1670	21	37¼	29½	32½		158 lbs.	15.6
50N14102CPCFW Cornice Frame	657	14¾	101½	1¾	32½		45 lbs.	1.7
50N1931BEXW Bridge	410	18¾	30½	1¾	32½		21 lbs.	1.1
50N32255OHGW Storage Unit	1231	12¼	32¼	24¾	32½		67 lbs.	9.5
Wall Unit—HPL Top	\$ 8976	21	101½	82¾	32½		681 lbs.	78.7
50N3452BCHGW Bookcase (each-order 2)	1669	12¼	34½	51¾	32½		151 lbs.	17.6
50N2137LFF2LW Lat. File/HPL (each-order 2)	1670	21	37¼	29½	32½		123 lbs.	15.6
50N14102CPCFW Cornice Frame	657	14¾	101½	1¾	32½		45 lbs.	1.7
50N1931BEXLW Bridge/HPL Top	410	18¾	30½	1¾	32½		21 lbs.	1.1
50N32255OHGW Storage Unit	1231	12¼	32¼	24¾	32½		67 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Standard locking in bookcases and closed storage unit
- Units have an unfinished back

Specify selections, left to right:

Base Model	Pull Option	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass	R Standard	TF Truffle
	81AB Classic, Antique Brass	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass		DW Judicial
	85CN Verona, Classic Nickel		MH Mocha
50N3452BCHRW	80AB		DW


Wall Unit with Grille Doors
and Closed Storage Units




Model No./Description		List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Wall Unit—Wood Top		\$ 9173	21	101½	82¾	32½		751 lbs.	79.7
50N3452BCHRW	Bookcase (each-order 2)	1743	12¼	34¼	51¾	32½		151 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	1670	21	37¼	29½	32½		158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	1670	21	37¼	29½	32½		158 lbs.	15.6
50N14102CPCFW	Cornice Frame	657	14¾	101½	1¾	32½		45 lbs.	1.7
50N1931BEXW	Bridge	410	18¾	30½	1¾	32½		21 lbs.	1.1
50N322550HRW	Storage Unit	1280	12¼	32¼	24¾	32½		67 lbs.	9.5
Wall Unit—HPL Top		\$ 9173	21	101½	82¾	32½		681 lbs.	78.7
50N3452BCHRW	Bookcase (each-order 2)	1743	12¼	34¼	51¾	32½		151 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	1670	21	37¼	29½	32½		123 lbs.	15.6
50N14102CPCFW	Cornice Frame	657	14¾	101½	1¾	32½		45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	410	18¾	30½	1¾	32½		21 lbs.	1.1
50N322550HRW	Storage Unit	1280	12¼	32¼	24¾	32½		67 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Standard locking in bookcases and closed storage unit
- Units have an unfinished back


Barrington Ganging Unit Typicals



Model No.	Description	List Price
50N1974VSWHLWC	Single Wardrobe Left Ganging	\$ 2083
50N1974VSWHRWC	Single Wardrobe Right Ganging	2083
50N7149HBHW	Highback Organizer	3771
50N2172CSFW2	Storage Credenza Ganging	2919
Total		\$ 10,856



Model No.	Description	List Price
50N1974VSWHLWC	Single Wardrobe Left Ganging	\$ 2083
50N1974VSWHRWC	Single Wardrobe Right Ganging	2083
50N2169CKFW2C	Kneespace Credenza Ganging	2823
50N7149HBHW	Highback Organizer	3771
Total		\$ 10,760



Model No.	Description	List Price
50N1974BCOLWC	Single Bookcase Left Ganging	\$ 1397
50N1974BCORWC	Single Bookcase Right Ganging	1397
50N3778VHHWC	Wardrobe Ganging	2526
Total		\$ 5320

Captivate

Captivate

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1 $\frac{3}{16}$ " slipmatched cherry and maple veneer or HPL (high pressure laminate)
- Mitered wood rim
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces; standard sheen featured on above surface units

FINISH APPLICATION

- Captivate series finished with IntegraClear™ UV technology. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- $\frac{3}{4}$ " thick modesty panels
- 1 $\frac{1}{16}$ " thick end panels
- $\frac{3}{4}$ " inside panels
- Leveling glides – 2 on end panels, 2 on inside panel
- All units feature fully finished backs unless noted; rim profile and base detail not featured on back of units
- Grain direction runs vertical on all modesty panels

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

PULLS


- Available in two pull styles: summit and spiral
- Available in two colors: Anthracite Metallic and Satin Nickel Metallic

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain $\frac{1}{2}$ " thick, sides are laminated woodgrain $\frac{3}{8}$ " thick
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT—See pages 74-75

- Zinc racetrack grommet and aluminum channel are available in two colors: Anthracite Metallic and Satin Nickel Metallic
- Desks feature hinged access doors for cable routing
- End panel grommets are wood and are finished to match unit

LOCKING

- Standard locking in all pedestals, wall mount cabinets and storage
- Highback organizer features one standard lock for center compartment
- Black removable cores are standard for all pedestal locks
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, change keys, and master keys, reference page 297

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Depth		
Box Drawer—Desk	15 $\frac{1}{16}$ "	16 $\frac{15}{16}$ "	2 $\frac{1}{2}$ "	N/A
File Drawer—Desk	15 $\frac{1}{16}$ "	17"	9 $\frac{7}{16}$ "	Legal
Box Drawer—Return	12 $\frac{1}{16}$ "	17"	2 $\frac{1}{2}$ "	N/A
File Drawer—Return	12 $\frac{1}{16}$ "	17"	9 $\frac{7}{16}$ "	Letter
Box Drawer—Credenza	15 $\frac{1}{16}$ "	16 $\frac{15}{16}$ "	2 $\frac{1}{2}$ "	N/A
File Drawer—Credenza	15 $\frac{1}{16}$ "	17"	9 $\frac{7}{16}$ "	Legal
File Drawer—Lateral File	31 $\frac{11}{32}$ "	15"	9 $\frac{9}{16}$ "	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.


WOOD FINISHES

NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha


WORKSURFACE SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILE OPTIONS



Oblique (TA)



Slide (TB)

PULL OPTIONS



Summit (70)

70AN Anthracite Metallic
70SN Satin Nickel Metallic
(Boring Pattern 128mm)



Spiral (71)

71AN Anthracite Metallic
71SN Satin Nickel Metallic
(Boring Pattern 128mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Racetrack Grommet, Satin Nickel Metallic

\$30 list for each grommet

G11SNLR Left & Right
G11SNC Center

Racetrack Grommet, Anthracite Metallic

\$30 list for each grommet

G11ANLR Left & Right
G11ANC Center


Channel Grommet

\$180 list for channel grommet


CH11SN Satin Nickel Metallic
CH11AN Anthracite Metallic

Grommet Specifications


- Racetrack grommets are available as an option on desks, bridges, returns, credenzas, and corner unit for an additional upcharge
- Racetrack grommets are factory installed in the worksurface and end panels in pre-determined locations as shown below
- Grommets on end panels are wood and are finished to match color of unit; end panels on ganging units do not feature grommets
- Inside end panels feature cable route in top corner of panel for cable management




Single and Double Pedestal Arc Top Desks
Grommets on worksurface and end panels
(36N3773DDFAW8 Shown)




Single and Double Pedestal Desks
Grommets on worksurface and end panels
(36N3773DDFW8 Shown)




Storage Credenza and Single Pedestal Credenza
Grommets on worksurface and end panels
(36N2473CSFW2 Shown)




Kneespace Credenza
Grommets on worksurface and end panels
(36N2473CKFW2 Shown)




Executive Return (Box/Box/File or File/File)
Center grommet on worksurface and grommet on end panel
(36N2553RLEFW1 Shown)




Executive Return (Lateral File)
Center grommet on worksurface and grommet on end panel
(36N2559RLEFW6 Shown)



Bridge
Center grommet on worksurface
(36N2551BEFW Shown)




Corner Unit
Corner grommet on worksurface
(36N3636CFSW Shown)




Channel Specifications

- The channel is an aluminum extrusion with black brushes, and includes a zinc “C” grommet on each end with a zinc lid
- The channel is available as an option on select models for an additional upcharge
- The channel is factory installed in the worksurface with racetrack grommets in the end panels in pre-determined locations as shown below
- Grommets on end panels are wood and are finished to match color of unit; end panels on ganging units do not feature grommets
- Inside end panels feature cable route in top corner of panel for cable management




Storage Credenza

Channel on worksurface and grommets on end panels
(36N2473CSFW2 Shown)




Kneespace Credenza and Single Pedestal Credenza

Channel on worksurface and grommets on end panels
(36N2473CKFW2 Shown)




Executive Return (Box/Box/File or File/File)

Channel on worksurface and grommet on end panel
(36N2553RLEFW1 Shown)




Executive Return (Lateral File)

Channel on worksurface and grommet on end panel
(36N2559RLEFW6 Shown)



Bridge

Channel on worksurface
(36N2551BEFW Shown)



Captivate L Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.





Arrangements Include:

- Spiral, Satin Nickel pulls
- Oblique rim profile
- Standard sheen
- Center grommet in return
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha



L-CONFIGURATIONS		Model No./Description		List Price	L-CONFIGURATIONS		Model No./Description		List Price
Left L-Configuration		Wood Top			Right L-Configuration		Wood Top		
		36N9073LLFW	89¾D x 73W	\$ 5443			36N9073LRFW	89¾D x 73W	\$ 5443
		consists of					consists of		
		36N3773DRFW1	Right Pedestal Desk	3057			36N3773DLFW1	Left Pedestal Desk	3057
		36N2553RLEFW2	Left Pedestal Return	2386			36N2553RREFW2	Right Pedestal Return	2386
		36N8273LLFW		81¾D x 73W			36N8273LRFW		\$ 5138
		consists of					consists of		
		36N3773DRFW1	Right Pedestal Desk	3057			36N3773DLFW1	Left Pedestal Desk	3057
		36N2545RLEFW2	Left Pedestal Return	2081			36N2545RREFW2	Right Pedestal Return	2081
		36N8468LLFW		83¾D x 67½W			36N8468LRFW		\$ 5360
		consists of					consists of		
		36N3168DRFW1	Right Pedestal Desk	2974			36N3168DLFW1	Left Pedestal Desk	2974
		36N2553RLEFW2	Left Pedestal Return	2386			36N2553RREFW2	Right Pedestal Return	2386
		36N7668LLFW		75¾D x 67½W			36N7668LRFW		\$ 5055
		consists of					consists of		
		36N3168DRFW1	Right Pedestal Desk	2974			36N3168DLFW1	Left Pedestal Desk	2974
		36N2545RLEFW2	Left Pedestal Return	2081			36N2545RREFW2	Right Pedestal Return	2081
Left L-Configuration		Laminate Top			Right L-Configuration		Laminate Top		
		36N9073LLFLW	89¾D x 73W	\$ 5443			36N9073LRFLW	89¾D x 73W	\$ 5443
		consists of					consists of		
		36N3773DRFLW1	Right Pedestal Desk	3057			36N3773DLFLW1	Left Pedestal Desk	3057
		36N2553RLEFLW2	Left Pedestal Return	2386			36N2553RREFLW2	Right Pedestal Return	2386
		36N8273LLFLW		81¾D x 73W			36N8273LRFLW		\$ 5138
		consists of					consists of		
		36N3773DRFLW1	Right Pedestal Desk	3057			36N3773DLFLW1	Left Pedestal Desk	3057
		36N2545RLEFLW2	Left Pedestal Return	2081			36N2545RREFLW2	Right Pedestal Return	2081
		36N8468LLFLW		83¾D x 67½W			36N8468LRFLW		\$ 5360
		consists of					consists of		
		36N3168DRFLW1	Right Pedestal Desk	2974			36N3168DLFLW1	Left Pedestal Desk	2974
		36N2553RLEFLW2	Left Pedestal Return	2386			36N2553RREFLW2	Right Pedestal Return	2386
		36N7668LLFLW		75¾D x 67½W			36N7668LRFLW		\$ 5055
		consists of					consists of		
		36N3168DRFLW1	Right Pedestal Desk	2974			36N3168DLFLW1	Left Pedestal Desk	2974
		36N2545RLEFLW2	Left Pedestal Return	2081			36N2545RREFLW2	Right Pedestal Return	2081

Captivate U Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.





Arrangements Include:

- Spiral, Satin Nickel pulls
- Oblique rim profile
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha



U-CONFIGURATIONS		Model No./Description	List Price	U-CONFIGURATIONS		Model No./Description	List Price
Left U-Configuration		36N11273ULFW	111¾D x 73W	Right U-Configuration		36N11273URFW	111¾D x 73W
Wood Top			\$ 6754	Wood Top			\$ 6754
		consists of				consists of	
		36N3773DRFW1	Right Pedestal Desk			36N3773DLFW1	Left Pedestal Desk
		36N2551BEFW	Bridge			36N2551BEFW	Bridge
		36N2473CLFW2	Left Pedestal Credenza			36N2473CRFW2	Right Pedestal Credenza
			2605				2605
		36N10673ULFW	105¾D x 73W			36N10673URFW	105¾D x 73W
			\$ 6723				\$ 6723
		consists of				consists of	
		36N3773DRFW1	Right Pedestal Desk			36N3773DLFW1	Left Pedestal Desk
		36N2545BEFW	Bridge			36N2545BEFW	Bridge
		36N2473CLFW2	Left Pedestal Credenza			36N2473CRFW2	Right Pedestal Credenza
			2605				2605
		36N10668ULFW	105¾D x 67½W			36N10668URFW	105¾D x 67½W
			\$ 6595				\$ 6595
		consists of				consists of	
		36N3168DRFW1	Right Pedestal Desk			36N3168DLFW1	Left Pedestal Desk
		36N2551BEFW	Bridge			36N2551BEFW	Bridge
		36N2468CLFW2	Left Pedestal Credenza			36N2468CRFW2	Right Pedestal Credenza
			2529				2529
		36N10068ULFW	99¾D x 67½W			36N10068URFW	99¾D x 67½W
			\$ 6564				\$ 6564
		consists of				consists of	
		36N3168DRFW1	Right Pedestal Desk			36N3168DLFW1	Left Pedestal Desk
		36N2545BEFW	Bridge			36N2545BEFW	Bridge
		36N2468CLFW2	Left Pedestal Credenza			36N2468CRFW2	Right Pedestal Credenza
			2529				2529
Left U-Configuration		36N11273ULFLW	111¾D x 73W	Right U-Configuration		36N11273URFLW	111¾D x 73W
Laminate Top			\$ 6754	Laminate Top			\$ 6754
		consists of				consists of	
		36N3773DRFLW1	Right Pedestal Desk			36N3773DLFLW1	Left Pedestal Desk
		36N2551BEFLW	Bridge			36N2551BEFLW	Bridge
		36N2473CLFLW2	Left Pedestal Credenza			36N2473CRFLW2	Right Pedestal Credenza
			2605				2605
		36N10673ULFLW	105¾D x 73W			36N10673URFLW	105¾D x 73W
			\$ 6723				\$ 6723
		consists of				consists of	
		36N3773DRFLW1	Right Pedestal Desk			36N3773DLFLW1	Left Pedestal Desk
		36N2545BEFLW	Bridge			36N2545BEFLW	Bridge
		36N2473CLFLW2	Left Pedestal Credenza			36N2473CRFLW2	Right Pedestal Credenza
			2605				2605
		36N10668ULFLW	105¾D x 67½W			36N10668URFLW	105¾D x 67½W
			\$ 6595				\$ 6595
		consists of				consists of	
		36N3168DRFLW1	Right Pedestal Desk			36N3168DLFLW1	Left Pedestal Desk
		36N2551BEFLW	Bridge			36N2551BEFLW	Bridge
		36N2468CLFLW2	Left Pedestal Credenza			36N2468CRFLW2	Right Pedestal Credenza
			2529				2529
		36N10068ULFLW	99¾D x 67½W			36N10068URFLW	99¾D x 67½W
			\$ 6564				\$ 6564
		consists of				consists of	
		36N3168DRFLW1	Right Pedestal Desk			36N3168DLFLW1	Left Pedestal Desk
		36N2545BEFLW	Bridge			36N2545BEFLW	Bridge
		36N2468CLFLW2	Left Pedestal Credenza			36N2468CRFLW2	Right Pedestal Credenza
			2529				2529

Captivate

Product Specifications





- Specify same color for pull and grommet/channel
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 74-75 for grommet locations

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

Sample Model Numbers:

36N3773DDFW8 TA 70AN G11ANLR R MH
36N3773DDFLW8 TA 71SN G11SNLR AC
36N3773DFLW TA N AC
36N3773DFLW TA N CW

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Double Pedestal Desk Arc Top	36N3773DDFAW8 Wood Top	\$ 4088	37¼	73¼	29¾	11⅞	34⅞	328 lbs.	60.0
	36N3773DDFALW8 HPL Top	4088	37¼	73¼	29¾	11⅞	34⅞	328 lbs.	60.0
	• Depth of arc is 37¼" at its widest point • Hinged doors located on the approach side allow for easy access to cable routing • Grommet (G11SNLR, G11ANLR) available								
Double Pedestal Desk	36N3773DDFW8 Wood Top	\$ 3351	37¼	73¼	29¾	6¾	34⅞	348 lbs.	60.0
	36N3773DDFLW8 HPL Top	3351	37¼	73¼	29¾	6¾	34⅞	348 lbs.	60.0
	36N3168DDFW8 Wood Top	\$ 3225	31¼	67½	29¾	6¾	28⅞	302 lbs.	47.5
	36N3168DDFLW8 HPL Top	3225	31¼	67½	29¾	6¾	28⅞	302 lbs.	47.5
	• Hinged doors located on the approach side allow for easy access to cable routing • Grommet (G11SNLR, G11ANLR) available								
Table Desk	36N3773DTW Wood Top	\$ 3015	37¼	73¼	29¾	1¼	—	228 lbs.	60.0
	36N3773DTLW HPL Top	3015	37¼	73¼	29¾	1¼	—	228 lbs.	60.0
	• Do not specify pull • Some assembly required • Grommet (G11SNLR, G11ANLR) available • Center drawer included								
Single Pedestal Desk Arc Top	<i>Left Pedestal</i>	<i>Right Pedestal</i>							
	36N3773DLFAW1	36N3773DRFAW1 Wood Top	\$ 3586	37¼	73¼	29¾	11⅞	27⅞	265 lbs. 60.0
	36N3773DLFALW1	36N3773DRFALW1 HPL Top	3586	37¼	73¼	29¾	11⅞	27⅞	265 lbs. 60.0
	• Depth of arc is 37¼" at its widest point • Hinged doors located on the approach side allow for easy access to cable routing • Not recommended as a freestanding unit due to routing in the rim • Grommet (G11SNLR, G11ANLR) available								

Left shown

Product Specifications

- Specify same color for pull and grommet/channel
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 74-75 for grommet and channel locations
- Channel grommet option (CH11) available for a \$180 list upcharge

Dimension Key


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

36N3636CFSW	TA	G11ANC	N	MH
36N3275DTLFW1	TB	71SN	G11SNLR	R MC
36N2452RTRW2	TB	71SN	CH11SN	R MC
36N2553RLEFW1	TA	70SN	CH11SN	N HN
36N2553RLEFLW1	TA	70SN	CH11SN	HN
36N2551BEFW	TA	G11SNC	N	CW

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		


Corner Unit



36N3636CFSW	Wood Top	\$ 2057	35%	35%	29%	—	—	125 lbs.	30.1
36N3636CFSW	HPL Top	2057	35%	35%	29%	—	—	125 lbs.	30.1

- Not recommended as a freestanding unit due to routing in the rim
- Unit can attach to a bridge or return
- Grain direction runs diagonally on worksurface
- Channel grommet not available
- Grommet (G11SNC, G11ANC) available
- Rim front is 15¼" wide

Reception Desk/Return



Left shown

Reception Desk

Left Pedestal

Right Pedestal

36N3275DTLFW1	36N3275DTRFW1	Wood Top	\$ 4174	32%	75	42%	—	33%	325 lbs.	71.4
36N3275DTLFLW1	36N3275DTRFLW1	HPL Top	4174	32%	75	42%	—	33%	325 lbs.	71.4

- Must be used with reception return
- Channel option (CH) available
- Grommet (G11SNLR, G11ANLR) available

Reception Return


Left

Right

36N2452RTLW2	36N2452RTRW2	Wood Top	\$ 2820	24%	51½	41¾	—	33¼%	185 lbs.	39.7
36N2452RTLW2	36N2452RTRLW2	HPL Top	2820	24%	51½	41¾	—	33¼%	185 lbs.	39.7

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11ANC) available

Return Box/Box/File



Left shown

Left Pedestal

Right Pedestal

36N2553RLEFW1	36N2553RREFW1	Wood Top	\$ 2356	24%	52½	29%	—	34¼	165 lbs.	31.0
36N2553RLEFLW1	36N2553RREFLW1	HPL Top	2356	24%	52½	29%	—	34¼	165 lbs.	31.0

36N2545RLEFW1	36N2545RREFW1	Wood Top	\$ 2051	24%	44½	29%	—	26¼	143 lbs.	26.8
36N2545RLEFLW1	36N2545RREFLW1	HPL Top	2051	24%	44½	29%	—	26¼	143 lbs.	26.8


- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11ANC) available

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
36N3636CFSW	TA Oblique TB Slide TA	70SN Summit, Satin Nickel Metallic 70AN Summit, Anthracite Metallic 71SN Spiral, Satin Nickel Metallic 71AN Spiral, Anthracite Metallic	G11SNLR Satin Nickel Metallic, Left & Right G11SNC Satin Nickel Metallic, Center G11ANLR Anthracite Metallic, Left & Right G11ANC Anthracite Metallic, Center CH11SN Channel, Satin Nickel Metallic CH11AN Channel, Anthracite Metallic X No Grommet G11ANC	R Standard N Matte/Satin N	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha MH

Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
-----------------------	------------	--------------------------	-----------------	------------

Return File/File




Left shown

<i>Left Pedestal</i>	<i>Right Pedestal</i>									
36N2553RLEFW2	36N2553RREFW2	Wood Top	\$ 2356	24%	52½	29%	—	34¼	165 lbs.	31.0
36N2553RLEFLW2	36N2553RREFLW2	HPL Top	2356	24%	52½	29%	—	34¼	165 lbs.	31.0
36N2545RLEFW2	36N2545RREFW2	Wood Top	\$ 2051	24%	44½	29%	—	26¼	143 lbs.	26.8
36N2545RLEFLW2	36N2545RREFLW2	HPL Top	2051	24%	44½	29%	—	26¼	143 lbs.	26.8

- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11ANC) available

Return Lateral File




Left shown

<i>Left Pedestal</i>	<i>Right Pedestal</i>									
36N2559RLEFW6	36N2559RREFW6	Wood Top	\$ 2703	24%	59¼	29%	—	21½	218 lbs.	34.6
36N2559RLEFLW6	36N2559RREFLW6	HPL Top	2703	24%	59¼	29%	—	21½	218 lbs.	34.6

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11ANC) available

Return Multi-File




Left shown

<i>Left Pedestal</i>	<i>Right Pedestal</i>									
36N2559RLEFW10	36N2559RREFW10	Wood Top	\$ 3116	24%	59¼	29%	—	21½	218 lbs.	34.6
36N2559RLEFLW10	36N2559RREFLW10	HPL Top	3116	24%	59¼	29%	—	21½	218 lbs.	34.6

- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11ANC) available

Bridge



36N2551BEFW	Wood Top	\$ 1062	24%	50½	28%	—	—	72 lbs.	3.3
36N2551BEFLW	HPL Top	1062	24%	50½	28%	—	—	72 lbs.	3.3
36N2545BEFW	Wood Top	\$ 1031	24%	44½	28%	—	—	64 lbs.	2.9
36N2545BEFLW	HPL Top	1031	24%	44½	28%	—	—	64 lbs.	2.9

- Grain direction runs front-to-back on worksurface
- Some assembly required
- Channel option (CH) available
- Grommet (G11SNC, G11ANC) available

Captivate

Product Specifications





- Specify same color for pull and grommet/channel
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 74-75 for grommet and channel locations
- Channel grommet option (CH11) available for a \$180 list upcharge

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width





Sample Model Numbers:

36N2473CBLW	TA	70AN	MC		
36N2469CSFW2C	TB	70SN	G11SNLR	N	MH
36N2473CFFW	TA	70SN	G11SNLR	R	MC
36N2473CKFW2	TA	71AN	CH11AN	R	MH

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Buffet Credenza 	36N2473CBW Wood	\$ 4013	24	73¼	35½	—	—	382 lbs.	49.6
	36N2473CBLW HPL Top	4013	24	73¼	35½	—	—	382 lbs.	49.6
	• Rim and base molding on front and sides of model • Credenza features an adjustable shelf (21¼" deep, 33¾" wide and 1" thick) • Inside dimension of each storage section is 21¼" deep x 34" wide x 25¾" high • Grommet option not available • Doors are non-locking								
Entertainment Credenza 	36N2473CBVW Wood	\$ 4013	24	73¼	35½	—	—	382 lbs.	49.6
	36N2473CBVLW HPL Top	4013	24	73¼	35½	—	—	382 lbs.	49.6
	• Rim and base molding on front and sides of model • Credenza features an adjustable shelf (21¼" deep, 33¾" wide and 1" thick) • Inside dimension of each storage section is 21¼" deep x 34" wide x 25¾" high • Cutouts in back panel for venting • Doors are non-locking • Grommets (G11SNLR and G11ANLR) available \$60 list upcharge • Unfinished back panel								
Storage Credenza 	36N2473CSFW2 Wood Top	\$ 3468	24	73¼	29¾	—	—	373 lbs.	41.0
	36N2473CSFLW2 HPL Top	3468	24	73¼	29¾	—	—	373 lbs.	41.0
	36N2468CSFW2 Wood Top	\$ 3239	24	67½	29¾	—	—	365 lbs.	38.0
	36N2468CSFLW2 HPL Top	3239	24	67½	29¾	—	—	365 lbs.	38.0
	• Rim and base molding on three sides of unit • 73" credenza features an adjustable shelf (12" deep, 33¾" wide and 1" thick) • 68" credenza features an adjustable shelf (12" deep, 28" wide and 1" thick) • Channel option (CH) available • Grommet (G11SNLR, G11ANLR) available								
Storage Credenza Ganging 	36N2469CSFW2C Wood Top	\$ 3468	24	69¼	29¾	—	—	368 lbs.	38.9
	36N2469CSFLW2C HPL Top	3468	24	69¼	29¾	—	—	368 lbs.	38.9
	36N2464CSFW2C Wood Top	\$ 3239	24	63½	29¾	—	—	360 lbs.	36.0
	36N2464CSFLW2C HPL Top	3239	24	63½	29¾	—	—	360 lbs.	36.0
	• Rim and base molding on front edge only to allow for ganging • 69" credenza features an adjustable shelf (12" deep, 33¾" wide and 1" thick) • 64" credenza features an adjustable shelf (12" deep, 28" wide and 1" thick) • Channel option (CH) available • Grommet (G11SNLR, G11ANLR) available								

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
36N2473CBLW	TA Oblique TB Slide TA	70SN Summit, Satin Nickel Metallic 70AN Summit, Anthracite Metallic 71SN Spiral, Satin Nickel Metallic 71AN Spiral, Anthracite Metallic 70AN	G11SNLR Satin Nickel Metallic, Left & Right G11SNC Satin Nickel Metallic, Center G11ANLR Anthracite Metallic, Left & Right G11ANC Anthracite Metallic, Center CH11SN Channel, Satin Nickel Metallic CH11AN Channel, Anthracite Metallic X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha MC

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Lateral File Credenza 	36N2473CFFW Wood Top	\$ 4013	24 73¼ 29% — —	345 lbs.	41.0
	36N2473CFFW HPL Top	4013	24 73¼ 29% — —	345 lbs.	41.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Channel option (CH) available • Grommet (G11SNLR, G11ANLR) available				
Lateral File Credenza Ganging 	36N2469CFFWC Wood Top	\$ 4013	24 69¼ 29% — —	340 lbs.	38.9
	36N2469CFFWC HPL Top	4013	24 69¼ 29% — —	340 lbs.	38.9
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on front edge only to allow for ganging • Channel option (CH) available • Grommet (G11SNLR, G11ANLR) available				
Kneespace Credenza 	36N2473CKFW2 Wood Top	\$ 3085	24 73¼ 29% — 34¾	267 lbs.	41.0
	36N2473CKFLW2 HPL Top	3085	24 73¼ 29% — 34¾	267 lbs.	41.0
	36N2468CKFW2 Wood Top	\$ 2898	24 67½ 29% — 29	259 lbs.	38.0
Kneespace Credenza Ganging 	36N2468CKFLW2 HPL Top	2898	24 67½ 29% — 29	259 lbs.	38.0
	• Rim and base molding on three sides of unit • Channel option (CH) available • Grommet (G11SNLR, G11ANLR) available				
	36N2469CKFW2C Wood Top	\$ 3085	24 69¼ 29% — 34¾	262 lbs.	38.9
	36N2469CKFLW2C HPL Top	3085	24 69¼ 29% — 34¾	262 lbs.	38.9
	36N2464CKFW2C Wood Top	\$ 2898	24 63½ 29% — 29	254 lbs.	36.0
	36N2464CKFLW2C HPL Top	2898	24 63½ 29% — 29	254 lbs.	36.0
• Rim and base molding on front edge only to allow for ganging • Channel option (CH) available • Grommet (G11SNLR, G11ANLR) available					

Product Specifications


- Specify same color for pull and grommet/channel
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 74-75 for grommet and channel locations
- Channel grommet option (CH11) available for a \$180 list upcharge


Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

36N2473CLFW1	TB	70AN	CH11AN	R	CW
36N2473CLFLW1	TB	70SN	CH11SN	CW	
36N2473CLFW6	TA	70SN	G11SNLR	R	HN
36N2473CLFW10	TB	71AN	X	R	MH


	Model No./Description				List Price	Dimensions				Cartoned Weight	Cubic Feet
						D	W	H	A		
	Left Pedestal		Right Pedestal								
	36N2473CLFW1	36N2473CRFW1	Wood Top	\$ 2545	24	73¼	29¾	—	27¾	215 lbs.	41.0
	36N2473CLFLW1	36N2473CRFLW1	HPL Top	2545	24	73¼	29¾	—	27¾	215 lbs.	41.0
	36N2468CLFW1	36N2468CRFW1	Wood Top	\$ 2469	24	67½	29¾	—	21¾	207 lbs.	38.0
	36N2468CLFLW1	36N2468CRFLW1	HPL Top	2469	24	67½	29¾	—	21¾	207 lbs.	38.0



Left shown

- Channel option (CH) available
- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding on three sides of unit
- Grommet (G11SNLR, G11ANLR) available


Single Pedestal Credenza Box/Box/File Ganging										
<i>Left Pedestal</i>										
<i>Right Pedestal</i>										
36N2471CLFW1C	36N2471CRFW1C	Wood Top	\$ 2545	24	71¼	29¾	—	27¾	210 lbs.	38.9
36N2471CLFLW1C	36N2471CRFLW1C	HPL Top	2545	24	71¼	29¾	—	27¾	210 lbs.	38.9
36N2466CLFW1C	36N2466CRFW1C	Wood Top	\$ 2469	24	65½	29¾	—	21¾	202 lbs.	36.0
36N2466CLFLW1C	36N2466CRFLW1C	HPL Top	2469	24	65½	29¾	—	21¾	202 lbs.	36.0



Left shown

- Channel option (CH) available
- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding on two sides of unit to allow for ganging
- Grommet (G11SNLR, G11ANLR) available

Single Pedestal Credenza File/File										
<i>Left Pedestal</i>										
<i>Right Pedestal</i>										
36N2473CLFW2	36N2473CRFW2	Wood Top	\$ 2545	24	73¼	29¾	—	27¾	215 lbs.	41.0
36N2473CLFLW2	36N2473CRFLW2	HPL Top	2545	24	73¼	29¾	—	27¾	215 lbs.	41.0
36N2468CLFW2	36N2468CRFW2	Wood Top	2469	24	67½	29¾	—	21¾	207 lbs.	38.0
36N2468CLFLW2	36N2468CRFLW2	HPL Top	2469	24	67½	29¾	—	21¾	207 lbs.	38.0




Left shown


- Channel option (CH) available
- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding on three sides of unit
- Grommet (G11SNLR, G11ANLR) available

Specify selections, left to right:


Base Model	Rim Profile	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70AN Summit, Anthracite Metallic 71SN Spiral, Satin Nickel Metallic 71AN Spiral, Anthracite Metallic	G11SNLR Satin Nickel Metallic, Left & Right G11ANLR Anthracite Metallic, Left & Right CH11SN Channel, Satin Nickel Metallic CH11AN Channel, Anthracite Metallic X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
36N2473CLFW1	TB	70AN	CH11AN	R	CW

	Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza File/File Ganging 	<i>Left Pedestal</i>	<i>Right Pedestal</i>				
	36N2471CLFW2C	36N2471CRFW2C	Wood Top	\$ 2545	24 71¼ 29¾ — 27¾	210 lbs. 38.9
	36N2471CLFW2C	36N2471CRFW2C	HPL Top	2545	24 71¼ 29¾ — 27¾	210 lbs. 38.9
	36N2466CLFW2C	36N2466CRFW2C	Wood Top	2469	24 65½ 29¾ — 21⅓	202 lbs. 36.0


- Channel option (CH) available
- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding on two sides of unit to allow for ganging
- Grommet (G11SNLR, G11ANLR) available

Single Pedestal Credenza Lateral File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>				
	36N2473CLFW6	36N2473CRFW6	Wood Top	\$ 2980	24 73¼ 29¾ — 10¾	254 lbs. 41.0
	36N2473CLFW6	36N2473CRFW6	HPL Top	2980	24 73¼ 29¾ — 10¾	254 lbs. 41.0
	36N2468CLFW6	36N2468CRFW6	Wood Top	2688	24 67½ 29¾ — 5¾	246 lbs. 38.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Channel option (CH) available
- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding on three sides of unit
- Grommet (G11SNLR, G11ANLR) available

Single Pedestal Credenza Lateral File Ganging 	<i>Left Pedestal</i>	<i>Right Pedestal</i>				
	36N2471CLFW6C	36N2471CRFW6C	Wood Top	\$ 2980	24 71¼ 29¾ — 10¾	249 lbs. 38.9
	36N2471CLFW6C	36N2471CRFW6C	HPL Top	2980	24 71¼ 29¾ — 10¾	249 lbs. 38.9
	36N2466CLFW6C	36N2466CRFW6C	Wood Top	2688	24 65½ 29¾ — 5¾	241 lbs. 36.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Channel option (CH) available
- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding on two sides of unit to allow for ganging
- Grommet (G11SNLR, G11ANLR) available

Single Pedestal Credenza Multi-File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>				
	36N2473CLFW10	36N2473CRFW10	Wood Top	\$ 3119	24 73¼ 29¾ — 10¾	254 lbs. 41.0

- Channel option (CH) available
- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding on three sides of unit
- Grommet (G11SNLR, G11ANLR) available

Product Specifications

- Specify same color for pull and grommet/channel
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 74-75 for grommet and channel locations
- Channel grommet option (CH11) available for a \$180 list upcharge


Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

36N7245HBHW	MH			
36N2437LFF2W	TA	70AN	R	CW
36N2437LFF4W	TA	70AN	TF	



Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
		D	W	H	A	KW		
Single Pedestal Credenza Multi-File Ganging								
<i>Left Pedestal</i>								
<i>Right Pedestal</i>								
36N2471CLFW10C	\$ 3119	24	71¼	29¾	—	10%	249 lbs.	38.9
36N2471CLFLW10C	3119	24	71¼	29¾	—	10%	249 lbs.	38.9



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding on two sides of unit to allow for ganging
- Channel option (CH) available
- Grommet (G11SNLR, G11ANLR) available

Highback Organizer



Wood Doors

36N7245HBHW	\$ 2737	14½	71¾	45%	—	—	229 lbs.	38.8
36N6645HBHW	\$ 2634	14½	66	45%	—	—	211 lbs.	35.8





Glass Doors

36N7245HBHGW	\$ 2863	14½	71¾	45%	—	—	229 lbs.	38.8
36N6645HBHGW	\$ 2757	14½	66	45%	—	—	211 lbs.	35.8

- Specify finish only
- Center two doors lock
- Highback organizer features (4) side hinge doors, full back panels with cord management, and finished backs
- Standard round grommet is located in center of back panel
- Utilize 72" highback organizer on 73", 71" and 69" credenzas
- Utilize 66" highback organizer on 68", 66" and 64" credenzas
- Glass door units feature silk screened glass
- For tack board options, see pages 304-308

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
36N7245HBHW	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70AN Summit, Anthracite Metallic 71SN Spiral, Satin Nickel Metallic 71AN Spiral, Anthracite Metallic	G11SNLR Satin Nickel Metallic, Left & Right G11ANLR Anthracite Metallic, Left & Right CH11SN Channel, Satin Nickel Metallic CH11AN Channel, Anthracite Metallic X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Wall Mount Cabinet  	Wood Doors				
	36N7224S0HMW	\$ 2974	14½ 71¾ 23% — —	134 lbs.	23.1
	36N6624S0HMW	\$ 2828	14½ 66 23% — —	124 lbs.	21.4
	Glass Doors				
	36N7224S0HMGW	\$ 3057	14½ 71¾ 23% — —	134 lbs.	23.1
	36N6624S0HMGW	\$ 2957	14½ 66 23% — —	124 lbs.	21.4
	- Specify finish only - Center two doors lock - Glass door units feature silk screened glass - Wall mount bracket is included with unit - It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed - For tack board options, see pages 304-308				
Lateral File Two Drawer 	36N2437LFF2W Wood Top	\$ 2128	24 37¼ 29% — —	162 lbs.	21.5
	36N2437LFF2LW HPL Top	2128	24 37¼ 29% — —	162 lbs.	21.5
	- Front-to-back filing is standard with lateral files; four rods per drawer are included - Rim and base molding on three sides of unit				
Lateral File Three Drawer 	36N2437LFF3W Wood Top	\$ 2652	24 37¾ 43½ — —	219 lbs.	31.2
	36N2437LFF3LW HPL Top	2652	24 37¾ 43½ — —	219 lbs.	31.2
	- Front-to-back filing is standard with lateral files; four rods per drawer are included - Rim and base molding on three sides of unit				
Lateral File Four Drawer 	36N2437LFF4W Wood Top	\$ 3175	24 37¼ 56½ — —	254 lbs.	38.0
	36N2437LFF4LW HPL Top	3175	24 37¼ 56½ — —	254 lbs.	38.0
	- Front-to-back filing is standard with lateral files; four rods per drawer are included - Rim and base molding on three sides of unit - Do not specify sheen option; features standard sheen				

Captivate

Product Specification






- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

36N3773VVHW 70AN MH
36N3773VWHWC HN
36N1971VSWHLW CW
36N2071VHL2W 71AN MC

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Double Door Unit 	36N2437PFHW Wood Top • Rim and base molding on three sides of unit • Features a single adjustable shelf	\$ 1976	24	37¼	29¾	—	—	136 lbs.	21.5
Entertainment Cabinet 	36N3773VVHW Wood • Specify rim, pull and finish only • Cornice and base molding on front and sides of model • Interior dimensions 21¼" D, 34" W, upper storage 43⅜" H, lower storage 25½" H • Shaded shelves are adjustable • Features standard sheen • Includes grommets in back panel for wire access and venting	\$ 4480	23½	37	73	—	—	311 lbs.	52.1
Entertainment Cabinet Ganging 	36N3773VWHWC • Cornice on three sides of unit • Base molding on front side of unit only to allow for ganging • Must be used with right and left ganging bookcases (see below) • Interior dimensions 21¼" D, 34" W, upper storage 43⅜" H, lower storage 25½" H • Shaded shelves are adjustable • Pulls on bottom door, touch latch on top doors	\$ 4480	23½	37	73	—	—	311 lbs.	52.1
Bookcase - Open Ganging 	Left 36N1971BCOLWC Right 36N1971BCORWC • Specify finish only • Cornice and base molding on two sides of unit to allow for ganging • Must be ganged to ganging entertainment cabinet or ganging double door wardrobe only • Shaded shelves are adjustable	\$ 1669	14½	18¾	71¾	—	—	91 lbs.	20.6
Double Door Wardrobe 	36N3773VWHW • Specify finish only • Removable coat rod is standard; positioned on left side of wardrobe • Cornice and base molding on three sides of unit • Shaded shelves are adjustable • Touch latch doors	\$ 4232	23½	37	73	—	—	281 lbs.	52.1


Left shown

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Sheen (wood tops only)	Finish
36N3773VVHW	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70AN Summit, Anthracite Metallic 71SN Spiral, Satin Nickel Metallic 71AN Spiral, Anthracite Metallic	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
--	-----------------------	------------	--------------------------	-----------------	------------

Double Door Wardrobe Ganging




36N3773VWHWC

\$ 4232

23½ 37 73 — — 281 lbs. 52.1

- Specify finish only
- Removable coat rod is standard; positioned on left side of wardrobe
- Cornice on three sides of unit
- Base molding on front side of unit only to allow for ganging
- Must be used with right and left ganging bookcases (see previous page)
- Shaded shelves are adjustable
- Touch latch doors

Wardrobe/Storage Cabinet



Right shown

Left Hinged

Right Hinged

36N1971VSWHLW


36N1971VSWHRW

\$ 2633

23½ 19⅞ 71⅞ — — 167 lbs. 30.2

- Specify finish only
- Cornice and base molding on three sides of unit
- Can be used as a wardrobe unit by removing the four adjustable shelves
- Removable coat rod standard
- Shaded shelves are adjustable

Wardrobe/Storage Cabinet Ganging



Right shown

Left Hinged

Right Hinged

36N1971VSWHLWC


36N1971VSWHRWC

\$ 2633

23½ 19⅞ 71⅞ — — 167 lbs. 30.2

- Specify finish only
- Cornice on three sides of unit
- Base molding on two sides of unit only to allow for ganging
- Can be used as a wardrobe unit by removing the four adjustable shelves
- Removable coat rod standard
- Shaded shelves are adjustable

Storage Cabinet with File/File Pedestal



Right shown

Left Hinged

Right Hinged

36N2071VHL2W

36N2071VHR2W

\$ 2715

23½ 20⅞ 71⅞ — — 187 lbs. 30.9

- Cornice and base molding on three sides of unit
- Shaded shelves are adjustable

Captivate

Product Specification





- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width





Sample Model Numbers:

36N3571BCOHFW 71SN MH
36N2448MGW TA N AC
36N2016PMBFW 71SN MC

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
	<i>Left Hinged</i>	<i>Right Hinged</i>	D	W	H				
Storage Cabinet with File/File Pedestal Ganging 	36N2071VHL2WC	36N2071VHR2WC	\$ 2715	23½	20⅞	71⅞	—	—	187 lbs. 30.9
	• Cornice on three sides of unit • Base molding on two sides of unit to allow for ganging • Shaded shelves are adjustable								
Bookcase - Open 	36N3571BCOFW		\$ 2175	14½	35	71⅞	—	—	158 lbs. 33.7
	36N3557BCOFW		\$ 1966	14½	35	56⅞	—	—	134 lbs. 27.3
Bookcase - Storage 	36N3571BCOHFW		\$ 2598	14½	35	71⅞	—	—	178 lbs. 33.7
	36N3557BCOHFW		\$ 2445	14½	35	56⅞	—	—	154 lbs. 27.3
Bookcase Set-On 	Wood Door								
	36N3544BCHW		\$ 2480	14½	35	43⅞	—	—	134 lbs. 20.0
	Glass Door								
	36N3544BCHGW		\$ 2585	14½	35	43⅞	—	—	134 lbs. 20.0
• Specify finish only • Cornice on top only • Shaded shelves are adjustable									

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Sheen (wood tops only)	Finish
36N3571BCOHFW	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70AN Summit, Anthracite Metallic 71SN Spiral, Satin Nickel Metallic 71AN Spiral, Anthracite Metallic	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha MH

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
	D	W	H	A	KW					
Magazine Table 	36N2448MGW	Wood Top	\$ 1369	24	48	16	—	—	57 lbs.	5.5
	• Features a functional, non-locking center drawer without a pull • Some assembly required									
End Table 	36N2424ENW	Wood Top	\$ 1254	24	24	20½	—	—	38 lbs.	3.5
	• Some assembly required									
Console Table 	36N2048CSW	Wood Top	\$ 1645	20	48	28¾	—	—	66 lbs.	5.6
	• Features a functional, non-locking center drawer without a pull • Some assembly required									
Mobile Pedestal 	36N2016PMBFW		\$ 1211	20	16¾	23	—	—	72 lbs.	8.1
	• Four double wheel locking casters • Maximum weight unit can hold is 300 lbs. • Unit features a finished wood top									

Byrne Interlink System

PRODUCT SPECIFICATIONS

BYRNE® INTERLINK SYSTEM

- Series of up to eight electrical/data modules and bypass jumpers that bring electrical outlets and data ports to the worksurface
- Can be used with as few as two outlets or as many as eight outlets
- Modules are color coded, keyed, and numbered
- Byrne Interlink and Bypass Jumper System allows easy connection or disconnection of any tap-off unit without power disruption to other units
- Each Interlink module includes 2 electrical outlets and 2 optional data ports
- Includes voice/data adapter kit for data openings; adapters accommodate couplers/jacks from the following manufacturers:

Avaya/At&T/Lucent	www.avaya.com
Amp/Tyco	www.amp.com
Panduit	www.panduit.com
Allen Tel	www.allentel.com
Leviton	www.leviton.com
Krone	www.krone.com
Hubbell	www.hubbell.com
Ortronics	www.ortronics.com

- UL Recognized
- 15 Amp
- 60 Hz
- 115V
- Single circuit reset

WIRE MANAGER

- Comes in packages of five
- Available in black only

Electrical Standards

Each country has its own set of Electrical standards and wiring rules. In addition, each state, county, and municipality may have Electrical standards and wiring rules that may be similar to those used elsewhere, but may have subtle (but significant) differences. In all cases you should check the local standards to ensure that you will comply with the regulations.


Power Consumption

The Byrne Interlink and Bypass System from National is rated for the United States of America. It is rated 115V 60Hz. The maximum power capacity of the system is 15 Amps, which may be used by any combination of one to eight electrical/data modules. The total combined power consumption of all equipment on a single system cannot exceed 15 Amps.

Before installing the Byrne Interlink and Bypass System from National, please check the power consumption for each item that will be powered from the system to ensure that you do not exceed the rated capacity of the system. The table below lists some typical power consumption values for common office equipment. Remember to add the power consumption for all devices to be powered from a single system to determine how many devices can be connected to a single system. (This listing is a guide only; please be sure to check the listing on each item you will be powering.)


Office Equipment	Amps(A)
Computer Server	1-6
Personal Computer	1-2
Laptop	1-1.5
LCD Display	1-1.8
CRT Display	1.3-2.5
Laser Printer	1.5-6
Inkjet Printer	0.4-1.6
Dot-Matrix Printer	1.5-3
Photocopier	10-16
Fax Machine	0.8-1.2
Scanner	0.4-0.8
PDA	0.04-0.06
LED/Incandescent Light	0.6-1
Clock	0.02-0.04
Radio	0.2-0.4
Calculator	0.1-0.25
Cellphone Charger	0.6-1.5
Battery Charger	0.06-0.6
Audio Speakers	0.05-0.15
Network Router/Switch	0.4-1
Shredder	1.5-3

Example 1:



Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Total AC Load	12 Amps(A)

Example 2:




Laptop	1.5 Amps
LCD Display	1.8 Amps
Laser Printer	6.0 Amps
Scanner	0.8 Amps
Total AC Load	13.8 Amps(A)

The following devices should NOT be used in Electrical Installations


The following electrical devices have very high power consumption and some will affect the quality of the power for other electrical devices that are connected to the same electrical system. We recommend that you DO NOT plug these units into the Interlink System power outlets. High power devices should be plugged directly into the main wall power outlets. These include but are not limited to:

Heaters, Hair Dryers, Kettles, Coffee Makers, Motorized Machines, Shoe Polishers, Water Dispensers, Air Conditioners, Electric Fans, Microwave Ovens, Televisions, Video Machines, Fluorescent Lights, Multi-socket Outlets, Power Strips, Extension Cords, Power Tools, Electrical Dimmers

Any devices that will not be regularly used at the workstation should be connected to the main wall power outlets.




Interlink System shown using all interlink modules with no bypass jumpers; specify NACELIL1, NACELIL2, NACELIL3, and NACELIL4




Interlink System shown using a bypass jumper for position 1, connecting to the power source and then 2 interlink modules; specify NACELILJ1, NACELIL2, and NACELIL3

Product Specifications

- Interlink #1 cord with plug is 126" in length
- Bypass Jumper #1 with plug is 124" in length
- Length of cord from coupler to unit on all units is 14"
- Interlink #2-#8 cord is 66" in length
- Bypass Jumpers #2-#8 are 60" in length

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	NACELIL1	Interlink #1 with Plug	\$ 235	4⅞	2⅝	8½	—	2 lbs.	0.2
	NACELILJ1	Bypass Jumper #1 with Plug	131	—	—	—	—	1 lbs.	0.2
	NACELIL2	Interlink #2	168	4⅞	2⅝	8½	—	2 lbs.	0.2
	NACELILJ2	Bypass Jumper #2	67	—	—	—	—	1 lbs.	0.2
	NACELIL3	Interlink #3	168	4⅞	2⅝	8½	—	2 lbs.	0.2
	NACELILJ3	Bypass Jumper #3	67	—	—	—	—	1 lbs.	0.2
	NACELIL4	Interlink #4	168	4⅞	2⅝	8½	—	2 lbs.	0.2
	NACELILJ4	Bypass Jumper #4	67	—	—	—	—	1 lbs.	0.2
	NACELIL5	Interlink #5	168	4⅞	2⅝	8½	—	2 lbs.	0.2
	NACELILJ5	Bypass Jumper #5	67	—	—	—	—	1 lbs.	0.2
	NACELIL6	Interlink #6	168	4⅞	2⅝	8½	—	2 lbs.	0.2
	NACELILJ6	Bypass Jumper #6	67	—	—	—	—	1 lbs.	0.2
	NACELIL7	Interlink #7	168	4⅞	2⅝	8½	—	2 lbs.	0.2
	NACELILJ7	Bypass Jumper #7	67	—	—	—	—	1 lbs.	0.2
	NACELIL8	Interlink #8	168	4⅞	2⅝	8½	—	2 lbs.	0.2
	• UL Recognized • Interlink models contain a power center that features 2 electrical receptacles and 2 blank data ports • Includes voice/data adapter kit for data ports; adapters accommodate couplers/jacks from manufacturers listed on page 94 • Interlink System can be used with Captivate® and Casbah® • Black • This can be field installed or order unit with racetrack grommet option to place in hole								
Undersurface Wire Manager	NAC03WM	Black (Set of 5)	\$ 24	5¼	2⅝	1¾	—	2.5 lbs.	0.1



How to specify the Byrne Interlink System from National

The Byrne Interlink System from National can be used with as few as one Interlink module and up to as many as eight modules. You may also add to the system as your power needs grow (up to eight modules total). Shown below are examples of how to specify a series of Interlink modules from one up to a full set of eight.

	NACELI1	NACELI2	NACELI3	NACELI4	NACELI5	NACELI6	NACELI7	NACELI8
Single module (one Power Center)	✓							
Set of two modules (two Power Centers)	✓	✓						
Set of three modules (three Power Centers)	✓	✓	✓					
Set of four modules (four Power Centers)	✓	✓	✓	✓				
Set of five modules (five Power Centers)	✓	✓	✓	✓	✓			
Set of six modules (six Power Centers)	✓	✓	✓	✓	✓	✓		
Set of seven modules (seven Power Centers)	✓	✓	✓	✓	✓	✓	✓	
Set of eight modules (eight Power Centers)	✓	✓	✓	✓	✓	✓	✓	✓

How to specify Byrne Interlink Bypass Jumpers

Byrne Interlink Bypass Jumpers are interchangeable with Interlink Modules and are used where you do not need a Power Center at a particular location and wish to skip to the next link. Shown below are examples of how to substitute a compatible Bypass Jumper for a specific Byrne Interlink module.

	NACELI1	NACELI2	NACELI3	NACELI4	NACELI5	NACELI6	NACELI7
Bypass Jumper for position #1 (connects to power source)	✓						
Bypass Jumper for position #2		✓					
Bypass Jumper for position #3			✓				
Bypass Jumper for position #4				✓			
Bypass Jumper for position #5					✓		
Bypass Jumper for position #6						✓	
Bypass Jumper for position #7							✓

Casbah

PRODUCT SPECIFICATIONS**WORKSURFACE**

- 1 $\frac{3}{16}$ " slipmatched cherry and maple veneer
- Wood rim with softened edge profile
- Tops appear to be suspended with a recessed façade worksurface detail
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces; standard sheen featured on above surface units

RECESSED FAÇADE

- Available in reed* (RE) or flat (FL) profile
 - *Reed profile option is available with an upcharge
- Reed is available in wood finishes only
- Flat profile is available in wood finishes, Satin Nickel Metallic or Anthracite Metallic painted MDF
- Flat veneer profile features quarter cut cherry or maple veneer
- Recessed façade is $\frac{3}{4}$ " thick x 1 $\frac{1}{2}$ " tall, and is 26 $\frac{1}{16}$ " from bottom of façade to floor
- Grain direction runs horizontal on all recessed façades
- Keyboard trays and center drawers cannot be used on any Casbah models due to recessed façade

FINISH APPLICATION

- Casbah series finished with IntegraClear™ UV technology. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION

- Veneer chassis fastened by screws, dowels, and metal fasteners
- Full pedestals
- $\frac{3}{4}$ " thick modesty panels and end panels
- Desk modesty panels feature a straight or arc shape; grain direction runs horizontal
- Arc modesty available on desks only
- All units feature fully finished backs unless noted
- Adjustable leveling glides (2 on end panels, 2 on side panels) compensate for uneven floors

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

PULLS

- Available in three options: Groove, Sweep and Balance
- Available in two colors: Satin Nickel Metallic and Anthracite Metallic

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain $\frac{1}{2}$ " thick, sides are laminated woodgrain $\frac{3}{8}$ " thick
- Drawer fronts are 3-ply construction with matched woodgrain
- Reference page 104 for interior drawer dimensions
- Top box drawers include a faux leather wrapped deluxe organizer

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers

CORD MANAGEMENT—See page 105


- Zinc racetrack grommets are available in two colors: Satin Nickel Metallic and Anthracite Metallic
- Tambour modesty panel is available on credenzas, bridges, and returns to allow for easy access to fixed wall electrical and data connections
- End panel grommets are solid wood and are finished to match unit

LOCKING

- Standard locking in all pedestals, wall mount cabinets, storage units, and wardrobes
- Locks are independent, face mounted, with a black finish
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, change keys, and master keys, reference page 297

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

- NM Natural
- HN Honey
- CL Caramel
- TF Truffle
- AC Autumn
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha

WORKSURFACE
SHEEN OPTIONS

- R Standard
- N Matte/Satin


PAINT COLORS

- 503 Satin Nickel Metallic
- 513 Anthracite Metallic

FAÇADE PROFILES

- FL Flat
- RE Reed (+10% upcharge)

PULL OPTIONS



Balance (72)

- 72AN Anthracite Metallic
- 72SN Satin Nickel Metallic
(Boring Pattern 128mm)



Sweep (73)

- 73AN Anthracite Metallic
- 73SN Satin Nickel Metallic
(Boring Pattern 128mm)



Groove (74)

- 74AN Anthracite Metallic
- 74SN Satin Nickel Metallic
(Boring Pattern 128mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Racetrack Grommet, Satin Nickel Metallic


\$30 list for each grommet

- G11SNL Left
- G11SNR Right
- G11SNLR Left & Right
- G11SNC Center
- G11SNA Left, Right & Center


Racetrack Grommet, Anthracite Metallic

\$30 list for each grommet

- G11ANL Left
- G11ANR Right
- G11ANLR Left & Right
- G11ANC Center
- G11ANA Left, Right & Center




Arc Modesty Desks
Wood Flat Profile or
Painted




Straight Modesty Desks
Wood Flat Profile or
Painted

- Shaded area represents the wood flat (FL) modesty/façade profile from the approach side; wood flat features $\frac{1}{4}$ cut horizontal grain pattern
- Shaded area represents the painted flat (FL) modesty/façade profile from the approach side



Arc Modesty Desks
Wood Reed Profile



Straight Modesty Desks
Wood Reed Profile

- Striped area represents the wood reed (RE) modesty/façade profile from the approach side
- Reed (RE) profile is available on wood finish units only; not available on painted units


Drawer Specifications

Description	Interior Dimensions			Filing Capabilities	
	Drawer	Inside Width	Inside Depth	Inside Height	
Desk—Recessed Modesty Panel 36 x 72, 30 x 66	Box	14 ⁷ / ₁₆ "	17"	3 ³ / ₁₆ "	Letter, legal, and EDP side-to-side filing
	File	15 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	Legal filing front-to-back
Desk—Recessed Modesty Panel 30 x 60	Box	11 ⁷ / ₁₆ "	17"	3 ³ / ₁₆ "	Letter filing front-to-back or side-to-side
	File	12 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	Legal and EDP filing side-to-side
Single Pedestal Desk 36 x 72, 30 x 66	Box	14 ⁷ / ₁₆ "	17"	3 ³ / ₁₆ "	Letter, legal, and EDP side-to-side filing
	File	15 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	Legal filing front-to-back
Executive Return 24 x 60, 24 x 48, 24 x 42	Box	11 ⁷ / ₁₆ "	17"	3 ³ / ₁₆ "	Letter filing front-to-back or side-to-side
	File	12 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	Legal and EDP filing side-to-side
Credenzas 24 x 72, 24 x 66	Box	14 ⁷ / ₁₆ "	17"	3 ³ / ₁₆ "	Letter, legal, and EDP side-to-side filing
	File	15 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	Legal filing front-to-back
Credenzas 24 x 60	Box	11 ⁷ / ₁₆ "	17"	3 ³ / ₁₆ "	Letter filing front-to-back or side-to-side
	File	12 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	Legal and EDP filing side-to-side
Credenzas 24 x 72	Lateral File	32 ³ / ₈ "	15"	8 ⁷ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Single Pedestal Credenzas 24 x 72, 24 x 66	Box	14 ⁷ / ₁₆ "	17"	3 ³ / ₁₆ "	Letter, legal, and EDP side-to-side filing
	File	15 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	Legal filing front-to-back
Single Pedestal Credenzas 24 x 60	Box	11 ⁷ / ₁₆ "	17"	3 ³ / ₁₆ "	Letter filing front-to-back or side-to-side
	File	12 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	Legal and EDP filing side-to-side
Single Pedestal Credenzas 24 x 72	Lateral File	32 ³ / ₈ "	15"	8 ⁷ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File 36" width	Lateral File	32 ³ / ₈ "	15"	8 ⁷ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File 30" width	Lateral File	26 ³ / ₈ "	15"	8 ⁷ / ₈ "	Letter, legal and EDP filing front-to-back or side-to-side
Vertical Storage Cabinet 18 x 68	Box	14 ⁷ / ₁₆ "	17"	3 ³ / ₁₆ "	Letter, legal, and EDP side-to-side filing
	File	15 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	Legal filing front-to-back
Component Pedestals 23 x 18, 29 x 18	Box	14 ⁷ / ₁₆ "	17"	3 ³ / ₁₆ "	Letter, legal, and EDP side-to-side filing
	File	15 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	Legal filing front-to-back
Component Pedestals 23 x 15, 29 x 15	Box	11 ⁷ / ₁₆ "	17"	5 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	12 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	Legal and EDP filing side-to-side
Mobile Pedestals 23 x 15	Box	11 ⁷ / ₁₆ "	17"	5 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	12 ¹ / ₁₆ "	17"	8 ⁷ / ₈ "	EDP and legal filing side-to-side

- Exterior dimension of legal width pedestal is 18". Letter width is 15"


Grommet Specifications

- Racetrack grommets are available as an option on desks, bridges, returns, credenzas, and corner unit for an additional upcharge
- Racetrack grommets are factory installed in the worksurface and end panels in pre-determined locations as shown below
- Grommets on end panels are wood and are finished to match color of unit
- Inside end panels feature oval grommet in top corner of panel for cable management




Single and Double Pedestal Desks

Left and right grommets on worksurface and end panels
(38N3672DDFW8 Shown)




Credenzas

Left and right grommets on worksurface and end panels
(38N2478CSFW1 Shown)





Executive Returns

Left and right grommets on worksurface and grommet on end panel
(38N2448RLEFW1 Shown)




Bridges

Left and right grommets on worksurface
(38N2448BEFW Shown)




P-Shaped and U-Shaped Desks

Grommet on worksurface
(38N307242DPLFEW Shown)




Credenzas

Center grommet on worksurface and end panels
(38N2478CSFW1 Shown)



Executive Returns

Center grommet on worksurface and grommet on end panel
(38N2448RLEFW1 Shown)



Corner Units

Corner grommet on worksurface
(38N3636CFW Shown)

Casbah L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:



- Balance, Satin Nickel pulls
- Flat façade profile
- Standard sheen
- Center grommet in return
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha



Balance, Satin Nickel pulls

L-CONFIGURATIONS		Model No./Description		List Price	L-CONFIGURATIONS		Model No./Description		List Price
Left L-Configuration		38N8572LLFW		84½D x 71½W	Right L-Configuration		38N8572LRFW		84½D x 71½W
Wood Façade				\$ 5657	Wood Façade				\$ 5657
		consists of					consists of		
		38N3672DRFW1	Right Pedestal Desk	3178			38N3672DLFW1	Left Pedestal Desk	3178
		38N2448RLEFW2	Left Pedestal Return	2479			38N2448RREFW2	Right Pedestal Return	2479
		38N7972LLFW		78½D x 71½W			38N7972LRFW		78½D x 71½W
				\$ 5576					\$ 5576
		consists of					consists of		
		38N3672DRFW1	Right Pedestal Desk	3178			38N3672DLFW1	Left Pedestal Desk	3178
		38N2442RLEFW2	Left Pedestal Return	2398			38N2442RREFW2	Right Pedestal Return	2398
		38N7966LLFW		78½D x 66W			38N7966LRFW		78½D x 66W
				\$ 5571					\$ 5571
		consists of					consists of		
		38N3066DRFW1	Right Pedestal Desk	3092			38N3066DLFW1	Left Pedestal Desk	3092
		38N2448RLEFW2	Left Pedestal Return	2479			38N2448RREFW2	Right Pedestal Return	2479
		38N7366LLFW		72½D x 66W			38N7366LRFW		72½D x 66W
				\$ 5490					\$ 5490
		consists of					consists of		
		38N3066DRFW1	Right Pedestal Desk	3092			38N3066DLFW1	Left Pedestal Desk	3092
		38N2442RLEFW2	Left Pedestal Return	2398			38N2442RREFW2	Right Pedestal Return	2398

Casbah U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Balance, Satin Nickel pulls
- Flat façade profile
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish

To Order, Specify Finish:


NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha



Balance, Satin Nickel pulls

U-CONFIGURATIONS


Left U-Configuration Wood Façade



Model No./Description	List Price
38N10972ULFW 108½D x 71½W \$ 7016	
consists of	
38N3672DRFW1 Right Pedestal Desk	3178
38N2448BEFW Bridge	1133
38N2472CLFW2 Left Pedestal Credenza	2705
38N10372ULFW 102½D x 71½W \$ 6985	
consists of	
38N3672DRFW1 Right Pedestal Desk	3178
38N2442BEFW Bridge	1102
38N2472CLFW2 Left Pedestal Credenza	2705
38N10366ULFW 102½D x 66W \$ 6852	
consists of	
38N3066DRFW1 Right Pedestal Desk	3092
38N2448BEFW Bridge	1133
38N2466CLFW2 Left Pedestal Credenza	2627
38N9766ULFW 96½D x 66W \$ 6821	
consists of	
38N3066DRFW1 Right Pedestal Desk	3092
38N2442BEFW Bridge	1102
38N2466CLFW2 Left Pedestal Credenza	2627

U-CONFIGURATIONS

Right U-Configuration Wood Façade



Model No./Description	List Price
38N10972URFW 108½D x 71½W \$ 7016	
consists of	
38N3672DLFW1 Left Pedestal Desk	3178
38N2448BEFW Bridge	1133
38N2472CRFW2 Right Pedestal Credenza	2705
38N10372URFW 102½D x 71½W \$ 6985	
consists of	
38N3672DLFW1 Left Pedestal Desk	3178
38N2442BEFW Bridge	1102
38N2472CRFW2 Right Pedestal Credenza	2705
38N10366URFW 102½D x 66W \$ 6852	
consists of	
38N3066DLFW1 Left Pedestal Desk	3092
38N2448BEFW Bridge	1133
38N2466CRFW2 Right Pedestal Credenza	2627
38N9766URFW 96½D x 66W \$ 6821	
consists of	
38N3066DLFW1 Left Pedestal Desk	3092
38N2442BEFW Bridge	1102
38N2466CRFW2 Right Pedestal Credenza	2627

Product Specifications





- Refer to pages 291-310 for accessories
- Refer to page 101 for recessed façade details
- Refer to page 105 for grommet locations
- Due to recessed façade, keyboard trays and center drawers cannot be used
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 296
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width


Sample Model Numbers:

38N3684DDFCW8	FL	72SN	G11SNLR	R	MH
38N3684DDFCWP8	72AN	G11ANL	R	MH	513
38N3684DTWP	G11SNL	N	AC	503	
38N3684DTW	RE	G11ANLR	N	HN	
38N3672DLFW1	RE	72SN	G11SNL	R	AC
38N3672DLFWP1	72SN	G11SNL	R	AC	503

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Double Pedestal Desk with Arc Modesty  Box/Box/File—File/File  File/File—Box/Box/File	Desk—Wood Modesty/Façade								
	38N3684DDFCW8 Box/Box/File—File/File	\$ 4899	36 ¹ / ₆	83 ¹ / ₆	29 ¹ / ₄	—	47 ³ / ₆	374 lbs.	65.8
	38N3672DDFCW8 Box/Box/File—File/File	4252	36 ¹ / ₆	71 ¹ / ₆	29 ¹ / ₄	—	35 ¹ / ₆	349 lbs.	57.0
	38N3684DDFCW9 File/File—Box/Box/File	\$ 4899	36 ¹ / ₆	83 ¹ / ₆	29 ¹ / ₄	—	47 ³ / ₆	374 lbs.	65.8
	38N3672DDFCW9 File/File—Box/Box/File	4252	36 ¹ / ₆	71 ¹ / ₆	29 ¹ / ₄	—	35 ¹ / ₆	349 lbs.	57.0
	Desk—Painted Modesty/Façade								
	38N3684DDFCWP8 Box/Box/File—File/File	\$ 4899	36 ¹ / ₆	83 ¹ / ₆	29 ¹ / ₄	—	47 ³ / ₆	374 lbs.	65.8
	38N3672DDFCWP8 Box/Box/File—File/File	4252	36 ¹ / ₆	71 ¹ / ₆	29 ¹ / ₄	—	35 ¹ / ₆	349 lbs.	57.0
	38N3684DDFCWP9 File/File—Box/Box/File	\$ 4899	36 ¹ / ₆	83 ¹ / ₆	29 ¹ / ₄	—	47 ³ / ₆	374 lbs.	65.8
	38N3672DDFCWP9 File/File—Box/Box/File	4252	36 ¹ / ₆	71 ¹ / ₆	29 ¹ / ₄	—	35 ¹ / ₆	349 lbs.	57.0
Double Pedestal Desk with Straight Modesty  Box/Box/File—File/File  File/File—Box/Box/File	Desk—Wood Modesty/Façade								
	38N3684DDFW8 Box/Box/File—File/File	\$ 4204	36 ¹ / ₆	83 ¹ / ₆	29 ¹ / ₄	—	47 ³ / ₆	374 lbs.	65.8
	38N3672DDFW8 Box/Box/File—File/File	3484	36 ¹ / ₆	71 ¹ / ₆	29 ¹ / ₄	—	35 ¹ / ₆	349 lbs.	57.0
	38N3066DDFW8 Box/Box/File—File/File	3353	30 ¹ / ₆	66	29 ¹ / ₄	—	29%	285 lbs.	44.9
	38N3684DDFW9 File/File—Box/Box/File	\$ 4204	36 ¹ / ₆	83 ¹ / ₆	29 ¹ / ₄	—	47 ³ / ₆	374 lbs.	65.8
	38N3672DDFW9 File/File—Box/Box/File	3484	36 ¹ / ₆	71 ¹ / ₆	29 ¹ / ₄	—	35 ¹ / ₆	349 lbs.	57.0
	38N3066DDFW9 File/File—Box/Box/File	3353	30 ¹ / ₆	66	29 ¹ / ₄	—	29%	285 lbs.	44.9
	Desk—Painted Modesty/Façade								
	38N3684DDFWP8 Box/Box/File—File/File	\$ 4204	36 ¹ / ₆	83 ¹ / ₆	29 ¹ / ₄	—	47 ³ / ₆	374 lbs.	65.8
	38N3672DDFWP8 Box/Box/File—File/File	3484	36 ¹ / ₆	71 ¹ / ₆	29 ¹ / ₄	—	35 ¹ / ₆	349 lbs.	57.0
	38N3066DDFWP8 Box/Box/File—File/File	3353	30 ¹ / ₆	66	29 ¹ / ₄	—	29%	285 lbs.	44.9
	38N3684DDFWP9 File/File—Box/Box/File	\$ 4204	36 ¹ / ₆	83 ¹ / ₆	29 ¹ / ₄	—	47 ³ / ₆	374 lbs.	65.8
	38N3672DDFWP9 File/File—Box/Box/File	3484	36 ¹ / ₆	71 ¹ / ₆	29 ¹ / ₄	—	35 ¹ / ₆	349 lbs.	57.0
	38N3066DDFWP9 File/File—Box/Box/File	3353	30 ¹ / ₆	66	29 ¹ / ₄	—	29%	285 lbs.	44.9


Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Sheen	Finish	Paint Color (painted only)
38N3684DDFCW8	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	G11SNL Satin Nickel Metallic, Left G11SNR Satin Nickel Metallic, Right G11SNLR Satin Nickel Metallic, Left & Right G11ANL Anthracite Metallic, Left G11ANR Anthracite Metallic, Right G11ANLR Anthracite Metallic, Left & Right X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
	FL	72SN	G11SNLR	R	MH	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Table Desk 	Desk—Wood Façade				
	38N3684DTW	\$ 3785	36 ¹ / ₁₆ 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 66%	202 lbs.	64.4
	38N3672DTW	3136	36 ¹ / ₁₆ 71 ¹⁵ / ₁₆ 29 ¹ / ₄ — 54%	185 lbs.	20.9
	Desk—Painted Façade				
	38N3684DTWP	\$ 3785	36 ¹ / ₁₆ 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 66%	202 lbs.	64.4
	38N3672DTWP	3136	36 ¹ / ₁₆ 71 ¹⁵ / ₁₆ 29 ¹ / ₄ — 54%	185 lbs.	20.9

• Do not specify a pull
 • Some assembly required

Single Pedestal Desk with Arc Modesty




Left shown

Wood Modesty/Façade										
Left Pedestal	Right Pedestal									
38N3684DLFCW1	38N3684DRFCW1	Box/Box/File	\$ 4252	36 ¹ / ₁₆	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	41%	334 lbs.	65.8
38N3672DLFCW1	38N3672DRFCW1	Box/Box/File	3728	36 ¹ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29%	309 lbs.	57.0
Painted Modesty/Façade										
Left Pedestal	Right Pedestal									
38N3684DLFCWP1	38N3684DRFCWP1	Box/Box/File	\$ 4252	36 ¹ / ₁₆	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	41%	334 lbs.	65.8
38N3672DLFCWP1	38N3672DRFCWP1	Box/Box/File	3728	36 ¹ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29%	309 lbs.	57.0

• Not recommended as a freestanding unit due to routing in the rim

Single Pedestal Desk with Straight Modesty



Left shown

Wood Modesty/Façade										
Left Pedestal	Right Pedestal									
38N3684DLFW1	38N3684DRFW1	Box/Box/File	\$ 3636	36 ¹ / ₁₆	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	41%	334 lbs.	65.8
38N3672DLFW1	38N3672DRFW1	Box/Box/File	3178	36 ¹ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29%	309 lbs.	57.0
38N3066DLFW1	38N3066DRFW1	Box/Box/File	3092	30 ¹ / ₁₆	66	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	245 lbs.	44.9
Painted Modesty/Façade										
Left Pedestal	Right Pedestal									
38N3684DLFWP1	38N3684DRFWP1	Box/Box/File	\$ 3636	36 ¹ / ₁₆	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	41%	334 lbs.	65.8
38N3672DLFWP1	38N3672DRFWP1	Box/Box/File	3178	36 ¹ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29%	309 lbs.	57.0
38N3066DLFWP1	38N3066DRFWP1	Box/Box/File	3092	30 ¹ / ₁₆	66	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	245 lbs.	44.9

• Keyboard kits cannot be used on 38N3066 models
 • Not recommended as a freestanding unit due to routing in the rim

Product Specifications

- Refer to pages 291-310 for accessories
- Refer to page 101 for recessed façade details
- Refer to page 105 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 296
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge


Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:

38N367248DLFECW1	FL	72SN	G11SNLR	R	AC
38N367248DLFECWP1	72SN	G11SNLR	R	AC	503
38N3672DULW	RE	G11SN	R	CW	
38N3672DULWP	G11SN	R	CW	503	
38N3072DPLW	FL	G11AN	R	AC	
38N3072DPLFW	G11AN	R	AC	513	

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Single Pedestal Desk Extended Corner with Arc Modesty	Wood Modesty/Façade									
	Left Pedestal	Right Pedestal								
	38N367248DLFECW1	38N367248DRFECW1	Box/Box/File	\$ 3877	48 ³ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29 ⁷ / ₈	344 lbs.




Left shown

Painted Modesty/Façade

<i>Left Pedestal</i>	<i>Right Pedestal</i>									
38N367248DLFECWP1	38N367248DRFECWP1	Box/Box/File	\$ 3877	48 ³ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29 ⁷ / ₈	344 lbs.	73.9
• Grommets G11SNL, G11SNR, G11SNLR, G11ANL, G11ANR, G11ANLR available • Keyboard kits cannot be placed in the radius corner of extended corner desks • Not recommended as a freestanding unit due to routing in the rim										

**Single Pedestal Desk
Extended Corner
with Straight Modesty**



Left shown


Wood Modesty/Façade

<i>Left Pedestal</i>	<i>Right Pedestal</i>									
38N367248DLFEW1	38N367248DRFEW1	Box/Box/File	\$ 3305	48 ³ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29 ⁷ / ₈	344 lbs.	73.9
38N306642DLFEW1	38N306642DRFEW1	Box/Box/File	3240	42 ¹ / ₁₆	66	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	278 lbs.	73.9

Painted Modesty/Façade

<i>Left Pedestal</i>	<i>Right Pedestal</i>									
38N367248DLFEWP1	38N367248DRFEWP1	Box/Box/File	\$ 3305	48 ³ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29 ⁷ / ₈	344 lbs.	73.9
38N306642DLFEWP1	38N306642DRFEWP1	Box/Box/File	3240	42 ¹ / ₁₆	66	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	278 lbs.	73.9
• Grommets G11SNL, G11SNR, G11SNLR, G11ANL, G11ANR, G11ANLR available • Keyboard kits cannot be placed in the radius corner of extended corner desks • Keyboard kits cannot be used on 38N306642 models • Not recommended as a freestanding unit due to routing in the rim										

**U-Shaped Desk
with Support Base**




Left shown

<i>Left U</i>	<i>Right U</i>									
38N3672DULW	38N3672DURW	Wood Façade	\$ 2689	36 ¹ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	30 ¹ / ₁₆	234 lbs.	57.0
38N3672DULWP	38N3672DURWP	Painted Façade	2689	36 ¹ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	30 ¹ / ₁₆	234 lbs.	57.0

- Grommets G11SN, G11AN available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled
- Not recommended as a freestanding unit due to routing in the rim

**U-Shaped Desk
with Modesty Panel
and Support Base**



Left shown

<i>Left U</i>	<i>Right U</i>									
38N3672DULFW	38N3672DURFW	Wood Façade	\$ 3591	36 ¹ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	30 ¹ / ₁₆	252 lbs.	57.0
38N3672DULFWP	38N3672DURFWP	Painted Façade	3591	36 ¹ / ₁₆	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	30 ¹ / ₁₆	252 lbs.	57.0


- Grommets G11SN, G11AN available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled
- Not recommended as a freestanding unit due to routing in the rim

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	G11SN Satin Nickel Metallic G11SNL Satin Nickel Metallic, Left G11SNR Satin Nickel Metallic, Right G11SNLR Satin Nickel Metallic, Left & Right G11AN Anthracite Metallic G11ANL Anthracite Metallic, Left G11ANR Anthracite Metallic, Right G11ANLR Anthracite Metallic, Left & Right X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
38N367248DLFECW1	FL	72SN	G11SNLR	R	AC	

Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
-----------------------	------------	--------------------------	-----------------	------------

U-Shaped Extended Corner Desk with Support Base




Left shown

Left U	Right U									
38N367248DULEW	38N367248DUREW	Wood Façade	\$ 2798	48 1/16	71 15/16	29 1/4	—	30 1/16	270 lbs.	73.9
38N367248DULEWP	38N367248DUREWP	Painted Façade	2798	48 1/16	71 15/16	29 1/4	—	30 1/16	270 lbs.	73.9

- Grommets G11SN, G11AN available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled
- Not recommended as a freestanding unit due to routing in the rim

U-Shaped Extended Corner Desk with Modesty Panel and Support Base




Left shown

Left U	Right U									
38N367248DULFEW	38N367248DURFEW	Wood Façade	\$ 3684	48 1/16	71 15/16	29 1/4	—	30 1/16	288 lbs.	73.9
38N367248DULFWP	38N367248DURFWP	Painted Façade	3684	48 1/16	71 15/16	29 1/4	—	30 1/16	288 lbs.	73.9

- Grommets G11SN, G11AN available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled
- Not recommended as a freestanding unit due to routing in the rim

P-Shaped Desk with Support Base




Left shown

Left P	Right P									
38N3072DPLW	38N3072DPRW	Wood Façade	\$ 2826	36 1/16	71 15/16	29 1/4	—	30 1/16	209 lbs.	57.0
38N3072DPLWP	38N3072DPRWP	Painted Façade	2826	36 1/16	71 15/16	29 1/4	—	30 1/16	209 lbs.	57.0

- Grommets G11SN, G11AN available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled
- Not recommended as a freestanding unit due to routing in the rim

P-Shaped Desk with Modesty Panel and Support Base



Left shown

Left P	Right P									
38N3072DPLFW	38N3072DPRFW	Wood Façade	\$ 3715	36 1/16	71 15/16	29 1/4	—	30 1/16	230 lbs.	57.0
38N3072DPLFWP	38N3072DPRFWP	Painted Façade	3715	36 1/16	71 15/16	29 1/4	—	30 1/16	230 lbs.	57.0

- Grommets G11SN, G11AN available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled
- Not recommended as a freestanding unit due to routing in the rim

Product Specifications

- Refer to pages 291-310 for accessories
- Refer to page 101 for recessed façade details
- Refer to page 105 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 296
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge


Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

38N3672DTLFCW1	RE	74SN	G11SNLR	A	8610	R	MH
38N3672DTLFCWP1	74SN	G11SNLR	A	8610	R	MH	503
38N2460RLEFW1	FL	73AN	G11ANA	R	MC	513	
38N2460RLEFWP1	73AN	G11ANA	R	MC	513		


	Model No./Description			List Price	Dimensions					Cartoned Weight	Cubic Feet
					D	W	H	A	KW		
P-Shaped Extended Corner Desk with Support Base 	<i>Left P</i>	<i>Right P</i>									
	38N307242DPLEW	38N307242DPREW	Wood Façade	\$ 2965	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ¹ / ₄	—	30 ¹ / ₁₆	272 lbs.	73.9
	38N307242DPLEWP	38N307242DPREWP	Painted Façade	2965	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ¹ / ₄	—	30 ¹ / ₁₆	272 lbs.	73.9



Left shown

- Grommets G11SN, G11AN available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled
- Not recommended as a freestanding unit due to routing in the rim


P-Shaped Extended Corner Desk with Modesty Panel and Support Base										
<i>Left P</i>										
<i>Right P</i>										
38N307242DPLFEW	38N307242DPRFEW	Wood Façade	\$ 3866	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ¹ / ₄	—	30 ¹ / ₁₆	290 lbs.	73.9
38N307242DPLFEWP	38N307242DPRFEWP	Painted Façade	3866	36 ¹ / ₁₆	71 ¹ / ₁₆	29 ¹ / ₄	—	30 ¹ / ₁₆	290 lbs.	73.9



Left shown


- Grommets G11SN, G11AN available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled
- Not recommended as a freestanding unit due to routing in the rim

Corner Unit	38N3636CFSW	Wood Façade	\$ 2140	36 ¹ / ₁₆	36 ¹ / ₁₆	29 ¹ / ₄	—	17 ³ / ₃₂	144 lbs.	26.6
	38N3636CFSWP	Painted Façade	2140	36 ¹ / ₁₆	36 ¹ / ₁₆	29 ¹ / ₄	—	17 ³ / ₃₂	144 lbs.	26.6



- Grommets G11SN, G11AN available
- Not recommended as a freestanding unit due to routing in the rim
- Grain direction runs diagonally on worksurface
- Keyboard kits cannot be used

Single Pedestal Reception Desk with Arc Modesty	Wood Modesty/Façade									
	<i>Left Pedestal</i>	<i>Right Pedestal</i>	<i>Grade A</i>	<i>Grade B</i>						
	38N3672DTLFCW1	38N3672DTRFCW1	\$ 4720	\$ 4776	36 ¹ / ₁₆	71 ¹ / ₁₆	42	—	30 ¹ / ₁₆	363 lbs. 92.3
	Painted Modesty/Façade									
	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	38N3672DTLFCWP1	38N3672DTRFCWP1	\$ 4720	\$ 4776	36 ¹ / ₁₆	71 ¹ / ₁₆	42	—	30 ¹ / ₁₆	363 lbs. 92.3



Left shown


- Grommets G11SNL, G11SNR, G11SNLR, G11ANL, G11ANR, G11ANLR available
- Not recommended as a freestanding unit due to routing in the rim
- Unit will have a tack board panel included; must specify grade and tack board fabric color immediately following the grommet option; see page 307 for fabric options
- To make a U reception station, specify a left pedestal reception desk, right pedestal reception desk, and a reception bridge

Specify selections, left to right:


Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	G11SN Satin Nickel Metallic G11SNL Satin Nickel Metallic, Left G11SNR Satin Nickel Metallic, Right G11SNLR Satin Nickel Metallic, Left & Right G11SNC Satin Nickel Metallic, Center G11SNA Satin Nickel Metallic, Left, Right & Center G11ANL Anthracite Metallic G11ANR Anthracite Metallic, Left G11ANLR Anthracite Metallic, Right G11ANLRL Anthracite Metallic, Left & Right G11ANLRC Anthracite Metallic, Center G11ANLRLC Anthracite Metallic, Left, Right & Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
38N3672DTLFCW1	RE	74SN	G11SNLR	R	MH	

Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
-----------------------	------------	--------------------------	-----------------	------------

Reception Return with Straight Modesty



Left—Box/Box/File shown



Left—File/File shown

Wood Modesty/Façade

Left Return Right Return

38N2442RTLW1	38N2442RTRW1	Box/Box/File	\$ 3134	23 ¹⁵ / ₁₆	41 ¹³ / ₁₆	40 ¹³ / ₁₆	—	—	184 lbs.	34.8
38N2442RTLW2	38N2442RTRW2	File/File	3134	23 ¹⁵ / ₁₆	41 ¹³ / ₁₆	40 ¹³ / ₁₆	—	—	184 lbs.	34.8


Painted Modesty/Façade

Left Return Right Return

38N2442RTLWP1	38N2442RTRWP1	Box/Box/File	\$ 3134	23 ¹⁵ / ₁₆	41 ¹³ / ₁₆	40 ¹³ / ₁₆	—	—	184 lbs.	34.8
38N2442RTLWP2	38N2442RTRWP2	File/File	3134	23 ¹⁵ / ₁₆	41 ¹³ / ₁₆	40 ¹³ / ₁₆	—	—	184 lbs.	34.8

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kits cannot be used


Reception Bridge Arc Modesty



38N2886BTCW	Wood Modesty/Façade	\$ 2337	26 ¹⁵ / ₁₆	85%	41 ¹³ / ₁₆	—	—	134 lbs.	12.4
38N2886BTCWP	Painted Modesty/Façade	2337	26 ¹⁵ / ₁₆	85%	29 ⁷ / ₁₆	—	—	134 lbs.	12.4

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kit (NAC2208KK1) cannot be used
- Some assembly required
- Bridge width is 48", Reception counter is 85¹⁵/₁₆" wide

Return Box/Box/File



Left shown

Wood Façade

Left Return Right Return

38N2460RLEFW1	38N2460RREFW1	\$ 2623	24	60	29 ³ / ₄	—	41 ¹⁵ / ₁₆	199 lbs.	33.7
38N2448RLEFW1	38N2448RREFW1	2449	24	48 ³ / ₁₆	29 ³ / ₄	—	30	175 lbs.	28.1
38N2442RLEFW1	38N2442RREFW1	2368	24	42 ³ / ₁₆	29 ³ / ₄	—	24	166 lbs.	25.0

Painted Façade

Left Return Right Return

38N2460RLEFWP1	38N2460RREFWP1	\$ 2623	24	60	29 ³ / ₄	—	41 ¹⁵ / ₁₆	199 lbs.	33.7
38N2448RLEFWP1	38N2448RREFWP1	2449	24	48 ³ / ₁₆	29 ³ / ₄	—	30	175 lbs.	28.1
38N2442RLEFWP1	38N2442RREFWP1	2368	24	42 ³ / ₁₆	29 ³ / ₄	—	24	166 lbs.	25.0

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kit (NAC2208KK1) cannot be used
- Keyboard kits cannot be used on 38N2442 models

Product Specifications


- Refer to pages 291-310 for accessories
- Refer to page 101 for recessed façade details
- Refer to page 105 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 296
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

38N2460RLEFW2	FL	73SN	G11SNC	N	CW
38N2460RLEFWP2	73SN	G11SNC	N	CW	503

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet	
			D	W	H	A	KW			
Return Box/Box/File with Tambour Modesty  Left shown	Wood Façade—Tambour Modesty									
	<i>Left Return</i>	<i>Right Return</i>								
	38N2460RLEFTW1	38N2460RREFTW1	\$ 2737	24	60	29¼	—	41½ ₁₆	199 lbs.	33.7
	38N2448RLEFTW1	38N2448RREFTW1	2564	24	48½ ₁₆	29¼	—	30	175 lbs.	28.1
	38N2442RLEFTW1	38N2442RREFTW1	2482	24	42½ ₁₆	29¼	—	24	166 lbs.	25.0
	Painted Façade—Tambour Modesty									
	<i>Left Return</i>	<i>Right Return</i>								
	38N2460RLEFTWP1	38N2460RREFTWP1	\$ 2737	24	60	29¼	—	41½ ₁₆	199 lbs.	33.7
	38N2448RLEFTWP1	38N2448RREFTWP1	2564	24	48½ ₁₆	29¼	—	30	175 lbs.	28.1
	38N2442RLEFTWP1	38N2442RREFTWP1	2482	24	42½ ₁₆	29¼	—	24	166 lbs.	25.0
	• Tambour modesty is not fully finished on back • Grommet option is recommended on all tambour modesty returns for tambour modesty function • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available • Keyboard kit (NAC1406KK4) is the only kit that can be used on 38N2448 and 38N2460 models • Keyboard kits cannot be used on 38N2442 models									

Return File/File




Left shown

Wood Façade										
<i>Left Return</i>	<i>Right Return</i>									
38N2460RLEFW2	38N2460RREFW2	\$ 2623	24	60	29¼	—	41½ ₁₆	199 lbs.	33.7	
38N2448RLEFW2	38N2448RREFW2	2449	24	48½ ₁₆	29¼	—	30	175 lbs.	28.1	
38N2442RLEFW2	38N2442RREFW2	2368	24	42½ ₁₆	29¼	—	24	166 lbs.	25.0	
Painted Façade										
<i>Left Return</i>	<i>Right Return</i>									
38N2460RLEFWP2	38N2460RREFWP2	\$ 2623	24	60	29¼	—	41½ ₁₆	199 lbs.	33.7	
38N2448RLEFWP2	38N2448RREFWP2	2449	24	48½ ₁₆	29¼	—	30	175 lbs.	28.1	
38N2442RLEFWP2	38N2442RREFWP2	2368	24	42½ ₁₆	29¼	—	24	166 lbs.	25.0	
• Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available • Keyboard kit (NAC2208KK1) cannot be used • Keyboard kits cannot be used on 38N2442 models										


Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	G11SNL Satin Nickel Metallic, Left G11SNR Satin Nickel Metallic, Right G11SNLR Satin Nickel Metallic, Left & Right G11SNC Satin Nickel Metallic, Center G11SNA Satin Nickel Metallic, Left, Right & Center G11ANL Anthracite Metallic, Left G11ANR Anthracite Metallic, Right G11ANLR Anthracite Metallic, Left & Right G11ANC Anthracite Metallic, Center G11ANA Anthracite Metallic, Left, Right & Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
38N2460RLEFW2	FL	73SN	G11SNC	N	CW	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Return File/File with Tambour Modesty  Left shown	Wood Façade—Tambour Modesty				
	<i>Left Return</i> <i>Right Return</i>				
	38N2460RLEFTW2 38N2460RREFTW2	\$ 2737	24 60 29¼ — 41 ¹⁵ / ₁₆	199 lbs.	33.7
	38N2448RLEFTW2 38N2448RREFTW2	2564	24 48 ³ / ₁₆ 29¼ — 30	175 lbs.	28.1
	38N2442RLEFTW2 38N2442RREFTW2	2482	24 42 ³ / ₁₆ 29¼ — 24	166 lbs.	25.0
	Painted Façade—Tambour Modesty				
	<i>Left Return</i> <i>Right Return</i>				
	38N2460RLEFTWP2 38N2460RREFTWP2	\$ 2737	24 60 29¼ — 41 ¹⁵ / ₁₆	199 lbs.	33.7
	38N2448RLEFTWP2 38N2448RREFTWP2	2564	24 48 ³ / ₁₆ 29¼ — 30	175 lbs.	28.1
	38N2442RLEFTWP2 38N2442RREFTWP2	2482	24 42 ³ / ₁₆ 29¼ — 24	166 lbs.	25.0

- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty returns for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used on 38N2448 and 38N2460 models
- Keyboard kits cannot be used on 38N2442 models


Return Lateral File



Left Return	Right Return										
38N2460RLEFW6	38N2460RREFW6	Wood Façade	\$ 2812	24	60	29¼	—	24%	218 lbs.	33.7	
38N2460RLEFWP6	38N2460RREFWP6	Painted Façade	2812	24	60	29¼	—	24%	218 lbs.	33.7	

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kits cannot be used

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kits cannot be used

Return Lateral File with Tambour Modesty  Left shown	<i>Left Return</i> <i>Right Return</i>									
	38N2460RLEFTW6 38N2460RREFTW6	Wood Façade	\$ 2926	24	60	29¼	—	24%	218 lbs.	33.7
	38N2460RLEFTWP6 38N2460RREFTWP6	Painted Façade	2926	24	60	29¼	—	24%	218 lbs.	33.7

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty returns for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kits cannot be used

Product Specifications

- Refer to pages 291-310 for accessories
- Refer to page 101 for recessed façade details
- Refer to page 105 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 296
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge


Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

38N2460RLEFW12	RE	72AN	G11ANA	N	HN
38N2460RLEFWP12	72AN	G11ANA	N	HN	513
38N2448BEFWP	G11SNA	R	MH	503	
38N2448BEFW	RE	G11SNA	R	MH	


	Model No./Description			List Price	Dimensions					Cartoned Weight	Cubic Feet
					D	W	H	A	KW		
Return Box/Box/File—File/File 	<i>Left Return</i>	<i>Right Return</i>									
	38N2460RLEFW12	38N2460RREFW12	Wood Façade	\$ 3136	24	60	29¼	—	24½	218 lbs.	33.7
	38N2460RLEFWP12	38N2460RREFWP12	Painted Façade	3136	24	60	29¼	—	24½	218 lbs.	33.7



Left shown

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kits cannot be used

Return Box/Box/File—File/File with Tambour Modesty




Left shown

Tambour Modesty

<i>Left Return</i>	<i>Right Return</i>									
38N2460RLEFTW12	38N2460RREFTW12	Wood Façade	\$ 3250	24	60	29¼	—	24½	218 lbs.	33.7
38N2460RLEFTWP12	38N2460RREFTWP12	Painted Façade	3250	24	60	29¼	—	24½	218 lbs.	33.7

- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty returns for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kits cannot be used

Bridge



Wood Façade

38N2448BEFW	\$ 1103	24	48½	29¼	—	—	72 lbs.	4.6
38N2442BEFW	1072	24	42½	29¼	—	—	64 lbs.	4.1
38N2436BEFW	1039	24	36½	29¼	—	—	52 lbs.	3.6
38N2430BEFW	1010	24	30½	29¼	—	—	43 lbs.	3.1


Painted Façade


38N2448BEFWP	\$ 1103	24	48½	29¼	—	—	72 lbs.	4.6
38N2442BEFWP	1072	24	42½	29¼	—	—	64 lbs.	4.1
38N2436BEFWP	1039	24	36½	29¼	—	—	52 lbs.	3.6
38N2430BEFWP	1010	24	30½	29¼	—	—	43 lbs.	3.1

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Some assembly required

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	G11SNL Satin Nickel Metallic, Left G11SNR Satin Nickel Metallic, Right G11SNLR Satin Nickel Metallic, Left & Right G11SNC Satin Nickel Metallic, Center G11SNA Satin Nickel Metallic, Left, Right & Center G11ANL Anthracite Metallic, Left G11ANR Anthracite Metallic, Right G11ANLR Anthracite Metallic, Left & Right G11ANC Anthracite Metallic, Center G11ANA Anthracite Metallic, Left, Right & Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
38N2460RLEFW12	RE	72AN	G11ANA	N	HN	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Bridge with Tambour Modesty 	Wood Façade—Tambour Modesty				
	38N2448BEFTW	\$ 1218	24 48 ¹ / ₁₆ 29 ¹ / ₄ — —	95 lbs.	10.4
	38N2442BEFTW	1187	24 42 ¹ / ₁₆ 29 ¹ / ₄ — —	85 lbs.	9.2
	38N2436BEFTW	1152	24 36 ¹ / ₁₆ 29 ¹ / ₄ — —	73 lbs.	8.1
	38N2430BEFTW	1123	24 30 ¹ / ₁₆ 29 ¹ / ₄ — —	63 lbs.	6.9
	Painted Façade—Tambour Modesty				
	38N2448BEFTWP	\$ 1218	24 48 ¹ / ₁₆ 29 ¹ / ₄ — —	95 lbs.	10.4
	38N2442BEFTWP	1187	24 42 ¹ / ₁₆ 29 ¹ / ₄ — —	85 lbs.	9.2
	38N2436BEFTWP	1152	24 36 ¹ / ₁₆ 29 ¹ / ₄ — —	73 lbs.	8.1
	38N2430BEFTWP	1123	24 30 ¹ / ₁₆ 29 ¹ / ₄ — —	63 lbs.	6.9
- Tambour modesty is not fully finished on back - Grommet option is recommended on all tambour modesty bridges for tambour modesty function - Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available - Keyboard kit (NAC1406KK4) is the only kit that can be used					

Buffet Credenza 	Wood Façade								
	38N2490CBW	Wood	\$ 5037	24 89 ¹⁵ / ₁₆ 34 ³ / ₁₆ — —	469 lbs.	56.9			
	38N2472CBW	Wood	4174	24 71 ¹⁵ / ₁₆ 34 ³ / ₁₆ — —	381 lbs.	46.7			
	Painted Façade								
	38N2490CBWP	Wood	\$ 5037	24 89 ¹⁵ / ₁₆ 34 ³ / ₁₆ — —	469 lbs.	56.9			
	38N2472CBWP	Wood	4174	24 71 ¹⁵ / ₁₆ 34 ³ / ₁₆ — —	381 lbs.	46.7			
	- Drawers are in the recessed façade detail - Locking standard on doors - Credenza features an adjustable laminate shelf (1" thick and 21³/₁₆" deep) (3) shelves in 90" cabinet are each 28³/₁₆" wide (2) shelves in 72" cabinet are each 34³/₁₆" wide - Grommet option not available								

Product Specifications




- Refer to pages 291-310 for accessories
- Refer to page 101 for recessed façade details
- Refer to page 105 for grommet locations
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width



Sample Model Numbers:

38N2496CSFW7	RE	72SN	G11SNC	R	MH
38N2496CSFWP7	72SN	G11SNC	R	MH	503
38N2496CSFW1	FL	73AN	X	R	MH
38N2496CSFWP1	73AN	X	R	MH	513



	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	Wood Façade								
	38N2490CBVW	\$ 5037	24	89 ¹⁵ / ₁₆	34 ¹ / ₁₆	—	—	469 lbs.	56.9
	38N2472CBVW	4174	24	71 ¹⁵ / ₁₆	34 ¹ / ₁₆	—	—	381 lbs.	46.7
	Painted Façade								
	38N2490CBVWP	\$ 5037	24	89 ¹⁵ / ₁₆	34 ¹ / ₁₆	—	—	469 lbs.	56.9
	38N2472CBVWP	4174	24	71 ¹⁵ / ₁₆	34 ¹ / ₁₆	—	—	381 lbs.	46.7
	• Drawers are in the recessed façade detail • Locking standard on doors • Credenza features an adjustable shelf (1" thick and 21³/₁₆" deep) • (3) shelves in 90" cabinet are each 28⁷/₁₆" wide • (2) shelves in 72" cabinet are each 34¹/₁₆" wide • Cutouts in back panel for venting • Grommets available for \$30 list upcharge per grommet; 72" unit (G11SNLR, G11ANLR), 90" unit (G11SNLR, G11ANLR, G11SNC, G11ANC) • Unfinished back panel								
 90" and 96"  72" and 84"	Wood Façade								
	38N2496CSFW7	\$ 5081	24	95 ⁷ / ₁₆	29 ¹ / ₄	—	—	468 lbs.	52.5
	38N2490CSFW7	4935	24	89 ¹⁵ / ₁₆	29 ¹ / ₄	—	—	446 lbs.	49.5
	38N2484CSFW7	4473	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	—	425 lbs.	46.4
	38N2472CSFW7	3642	24	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	—	346 lbs.	40.6
	Painted Façade								
	38N2496CSFWP7	\$ 5081	24	95 ⁷ / ₁₆	29 ¹ / ₄	—	—	468 lbs.	52.5
	38N2490CSFWP7	4935	24	89 ¹⁵ / ₁₆	29 ¹ / ₄	—	—	446 lbs.	49.5
	38N2484CSFWP7	4473	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	—	425 lbs.	46.4
	38N2472CSFWP7	3642	24	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	—	346 lbs.	40.6
	• Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available • Storage credenza features an adjustable laminate shelf (1" thick and 21³/₁₆" deep) • (3) shelves in 96" cabinet are 34⁷/₁₆" wide in the center section and 28⁷/₁₆" wide in the side sections • (3) shelves in 90" cabinet are each 28⁷/₁₆" wide • (2) shelves in 84" cabinet are each 40⁷/₁₆" wide • (2) shelves in 72" cabinet are each 34¹/₁₆" wide								

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	G11SNL Satin Nickel Metallic, Left G11SNR Satin Nickel Metallic, Right G11SNLR Satin Nickel Metallic, Left & Right G11SNC Satin Nickel Metallic, Center G11SNA Satin Nickel Metallic, Left, Right & Center G11ANL Anthracite Metallic, Left G11ANR Anthracite Metallic, Right G11ANLR Anthracite Metallic, Left & Right G11ANC Anthracite Metallic, Center G11ANA Anthracite Metallic, Left, Right & Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
38N2496CSFW7	RE	72SN	G11SNC	R	MH	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Storage Credenza File/File—Double Door  96"	Wood Façade				
	38N2496CSFW2	\$ 5081	24 95 29 1/4 — —	468 lbs.	52.5
	38N2478CSFW2	3963	24 77 1/2 29 1/4 — —	403 lbs.	43.3
	38N2472CSFW2	3642	24 71 1/2 29 1/4 — —	346 lbs.	40.6
	38N2466CSFW2	3402	24 66 29 1/4 — —	334 lbs.	37.5
 66" to 78"	Painted Façade				
	38N2496CSFWP2	\$ 5081	24 95 29 1/4 — —	468 lbs.	52.5
	38N2478CSFWP2	3963	24 77 1/2 29 1/4 — —	403 lbs.	43.3
	38N2472CSFWP2	3642	24 71 1/2 29 1/4 — —	346 lbs.	40.6
	38N2466CSFWP2	3402	24 66 29 1/4 — —	334 lbs.	37.5

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Storage credenza features an adjustable laminate shelf (1" thick and 21 3/4" deep)
- (2) shelves in 96" cabinet are each 28 3/4" wide
- Shelf in 78" cabinet is 40 7/8" wide
- Shelf in 72" cabinet is 34 3/8" wide
- Shelf in 66" cabinet is 28 3/8" wide

Storage Credenza Box/Box/File—Double Door  96"	Wood Façade				
	38N2496CSFW1	\$ 5081	24 95 29 1/4 — —	468 lbs.	52.5
	38N2478CSFW1	3963	24 77 1/2 29 1/4 — —	403 lbs.	43.3
	38N2472CSFW1	3642	24 71 1/2 29 1/4 — —	346 lbs.	40.6
	38N2466CSFW1	3402	24 66 29 1/4 — —	334 lbs.	37.5
 66" to 78"	Painted Façade				
	38N2496CSFWP1	\$ 5081	24 95 29 1/4 — —	468 lbs.	52.5
	38N2478CSFWP1	3963	24 77 1/2 29 1/4 — —	403 lbs.	43.3
	38N2472CSFWP1	3642	24 71 1/2 29 1/4 — —	346 lbs.	40.6
	38N2466CSFWP1	3402	24 66 29 1/4 — —	334 lbs.	37.5

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Storage credenza features an adjustable laminate shelf (1" thick and 21 3/4" deep)
- (2) shelves in 96" cabinet are each 28 3/4" wide
- Shelf in 78" cabinet is 40 7/8" wide
- Shelf in 72" cabinet is 34 3/8" wide
- Shelf in 66" cabinet is 28 3/8" wide

Product Specifications




- Refer to pages 291-310 for accessories
- Refer to page 101 for recessed façade details
- Refer to page 105 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 296
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


Sample Model Numbers:


38N2496CKFTW2	RE	73AN	G11ANC	R	MH
38N2496CKFTWP2	73AN	G11ANC	R	MH	513

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Storage Credenza Lateral File—Double Door 	Wood Façade								
	38N2496CSFW6	\$ 5081	24	95 $\frac{5}{16}$	29 $\frac{1}{4}$	—	—	508 lbs.	52.5
	38N2490CSFW6	4935	24	89 $\frac{15}{16}$	29 $\frac{1}{4}$	—	—	486 lbs.	49.5
	Painted Façade								
	38N2496CSFWP6	\$ 5081	24	95 $\frac{5}{16}$	29 $\frac{1}{4}$	—	—	508 lbs.	52.5
	38N2490CSFWP6	4935	24	89 $\frac{15}{16}$	29 $\frac{1}{4}$	—	—	486 lbs.	49.5
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available • Storage credenza features an adjustable laminate shelf (1" thick and 21$\frac{3}{8}$" deep) • Shelf in 96" cabinet is 34$\frac{7}{8}$" wide • Shelf in 90" cabinet is 28$\frac{7}{8}$" wide								
	Wood Façade								
	38N2496CFFW6	\$ 5658	24	95 $\frac{5}{16}$	29 $\frac{1}{4}$	—	—	528 lbs.	52.5
	38N2490CFFW6	5130	24	89 $\frac{15}{16}$	29 $\frac{1}{4}$	—	—	506 lbs.	49.5
	38N2472CFFW6	4217	24	71 $\frac{15}{16}$	29 $\frac{1}{4}$	—	—	346 lbs.	40.6
Lateral File Credenza  90" and 96"  72"	Painted Façade								
	38N2496CFFWP6	\$ 5658	24	95 $\frac{5}{16}$	29 $\frac{1}{4}$	—	—	528 lbs.	52.5
	38N2490CFFWP6	5130	24	89 $\frac{15}{16}$	29 $\frac{1}{4}$	—	—	506 lbs.	49.5
	38N2472CFFWP6	4217	24	71 $\frac{15}{16}$	29 $\frac{1}{4}$	—	—	346 lbs.	40.6
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available								

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	G11SNL Satin Nickel Metallic, Left G11SNR Satin Nickel Metallic, Right G11SNLR Satin Nickel Metallic, Left & Right G11SNC Satin Nickel Metallic, Center G11SNA Satin Nickel Metallic, Left, Right & Center G11ANL Anthracite Metallic, Left G11ANR Anthracite Metallic, Right G11ANLR Anthracite Metallic, Left & Right G11ANC Anthracite Metallic, Center G11ANA Anthracite Metallic, Left, Right & Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
38N2496CKFTW2	RE	73AN	G11ANC	R	MH	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Kneespace Credenza File/File 	Wood Façade				
	38N2496CKFW2	\$ 4738	24 95 29 1/4 — 59 3/4	322 lbs.	52.5
	38N2490CKFW2	4295	24 89 1/4 29 1/4 — 53 1/4	318 lbs.	49.5
	38N2484CKFW2	3910	24 83 1/4 29 1/4 — 47 1/4	309 lbs.	46.4
	38N2478CKFW2	3545	24 77 1/4 29 1/4 — 41 1/4	299 lbs.	43.3
	38N2472CKFW2	3215	24 71 1/4 29 1/4 — 35 1/4	279 lbs.	40.6
	38N2466CKFW2	2885	24 66 29 1/4 — 29 7/8	267 lbs.	37.5
	Painted Façade				
	38N2496CKFWP2	\$ 4738	24 95 29 1/4 — 59 3/4	322 lbs.	52.5
	38N2490CKFWP2	4295	24 89 1/4 29 1/4 — 53 1/4	318 lbs.	49.5
	38N2484CKFWP2	3910	24 83 1/4 29 1/4 — 47 1/4	309 lbs.	46.4
	38N2478CKFWP2	3545	24 77 1/4 29 1/4 — 41 1/4	299 lbs.	43.3
	38N2472CKFWP2	3215	24 71 1/4 29 1/4 — 35 1/4	279 lbs.	40.6
	38N2466CKFWP2	2885	24 66 29 1/4 — 29 7/8	267 lbs.	37.5
	- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available - Keyboard kit (NAC2208KK1) cannot be used				

Kneespace Credenza File/File with Tambour Modesty 	Wood Façade—Tambour Modesty				
	38N2496CKFTW2	\$ 4853	24 95 29 1/4 — 59 3/4	322 lbs.	52.5
	38N2490CKFTW2	4410	24 89 1/4 29 1/4 — 53 1/4	318 lbs.	49.5
	38N2484CKFTW2	4025	24 83 1/4 29 1/4 — 47 1/4	309 lbs.	46.4
	38N2478CKFTW2	3659	24 77 1/4 29 1/4 — 41 1/4	299 lbs.	43.3
	38N2472CKFTW2	3442	24 71 1/4 29 1/4 — 35 1/4	279 lbs.	40.6
	38N2466CKFTW2	2998	24 66 29 1/4 — 29 7/8	267 lbs.	37.5
	Painted Façade—Tambour Modesty				
	38N2496CKFTWP2	\$ 4853	24 95 29 1/4 — 59 3/4	322 lbs.	52.5
	38N2490CKFTWP2	4410	24 89 1/4 29 1/4 — 53 1/4	318 lbs.	49.5
	38N2484CKFTWP2	4025	24 83 1/4 29 1/4 — 47 1/4	309 lbs.	46.4
	38N2478CKFTWP2	3659	24 77 1/4 29 1/4 — 41 1/4	299 lbs.	43.3
	38N2472CKFTWP2	3442	24 71 1/4 29 1/4 — 35 1/4	279 lbs.	40.6
	38N2466CKFTWP2	2998	24 66 29 1/4 — 29 7/8	267 lbs.	37.5
	- Tambour modesty is not fully finished on back - Grommet option is recommended on all tambour modesty credenzas for tambour modesty function - Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available - Keyboard kit (NAC1406KK4) is the only kit that can be used				

Product Specifications


- Refer to pages 291-310 for accessories
- Refer to page 101 for recessed façade details
- Refer to page 105 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 296
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:


38N2472CLFW1	FL	72SN	X	R	MC
38N2472CLFWP1	72SN	X	R	MC	503
38N2472CLFTW1	FL	72SN	X	R	MC
38N2472CLFTWP1	72SN	X	R	MC	503

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Single Pedestal Credenza Box/Box/File  Left shown	Wood Façade									
	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	38N2484CLFW1	38N2484CRFW1	\$ 3217	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	41 ⁷ / ₈	263 lbs.	46.4
	38N2478CLFW1	38N2478CRFW1	2917	24	77 ¹⁵ / ₁₆	29 ¹ / ₄	—	35 ⁷ / ₈	254 lbs.	43.3
	38N2472CLFW1	38N2472CRFW1	2645	24	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29 ⁷ / ₈	239 lbs.	40.6
	38N2466CLFW1	38N2466CRFW1	2567	24	66	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	227 lbs.	37.5
	Painted Façade									
	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	38N2484CLFWP1	38N2484CRFWP1	\$ 3217	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	41 ⁷ / ₈	263 lbs.	46.4
	38N2478CLFWP1	38N2478CRFWP1	2917	24	77 ¹⁵ / ₁₆	29 ¹ / ₄	—	35 ⁷ / ₈	254 lbs.	43.3

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kit (NAC2208KK1) cannot be used
- Keyboard kits cannot be used on 38N2466 models
- Not recommended as a freestanding unit due to routing in the rim

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	G11SNL Satin Nickel Metallic, Left G11SNR Satin Nickel Metallic, Right G11SNLR Satin Nickel Metallic, Left & Right G11SNC Satin Nickel Metallic, Center G11SNA Satin Nickel Metallic, Left, Right & Center G11ANL Anthracite Metallic, Left G11ANR Anthracite Metallic, Right G11ANLR Anthracite Metallic, Left & Right G11ANC Anthracite Metallic, Center G11ANA Anthracite Metallic, Left, Right & Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
38N2472CLFW1	FL	72SN	X	R	MC	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza Box/Box/File with Tambour Modesty  Left shown	Wood Façade—Tambour Modesty				
	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	38N2484CLFTW1	38N2484CRFTW1	\$ 3330	24 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 41%	263 lbs. 46.4
	38N2478CLFTW1	38N2478CRFTW1	3066	24 77 ¹⁵ / ₁₆ 29 ¹ / ₄ — 35%	254 lbs. 43.3
	38N2472CLFTW1	38N2472CRFTW1	2759	24 71 ¹⁵ / ₁₆ 29 ¹ / ₄ — 29%	239 lbs. 40.6
	38N2466CLFTW1	38N2466CRFTW1	2681	24 66 29 ¹ / ₄ — 23 ¹⁵ / ₁₆	227 lbs. 37.5
	Painted Façade—Tambour Modesty				
	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	38N2484CLFTWP1	38N2484CRFTWP1	\$ 3330	24 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 41%	263 lbs. 46.4
	38N2478CLFTWP1	38N2478CRFTWP1	3066	24 77 ¹⁵ / ₁₆ 29 ¹ / ₄ — 35%	254 lbs. 43.3
	38N2472CLFTWP1	38N2472CRFTWP1	2759	24 71 ¹⁵ / ₁₆ 29 ¹ / ₄ — 29%	239 lbs. 40.6
	38N2466CLFTWP1	38N2466CRFTWP1	2681	24 66 29 ¹ / ₄ — 23 ¹⁵ / ₁₆	227 lbs. 37.5

- Tambour modesty is not fully finished on back
- Grommet option is required on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Keyboard kits cannot be used on 38N2466 models
- Not recommended as a freestanding unit due to routing in the rim

Product Specifications



- Refer to pages 291-310 for accessories
- Refer to page 101 for recessed façade details
- Refer to page 105 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 296
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width


Sample Model Numbers:

- 38N2484CLFW2 FL 72AN X N TF
- 38N2484CLFW6 RE 73AN G11SNR R NM
- 38N2484CLFTWP6 73SN X N CL 503

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Single Pedestal Credenza File/File  Left shown	Wood Façade								
	<i>Left Pedestal</i>	<i>Right Pedestal</i>							
	38N2484CLFW2	38N2484CRFW2	\$ 3217	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	41 ⁷ / ₈	263 lbs. 46.4
	38N2478CLFW2	38N2478CRFW2	2917	24	77 ¹⁵ / ₁₆	29 ¹ / ₄	—	35 ⁷ / ₈	254 lbs. 43.3
	38N2472CLFW2	38N2472CRFW2	2645	24	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29 ⁷ / ₈	239 lbs. 40.6
	38N2466CLFW2	38N2466CRFW2	2567	24	66	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	227 lbs. 37.5
	Painted Façade								
	<i>Left Pedestal</i>	<i>Right Pedestal</i>							
	38N2484CLFWP2	38N2484CRFWP2	\$ 3217	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	41 ⁷ / ₈	263 lbs. 46.4
	38N2478CLFWP2	38N2478CRFWP2	2917	24	77 ¹⁵ / ₁₆	29 ¹ / ₄	—	35 ⁷ / ₈	254 lbs. 43.3
	38N2472CLFWP2	38N2472CRFWP2	2645	24	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29 ⁷ / ₈	239 lbs. 40.6
	38N2466CLFWP2	38N2466CRFWP2	2567	24	66	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	227 lbs. 37.5
• Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available • Keyboard kit (NAC2208KK1) cannot be used • Keyboard kits cannot be used on 38N2466 models • Not recommended as a freestanding unit due to routing in the rim									
Single Pedestal Credenza File/File with Tambour Modesty  Left shown	Wood Façade—Tambour Modesty								
	<i>Left Pedestal</i>	<i>Right Pedestal</i>							
	38N2484CLFTW2	38N2484CRFTW2	\$ 3330	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	41 ⁷ / ₈	263 lbs. 46.4
	38N2478CLFTW2	38N2478CRFTW2	3066	24	77 ¹⁵ / ₁₆	29 ¹ / ₄	—	35 ⁷ / ₈	254 lbs. 43.3
	38N2472CLFTW2	38N2472CRFTW2	2759	24	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29 ⁷ / ₈	239 lbs. 40.6
	38N2466CLFTW2	38N2466CRFTW2	2681	24	66	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	227 lbs. 37.5
	Painted Façade—Tambour Modesty								
	<i>Left Pedestal</i>	<i>Right Pedestal</i>							
	38N2484CLFTWP2	38N2484CRFTWP2	\$ 3330	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	41 ⁷ / ₈	263 lbs. 46.4
	38N2478CLFTWP2	38N2478CRFTWP2	3066	24	77 ¹⁵ / ₁₆	29 ¹ / ₄	—	35 ⁷ / ₈	254 lbs. 43.3
	38N2472CLFTWP2	38N2472CRFTWP2	2759	24	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	29 ⁷ / ₈	239 lbs. 40.6
	38N2466CLFTWP2	38N2466CRFTWP2	2681	24	66	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	227 lbs. 37.5
• Tambour modesty is not fully finished on back • Grommet option is recommended on all tambour modesty credenzas for tambour modesty function • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available • Keyboard kit (NAC1406KK4) is the only kit that can be used • Keyboard kits cannot be used on 38N2466 models • Not recommended as a freestanding unit due to routing in the rim									

Specify selections, left to right:


Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	G11SNL Satin Nickel Metallic, Left G11SNR Satin Nickel Metallic, Right G11SNLR Satin Nickel Metallic, Left & Right G11SNC Satin Nickel Metallic, Center G11SNA Satin Nickel Metallic, Left, Right & Center G11ANL Anthracite Metallic, Left G11ANR Anthracite Metallic, Right G11ANLR Anthracite Metallic, Left & Right G11ANC Anthracite Metallic, Center G11ANA Anthracite Metallic, Left, Right & Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
38N2484CLFW2	FL	72AN	X	N	TF	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza Lateral File 	Wood Façade				
	<i>Left Pedestal</i> <i>Right Pedestal</i>				
	38N2484CLFW6 38N2484CRFW6	\$ 3924	24 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 23 ¹⁵ / ₁₆	343 lbs.	46.4
	38N2478CLFW6 38N2478CRFW6	3484	24 77 ¹⁵ / ₁₆ 29 ¹ / ₄ — 17 ¹⁵ / ₁₆	333 lbs.	43.3
	38N2472CLFW6 38N2472CRFW6	3136	24 71 ¹⁵ / ₁₆ 29 ¹ / ₄ — 11 ¹⁵ / ₁₆	279 lbs.	40.6
	38N2466CLFW6 38N2466CRFW6	2815	24 66 29 ¹ / ₄ — 12	267 lbs.	37.5

Left shown

Painted Façade					
<i>Left Pedestal</i>	<i>Right Pedestal</i>				
38N2484CLFWP6	38N2484CRFWP6	\$ 3924	24 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 23 ¹⁵ / ₁₆	343 lbs.	46.4
38N2478CLFWP6	38N2478CRFWP6	3484	24 77 ¹⁵ / ₁₆ 29 ¹ / ₄ — 17 ¹⁵ / ₁₆	333 lbs.	43.3
38N2472CLFWP6	38N2472CRFWP6	3136	24 71 ¹⁵ / ₁₆ 29 ¹ / ₄ — 11 ¹⁵ / ₁₆	279 lbs.	40.6
38N2466CLFWP6	38N2466CRFWP6	2815	24 66 29 ¹ / ₄ — 12	267 lbs.	37.5

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kit (NAC2208KK1) cannot be used
- Keyboard kits cannot be used on 38N2466, 38N2472, 38N2478, or 38N2484 models
- Not recommended as a freestanding unit due to routing in the rim

Single Pedestal Credenza Lateral File with Tambour Modesty


Left shown

Wood Façade—Tambour Modesty					
<i>Left Pedestal</i>	<i>Right Pedestal</i>				
38N2484CLFTW6	38N2484CRFTW6	\$ 4038	24 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 23 ¹⁵ / ₁₆	343 lbs.	46.4
38N2478CLFTW6	38N2478CRFTW6	3597	24 77 ¹⁵ / ₁₆ 29 ¹ / ₄ — 17 ¹⁵ / ₁₆	333 lbs.	43.3
38N2472CLFTW6	38N2472CRFTW6	3250	24 71 ¹⁵ / ₁₆ 29 ¹ / ₄ — 11 ¹⁵ / ₁₆	279 lbs.	40.6
38N2466CLFTW6	38N2466CRFTW6	2930	24 66 29 ¹ / ₄ — 12	267 lbs.	37.5

Painted Façade—Tambour Modesty					
<i>Left Pedestal</i>	<i>Right Pedestal</i>				
38N2484CLFTWP6	38N2484CRFTWP6	\$ 4038	24 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 23 ¹⁵ / ₁₆	343 lbs.	46.4
38N2478CLFTWP6	38N2478CRFTWP6	3597	24 77 ¹⁵ / ₁₆ 29 ¹ / ₄ — 17 ¹⁵ / ₁₆	333 lbs.	43.3
38N2472CLFTWP6	38N2472CRFTWP6	3250	24 71 ¹⁵ / ₁₆ 29 ¹ / ₄ — 11 ¹⁵ / ₁₆	279 lbs.	40.6
38N2466CLFTWP6	38N2466CRFTWP6	2930	24 66 29 ¹ / ₄ — 12	267 lbs.	37.5

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Keyboard kits cannot be used on 38N2466, 38N2472, 38N2478, or 38N2484 models
- Not recommended as a freestanding unit due to routing in the rim

Product Specifications


- Refer to pages 291-310 for accessories
- Refer to page 101 for recessed façade details
- Refer to page 105 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 296
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:

38N2496CLFW30 FL 73AN G11ANC R HN
38N2496CLFWP30 73AN G11ANC R HN 513

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
 Left shown	Wood Façade								
	Left Pedestal	Right Pedestal							
	38N2484CLFW12	38N2484CRFW12	\$ 3820	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	343 lbs. 46.4
	38N2478CLFW12	38N2478CRFW12	3558	24	77 ¹⁵ / ₁₆	29 ¹ / ₄	—	17 ¹⁵ / ₁₆	333 lbs. 43.3
	38N2472CLFW12	38N2472CRFW12	3244	24	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	11 ¹⁵ / ₁₆	279 lbs. 40.6
	Painted Façade								
	Left Pedestal	Right Pedestal							
	38N2484CLFWP12	38N2484CRFWP12	\$ 3820	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	343 lbs. 46.4
	38N2478CLFWP12	38N2478CRFWP12	3558	24	77 ¹⁵ / ₁₆	29 ¹ / ₄	—	17 ¹⁵ / ₁₆	333 lbs. 43.3
	38N2472CLFWP12	38N2472CRFWP12	3244	24	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	11 ¹⁵ / ₁₆	279 lbs. 40.6
• Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available • Keyboard kit (NAC2208KK1) cannot be used • Keyboard kits cannot be used on 38N2472, 38N2478, or 38N2484 models • Not recommended as a freestanding unit due to routing in the rim									

Single Pedestal Credenza
Box/Box/File—File/File
with Tambour Modesty





Left shown

Wood Façade—Tambour Modesty										
<i>Left Pedestal</i>	<i>Right Pedestal</i>									
38N2484CLFTW12	38N2484CRFTW12	\$ 3934	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	343 lbs.	46.4	
38N2478CLFTW12	38N2478CRFTW12	3671	24	77 ¹⁵ / ₁₆	29 ¹ / ₄	—	17 ¹⁵ / ₁₆	333 lbs.	43.3	
38N2472CLFTW12	38N2472CRFTW12	3357	24	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	11 ¹⁵ / ₁₆	279 lbs.	40.6	
Painted Façade—Tambour Modesty										
<i>Left Pedestal</i>	<i>Right Pedestal</i>									
38N2484CLFTWP12	38N2484CRFTWP12	\$ 3934	24	83 ¹⁵ / ₁₆	29 ¹ / ₄	—	23 ¹⁵ / ₁₆	343 lbs.	46.4	
38N2478CLFTWP12	38N2478CRFTWP12	3671	24	77 ¹⁵ / ₁₆	29 ¹ / ₄	—	17 ¹⁵ / ₁₆	333 lbs.	43.3	
38N2472CLFTWP12	38N2472CRFTWP12	3357	24	71 ¹⁵ / ₁₆	29 ¹ / ₄	—	11 ¹⁵ / ₁₆	279 lbs.	40.6	
• Tambour modesty is not fully finished on back • Grommet option is recommended on all tambour modesty credenzas for tambour modesty function • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available • Keyboard kit (NAC1406KK4) is the only kit that can be used • Keyboard kits cannot be used on 38N2472, 38N2478, or 38N2484 models • Not recommended as a freestanding unit due to routing in the rim										

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	G11SNL Satin Nickel Metallic, Left G11SNR Satin Nickel Metallic, Right G11SNLR Satin Nickel Metallic, Left & Right G11SNC Satin Nickel Metallic, Center G11SNA Satin Nickel Metallic, Left, Right & Center G11ANL Anthracite Metallic, Left G11ANR Anthracite Metallic, Right G11ANLR Anthracite Metallic, Left & Right G11ANC Anthracite Metallic, Center G11ANA Anthracite Metallic, Left, Right & Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
38N2496CLFW30	FL	73AN	G11ANC	R	HN	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza Box/Box/File—Lateral File  Left shown	Wood Façade				
	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	38N2496CLFW30	38N2496CRFW30	\$ 4777	24 95 ⁷ / ₈ 29 ¹ / ₄ — 17 ¹⁵ / ₁₆	387 lbs. 52.5
	38N2490CLFW30	38N2490CRFW30	4327	24 89 ¹⁵ / ₁₆ 29 ¹ / ₄ — 12	377 lbs. 49.5
	38N2484CLFW30	38N2484CRFW30	3924	24 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 12	368 lbs. 46.4
	Painted Façade				
	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	38N2496CLFWP30	38N2496CRFWP30	\$ 4777	24 95 ⁷ / ₈ 29 ¹ / ₄ — 17 ¹⁵ / ₁₆	387 lbs. 52.5
	38N2490CLFWP30	38N2490CRFWP30	4327	24 89 ¹⁵ / ₁₆ 29 ¹ / ₄ — 12	377 lbs. 49.5
	38N2484CLFWP30	38N2484CRFWP30	3924	24 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 12	368 lbs. 46.4
• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available • Keyboard kits cannot be used • Not recommended as a freestanding unit due to routing in the rim					

Single Pedestal Credenza Box/Box/File—Lateral File with Tambour Modesty  Left shown	Wood Façade—Tambour Modesty				
	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	38N2496CLFTW30	38N2496CRFTW30	\$ 4891	24 95 ⁷ / ₈ 29 ¹ / ₄ — 17 ¹⁵ / ₁₆	387 lbs. 52.5
	38N2490CLFTW30	38N2490CRFTW30	4442	24 89 ¹⁵ / ₁₆ 29 ¹ / ₄ — 12	377 lbs. 49.5
	38N2484CLFTW30	38N2484CRFTW30	4038	24 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 12	368 lbs. 46.4
	Painted Façade—Tambour Modesty				
	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	38N2496CLFTWP30	38N2496CRFTWP30	\$ 4891	24 95 ⁷ / ₈ 29 ¹ / ₄ — 17 ¹⁵ / ₁₆	387 lbs. 52.5
	38N2490CLFTWP30	38N2490CRFTWP30	4442	24 89 ¹⁵ / ₁₆ 29 ¹ / ₄ — 12	377 lbs. 49.5
	38N2484CLFTWP30	38N2484CRFTWP30	4038	24 83 ¹⁵ / ₁₆ 29 ¹ / ₄ — 12	368 lbs. 46.4
• Front-to-back filing is standard with lateral files; four rods per drawer are included • Tambour modesty is not fully finished on back • Grommet option is recommended on all tambour modesty credenzas for tambour modesty function • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11ANL, G11ANR, G11ANLR, G11ANC, G11ANA available • Keyboard kits cannot be used • Not recommended as a freestanding unit due to routing in the rim					

Product Specifications




- Refer to pages 291-310 for accessories
- Tack boards are available; reference page 304

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

38N10838HBHW AC
38N10838HBHGW AC


	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
 90" to 108"	38" High—Wood Doors									
	38N10838HBHW	2 Pieces	\$ 3712	14¾	107⅞	38½	—	—	278 lbs.	58.7
	38N10238HBHW	2 Pieces	3576	14¾	101¾	38½	—	—	266 lbs.	54.1
	38N9638HBHW	2 Pieces	3438	14¾	95¾	38½	—	—	254 lbs.	52.8
	38N9038HBHW		3301	14¾	89¾	38½	—	—	235 lbs.	46.8
	38N8438HBHW		3165	14¾	83¾	38½	—	—	212 lbs.	43.9
	38N7838HBHW		3027	14¾	77⅞	38½	—	—	196 lbs.	41.0
	38N7238HBHW		2896	14¾	71⅞	38½	—	—	181 lbs.	38.0
	38N6638HBHW		2759	14¾	65⅞	38½	—	—	166 lbs.	35.1
	38N6038HBHW		2628	14¾	59⅞	38½	—	—	150 lbs.	32.9
 60" to 84"	38N4838HBHW		2515	14¾	47⅞	38½	—	—	127 lbs.	26.9
	38" High—Glass Doors									
	38N10838HBHGW	2 Pieces	\$ 3815	14¾	107⅞	38½	—	—	278 lbs.	58.7
	38N10238HBHGW	2 Pieces	3684	14¾	101¾	38½	—	—	266 lbs.	54.1
	38N9638HBHGW	2 Pieces	3546	14¾	95¾	38½	—	—	254 lbs.	52.8
	38N9038HBHGW		3410	14¾	89¾	38½	—	—	235 lbs.	46.8
	38N8438HBHGW		3273	14¾	83¾	38½	—	—	212 lbs.	43.9
	38N7838HBHGW		3136	14¾	77⅞	38½	—	—	196 lbs.	41.0
	38N7238HBHGW		2999	14¾	71⅞	38½	—	—	181 lbs.	38.0
	38N6638HBHGW		2867	14¾	65⅞	38½	—	—	166 lbs.	35.1
 60" to 84"	38N6038HBHGW		2737	14¾	59⅞	38½	—	—	150 lbs.	32.9
	38N4838HBHGW		2623	14¾	47⅞	38½	—	—	127 lbs.	26.9

- Wood doors lock and have touch latch
- Glass door units feature silk screened glass
- Highback organizers feature full, finished back panel with cord management
- 90" to 108" highback organizers feature (6) side hinged doors
- 60" to 84" highback organizers feature (4) side hinged doors
- 48" highback organizers feature (3) side hinged doors
- For tack board options, see pages 304-308


Specify selections, left to right:

Base Model	Finish
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC Autumn
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
38N10838HBHW	AC


Highback Organizer




90" to 108"



60" to 84"



90" to 108"



60" to 84"

Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
50" High—Wood Doors									
38N10850HBHW	2 Pieces	\$ 4282	14 ³ / ₄	107 ¹¹ / ₁₆	49 ¹⁵ / ₁₆	—	—	382 lbs.	74.8
38N10250HBHW	2 Pieces	4145	14 ³ / ₄	101 ³ / ₄	49 ¹⁵ / ₁₆	—	—	366 lbs.	71.0
38N9650HBHW	2 Pieces	4021	14 ³ / ₄	95 ³ / ₄	49 ¹⁵ / ₁₆	—	—	350 lbs.	67.3
38N9050HBHW		3872	14 ³ / ₄	89 ³ / ₄	49 ¹⁵ / ₁₆	—	—	316 lbs.	59.7
38N8450HBHW		3736	14 ³ / ₄	83 ³ / ₄	49 ¹⁵ / ₁₆	—	—	283 lbs.	55.9
38N7850HBHW		3597	14 ³ / ₄	77 ¹³ / ₁₆	49 ¹⁵ / ₁₆	—	—	264 lbs.	52.2
38N7250HBHW		3478	14 ³ / ₄	71 ¹³ / ₁₆	49 ¹⁵ / ₁₆	—	—	244 lbs.	48.5
38N6650HBHW		3364	14 ³ / ₄	65 ¹³ / ₁₆	49 ¹⁵ / ₁₆	—	—	225 lbs.	45.7
38N6050HBHW		3199	14 ³ / ₄	59 ¹³ / ₁₆	49 ¹⁵ / ₁₆	—	—	205 lbs.	41.7
38N4850HBHW		2931	14 ³ / ₄	47 ⁷ / ₈	49 ¹⁵ / ₁₆	—	—	175 lbs.	34.1
50" High—Glass Doors									
38N10850HBHGW	2 Pieces	\$ 4385	14 ³ / ₄	107 ¹¹ / ₁₆	49 ¹⁵ / ₁₆	—	—	382 lbs.	74.8
38N10250HBHGW	2 Pieces	4254	14 ³ / ₄	101 ³ / ₄	49 ¹⁵ / ₁₆	—	—	366 lbs.	71.0
38N9650HBHGW	2 Pieces	4116	14 ³ / ₄	95 ³ / ₄	49 ¹⁵ / ₁₆	—	—	350 lbs.	67.3
38N9050HBHGW		3980	14 ³ / ₄	89 ³ / ₄	49 ¹⁵ / ₁₆	—	—	316 lbs.	59.7
38N8450HBHGW		3843	14 ³ / ₄	83 ³ / ₄	49 ¹⁵ / ₁₆	—	—	283 lbs.	55.9
38N7850HBHGW		3707	14 ³ / ₄	77 ¹³ / ₁₆	49 ¹⁵ / ₁₆	—	—	264 lbs.	52.2
38N7250HBHGW		3569	14 ³ / ₄	71 ¹³ / ₁₆	49 ¹⁵ / ₁₆	—	—	244 lbs.	48.5
38N6650HBHGW		3443	14 ³ / ₄	65 ¹³ / ₁₆	49 ¹⁵ / ₁₆	—	—	225 lbs.	45.7
38N6050HBHGW		3307	14 ³ / ₄	59 ¹³ / ₁₆	49 ¹⁵ / ₁₆	—	—	205 lbs.	41.7
38N4850HBHGW		3079	14 ³ / ₄	47 ⁷ / ₈	49 ¹⁵ / ₁₆	—	—	175 lbs.	34.1

- Wood doors lock and have touch latch
- Glass door units feature silk screened glass, some assembly required
- Highback organizers feature full, finished back panel with cord management
- 90" to 108" highback organizers feature (6) side hinged doors
- 60" to 84" highback organizers feature (4) side hinged doors
- 48" highback organizers feature (3) side hinged doors
- Shaded shelves are adjustable
- For tack board options, see pages 304-308

Product Specifications





- Refer to pages 291-310 for accessories
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width





Sample Model Number:

38N2436LFF2W RE 73AN G11AN R CW
38N2436LFF4W FL 72SN MH
38N2436PFHW RE 72SN G11SN R MC

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Overhead Cabinet Wall Mount  	18" High—Wood Doors								
	38N4818SOHMMW	\$ 1944	14¾	47⅞	18½	—	—	102 lbs.	14.8
	38N4218SOHMMW	1842	14¾	41⅞	18½	—	—	91 lbs.	13.2
	38N3618SOHMMW	1740	14¾	35⅞	18½	—	—	75 lbs.	11.5
	38N3018SOHMMW	1642	14¾	29⅞	18½	—	—	65 lbs.	9.9
	18" High—Glass Doors								
	38N4818SOHMGW	\$ 2036	14¾	47⅞	18½	—	—	102 lbs.	14.8
	38N4218SOHMGW	1933	14¾	41⅞	18½	—	—	91 lbs.	13.2
	38N3618SOHMGW	1830	14¾	35⅞	18½	—	—	75 lbs.	11.5
	38N3018SOHMGW	1733	14¾	29⅞	18½	—	—	65 lbs.	9.9
• Specify finish only • Wood doors lock and have touch latch • Glass door units feature silk screened glass, some assembly required • 42" and 48" units feature (3) side hinged doors; 30" and 36" units feature (2) side hinged doors • Wall mount bracket is included with unit • It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • For tack board options, see pages 304-308									
Overhead Cabinet Wall Mount  	30" High—Wood Doors								
	38N4830SOHMMW	\$ 2441	14¾	47⅞	29⅞	—	—	144 lbs.	22.1
	38N4230SOHMMW	2269	14¾	41⅞	29⅞	—	—	131 lbs.	19.6
	38N3630SOHMMW	2099	14¾	35⅞	29⅞	—	—	103 lbs.	17.2
	38N3030SOHMMW	1927	14¾	29⅞	29⅞	—	—	90 lbs.	14.7
	30" High—Glass Doors								
	38N4830SOHMGW	\$ 2531	14¾	47⅞	29⅞	—	—	144 lbs.	22.1
	38N4230SOHMGW	2360	14¾	41⅞	29⅞	—	—	131 lbs.	19.6
	38N3630SOHMGW	2189	14¾	35⅞	29⅞	—	—	103 lbs.	17.2
	38N3030SOHMGW	2018	14¾	29⅞	29⅞	—	—	90 lbs.	14.7
• Specify finish only • Wood doors lock and have touch latch • Shaded shelves are adjustable • Glass door units feature silk screened glass, some assembly required • 42" and 48" units feature (3) side hinged doors; 30" and 36" units feature (2) side hinged doors • Wall mount bracket is included with unit • It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • For tack board options, see pages 304-308									

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	G11SN Satin Nickel Metallic G11AN Anthracite Metallic X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
38N2436LFF2W	RE	73SN	G11AN	R	CW	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Vertical Pigeon Hole Storage 	NAC1420SMCW Wood	\$ 624	12 14 19 1/2 — —	13 lbs.	0.9
	NAC1420SMCL Laminate	295	12 14 19 1/2 — —	13 lbs.	0.9
	• Assembly required • Three fixed shelves on unit • Specify chassis laminate or finish only • Utilize under highback organizer; sits on worksurface • When using with tack board, see page 305 for applicable tack board that will properly fit in space				
Lateral File Two Drawer 	38N2436LFF2W Wood Façade	\$ 2212	24 36 1/2 29 1/4 — —	201 lbs.	21.6
	38N2436LFF2WP Painted Façade	2212	24 36 1/2 29 1/4 — —	201 lbs.	21.6
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grommets G11SN, G11AN available in predetermined location				
Lateral File Three Drawer 	38N2436LFF3W Wood Façade	\$ 2756	24 36 1/2 41 1/2 — —	248 lbs.	31.9
	38N2436LFF3WP Painted Façade	2756	24 36 1/2 41 1/2 — —	248 lbs.	31.9
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grommet option not available				
Lateral File Four Drawer 	38N2436LFF4W Wood Façade	\$ 3301	24 36 1/2 54 3/4 — —	291 lbs.	40.2
	38N2436LFF4WP Painted Façade	3301	24 36 1/2 54 3/4 — —	291 lbs.	40.2
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Do not specify sheen option; features standard sheen • Grommet option not available				
Double Door Unit 	38N2436PFHW Wood Façade	\$ 2053	24 36 1/2 29 1/4 — —	171 lbs.	21.6
	38N2436PFHWP Painted Façade	2053	24 36 1/2 29 1/4 — —	171 lbs.	21.6
	• Grommets G11SN, G11AN available in predetermined location • Features a single adjustable shelf				

Product Specifications





- Refer to pages 291-310 for accessories
- Refer to page 101 for recessed façade details
- Refer to page 105 for grommet locations
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:

- 38N3680BCOFW MC
- 38N3680BCOHFW 72SN MC
- 38N3680VVHW 72SN MC

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	38N3680VVHW	\$ 5216	23 ³ / ₁₆	35 ⁷ / ₁₆	79 ¹ / ₄	—	—	345 lbs.	56.5
	38N3668VVHW	4657	23 ³ / ₁₆	35 ⁷ / ₁₆	67 ⁷ / ₁₆	—	—	299 lbs.	48.6
	• Specify pull and finish only • Features standard sheen • Interior dimensions for 80" unit: 22" D, 34⁷/₁₆" W, upper storage from the fixed shelf 45¹/₂" H, lower storage 23¹³/₁₆" H • Interior dimensions for 68" unit: 22" D, 34⁷/₁₆" W, upper storage from the fixed shelf 33¹/₁₆" H, lower storage 23¹³/₁₆" H • Features an adjustable shelf in lower storage • Includes grommets in back panel for wire access and venting								
	38N3680VHHW	\$ 5074	23 ³ / ₁₆	35 ⁷ / ₁₆	79 ¹ / ₄	—	—	350 lbs.	59.8
	38N3668VHHW	4400	23 ³ / ₁₆	35 ⁷ / ₁₆	67 ⁷ / ₁₆	—	—	304 lbs.	51.5
	• Specify finish only • 80" unit features (3) adjustable shelves and (2) fixed shelves • 68" unit features (3) adjustable shelves and (1) fixed shelf • Removable coat rod is standard; positioned on left side of wardrobe • Touch latch doors								
68"									
	<i>Left Hinged</i>								
	38N1880VSWHLW	\$ 3136	23 ³ / ₁₆	17 ¹⁵ / ₁₆	79 ¹ / ₄	—	—	202 lbs.	34.4
	38N1868VSWHLW	2738	23 ³ / ₁₆	17 ¹⁵ / ₁₆	67 ⁷ / ₁₆	—	—	170 lbs.	29.6
		• Specify finish only • Do not specify sheen option; features standard sheen • Can be used as a wardrobe unit by removing the adjustable shelves • Shaded shelves are adjustable • Touch latch doors							
									
68"									


68"

80"

68"


Specify selections, left to right:

Base Model	Pull Option	Finish
38N3680BCOFW	72SN Balance, Satin Nickel Metallic	NM Natural
	72AN Balance, Anthracite Metallic	HN Honey
	73SN Sweep, Satin Nickel Metallic	CL Caramel
	73AN Sweep, Anthracite Metallic	TF Truffle
	74SN Groove, Satin Nickel Metallic	AC Autumn
	74AN Groove, Anthracite Metallic	MC Amber
		CW Cordovan
		DW Judicial
		MH Mocha
		MC


	Model No./Description	List Price	Dimensions				A	KW	Cartoned Weight	Cubic Feet
			D	W	H					
Storage Cabinet with File/File Pedestal 	<i>Left Hinged</i>									
	<i>Right Hinged</i>									
	38N1880VHL2W	\$ 3245	23 ⁹ / ₁₆	17 ¹⁵ / ₁₆	79 ¹ / ₄	—	—	—	212 lbs.	34.4
	38N1868VHL2W	2836	23 ⁹ / ₁₆	17 ¹⁵ / ₁₆	67 ⁷ / ₁₆	—	—	—	180 lbs.	29.6

- Specify pull and finish only
- Do not specify sheen option; features standard sheen
- Shaded shelves are adjustable
- Touch latch doors


80"




68"

Bookcase 	38N3680BCOFW	\$ 2531	13 ¹⁵ / ₁₆	35 ⁷ / ₈	79 ¹ / ₄	—	—	—	184 lbs.	38.3
	38N3668BCOFW	2264	13 ¹⁵ / ₁₆	35 ⁷ / ₈	67 ⁷ / ₁₆	—	—	—	157 lbs.	33.0
	38N3653BCOFW	2045	13 ¹⁵ / ₁₆	35 ⁷ / ₈	52 ¹³ / ₁₆	—	—	—	137 lbs.	26.4

- Specify finish only
- Shaded shelves are adjustable

Bookcase - Storage 	38N3680BCOHFW	\$ 3137	14 ³ / ₄	35 ⁷ / ₈	79 ¹ / ₄	—	—	—	207 lbs.	40.6
	38N3668BCOHFW	2702	14 ³ / ₄	35 ⁷ / ₈	67 ⁷ / ₁₆	—	—	—	186 lbs.	35.0

- Shaded shelf is adjustable

Bookcase Set-On 	38N3650BCOW	\$ 2075	13 ¹⁵ / ₁₆	35 ⁷ / ₈	49 ¹⁵ / ₁₆	—	—	—	109 lbs.	25.5
	38N3050BCOW	1790	13 ¹⁵ / ₁₆	29 ¹⁵ / ₁₆	49 ¹⁵ / ₁₆	—	—	—	97 lbs.	21.9
	38N1850BCOW	922	13 ¹⁵ / ₁₆	17 ¹⁵ / ₁₆	49 ¹⁵ / ₁₆	—	—	—	81 lbs.	14.7
	38N3638BCOW	1694	13 ¹⁵ / ₁₆	35 ⁷ / ₈	38 ¹ / ₂	—	—	—	84 lbs.	19.9
	38N3038BCOW	1539	13 ¹⁵ / ₁₆	29 ¹⁵ / ₁₆	38 ¹ / ₂	—	—	—	72 lbs.	17.1
	38N1838BCOW	821	13 ¹⁵ / ₁₆	17 ¹⁵ / ₁₆	38 ¹ / ₂	—	—	—	64 lbs.	11.4

- Specify finish only
- Shaded shelves are adjustable

Product Specifications





- Reed profile available on wood façade models for a 10% list upcharge
- Refer to pages 291-310 for accessories

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:


38N2448MGW	RE	R	AC
38N2448MGWP	R	AC	503
38N2315PMBFW	72SN	MH	
38N2315PMBFCW	72SN	20022	MH

	Model No./Description	List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet	
Bookcase - with Doors Set-On 	50" High—Wood Doors												
	38N3650BCHW	\$ 2889	14¾	35⅞	49⅞	—	—	150 lbs.	26.7				
	38N3050BCHW	2626	14¾	29⅞	49⅞	—	—	131 lbs.	22.9				
	50" High—Glass Doors												
	38N3650BCHGW	\$ 3012	14⅜	35⅞	49⅞	—	—	144 lbs.	25.5				
	38N3050BCHGW	2737	14⅜	29⅞	49⅞	—	—	126 lbs.	21.9				
	38" High—Wood Doors												
	38N3638BCHW	\$ 2579	14¾	35⅞	38⅞	—	—	110 lbs.	19.9				
	38N3038BCHW	2343	14¾	29⅞	38⅞	—	—	98 lbs.	18.0				
	38" High—Glass Doors												
	38N3638BCHGW	\$ 2688	14⅜	35⅞	38⅞	—	—	110 lbs.	19.9				
	38N3038BCHGW	2441	14⅜	29⅞	38⅞	—	—	94 lbs.	17.1				
	• Specify finish only • Shaded shelves are adjustable • 50" high models have three adjustable shelves; 38" high models have two adjustable shelves • Wood doors lock and have touch latch												
	Bookcase - with Doors Set-On 	Wood Doors											
		Left Hinged	Right Hinged										
38N1850BCHLW		38N1850BCHRW	\$ 2387	14¾	17⅞	49⅞	—	—	103 lbs.	15.4			
38N1838BCHLW		38N1838BCHRW	1505	14¾	17⅞	38⅞	—	—	81 lbs.	12.0			
Glass Doors													
Left Hinged		Right Hinged											
38N1850BCHLGW		38N1850BCHRGW	\$ 2489	14⅜	17⅞	49⅞	—	—	98 lbs.	14.7			
38N1838BCHLGW		38N1838BCHRGW	1596	14⅜	17⅞	38⅞	—	—	77 lbs.	11.4			
• Specify finish only • Shaded shelves are adjustable • 50" high models have three adjustable shelves; 38" high models have two adjustable shelves • Wood door locks and has touch latch													
Magazine Table 		38N2448MGW	Wood Façade	\$ 1352	24	48⅞	16⅞	—	—	77 lbs.	19.1		
	38N2448MGWP	Painted Façade	1352	24	48⅞	16⅞	—	—	77 lbs.	19.1			
	• Some assembly required												

Specify selections, left to right:


Base Model	Façade Profile (wood only)	Pull Option	Sheen	Finish	Paint Color (painted only)
38N2448MGW	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
	RE		R	AC	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
End Table	38N2424ENW Wood Façade	\$ 1228	24 24 21 — —	55 lbs.	12.6
	38N2424ENWP Painted Façade	1228	24 24 21 — —	55 lbs.	12.6




- Some assembly required

Console Table	38N1848CSW Wood Façade	\$ 1712	18½ 48½ 29¾ — —	74 lbs.	24.1
	38N1848CSWP Painted Façade	1712	18½ 48½ 29¾ — —	74 lbs.	24.1



- Some assembly required

Mobile Pedestal	38N2315PMBFW Veneer Top	\$ 1260	22½ 15½ 22½ — —	76 lbs.	8.7
------------------------	-------------------------	---------	-----------------	---------	-----



Grade / List Price


	1	2	3	4	6	7	L7	L8
38N2315PMBFCW Cushion Top	\$ 1244	1260	1269	1282	1317	1348	1493	1539

Dimensions (Cushion Top)

Depth	22½	Height	23½	Weight	78
Width	15½			Cubic Ft.	9.2


- Non-locking pedestal
- Four double wheel locking casters
- Maximum weight unit can hold is 300 lbs.
- Specify fabric grade and color for cushion top pedestal; refer to pages 11-14 for specifications and colors

Deluxe Organizer	NAC0916STL Black	\$ 56	9¾ 15¾ 1¾ — —	6 lbs.	0.5
-------------------------	------------------	-------	---------------	--------	-----



- Faux leather wrapped
- Features debossed National™ logo
- Shipped standard in each Casbah top box drawer

Square Table Top	42" Square	1¾" Top Thickness							
	38N4242SQW Wood Façade	\$ 1772	42½ 42½ 2½ — —	104 lbs.	6.9				
	38N4242SQWP Painted Façade	1772	42½ 42½ 2½ — —	104 lbs.	6.9				



48" Square	48" Square								
	38N4848SQW Wood Façade	\$ 2176	48½ 48½ 2½ — —	131 lbs.	8.7				
	38N4848SQWP Painted Façade	2176	48½ 48½ 2½ — —	131 lbs.	8.7				

- Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases
- See Tables Price List pages 56-57 for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 55 for options and upcharge

PRODUCT SPECIFICATIONS

BYRNE® INTERLINK SYSTEM

- Series of up to eight electrical/data modules and bypass jumpers that bring electrical outlets and data ports to the worksurface
- Can be used with as few as two outlets or as many as eight outlets
- Modules are color coded, keyed, and numbered
- Byrne Interlink and Bypass Jumper System allows easy connection or disconnection of any tap-off unit without power disruption to other units
- Each Interlink module includes 2 electrical outlets and 2 optional data ports
- Includes voice/data adapter kit for data openings; adapters accommodate couplers/jacks from the following manufacturers:

Avaya/At&T/Lucent	www.avaya.com
Amp/Tyco	www.amp.com
Panduit	www.panduit.com
Allen Tel	www.allentel.com
Leviton	www.leviton.com
Krone	www.krone.com
Hubbell	www.hubbell.com
Ortronics	www.ortronics.com

- UL Recognized
- 15 Amp
- 60 Hz
- 115V
- Single circuit reset

WIRE MANAGER

- Comes in packages of five
- Available in black only

Byrne Interlink System

Electrical Standards

Each country has its own set of Electrical standards and wiring rules. In addition, each state, county, and municipality may have Electrical standards and wiring rules that may be similar to those used elsewhere, but may have subtle (but significant) differences. In all cases you should check the local standards to ensure that you will comply with the regulations.

Power Consumption


The Byrne Interlink and Bypass System from National is rated for the United States of America. It is rated 115V 60Hz. The maximum power capacity of the system is 15 Amps, which may be used by any combination of one to eight electrical/data modules. The total combined power consumption of all equipment on a single system cannot exceed 15 Amps.

Before installing the Byrne Interlink and Bypass System from National, please check the power consumption for each item that will be powered from the system to ensure that you do not exceed the rated capacity of the system. The table below lists some typical power consumption values for common office equipment. Remember to add the power consumption for all devices to be powered from a single system to determine how many devices can be connected to a single system. (This listing is a guide only; please be sure to check the listing on each item you will be powering.)

Office Equipment	Amps(A)
Computer Server	1-6
Personal Computer	1-2
Laptop	1-1.5
LCD Display	1-1.8
CRT Display	1.3-2.5
Laser Printer	1.5-6
Inkjet Printer	0.4-1.6
Dot-Matrix Printer	1.5-3
Photocopier	10-16
Fax Machine	0.8-1.2
Scanner	0.4-0.8
PDA	0.04-0.06
LED/Incandescent Light	0.6-1
Clock	0.02-0.04
Radio	0.2-0.4
Calculator	0.1-0.25
Cellphone Charger	0.6-1.5
Battery Charger	0.06-0.6
Audio Speakers	0.05-0.15
Network Router/Switch	0.4-1
Shredder	1.5-3


Here are two examples of correct installation and power consumption for the Byrne Interlink System

Example 1:



Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Total AC Load	12 Amps(A)

Example 2:




Laptop	1.5 Amps
LCD Display	1.8 Amps
Laser Printer	6.0 Amps
Scanner	0.8 Amps
Total AC Load	13.8 Amps(A)

The following devices should NOT be used in Electrical Installations


The following electrical devices have very high power consumption and some will affect the quality of the power for other electrical devices that are connected to the same electrical system. We recommend that you DO NOT plug these units into the Interlink System power outlets. High power devices should be plugged directly into the main wall power outlets. These include but are not limited to:

Heaters, Hair Dryers, Kettles, Coffee Makers, Motorized Machines, Shoe Polishers, Water Dispensers, Air Conditioners, Electric Fans, Microwave Ovens, Televisions, Video Machines, Fluorescent Lights, Multi-socket Outlets, Power Strips, Extension Cords, Power Tools, Electrical Dimmers

Any devices that will not be regularly used at the workstation should be connected to the main wall power outlets.



Interlink System shown using all interlink modules with no bypass jumpers; specify NACELIL1, NACELIL2, NACELIL3, and NACELIL4



Interlink System shown using a bypass jumper for position 1, connecting to the power source and then 2 interlink modules; specify NACELILJ1, NACELIL2, and NACELIL3


Byrne Interlink System


Product Specifications

- Interlink #1 cord with plug is 126" in length
- Bypass Jumper #1 with plug is 124" in length
- Length of cord from coupler to unit on all units is 14"
- Interlink #2-#8 cord is 66" in length
- Bypass Jumpers #2-#8 are 60" in length

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

	Model No./Description		List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
	NACELIL1	Interlink #1, with Plug	\$ 235	4½	2½	8½	—	—	—	—	—	2 lbs.	0.2
	NACELIJ1	Bypass Jumper #1, with Plug	131	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL2	Interlink #2	168	4½	2½	8½	—	—	—	—	—	2 lbs.	0.2
	NACELIJ2	Bypass Jumper #2	67	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL3	Interlink #3	168	4½	2½	8½	—	—	—	—	—	2 lbs.	0.2
	NACELIJ3	Bypass Jumper #3	67	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL4	Interlink #4	168	4½	2½	8½	—	—	—	—	—	2 lbs.	0.2
	NACELIJ4	Bypass Jumper #4	67	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL5	Interlink #5	168	4½	2½	8½	—	—	—	—	—	2 lbs.	0.2
	NACELIJ5	Bypass Jumper #5	67	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL6	Interlink #6	168	4½	2½	8½	—	—	—	—	—	2 lbs.	0.2
	NACELIJ6	Bypass Jumper #6	67	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL7	Interlink #7	168	4½	2½	8½	—	—	—	—	—	2 lbs.	0.2
	NACELIJ7	Bypass Jumper #7	67	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL8	Interlink #8	168	4½	2½	8½	—	—	—	—	—	2 lbs.	0.2
	• UL recognized • Interlink models contain a power center that features 2 electrical receptacles and 2 blank data ports • Includes voice/data adapter kit for data ports; adapters accommodate couplers/jacks from manufacturers listed on page 137 • Interlink System can be used with Captivate® and Casbah® • Black • Pop up electrical not available for use on the drawer side of lateral file and multi-file returns/credenzas when using the channel wire management option; available for use on the non-pedestal side only • This can be field installed or order unit with racetrack grommet option to place in hole												
Undersurface Wire Manager	NAC03WM	Black (Set of 5)	\$ 24	5½	2½	1¾	—	—	—	—	—	2.5 lbs.	0.1



How to specify the Byrne Interlink System from National

The Byrne Interlink System from National can be used with as few as one Interlink module and up to as many as eight modules. You may also add to the system as your power needs grow (up to eight modules total). Shown below are examples of how to specify a series of Interlink modules from one up to a full set of eight.

	NACELI1	NACELI2	NACELI3	NACELI4	NACELI5	NACELI6	NACELI7	NACELI8
Single module (one Power Center)	✓							
Set of two modules (two Power Centers)	✓	✓						
Set of three modules (three Power Centers)	✓	✓	✓					
Set of four modules (four Power Centers)	✓	✓	✓	✓				
Set of five modules (five Power Centers)	✓	✓	✓	✓	✓			
Set of six modules (six Power Centers)	✓	✓	✓	✓	✓	✓		
Set of seven modules (seven Power Centers)	✓	✓	✓	✓	✓	✓	✓	
Set of eight modules (eight Power Centers)	✓	✓	✓	✓	✓	✓	✓	✓

How to specify Byrne Interlink Bypass Jumpers

Byrne Interlink Bypass Jumpers are interchangeable with Interlink Modules and are used where you do not need a Power Center at a particular location and wish to skip to the next link. Shown below are examples of how to substitute a compatible Bypass Jumper for a specific Byrne Interlink module.

	NACELIJ1	NACELIJ2	NACELIJ3	NACELIJ4	NACELIJ5	NACELIJ6	NACELIJ7
Bypass Jumper for position #1 (connects to power source)	✓						
Bypass Jumper for position #2		✓					
Bypass Jumper for position #3			✓				
Bypass Jumper for position #4				✓			
Bypass Jumper for position #5					✓		
Bypass Jumper for position #6						✓	
Bypass Jumper for position #7							✓

Clever

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1 $\frac{1}{8}$ " slipmatched cherry and maple veneer, bookmatched walnut veneer or TFL (thermally fused laminate)
- Medium density fiberboard profiled knife edge
- Grain direction runs left-to-right unless otherwise noted
- Worksurfaces attach with a factory installed quick-fastener
- Two sheen options available on most worksurfaces; standard sheen featured on above surface units

FINISH APPLICATION

- Clever series finished with IntegraClear™ UV technology. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- $\frac{3}{4}$ " thick full modesty panels
- 1 $\frac{1}{8}$ " thick end panels
- Standard leveling glides
- All units feature fully finished backs unless noted
- Grain direction runs vertical on all modesty panels

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

PULLS


- Satin Nickel pulls

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain $\frac{1}{2}$ " thick, sides are laminated woodgrain $\frac{3}{8}$ " thick
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT

- Grommets are available in predetermined locations
- Optional wire managers are available (See accessory pages)

LOCKING

- Standard locking in all pedestals, wall mount cabinets, storage units and wardrobes
- Highback organizers feature one standard lock for center compartment
- Black, removable cores are standard for all pedestal locks
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, change keys, and master keys, reference page 297

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Depth		
Box Drawer—Desk	12 $\frac{1}{8}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Desk	12 $\frac{1}{8}$ "	17"	9 $\frac{1}{2}$ "	Letter
Box Drawer—Return	12 $\frac{1}{8}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Return	12 $\frac{1}{8}$ "	17"	9 $\frac{1}{2}$ "	Letter
Box Drawer—Credenza	12 $\frac{1}{8}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Credenza	12 $\frac{1}{8}$ "	17"	9 $\frac{1}{2}$ "	Letter
File Drawer—Lateral File	31 $\frac{1}{32}$ "	15"	9 $\frac{1}{2}$ "	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side




For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

NM Natural
 HN Honey
 CL Caramel
 TF Truffle
 AC Autumn
 MC Amber
 CW Cordovan
 DW Judicial
 MH Mocha

**WORKSURFACE
SHEEN OPTIONS**

R Standard
 N Matte/Satin

RIM PROFILE**PULL****Keen**

77SN Satin Nickel
 (Boring Pattern 96mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Flex Grommet, Black

G14L Left
 G14R Right
 G14LR Left & Right
 G14C Center
 G14A All

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile: Knife

Pull: Keen

Grommets: Included on bridges, returns and credenzas

Sheen: Standard

Finish: Must specify Amber (MC) or Cordovan (CW)

Clever L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Keen, Satin Nickel pulls
- Standard sheen
- Left or right grommet in return
- Must specify finish

To Order, Specify Finish:





NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha

To You In
10 DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Keen, Satin Nickel pulls

L-CONFIGURATIONS		Model No./Description		List Price	L-CONFIGURATIONS		Model No./Description		List Price
Left L-Configuration		CLN8072LLFW		79½D x 71¾W	Right L-Configuration		CLN8072LRFW		79½D x 71¾W
Wood Top				\$ 3512	Wood Top				\$ 3512
		consists of					consists of		
		CLN3672DRFW1	Right Pedestal Desk	1929			CLN3672DLFW1	Left Pedestal Desk	1929
		CLN2544RLEFW2	Left Pedestal Return	1583			CLN2544RREFW2	Right Pedestal Return	1583
Left L-Configuration		QCLN8072LLFLW		79½D x 71¾W	Right L-Configuration		QCLN8072LRFLW		79½D x 71¾W
Laminate Top				\$ 3303	Laminate Top				\$ 3303
									
		CLN8072LLFLW		79½D x 71¾W			CLN8072LRFLW		79½D x 71¾W
				\$ 3303					\$ 3303
		consists of					consists of		
		CLN3672DRFLW1	Right Pedestal Desk	1813			CLN3672DLFLW1	Left Pedestal Desk	1813
		CLN2544RLEFLW2	Left Pedestal Return	1490			CLN2544RREFLW2	Right Pedestal Return	1490

Clever U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:





- Keen, Satin Nickel pulls
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha

To You In 10 DAYS ...or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


Keen, Satin Nickel pulls

U-CONFIGURATIONS		Model No./Description	List Price	U-CONFIGURATIONS		Model No./Description	List Price
Left U-Configuration		CLN10672ULFW	105¹³/₁₆D x 71³/₄W	Right U-Configuration		CLN10672URFW	105¹³/₁₆D x 71³/₄W
Wood Top			\$ 4474	Wood Top			\$ 4474
		consists of				consists of	
		CLN3672DRFW1	Right Pedestal Desk			CLN3672DLFW1	Left Pedestal Desk
		CLN2648BEFHSW	Serpentine Bridge			CLN2648BEFHSW	Serpentine Bridge
		CLN2272CLFW2	Left Pedestal Credenza			CLN2272CRFW2	Right Pedestal Credenza
		CLN9472ULFW	93¹³/₁₆D x 71³/₄W			CLN9472URFW	93¹³/₁₆D x 71³/₄W
			\$ 4395				\$ 4395
		consists of				consists of	
		CLN3672DRFW1	Right Pedestal Desk			CLN3672DLFW1	Left Pedestal Desk
		CLN2636BEFWH	Bridge			CLN2636BEFWH	Bridge
		CLN2272CLFW2	Left Pedestal Credenza			CLN2272CRFW2	Right Pedestal Credenza
			1839				1839
Left U-Configuration		QCLN10672ULFLW	105¹³/₁₆D x 71³/₄W	Right U-Configuration		QCLN10672URFLW	105¹³/₁₆D x 71³/₄W
Laminate Top			\$ 4205	Laminate Top			\$ 4205
		CLN10672ULFLW	105¹³/₁₆D x 71³/₄W			CLN10672URFLW	105¹³/₁₆D x 71³/₄W
			\$ 4205				\$ 4205
		consists of				consists of	
		CLN3672DRFLW1	Right Pedestal Desk			CLN3672DLFLW1	Left Pedestal Desk
		CLN2648BEFHSLW	Serpentine Bridge			CLN2648BEFHSLW	Serpentine Bridge
		CLN2272CLFW2	Left Pedestal Credenza			CLN2272CRFLW2	Right Pedestal Credenza
			1728				1728
		QCLN9472ULFLW	93¹³/₁₆D x 71³/₄W			QCLN9472URFLW	93¹³/₁₆D x 71³/₄W
			\$ 4132				\$ 4132
		CLN9472ULFLW	93¹³/₁₆D x 71³/₄W			CLN9472URFLW	93¹³/₁₆D x 71³/₄W
			\$ 4132				\$ 4132
		consists of				consists of	
		CLN3672DRFLW1	Right Pedestal Desk			CLN3672DLFLW1	Left Pedestal Desk
		CLN2636BEFHLW	Bridge			CLN2636BEFHLW	Bridge
		CLN2272CLFW2	Left Pedestal Credenza			CLN2272CRFLW2	Right Pedestal Credenza
			1728				1728

Clever

Dimension Key





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:

CLN3672DDFAW8	77SN	G14LR	N	MH
CLN3672DRFALW1	77SN	X		MH
CLN3672DULW	X		N	MH
CLN3672DURFLW	X			MH

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
	CLN3672DDFAW8 Wood Top	\$ 2715	35¾	71¾	29½	—	38%	317 lbs.	57.4	
	CLN3672DDFALW8 Laminate Top	2545	35¾	71¾	29½	—	38%	317 lbs.	57.4	
	CLN3666DDFAW8 Wood Top	\$ 2454	35¾	66	29½	—	32%	305 lbs.	53	
	CLN3666DDFALW8 Laminate Top	2307	35¾	66	29½	—	32%	305 lbs.	53	
	• Depth of arc is 35¾" at its widest point • Grommet (G14LR) available									
	CLN3672DDFW8 Wood Top	\$ 2254	35¾	71¾	29½	—	38%	317 lbs.	57.4	
	QCLN3672DDFLW8 Laminate Top	2111	35¾	71¾	29½	—	38%	317 lbs.	57.4	
	CLN3672DDFLW8 Laminate Top	2111	35¾	71¾	29½	—	38%	317 lbs.	57.4	
	CLN3666DDFW8 Wood Top	2036	35¾	66	29½	—	32%	305 lbs.	53.0	
	CLN3666DDFLW8 Laminate Top	1915	35¾	66	29½	—	32%	305 lbs.	53.0	
• Grommet (G14LR) available										
	Left Pedestal	Right Pedestal								
	CLN3672DLFAW1	CLN3672DRFAW1 Wood Top	\$ 2323	35¾	71¾	29½	—	27 ² / ₃₂	267 lbs.	57.4
	CLN3672DLFALW1	CLN3672DRFALW1 Laminate Top	2185	35¾	71¾	29½	—	27 ² / ₃₂	267 lbs.	57.4
• Depth of arc is 35¾" at its widest point • Not recommended as a freestanding unit due to routing in the rim • Grommet (G14LR) available										
	Left Pedestal	Right Pedestal								
	CLN3672DLFW1	CLN3672DRFW1 Wood Top	\$ 1929	35¾	71¾	29½	—	27 ² / ₃₂	267 lbs.	57.4
	QCLN3672DLFLW1	QCLN3672DRFLW1 Laminate Top	1813	35¾	71¾	29½	—	27 ² / ₃₂	267 lbs.	57.4
• Grommet (G14LR) available										

Left shown


Left shown

Left shown

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
CLN3672DDFAW8	77SN Keen, Satin Nickel	G14L Black, Left G14R Black, Right G14LR Black, Left & Right X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	77SN	G14LR	N	MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
--	-----------------------	------------	--------------------------	-----------------	------------


U-Shaped Desk

Left shown

Left U**Right U**

CLN3672DULW	CLN3672DURW	Wood Top	\$ 1955	35¾ 71¾ 29½ — —	150 lbs. 7.8
CLN3672DULLW	CLN3672DURLW	Laminate Top	1837	35¾ 71¾ 29½ — —	150 lbs. 7.8

- Must specify support base; see below for support base models
- Some assembly required
- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G14L for left U) and (G14R for right U) available

U-Shaped Desk with Modesty

Left shown

Left U**Right U**

CLN3672DULFW	CLN3672DURFW	Wood Top	\$ 2332	35¾ 71¾ 29½ — —	172 lbs. 7.8
CLN3672DULFLW	CLN3672DURLW	Laminate Top	2192	35¾ 71¾ 29½ — —	172 lbs. 7.8

- Must specify support base; see below for support base models
- Some assembly required
- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G14L for left U) and (G14R for right U) available


Support Base

				DI	H				
NAC2804SFB	Cinder	\$ 244	4	—	27¾-29¼	—	10 lbs.	1.0	
NAC2804SFBN	Satin Nickel Metallic	244	4	—	27¾-29¼	—	10 lbs.	1.0	
NAC2804SFBW	Wood	445	4	—	27¾-29¼	—	6 lbs.	1.0	



			D	W	H	A	KW		
NAC2812SHB	Wood Half	\$ 556	6	11¾	27¾	—	—	13.3 lbs.	2.6

- Specify veneer finish for wood support bases

Reception Desk/Return**Reception Desk****Left Pedestal****Right Pedestal**

CLN3672DTLFW1	CLN3672DTRFW1	Wood Top	\$ 3336	35 ²⁵ / ₃₂ 71¾ 42 — 27 ²⁵ / ₃₂	480 lbs. 80.1
CLN3672DTLFLW1	CLN3672DTRFLW1	Laminate Top	3137	35 ²⁵ / ₃₂ 71¾ 42 — 27 ²⁵ / ₃₂	480 lbs. 80.1

- Must be used with reception return
- Grommet (G14LR) available

Reception Return**Left****Right**

CLN2542RTLW2	CLN2542RTRW2	Wood Top	\$ 1792	24¾ 42 42 — 27 ³ / ₁₆	260 lbs. 36.3
CLN2542RTLLW2	CLN2542RTRLW2	Laminate Top	1685	24¾ 42 42 — 27 ³ / ₁₆	260 lbs. 36.3

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Grommet (G14L for left return) and (G14R for right return) available

Clever

Dimension Key





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

CLN2648BEFHSW	G14C	N	MH
CLN2560RLEFLW10	77SN	X	MH
CLN2272CKFLW2	77SN	X	MH


To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description			List Price	Dimensions					Cartoned Weight	Cubic Feet
Return File/File 	Left Pedestal	Right Pedestal			D	W	H	A	KW		
	CLN2544RLEFW2	CLN2544RREFW2	Wood Top	\$ 1583	25 ¹⁵ / ₃₂	43 ³ / ₄	29 ¹ / ₂	—	27 ³ / ₁₆	140 lbs.	27.6
	QCLN2544RLEFLW2	QCLN2544RREFLW2	Laminate Top	1490	25 ¹⁵ / ₃₂	43 ³ / ₄	29 ¹ / ₂	—	27 ³ / ₁₆	140 lbs.	27.6
	CLN2544RLEFLW2	CLN2544RREFLW2	Laminate Top	1490	25 ¹⁵ / ₃₂	43 ³ / ₄	29 ¹ / ₂	—	27 ³ / ₁₆	140 lbs.	27.6
	• Grain direction runs front-to-back on worksurface • Grommet (G14L for left return) and (G14R for right return) available										
Left shown											
Return Lateral File 	Left Pedestal	Right Pedestal			D	W	H	A	KW		
	CLN2560RLEFW6	CLN2560RREFW6	Wood Top	\$ 1879	25 ¹⁵ / ₃₂	59 ³ / ₄	29 ¹ / ₂	—	23 ³ / ₁₆	214 lbs.	36.4
	CLN2560RLEFLW6	CLN2560RREFLW6	Laminate Top	1765	25 ¹⁵ / ₃₂	59 ³ / ₄	29 ¹ / ₂	—	23 ³ / ₁₆	214 lbs.	36.4
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grain direction runs front-to-back on worksurface • Grommet (G14LR) available										
	Right shown										
Return Multi-File 	Left Pedestal	Right Pedestal			D	W	H	A	KW		
	CLN2560RLEFW10	CLN2560RREFW10	Wood Top	\$ 2310	25 ¹⁵ / ₃₂	59 ³ / ₄	29 ¹ / ₂	—	23 ³ / ₁₆	214 lbs.	36.4
	CLN2560RLEFLW10	CLN2560RREFLW10	Laminate Top	2173	25 ¹⁵ / ₃₂	59 ³ / ₄	29 ¹ / ₂	—	23 ³ / ₁₆	214 lbs.	36.4
	• Grain direction runs front-to-back on worksurface • Grommet (G14LR) available										
	Left shown										
Bridge 	CLN2636BEFWH	Wood Top	\$ 627	25 ¹⁵ / ₃₂	36	29 ¹ / ₂	—	36	50 lbs.	3.7	
	QCLN2636BEFHLW	Laminate Top	591	25 ¹⁵ / ₃₂	36	29 ¹ / ₂	—	36	50 lbs.	3.7	
	CLN2636BEFHLW	Laminate Top	591	25 ¹⁵ / ₃₂	36	29 ¹ / ₂	—	36	50 lbs.	3.7	
	• Hinged modesty panel; one-way hinge allows modesty to hinge toward user only • Grain direction runs front-to-back on worksurface • Grommet (G14C) available • Pulls not available										

Specify selections, left to right:


Base Model	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
CLN2648BEFHSW	77SN Keen, Satin Nickel	G14L Black, Left G14R Black, Right G14LR Black, Left & Right G14C Black, Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
		G14C	N	MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	CLN2648BEFHSW Wood Top	\$ 706	25 ¹⁵ / ₃₂ 48 29 ¹ / ₂ — 48	82 lbs.	4.7
	QCLN2648BEFHSLW Laminate Top	664	25 ¹⁵ / ₃₂ 48 29 ¹ / ₂ — 48	82 lbs.	4.7
	CLN2648BEFHSLW Laminate Top	664	25 ¹⁵ / ₃₂ 48 29 ¹ / ₂ — 48	82 lbs.	4.7

- Hinged modesty panel; one-way hinge allows modesty to hinge toward user only
- Grain direction runs front-to-back on worksurface
- Grommet (G14C) available

	CLN2472CBVW Wood	\$ 4621	25 ¹ / ₂ 73 ³ / ₄ 34 ¹ / ₁₆ — — 275 lbs.	37.8
	CLN2472CBVLW Laminate/Wood	4621	25 ¹ / ₂ 73 ³ / ₄ 34 ¹ / ₁₆ — — 275 lbs.	37.8

- Cutouts in back panel for venting
- Unfinished back panel
- Features an adjustable shelf behind each set of doors
- Grommet (G14LR) available
- Inside dimension of each storage section is 22" deep x 34¹/₂" wide x 24¹/₂" high

	CLN2272CKFW2 Wood Top	\$ 2513	22 ¹ / ₁₆ 71 ³ / ₄ 29 ¹ / ₂ — 38% 238 lbs.	37.8
	QCLN2272CKFLW2 Laminate Top	2361	22 ¹ / ₁₆ 71 ³ / ₄ 29 ¹ / ₂ — 38% 238 lbs.	37.8
	CLN2272CKFLW2 Laminate Top	2361	22 ¹ / ₁₆ 71 ³ / ₄ 29 ¹ / ₂ — 38% 238 lbs.	37.8
	CLN2266CKFW2 Wood Top	\$ 2273	22 ¹ / ₁₆ 66 29 ¹ / ₂ — 32% 229 lbs.	34.9
	CLN2266CKFLW2 Laminate Top	2135	22 ¹ / ₁₆ 66 29 ¹ / ₂ — 32% 229 lbs.	34.9

- Only adjustable keyboard mechanism NAC1406KK4 can be used
- Grommet (G14LR) available

Single Pedestal Credenza File/File 	Left Pedestal	Right Pedestal									
	CLN2272CLFW2	CLN2272CRFW2	Wood Top	\$ 1839	22¼	71¾	29½	—	27²⁄₃₂	188 lbs.	37.8
	QCLN2272CLFLW2	QCLN2272CRFLW2	Laminate Top	1728	22¼	71¾	29½	—	27²⁄₃₂	188 lbs.	37.8
	CLN2272CLFLW2	CLN2272CRFLW2	Laminate Top	1728	22¼	71¾	29½	—	27²⁄₃₂	188 lbs.	37.8

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G14LR) available

Left shown

Dimension Key


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

CLN2288CLFW6	77SN	G14A	R	MH
CLN2288CLFW10	77SN	G14A	R	MH
CLN3618SOHMAW	MH			
CLN2016PMBFC	77SN	20003	MH	
CLN2237LFF2W	77SN	N	MH	

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Single Pedestal Credenza
Lateral File

Left shown

Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
Left Pedestal	Right Pedestal		D	W	H				
CLN2288CLFW6	CLN2288CRFW6	Wood Top \$ 2462	22 ¹ / ₆	88	29 ¹ / ₂	—	24 ³ / ₃₂	261 lbs.	45.5
CLN2288CLFLW6	CLN2288CRFLW6	Laminate Top 2314	22 ¹ / ₆	88	29 ¹ / ₂	—	24 ³ / ₃₂	261 lbs.	45.5
CLN2272CLFW6	CLN2272CRFW6	Wood Top \$ 2019	22 ¹ / ₆	71 ³ / ₄	29 ¹ / ₂	—	6 ¹ / ₃₂	238 lbs.	37.8
CLN2272CLFLW6	CLN2272CRFLW6	Laminate Top 1896	22 ¹ / ₆	71 ³ / ₄	29 ¹ / ₂	—	6 ¹ / ₃₂	238 lbs.	37.8

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Not recommended as a freestanding unit due to routing in the rim
- 72" credenza features straight surface on user and approach side
- Grommet (2288 = G14A, 2272 = G14LR) available


Single Pedestal Credenza
Multi-File

Left shown

Left Pedestal	Right Pedestal		D	W	H	A	KW	Cartoned Weight	Cubic Feet
CLN2288CLFW10	CLN2288CRFW10	Wood Top \$ 2636	22 ¹ / ₆	88	29 ¹ / ₂	—	24 ³ / ₃₂	261 lbs.	45.5
CLN2288CLFLW10	CLN2288CRFLW10	Laminate Top 2478	22 ¹ / ₆	88	29 ¹ / ₂	—	24 ³ / ₃₂	261 lbs.	45.5
CLN2272CLFW10	CLN2272CRFW10	Wood Top \$ 2485	22 ¹ / ₆	71 ³ / ₄	29 ¹ / ₂	—	6 ¹ / ₃₂	238 lbs.	37.8
CLN2272CLFLW10	CLN2272CRFLW10	Laminate Top 2329	22 ¹ / ₆	71 ³ / ₄	29 ¹ / ₂	—	6 ¹ / ₃₂	238 lbs.	37.8

- Not recommended as a freestanding unit due to routing in the rim
- 72" credenza features straight surface on user and approach side
- Grommet (2288 = G14A, 2272 = G14LR) available

Highback Organizer




CLN8836HBHAW	\$ 2204	16 ³ / ₄	88	36 ¹ / ₆	—	—	205 lbs.	46.8
QCLN7136HBHAW	1931	16 ³ / ₄	71	36 ¹ / ₆	—	—	184 lbs.	39.4
CLN7136HBHAW	1931	16 ³ / ₄	71	36 ¹ / ₆	—	—	184 lbs.	39.4
CLN6536HBHAW	1829	16 ³ / ₄	65	36 ¹ / ₆	—	—	172 lbs.	36.3

- Units feature full back panels with cord management
- Center doors lock
- Units have a semi-finished back (fully stained with exposed hardware)
- Units feature a fluted resin insert panel on doors
- 88" highback organizer features 6 doors (3 standard locks)
- Rail is arched
- For tack board options, see pages 304-308

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
CLN2288CLFW6	77SN Keen, Satin Nickel	G14LR Black, Left & Right G14A Black, All X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	77SN	G14A	R	MH

Overhead Cabinet Wall Mount




Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
QCLN3618SOHMAW	\$ 1041	14 $\frac{7}{8}$ 35 $\frac{29}{32}$ 17 $\frac{7}{8}$ — —	62 lbs.	9.7
CLN3618SOHMAW	1041	14 $\frac{7}{8}$ 35 $\frac{29}{32}$ 17 $\frac{7}{8}$ — —	62 lbs.	9.7
CLN3018SOHMAW	950	14 $\frac{7}{8}$ 29 $\frac{7}{8}$ 17 $\frac{7}{8}$ — —	56 lbs.	8.2

Wall Mount Kit

ABWMD	48" Wall Mount Kit	\$ 53	½ 48 2 — —	4 lbs.	0.1
ABWMF	72" Wall Mount Kit	56	½ 72 2 — —	4 lbs.	0.2

- Wall mount extrusions can be cut to size. National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs). National will not be liable for wall mount cabinets that are not properly installed
- Wall mount cabinets rimmed on front side only to allow for flush side by side mounting
- Wall mount bracket is required for wall mount application
- Wall mount bracket is sold separately and can be cut to size in the field to fit cabinets less than 72" in width
- Standard locking
- For tack board options, see pages 304-308

Mobile Pedestal Cushion Top




Grade / List Price		1	2	3	4	6	7	L7	L8
CLN2016PMBFC	\$	927	943	952	965	1000	1031	1176	1222

Dimensions

Depth	20	Height	22 $\frac{1}{4}$	Weight	74
Width	16 $\frac{1}{2}$			Cubic Ft.	7.9

- Four double wheel locking casters
- Maximum weight unit can hold is 300 pounds
- Non-locking pedestal
- Specify fabric grade and color for cushion top pedestal; refer to pages 11-14 for specification and colors

Lateral File Two Drawer



CLN2237LFF2W	Wood Top	\$ 1410	22 $\frac{1}{16}$ 37 $\frac{3}{8}$ 29 $\frac{1}{4}$ — —	145 lbs.	18.2
QCLN2237LFF2LW	Laminate Top	1336	22 $\frac{1}{16}$ 37 $\frac{3}{8}$ 29 $\frac{1}{4}$ — —	145 lbs.	18.2
CLN2237LFF2LW	Laminate Top	1336	22 $\frac{1}{16}$ 37 $\frac{3}{8}$ 29 $\frac{1}{4}$ — —	145 lbs.	18.2

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

CLN3564BCOFW MH
CLN2040MGW R TF





To You In
10
DAYS
...or Less

Shaded model numbers are available on our
“To You in 10 Days or Less” Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Lateral File Three Drawer 	CLN2237LFF3W Wood Top	\$ 1930	22 $\frac{1}{16}$	37 $\frac{1}{2}$	43 $\frac{3}{8}$	—	—	210 lbs.	30.0
	CLN2237LFF3LW Laminate Top	1817	22 $\frac{1}{16}$	37 $\frac{1}{2}$	43 $\frac{3}{8}$	—	—	210 lbs.	30.0
• Front-to-back filing is standard with lateral files; four rods per drawer are included • Semi-finished back panel (fully stained with exposed hardware)									
Lateral File Four Drawer 	CLN2237LFF4W Wood Top	\$ 2449	22 $\frac{1}{16}$	37 $\frac{3}{8}$	55 $\frac{7}{8}$	—	—	252 lbs.	34.4
	CLN2237LFF4LW Laminate Top	2300	22 $\frac{1}{16}$	37 $\frac{3}{8}$	55 $\frac{7}{8}$	—	—	252 lbs.	34.4
• Front-to-back filing is standard with lateral files; four rods per drawer are included • Semi-finished back panel (fully stained with exposed hardware) • Do not specify sheen option; features standard sheen									
Wardrobe/Storage Cabinet 	CLN3765VWHAW	\$ 3306	22 $\frac{1}{16}$	37 $\frac{3}{8}$	64 $\frac{1}{2}$	—	—	320 lbs.	36.6
• Shaded shelves are adjustable • Removable coat rod is standard under top shelf • Semi-finished back panel (fully stained with exposed hardware) • Unit features a fluted resin insert panel on doors • Standard locking • Unit has no center divider									
Bookcase Double 		\$ 3086	14	73 $\frac{7}{16}$	64 $\frac{1}{2}$	—	—	304 lbs.	58.0
	QCLN3564BCOFW Bookcase (each—order 2)	1305	12	35 $\frac{23}{32}$	63 $\frac{1}{2}$	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase (each—order 2)	1305	12	35 $\frac{23}{32}$	63 $\frac{1}{2}$	—	—	115 lbs.	27.6
	CLN1473CPCFW Cornice Frame (wood)	476	14	73 $\frac{7}{16}$	1	—	—	74 lbs.	2.8
• Must order (2) bookcases and a cornice frame for double unit • Shaded shelves are adjustable • Units have semi-finished back panels (fully stained with exposed hardware)									

Specify selections, left to right:

Base Model	Pull Option	Sheen (wood tops only)	Finish
CLN3564BCOFW	77SN Keen, Satin Nickel	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha MH

	Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Bookcase Single 		\$ 1563	14	37 ²³ / ₃₂	64 ³ / ₈	—	—	132 lbs.	29.2
	QCLN3564BCOFW Bookcase	1305	12	35 ²³ / ₃₂	63 ³ / ₈	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase	1305	12	35 ²³ / ₃₂	63 ³ / ₈	—	—	115 lbs.	27.6
	QCLN1438CPCFW Cornice Frame (wood)	258	14	37 ²³ / ₃₂	1	—	—	17 lbs.	1.6
	CLN1438CPCFW Cornice Frame (wood)	258	14	37 ²³ / ₃₂	1	—	—	17 lbs.	1.6
	• Must order a cornice frame for bookcase • Shaded shelves are adjustable • Unit has semi-finished back panel (fully stained with exposed hardware)								
Bookcase Set-On  	QCLN3836BCOW Open	\$ 940	16 ³ / ₄	37 ⁷ / ₈	36 ¹ / ₁₆	—	—	92 lbs.	21.8
	CLN3836BCOW Open	940	16 ³ / ₄	37 ⁷ / ₈	36 ¹ / ₁₆	—	—	92 lbs.	21.8
	CLN3836BCHAW Hinged Doors	1080	16 ³ / ₄	37 ⁷ / ₈	36 ¹ / ₁₆	—	—	92 lbs.	21.8
	• Shaded shelves are adjustable • Unit has semi-finished back panel (fully stained with exposed hardware) • Unit features a fluted resin insert panel on doors • Standard locking								
Magazine Table 	QCLN2040MGW Wood Top	\$ 942	20	40	17 ¹ / ₁₆	—	—	40 lbs.	2.4
	CLN2040MGW Wood Top	942	20	40	17 ¹ / ₁₆	—	—	40 lbs.	2.4
	• Some assembly required								
End Table 	QCLN2424ENW Wood Top	\$ 884	24	24	20 ³ / ₁₆	—	—	29 lbs.	1.9
	CLN2424ENW Wood Top	884	24	24	20 ³ / ₁₆	—	—	29 lbs.	1.9
	• Some assembly required								


Clever


Dimension Key

D Depth
 W Width
 H Height
 A Overhang: Approach Side
 KW Kneespace Width
 DI Diameter

Sample Model Numbers:


CLN2424SQW N MH

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Square Nesting Table Top 	CLN2424SQW	Wood Top	\$ 506	24	24	1 $\frac{1}{16}$	—	—	21 lbs.	0.7
	CLN2424SQLW	Laminate Top	476	24	24	1 $\frac{1}{16}$	—	—	21 lbs.	0.7
• For use with umbrella base										

Umbrella Base 	CBW2620U4	Black	\$ 576	20 $\frac{7}{16}$	20 $\frac{7}{16}$	26	—	—	25 lbs.	9.4
	• For use with square nesting table top only • Pneumatic lift will allow for height range from 26" to 36 $\frac{1}{2}$ " • Four double wheel locking casters									

Specify selections, left to right:

Base Model	Grommet/Cutout Option	Sheen (wood tops only)	Finish
CLN2424SQW	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
		N	MH

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
Round Table Top 	36" Round 1 1/4" Top Thickness			DI	H					
	CLNN36RDW	Wood	\$ 1218	36	—	1 1/4	—	—	45 lbs.	2.4
	42" Round									
	CLNN42RDW	Wood	\$ 1480	42	—	1 1/4	—	—	61 lbs.	3.2
	48" Round									
	CLNN48RDW	Wood	\$ 1742	48	—	1 1/4	—	—	79 lbs.	4.2
	36" Round 1 1/4" Top Thickness									
	CLN36RDW	Wood	\$ 1114	36	—	1 1/4	—	—	42 lbs.	2.4
	42" Round									
	CLN42RDW	Wood	\$ 1376	42	—	1 1/4	—	—	58 lbs.	3.2
	48" Round									
CLN48RDW	Wood	\$ 1638	48	—	1 1/4	—	—	76 lbs.	4.2	
36" Round 1" Top Thickness										
CLN36RDLW	Laminate	\$ 1045	36	—	1	—	—	42 lbs.	2.4	
42" Round										
CLN42RDLW	Laminate	\$ 1292	42	—	1	—	—	58 lbs.	3.2	
48" Round										
CLN48RDLW	Laminate	\$ 1538	48	—	1	—	—	76 lbs.	4.2	


- Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases
- See Tables Price List pages 60-67 for coordinating conference table tops
- Grommet options available on 1 1/4" round and square tops are G10C and CUT-G15C, reference Tables Price List page 59 for grommet options and upcharge
- Grommet option available on 1 1/4" round tops is G10C, reference Tables Price List page 59 for grommet options and upcharge

Dimension Key

D Depth
 W Width
 H Height
 A Overhang: Approach Side
 KW Kneespace Width

Sample Model Numbers:

CLNN3636SQW X R CW

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Square Table Top 	36" Square 1½" Top Thickness									
	CLNN3636SQW	Wood	\$ 1218	36	36	1½	—	—	45 lbs.	2.4
	42" Square									
	CLNN4242SQW	Wood	\$ 1480	42	42	1½	—	—	61 lbs.	3.2
	48" Square									
	CLNN4848SQW	Wood	\$ 1742	48	48	1½	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases
- See Tables Price List pages 60-67 for coordinating conference table tops
- Grommet options available on 1½" round and square tops are G10C and CUT-G15C, reference Tables Price List page 59 for grommet options and upcharge

EnvyWorks

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1" TFL (thermally fused laminate)
- 2mm PVC edge detail
- Woodgrain surfaces available with complementary woodgrain PVC or woodgrain ribbon PVC
- Pattern and solid laminate surfaces feature complementary PVC
- Grain direction runs left-to-right unless noted

CHASSIS CONSTRUCTION

- TFL (thermally fused laminate) chassis fastened by screws, glue and hardwood cleats
- ¾ pedestals
- ¾" thick full modesty panels
- 1" thick end panels
- Laminate backs unless noted
- Standard leveling glides
- Horizontal grain direction unless noted

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain ½" thick, sides are laminated woodgrain ¾" thick
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT


- Standard in returns, credenzas, bridges, corner units and highback organizers
- Optional wire managers are available (see accessory pages)

LOCKING

- All units feature standard pedestal locking
- 4 door highback organizers feature one standard lock for center compartment; 3 door highback organizers feature two standard locks
- Black, removable cores are standard for all pedestal locks
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, change keys, and master keys, reference page 297

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models



Drawer Description	Interior Dimensions Width	Depth	Height	Front-To-Back Filing Capabilities
Box Drawer—Desk	12½"	17"	3½"	N/A
File Drawer—Desk	12½"	17"	9½"	Letter
Box Drawer—Executive Return	12½"	17"	3½"	N/A
File Drawer—Executive Return	12½"	17"	9½"	Letter
Box Drawer—Credenza	15½"	17"	3½"	N/A
File Drawer—Credenza	15½"	17"	9½"	Legal
Lateral File Drawer—36" Lateral File	31½"	15"	9½"	Letter, Legal, EDP
Lateral File Drawer—30" Lateral File	26½"	15"	9½"	Letter, Legal, EDP

- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WORKSURFACE LAMINATES

Woodgrain Laminate

NM	Natural
HN	Honey
CL	Caramel
TF	Truffle
AC2	Autumn 2
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha
HNR	Honey Ribbon
AC2R	Autumn 2 Ribbon
MCR	Amber Ribbon
CWR	Cordovan Ribbon
MHR	Mocha Ribbon

Solid Laminate

405	Designer White
420	Sandstone
425	Shadow
461	Graphite
478	Platinum Grey
480	Antique White

Pattern Laminate

802	White Nebula
807	Silicon Evolv
860	Neutral Santos
874	Bronze Legacy

CHASSIS LAMINATES


Woodgrain Laminate

NM	Natural
HN	Honey
CL	Caramel
TF	Truffle
AC2	Autumn 2
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha

Solid Laminate

405	Designer White
420	Sandstone
425	Shadow
461	Graphite
478	Platinum Grey
480	Antique White

RIM PROFILE



Softened PVC
EnvyWorks

PULLS



Pull
(Boring Pattern 96mm)



Knob
(Boring Pattern 32mm)
Highbacks and single wardrobes only

GROMMET OPTIONS

Round, black grommets are standard in bridges, returns, corner units, credenzas and highback organizers

EnvyWorks L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Center grommet in return
- Must specify finish

To Order, Specify Finish:


Worksurface Laminate

NM	Natural	405	Designer White
HN	Honey	420	Sandstone
CL	Caramel	425	Shadow
TF	Truffle	461	Graphite
AC2	Autumn 2	478	Platinum Grey
MC	Amber	480	Antique White
CW	Cordovan	802	White Nebula
DW	Judicial	807	Silicon Evolv
MH	Mocha	860	Neutral Santos
HNR	Honey Ribbon	874	Bronze Legacy
AC2R	Autumn 2 Ribbon		
MCR	Amber Ribbon		
CWR	Cordovan Ribbon		
MHR	Mocha Ribbon		


Chassis Laminate

NM	Natural
HN	Honey
CL	Caramel
TF	Truffle
AC2	Autumn 2
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha
405	Designer White
420	Sandstone
425	Shadow
461	Graphite
478	Platinum Grey
480	Antique White

L-CONFIGURATIONS	Model No./Description	List Price
Left L-Configuration Laminate Top	NV8472LLF 83%D x 71½W \$ 1564	
	consists of	
	NV3672DRY Right Pedestal Desk 982	
	NV2448RLEY Left Pedestal Return 582	
	NV7872LLF 77%D x 71½W \$ 1547	
	consists of	
	NV3672DRY Right Pedestal Desk 982	
	NV2442RLEY Left Pedestal Return 565	
	NV7866LLF 77%D x 65¾W \$ 1511	
	consists of	
	NV3066DRY Right Pedestal Desk 929	
	NV2448RLEY Left Pedestal Return 582	
	NV7266LLF 71%D x 65¾W \$ 1494	
	consists of	
	NV3066DRY Right Pedestal Desk 929	
	NV2442RLEY Left Pedestal Return 565	



L-CONFIGURATIONS	Model No./Description	List Price
Right L-Configuration Laminate Top	NV8472LRF 83%D x 71½W \$ 1564	
	consists of	
	NV3672DLY Left Pedestal Desk 982	
	NV2448RREY Right Pedestal Return 582	
	NV7872LRF 77%D x 71½W \$ 1547	
	consists of	
	NV3672DLY Left Pedestal Desk 982	
	NV2442RREY Right Pedestal Return 565	
	NV7866LRF 77%D x 65¾W \$ 1511	
	consists of	
	NV3066DLY Left Pedestal Desk 929	
	NV2448RREY Right Pedestal Return 582	
	NV7266LRF 71%D x 65¾W \$ 1494	
	consists of	
	NV3066DLY Left Pedestal Desk 929	
	NV2442RREY Right Pedestal Return 565	



EnvyWorks U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Center grommet in bridge
- Center grommet in credenza
- Must specify finish

To Order, Specify Finish:

Worksurface Laminate


NM	Natural	405	Designer White
HN	Honey	420	Sandstone
CL	Caramel	425	Shadow
TF	Truffle	461	Graphite
AC2	Autumn 2	478	Platinum Grey
MC	Amber	480	Antique White
CW	Cordovan	802	White Nebula
DW	Judicial	807	Silicon Evolv
MH	Mocha	860	Neutral Santos
HNR	Honey Ribbon	874	Bronze Legacy
AC2R	Autumn 2 Ribbon		
MCR	Amber Ribbon		
CWR	Cordovan Ribbon		
MHR	Mocha Ribbon		

Chassis Laminate

NM	Natural		
HN	Honey		
CL	Caramel		
TF	Truffle		
AC2	Autumn 2		
MC	Amber		
CW	Cordovan		
DW	Judicial		
MH	Mocha		
405	Designer White		
420	Sandstone		
425	Shadow		
461	Graphite		
478	Platinum Grey		
480	Antique White		

U-CONFIGURATIONS


Left U-Configuration Laminate Top



Model No./Description	List Price
NV10872ULF 107½D x 71½W \$ 2208	
consists of	
NV3672DRY Right Pedestal Desk	982
NV2448BEF Bridge	343
NV2472CLY Left Pedestal Credenza	883
NV10272ULF 101½D x 71½W \$ 2193	
consists of	
NV3672DRY Right Pedestal Desk	982
NV2442BEF Bridge	328
NV2472CLY Left Pedestal Credenza	883
NV10266ULF 101½D x 65¾W \$ 2114	
consists of	
NV3066DRY Right Pedestal Desk	929
NV2448BEF Bridge	343
NV2466CLY Left Pedestal Credenza	842
NV9666ULF 95½D x 65¾W \$ 2099	
consists of	
NV3066DRY Right Pedestal Desk	929
NV2442BEF Bridge	328
NV2466CLY Left Pedestal Credenza	842

U-CONFIGURATIONS

Right U-Configuration Laminate Top



Model No./Description	List Price
NV10872URF 107½D x 71½W \$ 2208	
consists of	
NV3672DLY Left Pedestal Desk	982
NV2448BEF Bridge	343
NV2472CRY Right Pedestal Credenza	883
NV10272URF 101½D x 71½W \$ 2193	
consists of	
NV3672DLY Left Pedestal Desk	982
NV2442BEF Bridge	328
NV2472CRY Right Pedestal Credenza	883
NV10266URF 101½D x 65¾W \$ 2114	
consists of	
NV3066DLY Left Pedestal Desk	929
NV2448BEF Bridge	343
NV2466CRY Right Pedestal Credenza	842
NV9666URF 95½D x 65¾W \$ 2099	
consists of	
NV3066DLY Left Pedestal Desk	929
NV2442BEF Bridge	328
NV2466CRY Right Pedestal Credenza	842

Product Specifications






- See page 161 for all options available in EnvyWorks
- See pages 291-310 for accessories

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Number:


NV3672DDYA	CW	CW
NV3072DU	CW	CW

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet		
			D	W	H	A	KW				
	Double Pedestal Desk Arc Top	NV3672DDYA	\$ 1290	35 ⁷ / ₈	71 ³ / ₄	29 ¹ / ₂	12 ¹ / ₈	40	286 lbs.	57.4	
	Double Pedestal Desk	NV3672DDY	\$ 1126	35 ²⁹ / ₃₂	71 ³ / ₄	29 ¹ / ₂	12 ¹ / ₈	40 ⁷ / ₃₂	320 lbs.	57.4	
		NV3066DDY	1048	29 ⁷ / ₈	65 ³ / ₄	29 ¹ / ₂	6 ¹ / ₈	34 ³ / ₁₆	253 lbs.	45.3	
		NV3060DDY	995	29 ⁷ / ₈	59 ³ / ₄	29 ¹ / ₂	6 ¹ / ₈	28 ³ / ₁₆	232 lbs.	41.5	
	Single Pedestal Desk Arc Top	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
		NV3672DLYA	NV3672DRYA	\$ 1121	35 ⁷ / ₈	71 ³ / ₄	29 ¹ / ₂	12 ¹ / ₈	54 ⁷ / ₈	242 lbs.	57.4
	Single Pedestal Desk	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
		NV3672DLY	NV3672DRY	\$ 982	35 ²⁹ / ₃₂	71 ¹ / ₂	29 ¹ / ₂	12 ¹ / ₈	54 ⁷ / ₈	245 lbs.	57.4
		NV3066DLY	NV3066DRY	929	29 ²⁹ / ₃₂	65 ³ / ₄	29 ¹ / ₂	6 ¹ / ₈	48 ⁷ / ₈	194 lbs.	45.3
	U-Shaped Desk	NV3072DU	\$ 625	29 ²⁹ / ₃₂	71 ³ / ₄	29 ¹ / ₂	—	—	110 lbs.	4.5	
		NV3066DU	593	29 ²⁹ / ₃₂	65 ³ / ₄	29 ¹ / ₂	—	—	102 lbs.	3.8	
		• Must specify support base; see page 165 for support base models • Some assembly required • Not recommended as a freestanding unit									

Specify selections, left to right:


Base Model	Worksurface Laminate	Chassis Laminate
NV3672DDYA	NM Natural HN Honey CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha HNR Honey Ribbon AC2R Autumn 2 Ribbon MCR Amber Ribbon CWR Cordovan Ribbon MHR Mocha Ribbon	405 Designer White 420 Sandstone 425 Shadow 461 Graphite 478 Platinum Grey 480 Antique White 802 White Nebula 807 Silicon Evolv 860 Neutral Santos 874 Bronze Legacy NM Natural HN Honey CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 405 Designer White 420 Sandstone 425 Shadow 461 Graphite 478 Platinum Grey 480 Antique White CW

	Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
U-Shaped Desk with Modesty	NV3072DUF	\$ 749	29 ²⁹ / ₃₂	71 ³ / ₄	29 ¹ / ₂	—	—	137 lbs.	4.5
	NV3066DUF	711	29 ²⁹ / ₃₂	65 ³ / ₄	29 ¹ / ₂	—	—	127 lbs.	3.8



- Must specify support base; see below for support base models
- Some assembly required
- Not recommended as a freestanding unit

P-Shaped Desk




<i>Left P</i>	<i>Right P</i>								
NV3072DPL	NV3072DPR	\$ 759	35 ⁷ / ₈	71 ³ / ₄	29 ¹ / ₂	—	—	114 lbs.	5.4

- Must specify support base; see below for support base models
- Some assembly required
- Not recommended as a freestanding unit

Left shown

P-Shaped Desk with Modesty



<i>P—with Modesty Left</i>	<i>Right</i>								
NV3072DPLF	NV3072DPRF	\$ 810	35 ⁷ / ₈	71 ³ / ₄	29 ¹ / ₂	—	—	127 lbs.	5.4

- Must specify support base; see below for support base models
- Some assembly required
- Not recommended as a freestanding unit

Left shown

Support Base



			DI	W	H				
NAC2804SFB	Cinder	\$ 244	4	—	27 ³ / ₄	—	—	10 lbs.	1.0

- Specify model number only

Product Specification





- See page 161 for all options available in EnvyWorks

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width


Sample Model Number:

NV3672DTLY3 CW CW
NV2472CLY CW CW


	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
 Left shown	Reception Desk									
	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	NV3672DTLY3	NV3672DTRY3	\$ 1513	35 ¹³ ₁₆	71 ³ ₄	42	6 ¹ ₁₆	54 ³ ₄	290 lbs.	59.8
	• Must be used with reception return									
 Right shown	Reception Return									
	<i>Left</i>	<i>Right</i>								
	NV2448RTLY3	NV2448RTRY3	\$ 829	24 ¹ ₁₆	47 ⁵ ₁₆	42	—	31 ³ ₄	176 lbs.	32.4
	• Must be used with reception desk									
	• Vertical grain direction on modesty panel									
 Left shown	<i>Left Return</i>	<i>Right Return</i>								
	NV2448RLEY	NV2448RREY	\$ 582	23 ³ ₄	47 ¹ ₁₆	29 ¹ ₂	⁵ ₃₂	30 ¹ ₁₆	142 lbs.	28.1
	NV2442RLEY	NV2442RREY	565	23 ³ ₄	41 ¹ ₁₆	29 ¹ ₂	⁵ ₃₂	24 ¹ ₁₆	133 lbs.	25.0
	• Vertical grain direction on modesty panel									
Corner Unit	NV3636CFS	\$ 654	36	36	29 ¹ ₂	⁵ ₃₂	17	129 lbs.	5.9	
	• Some assembly required									
	• Vertical grain direction on modesty panel									
	NV2448BEF	\$ 343	23 ³ ₄	47 ¹ ₁₆	29 ¹ ₂	⁵ ₃₂	—	70 lbs.	3.9	
	NV2442BEF	328	23 ³ ₄	41 ¹ ₁₆	29 ¹ ₂	⁵ ₃₂	—	49 lbs.	3.2	
	NV2436BEF	318	23 ³ ₄	35 ²⁹ ₃₂	29 ¹ ₂	⁵ ₃₂	—	39 lbs.	2.8	
	• Some assembly required									
	• Standard wire management centered in modesty panel 1 ³ ₄ " from the top edge									
	• Vertical grain direction on modesty panel									
Storage Credenza	NV2472CSY	\$ 1154	23 ²⁹ ₃₂	71 ³ ₄	29 ¹ ₂	⁵ ₃₂	—	306 lbs.	40.6	
	NV2466CSY	1075	23 ²⁹ ₃₂	65 ³ ₄	29 ¹ ₂	⁵ ₃₂	—	284 lbs.	37.5	
	• Features an adjustable shelf									
	• Standard wire management centered in modesty panel 1 ³ ₄ " from the top edge									

Specify selections, left to right:

Base Model	Worksurface Laminate	Chassis Laminate
NV3672DTLY3	NM Natural HN Honey CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha HNR Honey Ribbon AC2R Autumn 2 Ribbon MCR Amber Ribbon CWR Cordovan Ribbon MHR Mocha Ribbon	NM Natural HN Honey CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 405 Designer White 420 Sandstone 425 Shadow 461 Graphite 478 Platinum Grey 480 Antique White 802 White Nebula 807 Silicon Evolv 860 Neutral Santos 874 Bronze Legacy


	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Kneespace Credenza 	NV2472CKY	\$ 1030	23 ²⁹ / ₃₂ 71 ³ / ₄ 29 ¹ / ₂ ⁵ / ₃₂ 34 ⁷ / ₃₂	239 lbs.	40.6
	NV2466CKY	996	23 ²⁹ / ₃₂ 65 ³ / ₄ 29 ¹ / ₂ ⁵ / ₃₂ 28 ³ / ₁₆	227 lbs.	37.5

- Standard wire management centered in modesty panel 1³/₄" from the top edge


	Left Pedestal	Right Pedestal	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza 	NV2472CLY	NV2472CRY	\$ 883	23 ²⁹ / ₃₂ 71 ³ / ₄ 29 ¹ / ₂ ⁵ / ₃₂ 51 ³ / ₄	219 lbs.	40.6
	NV2466CLY	NV2466CRY	842	23 ²⁹ / ₃₂ 65 ³ / ₄ 29 ¹ / ₂ ⁵ / ₃₂ 45 ³ / ₄	207 lbs.	37.5

- Standard wire management centered in modesty panel 1³/₄" from the top edge


Left shown

Shell Desk 	NV3072DSF	\$ 600	29 ²⁹ / ₃₂ 71 ³ / ₄ 29 ¹ / ₂ 6 ¹ / ₈ —	150 lbs.	4.7
	NV3066DSF	577	29 ²⁹ / ₃₂ 65 ³ / ₄ 29 ¹ / ₂ 6 ¹ / ₈ —	138 lbs.	4.3
	NV3060DSF	557	29 ²⁹ / ₃₂ 59 ³ / ₄ 29 ¹ / ₂ 6 ¹ / ₈ —	126 lbs.	4.0
	NV3048DSF	505	29 ²⁹ / ₃₂ 47 ³ / ₄ 29 ¹ / ₂ 6 ¹ / ₈ —	111 lbs.	3.3

- Some assembly required
- Support panel (NV1228SP) required when kneespace is greater than 60"

Shell Return with Support 	NV2472RSF	\$ 538	23 ²⁹ / ₃₂ 71 ³ / ₄ 29 ¹ / ₂ ⁵ / ₃₂ —	115 lbs.	4.8
	NV2466RSF	522	23 ²⁹ / ₃₂ 65 ³ / ₄ 29 ¹ / ₂ ⁵ / ₃₂ —	101 lbs.	4.4
	NV2460RSF	502	23 ²⁹ / ₃₂ 59 ³ / ₄ 29 ¹ / ₂ ⁵ / ₃₂ —	89 lbs.	4.0

- Some assembly required
- Hardware is included for attachment
- Unit is non-handed

Shell Return 	NV2448RSF	\$ 482	23 ²⁹ / ₃₂ 47 ¹¹ / ₁₆ 29 ¹ / ₂ ⁵ / ₃₂ —	70 lbs.	3.6
	NV2442RSF	461	23 ²⁹ / ₃₂ 41 ¹¹ / ₁₆ 29 ¹ / ₂ ⁵ / ₃₂ —	59 lbs.	3.2
	NV2436RSF	442	23 ²⁹ / ₃₂ 35 ²⁹ / ₃₂ 29 ¹ / ₂ ⁵ / ₃₂ —	49 lbs.	2.8

- Some assembly required
- Hardware is included for attachment
- Unit is non-handed

Product Specification





- See page 161 for all options available in EnvyWorks

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width




Sample Model Numbers:

NV367224LF CW CW
NV2315PUBF CW
NV2415PMTF CW
NV1472HBH CW

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
			D	W	H					
	NV2472BSF	\$ 421	23¾	71¾	29½	⅝ ₃₂	—	115 lbs.	4.4	
	NV2466BSF	404	23¾	65¾	29½	⅝ ₃₂	—	103 lbs.	4.2	
	NV2460BSF	383	23¾	59¾	29½	⅝ ₃₂	—	91 lbs.	4.0	
	• Some assembly required • Standard cord management centered in modesty panel 1¾" from the top edge									
	NV2448BSF	\$ 343	23¾	47 ¹¹ / ₁₆	29½	⅝ ₃₂	—	70 lbs.	3.9	
	NV2442BSF	328	23¾	41 ¹¹ / ₁₆	29½	⅝ ₃₂	—	49 lbs.	3.2	
	NV2436BSF	318	23¾	35 ²⁹ / ₃₂	29½	⅝ ₃₂	—	39 lbs.	2.8	
	• Some assembly required • Standard cord management centered in modesty panel 1¾" from the top edge									
	NV2472CSHF	\$ 557	23¾	71¾	29½	⅝ ₃₂	—	130 lbs.	4.8	
	NV2466CSHF	543	23¾	65¾	29½	⅝ ₃₂	—	118 lbs.	4.4	
	NV2460CSHF	517	23¾	59¾	29½	⅝ ₃₂	—	106 lbs.	4.0	
	• Some assembly required • Standard wire management centered in modesty panel 1¾" from the top edge • Support panel (NV1228SP) required when kneespace is greater than 60"									
 NV367224RF	<i>Left</i>	<i>Right</i>								
	NV367224LF	NV367224RF	\$ 778	35 ⁷ / ₈	71¾	29½	⅞	—	158 lbs.	5.7
	NV366624LF	NV366624RF	759	35 ⁷ / ₈	65¾	29½	⅞	—	151 lbs.	5.2
	• Features 1 full and 1 recessed leg (must be attached to a return or bridge on the recessed leg end of the unit) • Some assembly required • Recessed legs are 12" in depth • Full panel legs are 23¾" in depth									
	NV1228SP	\$ 148	12	1	27 ³ / ₃₂	—	—	13 lbs.	0.9	
	• Specify chassis color only • Required for use when kneespace area is 60" or more • For use as added support in the center of long worksurfaces where standard support methods are not possible									

Specify selections, left to right:

Base Model	Worksurface Laminate	Chassis Laminate
NV367224LF	NM Natural HN Honey CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha HNR Honey Ribbon AC2R Autumn 2 Ribbon MCR Amber Ribbon CWR Cordovan Ribbon MHR Mocha Ribbon	405 Designer White 420 Sandstone 425 Shadow 461 Graphite 478 Platinum Grey 480 Antique White 802 White Nebula 807 Silicon Evolv 860 Neutral Santos 874 Bronze Legacy NM Natural HN Honey CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 405 Designer White 420 Sandstone 425 Shadow 461 Graphite 478 Platinum Grey 480 Antique White CW

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Shell Pedestal ¾ Box/File 	NV2315PUBF • Specify chassis color only • Pedestal locking is standard • Pedestal shipped assembled with hardware	\$ 424	21 ¹⁵ / ₁₆ 15 ³ / ₁₆ 19 ³ / ₄ — —	50 lbs.	7.0
Shell Pedestal Box/Box/File 	NV2315PUBBF • Specify chassis color only • Pedestal locking is standard • Pedestal shipped assembled with hardware	\$ 560	21 ¹⁵ / ₁₆ 15 ³ / ₁₆ 27 ³ / ₃₂ — —	65 lbs.	10.0
Shell Pedestal File/File 	NV2315PUFF • Specify chassis color only • Pedestal locking is standard • Pedestal shipped assembled with hardware	\$ 560	21 ¹⁵ / ₁₆ 15 ³ / ₁₆ 27 ³ / ₃₂ — —	65 lbs.	10.0
Shell Pedestal Lateral File 	NV2330LFU2 • Front-to-back filing is standard with lateral files; four rods per drawer are included • Specify chassis color only • Pedestal locking is standard • Pedestal shipped assembled with hardware	\$ 623	21 ¹⁵ / ₁₆ 29 ¹⁵ / ₁₆ 27 ³ / ₃₂ — —	90 lbs.	17.6
Mobile Pedestal Task/File 	NV2415PMTF • Specify chassis color only • Standard locking • Some assembly required • Four double wheel casters	\$ 600	22 ⁵ / ₁₆ 16 ¹ / ₄ 26 ¹⁹ / ₃₂ — —	115 lbs.	10.0
Highback Organizer 	NV1472HBH NV1466HBH NV1460HBH NV1448HBH NV1442HBH • Specify chassis color only • All highback organizers feature full laminate back panel and cord management • 60, 66, and 72" highback organizers feature (4) side hinged doors • 42 and 48" highback organizers feature (3) side hinged doors • For tack board options, see pages 304-308	\$ 1010 963 915 752 710	14 71 ² / ₃₂ 36 — — 14 65 ¹⁹ / ₃₂ 36 — — 14 59 ⁵ / ₁₆ 36 — — 14 47 ¹ / ₂ 36 — — 14 41 ¹ / ₂ 36 — —	220 lbs. 201 lbs. 183 lbs. 175 lbs. 167 lbs.	29.2 26.9 24.6 19.7 17.3

Product Specification





- See page 161 for all options available in EnvyWorks

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width







Sample Model Numbers:

NV2436LFF2 CW CW
NV3065BCOHF CW CW
NV2448WSHR 802

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
			D	W	H					
	Corner Highback Organizer	NV3636HBHC	\$ 743	35 ² / ₂	35 ² / ₂	35	—	—	135 lbs. 4.7	
	• Specify chassis color only • Some assembly required • Organizer features cord management									
	Storage Module Shelf	NV1472SMS	\$ 650	14	71 ² / ₂	21 ¹ / ₈	—	—	115 lbs. 19.5	
		NV1466SMS	618	14	65 ¹ / ₂	21 ¹ / ₈	—	—	105 lbs. 17.9	
		NV1460SMS	582	14	59 ⁵ / ₈	21 ¹ / ₈	—	—	96 lbs. 16.3	
		NV1448SMS	524	14	47 ¹ / ₂	21 ¹ / ₈	—	—	77 lbs. 13.0	
	• Specify chassis color only • Some assembly required • Shaded shelves are adjustable • Not intended for wall mounting application									
	Lateral File Two Drawer	NV2436LFF2	\$ 764	23 ³ / ₄	35 ³ / ₄	29 ¹ / ₂	—	—	184 lbs. 17.7	
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Standard locking									
	Single Storage Cabinet/Wardrobe	Left Unit	Right Unit							
		NV1865VSWHL	NV1865VSWHR	\$ 797	23 ³ / ₄	17 ¹ / ₂	64 ¹ / ₂	—	—	163 lbs. 26.0
	• Specify chassis color only • Single storage cabinet can be used as a wardrobe unit by removing the four adjustable shelves • Removable coat rod is standard • Standard locking • Shaded shelves are adjustable									
Left shown										
	Corner Bookcase	NV1465BCOC	\$ 697	14	14	64 ¹ / ₂	—	—	100 lbs. 9.5	
	• Specify chassis color only • Not recommended as a freestanding unit; must be ganged to an existing unit or attached to a wall • Shaded shelves are adjustable									

Specify selections, left to right:

Base Model	Worksurface Laminate	Chassis Laminate
NV2436LFF2	CW	CW

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
 Bookcase with Doors Two Shelves	NV3065BCOHF	\$ 749	14⅜	29¾	64½	—	—	140 lbs.	27.4	
	• Specify chassis color only • Standard locking • Some assembly required • Shaded shelves are adjustable • Adjustable shelf in storage area • Bookcase has an unfinished back									
 Bookcase with Doors Single Shelf	NV3053BCOHF	\$ 692	14⅜	29¾	51⅝	—	—	114 lbs.	22.4	
	• Specify chassis color only • Standard locking • Some assembly required • Shaded shelf is adjustable • Adjustable shelf in storage area • Bookcase has an unfinished back									
 Set-on Bookcase Open	NV1415BCO	\$ 304	14	14⅞	36	—	—	56 lbs.	8.2	
	• Specify chassis color only • Some assembly required • Shaded shelf is adjustable									
 Set-On Bookcase with Door	<i>Left Hinged</i>	<i>Right Hinged</i>								
	NV1415BCHL	NV1415BCHR	\$ 359	14	14⅞	36	—	—	58 lbs.	8.2
	• Specify chassis color only • Some assembly required • Shaded shelves are adjustable									
 Suspended Shelf	NV1442SHS	\$ 199	14	41⅜	5⅜	—	—	27 lbs.	1.5	
	NV1436SHS	178	14	35⅜	5⅜	—	—	24 lbs.	1.3	
	NV1430SHS	161	14	29 ²⁷ / ₃₂	5⅜	—	—	21 lbs.	1.1	
	• Specify chassis color only • Some assembly required • Shelf to be attached between two set-on bookcases									
 Half Round Worksurface	NV2448WSHR	\$ 333	23¾	47⅜	1	—	—	35 lbs.	2.5	
	• Specify worksurface color only • Must specify support base; see page 165 for support base options									

Escalade

Escalade

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1½" combined worksurface and mitered wood rim
- Slipmatched cherry and maple veneer, bookmatched walnut veneer
- Grain direction runs left-to-right unless noted
- Mitered wood rim detail
- Two sheen options available on most worksurfaces; standard sheen featured on above surface units

FINISH APPLICATION

- Escalade series finished with IntegraClear™ UV technology. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, dowels, and concealed fasteners to ensure maximum strength
- Adjustable floor levelers are standard on all casegoods
- ¾" thick full height modesty panels
- 1½" thick end panels and support panels
- Vertical grain direction on all modesty panels
- Unfinished back panels unless noted
- Mitered wood base detail

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

DRAWERS


- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain ½" thick, sides are laminated woodgrain ⅜" thick
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSION

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- Heavy-duty file rods in file drawers

DRAWER PULLS

- Satin Nickel drawer pulls and knobs



CORD MANAGEMENT

- Grommets are available in predetermined locations
- Optional wire managers are available (see accessory pages)

LOCKING

- Locking is standard in all desks, credenzas, returns, undersurface, above surface, and storage units
- Locks are independent, face mounted with black finish
- Removable lock cylinders allow for units to be easily rekeyed
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, change keys, and master keys, reference page 297

ABOVE SURFACE DOORS

- Wood or crackled silkscreen glass

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions Width	Length	Height	Front-To-Back Filing Capabilities
Box Drawer - 30x66 Single Ped Desks	12⅞"	17"	3⅞"	N/A
File Drawer - 30x66 Single Ped Desks	12⅞"	17"	9⅞"	Letter
Box Drawer - All Other Desks	15⅞"	17"	3⅞"	N/A
File Drawer - All Other Desks	15⅞"	17"	9⅞"	Legal
Box Drawer - Return	12⅞"	17"	3⅞"	N/A
File Drawer - Return	12⅞"	17"	9⅞"	Letter
Lateral Drawer - Return	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Box Drawer - Credenza	15⅞"	15"	3⅞"	N/A
File Drawer - Credenza	15⅞"	15"	9⅞"	Legal
Lateral Drawer - Credenza	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Lateral File Drawer	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
30" Center Drawer	20⅞"	15"	1½"	N/A
36" Center Drawer	26⅞"	15"	1½"	N/A
Keyboard Drawer	26"	15¼"	2¼"	N/A

- All file drawers, with the exception of 30x66 single pedestal desks, file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

- NM Natural
- HN Honey
- CL Caramel
- TF Truffle
- AC Autumn
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha


WORKSURFACE
SHEEN OPTIONS

- R Standard
- N Matte/Satin

METAL COLORS


- 462 Cinder
- 503 Satin Nickel Metallic

RIM PROFILE



Tribeca

PULL



Fluid (79)


79SN Satin Nickel
(Boring Pattern 64mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black

- G1LR Left & Right
- G1C Center



Round Grommet
Plastic

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Tribeca
Pull:	Fluid (79)
Grommets:	Included on bridges, returns and credenzas
Sheen:	Standard
Finish:	Must specify Amber (MC) or Cordovan (CW)

Escalade L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


Arrangements Include:

- Fluid, Satin Nickel pulls
- Standard sheen
- Left and right grommets in return
- Must specify finish



To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Fluid, Satin Nickel pulls

L-CONFIGURATIONS	Model No./Description		List Price	L-CONFIGURATIONS	Model No./Description		List Price
Left L-Configuration Wood Top 	QECN8573LLFW	84½D x 72½W	\$ 5141	Right L-Configuration Wood Top 	QECN8573LRFW	84½D x 72½W	\$ 5141
	ECN8573LLFW	84½D x 72½W	\$ 5141		ECN8573LRFW	84½D x 72½W	\$ 5141
	consists of				consists of		
	ECN3673DRFBW1	Right Pedestal Desk	2927		ECN3673DLFBW1	Left Pedestal Desk	2927
	ECN2548RLEFW2	Left Pedestal Return	2214		ECN2548RREFW2	Right Pedestal Return	2214
	QECN7973LLFW	78½D x 72½W	\$ 5099		QECN7973LRFW	78½D x 72½W	\$ 5099
	ECN7973LLFW	78½D x 72½W	\$ 5099		ECN7973LRFW	78½D x 72½W	\$ 5099
	consists of				consists of		
	ECN3673DRFBW1	Right Pedestal Desk	2927		ECN3673DLFBW1	Left Pedestal Desk	2927
	ECN2542RLEFW2	Left Pedestal Return	2172		ECN2542RREFW2	Right Pedestal Return	2172
ECN7967LLFW	78½D x 66½W	\$ 5030	ECN7967LRFW	78½D x 66½W	\$ 5030		
consists of			consists of				
ECN3067DRFBW1	Right Pedestal Desk	2816	ECN3067DLFBW1	Left Pedestal Desk	2816		
ECN2548RLEFW2	Left Pedestal Return	2214	ECN2548RREFW2	Right Pedestal Return	2214		
ECN7367LLFW	72½D x 66½W	\$ 4988	ECN7367LRFW	72½D x 66½W	\$ 4988		
consists of			consists of				
ECN3067DRFBW1	Right Pedestal Desk	2816	ECN3067DLFBW1	Left Pedestal Desk	2816		
ECN2542RLEFW2	Left Pedestal Return	2172	ECN2542RREFW2	Right Pedestal Return	2172		

Escalade U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


Arrangements Include:

- Fluid, Satin Nickel pulls
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha


To You In 10 DAYS ...or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Fluid, Satin Nickel pulls

U-CONFIGURATIONS


Left U-Configuration Wood Top



Model No./Description	List Price
QECN10773ULFW 106% D x 72½ W	\$ 6379
ECN10773ULFW 106% D x 72½ W	\$ 6379
consists of	
ECN3673DRFBW1 Right Pedestal Desk	2927
ECN2548BEFW Bridge	996
ECN2273CLFW2 Left Pedestal Credenza	2456
QECN10173ULFW 100% D x 72½ W	\$ 6351
ECN10173ULFW 100% D x 72½ W	\$ 6351
consists of	
ECN3673DRFBW1 Right Pedestal Desk	2927
ECN2542BEFW Bridge	968
ECN2273CLFW2 Left Pedestal Credenza	2456
ECN10167ULFW 100% D x 66½ W	\$ 6233
consists of	
ECN3067DRFBW1 Right Pedestal Desk	2816
ECN2548BEFW Bridge	996
ECN2267CLFW2 Left Pedestal Credenza	2421
ECN9567ULFW 94% D x 66½ W	\$ 6205
consists of	
ECN3067DRFBW1 Right Pedestal Desk	2816
ECN2542BEFW Bridge	968
ECN2267CLFW2 Left Pedestal Credenza	2421

U-CONFIGURATIONS

Right U-Configuration Wood Top



Model No./Description	List Price
QECN10773URFW 106% D x 72½ W	\$ 6379
ECN10773URFW 106% D x 72½ W	\$ 6379
consists of	
ECN3673DLFBW1 Left Pedestal Desk	2927
ECN2548BEFW Bridge	996
ECN2273CRFW2 Right Pedestal Credenza	2456
QECN10173URFW 100% D x 72½ W	\$ 6351
ECN10173URFW 100% D x 72½ W	\$ 6351
consists of	
ECN3673DLFBW1 Left Pedestal Desk	2927
ECN2542BEFW Bridge	968
ECN2273CRFW2 Right Pedestal Credenza	2456
ECN10167URFW 100% D x 66½ W	\$ 6233
consists of	
ECN3067DLFBW1 Left Pedestal Desk	2816
ECN2548BEFW Bridge	996
ECN2267CRFW2 Right Pedestal Credenza	2421
ECN9567URFW 94% D x 66½ W	\$ 6205
consists of	
ECN3067DLFBW1 Left Pedestal Desk	2816
ECN2542BEFW Bridge	968
ECN2267CRFW2 Right Pedestal Credenza	2421

Escalade

Product Specifications

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

Dimension Key






D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:

ECN3673DDFBW8	79SN	X	N	MH
ECN3672DULW	79SN	R	MH	
ECN3672DULFW	79SN	R	MH	462

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Double Pedestal Desk Arc Top 	ECN3673DDFBW8	\$ 3946	35 ¹ / ₁₆	72½	29½	6	34¾	320 lbs.	57.4	
	• Depth of arc top is 35¹/₁₆" at its widest point • Grommet (G1LR) available									
Double Pedestal Desk 	QECN3673DDFBW8	\$ 3234	36¼	72½	29½	—	34¾	361 lbs.	57.4	
	ECN3673DDFBW8	3234	36¼	72½	29½	—	34¾	361 lbs.	57.4	
	ECN3067DDFBW8	3114	30¼	66½	29½	—	28¾	285 lbs.	45.3	
	• Grommet (G1LR) available									
Table Desk Arc Top 	ECN3673DTAW	\$ 2910	35 ¹ / ₁₆	72½	29½	6	—	140 lbs.	13.9	
	• Unit features a functional, non-locking drawer • Height to the bottom of the rail from the floor is 25" • Some assembly required • Grommets not available									
Single Pedestal Desk Arc Top 	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	ECN3673DLFBW1	ECN3673DRFBW1	\$ 3394	35 ¹ / ₁₆	72½	29½	6	25½	267 lbs.	57.4
Right shown	• Depth of arc top is 35¹/₁₆" at its widest point • Not recommended as a freestanding unit due to routing in the rim • Grommet (G1LR) available									
Single Pedestal Desk 	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	QECN3673DLFBW1	QECN3673DRFBW1	\$ 2927	36¼	72½	29½	—	25½	311 lbs.	57.4
	ECN3673DLFBW1	ECN3673DRFBW1	2927	36¼	72½	29½	—	25½	311 lbs.	57.4
	ECN3067DLFBW1	ECN3067DRFBW1	2816	30¼	66½	29½	—	19½	245 lbs.	45.3
	• Not recommended as a freestanding unit due to routing in the rim • Grommet (G1LR) available									
Left shown										

Right shown



Left shown

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Sheen	Finish	Metal Color
ECN3673DDFBAW8	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 503 Satin Nickel Metallic
	79SN	X	N	MH	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
U-Shaped Desk  Left shown	Left U				
	ECN3672DULW	\$ 2388	36 72¼ 29½ 17¾ 27⅓⅙	155 lbs.	13.9
	ECN3672DULFW	ECN3672DURFW w/modesty 2679	36 72¼ 29½ 17¾ 27⅓⅙	175 lbs.	13.9

- Support base must be specified separately; see below for support base options
- Some assembly required
- Not recommended as a freestanding unit due to routing in the rim
- Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)
- Grommets not available

P-Shaped Desk  Left shown  Right shown w/modesty	Left P				
	ECN3672DPLW	\$ 2517	36 72¼ 29½ 11¾ 27⅓⅙	145 lbs.	13.9
	ECN3672DPLFW	ECN3672DPRFW w/modesty 2840	36 72¼ 29½ 11¾ 27⅓⅙	165 lbs.	13.9

- Support base must be specified separately; see below for support base options
- "P" faces approach side for conferencing use
- Some assembly required
- Not recommended as a freestanding unit due to routing in the rim
- Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)
- Grommets not available

Support Base			DI	H				
	NAC2804SFB	Cinder	\$ 244	4	—	27¾-29¼	—	10 lbs. 1.0
	NAC2804SFBN	Satin Nickel Metallic	244	4	—	27¾-29¼	—	10 lbs. 1.0
	NAC2804SFBW	Wood	445	4	—	27¾-29¼	—	10 lbs. 1.0

			D	W	H	A	KW	
	NAC2812SHB	Wood Half	\$ 556	6	11¾	27¾	—	13.3 lbs. 2.6

- Specify model number only on metal base
- Specify finish on wood support base

Corner Unit	ECN3636CFSW	\$ 1880	36¾	36¾	29½	—	—	75 lbs. 29.5
--------------------	-------------	---------	-----	-----	-----	---	---	--------------

- Unit can be attached to bridge and return
- Not recommended as a freestanding unit due to routing in the rim
- Front edge is 16¾"
- Grain direction runs diagonally
- Grommet (G1C) available

Escalade

Product Specifications

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

ECN2548RLEFW1 79SN G1LR R NM
ECN2273CBW 79SN R TF
ECN2273CSFW2 79SN N CL






To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Reception Desk/Return 	Reception Desk								
	<i>Left Pedestal</i>								
	<i>Right Pedestal</i>								
	ECN3276DTLFW1 ECN3276DTRFW1	\$ 4028	32¼	75½	43¼	—	28¾	325 lbs.	67.0
	• Must be used with reception return • Grommet (G1LR) available								
Reception Return 	Reception Return								
	<i>Left</i>								
	<i>Right</i>								
	ECN2550RTLW2 ECN2550RTRW2	\$ 2681	25¾	49¾	41¾	—	29¾	195 lbs.	37.4
	• Must be used with reception desk • Not recommended as a freestanding unit due to routing in the rim • Grommet (G1C) available								
Return Box/Box/File 	Left Pedestal								
	Right Pedestal								
	ECN2548RLEFW1 ECN2548RREFW1	\$ 2214	25¼	48¼	29½	—	28¾	147 lbs.	29.0
	ECN2542RLEFW1 ECN2542RREFW1	2172	25¼	42¼	29½	—	22¾	137 lbs.	25.9
	• Grain direction on worksurface runs front-to-back • Grommet (G1LR) available								
Return File/File 	Left Pedestal								
	Right Pedestal								
	QECN2548RLEFW2 QECN2548RREFW2	\$ 2214	25¼	48¼	29½	—	28¾	147 lbs.	29.0
	ECN2548RLEFW2 ECN2548RREFW2	2214	25¼	48¼	29½	—	28¾	147 lbs.	29.0
	QECN2542RLEFW2 QECN2542RREFW2	2172	25¼	42¼	29½	—	22¾	137 lbs.	25.9
Return Multi-File 	Left Pedestal								
	Right Pedestal								
	ECN2572RLEFW10 ECN2572RREFW10	\$ 2940	25¼	72¼	29½	—	33¾	197 lbs.	41.7
	• Grain direction on worksurface runs front-to-back • Grommet (G1LR) available								

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Sheen	Finish
ECN2548RLEFW1	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	79SN	G1LR	R	NM

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Bridge 	QECN2548BEFW	\$ 996	24 ¹¹ / ₁₆ 48 ¹ / ₁₆ 29 ¹ / ₂ — —	85 lbs.	3.4
	ECN2548BEFW	996	24 ¹¹ / ₁₆ 48 ¹ / ₁₆ 29 ¹ / ₂ — —	85 lbs.	3.4
	QECN2542BEFW	968	24 ¹¹ / ₁₆ 42 ¹ / ₁₆ 29 ¹ / ₂ — —	75 lbs.	3.0
	ECN2542BEFW	968	24 ¹¹ / ₁₆ 42 ¹ / ₁₆ 29 ¹ / ₂ — —	75 lbs.	3.0
	• Some assembly required • Grain direction on worksurface runs front-to-back • Grommet (G1C) available				
Buffet Credenza 	ECN2273CBW Wood	\$ 3875	22 ¹ / ₄ 72 ¹ / ₂ 35 ¹ / ₁₆ — —	380 lbs.	45.2
	• Rim and base molding on front and sides of model • Center two doors lock • Unfinished back panel • Unit features three standard adjustable shelves • Unit features a functional, non-locking drawer • Grommet option not available • Inside dimension of center storage section is 19³/₄" deep x 33¹/₄" wide x 25¹/₄" high				
Entertainment Credenza 	ECN2273CBVW Wood	\$ 3875	22 ¹ / ₄ 72 ¹ / ₂ 35 ¹ / ₁₆ — —	380 lbs.	45.2
	• Rim and base molding on front and sides of model • Center two doors lock • Unfinished back panel • Unit features three standard adjustable shelves • Unit features a functional, non-locking drawer • Cutouts in back panel for venting • Grommet (G1C) available • Inside dimension of center storage section is 19³/₄" deep x 33¹/₄" wide x 25¹/₄" high				
Storage Credenza 	QECN2273CSFW2	\$ 3350	22 ⁵ / ₁₆ 72 ¹ / ₂ 29 ¹ / ₂ — —	340 lbs.	37.8
	ECN2273CSFW2	3350	22 ⁵ / ₁₆ 72 ¹ / ₂ 29 ¹ / ₂ — —	340 lbs.	37.8
	ECN2267CSFW2	3128	22 ⁵ / ₁₆ 66 ¹ / ₂ 29 ¹ / ₂ — —	329 lbs.	34.9
	• Storage credenza features a standard adjustable shelf • Standard center drawer, non-locking • Rim and base molding detail on three sides of unit • Grommets not available				
Storage Credenza Ganging 	ECN2271CSFW2C	\$ 3350	22 ¹ / ₄ 70 ¹ / ₂ 29 ¹ / ₂ — —	340 lbs.	37.8
	ECN2265CSFW2C	3128	22 ¹ / ₄ 64 ¹ / ₂ 29 ¹ / ₂ — —	329 lbs.	34.9
	• Storage credenza features a standard adjustable shelf • Standard center drawer, non-locking • Rim and base molding detail on front edge only to allow for ganging • Grommets not available				

Escalade

Product Specifications

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 192 for ganging examples

Dimension Key






D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

ECN2271CFFW 79SN N CL
ECN2272CLFW1 79SN G1LR N CL
ECN2266CLFW2 79SN X N CL

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet	
			D	W	H	A	KW				
	Lateral File Credenza	ECN2273CFFW	\$ 3503	22¼	72½	29½	—	—	334 lbs.	37.8	
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Grommets not available										
	Lateral File Credenza Ganging	ECN2271CFFWC	\$ 3503	22¼	70½	29½	—	—	334 lbs.	37.8	
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding detail on front edge only to allow for ganging • Grommets not available										
	Kneespace Credenza	QECN2273CKFW2	\$ 2979	22¼	72½	29½	—	34¾	234 lbs.	37.8	
		ECN2273CKFW2	2979	22¼	72½	29½	—	34¾	234 lbs.	37.8	
		ECN2267CKFW2	2801	22¼	66½	29½	—	28¾	223 lbs.	34.9	
	• Rim and base molding on three sides of unit • Grommet (G1LR) available										
	Kneespace Credenza Ganging	ECN2271CKFW2C	\$ 2979	22¼	70½	29½	—	34¾	234 lbs.	37.8	
		ECN2265CKFW2C	2801	22¼	64½	29½	—	28¾	223 lbs.	34.9	
	• Rim and base molding on front and inside kneespace only to allow for ganging • Grommet (G1LR) available										
		Single Pedestal Credenza Box/Box/File	Left Pedestal	Right Pedestal							
		ECN2273CLFW1	ECN2273CRFW1	\$ 2456	22¼	72½	29½	—	25½	195 lbs.	37.8
		ECN2267CLFW1	ECN2267CRFW1	2421	22¼	66½	29½	—	19½	184 lbs.	34.9
• Not recommended as a freestanding unit due to routing in the rim • Rim and base molding detail on three sides of unit • Modesty panel of joining unit will attach above the base molding detail • Grommet (G1LR) available											

Right shown

Specify selections, left to right:


Base Model	Pull Option	Grommet Option	Sheen	Finish
ECN2271CFFW	79SN Fluid, Satin Nickel	G1LR X Black, Left & Right No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	79SN		N	CL

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza Box/Box/File Ganging	<i>Left Pedestal</i>				
	<i>Right Pedestal</i>				
	ECN2272CLFW1C ECN2272CRFW1C	\$ 2456	22¼ 71½ 29½ — 25½	195 lbs.	37.8
	ECN2266CLFW1C ECN2266CRFW1C	2421	22¼ 65½ 29½ — 19½	184 lbs.	34.9



Left shown


- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on two sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available

Single Pedestal Credenza
File/File

Right shown

	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	QECN2273CLFW2	QECN2273CRFW2	\$ 2456	22¼	72½	29½	—	25½	195 lbs.	37.8
	ECN2273CLFW2	ECN2273CRFW2	2456	22¼	72½	29½	—	25½	195 lbs.	37.8
	ECN2267CLFW2	ECN2267CRFW2	2421	22¼	66½	29½	—	19½	184 lbs.	34.9


- Rim and base molding detail on three sides of unit
- Not recommended as a freestanding unit due to routing in the rim
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available

Single Pedestal Credenza
File/File
Ganging

Left shown

	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	ECN2272CLFW2C	ECN2272CRFW2C	\$ 2456	22¼	71½	29½	—	25½	195 lbs.	37.8
	ECN2266CLFW2C	ECN2266CRFW2C	2421	22¼	65½	29½	—	19½	184 lbs.	34.9

- Rim and base molding detail on two sides of unit to allow for ganging
- Not recommended as a freestanding unit due to routing in the rim
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available

Single Pedestal Credenza
Lateral File

Right shown

	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	ECN2273CLFW6	ECN2273CRFW6	\$ 2878	22¼	72½	29½	—	7¾	235 lbs.	37.8
	ECN2267CLFW6	ECN2267CRFW6	2677	22¼	66½	29½	—	17¾	224 lbs.	34.9

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding detail on three sides of unit
- Not recommended as a freestanding unit due to routing in the rim
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available

Escalade

Product Specifications

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 192 for ganging examples

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width


Sample Model Numbers:

- ECN2273CLFW10 79SN X N CL
- ECN2272CLFW10C 79SN X N CW

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
		D	W	H	A	KW		
Single Pedestal Credenza Lateral File Ganging								
<i>Left Pedestal</i>								
ECN2272CLFW6C	\$ 2878	22¼	71½	29½	—	7⅞	235 lbs.	37.8
<i>Right Pedestal</i>								
ECN2266CLFW6C	2677	22¼	65½	29½	—	1⅞	224 lbs.	34.9



Left shown

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding detail on two sides of unit to allow for ganging
- Not recommended as a freestanding unit due to routing in the rim
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available

Single Pedestal Credenza Multi-File




Right shown

<i>Left Pedestal</i>								
ECN2273CLFW10	\$ 3012	22¼	72½	29¾	—	7¼	235 lbs.	37.8
<i>Right Pedestal</i>								
ECN2273CRFW10								

- Rim and base molding detail on three sides of unit
- Not recommended as a freestanding unit due to routing in the rim
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available

Single Pedestal Credenza Multi-File Ganging






Left shown

<i>Left Pedestal</i>								
ECN2272CLFW10C	\$ 3012	22¼	71½	29½	—	7¼	235 lbs.	37.8
<i>Right Pedestal</i>								
ECN2272CRFW10C								

- Rim and base molding detail on two sides of unit to allow for ganging
- Not recommended as a freestanding unit due to routing in the rim
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Sheen	Finish
ECN2273CLFW10	79SN Fluid, Satin Nickel	G1LR Black, Left & Right X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha CL

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Highback Organizer  	Wood Doors								
	QECN7250HBHPW	\$ 3065	15½	72	50¾	—	—	200 lbs.	41.7
	ECN7250HBHPW	3065	15½	72	50¾	—	—	200 lbs.	41.7
	ECN6650HBHPW	2949	15½	66	50¾	—	—	180 lbs.	38.5
	Glass Doors								
	ECN7250HBHPGW	\$ 3199	15½	72	50¾	—	—	200 lbs.	41.7
	ECN6650HBHPGW	3080	15½	66	50¾	—	—	180 lbs.	38.5
	• Highback organizers feature (4) side hinged doors, full back panels with a grommet for cord management • Under shelf clearance is 20¾" • Center two doors lock • Specify finish only • For tack board options, see pages 304-308								
Small Office Highback Organizer 	Small Office								
	ECN7242HBHPGW	\$ 2598	15½	72	41¾	—	—	190 lbs.	35.9
	ECN6642HBHPGW	2484	15½	66	41¾	—	—	170 lbs.	32.1
	• Unit features (2) side hinged doors, full back panel with a grommet for cord management • Center shelf is fixed; upper shelf is adjustable • Small office highback organizer cannot be used in a ganging application • Under door clearance is 12½" • Under shelf clearance is 20¾" • Both doors lock • Specify finish only • For tack board options, see pages 304-308								

Escalade

Product Specifications

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 192 for ganging examples

Dimension Key



D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

ECN2238PFHW 79SN R CW

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Overhead Cabinet Wall Mount  	Wood Doors								
	QECN7230SOHMMW	\$ 2874	15½	72	29%	—	—	150 lbs.	25.1
	ECN7230SOHMMW	2874	15½	72	29%	—	—	150 lbs.	25.1
	ECN6630SOHMMW	2762	15½	66	29%	—	—	140 lbs.	23.2
	Glass Doors								
	ECN7230SOHMGW	\$ 3007	15½	72	29%	—	—	150 lbs.	25.1
	ECN6630SOHMGW	2894	15½	66	29%	—	—	140 lbs.	23.2
	• Wall mount cabinets must be secured by a minimum of two solid attachment points on a load bearing wall • Wall mount bracket is included with unit • Center two doors lock • Specify finish only • For tack board options, see pages 304-308								
Lateral File Two Drawer 	QECN2238LFF2W	\$ 2023	22¼	38¾	29½	—	—	155 lbs.	17.8
	ECN2238LFF2W	2023	22¼	38¾	29½	—	—	155 lbs.	17.8
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back								
Lateral File Three Drawer 	ECN2238LFF3W	\$ 2547	24	36¾	41½	—	—	210 lbs.	30.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back								
Lateral File Four Drawer 	ECN2238LFF4W	\$ 3072	22¼	38¾	54½	—	—	265 lbs.	32.9
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Do not specify sheen option; features standard sheen								

Specify selections, left to right:

Base Model	Pull Option	Sheen	Finish
ECN2238PFHW	79SN Fluid, Satin Nickel	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	79SN	R	CW

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				

Double Door Unit**ECN2238PFHW****\$ 1915**

22¾

38¾


29½

—

—

140 lbs.

17.8



- Unit features a single adjustable shelf
- Unit features a functional, non-locking drawer

Entertainment Cabinet**ECN3879VVHW**

Wood

\$ 4367

23¾

38¾


78½

—

—

340 lbs.

48.9



- Unit features 170° hinges on top two doors
- Back of unit has standard grommets for cord management and for ventilation
- Unfinished back panel
- Unit features an adjustable shelf in both the upper and lower sections
- Interior dimensions for upper section 20¼" D, 34¾" W, 47½" H
- Do not specify sheen option; features standard sheen

Entertainment Cabinet Ganging**ECN3879VVHWC****\$ 4367**

23¾

38¾


78½

—

—

340 lbs.

48.9



- For use with side open bookcase - ganging only
- Unit features 170° hinges on top two doors
- Back of unit has standard grommets for cord management and for ventilation
- Unfinished back panel
- Unit features an adjustable shelf in both the upper and lower sections
- Interior dimensions for upper section 20¼" D, 34¾" W, 47½" H
- Do not specify sheen option; features standard sheen

Side Bookcase - Open Ganging**Left****Right****ECN2071BCOLWC****ECN2071BCORWC****\$ 1455**

15¾

19½


70¼

—

—

155 lbs.

17.7



Left shown

- For use with entertainment cabinet - ganging only
- Shaded shelves are adjustable
- Do not specify sheen option; features standard sheen

Double Wardrobe**ECN3879VHHW****\$ 4060**

23¾

38¾


78½

—

—

340 lbs.

48.9



- Shaded shelves are adjustable
- Removable coat rod is standard, positioned on left side of wardrobe
- Cornice and base detail on three sides of unit
- Specify finish only

Escalade

Product Specifications

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 192 for ganging examples

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

ECN3871BCOFW CW
ECN3871BCOHFW 79SN MH

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
	<i>Left Hinged</i>	<i>Right Hinged</i>								
Storage - File/File Cabinet Ganging	ECN2071VHL2WC	ECN2071VHR2WC	\$ 2633	23 ⁷ / ₁₆	20 ¹ / ₁₆	70 ¹⁵ / ₁₆	—	—	200 lbs.	23.8
	• Shaded shelves are adjustable • Not recommended as a freestanding unit due to routing in the rim									
	Right shown									
	<i>Left Hinged</i>	<i>Right Hinged</i>								
Wardrobe/Storage Cabinet Ganging	ECN2071VSWHLWC	ECN2071VSWHRWC	\$ 2545	23 ⁷ / ₁₆	20 ¹ / ₁₆	70 ¹⁵ / ₁₆	—	—	175 lbs.	23.8
	• Shaded shelves are adjustable • Removable coat rod is standard • Single door cabinet can be used as a wardrobe unit by removing the adjustable shelves • Not recommended as a freestanding unit due to routing in the rim • Specify finish only									
	Right shown									
Bookcase - Open	QECN3871BCOFW	\$ 2102	15 ³ / ₄	38 ³ / ₁₆	70 ¹⁵ / ₁₆	—	—	190 lbs.	31.3	
	ECN3871BCOFW	2102	15 ³ / ₄	38 ³ / ₁₆	70 ¹⁵ / ₁₆	—	—	190 lbs.	31.3	
	ECN3857BCOFW	1896	15 ³ / ₄	38 ³ / ₁₆	57 ¹ / ₈	—	—	150 lbs.	25.4	
	• Shaded shelves are adjustable • Bookcase has an unfinished back • Cornice and base detail on three sides of unit • 58" bookcase has two adjustable shelves and a finished top panel • Specify finish only									
										
Bookcase - Open Ganging	<i>Left</i>	<i>Right</i>								
	ECN3771BCOLWC	ECN3771BCORWC	\$ 2102	15 ³ / ₄	37 ¹ / ₈	70 ¹⁵ / ₁₆	—	—	190 lbs.	31.3
	ECN3757BCOLWC	ECN3757BCORWC	1896	15 ³ / ₄	37 ¹ / ₈	57 ¹ / ₈	—	—	150 lbs.	25.4
	• Shaded shelves are adjustable • User can gang two 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase • Cornice and base detail on two sides of unit • 58" bookcase has two adjustable shelves and a finished top panel • Specify finish only									
	Left shown									

Specify selections, left to right:

Base Model

ECN3871BCOFW


Pull Option

79SN Fluid, Satin Nickel


Finish

NM Natural
 HN Honey
 CL Caramel
 TF Truffle
 AC Autumn
 MC Amber
 CW Cordovan
 DW Judicial
 MH Mocha
 CW

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Bookcase - Storage	ECN3871BCOHFW	\$ 2521	15¾	38¾	70½	—	—		210 lbs.	31.3
	ECN3857BCOHFW	2344	15¾	38¾	57½	—	—		170 lbs.	25.4





- Shaded shelves are adjustable
- Bookcase has an unfinished back
- Cornice and base detail on three sides of unit
- 58" bookcase has one adjustable shelf and a finished top panel

Bookcase - Storage Ganging

Left shown

<i>Left</i>	<i>Right</i>								
ECN3771BCOHFLWC	ECN3771BCOHFRWC	\$ 2521	15¾	37½	70½	—	—	210 lbs.	31.3
ECN3757BCOHFLWC	ECN3757BCOHFRWC	2344	15¾	37½	57½	—	—	170 lbs.	25.4

- Shaded shelves are adjustable
- User can gang two 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase
- Cornice and base detail on two sides of unit
- 58" bookcase has one adjustable shelf and a finished top panel


Bookcase - Set On

Wood Doors									
QECN3750BCHW	\$ 2396	15½	37%	50%	—	—	130 lbs.	22.5	
ECN3750BCHW	2396	15½	37%	50%	—	—	130 lbs.	22.5	

Glass Doors

ECN3750BCHGW	\$ 2499	15½	37½	50¾	—	—	130 lbs.	22.5
--------------	---------	-----	-----	-----	---	---	----------	------

- Shaded shelves are adjustable
- Specify finish only
- Doors lock

Double Bookcase - Set On Glass Doors

ECN7250BCHGW	\$ 4367	15½	72	50¾	—	—	260 lbs.	41.7
ECN6650BCHGW	4204	15½	66	50¾	—	—	250 lbs.	38.5

- Shaded shelves are adjustable
- Specify finish only
- Center doors lock

Escalade

Dimension Key




D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

ECN2040MGW N MH
NAC3639VBL TF





To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Mobile Utility Cart 	ECN2238MUCW Wood	\$ 1948	22¼	38½	35⅞	—	—	145 lbs.	24.7
	• Can function as a service cart, overhead projector stand or TV cabinet • Unit features a single adjustable shelf • Unfinished back panel • Four dual wheel non-locking casters are standard • Grommet (G1C) available								
Magazine Table 	QECN2040MGW	\$ 1216	19¾	39¾	18	—	—	70 lbs.	4.3
	ECN2040MGW	1216	19¾	39¾	18	—	—	70 lbs.	4.3
	• Some assembly required								
End Table 	QECN2424ENW	\$ 1143	23⅜	23⅜	24	—	—	40 lbs.	3.9
	ECN2424ENW	1143	23⅜	23⅜	24	—	—	40 lbs.	3.9
	• Some assembly required								
Console Table 	ECN1948CSW	\$ 1360	18¾	48	28½	—	—	85 lbs.	4.9
	• Rim detail on three sides of unit • Some assembly required								
Visual Board Top 	ECN0637CPCFW	\$ 434	5¾	37⅞	3⅝	—	—	35 lbs.	1.1
	ECN0643CPCFW	501	5¾	43¾	3⅝	—	—	40 lbs.	1.3
	• ECN0637CPCFW fits on top of NAC3639VBW • ECN0643CPCFW fits on top of NAC4239VBW								

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Sheen	Finish	Laminate
ECN2040MGW	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	HN Honey 403 Chamois TF Truffle 405 Designer White AC2 Autumn 2 419 Wallaby MC Amber 420 Sandstone CW Cordovan 425 Shadow DW Judicial 440 Cloud MH Mocha 461 Graphite 462 Cinder 480 Antique White

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
	D	W	H	A					
Visual Board 	Wood								
	NAC3639VBW	36"	\$ 1557	4 ¹⁵ / ₁₆	35 ⁷ / ₈	39 ¹¹ / ₁₆	—	65 lbs.	5.9
	NAC4239VBW	42"	2004	4 ¹⁵ / ₁₆	41 ¹⁵ / ₁₆	39 ¹¹ / ₁₆	—	82 lbs.	7.1
	Laminate								
	NAC3639VBL	36"	\$ 1285	4 ¹⁵ / ₁₆	35 ⁷ / ₈	39 ¹¹ / ₁₆	—	65 lbs.	5.9
	NAC4239VBL	42"	1490	4 ¹⁵ / ₁₆	41 ¹⁵ / ₁₆	39 ¹¹ / ₁₆	—	82 lbs.	7.1
	• All installation hardware included • Frame of visual board is black • Tackable black fabric covers inside door panels • A set of four dry erase markers and an eraser are standard								
Keyboard Drawer 	QECN1733KDFW	\$ 374	16 ²⁵ / ₃₂	33 ³ / ₈	3 ³ / ₈	—	—	20 lbs.	2.1
	ECN1733KDFW	374	16 ²⁵ / ₃₂	33 ³ / ₈	3 ³ / ₈	—	—	20 lbs.	2.1
	• Use on 72" double pedestal desk, 72" kneespace credenza, and bridge • When using a wood keyboard drawer, must also specify keyboard/drawer mounting kit; see below • Specify finish only								
Center Drawer 	QECN1733CDW	\$ 310	16 ²⁵ / ₃₂	33 ³ / ₈	2 ¹ / ₂	—	—	20 lbs.	2.1
	ECN1733CDW	310	16 ²⁵ / ₃₂	33 ³ / ₈	2 ¹ / ₂	—	—	20 lbs.	2.1
	QECN1727CDW	294	16 ²⁵ / ₃₂	27 ¹ / ₈	2 ¹ / ₂	—	—	15 lbs.	1.9
	ECN1727CDW	294	16 ²⁵ / ₃₂	27 ¹ / ₈	2 ¹ / ₂	—	—	15 lbs.	1.9
	ECN1724CDW	287	16 ²⁵ / ₃₂	24	2 ¹ / ₂	—	—	13 lbs.	1.0
	• Use ECN1733CDW on 72" double pedestal desk and 72" kneespace credenza • Use ECN1727CDW on 66" double pedestal desk and 36" x 72" single pedestal desk • Use ECN1724CDW on 30" x 66" single pedestal desk • When using a wood center drawer, must also specify keyboard/drawer mounting kit; see below • Specify finish only								
Keyboard/Drawer Mounting Kit 	NAC0802KMK	\$ 55	8	2	¾	—	—	3 lbs.	0.3
	• Must be used with keyboard kits, Escalade keyboard drawer or Escalade center drawer when attaching to Escalade unit • Specify model number only								

Escalade

Product Specifications




- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter


Sample Model Number:

ECN2271CKFW2C 79SN G1LR R TF

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Wall Unit Ganging 	Ganging Wall Unit	\$11,268							
	ECN2271CKFW2C Kneespace Cred.—Ganging	2979	22¼	72½	29½	—	—	234 lbs.	37.8
	ECN2071VSWHLWC Wardrobe Right—Ganging	2545	23⅞	20⅞	70⅝	—	—	175 lbs.	23.8
	ECN2071VSWHRWC Wardrobe Left—Ganging	2545	23⅞	20⅞	70⅝	—	—	175 lbs.	23.8
	ECN7250HBHPGW Highback Organizer—Glass Doors	3199	15½	72	29⅞	—	—	200 lbs.	41.7
Executive Unit Ganging 	Ganging Executive Unit	\$11,886							
	ECN3673DLFBW1 Single Pedestal Desk	2927	36¼	72½	29½	—	49⅜	311 lbs.	57.4
	ECN2548BEFW 48" Bridge	996	24⅞	48⅞	29½	—	48⅞	85 lbs.	3.4
	ECN2272CRFW1C Single Ped. Cred.—Ganging	2456	22¼	71½	29½	—	49⅜	195 lbs.	37.8
	ECN7230SOHWW Wall Mount Cabinet—Wood Doors	2874	15½	72	29⅞	—	—	150 lbs.	25.1
	ECN2071VHR2WC Storage Cabinet—Ganging	2633	23⅞	20⅞	70⅝	—	—	200 lbs.	23.8
Entertainment Wall Unit Ganging 	Ganging Entertainment Wall Unit	\$ 7277							
	ECN3879VVHWC TV/VCR Cabinet—Ganging	4367	23⅞	38⅞	78½	—	—	340 lbs.	48.9
	ECN2071BCORWC Open Bookcase—Ganging	1455	15¾	19½	70⅝	—	—	155 lbs.	17.7
	ECN2071BCOLWC Open Bookcase—Ganging	1455	15¾	19½	70⅝	—	—	155 lbs.	17.7

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Sheen	Finish
ECN2271CKFW2C	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	79SN	G1LR	R	TF

	Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
Round Table Top 	36" Round	1 1/16" Top Thickness		DI		H				
	ECN36RDW	Wood	\$ 1418	36 1/16	—	1 1/16	—	—	45 lbs.	2.4
	42" Round									
	ECN42RDW	Wood	\$ 1598	42 1/16	—	1 1/16	—	—	74 lbs.	4.0
	48" Round									
	ECN48RDW	Wood	\$ 1961	48 1/16	—	1 1/16	—	—	94 lbs.	5.1
• Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases • See Tables Price List pages 70-75 for coordinating conference table tops • Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 69 for options and upcharge										
Square Table Top 	36" Square	1 1/16" Top Thickness		D	W	H	A	KW		
	ECN3636SQW	Wood	\$ 1418	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	2.4
	42" Square									
	ECN4242SQW	Wood	\$ 1598	42 1/16	42 1/16	1 1/16	—	—	61 lbs.	3.2
	48" Square									
	ECN4848SQW	Wood	\$ 1961	48 1/16	48 1/16	1 1/16	—	—	79 lbs.	4.2
• Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases • See Tables Price List pages 70-75 for coordinating conference table tops • Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 69 for options and upcharge										

Flourish

Flourish

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1½" slipmatched cherry and maple veneer or 1" TFL (thermally fused laminate)
- Medium density fiberboard shaped profile
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces; standard sheen featured on above surface units

FINISH APPLICATION

- Flourish series finished with IntegraClear™ UV technology. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- ¾" thick modesty panels
- 1½" thick end panels
- ¾" inside panels
- Leveling glides – 2 on end panels, 1 on inside panel
- Back panels are finished on desks, bridges and returns only
- Grain direction runs vertical on all modesty panels

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

PULLS


- Two pull styles: Curved and Elongated
- Available in two colors: Black and Platinum Metallic

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain ½" thick, sides are laminated woodgrain ¾" thick
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT

- Grommets are available in predetermined locations for an additional upcharge

LOCKING

- Standard locking in all pedestals, wall mount cabinets and storage units
- Highback organizer features one standard lock for center compartment
- Black removable cores are standard for all pedestal locks
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, change keys, and master keys, reference page 297

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions Width	Depth	Height	Front-To-Back Filing Capabilities
Box Drawer—Desk, Return, Credenza	12½"	17"	3¾"	N/A
File Drawer—Desk	12½"	17"	9½"	Letter
File Drawer—Return	12½"	17"	9½"	Letter
File Drawer—Credenza	12½"	17"	9½"	Letter
File Drawer—Lateral File	31½"	15"	9½"	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side



November 2011



November 2011



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.


WOOD FINISHES

- NM Natural
- HN Honey
- CL Caramel
- TF Truffle
- AC Autumn
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha


WORKSURFACE
SHEEN OPTIONS

- R Standard
- N Matte/Satin

RIM PROFILES




Fluted (TC)




Eased (TD)

PULL OPTIONS



Curved (83)

- 83MB Black
- 83PL Platinum Metallic
- (Boring Pattern 128mm)



Elongated (84)

- 84MB Black
- 84PL Platinum Metallic
- (Boring Pattern 128mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

2" Black Round Grommet

\$25 list for each grommet

- G13LR Left & Right
- G13C Center

QUICK DELIVERY MODELS

- Models starting with a "Q" will have the following options in stock:
- Q models include grommet(s) upcharge
- Rim Profile: Fluted
- Pull: Curved, Black
- Grommets: Included on bridges, returns and credenzas
- Sheen: Standard
- Finish: Must specify Amber (MC) or Cordovan (CW)

Flourish L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:


- Curved, Black pulls
- Fluted rim profile
- Standard sheen
- Center grommet in return
- Must specify finish

To Order, Specify Finish:


NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha

To You In 10 DAYS ...or Less



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.






Curved, Black pulls




Fluted rim profile

L-CONFIGURATIONS	Model No./Description	List Price
Left L-Configuration Wood Top	Q19N8772LLFW 86 ¹¹ / ₁₆ D x 72W	\$ 3400
	19N8772LLFW 86 ¹¹ / ₁₆ D x 72W	\$ 3400
	consists of	
	19N3672DRFW1 Right Pedestal Desk 1950	
	19N2451RLEFW2 Left Pedestal Return 1450	
	19N8067LLFW 79 ¹ / ₁₆ D x 66 ¹ / ₂ W	\$ 3286
	consists of	
	19N3067DRFW1 Right Pedestal Desk 1836	
	19N2451RLEFW2 Left Pedestal Return 1450	

L-CONFIGURATIONS	Model No./Description	List Price
Right L-Configuration Wood Top	Q19N8772LRFW 86 ¹¹ / ₁₆ D x 72W	\$ 3400
	19N8772LRFW 86 ¹¹ / ₁₆ D x 72W	\$ 3400
	consists of	
	19N3672DLFW1 Left Pedestal Desk 1950	
	19N2451RREFW2 Right Pedestal Return 1450	
	19N8067LRFW 79 ¹ / ₁₆ D x 66 ¹ / ₂ W	\$ 3286
	consists of	
	19N3067DLFW1 Left Pedestal Desk 1836	
	19N2451RREFW2 Right Pedestal Return 1450	

Left L-Configuration Laminate Top	19N8772LLFLW 86 ¹¹ / ₁₆ D x 72W	\$ 3228
	consists of	
	19N3672DRFLW1 Right Pedestal Desk 1851	
	19N2451RLEFLW2 Left Pedestal Return 1377	
	19N8067LLFLW 79 ¹ / ₁₆ D x 66 ¹ / ₂ W	\$ 3119
	consists of	
	19N3067DRFLW1 Right Pedestal Desk 1742	
	19N2451RLEFLW2 Left Pedestal Return 1377	

Right L-Configuration Laminate Top	19N8772LRFLW 86 ¹¹ / ₁₆ D x 72W	\$ 3228
	consists of	
	19N3672DLFLW1 Left Pedestal Desk 1851	
	19N2451RREFLW2 Right Pedestal Return 1377	
	19N8067LRFLW 79 ¹ / ₁₆ D x 66 ¹ / ₂ W	\$ 3119
	consists of	
	19N3067DLFLW1 Left Pedestal Desk 1742	
	19N2451RREFLW2 Right Pedestal Return 1377	

Flourish U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


Arrangements Include:





- Curved, Black pulls
- Fluted rim profile
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



U-CONFIGURATIONS		Model No./Description	List Price	U-CONFIGURATIONS		Model No./Description	List Price
Left U-Configuration Wood Top		Q19N11172ULFW	110½D x 72W	Right U-Configuration Wood Top		Q19N11172URFW	110½D x 72W
		19N11172ULFW	110½D x 72W			19N11172URFW	110½D x 72W
		consists of				consists of	
		19N3672DRFW1	Right Pedestal Desk			19N3672DLFW1	Left Pedestal Desk
		19N2451BEFW	Bridge			19N2451BEFW	Bridge
		19N2472CLFW2	Left Pedestal Credenza			19N2472CRFW2	Right Pedestal Credenza
		Q19N10572ULFW	104¾D x 72W			Q19N10572URFW	104¾D x 72W
		19N10572ULFW	104¾D x 72W			19N10572URFW	104¾D x 72W
		consists of				consists of	
		19N3672DRFW1	Right Pedestal Desk			19N3672DLFW1	Left Pedestal Desk
		19N2445BEFW	Bridge			19N2445BEFW	Bridge
		19N2472CLFW2	Left Pedestal Credenza			19N2472CRFW2	Right Pedestal Credenza
		19N10467ULFW	103¼D x 66½W			19N10467URFW	103¼D x 66½W
		consists of				consists of	
		19N3067DRFW1	Right Pedestal Desk			19N3067DLFW1	Left Pedestal Desk
		19N2451BEFW	Bridge			19N2451BEFW	Bridge
		19N2467CLFW2	Left Pedestal Credenza			19N2467CRFW2	Right Pedestal Credenza
		19N9867ULFW	97⅙D x 66½W			19N9867URFW	97⅙D x 66½W
		consists of				consists of	
		19N3067DRFW1	Right Pedestal Desk			19N3067DLFW1	Left Pedestal Desk
		19N2445BEFW	Bridge			19N2445BEFW	Bridge
		19N2467CLFW2	Left Pedestal Credenza			19N2467CRFW2	Right Pedestal Credenza
Left U-Configuration Laminate Top		19N11172ULFLW	110½D x 72W	Right U-Configuration Laminate Top		19N11172URFLW	110½D x 72W
		consists of				consists of	
		19N3672DRFLW1	Right Pedestal Desk			19N3672DLFLW1	Left Pedestal Desk
		19N2451BEFLW	Bridge			19N2451BEFLW	Bridge
		19N2472CLFLW2	Left Pedestal Credenza			19N2472CRFLW2	Right Pedestal Credenza
		19N10572ULFLW	104¾D x 72W			19N10572URFLW	104¾D x 72W
		19N10572ULFLW	104¾D x 72W			19N10572URFLW	104¾D x 72W
		consists of				consists of	
		19N3672DRFLW1	Right Pedestal Desk			19N3672DLFLW1	Left Pedestal Desk
		19N2445BEFLW	Bridge			19N2445BEFLW	Bridge
		19N2472CLFLW2	Left Pedestal Credenza			19N2472CRFLW2	Right Pedestal Credenza
		19N10467ULFLW	103¼D x 66½W			19N10467URFLW	103¼D x 66½W
		consists of				consists of	
		19N3067DRFLW1	Right Pedestal Desk			19N3067DLFLW1	Left Pedestal Desk
		19N2451BEFLW	Bridge			19N2451BEFLW	Bridge
		19N2467CLFLW2	Left Pedestal Credenza			19N2467CRFLW2	Right Pedestal Credenza
		19N9867ULFLW	97⅙D x 66½W			19N9867URFLW	97⅙D x 66½W
		consists of				consists of	
		19N3067DRFLW1	Right Pedestal Desk			19N3067DLFLW1	Left Pedestal Desk
		19N2445BEFLW	Bridge			19N2445BEFLW	Bridge
		19N2467CLFLW2	Left Pedestal Credenza			19N2467CRFLW2	Right Pedestal Credenza

Flourish

Product Specifications

- Specify and add \$25 list for EACH grommet

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter


Sample Model Numbers:

19N3672DLFW1	TC	83MB	G13LR	R	MC
19N3672DLFLW1	TC	83MB	G13LR	MC	
19N2451RLEFW2	TC	83PL	G13C	R	MH
19N2451RLEFLW2	TC	83PL	G13C	MH	
NAC2804SFBW	AC				

To You In
10 DAYS
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Double Pedestal Desk Arc Top	19N3672DDFAW8 Wood Top	\$ 2361	35¾	72¼	29	10½	40%	385 lbs.	50.3
	19N3672DDFALW8 TFL Top	2262	35¾	72¼	29	10½	40%	385 lbs.	50.3




- Depth of arc is 35¾" at its widest point
- Grommet (G13LR) available

Double Pedestal Desk	Q19N3672DDFW8 Wood Top	\$ 2291	36¼	72¼	29	5⅜	40%	385 lbs.	50.3
	19N3672DDFW8 Wood Top	2291	36¼	72¼	29	5⅜	40%	385 lbs.	50.3
	19N3672DDFLW8 TFL Top	2198	36¼	72¼	29	5⅜	40%	385 lbs.	50.3
	19N3067DDFW8 Wood Top	\$ 2184	29	66½	29	3¾	34%	287 lbs.	39.2
	19N3067DDFLW8 TFL Top	2090	29	66½	29	3¾	34%	287 lbs.	39.2
	• Grommet (G13LR) available								




	Left Pedestal		Right Pedestal		List Price	Dimensions					Cartoned Weight	Cubic Feet
	Model No.	Description	Model No.	Description		D	W	H	A	KW		
Single Pedestal Desk Arc Top	19N3672DLFAW1	Wood Top	19N3672DRFAW1	Wood Top	\$ 2007	35¾	72¼	29	10%	55%	277 lbs.	50.3
	19N3672DLFALW1	TFL Top	19N3672DRFALW1	TFL Top	1908	35¾	72¼	29	10%	55%	277 lbs.	50.3



Left shown

- Depth of arc is 35¾" at its widest point
- Grommet (G13LR) available

	Left Pedestal		Right Pedestal		List Price	Dimensions					Cartoned Weight	Cubic Feet
	Model No.	Description	Model No.	Description		D	W	H	A	KW		
Single Pedestal Desk	Q19N3672DLFW1	Wood Top	Q19N3672DRFW1	Wood Top	\$ 1950	36¼	72¼	29	5⅜	55%	267 lbs.	50.3
	19N3672DLFW1	Wood Top	19N3672DRFW1	Wood Top	1950	36¼	72¼	29	5⅜	55%	267 lbs.	50.3
	19N3672DLFLW1	TFL Top	19N3672DRFLW1	TFL Top	1851	36¼	72¼	29	5⅜	55%	267 lbs.	50.3
	19N3067DLFW1	Wood Top	19N3067DRFW1	Wood Top	\$ 1836	29	66½	29	3¾	49%	236 lbs.	39.2
	19N3067DLFLW1	TFL Top	19N3067DRFLW1	TFL Top	1742	29	66½	29	3¾	49%	236 lbs.	39.2




Left shown

- Grommet (G13LR) available

Specify selections, left to right:


Base Model	Rim Profile	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
	TC Fluted TD Eased	83MB Curved, Black 83PL Curved, Platinum Metallic 84MB Elongated, Black 84PL Elongated, Platinum Metallic	G13LR Left & Right G13C Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
19N3672DLFW1	TC	83MB	G13LR	R	MC

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
U-Shaped Desk	19N3672DUW Wood Top	\$ 1451	36 $\frac{3}{4}$	72 $\frac{1}{4}$	29	17 $\frac{1}{16}$	—	139 lbs.	5.9
	19N3672DULW TFL Top	1352	36 $\frac{3}{4}$	72 $\frac{1}{4}$	29	17 $\frac{1}{16}$	—	139 lbs.	5.9



- Support base must be ordered separately, see below for support base options
- Some assembly required
- Not recommended as a freestanding unit

U-Shaped Desk with Modesty	19N3672DUFW Wood Top	\$ 1690	36 $\frac{3}{4}$	72 $\frac{1}{4}$	29	17 $\frac{1}{16}$	—	161 lbs.	5.9
	19N3672DUFLW TFL Top	1591	36 $\frac{3}{4}$	72 $\frac{1}{4}$	29	17 $\frac{1}{16}$	—	161 lbs.	5.9



- Must specify support base; see below for support base options
- Some assembly required
- Not recommended as a freestanding unit

Support Bases			DI		H				
	NAC2804SFB Cinder	\$ 244	4	—	27 $\frac{3}{4}$ -29 $\frac{1}{4}$	—	10 lbs.	1.0	
	NAC2804SFBS Platinum Metallic	244	4	—	27 $\frac{3}{4}$ -29 $\frac{1}{4}$	—	10 lbs.	1.0	
	NAC2804SFBW Wood	445	4	—	27 $\frac{3}{4}$ -29 $\frac{1}{4}$	—	6 lbs.	1.0	



			D	W	H	A	KW		
NAC2812SHB	Wood Half	\$ 556	6	11 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	35 lbs.	2.6

- Specify veneer finish on wood half support base

Return File/File		Left Pedestal	Right Pedestal								
	Q19N2451RLEFW2	Q19N2451RREFW2	Wood Top	\$ 1450	23 $\frac{3}{8}$	50 $\frac{1}{2}$	29	$\frac{1}{4}$	33 $\frac{3}{8}$	163 lbs.	24.9
	19N2451RLEFW2	19N2451RREFW2	Wood Top	1425	23 $\frac{3}{8}$	50 $\frac{1}{2}$	29	$\frac{1}{4}$	33 $\frac{3}{8}$	163 lbs.	24.9
	19N2451RLEFLW2	19N2451RREFLW2	TFL Top	1352	23 $\frac{3}{8}$	50 $\frac{1}{2}$	29	$\frac{1}{4}$	33 $\frac{3}{8}$	163 lbs.	24.9

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available

Left shown

Flourish

Product Specifications

- Specify and add \$25 list for EACH grommet

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

19N2451BEFW TC G13C N MC
19N2451BEFLW TC G13C MC
19N2472CLFW2 TD 84MB X N MC
19N2472CLFLW2 TD 84MB X MC
19N7236HBHW TC CL

To You In
10
DAYS
...or Less

Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions						Cartoned Weight	Cubic Feet
	D	W	H	A	KW						
	Q19N2451BEFW	Wood Top	\$ 488	23⅜	50⅛	29	¼	48⅝	78 lbs.	3.3	
	19N2451BEFW	Wood Top	463	23⅜	50⅛	29	¼	48⅝	78 lbs.	3.3	
	19N2451BEFLW	TFL Top	416	23⅜	50⅛	29	¼	48⅝	78 lbs.	3.3	
	Q19N2445BEFW	Wood Top	\$ 483	23⅜	44½	29	¼	42⅝	64 lbs.	3.0	
	19N2445BEFW	Wood Top	458	23⅜	44½	29	¼	42⅝	64 lbs.	3.0	
	19N2445BEFLW	TFL Top	411	23⅜	44½	29	¼	42⅝	64 lbs.	3.0	
• Some assembly required • Grain direction runs front-to-back on worksurface • Grommet (G13C) available											
	Q19N2472CSFW2	Wood Top	\$ 2352	23⅜	72¼	29	⅞	—	320 lbs.	34.4	
	19N2472CSFW2	Wood Top	2302	23⅜	72¼	29	⅞	—	320 lbs.	34.4	
	19N2472CSFLW2	TFL Top	2106	23⅜	72¼	29	⅞	—	320 lbs.	34.4	
	19N2467CSFW2	Wood Top	\$ 2191	23⅜	66½	29	⅞	—	299 lbs.	31.1	
	19N2467CSFLW2	TFL Top	1997	23⅜	66½	29	⅞	—	299 lbs.	31.1	
• Features an adjustable shelf measuring 12" deep, 32¾" wide, and 1" thick • Grommet (G13LR) available											
	Q19N2472CKFW2	Wood Top	\$ 2095	23⅜	72¼	29	⅞	40⅝	270 lbs.	34.4	
	19N2472CKFW2	Wood Top	2070	23⅜	72¼	29	⅞	40⅝	270 lbs.	34.4	
	19N2472CKFLW2	TFL Top	1971	23⅜	72¼	29	⅞	40⅝	270 lbs.	34.4	
	19N2467CKFW2	Wood Top	\$ 1934	23⅜	66½	29	⅞	34⅞	257 lbs.	31.1	
	19N2467CKFLW2	TFL Top	1820	23⅜	66½	29	⅞	34⅞	257 lbs.	31.1	
• Grommet (G13C) available											
	Left Pedestal		Right Pedestal								
	Q19N2472CLFW2	Q19N2472CRFW2	Wood Top	\$ 1558	23⅜	72¼	29	⅞	55⅝	234 lbs.	34.4
	19N2472CLFW2	19N2472CRFW2	Wood Top	1508	23⅜	72¼	29	⅞	55⅝	234 lbs.	34.4
	19N2472CLFLW2	19N2472CRFLW2	TFL Top	1399	23⅜	72¼	29	⅞	55⅝	234 lbs.	34.4
	19N2467CLFW2	19N2467CRFW2	Wood Top	\$ 1394	23⅜	66½	29	⅞	49⅝	212 lbs.	31.1
19N2467CLFLW2	19N2467CRFLW2	TFL Top	1295	23⅜	66½	29	⅞	49⅝	212 lbs.	31.1	
• Grommet (G13LR) available											


Left shown

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
19N2451BEFW	TC Fluted TD Eased	83MB Curved, Black 83PL Curved, Platinum Metallic 84MB Elongated, Black 84PL Elongated, Platinum Metallic	G13LR Left & Right G13C Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	TC		G13C	N	MC

Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
-----------------------	------------	--------------------------	-----------------	------------

Single Pedestal Credenza Lateral File




Left shown

<i>Left Pedestal</i>	<i>Right Pedestal</i>										
19N2472CLFW6	19N2472CRFW6	Wood Top	\$ 1846	23 ³ / ₁₆	72 ¹ / ₄	29	7 ¹ / ₁₆	35 ¹ / ₂	246 lbs.	34.4	
19N2472CLFLW6	19N2472CRFLW6	TFL Top	1747	23 ³ / ₁₆	72 ¹ / ₄	29	7 ¹ / ₁₆	35 ¹ / ₂	246 lbs.	34.4	
19N2467CLFW6	19N2467CRFW6	Wood Top	\$ 1737	23 ³ / ₁₆	66 ¹ / ₂	29	7 ¹ / ₁₆	29 ³ / ₄	236 lbs.	31.1	
19N2467CLFLW6	19N2467CRFLW6	TFL Top	1643	23 ³ / ₁₆	66 ¹ / ₂	29	7 ¹ / ₁₆	29 ³ / ₄	236 lbs.	31.1	

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommet (G13LR) available


Highback Organizer



Q19N7236HBHW	\$ 1560	14 ¹ / ₁₆	72 ¹ / ₁₆	35 ⁷ / ₁₆	—	—	182 lbs.	25.6
19N7236HBHW	1560	14 ¹ / ₁₆	72 ¹ / ₁₆	35 ⁷ / ₁₆	—	—	182 lbs.	25.6
19N6636HBHW	\$ 1482	14 ¹ / ₁₆	66 ¹ / ₁₆	35 ⁷ / ₁₆	—	—	171 lbs.	23.5

- Highback organizer features (4) side hinge doors, full back panels with cord management
- Standard round grommet is located in center of back panel
- For tack board options, see pages 304-308

Overhead Cabinet Wall Mount



Q19N3618SOHWW	\$ 832	14½	35¼	17⅞	—	—	68 lbs.	9.9	
19N3618SOHWW	832	14½	35¼	17⅞	—	—	68 lbs.	9.9	
19N3018SOHWW	\$ 770	14½	29¼	17⅞	—	—	60 lbs.	8.5	
ABWMD	48" Wall Mount Kit	\$ 53	½	48	2	—	—	2 lbs.	0.1
ABWMF	72" Wall Mount Kit	56	½	72	2	—	—	4 lbs.	0.1

- Must specify wall mount kit
- Wall Mount extrusions can be cut to size in the field
- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Rim detail is on front edge of cabinet only
- For tack board options, see pages 304-308

Dimension Key


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:


19N2436LFF2W	TC	83PL	R	CL
19N2436PFHW	TD	84PL	R	DW
19N1865VSWHLW	TD	DW		
19N42RDW	TD	G10C	R	AC
19N42RDLW	TD	X		AC

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Lateral File Two Drawer 	Q19N2436LFF2W Wood Top	\$ 1269	23%	36	29	—	—	160 lbs.	17.0
	19N2436LFF2W Wood Top	1269	23%	36	29	—	—	160 lbs.	17.0
	19N2436LFF2LW TFL Top	1217	23%	36	29	—	—	160 lbs.	17.0


- Front-to-back filing is standard with lateral files; four rods per drawer are included

Lateral File Three Drawer 	19N2436LFF3W Wood Top	\$ 1654	23%	36	43%	—	—	248 lbs.	31.9
	19N2436LFF3LW TFL Top	1602	23%	36	43%	—	—	248 lbs.	31.9


- Front-to-back filing is standard with lateral files; four rods per drawer are included

Lateral File Four Drawer 	19N2436LFF4W Wood Top	\$ 2070	23%	36	56%	—	—	282 lbs.	32.0
---	------------------------------	----------------	-----	----	-----	---	---	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen

Double Door Unit 	19N2436PFHW Wood Top	\$ 1274	23%	36	29	—	—	156 lbs.	17.0
	19N2436PFHLW TFL Top	1222	23%	36	29	—	—	156 lbs.	17.0

- Unit features an adjustable shelf
- Grommets not available


Single Storage Wardrobe Cabinet 	Left Hinged	Right Hinged							
	19N1865VSWHLW	19N1865VSWHRW	\$ 1810	20 ²³ / ₃₂	18 ¹⁵ / ₃₂	65	—	—	197 lbs. 17.9

- Can be used as a wardrobe unit by removing the 4 adjustable shelves
- Removable coat rod is standard


Left shown

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Sheen (wood tops only)	Finish
	TC Fluted TD Eased	83MB Curved, Black 83PL Curved, Platinum Metallic 84MB Elongated, Black 84PL Elongated, Platinum Metallic	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
19N2436LFF2W	TC	83PL	R	CL

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Bookcase 	Q19N3666BC0FW	\$ 1144	12¾ 36¾ 65½ — —	129 lbs.	30.3
	19N3666BC0FW	1144	12¾ 36¾ 65½ — —	129 lbs.	30.3

- Shaded shelves are adjustable

Bookcase Set-On 	Q19N3636BC0W	\$ 811	12¾ 35½ 35% — —	76 lbs.	17.2
	19N3636BC0W	811	12¾ 35½ 35% — —	76 lbs.	17.2

- Shaded shelves are adjustable
- Bookcase shelves hold 100 lbs. of evenly distributed weight
- Shelves can be adjusted 2½" up or down

Round Table Top 	42" Round	1½" Top Thickness	DI	H		
	19N42RDW	Wood Top	\$ 790	42 — 1½ — —	54 lbs.	3.2

42" Round	1" Top Thickness					
19N42RDLW	TFL Top	\$ 702	42 — 1 — —	54 lbs.	3.2	

- Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases
- Grommet option available on round tops is G10C, reference Tables Price List page 77 for options and upcharge

Franklin

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1½" TFL (thermally fused laminate)
- Mitered rim
- Grain direction runs left-to-right unless otherwise noted

CHASSIS CONSTRUCTION

- Medium density fiberboard chassis fastened by screws, glue, hardwood cleats and metal brackets
- Full pedestals
- ¾" thick full modesty panels
- ¾" thick end panels
- Standard leveling glides
- Grain direction runs horizontal unless otherwise noted
- Fully finished backs unless otherwise noted

MOLDING AND PULLS

- Overlay moldings on pedestal front panels of desks
- Antique brass pulls

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain ½" thick, sides are laminated woodgrain ¾" thick
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have black, full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT


- Standard in bridge, return, corner unit and highback organizer
- Optional wire managers are available (see accessory pages)

LOCKING

- All units feature standard pedestal locking
- Highback organizers feature one standard lock for center compartment
- Black, removable cores are standard for all pedestal locks
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, change keys, and master keys, reference page 297

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models



Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Depth		
Center Drawers				
3672D, 3066D	30¼"	17"	3½"	N/A
3672L, 3672R	28½"	17"	3½"	N/A
3066L, 3066R	22½"	17"	3½"	N/A
Box Drawer	12½"	17"	3½"	N/A
File Drawer – Desk	12½"	17"	9½"	Letter
File Drawer – Credenza	12½"	17"	9½"	Letter
File Drawer – Executive Return	15½"	17"	9½"	Legal
File Drawer – Lateral File	30½"	15"	9½"	Letter/Letter, Letter/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side




For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.


LAMINATES

CW Cordovan
DW Judicial

RIM PROFILE



PULL



Franklin
(Boring Pattern 86mm)

GROMMET OPTIONS

Round, black grommets are standard in bridges, returns, corner units and highback organizers

Franklin L Arrangements



Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Center grommet in return
- Must specify finish

To Order, Specify Finish:

CW Cordovan
DW Judicial

L-CONFIGURATIONS		Model No./Description		List Price	L-CONFIGURATIONS		Model No./Description		List Price		
Left L-Configuration		40-8572LLF		84%D x 71¾W	\$ 2534	Right L-Configuration		40-8572LRF		84%D x 71¾W	\$ 2534
		consists of						consists of			
		40-3672RP	Right Pedestal Desk	1501				40-3672LP	Left Pedestal Desk	1501	
		40-2448LP	Left Pedestal Return	1033				40-2448RP	Right Pedestal Return	1033	
		40-7966LLF		78%D x 66W	\$ 2495			40-7966LRF		78%D x 66W	\$ 2495
		consists of						consists of			
		40-3066RP	Right Pedestal Desk	1462				40-3066LP	Left Pedestal Desk	1462	
		40-2448LP	Left Pedestal Return	1033				40-2448RP	Right Pedestal Return	1033	

Franklin U Arrangements



Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish

To Order, Specify Finish:

CW Cordovan
DW Judicial

U-CONFIGURATIONS		Model No./Description	List Price	U-CONFIGURATIONS		Model No./Description	List Price
Left U-Configuration		40-11072ULL	109½D x 71¾W	Right U-Configuration		40-11072URL	109½D x 71¾W
		consists of				consists of	
		40-3672RP	Right Pedestal Desk			40-3672LP	Left Pedestal Desk
		40-2448UP	Bridge			40-2448UP	Bridge
		40-2472LP2	Left Pedestal Credenza			40-2472RP2	Right Pedestal Credenza
		40-10472ULL	103½D x 71¾W			40-10472URL	103½D x 71¾W
		consists of				consists of	
		40-3672RP	Right Pedestal Desk			40-3672LP	Left Pedestal Desk
		40-2442UP	Bridge			40-2442UP	Bridge
		40-2472LP2	Left Pedestal Credenza			40-2472RP2	Right Pedestal Credenza


Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:


40-3672DP CW
40-3636CUP DW

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Double Pedestal Desk	40-3672DP	\$ 1642	35¾	71¾	29½	7¾	31¾	342 lbs.	57.4
	40-3066DP	1559	29¾	66	29½	1¾	31¾	265 lbs.	45.3



- Pedestals feature one box drawer and one file drawer
- Includes non-locking center drawer and dictation slide

Single Pedestal Desk




Left shown

	Left Pedestal	Right Pedestal	List Price	D	W	H	A	KW	Cartoned Weight	Cubic Feet
	40-3672LP	40-3672RP	\$ 1501	35¾	71¾	29½	7¾	30¾	291 lbs.	57.4
	40-3066LP	40-3066RP	1462	29¾	66	29½	1¾	25½	225 lbs.	45.3

- Not recommended as a freestanding unit due to routing in the rim
- Pedestals feature one box drawer and one file drawer
- Includes non-locking center drawer and dictation slide


Transaction Counter Desk Unit



40-1472TCP	\$ 446	14 ²⁵ / ₃₂	71¾	15½	—	—	57 lbs.	2.5
40-1466TCP	422	14 ²⁵ / ₃₂	66	15½	—	—	55 lbs.	2.3

- Some assembly required


Transaction Counter L Unit



40-7284TCP	\$ 655	82¾	71¾	15½	—	—	84 lbs.	3.3
40-6678TCP	631	76¾	66	15½	—	—	78 lbs.	3.1

- Some assembly required

Return File/File








Left shown

	Left Pedestal	Right Pedestal	List Price	D	W	H	A	KW	Cartoned Weight	Cubic Feet
	40-2448LP	40-2448RP	\$ 1033	23¾	49¾	29½	—	—	160 lbs.	28.7

- Vertical grain direction on modesty panel
- Must be used with single pedestal desk

Specify selections, left to right:

Base Model	Laminate
	CW Cordovan DW Judicial
40-3672DP	CW






	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
	D	W	H						
Corner Unit	40-3636CUP	\$ 682	35¾	35¾	29½	1¾	17½	101 lbs.	5.9
	Not recommended as a freestanding unit due to routing in the rim								
Bridge	40-2448UP	\$ 543	23¾	50	29½	1¾	48	76 lbs.	4.6
	40-2442UP	467	23¾	44	29½	1¾	42	66 lbs.	4.1
	- Some assembly required - Vertical grain direction on modesty panel								
Storage Credenza	40-2472SP	\$ 1542	23¾	71¾	29½	—	—	342 lbs.	40.6
	40-2466SP	1471	23¾	66	29½	—	—	331 lbs.	37.5
	- Storage credenza features standard adjustable shelf which measures 12" deep, 32¾" wide and 1" thick - Interior storage dimensions 22" deep, 39" wide and 25" high								
Kneespace Credenza	40-2472XP	\$ 1404	23¾	71¾	29½	—	37½	236 lbs.	40.6
	40-2466XP	1362	23¾	66	29½	—	33	225 lbs.	37.5
	Kneespace credenza has standard wire management, centered in the modesty panel and 1¾" down from the top								
Single Pedestal Credenza Lateral File	Left Pedestal	Right Pedestal							
	40-2472LP2	40-2472RP2	\$ 1431	23¾	71¾	29½	—	34¾	236 lbs.
Left shown	- Front-to-back filing is standard with lateral files; four rods per drawer are included - Not recommended as a freestanding unit due to routing in the rim								

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter


Sample Model Number:

40-3336BCOP CW

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
			D	W	H					
	40-15720SCP	\$ 1024	14 ¹ / ₆	71 ³ / ₄	35 ¹ / ₆	—	—	168 lbs.	25.6	
	40-15660SCP	896	14 ¹ / ₆	66	35 ¹ / ₆	—	—	158 lbs.	23.5	
	• Highback organizer features (4) side hinged doors, full back panels with cord management • Highback organizer clearance 18¹/₆" • For tack board options, see pages 304-308									
Lateral File 	40-2436LFP	\$ 954	23 ³ / ₄	35 ³ / ₄	29 ¹ / ₂	—	—	157 lbs.	17.7	
• Front-to-back filing is standard with lateral files; four rods per drawer are included										
Bookcase Set-On 	40-3336BCOP	\$ 682	15 ¹ / ₆	35 ⁷ / ₈	35 ¹ / ₆	—	—	113 lbs.	17.9	
• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase features standard laminate back • Shaded shelves are adjustable										
Bookcase - Storage 	40-3366SBCP	\$ 820	15 ¹ / ₆	35 ⁷ / ₈	66	—	—	199 lbs.	31.5	
• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase features standard laminate back • Shaded shelves are adjustable										
Printer/Telephone Stand 	40-2430PTP Laminate	\$ 682	23 ³ / ₄	29 ³ / ₄	29 ¹ / ₂	—	—	67 lbs.	14.3	
	MPK-4 Set of 4 casters	59	For use as a mobile unit						1 lbs.	0.2
	• Fixed shelf is 12" deep, 26¹/₆" wide and ¾" thick • Height from top of shelf to bottom of top is 18³/₆" • Open back									
Magazine Table 	50N2040MGLW	\$ 751	19 ³ / ₄	39 ³ / ₄	18 ³ / ₆	—	—	42 lbs.	3.0	
• Tables have veneer legs/bases • Some assembly required										

Specify selections, left to right:

Base Model	Laminate
40-3336BCOP	CW Cordovan DW Judicial CW

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
End Table	50N2424ENLW	\$ 668	23¾	23¾	22½	—	—	38 lbs.	2.8
	• Tables have veneer legs/bases • Some assembly required								
Round Table Top	42" Round	1½" Top Thickness	DI		H				
	40N42RDL	Laminate/Polyester Rim	\$ 779	42	—	1½	—	39 lbs.	3.4
	• Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases • Grommet option available on round tops is G10C, reference Tables Price List page 81 for grommet options and upcharge								

Hiland

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1 $\frac{3}{16}$ " slipmatched cherry and maple veneer
- 1 $\frac{3}{16}$ " bookmatched walnut veneer
- Solid wood rims, shaped on approach and user side
- Three rim options including Taper, Pillar and Reed
- Grain direction runs left-to-right unless noted
- Two sheen options available on most worksurfaces; standard sheen featured on above surface units

FINISH APPLICATION

- Hiland series finished with IntegraClear™ UV technology. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals and modesty panels
- $\frac{3}{4}$ " thick modesty panels
- 1 $\frac{1}{16}$ " thick end panels
- Standard leveling glides
- Grain direction runs vertical
- Units feature semi-finished backs (stained with some exposed hardware) unless noted

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

PULLS


- Available in three pull styles: bar, triangle and crescent
- Available in two colors: Platinum Metallic and Cinder

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain $\frac{1}{2}$ " thick, sides are laminated woodgrain $\frac{3}{8}$ " thick
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT

- Grommets are available in predetermined locations
- Optional wire managers are available (see accessory pages)

LOCKING

- Standard locking in all pedestals, wall mount cabinets, storage units, and wardrobe units
- Highback organizers feature one standard lock for center compartment
- Black, removable cores are standard for all pedestal locks
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, change keys, and master keys, reference page 297

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Depth		
Box Drawer—Desk	12 $\frac{1}{16}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Desk	12 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Letter
Box Drawer—Return	12 $\frac{1}{16}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Return	12 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Letter
Box Drawer—Credenza	15 $\frac{1}{16}$ "	17"	3 $\frac{3}{8}$ "	N/A
File Drawer—Credenza	15 $\frac{1}{16}$ "	17"	9 $\frac{1}{2}$ "	Legal
File Drawer—Lateral File	31 $\frac{1}{32}$ "	15"	9 $\frac{1}{2}$ "	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.


WOOD FINISHES

NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha


WORKSURFACE SHEEN OPTIONS

R Standard
N Matte/Satin


RIM PROFILE OPTIONS



Taper (T1)



Pillar (T2)



Reed (T3)

PULL OPTIONS



Triangle (1)

1MB Cinder
1PL Platinum Metallic
(Boring Pattern 32mm)



Crescent (2)

2MB Cinder
2PL Platinum Metallic
(Boring Pattern 32mm)



Bar (3)

3MB Cinder
3PL Platinum Metallic
(Boring Pattern 32mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black

G13LR Left & Right
G13C Center

Hiland L Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Arrangements Include:

- Bar, Cinder pulls
- Reed rim profile
- Standard sheen
- Center grommet in return
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha



L-CONFIGURATIONS		Model No./Description		List Price	L-CONFIGURATIONS		Model No./Description		List Price
Left L-Configuration		35N8772LLFW	86½D x 71¾W	\$ 4213	Right L-Configuration		35N8772LRFW	86½D x 71¾W	\$ 4213
		consists of					consists of		
		35N3672DRFW1	Right Pedestal Desk	2454			35N3672DLFW1	Left Pedestal Desk	2454
		35N2451RLEFW2	Left Pedestal Return	1759			35N2451RREFW2	Right Pedestal Return	1759
		35N8072LLFW	79½D x 71¾W	\$ 4109			35N8072LRFW	79½D x 71¾W	\$ 4109
		consists of					consists of		
		35N3672DRFW1	Right Pedestal Desk	2454			35N3672DLFW1	Left Pedestal Desk	2454
		35N2444RLEFW2	Left Pedestal Return	1655			35N2444RREFW2	Right Pedestal Return	1655
		35N8166LLFW	80½D x 66W	\$ 4027			35N8166LRFW	80½D x 66W	\$ 4027
		consists of					consists of		
		35N3066DRFW1	Right Pedestal Desk	2268			35N3066DLFW1	Left Pedestal Desk	2268
		35N2451RLEFW2	Left Pedestal Return	1759			35N2451RREFW2	Right Pedestal Return	1759
		35N7466LLFW	73½D x 66W	\$ 3923			35N7466LRFW	73½D x 66W	\$ 3923
		consists of					consists of		
		35N3066DRFW1	Right Pedestal Desk	2268			35N3066DLFW1	Left Pedestal Desk	2268
		35N2444RLEFW2	Left Pedestal Return	1655			35N2444RREFW2	Right Pedestal Return	1655

Hiland U Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Arrangements Include:

- Bar, Cinder pulls
- Reed rim profile
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish

To Order, Specify Finish:

NM	Natural	TF	Truffle	CW	Cordovan
HN	Honey	AC	Autumn	DW	Judicial
CL	Caramel	MC	Amber	MH	Mocha








U-CONFIGURATIONS		Model No./Description	List Price	U-CONFIGURATIONS		Model No./Description	List Price
Left U-Configuration		35N10672ULFW	105¼D x 71¾W	Right U-Configuration		35N10672URFW	105¼D x 71¾W
		consists of				consists of	
		35N3672DRFW1	Right Pedestal Desk			35N3672DLFW1	Left Pedestal Desk
		35N2448BEFW	Bridge			35N2448BEFW	Bridge
		35N2172CLFW2	Left Pedestal Credenza			35N2172CRFW2	Right Pedestal Credenza
		35N10072ULFW	99¼D x 71¾W			35N10072URFW	99¼D x 71¾W
		consists of				consists of	
		35N3672DRFW1	Right Pedestal Desk			35N3672DLFW1	Left Pedestal Desk
		35N2442BEFW	Bridge			35N2442BEFW	Bridge
		35N2172CLFW2	Left Pedestal Credenza			35N2172CRFW2	Right Pedestal Credenza
		35N10066ULFW	99¼D x 66W			35N10066URFW	99¼D x 66W
		consists of				consists of	
		35N3066DRFW1	Right Pedestal Desk			35N3066DLFW1	Left Pedestal Desk
		35N2448BEFW	Bridge			35N2448BEFW	Bridge
		35N2166CLFW2	Left Pedestal Credenza			35N2166CRFW2	Right Pedestal Credenza
		35N9466ULFW	93¼D x 66W			35N9466URFW	93¼D x 66W
		consists of				consists of	
		35N3066DRFW1	Right Pedestal Desk			35N3066DLFW1	Left Pedestal Desk
		35N2442BEFW	Bridge			35N2442BEFW	Bridge
		35N2166CLFW2	Left Pedestal Credenza			35N2166CRFW2	Right Pedestal Credenza

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

35N3672DLFW1	T1	1MB	X	N	MH
35N3672DUFW	T2	R	CL		

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Double Pedestal Desk Arc Top 	35N3672DDFAW8	\$ 3470	35¾	71¾	29½	10%	39%	320 lbs.	57.4	
	• Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available									
Double Pedestal Desk 	35N3672DDFW8	\$ 2892	35¾	71¾	29½	10%	39%	361 lbs.	57.4	
	35N3066DDFW8	2776	29¾	66	29½	4%	39%	285 lbs.	45.3	
• Grommet (G13LR) available										
Single Pedestal Desk Arc Top 	Left Pedestal	Right Pedestal								
	35N3672DLFAW1	35N3672DRFAW1	\$ 3034	35¾	71¾	29½	10%	54%	270 lbs.	57.4
• Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available										
Single Pedestal Desk Box/Box/File 	Left Pedestal	Right Pedestal								
	35N3672DLFW1	35N3672DRFW1	\$ 2454	35¾	71¾	29½	10%	54%	311 lbs.	57.4
	35N3066DLFW1	35N3066DRFW1	2268	29¾	66	29½	4%	48%	246 lbs.	45.3
	• Grommet (G13LR) available									
U-Shaped Desk 	35N3672DUW	\$ 2030	35¾	71¾	29½	—	54	140 lbs.	5.9	
	• Must specify support base; see page 224 for support base options • Some assembly required • Grommet not available • Not recommended as a freestanding unit									


Left shown

Left shown

Specify selections, left to right:


Base Model	Rim Profile	Pull Option	Grommet Option	Sheen	Finish
	T1 Taper T2 Pillar T3 Reed	1MB Triangle, Cinder 1PL Triangle, Platinum Metallic 2MB Crescent, Cinder 2PL Crescent, Platinum Metallic 3MB Bar, Cinder 3PL Bar, Platinum Metallic	G13LR Black, Left & Right X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
35N3672DLFW1	T1	1MB	X	N	MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
U-Shaped Desk with Modesty	35N3672DUFW w/modesty	\$ 2387	35¾ 71¾ 29½ — 54	162 lbs.	5.9



- Must specify support base; see page 224 for support base options
- Some assembly required
- Grommet not available
- Not recommended as a freestanding unit

P-Shaped Desk




Left shown

<i>Left P</i>	<i>Right P</i>								
35N3072DPLW	35N3072DPRW	\$ 2185	29¾	71¾	29½	—	54	125 lbs.	5.9

- Must specify support base; see page 224 for support base models
- Some assembly required
- "P" faces approach side for conferencing use
- Grommet not available
- Not recommended as a freestanding unit

P-Shaped Desk with Modesty



Right shown

<i>Left P</i>	<i>Right P</i>								
35N3072DPLFW	35N3072DPRFW	\$ 2538	29¾	71¾	29½	—	54	149 lbs.	5.9




- Must specify support base; see page 224 for support base models
- Some assembly required
- "P" faces approach side for conferencing use
- Grommet not available
- Not recommended as a freestanding unit

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Number:

35N2444RREFW2 T3 3MB G13C N AC

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet		
	Support Bases		DI	H							
	NAC2804SFB	Cinder	\$ 244	4	—	27¾-29¼	—	10 lbs.	1.0		
	NAC2804SFB5	Platinum Metallic	244	4	—	27¾-29¼	—	10 lbs.	1.0		
	NAC2804SFBW	Wood	445	4	—	27¾-29¼	—	6 lbs.	1.0		
			D	W	H	A	KW				
	NAC2812SHB	Wood Half	\$ 556	6	11⅞	27¾	—	—	13.3 lbs.	2.6	
	• Specify veneer finish on wood support bases										
	Corner Unit		35N4242CF5W	\$ 1669	42	42	29½	⅞	25⅞	166 lbs.	6.9
	• Front edge is 25⅞" • Unit can be attached to bridge, return and multi-file return only • Not recommended as a freestanding unit due to routing in the rim • Some assembly required • Grain direction runs diagonal across worksurface • Grommet (G13C) available										
	Transaction Counter Desk Unit		35N1472TCW	\$ 751	14¾	71 ²¹ ⁄32	15⅝	—	—	70 lbs.	2.5
			35N1466TCW	677	14¾	65 ²⁹ ⁄32	15⅝	—	—	71 lbs.	2.3
	• Some assembly required										
	Transaction Counters L Unit		35N7286TCW	\$ 1083	86⅜	71 ²¹ ⁄32	15⅝	—	—	106 lbs.	3.4
			35N6680TCW	1012	80¾	65 ²⁹ ⁄32	15⅝	—	—	97 lbs.	3.2
	• Transaction surface spans over the desk only • Some assembly required										

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Sheen	Finish
35N2444RREFW2	T3	3MB	G13C	N	AC
	T1 Taper T2 Pillar T3 Reed	1MB Triangle, Cinder 1PL Triangle, Platinum Metallic 2MB Crescent, Cinder 2PL Crescent, Platinum Metallic 3MB Bar, Cinder 3PL Bar, Platinum Metallic	G13C Black, Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Return Box/Box/File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	35N2451RLEFW1	35N2451RREFW1	\$ 1759	23¾	50¾	29½	⅞	35⅞	169 lbs.	30.1
	35N2444RLEFW1	35N2444RREFW1	1655	23¾	43¾	29½	⅞	30⅞	156 lbs.	25.9

- Grain direction runs front-to-back on the worksurface
- Grommet (G13C) available

Left shown

Return File/File	Left Pedestal	Right Pedestal								
	35N2451RLEFW2	35N2451RREFW2	\$ 1759	23¾	50¾	29½	⅞	35⅞	169 lbs.	30.1
	35N2444RLEFW2	35N2444RREFW2	1655	23¾	43¾	29½	⅞	30⅞	156 lbs.	25.9


- Grain direction runs front-to-back on the worksurface
- Grommet (G13C) available

Left shown

Return Multi-File	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	35N2472RLEFW10	35N2472RREFW10	\$ 2314	23¾	71¾	29½	⅞	36	197 lbs.	40.6

- Units can be attached to corner unit, single pedestal desk, keyhole or U-shaped desks only
- Grommet (G13C) available

Left shown

	<i>Bridge</i>								
	35N2448BEFW	\$ 588	23¾	48½	29½	⅞	48½	73 lbs.	3.1
	35N2442BEFW	546	23¾	42½	29½	⅞	42½	67 lbs.	2.8






- Grain direction runs front-to-back on the worksurface
- Some assembly required
- Grommet (G13C) available

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

35N2166CKFW2 T2 1PL G13LR N MC
35N2472CLFW10 T3 2MB X R CW

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet	
			D	W	H	A	KW			
Storage Credenza 	35N2172CSFW2	\$ 2697	21	71¾	29½	⅞	—	309 lbs.	36.4	
	35N2166CSFW2	2462	21	66	29½	⅞	—	308 lbs.	33.6	
	• Features an adjustable shelf which measures 12" deep, 32¾" wide and 1" thick • Grommet (G13LR) available • Unfinished back panel									
Kneespace Credenza 	35N2172CKFW2	\$ 2574	21	71¾	29½	⅞	33⅞	252 lbs.	36.4	
	35N2166CKFW2	2385	21	66	29½	⅞	27⅞	241 lbs.	33.6	
	• Grommet (G13LR) available									
Single Pedestal Credenza Box/Box/File 	<i>Left Pedestal</i>		<i>Right Pedestal</i>							
	35N2172CLFW1	35N2172CRFW1	\$ 1870	21	71¾	29½	⅞	51⅞	232 lbs.	36.4
	35N2166CLFW1	35N2166CRFW1	1793	21	66	29½	⅞	45⅞	201 lbs.	33.6
	• Grommet (G13LR) available									
Left shown										
Single Pedestal Credenza File/File 	<i>Left Pedestal</i>		<i>Right Pedestal</i>							
	35N2172CLFW2	35N2172CRFW2	\$ 1870	21	71¾	29½	⅞	51⅞	232 lbs.	36.4
	35N2166CLFW2	35N2166CRFW2	1793	21	66	29½	⅞	45⅞	201 lbs.	33.6
	• Grommet (G13LR) available									
Left shown										
Single Pedestal Credenza Lateral File 	<i>Left Pedestal</i>		<i>Right Pedestal</i>							
	35N2172CLFW6	35N2172CRFW6	\$ 2023	21	71¾	29½	⅞	34¾	252 lbs.	36.4
	35N2166CLFW6	35N2166CRFW6	1947	21	66	29½	⅞	29¼	241 lbs.	33.6
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grommet (G13LR) available									
Left shown										

Left shown


Left shown

Left shown

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Sheen	Finish
35N2166CKFW2	T2 Taper T3 Pillar T2 Reed	1MB Triangle, Cinder 1PL Triangle, Platinum Metallic 2MB Crescent, Cinder 2PL Crescent, Platinum Metallic 3MB Bar, Cinder 3PL Bar, Platinum Metallic	G13LR Black, Left & Right G13C Black, Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	T2	1PL	G13LR	N	MC


	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza Multi-File	<i>Left Pedestal</i>				
	35N2472CLFW10	\$ 2489	23¾ 71¾ 29½ ¼ 34¾	279 lbs.	40.6



Left shown


- Grommet (G13LR) available

Highback Organizer	35N7236HBHW	\$ 1939	14¾ 71¾ 36 ¼ —	183 lbs.	36.2
	35N6636HBHW	1843	14¾ 65¾ 36 ¼ —	171 lbs.	33.5



- Highback organizers feature (4) side hinged doors, full back panels with cord management and finished backs
- For tack board options, see pages 304-308


Overhead Cabinet Wall Mount	35N3618SOHM	\$ 1074	14¾ 35¾ 18 ¼ —	70 lbs.	9.7
	35N3018SOHM	1012	14¾ 29½ 18 ¼ —	113 lbs.	8.2



ABWMD	48" Wall Mount Kit	\$ 53	½ 48 2 — —	4 lbs.	0.1
ABWMF	72" Wall Mount Kit	56	½ 72 2 — —	4 lbs.	0.1

- Must specify wall mount kit
- Wall mount extrusions can be cut to size in the field
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For tack board options, see pages 304-308

Lateral File Two Drawer	35N2136LFF2W	\$ 1485	21 35¾ 29½ ¼ —	141 lbs.	15.6
--------------------------------	---------------------	----------------	----------------	----------	------







- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width






Sample Model Number:

35N2136LFF4W	T2	3MB	MC
35N3636BCOW	T1	CW	

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Lateral File Three Drawer 	35N2136LFF3W	\$ 2070	21	35½	43½	⅞	—	210 lbs.	30.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back								
Lateral File Four Drawer 	35N2136LFF4W	\$ 2652	21	35¾	55½	⅞	—	268 lbs.	29.4
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Do not specify sheen option; features standard sheen								
Double Door Unit 	35N2136PFHW	\$ 1328	21	35¾	29½	⅞	—	138 lbs.	15.6
	• Double door unit features an adjustable shelf • Grommet option not available • Unfinished back panel								
Entertainment Cabinet (Shown on Double Door Unit) 	35N3636V0VHW	\$ 2341	21	35 ²⁵ / ₃₂	36	—	—	144 lbs.	19.1
	Inside Dimensions		18 ¹ / ₂	34 ⁷ / ₃₂	34 ¹ / ₁₆				
	• Entertainment cabinet can sit on top of double door unit • Entertainment cabinet has one adjustable shelf • From top of bottom panel to bottom of shelf (in its lowest position), the height is 3¹/₁₆"; from top of shelf (in its lowest position) to bottom of top panel, the height is 29¹/₁₆"; height between the shelf holes is 2¹/₂"; each time a shelf is moved, the 3¹/₁₆" and 29¹/₁₆" dimensions will increase/decrease 2¹/₂"; there are 10 adjustment holes • Unit has an unfinished back • Unit doors have a 170° hinge • Do not specify sheen option; features standard sheen • Includes grommets in back panel for wire access and venting								


Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Sheen	Finish
35N2136LFF4W	T1 Taper T2 Pillar T3 Reed	1MB Triangle, Cinder 1PL Triangle, Platinum Metallic 2MB Crescent, Cinder 2PL Crescent, Platinum Metallic 3MB Bar, Cinder 3PL Bar, Platinum Metallic	G13C Black, Center X No Grommet	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	T2	3MB			MC

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
 Left shown	Single Storage Cabinet/Wardrobe				
	<i>Left Hinged</i>				
	<i>Right Hinged</i>				
	35N1866VSWHLW 35N1866VSWHRW	\$ 1949	21 18½ 65½ — —	160 lbs.	23.6
	Inside Dimensions		18½ 16½ 61½ — —		
	• Single storage cabinet can be used as a wardrobe unit by removing the four adjustable shelves • Removable coat rod is standard • Unit has an unfinished back				
	Bookcase	35N3666BCOFW	\$ 1524	11¾ 35% 65½ — —	129 lbs. 30.3
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Shelves can be adjusted 2½" up or down • Bookcase has an unfinished back				
	Bookcase Set-On	35N3636BCOW	\$ 932	11¾ 35% 36 — —	76 lbs. 17.2
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Shelves can be adjusted 2½" up or down • Bookcase has an unfinished back				
	Printer/Telephone Stand	35N2430PTW	\$ 1094	23¾ 29¾ 29½ ¼ 27%	94 lbs. 18.7
	MPK-4	Set of 4 Casters	59	For use as a mobile unit	1 lbs. 0.2
	• Open back • Grommet (G13C) available				
	Computer Table	35N2451CTW	\$ 1094	23¾ 51 29½ ¼ 49%	140 lbs. 24.4
	MPK-4	Set of 4 Casters	59	For use as a mobile unit	4 lbs. 0.2
	• Grommet (G13C) available				

Hiland

- Dimension Key**
- D Depth
 - W Width
 - H Height
 - A Overhang: Approach Side
 - KW Kneespace Width
 - DI Diameter

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Round Table Top 	36" Round	1³/₁₆" Top Thickness		DI		H				
	35N36RDW	Wood	\$ 1102	35 ⁷ / ₈	—	1 ³ / ₁₆	—	—	42 lbs.	2.4
	42" Round									
	35N42RDW	Wood	\$ 1361	42 ¹ / ₂	—	1 ³ / ₁₆	—	—	58 lbs.	3.2
	48" Round									
	35N48RDW	Wood	\$ 1688	48	—	1 ³ / ₁₆	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 16-18 for applicable bases
- Grommet options available on round tops are G10C and CUT-G15C, reference Tables Price List page 85 for options and upcharge

Roosevelt

Roosevelt

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1 $\frac{1}{8}$ " bookmatched walnut veneer or 1" TFL (thermally fused laminate) worksurface
- Mitered rim and base
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces; standard sheen featured on above surface units

FINISH APPLICATION

- Roosevelt series finished with IntegraClear™ UV technology. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- $\frac{3}{4}$ " thick full modesty panels
- Grain direction runs vertical on all modesty panels
- $\frac{3}{4}$ " thick end panels
- Standard leveling glides
- Back panels are finished on desks, bridges, corner units and returns only

MOLDING

- Solid wood, mitered, overlay moldings optional on modesty panels of desks only (excluding reception desk)

PULLS


- Available with one pull: Scroll with matching knob for highbacks and wardrobes
- Available in two colors: Antique Brass or Classic Nickel

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Front and backs are laminated woodgrain $\frac{1}{2}$ " thick, sides are laminated woodgrain $\frac{3}{8}$ " thick
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT

- Grommets available in predetermined locations for an additional upcharge
- Optional wire managers are available (see accessory pages)
- Standard in highback organizers
- Wire management cut-out included on inside pedestal panel for routing of wires from pedestal to kneespace area when grommet is featured on surface

LOCKING

- All units feature standard pedestal locking; desks have locking center drawer independent from the pedestals
- Highback organizers feature one standard lock for center compartment
- Black, removable cores are standard for all pedestal locks
- Pedestal key numbers are randomly assigned (1-5) to all locking pedestals; units with multiple pedestals will be keyed alike
- For key specific lock cores, change keys and master keys, reference page 297
- Highbacks and wardrobes use a black lock with a non-removable changeable lock core

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions Width	Depth	Height	Front-To-Back Filing Capabilities
Dictation Slide	13 $\frac{1}{4}$ "	24 $\frac{1}{4}$ "	$\frac{3}{4}$ "	N/A
Center Drawers				
3672DP, 3066DP	28 $\frac{1}{2}$ "	17"	2 $\frac{7}{8}$ "	N/A
3672LP, 3672RP	28 $\frac{1}{2}$ "	17"	2 $\frac{7}{8}$ "	N/A
3066LP, 3066RP	22 $\frac{3}{4}$ "	17"	2 $\frac{7}{8}$ "	N/A
Box Drawer	12 $\frac{1}{8}$ "	17"	3 $\frac{1}{8}$ "	N/A
File Drawer – Desk	12 $\frac{1}{8}$ "	17"	9 $\frac{1}{2}$ "	Letter
File Drawer – Return and Credenza	15 $\frac{1}{8}$ "	17"	9 $\frac{1}{2}$ "	Legal
File Drawer – Lateral File	30 $\frac{1}{8}$ "	15"	9 $\frac{1}{2}$ "	Letter/Letter, Letter/Legal or Letter/EDP

- Dictation slide extends 17" from desk
- All file drawers file letter, legal and EDP side-to-side



November 2011



November 2011



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

- TF Truffle
- CW Cordovan
- DW Judicial
- MH Mocha


WORKSURFACE
SHEEN OPTIONS

- R Standard
- N Matte/Satin

MOLDING (Desks Only)

- M Molding
- X No molding

RIM PROFILE



PULL/KNOB



Scroll (82)

- 82AB Antique Brass
 - 82CN Classic Nickel
- (Boring Pattern 102mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black

\$25 list for each grommet

- G13C Center
- G13LR Left & Right

QUICK DELIVERY MODELS

- Models starting with a “Q” will have the following options in stock:
- Q models include grommet(s) upcharge
- Rim Profile: Traditional
- Molding: Included on desks only
- Pull: Scroll 82AB Antique Brass
- Grommets: Included on bridges, returns and credenzas
- Sheen: Standard
- Finish: Cordovan (CW)

Roosevelt L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Scroll, Antique Brass pulls
- Standard sheen
- Center grommet in return
- Must specify finish

To Order, Specify Finish:

TF Truffle DW Judicial
CW Cordovan MH Mocha

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



L-CONFIGURATIONS		Model No./Description		List Price	L-CONFIGURATIONS		Model No./Description		List Price
Left L-Configuration		51N8672LLFW		85¾D x 71¾W	Right L-Configuration		51N8672LRFW		85¾D x 71¾W
Wood Top				\$ 3801	Wood Top				\$ 3801
		consists of					consists of		
		51N3672DRFW1	Right Pedestal Desk	2190			51N3672DLFW1	Left Pedestal Desk	2190
		51N2450RLEFW2	Left Pedestal Return	1611			51N2450RREFW2	Right Pedestal Return	1611
		51N8066LLFW		79¾D x 66W			51N8066LRFW		79¾D x 66W
				\$ 3577					\$ 3577
		consists of					consists of		
		51N3066DRFW1	Right Pedestal Desk	1966			51N3066DLFW1	Left Pedestal Desk	1966
		51N2450RLEFW2	Left Pedestal Return	1611			51N2450RREFW2	Right Pedestal Return	1611
Left L-Configuration		Q51N8672LLFLW		85¾D x 71¾W	Right L-Configuration		Q51N8672LRFLW		85¾D x 71¾W
Laminate Top		51N8672LLFLW		85¾D x 71¾W	Laminate Top		51N8672LRFLW		85¾D x 71¾W
		consists of					consists of		
		51N3672DRFLW1	Right Pedestal Desk	2029			51N3672DLFLW1	Left Pedestal Desk	2029
		51N2450RLEFLW2	Left Pedestal Return	1503			51N2450RREFLW2	Right Pedestal Return	1503
		51N8066LLFLW		79¾D x 66W			51N8066LRFLW		79¾D x 66W
				\$ 3317					\$ 3317
		consists of					consists of		
		51N3066DRFLW1	Right Pedestal Desk	1814			51N3066DLFLW1	Left Pedestal Desk	1814
		51N2450RLEFLW2	Left Pedestal Return	1503			51N2450RREFLW2	Right Pedestal Return	1503

Roosevelt U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:





- Scroll, Antique Brass pulls
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish

To Order, Specify Finish:

TF Truffle DW Judicial
CW Cordovan MH Mocha

To You In 10 DAYS ...or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



U-CONFIGURATIONS		Model No./Description	List Price	U-CONFIGURATIONS		Model No./Description	List Price
Left U-Configuration		51N10772ULFW	106¾D x 71¾W	Right U-Configuration		51N10772URFW	106¾D x 71¾W
Wood Top			\$ 4886	Wood Top			\$ 4886
		consists of				consists of	
		51N3672DRFW1	Right Pedestal Desk			51N3672DLFW1	Left Pedestal Desk
		51N2450BEFW	Bridge			51N2450BEFW	Bridge
		51N2172CLFW2	Left Pedestal Credenza			51N2172CRFW2	Right Pedestal Credenza
		51N9972ULFW	98¾D x 71¾W			51N9972URFW	98¾D x 71¾W
			\$ 4845				\$ 4845
		consists of				consists of	
		51N3672DRFW1	Right Pedestal Desk			51N3672DLFW1	Left Pedestal Desk
		51N2442BEFW	Bridge			51N2442BEFW	Bridge
		51N2172CLFW2	Left Pedestal Credenza			51N2172CRFW2	Right Pedestal Credenza
		51N10166ULFW	100¾D x 66W			51N10166URFW	100¾D x 66W
			\$ 4383				\$ 4383
		consists of				consists of	
		51N3066DRFW1	Right Pedestal Desk			51N3066DLFW1	Left Pedestal Desk
		51N2450BEFW	Bridge			51N2450BEFW	Bridge
		51N2166CLFW2	Left Pedestal Credenza			51N2166CRFW2	Right Pedestal Credenza
		51N9366ULFW	92¾D x 66W			51N9366URFW	92¾D x 66W
			\$ 4342				\$ 4342
		consists of				consists of	
		51N3066DRFW1	Right Pedestal Desk			51N3066DLFW1	Left Pedestal Desk
		51N2442BEFW	Bridge			51N2442BEFW	Bridge
		51N2166CLFW2	Left Pedestal Credenza			51N2166CRFW2	Right Pedestal Credenza
		51N10772ULFLW	106¾D x 71¾W			51N10772URFLW	106¾D x 71¾W
			\$ 4537				\$ 4537
Left U-Configuration		51N10772ULFLW	106¾D x 71¾W	Right U-Configuration		51N10772URFLW	106¾D x 71¾W
Laminate Top			\$ 4537	Laminate Top			\$ 4537
		consists of				consists of	
		51N3672DRFLW1	Right Pedestal Desk			51N3672DLFLW1	Left Pedestal Desk
		51N2450BEFLW	Bridge			51N2450BEFLW	Bridge
		51N2172CLFLW2	Left Pedestal Credenza			51N2172CRFLW2	Right Pedestal Credenza
		Q51N9972ULFLW	98¾D x 71¾W			Q51N9972URFLW	98¾D x 71¾W
			\$ 4496				\$ 4496
		consists of				consists of	
		51N3672DRFLW1	Right Pedestal Desk			51N3672DLFLW1	Left Pedestal Desk
		51N2442BEFLW	Bridge			51N2442BEFLW	Bridge
		51N2172CLFLW2	Left Pedestal Credenza			51N2172CRFLW2	Right Pedestal Credenza
		51N10166ULFLW	100¾D x 66W			51N10166URFLW	100¾D x 66W
			\$ 4022				\$ 4022
		consists of				consists of	
		51N3066DRFLW1	Right Pedestal Desk			51N3066DLFLW1	Left Pedestal Desk
		51N2450BEFLW	Bridge			51N2450BEFLW	Bridge
		51N2166CLFLW2	Left Pedestal Credenza			51N2166CRFLW2	Right Pedestal Credenza
		51N9366ULFLW	92¾D x 66W			51N9366URFLW	92¾D x 66W
			\$ 3981				\$ 3981
		consists of				consists of	
		51N3066DRFLW1	Right Pedestal Desk			51N3066DLFLW1	Left Pedestal Desk
		51N2442BEFLW	Bridge			51N2442BEFLW	Bridge
		51N2166CLFLW2	Left Pedestal Credenza			51N2166CRFLW2	Right Pedestal Credenza

Roosevelt

Product Specifications

- Specify and add \$25 list for EACH grommet

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

51N3672DDFW8 M 82AB G13LR N MH
51N3672DTW 82AB R MH
51N2450RLEFW2 82AB X R MH

To You In
10
DAYS
...or Less

Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.


	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Double Pedestal Desk   Desk with optional molding	51N3672DDFW8 Wood Top	\$ 2338	35¾	71¾	29½	7¾	32%	362 lbs.	57.4
	Q51N3672DDFLW8 Laminate Top	2242	35¾	71¾	29½	7¾	32%	362 lbs.	57.4
	51N3672DDFLW8 Laminate Top	2242	35¾	71¾	29½	7¾	32%	362 lbs.	57.4
	51N3066DDFW8 Wood Top	\$ 2284	29¾	66	29½	1¾	25⅓⁄₆	285 lbs.	45.3
	51N3066DDFLW8 Laminate Top	2184	29¾	66	29½	1¾	25⅓⁄₆	285 lbs.	45.3
	• The user side overhang is 1" • Locking center drawer and dictation slide included with unit • Grommet (G13LR) available • Optional molding on approach side • Line art shown with optional molding • Quick Delivery model includes molding								
Chippendale Table Desk 	51N3672DTW Wood Top	\$ 1747	35¾	71¾	29½	—	—	129 lbs.	10.7
	51N3672DTLW Laminate Top	1638	35¾	71¾	29½	—	—	129 lbs.	10.7
	• Do not specify molding or grommet options • Non-locking center drawer included with unit • Some assembly required								
Single Pedestal Desk  Right shown	<i>Left Pedestal</i>								
	51N3672DLFW1 51N3672DRFW1 Wood Top	\$ 2190	35¾	71¾	29½	7¾	31%	311 lbs.	57.4
	Q51N3672DLFLW1 Q51N3672DRFLW1 Laminate Top	2029	35¾	71¾	29½	7¾	31%	311 lbs.	57.4
	51N3672DLFLW1 51N3672DRFLW1 Laminate Top	2029	35¾	71¾	29½	7¾	31%	311 lbs.	57.4
	51N3066DLFW1 51N3066DRFW1 Wood Top	\$ 1966	29¾	66	29½	1¾	25⅓⁄₆	245 lbs.	45.3
	51N3066DLFLW1 51N3066DRFLW1 Laminate Top	1814	29¾	66	29½	1¾	25⅓⁄₆	245 lbs.	45.3
	• Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available • Optional molding on approach side • Quick Delivery model includes molding								

Specify selections, left to right:


Base Model	Molding	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
51N3672DDFW8	M Molding X No molding	82AB Antique Brass 82CN Classic Nickel	G13LR Left & Right G13C Center X No Grommet	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha
	M	82AB	G13LR	N	MH

Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
-----------------------	------------	--------------------------	-----------------	------------


Reception Desk/Return



Left Reception Desk



Right Reception Return



Reception Desk

Left Pedestal Right Pedestal

51N3072DTLFW1	51N3072DTRFW1	Wood Top	\$ 3224	30 ⁷ / ₃₂	71 ³ / ₄	43 ¹ / ₁₆	—	—	530 lbs.	69.9
51N3072DTLFLW1	51N3072DTRFLW1	Laminate Top	3068	30 ⁷ / ₃₂	71 ³ / ₄	43 ¹ / ₁₆	—	—	530 lbs.	69.9

- Must be used with reception return
- Grommet (G13C) available
- Molding option not available


Reception Return

Left Right

51N2451RTLW2	51N2451RTRW2	Wood Top	\$ 2153	23 ³ / ₁₆	50 ³ / ₄	42	—	—	300 lbs.	43.1
51N2451RTLW2	51N2451RTRLW2	Laminate Top	2075	23 ³ / ₁₆	50 ³ / ₄	42	—	—	300 lbs.	43.1

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available

Return




Right shown

Left Pedestal Right Pedestal

51N2450RLEFW2	51N2450RREFW2	Wood Top	\$ 1586	23 ³ / ₄	50	29 ¹ / ₂	—	30 ³ / ₁₆	159 lbs.	29.7
Q51N2450RLEFLW2	Q51N2450RREFLW2	Laminate Top	1503	23 ³ / ₄	50	29 ¹ / ₂	—	30 ³ / ₁₆	159 lbs.	29.7
51N2450RLEFLW2	51N2450RREFLW2	Laminate Top	1478	23 ³ / ₄	50	29 ¹ / ₂	—	30 ³ / ₁₆	159 lbs.	29.7

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available

Corner Unit



51N3636CFSW	Wood Top	\$ 1232	36	36	29 ¹ / ₂	—	—	104 lbs.	5.2
51N3636CFSW	Laminate Top	1128	36	36	29 ¹ / ₂	—	—	104 lbs.	5.2

- Unit must be attached to bridge and/or return
- Not recommended as a freestanding unit due to routing in the rim
- Some assembly required
- Grain direction runs diagonal on worksurface
- Grommet (G13C) available

Roosevelt

Product Specifications

- Specify and add \$25 list for EACH grommet

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

51N2172CFFW 82AB G13LR N DW
51N2172CLFW6 82CN X N DW
51N7236HBHW 82CN DW

To You In
10
DAYS
...or Less

Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Bridge 	51N2450BEFW Wood Top	\$ 699	23¾	50	29½	—	50	78 lbs.	3.0
	Q51N2450BEFLW Laminate Top	697	23¾	50	29½	—	50	72 lbs.	3.0
	51N2450BEFLW Laminate Top	672	23¾	50	29½	—	50	72 lbs.	3.0
	51N2442BEFW Wood Top	\$ 658	23¾	42	29½	—	42	71 lbs.	2.6
	Q51N2442BEFLW Laminate Top	656	23¾	42	29½	—	42	65 lbs.	2.6
	51N2442BEFLW Laminate Top	631	23¾	42	29½	—	42	65 lbs.	2.6
• Do not specify pull • Grommet (G13C) available • Some assembly required • Grain direction runs front-to-back on worksurface									
Storage Credenza 	51N2172CSFW2 Wood Top	\$ 2365	21	71¾	29½	—	—	340 lbs.	36.4
	Q51N2172CSFLW2 Laminate Top	2240	21	71¾	29½	—	—	340 lbs.	36.4
	51N2172CSFLW2 Laminate Top	2190	21	71¾	29½	—	—	340 lbs.	36.4
	• Features an adjustable laminate shelf which measures 12" deep, 32¾" wide and 1" thick • Grommet (G13LR) available • Unfinished back panel								
Lateral File Credenza 	51N2172CFFW Wood Top	\$ 2365	21	71¾	29½	—	—	333 lbs.	36.4
	51N2172CFFW Laminate Top	2190	21	71¾	29½	—	—	333 lbs.	36.4
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grommet (G13LR) available								
Kneespace Credenza 	51N2172CKFW2 Wood Top	\$ 2136	21	71¾	29½	—	33¾	234 lbs.	36.4
	Q51N2172CKFLW2 Laminate Top	1986	21	71¾	29½	—	33¾	234 lbs.	36.4
	51N2172CKFLW2 Laminate Top	1961	21	71¾	29½	—	33¾	234 lbs.	36.4
	51N2166CKFW2 Wood Top	\$ 1941	21	65¾	29½	—	27½	175 lbs.	24.5
	51N2166CKFLW2 Laminate Top	1851	21	65¾	29½	—	27½	175 lbs.	24.5
	• Features standard wire management centered in the modesty panel and 1¾" down from the top • Grommet (G13LR, G13C) available • Quick Delivery model includes G13C center grommet								

Specify selections, left to right:


Base Model	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
	82AB Antique Brass 82CN Classic Nickel	G13LR Left & Right G13C Center X No Grommet	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha
51N2172CFFW	82AB	G13LR	N	DW

	Model No./Description			List Price	Dimensions					Cartoned Weight	Cubic Feet
					D	W	H	A	KW		
Single Pedestal Credenza Lateral File 	<i>Left Pedestal</i> <i>Right Pedestal</i>										
	51N2172CLFW6	51N2172CRFW6	Wood Top	\$ 1976	21	71¾	29½	—	10% ₆	234 lbs.	36.4
	51N2172CLFLW6	51N2172CRFLW6	Laminate Top	1868	21	71¾	29½	—	10% ₆	234 lbs.	36.4

Left shown

Single Pedestal Credenza File/File 	Left Pedestal	Right Pedestal									
	51N2172CLFW2	51N2172CRFW2	Wood Top	\$ 1922	21	71¾	29½	—	28%	195 lbs.	36.4
	Q51N2172CLFLW2	Q51N2172CRFLW2	Laminate Top	1811	21	71¾	29½	—	28%	195 lbs.	36.4
	51N2172CLFLW2	51N2172CRFLW2	Laminate Top	1761	21	71¾	29½	—	28%	195 lbs.	36.4

Left shown

	Highback Organizer										
	36" High										
	Q51N7236HBHW	Wood Doors	\$ 2029	14¾	71¾	36	—	—	177 lbs.	36.2	
	51N7236HBHW	Wood Doors	2029	14¾	71¾	36	—	—	177 lbs.	36.2	
	51N6636HBHW	Wood Doors	\$ 1923	14¾	65¾	36	—	—	150 lbs.	30.1	

- Specify pull and finish only
- Highback organizer features (4) side hinged doors, full back panel with cord management
- For tack board options, see pages 304-308

Dimension Key



D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

51N3778VHHW 82CN CW

To You In
10
Days
...or Less

Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.


	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Overhead Cabinet Wall Mount 	18" High								
	Q51N3618SOHMMW Wood Doors	\$ 988	14½	35 ²⁹ / ₃₂	17%	—	—	76 lbs.	7.7
	51N3618SOHMMW Wood Doors	988	14½	35 ²⁹ / ₃₂	17%	—	—	76 lbs.	7.7
	51N3018SOHMMW Wood Doors	920	14½	29%	17%	—	—	64 lbs.	6.4
	Wall Mount Kit								
	ABWMD 48" Wall Mount Kit	\$ 53	½	48	2	—	—	4 lbs.	0.1
	ABWMF 72" Wall Mount Kit	56	½	72	2	—	—	4 lbs.	0.2
	• Specify pull and finish only • Units feature (2) side hinged doors • It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • Wall mount bracket is required for wall mount application • Wall mount bracket is sold separately and can be cut to size in the field • For tack board options, see pages 304-308								
Lateral File Two Drawer 	51N2137LFF2W Wood Top	\$ 1564	21	37¼	29½	—	—	158 lbs.	15.6
	Q51N2137LFF2LW Laminate Top	1510	21	37¼	29½	—	—	123 lbs.	15.6
	51N2137LFF2LW Laminate Top	1510	21	37¼	29½	—	—	123 lbs.	15.6
	• Front-to-back filing is standard with lateral files; four rods per drawer are included								
Lateral File Three Drawer 	51N2137LFF3W Wood Top	\$ 2150	21½	37¼	43 ¹ / ₆	—	—	190 lbs.	24.0
	51N2137LFF3LW Laminate Top	2096	21½	37¼	43 ¹ / ₆	—	—	190 lbs.	24.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included								
Lateral File Four Drawer 	51N2137LFF4W Wood Top	\$ 2660	21	37¼	55%	—	—	236 lbs.	29.4
	• Do not specify sheen option; features standard sheen • Front-to-back filing is standard with lateral files; four rods per drawer are included								

Specify selections, left to right:

Base Model	Pull Option	Sheen (wood tops only)	Finish
	82AB Antique Brass 82CN Classic Nickel	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha CW
51N3778VHHW	82CN		

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				

Wardrobe



51N3778VHHW Wood Doors

\$ 2444

23½

37

78

—


—

250 lbs.

48.6

- Removable coat rod is standard; positioned on left side of wardrobe
- Features four adjustable laminate shelves

Double Bookcase



Double Bookcase

\$ 2886

14½

69¼

56½

—

—

243 lbs.

39.4

Q51N3452BCOFW Bookcase (each—order 2)

1084

12¼

33½

51¼

—

—

92 lbs.

17.6

51N3452BCOFW Bookcase (each—order 2)

1084

12¼

33½

51¼

—

—

92 lbs.

17.6

51N1469CPCFW Cornice Frame

452

14½

69¼

1½

—

—

30 lbs.

1.2

51N1468CPBW Base

266

13½

68¼

3¼

—

—

29 lbs.

3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¼" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable

Roosevelt

Product Specifications

- Specify and add \$25 list for EACH grommet

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

51N3452BCOFW MH
51N1436CPCFW MH
51N1435CPBW MH
51N2424ENW N MH
51N2430PTW G13C N MH


To You In
10
DAYS
...or Less

Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	Single Bookcase	\$ 1484	14½ 35¾ 56½ — —	128 lbs.	19.8
	Q51N3452BCOFW Bookcase	1084	12¼ 33½ 51¾ — —	92 lbs.	17.6
	51N3452BCOFW Bookcase	1084	12¼ 33½ 51¾ — —	92 lbs.	17.6
	Q51N1436CPCFW Cornice Frame	225	14½ 35¾ 1½ — —	18 lbs.	0.6
	51N1436CPCFW Cornice Frame	225	14½ 35¾ 1½ — —	18 lbs.	0.6
	Q51N1435CPBW Base	175	13¾ 34¾ 3¼ — —	18 lbs.	1.6
	51N1435CPBW Base	175	13¾ 34¾ 3¼ — —	18 lbs.	1.6
• Bookcase components are shipped separately • For set-on surface use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable					
	Single Bookcase	\$ 1421	14½ 35¾ 40½ — —	112 lbs.	19.4
	Q51N3436BCOFW Bookcase	1021	12¼ 33½ 35¾ — —	76 lbs.	17.2
	51N3436BCOFW Bookcase	1021	12¼ 33½ 35¾ — —	76 lbs.	17.2
	Q51N1436CPCFW Cornice Frame	225	14½ 35¾ 1½ — —	18 lbs.	0.6
	51N1436CPCFW Cornice Frame	225	14½ 35¾ 1½ — —	18 lbs.	0.6
	Q51N1435CPBW Base	175	13¾ 34¾ 3¼ — —	18 lbs.	1.6
	51N1435CPBW Base	175	13¾ 34¾ 3¼ — —	18 lbs.	1.6
• Bookcase components are shipped separately • For set-on surface use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable					
	51N2430PTW Wood Top	\$ 1263	23¾ 29¾ 30 — —	81 lbs.	18.7
	51N2430PTLW Laminate Top	1238	23¾ 29¾ 30 — —	81 lbs.	12.3
	MPK-4 Set of 4 casters	59	For use as a mobile unit	4 lbs.	0.2
	• Grommet (G13C) available • Fixed shelf is 12" deep, 26½" wide and ¾" thick • Height between shelves is 18¾" • Open back				
	51N2040MGW Wood Top	\$ 847	19¾ 39¾ 18¾ — —	42 lbs.	3.0
	Q51N2040MGLW Laminate Top	728	19¾ 39¾ 18¾ — —	42 lbs.	3.0
	51N2040MGLW Laminate Top	728	19¾ 39¾ 18¾ — —	46 lbs.	3.0
• Some assembly required • Laminate top tables have veneer legs/base					

Specify selections, left to right:

Base Model	Grommet Option	Sheen (wood tops only)	Finish
51N3452BCOFW	G13C Center X No Grommet	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
End Table 	51N2424ENW Wood Top	\$ 728	23¾ 23¾ 22½ — —	38 lbs.	2.8
	Q51N2424ENLW Laminate Top	647	23¾ 23¾ 22½ — —	38 lbs.	2.8
	51N2424ENLW Laminate Top	647	23¾ 23¾ 22½ — —	38 lbs.	2.8
	- Some assembly required - Laminate top tables have veneer legs/base				
Keyboard Drawer 	Q51N1531KDFW	\$ 229	15 30% 4⅞ — —	11 lbs.	1.1
	51N1531KDFW	229	15 30% 4⅞ — —	11 lbs.	1.1
	- Specify finish only - Keyboard drawer features flip-down front for easy access to keyboard				

Exhibit™

Wall Rail Solution

PRODUCT SPECIFICATIONS

HORIZONTAL WALL RAIL AND FACEPLATE

- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of one or two and include faceplate and splice plates
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals splice plates, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Splice plate bracket is required to align two adjacent sections of wall rail and is included with wall rails
- Splice plate is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible PVC trough that allows cords and cables to be routed along the back edge or sides of worksurface

MARKER BOARD/TACK BOARD/SLAT WALL INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include two trim channels
- Tack board insert is available in fabric, see page 248 for fabric options
- Slat wall inserts are powder coated aluminum and available in Cinder or Platinum Metallic
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used

TRIM CHANNELS

- Quantity of two is standard with each board/insert
- Available in powder coat paint or fabric; Paint options of White, Cinder or Platinum Metallic and in the same fabric option as the tack board inserts
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet
- Available in fabric to match tack board insert or black plastic

WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from one surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or pre-determined locations



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WALL RAIL/FACEPLATE/
SLAT WALL INSERT
PAINT COLORS

- 462 Cinder
- 501 Platinum Metallic

TRIM CHANNEL
PAINT COLORS

- 401 White
- 462 Cinder
- 501 Platinum Metallic

END TRIM/END CAP
PAINT COLORS

- 462 Cinder
- 501 Platinum Metallic

WORK TOOLS (METAL)

- 462 Cinder
- 501 Platinum Metallic

TACK BOARD INSERT/TRIM CHANNEL/WIRE MANAGER FABRIC OPTIONS

Dune (Grade A)
100% Polyester

- 8600 Drift
- 8601 Windblown
- 8602 Erosion
- 8603 Haze
- 8604 Kamelos
- 8605 Fiddleneck
- 8606 Pebble
- 8607 Gecho
- 8608 Nectar
- 8610 Clear Sky
- 8614 Basin
- 8615 Raven
- 8620 Darkness
- 8621 Golden


Repetition (Grade A)
100% Pre-Consumer
Recycled Polyester

- 3700 Ash
- 3705 Willow
- 3709 Java
- 3713 Stainless
- 3715 Almond
- 3721 Reed
- 3726 Kiwi
- 3737 Sisal
- 3744 Tawny
- 3753 Steel
- 3766 Wicker
- 3775 Grey Green
- 3782 Honeycomb
- 3785 Blue Grass
- 3792 Spa
- 3799 Cornflower

Pact (Grade B)
65% Pre-Consumer Recycled Polyester,
35% Post-Consumer Recycled Polyester

- 25401 Aloe
- 25402 Azure
- 25403 Calla
- 25404 Coastal
- 25405 Delft
- 25406 Dove
- 25407 Dragon
- 25408 Eureka
- 25409 Fern
- 25410 Harbour
- 25411 Lily
- 25412 Lime
- 25413 Midnight
- 25414 Nectar
- 25415 Patina
- 25416 Putty
- 25417 Roast
- 25418 Roma
- 25419 Rubine
- 25420 Sketch
- 25421 Tanzanite
- 25422 Taupe
- 25423 Toasty

Exhibit Components



Overview

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

Exhibit with WaveWorks and Epic Models

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic worksurfaces and components. Attaching worksurfaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.





Exhibit with Conference/Training Solutions and Private Office Applications

The Exhibit wall rail solution can be used in a conference/training room application as well as in private offices and common areas. Exhibit wall rails and inserts can wrap a room to provide additional tackable or marker board space keeping the space interactive without the use of freestanding marker boards or flipcharts. The wall rails can be placed at any of our five available heights when used in conjunction with freestanding office furniture, conference and training tables and in common areas.



Application Guidelines

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/240 of the span for walls with brittle finishes and 1/20 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point

RECOMMENDED FASTENERS


- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer

Type and Size	Description
<i>Steel Studs</i> (½" to ¾" drywall) Hilti® Toggler® anchor toggle bolts, ¼"-20 x 2" grade 5 bolts	
<i>Wood Studs</i> (¼" to ½" drywall) Meets or exceeds ANSI/ASME B18.6.4 and SAE J933. Pan head sheet metal screw	10-2 PHPMS
<i>Solid Masonry</i> Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	
<i>Masonry Block</i> Hilti Toggler anchor toggle bolts, ¼"-20 x 2" grade 5 bolts Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	

- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Exhibit wall rail extends ⅞" from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a space
- Select worksurfaces and inserts can be field scribed to fit space
- In fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface


34" Tall Inserts

Compatible with WaveWorks Metal Vertical Storage




36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the five heights to achieve the customer's needs.


Exhibit

Product Specifications

- Exhibit rail can be cut to size in the field
- Splice plates are required to align two sections of Exhibit rail in line
- Exhibit mount overheads available, see Epic and WaveWorks series
- For worksurface brackets, end trim and end caps see pages 259-261

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

	Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
	Wall Rail and Faceplate									
	11N72EXFP2	Set of Two	\$ 220	7⁄8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP2	Set of Two	315	7⁄8	144	1¾	—	—	12 lbs.	1.4
	11N72EXFP1	Set of One	\$ 127	7⁄8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP1	Set of One	175	7⁄8	144	1¾	—	—	12 lbs.	1.4
• Set of two includes two rails, two faceplates, and four splice plates • Set of one includes one rail, one faceplate, and two splice plates • Exhibit wall rail available in Cinder or Platinum Metallic										
	Wall Rail									
	11N72EXP1	One Rail/No faceplate	\$ 77	¾	72	1¾	—	—	6 lbs.	0.7
	11N144EXP1	One Rail/No faceplate	111	¾	144	1¾	—	—	12 lbs.	1.4
	• Includes one wall rail and two splice plates • Exhibit wall rail available in Cinder or Platinum Metallic • For use when hanging a worksurface or overhead without the use of tack board, marker board, or slat wall inserts									


To Order, Specify:

1. Model Number
2. Paint Color
3. Fabric Grade (tack board insert only)
4. Fabric Color (tack board insert only)

• See page 248 for all options available in Exhibit

Sample Model Number:

11N72EXFP2 462
11N1834TB B 25413

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
Tack Board Inserts 	Compatible with WaveWorks Metal Vertical Storage 34"H Tack Board Inserts									
		Grade A	Grade B							
	11N1834TB	\$ 180	\$ 211	½	18	34½	—	—	3 lbs.	0.5
	11N2434TB	189	220	½	24	34½	—	—	4 lbs.	0.6
	11N3034TB	222	253	½	30	34½	—	—	5 lbs.	0.8
	11N3634TB	228	259	½	36	34½	—	—	6 lbs.	0.9
	11N4234TB	234	265	½	42	34½	—	—	7 lbs.	1.0
	11N4834TB	242	273	½	48	34½	—	—	8 lbs.	1.2
	11N5434TB	268	299	½	54	34½	—	—	9 lbs.	1.3
	11N6034TB	269	300	½	60	34½	—	—	10 lbs.	1.4
	Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Tack Board Inserts									
	11N1836TB	\$ 193	\$ 224	½	18	36¾	—	—	3 lbs.	0.5
	11N2436TB	202	233	½	24	36¾	—	—	4 lbs.	0.6
	11N3036TB	235	266	½	30	36¾	—	—	5 lbs.	0.8
	11N3636TB	243	274	½	36	36¾	—	—	6 lbs.	0.9
	11N4236TB	250	281	½	42	36¾	—	—	7 lbs.	1.0
	11N4836TB	258	289	½	48	36¾	—	—	8 lbs.	1.2
	11N5436TB	285	316	½	54	36¾	—	—	9 lbs.	1.3
	11N6036TB	287	318	½	60	36¾	—	—	10 lbs.	1.4
	Compatible with WaveWorks 69" High WWN Models 37"H Tack Board Inserts									
	11N1837TB	\$ 193	\$ 224	½	18	37	—	—	3 lbs.	0.5
	11N2437TB	202	233	½	24	37	—	—	4 lbs.	0.6
	11N3037TB	235	266	½	30	37	—	—	5 lbs.	0.8
	11N3637TB	243	274	½	36	37	—	—	6 lbs.	0.9
	11N4237TB	250	281	½	42	37	—	—	7 lbs.	1.0
	11N4837TB	258	289	½	48	37	—	—	8 lbs.	1.2
	11N5437TB	285	316	½	54	37	—	—	9 lbs.	1.3
	11N6037TB	287	318	½	60	37	—	—	10 lbs.	1.4

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts


Exhibit

Product Specifications

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts can not be field scribed
- Each height of tack board, marker board and slat wall insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Model No./Description			List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
Tack Board Inserts (continued) 	Compatible with WaveWorks 79" High WW Models 48"H Tack Board Inserts									
		Grade A	Grade B							
	11N1848TB	\$ 222	\$ 260	½	18	48¾	—	—	4 lbs.	1.2
	11N2448TB	232	270	½	24	48¾	—	—	5 lbs.	1.3
	11N3048TB	271	309	½	30	48¾	—	—	6 lbs.	1.7
	11N3648TB	276	314	½	36	48¾	—	—	7 lbs.	2.0
	11N4248TB	286	324	½	42	48¾	—	—	8 lbs.	2.3
	11N4848TB	295	333	½	48	48¾	—	—	9 lbs.	2.7
	11N5448TB	328	366	½	54	48¾	—	—	10 lbs.	3.0
	11N6048TB	330	368	½	60	48¾	—	—	11 lbs.	3.3
Compatible with WaveWorks 80" High WWN Models 49"H Tack Board Inserts										
11N1849TB	\$ 222	260	½	18	48⅜	—	—	4 lbs.	1.2	
11N2449TB	232	270	½	24	48⅜	—	—	5 lbs.	1.3	
11N3049TB	271	309	½	30	48⅜	—	—	6 lbs.	1.7	
11N3649TB	276	314	½	36	48⅜	—	—	7 lbs.	2.0	
11N4249TB	286	324	½	42	48⅜	—	—	8 lbs.	2.3	
11N4849TB	295	333	½	48	48⅜	—	—	9 lbs.	2.7	
11N5449TB	328	366	½	54	48⅜	—	—	10 lbs.	3.0	
11N6049TB	330	368	½	60	48⅜	—	—	11 lbs.	3.3	

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts

Sample Model Numbers:

1. Model Number
2. Fabric Grade
3. Fabric Color

11N6049TB A 8600
11N2434MB

- See page 248 for all options available in Exhibit

Model No./Description					List Price	Dimensions					Cartoned Weight	Cubic Feet
D	W	H	A	KW								
Marker Board Inserts												
Compatible with WaveWorks Metal Vertical Storage 34"H Marker Board Inserts												
HPL					Porcelain							
11N2434MB	\$	345	11N2434MBP	\$	360	½	24	34⅞	—	—	14 lbs.	0.6
11N3034MB		346	11N3034MBP		363	½	30	34⅞	—	—	18 lbs.	0.8
11N3634MB		388	11N3634MBP		419	½	36	34⅞	—	—	22 lbs.	0.9
11N4234MB		417	11N4234MBP		420	½	42	34⅞	—	—	25 lbs.	1.0
11N4834MB		510	11N4834MBP		583	½	48	34⅞	—	—	29 lbs.	1.2
11N5434MB		511	11N5434MBP		588	½	54	34⅞	—	—	32 lbs.	1.3
11N6034MB		513	11N6034MBP		594	½	60	34⅞	—	—	36 lbs.	1.4
Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Marker Board Inserts												
HPL					Porcelain							
11N2436MB	\$	358	11N2436MBP	\$	374	½	24	36⅞	—	—	14 lbs.	0.6
11N3036MB		359	11N3036MBP		376	½	30	36⅞	—	—	18 lbs.	0.8
11N3636MB		403	11N3636MBP		434	½	36	36⅞	—	—	22 lbs.	0.9
11N4236MB		432	11N4236MBP		436	½	42	36⅞	—	—	25 lbs.	1.0
11N4836MB		526	11N4836MBP		599	½	48	36⅞	—	—	29 lbs.	1.2
11N5436MB		528	11N5436MBP		605	½	54	36⅞	—	—	32 lbs.	1.3
11N6036MB		531	11N6036MBP		612	½	60	36⅞	—	—	36 lbs.	1.4
Compatible with WaveWorks 69" High WVN Models 37"H Marker Board Inserts												
HPL					Porcelain							
11N2437MB	\$	358	11N2437MBP	\$	374	½	24	37	—	—	14 lbs.	0.6
11N3037MB		359	11N3037MBP		376	½	30	37	—	—	18 lbs.	0.8
11N3637MB		403	11N3637MBP		434	½	36	37	—	—	22 lbs.	0.9
11N4237MB		432	11N4237MBP		436	½	42	37	—	—	25 lbs.	1.0
11N4837MB		526	11N4837MBP		599	½	48	37	—	—	29 lbs.	1.2
11N5437MB		528	11N5437MBP		605	½	54	37	—	—	32 lbs.	1.3
11N6037MB		531	11N6037MBP		612	½	60	37	—	—	36 lbs.	1.4

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Specify model number only
- Two trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

Exhibit

Product Specifications

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts can not be field scribed
- Each height of tack board, marker board and slat wall insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description				List Price	Dimensions				Cartoned Weight	Cubic Feet	
Marker Board Inserts (continued) 	Compatible with WaveWorks 79" High WW Models											
	48"H Marker Board Inserts											
	HPL				Porcelain							
	11N2448MB	\$	418	11N2448MBP	\$	456	½	24	48¾	—	16 lbs.	1.3
	11N3048MB		419	11N3048MBP		458	½	30	48¾	—	20 lbs.	1.7
	11N3648MB		467	11N3648MBP		526	½	36	48¾	—	24 lbs.	2.0
	11N4248MB		507	11N4248MBP		579	½	42	48¾	—	27 lbs.	2.3
	11N4848MB		613	11N4848MBP		721	½	48	48¾	—	31 lbs.	2.7
	11N5448MB		616	11N5448MBP		860	½	54	48¾	—	34 lbs.	3.0
	11N6048MB		621	11N6048MBP		940	½	60	48¾	—	38 lbs.	3.3
	Compatible with WaveWorks 80" High WWN Models											
	49"H Marker Board Inserts											
	HPL				Porcelain							
	11N2449MB	\$	418	11N2449MBP	\$	456	½	24	48⅜	—	16 lbs.	1.3
	11N3049MB		419	11N3049MBP		458	½	30	48⅜	—	20 lbs.	1.7
	11N3649MB		467	11N3649MBP		526	½	36	48⅜	—	24 lbs.	2.0
	11N4249MB		507	11N4249MBP		579	½	42	48⅜	—	27 lbs.	2.3
	11N4849MB		613	11N4849MBP		721	½	48	48⅜	—	31 lbs.	2.7
	11N5449MB		616	11N5449MBP		860	½	54	48⅜	—	34 lbs.	3.0
	11N6049MB		621	11N6049MBP		940	½	60	48⅜	—	38 lbs.	3.3

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Specify model number only
- Two trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only


To Order, Specify:

1. Model Number
2. Paint Color (Slat Wall Inserts only)

• See page 248 for all options available in Exhibit

Sample Model Number:

11N2434SW 462

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Compatible with WaveWorks Metal Vertical Storage 34"H Full Slat								
	11N2434SW	\$ 895	½	24	34½	—	—	45 lbs.	1.2
	11N3034SW	900	½	30	34½	—	—	57 lbs.	1.4
	11N3634SW	1028	½	36	34½	—	—	69 lbs.	1.7
	11N4234SW	1029	½	42	34½	—	—	79 lbs.	2.0
	11N4834SW	1144	½	48	34½	—	—	91 lbs.	2.3
	Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Full Slat								
11N2436SW	\$ 908	½	24	36¾	—	—	48 lbs.	1.2	
11N3036SW	914	½	30	36¾	—	—	60 lbs.	1.4	
11N3636SW	1043	½	36	36¾	—	—	72 lbs.	1.7	
11N4236SW	1045	½	42	36¾	—	—	82 lbs.	2.0	
11N4836SW	1160	½	48	36¾	—	—	94 lbs.	2.3	
Compatible with WaveWorks 69" High WWN Models 37"H Full Slat									
11N2437SW	\$ 908	½	24	37	—	—	48 lbs.	1.2	
11N3037SW	914	½	30	37	—	—	60 lbs.	1.4	
11N3637SW	1043	½	36	37	—	—	72 lbs.	1.7	
11N4237SW	1045	½	42	37	—	—	82 lbs.	2.0	
11N4837SW	1160	½	48	37	—	—	94 lbs.	2.3	
• Two trim channels included with each slat wall insert in corresponding color to match slat • Slat wall insert requires the use of trim channels and mounting bracket included with the model • Work tools available reference pages 262-266									


Exhibit

Product Specifications

- Each height of slat wall insert and end trim corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- 34", 36" and 37" heights available in slat wall and combo slat wall inserts

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description				List Price	Dimensions					Cartoned Weight	Cubic Feet
	Compatible with WaveWorks Metal Vertical Storage											
	23"H Slat with 11"H Fabric											
	Fabric Trim	Painted Trim	Grade A	Grade B								
	11N2434SWTBF	11N2434SWTBP	\$ 806	\$ 819	½	24	34½	—	—		32 lbs.	1.2
	11N3034SWTBF	11N3034SWTBP	809	822	½	30	34½	—	—		41 lbs.	1.4
	11N3634SWTBF	11N3634SWTBP	923	936	½	36	34½	—	—		50 lbs.	1.7
	11N4234SWTBF	11N4234SWTBP	924	937	½	42	34½	—	—		59 lbs.	2.0
	11N4834SWTBF	11N4834SWTBP	1028	1041	½	48	34½	—	—		68 lbs.	2.3
	Compatible with WaveWorks 68" High WW and Epic 68" High Models											
	23"H Slat with 13"H Fabric											
	Fabric Trim	Painted Trim	Grade A	Grade B								
	11N2436SWTBF	11N2436SWTBP	\$ 819	\$ 832	½	24	36½	—	—		35 lbs.	1.2
	11N3036SWTBF	11N3036SWTBP	823	836	½	30	36½	—	—		44 lbs.	1.4
	11N3636SWTBF	11N3636SWTBP	938	951	½	36	36½	—	—		53 lbs.	1.7
	11N4236SWTBF	11N4236SWTBP	940	953	½	42	36½	—	—		62 lbs.	2.0
	11N4836SWTBF	11N4836SWTBP	1044	1057	½	48	36½	—	—		71 lbs.	2.3
	Compatible with WaveWorks 69" High WWN Models											
	23"H Slat with 14"H Fabric											
	Fabric Trim	Painted Trim	Grade A	Grade B								
	11N2437SWTBF	11N2437SWTBP	\$ 819	\$ 835	½	24	37	—	—		35 lbs.	1.2
	11N3037SWTBF	11N3037SWTBP	823	839	½	30	37	—	—		44 lbs.	1.4
	11N3637SWTBF	11N3637SWTBP	938	954	½	36	37	—	—		53 lbs.	1.7
	11N4237SWTBF	11N4237SWTBP	940	956	½	42	37	—	—		62 lbs.	2.0
	11N4837SWTBF	11N4837SWTBP	1044	1060	½	48	37	—	—		71 lbs.	2.3

- Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Work tools available reference pages 262-266
- Slat section must be located on the lower portion of the insert

To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color


Sample Model Numbers:

11N2434SWTBF A 8600 501
11N37ETP 501

- See page 248 for all options available in Exhibit

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
	D	W	H						
	Compatible with WaveWorks Metal Vertical Storage For use with 34"H Marker Board Inserts								
	11N37ETP	Powder coated	\$ 60	1 ¹ / ₁₆	1 ¹ / ₂	37 ⁷ / ₁₆	—	—	1 lbs. 0.2
	Compatible with WaveWorks 68" High WW and Epic 68" High Models For use with 36"H Marker Board Inserts								
	11N39ETP	Powder coated	\$ 64	1 ¹ / ₁₆	1 ¹ / ₂	39 ⁷ / ₁₆	—	—	1 lbs. 0.3
	Compatible with WaveWorks 69" High WW Models For use with 37"H Marker Board Inserts								
	11N40ETP	Powder coated	\$ 64	1 ¹ / ₁₆	1 ¹ / ₂	39 ⁷ / ₁₆	—	—	1 lbs. 0.3
	Compatible with WaveWorks 79" High WW Models For use with 48"H Marker Board Inserts								
	11N51ETP	Powder coated	\$ 74	1 ¹ / ₁₆	1 ¹ / ₂	51 ¹ / ₄	—	—	1 lbs. 0.3
	Compatible with WaveWorks 80" High WW Models For use with 49"H Marker Board Inserts								
	11N52ETP	Powder coated	\$ 74	1 ¹ / ₁₆	1 ¹ / ₂	51 ¹ / ₁₆	—	—	1 lbs. 0.4
• Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed • Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail • Available in Cinder (462) and Platinum Metallic (501) finish									

Vertical Cable Manager	Grade A		Grade B						
					D	W	H	A	KW
	11N20WMV	Black Plastic	\$ 22		1	1	20	—	—
	11N20WMVF	Fabric	30	33	1	1	20	—	—
	• For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached								
	Grade A		Grade B						
	11N31WMV	Black Plastic	\$ 31		1	1	31	—	—
	11N31WMVF	Fabric	38	41	1	1	31	—	—
	• For use with 48" or 49" inserts when a single height cabinet is attached								

Single End Cap	Model No.	List Price	D	W	H	A	KW	Cartoned Weight	Cubic Feet
	11N01ETP	\$ 28	1 ¹ / ₁₆	1 ³ / ₁₆	1 ³ / ₁₆	—	—	1 lbs.	0.3
	• Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail • End caps are sold individually • End caps available in Cinder and Platinum Metallic								

Exhibit

Product Specifications

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
Fabric Wrapped Trim Channels	Compatible with WaveWorks Metal Vertical Storage 34"H Trim Channels											
			Grade A	Grade B								
	11N34TCF	Fabric	\$ 36	\$ 39	½	¾	34½	—	—		1 lbs.	0.3
	Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Trim Channels											
	11N36TCF	Fabric	\$ 37	\$ 40	½	¾	36¾	—	—		1 lbs.	0.3
	Compatible with WaveWorks 69" High WW Models 37"H Trim Channels											
	11N37TCF	Fabric	\$ 37	\$ 40	½	¾	37	—	—		1 lbs.	0.3
	Compatible with WaveWorks 79" High WW Models 48"H Trim Channels											
	11N48TCF	Fabric	\$ 43	\$ 47	½	¾	48¾	—	—		1 lbs.	0.3
	Compatible with WaveWorks 80" High WW Models 49"H Trim Channels											
	11N49TCF	Fabric	\$ 43	\$ 47	½	¾	48⅓½	—	—		1 lbs.	0.3
• Two trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered												
Painted Trim Channels	Compatible with WaveWorks Metal Vertical Storage 34"H Trim Channels											
	11N34TCP	Powder coated	\$ 31		½	¾	34½	—	—		1 lbs.	0.3
	Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Trim Channels											
	11N36TCP	Powder coated	\$ 33		½	¾	36¾	—	—		1 lbs.	0.3
	Compatible with WaveWorks 69" High WW Models 37"H Trim Channels											
	11N37TCP	Powder coated	\$ 33		½	¾	37	—	—		1 lbs.	0.3
	Compatible with WaveWorks 79" High WW Models 48"H Trim Channels											
	11N48TCP	Powder coated	\$ 40		½	¾	48¾	—	—		1 lbs.	0.3
	Compatible with WaveWorks 80" High WW Models 49"H Trim Channels											
	11N49TCP	Powder coated	\$ 40		½	¾	48⅓½	—	—		1 lbs.	0.3
	• Available in White, Cinder or Platinum Metallic											
• Two trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered												

To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color
5. Wood/Laminate Finish


Sample Model Numbers:

11N34TCF B 25413
11N34TCP 462

- See page 248 for all options available in Exhibit

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				

Worksurface Mounting Bracket



11NBRS Single Bracket

\$ 11

2

3

½

—

—

1 lbs.


0.3

- For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail
- Standard in anodized aluminum
- Specify model number only

Reference this chart for worksurface bracket requirements

Worksurface Width/Depth	Number of Brackets per edge
Less than or equal to 48"	2
Less than or equal to 72"	3
Greater than 72"	4

Filler Strips



For Exhibit mount overheads

11NCPFSW	Wood	\$ 42	1	3	27¼	—	—	1 lbs.	0.3
11NCPFSL	Laminate	20	1	3	27¼	—	—	1 lbs.	0.3

- For use with Exhibit mounted overheads when a tack board/marker board insert is not used behind the overhead
- Must be field scribed for 18" high overhead models
- Not required for WaveWorks metal overhead units
- Available in: Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn/Autumn 2 (AC/AC2), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH), Chamois (403), Designer White (405), Wallaby (419), Sandstone (420), Shadow (425), Cloud (440), Graphite (461), Cinder (462), Platinum Grey (478), Antique White (480)

Exhibit




Product Specifications

- For use with Exhibit and Epicenter slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Metal Work Tools

Metal Work Tools			Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
					D	W	H	A	KW		
	NAC0924SHM		\$ 82	9⅝	24	2¼	—	—		5 lbs.	0.9
	NAC0930SHM		92	9⅝	30	2¼	—	—		6 lbs.	1.1
Single Side Tray											
	NAC1217SPTM	Single Tray	\$ 75	11⅝	17	2⅜	—	—		5 lbs.	0.7
Double Side Tray											
	NAC1217DPTM	Double Tray	\$ 103	11⅝	17	5	—	—		9 lbs.	1.0
Pocket Organizer											
	NAC16POM	Single Pocket	\$ 63	1⅝	15⅝	7¼	—	—		4 lbs.	1.1
			• Single pockets can be nested up to 5 units								
Slant Sorter											
	NAC1212SSM	Chrome Dividers	\$ 75	11¾	12	7¾	—	—		4 lbs.	1.1

To Order, Specify:

1. Model Number
2. Paint Color


• See page 248 for all options available in Exhibit

Sample Model Number:

NAC0924SHM 462


Metal Work Tools

Metal Work Tools	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Binder Shelf	NAC0905SHBM	\$ 47	9½	5	8¼	—	—	3 lbs.	0.5



Pencil Tray

	NAC0510PTB	\$ 53	5	10	1	—	—	—	1 lbs.	0.1
--	------------	-------	---	----	---	---	---	---	--------	-----



- Available in Black only
- Specify model number only

Metal Tools Operating Load Capacities

Component:	Operating Load Capacity (Functional Loads):	Examples:
Metal shelves:	.017 lb. per cubic inch of available space, but not to exceed 12 inches in height	24"W: 45 lbs. t.w.; 30"W: 56 lbs. t.w.
Single side tray:	40 lbs. t.w.	
Double side tray:	47 lbs. t.w.	
Pocket organizer:	4 lbs. t.w.	
Slant Sorter:	19 lbs. t.w.	
Binder shelf:	10 lbs. t.w.	
Pencil tray:	5 lbs. t.w.	

Exhibit





Product Specifications

- Personal Pax accessories are for use with Chameleon slat zones, WaveWorks slat walls and Epicenter and Exhibit slat wall inserts
- Available in frosted plastic
- All Personal Pax have a Quick Delivery lead-time

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Personal Pax™

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Utility Hook 	12NUH Frosted Plastic	\$ 20	1½	3	1¾	—	—	1 lbs.	0.1
	• Accommodates hanging items such as umbrellas, MP3 players, headphones, etc. • Set of 2								
Pencil Cup 	12NCP Frosted Plastic	\$ 36	1½	2½	4¾	—	—	1 lbs.	0.1
	• Accommodates pens, pencils, scissors, etc. • Cell phone clips onto front elliptical cut-out								
Pocket Organizer Letter 	12NPO Frosted Plastic	\$ 34	2	12¾	9¾	—	—	1 lbs.	0.2
	• Use with hanging file holder on this page when hanging from a slat zone, or use as is for organizing files								
Hanging File Holder Legal or Letter 	12NFH Frosted Plastic	\$ 24	2¾	21½	1¾	—	—	1 lbs.	0.1
	• Accommodates letter/legal files and pocket organizer on this page • Set of 2								
Pocket Folder Holder 	12NFTP Frosted Plastic	\$ 20	1¼	15¼	6½	—	—	1 lbs.	0.1
	• Accommodates letter/legal papers, forms and magazines • Cell phone clips onto front elliptical cut-out • Maximum of 3 pocket folder holders can nest together								
CD/Business Card Holder 	12NDH Frosted Plastic	\$ 32	3¾	3¾	6¾	—	—	1 lbs.	0.1
	• Accommodates CDs/DVDs plus business cards								





To Order, Specify:

1. Model Number

Sample Model Numbers:

12NFH
12NDSH

Personal Pax™

	Model No./Description	List Price	Dimensions				A	KW	Cartoned Weight	Cubic Feet
			D	W	H					
Phone Mount Holder 	12NPH Frosted Plastic	\$ 22	9/16	2 11/16	4 1/4	—	—	—	1 lbs.	0.1
	Allows a conventional telephone to be mounted within reach, but off the worksurface									
Photo/Document Holder 	12N912PDD Clear Resin, 9" x 12"	\$ 29	1/2	11 1/16	9 1/4	—	—	—	1 lbs.	0.1
	- Accommodates photos or documents - Clear resin for visibility of item being displayed									
Tape Dispenser 	12NTD Frosted Plastic	\$ 27	1 7/16	4 1/4	2 11/16	—	—	—	1 lbs.	0.1
	- Accommodates standard sized tape rolls - Serrated top edge works for both right and left-handed users									
Elliptical Dish 	12NDSH Frosted Plastic	\$ 30	3 3/8	5	3 3/4	—	—	—	1 lbs.	0.1
	Accommodates any number of small items such as paper clips, push pins, loose change, etc.									
Marker Holder 	12NMRH Frosted Plastic	\$ 30	2 15/16	6 5/16	4	—	—	—	1 lbs.	0.1
	- Accommodates dry-erase markers and eraser - Does not include dry-erase markers or eraser - Can attach to the Exhibit wall rail without the use of slat wall insert									

Exhibit

Product Specification

- For use with WaveWorks slat walls and Exhibit and Epicenter slat wall inserts
- Black finish standard
- These products have been designed to be used safely when filled under normal circumstances; note weight limitations

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width



To Order, Specify:

1. Model Number

Sample Model Number:

NACCP

Black Plastic Work Tools

	Model No./Description	List Price	Dimensions	D	W	H	A	KW	Cartoned Weight	Cubic Feet
Pencil Cup 	NACCP Black Plastic	\$ 31	1/2	4	4	—	—	—	0.2 lbs.	0.4
	• Holds pencils, pens, rulers, etc.									
Legal Paper Tray 	NAC1115SPT Black Plastic	\$ 47	10½	15	2	—	—	—	0.8 lbs.	0.1
	• Holds letter or legal width papers, folders, etc.									
Accessory Tray 	NAC1010AT Black Plastic	\$ 42	10	9½	2	—	—	—	0.5 lbs.	0.2
	• Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.									
Phone Holder 	NACPH Black Plastic	\$ 42	9½	8½	2	—	—	—	0.6 lbs.	0.1
	• Holds telephone									
Binder Shelf 	NACBS Black Plastic	\$ 34	10½	5	9	—	—	—	0.5 lbs.	0.3
	• Holds binders and folders									
Slant Sorter 	NACSS Black Plastic	\$ 48	12½	7	7½	—	—	—	0.9 lbs.	0.2
	• Holds folders, papers, etc.									

Chameleon

PRODUCT SPECIFICATIONS

DIVIDERS

- Exoskeletal frame is 2½" thick x 1" wide extruded aluminum
- Foot is 2" diameter steel tubing with black plastic cap
- Adjustable foot allows for 1½" of adjustment
- Veneer dividers are a class C fire rating
- Corner cap is die-cast zinc
- Oval grommet is plastic and is specified when ordering
- Polycarbonate insert is ¼" thick extruded twin-wall polycarbonate
- Polycarbonate dividers are a class A fire rating
- Veneer insert is 7⁄32" thick MDF with veneer face and back (Honey finish is on maple, all other finishes are on cherry)
- Living hinge is extruded black plastic

TOPPERS

- Insert material is ¾" thick dual sided frosted resin
- Exoskeletal frame is 2½" thick x 1" wide extruded aluminum
- Frame topper cap is plastic

MAGNA ZONE

- Provides application for a magnetic surface and is used for magnets, tack zones and marker zones
- A formed steel sheet that attaches via a steel bracket to the Chameleon exoskeletal frame

SLAT ZONE

- Aluminum extrusion attaches via a steel bracket to the exoskeletal frame and provides horizontal grooves for hanging a variety of accessories and Personal Pax™ items
- Steel brackets attach to the exoskeletal frame as the attachment method to the divider

TACK ZONE

- Fabric covered magnetic tack boards magnetize to the magna zone

MARKER ZONE

- Magnet backed, vinyl dry erase board magnetizes to the magna zone
- Dry erase boards available in 3 colors: white, beige speckle, and grey speckle

HORIZONTAL WIRE MANAGER

- Aluminum extrusion that enables the use of the Inter coupler product and provides wire management

POWER POLE

- Aluminum extruded housing; standard 10' height with 2 dedicated 20 amp electrical circuits with 4 electrical outlets and 4 punch outs for data ports

SLAT LINK

- Aluminum extrusion that links two slat zones or wall mounted slat zones together with no gaps

CARPET GRIPPER

- Molded plastic that snaps into bottom of foot

HARD FLOOR GRIPPER

- Peel and stick rubberized non-skid pad that attaches to the bottom of foot



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

NM	Natural
HN	Honey
CL	Caramel
TF	Truffle
AC	Autumn
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha

GROMMET OPTIONS

G	Grommet
X	No Grommet

PAINT COLORS

462	Cinder
501	Platinum Metallic*

*15% list upcharge

FABRIC OPTIONS

Dune (Grade A)	Repetition (Grade A)
100% Polyester	100% Recycled Polyester
8600 Drift	3700 Ash
8601 Windblown	3705 Willow
8602 Erosion	3709 Java
8603 Haze	3713 Stainless
8604 Kamelos	3715 Almond
8605 Fiddleneck	3721 Reed
8606 Pebble	3726 Kiwi
8607 Gecho	3737 Sisal
8608 Nectar	3744 Tawny
8610 Clear Sky	3753 Steel
8614 Basin	3766 Wicker
8615 Raven	3775 Grey Green
8620 Darkness	3782 Honeycomb
8621 Golden	3785 Blue Grass
	3792 Spa
	3799 Cornflower

POLYCARBONATES

1	Smoke
3	Clear

RESIN

9	Frosted
---	---------

Pact (Grade B)
65% Pre-Consumer Recycled Polyester,
35% Post-Consumer Recycled Polyester
25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25407 Dragon
25408 Eureka
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25417 Roast
25418 Roma
25419 Rubine
25420 Sketch
25421 Tanzanite
25422 Taupe
25423 Toasty

Chameleon

How To Specify:

Step 1

Plan your space by determining how you will be using the Chameleon dividers. For example, are you wrapping existing casegoods in an open plan? Are you starting from scratch with a pre-determined amount of space?

When wrapping Chameleon around existing or new casegoods in an open plan, measure the overall dimensions of the casegoods to be wrapped then proceed to Step 2.

When starting from scratch with a pre-determined amount of space, use the dimensional measurement of the overall space to plan your Chameleon product and guide you to the casegoods that will fit the needs of the space.

Regardless of where and how you are using Chameleon, plan your space first.

Step 2

Determine what divider sizes and models to use. With 5 sizes of L's, 5 sizes of single dividers and 2 Butterfly sizes, a work space can be configured in many different ways.

For example, a 12' run of Chameleon dividers can be achieved in multiple ways:

6 - 24" Single Dividers	2 - 4'x2' L's (rotated into an inline configuration)
4 - 36" Single Dividers	2 - 3'x3' L's (rotated into an inline configuration)
3 - 48" Single Dividers	3 - 2'x2' L's (rotated into an inline configuration)
2 - 42" Single Dividers + 2 - 30" Single Dividers	1 - 4'x4' L (rotated into an inline configuration) + 1 - 48" Single Divider

Spec Tip

Put it to paper! Whether using our convenient e-tools or just a simple aerial hand sketch, putting the divider configuration to paper will make it easier to get a view of the workspace and sizing.

Step 3

Determine where the casegoods will be positioned within the dividers.

Step 4


Decide where toppers, power, wire management and accessories will be needed.

Step 5

Specify it! Use the National™ Price List to specify the model numbers, in veneer or polycarbonate, and select your options for grommets and frame paint color.

54" Seated Height Privacy


- Achieved by specifying standard height dividers
- Allows for standing visual interaction among co-workers
- Provides ample coverage for the majority of computer monitors when placed on worksurface
- Promotes employee interaction while providing individual privacy



Touchdown Workstations without Toppers

68" Standing Height Privacy

- Achieved by adding toppers to standard height dividers
- Allows for most highback organizers and wardrobes to be concealed for a clean aesthetic
- Provides the opportunity to easily remove the toppers when standing height privacy is no longer necessary



Touchdown Workstations with Toppers

Chameleon

No Creep Factor

With conventional panel systems, "panel creep" refers to the addition of inches along a run of panels (due to the connections between panels). With conventional panel systems, these inches can add up to a significant dimension on long panel runs. Chameleon dividers have zero creep, so you can be certain that dividers will fit your space as planned (see example).

Butterfly and perpendicular support dividers have a slight creep factor of 2½". Two 36" dividers equal 74½" (see example).


Space Planning

Space planning is easy with Chameleon's true-to-size measurements. When wrapping existing casegoods in the market place, it is best to first review the sizing conventions for the series product that you are wrapping. Some casegood lines have true-to-size dimensions where the casegood models have exact dimensions, which match the model numbers. Others have nominal sizing where the casegood models could be over or under the nominal measurement reflected in the model number. Either way, all work perfect with Chameleon!

Example of true-to-size casegoods: WaveWorks®

DESCRIPTION	MODEL	SIZE
Single Pedestal Desk	WW3066DRFL1	30"
Bridge	WW2442BEFL	42"
Credenza	WW2466CLFL2	<u>24"</u>
		96"


- Wrap with a 96" divider run



Example of nominal size casegoods: Arrowood™

DESCRIPTION	MODEL	SIZE
Single Pedestal Desk	31N3066DRFW1	29¾"
Bridge	31N2445BEFW	44½"
Credenza	31N2166CLFW2	<u>21"</u>
		95¼"


- Wrap with a 96" divider run



Example of nominal size casegoods: Hiland™

DESCRIPTION	MODEL	SIZE
Single Pedestal Desk	35N3066DRFW1	29¾"
Return	35N2444RLEFW1	<u>43¾"</u>
		73½"

- Wrap with a 78" divider run




Divider Stability Guidelines


Chameleon dividers offer exceptional strength and durability, but they aren't freestanding by themselves. To ensure proper stability, please use one of the methods below when specifying your configurations.

When specifying all Veneer or a combination of Veneer & Polycarbonate Dividers:


Note: Guidelines below are shown at maximum run length; the same guidelines for configurations apply for runs less than the maximum.



When specifying all Polycarbonate Dividers:



Permanent wall application with Veneer or Polycarbonate Dividers:



Chameleon

Product Specifications


- See planning guide for product application
- When specifying a polycarbonate model, do not specify a finish
- When specifying a wood model, do not specify a polycarbonate color
- 501 Platinum Metallic paint is a 15% upcharge

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


Sample Model Numbers:

45N4854DVG	1	462
45N3654DV33W	X	MH 501
45N4854DVL42W	G	MC 462
45N4854DV444Y	X	3 462

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
	45N4854DVG	Polycarbonate	\$ 532	2½	48	54	—	—	36 lbs.	5.7
	45N4854DVW	Wood	900	2½	48	54	—	—	48 lbs.	5.7
	45N4254DVG	Polycarbonate	\$ 517	2½	42	54	—	—	31 lbs.	5.0
	45N4254DVW	Wood	817	2½	42	54	—	—	41 lbs.	5.0
	45N3654DVG	Polycarbonate	\$ 490	2½	36	54	—	—	26 lbs.	4.4
	45N3654DVW	Wood	747	2½	36	54	—	—	34 lbs.	4.4
	45N3054DVG	Polycarbonate	\$ 475	2½	30	54	—	—	21 lbs.	3.8
	45N3054DVW	Wood	664	2½	30	54	—	—	27 lbs.	3.8
	45N2454DVG	Polycarbonate	\$ 425	2½	24	54	—	—	16 lbs.	3.1
	45N2454DVW	Wood	588	2½	24	54	—	—	20 lbs.	3.1

- Includes two hinges

L Hinged Divider






45N4854DV44Y	4x4 Polycarbonate	\$ 988	2½	48	54	—	—	52 lbs.	11.4
45N4854DV44W	4x4 Wood	1757	2½	48	54	—	—	68 lbs.	11.4
45N3654DV33Y	3x3 Polycarbonate	\$ 912	2½	36	54	—	—	42 lbs.	8.9
45N3654DV33W	3x3 Wood	1458	2½	36	54	—	—	54 lbs.	8.9
45N2454DV22Y	2x2 Polycarbonate	\$ 812	2½	24	54	—	—	32 lbs.	6.3
45N2454DV22W	2x2 Wood	1147	2½	24	54	—	—	40 lbs.	6.3

- Both divider sections must feature the same material, finish and frame
- Depth in folded position is 5"
- Recommend using a carpet or hard floor gripper shown on page 275
- Ships with hinge installed

Specify selections, left to right:

Base Model	Grommet Option	Polycarbonate Color	Finish	Frame Paint Color
	G Grommet X No Grommet	1 Smoke 3 Clear	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Platinum Metallic
45N4854DVY	G	1		462

	Model No./Description			List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
L Hinged Divider 	<i>Left</i>	<i>Right</i>									
	45N4854DVL42Y	45N4854DVR42Y	4x2 Polycarbonate	\$ 939	2½	48	54	—	—	62 lbs.	11.4
	45N4854DVL42W	45N4854DVR42W	4x2 Wood	1458	2½	48	54	—	—	82 lbs.	11.4
	- Both divider sections must feature the same material, finish and frame - Depth in folded position is 5" - Recommend using a carpet or hard floor gripper shown below - Ships with hinge installed										
	Left shown										
Butterfly Hinged Divider 	45N4854DV444Y	4x4x4 Polycarbonate	\$ 1559	2½	48	54	—	—	108 lbs.	17.1	
	45N4854DV444W	4x4x4 Wood	2652	2½	48	54	—	—	144 lbs.	17.1	
	45N3654DV333Y	3x3x3 Polycarbonate	\$ 1333	2½	36	54	—	—	78 lbs.	13.3	
	45N3654DV333W	3x3x3 Wood	2187	2½	36	54	—	—	102 lbs.	13.3	
	- All 3 divider sections must feature the same material, finish and frame - Depth in folded position is 7½" - Recommend using a carpet or hard floor gripper shown below - Ships with hinge installed										
Divider Carpet Gripper 	45NCGRIP6	Pack of 6	\$ 33	—	—	—	—	—	2 lbs.	0.1	
	45NCGRIP4	Pack of 4	28	—	—	—	—	—	2 lbs.	0.1	
	45NCGRIP2	Pack of 2	23	—	—	—	—	—	2 lbs.	0.1	
	- Specify base model only - Recommend using for any perpendicular connection										
Divider Hard Floor Gripper 	45NHGRIP6	Pack of 6	\$ 33	—	—	—	—	—	2 lbs.	0.1	
	45NHGRIP4	Pack of 4	28	—	—	—	—	—	2 lbs.	0.1	
	45NHGRIP2	Pack of 2	23	—	—	—	—	—	2 lbs.	0.1	
	- Specify base model only - Recommend using for any perpendicular connection										

Chameleon

Product Specification


- See planning guide for product application
- Topper to be installed onto divider frame extrusion; tools not required
- 501 Platinum Metallic paint is a 15% upcharge

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

45N4814DVT	9	462
45N54WME	462	
45N484SW	501	

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
	Divider Corner Stabilization Kit	\$ 55	—	—	—	—	—	—	1 lbs.	0.7
	45NSTCNR									
	• Specify frame color only • Recommend using for any perpendicular connection • Kit includes a rigid, black PVC interference-fit corner lock and a painted, formed steel bracket • Stabilizes any 90° corner									
	Divider Inline Stabilization Kit	\$ 63	—	—	—	—	—	—	1 lbs.	0.7
	45NSTINL									
	• Specify base model only • Kit includes a hook and loop strap set and a self-adhesive pressure fit connector strip • Installs to a casegood (pedestal and/or edge of worksurface) and divider frame to create a stable connection									
	Topper	\$ 250	2½	48	14	—	—	—	14 lbs.	1.88
	45N4814DVT									
	\$ 239	2½	42	14	—	—	—	—	13 lbs.	1.67
	45N4214DVT									
	\$ 230	2½	36	14	—	—	—	—	11 lbs.	1.46
	45N3614DVT									
	\$ 198	2½	30	14	—	—	—	—	9 lbs.	1.25
	45N3014DVT									
	\$ 171	2½	24	14	—	—	—	—	7 lbs.	1.04
	45N2414DVT									
	• Order hinges shown below if desired to eliminate slight gaps between topper connections; this is not required, but is recommended									
	Hinge	\$ 88	—	—	49¼	—	—	—	3 lbs.	0.1
	45NHNG Pack of 10									
	• Specify base model only • Extruded black plastic									

Specify selections, left to right:

Base Model	Polycarbonate Color	Resin	Finish	Frame Paint Color
45N4814DVT	1 Smoke 3 Clear	9 Frosted	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Platinum Metallic
		9		462

	Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wall Mount Extrusion Starter Kit 	45N54WME	\$ 110	2½	1	51	—	—	10 lbs.	0.3
	• Specify paint color only • Must be installed using National installation instructions • Must be attached to a load bearing wall • Mounted with customer supplied hardware • See planning guide for more information								
Power Pole 	45N120PCP462 Cinder	\$ 230	2	2	120	—	—	10 lbs.	0.1
	45N120PCP501 Platinum Metallic	266	2	2	120	—	—	10 lbs.	0.1
	• Specify model number only • Aluminum extruded housing • Standard 10' in height • 2 dedicated 20 amp electrical circuits with 4 electrical outlets and 4 punch outs for data ports								
Slat Zone for Dividers 	45N484SW	\$ 121	1	46	4	—	—	6 lbs.	0.4
	45N424SW	111	1	40	4	—	—	5 lbs.	0.4
	45N364SW	102	1	34	4	—	—	4 lbs.	0.3
	45N304SW	94	1	28	4	—	—	3 lbs.	0.3
	45N244SW	85	1	22	4	—	—	3 lbs.	0.2
Slat Zone Wall Mounted 	45N954SWM	\$ 252	1	95	4	—	—	12 lbs.	0.9
	45N714SWM	188	1	71	4	—	—	8 lbs.	0.7
	45N484SW	121	1	46	4	—	—	10 lbs.	0.5
	45N424SW	111	1	40	4	—	—	9 lbs.	0.5
	45N364SW	102	1	34	4	—	—	8 lbs.	0.4
	45N304SW	94	1	28	4	—	—	7 lbs.	0.4
	45N244SW	85	1	22	4	—	—	6 lbs.	0.3
	• Must be attached to a load bearing wall • Mounted with customer supplied hardware								

Chameleon

Product Specifications


- See planning guide for product application
- 501 Platinum Metallic paint is a 15% upcharge

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

45N4814MB2 462
45N4814TBN A

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Slat Link 	45N952SWL	\$ 121	½	95	1	—	—	5 lbs.	0.5	
	45N712SWL	104	½	71	1	—	—	4 lbs.	0.3	
	45N482SWL	76	½	48	1	—	—	2 lbs.	0.2	
	45N422SWL	68	½	42	1	—	—	2 lbs.	0.2	
	45N362SWL	63	½	36	1	—	—	2 lbs.	0.2	
	45N302SWL	58	½	30	1	—	—	2 lbs.	0.2	
	45N242SWL	50	½	24	1	—	—	2 lbs.	0.2	
• Attaches two slat zones together to create a seamless visual										
Magna Zone 	45N4814MZ	\$ 269	1	46	14	—	—	13 lbs.	1.0	
	45N4214MZ	248	1	40	14	—	—	10 lbs.	0.9	
	45N3614MZ	225	1	34	14	—	—	9 lbs.	0.7	
	45N3014MZ	204	1	28	14	—	—	8 lbs.	0.6	
	45N2414MZ	181	1	22	14	—	—	7 lbs.	0.5	
• Must purchase to use marker zone or tack zone										
Marker Zone 	45N4814MB _	\$ 104	—	46	14	—	—	1 lbs.	0.1	
	45N4214MB _	94	—	40	14	—	—	1 lbs.	0.1	
	45N3614MB _	83	—	34	14	—	—	1 lbs.	0.1	
	45N3014MB _	71	—	28	14	—	—	1 lbs.	0.1	
	45N2414MB _	60	—	22	14	—	—	1 lbs.	0.1	
• Specify color designator on end of model: 1=white, 2=beige speckle, 3=grey speckle										
• Magnetic back magnetizes to magna zone										
• Magna zone must be purchased separately										
Tack Zone 		Grade A	Grade B							
	45N4814TBN	\$ 166	\$ 191	¾	46	14	—	—	1 lbs.	0.1
	45N4214TBN	152	177	¾	40	14	—	—	1 lbs.	0.1
	45N3614TBN	131	156	¾	34	14	—	—	1 lbs.	0.1
	45N3014TBN	119	144	¾	28	14	—	—	1 lbs.	0.1
	45N2414TBN	109	134	¾	22	14	—	—	1 lbs.	0.1
• Magnetic back magnetizes to magna zone										
• Magna zone must be purchased separately										
• See page 269 for tack board fabric options										

Specify selections, left to right:

Base Model	Paint Color	Fabric Grade (tack board only)	Fabric (tack board only)
45N4814MB2	462 Cinder 501 Platinum Metallic 462	A Grade A	

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Coat Hanger 	45NCH	\$ 51	2 ²⁵ / ₃₂	15 ³ / ₃₂	5 ¹ / ₁₆	—	—	1 lbs.	0.1
	• Hangs on the divider frame • Features the National logo • Frosted plastic								
Name Holder 	45NNH	\$ 19	¾	8½	1¼	—	—	1 lbs.	0.1
	• Hangs on the divider frame • Clear resin material for visibility of item being displayed								
Horizontal Wire Manager 	45N488WMH	\$ 211	1¾	46	8	—	—	12 lbs.	0.4
	45N428WMH	190	1¾	40	8	—	—	10 lbs.	0.3
	45N368WMH	172	1¾	34	8	—	—	8 lbs.	0.3
	45N308WMH	152	1¾	28	8	—	—	6 lbs.	0.2
	45N248WMH	131	1¾	22	8	—	—	5 lbs.	0.2
	• Specify paint color only • Attaches to the aluminum extrusion on the divider frame • Wire managers to be used in conjunction with the Intercoupler product shown on page 285								

PRODUCT SPECIFICATIONS

POWERLOGIC™ INTERCOUPLER SYSTEM

- Series of up to eight electrical/data modules and power jumpers that bring electrical outlets and data ports to the worksurface
- Can be used with as few as two outlets or as many as eight outlets
- Modules are color coded, keyed, numbered and include tactile recognition
- Intercoupler System allows easy connection or disconnection of any tap-off unit without power disruption to other units
- Each module includes 2 electrical outlets and 2 optional data ports
- UL Recognized
- 15 Amp
- 60 Hz
- 115V
- Single circuit reset

FOR USE WITH CHAMELEON:

HORIZONTAL WIRE MANAGER

- Aluminum channel attaches to the Chameleon divider
- Matches Chameleon paint colors
- Available in: Cinder, Antique White, and Platinum Metallic

POWER MODULE CLIP FOR DIVIDER

- Attaches Intercoupler tap-off units to Chameleon horizontal wire manager
- Frosted plastic material only

POWER MODULE CLIP FOR TABLE MOUNT

- Attaches Intercoupler tap-off units to the worksurface
- Aluminum ratcheting clip

Power and Data Requirements

The PowerLogic™ Intercoupler Solution is a quick and convenient way to route power to your worksurface. When planning to use the Intercoupler Solution, use the amperage guide shown on the following page to determine your power requirements. For best results, first determine where dividers and casegoods will be positioned. Next, the placement of the users power outlets and data ports needs to be determined. See illustrations on page 283.

Step 1

Determine the amperage requirements per user. See guide on page 282.

Step 2

Assess where the building power access is located. For example: Do you have floor monuments under each workstation? Do you have wall power outlet access? Will you need to bring power to the workstations using a power pole?

Step 3

Using your casegood and divider placement as a guide, determine where the user will need to access the power outlets and how many are required.

Spec Tip

Put it to paper! Whether using our convenient e-tools or just a simple aerial hand sketch, putting the divider configuration to paper will make it easier to get a view of the workstation layout and overall size. This will make it more clear as to where power and data will be need to be positioned.

Step 4

Specify it! Use your National™ Price List to specify the model numbers you need.

Note:

In general, do shorter runs of the Intercoupler Solution per user and stop and start over as necessary. See illustrations on page 283.

Intercoupler Solution for Chameleon

Electrical Standards

Each country has its own set of Electrical standards and wiring rules. In addition, each state, county, and municipality may have Electrical standards and wiring rules that may be similar to those used elsewhere, but may have subtle (but significant) differences. In all cases you should check the local standards to ensure that you will comply with the regulations.

Power Consumption


The PowerLogic™ Intercoupler System from National is rated for the United States of America. It is rated 115V 60Hz. The maximum power capacity of the system is 15 Amps, which may be used by any combination of one to eight electrical/data modules. The total combined power consumption of all equipment on a single system cannot exceed 15 Amps.

Before installing the PowerLogic™ Intercoupler System from National, please check the power consumption for each item that will be powered from the system to ensure that you do not exceed the rated capacity of the system. The table below lists some typical power consumption values for common office equipment. Remember to add the power consumption for all devices to be powered from a single system to determine how many devices can be connected to a single system. (This listing is a guide only; please be sure to check the listing on each item you will be powering.)

Office Equipment	Amps(A)
Computer Server	1-6
Personal Computer	1-2
Laptop	1-1.5
LCD Display	1-1.8
CRT Display	1.3-2.5
Laser Printer	1.5-6
Inkjet Printer	0.4-1.6
Dot-Matrix Printer	1.5-3
Photocopier	10-16
Fax Machine	0.8-1.2
Scanner	0.4-0.8
PDA	0.04-0.06
LED/Incandescent Light	0.6-1
Clock	0.02-0.04
Radio	0.2-0.4
Calculator	0.1-0.25
Cellphone Charger	0.6-1.5
Battery Charger	0.06-0.6
Audio Speakers	0.05-0.15
Network Router/Switch	0.4-1
Shredder	1.5-3


Here are two examples of correct installation and power consumption for the PowerLogic™ Intercoupler System

Example 1:



Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Total AC Load	12 Amps(A)

Example 2:




Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laser Printer	6.0 Amps
LCD Display	1.8 Amps
Total AC Load	13.8 Amps(A)

The following devices should NOT be used in Electrical Installations

The following electrical devices have very high power consumption and some will affect the quality of the power for other electrical devices that are connected to the same electrical system. We recommend that you DO NOT plug these units into the Intercoupler System power outlets. High power devices should be plugged directly into the main wall power outlets. These include but are not limited to:


Heaters, Hair Dryers, Kettles, Coffee Makers, Motorized Machines, Shoe Polishers, Water Dispensers, Air Conditioners, Electric Fans, Microwave Ovens, Televisions, Video Machines, Fluorescent Lights, Multi-socket Outlets, Power Strips, Extension Cords, Power Tools, Electrical Dimmers

Any devices that will not be regularly used at the workstation should be connected to the main wall power outlets.



On each side, using 2 NACELPWR18 models, power leads come from the building power sources. #1 outlet is mounted on one side of the divider, and the #8 outlet is connected and routed through the grommet to the other side of the divider.

Power Capacity is 7.5 amps per workstation.



Power leads come from the building power source on the left end and route along the main divider run. The power lead, using 2 each of models NACELP-WE18, NACELPWR2, NACELPWR3, NACELPWR4, and NACELPWR5, routes in wire manager along the main divider and through grommets between stations.

Power capacity is 5 amps per station.

Intercoupler Solution for Chameleon

Product Specifications


- 15% list upcharge for Platinum Metallic paint
- See planning guide for product application
- Intercoupler #1 cord with plug is 118" in length
- Length of cord from Intercoupler to unit on all units is 23"
- Intercoupler #2-#8 cord is 82" in length

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width


Sample Model Numbers:

45N488WMH 501
NACPMCLIP2
NACELPWR

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Horizontal Wire Manager 	45N488WMH	\$ 211	1¾	46	8	—	—	9 lbs.	0.7
	45N428WMH	190	1¾	40	8	—	—	8 lbs.	0.7
	45N368WMH	172	1¾	34	8	—	—	7 lbs.	0.6
	45N308WMH	152	1¾	28	8	—	—	6 lbs.	0.5
	45N248WMH	131	1¾	22	8	—	—	5 lbs.	0.4
	• Specify paint color only • Attaches to the exoskeletal frame of Chameleon only • Compatible with Intercoupler models on page 285								
Power Module Clip (For Divider) 	NACPMCLIP1 Set of 16	\$ 31	½	1	2¼	—	—	1 lbs.	0.1
	• Specify base model only • Attaches Intercoupler tap-offs to horizontal wire manager • Frosted plastic								
Power Module Clip (For Table Mount) 	NACPMCLIP2 Set of 16	\$ 31	2½	1	4	—	—	5 lbs.	0.4
	• Specify base model only • Attaches Intercoupler tap-offs to a worksurface • Frosted plastic								

Specify selections, left to right:

Base Model	Paint Color
462	Cinder
501	Platinum Metallic
45N488WMH	501

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
	NACELPWR Intercooler System - Complete	\$ 1007	—	—	—	—	—	7.7 lbs.	3.0
	NACELPWR18 Intercooler System - #1,#8	318	—	—	—	—	—	4.6 lbs.	1.5
	NACELPWR2 Intercooler System - #2	134	2	8	2½	—	—	2.4 lbs.	1.5
	NACELPWR3 Intercooler System - #3	134	2	8	2½	—	—	2.4 lbs.	1.5
	NACELPWR4 Intercooler System - #4	134	2	8	2½	—	—	2.4 lbs.	1.5
	NACELPWR5 Intercooler System - #5	134	2	8	2½	—	—	2.4 lbs.	1.5
	NACELPWR6 Intercooler System - #6	134	2	8	2½	—	—	2.4 lbs.	1.5
	NACELPWR7 Intercooler System - #7	134	2	8	2½	—	—	2.4 lbs.	1.5

- See page 281 for product specifications
- UL Recognized
- Must use horizontal wire manager and ganging bracket with system
- Must use power module clip for mounting
- Specify base model only
- Intercooler for Chameleon is not compatible with WaveWorks wire managers

How to specify PowerLogic™ Intercooler System from National:

The PowerLogic Intercooler System from National can be used with as few as two outlet modules or as many as a full set of eight. You may also add to the system as your power needs grow (up to eight modules total). For your protection, and to complete the circuit, you will always need to begin with the power lead and the number one module, and end with the number eight module. Shown below are examples of how to specify the series of modules from two modules up to a full set of eight modules.

	NACELPWR18	NACELPWR2	NACELPWR3	NACELPWR4	NACELPWR5	NACELPWR6	NACELPWR7	NACELPWR
Set of two modules	✓							
Set of three modules	✓	✓						
Set of four modules	✓	✓	✓					
Set of five modules	✓	✓	✓	✓				
Set of six modules	✓	✓	✓	✓	✓			
Set of seven modules	✓	✓	✓	✓	✓	✓		
Set of eight modules	✓	✓	✓	✓	✓	✓	✓	
Complete set of eight modules								✓

Personal Pax

Personal Pax

Product Specifications





- Personal Pax accessories are for use with Chameleon slat zones and all other National slat walls
- Available in frosted plastic
- See Chameleon planning guide for allowable load application when utilizing with Chameleon
- All Personal Pax have a Quick Delivery lead-time

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Number:





- 12NFH
- 12NDSH

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Utility Hook 	12NUH Set of 2	\$ 20	1 $\frac{1}{8}$	3	1 $\frac{5}{16}$	—	—	1 lbs.	0.1
	• Accommodates hanging items such as umbrellas, MP3 players, headphones, etc.								
Pencil Cup 	12NCP	\$ 36	1 $\frac{1}{16}$	2 $\frac{5}{16}$	4 $\frac{3}{16}$	—	—	1 lbs.	0.1
	• Accommodates pens, pencils, scissors, etc. • Cell phone clips onto front elliptical cut-out								
Pocket Organizer Letter 	12NPO	\$ 34	2	12 $\frac{9}{16}$	9 $\frac{7}{16}$	—	—	1 lbs.	0.2
	• Use with hanging file holder on this page when hanging from a slat zone, or use as is for organizing files								
Hanging File Holder Legal or Letter 	12NFH Set of 2	\$ 24	2 $\frac{3}{4}$	2 $\frac{5}{16}$	1 $\frac{1}{16}$	—	—	1 lbs.	0.1
	• Accommodates letter/legal files and pocket organizer on this page								
Pocket Folder Holder 	12NFTP	\$ 20	1 $\frac{1}{4}$	15 $\frac{1}{4}$	6 $\frac{1}{2}$	—	—	1 lbs.	0.1
	• Accommodates letter/legal papers, forms and magazines • Cell phone clips onto front elliptical cut-out • Maximum of 3 pocket folder holders can nest together								
CD/Business Card Holder 	12NDH	\$ 32	3 $\frac{13}{16}$	3 $\frac{3}{4}$	6 $\frac{15}{16}$	—	—	1 lbs.	0.1
	• Accommodates CDs/DVDs plus business cards								

Specify selections, left to right:

Base Model

12NFH

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Phone Mount Holder 	12NPH	\$ 22	9/16	2 11/16	4 1/4	—	—	1 lbs.	0.1	
	• Allows a conventional telephone to be mounted within reach, but off the worksurface									
Photo/Document Holder 	12N912PDD Clear Resin, 9" x 12"	\$ 29	1/2	11 11/16	9 1/4	—	—	1 lbs.	0.1	
	• Accommodates photos or documents • Clear resin for visibility of item being displayed									
Tape Dispenser 	12NTD	\$ 27	1 7/16	4 1/4	2 11/16	—	—	1 lbs.	0.1	
	• Accommodates standard sized tape rolls • Serrated top edge works for both right and left-handed users									
Elliptical Dish 	12NDSH	\$ 30	3 3/8	5	3 3/4	—	—	1 lbs.	0.1	
	• Accommodates any number of small items such as paper clips, push pins, loose change, etc.									
Marker Holder 	12NMRH	\$ 30	2 15/16	6 15/16	4	—	—	1 lbs.	0.1	
	• Accommodates dry-erase markers and eraser • Does not include dry-erase markers or eraser									

Accessories

Accessories

Use this matrix to determine applicable accessories per model

A	NAC2124CDW	Wood Center Drawer	K	NACMAP1BMS	Intuitive Monitor Arm
B	NACC1824CDW	Wood Center Drawer	L	NACMAB1BMS	Manual Monitor Arm
C	NAC2421CDL	Laminate Center Drawer	M	NAC1406KK4	Keyboard Kit
D	NAC0613ST	Box Drawer Convenience Tray	N	NAC1322SL1	Metal Corner Sleeve
E	NAC1624CT	Black Carousel Tray	O	NAC1322SL2	Metal Corner Sleeve
F	NAC1922CD	Plastic Center Drawer	P	NAC1222SL	Metal Corner Sleeve
G	NAC1706KK1	Intuitive Adjustable Keyboard Kit	Q	NAC1424KT	Keyboard Tray
H	NAC2208KK1	Intuitive Adjustable Keyboard Kit	R	NAC1924KTM	Keyboard Tray/Mouse Pad
I	NAC1706KK2	Ergonomic Adjustable Keyboard Kit	S	NAC2319KKS1	Sit-to-Stand Adjustable Keyboard Kit
J	NAC1706KK3	Basic Adjustable Keyboard Kit			

*Not applicable for Tambour Modesty models

• Hinged Modesty models cannot use center drawer or keyboard kits

	Arrowood	Barrington	Captivate	Casbah	Clever	
Double Pedestal Desks						
36" x 72"	A,B,C,D,E,F,G,H,I,J,K,L,Q,R,S	D,K,L	A,B,C,D,E,F,G,H,I,J,K,L,Q,R,S	G,H,I,J,K,L,S	D,K,L	
30" x 66"		D,K,L	A,B,C,E,F,K,L,Q,R	G,H,I,J,K,L,S	D,K,L	
30" x 60"	A,B,C,D,E,F,K,L,Q,R					
Single Pedestal Desks						
36" x 72"	A,B,C,D,E,F,G,H,I,J,K,L,Q,R,S	D,K,L,N	A,B,C,E,F,G,H,I,J,K,L,Q,R,S	G,H,I,J,K,L,S	D,K,L,N	
30" x 66"	D,K,L,O	D,K,L,N	K,L	K,L		
U-Units and P-Units without modesty panel	G,H,I,J,K,L,O,S			K,L	G,H,K,L,N	
with modesty panel	K,L,O			K,L	K,L,N	
Reception Desk		A,B,C,D,E,F,K,L,N,Q,R	A,B,C,D,E,F,G,H,I,J,K,L,Q,R,S	G,H,I,J,K,L,S	D,K,L,N	
Reception Return			A,B,C,E,F,K,L,Q,R	K,L	K,L,N	
Returns						
File/File 24" x 50", 25" x 53"	A,B,C,E,F,K,L,Q,Q,R	A,B,C,E,F,K,L,N,Q,R	A,B,C,E,F,K,L,Q,R			
File/File 24" x 48", 25" x 45"			B,C,E,F,K,L,Q,R	G*,H*,I*,J*,K,L,S		
File/File 24" x 42"	A,B,C,E,F,K,L,Q,Q,R				K,L,N	
Box/Box/File 24" x 50", 25" x 53"	A,B,C,D,E,F,K,L,Q,Q,R		A,B,C,D,E,F,K,L,Q,R			
Box/Box/File 24" x 48"				G*,H*,I*,J*,K,L,S		
Box/Box/File 24" x 42", 25" x 45"	A,B,C,D,E,F,K,L,Q,Q,R		B,C,D,E,F,K,L		D,K,L,N	
Multi-File 24" x 72", 24" x 60"	A,B,C,D,E,F,K,L,Q,Q,R		D,K,L	K,L	K,L,N	
Lateral File 24" x 60"			K,L	K,L		
Corner Units						
36" x 36"	K,L	K,L	K,L	K,L		
42" x 42"						
Bridges						
24" x 48"	A,B,C,E,F,K,L,Q,Q,R	A,B,C,E,F,K,L,N,Q,R	K,L	G*,H*,I*,J*,K,L,S	M	
24" x 42"	A,B,C,E,F,K,L,Q,Q,R	A,B,C,E,F,K,L,N,Q,R	K,L	G*,H*,I*,J*,K,L,S	M	
Credenzas						
File/File 72"		A,B,C,E,F,K,L,N,Q,R		G*,H*,I*,J*,K,L,S		
File/File 66"				K,L		
File/File 60"						
Lateral File 72"		K,L,N		K,L		
Lateral File 66"						
Kneespace 72"		A,B,C,E,F,K,L,Q,R	A,B,C,E,F,K,L,Q,R	G*,H*,I*,J*,K,L,S	M	
Kneespace 66"			A,B,C,E,F,K,L,Q,R	G*,H*,I*,J*,K,L,S	M	
Shell Based Desk						
Shell Based Return, Bridge, Credenza						

	EnvyWorks	Escalade	Flourish	Franklin	Hiland	Roosevelt
	A,B,C,D,E,F,G,H,I,J,K,L,Q,R,S	A,B,C,D,E,F,G,H,I,J,K,L,Q,R,S	A,B,C,D,E,F,G,H,I,J,K,L,Q,R,S	D,K,L	A,B,C,D,E,F,G,H,I,J,K,L,Q,R,S	D,K,L
	A,B,C,D,E,F,K,L,Q,R	A,B,C,D,E,F,K,L,Q,R	D,K,L	D,K,L	A,B,C,D,E,F,K,L,Q,R	D,K,L
	A,B,C,D,E,F,K,L,Q,R					
	A,B,C,D,E,F,G,H,I,J,K,L,N,Q,R,S	A,B,C,E,F,G,I,J,K,L,P,Q,R,S	A,B,C,E,F,G,I,J,K,L,N,Q,R,S	D,K,L,N	A,B,C,D,E,F,G,H,I,J,K,L,Q,R,S	D,K,L,N
	A,B,C,D,E,F,K,L,N,Q,R	D,K,L,P	A,B,C,D,E,F,K,L,N,Q,R	D,K,L,N	A,B,C,D,E,F,K,L,Q,R	D,K,L,N
	A,B,C,E,F,G,H,I,J,K,L,N,Q,R,S	A,B,C,E,F,G,H,I,J,K,L,P,Q,R,S	A,B,C,E,F,G,H,I,J,K,L,N,Q,R,S		A,B,C,E,F,G,H,I,J,K,L,Q,R,S	
	K,L,N	K,L,P	K,L,N		K,L,O	
	A,B,C,D,E,F,G,H,I,J,K,L,N,Q,R,S	A,B,C,E,F,G,I,J,K,L,P,Q,R,S		D,K,L,N		A,B,C,D,E,F,K,L,N,Q,R
	A,B,C,D,E,F,K,L,N,Q,R	A,B,C,E,F,K,L,P,Q,R		K,L,N		
					A,B,C,E,F,K,L,Q,R	A,B,C,E,F,K,L,N,Q,R
	A,B,C,D,E,F,K,L,N,Q,R	A,B,C,E,F,K,L,P,Q,R	A,B,C,E,F,K,L,N,Q,R	A,B,C,E,F,K,L,N,Q,R		
	B,C,D,E,F,K,L,N	K,L,P			A,B,C,E,F,K,L,Q,R	
					A,B,C,D,E,F,K,L,Q,R	
		A,B,C,D,E,F,K,L,P,Q,R				
		D,K,L,P			A,B,C,D,E,F,K,L,Q,R	
		A,B,C,E,F,K,L,P,Q,R			A,B,C,D,E,F,K,L,Q,R	
	K,L			A,B,C,E,F,K,L,Q,R		K,L
					G,H,I,J,K,L,S	
	A,B,C,E,F,K,L,N,Q,R	E,F,K,L,P	A,B,C,D,E,F,K,L,N,Q,R	A,B,C,E,F,K,L,N,Q,R	A,B,C,E,F,K,L,Q,R	A,B,C,E,F,K,L,N,Q,R
	A,B,C,E,F,K,L,N,Q,R	E,F,K,L,P	A,B,C,E,F,K,L,N,Q,R	A,B,C,E,F,K,L,N,Q,R	A,B,C,E,F,K,L,Q,R	A,B,C,E,F,K,L,N,Q,R
	A,B,C,E,F,K,L,N,Q,R	B,C,E,F,K,L,N			A,B,C,E,F,K,L,Q,R	A,B,C,E,F,K,L,N,Q,R
	A,B,C,E,F,K,L,N,Q,R	K,L,N			A,B,C,E,F,K,L,Q,R	
		K,L,N		A,B,C,E,F,K,L,N,Q,R	A,B,C,E,F,K,L,Q,R	K,L,N
		K,L,N			A,B,C,E,F,K,L,Q,R	
	A,B,C,E,F,K,L,Q,R	B,C,E,F,K,L	A,B,C,E,F,K,L,Q,R	A,B,C,E,F,K,L,Q,R	A,B,C,E,F,K,L,Q,R	A,B,C,E,F,K,L,Q,R
	A,B,C,E,F,K,L,Q,R	B,C,E,F,K,L	A,B,C,E,F,K,L,Q,R	A,B,C,E,F,K,L,Q,R	A,B,C,E,F,K,L,Q,R	
	A,B,C,E,F,G,I,J,K,L,N,Q,R,S					
	A,B,C,E,F,K,L,N,Q,R					

Accessories

Product Specification

- See pages 292-293 for the application matrix for these accessories

Dimension Key







D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

NAC2421CDL	403
NAC1824CDW	MC
NAC0613ST	






To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Wood Center Drawer 	QNAC2124CDW	Wood	\$ 202	21	24	2¾	—	—	9 lbs.	1.1
	NAC2124CDW	Wood	202	21	24	2¾	—	—	9 lbs.	1.1
	QNAC1824CDW	Wood	134	18	24	2¾	—	—	9 lbs.	1.1
	NAC1824CDW	Wood	134	18	24	2¾	—	—	9 lbs.	1.1
• Drawer extends 10" from worksurface and measures 2¼" from bottom of the worksurface to the bottom of the drawer • Drawer features a pencil divider, drawer stops and hardware • NAC2124CDW features an upgraded suspension • Center drawers are ash veneer										
Laminate Center Drawer 	QNAC2421CDL	Laminate	\$ 115	20	24	2¾	—	—	12 lbs.	1.0
	NAC2421CDL	Laminate	115	20	24	2¾	—	—	12 lbs.	1.0
Keyboard Tray 	NAC1424KT	Black Metal	\$ 142	14	25½	1¼	—	—	10 lbs.	1.3
• Keyboard height can range from 2½" to 3½" in ½" increments • Tray is 24" wide										
Keyboard Tray/Mouse Pad 	NAC1924KTM	Black Metal	\$ 310	19	25½	2¾	—	—	20 lbs.	1.3
• Keyboard height can range from 2½" to 3½" in ½" increments • Unit features adjustable palm rest and sliding mouse pad • Mouse pad will extend 9" on each side (right or left) of bar keyboard and accommodates an 8½" x 10" or smaller mouse pad • Tray is 24" wide										
Box Drawer Convenience Tray 	NAC0613ST	Black Plastic	\$ 20	5¾	12¾	½	—	—	1 lbs.	0.1
• Applicable for use on letter width drawers • Convenience tray rests on box drawer edge • For use on 15" pedestals										
Black Carousel Tray 	NAC1624CT	Black Plastic	\$ 107	16	23¾	1¾	—	—	4 lbs.	0.7
• Rotates outward from either side to gain access to tray and can be pushed or pulled open • Features a self-centering mechanism which acts as a stop and maintains proper alignment with the worksurface front edge										

Specify selections, left to right:

Base Model	Finish (wood only)	Laminate (laminate only)
	NM Natural	NM Natural
	HN Honey	HN Honey
	CL Caramel	CL Caramel
	TF Truffle	TF Truffle
	AC Autumn	AC2 Autumn 2
	MC Amber	MC Amber
	CW Cordovan	CW Cordovan
	DW Judicial	DW Judicial
	MH Mocha	MH Mocha
NAC2421CDL		403

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
	D	W	H	A					
Plastic Center Drawer 	NAC1922CD	Black Plastic	\$ 58	19 ³ / ₁₆	22	2	—	5 lbs.	0.5
	Individual compartments neatly organize pens, pencils, paper clips, etc								
Intuitive Adjustable Keyboard Kit 	NAC1706KK1	17" Arm—Black	\$ 556	17	28 ¹ / ₂	6	—	18 lbs.	1.1
	NAC2208KK1	21 ³ / ₄ " Arm—Black	614	21 ³ / ₄	28 ¹ / ₂	8	—	20.5 lbs.	1.1
Ergonomic Adjustable Keyboard Kit 	NAC1706KK2	17" Arm—Black	\$ 482	17	28 ¹ / ₂	6	—	16.5 lbs.	1.1
	- Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray - Tray adjusts from -15° to 15° and slides in and out under worksurface - Arm tilts and moves up and down 360° swivel - Width of keyboard kit includes mouse tray - Mouse tray can be moved to support right or left-handed users - Mouse tray has tilt adjustment and fence to protect mouse from falling - ANSI/HFES compliant								
Basic Adjustable Keyboard Kit 	NAC1706KK3	17" Arm—Black	\$ 392	17	28 ¹ / ₂	6	—	14 lbs.	1.4
	- Includes keyboard mechanism, clamp, wrist pad, and mouse tray - Kit to be used with keyboard - Simultaneous tilt and height adjustment 360° swivel - Swivel mouse tray can be moved to support right or left-handed users - ANSI/HFES compliant								
Clever® Keyboard Kit 	NAC1406KK4	14" Arm—Black	\$ 447	14	28 ¹ / ₂	6	—	15 lbs.	1.1
	- Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray - Can be used on Clever kneespace credenza, Clever bridge units and Casbah where specified - Simultaneous tilt and height adjustment 360° swivel - Swivel mouse tray can be moved to support right or left-handed users - ANSI/HFES compliant								

Accessories

Product Specification

- See pages 292-293 for the application matrix for these accessories

Dimension Key





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Number:

NAC2319KKS1

To You In
10
...or Less




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Sit-to-Stand Adjustable Keyboard Kit 	NAC2319KKS1	\$ 614	23	28½	10¾	—	—	20.5 lbs.	1.1
	• Black • Adjusts intuitively from sitting to standing height (range: 7" below surface, 4¼" above surface) • Tray adjusts from -10° to +15° • ANSI/HFES compliant								
Keyboard/Drawer Mounting Kit 	NAC0611KMK Casbah	\$ 55	11	6	1¼	—	—	5 lbs.	1.0
	• Must be used with adjustable keyboard kits when attaching to Casbah units								
	NAC0802KMK Escalade	\$ 55	8	2	¾	—	—	5 lbs.	0.1
	• Must be used with adjustable keyboard kits, center drawers and keyboard drawers when attaching to Escalade units								
Intuitive Monitor Arm 	NACMAP1BMB Black	\$ 657	29½	2½	19⅞	—	—	11.5 lbs.	2.7
	NACMAP1BMS Silver	657	29½	2½	19⅞	—	—	11.5 lbs.	2.7
	• Attachment method via bolt through grommet • Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel • Intuitive adjustment • Holds a single monitor up to 20 lbs. • Can be mounted in ½" to 2½" diameter holes • Can be mounted on ½" to 1½" thick worksurfaces								
Manual Monitor Arm 	NACMAB1BMB Black	\$ 464	23½	2½	17¾	—	—	9 lbs.	1.9
	NACMAB1BMS Silver	464	23½	2½	17¾	—	—	9 lbs.	1.9
	• Attachment method via bolt through grommet • Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel • Manual knob adjustment • Holds a single monitor up to 20 lbs. • Can be mounted in ½" to 2½" diameter holes • Can be mounted on ½" to 1½" thick worksurfaces								
Metal Corner Sleeve 	NAC1322SL1 Black Metal	\$ 99	13	22	1⅞	—	—	5 lbs.	0.3
	NAC1322SL2 Black Metal	99	13	22	1⅞	—	—	5 lbs.	0.3
	NAC1222SL Black Metal	127	11⅞	22	1½	—	—	5 lbs.	0.6
• NAC1322SL1 is applicable to Barrington, Clever, EnvyWorks, Flourish, Franklin and Roosevelt • NAC1322SL2 is applicable to Arrowood Laminate, Arrowood Veneer, Captivate, Epic, Hiland and WaveWorks 1⅞" • NAC1222SL is applicable to Escalade and WaveWorks 1⅞" • Sleeve attaches securely to the corner of 90° units to create a 45° angle which is ideal for computer use									

Specify selections, left to right:

Base Model

NAC2319KKS1

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
	D	W	H	A	KW					
CPU Holder 	NACPUH	Black	\$ 258	9¾	9¾	18¾	—	—	10 lbs.	0.9
	• Vertically mounts to underside of workstation • Self-locking ratchet style storage device • Teflon glide storage • Height adjustable 13" to 25" • Width adjustable 3" to 9" • 360° swivel • Supports up to 85 lbs.									
CPU Cart Mobile 	NACCPUMCB	Black	\$ 137	15	8½	8⅞	—	—	7.2 lbs.	4.2
	• Adjusts to support CPU's up to 9" wide and 40 lbs. • Adds 3¾" to the height of installed CPU • Non-locking casters									
Lock Cores and Keys 	NCCB_ _ _	Lock Core and Key	\$ 14	—	—	—	—	—	0.05 lbs.	0.1
	• _ _ _ Specify key number 001 through 200 • A change key must be specified separately to change lock cores • All casegood product indicating locking will be shipped with random locking • Lock core and key above can be ordered when specified locking is required and will be shipped as a SKU									
	NCCBCK	Change Key	\$ 14	—	—	—	—	—	0.05 lbs.	0.01
	NCCBMK	Master Key	14	—	—	—	—	—	0.05 lbs.	0.01
	• Master Key will open all locks 001-200									

Accessories

Product Specification

- See pages 292-293 for the application matrix for these accessories

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Number:

NAC0916STL


To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
LED Swivel Task Light 	NAC22TLS Single Unit	\$ 225	3½	22	1⅞	—	—	2.5 lbs.	0.2
	NAC28TLS Single Unit	248	3½	28	1⅞	—	—	2.9 lbs.	0.3
	NAC34TLS Single Unit	267	3½	34	1⅞	—	—	3.4 lbs.	0.4
	NAC22TLSD Daisy Chain Starter Unit	\$ 265	3½	22	1⅞	—	—	3.1 lbs.	0.2
	NAC28TLSD Daisy Chain Starter Unit	288	3½	28	1⅞	—	—	3.5 lbs.	0.3
	NAC34TLSD Daisy Chain Starter Unit	307	3½	34	1⅞	—	—	4.0 lbs.	0.4
	NAC22TLSA Add-on Unit for Daisy Chaining	\$ 205	3½	22	1⅞	—	—	2.1 lbs.	0.2
	NAC28TLSA Add-on Unit for Daisy Chaining	268	3½	28	1⅞	—	—	2.6 lbs.	0.3
	NAC34TLSA Add-on Unit for Daisy Chaining	287	3½	34	1⅞	—	—	3.0 lbs.	0.4

- For use under highback organizers and wall mount cabinets
- Single unit has a 6' single power supply and mounting hardware for wood, laminate and metal cabinets
- Daisy Chain Starter Unit has a 12' daisy chain power supply, two 54" jumper cables and mounting hardware for wood, laminate and metal cabinets
- **Can daisy chain up to three units total. (Starter Unit and Add-on Units combined)**
- Add-on Unit has mounting hardware for wood, laminate and metal cabinets
- UL Listed

Task Light





NAC25TLB 14 Watts	\$ 199	4⅞	23¼	1⅞	—	—	8 lbs.	0.6
NAC49TLB 28 Watts	227	4⅞	46⅞	1⅞	—	—	10.8 lbs.	1.2

- Task lights are applicable for all highback organizers, wall mount cabinets and work organizers (wood, laminate and metal)
- Features black finish
- 9' black power cord centered in back of light (UL approved)
- Electronic ballast
- Warm white lamps included
- For proper application, the task light dimension must be less than the overhead cabinet dimension

Specify selections, left to right:

Base Model

NAC0916STL

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Deluxe Organizer 	NAC0916STL Black	\$ 56	9¾	15¾	1¾	—	—	6 lbs.	0.5
	• Faux leather wrapped • Features debossed National™ logo • Shipped standard in each Casbah top box drawer • Fits in any legal width box drawer								
Desk Pad 			D	W	H	A	KW		
	NAC1623DPLB Black	\$ 324	16	22¾	¾	—	—	6.8 lbs.	0.1
	• Faux leather with white top-stitching • Features felt bottom to protect surface								
Waste Container 			D	W	H	A	KW		
	NAC1721WBSK White	\$ 223	13	16½	21	—	—	6 lbs.	2.6
	• Concealed, pivoting waste container • For use in buffet or double door storage credenza								

Accessories

Product Specification

- See pages 292-293 for the application matrix for these accessories
- Black finish standard
- These products have been designed to be used safely when filled under normal circumstances; note weight limitations

Dimension Key



D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

NACCP
NACELPDC

To You In
10
DAYS
...or Less






Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price		Dimensions					Cartoned Weight	Cubic Feet
					D	W	H	A	KW		
Pencil Cup 	NACCP	Black	\$	31	½	4	4	—	—	0.2 lbs.	0.4
	• Holds pencils, pens, rulers, etc.										
Legal Paper Tray 	NAC1115SPT	Black	\$	47	10½	15	2	—	—	0.8 lbs.	0.1
	• Holds letter or legal width papers, folders, etc.										
Accessory Tray 	NAC1010AT	Black	\$	42	10	9½	2	—	—	0.5 lbs.	0.2
	• Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.										
Phone Holder 	NACPH	Black	\$	42	9½	8½	2	—	—	0.6 lbs.	0.1
	• Holds telephone										
Binder Shelf 	NACBS	Black	\$	34	10½	5	9	—	—	0.5 lbs.	0.3
	• Holds binders and folders										
Slant Sorter 	NACSS	Black	\$	48	12½	7	7½	—	—	0.9 lbs.	0.2
	• Holds folders, papers, etc.										

Specify selections, left to right:

Base Model

NACCP

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
	D	W	H						
Power/Data Center 	NACELPDC Black	\$ 243	2¼	7¾	2¾	—	—	2 lbs.	0.4
	• 2 simplex receptacles and 2 blank data ports • 6 ft., 15 Amp cord • Black housing and cords • UL listed • Fits into round grommet hole on EnvyWorks and WaveWorks only • Blank data ports will accommodate Amp flex-mode and Panduit mod-com connector modules								
Convenience Outlet 	NAC0902EL5C Black	\$ 171	13	22	1¼	—	—	2 lbs.	0.3
	• 5 grounded electrical receptacles • 1 telephone jack with 14 ft. cord • 10 ft. power cord • Includes remote on/off power switch • Black housing and cords • UL listed								
Corner Channel with Power 	NAC1305ELCC Black	\$ 282	4½	4½	13	—	—	3.5 lbs.	0.4
	• Can be mounted vertically or horizontally above or below worksurfaces along any inside corner • UL listed • Four grounded electrical receptacles rated at 15 Amps/120 Volts • Voice/data section has an internal metal isolation barrier (separated from electrical) • Overload protection (15 Amp circuit breaker) • 6 ft. heavy-duty power cord, with 15 Amp molded plug • Voice/data section includes 1 RJ11 phone and 1 RJ45 data connector								
Power Director 	NAC1002ELPD2 Black	\$ 108	4½	9¾	2	—	—	3 lbs.	0.1
	• 10 foot heavy-duty right angle power cord • UL listed • Solid state phone/fax/modem, surge protector • 12 Amp, 120 Volt, 60 Hz • 3 receptacles in back are controlled by main switch, and 3 non-switched receptacles (1 in back, 2 in front of unit) • 5 high speed data ports • 2 sets of dual USB ports								
Power Center 	NACELR4 Black	\$ 204	4¾	2¾	10	—	—	2 lbs.	0.2
	• 4 simplex receptacles • Length of cord is 10' • 15 Amp • UL Listed • Extends 7" above worksurface • To be used with racetrack or channel grommets • Pop up electrical not available for use on the drawer side of lateral file and multi-file returns/credenzas when using the channel wire management option; available for use on the non-pedestal side only • Cannot be used on media credenzas								

Accessories

Product Specification

- See pages 292-293 for the application matrix for these accessories

Dimension Key





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:

NAC17WM
NAC6018PVSP 1 1677 462

To You In
10
...or Less



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet																
			D	W	H	A	KW																			
Power/Communication Center 	NACELR2C Black	\$ 190	4⅞	2⅝	8½	—	—		2 lbs.	0.2																
	• 2 flush mounted 15 Amp simplexes, accommodate a variety of 5-15P power cords and adapters • Length of cord is 10' • UL Listed • Extends 7½" above worksurface • To be used with racetrack or channel grommets • Pop up electrical not available for use on the drawer side of lateral file and multi-file returns/credenzas when using the channel wire management option; available for use on the non-pedestal side only • Cannot be used on media credenzas • Adapters accommodate couplers and jacks from many manufacturers: <table><tr><td>Avaya/At&T/Lucent</td><td>www.avaya.com</td></tr><tr><td>Amp/Tyco</td><td>www.amp.com</td></tr><tr><td>Panduit</td><td>www.panduit.com</td></tr><tr><td>Allen Tel</td><td>www.allentel.com</td></tr><tr><td>Leviton</td><td>www.leviton.com</td></tr><tr><td>Krone</td><td>www.krone.com</td></tr><tr><td>Hubbell</td><td>www.hubbell.com</td></tr><tr><td>Ortronics</td><td>www.ortronics.com</td></tr></table>										Avaya/At&T/Lucent	www.avaya.com	Amp/Tyco	www.amp.com	Panduit	www.panduit.com	Allen Tel	www.allentel.com	Leviton	www.leviton.com	Krone	www.krone.com	Hubbell	www.hubbell.com	Ortronics	www.ortronics.com
Avaya/At&T/Lucent	www.avaya.com																									
Amp/Tyco	www.amp.com																									
Panduit	www.panduit.com																									
Allen Tel	www.allentel.com																									
Leviton	www.leviton.com																									
Krone	www.krone.com																									
Hubbell	www.hubbell.com																									
Ortronics	www.ortronics.com																									
Power Tower 	NACELPT Silver/Black	\$ 1066	DI 11⅜	W 5¼	H 40⅝	—	—		14 lbs.	3.7																
	• Unit features 8 power receptacles and 8 blank data ports (2 power receptacles and 2 blank data ports per side) • Single circuit, rated 15 Amps • 6' power cord from base of unit																									
Wire Manager 	NAC17WM Black	\$ 20	D 2⅞	W 16¾	H 1⅜	—	—		1 lbs.	0.1																
	• Wire manager is made of plastic and attaches with velcro • Wire manager can be used on any unit to route cords																									
Horizontal Undersurface Wire Manager 	NAC30WMH Black	\$ 75	3	29½	1½	—	—		0.6 lbs.	0.1																
	• Includes set of 6, each section is 29½" in length																									
Undersurface Wire Manager	NAC03WM Black (Set of 5)	\$ 24	5½	2⅝	1¾	—	—		2.5 lbs.	0.1																

Specify selections, left to right:

Base Model

NAC17WM

Model No./Description			List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
					DI	H							
	NACG1	Black	\$ 26	2¼	—	1⅜	—	—			0.2 lbs.	0.1	
	• Field installable												
	NACG2	Black	\$ 26	2¾	—	1⅜	—	—			0.2 lbs.	0.1	
	• Field installable												
 NACG10EL NACG10				D	W	H	A	KW					
	NACG10EL	Electrical/Black	\$ 360	4¼	4¼	5	—	—			1.6 lbs.	0.12	
	NACG10	Black	57	4¼	4¼	1⅞	—	—			0.6 lbs.	0.06	
	• NACG10EL features 2 120 Volt receptacles and 2 Cat5E data ports and 6' AC cord; data ports are not pre-wired • Field installable • For conference tables only												
	NAC3048MBW	\$ 358	½	47⅞	30	—	—			35 lbs.	1.4		
	• Installation hardware included												
		Grade 1	Grade 2	Grade 3									
	NAC6018PVSP	\$ 600	\$ 976	\$ 1104	¾"	60	18	—	—			19.4 lbs.	1.5
	NAC5418PVSP	568	906	1022	¾"	54	18	—	—			17.3 lbs.	1.3
	NAC4818PVSP	536	842	946	¾"	48	18	—	—			15.5 lbs.	1.0
	NAC4218PVSP	503	766	856	¾"	42	18	—	—			13.5 lbs.	0.9
	NAC3618PVSP	469	699	778	¾"	36	18	—	—			11.5 lbs.	0.7
	NAC3018PVSP	436	629	694	¾"	30	18	—	—			9.5 lbs.	0.6
	NAC2418PVSP	402	552	604	¾"	24	18	—	—			8.0 lbs.	0.5
	NAC2118PVSP	386	522	569	¾"	21	18	—	—			7.0 lbs.	0.45
	• Privacy screen includes two holders per screen, except for 48" screen will have 3 holders; sits on worksurface • Privacy screens are ¾" thick dual sided frosted resin • Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep • Privacy screens are intended to be stand alone units • Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377) • Specify metal color: Cinder (462), Platinum Metallic (501) or Anthracite Metallic (513)												

Tack Board Applicability

Arrowood

Highback or Overhead Model No.	Applicable Tack Board
21-15720SC	NAC6617TBR
21-15660SC	NAC6017TBR
17360S	NAC3618TBR
17300S	NAC3018TBR
31N7236HBH	NAC6617TBR
31N6636HBH	NAC6017TBR
31N3618SOHM	NAC3618TBR
31N3018SOHM	NAC3018TBR

Barrington

Highback or Overhead Model No.	Applicable Tack Board
50N7236HBH	NAC6717TBR
50N7149HBH	NAC6617TBR
50N6649HBH	NAC6117TBR
50N6636HBH	NAC6117TBR
50N7218SOHM	NAC6917TBR
50N7129SOHM	NAC6919TBR
50N6629SOHM	NAC6319TBR
50N6618SOHM	NAC6317TBR

Captivate

Highback or Overhead Model No.	Applicable Tack Board
36N7245HBH	NAC6719TBR
36N6645HBH	NAC6119TBR
36N7224SOHM	NAC6919TBR
36N6624SOHM	NAC6319TBR

Casbah

Highback or Overhead Model No.	Applicable Tack Board
38N10850HBH	Use 2 — NAC5219TBR
38N10838HBH	Use 2 — NAC5219TBR
38N10250HBH	Use 2 — NAC4919TBR
38N10238HBH	Use 2 — NAC4919TBR
38N9650HBH	Use 2 — NAC4619TBR
38N9638HBH	Use 2 — NAC4619TBR
38N9050HBH	NAC8819TBR
38N9038HBH	NAC8819TBR
38N8450HBH	NAC8219TBR
38N8438HBH	NAC8219TBR
38N7850HBH	NAC7619TBR
38N7838HBH	NAC7619TBR
38N7250HBH	NAC7019TBR
38N7238HBH	NAC7019TBR
38N6650HBH	NAC6419TBR
38N6638HBH	NAC6419TBR
38N6050HBH	NAC5819TBR
38N6038HBH	NAC5819TBR
38N4850HBH	NAC4619TBR
38N4838HBH	NAC4619TBR
38N4830SOHM	NAC4819TBR
38N4818SOHM	NAC4819TBR
38N4230SOHM	NAC4219TBR
38N4218SOHM	NAC4219TBR
38N3630SOHM	NAC3619TBR
38N3618SOHM	NAC3619TBR
38N3030SOHM	NAC3019TBR
38N3018SOHM	NAC3019TBR

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

Casbah

This chart is reflective of using vertical pigeon hole storage models with highback organizers or wall mount cabinets with tack boards.

Highback or Overhead Model No.	Applicable Tack Board 1 Pigeon Hole Storage	Applicable Tack Board 2 Pigeon Hole Storage
38N10850HBH	Use 1 — NAC5219TBR	Use 2 — NAC3819TBR
	Use 1 — NAC3819TBR	
38N10838HBH	Use 1 — NAC5219TBR	Use 2 — NAC3819TBR
	Use 1 — NAC3819TBR	
38N10250HBH	Use 1 — NAC4919TBR	Use 2 — NAC3519TBR
	Use 1 — NAC3519TBR	
38N10238HBH	Use 1 — NAC4919TBR	Use 2 — NAC3519TBR
	Use 1 — NAC3519TBR	
38N9650HBH	Use 1 — NAC4619TBR	Use 2 — NAC3219TBR
	Use 1 — NAC3219TBR	
38N9638HBH	Use 1 — NAC4619TBR	Use 2 — NAC3219TBR
	Use 1 — NAC3219TBR	
38N9050HBH	NAC7419TBR	NAC6019TBR
38N9038HBH	NAC7419TBR	NAC6019TBR
38N8450HBH	NAC6819TBR	NAC5419TBR
38N8438HBH	NAC6819TBR	NAC5419TBR
38N7850HBH	NAC6219TBR	NAC4819TBR
38N7838HBH	NAC6219TBR	NAC4819TBR
38N7250HBH	NAC5619TBR	NAC4219TBR
38N7238HBH	NAC5619TBR	NAC4219TBR
38N6650HBH	NAC5019TBR	NAC3619TBR
38N6638HBH	NAC5019TBR	NAC3619TBR
38N6050HBH	NAC4419TBR	NAC3019TBR
38N6038HBH	NAC4419TBR	NAC3019TBR
38N4850HBH	NAC3219TBR	NAC1819TBR
38N4838HBH	NAC3219TBR	NAC1819TBR

Clever

Highback or Overhead Model No.	Applicable Tack Board
CLN8836HBH	NAC8416TBR
CLN7136HBH	NAC6816TBR
CLN6536HBH	NAC6216TBR
CLN3618SOHMAW	NAC3617TBR
CLN3018SOHMAW	NAC3017TBR

EnvyWorks

Highback or Overhead Model No.	Applicable Tack Board
NV1472HBH	NAC6916TBR
NV1466HBH	NAC6316TBR
NV1460HBH	NAC5716TBR
NV1448HBH	NAC4516TBR
NV1442HBH	NAC3916TBR

Escalade

Highback or Overhead Model No.	Applicable Tack Board
ECN7250HBH	NAC6920TBR
ECN6650HBH	NAC6320TBR
ECN7230SOHM	NAC7019TBR
ECN6630SOHM	NAC6419TBR
ECN7242HBHPGW	N/A
ECN6642HBHPGW	N/A

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

Tack Board Applicability

Flourish

Highback or Overhead Model No.	Applicable Tack Board
19N7236HBHW	NAC6917TBR
19N6636HBHW	NAC6317TBR
19N3618SOHMH	NAC3617TBR
19N3018SOHMH	NAC3017TBR

Franklin

Highback or Overhead Model No.	Applicable Tack Board
40-15720SCP	NAC6717TBR
40-15660SCP	NAC6117TBR

Hiland

Highback or Overhead Model No.	Applicable Tack Board
35N7236HBHW	NAC6917TBR
35N6636HBHW	NAC6317TBR
35N3618SOHMH	NAC3617TBR
35N3018SOHMH	NAC3017TBR

Roosevelt


Highback or Overhead Model No.	Applicable Tack Board
51N7236HBHW	NAC6717TBR
51N6636HBHW	NAC6117TBR
51N3618SOHMH	NAC3617TBR
51N3018SOHMH	NAC3017TBR

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.


Specify selections, left to right:

Base Model	Grade	Fabric Designator	Repetition (Grade A)		Pact (Grade B)	
	A	Dune (Grade A)	100% Pre-Consumer		65% Pre-Consumer Recycled Polyester,	
	B	100% Polyester	Recycled Polyester		35% Post-Consumer Recycled Polyester	
		8600 Drift	3700	Ash	25401	Aloe
		8601 Windblown	3705	Willow	25402	Azure
		8602 Erosion	3709	Java	25403	Calla
		8603 Haze	3713	Stainless	25404	Coastal
		8604 Kamelos	3715	Almond	25405	Delft
		8605 Fiddleneck	3721	Reed	25406	Dove
		8606 Pebble	3726	Kiwi	25407	Dragon
		8607 Gecho	3737	Sisal	25408	Eureka
		8608 Nectar	3744	Tawny	25409	Fern
		8610 Clear Sky	3753	Steel	25410	Harbour
		8614 Basin	3766	Wicker	25411	Lily
		8615 Raven	3775	Grey Green	25412	Lime
		8620 Darkness	3782	Honeycomb	25413	Midnight
		8621 Golden	3785	Blue Grass	25414	Nectar
			3792	Spa	25415	Patina
			3799	Cornflower	25416	Putty
NAC8819TBR	A	3705				

Tack Board



Front view



Back view

20" High

	Grade A	Grade B								
NAC6920TBR	\$ 388	\$ 441	7/8	68 ¹ / ₁₆	20 ¹ / ₄	—	—	24 lbs.	1.6	
NAC6320TBR	363	411	7/8	62 ⁹ / ₁₆	20 ¹ / ₄	—	—	22 lbs.	1.4	

19" High



NAC8819TBR	\$ 446	\$ 511	7/8	88 ¹ / ₁₆	19 ¹ / ₂	—	—	31 lbs.	2.0	
NAC8219TBR	421	481	7/8	82 ¹ / ₁₆	19 ¹ / ₂	—	—	29 lbs.	1.9	
NAC7619TBR	396	452	7/8	76 ¹ / ₁₆	19 ¹ / ₂	—	—	26 lbs.	1.7	
NAC7419TBR	388	443	7/8	74 ¹ / ₁₆	19 ¹ / ₂	—	—	24 lbs.	1.5	
NAC7219TBR	380	435	7/8	71 ¹³ / ₁₆	19 ¹ / ₂	—	—	25 lbs.	1.6	
NAC7019TBR	379	432	7/8	70 ¹ / ₁₆	19 ¹ / ₂	—	—	25 lbs.	1.6	
NAC6919TBR	378	431	7/8	68 ¹⁵ / ₁₆	19 ¹ / ₁₆	—	—	23 lbs.	1.5	
NAC6819TBR	376	426	7/8	68 ¹ / ₁₆	19 ¹ / ₂	—	—	22 lbs.	1.4	
NAC6719TBR	375	425	7/8	66 ¹³ / ₁₆	19 ¹ / ₂	—	—	24 lbs.	1.5	
NAC6619TBR	374	424	7/8	65 ⁷ / ₁₆	19 ¹ / ₂	—	—	23 lbs.	1.5	
NAC6419TBR	360	408	7/8	64 ¹ / ₁₆	19 ¹ / ₂	—	—	22 lbs.	1.5	
NAC6319TBR	353	401	7/8	63 ⁷ / ₁₆	19 ¹ / ₁₆	—	—	21 lbs.	1.4	
NAC6219TBR	345	393	7/8	62 ¹ / ₁₆	19 ¹ / ₂	—	—	20 lbs.	1.3	
NAC6119TBR	338	356	7/8	61 ¹ / ₁₆	19 ¹ / ₂	—	—	21 lbs.	1.4	
NAC6019TBR	331	349	7/8	59 ⁷ / ₁₆	19 ¹ / ₂	—	—	21 lbs.	1.4	
NAC5819TBR	327	345	7/8	58 ¹ / ₁₆	19 ¹ / ₂	—	—	20 lbs.	1.3	
NAC5619TBR	322	340	7/8	56 ¹ / ₁₆	19 ¹ / ₂	—	—	18 lbs.	1.2	
NAC5419TBR	320	338	7/8	54 ³ / ₁₆	19 ¹ / ₂	—	—	17 lbs.	1.3	
NAC5219TBR	316	334	7/8	52 ³ / ₁₆	19 ¹ / ₂	—	—	18 lbs.	1.2	
NAC5019TBR	313	331	7/8	50 ¹ / ₁₆	19 ¹ / ₂	—	—	16 lbs.	1.1	
NAC4919TBR	312	330	7/8	49 ³ / ₁₆	19 ¹ / ₂	—	—	18 lbs.	1.2	
NAC4819TBR	311	329	7/8	47 ⁷ / ₁₆	19 ¹ / ₂	—	—	17 lbs.	1.1	
NAC4619TBR	304	322	7/8	46 ³ / ₁₆	19 ¹ / ₂	—	—	16 lbs.	1.1	
NAC4419TBR	296	314	7/8	44 ¹ / ₁₆	19 ¹ / ₂	—	—	14 lbs.	1.0	
NAC4219TBR	290	308	7/8	41 ¹⁵ / ₁₆	19 ¹ / ₂	—	—	15 lbs.	1.0	
NAC3819TBR	275	293	7/8	38 ³ / ₁₆	19 ¹ / ₂	—	—	12 lbs.	0.8	

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Tack board is routed in the back for wire management
- Fabric is railroded on models 62¹/₁₆" wide or wider
- Hardware included to attach to highback organizer or to the wall
- Gap of ⁵/₁₆" will exist between back of tack board and highback or wall
- Reference tack board applicability on pages 304-306

Tack Boards

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
				D	W	H				
 Front view	Tack Board (continued)	19" High Cont.	Grade A	Grade B						
	NAC3619TBR	\$ 263	\$ 281	7/8	35 1/16	19 1/2	—	—	13 lbs.	0.9
	NAC3519TBR	259	277	7/8	35 3/16	19 1/2	—	—	12 lbs.	0.8
	NAC3219TBR	246	264	7/8	32 3/16	19 1/2	—	—	11 lbs.	0.7
	NAC3019TBR	241	259	7/8	29 1/16	19 1/2	—	—	11 lbs.	0.7
	NAC1819TBR	192	198	7/8	18 3/16	19 1/2	—	—	7 lbs.	0.4
 Back view		18" High								
	NAC3618TBR	\$ 263	\$ 281	7/8	35 3/16	18 1/8	—	—	12 lbs.	0.8
	NAC3018TBR	241	259	7/8	29 3/16	18 1/8	—	—	10 lbs.	0.7
		17" High								
	NAC6917TBR	\$ 378	\$ 431	7/8	69 5/16	17 7/16	—	—	22 lbs.	1.4
	NAC6717TBR	375	425	7/8	67 1/16	16 15/16	—	—	21 lbs.	1.4
	NAC6617TBR	374	424	7/8	66 9/16	16 15/16	—	—	20 lbs.	1.4
	NAC6317TBR	353	401	7/8	63 7/16	17 7/16	—	—	20 lbs.	1.3
	NAC6117TBR	338	356	7/8	61 5/16	16 15/16	—	—	19 lbs.	1.3
	NAC6017TBR	331	349	7/8	60 9/16	16 15/16	—	—	19 lbs.	1.2
	NAC3617TBR	263	281	7/8	35 3/4	17 7/16	—	—	12 lbs.	0.8
	NAC3017TBR	241	259	7/8	29 5/16	17 7/16	—	—	10 lbs.	0.7
		16" High								
	NAC8416TBR	\$ 370	\$ 433	7/8	84 1/16	16	—	—	24 lbs.	1.6
	NAC6916TBR	327	380	7/8	69 3/16	16 1/2	—	—	21 lbs.	1.4
	NAC6816TBR	317	367	7/8	67 13/16	16	—	—	20 lbs.	1.3
	NAC6316TBR	300	348	7/8	63 1/8	16 1/2	—	—	19 lbs.	1.3
	NAC6216TBR	287	335	7/8	62 1/16	16	—	—	18 lbs.	1.2
	NAC5716TBR	282	297	7/8	57 1/8	16 1/2	—	—	17 lbs.	1.1
	NAC4516TBR	249	264	7/8	45	16 1/2	—	—	14 lbs.	1.0
	NAC3916TBR	224	239	7/8	39	16 1/2	—	—	12 lbs.	0.8

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Tack board is routed in the back for wire management
- Fabric is railroaded on models 62 1/16" wide or wider
- Hardware included to attach to highback organizer or to the wall
- Gap of 3/16" will exist between back of tack board and highback or wall
- Reference tack board applicability on pages 304-306

Base Model	Grade		Fabric Designator							
	A	Grade A	Dune (Grade A)		Repetition (Grade A)		Pact (Grade B)			
	B	Grade B	100% Polyester		100% Pre-Consumer Recycled Polyester		65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester			
			8600	Drift	3700	Ash	25401	Aloe	25417	Roast
			8601	Windblown	3705	Willow	25402	Azure	25418	Roma
			8602	Erosion	3709	Java	25403	Calla	25419	Rubine
			8603	Haze	3713	Stainless	25404	Coastal	25420	Sketch
			8604	Kamelos	3715	Almond	25405	Delft	25421	Tanzanite
			8605	Fiddleneck	3721	Reed	25406	Dove	25422	Taupe
			8606	Pebble	3726	Kiwi	25407	Dragon	25423	Toasty
			8607	Gecho	3737	Sisal	25408	Eureka		
			8608	Nectar	3744	Tawny	25409	Fern		
			8610	Clear Sky	3753	Steel	25410	Harbour		
			8614	Basin	3766	Wicker	25411	Lily		
			8615	Raven	3775	Grey Green	25412	Lime		
			8620	Darkness	3782	Honeycomb	25413	Midnight		
			8621	Golden	3785	Blue Grass	25414	Nectar		
					3792	Spa	25415	Patina		
					3799	Cornflower	25416	Putty		
NAC3619TBR	B		25401							

Tack Boards



- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Fabric is railroaded on models 62 $\frac{1}{16}$ " wide or wider
- Hardware included to attach to highback organizer or to the wall
- Gap of $\frac{5}{8}$ " will exist between back of tack board and highback or wall
- All corners are square

Tack Boards

Myriad Occasional Tables

Myriad Occasional Tables

BOX AND FLOATING TOP SIZES

End Table 24" x 24"
Coffee Table 36" x 36"
Magazine Table 24" x 48"
Console Table 18" x 50"

CUBE SIZES


End Table 24" x 24"
Coffee Table 36" x 36"
Magazine Table 24" x 48"

CYLINDER SIZES

End Table 24" Diameter
Coffee Table 36" Diameter

GLASS TOP KITS AVAILABLE FOR

Box styles
Cube styles
Cylinder styles



WOOD FINISHES

NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

BOX, CUBE AND CYLINDER STYLE LAMINATES

Woodgrain Laminate		Solid Laminate	
NM	Natural	403	Chamois
HN	Honey	405	Designer White
CL	Caramel	419	Wallaby
TF	Truffle	420	Sandstone
AC2	Autumn 2	425	Shadow
MC	Amber	440	Cloud
CW	Cordovan	461	Graphite
DW	Judicial	462	Cinder
MH	Mocha	480	Antique White

FLOATING TOP STYLE LAMINATES

Woodgrain Laminate		Solid Laminate		Pattern Laminate	
NM	Natural	403	Chamois	802	White Nebula
HN	Honey	405	Designer White	805	Titanium Evolv
CL	Caramel	419	Wallaby	809	Tungsten Evolv
TF	Truffle	420	Sandstone	813	Saffron Tigris
AC2	Autumn 2	425	Shadow	814	White Tigris
MC	Amber	440	Cloud	817	Olive Legacy
CW	Cordovan	461	Graphite	860	Neutral Santos
DW	Judicial	462	Cinder	873	Tawny Legacy
MH	Mocha	480	Antique White	874	Bronze Legacy

METAL COLORS

462 Cinder
497 Polished Aluminum
501 Platinum Metallic

GLASS OPTION

3 Clear

GROMMET OPTION

If no grommet is desired, specify an "X" (No Grommet)

G12C One Touch Pivoting Power Grommet, Silver (+\$399 List)
G12BC One Touch Pivoting Power Grommet, Black (+\$399 List)
CUT-G12C Cutout only for One Touch Pivoting Power Grommet
• Power grommet is optional for box, cube and cylinder styles

FINISH APPLICATION

- IntegraClear™ environmentally-friendly UV finish
- IntegraClear™ is a water based high-performance wood finish that meets or exceeds indoor air quality standards



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

Myriad Occasional Tables

Base Model Key





W Wood Unit
L Laminate Unit

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

Sample Model Numbers:

91NB2424ENW G12C MH 501
91NA2424CYW X NM
91NA2424CUW G12C MH
91N2424SQGK


Model No./Description			List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
	Wood												
	91NB2424ENW	End Table	\$ 1214	24	24	20½	—	—	55 lbs.	12.6			
	91NB1850CSW	Console Table	1654	18	50	31½	—	—	75 lbs.	20.2			
	91NB2448MGW	Magazine Table	1300	24	48	16½	—	—	77 lbs.	19.1			
	91NB3636MGW	Coffee Table	1352	36	36	16½	—	—	65 lbs.	15.0			
End Table													
	Laminate												
	91NB2424ENL	End Table	\$ 1006	24	24	20½	—	—	55 lbs.	12.6			
	91NB1850CSL	Console Table	1446	18	50	31½	—	—	75 lbs.	20.2			
	91NB2448MGL	Magazine Table	1092	24	48	16½	—	—	77 lbs.	19.1			
	91NB3636MGL	Coffee Table	1144	36	36	16½	—	—	65 lbs.	15.0			
Console Table	• Optional glass kits available, reference page 315 • Features an aluminum base in three color options • Optional grommet available, reference page 312 • Grommet option not available on console table • Wood tables feature matte/satin sheen												
													
Magazine Table													
													
Coffee Table													
	Wood			DI	H								
	91NA2424CYW	End Table	\$ 884	24	—	20½	—	—	35 lbs.	7.3			
	91NA3636MGYW	Coffee Table	1190	36⅞	—	16½	—	—	55 lbs.	13.5			
	Laminate												
	91NA2424CYL	End Table	\$ 541	24	—	20½	—	—	35 lbs.	7.3			
	91NA3636MGYL	Coffee Table	808	36⅞	—	16½	—	—	55 lbs.	13.5			
	• Optional glass kits available, reference page 315 • Optional grommet available, reference page 312 • Wood tables feature matte/satin sheen												
Coffee Table													

Specify selections, left to right:


Base Model	Grommet Option	Finish	Laminate	Metal Color (box style only)
91NB2424ENW	G12C G12BC CUT-G12C X	Power Grommet, Silver Power Grommet, Black Cutout only No Grommet	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 497 Polished Aluminum 501 Platinum Metallic

Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
-----------------------	------------	--------------------------	-----------------	------------


Myriad Cube



End Table



Magazine Table



Coffee Table

Wood



91NA2424CUW	End Table	\$ 884	24	24	20½	—	—	33 lbs.	7.3
91NA2448MGTW	Magazine Table	1117	24	48	16½	—	—	66 lbs.	14.6
91NA3636MGUW	Coffee Table	1117	36	36	16½	—	—	55 lbs.	13.5

Laminate

91NA2424CUL	End Table	\$ 541	24	24	20½	—	—	33 lbs.	7.3
91NA2448MGTL	Magazine Table	746	24	48	16½	—	—	66 lbs.	14.6
91NA3636MGUL	Coffee Table	746	36	36	16½	—	—	55 lbs.	13.5

- Optional glass kits available, reference page 315
- Optional grommet available, reference page 312
- Wood tables feature matte/satin sheen

Myriad Glass Kits



Square/Rectangular

91N2424SQGK	End Table Kit	\$ 520	24	24	¾	—	—	55 lbs.	12.6
91N2448RTGK	Magazine Table Kit	728	24	48	¾	—	—	77 lbs.	19.1
91N3636SQGK	Coffee Table Kit	728	36	36	¾	—	—	75 lbs.	20.2
91N1850RTGK	Console Table Kit	728	18	50	¾	—	—	65 lbs.	15.0

Round

			DI	H					
91N2424RDGK	End Table Kit	\$ 728	24	—	¾	—	—	22 lbs.	2.0
91N3636RDGK	Coffee Table Kit	1092	36	—	¾	—	—	48 lbs.	3.0

- For use on box, cylinder and cube styles on pages 314-315
- Specify model number only
- Glass is clear with beveled rim
- Glass comes with stanchions for easy attachment to table
- Glass is ¾" thick

Myriad Occasional Tables

Base Model Key


W Wood Unit
L Laminate Unit
G Glass Top


Sample Model Numbers:

91NC2424ENW MH 501
91NC2424ENG 3 462


Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width


	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet	
			D	W	H	A	KW			
	Myriad Floating Top									
	Glass Tops									
	91NC2424ENG	End Table	\$ 1431	24	24	20½	—	—	30 lbs.	2.2
	91NC1850CSG	Console Table	1851	18	50	28½	—	—	53 lbs.	5.2
	91NC2448MGG	Magazine Table	1664	24	48	16½	—	—	57 lbs.	5.5
	91NC3636MGG	Coffee Table	1664	36	36	16½	—	—	50 lbs.	3.5




End Table



Console Table



Magazine Table




Coffee Table


- Some assembly required – glass must be attached to base
- Glass is clear with beveled rim
- Features an aluminum base in three color options
- Glass is ¾" thick

Base Model	Finish	Laminate	Glass (glass top tables only)	Metal Color	
91NC2424ENW	NM Natural	NM Natural	802 White Nebula	3 Clear	462 Cinder
	HN Honey	HN Honey	805 Titanium Evolv		497 Polished Aluminum
	CL Caramel	CL Caramel	809 Tungsten Evolv		501 Platinum Metallic
	TF Truffle	TF Truffle	813 Saffron Tigris		
	AC Autumn	AC2 Autumn 2	814 White Tigris		
	MC Amber	MC Amber	817 Olive Legacy		
	CW Cordovan	CW Cordovan	860 Neutral Santos		
	DW Judicial	DW Judicial	873 Tawny Legacy		
	MH Mocha	MH Mocha	874 Bronze Legacy		
		403 Chamois			
		405 Designer White			
		419 Wallaby			
		420 Sandstone			
		425 Shadow			
		440 Cloud			
		461 Graphite			
		462 Cinder			
	480 Antique White				
91NC2424ENW	MH			501	


Myriad Floating Top




End Table



Console Table



Magazine Table



Coffee Table

- National Office Furniture—Casegoods

Bookcases

Bookcases

Specify selections, left to right:




Base Model	Laminate
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC2 Autumn 2
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
21-3366BCO	HN

Sample Model Number:

21-3366BCO HN

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Arrowwood Laminate Bookcase	Q21N3366BC0FLW							
		\$ 732	13	33	65 $\frac{7}{16}$	—	—	135 lbs.	27.4
		21-3366BCO							
		732	13	33	65 $\frac{7}{16}$	—	—	135 lbs.	27.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Bookcase has an unfinished back • Reference Arrowwood Laminate for detailed product information, laminates and entire Arrowwood Laminate series offering starting on page 15								
	Arrowwood Laminate Bookcase	21-3353BC0F							
		\$ 634	13	33	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowwood Laminate for detailed product information, laminates and entire Arrowwood Laminate series offering starting on page 15								
	Arrowwood Laminate Bookcase Set-On	Q21N3336BC0L							
		\$ 516	13	33	36 $\frac{3}{16}$	—	—	85 lbs.	15.8
		21-3336BCO							
		516	13	33	36 $\frac{3}{16}$	—	—	85 lbs.	15.8
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelf is adjustable • Bookcase has an unfinished back • Reference Arrowwood Laminate for detailed product information, laminates and entire Arrowwood Laminate series offering starting on page 15								

Specify selections, left to right:




Base Model	Finish
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC Autumn
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
31N3266BCOFW	NM

Sample Model Number:

31N3266BCOFW NM

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Arrowood Veneer Bookcase 	Q31N3266BCOFW Wood Top	\$ 1210	13	31½	65¾	—	—	111 lbs.	27.2
	31N3266BCOFW Wood Top	1210	13	31½	65¾	—	—	111 lbs.	27.2
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 29								
Arrowood Veneer Bookcase 	31N3253BCOFW Wood Top	\$ 946	13	31½	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 29								
Arrowood Veneer Bookcase Set-On 	Q31N3238BCOW Wood Top	\$ 836	13	31½	38	—	—	85 lbs.	16.9
	31N3238BCOW Wood Top	836	13	31½	38	—	—	85 lbs.	16.9
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 29								

Bookcases

Specify selections, left to right:



Base Model	Finish
	TF Truffle
	CW Cordovan
	DW Judicial
	MH Mocha
50N3452BCOFW	MH

Sample Model Number:

50N3452BCOFW MH

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Barrington Bookcase 	Double Bookcase	\$ 2952	14½	69¼	56½	—	—	243 lbs.	39.4
	Q50N3452BCOFW Bookcase (each—order 2)	1104	12¼	33½	51¾	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase (each—order 2)	1104	12¼	33½	51¾	—	—	92 lbs.	17.6
	50N1469CPCFW Cornice Frame	467	14½	69¼	1½	—	—	30 lbs.	1.2
	50N1468CPBW Base	277	13¾	68¼	3¼	—	—	29 lbs.	3.0
	• Must order (2) bookcases for double unit • Bookcase components are shipped separately • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 47								
Barrington Bookcase 	Single Bookcase	\$ 1524	14½	35¾	56½	—	—	128 lbs.	19.8
	Q50N3452BCOFW Bookcase	1104	12¼	33½	51¾	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase	1104	12¼	33½	51¾	—	—	92 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	235	14½	35¾	1½	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	235	14½	35¾	1½	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	185	13¾	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW Base	185	13¾	34¾	3¼	—	—	18 lbs.	1.6
	• Bookcase components are shipped separately • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 47								

Specify selections, left to right:



Base Model	Pull Option	Finish
	80AB Provincial, Antique Brass	TF Truffle
	81AB Classic, Antique Brass	CW Cordovan
	85AB Verona, Antique Brass	DW Judicial
	85CN Verona, Classic Nickel	MH Mocha
50N3452BCHRW	80AB	MH

Sample Model Number:

50N3452BCHRW 80AB MH

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Barrington Bookcase with Grille Doors 	Double Bookcase	\$ 4230	14½	69¼	56½	—	—	361 lbs.	39.4
	50N3452BCHRW Bookcase (each—order 2)	1743	12¼	34¼	51¾	—	—	151 lbs.	17.6
	50N1469CPCFW Cornice Frame	467	14½	69¼	1¾	—	—	30 lbs.	1.2
	50N1468CPBW Base	277	13¾	68¼	3¼	—	—	29 lbs.	3.0
	• Must order (2) bookcases for double unit • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Standard locking • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 47								
Barrington Bookcase with Grille Doors 	Single Bookcase	\$ 2163	14½	35¾	56½	—	—	187 lbs.	19.8
	50N3452BCHRW Bookcase	1743	12¼	34¼	51¾	—	—	151 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	235	14½	35¾	1¾	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	235	14½	35¾	1¾	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	185	13¾	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW Base	185	13¾	34¾	3¼	—	—	18 lbs.	1.6
	• For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Standard locking • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 47								

Bookcases

Specify selections, left to right:



Base Model	Pull Option	Finish
	80AB Provincial, Antique Brass	TF Truffle
	81AB Classic, Antique Brass	CW Cordovan
	85AB Verona, Antique Brass	DW Judicial
	85CN Verona, Classic Nickel	MH Mocha
50N3452BCHGW	80AB	DW

Sample Model Number:

50N3452BCHGW 80AB DW

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	Double Bookcase	\$ 4082	14½	69¼	56½	—	—	361 lbs.	39.4
	50N3452BCHGW Bookcase (each—order 2)	1669	12¼	33½	51¾	—	—	151 lbs.	17.6
	50N1469CPCFW Cornice Frame	467	14½	69¼	1½	—	—	30 lbs.	1.2
	50N1468CPBW Base	277	13%	68¼	3¼	—	—	29 lbs.	3.0
	• Must order (2) bookcases for double unit • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Standard locking • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 47								
	Single Bookcase	\$ 2089	14½	35¾	56½	—	—	187 lbs.	19.8
	50N3452BCHGW Bookcase	1669	12¼	33½	51¾	—	—	151 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	235	14½	35¾	1½	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	235	14½	35¾	1½	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	185	13%	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW Base	185	13%	34¾	3¼	—	—	18 lbs.	1.6
• For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Standard locking • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 47									

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Finish
36N3571BCOFW	TA Oblique TB Slide TA	70SN Summit, Satin Nickel Metallic 70AN Summit, Anthracite Metallic 71SN Spiral, Satin Nickel Metallic 71AN Spiral, Anthracite Metallic	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha

Sample Model Number:

36N3571BCOFW TA MC

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
	D	W	H						
Captivate Bookcase - Open 	36N3571BCOFW	\$ 2175	14½	35	71⅞	—	—	158 lbs.	33.7
	36N3557BCOFW	\$ 1966	14½	35	56%	—	—	134 lbs.	27.3
	• Specify finish only • Cornice and base molding on three sides of unit • Shaded shelves are adjustable • 3571 model includes three adjustable shelves; 3557 model includes two adjustable shelves • Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 71								
Captivate Bookcase - Storage 	36N3571BCOHFW	\$ 2598	14½	35	71⅞	—	—	178 lbs.	33.7
	36N3557BCOHFW	\$ 2445	14½	35	56%	—	—	154 lbs.	27.3
	• Cornice and base molding on three sides of unit • Shaded shelves are adjustable • 3571 model includes three adjustable shelves; 3557 model includes two adjustable shelves • Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 71								




Bookcases

Specify selections, left to right:

Base Model	Pull Option	Finish
72SN	Balance, Satin Nickel Metallic	NM Natural
72AN	Balance, Anthracite Metallic	HN Honey
73SN	Sweep, Satin Nickel Metallic	CL Caramel
73AN	Sweep, Anthracite Metallic	TF Truffle
74SN	Groove, Satin Nickel Metallic	AC Autumn
74AN	Groove, Anthracite Metallic	MC Amber
		CW Cordovan
		DW Judicial
		MH Mocha
38N3680BCOHFW	73SN	TF

Sample Model Number:

38N3680BCOHFW 73SN TF

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Casbah Bookcase								
	38N3680BCOHFW	\$ 2531	13 ¹ / ₆	35 ⁷ / ₈	79 ¹ / ₄	—	—	184 lbs.	38.3
	38N3668BCOHFW	2264	13 ¹ / ₆	35 ⁷ / ₈	67 ⁷ / ₈	—	—	157 lbs.	33.0
	38N3653BCOHFW	2045	13 ¹ / ₆	35 ⁷ / ₈	52 ¹ / ₆	—	—	137 lbs.	26.4
	- Specify finish only - Shaded shelves are adjustable - Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 99								
	Casbah Bookcase - Storage								
	38N3680BCOHFW	\$ 3137	14 ³ / ₄	35 ⁷ / ₈	79 ¹ / ₄	—	—	207 lbs.	40.6
	38N3668BCOHFW	2702	14 ³ / ₄	35 ⁷ / ₈	67 ⁷ / ₈	—	—	186 lbs.	35.0
	- Shaded shelf is adjustable - Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 99								
	Casbah Bookcase Set-On								
	38N3650BCOW	\$ 2075	13 ¹ / ₆	35 ⁷ / ₈	49 ¹ / ₆	—	—	109 lbs.	25.5
	38N3050BCOW	1790	13 ¹ / ₆	29 ¹ / ₆	49 ¹ / ₆	—	—	97 lbs.	21.9
	38N1850BCOW	922	13 ¹ / ₆	17 ¹ / ₆	49 ¹ / ₆	—	—	81 lbs.	14.7
	38N3638BCOW	1694	13 ¹ / ₆	35 ⁷ / ₈	38 ¹ / ₈	—	—	84 lbs.	19.9
	38N3038BCOW	1539	13 ¹ / ₆	29 ¹ / ₆	38 ¹ / ₈	—	—	72 lbs.	17.1
	38N1838BCOW	821	13 ¹ / ₆	17 ¹ / ₆	38 ¹ / ₈	—	—	64 lbs.	11.4
	- Specify finish only - Shaded shelves are adjustable - Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 99								

Specify selections, left to right:



Base Model	Finish
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC Autumn
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
CLN3564BCOFW	DW

Sample Model Number:

CLN3564BCOFW DW

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Clever Bookcase Double 		\$ 3086	14	73 ⁷ / ₁₆	64 ³ / ₈	—	—	304 lbs.	58.0
	QCLN3564BCOFW Bookcase (each—order 2)	1305	12	35 ²³ / ₃₂	63 ³ / ₈	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase (each—order 2)	1305	12	35 ²³ / ₃₂	63 ³ / ₈	—	—	115 lbs.	27.6
	CLN1473CPCFW Cornice Frame (wood)	476	14	73 ⁷ / ₁₆	1	—	—	74 lbs.	2.8
	• Must order (2) bookcases and a cornice frame for double unit • Shaded shelves are adjustable • Units have semi-finished back panels (fully stained with exposed hardware) • Reference Clever for detailed product information, finishes and entire Clever offering starting on page 143								
Clever Bookcase Single 		\$ 1563	14	37 ²³ / ₃₂	64 ³ / ₈	—	—	132 lbs.	29.2
	QCLN3564BCOFW Bookcase	1305	12	35 ²³ / ₃₂	63 ³ / ₈	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase	1305	12	35 ²³ / ₃₂	63 ³ / ₈	—	—	115 lbs.	27.6
	QCLN1438CPCFW Cornice Frame (wood)	258	14	37 ²³ / ₃₂	1	—	—	17 lbs.	1.6
	CLN1438CPCFW Cornice Frame (wood)	258	14	37 ²³ / ₃₂	1	—	—	17 lbs.	1.6
	• Must order a cornice frame for bookcase • Shaded shelves are adjustable • Unit has semi-finished back panel (fully stained with exposed hardware) • Reference Clever for detailed product information, finishes and entire Clever offering starting on page 143								

Bookcases




Specify selections, left to right:

Base Model Chassis Laminate

	NM	Natural
	HN	Honey
	CL	Caramel
	TF	Truffle
	AC2	Autumn 2
	MC	Amber
	CW	Cordovan
	DW	Judicial
	MH	Mocha
	405	Designer White
	420	Sandstone
	425	Shadow
	461	Graphite
	478	Platinum Grey
	480	Antique White
NV3065BCOHF	AC2	

Sample Model Number:

NV3065BCOHF AC2

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
EnvyWorks Bookcase with Doors Two Shelves 	NV3065BCOHF - Specify chassis color only - Standard locking - Some assembly required - Shaded shelves are adjustable - Adjustable shelf in storage area - Bookcase has an unfinished back - Reference EnvyWorks for detailed product information, laminates and entire EnvyWorks offering starting on page 159	\$ 749	14⅞	29¾	64½	—	—	140 lbs.	27.4
EnvyWorks Bookcase with Doors Single Shelf 	NV3053BCOHF - Specify chassis color only - Standard locking - Some assembly required - Shaded shelf is adjustable - Adjustable shelf in storage area - Bookcase has an unfinished back - Reference EnvyWorks for detailed product information, laminates and entire EnvyWorks offering starting on page 159	\$ 692	14⅞	29¾	51⅝	—	—	114 lbs.	22.4
EnvyWorks Corner Bookcase 	NV1465BC0C - Specify chassis color only - Not recommended as a freestanding unit due to routing in the rim; must be ganged to an existing unit or attached to a wall - Shaded shelves are adjustable - Reference EnvyWorks for detailed product information, laminates and entire EnvyWorks offering starting on page 159	\$ 697	14	14	64½	—	—	100 lbs.	9.5

Specify selections, left to right:





Base Model	Pull Option	Finish
ECN3871BCOFW	79SN Fluid, Satin Nickel Metallic	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
		DW

Sample Model Number:

ECN3871BCOFW DW
ECN3871BCOHFW 79SN TF

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
	QECN3871BCOFW	\$ 2102	15¾	38¾	70½	—	—	190 lbs.	31.3
	ECN3871BCOFW	2102	15¾	38¾	70½	—	—	190 lbs.	31.3
	• Shaded shelves are adjustable • Bookcase has an unfinished back • Cornice and base detail on three sides of unit • Specify finish only • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 173								
	ECN3857BCOFW	\$ 1896	15¾	38¾	57½	—	—	150 lbs.	25.4
	• Shaded shelves are adjustable • Bookcase has an unfinished back • Cornice and base detail on three sides of unit • Specify finish only • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 173								
	ECN3871BCOHFW	\$ 2521	15¾	38¾	70½	—	—	210 lbs.	31.3
	• Shaded shelves are adjustable • Bookcase has an unfinished back • Cornice and base detail on three sides of unit • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 173								
	ECN3857BCOHFW	\$ 2344	15¾	38¾	57½	—	—	170 lbs.	25.4
	• Shaded shelf is adjustable • Bookcase has an unfinished back • Cornice and base detail on three sides of unit • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 173								

Bookcases

Specify selections, left to right:



Base Model	Rim Profile	Finish
	TC Fluted TD Eased	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
19N3666BCOFW	TC	

Sample Model Number:

19N3666BCOFW TC

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Flourish Bookcase 	Q19N3666BCOFW	\$ 1144	12	35 ²³ / ₃₂	65½	—	—	145 lbs.	26.0
	19N3666BCOFW	1144	12	35 ²³ / ₃₂	65½	—	—	145 lbs.	26.0
• Shaded shelves are adjustable • Reference Flourish for detailed product information, laminates and entire Flourish offering starting on page 195									
Flourish Bookcase Set-On 	Q19N3636BCOW	\$ 811	12¾	35 ¹⁵ / ₁₆	35¾	—	—	76 lbs.	17.2
	19N3636BCOW	811	12¾	35 ¹⁵ / ₁₆	35¾	—	—	76 lbs.	17.2
• Shaded shelves are adjustable • Bookcase shelves hold 100 lbs. of evenly distributed weight • Shelves can be adjusted 2½" up or down • Reference Flourish for detailed product information, laminates and entire Flourish offering starting on page 195									

Specify selections, left to right:

Base Model	Laminate
	CW Cordovan DW Judicial
40-3336BCOP	CW

Sample Model Number:

40-3336BCOP CW



	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Franklin Bookcase - Storage	40-3366SBCP	\$ 820	15 ¹¹ / ₁₆	35 ⁷ / ₈	66	—	—	199 lbs.	31.5
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase features standard laminate back • Shaded shelves are adjustable • Reference Franklin for detailed product information, laminates and entire Franklin offering starting on page 207								
Franklin Bookcase Set-On	40-3336BCOP	\$ 682	15 ¹¹ / ₁₆	35 ⁷ / ₈	35 ¹⁵ / ₁₆	—	—	113 lbs.	17.9
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase features standard laminate back • Shaded shelves are adjustable • Reference Franklin for detailed product information, laminates and entire Franklin offering starting on page 207								

Bookcases

Specify selections, left to right:

Base Model	Rim Profile	Finish
	T1 Taper	NM Natural
	T2 Pillar	HN Honey
	T3 Reed	CL Caramel
		TF Truffle
		AC Autumn
		MC Amber
		CW Cordovan
		DW Judicial
		MH Mocha
35N3666BCOFW	T2	NM

Sample Model Number:
35N3666BCOFW T2 NM

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Hiland Bookcase 35N3666BCOFW	\$ 1524	11 ³ / ₂	35 ⁵ / ₈	65 ¹ / ₂	—	—	129 lbs.	30.3
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Shelves can be adjusted 2½" up or down • Bookcase has an unfinished back • Reference Hiland for detailed product information, finishes and entire Hiland offering starting on page 217								
	Hiland Bookcase Set-On 35N3636BCOW	\$ 932	11 ³ / ₂	35 ⁵ / ₈	36	—	—	76 lbs.	17.2
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Shelves can be adjusted 2½" up or down • Bookcase has an unfinished back • Reference Hiland for detailed product information, finishes and entire Hiland offering starting on page 217								

Specify selections, left to right:


Base Model	Finish
	TF Truffle
	CW Cordovan
	DW Judicial
	MH Mocha
51N3452BCOFW	TF

Sample Model Number:


51N3452BCOFW TF
51N1435CPBW TF

To You In
10
DAYS
...or Less


Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Double Bookcase	\$ 2886	14½	69¼	56½	—	—	243 lbs.	39.4
	Q51N3452BCOFW Bookcase (each—order 2)	1084	12¼	33½	51¾	—	—	92 lbs.	17.6
	51N3452BCOFW Bookcase (each—order 2)	1084	12¼	33½	51¾	—	—	92 lbs.	17.6
	51N1469CPCFW Cornice Frame	452	14½	69¼	1½	—	—	30 lbs.	1.2
	51N1468CPBW Base	266	13¾	68¼	3¼	—	—	29 lbs.	3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 231

	Single Bookcase	\$ 1484	14½	35¾	56½	—	—	128 lbs.	19.8
	Q51N3452BCOFW Bookcase	1084	12¼	33½	51¾	—	—	92 lbs.	17.6
	51N3452BCOFW Bookcase	1084	12¼	33½	51¾	—	—	92 lbs.	17.6
	Q51N1436CPCFW Cornice Frame	225	14½	35¾	1½	—	—	18 lbs.	0.6
	51N1436CPCFW Cornice Frame	225	14½	35¾	1½	—	—	18 lbs.	0.6
	Q51N1435CPBW Base	175	13¾	34¾	3¼	—	—	18 lbs.	1.6
	51N1435CPBW Base	175	13¾	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 231

	Single Bookcase	\$ 1421	14½	35¾	40½	—	—	112 lbs.	19.4
	Q51N3436BCOFW Bookcase	1021	12¼	33½	35¾	—	—	76 lbs.	17.2
	51N3436BCOFW Bookcase	1021	12¼	33½	35¾	—	—	76 lbs.	17.2
	Q51N1436CPCFW Cornice Frame	225	14½	35¾	1½	—	—	18 lbs.	0.6
	51N1436CPCFW Cornice Frame	225	14½	35¾	1½	—	—	18 lbs.	0.6
	Q51N1435CPBW Base	175	13¾	34¾	3¼	—	—	18 lbs.	1.6
	51N1435CPBW Base	175	13¾	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 231

Bookcases

Specify selections, left to right:

Base Model

Finish


	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC Autumn
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
10N3630BCOFW	CW

Sample Model Number:

10N3630BCOFW CW

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.





	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Universal Veneer Bookcase Set-On 	Q10N3630BCOFW Wood	\$ 472	12	35¾	30	—	—	73 lbs.	13.0
	10N3630BCOFW Wood	472	12	35¾	30	—	—	73 lbs.	13.0
	Q10N3636BCOFW Wood	529	12	35¾	36	—	—	78 lbs.	15.9
	10N3636BCOFW Wood	529	12	35¾	36	—	—	78 lbs.	15.9
• Bookcase shelves hold 100 lbs. of evenly distributed weight • ¾" flakeboard core sides and ¾" shelves • Flat edge detail • Shaded shelves are adjustable • Bookcase has an unfinished back • Shipped assembled									
Universal Veneer Bookcase 	Q10N3648BCOFW Wood	636	12	35¾	48	—	—	100 lbs.	20.1
	10N3648BCOFW Wood	636	12	35¾	48	—	—	100 lbs.	20.1
	Q10N3660BCOFW Wood	754	12	35¾	60	—	—	124 lbs.	25.2
	10N3660BCOFW Wood	754	12	35¾	60	—	—	124 lbs.	25.2
	Q10N3672BCOFW Wood	890	12	35¾	72	—	—	168 lbs.	32.9
	10N3672BCOFW Wood	890	12	35¾	72	—	—	168 lbs.	32.9
	Q10N3684BCOFW Wood	948	12	35¾	84	—	—	206 lbs.	34.6
	10N3684BCOFW Wood	948	12	35¾	84	—	—	206 lbs.	34.6
• Bookcase shelves hold 100 lbs. of evenly distributed weight • ¾" flakeboard core sides and ¾" shelves • Flat edge detail • Shaded shelves are adjustable • Bookcase has an unfinished back • Shipped assembled									

Specify selections, left to right:

Laminate	Base Model
NM Natural	
HN Honey	
CL Caramel	
TF Truffle	
AC2 Autumn 2	
MC Amber	
CW Cordovan	
DW Judicial	
MH Mocha	
405 Designer White	
420 Sandstone	
440 Cloud	
462 Cinder	
HN	3036

Sample Model Number:

HN3036

Model No./Description			List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
				D	W	H				
Universal Laminate Bookcase      	--_3036	TFL	\$ 260	11¾	35¾	30	—	—	51 lbs.	2.5
	--_3636	TFL	333	11¾	35¾	36	—	—	51 lbs.	2.8
	--_4836	TFL	366	11¾	35¾	48	—	—	80 lbs.	3.2
	--_6036	TFL	439	11¾	35¾	60	—	—	91 lbs.	3.9
	--_7236	TFL	498	11¾	35¾	72	—	—	111 lbs.	4.6
	--_8436	TFL	594	11¾	35¾	84	—	—	126 lbs.	5.4
• Insert laminate designator before model • Bookcase shelves hold 100 lbs. of evenly distributed weight • ¾" flakeboard core sides and 1" shelves • Flat edge detail • Shaded shelves are adjustable • Bookcase has an unfinished back • Assembly required										

Files

Files

Specify selections, left to right:



Base Model	Laminate
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC2 Autumn 2
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
21-2436LF	HN

Sample Model Number:

21-2436LF HN

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Arrowood Laminate Lateral File Two Drawer 	Q21N2436LFF2L	\$ 812	23¾	35¾	29½	—	—	184 lbs.	17.7
	21-2436LF	812	23¾	35¾	29½	—	—	184 lbs.	17.7
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 15								
Arrowood Laminate Lateral File Three Drawer 	21-2436LFF3	\$ 1324	23¾	35¾	44½	—	—	210 lbs.	30.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 15								
Arrowood Laminate Lateral File Four Drawer 	21-2436LFF4	\$ 1837	23¾	35¾	58¾	—	—	291 lbs.	40.2
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 15								

Specify selections, left to right:



Base Model

31N2136LFF2W

Sheen
(wood tops only)R Standard
N Matte/Satin**Finish**NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
DW**Sample Model Number:**

31N2136LFF2W R DW

To You In
10
DAYS
*...or Less*Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Arrowood Veneer Lateral File Two Drawer 	Q31N2136LFF2W Wood Top	\$ 1280	21 35½ 29½ — —	193 lbs.	15.6
	31N2136LFF2W Wood Top	1280	21 35½ 29½ — —	193 lbs.	15.6
	31N2136LFF2LW HPL Top	1231	21 35½ 29½ — —	201 lbs.	15.6
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 29				
Arrowood Veneer Lateral File Three Drawer 	31N2136LFF3W Wood Top	\$ 1662	21 36⅞ 43⅞ — —	210 lbs.	30.0
	31N2136LFF3LW HPL Top	1620	21 36⅞ 43⅞ — —	210 lbs.	30.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 29				
Arrowood Veneer Lateral File Four Drawer 	31N2136LFF4W Wood Top	\$ 2091	21 36⅞ 57⅞ — —	291 lbs.	40.2
	31N2136LFF4LW HPL Top	2065	21 36⅞ 57⅞ — —	291 lbs.	40.2
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Do not specify sheen option; features standard sheen • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 29				

Files

Specify selections, left to right:


Base Model	Pull Option	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass	R Standard	TF Truffle
	81AB Classic, Antique Brass	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass		DW Judicial
	85CN Verona, Classic Nickel		MH Mocha
50N2136LFF2W	81AB	R	MH

Sample Model Number:

50N2136LFF2W 81AB R MH

To You In
10
Days
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
	D	W	H	A	KW					
	Q50N2137LFF2W Wood Top	\$ 1670	21	37¼	29½	—	—	158 lbs.	15.6	
	50N2137LFF2W Wood Top	1670	21	37¼	29½	—	—	158 lbs.	15.6	
	50N2137LFF2LW HPL Top	1670	21	37¼	29½	—	—	123 lbs.	15.6	
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 47									
	50N2137LFF3W Wood Top	\$ 2236	21½	37¼	43¼	—	—	190 lbs.	24.0	
	50N2137LFF3LW HPL Top	2236	21½	37¼	43¼	—	—	190 lbs.	24.0	
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 47									
	50N2137LFF4W Wood Top	\$ 2801	21	37¼	55½	—	—	236 lbs.	29.4	
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 47									

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Sheen (wood tops only)	Finish
	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70AN Summit, Anthracite Metallic 71SN Spiral, Satin Nickel Metallic 71AN Spiral, Anthracite Metallic	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
36N2437LFF2W	TA	71AN	N	TF

Sample Model Number:

36N2437LFF2W TA 71AN N TF

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Captivate Lateral File Two Drawer 	36N2437LFF2W Wood Top	\$ 2128	24 37¼ 29% — —	162 lbs.	21.5
	36N2437LFF2LW HPL Top	2128	24 37¼ 29% — —	162 lbs.	21.5
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 71				
Captivate Lateral File Three Drawer 	36N2437LFF3W Wood Top	\$ 2652	24 37¾ 43½ — —	219 lbs.	31.2
	36N2437LFF3LW HPL Top	2652	24 37¾ 43½ — —	219 lbs.	31.2
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 71				
Captivate Lateral File Four Drawer 	36N2437LFF4W Wood Top	\$ 3175	24 37¼ 56½ — —	254 lbs.	38.0
	36N2437LFF4LW HPL Top	3175	24 37¼ 56½ — —	254 lbs.	38.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Do not specify sheen option; features standard sheen • Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 71				

Files


Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72AN Balance, Anthracite Metallic 73SN Sweep, Satin Nickel Metallic 73AN Sweep, Anthracite Metallic 74SN Groove, Satin Nickel Metallic 74AN Groove, Anthracite Metallic	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	503 Satin Nickel Metallic 513 Anthracite Metallic
38N2436LFF2W	RE	72SN	R	NM	

Sample Model Numbers:


38N2436LFF2W RE 72SN R NM
38N2436LFF2WP 72SN R AC 513

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Casbah Lateral File Two Drawer	38N2436LFF2W Wood Façade	\$ 2212	24 36 ¹ / ₆ 29 ¹ / ₄ — —	201 lbs.	21.6
	38N2436LFF2WP Painted Façade	2212	24 36 ¹ / ₆ 29 ¹ / ₄ — —	201 lbs.	21.6




- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Reed profile is available on wood façade models only for a 10% list upcharge
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 99

Casbah Lateral File Three Drawer	38N2436LFF3W Wood Façade	\$ 2756	24 36 ¹ / ₆ 41 ¹ / ₆ — —	248 lbs.	31.9
	38N2436LFF3WP Painted Façade	2756	24 36 ¹ / ₆ 41 ¹ / ₆ — —	248 lbs.	31.9



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Reed profile is available on wood façade models only for a 10% list upcharge
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 99

Casbah Lateral File Four Drawer	38N2436LFF4W Wood Façade	\$ 3301	24 36 ¹ / ₆ 54 ³ / ₈ — —	291 lbs.	40.2
	38N2436LFF4WP Painted Façade	3301	24 36 ¹ / ₆ 54 ³ / ₈ — —	291 lbs.	40.2



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Reed profile is available on wood façade models only for a 10% list upcharge
- Do not specify sheen option; features standard sheen
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 99

Specify selections, left to right:


Base Model	Pull Option	Sheen (wood tops only)	Finish
CLN2237LFF2W	77SN Keen, Satin Nickel	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	77SN	R	MC

Sample Model Numbers:


CLN2237LFF2W 77SN R MC
CLN2237LFF2LW 77SN MC

To You In
10
DAYS
...or Less


Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Clever Lateral File Two Drawer 	CLN2237LFF2W Wood Top	\$ 1410	22 $\frac{1}{16}$	37 $\frac{3}{8}$	29 $\frac{1}{4}$	—	—	145 lbs.	18.2
	QCLN2237LFF2LW Laminate	1336	22 $\frac{1}{16}$	37 $\frac{3}{8}$	29 $\frac{1}{4}$	—	—	145 lbs.	18.2
	CLN2237LFF2LW Laminate	1336	22 $\frac{1}{16}$	37 $\frac{3}{8}$	29 $\frac{1}{4}$	—	—	145 lbs.	18.2

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 143

Clever Lateral File Three Drawer 	CLN2237LFF3W Wood Top	\$ 1930	22 $\frac{1}{16}$	37 $\frac{1}{2}$	43 $\frac{3}{8}$	—	—	210 lbs.	30.0
	CLN2237LFF3LW Laminate	1817	22 $\frac{1}{16}$	37 $\frac{1}{2}$	43 $\frac{3}{8}$	—	—	210 lbs.	30.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 143

Clever Lateral File Four Drawer 	CLN2237LFF4W Wood Top	\$ 2449	22 $\frac{1}{16}$	37 $\frac{3}{8}$	55 $\frac{1}{2}$	—	—	252 lbs.	34.4
	CLN2237LFF4LW Laminate	2300	22 $\frac{1}{16}$	37 $\frac{3}{8}$	55 $\frac{1}{2}$	—	—	252 lbs.	34.4

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Do not specify sheen option; features standard sheen
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 143

Specify EnvoyWorks selections, left to right:

Base Model	Chassis Laminate
NV2436LFF2	AC2
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC2 Autumn 2
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
	405 Designer White
	420 Sandstone
	425 Shadow
	461 Graphite
	478 Platinum Grey
	480 Antique White

Specify Escalade selections, left to right:

Base Model	Pull Option	Sheen	Finish
ECN2238LFF3W	79SN Fluid, Satin Nickel Metallic	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	79SN	R	DW

Sample Model Number:

ECN2238LFF3W 79SN R DW


**To You In
10 DAYS
...or Less**

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Sample Model Number:

NV2436LFF2 AC2


EnvoyWorks Lateral File Two Drawer



Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
NV2436LFF2	\$ 764	23¾ 35¾ 29½ — —	184 lbs.	17.7

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Standard locking
- Reference EnvoyWorks for detailed product information, laminates and entire EnvoyWorks offering starting on page 159

Escalade Lateral File Two Drawer



QECN2238LFF2W	\$ 2023	22¼ 38¾ 29½ — —	155 lbs.	17.8
ECN2238LFF2W	2023	22¼ 38¾ 29½ — —	155 lbs.	17.8

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 173

Escalade Lateral File Three Drawer



ECN2238LFF3W	\$ 2547	24 36¾ 41½ — —	210 lbs.	30.0
--------------	---------	----------------	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 173

Escalade Lateral File Four Drawer



ECN2238LFF4W	\$ 3072	22¼ 38¾ 54½ — —	265 lbs.	32.9
--------------	---------	-----------------	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Do not specify sheen option; features standard sheen
- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 173

Specify selections, left to right:


Base Model	Rim Profile	Pull Option	Sheen	Finish
	TC Fluted TD Eased	83MB Curved, Black 83SV Curved, Silver 84MB Elongated, Black 84SV Elongated, Silver	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
19N2436LFF2W	TD	84MB	N	TF

Sample Model Number:


19N2436LFF2W TD 84MB N TF

To You In
10
DAYS
...or Less


Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Flourish Lateral File Two Drawer 	Q19N2436LFF2W Wood Top	\$ 1269	23 $\frac{3}{16}$ "	36"	29"	—	—	160 lbs.	17.0
	19N2436LFF2W Wood Top	1269	23 $\frac{3}{16}$ "	36"	29"	—	—	160 lbs.	17.0
	19N2436LFF2LW TFL Top	1217	23 $\frac{3}{16}$ "	36"	29"	—	—	160 lbs.	17.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 195

Flourish Lateral File Three Drawer 	19N2436LFF3W Wood Top	\$ 1654	23 $\frac{3}{16}$ "	36"	43 $\frac{3}{16}$ "	—	—	248 lbs.	31.9
	19N2436LFF3LW TFL Top	1602	23 $\frac{3}{16}$ "	36"	43 $\frac{3}{16}$ "	—	—	248 lbs.	31.9

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 195

Flourish Lateral File Four Drawer 	19N2436LFF4W Wood Top	\$ 2070	23 $\frac{3}{16}$ "	36"	56 $\frac{1}{16}$ "	—	—	282 lbs.	32.0
---	------------------------------	----------------	---------------------	-----	---------------------	---	---	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 195

Files

Specify Franklin selections, left to right:

Base Model	Laminate
	CW Cordovan DW Judicial
40-2436LFP	DW

Sample Model Number:

40-2436LFP DW

Specify Hiland selections, left to right:

Base Model	Rim Profile	Pull Option	Sheen	Finish
	T1 Taper T2 Pillar T3 Reed	1MB Triangle, Cinder 1PL Triangle, Platinum Metallic 2MB Crescent, Cinder 2PL Crescent, Platinum Metallic 3MB Bar, Cinder 3PL Bar, Platinum Metallic	R Standard N Matte/Satin	NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
35N2136LFF3W	T1	3PL	R	CW

Sample Model Number:

35N2136LFF3W T1 3PL R CW

Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
		D	W	H				

Franklin Lateral File

40-2436LFP

\$ 954

23¾

35¾


29½

—

—

157 lbs.

17.7



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Reference Franklin for detailed product information, laminates and entire Franklin offering starting on page 207

Hiland Lateral File Two Drawer

35N2136LFF2W

\$ 1485

21

35¾


29½

¾

—

141 lbs.

15.6



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Reference Hiland for detailed product information, finishes and entire Hiland offering starting on page 217

Hiland Lateral File Three Drawer

35N2136LFF3W

\$ 2070

21

35½


43½

¾

—

210 lbs.

30.0



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Reference Hiland for detailed product information, finishes and entire Hiland offering starting on page 217

Hiland Lateral File Four Drawer

35N2136LFF4W

\$ 2652

21

35¾


55½

¾

—

268 lbs.

29.4



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Do not specify sheen option; features standard sheen
- Reference Hiland for detailed product information, finishes and entire Hiland offering starting on page 217

Specify selections, left to right:

Base Model

Pull Option

Sheen
(wood tops only)

Finish

	82AB Antique Brass	R Standard	TF Truffle
	82CN Classic Nickel	N Matte/Satin	CW Cordovan
			DW Judicial
			MH Mocha
51N2137LFF2W	82AB	R	CW

Sample Model Number:

51N2136LFF2W 82AB R CW

To You In
10
Days
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

				List Price	Dimensions					Cartoned Weight	Cubic Feet
Model No./Description					D	W	H	A	KW		
 Roosevelt Lateral File Two Drawer	51N2137LFF2W	Wood Top	\$ 1564	21	37¼	29½	—	—		158 lbs.	15.6
	Q51N2137LFF2LW	Laminate Top	1510	21	37¼	29½	—	—		123 lbs.	15.6
	51N2137LFF2LW	Laminate Top	1510	21	37¼	29½	—	—		123 lbs.	15.6

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 231

Roosevelt Lateral File Three Drawer 	51N2137LFF3W Wood Top	\$ 2150	21½	37¼	43¼	—	—	190 lbs.	24.0
	51N2137LFF3LW Laminate Top	2096	21½	37¼	43¼	—	—	190 lbs.	24.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 231

Roosevelt Lateral File Four Drawer 	51N2137LFF4W Wood Top	\$ 2660	21	37¼	55½	—	—	236 lbs.	29.4
--	-----------------------	---------	----	-----	-----	---	---	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 231

Specify selections, left to right:


Base Model	Laminate
10N2136LFF4L	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC2 Autumn 2
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
	440 Cloud
	462 Cinder
10N2136LFF4L DW	

Sample Model Number:

10N2136LFF4L DW

Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
		D	W	H				
Q10N2136LFF4L TFL Top	\$ 1726	20 ⁹ / ₁₆	36 ¹ / ₄	57	—	—	297 lbs.	29.0
10N2136LFF4L TFL Top	1726	20 ⁹ / ₁₆	36 ¹ / ₄	57	—	—	297 lbs.	29.0

Universal Lateral File
Four Drawer



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file accommodates legal, letter, and EDP side-to-side filing and letter/letter, letter/legal and legal/legal front-to-back filing
- Quick Delivery models available in Amber and Cordovan laminates

Model	Page	Model	Page	Model	Page	Model	Page
10N2136LFF4L	348	11N3634SWTBP	258	11N4849TB	254	19N1865VSWHRW	204
10N3630BCOFW	334	11N3634TB	253	11N48TCF	260	19N2436LFF2LW	204, 345
10N3636BCOFW	334	11N3636MB	255	11N48TCP	260	19N2436LFF2W	204, 345
10N3648BCOFW	334	11N3636MBP	255	11N49TCF	260	19N2436LFF3LW	204, 345
10N3660BCOFW	334	11N3636SW	257	11N49TCP	260	19N2436LFF3W	204, 345
10N3672BCOFW	334	11N3636SWTBF	258	11N51ETP	259	19N2436LFF4W	204, 345
10N3684BCOFW	334	11N3636SWTBP	258	11N52ETP	259	19N2436PFHLW	204
11N01ETP	259	11N3636TB	253	11N5434MB	255	19N2436PFHW	204
11N144EXFP1	252	11N3637MB	255	11N5434MBP	255	19N2445BEFLW	199, 202
11N144EXFP2	252	11N3637MBP	255	11N5434TB	253	19N2445BEFW	199, 202
11N144EXP1	252	11N3637SW	257	11N5436MB	255	19N2451BEFLW	199, 202
11N1834TB	253	11N3637SWTBF	258	11N5436MBP	255	19N2451BEFW	199, 202
11N1836TB	253	11N3637SWTBP	258	11N5436TB	253	19N2451RLEFLW2	198, 201
11N1837TB	253	11N3637TB	253	11N5437MB	255	19N2451RLEFW2	198, 201
11N1848TB	254	11N3648MB	256	11N5437MBP	255	19N2451RREFW2	198, 201
11N1849TB	254	11N3648MBP	256	11N5437TB	253	19N2451RREFW2	198, 201
11N20WMV	259	11N3648TB	254	11N5448MB	256	19N2467CKFLW2	202
11N20WMVF	259	11N3649MB	256	11N5448MBP	256	19N2467CKFW2	202
11N2434MB	255	11N3649MBP	256	11N5448TB	254	19N2467CLFLW2	199, 202
11N2434MBP	255	11N3649TB	254	11N5449MB	256	19N2467CLFLW6	203
11N2434SW	257	11N36TCF	260	11N5449MBP	256	19N2467CLFW2	199, 202
11N2434SWTBF	258	11N36TCP	260	11N5449TB	254	19N2467CLFW6	203
11N2434SWTBP	258	11N37ETP	259	11N6034MB	255	19N2467CRFLW2	199, 202
11N2434TB	253	11N37TCF	260	11N6034MBP	255	19N2467CRFLW6	203
11N2436MB	255	11N37TCP	260	11N6034TB	253	19N2467CRFW2	199, 202
11N2436MBP	255	11N39ETP	259	11N6036MB	255	19N2467CRFW6	203
11N2436SW	257	11N40ETP	259	11N6036MBP	255	19N2467CSFLW2	202
11N2436SWTBF	258	11N4234MB	255	11N6036TB	253	19N2467CSFW2	202
11N2436SWTBP	258	11N4234MBP	255	11N6037MB	255	19N2472CKFLW2	202
11N2436TB	253	11N4234SW	257	11N6037MBP	255	19N2472CKFW2	202
11N2437MB	255	11N4234SWTBF	258	11N6037TB	253	19N2472CLFLW2	199, 202
11N2437MBP	255	11N4234SWTBP	258	11N6048MB	256	19N2472CLFLW6	203
11N2437SW	257	11N4234TB	253	11N6048MBP	256	19N2472CLFW2	199, 202
11N2437SWTBF	258	11N4236MB	255	11N6048TB	254	19N2472CLFW6	203
11N2437SWTBP	258	11N4236MBP	255	11N6049MB	256	19N2472CRFLW2	199, 202
11N2437TB	253	11N4236SW	257	11N6049MBP	256	19N2472CRFLW6	203
11N2448MB	256	11N4236SWTBF	258	11N6049TB	254	19N2472CRFW2	199, 202
11N2448MBP	256	11N4236SWTBP	258	11N72EXFP1	252	19N2472CRFW6	203
11N2448TB	254	11N4236TB	253	11N72EXFP2	252	19N2472CSFLW2	202
11N2449MB	256	11N4237MB	255	11N72EXP1	252	19N2472CSFW2	202
11N2449MBP	256	11N4237MBP	255	11NBR5	261	19N3018SOHMMW	203
11N2449TB	254	11N4237SW	257	11NCPFSL	261	19N3067DDFLW8	200
11N3034MB	255	11N4237SWTBF	258	11NCPFSW	261	19N3067DDFW8	200
11N3034MBP	255	11N4237SWTBP	258	12N912PDD	265, 289	19N3067DLFLW1	198-200
11N3034SW	257	11N4237TB	253	12NCP	264, 288	19N3067DLFW1	198-200
11N3034SWTBF	258	11N4248MB	256	12NDH	264, 288	19N3067DRFLW1	198-200
11N3034SWTBP	258	11N4248MBP	256	12NDSH	265, 289	19N3067DRFW1	198-200
11N3034TB	253	11N4248TB	254	12NFH	264, 288	19N3618SOHMMW	203
11N3036MB	255	11N4249MB	256	12NFTP	264, 288	19N3636BCOW	205, 330
11N3036MBP	255	11N4249MBP	256	12NMRH	265, 289	19N3666BCOFW	205, 330
11N3036SW	257	11N4249TB	254	12NPH	265, 289	19N3672DDFALW8	200
11N3036SWTBF	258	11N4834MB	255	12NPO	264, 288	19N3672DDFAW8	200
11N3036SWTBP	258	11N4834MBP	255	12NTD	265, 289	19N3672DDFLW8	200
11N3036TB	253	11N4834SW	257	12NUH	264, 288	19N3672DDFW8	200
11N3037MB	255	11N4834SWTBF	258	1660TB	309	19N3672DLFALW1	200
11N3037MBP	255	11N4834SWTBP	258	1666TB	309	19N3672DLFAW1	200
11N3037SW	257	11N4834TB	253	1669TB	309	19N3672DLFW1	198-200
11N3037SWTBF	258	11N4836MB	255	1672TB	309	19N3672DLFW1	198-200
11N3037SWTBP	258	11N4836MBP	255	1683TB	309	19N3672DRFALW1	200
11N3037TB	253	11N4836SW	257	17300S	25	19N3672DRFAW1	200
11N3048MB	256	11N4836SWTBF	258	17360S	25	19N3672DRFLW1	198-200
11N3048MBP	256	11N4836SWTBP	258	19N10467ULFLW	199	19N3672DRFW1	198-200
11N3048TB	254	11N4836TB	253	19N10467ULFW	199	19N3672DUFLW	201
11N3049MB	256	11N4837MB	255	19N10467URFLW	199	19N3672DUFW	201
11N3049MBP	256	11N4837MBP	255	19N10467URFW	199	19N3672DULW	201
11N3049TB	254	11N4837SW	257	19N10572ULFLW	199	19N3672DUW	201
11N31WMV	259	11N4837SWTBF	258	19N10572ULFW	199	19N42RDLW	205
11N31WMVF	259	11N4837SWTBP	258	19N10572URFLW	199	19N42RDW	205
11N34TCF	260	11N4837TB	253	19N10572URFW	199	19N6636HBHW	203
11N34TCP	260	11N4848MB	256	19N11172ULFLW	199	19N7236HBHW	203
11N3634MB	255	11N4848MBP	256	19N11172ULFW	199	19N8067LLFLW	198
11N3634MBP	255	11N4848TB	254	19N11172URFLW	199	19N8067LLFW	198
11N3634SW	257	11N4849MB	256	19N11172URFW	199	19N8067LRFLW	198
11N3634SWTBF	258	11N4849MBP	256	19N1865VSWHLW	204	19N8067LRFW	198

Index

Model	Page	Model	Page	Model	Page	Model	Page
19N8772LLFLW	198	21-3672BRMP	21	31N2136LFF3LW	43, 339	31N2472RLEFW10	40
19N8772LLFW	198	21-3672BRP	21	31N2136LFF3W	43, 339	31N2472RREFLW10	40
19N8772LRFLW	198	21-3672DH	20	31N2136LFF4LW	44, 339	31N2472RREFW10	40
19N8772LRFW	198	21-3672DHA	20	31N2136LFF4W	44, 339	31N3018SOHWW	43
19N9867ULFLW	199	21-3672DP	20	31N2166CKFLW2	41	31N3060DDFLW8	36
19N9867ULFW	199	21-3672DPA	20	31N2166CKFW2	41	31N3060DDFW8	36
19N9867URFLW	199	21-3672LH	18-19, 21	31N2166CKQLW3	41	31N3060DDQLW3	36
19N9867URFW	199	21-3672LHA	20	31N2166CKYW3	41	31N3060DDYW3	36
21-10266ULF	19	21-3672LP	18-19, 21	31N2166CLFLW2	33, 41	31N3066DLFLW1	32-33, 37
21-10266ULQ	19	21-3672LPA	21	31N2166CLFLW6	42	31N3066DLFW1	32-33, 37
21-10266URF	19	21-3672RH	18-19, 21	31N2166CLFW2	33, 41	31N3066DLQLW3	34-35, 37
21-10266URQ	19	21-3672RHA	20	31N2166CLFW6	42	31N3066DLYW3	34-35, 37
21-10472ULF	19	21-3672RP	18-19, 21	31N2166CLQLW3	35, 42	31N3066DRFLW1	32-33, 37
21-10472ULQ	19	21-3672RPA	21	31N2166CLYW3	35, 42	31N3066DRFW1	32-33, 37
21-10472URF	19	21-6678TCP	22	31N2166CRFLW2	33, 41	31N3066DRQLW3	34-35, 37
21-10472URQ	19	21-7284TCP	22	31N2166CRFLW6	42	31N3066DRYW3	34-35, 37
21-10872ULF	19	21-7366LLF	18	31N2166CRFW2	33, 41	31N3238BCOW	44, 321
21-10872ULQ	19	21-7366LLQ	18	31N2166CRFW6	42	31N3253BCOFW	44, 321
21-10872URF	19	21-7366LRF	18	31N2166CRQLW3	35, 42	31N3266BCOFW	44, 321
21-10872URQ	19	21-7366LRQ	18	31N2166CRYW3	35, 42	31N3618SOHWW	43
21-1466TCP	22	21-7966LLF	18	31N2166CSFLW2	40	31N3636CFSLW	38
21-1472TCP	22	21-7966LLQ	18	31N2166CSFW2	40	31N3636CFSW	38
21-1566OSC	25	21-7966LRF	18	31N2166CSQLW3	40	31N3636SQLW	46
21-1572OSC	25	21-7966LRQ	18	31N2166CSYW3	40	31N3636SQW	46
21-2430ESP	27	21-7972LLF	18	31N2172CKFLW2	41	31N3672DDFALW8	36
21-2436LF	25, 338	21-7972LLQ	18	31N2172CKFW2	41	31N3672DDFAW8	36
21-2436LFF3	26, 338	21-7972LRF	18	31N2172CKQLW3	41	31N3672DDFLW8	36
21-2436LFF4	26, 338	21-7972LRQ	18	31N2172CKYW3	41	31N3672DDFW8	36
21-2442LH	18, 22	21-8572LLF	18	31N2172CLFLW2	33, 41	31N3672DDQALW3	36
21-2442LP	18, 23	21-8572LLQ	18	31N2172CLFLW6	42	31N3672DDQLW3	36
21-2442RH	18, 22	21-8572LRF	18	31N2172CLFW2	33, 41	31N3672DDYAW3	36
21-2442RP	18, 23	21-8572LRQ	18	31N2172CLFW6	42	31N3672DDYW3	36
21-2442UP	19, 23	21-9866ULF	19	31N2172CLQLW3	35, 42	31N3672DLFALW1	37
21-2448LH	18, 22	21-9866ULQ	19	31N2172CLYW3	35, 42	31N3672DLFAW1	37
21-2448LP	18, 23	21-9866URF	19	31N2172CRFLW2	33, 41	31N3672DLFLW1	32-33, 37
21-2448RH	18, 22	21-9866URQ	19	31N2172CRFLW6	42	31N3672DLFW1	32-33, 37
21-2448RP	18, 23	21N3636SQL	27	31N2172CRFW2	33, 41	31N3672DLQALW3	37
21-2448UP	19, 23	21N4242SQL	27	31N2172CRFW6	42	31N3672DLQLW3	34-35, 37
21-2466LH	19, 24	21N4848SQL	27	31N2172CRQLW3	35, 42	31N3672DLYAW3	37
21-2466LP	19, 24	_ _3036	335	31N2172CRYW3	35, 42	31N3672DLYW3	34-35, 37
21-2466LP2	24	31N10266ULFLW	33	31N2172CSFLW2	40	31N3672DRFALW1	37
21-2466RH	19, 24	31N10266ULFW	33	31N2172CSFW2	40	31N3672DRFAW1	37
21-2466RP	19, 24	31N10266ULQLW	35	31N2172CSQLW3	40	31N3672DRFLW1	32-33, 37
21-2466RP2	24	31N10266ULYW	35	31N2172CSYW3	40	31N3672DRFW1	32-33, 37
21-2466SH	23	31N10266URFLW	33	31N2424ENLW	45	31N3672DRQALW3	37
21-2466SP	23	31N10266URFW	33	31N2424ENPLW	45	31N3672DRQLW3	34-35, 37
21-2466XH	24	31N10266URQLW	35	31N2430PTLW	45	31N3672DRYAW3	37
21-2466XP	24	31N10266URYW	35	31N2444RLEFLW2	32, 39	31N3672DRYW3	34-35, 37
21-2472LH	19, 24	31N10272ULFLW	33	31N2444RLEFW2	32, 39	31N3672DULFLW	38
21-2472LP	19, 24	31N10272ULFW	33	31N2444RLEQLW3	34, 39	31N3672DULFW	38
21-2472LP2	24	31N10272ULQLW	35	31N2444RLEYW3	34, 39	31N3672DULLW	38
21-2472LPCM	25	31N10272ULYW	35	31N2444RREFLW2	32, 39	31N3672DULW	38
21-2472LPRM	23	31N10272URFLW	33	31N2444RREFW2	32, 39	31N3672DURFLW	38
21-2472RH	19, 24	31N10272URFW	33	31N2444RREQLW3	34, 39	31N3672DURFW	38
21-2472RP	19, 24	31N10272URQLW	35	31N2444RREYW3	34, 39	31N3672DURLW	38
21-2472RP2	24	31N10272URYW	35	31N2445BEFLW	33, 35, 40	31N3672DURW	38
21-2472RPCM	25	31N10872ULFLW	33	31N2445BEFW	33, 35, 40	31N4242SQLW	46
21-2472RPRM	23	31N10872ULFW	33	31N2451BEFLW	33, 35, 40	31N4242SQW	46
21-2472SH	23	31N10872ULQLW	35	31N2451BEFW	33, 35, 40	31N4848SQLW	46
21-2472SP	23	31N10872ULYW	35	31N2452RLEFLW2	32, 39	31N4848SQW	46
21-2472XH	24	31N10872URFLW	33	31N2452RLEFW2	32, 39	31N6377TCLW	39
21-2472XP	24	31N10872URFW	33	31N2452RLEQLW3	34, 39	31N6377TCW	39
21-3060DH	20	31N10872URQLW	35	31N2452RLEYW3	34, 39	31N6636HBHW	42
21-3060DP	20	31N10872URYW	35	31N2452RREFLW2	32, 39	31N6983TCLW	39
21-3066LH	18-19, 21	31N1563TCLW	39	31N2452RREFW2	32, 39	31N6983TCW	39
21-3066LP	18-19, 21	31N1563TCW	39	31N2452RREQLW3	34, 39	31N7236HBHW	42
21-3066RH	18-19, 21	31N1569TCLW	39	31N2452RREYW3	34, 39	31N7466LLFLW	32
21-3066RP	18-19, 21	31N1569TCW	39	31N2472CBVLW	41	31N7466LLFW	32
21-3336BCO	26, 320	31N1866VSWHLW	43	31N2472CBVW	41	31N7466LLQLW	34
21-3353BCOF	26, 320	31N1866VSWHRW	43	31N2472CLFLW10	42	31N7466LLYW	34
21-3366BCO	26, 320	31N2040MGLW	45	31N2472CLFW10	42	31N7466LRFLW	32
21-3636CU	22	31N2040MGPLW	45	31N2472CRFLW10	42	31N7466LRFW	32
21-3672BLMP	21	31N2136LFF2LW	43, 339	31N2472CRFW10	42	31N7466LRQLW	34
21-3672BLP	21	31N2136LFF2W	43, 339	31N2472RLEFLW10	40	31N7466LRYW	34

Model	Page	Model	Page	Model	Page	Model	Page
31N8072LLFLW	32	35N2448BEFW	221, 225	36N2071VHL2WC	90	36N2473CFFLW	83
31N8072LLFW	32	35N2451CTW	229	36N2071VHR2W	89	36N2473CFFW	83
31N8072LLQLW	34	35N2451RLEFW1	225	36N2071VHR2WC	90	36N2473CKFLW2	83
31N8072LLYW	34	35N2451RLEFW2	220, 225	36N2424ENW	91	36N2473CKFW2	83
31N8072LRFLW	32	35N2451RREFW1	225	36N2437LFF2LW	87, 341	36N2473CLFLW1	84
31N8072LRFW	32	35N2451RREFW2	220, 225	36N2437LFF2W	87, 341	36N2473CLFLW10	85
31N8072LRQLW	34	35N2472CLFW10	227	36N2437LFF3LW	87, 341	36N2473CLFLW2	77, 84
31N8072LRYW	34	35N2472CRFW10	227	36N2437LFF3W	87, 341	36N2473CLFLW6	85
31N8266LLFLW	32	35N2472RLEFW10	225	36N2437LFF4LW	87, 341	36N2473CLFW1	84
31N8266LLFW	32	35N2472RREFW10	225	36N2437LFF4W	87, 341	36N2473CLFW10	85
31N8266LLQLW	34	35N3018SOHM	227	36N2437PFFHW	88	36N2473CLFW2	77, 84
31N8266LLYW	34	35N3066DDFW8	222	36N2448MGW	91	36N2473CLFW6	85
31N8266LRFLW	32	35N3066DLFW1	220-222	36N2452RTLW2	80	36N2473CRFLW1	84
31N8266LRFW	32	35N3066DRFW1	220-222	36N2452RTLW2	80	36N2473CRFLW10	85
31N8266LRQLW	34	35N3072DPLFW	223	36N2452RFLW2	80	36N2473CRFLW2	77, 84
31N8266LRYW	34	35N3072DPLW	223	36N2452RTRW2	80	36N2473CRFLW6	85
31N8872LLFLW	32	35N3072DPRFW	223	36N2464CKFLW2C	83	36N2473CRFW1	84
31N8872LLFW	32	35N3072DPRW	223	36N2464CKFW2C	83	36N2473CRFW10	85
31N8872LLQLW	34	35N3618SOHM	227	36N2464CSFLW2C	82	36N2473CRFW2	77, 84
31N8872LLYW	34	35N3636BCOW	229, 332	36N2464CSFW2C	82	36N2473CRFW6	85
31N8872LRFLW	32	35N3636VOVHW	228	36N2466CLFLW1C	84	36N2473CSFLW2	82
31N8872LRFW	32	35N3666BCOFW	229, 332	36N2466CLFLW2C	85	36N2473CSFW2	82
31N8872LRQLW	34	35N3672DDFAW8	222	36N2466CLFLW6C	85	36N2545BEFLW	77, 81
31N8872LRYW	34	35N3672DDFW8	222	36N2466CLFW1C	84	36N2545BEFW	77, 81
31N9666ULFLW	33	35N3672DLFAW1	222	36N2466CLFW2C	85	36N2545RLEFLW1	80
31N9666ULFW	33	35N3672DLFW1	220-222	36N2466CLFW6C	85	36N2545RLEFLW2	76, 81
31N9666ULQLW	35	35N3672DRFAW1	222	36N2466CRFLW1C	84	36N2545RLEFW1	80
31N9666ULYW	35	35N3672DRFW1	220-222	36N2466CRFLW2C	85	36N2545RLEFW2	76, 81
31N9666URFLW	33	35N3672DUFW	223	36N2466CRFLW6C	85	36N2545RREFLW1	80
31N9666URFW	33	35N3672DUW	222	36N2466CRFW1C	84	36N2545RREFLW2	76, 81
31N9666URQLW	35	35N36RDW	230	36N2466CRFW2C	85	36N2545RREFW1	80
31N9666URYW	35	35N4242CFSW	224	36N2466CRFW6C	85	36N2545RREFW2	76, 81
31NN3636SQLW	46	35N42RDW	230	36N2468CKFLW2	83	36N2551BEFLW	77, 81
31NN3636SQW	46	35N48RDW	230	36N2468CKFW2	83	36N2551BEFW	77, 81
31NN4242SQLW	46	35N6636HBHW	227	36N2468CLFLW1	84	36N2553RLEFLW1	80
31NN4242SQW	46	35N6680TCW	224	36N2468CLFLW2	77, 84	36N2553RLEFLW2	76, 81
31NN4848SQLW	46	35N7236HBHW	227	36N2468CLFLW6	85	36N2553RLEFW1	80
31NN4848SQW	46	35N7286TCW	224	36N2468CLFW1	84	36N2553RLEFW2	76, 81
35N10066ULFW	221	35N7466LLFW	220	36N2468CLFW2	77, 84	36N2553RREFLW1	80
35N10066URFW	221	35N7466LRFW	220	36N2468CLFW6	85	36N2553RREFLW2	76, 81
35N10072ULFW	221	35N8072LLFW	220	36N2468CRFLW1	84	36N2553RREFW1	80
35N10072URFW	221	35N8072LRFW	220	36N2468CRFLW2	77, 84	36N2553RREFW2	76, 81
35N10672ULFW	221	35N8166LLFW	220	36N2468CRFLW6	85	36N2559RLEFLW10	81
35N10672URFW	221	35N8166LRFW	220	36N2468CRFW1	84	36N2559RLEFLW6	81
35N1466TCW	224	35N8772LLFW	220	36N2468CRFW2	77, 84	36N2559RLEFW10	81
35N1472TCW	224	35N8772LRFW	220	36N2468CRFW6	85	36N2559RLEFW6	81
35N1866VSWHLW	229	35N9466ULFW	221	36N2468CSFLW2	82	36N2559RREFLW10	81
35N1866VSWHRW	229	35N9466URFW	221	36N2468CSFW2	82	36N2559RREFLW6	81
35N2136LFF2W	227, 346	_ _3636	335	36N2469CFFLWC	83	36N2559RREFW10	81
35N2136LFF3W	228, 346	36N10068ULFLW	77	36N2469CFFWC	83	36N2559RREFW6	81
35N2136LFF4W	228, 346	36N10068ULFW	77	36N2469CKFLW2C	83	36N3168DDFLW8	78
35N2136PFFHW	228	36N10068URFLW	77	36N2469CKFW2C	83	36N3168DDFW8	78
35N2166CKFW2	226	36N10068URFW	77	36N2469CSFLW2C	82	36N3168DLFLW1	76-77, 79
35N2166CLFW1	226	36N10668ULFLW	77	36N2469CSFW2C	82	36N3168DLFW1	76-77, 79
35N2166CLFW2	221, 226	36N10668ULFW	77	36N2471CLFLW10C	86	36N3168DRFLW1	76-77, 79
35N2166CLFW6	226	36N10668URFLW	77	36N2471CLFLW1C	84	36N3168DRFW1	76-77, 79
35N2166CRFW1	226	36N10668URFW	77	36N2471CLFLW2C	85	36N3275DTLFLW1	80
35N2166CRFW2	221, 226	36N10673ULFLW	77	36N2471CLFLW6C	85	36N3275DTLFW1	80
35N2166CRFW6	226	36N10673ULFW	77	36N2471CLFW10C	86	36N3275DTRFLW1	80
35N2166CSFW2	226	36N10673URFLW	77	36N2471CLFW1C	84	36N3275DTRFW1	80
35N2172CKFW2	226	36N10673URFW	77	36N2471CLFW2C	85	36N3544BCHGW	90
35N2172CLFW1	226	36N11273ULFLW	77	36N2471CLFW6C	85	36N3544BCHW	90
35N2172CLFW2	221, 226	36N11273ULFW	77	36N2471CRFLW10C	86	36N3557BCOFW	90, 325
35N2172CLFW6	226	36N11273URFLW	77	36N2471CRFLW1C	84	36N3557BCOHFW	90, 325
35N2172CRFW1	226	36N11273URFW	77	36N2471CRFLW2C	85	36N3571BCOFW	90, 325
35N2172CRFW2	221, 226	36N1971BCOLWC	88	36N2471CRFLW6C	85	36N3571BCOHFW	90, 325
35N2172CRFW6	226	36N1971BCORWC	88	36N2471CRFW10C	86	36N3636CFSLW	80
35N2172CSFW2	226	36N1971VSWHLW	89	36N2471CRFW1C	84	36N3636CFSW	80
35N2430PTW	229	36N1971VSWHLWC	89	36N2471CRFW2C	85	36N3636SQ2LW	92
35N2442BEFW	221, 225	36N1971VSWHRW	89	36N2471CRFW6C	85	36N3636SQ2W	92
35N2444RLEFW1	225	36N1971VSWHRWC	89	36N2473CBLW	82	36N3636SQLW	92
35N2444RLEFW2	220, 225	36N2016PMBFW	91	36N2473CBVLW	82	36N3636SQW	92
35N2444RREFW1	225	36N2048CSW	91	36N2473CBVW	82	36N3773DDFALW8	78
35N2444RREFW2	220, 225	36N2071VHL2W	89	36N2473CBW	82	36N3773DDFAW8	78

Index

Model	Page	Model	Page	Model	Page	Model	Page
36N3773DDFLW8	78	38N1838BCOW	133, 326	38N2448RLEFW1	113	38N2466CSFWP1	119
36N3773DDFW8	78	38N1848CSW	135	38N2448RLEFW2	106, 114	38N2466CSFWP2	119
36N3773DFFLW	79	38N1848CSWP	135	38N2448RLEFWP1	113	38N2472CBVW	118
36N3773DFFLW	79	38N1850BCHLGW	134	38N2448RLEFWP2	114	38N2472CBVWP	118
36N3773DFFLW	79	38N1850BCHLW	134	38N2448RREFTW1	114	38N2472CBW	117
36N3773DFFLW	79	38N1850BCHRGW	134	38N2448RREFTW2	115	38N2472CBWP	117
36N3773DFFLW	79	38N1850BCHRW	134	38N2448RREFW1	114	38N2472CFFW6	120
36N3773DFFLW	79	38N1850BCOW	133, 326	38N2448RREFW2	115	38N2472CFFWP6	120
36N3773DFFLW	79	38N1868VHL2W	133	38N2448RREFW1	113	38N2472CKFTW2	121
36N3773DFFLW	79	38N1868VHR2W	133	38N2448RREFW2	106, 114	38N2472CKFTWP2	121
36N3773DFFLW	79	38N1868VSWHLW	132	38N2448RREFW1	113	38N2472CKFW2	121
36N3773DFFLW	79	38N1868VSWHRW	132	38N2448RREFW2	114	38N2472CKFWP2	121
36N3773DFFLW	79	38N1880VHL2W	133	38N2460RLEFTW1	114	38N2472CLFTW1	123
36N3773DFFLW	79	38N1880VHR2W	133	38N2460RLEFTW12	116	38N2472CLFTW12	126
36N3773DFFLW	79	38N1880VSWHLW	132	38N2460RLEFTW2	115	38N2472CLFTW2	124
36N3773DFFLW	79	38N1880VSWHRW	132	38N2460RLEFTW6	115	38N2472CLFTW6	125
36N3773DFFLW	79	38N2315PMBFCW	135	38N2460RLEFTWP1	114	38N2472CLFTWP1	123
36N3773DFFLW	79	38N2315PMBFW	135	38N2460RLEFTWP12	116	38N2472CLFTWP12	126
36N3773DFFLW	79	38N2424ENW	135	38N2460RLEFTWP2	115	38N2472CLFTWP2	124
36N3773DFFLW	79	38N2424ENWP	135	38N2460RLEFTWP6	115	38N2472CLFTWP6	125
36N3773DFFLW	79	38N2430BEFTW	117	38N2460RLEFW1	113	38N2472CLFW1	122
36N3773DFFLW	79	38N2430BEFTWP	117	38N2460RLEFW12	116	38N2472CLFW12	126
36N3773DFFLW	79	38N2430BEFW	116	38N2460RLEFW2	114	38N2472CLFW2	107, 124
36N3773DFFLW	79	38N2430BEFWP	116	38N2460RLEFW6	115	38N2472CLFW6	125
36N3773DFFLW	79	38N2436BEFTW	117	38N2460RLEFWP1	113	38N2472CLFWP1	122
36N3773DFFLW	79	38N2436BEFTWP	117	38N2460RLEFWP12	116	38N2472CLFWP12	126
36N3773DFFLW	79	38N2436BEFW	116	38N2460RLEFWP2	114	38N2472CLFWP2	124
36N3773DFFLW	79	38N2436BEFWP	116	38N2460RLEFWP6	115	38N2472CLFWP6	125
36N3773DFFLW	79	38N2436LFF2W	131, 342	38N2460RREFTW1	114	38N2472CRFTW1	123
36N3773DFFLW	79	38N2436LFF2WP	131, 342	38N2460RREFTW12	116	38N2472CRFTW12	126
36N3773DFFLW	79	38N2436LFF3W	131, 342	38N2460RREFTW2	115	38N2472CRFTW2	124
36N3773DFFLW	79	38N2436LFF3WP	131, 342	38N2460RREFTW6	115	38N2472CRFTW6	125
36N3773DFFLW	79	38N2436LFF4W	131, 342	38N2460RREFTW1	114	38N2472CRFTWP1	123
36N3773DFFLW	79	38N2436LFF4WP	131, 342	38N2460RREFTW12	116	38N2472CRFTWP12	126
36N3773DFFLW	79	38N2436PFHW	131	38N2460RREFTW2	115	38N2472CRFTWP2	124
36N3773DFFLW	79	38N2436PFHWP	131	38N2460RREFTW6	115	38N2472CRFTWP6	125
36N3773DFFLW	79	38N2442BEFTW	117	38N2460RREFW1	113	38N2472CRFW1	122
36N3773DFFLW	79	38N2442BEFTWP	117	38N2460RREFW12	116	38N2472CRFW12	126
36N3773DFFLW	79	38N2442BEFW	107, 116	38N2460RREFW2	114	38N2472CRFW2	107, 124
36N3773DFFLW	79	38N2442BEFWP	116	38N2460RREFW6	115	38N2472CRFW6	125
36N3773DFFLW	79	38N2442RLEFTW1	114	38N2460RREFW1	113	38N2472CRFWP1	122
36N3773DFFLW	79	38N2442RLEFTW2	115	38N2460RREFW12	116	38N2472CRFWP12	126
36N3773DFFLW	79	38N2442RLEFTWP1	114	38N2460RREFW2	114	38N2472CRFWP2	124
36N3773DFFLW	79	38N2442RLEFTWP2	115	38N2460RREFW6	115	38N2472CRFWP6	125
36N3773DFFLW	79	38N2442RLEFW1	113	38N2466CKFTW1	121	38N2472CSFW1	119
36N3773DFFLW	79	38N2442RLEFW2	106, 114	38N2466CKFTW2	121	38N2472CSFW2	119
36N3773DFFLW	79	38N2442RLEFWP1	113	38N2466CKFW2	121	38N2472CSFW7	118
36N3773DFFLW	79	38N2442RLEFWP2	114	38N2466CKFWP2	121	38N2472CSFWP1	119
36N3773DFFLW	79	38N2442RREFTW1	114	38N2466CLFTW1	123	38N2472CSFWP2	119
36N3773DFFLW	79	38N2442RREFTW2	115	38N2466CLFTW2	124	38N2472CSFWP7	118
36N3773DFFLW	79	38N2442RREFTW1	114	38N2466CLFTW6	125	38N2478CKFTW2	121
36N3773DFFLW	79	38N2442RREFTW2	115	38N2466CLFTWP1	123	38N2478CKFTWP2	121
36N3773DFFLW	79	38N2442RREFW1	113	38N2466CLFTWP2	124	38N2478CKFW2	121
36N3773DFFLW	79	38N2442RREFW2	106, 114	38N2466CLFTWP6	125	38N2478CKFWP2	121
36N3773DFFLW	79	38N2442RREFWP1	113	38N2466CLFW1	122	38N2478CLFTW1	123
36N3773DFFLW	79	38N2442RREFWP2	114	38N2466CLFW2	107, 124	38N2478CLFTW12	126
36N3773DFFLW	79	38N2442RTLW1	113	38N2466CLFW6	125	38N2478CLFTW2	124
36N3773DFFLW	79	38N2442RTLW2	113	38N2466CLFWP1	122	38N2478CLFTW6	125
36N3773DFFLW	79	38N2442RTLWP1	113	38N2466CLFWP2	124	38N2478CLFTWP1	123
36N3773DFFLW	79	38N2442RTLWP2	113	38N2466CLFWP6	125	38N2478CLFTWP12	126
36N3773DFFLW	79	38N2442RTRW1	113	38N2466CRFTW1	123	38N2478CLFTWP2	124
36N3773DFFLW	79	38N2442RTRW2	113	38N2466CRFTW2	124	38N2478CLFTWP6	125
36N3773DFFLW	79	38N2442RTRWP1	113	38N2466CRFTW6	125	38N2478CLFW1	122
36N3773DFFLW	79	38N2442RTRWP2	113	38N2466CRFTWP1	123	38N2478CLFW12	126
36N3773DFFLW	79	38N2448BEFTW	117	38N2466CRFTWP2	124	38N2478CLFW2	124
36N3773DFFLW	79	38N2448BEFTWP	117	38N2466CRFTWP6	125	38N2478CLFW6	125
36N3773DFFLW	79	38N2448BEFW	107, 116	38N2466CRFW1	122	38N2478CLFWP1	122
36N3773DFFLW	79	38N2448BEFWP	116	38N2466CRFW2	107, 124	38N2478CLFWP12	126
36N3773DFFLW	79	38N2448MGW	134	38N2466CRFW6	125	38N2478CLFWP2	124
36N3773DFFLW	79	38N2448MGWP	134	38N2466CRFWP1	122	38N2478CLFWP6	125
36N3773DFFLW	79	38N2448RLEFTW1	114	38N2466CRFWP2	124	38N2478CRFTW1	123
36N3773DFFLW	79	38N2448RLEFTW2	115	38N2466CRFWP6	125	38N2478CRFTW12	126
36N3773DFFLW	79	38N2448RLEFTWP1	114	38N2466CSFW1	119	38N2478CRFTW2	124
36N3773DFFLW	79	38N2448RLEFTWP2	115	38N2466CSFW2	119	38N2478CRFTW6	125

Model	Page	Model	Page	Model	Page	Model	Page
38N2478CRFTWP1	123	38N2490CLFW30	127	38N3630SOHMGW	130	38N3684DLFCWP1	109
38N2478CRFTWP12	126	38N2490CLFWP30	127	38N3630SOHMMW	130	38N3684DLFW1	109
38N2478CRFTWP2	124	38N2490CRFTW30	127	38N3636CFSW	112	38N3684DLFWP1	109
38N2478CRFTWP6	125	38N2490CRFTWP30	127	38N3636CFSWP	112	38N3684DRFCW1	109
38N2478CRFW1	122	38N2490CRFW30	127	38N3638BCHGW	134	38N3684DRFCWP1	109
38N2478CRFW12	126	38N2490CRFWP30	127	38N3638BCHW	134	38N3684DRFW1	109
38N2478CRFW2	124	38N2490CSFW6	120	38N3638BCOW	133, 326	38N3684DRFWP1	109
38N2478CRFW6	125	38N2490CSFW7	118	38N3650BCHGW	134	38N3684DTW	109
38N2478CRFWP1	122	38N2490CSFWP6	120	38N3650BCHW	134	38N3684DTWP	109
38N2478CRFWP12	126	38N2490CSFWP7	118	38N3650BCOW	133, 326	38N4218SOHMGW	130
38N2478CRFWP2	124	38N2496CFFW6	120	38N3653BCOFW	133, 326	38N4218SOHMMW	130
38N2478CRFWP6	125	38N2496CFFWP6	120	38N3668BCOFW	133, 326	38N4230SOHMGW	130
38N2478CSFW1	119	38N2496CKFTW2	121	38N3668BCOHFW	133, 326	38N4230SOHMMW	130
38N2478CSFW2	119	38N2496CKFTWP2	121	38N3668VHHW	132	38N4242SQW	135
38N2478CSFWP1	119	38N2496CKFW2	121	38N3668VHHW	132	38N4242SQWP	135
38N2478CSFWP2	119	38N2496CKFWP2	121	38N367248DLFECW1	110	38N4818SOHMGW	130
38N2484CKFTW30	121	38N2496CLFTW30	127	38N367248DLFECWP1	110	38N4818SOHMMW	130
38N2484CKFTWP2	121	38N2496CLFTWP30	127	38N367248DLFEW1	110	38N4830SOHMGW	130
38N2484CKFW2	121	38N2496CLFW30	127	38N367248DLFEWP1	110	38N4830SOHMMW	130
38N2484CKFWP2	121	38N2496CLFWP30	127	38N367248DRFECW1	110	38N4838HBHGW	128
38N2484CLFTW1	123	38N2496CRFTW30	127	38N367248DRFECWP1	110	38N4838HBHW	128
38N2484CLFTW12	126	38N2496CRFTWP30	127	38N367248DRFEW1	110	38N4848SQW	135
38N2484CLFTW2	124	38N2496CRFW30	127	38N367248DRFEWP1	110	38N4848SQWP	135
38N2484CLFTW30	127	38N2496CRFWP30	127	38N367248DULEW	111	38N4850HBHGW	129
38N2484CLFTW6	125	38N2496CSFW1	119	38N367248DULEWP	111	38N4850HBHW	129
38N2484CLFTWP1	123	38N2496CSFW2	119	38N367248DULFEW	111	38N6038HBHGW	128
38N2484CLFTWP12	126	38N2496CSFW6	120	38N367248DULFEWP	111	38N6038HBHW	128
38N2484CLFTWP2	124	38N2496CSFW7	118	38N367248DUREW	111	38N6050HBHGW	129
38N2484CLFTWP30	127	38N2496CSFWP1	119	38N367248DUREWP	111	38N6050HBHW	129
38N2484CLFTWP6	125	38N2496CSFWP2	119	38N367248DURFEW	111	38N6638HBHGW	128
38N2484CLFW1	122	38N2496CSFWP6	120	38N367248DURFEWP	111	38N6638HBHW	128
38N2484CLFW12	126	38N2496CSFWP7	118	38N3672DDFCW8	108	38N6650HBHGW	129
38N2484CLFW2	124	38N2886BTCW	113	38N3672DDFCW9	108	38N6650HBHW	129
38N2484CLFW30	127	38N2886BTCWP	113	38N3672DDFCWP8	108	38N7238HBHGW	128
38N2484CLFW6	125	38N3018SOHMGW	130	38N3672DDFCWP9	108	38N7238HBHW	128
38N2484CLFWP1	122	38N3018SOHMMW	130	38N3672DDFW8	108	38N7250HBHGW	129
38N2484CLFWP12	126	38N3030SOHMGW	130	38N3672DDFW9	108	38N7250HBHW	129
38N2484CLFWP2	124	38N3030SOHMMW	130	38N3672DDFWP8	108	38N7366LLFW	106
38N2484CLFWP30	127	38N3038BCHGW	134	38N3672DDFWP9	108	38N7366LRFW	106
38N2484CLFWP6	125	38N3038BCHW	134	38N3672DLFCW1	109	38N7838HBHGW	128
38N2484CRFTW1	123	38N3038BCOW	133, 326	38N3672DLFCWP1	109	38N7838HBHW	128
38N2484CRFTW12	126	38N3050BCHGW	134	38N3672DLFW1	106-107, 109	38N7850HBHGW	129
38N2484CRFTW2	124	38N3050BCHW	134	38N3672DLFWP1	109	38N7850HBHW	129
38N2484CRFTW30	127	38N3050BCOW	133, 326	38N3672DRFCW1	109	38N7966LLFW	106
38N2484CRFTW6	125	38N306642DLFEW1	110	38N3672DRFCWP1	109	38N7966LRFW	106
38N2484CRFTWP1	123	38N306642DLFEWP1	110	38N3672DRFW1	106-107, 109	38N7972LLFW	106
38N2484CRFTWP12	126	38N306642DRFEW1	110	38N3672DRFWP1	109	38N7972LRFW	106
38N2484CRFTWP2	124	38N306642DRFEWP1	110	38N3672DTLFCW1	112	38N8438HBHGW	128
38N2484CRFTWP30	127	38N3066DDFW8	108	38N3672DTLFCWP1	112	38N8438HBHW	128
38N2484CRFTWP6	125	38N3066DDFW9	108	38N3672DTRFCW1	112	38N8450HBHGW	129
38N2484CRFW1	122	38N3066DDFWP8	108	38N3672DTRFCWP1	112	38N8450HBHW	129
38N2484CRFW12	126	38N3066DDFWP9	108	38N3672DTW	109	38N8572LLFW	106
38N2484CRFW2	124	38N3066DLFW1	106-107, 109	38N3672DTWP	109	38N8572LRFW	106
38N2484CRFW30	127	38N3066DLFWP1	109	38N3672DULFW	110	38N9038HBHGW	128
38N2484CRFW6	125	38N3066DRFW1	106-107, 109	38N3672DULFWP	110	38N9038HBHW	128
38N2484CRFWP1	122	38N3066DRFWP1	109	38N3672DULW	110	38N9050HBHGW	129
38N2484CRFWP12	126	38N307242DPLEW	112	38N3672DULWP	110	38N9050HBHW	129
38N2484CRFWP2	124	38N307242DPLEWP	112	38N3672DURFW	110	38N9638HBHGW	128
38N2484CRFWP30	127	38N307242DPLFEW	112	38N3672DURFWP	110	38N9638HBHW	128
38N2484CRFWP6	125	38N307242DPLFEWP	112	38N3672DURW	110	38N9650HBHGW	129
38N2484CSFW7	118	38N307242DPREW	112	38N3672DURWP	110	38N9650HBHW	129
38N2484CSFWP7	118	38N307242DPREWP	112	38N3680BCOFW	133, 326	38N9766ULFW	107
38N2490CBVW	118	38N307242DPRFEW	112	38N3680BCOHFW	133, 326	38N9766URFW	107
38N2490CBVWP	118	38N307242DPRFEWP	112	38N3680VHHW	132	40-10472ULL	211
38N2490CBW	117	38N3072DPLFW	111	38N3680VHHW	132	40-10472URL	211
38N2490CBWP	117	38N3072DPLFWP	111	38N3684DDFCW8	108	40-11072ULL	211
38N2490CFFW6	120	38N3072DPLW	111	38N3684DDFCW9	108	40-11072URL	211
38N2490CFFWP6	120	38N3072DPLWP	111	38N3684DDFCWP8	108	40-1466TCP	212
38N2490CKFTW2	121	38N3072DPRFW	111	38N3684DDFCWP9	108	40-1472TCP	212
38N2490CKFTWP2	121	38N3072DPRFWP	111	38N3684DDFW8	108	40-15660SCP	214
38N2490CKFW2	121	38N3072DPRW	111	38N3684DDFW9	108	40-15720SCP	214
38N2490CKFWP2	121	38N3072DPRWP	111	38N3684DDFWP8	108	40-2430PTP	214
38N2490CLFTW30	127	38N3618SOHMGW	130	38N3684DDFWP9	108	40-2436LFP	214, 346
38N2490CLFTWP30	127	38N3618SOHMMW	130	38N3684DLFCW1	109	40-2442UP	211, 213

Index

Model	Page	Model	Page	Model	Page	Model	Page
40-2448LP	210, 212	45N484SW	277	50N2172CBW	54	50N7129SOHMGW	57
40-2448RP	210, 212	45N4854DV444W	275	50N2172CFFLW	55	50N7129SOHMRW	57
40-2448UP	211, 213	45N4854DV444Y	275	50N2172CFFW	55	50N7129SOHMMW	57
40-2466SP	213	45N4854DV44W	274	50N2172CKFLW2	55	50N7149HBBHW	56
40-2466XP	213	45N4854DV44Y	274	50N2172CKFW2	55	50N7149HBBHRW	56
40-2472LP2	211, 213	45N4854DVL42W	275	50N2172CLFLW2	51, 55	50N7149HBBHW	56, 70
40-2472RP2	211, 213	45N4854DVL42Y	275	50N2172CLFLW6	55	50N7218SOHMMW	57
40-2472SP	213	45N4854DVR42W	275	50N2172CLFW2	51, 55	50N7236HBBHW	56
40-2472XP	213	45N4854DVR42Y	275	50N2172CLFW6	55	50N8066LLFLW	50
40-3066DP	212	45N4854DVW	274	50N2172CRFLW2	51, 55	50N8066LLFW	50
40-3066LP	210, 212	45N4854DVF	274	50N2172CRFLW6	55	50N8066LRLFW	50
40-3066RP	210, 212	45N488WMH	279, 284	50N2172CRFW2	51, 55	50N8066LRLFW	50
40-3336BCOP	214, 331	45N54WME	277	50N2172CRFW6	55	50N8672LLFLW	50
40-3366SBCP	214, 331	45N712SWL	278	50N2172CSFLW2	54	50N8672LLFW	50
40-3636CUP	213	45N714SWM	277	50N2172CSFW2	54, 70	50N8672LRLFW	50
40-3672DP	212	45N952SWL	278	50N2421PTHLW	62	50N8672LRFW	50
40-3672LP	210-212	45N954SWM	277	50N2421PTHW	62	50N9366ULFLW	51
40-3672RP	210-212	45NCGRIP2	275	50N2424ENLW	63, 215	50N9366ULFW	51
40-6678TCP	212	45NCGRIP4	275	50N2424ENQW	63	50N9366URFLW	51
40-7284TCP	212	45NCGRIP6	275	50N2424ENW	63	50N9366URFW	51
40-7966LLF	210	45NCH	279	50N2430PTLW	62	50N9972ULFLW	51
40-7966LRF	210	45NHGRIP2	275	50N2430PTW	62	50N9972ULFW	51
40-8572LLF	210	45NHGRIP4	275	50N2442BEFLW	51, 54	50N9972URFLW	51
40-8572LRF	210	45NHGRIP6	275	50N2442BEFW	51, 54	50N9972URFW	51
40N42RDL	215	45NNHG	276	50N2450BEFLW	51, 54	50NN3636SQLW	64
45N120PCP462	277	45NNH	279	50N2450BEFW	51, 54	50NN3636SQW	64
45N120PCP501	277	45NSTCNR	276	50N2450RLEFLW2	50, 53	50NN36RDLW	64
45N2414DVT	276	45NSTINL	276	50N2450RLEFW2	50, 53	50NN36RDW	64
45N2414MB _	278	_4836	335	50N2450RREFLW2	50, 53	50NN4242SQLW	64
45N2414MZ	278	50N10266ULFLW	51	50N2450RREFW2	50, 53	50NN4242SQW	64
45N2414TBN	278	50N10266ULFW	51	50N2451RTLW2	53	50NN42RDLW	64
45N242SWL	278	50N10266URFLW	51	50N2451RTLW2	53	50NN42RDW	64
45N244SW	277	50N10266URFW	51	50N2451RTRLW2	53	50NN4848SQLW	64
45N2454DV22W	274	50N10772ULFLW	51	50N2451RTRW2	53	50NN4848SQW	64
45N2454DV22Y	274	50N10772ULFW	51	50N3066DDFLW8	52	50NN48RDLW	64
45N2454DVW	274	50N10772URFLW	51	50N3066DDFW8	52	50NN48RDW	64
45N2454DVF	274	50N10772URFW	51	50N3066DLFLW1	50-52	51N10166ULFLW	235
45N248WMH	279, 284	50N14102CPCFW	65-69	50N3066DLFW1	50-52	51N10166ULFW	235
45N3014DVT	276	50N1435CPBW	59-62, 322-324	50N3066DRFLW1	50-52	51N10166URFLW	235
45N3014MB _	278	50N1436CPCFW	59-62, 322-324	50N3066DRFW1	50-52	51N10166URFW	235
45N3014MZ	278	50N1468CPBW	60-62, 322-324	50N3072DTLFLW1	53	51N10772ULFLW	235
45N3014TBN	278	50N1469CPCFW	60-62, 322-324	50N3072DTLFW1	53	51N10772ULFW	235
45N302SWL	278	50N1531KDFW	63	50N3072DTRFLW1	53	51N10772URFLW	235
45N304SW	277	50N1931BEXLW	65-69	50N3072DTRFW1	53	51N10772URFW	235
45N3054DVW	274	50N1931BEXW	65-69	50N3225SOHGW	68	51N10166ULFLW	242, 333
45N3054DVF	274	50N1974BCOLWC	59, 70	50N3225SOHRW	69	51N1436CPCFW	242, 333
45N308WMH	279, 284	50N1974BCORWC	59, 70	50N3225S0OW	65	51N1468CPBW	241, 333
45N3614DVT	276	50N1974VSWHLW	59	50N3436BCOW	59	51N1469CPCFW	241, 333
45N3614MB _	278	50N1974VSWHLWC	59, 70	50N3452BCHGW	61, 66, 68, 324	51N1531KDFW	243
45N3614MZ	278	50N1974VSWHRW	59	50N3452BCHRW	62, 67, 69, 323	51N2040MGLW	242
45N3614TBN	278	50N1974VSWHRWC	59, 70	50N3452BCOFW	60, 65, 322	51N2040MGW	242
45N362SWL	278	50N2040MGLW	63, 214	50N3636CFSWL	53	51N2137LFF2LW	240, 347
45N364SW	277	50N2040MGQW	63	50N3636CFSW	53	51N2137LFF2W	240, 347
45N3654DV333W	275	50N2040MGW	63	50N3672DDFLW8	52	51N2137LFF3LW	240, 347
45N3654DV333Y	275	50N2137LFF2LW	58, 65-69, 340	50N3672DDFW8	52	51N2137LFF3W	240, 347
45N3654DV33W	274	50N2137LFF2W	58, 65-69, 340	50N3672DLFLW1	50-52	51N2137LFF4W	240, 347
45N3654DV33Y	274	50N2137LFF3LW	58, 340	50N3672DLFW1	50-52	51N2166CKFLW2	238
45N3654DVW	274	50N2137LFF3W	58, 340	50N3672DRFLW1	50-52	51N2166CKFW2	238
45N3654DVF	274	50N2137LFF4W	58, 340	50N3672DRFW1	50-52	51N2166CLFLW2	235, 239
45N368WMH	279, 284	50N2163CKFLW2C	55	50N3672DTLW	52	51N2166CLFW2	235, 239
45N4214DVT	276	50N2163CKFW2C	55	50N3672DTQLW	52	51N2166CRFLW2	235, 239
45N4214MB _	278	50N2166CKFLW2	55	50N3672DTQW	52	51N2166CRFW2	235, 239
45N4214MZ	278	50N2166CKFW2	55	50N3672DTW	52	51N2172CFFLW	238
45N4214TBN	278	50N2166CLFLW2	51, 55	50N3778VHHW	58	51N2172CFFW	238
45N422SWL	278	50N2166CLFW2	51, 55	50N3778VHHWC	58, 70	51N2172CKFLW2	238
45N424SW	277	50N2166CRFLW2	51, 55	50N4240VBW	63	51N2172CKFW2	238
45N4254DVW	274	50N2166CRFW2	51, 55	50N6618SOHMMW	57	51N2172CLFLW2	235, 239
45N4254DVF	274	50N2169CKFLW2C	55	50N6629SOHMGW	57	51N2172CLFLW6	239
45N428WMH	279, 284	50N2169CKFW2C	55, 70	50N6629SOHMRW	57	51N2172CLFW2	235, 239
45N4814DVT	276	50N2169CSFLW2C	54	50N6629SOHMMW	57	51N2172CLFW6	239
45N4814MB _	278	50N2169CSFW2C	54	50N6636HBBHW	56	51N2172CRFLW2	235, 239
45N4814MZ	278	50N2172CBLW	54	50N6649HBBHW	56	51N2172CRFLW6	239
45N4814TBN	278	50N2172CBVLW	54	50N6649HBBHRW	56	51N2172CRFW2	235, 239
45N482SWL	278	50N2172CBVW	54	50N6649HBBHW	56	51N2172CRFW6	239

Model	Page	Model	Page	Model	Page	Model	Page
51N2172CSFLW2	238	91NA2448MGTL	315	CLN2542RTLLW2	149	CLNN42RDW	157
51N2172CSFW2	238	91NA2448MGTW	315	CLN2542RTLW2	149	CLNN4848SQW	158
51N2424ENLW	243	91NA3636MGUL	315	CLN2542RTRLW2	149	CLNN48RDW	157
51N2424ENW	243	91NA3636MGUW	315	CLN2542RTRW2	149	ECN0637CPCFW	190
51N2430PTLW	242	91NA3636MGYL	314	CLN2544RLEFLW2	146, 150	ECN0643CPCFW	190
51N2430PTW	242	91NA3636MGYW	314	CLN2544RLEFW2	146, 150	ECN10167ULFW	177
51N2442BEFLW	235, 238	91NB1850CSL	314	CLN2544RRREFLW2	146, 150	ECN10167URFW	177
51N2442BEFW	235, 238	91NB1850CSW	314	CLN2544RRFEW2	146, 150	ECN10173ULFW	177
51N2450BEFLW	235, 238	91NB2424ENL	314	CLN2560RLEFLW10	150	ECN10173URFW	177
51N2450BEFW	235, 238	91NB2424ENW	314	CLN2560RLEFLW6	150	ECN10773ULFW	177
51N2450RLEFLW2	234, 237	91NB2448MGL	314	CLN2560RLEFW10	150	ECN10773URFW	177
51N2450RLEFW2	234, 237	91NB2448MGW	314	CLN2560RLEFW6	150	ECN1724CDW	191
51N2450RREFLW2	234, 237	91NB3636MGL	314	CLN2560RREFLW10	150	ECN1727CDW	191
51N2450RREFW2	234, 237	91NB3636MGW	314	CLN2560RREFW6	150	ECN1733CDW	191
51N2451RTLW2	237	91NC1850CSG	316	CLN2560RREFW10	150	ECN1733KDFW	191
51N2451RTLW2	237	91NC1850CSL	317	CLN2560RREFW6	150	ECN1948CSW	190
51N2451RTRLW2	237	91NC1850CSW	317	CLN2636BEFLW	147, 150	ECN2040MGW	190
51N2451RTRW2	237	91NC2424ENG	316	CLN2636BEFW	147, 150	ECN2071BCOLWC	187, 192
51N3018SOHMMW	240	91NC2424ENL	317	CLN2648BEFHSLW	147, 151	ECN2071BCORWC	187, 192
51N3066DDFLW8	236	91NC2424ENW	317	CLN2648BEFHSW	147, 151	ECN2071VHL2WC	188
51N3066DDFW8	236	91NC2448MGG	316	CLN3018SOHMAW	153	ECN2071VHR2WC	188, 192
51N3066DLFLW1	234-236	91NC2448MGL	317	CLN3564BCOFW	154-155, 327	ECN2071VSWHLWC	188, 192
51N3066DLFW1	234-236	91NC2448MGW	317	CLN3618SOHMAW	153	ECN2071VSWHRWC	188, 192
51N3066DRFLW1	234-236	91NC3636MGG	316	CLN3666DDFALW8	148	ECN2238LFF2W	186, 344
51N3066DRFW1	234-236	91NC3636MGL	317	CLN3666DDFAW8	148	ECN2238LFF3W	186, 344
51N3072DTLFLW1	237	91NC3636MGW	317	CLN3666DDFLW8	148	ECN2238LFF4W	186, 344
51N3072DTLFW1	237	ABWMD	25, 43, 153,	CLN3666DDFW8	148	ECN2238MUCW	190
51N3072DTRFLW1	237		203, 227, 240	CLN3672DDFALW8	148	ECN2238PFHW	187
51N3072DTRFW1	237	ABWMF	25, 43, 153,	CLN3672DDFAW8	148	ECN2265CKFW2C	182
51N3436BCOFW	242, 333		203, 227, 240	CLN3672DDFLW8	148	ECN2265CSFW2C	181
51N3452BCOFW	241-242, 333	CBW2620U4	156	CLN3672DDFW8	148	ECN2266CLFW1C	183
51N3618SOHMMW	240	CLN10672ULFLW	147	CLN3672DLFALW1	148	ECN2266CLFW2C	183
51N3636CFSW	237	CLN10672ULFW	147	CLN3672DLFAW1	148	ECN2266CLFW6C	184
51N3636CFSW	237	CLN10672URFLW	147	CLN3672DLFLW1	146-148	ECN2266CRFW1C	183
51N3672DDFLW8	236	CLN10672URFW	147	CLN3672DLFW1	146-148	ECN2266CRFW2C	183
51N3672DDFW8	236	CLN1438CPCFW	155, 327	CLN3672DRFALW1	148	ECN2266CRFW6C	184
51N3672DLFLW1	234-236	CLN1473CPCFW	154, 327	CLN3672DRFAW1	148	ECN2267CKFW2	182
51N3672DLFW1	234-236	CLN2016PMBFC	153	CLN3672DRFLW1	146-148	ECN2267CLFW1	182
51N3672DRFLW1	234-236	CLN2040MGW	155	CLN3672DRFW1	146-148	ECN2267CLFW2	177, 183
51N3672DRFW1	234-236	CLN2237LFF2LW	153, 343	CLN3672DTLFLW1	149	ECN2267CLFW6	183
51N3672DTLW	236	CLN2237LFF2W	153, 343	CLN3672DTLFW1	149	ECN2267CRFW1	182
51N3672DTW	236	CLN2237LFF3LW	154, 343	CLN3672DTRFLW1	149	ECN2267CRFW2	177, 183
51N3778VHHW	241	CLN2237LFF3W	154, 343	CLN3672DTRFW1	149	ECN2267CRFW6	183
51N6636HBHW	239	CLN2237LFF4LW	154, 343	CLN3672DULFLW	149	ECN2267CSFW2	181
51N7236HBHW	239	CLN2237LFF4W	154, 343	CLN3672DULFW	149	ECN2271CFFWC	182
51N8066LLFLW	234	CLN2266CKFLW2	151	CLN3672DULLW	149	ECN2271CKFW2C	182, 192
51N8066LLFW	234	CLN2266CKFW2	151	CLN3672DULW	149	ECN2271CSFW2C	181
51N8066LRLFW	234	CLN2272CKFLW2	151	CLN3672DURFLW	149	ECN2272CLFW10C	184
51N8066LRFW	234	CLN2272CKFW2	151	CLN3672DURFW	149	ECN2272CLFW1C	183
51N8672LLFLW	234	CLN2272CLFLW10	152	CLN3672DURLW	149	ECN2272CLFW2C	183
51N8672LLFW	234	CLN2272CLFLW2	147, 151	CLN3672DURW	149	ECN2272CLFW6C	184
51N8672LRLFW	234	CLN2272CLFLW6	152	CLN3672DURW	149	ECN2272CRFW10C	184
51N8672LRFW	234	CLN2272CLFW10	152	CLN3672DURW	149	ECN2272CRFW1C	183, 192
51N9366ULFLW	235	CLN2272CLFW2	147, 151	CLN3672DURW	149	ECN2272CRFW2C	183
51N9366ULFW	235	CLN2272CLFW6	152	CLN3672DURW	149	ECN2272CRFW6C	184
51N9366URFLW	235	CLN2272CRFLW10	152	CLN3672DURW	149	ECN2273CBVW	181
51N9366URFW	235	CLN2272CRFLW2	147, 151	CLN3672DURW	149	ECN2273CBW	181
51N9972ULFLW	235	CLN2272CRFLW6	152	CLN3672DURW	149	ECN2273CFFW	182
51N9972ULFW	235	CLN2272CRFW10	152	CLN3672DURW	149	ECN2273CKFW2	182
51N9972URFLW	235	CLN2272CRFW2	147, 151	CLN3672DURW	149	ECN2273CLFW1	182
51N9972URFW	235	CLN2272CRFW6	152	CLN3672DURW	149	ECN2273CLFW10	184
—_6036	335	CLN2288CLFLW10	152	CLN3672DURW	149	ECN2273CLFW2	177, 183
—_7236	335	CLN2288CLFLW6	152	CLN3672DURW	149	ECN2273CLFW6	183
—_8436	335	CLN2288CLFW10	152	CLN3672DURW	149	ECN2273CRFW1	182
91N1850RTGK	315	CLN2288CLFW6	152	CLN3672DURW	149	ECN2273CRFW10	184
91N2424RDGK	315	CLN2288CRFLW10	152	CLN3672DURW	149	ECN2273CRFW2	177, 183
91N2424SQGK	315	CLN2288CRFLW6	152	CLN3672DURW	149	ECN2273CRFW6	183
91N2448RTGK	315	CLN2288CRFW10	152	CLN3672DURW	149	ECN2273CSFW2	181
91N3636RDGK	315	CLN2288CRFW6	152	CLN3672DURW	149	ECN2424ENW	190
91N3636SQGK	315	CLN2424ENW	155	CLN3672DURW	149	ECN2542BEFW	177, 181
91NA2424CUL	315	CLN2424SQLW	156	CLN3672DURW	149	ECN2542RLEFW1	180
91NA2424CUW	315	CLN2424SQW	156	CLN3672DURW	149	ECN2542RLEFW2	176, 180
91NA2424CYL	314	CLN2472CBVLW	151	CLN3672DURW	149	ECN2542RREFW1	180
91NA2424CYW	314	CLN2472CBVW	151	CLN3672DURW	149	ECN2542RREFW2	176, 180

Index

Model	Page	Model	Page	Model	Page	Model	Page
ECN2548BEFW	177, 181, 192	ECN9567URFW	177	NAC3618TBR	308	NACELPWR18	285
ECN2548RLEFW1	180	MPK-4	27, 45, 62, 214, 229, 242	NAC3619TBR	308	NACELPWR2	285
ECN2548RLEFW2	176, 180	NAC03WM	97, 140, 302	NAC3639VBL	191	NACELPWR3	285
ECN2548RREFW1	180	NAC0510PTB	263	NAC3639VBW	191	NACELPWR4	285
ECN2548RREFW2	176, 180	NAC0611KMK	296	NAC3819TBR	307	NACELPWR5	285
ECN2550RTLW2	180	NAC0613ST	294	NAC3916TBR	308	NACELPWR6	285
ECN2550TRW2	180	NAC0802KMK	191, 296	NAC4218PVSP	303	NACELPWR7	285
ECN2572RLEFW10	180	NAC0902EL5C	301	NAC4219TBR	307	NACELR2C	302
ECN2572RREFW10	180	NAC0905SHBM	263	NAC4239VBL	191	NACELR4	301
ECN3067DDFBW8	178	NAC0916STL	135, 299	NAC4239VBW	191	NACG1	303
ECN3067DLFBW1	176-178	NAC0924SHM	262	NAC4419TBR	307	NACG10	303
ECN3067DRFBW1	176-178	NAC0930SHM	262	NAC4516TBR	308	NACG10EL	303
ECN3276DTLFW1	180	NAC1002ELPD2	301	NAC4619TBR	307	NACG2	303
ECN3276DTRFW1	180	NAC1010AT	266, 300	NAC4818PVSP	303	NACMAB1BMB	296
ECN3636CFSW	179	NAC1115SPT	266, 300	NAC4819TBR	307	NACMAB1BMS	296
ECN3636SQW	193	NAC1212SSM	262	NAC4919TBR	307	NACMAP1BMB	296
ECN3672DPLFW	179	NAC1217DPTM	262	NAC49TLB	298	NACMAP1BMS	296
ECN3672DPLW	179	NAC1217SPTM	262	NAC5019TBR	307	NACPH	266, 300
ECN3672DPRFW	179	NAC1222SL	296	NAC5219TBR	307	NACPMCLIP1	284
ECN3672DPRW	179	NAC1305ELCC	301	NAC5418PVSP	303	NACPMCLIP2	284
ECN3672DULFW	179	NAC1322SL1	296	NAC5419TBR	307	NACPUH	297
ECN3672DULW	179	NAC1322SL2	296	NAC5619TBR	307	NACSS	266, 300
ECN3672DURFW	179	NAC1406KK4	295	NAC5716TBR	308	NCCB	297
ECN3672DURW	179	NAC1420SMCL	131	NAC5819TBR	307	NCCBCK	297
ECN3673DDFBW8	178	NAC1420SMCW	131	NAC6017TBR	308	NCCBMK	297
ECN3673DLFBW1	178	NAC1424KT	294	NAC6018PVSP	303	NV10266ULF	163
ECN3673DLFBW1	176-178, 192	NAC1623DPLB	299	NAC6019TBR	307	NV10266URF	163
ECN3673DRFBW1	178	NAC1624CT	294	NAC6117TBR	308	NV10272ULF	163
ECN3673DRFBW1	176-178	NAC16POM	262	NAC6119TBR	307	NV10272URF	163
ECN3673DTAW	178	NAC1706KK1	295	NAC6216TBR	308	NV10872ULF	163
ECN3673TAW	178	NAC1706KK2	295	NAC6219TBR	307	NV10872URF	163
ECN36RDW	193	NAC1706KK3	295	NAC6316TBR	308	NV1228SP	168
ECN3750BCHGW	189	NAC1721WBSK	299	NAC6317TBR	308	NV1415BCHL	171
ECN3750BCHW	189	NAC17WM	302	NAC6319TBR	307	NV1415BCHR	171
ECN3757BCOHLWC	189	NAC1819TBR	308	NAC6320TBR	307	NV1415BCO	171
ECN3757BCOHRWC	189	NAC1824CDW	294	NAC6419TBR	307	NV1430SHS	171
ECN3757BCOLWC	188	NAC1922CD	295	NAC6617TBR	308	NV1436SHS	171
ECN3757BCORWC	188	NAC1924KTM	294	NAC6619TBR	307	NV1442HBH	169
ECN3771BCOHLWC	189	NAC2118PVSP	303	NAC6717TBR	308	NV1442SHS	171
ECN3771BCOHRWC	189	NAC2124CDW	294	NAC6719TBR	307	NV1448HBH	169
ECN3771BCOLWC	188	NAC2208KK1	295	NAC6816TBR	308	NV1448SMS	170
ECN3771BCORWC	188	NAC222STL	298	NAC6819TBR	307	NV1460HBH	169
ECN3857BCOFW	188, 329	NAC22STLA	298	NAC6916TBR	308	NV1460SMS	170
ECN3857BCOHFW	189, 329	NAC22STLD	298	NAC6917TBR	308	NV1465BCOC	170, 328
ECN3871BCOFW	188, 329	NAC2319KKS1	296	NAC6919TBR	307	NV1466HBH	169
ECN3871BCOHFW	189, 329	NAC2418PVSP	303	NAC6920TBR	307	NV1466SMS	170
ECN3879VHHW	187	NAC2421CDL	294	NAC7019TBR	307	NV1472HBH	169
ECN3879VVHW	187	NAC25TLB	298	NAC7219TBR	307	NV1472SMS	170
ECN3879VVHWC	187, 192	NAC2804SFB	22, 38, 149, 165, 179, 201, 224	NAC7419TBR	307	NV1865VSWHL	170
ECN4242SQW	193	NAC2804SFBA	22, 38, 79	NAC7619TBR	307	NV1865VSWHR	170
ECN42RDW	193	NAC2804SFBN	22, 38, 79, 149, 179	NAC8219TBR	307	NV2315PUBBF	169
ECN4848SQW	193	NAC2804SFBS	22, 38, 201, 224	NAC8416TBR	308	NV2315PUBF	169
ECN48RDW	193	NAC2804SFBW	38, 79, 149, 179, 201, 224	NAC8819TBR	307	NV2315PUFF	169
ECN6630SOHMGW	186	NAC2812SHB	38, 79, 149, 179, 201, 224	NACBS	266, 300	NV2330LFU2	169
ECN6630SOHMW	186	NAC28STL	298	NACCP	266, 300	NV2415PMTF	169
ECN6642HBHPGW	185	NAC28STLA	298	NACCPUMCB	297	NV2436BEF	166
ECN6650BCHGW	189	NAC28STLD	298	NACELIL1	97, 140	NV2436BSF	168
ECN6650HBHPGW	185	NAC3017TBR	308	NACELIL2	97, 140	NV2436LFF2	170, 344
ECN6650HBHPW	185	NAC3018PVSP	303	NACELIL3	97, 140	NV2436RSF	167
ECN7230SOHMGW	186	NAC3019TBR	308	NACELIL4	97, 140	NV2442BEF	163, 166
ECN7230SOHMW	186, 192	NAC3048MBW	303	NACELIL5	97, 140	NV2442BSF	168
ECN7242HBHPGW	185	NAC30WMH	302	NACELIL6	97, 140	NV2442RLEY	162, 166
ECN7250BCHGW	189	NAC3219TBR	308	NACELIL7	97, 140	NV2442RREY	162, 166
ECN7250HBHPGW	185, 192	NAC34STL	298	NACELIL8	97, 140	NV2442RSF	167
ECN7250HBHPW	185	NAC34STLA	298	NACELILJ1	97, 140	NV2448BEF	163, 166
ECN7367LLFW	176	NAC34STLD	298	NACELILJ2	97, 140	NV2448BSF	168
ECN7367LRFW	176	NAC3519TBR	308	NACELILJ3	97, 140	NV2448RLEY	162, 166
ECN7967LLFW	176	NAC3617TBR	308	NACELILJ5	97, 140	NV2448RREY	162, 166
ECN7967LRFW	176	NAC3618PVSP	303	NACELILJ6	97, 140	NV2448RSF	167
ECN7973LLFW	176			NACELILJ7	97, 140	NV2448RTLY3	166
ECN7973LRFW	176			NACELPDC	301	NV2448TRY3	166
ECN8573LLFW	176			NACELPT	302	NV2448WSHR	171
ECN8573LRFW	176			NACELPWR	285	NV2460BSF	168
ECN9567ULFW	177					NV2460CSHF	168

Model	Page	Model	Page	Model	Page	Model	Page
NV2460RSF	167	Q19N2472CLFW2	202	Q50N2172CLFW2	55	QECN1727CDW	191
NV2466BSF	168	Q19N2472CRFW2	202	Q50N2172CRFW2	55	QECN1733CDW	191
NV2466CKY	167	Q19N2472CSFW2	202	Q50N2172CSFW2	54	QECN1733KDFW	191
NV2466CLY	163, 167	Q19N3618SOHMMW	203	Q50N2424ENW	63	QECN2040MGW	190
NV2466CORY	163, 167	Q19N3636BCOW	205, 330	Q50N2442BEFW	54	QECN2238LFF2W	186, 344
NV2466CSHF	168	Q19N3666BCOFW	205, 330	Q50N2450BEFW	54	QECN2273CKFW2	182
NV2466CSY	166	Q19N3672DDFW8	200	Q50N2450RLEFW2	53	QECN2273CLFW2	183
NV2466RSF	167	Q19N3672DLFW1	200	Q50N2450RREFW2	53	QECN2273CRFW2	183
NV2472BSF	168	Q19N3672DRFW1	200	Q50N3436BCOW	59	QECN2273CSFW2	181
NV2472CKY	167	Q19N7236HBHW	203	Q50N3452BCOFW	60, 65, 322	QECN2424ENW	190
NV2472CLY	163, 167	Q19N8772LLFW	198	Q50N3672DDFW8	52	QECN2542BEFW	181
NV2472CRY	163, 167	Q19N8772LRFW	198	Q50N3672DLFW1	52	QECN2542RLEFW2	180
NV2472CSHF	168	Q21N10472ULQL	19	Q50N3672DRFW1	52	QECN2542RREFW2	180
NV2472CSY	166	Q21N10472URQL	19	Q50N7218SOHMMW	57	QECN2548BEFW	181
NV2472RSF	167	Q21N10872ULQL	19	Q50N7236HBHW	56	QECN2548RLEFW2	180
NV3048DSF	167	Q21N10872URQL	19	Q50N8672LLFW	50	QECN2548RREFW2	180
NV3053BCOHF	171, 328	Q21N2436LFF2L	25, 338	Q50N8672LRFW	50	QECN3673DDFBW8	178
NV3060DDY	164	Q21N2443RLEQL3	23	Q50N9972ULFW	51	QECN3673DLFBW1	178
NV3060DSF	167	Q21N2443RREQL3	23	Q50N9972URFW	51	QECN3673DRFBW1	178
NV3065BCOHF	171, 328	Q21N2445BEFL	23	Q51N10772ULFLW	235	QECN3750BCHW	189
NV3066DDY	164	Q21N2448BEFL	23	Q51N10772URFLW	235	QECN3871BCOFW	188, 329
NV3066DLY	162-164	Q21N2449RLEQL3	23	Q51N1435CPBW	242, 333	QECN7230SOHMMW	186
NV3066DRY	162-164	Q21N2449RREQL3	23	Q51N1436CPCFW	242, 333	QECN7250HBHPW	185
NV3066DSF	167	Q21N2472CKQL3	24	Q51N1531KDFW	243	QECN7973LLFW	176
NV3066DU	164	Q21N2472CLQL3	24	Q51N2040MGLW	242	QECN7973LRFW	176
NV3066DUF	165	Q21N2472CRQL3	24	Q51N2137LFF2LW	240, 347	QECN8573LLFW	176
NV3072DPL	165	Q21N2472CSQL3	23	Q51N2172CKFLW2	238	QECN8573LRFW	176
NV3072DPLF	165	Q21N3336BCOL	26, 320	Q51N2172CLFLW2	239	QNAC1824CDW	294
NV3072DPR	165	Q21N3366BCOFLW	26, 320	Q51N2172CRFLW2	239	QNAC2124CDW	294
NV3072DPRF	165	Q21N3617SOHMMW	25	Q51N2172CSFLW2	238	QNAC2421CDL	294
NV3072DSF	167	Q21N3672DDQL3	20	Q51N2424ENLW	243		
NV3072DU	164	Q21N3672DLQL3	21	Q51N2442BEFLW	238		
NV3072DUF	165	Q21N3672DRQL3	21	Q51N2450BEFLW	238		
NV3636CFS	166	Q21N6936HBHL	25	Q51N2450RLEFLW2	237		
NV3636HBHC	170	Q21N7972LLQL	18	Q51N2450RREFLW2	237		
NV366624LF	168	Q21N7972LRQL	18	Q51N3436BCOFW	242, 333		
NV366624RF	168	Q21N8572LLQL	18	Q51N3452BCOFW	241-242, 333		
NV367224LF	168	Q21N8572LRQL	18	Q51N3618SOHMMW	240		
NV367224RF	168	Q31N10272ULFW	33	Q51N3672DDFLW8	236		
NV3672DDY	164	Q31N10272URFW	33	Q51N3672DLFW1	236		
NV3672DDYA	164	Q31N10872ULFW	33	Q51N3672DRFLW1	236		
NV3672DLY	162-164	Q31N10872URFW	33	Q51N7236HBHW	239		
NV3672DLYA	164	Q31N2040MGPLW	45	Q51N8672LLFLW	234		
NV3672DRY	162-164	Q31N2136LFF2W	43, 339	Q51N8672LRFLW	234		
NV3672DRYA	164	Q31N2172CKFW2	41	Q51N9972ULFLW	235		
NV3672DTLY3	166	Q31N2172CLFW2	41	Q51N9972URFLW	235		
NV3672DTRY3	166	Q31N2172CRFW2	41	QCLN10672ULFLW	147		
NV7266LLF	162	Q31N2172CSFW2	40	QCLN10672URFLW	147		
NV7266LRF	162	Q31N2424ENPLW	45	QCLN1438CPCFW	155, 327		
NV7866LLF	162	Q31N2444RLEFW2	39	QCLN2040MGW	155		
NV7866LRF	162	Q31N2444RREFW2	39	QCLN2237LFF2LW	153, 343		
NV7872LLF	162	Q31N2445BEFW	40	QCLN2272CKFLW2	151		
NV7872LRF	162	Q31N2451BEFW	40	QCLN2272CLFLW2	151		
NV8472LLF	162	Q31N2452RLEFW2	39	QCLN2272CRFLW2	151		
NV8472LRF	162	Q31N2452RREFW2	39	QCLN2424ENW	155		
NV9666ULF	163	Q31N3238BCOW	44, 321	QCLN2544RLEFLW2	150		
NV9666URF	163	Q31N3266BCOFW	44, 321	QCLN2544RREFLW2	150		
Q10N2136LFF4L	348	Q31N3618SOHMMW	43	QCLN2636BEFHLW	150		
Q10N3630BCOFW	334	Q31N3672DDFW8	36	QCLN2648BEFHSLW	151		
Q10N3636BCOFW	334	Q31N3672DLFW1	37	QCLN3564BCOFW	154-155, 327		
Q10N3648BCOFW	334	Q31N3672DRFW1	37	QCLN3618SOHMAW	153		
Q10N3660BCOFW	334	Q31N7236HBHW	42	QCLN3672DDFLW8	148		
Q10N3672BCOFW	334	Q31N8072LLFW	32	QCLN3672DLFLW1	148		
Q10N3684BCOFW	334	Q31N8072LRFW	32	QCLN3672DRFLW1	148		
Q19N10572ULFW	199	Q31N8872LLFW	32	QCLN3836BCOW	155		
Q19N10572URFW	199	Q31N8872LRFW	32	QCLN7136HBHAW	152		
Q19N11172ULFW	199	Q50N10772ULFW	51	QCLN8072LLFLW	146		
Q19N11172URFW	199	Q50N10772URFW	51	QCLN8072LRFLW	146		
Q19N2436LFF2W	204, 345	Q50N1435CPBW	59-62, 322-324	QCLN9472ULFLW	147		
Q19N2445BEFW	202	Q50N1436CPCFW	59-62, 322-324	QCLN9472URFLW	147		
Q19N2451BEFW	202	Q50N1531KDFW	63	QECN10173ULFW	177		
Q19N2451RLEFW2	201	Q50N2040MGW	63	QECN10173URFW	177		
Q19N2451RREFW2	201	Q50N2137LFF2W	58, 65-69, 340	QECN10773ULFW	177		
Q19N2472CKFW2	202	Q50N2172CKFW2	55	QECN10773URFW	177		

At National Office Furniture,
we see our legacy as
more than quality furniture.

It is also a reverence for nature, which inspires our resolve
to protect, nurture and preserve nature's gifts.



NATIONAL

Furniture with Personality®

www.NationalOfficeFurniture.com

1205 Kimball Boulevard, Jasper, IN 47549

800.482.1717 Fax 812.482.8800

©Kimball International, Inc. 2011

Printed in the USA

Form No. NPLC1

A Unit of Kimball International