



This price book **includes** a 4.7% price increase, effective June 1, 2012

**Audio/Visual Lecterns** 

**Computer-based Training** 


**Tables** 

Library

Office


Retrofit





# \*\*Right Solutions™

Since 1988 NOVA has been providing the right furniture solutions for the working and learning environments. From cutting edge technology integration options to the solid craftsmanship of quality laminate casegoods, NOVA is more than just another furniture manufacturer. Partnering with the customer and always keeping the end-user top-of-mind, allows us to provide solutions that are timely, economical, practical, functional, and stylish. From the corporate office or executive suite to the elementary or higher education classroom — NOVA has "The Right Solutions™" for you.



# Integrated Solutions

## **NOVA's Commitment**

NOVA Solutions is committed to providing "The Right Solutions<sup>TM</sup>" for working or learning environments in multiple market segments. We're focused on using innovation, creativity, and extensive capabilities to produce quality furniture to fit almost any end-user's needs. Integrating the latest Visual Display Options into our product lines gives NOVA the exceptional value of providing unique technology solutions.

## Audio/Visual Lecterns

Providing a complete solution for instructors, presenters, facilitators, and trainers is the goal of the Audio/Visual Lecterns series. NOVA has designed a unique set of multi-functional lectern products (standing and seated height) that accept today's latest technology products. Incorporating document cameras, visual presenters and digital projectors is now easier than ever. Add one of NOVA's patented Visual Display Options to create the most comprehensive A/V lectern solution available.

## **Computer-based Training**

Computer-based Training products were designed with both the user and the network administrator in mind. With three distinct styles (workstations with Total Access<sup>TM</sup> modesties; workstations with iMod<sup>TM</sup> modesties; and tables with iMod<sup>TM</sup> modesties), these products are ideal for the classroom and training facility environments. The Total Access<sup>TM</sup> removable modesty, provides network professionals complete access to computer cables and wiring. The iMod<sup>TM</sup> is a unique built-in wire management compartment. With a removable modesty cover in laminate or metal, the iMod<sup>TM</sup> provides full access to the back of your computer hardware. Cables and wires for your computer's electrical and data requirements are neatly tucked inside the compartment. Both modesty options provide easy access, making networking a breeze. With every square foot of space so valuable, adding a Visual Display Option allows you to create flexible, multi-tasking learning centers. The Downview Technology or The Trolley<sup>TM</sup> Personal Monitor Arm System with Intelligent Motion Technology<sup>TM</sup> secures your flat panel monitor below your work surface, which is the ideal solution for any reconfigurable, space-constrained workspace.

#### **Tables**

Do you need flexible, lightweight solutions for your learning, training, or conference room environments? NOVA's Table solutions, ranging from nesting to conference tables, give you the tools and flexibility to create ideal configurations for any need. You'll discover an extensive list of diverse products that include a mix of laminate and metals to create the perfect design for all types of environments, from traditional to trendy.

## Library

From study carrels to bookshelves, the Library series offers an extensive array of products specifically selected for learning resources facilities. Add one of NOVA's patented Visual Display Options to study carrels or a circulation desk, and you've created a comprehensive, clutter-free work center. Choose from a number of options and styles to meet the specific needs of students, staff, faculty, and other library patrons.

#### Office

Our Office series demonstrate our commitment to offer quality laminate furniture layouts, with or without Visual Display Options. From entry level to the executive office, you can tailor your work space to fit your specific needs and budget. Select from a variety of suggested layouts and upgrades or create your own unique office environment.

## Retrofit

Wish you could add Visual Display Options to your existing furniture environment? Retrofits allow you to integrate the Downview or The Trolley™ technologies into your existing furniture. Productive, flexible, and secure working or learning environments are available to everyone.

## **Environmental Accountability**

NOVA Solutions takes our environmental accountability seriously with regards to our daily processes and products we produce. It is our corporate responsibility to our employees, customers, and community. We maintain the highest sensitivity and follow-through in preserving our natural resources today, and more importantly, for our future generations.

We have chosen suppliers that share this same commitment. Particleboard, the foundation of our furniture design, is manufactured from 100% recycled post-industrial materials. We ensure it is low formaldehyde emission particleboard, use water-based adhesives that are non-toxic in lamination, and band any exposed edges to seal the substrate.

To reduce materials in landfill sites, we integrate remaining cuttings into smaller products or packaging material. Our sawdust is recycled for use on local farms. We use recycled cardboard in all our packaging. NOVA also recycles cardboard, paper, plastics, steel, and aluminum. Even our Visual Display Options (Downview technology and The Trolley<sup>™</sup>) are completely recyclable.

NOVA continually evaluates all initiatives for improving our environmental accountability while providing the highest quality products to our customers.



3

## Product **Benefits**

## Integrated Furniture Features

## **Extensive Product Portfolio**

NOVA Solutions is proud to offer a diverse product portfolio in high-quality laminate, targeting markets that include office, education, training, hospitality, and health care. GSA and State Contracts allow government agencies to participate in NOVA's extensive offering. Architects and designers are critical contacts and liaisons for specifying "The Right Solutions<sup>TM</sup>" from NOVA's unique product portfolio.

## **Exceptional Quality**

Quality furniture shipped complete and on time is the standard of excellence required with customers to even be considered a viable offering. NOVA partners with quality suppliers that demand this same philosophy. NOVA's extensive investment in the latest state-of-the-art machining technology provides unlimited flexibility while insuring we exceed our promised fit and finish. Attention to detail at every level in the manufacturing process is a requirement. "Would I spend my money to buy that finished product?" is the final quality check.

## **Durable Construction**

Durability and strength are necessities for utmost value in quality furniture. Our durable thermofused laminate components provide that strength, coupled with our metal-to-metal hardware assembly. Added rigidity is integrated through framed and recessed back panels. Our first-class engineering ensures every product's design includes maximum durability and strength.

## Integrated Technology

Visual Display Options are now unique solutions that differentiate NOVA from every furniture manufacturer. The Trolley<sup>TM</sup> Personal Monitor Arm System with Intelligent Motion Technology<sup>TM</sup> is the latest addition to the family. The Trolley is a mainstream solution allowing you to view your flat panel display in its normal position. With the pull of the lever or push of a button, your monitor emerges from below the work surface. The Downview technology positions your flat panel display or CRT monitor below the work surface at the natural 34° reading angle. In our many of our series, we offer the Surface Mount Arm that allows you to secure your display in an upright position.

## **Quality Look**

Attention to detail integrated throughout our product portfolio creates a quality look. Overlapped drawer and door designs in our office solutions products ensure the proper fit for every function. Matching edge banding on all surfaces allows a seamless view that accentuates the product's clean lines. Our Computer-based Training Series gets high marks for providing a clear, crisp design that allows our Visual Display Options to blend in perfectly.

## **Multiple Selections**

NOVA Solutions' comprehensive product portfolio confirms your only limitation is your imagination. Impress others with a vast variety of components with multiple options that fit your every need — from the back room to the boardroom. Now you can maintain a consistent company image that matches your facility and its function. Make your furniture an essential element of your productive environment!

## Unlimited Flexibility

Throughout each product offering, unlimited flexibility gives you colors and shapes that can be mixed or matched to fit your style in any working or learning environment. Enjoy the freedom to create your own environment!

### **Customer Friendly**

The majority of NOVA Solutions' furniture is shipped assembled, ready-to-install in your working or learning environment. Those components that require some assembly are designed to fit together with simplicity and minimal effort.

# Raise your expectations.



1 Push the "up" button and 2 the display emerges from its self-contained housing beneath the work surface with all cables and cords neatly hidden. 3 A retractable, automatic access door closes around the base, providing a clean, uncluttered work space.



## The Trolley™ E-Class

This unique "Personal Monitor Arm System" (featured in the photos above) provides innovative security, privacy, and flexibility in any working or learning environment.



## **Downview Solutions**

Downward Gaze<sup>™</sup> technology options recess your computer screen beneath the work surface at a natural viewing angle. Solutions available for flat panel and CRT displays.

# **Audio/Visual Lecterns**







## Presenting a complete solution.

## **Audio/Visual Lecterns**

Modern designs provide a one-stop solution for integrating the latest technology into presentation lecterns.

- Accommodates latest A/V equipment
- Offers shelves and rack rail systems
- Some models available with Visual Display Options
- Hides wires and cables for a clutterfree look
- Heavy duty casters
- Removable modesty panel covers available in laminate or perforated metal
- Easy access to the back of equipment
- Provides security and prevents accidental damage to equipment

Computer-based Training









**Smart tools. Smart thinking.** 

## **Computer-based Training**

These products are uniquely suited for the following environments...

- K-12 Classrooms
- College & University Classrooms
- Technical Schools
- Private Training & Tutoring Companies
- Lecture Halls
- Testing Centers
- Corporate Training Rooms
- Government Training Facilities
- Government & Private Security Centers

9

- Libraries
- Computer Labs
- Common Areas & Lobbies
- Health care Facilities
- Correctional Institutions

**Tables** 







## The future of training.

## **Tables**

Flexibility is paramount in today's training environment. The ability to adapt to various presentation and learning styles is a snap with these reconfigurable options. From formal speeches to group discussions, our tables can be easily rearranged for any learning need.

- Visual Display Options available
- Nesting tables for easy storage
- Standard tables in a variety of shapes
- Up-to-date leg styles and modesty panels
- Ability to include iMod wire management compartment
- Six metal colors to choose from
- Sixteen work surface colors available

# <u>Library</u>







## **Learning Resources.**

## Library

Meeting the demands of today's technology requirements while providing a quiet, private place to study is a challenge for any learning resource facility. NOVA meets the challenges with innovative designs and technology that's ideal for the library environment.

- Visual Display Options available
- Unique study carrels designed for technology integration
- Variety of storage options available
- Flexible circulation desk layouts
- Innovations for easy networking
- Privacy enhanced designs for testing and independent study

**Office** 







**Smart Furniture. Smart Business.** 

## **Office**

Our Office series line is uniquely suited for the following environments and markets...

- Entry level offices
- Mid-level offices
- Executive offices
- Reception areas
- Commercial offices
- Education
- Training
- Health care
- Hospitality
- Home Office

# Retrofit







The right technology. Now.

## Retrofit

Retrofit kits are uniquely suited for the following environments...

- Reception Areas
- Customer Service Groups
- Hospitality Desks
- Kitchens
- Communication Centers
- Testing Centers
- Government & Private Security Centers
- Libraries
- Computer Labs
- Common Areas & Lobbies
- Health care Facilities
- Correctional Institutions
- Corporate Offices
- Home Offices

# Visual Display Options

## **Display Option**

## Features, Benefits and Options



## The Trolley™ E-Class Personal Monitor Arm Systems

- Available in all series
- Low voltage electrical motor to lift and lower monitor
- Intelligent Motion Technology<sup>™</sup> provides operational intuition
- Optional keyboard choices
- Suitable for most flat panel displays up to 21" diagonal or 20" widescreen
- Display submerges into desktop when not in use
- Tamper-guard security hardware

- Access door automatically opens and closes
- Provides vertical tilt adjustment in "up" position
- Ideal for secure environments
- Durable metal enclosure under desktop
- Available retrofit kit
- Flush mount trim ring available



## **Downview - Flat Panel Display**

- Available in all series except Tables
- Monitor size varies by Visual Display Option selected
- Places display at a natural viewing angle
- Saves valuable desktop space
- Tamper-guard security hardware

- Tinted, tempered glass viewport
- Protects valuable hardware
- Available retrofit kit
- Optional keyboard choices



## **Surface Mount - Flat Panel Display**

- Available in all series except Office
- Height and tilt adjustable
- Easily accommodates up to 24" diagonal wide screen monitor
- Provides added security and control in any environment
- Secures flat panel to desk to protect valuable hardware
- Optional keyboard choices

## **Dimensions & Tolerances**

## Keyboard Options See next page for keyboard details and other Essential Accessories

- Minimum work surface depth: 24"
- Minimum knee space width: 25"
- E-Class Work surface footprint: 24.5"W x 8.5"D
- Monitor, viewport and keyboard sizes vary by Series. For specifications, refer to Visual Display Options in each selected Series.



NOVA Keyboard Tray 22" to 34" Widths

Dual Mount Adjustable Keyboard Tray is not available with this Visual Display Option



Center Mount Articulating Keyboard Mechanism and Tray 28" to 34" Widths

- Minimum work surface depth: 24"
- Viewport and monitor sizes vary by Series. For specifications, refer to Visual Display Options in each selected Series.



NOVA Keyboard Tray 22" to 34" Widths



Dual-Mount Adjustable Keyboard Tray 24" to 34" Widths

Center Mount Articulating Keyboard Mechanism and Tray is not available with this Visual Display Option

- Minimum work surface depth: 18"
- Monitor sizes vary by Series. For specifications, refer to Visual Display Options in each selected Series.



NOVA Keyboard Tray 22" to 34" Widths

Dual Mount Adjustable Keyboard Tray is not available with this Visual Display Option



Center Mount Articulating Keyboard Mechanism and Tray 28" to 34" Widths

# Essential Accessories



## Center Mount Articulating Retractable Keyboard Mechanism & Tray

Features lift and lock arm and easy guide track. Swivels, tilts, and tucks neatly under work surface. Tray is black, matte finish plastic with room for a mouse.

VO 01/4 000001/VI	00" 4000
AC-CK102802KM	28"\$283
AC-CK103002KM	30"\$283
AC-CK103402KM	34"\$283



## **Organizer Drawer - Large** *Keep small supplies*

organized with this handy drawer. Attaches to underside of work surface.

19" D x 23.5" W x 2.5 H"

AC-ODL17243.....\$125



## **NOVA Keyboard Tray**

Tucks neatly away under the work surface. Five locking positions. Tray is black, matte finish plastic.

AC-NK102022	22"W	\$168
AC-NK102024	24"W	\$168
AC-NK102027	27"W	\$168
AC-NK102028	28"W	\$168
AC-NK102030	30"W	\$168
AC-NK102033	33"W	\$168
AC-NK102034	34"W	\$168



## Organizer Drawer - Small

Smaller, smart design keeps office supplies within easy reach. Attaches to underside of work surface.

16.5" D x 22.5" W x 2.5" H

AC-ODS17203.....\$115



## Dual-Mount Adjustable Retractable Keyboard Tray

Tucks neatly under the work surface. Tray is black, matte finish plastic with room for a mouse. 7½" of height adjustment, and +/-15° of tilt adjustment.

AC-AK102424	24"W\$362
AC-AK102427	27"W\$362
AC-AK102428	28"W\$362
AC-AK102432	32"W\$362
AC-AK102433	33"W\$362
AC-AK102434	34"W\$362



## **Organizer Tray**

Black plastic tray fits into standard sized box drawer. Provides ample space for small office supplies. Tray can be removed or slid out of the way for access to the bottom of the drawer.

12.75" W x 6" D x 1" H

AC-OTB61.....\$27



## **Rotating Organizer Tray - Small**

Black plastic rotating tray mounts to underside of any work surface. Includes space for 2" x 3" note pad, pencils, and other small items.

7.5" D x 8.5" W x 1" H

AC-ROTS891.....\$3



## **Rotating Organizer Tray - Large**

Black plastic rotating tray mounts to underside of any work surface. Plenty of room for note pads, pencils, and other small items. Built-in tape dispenser.

8.25" D x 13.25" W x 2" H

AC-ROTL8132.....\$32

**Please Note:** All items on this page must be **Field** installed.



## **Rectangular Wire Grommet**

Black plastic grommet cover is removable for easy wire management.

1 7/8" D x 3 1/4" W x 1 1/4" H (cutout dimensions)

## If Installed (available for work surface only):

Please provide sketch to indicate placement location WG1080.....\$61

If Sold Separately (not part of base model):

AC-WG1080.....\$31



#### Data Port

Fits in standard NOVA grommet cut-out. One grounded receptacle w/10' cord, two RJ45 data and phone ports. Surge suppression.

1 3/4" D x 3 1/8" W x 3" H

## If Installed (available for work surface only):

Please provide sketch to indicate placement location 11205DP ......\$147

If Sold Separately (not part of base model):

AC-11205DP.....\$147



#### **Round Wire Grommet**

Black plastic grommet cover can be swiveled shut if not in use. 2.75" Diameter x 1" H

If Installed (available for work surface only):

Please provide sketch to indicate placement location RWG01.....\$72

If Sold Separately (not part of base model):

AC-RWG01.....\$36



### **Data Port with USB Ports**

Two grounded receptacles w/10' cord. One RJ45 data and phone port. Two USB-A ports (Not to be used as a hub; Can use one port at a time). Two USB-B ports. Surge suppression.

2 1/4" D x 5 1/2" W x 3" H



## If Installed (available for work surface only):

Please provide sketch to indicate placement location 11215DP .....\$184

If Sold Separately (not part of base model):

AC-11215DP.....\$184



## **Star Cut Wire Grommet**

Black plastic grommet with star cut opening allows more cords and cables to pass through. 2.75" Diameter x 1" H

If Installed (available for work surface only):

Please provide sketch to indicate placement location RWGSC.....\$72

If Sold Separately (not part of base model):

AC-RWGSC.....\$36



#### Round Power/Data Port

Unit can be rotated to hide or reveal power and data access. Three grounded power outlets, 15A/125V/60Hz/1875 Housing, fire retardant ABS housing, 2 – Cat 5 Ethernet ports, 8ft power cord.

4 3/8" round. (4.21" hole cutout dimension)



## If Installed (available for work surface only):

Please provide sketch to indicate placement location 11210RDP .....\$220

If Sold Separately (not part of base model): AC-11210RDP.....\$220



## **Double Wire Grommet**

Black plastic grommet covers can be swiveled shut if not in use. 2.75" D x 4.5" W x 1" H

## If Installed (available for work surface only):

Please provide sketch to indicate placement location DWG02.....\$82

If Sold Separately (not part of base model)

AC-DWG02.....\$41

## Essential Accessories (continued)



#### **Power Strip**

Ten foot power cord with 35" switch cord length. Six outlets total. Two outlets are "always on." UL listed. Please verify your local codes before making electrical connections.

AC-PS1125.....\$89



#### **Adjustable CPU Holder**

Mounts to underside of work surface. Fits most CPUs up to 18" H. Width adjusts to fit CPUs from 4.25" to 7.5" W.

AC-ACPU1.....\$168



## Wire Management

Black plastic self-adhesive wire channel keeps all cords and cables under control. Position wherever cable management is needed.

98.5" x 1.5" x 1.5"

AC-WM68.....\$58



## **Lockable Laptop Drawer with Tilt**

Features negative tilt up to 10 degrees, 21" track assembly, and lockable drawer front. Fits most laptops no larger than 14"D x 19 5/8"W x 2"H. Color: Black only.

Outside Dimensions: 21 1/2" D x 22 7/8" W x 3 1/2" H

AC-LTLD.....\$565



## **USB Port Extension**

Features one USB port with living hinged cover. Fits into designated opening on top of Trolley E-Class housing. Six foot cord plugs into USB port in CPU.

2.5" x 1" x 1"

AC-USB01.....\$53



## **Task Light & Connector Cord**

16 Watt, T4 fluorescent bulb produces warm, 3000K, white light. Ten foot power cord.

3 5/16" D x 19 1/2" W x 1 7/8" H

AC-TL1220BLACK......\$122

Connector cord
AC-FC891 (12" long).....\$10

AC-FC892 (24" long)......\$11 AC-FC893 (48" long).....\$13



## Wrist Rest for NOVA Keyboard Tray

Specially designed foam wrist rest fits snugly on the edge of NOVA's standard keyboard to provide support and comfort while using the computer.

AC-3027 (27" W).....\$46 AC-3033 (33" W).....\$50


Please Note: All items on pages 22 and 23 are Field installed.



#### Flat Panel Arm

Clamps securely to the edge of most work surfaces or fits in corner grommet hole. Fits most flat panel displays up to 9 lbs. VESA plate adapter included.

4" W x 4" D x 20" H



## **Flat Panel Adapter**

Allows NOVA CRT desks to accommodate flat panel displays and still use NOVA's downview technology.

For 18" x 18" or 18" x 21" viewports AC-FA4018\$3	86
For 21" x 21" viewports AC-FA4021\$3	86



## **Extended VESA Plate Adapter**

For flat panel displays with off-center VESA mount locations, an Extended VESA Plate Adapter is required for use with NOVA Visual Display Options

3 3/4" W x 6 1/8" H

AC-VESA	\$37



## Visor

Black plastic visor can be used with NOVA's downview technology when unusual lighting conditions are present.

12" D x 21" W x 6 1/4" H (for 18x18 or 18x21 Viewport)
AC-1060\$62
12" D x 24" W x 6 1/4" H (for 21x21 or 21x24 Viewport)
AC-1062 \$69



## **Wire Hutch Dividers**

Keep things organized with these wire dividers designed for your overhead storage hutch. Set of six. Note: Hutches come with one set of dividers included.

Wire hutch dividers for Office Solutions only.

AC-1100.....\$47



## **Tackboards**

NOVA tackboards come in a variety of colors and sizes to fit under any size hutch we offer.

See the end of each product section for specific sizes.

See the inside back cover of this catalog for fabric color selections.



## **Replacement Viewport Glass**

For furniture that incorporates the Downview Visual Display option — replacement for damaged or broken viewport glass.

AC-SG	10701621	V (16"D x 21"	W)	. \$79
AC-SG	10721821	V (18"D x 21"	W)	\$79
			N)	
AC-SG	10721821	(21"D x 18"\	N)	. \$79
AC-SG	10712121	(21"D x 21"\	N)	. \$87
AC-SG	10732124	(24"D x 21"\	N)	. \$91

For series specific accessories, please refer to the back of each product section

# Product Comparison

	Audio/Visual Lecterns	Computer-based Training	Tables
	Lecterns	Workstations & Tables	Tables
Characteristics:	Standing, seated and adjustable-height lecterns for all presentation environments. Features such as rack rails, pull-out shelves for digital presenters, flip-up shelves for peripherals and other options available.	Variety of desks and tables integrating patented technology for learning and working environments, students and instructors ADA compliant desks available	Variety of economical table solutions to provide greatest flexibility and planning, with the bonus of placing ingenious technology where you need it. Offering easily fits multiple markets with the only limitation your imagination.
Technology:	Trolley E-Class for flat panel display Downview for flat panel display Surface mount arm for flat panel display	Trolley E-Class for flat panel display Downview for flat panel display Surface mount arm for flat panel display	Trolley E-Class for flat panel display Surface mount arm for flat panel display
Tops: Thickness Laminate Thickness of PVC	1-1/8" (30mm) Thermofused melamine 1/16" (2mm) on front & back (2mm) 1/32" (0.5mm) on sides	1-1/8" (30mm) Thermofused melamine or postform high pressure laminate Tables: 1/16" (2mm); Workstations: 1/16" (2mm) on front & back, 1/32" (0.5mm) on sides	1-1/8" (30mm) Thermofused melamine 1/16" (2mm) on front & back (2mm) 1/32" (0.5mm) on sides
Doors & Drawers:	155° hinges 1/16" (2mm) edge banding around all doors & drawers	125° hinges 1/16" (2mm) edge banding around all doors & drawers	N/A
Standard colors:	7 woodgrains, 7 patterns, 6 solids	7 woodgrains, 7 patterns, 6 solids	7 woodgrains, 7 patterns, 6 solids
Door & drawer pull colors:	Stainless Steel Nickel Chrome Matt Chrome Polished Black Black Matt	N/A	N/A
Modesty panels:	Thermofused laminate (base colors only) or perforated metal modesty with removable panel(s) for access to computer cabling, wire management channel, and power strip	Thermofused laminate Total Access removable modesty (base colors only) or perforated metal or laminate iMod modesty with removable panel(s) for access to computer cabling, wire management channel, and power strip	Thermofused laminate (base colors only) or perforated metal modesty; Thermofused laminate (base colors only) or perforated metal iMod modesty with removable panel(s) for access to computer cabling, wire management channel, and power strip
Load capacity:	Box drawers: 75 lbs. full extension File drawers: 75 lbs. full extension Lateral file drawers: 150 lbs. full ext. Drawer construction black finish	N/A	N/A
Unassembled items:	LD	N/A	Entire line
Grommets:	Option only, except where specified	Option only	Option only
Locking:	Locks on all units	On all CPU storage doors	N/A
General features:		<ul> <li>All panels are laminate finished on both sides (except worksurfaces) and constructed with mar-resistant high-performance laminate (45 lbs/ft3) and PVC edgebanding (thermo- fused melamine)</li> </ul>	Line consists of  Nesting tables  Technology-ready tables  Table components  Visual display options
		All levelers allow up to a 3/4" height adjustment.     File drawers are mounted on full extension, ball bearing suspensions. Drawer construction is black finish.	Color selections for metal base legs Polished black Polished silver Slate Sage Ocean Watermelon

#### Library **Office** Office Layouts & Storage Carrels & Storage Hundreds of components to fit any need. Four models of steel handles in 6 colors. Round steel legs available. Study carrels, circulation desks, shelving and storage are featured. Optional edge Thick top surfaces available with flat edge banding. Reeded and transitional edge banding detail upgrades offered. available in all woodgrain colors. Trolley E-Class for flat panel display Downview for flat panel display Trolley E-Class for flat panel display Downview for flat panel display Surface mount arm for flat panel display 1-1/2" (40mm) Thermofused melamine 1-1/2" (40mm) Thermofused melamine 1-1/8" (30mm) Thermofused melamine 1-1/8" (30mm) Thermofused melamine 1/16" (2mm) 1/16" (2mm) 1/8" (3mm) 1/8" (3mm) 155° hinges 155° hinges 1/16" (2mm) edge banding around all 1/16" (2mm) edge banding around all doors & drawers doors & drawers 7 woodgrains, 7 patterns, 6 solids 7 woodgrains, 7 patterns, 6 solids Reeded and transitional edge banding in all Reeded and transitional edge banding in all woodgrain colors. woodgrain colors. Stainless Steel Stainless Steel Nickel Nickel Chrome Matt Chrome Matt Chrome Polished Chrome Polished Black Black Black Matt Black Matt Recessed -- full height Recessed -- full height or 3/4 height (optional) Vertical grain on all woodgrain modesty. 1/2" clearance from floor on FC, FS, CD with full-height modesty. Vertical grain on all woodgrain modesty. Box drawers: 75 lbs. full extension Box drawers: 75 lbs. full extension File drawers: 75 lbs. full extension File drawers: 75 lbs. full extension Lateral file drawers: 150 lbs. full ext. Lateral file drawers: 150 lbs. full ext. Drawer construction black finish Drawer construction black finish SC, DC, SH, CB, CC, CR, CT, RT HA, HB, HC, HD, HE, HP, HR, HT, D- and P-tables, CD, FS, FC, BG, tables, lecterns Option only, except where specified Executive return and surfaces BG, DN, DF, PN, PF, CD, EC, FC, FS, Reception (work surface only) Locks on all storage units Locks on all units except for hutches (locks on hutches optional), storage units without pedestals or files. All panels are laminate finished on both sides (except worksurfaces) and constructed with mar-resistant high-performance laminate (45 lbs/ft3) and PVC edgebanding • All levelers allow up to a 3/4" height adjustment. Full width wire access under hutches, and

grommets wherever optional lighting units to be installed

pedestals, cabinets, mobile pedestals and lateral files.

Drawer construction is black finish.

of assembly and reconfiguration.

· File drawers are mounted on full extension, ball bearing suspensions.

• Hutch clearances from 17" to 23", depending on the model. Standard lock on hanging file


• All knock-down (KD) furniture have metal to metal fittings to maintain product integrity and ease

· Aluminum framed hutch doors with frosted glass inserts available, call Customer Support for quote.

• All modesty panels are recessed 8" on 36" deep desks and 6" on 30" deep desks.

www.novadesk.com 25

# Audio/Visual Lecterns With Laminate Modesty



## **How To Order**

1. Select model number

Ex: 67-LS263041LM (Lectern 26x30x41 with pullout shelf and laminate modesty)

2. Select laminate base and work surface color (see page 96)

Ex: 008 C24 work surface

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

#### **OPTIONS**

4. Upgrade to Postform work surface edge detail

Add P to the end of the model number and add 20% to List Price

5. Select visual display options (see page 35)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

## Visual Display Options To order, see page 35

## The Trolley™ Personal Monitor Arm System

Maximum dimensions for flat panel display-

E-Class: 234" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H) NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

### **Downview - Flat Panel Display**

Maximum dimensions for flat panel display-

18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H)

21x21 viewport: 201/8"W x 19" H (511mm W x 483mm H)

16x21 widescreen viewport: 19½"W x 12½" H (495mm W x 318mm H)

18x21 widescreen viewport: 201/8"W x 141/2"H (511mm W x 368mm H)

## Surface Mount Flat Panel Display

Maximum weight for flat panel display: 21 lbs.

Maximum dimensions for flat panel display: Up to 24" diagonal wide screen

## **Model Number Structure**

67-LS263041LM

Series

66 - Lectern, No pull-out shelf 67 - Lectern

Type DP - Desktop lectern LC - Lectern with curved top

LS

LD - Lectern w/ D-ton

with pull-out shelf LP - Lectern with privacy sides LS - Lectern with squared top

LM Size

**Modesty Combination** 

LC - Laminate modesty panels & CPU shelf

LD - Laminate modesty panels & CPU compartment with door

LL - Laminate modesty; D-top left LM - Laminate modesty panels

LR - Laminate modesty; D-top right

LX - Laminate modesty; No CPU shelf

## Work Surface Edge Detail & Thickness

Add 20% to list price for Post-form edge detail.



**Optional** 

Postform (high pressure) edge (P) 1-1/8" thick



## **Grommets**

Standard grommets are rectangular black plastic.

## Door/Drawer Pull Style and Finish



Cup / Black Matt (CB) Cup / Stainless Steel (CS) Cup / Chrome Polished (CP)

Wave / Nickel (WN) Wave / Black (WB)



Steel / Black (SB) Steel / Chrome Matt (SM) Steel / Chrome Polished (SP)



Modern / Chrome Matt (MC) Modern / Black Matt (MB)

#### To order, specify:

2. Colors for base and work surface

- 1. Model number.
- 5. Optional Select visual display options
- 6. Optional Select essential accessory options

## Visual Display Options (Not available on all units, as noted):

- The Trolley™ E-Class Downview - Flat Panel Display
- Surface Mount Arm



#### 3. Door/Drawer Pull Style and Finish 4. Optional-Upgrade to Postform work surface edge detail

## Lecterns with Pull-out Shelf

Locking pull-out shelf for digital presenter on right side. Locking rear access panels. Locking front access panel for digital presenter. Power strip. Casters. Locking doors. Wire access grommets.

### **Storage Dimensions:**

30" W Unit: Left compartment - 19 ¼" W. Right compartment - 8 5/8" W
36" W Unit: Left compartment - 14 5/8" W. Right compartment - 19 ¼" W
42" W Unit: Left compartment - 19 ¼" W. Right compartment - 19 ¼" W
48" W Unit: Left compartment - 25 ¾" W. Right compartment - 19 ¼" W

## Suggested Keyboard Width:

30" W Unit: 28" 42" W Unit: 28" 36" W Unit: 34" 48" W Unit: 28"

#### **Pull-out shelf Interior Dimensions:**

26" D Lecterns: 16-¼" D x 20-3/8" W x 7-¾" H 30" D Lecterns: 22-¼" D x 20-3/8" W x 7-¾" H




\$3,930

## Only 48" W lecterns can accommodate Visual Display Options

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Lectern	10 RU rack rails.			
	26 x 30 x 41	19.8 / 385	67-LS263041LM	\$3,128
	26 x 36 x 41	23.4 / 399	67-LS263641LM	\$3,225
	30 x 30 x 41	22.6 / 382	67-LS303041LM	\$3,323
30" W, 36" W & 42" W	30 x 36 x 41	26.8 / 414	67-LS303641LM	\$3,419
Lectern				
	20 RU rack rails.			
	26 x 42 x 41	27.1 / 437	67-LS264241LM	\$3,271
	26 x 48 x 41	30.8 / 484	67-LS264841LM	\$3,372
	30 x 42 x 41	31.0 / 456	67-LS304241LM	\$3,472
48"W Lectern	30 x 48 x 41	35.2 / 508	67-LS304841LM	\$3,572
	$\geq$			

## Only 48"/54" W lecterns can accommodate Visual Display Options

	DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
Lectern with curved	10 RU rack rails.			
top & bottom	26 x 30/36* x 41	23.4 / 371	67-LC263641LM	\$3,486
	26 x 36/42* x 41	27.1 / 400	67-LC264241LM	\$3,583
	30 x 30/36* x 41	26.8 / 383	67-LC303641LM	\$3,681
	30 x 36/42* x 41	31.0 / 415	67-LC304241LM	\$3,777
	*Chassis width /	Top width		
00/00/114				
30/36"W, 36/42"W,				
42/48" W Lectern				




20 KU rack rails.			
26 x 42/48* x 41	30.8 / 437	67-LC264841LM	\$3,629
26 x 48/54* x 41	34.5 / 483	67-LC265441LM	\$3,730
30 x 42/48* x 41	35.2 / 456	67-LC304841LM	\$3,830


67-LC305441LM

\*Chassis width / Top width

## Lectern with privacy sides



10 RU rack rails.			
26 x 30 x 43	20.8 / 389	67-LP263043LM	\$3,247
26 x 36 x 43	24.7 / 403	67-LP263643LM	\$3,345
30 x 30 x 43	23.8 / 386	67-LP303043LM	\$3,442
30 x 36 x 43	28.2 / 418	67-LP303643LM	\$3,538





## **How To Order**

1. Select model number

Ex: 67-LS263041LM (Lectern 26x30x41 with pullout shelf and laminate modesty)

2. Select laminate base and work surface color (see page 96)

Ex: 008 C24 Worksurface

3. Select door/drawer pull style and finish

Ex: CB (Cup pull with Black Matte finish)

4. Upgrade to Postform work surface edge detail

Add P to the end of the model number and add 20% to List Price

5. Select visual display options (see page 35)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

## Lecterns

**Available with all Visual Display Options** 

Locking rear access panels. Power strip. Casters. Locking doors. Wire access grommets.

#### **Storage Dimensions:**

30" W Unit: Left compartment - 19 1/4" W. Right compartment - 8 5/8" W 36" W Unit: Left compartment - 14 5/8" W. Right compartment - 19 ¼" W 42" W Unit: Left compartment - 19 ¼" W. Right compartment - 19 ¼" W 48" W Unit: Left compartment - 25 ¾" W. Right compartment - 19 ¼" W

#### Suggested Keyboard Width:

30" W Unit: 28" / 36" W Unit: 34" / 42" W Unit: 28" / 48" W Unit: 28"

Lectern	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
	14 RU rack rails.			
	26 x 30 x 41	19.8 / 375	66-LS263041LM	\$2,730
	26 x 36 x 41	23.4 / 389	66-LS263641LM	\$2,827
	30 x 30 x 41	22.6 / 372	66-LS303041LM	\$2,925
30", 36", & 42" W Lectern	30 x 36 x 41	26.8 / 404	66-LS303641LM	\$3,021
	28 RU rack rails.			
	26 x 42 x 41	27.1 / 427	66-LS264241LM	\$2,873
	26 x 48 x 41	30.8 / 474	66-LS264841LM	\$2,974
	30 x 42 x 41	31.0 / 446	66-LS304241LM	\$3,074
	30 x 48 x 41	35.2 / 498	66-LS304841LM	\$3,174
48" W Lectern				

Lectern with	14 RU rack rails.			
privacy sides	26 x 30 x 43	20.8 / 379	66-LP263043LM	\$2,849
	26 x 36 x 43	24.7 / 393	66-LP263643LM	\$2,947
	30 x 30 x 43	23.8 / 376	66-LP303043LM	\$3,044
	30 x 36 x 43	28.2 / 408	66-LP303643LM	\$3,140
30", 36", & 42" W	28 RU rack rails.			
Lectern	26 x 42 x 43	28.6 / 431	66-LP264243LM	\$2,993
	26 x 48 x 43	32.5 / 478	66-LP264843LM	\$3,093
	30 x 42 x 43	32.6 / 450	66-LP304243LM	\$3,194
48" W	30 x 48 x 43	37.1 / 502	66-LP304843LM	\$3,293

## Lectern with curved top &



DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
14 RU rack rails.			
26 x 30/36* x 41	23.4 / 381	66-LC263641LM	\$3,088
26 x 36/42* x 41	27.1 / 395	66-LC264241LM	\$3,185
30 x 30/36* x 41	26.8 / 378	66-LC303641LM	\$3,283
30 x 36/42* x 41	31.0 / 410	66-LC304241LM	\$3,379
+01 1 1111 /-			

\*Chassis width / Top width

28 RU rack rails.			
26 x 42/48* x 41	30.8 / 433	66-LC264841LM	\$3,232
26 x 48/54* x 41	34.5 / 480	66-LC265441LM	\$3,332
30 x 42/48* x 41	35.2 / 452	66-LC304841LM	\$3,433
30 x 48/54* x 41	39.5 / 504	66-LC305441LM	\$3,532

Chassis width / Top width

## Seated Height Lecterns


**Available with all Visual Display Options** 

iMod modesty. Rear access panels. Wire management and power strip. Locking doors. 14 RU rack rails in far right compartment: 19 1/4" W. Suggested keyboard width: 30'

#### **Square Top**

48/54" W

Lectern





26 x 521/4 x 30	28.0 / 217	66-LS265230LX	\$1,259
30 x 521/4 x 30	32.0 / 229	66-LS305230LX	\$1,328

### CPU shelf. CPU storage width: 81/2"



26 x 52¼ x 30 28.0 / 236 66-LS265230LC \$1,332 30 x 521/4 x 30 32.0 / 248 66-LS305230LC \$1,401





26 x 601/4 x 30 32.2 / 255 66-LS266030LD \$1,561 30 x 601/4 x 30 36.8 / 267 66-LS306030LD \$1,630

l ecteri

#### To order, specify:

- 1. Model number.
- 2. Colors for base and work surface
- 3. Door/Drawer Pull Style and Finish
- 4. Optional-Upgrade to Postform work surface edge detail

## Sit-Stand Lecterns

#### **Available with all Visual Display Options**


iMod modesty. Rear access panels. Wire management and power strip. Locking doors. 14 RU rack rails in far right compartment: 19 1/4" W. Suggested keyboard width: 30"

DvWvH/in) ft3/lhe



Electrically adjustable unit from 30" base height with 11.8" travel. Rocker switch, internal limit switches and thermal overload protection. ADA compliant. System lift capacity up to 750 lbs.

Square Top
------------




D X VV X II (III.)	It / IDS	Model	LIST FILLS
26 x 581/4 x 30	30.6 / 255	66-SS265730LX	\$3,876
30 x 58¼ x 30	35.0 / 267	66-SS305730LX	\$3,946

5. Optional - Select visual display options

6. Optional - Select essential accessory options


CPU shelf. CPU storage width: 101/2"

26 x 581/4 x 30	30.6 / 274	66-SS265730LC	\$3,950
30 x 581/4 x 30	35.0 / 286	66-SS305730LC	\$4,019





66-SS266530LD \$4.178 66-SS306530LD \$4,247



## --- Lecterns with D-top workstation


D-top available with E-class Trolley, \*FPA1621NK and Surface Mount Arm

Power strip. Locking rear access panels. 1 adjustable shelf. 1 fixed shelf. Locking door. 16 RU rack rails. Storage Dimensions: 19 1/4" W Suggested keyboard width: 34"

Lectern with D-top work station on right

Lectern: 21" D x 21" W x 48" H. Work surface height: (User side) 41-1/8". D-top: 21" D x 39" W x 34" H.

66-LD215748LR \$1,499 21 x 60½ x 50 39.3 / 211



\*FPA1621NK Flat Panel Arm will be mounted to modesty panel.

Visual Display Options (Not available on all units, as noted):

- The Trolley™ E-Class
- Downview Flat Panel Display
- Surface Mount Arm

DxWxH(in.) ft3 / lbs **List Price** 

Lectern with D-top work station on left

Lectern: 21" D x 21" W x 48" H. Work surface height: (User side) 41-1/8". D-top: 21" D x 39" W x 34" H.

21 x 60½ x 50 39.3 / 211 66-LD215748LL \$1,499



\*FPA1621NK Flat Panel Arm will be mounted to modesty panel.

## Miscellaneous

### Lectern with angled top

1 fixed shelf. 18 x 18 x 44 66-LS181844LM 10.7 / 86 21 x 24 x 44 16.0 / 86

66-LS212444LM

\$566

\$870



NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

Lectern with angled top and privacy sides

1 fixed shelf.

18 x 18 x 44 10.7 / 86 66-LP181844LM \$566 21 x 24 x 44 16.0 / 86 66-LP212444LM \$870

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

## Mobile cart

1 adjustable interior shelf. 1 fixed shelf. 2 casters. Power strip. Locking door. 16 RU rack rails. Storage dimensions: 19 3/4" W

24 x 21 x 36 13.2 / 86

66-LC242136LM \$1,140

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

Mobile cart with raised sides

1 adjustable interior shelf. 1 fixed shelf. 2 casters. Power strip. Locking door. 16 RU rack rails. Storage dimensions: 19 3/4" W

24 x 21 x 38 13.9 / 86

66-LC242138LM \$1,191

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

**Desktop lectern** 

Freestanding. Available in base color only. 17 x 24 x 17 5.5 / 37

66-DP172417

\$273

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

## dio/Visual Lecterns With Perforated Metal Modestv



## **How To Order**

1. Select model number

Ex: 67-LS263041MM (Lectern 26x30x41 with pullout shelf and perforated metal modesty)

2. Select laminate base and work surface color (see page 96) Select metal color for perforated metal modesty

Ex: 008

C24 PSL Metal mod

3. Select door/drawer pull style and finish

Ex: CB (Cup pull with Black Matte finish)

4. Upgrade to Postform work surface edge detail

Add P to the end of the model number and add 20% to List Price

5. Select visual display options (see page 35)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

## Visual Display Options To order, see page 35

## The Trolley™ Personal Monitor Arm System

Maximum dimensions for flat panel display-

E-Class: 234" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H) NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

## **Downview - Flat Panel Display**

Maximum dimensions for flat panel display-

18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H)

21x21 viewport: 201/8"W x 19" H (511mm W x 483mm H)

16x21 widescreen viewport: 19½"W x 12½" H (495mm W x 318mm H)

18x21 widescreen viewport: 201/8"W x 141/2"H (511mm W x 368mm H)

### Surface Mount Flat Panel Display

Maximum weight for flat panel display: 21 lbs.

Maximum dimensions for flat panel display: Up to 24" diagonal wide screen

## Model Number Structure

67-LS263041MM

67 Series

66 - Lectern, No pull-out shelf 67 - Lectern

LS

Type

DxWxH

DP - Desktop lectern LC - Lectern with curved top ID - Lectern w/ D-ton

with pull-out shelf LP - Lectern with privacy sides LS - Lectern with squared top

263041

**Modesty Combination** MC - Metal modesty & CPU shelf

MM

MD - Metal modesty & CPU compartment with door ML - Metal modesty; D-top left

MM - Metal modesty panels MR - Metal modesty; D-top right

MX - Metal modesty; No CPU shelf

## Work Surface Edge Detail & Thickness

Add 20% to list price for Post-form edge detail.

**Standard** Flat PVC edge 2mm



**Optional** 

Postform (high pressure) edge (P) 1-1/8" thick



## **Grommets**

Standard grommets are rectangular black plastic.

## Door/Drawer Pull Style and Finish



Cup / Black Matt (CB) Cup / Stainless Steel (CS) Cup / Chrome Polished (CP)

Wave / Nickel (WN) Wave / Black (WB)



Steel / Black (SB) Steel / Chrome Matt (SM) Steel / Chrome Polished (SP)



Modern / Chrome Matt (MC) Modern / Black Matt (MB)

#### To order, specify:

1. Model number.

- 5. Optional Select visual display options
- 2. Colors for base and work surface, and metal modesty 6. Optional Select essential accessory options
- 3. Door/Drawer Pull Style and Finish
- 4. Optional-Upgrade to Postform work surface edge detail

#### Visual Display Options (Not available on all units, as noted):

The Trolley™ E-Class

Downview - Flat Panel Display

Surface Mount Arm



## Lecterns with Pull-out Shelf

Locking pull-out shelf for digital presenter on right side. Locking rear access panels. Locking front access panel for digital presenter. Power strip. Casters. Locking doors. Wire access grommets.

### **Storage Dimensions:**

\$\text{Storage Dimensions:}\$
30" W Unit: Left compartment - 19 1/4" W. Right compartment - 8 5/8" W
36" W Unit: Left compartment - 14 5/8" W. Right compartment - 19 1/4" W
42" W Unit: Left compartment - 19 1/4" W. Right compartment - 19 1/4" W
48" W Unit: Left compartment - 25 3/4" W. Right compartment - 19 1/4" W

Suggested Keyboard Width: 30" W Unit: 28" 42" W Unit: 28" 36" W Unit: 34" 48" W Unit: 28"


### **Pull-out shelf Interior Dimensions:**

26" D Lecterns: 16-¼" D x 20-3/8" W x 7-¾" H 30" D Lecterns: 22-¼" D x 20-3/8" W x 7-¾" H




## Only 48" W lecterns can accommodate Visual Display Options

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Lectern	10 RU rack rails.			
	26 x 30 x 41	22.3 / 385	67-LS263041MM	\$3,746
	26 x 36 x 41	26.5 / 399	67-LS263641MM	\$3,862
	00 00 11	05 5 1000		40.000



I rack rails.		
30 x 41 22.3 / 385	67-LS263041MM	\$3,746
36 x 41 26.5 / 399	67-LS263641MM	\$3,862
30 x 41 25.5 / 382	67-LS303041MM	\$3,978
36 x 41 30.3 / 414	67-LS303641MM	\$4,094



20 RU rack rails.			
26 x 42 x 41	30.7 / 437	67-LS264241MM	\$3,917
26 x 48 x 41	34.9 / 484	67-LS264841MM	\$4,037
30 x 42 x 41	35.1 / 456	67-LS304241MM	\$4,157
30 x 48 x 41	39.9 / 508	67-LS304841MM	\$4,277

# Lectern with

30 x 36 x 43

privacy sides


30" W, 36" W 42" W Lecten

	10 RU rack rails.			
	26 x 30 x 43	23.4 / 389	67-LP263043MM	\$3,888
$\triangleright$	26 x 36 x 43	27.8 / 403	67-LP263643MM	\$4,004
ľ	30 x 30 x 43	26.7 / 386	67-LP303043MM	\$4.120

67-LP303643MM

\$4,237

31.7 / 418



20 RU rack rails.			
26 x 42 x 43	32.1 / 441	67-LP264243MM	\$4,060
26 x 48 x 43	36.5 / 488	67-LP264843MM	\$4,180
30 x 42 x 43	36.7 / 460	67-LP304243MM	\$4,299
30 x 48 x 43	41.7 / 512	67-LP304843MM	\$4,420

## Only 48"/54" W lecterns can accommodate Visual Display Options

	DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
Lectern with curved	10 RU rack rails.			
top & bottom	26 x 30/36* x 41	26.5 / 371	67-LC263641MM	\$4,174
	26 x 36/42* x 41	30.7 / 400	67-LC264241MM	\$4,290
	30 x 30/36* x 41		67-LC303641MM	\$4,406
	30 x 36/42* x 41	35.1 / 415	67-LC304241MM	\$4,522
	*Chassis width /	Top width		
	Onassis widin /	TOP WIGHT		
10/36"W.				
36/42"W,				
8 2/48" W				
2/48 W Lectern				
	20 RU rack rails.			
	26 x 42/48* x 41	34.9 / 437	67-LC264841MM	\$4,346
	26 x 48/54* x 41	39.1 / 483	67-LC265441MM	\$4,466
	30 x 42/48* x 41	39.9 / 456	67-LC304841MM	\$4,585
•	30 x 48/54* x 41	44.6 / 507	67-LC305441MM	\$4,706
	*Chaesie width /	Top width		



30 x 48/54* x 41	44.6 / 50/	
Chassis width / 1	Top width	

# Audio/Visual Lecterns With Perforated Metal Modesty



## **How To Order**

1. Select model number

Ex: 67-LS263041MM (Lectern 26x30x41 with pullout shelf and perforated metal modesty)

2. Select laminate base and work surface color (see page 96) Select metal color for perforated metal modesty

Ex: 008 Base C24 PSL Metal mod

3. Select door/drawer pull style and finish

Ex: CB (Cup pull with Black Matte finish)

#### **OPTIONS**

4. Upgrade to Postform work surface edge detail

Add P to the end of the model number and add 20% to List Price

5. Select visual display options (see page 35)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

### Lecterns

**Available with all Visual Display Options** 

Locking rear access panels. Power strip. Casters. Locking doors. Wire access grommets. Storage Dimensions:

30" W Unit: Left compartment - 19 ¼" W. Right compartment - 8 5/8" W 36" W Unit: Left compartment - 14 5/8" W. Right compartment - 19 ½" W 42" W Unit: Left compartment - 19 ¼" W. Right compartment - 19 ½" W 48" W Unit: Left compartment - 25 ¾" W. Right compartment - 19 ½" W


## Suggested Keyboard Width:

30" W Unit: 28" / 36" W Unit: 34" / 42" W Unit: 28" / 48" W Unit: 28"

Lectern	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
	14 RU rack rails.			
	26 x 30 x 41	22.3 / 375	66-LS263041MM	\$3,269
	26 x 36 x 41	26.5 / 389	66-LS263641MM	\$3,385
	30 x 30 x 41	25.5 / 372	66-LS303041MM	\$3,502
30", 36", & 42" W	30 x 36 x 41	30.3 / 404	66-LS303641MM	\$3,618
Lectern	28 RU rack rails.			
	26 x 42 x 41	30.7 / 427	66-LS264241MM	\$3,441
	26 x 48 x 41	34.9 / 474	66-LS264841MM	\$3,560
	20 / 40 / 41	34.97 474	00-L320404 HVIIVI	φ3,300
	30 x 42 x 41	35.1 / 446	66-LS304241MM	\$3,681
48" W	30 x 48 x 41	39.9 / 498	66-LS304841MM	\$3,801
Lectem				

Lectern with	14 RU rack rails.			
privacy sides	26 x 30 x 43	23.4 / 379	66-LP263043MM	\$3,412
	26 x 36 x 43	27.8 / 393	66-LP263643MM	\$3,528
	30 x 30 x 43	26.7 / 376	66-LP303043MM	\$3,644
	30 x 36 x 43	31.7 / 408	66-LP303643MM	\$3,760
30", 36", & 42" W	28 RU rack rails.			
Lectern	26 x 42 x 43	32.1 / 431	66-LP264243MM	\$3,583
	26 x 48 x 43	36.5 / 478	66-LP264843MM	\$3,704
	30 x 42 x 43	36.7 / 450	66-LP304243MM	\$3,823
48"W	30 x 48 x 43	41.7 / 502	66-LP304843MM	\$3,944
48" W				

## Lectern with curved top & bottom



DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
14 DII voole voile			
14 RU rack rails. 26 x 30/36* x 41	26.5 / 381	66-LC263641MM	\$3,697
26 x 36/42* x 41		66-LC264241MM	\$3,814
00 00/00+ 44	00.0.4.070		40.000
30 x 30/36* x 41	30.3 / 3/8	66-LC303641MM	\$3,930
30 x 36/42* x 41	35.1 / 410	66-LC304241MM	\$4,046

\*Chassis width / Top width

	_	1
	//	
3		1    [
	ΙÌΙ	
	113	
	▙Ҝ	
48/54" W	• •	
Lectern 🖿	, L	\_/
		Qu'
		<u>سر</u>

Lectern


	28 RU rack rails.			
	26 x 42/48* x 41	34.9 / 433	66-LC264841MM	\$3,869
	26 x 48/54* x 41	39.1 / 480	66-LC265441MM	\$3,990
	30 x 42/48* x 41	39.9 / 452	66-LC304841MM	\$4,109
	30 x 48/54* x 41	44.6 / 504	66-LC305441MM	\$4,229
7				

\*Chassis width / Top width


## Seated Height Lecterns

**Available with all Visual Display Options** 

iMod modesty. Rear access panels. Wire management and power strip. Locking doors. 14 RU rack rails in far right compartment: 19 ¼" W. Suggested keyboard width: 30"




26 x 521/4 x 30	28.0 / 217	66-LS265230MX	\$1,523
30 x 52¼ x 30	32.0 / 229	66-LS305230MX	\$1,606



CPII shelf.	CPII	storage	width:	81/3"	

., -		
66-LS265230MC	28.0 / 236	26 x 521/4 x 30
66-LS305230MC	32.0 / 248	30 x 521/4 x 30



Locking	CPII	door	CPII	etorana	width: 10"	
LUCKIIIU	UPU	uooi.	UPU	Storage	wiuli: 10	

26 x 601/4 x 30	32.2 / 255	66-LS266030MD	\$1,856
30 x 601/4 x 30	36.8 / 267	66-I \$306030MD	\$1,938

Lecter

#### To order, specify:

- 1. Model number.
- 5. Optional Select visual display options 2. Colors for base and work surface, and metal modesty 6. Optional - Select essential accessory options
- 3. Door/Drawer Pull Style and Finish
- 4. Optional-Upgrade to Postform work surface edge detail

## Sit-Stand Lecterns

## **Available with all Visual Display Options**

iMod modesty. Rear access panels. Wire management and power strip. Locking doors. 14 RU rack rails in far right compartment: 19 1/4" W. Suggested keyboard width: 30"



Electrically adjustable unit from 30" base height with 11.8" travel. Rocker switch, internal limit switches and thermal overload protection. ADA compliant. System lift capacity up to 750 lbs.


Square Top

DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
26 x 58¼ x 30	30.6 / 255	66-SS265730MX	\$4,140
30 x 581/4 x 30	35.0 / 267	66-SS305730MX	\$4,224




CPU shelf.	CPU	storage	width:	101/2"

26 x 58¼ x 30	30.6 / 274	66-SS265730MC	\$4,214
30 x 581/4 x 30	35.0 / 286	66-SS305730MC	\$4,297



### Locking CPU door. CPU storage width: 10"

26 x 661/4 x 30	34.8 / 293	66-SS266530MD	\$4,473
30 x 66¼ x 30	39.8 / 305	66-SS306530MD	\$4,556



## Lecterns with D-top workstation

D-top available with E-Class Trolley, \*FPA1621NK and Surface Mount Arm

Power strip. Locking rear access panels. 1 adjustable shelf. 1 fixed shelf. Locking door. 16 RU rack rails. Storage Dimensions: 19 1/4" W Suggested keyboard width: 34"

Lectern with D-top work station

Lectern: 21" D x 21" W x 48" H. Work surface height: (User side) 41-1/8". D-top: 21" D x 39" W x 34" H.



21 x 60½ x 50 39.3 / 211 **66-LD215748MR \$1,794** 

\*FPA1621NK Flat Panel Arm will be mounted to modesty panel.

Visual Display Options (Not available on all units, as noted):

- The Trolley™ E-Class
- Downview Flat Panel Display
- Surface Mount Arm

D x W x H (in.) ft3 / lbs Model **List Price** 

Lectern with D-top work station on left

Lectern: 21" D x 21" W x 48" H. Work surface height: (User side) 41-1/8". D-top: 21" D x 39" W x 34" H.

21 x 60½ x 50 39.3 / 211 **66-LD215748ML \$1,794** 



\*FPA1621NK Flat Panel Arm will be mounted to modesty panel.

## Miscellaneous

Lectern with angled top

1 fixed shelf.

18 x 18 x 44	10.7 / 86	66-LS181844MM	\$807
21 x 24 x 44	16.0 / 86	66-LS212444MM	\$1,142

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS



Lectern with angled top and privacy sides

1 fixed shelf.


18 x 18 x 44 10.7 / 86 66-LP181844MM 66-LP212444MM 21 x 24 x 44 16.0 / 86

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS



Mobile cart

1 adjustable interior shelf. 1 fixed shelf. 2 casters. Power strip. Locking door, 16 RU rack rails. Storage dimensions: 19 34" W



24 x 21 x 36 13.2 / 86

66-LC242136MM \$1,368

\$807

\$1,142

Mobile cart with raised sides

1 adjustable interior shelf. 1 fixed shelf. 2 casters. Power strip. Locking door. 16 RU rack rails. Storage dimensions: 19 3/4" W

24 x 21 x 38 13.9 / 86 66-LC242138MM \$1,430

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS



Freestanding. Available in base color only. 17 x 24 x 17 5.5 / 37 66-DP172417



NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

\$273

## 1-1/8" thick work surfaces Flat PVC or Postform edge detail Thermofused laminate top and base Audio/Visual Lecterns

**List Price** 



## **Options for Audio/Visual Lecterns** with Laminate and Metal Modestys

D x W x H (in.) ft3 / lbs

## Factory Installed Keyboard Options (Only ordered when NO Visual Display Options ordered)

## Flip-up shelf



Shipped Separately. Color matches work surface of lectern ordered. Located 3" down from work surface. For factory prep, must specify "U" on lectern model number for left-handed, or "V" on lectern model number for right-handed placement.

Model

For 21" D Lecte Attaches to the	LEFT side pan				
20 x 20 x 01	0.9 / 24	66-SH202001L	\$440		
Attaches to the	RIGHT side par	nel of Lectern.			
20 x 20 x 01	0.9 / 24	66-SH202001R	\$440		
For 26" & 30" D Lectern: Attaches to the LEFT side panel of Lecterns.					
22 x 20 x 01	1.0 / 24	66-SH222001L	\$440		
Attaches to the	RIGHT side par	el of Lecterns.			

### 2 space rack drawer



Attaches to rack rails. Takes up 2RU space. 50 lb. weight

1.0 / 24

66-SH222001R

20 x 15 x 3½	10.4 / 20	66-2DRAWER	\$482

## Sliding shelf



Attaches to rack rails.

22 x 20 x 01

20 x 15 x 01	10.4 / 15	66-SSHELF	\$317

#### 2 space rack shelf Attaches to rack rails. Takes up 2RU space.



20 x 15 x 3½ 10.4 / 15 **66-2SHELF** \$186

#### Removable console



Specify cutout location on lectern

opoony catout location on location						
04 x 28 x 01	20/20	66-CONSOLEO1	\$555			



#### Specify cutout location on lectern. 115V fan rated at Ventilation fan



31	37 OF W. 30 UDA.						
01)	x 06 x 06	2.0/3	66-FAN	\$194			

#### D x W x H (in.) ft3 / lbs **List Price Factory Installed** Keyboard length to fit lectern ordered Nova Keyboard 22" - 34" wide 13 \$105 Keyboard length to fit lectern ordered **Factory Installed** Center Mount 28", 30", 34" wide 15 \$220 **Articulating Keyboard**



Keyboard length to fit lectern ordered **Factory Installed** Ke

ual-Mount Adjustable	24" - 34" wide	14	AK	\$299
eyboard Tray				
<b>*</b> .				



**List Price** 


\$1,215

- The Trolley™ E-Class
- · Downview Flat Panel Display
- Surface Mount Arm

\* Adding a Flat Panel Arm or E-Class Trolley visual display option may affect CPU storage widths.

### Visual Display Options for Audio/Visual Lecterns

# The Trolley™ Maximum dimensions for flat panel display: •E-Class — 2¾" D x 18½" W x 14" H (70mm D x 470mm W x 356mm H)



NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

#### Model Wt.

#### E-Class with Nova Keyboard Drawer

Trolley does not come installed in any unit, Nova Keyboard Drawer installed in assembled units only.

TE0721NK 48

<u>International Customers</u>: E-Class units include Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

- E-Class suitable for flat panel displays up to 21" (diagonal) or 20" (widescreen)
- One-touch activation
- Low voltage motor to lift & lower monitor
- Provides vertical tilt adjustment in "up" position
- Durable metal enclosure under desktop

To add a USB Port Extension to the Trolley, see page 22.

#### **Downview-Flat Panel Display**

#### Model

#### Wt.

#### **List Price**

**List Price** 

\$273

### Maximum dimensions for flat panel display:

- 18"D x 18"W viewport— 17"W x 14½"H (432mm W x 368mm H) 24" min. work surface depth
- 21"D x 21"W viewport 201/8"W x 19"H (511mm W x 483mm H) 30" min. work surface depth

### **Widescreen Format**

- 16"D x 21"W viewport 19½"W x 12½" H (495mm W x 318mm H) 24" min. work surface depth
- 18"D x 21"W viewport—
   201/8"W x 14½"H (511mm W x 368mm H)
   24" min. work surface depth



#### **With Nova Keyboard Drawer**

Downview Flat Panel Display & Nova Keyboard Drawer installed in assembled units only.

FPA1621NK	35	Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$356
FPA1818NK	35	Includes 18" x 18" viewport, adjustable arm, and visor.	\$377
FPA1821NK	35	Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$377
FPA2121NK	37	Includes 21"D x 21"W viewport, adjustable arm, and visor.	\$440

#### With Dual Mount Adjustable Keyboard Tray

Downview Flat Panel Display & Dual Mount Keyboard Tray installed in assembled units only.

FPA1621AK	36	Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$603
FPA1818AK	36	Includes 18" x 18" viewport, adjustable arm, and visor.	\$634
FPA1821AK	36	Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$634
FPA2121AK	38	Includes 21"D x 21"W viewport, adjustable arm, and visor.	\$697

- 16x21 & 18x21 viewports suitable for 21" widescreen displays
- 18x18 viewport suitable for flat panel displays up to 19" diagonal
- 21x21 viewport suitable for flat panel displays up to 21" diagonal
- Tinted, tempered glass viewport
- Keeps monitor under glass below work surface
- Wire management system and power strip included

#### Surface Mount Flat Panel Display

Maximum weight for flat panel display: 21 lbs. Dimensions for flat panel display: Up to 24" diagonal wide screen



#### Model W

### Wt.

**With Nova Keyboard Drawer** 

Surface Mount Flat Panel Display does not come installed in any unit, Nova Keyboard Drawer installed in assembled units only.

SMA0203NK 13

With Center Mount Articulating Keyboard Mechanism and Tray Surface Mount Flat Panel Display does not come installed in any unit,

Center Mount Keyboard Tray installed in assembled units only.

SMA0203CK 15 \$451

 Suitable for flat panel displays up to 24" diagonal wide screen

- For details and installation specifications, refer to pages 83-87.
- For CRT applications, please contact Customer Support: 1-800-730-6682

## Computer-based Training

### Workstations with Total Access



### **Features, Benefits and Solutions**

Solutions for all learning environments

• Visual Display Options available

• Work surface thickness: 1 1/8"

Standard edge detail: 2mm Flat PVC

• Two edge details: Flat or Postform

ADA compliant desks available

• Total Access<sup>TM</sup> removable modesty panels for easier networking

Matching edge banding colors

• Wire management system and power strip included

Manufactured with recycled post-industrial materials

### **How To Order**

1. Select model number

Ex: 45-SD243630RX

 To specify an ADA Height unit, change height from 30 to 32 in model number and add \$168 for single desk and \$252 for double desk. Ex: 45-SD243632RX

2. Select laminate base and work surface color (see page 96)

Ex: 227 044
Base Work
Surface

#### **OPTIONS**

3. Upgrade to Postform work surface edge detail Add  $\underline{P}$  to the model number and add 20% to List Price

4. Select visual display options (see page 39)
Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

Select essential accessory options (see page 20)
 Ex: 11205DP (Standard data port)

• All locking units can be keyed alike. Please note on purchase order.

### **Model Number Structure**



45 -

5

<u>SD</u>

ST-Split top

<u>243630</u>

Type Size
SD-Single desk D x W x H
DD-Double desk
AD-ADA Compliant

R X

Location

R-Right L-Left

### Visual Display Options To order, see page 39.

#### The Trolley™ Personal Monitor Arm System

Maximum dimensions for flat panel display:

E-Class: 23/4" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H)

NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is  $6\,\%$  " (171mm)

#### **Downview - Flat Panel Display**

Maximum dimensions for flat panel display-

18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H)

21x21 viewport: 201/8"W x 19" H (511mm W x 483mm H)

**16x21 widescreen viewport: 19½"W x 12½" H** (495mm W x 318mm H)

18x21 widescreen viewport: 201/8"W x 141/2"H (511mm W x 368mm H)

#### **Surface Mount Flat Panel Display**

Maximum weight for flat panel display: 21 lbs.

Maximum dimensions for flat panel display: Up to 24" diagonal wide screen

For CRT applications, please call Customer Support: 1-800-730-6682

### **Work Surface Edge Detail**

Add 20% to list price for Post-form edge detail.



**Optional**Postform (high pressure) edge (P)

1-1/8" thick

### **Panel End Styles**

Add to list price \$80 for a single desk, and \$120 for a double desk for Contour End Panels.



**Optional** 

Contour End Panels - Specify "S"

#### **Grommets**

Standard grommets in end panels are rectangular black plastic.

- 1. Model number
- 2. Colors for laminate base and work surface. 3. Optional-Optional-Upgrade to Postform work surface edge detail
- 4. Optional-Select visual display options 5. Select essential accessory options

### Workstations-Monitor LEFT

#### Monitor LEFT **CPU** storage right For right-handed users

Suggested Keyboard	Width:
30W Unit = 28" KB	
32W Unit = 30" KB	
36W Unit = 34" KB	
42W Unit = 34" KB	

48W | Init = 34" KB

\*CPU Storage Width: 30W Unit = 7-7/8" 32W Unit = 9-7/8"

36W Unit = 11-1/4" 36D x 36W Unit = 8-7/8" 42W Unit = 14-7/8' 48W Unit = 20-7/8'

\* Adding a visual display option may affect CPU storage widths.



 Available with contoured end panels (Specify "S" & add \$84) Available with casters (Specify "C" & add \$84)



ft <sup>3</sup> / lbs	Model	List Price
15.5 / 109	45-SD243030RX	\$522
16.4 / 112	45-SD243230RX	\$550
18.3 / 118	45-SD243630RX	\$561
21.2 / 140	45-SD244230RX	\$728
24.1 / 146	45-SD244830RX	\$788
19.0 / 123	45-SD303030RX	\$579
20.2 / 127	45-SD303230RX	\$609
22.6 / 133	45-SD303630RX	\$618
26.1 / 156	45-SD304230RX	\$785
29.7 / 163	45-SD304830RX	\$845
26.8 / 157	45-SD363630RX	\$855
31.0 / 174	45-SD364230RX	\$944
35.2 / 181	45-SD364830RX	\$1,001
	15.5 / 109 16.4 / 112 18.3 / 118 21.2 / 140 24.1 / 146 19.0 / 123 20.2 / 127 22.6 / 133 26.1 / 156 29.7 / 163 26.8 / 157 31.0 / 174	15.5 / 109

### **Elementary Workstations** Monitor LEFT

Monitor LEFT **CPU** storage right For right-handed users

Suggested Keyboard Width:	*CPU Storage Width:
30W Unit = 28" KB	30W Unit = 7-7/8"
32W Unit = 30" KB	32W Unit = 9-7/8"
36W Unit = 34" KB	36W Unit = 11-1/4"
42W Unit = 34" KB	42W Unit = 14-7/8"
48W Unit = 34" KB	48W Unit = 20-7/8"

\*Adding a visual display option may affect CPU storage widths.



2	• Available wi	ith contoured en	d panels (Specify "S" &	add \$84)
3	24 x 30 x 27	14.0 / 105	45-SD243027RX	\$458
	24 x 32 x 27	14.9 / 108	45-SD243227RX	\$504
	24 x 36 x 27	16.6 / 114	45-SD243627RX	\$518
	24 x 42 x 27	19.2 / 136	45-SD244227RX	\$666
	24 x 48 x 27	21.9 / 142	45-SD244827RX	\$721
	30 x 30 x 27	17.2 / 118	45-SD303027RX	\$579
	30 x 32 x 27	18.3 / 122	45-SD303227RX	\$609
	30 x 36 x 27	20.5 / 128	45-SD303627RX	\$618
	30 x 42 x 27	23.7 / 151	45-SD304227RX	\$785
	30 x 48 x 27	26.9 / 158	45-SD304827RX	\$845


#### **Workstations - Monitor CENTER**

**Monitor CENTER CPU** storage right For right-handed users

Suggested Keyboard Width:

CPU Storage Width:





· Available with contoured end panels (Specify "S" & add \$84) • Available with casters (Specify "C" & add \$84)

24 x 48 x 30	24.1 / 139	45-SD244830RXC	\$872
30 x 48 x 30	29.7 / 156	45-SD304830RXC	\$929
36 x 48 x 30	35.2 / 173	45-SD364830RXC	\$1,098

### ADA Compliant Workstation - Monitor CENTER

**Monitor CENTER** CPU storage right

Suggested Keyboard Width:

CPU Storage Width: -10-1/8'

For right-handed users



Not available with Locking CPU Door option

30 x 48 x 32 31.5 / 165 45-AD304832RXC \$1,017

#### Visual Display Options available:

- The Trolley™ E-Class
- Downview-Flat Panel Display
- Surface Mount Flat Panel Display

### **Double Monitor Workstations Monitors LEFT**

**Monitor LEFT in** workspace **CPU** storage right For (2) right-handed users Suggested Keyboard Width: 59W Unit = 28" KB \*CPU Storage Width: 59W Unit = 7-7/8 63W Unit = 30" KB 63W Unit = 9-9/16" 71W Unit = 34" KB 71W Unit = 12'

\* Adding a visual display option may affect CPU storage widths. • Available with contoured end panels (Specify "S" & add \$126)

Available with casters (Specify "C" & add \$126)



DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
24 x 59 x 30	29.4 / 201	45-DD245930RX	\$1,014
24 x 63 x 30	31.3 / 207	45-DD246330RX	\$1,072
24 x 71 x 30	35.2 / 219	45-DD247130RX	\$1,134
30 x 59 x 30	36.2 / 224	45-DD305930RX	\$1,115
30 x 63 x 30	38.6 / 232	45-DD306330RX	\$1,173
30 x 71 x 30	43.3 / 244	45-DD307130RX	\$1,192
36 x 71 x 30	51.4 / 265	45-DD367130RX	\$1,481

### Teacher's Stand-up Desks

Stand-Up Unit Monitor LEFT **CPU** storage right For right-handed users Total access rear panel included.

- Available with heavy duty casters (Specify "C" and add \$315) Height will increase by 2 3/4".
- Available with Flip-up Shelf (order below). For factory prep, must specify "U" for left-handed or "V" for right-handed placement.





	<b>CPU Storage Width:</b> 36W Unit = 11-1/4" 42W Unit = 14-7/8" 48W Unit = 20-7/8"	oard Width:	Suggested Keyb 34"
\$893	45-SD243640RX	24.1 / 130	24 x 36 x 40
\$1,045	45-SD244240RX	27.9 / 152	24 x 42 x 40
\$1,095	45-SD244840RX	31.6 / 158	24 x 48 x 40
\$940	45-SD303640RX	29.6 / 149	30 x 36 x 40
\$1,093	45-SD304240RX	34.3 / 172	30 x 42 x 40
\$1,142	45-SD304840RX	38.9 / 179	30 x 48 x 40
\$1,235	45-SD363640RX	35.1 / 176	36 x 36 x 40
\$1,289	45-SD364240RX	40.7 / 193	36 x 42 x 40
\$1,349	45-SD364840RX	46.2 / 200	36 x 48 x 40

### Split Top Workstations

**Monitor LEFT CPU** storage right

For right-handed users

Suggested Keyboard Width: \*CPU Storage Width: \*CPU Storage Width: 59W Unit = 7-7/8" 63W Unit = 9-9/16" 36W Unit = 11-1/4" 42W Unit = 14-7/8" 48W Unit = 20-7/8" 71W | IInit = 12"

\* Adding a visual display option may affect CPU storage widths.



 Available with contoured end panels (Specify "S" & add \$84 for a Single Workstation and \$120 for a Double Workstation) • Available with casters (Specify "C" & add \$84 for Single Workstation & add \$126 for Double Workstation)

• 6" D x 27" H shelf intended for a flat panel monitor with base.



24" D - Single Monitor Workstations 24 x 36 x 30 42" & 48" W

18.3 / 123 45-ST243630RX \$779 24 x 42 x 30 21.2 / 130 45-ST244230RX \$972 45-ST244830RX \$1,041 24 x 48 x 30 24.1 / 137



24" D - Double Monitor Workstations

\$1,151	45-S1245930KX	29.4 / 194	24 x 59 x 30
\$1,229	45-ST246330RX	31.3 / 200	24 x 63 x 30
\$1,314	45-ST247130RX	35.2 / 212	24 x 71 x 30



\$836	45-ST303630RX	22.6 / 138	30 x 36 x 30
\$1,029	45-ST304230RX	26.1 / 145	30 x 42 x 30
\$1,098	45-ST304830RX	29.7 / 152	30 x 48 x 30

30" D - Double Monitor Workstations

30" D - Single Monitor Workstations

30 x 59 x 30	36.2 / 213	45-ST305930RX	\$1,208
30 x 63 x 30	38.6 / 220	45-ST306330RX	\$1,286
30 x 71 x 30	43.3 / 234	45-ST307130RX	\$1,376

37

# Computer-based Training Workstations with Total Access

ASSEMBLY REQUIRED

**How To Order** 

1. Select model number

Ex: 45-SD243630RX

- For ADA Height unit, change height from 30 to 32 in model number and add \$168 for single desk and \$252 for double desk. Ex: 45-SD243632RX
- 2. Select laminate colors for base and work surface (see page 96)

Ex: 227 044 base work surface

#### OPTIONS

3. Upgrade to Postform work surface edge detail Add P to the model number and add 20% to List Price

4. Select visual display options (see page 39)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

5. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

• All locking units can be keyed alike. Please note on purchase order.

### Miscellaneous

**List Price** D x W x H (in.) ft3 / lbs Model

#### Contoured end panels



Available on specified units

 Not available in combination with Locking CPU Doors \$84/Single desk \$126/Double desk

#### Casters Includes stabilization bracket.



Single Workstation / Set of 4	ļ	
2 5/8 x 1 3/4 x 3 1/4	-C	\$84/set
Double Workstation / Set of (	6	



Flip-up shelf




Teacher Standup / Set of 4. Heavy duty caster. Will increase height by 2 3/4'

25/8 x 1 3/4 x 3 1/4

\$315/set


Shipped Separately. Color matches work surface of unit

	ordered. Located 3" down from work surface.	
1	Attaches to the LEFT side panel of desk.	
73,	22 v 20 v 01 1 0 / 14	



\$440 **Locking CPU Doors** To specify, replace "X" in the model number with "D" and add

\$302 for a single desk and \$604 for a double desk.



• Not available in combination with Contoured End Panels (-S) \$302/Single desk

\$604/Double desk

#### Factory Installed Keyboard Options (Only ordered when NO Visual Display Options ordered)

**Factory Installed** 

Keyboard length to fit casegoods ordered

Dual-Mount Adjustable 24" - 34" wide \$299 14



**Factory Installed** 

**Keyboard Tray** 

Keyboard length to fit casegoods ordered 22" - 34" wide

Keyboard length to fit casegoods ordered

Center Mount **Articulating Keyboard** Mechanism & Tray



### Miscellaneous

 $D \times W \times H$  (in.)  $ft^3$  / lbsHardware included. Assembly required.

#### For 24" D units

90 Degree - Includes end panels. Must specify base and work surface color.

Model

24 x 33<sup>15</sup>/<sub>16</sub> x 30 / 49

45-WG24333090 \$350

**List Price** 

#### For 30" D units

90 Degree - Includes end panels. Must specify base and work surface color.

30 x 42<sup>3</sup>/<sub>16</sub> x 30 45-WG30423090 / 63

\$373

#### For 36" D units

90 Degree - Includes end panels. Must specify base and work surface color.

36 x 50<sup>11</sup>/<sub>16</sub> x 30 / 78 45-WG36503090

#### **Privacy Panels** for Single Monitor Workstation

Wedges

For factory prep, must specify "PP" on desk model number. Specify base color only. 6" radius on front. Field installed.



24 x 30 x 15	1.3 / 35	45-PP243015	\$298
24 x 32 x 15	1.3 / 36	45-PP243215	\$307
24 x 36 x 15	1.5 / 37	45-PP243615	\$318
24 x 42 x 15	1.7 / 40	45-PP244215	\$349
24 x 48 x 15	1.9 / 42	45-PP244815	\$385
30 x 30 x 15	1.3 / 40	45-PP303015	\$330
30 x 32 x 15	1.3 / 40	45-PP303215	\$342
30 x 36 x 15	1.5 / 42	45-PP303615	\$352
30 x 42 x 15	1.7 / 44	45-PP304215	\$388
30 x 48 x 15	1.9 / 47	45-PP304815	\$427
36 x 36 x 15	1.5 / 47	45-PP363615	\$395
36 x 42 x 15	1.6 / 49	45-PP364215	\$435
36 x 48 x 15	1.8 / 51	45-PP364815	\$476

#### **Privacy Panels** for Double Monitor Workstation

\$126/set

\$440

\$105

\$220

For factory prep, must specify "PP" on desk model number. Specify base color only. 6" radius on front. Field installed.



24 x 59 x 15	1.5 / 46	45-PP245915	\$447
24 x 63 x 15	1.6 / 48	45-PP246315	\$484
24 x 71 x 15	1.8 / 51	45-PP247115	\$545
24 x 83 x 15	2.2 / 56	45-PP248315	\$629
24 x 95 x 15	2.4 / 59	45-PP249515	\$692
30 x 59 x 15	1.5 / 51	45-PP305915	\$484
30 x 63 x 15	1.6 / 52	45-PP306315	\$533
30 x 71 x 15	1.8 / 55	45-PP307115	\$600
30 x 83 x 15	2.2 / 60	45-PP308315	\$684
30 x 95 x 15	2.4 / 63	45-PP309515	\$747
36 x 71 x 15	1.8 / 60	45-PP367115	\$650
CIXIIXOC	1.0 / 00	40-7730/110	<b>\$00U</b>

#### **Rectangular Wire** Grommet

Black plastic grommet cover is removable for easy wire management. If Installed (available for work surface only):

Please provide sketch to indicate placement location

17/8 x 3 <sup>1</sup> / <sub>4</sub> x 1 <sup>1</sup> / <sub>4</sub> (cutout dimensions) <b>WG1080</b>	\$61
If Sold Separately (not part of base model):	
17/8 x 3 <sup>1</sup> / <sub>4</sub> x 1 <sup>1</sup> / <sub>4</sub> (cutout dimensions) <b>AC-WG1080</b>	\$31
For other grommet options, see page 21,	

28", 30", 34" wide 15

- 1. Model number
- 2. Colors for laminate base and work surface 3. Optional-Optional-Upgrade to Postform work surface edge detail
- 4. Optional-Select visual display options 5. Select essential accessory options

#### Visual Display Options available:

- The Trolley™ E-Class
- Downview-Flat Panel Display
- Surface Mount Flat Panel Display

### Visual Display Options for Workstations with Total Access

Factory installed keyboard-only option for Workstations with Total Access available on page 38.

Single monitor workstations require one (1) visual display option. Double monitor workstations require two (2) visual display options.


#### **List Price** Qty 2 required for Double Workstations/Tables

#### **Maximum dimensions for** flat panel display:

The Trolley™

•E-Class - 234" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H)

• 26" min. worksurface depth required for Trolley with Center **Mount Articulating Keyboard Tray** 



**NOTE: Maximum distance from** center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

Maximum dimensions

for flat panel display:

17"W x 141/2"H (432mm W x 368mm H)

201/8"W x 19"H (511mm W x 483mm H)

24" min. work surface depth

18"D x 18"W viewport—

• 21"D x 21"W viewport —

Widescreen Format •16"D x 21"W viewport — 191/2"W x 121/2" H (495mm W x 318mm H) 24" min. work surface depth

•18"D x 21"W viewport—

#### Model Wt.

### **E-Class with Nova Keyboard Drawer**

Trolley does not come installed in any unit, Nova Keyboard Drawer installed in assembled units only.

TE0721NK

E-Class with Center Mount Articulating Keyboard Mechanism and Tray

Trolley does not come installed in any unit, Center Mount Keyboard Tray installed in assembled units only.

TE0721CK 47 \$1,393 ea.

**List Price** Qty 2 required for Double

Workstations/Tables

International Customers: E-Class units include Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

 E-Class suitable for flat panel displays up to 21" (diagonal) or 20" (widescreen)

- · Low voltage motor to lift & lower monitor
- Provides vertical tilt adjustment in "up" position
- Durable metal enclosure under desktop
- · Wire management system and power strip included

To add a USB Port Extension to the Trolley, see page 22.

#### **Downview-Flat Panel Display**

#### Model Wt.

### With Nova Keyboard Drawer

Downview Flat Panel Display & Nova Keyboard Drawer installed in assembled units only.

FPA1621NK FPA1818NK	35 Includes 16"D x 21"W viewport, adjustable arm, and visor. 35 Includes 18"D x 18"W viewport, adjustable arm, and visor.	\$356 ea. \$377 ea.
LLAIOIONY	33 includes 18 D x 18 W viewport, adjustable arm, and visor.	<b>Ф</b> 3// ea.
FPA1821NK	35 Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$377 ea.
FPA2121NK	37 Includes 21"D x 21"W viewport, adjustable arm, and visor.	\$440 ea.

#### 30" min. work surface depth With Dual Mount Adjustable Keyboard Tray

Downview Flat Panel Display & Dual Mount Keyboard Tray installed in assembled units only.

FPA1621AK	36	Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$603 ea.
FPA1818AK	36	Includes 18"D x 18"W viewport, adjustable arm, and visor.	\$634 ea.
FPA1821AK	36	Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$634 ea.
FPA2121AK	38	Includes 21"D x 21"W viewport, adjustable arm, and visor.	\$697 ea.

- 16x21 & 18x21 viewports suitable for 21" widescreen displays
- 18x18 viewport suitable for flat panel displays up to 19" diagonal
- 21x21 viewport suitable for flat panel displays up to 21" diagonal
- Tinted, tempered glass viewport
- Keeps monitor under glass below work surface
- · Wire management system and power strip included

201/8"W x 14½"H (511mm W x 368mm H) 24" min. work surface depth

#### **List Price**

Qty 2 required for Double Workstations/Tables

\$273 ea.

\$451 ea.

#### **Surface Mount** Flat Panel Display

Maximum weight for flat panel display: 21 lbs. Dimensions for flat panel display: Up to 24" diagonal wide screen



### Wt. With Nova Keyboard Drawer

Surface Mount Flat Panel Display does not come installed in any unit, Nova Keyboard Drawer installed in assembled units only. SMA0203NK 13

With Center Mount Articulating Keyboard Mechanism and Tray Surface Mount Flat Panel Display does not come installed in any unit,

Center Mount Keyboard Tray installed in assembled units only. SMA0203CK 15

- For details and installation specifications, refer to pages 83-87
- For CRT applications, please contact Customer Support: 1-800-730-6682

Model

• Suitable for flat panel displays up to 24" diagonal wide screen

· Wire management system and power strip included

### Workstations with iMod



### **Features, Benefits and Solutions**

Solutions for all learning environments

Visual Display Options available

Work surface thickness: 1 1/8"

Standard edge detail: 2mm Flat PVC

• Two edge details: Flat or Postform

ADA compliant desks available

• iMod compartment with removable modesty panels for easier networking

Matching edge banding colors

• Wire management system and power strip included

Manufactured with recycled post-industrial materials

### **How To Order**

#### 1. Select model number

Ex: 46-SM263630RX

• To specify an ADA Height unit, change height from 30 to 32 in model number and add \$168 for single workstation or \$252 for double workstation. Ex: 26-RM263632TL

2. Select laminate base and work surface color (see page 96)

Ex: 227 044 Worksurface

3. Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty) 227 (Fashion Grey laminate color for laminate modesty)

#### **OPTIONS**

4. Upgrade to Postform work surface edge detail

Add P to the model number and add 20% to List Price

5. Select visual display options (see page 47)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential options (see page 20)

Ex: 11205DP (Standard data port)

#### Please Note:

Power strip, wire management and CPU storage shelf are included in iMod workstations.

### **Model Number Structure**



46 -

Type

263630 SM-Single desk/

CPU Location R-Riaht I -I eft

Metal iMod SL-Single desk/ Laminate iMod DI -Double desk/ Laminate iMod

Metal iMod

DM-Double desk/

X R

### Visual Display Options To order, see page 47.

#### The Trolley™ Personal Monitor Arm System

Maximum dimensions for flat panel display:

E-Class: 234" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H)

NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

#### **Downview - Flat Panel Display**

Maximum dimensions for flat panel display-

16x21 widescreen viewport: 191/2"W x 121/2" H (495mm W x 318mm H)

18x21 widescreen viewport: 201/8"W x 141/2"H (511mm W x 368mm H)

18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H)

21x21 viewport: 20<sup>1</sup>/8"W x 19"H (511mm W x 483mm H)

#### Surface Mount Flat Panel Display

Maximum weight for flat panel display: 21 lbs.

Maximum dimensions for flat panel display: Up to 24" diagonal wide screen

For CRT applications, please call Customer Support: 1-800-730-6682

### **Work Surface Edge Detail**

Add 20% to list price for Post-form edge detail.




**Optional** Postform (high pressure) edge (P)



### **Panel End Styles**

Add to list price \$80 for a single desk, and \$120 for a double desk for Contour Fnd Panels.



**Optional** Contour End Panels - Specify "S"



#### **Grommets**

Standard grommets in end panels are rectangular black plastic.

- Model number
- Laminate base and worksurface colors Metal color for metal iMod or Base color for laminate iMod

**D** x W x H (in.)

- 4. Optional Upgrade to Postform work surface
- 5. Optional Select visual display options 6. Optional Add essential accessory options
- Visual Display Options available:
- The Trolley™ E-Class
- Downview-Flat Panel Display
- Surface Mount Flat Panel Display

### Workstations with Perforated Metal iMod Modesty

List Price

Specify colors for worksurface, base and metal iMod modesty

#### Monitor LEFT. **CPU** storage right

For right-handed users

Suggested Keyboard Width: \*CPU Storage Width: 32W Unit = 30" KB 32W Unit = 9-7/8 36W Unit = 11-1/4" 36W Unit = 34" KB 42W Unit = 34" KB 42W Unit = 11-3/4" 48W Unit = 34" KB 48W Unit = 11-3/4'

ft3 / lbs

\* Adding a visual display option may affect CPU storage widths. Model


Monitors LEFT in
workspace
<b>CPU storage right</b>
For (2) right-handed users

Suggested Keyboard Width: \*CPU Storage Width: 63W Unit = 30" KB 71W Unit = 34" KB 63W Unit = 9-7/8" 71W Unit = 11-1/4" 83W Unit = 34" KB 83W Unit = 11-3/4' 95W Unit = 34" KB 95W Unit = 11-3/4"


DxWxH(in.) ft3/lbs

\* Adding a visual display option may affect CPU storage widths. Model

List Price



Single metal modesty • Available with casters (Specify "C" and add \$84)					
24 x 32 x 30	16.4 / 125	46-SM243230RX	\$887		
24 x 36 x 30	18.3 / 133	46-SM243630RX	\$935		
24 x 42 x 30	21.2 / 144	46-SM244230RX	\$1,100		
24 x 48 x 30	24.1 / 156	46-SM244830RX	\$1,182		
26 x 32 x 30	17.7 / 130	46-SM263230RX	\$937		
26 x 36 x 30	19.8 / 138	46-SM263630RX	\$987		
26 x 42 x 30	22.9 / 150	46-SM264230RX	\$1,162		
26 x 48 x 30	26.0 / 162	46-SM264830RX	\$1,247		
30 x 32 x 30	20.2 / 140	46-SM303230RX	\$1,040		
30 x 36 x 30	22.6 / 148	46-SM303630RX	\$1,096		
30 x 42 x 30	26.1 / 161	46-SM304230RX	\$1,289		
30 x 48 x 30	29.7 / 174	46-SM304830RX	\$1,386		



\$126)   X
X \$1,722
+-,
X \$2,032
X \$2,186
X \$1,712
X \$1,815
X \$2,145
X \$2,306
X \$1,901
X \$2,015
X \$2,381
X \$2,560
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

### Workstations with Laminate iMod Modesty

Specify colors for worksurface, base and iMod modesty (base color only)

#### Monitor LEFT, **CPU** storage right

For right-handed users

\*CPU Storage Width: Suggested Keyboard Width: 32W Unit = 30" KB 32W Unit = 9-7/8 36W Unit = 34" KB 36W Unit = 11-1/4" 42W Unit = 34" KB 42W Unit = 11-3/4" 48W Unit = 34" KB 48W Unit = 11-3/4"

Single laminate modesty

\* Adding a visual display option may affect CPU storage widths.

#### **Monitors LEFT in** workspace **CPU** storage right For (2) right-handed users

**Suggested Keyboard Width:** 63W Unit = 30" KB \*CPU Storage Width: 63W Unit = 9-7/8" 71W Unit = 11-1/4" 71W Unit = 34" KB83W Unit = 34" KB 83W Unit = 11-3/4" 95W Unit = 34" KB 95W Unit = 11-3/4"

\* Adding a visual display option may affect CPU storage widths.



	Available w	ith casters (Sp	ecify "C" and add \$8	34)
	24 x 32 x 30	16.4 / 125	46-SL243230RX	\$659
	24 x 36 x 30	18.3 / 133	46-SL243630RX	\$688
	24 x 42 x 30	21.2 / 144	46-SL244230RX	\$828
1	24 x 48 x 30	24.1 / 156	46-SL244830RX	\$884
	26 x 32 x 30	17.7 / 130	46-SL263230RX	\$708
	26 x 36 x 30	19.8 / 138	46-SL263630RX	\$740
	26 x 42 x 30	22.9 / 150	46-SL264230RX	\$889
	26 x 48 x 30	26.0 / 162	46-SL264830RX	\$950
	30 x 32 x 30	20.2 / 140	46-SL303230RX	\$787
	30 x 36 x 30	22.6 / 148	46-SL303630RX	\$821
	30 x 42 x 30	26.1 / 161	46-SL304230RX	\$988
	30 x 48 x 30	29.7 / 174	46-SL304830RX	\$1,055



	Double laminate modesty				
	<ul> <li>Available wit</li> </ul>	h casters (Spe	cify "C" and add \$1	26)	
	24 x 63 x 30	31.3 / 232	46-DL246330RX	\$1,184	
	24 x 71 x 30	35.2 / 248	46-DL247130RX	\$1,242	
	24 x 83 x 30	41.0 / 270	46-DL248330RX	\$1,503	
_	24 x 95 x 30	46.8 / 294	46-DL249530RX	\$1,609	
	26 x 63 x 30	33.8 / 240	46-DL266330RX	\$1,272	
	26 x 71 x 30	37.9 / 256	46-DL267130RX	\$1,335	
	26 x 83 x 30	44.1 / 280	46-DL268330RX	\$1,616	
	26 x 95 x 30	50.3 / 304	46-DL269530RX	\$1,729	
	30 x 63 x 30	38.6 / 257	46-DL306330RX	\$1,412	
	30 x 71 x 30	43.3 / 273	46-DL307130RX	\$1,483	
	30 x 83 x 30	50.4 / 299	46-DL308330RX	\$1,794	
	30 x 95 x 30	57.5 / 325	46-DL309530RX	\$1.920	
				. ,	

#### Miscellaneous

#### Flip-up shelf

Shipped Separately. Color matches work surface of unit ordered. Located 3" down from work surface.



For 24" & 26" Deep Workstations

Attaches to the LEFT side panel of desk. 45-SH202001L 20 x 20 x 01 1.0/14\$440 Attaches to the RIGHT side panel of desk. 20 x 20 x 01 1.0 / 14 45-SH202001R \$440

For 30" Deep Workstations-Attaches to the LEFT side panel of desk. 1.0 / 14 45-SH222001L \$440 22 x 20 x 01 Attaches to the RIGHT side panel of desk. 1.0 / 14 45-SH222001R 22 x 20 x 01 \$440





Includes stabilization bracket. -C

Double Workstation / Set of 6 25/8 x 1 3/4 x 3 1/4

Single Workstation / Set of 4 25/8 x 1 3/4 x 3 1/4 \$84/set

-C

### **Contoured end**



Not available on workstations with Locking Door option (-D)

\$84/Single desk \$126/Double desk





\$126/set

To specify, replace "X" in the model number with "D" and add \$302 for a single desk and \$604 for a double desk. **Example:** 46-SM243630RX becomes 46-SM243630RD

Not available on workstations 32" or 63" wide

• Not available in combination with Contoured End Panels (-S)

-D \$302/Single desk \$604/Double desk

# Computer-based Training Workstations with IMod

### **How To Order**

#### 1. Select model number

Ex: 46-SM263630RX

- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$168 for single workstation or \$252 for double workstation. Ex: 26-RM263632TL
- 2. Select laminate base and work surface color (see page 96)

Rase Worksurface

3. Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty) 227 (Fashion Grey laminate color for laminate modesty)

#### **OPTIONS**

4. Upgrade to Postform work surface edge detail

Add P to the model number and add 20% to List Price

5. Select visual display options (see page 47) Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential options (see page 20)

Ex: 11205DP (Standard data port)

### Factory Installed Keyboard Options

(Only ordered when NO Visual Display Options ordered)

	DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
Factory Installed		gth to fit (	casegoods ordered	
Dual-Mount Adjustable Keyboard Tray	24" - 34" wide	14	AK	\$299
Factory Installed	Keyboard len	gth to fit o	casegoods ordered	
Nova Keyboard	22" - 34" wide	13	NK	\$105

**Factory Installed** Center Mount **Articulating Keyboard** Mechanism & Tray



Keyboard length to fit casegoods ordered 28", 30", 34" wide 15

\$220

#### Miscellaneous

Hardware included. Assembly required.

 $D \times W \times H$  (in.)  $ft^3$  / lbs

#### For 24" D units

90 Degree - Includes end panels. Must specify base and work surface color. \$350

Model

**List Price** 

24 x 33<sup>15</sup>/<sub>16</sub> x 30 / 49 45-WG24333090

For 26" D units

90 Degree - Includes end panels. Must specify base and work surface color.

26 x 33<sup>15</sup>/<sub>16</sub> x 30 / 54 45-WG26333090

For 30" D units

90 Degree - Includes end panels. Must specify base and work surface color.

30 x 42<sup>3</sup>/<sub>16</sub> x 30 45-WG30423090

**Privacy Panels** for Single Monitor Workstation



Wedges

For factory prep, must specify "PP" on desk model number. Specify base color only. 6" radius on front. Field

24 x 32 x 15	1.3 / 36	45-PP243215	\$307
24 x 36 x 15	1.5 / 37	45-PP243615	\$318
24 x 42 x 15	1.7 / 40	45-PP244215	\$349
24 x 48 x 15	1.9 / 42	45-PP244815	\$385
26 x 32 x 15	1.3 / 37	45-PP263215	\$323
26 x 36 x 15	1.5 / 38	45-PP263615	\$333
26 x 42 x 15	1.7 / 41	45-PP264215	\$365
26 x 48 x 15	1.9 / 43	45-PP264815	\$400
30 x 32 x 15	1.3 / 40	45-PP303215	\$342
30 x 36 x 15	1.5 / 42	45-PP303615	\$352
30 x 42 x 15	1.7 / 44	45-PP304215	\$388
30 x 48 x 15	1.9 / 47	45-PP304815	\$427

**Privacy Panels** for Double Monitor Workstation



For factory prep, must specify "PP" on desk model number. Specify base color only. 6" radius on front. Field installed.

24 X 63 X 15	1.6 / 48	45-PP246315	\$484
24 x 71 x 15	1.8 / 51	45-PP247115	\$545
24 x 83 x 15	2.2 / 56	45-PP248315	\$629
24 x 95 x 15	2.4 / 59	45-PP249515	\$692
26 x 63 x 15	1.6 / 49	45-PP266315	\$500
26 x 71 x 15	1.8 / 52	45-PP267115	\$561
26 x 83 x 15	2.2 / 57	45-PP268315	\$644
26 x 95 x 15	2.4 / 60	45-PP269515	\$707
000015	10/50	4E DD00004E	<b>#</b> E00
30 x 63 x 15	1.6 / 52	45-PP306315	\$533
30 x 71 x 15	1.8 / 55	45-PP307115	\$600
30 x 83 x 15	2.2 / 60	45-PP308315	\$684
30 x 95 x 15	2.4 / 63	45-PP309515	\$747

**Rectangular Wire** Grommet



Black plastic grommet cover is removable for easy wire management. If Installed (available for work surface only):

ricase provide sketch to mulcate placement location	
1 <sup>7</sup> / <sub>8</sub> x 3 <sup>1</sup> / <sub>4</sub> x 1 <sup>1</sup> / <sub>4</sub> (cutout dimensions) <b>WG1080</b>	\$61
If Sold Separately (not part of base model):	
1 <sup>7</sup> / <sub>8</sub> x 3 <sup>1</sup> / <sub>4</sub> x 1 <sup>1</sup> / <sub>4</sub> (cutout dimensions) <b>AC-WG1080</b>	\$31

For other grommet options, see page 21.



### Tables with iMod



### **Features, Benefits and Solutions**

· Solutions for all learning environments

Visual Display Options available

• Work surface thickness: 1 1/8"

• Standard edge detail: 2mm Flat PVC

• Two edge details: Flat or Postform

• ADA compliant desks available

• iMod compartment with removable modesty panels for easier networking

Matching edge banding colors

• Wire management system and power strip included

• Manufactured with recycled post-industrial materials

### **How To Order**

1. Select model number

Ex: 26-RM263630TL

 To specify an ADA Height unit, change height from 30 to 32 in model number and add \$168 for single table or \$252 for double table. Ex: 26-RM263632TL

2. Select metal color for legs and laminate color for work surface (see page 96)

Ex: PBL 044
Base Worksurface

 Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty) 227 (Fashion Grey laminate color for laminate modesty)

#### **OPTIONS**

4. Upgrade to Postform work surface edge detail

Add P to the model number and add 20% to List Price

5. Casters or height-adjustable legs:

For casters, add -C to the model number and add \$42 list, per leg.

Ex: 26-RM244830AL-C

For height-adjustable legs, add -H to the model number and add \$121 list, per leg.

Ex: 26-RM244830AL-H

6. Select visual display options (see page 47)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

7. Select essential options (see page 20)

Ex: 11205DP (Standard data port)

8. Select end caps for iMod table with metal modesty

Ex: 26-ENDCAP01 (End caps)

Specify metal color for end caps

Ex: PSL (Polished silver metal color)

#### Please Note:

Power strip, wire management and CPU holder are included in iMod tables. CPU holder accommodates CPUs up to 7.5"W x 18"H

### Visual Display Options To order, see page 47.

#### The Trolley™ Personal Monitor Arm System

Maximum dimensions for flat panel display:

E-Class: 2%" D x 18½" W x 14" H (70mm D x 470mm W x 356mm H) NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 %" (171mm)

#### **Downview - Flat Panel Display for Widescreen Format**

Maximum dimensions for flat panel display-

16x21 widescreen viewport: 19½"W x 12½" H (495 mm W x 318 mm H)

18x21 widescreen viewport: 201/8"W x 14½"H (511mm W x 368mm H)

18x18 viewport: 17"W x 14½"H (432mm W x 368mm H) 21x21 viewport: 20½"W x 19"H (511mm W x 483mm H)

#### **Surface Mount Flat Panel Display**

Maximum weight for flat panel display: 21 lbs.

Maximum dimensions for flat panel display: Up to 24" diagonal wide screen

For CRT applications, please call Customer Support: 1-800-730-6682

### **Model Number Structure**



26-RM263630TL

<u>26</u>

RM Type


RM - Rectangle top/ Metal iMod RL - Rectangle top/ Laminate iMod

263630

Size Leg Style
D x W x H AL - Arched leg
TL - T-leg

### **Work Surface Edge Detail**

Add 20% to list price for Post-form edge detail.



**Optional**Postform (high pressure) edge (P)



### **Leg Base Styles**





### **Leg Base Options**



T leg
with casters
(-C)
Add \$42 list, per leg

Height-adjustable

legs (-H)
Adjustable height
from 27"-37"
Specify -H & add \$121
list, per leg

- Model number
- Metal leg color & laminate worksurface colors
   Metal iMod color -or- Base color for laminate iMod
   8.
- 4. Optional-Upgrade to Postform work surface
- 5. Optional Ht.-Adjustable Legs or Casters 6. Optional Select visual display carting
- Optional Select visual display option(s)
  Optional Add essential accessory options
  Optional Specify End caps for metal iMod & specify color

#### Visual Display Options available:

- The Trolley™ E-Class
- Downview-Flat Panel Display
- Surface Mount Flat Panel Display

#### Tables with Perforated Metal iMod Modesty (See p. 46 for optional end caps)

Specify colors for worksurface, metal leg and metal iMod modesty

Suggested Keyboard Width: 36W Table = 30" KB • 42W Table = 33" KB • 48W & 60W Table = 34" KB Up to 7-1/2" W ft3 / lbs **List Price** DxWxH(in.) Model

CPU Holder Width:

\$1,334

\$1,433

Suggested Keyboard Width:

36W Table = 30" KB ◆ 42W Table = 33" KB ◆ 48W & 60W Table = 34" KB

D x W x H (in.) ft3 / lbs

CPU Holder Width:

Up to 7-1/2" W

**List Price** 

#### **Arched legs** Two leg bases - Single metal modesty . Available with casters (Specify "C" and add \$84) 18.3 / 124 26-RM243630AL 24 x 36 x 30 24 x 42 x 30 21.2 / 131 26-RM244230AL

	30 x 60 x 30	36.8 / 168	26-RM306030AL	\$1,934
	30 x 48 x 30	29.7 / 151	26-RM304830AL	\$1,787
	30 x 42 x 30	26.1 / 142	26-RM304230AL	\$1,630
	30 x 36 x 30	22.6 / 133	26-RM303630AL	\$1,518
	26 x 60 x 30	32.2 / 157	26-RM266030AL	\$1,743
				. ,
"	26 x 48 x 30	26.0 / 142	26-RM264830AL	\$1.610
	26 x 42 x 30	22.9 / 134	26-RM264230AL	\$1,467
1	26 x 36 x 30 26 x 42 x 30	19.8 / 126	26-RM263630AL	\$1,367
	24 x 60 x 30	29.9 / 153	26-RM246030AL	\$1,701
	24 X 48 X 30	24.1 / 139	26-RM24483UAL	\$1,5/1



	Three leg bases • Available with	casters (Specia	fy "C" and add \$126)	
	24 x 72 x 30	35.7 / 279	26-RM247230AL	\$2,359
	24 x 84 x 30	41.5 / 293	26-RM248430AL	\$2,555
	24 x 96 x 30	47.2 / 307	26-RM249630AL	\$2,833
1	26 x 72 x 30	38.4 / 283	26-RM267230AL	\$2,416
	26 x 72 x 30 26 x 84 x 30	44.6 / 298	26-RM268430AL	\$2,617
	26 x 96 x 30	50.9 / 313	26-RM269630AL	\$2,902
	30 x 72 x 30	43.9 / 292	26-RM307230AL	\$2,682
	30 x 84 x 30	51.0 / 308	26-RM308430AL	\$2,905
	30 x 96 x 30	58.1 / 324	26-RM309630AL	\$3,221



36.8 / 168

30 x 60 x 30

30 x 48 x 30

30 x 60 x 30

	Two leg bases -	Single metal m	odesty	
	<ul> <li>Available with</li> </ul>	casters (Specif	fy "C" and add \$84)	
	24 x 36 x 30	18.3 / 124	26-RM243630TL	\$1,190
	24 x 42 x 30	21.2 / 131	26-RM244230TL	\$1,286
	24 x 48 x 30	24.1 / 139	26-RM244830TL	\$1,425
	24 x 60 x 30	29.9 / 153	26-RM246030TL	\$1,555
ı	26 x 36 x 30	19.8 / 126	26-RM263630TL	\$1,218
ľ	26 x 42 x 30	22.9 / 134	26-RM264230TL	\$1,318
	26 x 48 x 30	26.0 / 142	26-RM264830TL	\$1,460
	26 x 60 x 30	32.2 / 157	26-RM266030TL	\$1,593
	30 x 36 x 30	22.6 / 133	26-RM303630TL	\$1,353
	30 x 42 x 30	26.1 / 142	26-RM304230TL	\$1,462
	30 x 48 x 30	29.7 / 151	26-RM304830TL	\$1,621

26-RM306030TL

26-RL304830AL

26-RL306030AL



	Three leg bases • Available with		modesty fy "C" and add \$126)	
	24 x 72 x 30	35.7 / 279	26-RM247230TL	\$2,143
	24 x 84 x 30	41.5 / 293	26-RM248430TL	\$2,337
	24 x 96 x 30	47.2 / 307	26-RM249630TL	\$2,615
1	26 x 72 x 30	38.4 / 283	26-RM267230TL	\$2,193
	26 x 72 x 30 26 x 84 x 30	44.6 / 298	26-RM268430TL	\$2,393
	26 x 96 x 30	50.9 / 313	26-RM269630TL	\$2,678
	30 x 72 x 30	43.9 / 292	26-RM307230TL	\$2,434
	30 x 84 x 30	51.0 / 308	26-RM308430TL	\$2,657
	30 x 96 x 30	58.1 / 324	26-RM309630TL	\$2,973

### Tables with Laminate iMod Modesty

\$1,769

\$1,441

\$1,558

No end caps required. Finished ends with rectangular black plastic grommets.

26-RL309630AL

\$2,563

Specify colors for worksurface, metal leg and iMod modesty (base color only)

#### **Arched legs**



	lwo leg bases -	Single laminate	e modesty	
	<ul> <li>Available with</li> </ul>	casters (Specif	fy "C" and add \$84)	
	24 x 36 x 30	18.3 / 124	26-RL243630AL	\$1,069
	24 x 42 x 30	21.2 / 131	26-RL244230AL	\$1,149
	24 x 48 x 30	24.1 / 139	26-RL244830AL	\$1,259
	24 x 60 x 30	29.9 / 153	26-RL246030AL	\$1,363
1	26 x 36 x 30	19.8 / 126	26-RL263630AL	\$1,102
J	26 x 42 x 30	22.9 / 134	26-RL264230AL	\$1,184
	26 x 48 x 30	26.0 / 142	26-RL264830AL	\$1,298
	26 x 60 x 30	32.2 / 157	26-RL266030AL	\$1,405
	30 x 36 x 30	22.6 / 133	26-RL303630AL	\$1,223
	30 x 42 x 30	26.1 / 142	26-RL304230AL	\$1,314

,

Arched legs

### Three leg bases - Double laminate modesty

• Available with casters (Specify "C" and add \$126) 35.7 / 279 24 x 72 x 30 26-RL247230AL \$1,857 24 x 84 x 30 41.5 / 293 26-RL248430AL \$2,017 24 x 96 x 30 26-RL249630AL \$2,239 47.2 / 307 26 x 72 x 30 38.4 / 283 26-RL267230AL \$1,913 26 x 84 x 30 44.6 / 298 26-RL268430AL \$2,079 26 x 96 x 30 50.9 / 313 26-RL269630AL \$2,308 30 x 72 x 30 43.9 / 292 26-RL307230AL \$2,125 30 x 84 x 30 51.0 / 308 26-RL308430AL \$2,308






### Two leg bases - Single laminate modesty

29.7 / 151

36.8 / 168

TWO TOG DUGGG	Omigic idinina	inoucoty	
<ul> <li>Available with</li> </ul>	casters (Speci	fy "C" and add \$84)	
24 x 36 x 30	18.3 / 124	26-RL243630TL	\$938
24 x 42 x 30	21.2 / 131	26-RL244230TL	\$1,016
24 x 48 x 30	24.1 / 139	26-RL244830TL	\$1,127
24 x 60 x 30	29.9 / 153	26-RL246030TL	\$1,231
00 00 00	10.0 ( 100	00 DI 000000TI	****
26 x 36 x 30	19.8 / 126	26-RL263630TL	\$966
26 x 42 x 30	22.9 / 134	26-RL264230TL	\$1,047
26 x 48 x 30	26.0 / 142	26-RL264830TL	\$1,162
26 x 60 x 30	32.2 / 157	26-RL266030TL	\$1,268
30 x 36 x 30	22.6 / 133	26-RL303630TL	\$1,073
30 x 42 x 30	26.1 / 142	26-RL304230TL	\$1,164
30 x 48 x 30	29.7 / 151	26-RL304830TL	\$1,290
30 x 60 x 30	36.8 / 168	26-RL306030TL	\$1,408



#### Three leg bases - Double laminate modesty Available with casters (Specify "C" and add \$126)

58.1 / 324

30 x 96 x 30

	Available with	casters (Specii	yь	anu auu \$120)	
	24 x 72 x 30	35.7 / 279	26-R	L247230TL	\$1,660
	24 x 84 x 30	41.5 / 293	26-R	L248430TL	\$1,820
	24 x 96 x 30	47.2 / 307	26-R	L249630TL	\$2,041
_					
	26 x 72 x 30	38.4 / 283	26-R	L267230TL	\$1,710
	26 x 84 x 30	44.6 / 298	26-R	L268430TL	\$1,876
	26 x 96 x 30	50.9 / 313	26-R	L269630TL	\$2,104
	30 x 72 x 30	43.9 / 292	26-R	L307230TL	\$1,899
	30 x 84 x 30	51.0 / 308	26-R	L308430TL	\$2,082
	30 x 96 x 30	58.1 / 324	26-R	L309630TL	\$2,336

# Computer-based Training

### **How To Order**

1. Select model number

Ex: 26-RM263630TL

- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$168 for single table or \$252 for double table. Ex: 26-RM263632TL
- 2. Select metal color for legs and laminate color for work surface (see page 96)

Ex: PBL 044 Base Worksurface

3. Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty) 227 (Fashion Grey laminate color for laminate modesty)

4. Upgrade to Postform work surface edge detail

Add P to the model number and add 20% to List Price

5. Casters or height-adjustable legs:

For casters, add -C to the model number and add \$42 list, per leg.

Ex: 26-RM244830AL-C

For height-adjustable legs, add -H to the model number and

add \$121 list, per leg.

Ex: 26-RM244830AL-H

6. Select visual display options (see page 47)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

7. Select essential options (see page 20)

Ex: 11205DP (Standard data port)

8. Select end caps for iMod table with metal modesty

Ex: 26-ENDCAP01 (End caps)

Specify metal color for end caps

Ex: PSL (Polished silver metal color)

### Miscellaneous

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
l iMod	Fits on right or Specify metal		d of metal iMod co	mpartment.
	01 x 03 x 20	0.1/3	26-ENDCAP2	2 \$79



For metal iMod

End cap For metal

> To be used with ADA height units that are intended for stand-alone use only (i.e. Units that are not used as part of a row). Fits on right or left end of metal iMod compartment. Specify metal color. Note: Only one (1) Extra ADA End Cap per unit is needed as ADA height units ship with one ADA

**End Cap included** 

\$84 01 x 03 x 24



When adding casters, the total height will not change.

Set of 2 required per leg. 2 5/8 x 1 3/4 x 3 1/4



Height-adjustable Adjustable height from 27"-37".

\$121 per lea

\$42 per leg

**Privacy Panels** for Single Table



For factory prep, must specify "PP" on table model number. Specify base color only. 6" radius on front. Field

Model

**List Price** 

\$105

\$220

ft3 / lbs

DxWxH(in.)

24 x 36 x 15	1.5 / 37	26-PP243615	\$318
24 x 42 x 15	1.7 / 40	26-PP244215	\$349
24 x 48 x 15	1.9 / 42	26-PP244815	\$385
24 x 60 x 15	1.9 / 47	26-PP246015	\$452
26 x 36 x 15	1.5 / 38	26-PP263615	\$333
26 x 42 x 15	1.7 / 41	26-PP264215	\$365
26 x 48 x 15	1.9 / 43	26-PP264815	\$400
26 x 60 x 15	1.9 / 48	26-PP266015	\$467
30 x 36 x 15	1.5 / 42	26-PP303615	\$352
30 x 42 x 15	1.7 / 44	26-PP304215	\$388
30 x 48 x 15	1.9 / 47	26-PP304815	\$427
30 x 60 x 15	1.9 / 51	26-PP306015	\$501

**Privacy Panels** for Double Table



For factory prep, must specify "PP" on table model number. Specify base color only. 6" radius on front. Field installed.

24 x 71 x 15	1.8 / 51	26-PP247115	\$545
24 x 83 x 15	2.2 / 56	26-PP248315	\$629
24 x 95 x 15	2.4 / 59	26-PP249515	\$692
26 x 71 x 15	1.8 / 52	26-PP267115	\$561
26 x 83 x 15	2.2 / 57	26-PP268315	\$644
26 x 95 x 15	2.4 / 60	26-PP269515	\$707
30 x 71 x 15	1.8 / 55	26-PP307115	\$600
30 x 83 x 15	2.2 / 60	26-PP308315	\$684
30 x 95 x 15	2.4 / 63	26-PP309515	\$747

Rectangular Wire Grommet



Black plastic grommet cover is removable for easy wire management. If Installed (available for work surface only):

ricase provide sketch to mulcate placement location	
17/8 x 31/4 x 11/4 (cutout dimensions) <b>WG1080</b>	\$61
If Sold Separately (not part of base model):	
17/8 x 31/4 x 11/4 (cutout dimensions) <b>AC-WG1080</b>	\$31
For other grommet options, see page 21	

#### Factory Installed Keyboard Options (Only ordered when NO Visual Display Options ordered)

**Factory Installed Nova Keyboard** 

Keyboard length to fit casegoods ordered 22" - 34" wide



**Factory Installed** 

**Articulating Keyboard** 

**Center Mount** 

Keyboard length to fit casegoods ordered 28", 30", 34" wide 15



- Model number
- Metal leg color & laminate worksurface colors Metal iMod color -or- Base color for laminate iMod
- 4. Optional Ht.-Adjustable Legs or Casters

- Optional Select visual display option(s) Optional Add essential accessory options Optional Specify End caps for metal iMod & 6. 7. specify color
- 8. Optional-Upgrade to Postform work surface

#### Visual Display Options available:

- The Trolley™ E-Class
- Downview-Flat Panel Display
- Surface Mount Flat Panel Display

### Visual Display Options for Workstations and Tables with iMod

Factory installed keyboard-only options available on page 42 for Workstations with iMod, and page 46 for Tables with iMod. Single monitor workstations require one (1) visual display option. Double monitor workstations require two (2) visual display options.


#### **List Price** Qty 2 required for Double Workstations/Tables

### **Maximum dimensions for** flat panel display:

The Trolley™

•E-Class - 234" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H)

· 26" min. worksurface depth required for Trolley with Center Mount Articulating Keyboard Tray



NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

#### Model Wt.

E-Class with Nova Keyboard Drawer

Trolley does not come installed in any unit, Nova Keyboard Drawer installed in assembled units only.

**TE0721NK** 

E-Class with Center Mount Articulating Keyboard Mechanism and Tray Trolley does not come installed in any unit, Center Mount Keyboard Tray installed in assembled units only.

TE0721CK 47 \$1,393 ea.

International Customers: E-Class units include Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

- · E-Class suitable for flat panel displays up to 21" (diagonal) or 20" (widescreen)
- One-touch activation
- · Low voltage motor to lift & lower monitor
- · Provides vertical tilt adjustment in "up" position
- Durable metal enclosure under desktop
- · Wire management system and power strip included

To add a USB Port Extension to the Trolley, see page 22.

#### **List Price**

Qty 2 required for Double Workstations/Tables

### **Downview-Flat Panel Display**

#### **Maximum dimensions** for flat panel display:

- 18"D x 18"W viewport-17"W x 141/2"H (432mm W x 368mm H) 26" min. work surface depth
- 21"D x 21"W viewport 201/8"W x 19"H (511mm W x 483mm H) 30" min. work surface depth

#### Widescreen Format

- •16"D x 21"W viewport 191/2"W x 121/2" H (495mm W x 318mm H) 24" min. work surface depth
- •18"D x 21"W viewport-201/8"W x 141/2"H (511mm W x 368mm H) 26" min. work surface depth



### Wt. With Nova Keyboard Drawer

Model

Downview Flat Panel Display & Nova Keyboard Drawer installed in assembled units only.

FPA1621NK	35	Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$356 ea.
FPA1818NK	35	Includes 18"D x 18"W viewport, adjustable arm, and visor.	\$377 ea.
FPA1821NK	35	Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$377 ea.
FPA2121NK	37	Includes 21"D x 21"W viewport, adjustable arm, and visor.	\$440 ea.

#### Dual Mount Adjustable Keyboard Tray available only on iMod Workstations:

(Items starting with "46" on page 41)

#### With Dual Mount Adjustable Keyboard Tray

Downview Flat Panel Display & Dual Mount Keyboard Tray installed in assembled units only.

FPA1621AK	36	Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$603 ea.
FPA1818AK	36	Includes 18"D x 18"W viewport, adjustable arm, and visor.	\$634 ea.
FPA1821AK	36	Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$634 ea.
FPA2121AK	38	Includes 21"D x 21"W viewport, adjustable arm, and visor.	\$697 ea.

- 16x21 & 18x21 viewports suitable for 21" widescreen displays
- 18x18 viewport suitable for flat panel displays up to 19" diagonal
- 21x21 viewport suitable for flat panel displays up to 21" diagonal
- Tinted, tempered glass viewport
- Keeps monitor under glass below work surface
- · Wire management system and power strip included

#### **List Price** Qty 2 required for Double Workstations/Tables

\$273 ea.

### **Surface Mount**

### Flat Panel Display

Maximum weight for flat panel display: 21 lbs. Dimensions for flat panel display: Up to 24" diagonal wide screen



### Wt. With Nova Keyboard Drawer

Surface Mount Flat Panel Display does not come installed in any unit, Nova Keyboard Drawer installed in assembled units only. SMA0203NK 13

With Center Mount Articulating Keyboard Mechanism and Trav Surface Mount Flat Panel Display does not come installed in any unit,

Center Mount Keyboard Tray installed in assembled units only. SMA0203CK 15 \$451 ea.

- For details and installation specifications, refer to pages 83-87
- For CRT applications, please contact Customer Support: 1-800-730-6682

Model

• Suitable for flat panel displays up to 24" diagonal wide screen

· Wire management system and power strip included

# Hardwiring

### **How To Order Hardwire-Standard Workstation**

- 1. Select a standard workstation, and add -W to the end of the model number
- 2. Complete room layout with workstations
- 3. Select power entry
- 4. Select jumper length
- 5. Select receptacle block
- 6. Select mounting bracket quantities for all receptacle blocks. **NOTE:** Mounting brackets with receptacle block always located

**NOTE:** Mounting brackets with receptacle block always located behind CPU storage.

### **Standard Features**

4-wires, 2 circuits, 20 Amps each (Circuit 1 and 2 only)

13-Duplex receptacles per circuit, 26-15 Amp Duplex receptacles per power infeed maximum Easy to specify

Easy to install and reconfigure

Requires less space

UL Listed as a Manufactured Wiring System

More economical than 8-Wire System

### **Electrical Components**

	DxWxH (in.)	Model	List Price		DxWxH (in.)	Model	List Price
			_	Famala da Famala			
Receptacle Block	Complete the model numbe		rcuit	Female to Female	6" W	BE41920-3-6	\$89
<b>√</b> \$\)	number (Circuit 1 or Circuit Example: a receptacle block for		dol	Jumper	12" W	BE41920-3-12	\$97
	number BE41917-3-A- <b>1</b> -8B.	i Circuit i would be mo	uei	AS.	18" W	BE41920-3-18	\$104
	Humber BE41317 3 A 7 6B.				22" W	BE41920-3-22	\$108
		BE41917-3-A8B	\$100	m/ X	24" W	BE41920-3-24	\$111
<b>→</b>					30" W	BE41920-3-30	\$118
					36" W	BE41920-3-36	\$125
					42" W	BE41920-3-42	\$132
					48" W	BE41920-3-48	\$145
-					54" W	BE41920-3-54	\$153
Receptacle to		BE41919-3	\$22		60" W	BE41920-3-60	\$162
Receptacle Block					66" W	BE41920-3-66	\$170
Connector					72" W	BE41920-3-72	\$177
$\Leftrightarrow$					78" W	BE41920-3-78	\$186
					84" W	BE41920-3-84	\$194
					90" W	BE41920-3-90	\$203
					96" W	BE41920-3-96	\$210
4-Way "H"		BE41921-3	\$36		102" W	BE41920-3-102	\$218
Connector					108" W	BE41920-3-108	\$227
					114" W	BE41920-3-114	\$235
					120" W	BE41920-3-120	\$242
					126" W	BE41920-3-126	\$251
					132" W	BE41920-3-132	\$259
Spring clip		BE41955	\$6		138" W	BE41920-3-138	\$267
mounting bracket					144" W	BE41920-3-144	\$275
with Screws							
				Power Entry	36" W	BE41922-3-36	\$160
				I OWGI LIIU y	42" W	BE41922-3-42	\$167
· ///					48" W	BE41922-3-48	\$181
<b>N</b>					54" W	BE41922-3-54	\$189
					60" W	BE41922-3-60	\$196
Transition wall					66" W	BE41922-3-66	\$205
		BE42171-3-06	\$153	<i>~</i>	72" W	BE41922-3-72	\$213
power plate					78" W	BE41922-3-78	\$221
Power entry not included					84" W	BE41922-3-84	\$229
					90" W	BE41922-3-90	\$237
					96" W	BE41922-3-96	\$245
					102" W	BE41922-3-102	\$254
					108" W	BE41922-3-108	\$261
					114" W	BE41922-3-114	\$270
Jan 1					120" W	BE41922-3-120	\$278
					126" W	BE41922-3-126	\$286
					132" W	BE41922-3-132	\$294
					138" W	BE41922-3-138	\$302
					144" W	BE41922-3-144	\$310
					1 1 7 77	DE-11022-0-144	ΨΟΙΟ





Visit our online photo gallery to view recent installation photos

www.novadesk.com

C = Castors for Arched or T-leg table, add \$42 list, per leg

H = Height-adjustable legs, add \$121 list, per leg

### **How To Order**

### **Nesting Tables Only**

- **1. Select Nesting Table model number** Ex: 25-NT247230AL
- 2. Select finish color for legs and laminate color for work surface and accent (see page 96)

Accent color applies to top edge banding.

To specify no accent color, use "XXX" for accent color code.

Ex: PBL 227 044 accent

surface XXX-No accent color

#### **OPTIONS**

3. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

### **Model Number Structure**

25 Series - NT Type

NT-Nesting Table

247230 Size D x W x H

AL

Leg AL - Arched leg TL - T-leg

AC - Arched leg w/ casters TC - T-leg w/ casters

### Tables

1. Select model number and choose leg style

Ex: 25-RT247230AL

**How To Order** 

2. Select finish color for legs and laminate color for work surface and accent (see page 96)

Accent color applies to top edge banding.

To specify no accent color, use "XXX" for accent color code.

Ex: PBL 044 044 accent surface XXX-No accent color

**OPTIONS** 

3. Casters or height-adjustable legs (Arched or T-legs only)

**For casters,** add **-C** to the model number and add \$42 list, per leg. Ex: 25-RT247230AL**-C** 

For height-adjustable legs, add -H to the model number and add \$121 list, per leg.

Ex: 25-RT247230AL-H

4. Select visual display options (see page 58)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

5. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

### **Color Finishes for Metal Leg Base**

Color (Code) see inside back cover for swatches

Polished black (PBL) Polished silver (PSL) Slate (SLL) Sage (SAL)

Ocean (OCL)
Watermelon (WML)

### **Model Number Structure**

25 - R1

Top Shape RT-Rectangle ZT-Trapezoid

HR-Half Round

<u>247230</u>

Size D x W x H AL

Leg AL - Arched leg TL - T-leg SL - Straight leg

### **Leg Base Styles**







### **Work Surface Edge Detail**



### **Leg Base Options**







legs (-H)
Adjustable height
from 27"-37"
Specify -H & add \$121
list, per leg
Available with Arched &
T-Leg only

### Visual Display Options To order, see page 56.

### The Trolley™ Personal Monitor Arm System

Maximum dimensions for flat panel display:

E-Class: 2%" D x 18½" W x 14" H (70mm D x 470mm W x 356mm H)

NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 %" (171mm)

#### **Surface Mount Flat Panel Display**

Maximum weight for flat panel display: 21 lbs.

Maximum dimensions for flat panel display: Up to 24" diagonal wide screen

- To order, specify:
  1. Model number
  2. Finish color for legs and laminate color for work surface and accent.
  3. Optional Essential accessory options


#### Visual Display Options available (excludes Nesting Tables):

- The Trolley™ E-Class
- Surface Mount Flat Panel Display

### **Nesting Tables**


Stiffeners included on tables 60" wide and up.

#### legs & folding top




DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
18 x 36 x 30	5.4 / 50	25-NT183630AL	\$706
18 x 42 x 30	5.7 / 55	25-NT184230AL	\$751
18 x 48 x 30	6.1 / 59	25-NT184830AL	\$808
18 x 60 x 30	6.6 / 65	25-NT186030AL	\$899
18 x 72 x 30	7.1 / 72	25-NT187230AL	\$930
18 x 84 x 30	7.7 / 80	25-NT188430AL	\$970
18 x 96 x 30	8.2 / 86	25-NT189630AL	\$997
24 x 36 x 30	6.1 / 61	25-NT243630AL	\$735
24 x 42 x 30	6.3 / 65	25-NT244230AL	\$784
24 x 48 x 30	6.7 / 71	25-NT244830AL	\$852
24 x 60 x 30	7.5 / 80	25-NT246030AL	\$952
24 x 72 x 30	8.2 / 89	25-NT247230AL	\$973
24 x 84 x 30	8.9 / 98	25-NT248430AL	\$1,042
24 x 96 x 30	9.6 / 108	25-NT249630AL	\$1,099
			, ,
30 x 36 x 30	6.5 / 68	25-NT303630AL	\$775
30 x 42 x 30	6.9 / 74	25-NT304230AL	\$829
30 x 48 x 30	7.4 / 80	25-NT304830AL	\$918
30 x 60 x 30	8.3 / 91	25-NT306030AL	\$1,029
30 x 72 x 30	9.2 / 103	25-NT307230AL	\$1,071
30 x 84 x 30	10.1 / 115	25-NT308430AL	\$1,083
30 x 96 x 30	10.9 / 127	25-NT309630AL	\$1,160
00 X 00 X 00	10.57 127	20 111003000AL	Ψ1,100
18 x 36 x 30	5.4 / 52	25-NT183630AC	\$794

#### Table with arched 18 x 36 x 30 legs, folding top & casters




18 x 48 x 30       6.1 / 61       25-NT184830AC       \$896         18 x 60 x 30       6.6 / 67       25-NT186030AC       \$987         18 x 72 x 30       7.1 / 74       25-NT187230AC       \$1,018         18 x 84 x 30       7.7 / 82       25-NT188430AC       \$1,058         24 x 36 x 30       6.1 / 63       25-NT243630AC       \$1,085         24 x 42 x 30       6.3 / 67       25-NT244230AC       \$872         24 x 48 x 30       6.7 / 73       25-NT24430AC       \$940         24 x 60 x 30       7.5 / 82       25-NT24630AC       \$1,040         24 x 72 x 30       8.2 / 91       25-NT247230AC       \$1,058         24 x 84 x 30       9.6 / 110       25-NT248430AC       \$1,105         24 x 86 x 30       9.6 / 110       25-NT249630AC       \$1,187         30 x 36 x 30       6.5 / 70       25-NT30430AC       \$1,187         30 x 42 x 30       6.9 / 76       25-NT30430AC       \$1,006         30 x 48 x 30       7.4 / 82       25-NT30430AC       \$1,117         30 x 84 x 30       10.1 / 117       25-NT307230AC       \$1,158         30 x 84 x 30       10.1 / 117       25-NT309630AC       \$1,154	18 x 42 x 30	5.7 / 57	25-NT184230AC	\$839
18 x 72 x 30       7.1 / 74       25-NT187230AC       \$1,018         18 x 84 x 30       7.7 / 82       25-NT188430AC       \$1,058         18 x 96 x 30       8.2 / 88       25-NT189630AC       \$1,085         24 x 36 x 30       6.1 / 63       25-NT243630AC       \$823         24 x 42 x 30       6.3 / 67       25-NT244230AC       \$872         24 x 48 x 30       6.7 / 73       25-NT244830AC       \$940         24 x 60 x 30       7.5 / 82       25-NT246030AC       \$1,040         24 x 72 x 30       8.2 / 91       25-NT247230AC       \$1,058         24 x 84 x 30       8.9 / 100       25-NT248430AC       \$1,130         24 x 96 x 30       9.6 / 110       25-NT30430AC       \$1,187         30 x 36 x 30       6.5 / 70       25-NT304230AC       \$917         30 x 42 x 30       6.9 / 76       25-NT30430AC       \$1,006         30 x 60 x 30       8.3 / 93       25-NT304830AC       \$1,006         30 x 60 x 30       8.3 / 93       25-NT307230AC       \$1,158         30 x 84 x 30       10.1 / 117       25-NT308430AC       \$1,171	18 x 48 x 30	6.1 / 61	25-NT184830AC	\$896
18 x 84 x 30       7.7 / 82       25-NT188430AC       \$1,058         18 x 96 x 30       8.2 / 88       25-NT189630AC       \$1,085         24 x 36 x 30       6.1 / 63       25-NT243630AC       \$823         24 x 42 x 30       6.3 / 67       25-NT244230AC       \$872         24 x 60 x 30       7.5 / 82       25-NT246030AC       \$1,040         24 x 72 x 30       8.2 / 91       25-NT247230AC       \$1,058         24 x 84 x 30       8.9 / 100       25-NT248430AC       \$1,130         24 x 96 x 30       9.6 / 110       25-NT249630AC       \$1,187         30 x 36 x 30       6.5 / 70       25-NT304230AC       \$917         30 x 42 x 30       6.9 / 76       25-NT30430AC       \$1,006         30 x 60 x 30       8.3 / 93       25-NT304830AC       \$1,006         30 x 60 x 30       8.3 / 93       25-NT307230AC       \$1,117         30 x 84 x 30       10.1 / 117       25-NT308430AC       \$1,171	18 x 60 x 30	6.6 / 67	25-NT186030AC	\$987
18 x 96 x 30         8.2 / 88         25-NT189630AC         \$1,085           24 x 36 x 30         6.1 / 63         25-NT243630AC         \$823           24 x 42 x 30         6.3 / 67         25-NT244230AC         \$872           24 x 48 x 30         6.7 / 73         25-NT24430AC         \$1,040           24 x 60 x 30         7.5 / 82         25-NT246030AC         \$1,040           24 x 72 x 30         8.2 / 91         25-NT247230AC         \$1,058           24 x 84 x 30         8.9 / 100         25-NT248430AC         \$1,130           24 x 96 x 30         9.6 / 110         25-NT30430AC         \$1,187           30 x 36 x 30         6.5 / 70         25-NT30430AC         \$1,187           30 x 42 x 30         6.9 / 76         25-NT30430AC         \$1,006           30 x 60 x 30         8.3 / 93         25-NT304830AC         \$1,006           30 x 60 x 30         8.3 / 93         25-NT306030AC         \$1,117           30 x 84 x 30         10.1 / 117         25-NT308430AC         \$1,158	18 x 72 x 30	7.1 / 74	25-NT187230AC	\$1,018
24 x 36 x 30 6.1 / 63 25-NT243630AC \$823 24 x 42 x 30 6.3 / 67 25-NT244230AC \$872 24 x 48 x 30 6.7 / 73 25-NT2442830AC \$940 24 x 60 x 30 7.5 / 82 25-NT246030AC \$1,040 24 x 72 x 30 8.2 / 91 25-NT247230AC \$1,040 24 x 72 x 30 8.9 / 100 25-NT247230AC \$1,130 24 x 96 x 30 9.6 / 110 25-NT249630AC \$1,187 30 x 36 x 30 6.5 / 70 25-NT30430AC \$1,187 30 x 42 x 30 6.9 / 76 25-NT30430AC \$917 30 x 48 x 30 7.4 / 82 25-NT30430AC \$1,006 30 x 60 x 30 8.3 / 93 25-NT30430AC \$1,107 30 x 72 x 30 9.2 / 105 25-NT307230AC \$1,158 30 x 84 x 30 10.1 / 117 25-NT308430AC \$1,171	18 x 84 x 30	7.7 / 82	25-NT188430AC	\$1,058
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 x 96 x 30	8.2 / 88	25-NT189630AC	\$1,085
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	24 x 36 x 30	6.1 / 63	25-NT243630AC	\$823
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	24 x 42 x 30	6.3 / 67	25-NT244230AC	\$872
24 x 72 x 30       8.2 / 91       25-NT247230AC       \$1,058         24 x 84 x 30       8.9 / 100       25-NT248430AC       \$1,130         24 x 96 x 30       9.6 / 110       25-NT249630AC       \$1,187         30 x 36 x 30       6.5 / 70       25-NT303630AC       \$863         30 x 42 x 30       6.9 / 76       25-NT304230AC       \$917         30 x 48 x 30       7.4 / 82       25-NT304830AC       \$1,006         30 x 60 x 30       8.3 / 93       25-NT306030AC       \$1,117         30 x 72 x 30       9.2 / 105       25-NT307230AC       \$1,158         30 x 84 x 30       10.1 / 117       25-NT308430AC       \$1,171	24 x 48 x 30	6.7 / 73	25-NT244830AC	\$940
24 x 84 x 30       8.9 / 100       25-NT248430AC       \$1,130         24 x 96 x 30       9.6 / 110       25-NT249630AC       \$1,187         30 x 36 x 30       6.5 / 70       25-NT303630AC       \$863         30 x 42 x 30       6.9 / 76       25-NT304230AC       \$917         30 x 60 x 30       8.3 / 93       25-NT304830AC       \$1,106         30 x 60 x 30       8.3 / 93       25-NT306030AC       \$1,117         30 x 84 x 30       10.1 / 117       25-NT307230AC       \$1,158         30 x 84 x 30       10.1 / 117       25-NT308430AC       \$1,171	24 x 60 x 30	7.5 / 82	25-NT246030AC	\$1,040
24 x 96 x 30       9.6 / 110       25-NT249630AC       \$1,187         30 x 36 x 30       6.5 / 70       25-NT303630AC       \$863         30 x 42 x 30       6.9 / 76       25-NT304230AC       \$917         30 x 48 x 30       7.4 / 82       25-NT304830AC       \$1,016         30 x 60 x 30       8.3 / 93       25-NT306030AC       \$1,117         30 x 72 x 30       9.2 / 105       25-NT307230AC       \$1,158         30 x 84 x 30       10.1 / 117       25-NT308430AC       \$1,171	24 x 72 x 30	8.2 / 91	25-NT247230AC	\$1,058
30 x 36 x 30 6.5 / 70 <b>25-NT303630AC</b> \$863 30 x 42 x 30 6.9 / 76 <b>25-NT304230AC</b> \$917 30 x 48 x 30 7.4 / 82 <b>25-NT304830AC</b> \$1,006 30 x 60 x 30 8.3 / 93 <b>25-NT306030AC</b> \$1,117 30 x 72 x 30 9.2 / 105 <b>25-NT307230AC</b> \$1,158 30 x 84 x 30 10.1 / 117 <b>25-NT308430AC</b> \$1,171	24 x 84 x 30	8.9 / 100	25-NT248430AC	\$1,130
30 x 42 x 30       6.9 / 76       25-NT304230AC       \$917         30 x 48 x 30       7.4 / 82       25-NT304830AC       \$1,006         30 x 60 x 30       8.3 / 93       25-NT306030AC       \$1,117         30 x 72 x 30       9.2 / 105       25-NT307230AC       \$1,158         30 x 84 x 30       10.1 / 117       25-NT308430AC       \$1,171	24 x 96 x 30	9.6 / 110	25-NT249630AC	\$1,187
30 x 42 x 30       6.9 / 76       25-NT304230AC       \$917         30 x 48 x 30       7.4 / 82       25-NT304830AC       \$1,006         30 x 60 x 30       8.3 / 93       25-NT306030AC       \$1,117         30 x 72 x 30       9.2 / 105       25-NT307230AC       \$1,158         30 x 84 x 30       10.1 / 117       25-NT308430AC       \$1,171				
30 x 48 x 30       7.4 / 82       25-NT304830AC       \$1,006         30 x 60 x 30       8.3 / 93       25-NT306030AC       \$1,117         30 x 72 x 30       9.2 / 105       25-NT307230AC       \$1,158         30 x 84 x 30       10.1 / 117       25-NT308430AC       \$1,171	30 x 36 x 30	6.5 / 70	25-NT303630AC	\$863
30 x 60 x 30       8.3 / 93       25-NT306030AC       \$1,117         30 x 72 x 30       9.2 / 105       25-NT307230AC       \$1,158         30 x 84 x 30       10.1 / 117       25-NT308430AC       \$1,171	30 x 42 x 30	6.9 / 76	25-NT304230AC	\$917
30 x 72 x 30 9.2 / 105 <b>25-NT307230AC \$1,158</b> 30 x 84 x 30 10.1 / 117 <b>25-NT308430AC \$1,171</b>	30 x 48 x 30	7.4 / 82	25-NT304830AC	\$1,006
30 x 84 x 30 10.1 / 117 <b>25-NT308430AC \$1,171</b>	30 x 60 x 30	8.3 / 93	25-NT306030AC	\$1,117
	30 x 72 x 30	9.2 / 105	25-NT307230AC	\$1,158
30 x 96 x 30 10.9 / 129 <b>25-NT309630AC \$1,247</b>	30 x 84 x 30	10.1 / 117	25-NT308430AC	\$1,171
	30 x 96 x 30	10.9 / 129	25-NT309630AC	\$1,247

### Table with T-legs & folding top



30 x 96 x 30	10.9 / 129	25-NT309630AC	\$1,247
18 x 36 x 30	5.4 / 50	25-NT183630TL	\$590
18 x 42 x 30	5.7 / 55	25-NT184230TL	\$630
18 x 48 x 30	6.1 / 59	25-NT184830TL	\$670
18 x 60 x 30	6.6 / 65	25-NT186030TL	\$792
18 x 72 x 30	7.1 / 72	25-NT187230TL	\$822
18 x 84 x 30	7.7 / 80	25-NT188430TL	\$857
18 x 96 x 30	8.2 / 86	25-NT189630TL	\$886
24 x 36 x 30	6.1 / 61	25-NT243630TL	\$631
24 x 42 x 30	6.3 / 65	25-NT244230TL	\$671
24 x 48 x 30	6.7 / 71	25-NT244830TL	\$711
24 x 60 x 30	7.5 / 80	25-NT246030TL	\$839
24 x 72 x 30	8.2 / 89	25-NT247230TL	\$858
24 x 84 x 30	8.9 / 98	25-NT248430TL	\$924
24 x 96 x 30	9.6 / 108	25-NT249630TL	\$978
30 x 36 x 30	6.5 / 68	25-NT303630TL	\$676
30 x 42 x 30	6.9 / 74	25-NT304230TL	\$714
30 x 48 x 30	7.4 / 80	25-NT304830TL	<b>\$753</b>
30 x 60 x 30	8.3 / 91	25-NT306030TL	\$909
30 x 72 x 30	9.2 / 103	25-NT307230TL	\$950
30 x 84 x 30	10.1 / 115	25-NT308430TL	\$962
30 x 96 x 30	10.9 / 127	25-NT309630TL	\$1,030

Table w	ith	T-legs,
folding	top	& )
casters		



	<b>D</b> x <b>W</b> x <b>H</b> (in.)	ft <sup>3</sup> / lbs	Model	List Price
,	18 x 36 x 30	5.4 / 52	25-NT183630TC	\$678
	18 x 42 x 30	5.7 / 57	25-NT184230TC	\$718
	18 x 48 x 30	6.1 / 61	25-NT184830TC	\$757
	18 x 60 x 30	6.6 / 67	25-NT186030TC	\$880
	18 x 72 x 30	7.1 / 74	25-NT187230TC	\$910
	18 x 84 x 30	7.7 / 82	25-NT188430TC	\$945
	18 x 96 x 30	8.2 / 88	25-NT189630TC	\$974
	24 x 36 x 30	6.1 / 63	25-NT243630TC	\$719
	24 x 42 x 30	6.3 / 67	25-NT244230TC	\$759
	24 x 48 x 30	6.7 / 73	25-NT244830TC	\$799
	24 x 60 x 30	7.5 / 82	25-NT246030TC	\$927
	24 x 72 x 30	8.2 / 91	25-NT247230TC	\$979
	24 x 84 x 30	8.9 / 100	25-NT248430TC	\$1,012
	24 x 96 x 30	9.6 / 110	25-NT249630TC	\$1,066
	30 x 36 x 30	6.5 / 70	25-NT303630TC	\$764
	30 x 42 x 30	6.9 / 76	25-NT304230TC	\$801
	30 x 48 x 30	7.4 / 82	25-NT304830TC	\$841
	30 x 60 x 30	8.3 / 93	25-NT306030TC	\$997
	30 x 72 x 30	9.2 / 105	25-NT307230TC	\$1,038
	30 x 84 x 30	10.1 / 117	25-NT308430TC	\$1,050
	30 x 96 x 30	10.9 / 129	25-NT309630TC	\$1,118





C = Castors for Arched or T-leg table, add \$42 list, per leg
H = Height-adjustable legs, add \$121 list, per leg

### **How To Order**

#### **Tables**

- **1. Select model number and choose leg style** Ex: 25-RT247230AL
- 2. Select finish color for legs and laminate color for work surface and accent (see page 96)

Accent color applies to top edge banding.

To specify no accent color, use "XXX" for accent color code.

Ex: PBL 044 044 base work accent

base work accent surface XXX-No accent color

#### **OPTIONS**

3. Castors or height-adjustable legs (Arched or T-legs only)

**For castors,** add **-C** to the model number and add \$42 list, per leg.

Ex: 25-RT247230AL-C

**For height-adjustable legs,** add **-H** to the model number and add \$121 list, per leg.

Ex: 25-RT247230AL-H

4. Select visual display options (see page 58)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

5. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

	T	ables		
	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Rectangle tables	Arch Legs Two leg bases			
	18 x 36 x 30	5.5 / 50	25-RT183630AL	\$615
	18 x 42 x 30	5.7 / 55	25-RT184230AL	\$629
	18 x 48 x 30	6.1 / 59	25-RT184830AL	\$655
	18 x 60 x 30	6.6 / 86	25-RT186030AL	\$756
	24 x 36 x 30	6.0 / 61	25-RT243630AL	\$646
(-C, 2 legs)	24 x 42 x 30	6.3 / 65	25-RT244230AL	\$665
\$ (-0, 2 legs)	24 x 48 x 30	6.7 / 71	25-RT244830AL	\$679
	24 x 60 x 30	7.4 / 102	25-RT246030AL	\$806
	30 x 36 x 30	6.5 / 68	25-RT303630AL	\$666
	30 x 42 x 30	6.9 / 74	25-RT304230AL	\$687
	30 x 48 x 30	7.5 / 80	25-RT304830AL	\$714
	30 x 60 x 30	8.3 / 114	25-RT306030AL	\$872
	36 x 42 x 30	7.6 / 97	25-RT364230AL	\$730
	36 x 48 x 30	8.1 / 104	25-RT364830AL	\$759
	36 x 60 x 30	9.2 / 136	25-RT366030AL	\$920
^	Three leg base			
	18 x 72 x 30	8.2 / 93	25-RT187230AL	\$812
	18 x 84 x 30	8.8 / 101	25-RT188430AL	\$999
	18 x 96 x 30	9.4 / 107	25-RT189630AL	\$1,258
` /	24 x 72 x 30	9.2 / 111	25-RT247230AL	\$878
	24 x 84 x 30	10.0 / 120	25-RT248430AL	\$1.055
	24 x 96 x 30	10.7 / 130	25-RT249630AL	\$1,316
(-C, 3 legs)	30 x 72 x 30	10.3 / 126	25-RT307230AL	\$929
•	30 x 84 x 30	11.2 / 138	25-RT308430AL	\$1,196
	30 x 96 x 30	12.1 / 150	25-RT309630AL	\$1,461
	00 X 00 X 00	.2.17 100	_3 111000000AE	φι, ισι
	36 x 72 x 30	11.3 / 151	25-RT367230AL	\$1,043
	36 x 84 x 30	12.4 / 165	25-RT368430AL	\$1,272
	36 x 96 x 30	13.2 / 181	25-RT369630AL	\$1,534

es.  0 5.5/50  0 5.7/55  0 6.4/59  0 6.6/86  0 6.0/61  0 6.3/65  0 7.4/102  0 6.5/68  0 6.9/74  0 7.5/80  0 7.5/80  0 8.3/114  0 7.6/97  0 8.1/104  0 9.2/136  ases.  0 8.2/93  0 8.8/101  0 9.4/107  0 9.2/111  10.0/120  10.7/130  10.3/126  11.2/138  12.1/150  11.3/151  12.4/165  13.2/181	25-RT183630TL 25-RT184230TL 25-RT184830TL 25-RT186030TL 25-RT244630TL 25-RT244830TL 25-RT246030TL 25-RT304830TL 25-RT304830TL 25-RT306030TL 25-RT366030TL 25-RT366030TL 25-RT366030TL 25-RT187230TL 25-RT189630TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT248430TL 25-RT248430TL 25-RT369630TL 25-RT307230TL 25-RT307230TL 25-RT307230TL 25-RT307230TL 25-RT307230TL 25-RT307230TL 25-RT307230TL 25-RT307230TL 25-RT309630TL	\$478 \$488 \$497 \$542 \$505 \$516 \$528 \$575 \$547 \$563 \$592 \$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008 \$712 \$952 \$1,115
5.5/50 5.7/55 6.4/59 6.6/86 6.6/86 6.6/86 6.6/86 6.3/65 6.7/71 7.4/102 6.5/68 6.9/74 7.5/80 8.3/114 7.6/97 8.1/104 9.2/136 3.88/101 9.4/107 9.2/111 10.0/120 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT184230TL 25-RT184830TL 25-RT186030TL 25-RT244630TL 25-RT244830TL 25-RT244830TL 25-RT304230TL 25-RT304230TL 25-RT306030TL 25-RT366030TL 25-RT366030TL 25-RT366030TL 25-RT187230TL 25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT248430TL 25-RT248430TL 25-RT248430TL 25-RT308430TL 25-RT307230TL 25-RT307230TL 25-RT307230TL 25-RT308430TL	\$488 \$497 \$542 \$505 \$516 \$528 \$575 \$547 \$563 \$592 \$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008
5.7/55 6.4/59 6.6/86 6.0/61 6.3/65 6.7/71 7.4/102 6.5/68 6.9/74 7.5/80 8.3/114 7.6/97 8.1/104 9.2/136 8.2/93 8.8/101 9.4/107 9.2/111 10.0/120 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT184830TL 25-RT243630TL 25-RT244630TL 25-RT244230TL 25-RT244830TL 25-RT2446030TL 25-RT303630TL 25-RT304230TL 25-RT304830TL 25-RT306030TL 25-RT366030TL 25-RT366030TL 25-RT188430TL 25-RT188430TL 25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT248430TL 25-RT248430TL 25-RT309630TL	\$497 \$542 \$505 \$516 \$528 \$575 \$547 \$563 \$592 \$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008
6.6 / 86 6.0 / 61 6.3 / 65 6.7 / 71 7.4 / 102 6.5 / 68 6.9 / 74 7.5 / 80 8.3 / 114 7.6 / 97 8.1 / 104 9.2 / 136 8888. 8.2 / 93 8.8 / 101 9.4 / 107 9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165	25-RT186030TL 25-RT243630TL 25-RT244230TL 25-RT244830TL 25-RT2446030TL 25-RT303630TL 25-RT304230TL 25-RT306030TL 25-RT364230TL 25-RT366030TL 25-RT366030TL 25-RT187230TL 25-RT188430TL 25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT309630TL	\$542 \$505 \$516 \$528 \$575 \$547 \$563 \$592 \$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008
6.0/61 6.3/65 6.7/71 7.4/102 6.5/68 6.9/74 7.5/80 8.3/114 6.7.6/97 8.1/104 9.2/136 8888. 9 8.2/93 0 8.8/101 9.4/107 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150	25-RT243630TL 25-RT244230TL 25-RT244830TL 25-RT246030TL 25-RT303630TL 25-RT304230TL 25-RT306030TL 25-RT364230TL 25-RT366030TL 25-RT366030TL 25-RT187230TL 25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT307230TL 25-RT309630TL	\$505 \$516 \$528 \$575 \$547 \$563 \$592 \$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008
6.3/65 6.7/71 7.4/102 6.5/68 6.9/74 7.5/80 8.3/114 7.6/97 8.1/104 9.2/136 8.2/93 8.8/101 9.4/107 9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT244230TL 25-RT244830TL 25-RT246030TL 25-RT303630TL 25-RT304230TL 25-RT304830TL 25-RT364230TL 25-RT364830TL 25-RT366030TL 25-RT366030TL 25-RT189630TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT307230TL 25-RT308430TL	\$516 \$528 \$575 \$547 \$563 \$592 \$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008
6.7/71 7.4/102 6.5/68 6.9/74 7.5/80 8.3/114 7.6/97 8.1/104 9.2/136 8.2/93 8.8/101 9.4/107 9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT244830TL 25-RT303630TL 25-RT304230TL 25-RT304830TL 25-RT306030TL 25-RT364230TL 25-RT364830TL 25-RT366030TL 25-RT366030TL 25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$528 \$575 \$547 \$563 \$592 \$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008 \$712 \$952
7.4/102 6.5/68 6.9/74 7.5/80 8.3/114 7.6/97 8.1/104 9.2/136 8.2/93 8.8/101 9.4/107 9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT246030TL 25-RT303630TL 25-RT304230TL 25-RT304830TL 25-RT306030TL 25-RT364230TL 25-RT364830TL 25-RT366030TL  25-RT187230TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT248430TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT307230TL 25-RT308430TL	\$575 \$547 \$563 \$592 \$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008 \$712 \$952
3.5 (a) 6.5 (b) 6.9 (c) 74 (c) 6.9 (c) 74 (c) 7.5 (c) 8.3 (c) 114 (c) 7.6 (c) 9.2 (c) 136 (c) 8.2 (c) 8.8 (c) 9.4 (c) 9.4 (c) 9.4 (c) 10.7 (c) 10.7 (c) 10.7 (c) 10.3 (c) 11.2 (c) 138 (c) 11.2 (c) 11.3	25-RT303630TL 25-RT304230TL 25-RT304830TL 25-RT306030TL 25-RT364230TL 25-RT366030TL 25-RT366030TL 25-RT187230TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT309630TL	\$547 \$563 \$592 \$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008 \$712 \$952
6.9/74 7.5/80 8.3/114 7.6/97 8.1/104 9.2/136 8ses. 8.2/93 8.8/101 9.4/107 9.2/111 0 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150	25-RT304230TL 25-RT304830TL 25-RT306030TL 25-RT364230TL 25-RT364830TL 25-RT366030TL 25-RT187230TL 25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT309630TL	\$563 \$592 \$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008 \$712 \$952
7.5/80 8.3/114 7.6/97 8.1/104 9.2/136 882/93 8.8/101 9.4/107 9.2/111 0 10.0/120 10.7/130 10.3/126 0 11.2/138 12.1/150	25-RT304830TL 25-RT306030TL 25-RT364230TL 25-RT364830TL 25-RT366030TL 25-RT187230TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT309630TL	\$592 \$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008 \$712 \$952
8.3/114 7.6/97 8.1/104 9.2/136 388. 8.2/93 8.8/101 9.4/107 9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT306030TL 25-RT364230TL 25-RT364830TL 25-RT366030TL 25-RT187230TL 25-RT189630TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT309630TL	\$654 \$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008 \$712 \$952
7.6/97 8.1/104 9.2/136 3888. 8.2/93 8.8/101 9.4/107 9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT364230TL 25-RT364830TL 25-RT366030TL 25-RT187230TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$613 \$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008 \$712 \$952
8.1/104 9.2/136 38es. 8.2/93 8.8/101 9.4/107 9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT364830TL 25-RT366030TL 25-RT187230TL 25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008 \$712 \$952
8.1/104 9.2/136 38es. 8.2/93 8.8/101 9.4/107 9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT364830TL 25-RT366030TL 25-RT187230TL 25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$636 \$716 \$583 \$745 \$893 \$698 \$823 \$1,008 \$712 \$952
38es.  3. 8.2/93  3. 8.8/101  3. 9.4/107  3. 9.2/111  3. 10.0/120  3. 10.3/126  3. 11.2/138  3. 12.1/150  3. 11.3/151  3. 12.4/165	25-RT187230TL 25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$716 \$583 \$745 \$893 \$698 \$823 \$1,008 \$712 \$952
8.2/93 8.8/101 9.4/107 9.2/111 0 10.0/120 10.7/130 11.2/138 12.1/150 11.3/151 12.4/165	25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$745 \$893 \$698 \$823 \$1,008 \$712 \$952
8.2/93 8.8/101 9.4/107 9.2/111 0 10.0/120 10.7/130 11.2/138 12.1/150 11.3/151 12.4/165	25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$745 \$893 \$698 \$823 \$1,008 \$712 \$952
8.8/101 9.4/107 9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT188430TL 25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$745 \$893 \$698 \$823 \$1,008 \$712 \$952
9.4/107 9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT189630TL 25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$893 \$698 \$823 \$1,008 \$712 \$952
9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165	25-RT247230TL 25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$698 \$823 \$1,008 \$712 \$952
10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT248430TL 25-RT249630TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$823 \$1,008 \$712 \$952
10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165	25-RT249630TL 25-RT307230TL 25-RT308430TL 25-RT309630TL	\$1,008 \$712 \$952
10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165	25-RT307230TL 25-RT308430TL 25-RT309630TL	\$712 \$952
11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165	25-RT308430TL 25-RT309630TL	\$952
11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165	25-RT308430TL 25-RT309630TL	\$952
12.1 / 150 11.3 / 151 12.4 / 165	25-RT309630TL	
12.4 / 165		
12.4 / 165	<b>クに DT2G7220TI</b>	\$813
	25-RT367230TL 25-RT368430TL	\$1,021
	25-RT369630TL	\$1,184
js .		
2.3 / 50	25-RT183630SL	\$478
2.5 / 55	25-RT184230SL	\$488
2.8 / 59	25-RT184830SL	\$497
3.3 / 86	25-RT186030SL	\$542
2.7 / 61	25-RT243630SL	\$505
3.1 / 65	25-RT244230SL	\$516
3.5 / 71	25-RT244830SL	\$528
4.2 / 102	25-RT246030SL	\$575
3.3 / 68	25-RT303630SL	\$547
3.7 / 74	25-RT304230SL	\$563
4.2 / 80	25-RT304830SL	\$592
5.1 / 114	25-RT306030SL	\$654
4.4 / 97	25-RT364230SL	\$613
4.9 / 104	25-RT364830SL	\$636
5.9 / 136	25-RT366030SL	\$716
	2.3/50 2.5/55 2.8/59 3.3/86 2.7/61 3.1/65 3.5/71 4.2/102 3.3/68 3.7/74 4.2/80 5.1/114	2.3 / 50

- To order, specify:

  1. Model number

  2. Finish color for legs and laminate color for work surface and accent.

  3. Optional-Adjustable Ht. legs (-H) or Casters (-C)
- 4. Optional Select visual display options 5. Optional Select essential accessory options.

### Visual Display Options available (excludes Nesting Tables): $\bullet$ The Trolley $^{\text{TM}}$ E-Class

- Surface Mount Flat Panel Display

	Ta	ables		
	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
ectangle tables	Straight legs			
	<b>Six legs</b> 18 x 72 x 30	4.2 / 93	25-RT187230SL	\$583
	18 x 84 x 30	4.7 / 101	25-RT188430SL	\$745
	18 x 96 x 30	5.3 / 107	25-RT189630SL	\$893
	24 x 72 x 30	5.3 / 111	25-RT247230SL	\$698
•	24 x 84 x 30	5.9 / 120	25-RT248430SL	\$823
	24 x 96 x 30	6.7 / 130	25-RT249630SL	\$1,008
	00 70 00	0.0.1.100	o- B-0000	<b>4</b> =40
	30 x 72 x 30 30 x 84 x 30	6.2 / 126 7.2 / 138	25-RT307230SL 25-RT308430SL	\$712 \$952
	30 x 96 x 30	8.1 / 150	25-RT309630SL	\$1,115
	00 % 00 % 00	0117 100		<b>V</b> 1,110
	36 x 72 x 30	6.5 / 151	25-RT367230SL	\$813
	36 x 84 x 30	8.4 / 165	25-RT368430SL	\$1,021
	36 x 96 x 30	9.4 / 181	25-RT369630SL	\$1,184
apezoid tables	Arch Legs Two leg bases			
/ 	(D x W <sup>1</sup> x W <sup>2</sup> ) 24 x 29 <sup>5</sup> / <sub>8</sub> x 48	7.4 / 71	25-ZT244830AL	<b>¢</b> 704
' <u>"</u>	24 x 53 5/8 x 72	13.2 / 91	25-ZT24463UAL 25-ZT247230AL	\$704 \$1,021
	30 x 37 x 60	9.3 / 93	25-ZT306030AL	\$1,029
	36 x 44½ x 72	11.7 / 131	25-ZT367230AL	\$1,240
(-C, 2 legs)				
-W1-   -W2-	T Legs Two leg bases (D x W¹ x W²)			
	24 x 29 5/8 x 48	7.4 / 71	25-ZT244830TL	\$559
	24 x 53 <sup>5</sup> / <sub>8</sub> x 72	13.2 / 91	25-ZT247230TL	\$666
***	30 x 37 x 60 36 x 44½ x 72	9.3 / 93 11.7 / 131	25-ZT306030TL 25-ZT367230TL	\$693 \$835
(-C, 2 legs)	30 X 44/2 X 7 Z	11.77131	23-2130/23011	<b>გ</b> იაე
-W¹ →	Straight Legs Four legs (D x W¹ x W²)			
	24 x 29 <sup>5</sup> / <sub>8</sub> x 48	7.4 / 71	25-ZT244830SL	\$559
	24 x 53 5/8 x 72	13.2 / 91	25-ZT247230SL	\$666
	30 x 37 x 60	9.3 / 93	25-ZT306030SL	\$693
U	36 x 44½ x 72	11.7 / 131	25-ZT367230SL	\$835
alf round tables	Arch Legs			
	Two leg bases 24 x 48 x 30	6.7 / 62	25-HR244830AL	\$834
	30 x 60 x 30	8.3 / 82	25-HR306030AL	\$1,006
4,	36 x 72 x 30	10.2 / 86	25-HR367230AL	\$1,241
(-C, 2 legs)				
	T Legs Two leg bases			
	24 x 48 x 30	6.7 / 62	25-HR244830TL	\$588
	30 x 60 x 30	8.3 / 82	25-HR306030TL	\$741
	36 x 72 x 30	10.2 / 86	25-HR367230TL	\$946
(-C, 2 legs)				

	DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
	D X W X H (III.)	11. / 108	Model	LIST FILE
lalf round tables	Straight Legs Four Legs			
	24 x 48 x 30	3.5 / 62	25-HR244830SL	\$588
	30 x 60 x 30	5.1 / 82	25-HR306030SL	\$741
'U	36 x 72 x 30	7.0 / 86	25-HR367230SL	\$946
rc tables	Arch Legs			
-W¹→	(D x W¹ x W²) Two leg bases			
	18 x 36 x 56	8.8 / 64	25-AT183630AL	\$916
W <sup>2</sup>	18 x 48 x 75	12.6 / 69	25-AT184830AL	\$1,014
	18 x 60 x 94	17.5 / 74	25-AT186030AL	\$1,118
D→				
	24 x 36 x 56	8.8 / 75	25-AT243630AL	\$949
	24 x 48 x 75	12.6 / 80	25-AT244830AL	\$1,064
	24 x 60 x 94	17.6 / 89	25-AT246030AL	\$1,295
	30 x 42 x 66	10.6 / 85	25-AT304230AL	\$1.014
	30 x 48 x 75	12.6 / 92	25-AT304830AL	\$1,104
	30 x 60 x 94	17.5 / 102	25-AT306030AL	\$1,472
(-C, 2 legs)	36 x 60 x 94	17.5 / 109	25-AT366030AL	\$1,476
	Three leg bases			
	36 x 72 x 113	24.5 / 117	25-AT367230AL	\$1,753
- <b>W</b> ¹→	T Legs (D x W¹ x W²) Two leg bases			
/11/2	18 x 36 x 56	8.8 / 64	25-AT183630TL	\$718
W <sup>2</sup>	18 x 48 x 75	12.6 / 69	25-AT184830TL	\$819
D -	18 x 60 x 94	17.5 / 74	25-AT186030TL	\$919
_	24 x 36 x 56	8.8 / 75	25-AT243630TL	\$725
	24 x 48 x 75	12.6 / 80	25-AT244830TL	\$844
	24 x 60 x 94	17.6 / 89	25-AT246030TL	\$1,073
L *	30 x 42 x 66	10.6 / 85	25-AT304230TL	\$724
	30 x 48 x 75	12.6 / 92	25-AT304830TL	\$855
	30 x 60 x 94	17.5 / 102	25-AT306030TL	\$1,205
(-C, 2 legs)	36 x 60 x 94	17.5 / 109	25-AT366030TL	\$1,236
	Three leg bases	:		·
	36 x 72 x 113	24.5 / 117	25-AT367230TL	\$1,408
-W¹  W2	Straight Legs (D x W¹ x W²) Four Legs			
/ (	18 x 36 x 56	8.8 / 64	25-AT183630SL	\$718
n→	18 x 48 x 75	12.6 / 69	25-AT184830SL	\$819
	18 x 60 x 94	17.5 / 74	25-AT186030SL	\$919
	24 x 36 x 56	8.8 / 75	25-AT243630SL	\$725
<b>⊣</b> ′ ∜	24 x 48 x 75	12.6 / 80	25-AT244830SL	\$844
U	24 x 60 x 94	17.6 / 89	25-AT246030SL	\$1,073
	30 x 42 x 66	10.6 / 85	25-AT304230SL	\$724
	30 x 48 x 75	12.6 / 92	25-AT304830SL	\$855
	30 x 60 x 94	17.5 / 102	25-AT306030SL	\$1,205
	36 x 60 x 94	17.5 / 109	25-AT366030SL	\$1,236
		17.57 108	20-M10000303L	ज्ञा,८३०
	<b>Six Legs</b> 36 x 72 x 113	24.5 / 117	25-AT367230SL	\$1,408

## **Tables**

#### ASSEMBLY REQUIRED FOR ALL TABLES

C = Castors for Arched or T-leg table, add \$42 list, per leg
H = Height-adjustable legs, add \$121 list, per leg

### **How To Order**

#### **Tables**

- **1. Select model number and choose leg style** Ex: 25-RT247230AL
- 2. Select finish color for legs and laminate color for work surface and accent (see page 96)

Accent color applies to top edge banding.

To specify no accent color, use "XXX" for accent color code.

Ex: PBL 044 044 base work accent

base work accent surface XXX-No accent color

#### **OPTIONS**

3. Castors or height-adjustable legs (Arched or T-legs only)

For castors, add -C to the model number and add \$42 list, per leg.

Ex: 25-RT247230AL-C

**For height-adjustable legs,** add **-H** to the model number and add \$121 list, per leg.

Ex: 25-RT247230AL-H

4. Select visual display options (see page 58)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

5. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

	T	ables		
	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Radius rectangle	Arch Legs			
tables	Two leg bases			
	24 x 48 x 30	6.7 / 71	25-RD244830AL	\$734
	24 x 60 x 30	7.4 / 102	25-RD246030AL	\$871
	30 x 48 x 30	7.5 / 80	25-RD304830AL	\$770
	30 x 60 x 30	8.3 / 114	25-RD306030AL	\$941
	36 x 48 x 30	8.1 / 104	25-RD364830AL	\$819
(-C, 2 legs)	36 x 60 x 30	9.2 / 136	25-RD366030AL	\$994
	Three leg base	s		
	24 x 72 x 30	9.2 / 111	25-RD247230AL	\$949
	24 x 84 x 30	10.0 / 120	25-RD248430AL	\$1,140
	24 x 96 x 30	10.7 / 130	25-RD249630AL	\$1,421
	30 x 72 x 30	10.3 / 126	25-RD307230AL	\$1,004
	30 x 84 x 30	11.2 / 138	25-RD308430AL	\$1,291
	30 x 96 x 30	12.1 / 150	25-RD309630AL	\$1,577
(-C, 3 legs)	36 x 72 x 30	11.3 / 151	25-RD367230AL	\$1.127
	36 x 84 x 30	12.4 / 165	25-RD368430AL	\$1,374
	36 x 96 x 30	13.5 / 181	25-RD369630AL	\$1,643
	T Legs			
	Two leg bases			
	24 x 48 x 30	6.7 / 71	25-RD244830TL	\$570
	24 x 60 x 30	7.4 / 102	25-RD246030TL	\$609
	30 x 48 x 30	7.5 / 80	25-RD304830TL	\$640
(-C. 2 leas)	30 x 60 x 30	8.3 / 114	25-RD306030TL	\$682
(-0, 2 legs)	36 x 48 x 30	8.1 / 104	25-RD364830TL	\$687
	36 x 60 x 30	9.2 / 136	25-RD366030TL	\$745

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Pric
	T Legs			
	Three leg bases			
	24 x 72 x 30	9.2 / 111	25-RD247230TL	\$718
	24 x 84 x 30	10.0 / 120	25-RD248430TL	\$889
	24 x 96 x 30	10.7 / 130	25-RD249630TL	\$1,085
				, ,
	30 x 72 x 30	10.3 / 126	25-RD307230TL	\$74
	30 x 84 x 30	11.2 / 138	25-RD308430TL	\$1,028
(-C, 3 legs)	30 x 96 x 30	12.1 / 150	25-RD309630TL	\$1,219
(-0, 3 legs)				
	36 x 72 x 30	11.3 / 151	25-RD367230TL	\$85
	36 x 84 x 30	12.4 / 165	25-RD368430TL	\$1,090
	36 x 96 x 30	13.5 / 181	25-RD369630TL	\$1,27
	Straight Legs			
	Four legs			
	24 x 48 x 30	3.5 / 71	25-RD244830SL	\$570
	24 x 60 x 30	4.2 / 102	25-RD246030SL	\$609
J				•
	30 x 48 x 30	4.2 / 80	25-RD304830SL	\$640
	30 x 60 x 30	5.1 / 114	25-RD306030SL	\$682
	36 x 48 x 30	4.9 / 104	25-RD364830SL	\$68
	36 x 60 x 30	5.9 / 136	25-RD366030SL	\$74
	Six legs	E 0 / 444	OF DD0.4700001	<b>674</b>
	24 x 72 x 30	5.3 / 111	25-RD247230SL	\$718
	24 x 84 x 30	5.9 / 120	25-RD248430SL	\$889
,	24 x 96 x 30	6.7 / 130	25-RD249630SL	\$1,08
	30 x 72 x 30	6.2 / 126	25-RD307230SL	\$74
	30 x 84 x 30	7.2 / 138	25-RD308430SL	\$1,02
	30 x 96 x 30	8.1 / 150	25-RD309630SL	\$1,219
	30 x 30 x 30	0.17 130	23-11D3030303L	Ψ1,213
	36 x 72 x 30	6.5 / 151	25-RD367230SL	\$85
	36 x 84 x 30	8.4 / 165	25-RD368430SL	\$1,096
	36 x 96 x 30	9.4 / 181	25-RD369630SL	\$1,27
	00 X 00 X 00	0.17 101	20 1120000002	Ψ1,27
lser side	Arch Legs			
concave tables	Two leg bases			
/ >	30 x 48 x 30	7.5 / 80	25-CV304830AL	\$785
	30 x 60 x 30	8.3 / 114	25-CV306030AL	\$959
4				
*	Three leg bases	100/:55	o= 0110	44.50
	30 x 72 x 30	10.3 / 126	25-CV307230AL	\$1,021
((()))				
(-C, 2 legs)				
	T Legs			
$\langle \mathcal{A} \rangle$	Two leg bases	75/00	OF CHOUSE	¢cr4
1, ,	30 x 48 x 30 30 x 60 x 30	7.5 / 80	25-CV304830TL	\$652
`	30 X 00 X 30	8.3 / 114	25-CV306030TL	\$69
	Three les haces			
	Three leg bases 30 x 72 x 30	10.3 / 126	25-CV307230TL	\$760
(-C, 2 legs)	JU X 1 Z X JU	10.37 120	20-0430/2301L	\$/O
. , .3-,				
	Ctroight Lanc			
	Straight Legs Four legs			
	30 x 48 x 30	4.2 / 80	25-CV304830SL	\$652
	30 x 48 x 30 30 x 60 x 30	5.1 / 114	25-CV304830SL 25-CV306030SL	\$695
1	00 x 00 x 00	J.1/114	23-043000303L	ф <b>О</b> Э;
	Six Legs			
	30 x 72 x 30	6.2 / 126	25-CV307230SL	\$760

- To order, specify:

  1. Model number

  2. Finish color for legs and laminate color for work surface and accent.

  3. Optional-Adjustable Ht. legs (-H) or Casters (-C)

48 x 48 x 30

6.3 / 102

25-SQ484830SL

\$849

- 4. Optional Select visual display options 5. Optional Select essential accessory options.

### Visual Display Options available (excludes Nesting Tables): • The Trolley™ E-Class

- Surface Mount Flat Panel Display

		ables							
	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price		DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Pri
ow front tables	Arch Legs Two leg bases				Quarter round tables	Height-adjust	able leg not a	vailable.	
	30 x 48 x 30	7.4 / 80	25-BF304830AL	\$785	tubios -	Straight X-leg	ı		
	30 x 60 x 30	8.3 / 114	25-BF306030AL	\$959		24 x 24 x 30	17.1 / 32	25-QR242430XS	\$50
₹ ,				•		30 x 30 x 30	17.9 / 47	25-QR303030XS	\$59
	Three leg base	s				36 x 36 x 30	18.9 / 62	25-QR363630XS	\$66
_ >	30 x 72 x 30	10.3 / 126	25-BF307230AL	\$1,021		30 x 30 x 30	10.97 02	2J-Q11303030X3	φυυ
$\mathcal{A}$				¥-,		Archad V log			
(-C, 2 legs)						<b>Arched X-leg</b> 24 x 24 x 30	17.1 / 32	25-QR242430XA	\$68
( , , , , , , , ,						30 x 30 x 30	17.17.32	25-QR303030XA	\$74
	T Legs					36 x 36 x 30	18.9 / 62		\$81
	Two leg bases				· ·	30 X 30 X 30	10.9 / 02	25-QR363630XA	фо
	30 x 48 x 30	7.4 / 80	25-BF304830TL	\$652	^	Ctroight log			
	30 x 60 x 30	8.3 / 114	25-BF306030TL	\$695		Straight leg	11/00	0E 0D040400CI	ec
*				4000		24 x 24 x 30	1.1 / 32	25-QR242430SL	\$68
	Three leg base	s				30 x 30 x 30	2.9 / 47	25-QR303030SL	\$74
	30 x 72 x 30	10.3 / 126	25-BF307230TL	\$760	0 0	36 x 36 x 30	3.8 / 62	25-QR363630SL	\$81
(C 2 logo)									
(-C, 2 legs)								gned to attach to otl	ner unit
	Straight Legs					on both sides		OF CROSS	
	Four legs				(I	30 x 30 x 30	6.1 / 44	25-QR303030TL	\$59
	30 x 48 x 30	4.2 / 80	25-BF304830SL	\$652	Ų.	36 x 36 x 30	7.1 / 59	25-QR363630TL	\$60
	30 x 60 x 30	5.1 / 114	25-BF306030SL	\$695					
U	00 % 00 % 00	0,		4000					
	Six legs				Teardrop tables	Height-adjust	able leg not a	vailable.	
	30 x 72 x 30	6.3 / 126	25-BF307230SL	\$760	^				
						Straight X-leg	l		
						42 x 42 x 30	20.1 / 85	25-TD424230XS	\$8
ound tables	Hoight_adjust	able leg not av	vailahla			54 x 54 x 30	21.9 / 112	25-TD545430XS	\$1,2
	neight-aujust	able leg flot a	valiabie.						
	Straight X-leg					Arched X-leg			
	30 x 30 x 30	17.9 / 46	25-FR303030XS	\$471		42 x 42 x 30	20.1 / 85	25-TD424230XA	\$90
	36 x 36 x 30	18.9 / 67	25-FR363630XS	\$542		54 x 54 x 30	21.9 / 112	25-TD545430XA	\$1,3°
	42 x 42 x 30	20.1 / 85	25-FR424230XS	\$732		J4 X J4 X J0	21.37 112	2J-1DJ4J4J0AA	φ1,3
	48 x 48 x 30	21.4 / 102	25-FR484830XS	\$814					
						Straight leg			
	Arched X-leg					42 x 42 x 30	4.9 / 85	25-TD424230SL	\$9
)	30 x 30 x 30	17.9 / 46	25-FR303030XA	\$604					
	36 x 36 x 30	18.9 / 67	25-FR363630XA	\$663		54 x 54 x 30	7.8 / 112	25-TD545430SL	\$1,3
	42 x 42 x 30	20.1 / 85	25-FR424230XA	\$861	ء ا				
U U	48 x 48 x 30	21.4 / 102	25-FR484830XA	\$893					
	Ctroight log				Diving very distalled	Heimbt edine	ahla lan nat a	veileble	
)	Straight leg	2.9 / 46	OE EDOUGOGO	\$604	Blunt round tables	Height-adjust	able leg not a	vallable.	
			25-FR303030SL			Chrolada V Ioo	_		
	36 x 36 x 30	3.8 / 67	25-FR363630SL	\$663		Straight X-leg		OF BROADCOOVE	фC:
•	42 x 42 x 30	4.9 / 85	25-FR424230SL	\$861		31 x 36 x 30	18.5 / 60	25-BR313630XS	\$6
	48 x 48 x 30	6.3 / 102	25-FR484830SL	\$893		35 x 42 x 30	19.4 / 78	25-BR354230XS	\$8
uare tables	Heinht-adiust	able leg not a	vailahle			Arched X-leg			
1	.ioigiit-aujust	asio log liot a	anabio.			31 x 36 x 30	18.5 / 60	25-BR313630XA	\$7
	Straight X-leg	1				35 x 42 x 30	19.4 / 78	25-BR354230XA	\$9
. >	30 x 30 x 30	17.9 / 46	25-SQ303030XS	\$454		30 X 12 X 00	13.7/10	LU DIIOUTLUUAA	ψθ
	36 x 36 x 30	18.9 / 67	25-SQ363630XS	\$533	-				
*	42 x 42 x 30	20.1 / 85	25-SQ424230XS	\$718		Straight leg			
	48 x 48 x 30	21.4 / 102	25-SQ484830XS	\$768		31 x 36 x 30	3.4 / 60	25-BR313630SL	\$7
		Z1.7/ 10Z	20-0Q <del>1</del> 04000/\3	Ψ100		35 x 42 x 30	4.3 / 78	25-BR354230SL	\$1 \$9
	Arched X-leg				l l	00 A 74 A 0U	4.5/10	といっしいうり4とうUOL	фЭ
. /	30 x 30 x 30	17.9 / 46	25-SQ303030XA	\$589	=				
<b>X</b>									
	36 x 36 x 30	18.9 / 67	25-SQ363630XA						
	42 x 42 x 30	20.1 / 85	25-SQ424230XA	\$808					
	48 x 48 x 30	21.4 / 102	25-SQ484830XA	\$849					
	Straight leg								
	30 x 30 x 30	2.9 / 46	25-SQ303030SL	\$589					
$\forall$	36 x 36 x 30	3.8 / 67	25-SQ363630SL	\$644					
U	42 x 42 x 30	4.9 / 85	25-SQ424230SL	\$808					
	48 x 48 x 30	6.3 / 102	25-S0484830SL	\$849					

**C** = Castors for Arched or T-leg table, add \$42 list, per leg **H** = Height-adjustable legs, add \$121 list, per leg

### **How To Order**

#### **Tables**

1. Select model number and choose leg style Ex: 25-RT247230AL

2. Select finish color for legs and laminate color for work surface and accent (see page 96)

Accent color applies to top edge banding.

To specify no accent color, use "XXX" for accent color code.

Ex: PBL 044 044

work accent surface XXX-No accent color

#### **OPTIONS**

3. Castors or height-adjustable legs (Arched or T-legs only)

For castors, add -C to the model number and add \$42 list, per leg.

Ex: 25-RT247230AL-C

For height-adjustable legs, add -H to the model number and add \$121 list, per leg.

Ex: 25-RT247230AL-H

4. Select visual display options (see page 58)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

5. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

#### **Tables** D x W x H (in.) ft3 / lbs Model **List Price Rounded square** Height-adjustable leg not available. tables Straight X-leg 17.9 / 47 25-RS303030XS \$533 30 x 30 x 30 \$632 25-RS363630XS 36 x 36 x 30 18.9 / 62 Arched X-leg 30 x 30 x 30 17.9 / 47 25-RS303030XA \$674 36 x 36 x 30 18.9 / 62 25-RS363630XA \$768 Straight leg

#### Transaction Tops

2.9 / 47

3.8 / 62

30 x 30 x 30


36 x 36 x 30

For factory prep, mus	t specify "TA" o	n table mode	el number.	
Transaction Tops for	Straight legs.			
Rectangle Tables	12 x 36 x 11	1.7 / 13	25-TA123611RT	\$252
	12 x 42 x 11	1.9 / 14	25-TA124211RT	\$257
	12 x 48 x 11	2.1 / 15	25-TA124811RT	\$262
	12 x 60 x 11	2.4 / 18	25-TA126011RT	\$276
	12 x 66 x 11	2.7 / 20	25-TA126611RT	\$285
9 11	12 x 72 x 11	2.9 / 25	25-TA127211RT	\$295
Transaction Tops for	Straight legs.			
Radius Rectangle	12 x 36 x 11	1.7 / 13	25-TA123611RD	\$274
Tables	12 x 42 x 11	1.9 / 14	25-TA124211RD	\$281
	12 x 48 x 11	2.1 / 15	25-TA124811RD	\$286
	12 x 60 x 11	2.4 / 18	25-TA126011RD	\$300
NU .	12 x 66 x 11	2.7 / 20	25-TA126611RD	\$313
	12 x 72 x 11	2.9 / 25	25-TA127211RD	\$322
Transaction Tops	Straight legs.			
For Bow Front Tables	18 x 36 x 11	1.7 / 14	25-TA183611BF	\$274
	18 x 42 x 11	1.9 / 15	25-TA184211BF	\$281
~~~	18 x 48 x 11	2.1 / 16	25-TA184811BF	\$286
AL .	18 x 60 x 11	2.4 / 19	25-TA186011BF	\$300
7	18 x 66 x 11	2.7 / 21	25-TA186611BF	\$313
ij.	18 x 72 x 11	2.9 / 26	25-TA187211BF	\$322

### **Modesty Panels**

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Laminate modesty panels	Specify a base Single modest			
Table not included	01 x 36 x 12	.25 / 8	25-SM013612	\$136
	01 x 42 x 12	.3/9	25-SM014212	\$143
	01 x 48 x 12	.3 / 10	25-SM014812	\$151
	01 x 60 x 12	.5 / 13	25-SM016012	\$162
	01 x 36 x 22	.45 / 14	25-SM013622	\$159
-41	01 x 42 x 22	.5 / 16	25-SM014222	\$162
15	01 x 48 x 22	.6 / 18	25-SM014822	\$169
	01 x 60 x 22	.75 / 23	25-SM016022	\$180
/^<	Double modes	tv		
	01 x 72 x 12	.5 / 15	25-SM017212	\$271
	01 x 84 x 12	.6 / 18	25-SM018412	\$285
	01 x 96 x 12	.75 / 20	25-SM019612	\$302
edi.	01 x 72 x 22	1 / 28	25-SM017222	\$317
.12	01 x 84 x 22	1/32	25-SM018422	\$323
	01 x 96 x 22	1.2 / 37	25-SM019622	\$338

#### Perforated metal modesty panels Table not included



#### Specify a metal color. Single modesty

\$296 01 x 36 x 12 25-PM013612 3/9 25-PM014212 \$319 01 x 42 x 12 01 x 48 x 12 .3/10 25-PM014812 \$349 01 x 60 x 12 25-PM016012 \$388 5/1301 x 36 x 22 .45 / 14 25-PM013622 \$348 .5 / 17 25-PM014222 \$362 01 x 42 x 22 .6/19 01 x 48 x 22 25-PM014822 \$388

25-PM016022

\$443

.75 / 24

01 x 60 x 22

05 x 96 x 22

Double modes	sty		
01 x 72 x 12	.5 / 16	25-PM017212	\$591
01 x 84 x 12	.6 / 18	25-PM018412	\$637
01 x 96 x 12	.75 / 21	25-PM019612	\$697
01 x 72 x 22	1 / 29	25-PM017222	\$695
01 x 84 x 22	1/33	25-PM018422	\$722
01 x 96 x 22	1.2 / 38	25-PM019622	\$775

#### iMod laminate modesty panels

\$674

\$768

25-RS303030SL

25-RS363630SL

Table not included Single modesty



### Specify a base color. Includes wire management.

#### 05 x 36 x 12 2.1 / 19 25-SM053612 \$261 \$269 05 x 42 x 12 2.5 / 2225-SM054212 05 x 48 x 12 2.8 / 25 25-SM054812 \$277 05 x 60 x 12 3.5/3125-SM056012 \$287 25-SM053622 05 x 36 x 22 3.7/34 \$305 05 x 42 x 22 4.3 / 40 25-SM054222 \$308 05 x 48 x 22 4.9 / 46 25-SM054822 \$316 05 x 60 x 22 6.1 / 5725-SM056022 \$326



#### **Double modesty** 2.1 / 38 25-SM057212 \$428 05 x 72 x 12 25-SM058412 05 x 84 x 12 2.5 / 44 \$447 25-SM059612 \$459 05 x 96 x 12 2.8 / 50 05 x 72 x 22 3.7 / 69 25-SM057222 \$495 05 x 84 x 22 4.3 / 80 25-SM058422 \$501

25-SM059622

\$516

4.9 / 92

- To order, specify:

  1. Model number

  2. Finish color for legs and laminate color for work surface and accent.

  3. Optional-Adjustable Ht. legs (-H) or Casters (-C)
- 4. Optional Select visual display options 5. Optional Select essential accessory options.

### **Modesty Panels**

#### iMod perforated metal Specify a metal color. Includes wire management. modesty panels





20 <b>25-PM053612</b>	\$434
23 <b>25-PM054212</b>	\$469
26 <b>25-PM054812</b>	\$499
<b>25-PM056012</b>	\$538
<b>25-PM053622</b>	\$509
<b>25-PM054222</b>	\$523
18 <b>25-PM054822</b>	\$549
<b>25-PM056022</b>	\$605



Double modesty				
2.1 / 39	25-PM057212	\$764		
2.5 / 46	25-PM058412	\$810		
2.8 / 52	25-PM059612	\$870		
3.7 / 72	25-PM057222	\$890		
4.3 / 83	25-PM058422	\$918		
4.9 / 95	25-PM059622	\$971		
	2.1 / 39 2.5 / 46 2.8 / 52 3.7 / 72 4.3 / 83	2.1/39 <b>25-PM057212</b> 2.5/46 <b>25-PM058412</b> 2.8/52 <b>25-PM059612</b> 3.7/72 <b>25-PM057222</b> 4.3/83 <b>25-PM058422</b>		

#### End cap - For iMod perforated metal modesty panel

Fits on right or left open end of iMod compartment. Specify a metal color.



12" H			
01 x 03 x 12	.1/3	25-ENDCAP12	\$69
22" H			
01 x 03 x 22	.1 / 3	25-ENDCAP22	\$79

### **Options/Accessories**

18° bridge	18 x 18 x 1 <sup>1</sup> / <sub>8</sub>	1.0 / 4	25-WG18180118	\$170
$\wedge$	24 x 24 x 1 <sup>1</sup> /8	1.6 / 10	25-WG24240118	\$184
	30 x 30 x 1 <sup>1</sup> /8	2.4 / 25	25-WG30300118	\$190
	36 x 36 x 1 <sup>1</sup> /8	3.4 / 32	25-WG36360118	\$202
30° bridge	18 x 18 x 1 <sup>1</sup> / <sub>8</sub>	1.0 / 4	25-WG18180130	\$170
	24 x 24 x 1 <sup>1</sup> /8	1.6 / 10	25-WG24240130	\$184
	30 x 30 x 1 <sup>1</sup> /8	2.4 / 25	25-WG30300130	\$190
	36 x 36 x 1 <sup>1</sup> / <sub>8</sub>	3.4 / 32	25-WG36360130	\$202
45° bridge	18 x 18 x 1 <sup>1</sup> / <sub>8</sub>	1.0 / 4	25-WG18180145	\$170



18 x 18 x 1 <sup>1</sup> / <sub>8</sub>	1.0 / 4	25-WG18180145	\$170
24 x 24 x 1 <sup>1</sup> /8	1.6 / 10	25-WG24240145	\$184
30 x 30 x 1 <sup>1</sup> / <sub>8</sub>	2.4 / 25	25-WG30300145	\$190



Leg is for stability only. Designed to attach to other units on both sides.

25-WG36360145 36 x 36 x 1<sup>1</sup>/<sub>8</sub> 7.1 / 59

#### **Casters**

When adding casters, the total height will not change.



Set of 2 required per leg.		
2 5/8 x 1 3/4 x 3 1/4	-C	\$42 per leg

### Height-adjustable



Adjustable height from 27"-37".

\$121 per leg

#### Visual Display Options available (excludes Nesting Tables):

- The Trolley™ E-Class
- Surface Mount Flat Panel Display

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
60° bridge	18 x 18 x 1 <sup>1</sup> / <sub>8</sub> 24 x 24 x 1 <sup>1</sup> / <sub>8</sub>	1.4 / 4 2.1 / 10	25-WG18180160 25-WG24240160	\$170 \$184
			esigned to attach to of	
	on both sides.		25-WG30300160	\$401
A	36 x 36 x 1 <sup>1</sup> / <sub>8</sub>	7.1 / 59	25-WG36360160	\$413
90° bridge	18 x 18 x 1 <sup>1</sup> / <sub>8</sub>	1.4 / 4	25-WG18180190	\$170
	24 x 24 x 1 <sup>1</sup> / <sub>8</sub>	2.1 / 10	25-WG24240190	\$184
	Leg is for stat		signed to attach to o	ther units
\land	30 x 30 x 1 <sup>1</sup> / <sub>8</sub> 36 x 36 x 1 <sup>1</sup> / <sub>8</sub>	6.1 / 44 7.1 / 59	25-WG30300190 25-WG36360190	\$401 \$413
	35 X 36 X 1 76	7.17 00	25 11300000150	Ψ10
Stiffener	Use to preven	t sagging of	top. Standard color is	black.



Use to prevent	sagging	sagging of top. Standard color is black.		
01 x 48 x 02	/1	25-ST014802	\$75	
01 x 60 x 02	/1	25-ST016002	\$75	
01 x 72 x 02	/2	25-ST017202	\$96	
01 x 84 x 02	/3	25-ST018402	\$105	
01 x 96 x 02	/4	25-ST019602	\$122	



Use when chaining two or more tables. Standard color is black.

03 x 06 --/.5 25-QC060600

### Factory Installed Keyboard Options Only for Tables

(Only ordered when NO Visual Display Options ordered)

**Factory Installed Nova Keyboard** 

Keyboard length to fit casegoods ordered 22" - 34" wide 13



**Factory Installed** Center Mount **Articulating Keyboard** Mechanism & Tray

Keyboard length to fit casegoods ordered 28", 30", 34" wide 15 \$220

\$105

Model

**TE0721NK** 

Wt.

in assembled units only.

E-Class with Nova Keyboard Drawer

C = Castors for Arched or T-leg table, add \$42 list, per leg **H** = Height-adjustable legs, add \$121 list, per leg

### **Visual Display Options for Tables**

(excludes Nesting Tables)

#### **List Price**

Qty 2 required for tables 72"-96" wide


\$1,215 ea.

Maximum dimensions for flat panel display: •E-Class — 2¾" D x 18½" W x 14" H

The Trolley™

(70mm D x 470mm W x 356mm H)

Available on 24", 30", 36" deep Tables



International Customers: E-Class units include Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

Trolley does not come installed in any unit, Nova Keyboard Drawer installed

- E-Class suitable for flat panel displays up to 21" (diagonal) or 20" (widescreen)
- One-touch activation
- · Low voltage motor to lift & lower monitor
- Provides vertical tilt adjustment in "up" position
- Durable metal enclosure under desktop
- · Optional wire management system and power strip

To add a USB Port Extension to the Trolley, see page 22.

#### **List Price**


Qty 2 required for tables 72"-96" wide

\$273 ea.

#### **Surface Mount Flat Panel Display**

Maximum weight for flat panel display: 21 lbs. Dimensions for flat panel display: Up to 24" diagonal wide screen

NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)



With Nova Keyboard Drawer

Wt.

Model

Surface Mount Flat Panel Display does not come installed in any unit. Nova Keyboard Drawer installed in assembled units only.

SMA0203NK 13

With Center Mount Articulating Keyboard Mechanism and Tray Surface Mount Flat Panel Display does not come installed in any unit, Center Mount Keyboard Tray installed in assembled units only. SMA0203CK 15

\$451 ea.

- Suitable for flat panel displays up to 24" diagonal wide screen
- Optional wire management system and power strip

- For details and installation specifications, refer to pages 83-87.
- For CRT applications, please contact Customer Support: 1-800-730-6682







### Features. Benefits and Solutions

- Solutions for library and learning resource environments
- Variety of filing and storage options
- Visual Display Options available
- Standard work surface thickness: 1 1/8"
- Standard edge detail: 2mm Flat PVC
- Optional work surface thickness: 1 1/2" available
- Three edge details: Flat, Reeded, Transitional
- Vertical wood graining on full-length modesty panels
- Bookmatched vertical grain on door and drawer fronts
- Matching edge banding colors
- Wire management system and power strip optional
- · Optional work surface grommets
- Manufactured with recycled post-industrial materials

### Visual Display Options To order, see page 64.

#### The Trolley™ Personal Monitor Arm System

Maximum dimensions for flat panel display:

E-Class: 23/4" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H)

NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

#### **Downview - Flat Panel Display**

Maximum dimensions for flat panel display-

18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H)

21x21 viewport: 201/8"W x 19" H (511mm W x 483mm H)

16x21 widescreen viewport: 191/2"W x 121/2" H (495mm W x 318mm H) 18x21 widescreen viewport: 201/8"W x 14½"H (511mm W x 368mm H)

#### Surface Mount Flat Panel Display

Maximum weight for flat panel display: 21 lbs.

Maximum dimensions for flat panel display: Up to 24" diagonal wide screen

### **How To Order**

#### 1. Select model number

Ex: 65-SC303633CS (single sided study carrel)

#### 2. Select laminate base and work surface color, and optional accent color (see page 96)

Accent color applies to drawer/door fronts and edge banding on all tops.

Ex: 008 C24 174 base work accent For no accent color, put "XXX" in place of accent

color code.

#### 3. Select door/drawer pull style and finish (if applicable)

Ex: WN (Wave pull with Nickel finish)

#### **OPTIONS**

#### 4. Upgrade to 1 1/2" thick work surface

Add F, R, or T to the end of the model number and add 20% to List Price

#### 5. Select visual display options (see page 64)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)


#### 6. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

### **Work Surface Edge Detail**

Add 20% to list price for edge details listed as "Optional"

Reeded and Transitional edge detail limited to all woodgrain colors: Hard Rock Maple / Empire Mahogany / Wild Cherry / Natural Pear / English Oak / Tuscan Walnut



### **Optional**

Flat PVC edge 3mm (F) 1-1/2" thick



#### **Optional**

Reeded edge (R) 1-1/2" thick



#### **Optional**

Transitional edge (T) 1-1/2" thick



### odel Number Structure



65-SC303633CA

Series

Type

Size

CS

SC-Single-sided carrel DxWxH DC-Double-sided carrel

CS-Starter CA-Add-on

### Door/Drawer Pull Style and Finish



Cup / Black Matt (CB) Cup / Stainless Steel (CS) Cup / Chrome Polished (CP)

Wave / Nickel (WN) Wave / Black (WB)



Steel / Black (SB) Steel / Chrome Matt (SM) Steel / Chrome Polished (SP)



Modern / Chrome Matt (MC) Modern / Black Matt (MB)

- Model number
- 5. Optional Visual display options 6. Optional - Essential accessory options 2. Colors for base, work surface and optional accent
- 3. Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)
- 4. Edge detail

#### Carrels

Wire opening on top. Levelers with 11/2" height adjustment. Wire access on side panel of add-on carrels only. Work surface height: 30". If a Visual Display Option is specified, a CPU shelf and ped leg will be added. Rectangular black plastic grommet in

Custom sizes available. Call customer support for a quote.

Single-	side	d
carrels	35"	Н
-		





DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
Starter			
30 x 36 x 35	3.5 / 126	65-SC303635CS	\$658
Add-on			
30 x 35 x 35	2.8 / 99	65-SC303535CA	\$526

#### Single-sided carrels 53" H





Starter	
30 x 36 x 53	4.7

Otartor			
30 x 36 x 53	4.7 / 167	65-SC303653CS	\$921
Add-on			
30 x 35 x 53	3.56 / 126	65-SC303553CA	\$723


8" D fixed accessory shelf. Clearance 15-3/8".

#### **Double-sided** carrels 35" H



Starter			
59 x 36 x 35	5.4 / 208	65-DC593635CS	\$987
Add-on			
59 x 35 x 35	4.3 / 155	65-DC593535CA	\$760
Add-on	2111 = 20		

#### Double-sided carrels 53" H



8" D fixed accessory shelf. Clearance 15-3/8".

Starter			
59 x 36 x 53	9.1 / 276	65-DC593653CS	\$1,512
Add-on			
59 x 35 x 53	7.3 / 196	65-DC593553CA	\$1,148
00 A 00 A 00	1.07 130	00-D0000000A	Ψ1,140

#### ADA bracket kit



Metal bracket and hardware to raise the surface of any carrel from 30" to 32". Package of six. Order one kit per surface. 01 x 01 x 04 .3 / 1 65-KT010104AD

#### Visual Display Options available:

- The Trolley™ E-Class
- Downview-Flat Panel Display
- Surface Mount Flat Panel Display

### Complementary Furniture

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Pedestals		ed freestandi	r with legal/letter filing ing or next to a teache	•
	26 x 15 x 30	8.9 / 120	65-FP261530BX	\$987
	Locking.			
	26 x 15 x 30	8.9 / 120	65-FP261530BXL	. \$1,034
Pedestals	2 file drawers	with legal/lett	er filing. Can be used	
$\wedge$	freestanding o	r next to a tea	cher's desk. 1 lock for a	all drawers.
	26 x 15 x 30	8.9 / 115	65-FP261530FX	\$879
	Locking.			
	26 x 15 x 30	8.9 / 115	65-FP261530FXL	. \$927
Bookcase	1 adjustable sh	elf. Can be us	sed next to a teacher's o	desk.
$\wedge$	26 x 15 x 29	8.6 / 75	65-BC261529	\$509
Teacher's cart	Stainless steel	matte handle	on left side. Heavy duty	y casters,



2 fixed and 2 swivel with brakes. 1 adjustable shelf. 1 fixed shelf with

221/2" x 221/4" x 51/4" open storage space. Grommet and wire openings.

24 x 25 x 40 17.5 / 140 65-TC242540

### Teacher's cart



Stainless steel matte handle on left side. Heavy duty casters, 2 fixed and 2 swivel with brakes. 1 adjustable shelf. 1 fixed shelf with 221/2" x 221/4" x 51/4" open storage space. Grommet and wire openings. Foldable shelf on right side.

24 x 40½ x 40 25.3 / 150 65-TC243740

#### Teacher's cart



Stainless steel matte handle on left side. Heavy duty casters, 2 fixed and 2 swivel with brakes. 1 adjustable shelf. 1 fixed shelf with 221/2" x 221/4" x 51/4" open storage space. Door. Grommet and wire openings.

65-TC242540DX \$1,250

With locking doors 17.5 / 150 65-TC242540DXL \$1,297 24 x 25 x 40

17.5 / 150

24 x 25 x 40

#### Teacher's cart



Stainless steel matte handle on left side. Heavy duty casters, 2 fixed and 2 swivel with brakes. 1 adjustable shelf. 1 fixed shelf with 221/2" x 221/4" x 51/4" open storage space. Door. Grommet and wire openings. Foldable shelf on right side. 24 x 40½ x 40 25.3 / 150 65-TC243740DX \$1,506

With locking doors 24 x 40½ x 40 25.3 / 150 65-TC243740DXL \$1,554

#### Mobile board



Non-magnetic surface for use with dry-erase markers on both sides. Brakes on casters.

28 x 43 x 64 51.6 / 115 65-MB284364 \$956 28 x 55 x 64 65.4 / 140 65-MB285564 \$1,046

#### Pencil tray



For i	mobile	board.	Slate	arev	metal.

3.5 x 12 x 02 0.2 / 1 65-PT031202 \$73





### **How To Order**

1. Select model number

Ex: 65-SC303633CS (single sided study carrel)

Select laminate base and work surface color, and optional accent color (see page 96)

3. Select door/drawer pull style and finish (if applicable)

Ex: WN (Wave pull with Nickel finish)

#### **OPTIONS**

4. Upgrade to 1 1/2" thick work surface

Add  $\underline{F}$ ,  $\underline{R}$ , or  $\underline{T}$  to the end of the model number and add 20% to List Price

5. Select visual display options (see page 66)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 23)

Ex: 11205DP (Standard data port)

### Storage Units

Framed and recessed back panel. Hidden anti-tip shelf device. 22" deep drawers. Specify edge detail and door/drawer pulls. 1½" pedestal base trim color will match work surface color.

	DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
Storage units	3 adjustable sl	helves. 1 fixe	d shelf.	
	25 x 36 x 72	44 / 320	65-SU253672S4	\$1,625
	With locking d	oors		
	25 x 36 x 72	44 / 320	65-SU253672S4L	\$1,674
Combined wardraha/storage	•		xed shelf on right signs on left	de.
wardrobe/storage	10-3/16" W for	ur adjustable	shelves on left.	
	•		•	de. \$1,806
wardrobe/storage	10-3/16" W for	ur adjustable 44 / 340	shelves on left.	
wardrobe/storage	10-3/16" W for 25 x 36 x 72	ur adjustable 44 / 340 oors	shelves on left.	\$1,806

Storage units with drawers	2 adjustable s systems.	shelves. 4 drav	wers (8" H fronts). Int	erlock
	25 x 36 x 72	44 / 420	65-SU253672D4	\$2,438
	<b>Locking.</b> 25 x 36 x 72	44 / 420	65-SU253672D4L	\$2,485
Storage units	1 adjustable s	shelf.		
<u></u>	25 x 36 x 36	22.6 / 190	65-SU253636S1	\$1,029
/ /				

25 x 36 x 36 22.6 / 190 **65-SU253636S1L \$1,076** 

	<b>D</b> x W x H (in.)	ft <sup>3</sup> / lbs	Model	List Price
Storage units with drawers	4 drawers (8"H	I fronts). Inter 22.6 / 250	lock systems. 65-SU253636D4	\$1,656
Willi ulaweis	Locking.	22.0 / 230	03-3023303004	φ1,030
	25 x 36 x 36	22.6 / 250	65-SU253636D4L	\$1,704
Combined storage units	1 adjustable sl		case with door.	
	25 x 36 x 36	22.6 / 255	65-CS253636DL	\$1,685
	<b>Locking.</b> 25 x 36 x 36	22.6 / 255	65-CS253636DLL	\$1,733
Combined storage units	Bookcase with 4 drawers (8"H	l fronts).	table shelf.	
	25 x 36 x 36	22.6 / 255	65-CS253636DR	\$1,685
	<b>Locking.</b> 25 x 36 x 36	22.6 / 255	65-CS253636DRL	\$1,733
Combined storage units	1 adjustable sl	nelf.	case with door.	
	25 x 36 x 36	22.6 / 230	65-CS253636S1	\$1,506
	<b>Locking.</b> 25 x 36 x 36	22.6 / 230	65-CS253636S1L	\$1,554
Bookcase unit	1 adjustable sh 25 x 36 x 36	<b>elf.</b> 22.6 / 170	65-BC253636S1	\$838
Wall-mounted hutches with	1 adjustable sh 16 x 36 x 24	<b>elf. Wall-moun</b> 10.3 / 125	t installation kit inclu 65-CH163624S1	ded. \$831
doors	With locking do	ors 10.3 / 125	65-CH163624S1L	\$879
Wall-mounted open hutch	1 adjustable sh 16 x 36 x 24	<b>elf. Wall-moun</b> 10.3 / 110	t installation kit inclu 65-0H163624S1	ded. \$646
Bookcase	3 adjustable sh 12 x 36 x 48	<b>elves.</b> 15.4 / 125	65-BC123648S3	\$747
	1 fixed shelf. 3	adjustable she	lves.	
	12 x 36 x 72	22.8 / 165	65-BC123672S4	\$927
**				

With locking doors

- Model number
- 5. Optional Visual display options 6. Optional - Essential accessory options 2. Colors for base, work surface and optional accent
- 3. Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)

DxWxH(in.) ft3/lbs

and stability.

Starter 14 x 37 x 42

Add-on

Starter

Add-on

Starter

Add-on

Starter

14 x 37 x 60

14 x 36 x 60

14 x 36 x 42

14 x 37 x 48

14 x 36 x 48

4. Edge detail

### Shelvina

Thermofused laminate shelves and frame. Levelers with 11/2" height adjustment. Shelves: load capacity 150 lbs. 11/4" increments. Shelves are packaged separately. One shelf: .81 ft3 / 12.3 lbs. Specify base color only. 1-1/2" thick optional top does not apply.

4.4 / 123

4.4 / 105

5.1 / 131

5.1 / 112

6.3 / 159

6.3 / 135

4.4 / 192

4.4 / 161

Model

65-SH143742CS

65-SH143642CA

65-SH143748CS

65-SH143648CA

65-SH143760CS

65-SH143660CA

65-SH143772CS

65-SH143672CA

65-SH143784CS

65-SH143684CA

65-SH263742CS

65-SH263642CA

Single faced shelving must be anchored to a wall for safety

Single sided	
shelvings /	
closed back	





- 48 & 42" H: 2 adjustable shelves
- 60" H<sup>-</sup> 3 adjustable shelves
- 4 adjustable shelves
- 5 adjustable shelves

S	14 x 37 x 72	7.5 / 187
	Add-on	
S	14 x 36 x 72	7.5 / 158
	Starter	
	14 x 37 x 84	8.7 / 221
	Add-on	
	14 x 36 x 84	8.7 / 191

Starter

Add-on

Starter

26 x 37 x 42

26 x 36 x 42

closed back					
Starter Add-on					

Double sided

48 & 42" H: 4 adjustable shelves

6 adjustable shelves

8 adjustable shelves

10 adjustable shelves

	01011101			
	26 x 37 x 48	5.1 / 205	65-SH263748CS	\$1,327
1	Add-on			
	26 x 36 x 48	5.1 / 169	65-SH263648CA	\$1,177
1				
1	Starter			
-	26 x 37 x 60	6.3 / 249	65-SH263760CS	\$1,572
	Add-on			
	26 x 36 x 60	6.3 / 205	65-SH263660CA	\$1,422
	Starter			
	26 x 37 x 72	7.5 / 293	65-SH263772CS	\$1,853
	Add-on			
	26 x 36 x 72	7.5 / 240	65-SH263672CA	\$1,667
	Starter			
	26 x 37 x 84	8.7 / 282	65-SH263784CS	\$2,098
	Add-on			
	26 x 36 x 84	8.7 / 276	65-SH263684CA	\$1,883

#### Additional shelf



Laminate shelf can be positioned flat or angled for display. 12 x 35 x 02 .8 / 13 65-SH123502AS

#### Visual Display Options available:

- The Trolley™ E-Class
- Downview-Flat Panel Display
- Surface Mount Flat Panel Display

### Mobile Storage

D x W x H (in.) ft3 / lbs Model **List Price** 

#### Mobile book cart



**List Price** 

\$801

\$712

\$843

\$772

\$1,046

\$909

\$1,196

\$1,076

\$1,314

\$1,256

Slate grey handle. 2 double-faced slanted shelves. 1 fixed flat shelf. Heavy duty casters. 2 fixed and 2 swivel with brakes. Lower and middle shelf clearance: 10-13/16".

Delivered assembled.

18 x 30 x 36 65-MC183036 13.3 / 97 \$1,106

### Tables

1 1/8" thick top. Specify edge detail.

Other base shapes are available. For more designs or a quote, contact Customer Support.

#### **Round tables** Specify metal color for steel legs. Legs packaged separately (carton of 4).

	36 x 36 x 30	2.96 / 69	65-CT363630L4	\$1,250
	42 x 42 x 30	3.55 / 85	65-CT424230L4	\$1,351
	48 x 48 x 30	4.22 / 103	65-CT484830L4	\$1,512
U 0	60 x 60 x 30	5.83 / 147	65-CT606030L4	\$1,614

#### Round tables



1" thick thermofused laminate cross base (packaged separately)

\$723	65-CT363630	4.1 / 96	36 x 36 x 30	
\$855	65-CT424230	5.6 / 129	42 x 42 x 30	
\$998	65-CT484830	7.2 / 162	48 x 48 x 30	
\$1,273	65-CT606030	11.1 / 235	60 x 60 x 30	

### Rectangular



Specify metal color for steel legs. Legs packaged separately (carton of 4).

36 x 72 x 30 65-RT367230L4 \$1,435 4.59 / 136 40 x 80 x 30 5.35 / 162 65-RT408030L4 \$1,584

### Rectangular



1" thick thermofused laminate panel base (packaged separately).

36 x 72 x 30 8.1 / 136 65-RT367230 \$1,046 40 x 80 x 30 9.9 / 162 65-RT408030 \$1,314

### Circulation/Reception Desks

Levelers with 11/2" height adjustment. All side panels with wire access unless otherwise specified. Specify edge detail.

End finishing panels are required to complete a circulation desk layout.

### Rectangular counters 40" H



$\bigcup$
-36" W to 42" W:
1 grommet
-48" W to 84" W:
2 grommets

Must order fin	ishina end par	nels.	
28 x 36 x 40	4.7 / 135	65-CC283640R	\$945
28 x 42 x 40	5.1 / 149	65-CC284240R	\$1,017
28 x 48 x 40	5.9 / 163	65-CC284840R	\$1,088
28 x 54 x 40	6.6 / 176	65-CC285440R	\$1,160
28 x 60 x 40	7.3 / 190	65-CC286040R	\$1,231
28 x 66 x 40	8.1 / 203	65-CC286640R	\$1,304
28 x 72 x 40	8.8 / 217	65-CC287240R	\$1,375
28 x 78 x 40	9.5 / 230	65-CC287840R	\$1,446

#### Rectangular counters 30" H



-36" W to 42" W 1 grommet -48" W to 84" W 2 grommets

#### Must order finishing end panels.

10.3 / 244

28 x 84 x 40

\$838	65-CC283630R	3.3 / 115	28 x 36 x 30
\$909	65-CC284230R	3.9 / 127	28 x 42 x 30
\$980	65-CC284830R	4.5 / 140	28 x 48 x 30
\$1,052	65-CC285430R	5.1 / 148	28 x 54 x 30
\$1,125	65-CC286030R	5.6 / 165	28 x 60 x 30
\$1,196	65-CC286630R	6.2 / 177.	28 x 66 x 30
\$1,273	65-CC287230R	6.7 / 190	28 x 72 x 30
\$1,346	65-CC287830R	7.3 / 202	28 x 78 x 30
\$1,417	65-CC288430R	7.8 / 215	28 x 84 x 30

\$1,518

65-CC288440R





Model

**List Price** 

\$975

\$897

#### **How To Order**

1. Select model number

Ex: 65-SC303633CS (single sided study carrel)

2. Select laminate base and work surface color, and optional accent color (see page 96)

3. Select door/drawer pull style and finish (if applicable)

Ex: WN (Wave pull with Nickel finish)

#### **OPTIONS**

**Bow front** 

counters 40" H

4. Upgrade to 1 1/2" thick work surface

Add  $\underline{F}$ ,  $\underline{R}$ , or  $\underline{T}$  to the end of the model number and add 20% to List Price

5. Select visual display options (see page 66)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 23)

Ex: 11205DP (Standard data port)

### Circulation/Reception Desks

D x W x H (in.)	ft <sup>3</sup> / lbs	Model	List Price
Must order fin	nishing end pa	nels.	
31 x 36 x 40	4.4 / 135	65-CC313640B	\$956
31 x 42 x 40	5.1 / 149	65-CC314240B	\$1,029
31 x 48 x 40	5.9 / 163	65-CC314840B	\$1,099
31 x 54 x 40	6.6 / 176	65-CC315440B	\$1,172
31 x 60 x 40	7.3 / 190	65-CC316040B	\$1,243
31 x 66 x 40	8.1 / 203	65-CC316640B	\$1,314
31 x 72 x 40	8.8 / 217	65-CC317240B	\$1,388
31 x 78 x 40	9.5 / 230	65-CC317840B	\$1,459
31 x 84 x 40	10.5 / 244	65-CC318440B	\$1,530

### Bow front counters 30" H

-36" W to 42" W:

-48" W to 84" W

2 grommets



-36" W to 42" W: 1 grommet -48" W to 84" W: 2 grommets

#### Must order finishing end panels.

31 x 36 x 30	3.3 / 115	65-CC313630B	\$921
31 x 42 x 30	3.9 / 127	65-CC314230B	\$998
31 x 48 x 30	4.5 / 140	65-CC314830B	\$1,076
31 x 54 x 30	5.1 / 148	65-CC315430B	\$1,196
31 x 60 x 30	5.6 / 165	65-CC316030B	\$1,238
31 x 66 x 30	6.2 / 177	65-CC316630B	\$1,314
31 x 72 x 30	6.7 / 190	65-CC317230B	\$1,399
31 x 78 x 30	7.3 / 202	65-CC317830B	\$1,477
31 x 84 x 30	7.8 / 215	65-CC318430B	\$1,559

#### **Reception desks**



-48" W to 84" W: 2 grommets Grommet. 9" D transaction shelf. Specify accent color for two-toned modesty. Must order finishing end panels.

28 x 36 x 40	3.3 / 136	65-CR283640R	\$1,040
28 x 42 x 40	3.9 / 151	65-CR284240R	\$1,112
28 x 48 x 40	4.5 / 167	65-CR284840R	\$1,184
28 x 54 x 40	5.1 / 184	65-CR285440R	\$1,273
28 x 60 x 40	5.6 / 196	65-CR286040R	\$1,405
28 x 66 x 40	6.2 / 212	65-CR286640R	\$1,506
28 x 72 x 40	6.7 / 227	65-CR287240R	\$1,620
28 x 78 x 40	7.3 / 243	65-CR287840R	\$1,656
28 x 84 x 40	7.8 / 258	65-CR288440R	\$1,685

### Reception desks

ft3 / lbs

DxWxH(in.)

_ /				
	31 x 36 x 40	3.3 / 136	65-CR313640B	\$1,052
<b>*</b>	31 x 42 x 40	3.9 / 151	65-CR314240B	\$1,125
J	31 x 48 x 40	4.5 / 167	65-CR314840B	\$1,196
6" W to 42" W:	31 x 54 x 40	5.1 / 184	65-CR315440B	\$1,285
grommet	31 x 60 x 40	5.6 / 196	65-CR316040B	\$1,417
3" W to 84" W:	31 x 66 x 40	6.2 / 212	65-CR316640B	\$1,518
grommets	31 x 72 x 40	6.7 / 227	65-CR317240B	\$1,632
	31 x 78 x 40	7.3 / 243	65-CR317840B	\$1,667
	31 x 84 x 40	7.8 / 258	65-CR318440B	\$1,698

### End finishing panels

1 panel. Required to cover unused wire access and complete a circulation desk layout.

65-EP280132 \$1	1.8 / 25	28 x 01 x 32	
65-EP280142 \$2	1.8 / 32	28 x 01 x 42	

### ADA counter 32"H

No wire access on side panels.

28 x 36 x 32	3.7 / 104	65-CC283632AD	\$789
20 X 30 X 32	3.7 / 104	03-00203032AD	ΨΙΟ



### ADA bow front counter 32"H

No wire access on side panels.

31 x 36 x 32	3.7 / 108	65-CC313632AD	\$848



#### **Corner Shelves**

Corner bookcase unit 40"H

2 adjustable shelves. No wire access on side panels. Delivered assembled. 28 x 28 x 40 22.1 / 154 **65-CB282840** 



### Corner bookcase unit 30"H

1 adjustable shelf. No wire access on side panels. Delivered assembled. 28 x 28 x 30 16.9 / 128 **65-CB282830** 



Levelers with  $1\frac{1}{2}$ " height adjustment. All side panels with wire access unless otherwise specified. Specify edge detail. End finishing panels are required to complete a circulation desk layout.

Circulation Desk Storage Units

#### Bookcase units with doors



2 adjustable shelv	ves for 40" H, 1 a	djustable shelf for 30"	H unit
28 x 36 x 30	21.4 / 162	65-BC283630DX	\$1,327
Locking.			
28 x 36 x 30	21.4 / 162	65-BC283630DXL	\$1,375
28 x 36 x 40	28.0 / 208	65-BC283640DX	\$1,363
Locking.			
28 x 36 x 40	28.0 / 208	65-BC283640DXL	\$1,411

### Combined storage units



		Bookcase with doors, 1 adjustable:		
Landston of	,685	254 <b>65-CS283640D2 \$1,6</b>	28.0 / 254	28 x 36 x 40
LOCKING.				Locking.
28 x 36 x 40 28.0 / 254 <b>65-CS283640D2L</b> \$	,733	254 <b>65-CS283640D2L \$1,7</b>	28.0 / 254	28 x 36 x 40

- To order, specify:

  1. Model number

  2. Colors for base, work surface and optional accent
  3. Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)
- 4. Edge detail

### Circulation Dock Storage Units

Circ	culation D	esk Stor	age Units	
	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Combined	2 drawers (6" H	l fronts). Bookc	ase with doors.	
storage units	28 x 36 x 30	21.4 / 228	65-CS283630D2	\$1,543
	<b>Locking.</b> 28 x 36 x 30	21.4 / 228	65-CS283630D2L	<b>64 FOO</b>
	28 X 30 X 30	21.4 / 228	05-G528303UD2L	\$1,590
Combined storage units	2 drawers (9" H Interlock syster		al files with legal/lette	r filing.
	28 x 36 x 40	28.0 / 269	65-CS283640L2	\$2,158
	Locking.			
	28 x 36 x 40	28.0 / 269	65-CS283640L2L	\$2,205
Combined storage units			23" x 9½". 3 drawers ( ling. Interlock system.	6" H fronts
Storage anno	28 x 36 x 40	28.0 / 269	65-CS283640L1	\$1,960
	Locking.			. ,
	28 x 36 x 40	28.0 / 269	65-CS283640L1L	\$2,009
Combined storage units	28 x 36 x 30 <b>Locking.</b> 28 x 36 x 30	21.4 / 238 21.4 / 238	al file with legal/letter 65-CS283630L1 65-CS283630L1L	\$1,841 \$1,888
Lateral file units	1 open storage legal/letter filin		23" x 9½". 2 lateral file tem.	s with
	28 x 36 x 40	28.0 / 225	65-LF283640L2	\$1,691
	Locking.	00.0./005	CE   F000040101	64 740
	28 x 36 x 40	28.0 / 225	65-LF283640L2L	\$1,740
Lateral file units	2 lateral files w	ith legal/letter 1	iling. Interlock system	
	28 x 36 x 30	21.4 / 228	65-LF283630L2	\$1,543
	Locking.	04.4.555		
	28 x 36 x 30	21.4 / 228	65-LF283630L2L	\$1,590
Storage units	4 drawers (8" H		OF 0110000 405 1	<b>64</b> 222
with drawers	28 x 36 x 40 <b>Locking.</b>	28.0 / 279	65-SU283640D4	\$1,996
	28 x 36 x 40	28.0 / 279	65-SU283640D4L	\$2,043
\ <u>'</u>	20 X 00 X 40	20.07213	30 00200070D4L	Ψ2,070

Storage units with drawers	

4 drawers (6" H fronts).					
28 x 36 x 30	21.4 / 235	65-SU283630D4	\$1,919		
Locking.					
28 x 36 x 30	21.4 / 235	65-SU283630D4L	\$1,967		





1 adjustable shelf. 28 x 36 x 30 21.4 / 147 **65-BC283630S1 \$1,059** 

#### Visual Display Options available:

- The Trolley™ E-Class
   Downview-Flat Panel Display
   Surface Mount Flat Panel Display

	<b>D</b> x <b>W</b> x <b>H</b> (in.)	ft <sup>3</sup> / lbs	Model	List Price
Bookcase unit	2 adjustable sh	elves.		
	28 x 36 x 40	28.0 /185	65-BC283640S2	\$1,214
Lateral file units	1 drawer (9" H t		files with legal/letter f	iling.
	28 x 36 x 40	28.0 / 279	65-LF283640L3	\$1,996
<b>\'.</b>	Locking.			. ,
· / · /	28 x 36 x 40	28.0 / 279	65-LF283640L3L	\$2,043
•				
Book return unit	Book slot openi 36-3/8" H	ng: 14" W x 4" l	H. Interior space: 33¼'	' x 23" x
< >	28 x 36 x 40	28.0 / 135	65-BR283640	\$987

## Factory Installed Keyboard Options Only for Library Solutions

(Only ordered when NO Visual Display Options ordered)

	DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
Factory Installed	•	_	asegoods ordered	
Nova Keyboard	22" - 34" wide	13	NK	\$105
Factory Installed	Kevboard len	ath to fit c	asegoods ordered	
Center Mount	28", 30" & 34" wi	_	CK	\$220
Articulating Keyboard				
Mechanism & Tray				
//.				





Factory Installed	Keyboard lend	ath to fi	t casegoods ordered	
Dual-Mount Adjustable	24" - 34" wide	14	AK	\$299
Kevhoard Trav				








### Visual Display Options for Library

Factory installed keyboard-only option available on page 65.

#### The Trolley™ Maximum dimensions for flat panel display: •E-Class - 234" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H)

· 30" min. worksurface depth required for Center Mount Articulating **Keyboard Tray** 



NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

#### Model Wt.

E-Class with Nova Keyboard Drawer

Trolley does not come installed in any unit, Nova Keyboard Drawer installed in assembled units only.

TE0721NK 48 \$1,215

**List Price** 

E-Class with Center Mount Articulating Keyboard Mechanism and Tray Trolley does not come installed in any unit, Center Mount Keyboard Tray installed in assembled units only.

TE0721CK 47 \$1,393

International Customers: E-Class units include Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

- E-Class suitable for flat panel displays up to 21" (diagonal) or 20" (widescreen)
- One-touch activation
- · Low voltage motor to lift & lower monitor
- · Provides vertical tilt adjustment in "up" position
- Durable metal enclosure under desktop

To add a USB Port Extension to the Trolley, see page 22.

#### **Downview-Flat Panel Display**

#### Model Wt.

#### **List Price**

**List Price** 

\$273

#### **Maximum dimensions** for flat panel display:

- 18"D x 18"W viewport-17"W x 141/2"H (432mm W x 368mm H) 24" min. work surface depth
- 21"D x 21"W viewport 201/8"W x 19"H (511mm W x 483mm H) 30" min. work surface depth

#### **Widescreen Format**

- •16"D x 21"W viewport 191/2"W x 121/2" H (495mm W x 318mm H) 24" min. work surface depth
- •18"D x 21"W viewport— 201/8"W x 141/2"H (511mm W x 368mm H) 24" min. work surface depth



#### With Nova Keyboard Drawer

Downview Flat Panel Display & Nova Keyboard Drawer installed in assembled units only.

FPA1621NK	35 Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$356
FPA1818NK	35 Includes 18" x 18" viewport, adjustable arm, and visor.	\$377
FPA1821NK	35 Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$377
FPA2121NK	37 Includes 21" x 21" viewport, adjustable arm, and visor.	\$440

#### With Dual Mount Adjustable Keyboard Tray

Downview Flat F	Panel	Display & Dual Mount Keyboard Tray installed in assembled	units onl
FPA1621AK	36	Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$603
FPA1818AK	36	Includes 18" x 18" viewport, adjustable arm, and visor.	\$634
FPA1821AK	36	Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$634
FPA2121AK	38	Includes 21" x 21" viewport, adjustable arm, and visor.	\$697

- 16x21 & 18x21 viewports suitable for 21" widescreen displays
- 18x18 viewport suitable for flat panel displays up to 19" diagonal
- I 21x21 viewport suitable for flat panel displays up to 21" diagonal
- Tinted, tempered glass viewport
- Keeps monitor under glass below work surface

Surface Mount	Model	Wt.	
Flot Donal Dianless			

### Flat Panel Display

Maximum weight for flat panel display: 21 lbs. Dimensions for flat panel display: Up to 24" diagonal wide screen



With Nova Keyboard Drawer

Surface Mount Flat Panel Display does not come installed in any unit, Nova Keyboard Drawer installed in assembled units only.

SMA0203NK 13

With Center Mount Articulating Keyboard Mechanism and Tray Surface Mount Flat Panel Display does not come installed in any unit,


Center Mount Keyboard Tray installed in assembled units only. SMA0203CK 15 \$451  Suitable for flat panel displays up to 24" diagonal wide screen


For details and installation specifications, refer to pages 83-87.

# **Custom Solutions**


For drawing, specification and pricing assistance for your custom arc configuration, please contact Nova's Customer Support 1-800-730-6682


### Conferencing





### **Auditoriums**







### **Features, Benefits and Solutions**

- Solutions for all office environments
- Variety of filing and storage options
- Visual Display Options available
- Standard work surface thickness: 1 1/8"
- Standard edge detail: 2mm Flat PVC
- Optional work surface thickness: 1 1/2" available
- Three edge details: Flat, Reeded, Transitional

- Vertical wood graining on full-length modesty panels
- Bookmatched vertical grain on door and drawer fronts
- Matching edge banding colors
- Wire management system and power strip optional
- · Optional work surface grommets
- Manufactured with recycled post-industrial materials

### **How To Order**

#### 1. Select model number

Ex: 35-RD367230GG (standard rectangular desk 36x72x30 with box/file left and box/file right)

#### 2. Select laminate base and work surface color, and optional accent color (see page 96)

Accent color applies to drawer/door fronts and edge banding on all tops.

Ex: <u>008</u> <u>C24</u> <u>174</u> base work accent For no accent color, put "XXX" in place of accent color code.

#### 3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

#### **OPTIONS**

4. Upgrade to 1 1/2" thick work surface

Add  $\underline{F}$ ,  $\underline{R}$ , or  $\underline{T}$  to the end of the model number and add 20% to List Price

5. Select visual display options (see page 80)

Ex: TE0721NK (The TrolleyE-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

### Visual Display Options To order, see page 80.

#### The Trolley™ Personal Monitor Arm System

Maximum dimensions for flat panel display:

E-Class: 234" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H) NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 34" (171mm)

#### **Downview - Flat Panel Display**

Maximum dimensions for flat panel display-

18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H)

21x21 viewport: 201/8"W x 19" H (511mm W x 483mm H)

16x21 widescreen viewport: 19½"W x 12½" H (495mm W x 318mm H)

**18x21 widescreen viewport: 20**<sup>1</sup>/**8**"W x **14**½"H (511mm W x 368mm H)

For CRT applications, please call Customer Support: 1-800-730-6682

### **Work Surface Edge Detail & Thickness**

Add 20% to list price for edge details listed as "Optional"

Reeded and Transitional edge detail limited to all woodgrain colors: Hard Rock Maple / Empire Mahogany / Wild Cherry / Natural Pear / English Oak / Tuscan Walnut



### **Model Number Structure:**



**35** 

RD Type RD-Rectangle BD-Bow desk

C7-Credenza RR-Return Right RL-Return Left BG-Bridge DF-D-top/Full mod DN-D-top/No mod

367230 GG

Ped Combination GG = Box File left and Box. File right

### **Optional** Flat PVC edge 3mm (F) 1-1/2" thick

**Optional** Reeded edge (R) 1-1/2" thick

**Optional** Transitional edge (T) 1-1/2" thick

### 3/4 Height Modesty Panel Option

3/4 height modesty panels only available on units with 3/4 pedestals. Specify "M".

### **Grommets**

Standard grommets are rectangular black plastic.

### **Door/Drawer Pull Style and Finish**

Hutches do not require pull hardware selection.

Cup / Black Matt (CB) Cup / Stainless Steel (CS)

Cup / Chrome Polished (CP)



Wave / Nickel (WN) Wave / Black (WB)

Steel / Black (SB) Steel / Chrome Matt (SM) Steel / Chrome Polished (SP)



Modern / Chrome Matt (MC) Modern / Black Matt (MB)

- 1. Model number
- 4. Optional Upgrade to 11/2" thick work surface Colors for base, work surface and ontional accent 5. Optional - Select visual display options 3. Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, 6. Optional - Essential accessory options SB, SM, SP, MC, MB)

D x W x H (in.) ft3 / lbs

#### Visual Display Options available:

- The Trollev™ E-Class
- . Downview Flat Panel Display

#### Desks

Double pedestal desks	•	ter filing. Penci	drawer and 1 file dr il tray. Recessed, full	
	30 x 60 x 30	36.8 / 278	35-RD306030GG	\$1,122
	30 x 66 x 30	40.3 / 287	35-RD306630GG	\$1.168

modesty pane	₹1.		
30 x 60 x 30	36.8 / 278	35-RD306030GG	\$1,122
30 x 66 x 30	40.3 / 287	35-RD306630GG	\$1,168
30 x 72 x 30	43.9 / 296	35-RD307230GG	\$1,186
36 x 72 x 30	52.1 / 326	35-RD367230GG	\$1,230
36 x 84 x 30	60.6 / 342	35-RD368430GG	\$1,549
	30 x 60 x 30 30 x 66 x 30 30 x 72 x 30 36 x 72 x 30	30 x 66 x 30 40.3 / 287 30 x 72 x 30 43.9 / 296 36 x 72 x 30 52.1 / 326	30 x 60 x 30       36.8 / 278       35-RD306030GG         30 x 66 x 30       40.3 / 287       35-RD306630GG         30 x 72 x 30       43.9 / 296       35-RD307230GG         36 x 72 x 30       52.1 / 326       35-RD367230GG

#### Double pedestal bow front desks

2 pedestals with lock, 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Recessed, full height modesty panel.

Model

42 x 72 x 30	60.3 / 346	35-BD427230GG	\$1,371
42 x 84 x 30	70.1 / 368	35-BD428430GG	\$1,675


#### Left single pedestal desks

1 pedestal on left with lock, 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Recessed, full height modesty panel.

\$762	35-RD304830GN	29.7 / 208	30 x 48 x 30
\$927	35-RD306030GN	36.8 / 226	30 x 60 x 30
\$964	35-RD306630GN	40.3 / 235	30 x 66 x 30
\$1,034	35-RD307230GN	43.9 / 244	30 x 72 x 30
\$1,080	35-RD367230GN	52.1 / 267	36 x 72 x 30
\$1,305	35-RD368430GN	60.6 / 287	36 x 84 x 30

#### Right single pedestal desks

1 pedestal on right with lock, 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Recessed, full height modesty panel.



### bow front desks

Left single pedestal 1 pedestal on left with lock, 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Recessed, full height modesty panel.



#### Right single pedestal bow front desks

1 pedestal on right with lock, 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Recessed, full height modesty panel.

42 x 72 x 30	60.3 / 294	35-BD427230NG	\$1,238
42 x 84 x 30	70.1 / 316	35-BD428430NG	\$1,440

#### Double pedestal desks

2 full-length pedestals with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestals. Pencil tray. Recessed, full height modesty panel.

3B \$1,3	35-RD306030BB	36.8 / 313	30 x 60 x 30
3B \$1,3	35-RD306630BB	40.3 / 322	30 x 66 x 30
3B \$1,3	35-RD307230BB	43.9 / 331	30 x 72 x 30
3B \$1,4	35-RD367230BB	52.1 / 361	36 x 72 x 30
3B \$1,6	35-RD368430BB	60.6 / 377	36 x 84 x 30

#### Double pedestal bow front desk



2 full-length pedestals with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestals. Pencil tray.

necesseu, iuii i				
42 x 72 x 30	60.3 / 381	35-BD427230BB	\$1,580	
42 x 84 x 30	70.1 / 403	35-BD428430BB	\$1,813	

### Left single pedestal desks

**List Price** 

1 full-length pedestal on left with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestal. Pencil tray. naccad full haight madacty nanal

Model

List Price

	necesseu, iuii i	neigni mouesty p	Janet.	
	30 x 48 x 30	29.7 / 226	35-RD304830BN	\$866
/ /	30 x 60 x 30	36.8 / 244	35-RD306030BN	\$1,032
	30 x 66 x 30	40.3 / 253	35-RD306630BN	\$1,068
	30 x 72 x 30	43.9 / 262	35-RD307230BN	\$1,139
$\checkmark$	36 x 72 x 30	52.1 / 341	35-RD367230BN	\$1,185
	36 x 84 x 30	60.6 / 360	35-RD368430BN	\$1,408

ft3 / lbs

#### Right single pedestal desks

1 full-length pedestal on right with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestal. Pencil tray. Recessed, full height modesty panel.

	30 x 48 x 30	29.7 / 22
	30 x 60 x 30	36.8 / 24
	30 x 66 x 30	40.3 / 25
Y	30 x 72 x 30	43.9 / 26
$\downarrow$	36 x 72 x 30	52.1 / 34
	36 x 84 x 30	60.6 / 36

**D** x W x H (in.)

			,
\$866	35-RD304830NB	29.7 / 226	30 x 48 x 30
\$1,032	35-RD306030NB	36.8 / 244	30 x 60 x 30
\$1,068	35-RD306630NB	40.3 / 253	30 x 66 x 30
\$1,139	35-RD307230NB	43.9 / 262	30 x 72 x 30
\$1,185	35-RD367230NB	52.1 / 341	36 x 72 x 30
\$1,408	35-RD368430NB	60.6 / 360	36 x 84 x 30

#### Left single pedestal bow front desks

1 full-length pedestal on left with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestal. Pencil tray. Recessed, full height modesty panel.



42 x 72 x 30	60.3 / 312	35-BD427230BN	\$1,343
42 x 84 x 30	70.1 / 334	35-BD428430BN	\$1,547

#### Right single pedestal bow front desks


1 full-length pedestal on right with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestal. Pencil tray. Recessed, full height modesty panel



35-BD427230NB \$1.343 42 x 72 x 30 60.3 / 312 42 x 84 x 30 70.1 / 334 35-BD428430NB \$1,547

### Helm Configuration - Left U

#### **SAMPLE LEFT U LAYOUT:**



Lef


Ext

Shown with Panel Ends

- A. 35-HR725024SL Left Rectangular Extended Corner B. 35-HC524824R Right Corner
- C. 35-RR244230NB Return Right

### **BASE OPTIONS:**

available on extended corners as listed below



### Worksurfaces for Left U

Worksurfaces can be used with additional casegoods, see pages 69-77. Specify metal color for straight leg(s).

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
ft Rectangular	With Panel en	nds		
tended Corner	50 x 72 x 30	11.1 / 242	35-HR725020PL	\$1,054
	50 x 72 x 30 <b>With Straight</b>	11.1 / 250 <b>leas</b>	35-HR725024PL	\$1,054
	50 x 72 x 30	11.1 / 242	35-HR725020SL	\$1,054
	50 x 72 x 30	11.1 / 250	35-HR725024SL	\$1,054



### **How To Order**

1. Select model number

 $Ex: 35-RD367230GG \ (double\ pedestal\ desk, 36x72x30\ with\ box/file\ left\ and\ box/file\ right)$ 

2. Select laminate base and work surface color, and optional accent color (see page 96)

Accent color applies to drawer/door fronts and edge banding on all tops.  $\text{Ex: } \underbrace{008}_{\text{base}} \underbrace{\frac{\text{C24}}{\text{work}}}_{\text{surface}} \underbrace{\frac{174}{\text{accent}}}_{\text{color code}} \\ \text{For no accent color, put "XXX" in place of accent color code.}$ 

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

#### **OPTIONS**

4. Upgrade to 1 1/2" thick work surface

Add F, R, or T to the end of the model number and add 20% to List Price

5. Select visual display options (see page 80)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

### Worksurfaces for Left U

Worksurfaces can be used with additional casegoods, see pages 69-77. Specify metal color for straight leg(s).

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Left Bow	With Panel en	ds		
Extended Corner	50 x 72 x 30	11.1 / 242	35-HB725020PL	\$1,175
	50 x 72 x 30	11.1 / 250	35-HB725024PL	\$1,175
	With Straight	legs		
	50 x 72 x 30	11.1 / 242	35-HB725020SL	\$1,175
	50 x 72 x 30	11.1 / 250	35-HB725024SL	\$1,175
Shown with Panel Ends				

Shown with Panel Ends				
Left P-shaped	With Panel e	nds		
Extended Corner	54 x 72 x 30	12.0 / 252	35-HP725420PL	\$1,095
	54 x 72 x 30	12.0 / 260	35-HP725424PL	\$1,095
	With Straigh	t leg		. ,
	54 x 72 x 30	12.0 / 252	35-HP725420SL	\$1,095
	54 x 72 x 30	12.0 / 260	35-HP725424SL	\$1,095
7				. ,
Shown with Straight Leg				
Left D-shaped	With Panel e	nds		
Extended Corner	48 x 72 x 30	10.7 / 232	35-HD724820PL	\$1,049
	48 x 72 x 30	10.7 / 240	35-HD724824PL	\$1,049
	With Straigh	t lea		¥-,
	48 x 72 x 30	10.7 / 232	35-HD724820SL	\$1,049
	48 x 72 x 30	10.7 / 240	35-HD724824SL	\$1,049
$ \longrightarrow                                   $	10 // 12 // 00	1011 / 2 10	00 11212102102	Ψ1,010
Shown with Straight Leg				
2				
Loft Aroad				
Left Arced	With Panel e	ndo		
Extended Corner	willi Pallel e	nus		

11.1 / 250

11.1 / 242

11.1 / 250

35-HA725024PL

35-HA725020SL

35-HA725024SL

\$1.023

\$1,023

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price		
Transaction top	Must specify "TA Adaptable" for the Worksurface upon which the Transaction Top will be installed.					
	With Straight	legs				
	12 x 72 x 11	2.9 / 25	35-HT127211SL	\$359		
Left Extended	With Panel er	nds				
Corner	50 x 72 x 30	11.1 / 242	35-HE725020PL	\$1,100		
	50 x 72 x 30	11.1 / 250	35-HE725024PL	\$1,100		
	With Straight	•				
	50 x 72 x 30	11.1 / 242	35-HE725020SL	\$1,100		
	50 x 72 x 30	11.1 / 250	35-HE725024SL	\$1,100		
Shown with Panel Ends						
Right Corner	48 x 48 x 30	7.3 / 122.5	35-HC484820R	\$933		
	52 x 48 x 30	7.8 / 130	35-HC524824R	\$1,012		
Grain Direction	חס			. ,		


### **Helm Configuration - Right U**

SAMPLE RIGHT U LAYOUT:

Shown with Panel Ends

- A. 35-HR507224SL Right Rectangular Extended Corner
- B. 35-HC485224L Left Corner
- C. 35-RR244230BN Return Left

**BASE OPTIONS:** available on extended corners, as listed below



### Worksurfaces for Right U

Worksurfaces can be used with additional casegoods, see pages 69-77. Specify metal color for straight leg(s).

Right Rectangular	With Panel ends			
Extended Corner	50 x 72 x 30	11.1 / 242	35-HR507220PL	\$1,054
	50 x 72 x 30	11.1 / 250	35-HR507224PL	\$1,054
	With Straight legs			
	50 x 72 x 30	11.1 / 242	35-HR507220SL	\$1,054
	50 x 72 x 30	11.1 / 250	35-HR507224SL	\$1,054

Shown with Straight Leas

50 x 72 x 30

50 x 72 x 30 50 x 72 x 30

With Straight legs

#### To order, specify:

- 1. Model number
- 4. Optional Upgrade to  $1\frac{1}{2}$ " thick work surface 5. Optional Select visual display options 6. Optional Essential accessory options Colors for base, work surface and optional accent
   Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)

#### Visual Display Options available:

- The Trollev™ E-Class
- Downview Flat Panel Display

	Norksurfa	ces for l	Right U	
	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Right Bow	With Panel en	nds		
Extended Corner	50 x 72 x 30	11.1 / 242	35-HB507220PL	\$1,175
	50 x 72 x 30 With Straight	11.1 / 250	35-HB507224PL	\$1,175
	50 x 72 x 30	11.1 / 242	35-HB507220SL	\$1,175
	50 x 72 x 30	11.1 / 250	35-HB507224SL	\$1,175
٠				
Shown with Panel Ends				
one man namer Ende				
Right P-shaped	With Panel en			
Extended Corner	54 x 72 x 30	12.0 / 252 12.0 / 260	35-HP547220PL	\$1,095
	54 x 72 x 30 <b>With Straight</b>		35-HP547224PL	\$1,095
	54 x 72 x 30	12.0 / 252	35-HP547220SL	\$1,095
	54 x 72 x 30	12.0 / 260	35-HP547224SL	\$1,095
Shown with Straight Leg				
Right D-shaped	With Panel en	ıds		
Extended Corner	48 x 72 x 30	10.7 / 232	35-HD487220PL	\$1,049
	48 x 72 x 30	10.7 / 240	35-HD487224PL	\$1,049
	<b>With Straight</b> 48 x 72 x 30	10.7 / 232	35-HD487220SL	\$1,049
	48 x 72 x 30	10.7 / 240	35-HD487224SL	\$1,049
Shown with Straight Leg				
onown with ottaight Log				
Right Arced	With Panel er	nde		
Extended Corner	50 x 72 x 30	11.1 / 242	35-HA507220PL	\$1,023
	50 x 72 x 30	11.1 / 250	35-HA507224PL	\$1,023
	With Straight	legs		
	50 x 72 x 30	11.1 / 242	35-HA507220SL	\$1,023
	50 x 72 x 30	11.1 / 250	35-HA507224SL	\$1,023
U Shown with Straight Legs				
Transaction top	Must specify	"TΔ Δdantahl	e" for the Worksurfa	ce unon
			will be installed.	oc upon
्रे व		-		
	With Straight			
TU	12 x 72 x 11	2.9 / 25	35-HT127211SL	\$359
D'ALE A A				
Right Extended	With Panel er		OF UPF0700	<b>64 15</b> -
Corner	50 x 72 x 30	11.1 / 242	35-HE507220PL	\$1,100
^	50 x 72 x 30 With Straight	11.1 / 250	35-HE507224PL	\$1,100
	50 x 72 x 30	11.1 / 242	35-HE507220SL	\$1,100
$\sim$	50 . 70 . 00	44.4./050	05 1155072200401	\$4,400

50 x 72 x 30

48 x 48 x 30

52 x 48 x 30

Shown with Panel Ends

**Left Corner** 

Grain Direction

11.1 / 250

7.2 / 122.5

7.8 / 130

35-HE507224SL

35-HC484820L

35-HC485224L

#### DxWxH(in.) ft3/lbs Lateral file / closed storage

2 lateral file drawers with letter/legal filing. Closed storage unit with doors and adjustable shelf. Locks.

Model

**List Price** 

Credenzas



20 x 72 x 30	30.2 / 310	35-CZ207230LS	\$1,395
24 x 72 x 30	35.7 / 331	35-CZ247230LS	\$1,420

#### **Closed storage** credenza



<b>Closed storag</b>	e unit with door	s and adjustable shel	f. Locks.
20 x 72 x 30	30.2 / 257	35-CZ207230SS	\$1,250
24 x 72 x 30	35.7 / 281	35-CZ247230SS	\$1,392

#### Lateral file orodonza

GI GUGIIZAS
/ //
Y:/:/

4 lateral file dra	awers with lega	al/letter filing. Locks.	
20 x 72 x 30	30.2 / 360	35-CZ207230LL	\$1



20 x 72 x 30	30.2 / 360	35-CZ207230LL	\$1,534
24 x 72 x 30	35.7 / 378	35-CZ247230LL	\$1,578

#### Left lateral file credenzas




2 lateral file drawers on	left with	legal/letter	filing.
Lockina.		_	_

Looking.			
20 x 60 x 30	25.3 / 249	35-CZ206030LN	\$1,072
20 x 66 x 30	27.8 / 255	35-CZ206630LN	\$1,104
20 x 72 x 30	30.2 / 261	35-CZ207230LN	\$1,124
24 x 60 x 30	29.9 / 262	35-CZ246030LN	\$1,097
24 x 66 x 30	32.8 / 270	35-CZ246630LN	\$1,110
24 x 72 x 30	35.7 / 278	35-CZ247230LN	\$1,174


#### Right lateral file credenzas



#### 2 lateral file drawers on right with legal/letter filing. Locking.



#### Combination credenzas





# doors. Pencil tray.


20 x 60 x 30	25.3 / 252	35-CZ206030BS	\$1,477
20 x 66 x 30	27.8 / 258	35-CZ206630BS	\$1,517
20 x 72 x 30	30.2 / 264	35-CZ207230BS	\$1,566
24 x 60 x 30	29.9 / 277	35-CZ246030BS	\$1,554
24 x 66 x 30	32.8 / 287	35-CZ246630BS	\$1,566
24 x 72 x 30	35.7 / 297	35-CZ247230BS	\$1,605

#### Combination credenzas

\$1,100

\$933

\$1,012





\$1,231	35-CZ206030BB	25.3 / 229	20 x 60 x 30
\$1,257	35-CZ206630BB	27.8 / 236	20 x 66 x 30
\$1,295	35-CZ207230BB	30.2 / 243	20 x 72 x 30
\$1,306	35-CZ246030BB	29.9 / 245	24 x 60 x 30
\$1,339	35-CZ246630BB	32.8 / 253	24 x 66 x 30
\$1,406	35-CZ247230BB	35.7 / 261	24 x 72 x 30

#### Combination credenzas

#### 2 full length pedestals with lock, 2 file drawers. Locking pedestals.



35-CZ206030FF \$1,2	60 x 30 25.3 / 209	20 x 60 x 30
35-CZ206630FF \$1,2	66 x 30 27.8 / 216	20 x 66 x 30
35-CZ207230FF \$1,2	72 x 30 30.2 / 223	20 x 72 x 30
35-CZ246030FF \$1,3	60 x 30 29.9 / 225	24 x 60 x 30
35-CZ246630FF \$1,3	66 x 30 32.8 / 233	24 x 66 x 30
35-CZ247230FF \$1,4	72 x 30 35.7 / 241	24 x 72 x 30



**List Price** 

#### **How To Order**

1. Select model number

Ex: 35-RD367230GG (double pedestal desk, 36x72x30 with box/file left and box/file right)

2. Select laminate base and work surface color, and optional accent color (see page 96)

Accent color applies to drawer/door fronts and edge banding on all tops. Ex: 008 C24 174 For no accent color, put "XXX" in place of accent color code.

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

#### **OPTIONS**

4. Upgrade to 1 1/2" thick work surface

Add F, R, or T to the end of the model number and add 20% to List Price

5. Select visual display options (see page 80)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

#### Credenzas

DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
D A W A II (III.)	11. / 109	Model	LIST I LICE

#### Left single pedestal credenzas



1 full-length pedestal with lock on left, 2 box drawers and 1 file drawer. Pencil tray.

25.3 / 163	35-CZ206030BN	\$893
27.8 / 170	35-CZ206630BN	\$917
30.2 / 177	35-CZ207230BN	\$1,006
29.9 / 179	35-CZ246030BN	\$974
32.8 / 186	35-CZ246630BN	\$999
35.7 / 193	35-CZ247230BN	\$1,032
	27.8 / 170 30.2 / 177 29.9 / 179 32.8 / 186	27.8 / 170     35-CZ206630BN       30.2 / 177     35-CZ207230BN       29.9 / 179     35-CZ246030BN       32.8 / 186     35-CZ246630BN

#### Right single pedestal 1 full-length pedestal with lock on right, 2 box drawers and credenzas 1 file drawer. Pencil tray.



\$893	35-CZ206030NB	25.3 / 163	20 x 60 x 30
\$917	35-CZ206630NB	27.8 / 170	20 x 66 x 30
\$1,006	35-CZ207230NB	30.2 / 177	20 x 72 x 30
\$974	35-CZ246030NB	29.9 / 179	24 x 60 x 30
\$999	35-CZ246630NB	32.8 / 186	24 x 66 x 30
\$1,032	35-CZ247230NB	35.7 / 193	24 x 72 x 30

### credenzas



Left single pedestal 1 full-length pedestal with lock on left, 2 file drawers.

\$893	35-CZ206030FN	25.3 / 153	20 x 60 x 30
\$917	35-CZ206630FN	27.8 / 160	20 x 66 x 30
\$1,006	35-CZ207230FN	30.2 / 167	20 x 72 x 30
\$974	35-CZ246030FN	29.9 / 169	24 x 60 x 30
\$999	35-CZ246630FN	32.8 / 176	24 x 66 x 30
\$1.032	35-CZ247230FN	35.7 / 183	24 x 72 x 30

#### Right single pedestal 1 full-length pedestal with lock on right, 2 file drawers. credenzas



\$893	35-CZ206030NF	25.3 / 153	20 x 60 x 30
\$917	35-CZ206630NF	27.8 / 160	20 x 66 x 30
\$1,006	35-CZ207230NF	30.2 / 167	20 x 72 x 30
\$974	35-CZ246030NF	29.9 / 169	24 x 60 x 30
\$999	35-CZ246630NF	32.8 / 176	24 x 66 x 30
\$1,032	35-CZ247230NF	35.7 / 183	24 x 72 x 30

#### Combination credenzas



#### 2 pedestals with lock, 1 box drawer and 1 file drawer. Pencil tray. Closed storage with locking doors.

Model

ft3 / lbs

DxWxH(in.)

\$1,267	35-CZ206030GS	25.3 / 231	20 x 60 x 30
\$1,307	35-CZ206630GS	27.8 / 239	20 x 66 x 30
\$1,356	35-CZ207230GS	30.2 / 247	20 x 72 x 30
\$1,345	35-CZ246030GS	29.9 / 252	24 x 60 x 30
\$1,356	35-CZ246630GS	32.8 / 262	24 x 66 x 30
\$1,395	35-CZ247230GS	35.7 / 272	24 x 72 x 30

#### Kneespace credenzas



#### 2 pedestals with lock, 1 box drawer and 1 file drawer. Pencil trav.

\$1,021	35-CZ206030GG	25.3 / 211	20 x 60 x 30	
\$1,047	35-CZ206630GG	27.8 / 218	20 x 66 x 30	
\$1,085	35-CZ207230GG	30.2 / 225	20 x 72 x 30	
\$1,097	35-CZ246030GG	29.9 / 231	24 x 60 x 30	
\$1,129	35-CZ246630GG	32.8 / 239	24 x 66 x 30	
\$1,196	35-CZ247230GG	35.7 / 247	24 x 72 x 30	

#### Left single pedestal credenzas Pencil tray.



# 1 pedestal on left with lock, 1 box drawer and 1 file drawer.

20 x 60 x 30	25.3 / 172	35-CZ206030GN	\$788
20 x 66 x 30	27.8 / 179	35-CZ206630GN	\$812
20 x 72 x 30	30.2 / 186	35-CZ207230GN	\$901
24 x 60 x 30	29.9 / 179	35-CZ246030GN	\$870
24 x 66 x 30	32.8 / 186	35-CZ246630GN	\$895
24 x 72 x 30	35.7 / 193	35-CZ247230GN	\$927

# Right single



#### 1 pedestal on right with lock, 1 box drawer and 1 file pedestal credenzas drawer. Pencil tray.

35-CZ206030NG	60 x 30 25.3 / 172	20 x 60 x 30	
35-CZ206630NG	66 x 30 27.8 / 179	20 x 66 x 30	
35-CZ207230NG	72 x 30 30.2 / 186	20 x 72 x 30	
35-CZ246030NG	60 x 30 29.9 / 179	24 x 60 x 30	
35-CZ246630NG	66 x 30 32.8 / 186	24 x 66 x 30	
35-CZ247230NG	72 x 30 35.7 / 193	24 x 72 x 30	

#### Returns

#### Right executive returns



#### Full length pedestal with lock on right, 2 box drawers and 1 file drawer. Pencil tray. Grommet.

20 x 42 x 30	18.0 / 142	35-RR204230NB	\$792
20 x 48 x 30	20.4 / 151	35-RR204830NB	\$822
24 x 42 x 30	21.2 / 160	35-RR244230NB	\$822
24 x 48 x 30	24.1 / 169	35-RR244830NB	\$848

#### Left executive returns



#### Full length pedestal with lock on left, 2 box drawers and 1 file drawer. Pencil tray. Grommet.

20 x 42 x 30	18.0 / 142	35-RL204230BN	\$792
20 x 48 x 30	20.4 / 151	35-RL204830BN	\$822
24 x 42 x 30	21.2 / 160	35-RL244230BN	\$822
24 x 48 x 30	24.1 / 169	35-RL244830BN	\$848

#### Right executive returns



#### Full length pedestal with lock on right, 2 file drawers. Pencil trav. Grommet.

F \$792	35-RR204230NF	18.0 / 132	20 x 42 x 30
F \$822	35-RR204830NF	20.4 / 141	20 x 48 x 30
F \$822	35-RR244230NF	21.2 / 150	24 x 42 x 30
F \$848	35-RR244830NF	24.1 / 159	24 x 48 x 30

#### Left executive returns



#### Full length pedestal with lock on left, 2 file drawers. Pencil tray. Grommet.

\$792	35-RL204230FN	18.0 / 132	20 x 42 x 30
\$822	35-RL204830FN	20.4 / 141	20 x 48 x 30
\$822	35-RL244230FN	21.2 / 150	24 x 42 x 30
\$848	35-RL244830FN	24.1 / 159	24 x 48 x 30

#### To order, specify:

- 1. Model number
- 2. Colors for base, work surface and optional accent 3. Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)

# 4. Optional - Upgrade to 11/2" thick work surface

#### 5. Optional - Select visual display options 6. Optional - Essential accessory options

#### Visual Display Options available:

- The Trollev™ E-Class
- Downview Flat Panel Display

#### Returns

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Right executive returns	1 pedestal on drawer. Penci	•	ck, 1 box drawer an	d 1 file
	20 x 42 x 30	18.0 / 123	35-RR204230NG	\$687
	20 x 48 x 30	20.4 / 130	35-RR204830NG	\$718
	24 x 42 x 30	21.2 / 143	35-RR244230NG	\$718
	24 x 48 x 30	24.1 / 150	35-RR244830NG	\$743
Left executive	1 pedestal on	left with lock	. 1 box drawer and	1 file

# returns



1 pedestal on left with lock, 1 box drawer and 1 file
drawer. Pencil tray. Grommet.

aratron i onon	auji aromino	••	
20 x 42 x 30	18.0 / 123	35-RL204230GN	\$687
20 x 48 x 30	20.4 / 130	35-RL204830GN	\$718
24 x 42 x 30	21.2 / 143	35-RL244230GN	\$718
24 x 48 x 30	24.1 / 150	35-RL244830GN	\$743
	20 x 42 x 30 20 x 48 x 30 24 x 42 x 30	20 x 42 x 30 18.0 / 123 20 x 48 x 30 20.4 / 130 24 x 42 x 30 21.2 / 143	20 x 48 x 30 20.4 / 130 <b>35-RL204830GN</b> 24 x 42 x 30 21.2 / 143 <b>35-RL244230GN</b>

### **Bridges**

**Bridge-returns** 



Full height modesty panel. 1 grommet.

286
306
319
344
356
369
3031

### **Corner Work Surfaces**

#### Corner work surfaces



Full height modesty panel. 1 grommet.

§ \$5	35-CD363618	4.1 / 117	36 x 36 x 30	
<b>320</b> \$5	35-CD363620	4.1 / 117	36 x 36 x 30	
<b>624 \$5</b>	35-CD363624	4.1 / 117	36 x 36 x 30	
224 \$6	35-CD424224	5.6 / 140	42 x 42 x 30	
330 \$7	35-CD484830	5.6 / 168	48 x 48 x 30	

Complete the model number with 1, 2, 3 or 4. If ordering a

keyboard option, complete the model number with 3 or 4.



Two grommets.

36 x 66 x 30

36 x 72 x 30

#### Right extended corner work surfaces



24" deep



(1)=Two full ends

Left extended

corner work

surfaces

24" deep



(2)=One full One recessed



6.3 / 183

6.8 / 194

(3)=One recessed



35-EC366624N

35-EC367224N \_

One full

Complete the model number with 1, 2, 3 or 4. If ordering a keyboard option, complete the model number with 2 or 4. Two grommets.

36 x 66 x 30	
36 x 72 x 30	





(1)=Two full ends

(2)=One full One recessed

6.3 / 183

6.8 / 194

(3)=One recessed One full



ends

35-EC663624N

35-EC723624N

Right extended corner work surfaces 20" deep





**D** x W x H (in.)

Two grommets. 36 x 66 x 30

Two grommets.

36 x 66 x 30

36 x 72 x 30

36 x 72 x 30

(2)=One full One recessed



ft3 / lbs

6.3 / 176

6.8 / 186

Model

35-EC366620N

35-EC367220N \_

Complete the model number with 1, 2, 3 or 4. If ordering a keyboard option, complete the model number with 3 or 4.

One full

6.3 / 176

6.8 / 186

Complete the model number with 1, 2, 3 or 4. If ordering a

keyboard option, complete the model number with 2 or 4.



List Price

\$826

\$851

\$826

\$851

(4)=Two recessed ends

35-EC663620N

35-EC723620N

Left extended corner work surfaces 20" deep

(1)=Two full ends











(3)=One recessed One full



(4)=Two recessed ends

### D-shaped Work Surfaces

#### **D-shaped** work surfaces no modesty



Not available with Visual Display Options. Specify metal color for steel leg. 1 grommet.

24 x 48 x 30	3.7 / 99	35-DN244830	\$527
24 x 60 x 30	4.6 / 102	35-DN246030	\$541
24 x 66 x 30	5.0 / 105	35-DN246630	\$571
30 x 60 x 30	4.6 / 108	35-DN306030	\$642
30 x 66 x 30	5.0 / 117	35-DN306630	\$673
30 x 72 x 30	5.4 / 124	35-DN307230	\$711
36 x 72 x 30	6.5 / 127	35-DN367230	\$741

#### Left D-shaped work surfaces full modesty



\$826

\$851

\$826

\$851

Specify metal color for steel leg. 1 grommet.					
30 x 60 x 30	5.7 / 137	35-DF306030L	\$693		
30 x 66 x 30	6.3 / 146	35-DF306630L	\$718		
30 x 72 x 30	6.8 / 153	35-DF307230L	\$743		
36 x 72 x 30	8.1 / 156	35-DF367230L	\$788		

#### **Right D-shaped** work surfaces full modesty



Specify metal	color for stee	el leg. 1 grommet.	
30 x 60 x 30	5.7 / 137	35-DF306030R	\$693
30 x 66 x 30	6.3 / 146	35-DF306630R	\$718
30 x 72 x 30	6.8 / 153	35-DF307230R	\$743
36 x 72 x 30	8.1 / 156	35-DF367230R	\$788



**D-shaped** work surfaces no modesty



Specify metal	color for stee	el leg.	
24 x 48 x 30	3.7 / 60	35-DR244830	\$429
24 x 60 x 30	4.6 / 68	35-DR246030	\$458
24 x 66 x 30	5.0 / 72	35-DR246630	\$471
30 x 60 x 30	4.6 / 66	35-DR306030	\$534
30 x 66 x 30	5.0 / 82	35-DR306630	\$553
30 x 72 x 30	5.4 / 88	35-DR307230	\$591
36 x 72 x 30	6.5 / 100	35-DR367230	\$623



#### **How To Order**

1. Select model number

Ex: 35-RD367230GG (double pedestal desk, 36x72x30 with box/file left and box/file right)

2. Select laminate base and work surface color, and optional accent color (see page 96)

Accent color applies to drawer/door fronts and edge banding on all tops.  $\text{Ex: } \underbrace{008}_{\text{base}} \underbrace{\frac{\text{C24}}{\text{work}}}_{\text{surface}} \underbrace{\frac{174}{\text{accent}}}_{\text{color code}} \\ \text{For no accent color, put "XXX" in place of accent color code.}$ 

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

#### **OPTIONS**

4. Upgrade to 1 1/2" thick work surface

Add F, R, or T to the end of the model number and add 20% to List Price

5. Select visual display options (see page 80)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

#### Left P-shaped work surfaces no modesty no end panel

DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
42" at widest Specify metal	•	es down to 36".	
42 x 60 x 30	6.5 / 73	35-PR426030	L \$673
42 x 66 x 30	6.9 / 77	35-PR426630	L \$718
42 x 72 x 30	7.5 /87	35-PR427230	L \$748

Right P-shaped work surfaces no modesty no end panel

42" at widest point. Curves down to 36". Specify metal color for steel leg.

42 x 60 x 30	6.5 / 73	35-PR426030R	\$673
42 x 66 x 30	6.9 / 77	35-PR426630R	\$718
42 x 72 x 30	7.5 / 87	35-PR427230R	\$748



#### P-shaped Work Surfaces

D x W x H (in.)	ft <sup>3</sup> / lbs	Model	List Price
42" at widest	point. Curves	isplay Options. down to 36". el leg. 1 grommet.	
42 x 60 x 30	6.3 / 138	35-PN426030L	\$794
42 x 66 x 30	6.9 / 148	35-PN426630L	\$826
12 v 72 v 30	75/158	35-PN/27230I	<b>\$251</b>

Right P-shaped work surfaces no modesty

Left P-shaped

work surfaces

no modesty

Not available with Visual Display Options. 42" at widest point. Curves down to 36".

Specify meta	color for stee	l leg. 1 grommet.	
42 x 60 x 30	6.3 / 138	35-PN426030R	\$794
42 x 66 x 30	6.9 / 148	35-PN426630R	\$826
42 x 72 x 30	7.5 / 158	35-PN427230R	\$851



Left P-shaped

work surfaces

42" at widest point. Curves down to 36". Specify metal color for steel leg. Modesty panel, 1 grommet.

42 x 60 x 30	7.8 / 168	35-PF426030L	\$844
42 x 66 x 30	8.6 / 178	35-PF426630L	\$870
42 x 72 x 30	9.2 / 188	35-PF427230L	\$901



#### Right P-shaped 42" at widest point. Curves down to 36". Specify metal work surfaces full modesty

color for stee	i leg. Modesty	panel. 1 grommet.	
42 x 60 x 30	7.8 / 168	35-PF426030R	\$844
42 x 66 x 30	8.6 / 178	35-PF426630R	\$870
42 x 72 x 30	9.2 / 188	35-PF427230R	\$901


### Freestanding Work Surfaces


If Freestanding Work Surface is ordered with Visual Display Option, please indicate position of VDO and grommet (Left, Right, Center)

### Freestanding 30" deep

Complete the model number with 1, 2, 3 or 4. rectangular surface Full height modesty panel. 1 worksurface grommet.

30 x 24 x 30	2.9 / 99	35-FS302430N_	\$445
30 x 30 x 30	2.9 / 108	35-FS303030N_	\$462
30 x 36 x 30	3.5 / 117	35-FS303630N_	\$479
30 x 42 x 30	4.0 / 126	35-FS304230N_	\$508
30 x 48 x 30	4.6 / 135	35-FS304830N_	\$537
30 x 54 x 30	5.1 / 144	35-FS305430N_	\$560
30 x 60 x 30	5.7 / 153	35-FS306030N_	\$588
30 x 66 x 30	6.3 / 162	35-FS306630N_	\$605
30 x 72 x 30	6.8 / 171	35-FS307230N_	\$633









#### Freestanding rectangular surface 24" deep

#### Complete the model number with 1, 2, 3 or 4. Full height modesty panel. 1 worksurface grommet.

24 x 24 x 30	2.9 /86	35-FS242430N_	\$416
24 x 30 x 30	2.9 / 95	35-FS243030N_	\$451
24 x 36 x 30	3.5 / 104	35-FS243630N_	\$469
24 x 42 x 30	4.0 / 113	35-FS244230N_	\$484
24 x 48 x 30	4.6 / 122	35-FS244830N_	\$502
24 x 54 x 30	5.1 / 131	35-FS245430N_	\$519
24 x 60 x 30	5.7 / 140	35-FS246030N_	\$542
24 x 66 x 30	6.3 / 149	35-FS246630N	\$560
24 x 72 x 30	6.8 / 158	35-FS247230N	\$593









#### To order, specify:

- 1. Model number
- 2. Colors for base, work surface and optional accent 3. Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)

#### 4. Optional - Upgrade to 11/2" thick work surface 5. Optional - Select visual display options

# 6. Optional - Essential accessory options

The Trollev™ E-Class

Visual Display Options available: • Downview - Flat Panel Display

#### **Freestanding Work Surfaces**

If Freestanding Work Surface is ordered with Visual Display Option, please indicate position of VDO and grommet (Left, Right, Center)

DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price

#### Freestanding asymmetrical surfaces - 30" on left. 24" on right

To complete a standard corner unit. Full height modesty panel. 1 worksurface grommet. Complete the model number with 2 or 4.

ieit, 24 on rigiit
(2) = One full
One recessed
<i>^</i> →
(4) = Two recessed
ends

	30 x 24 x 30	2.9 / 88	35-FC3024CRN_	\$445
	30 x 30 x 30	2.9 / 97	35-FC3030CRN_	\$471
	30 x 36 x 30	3.5 / 106	35-FC3036CRN_	\$497
	30 x 42 x 30	4.0 / 115	35-FC3042CRN_	\$527
	30 x 48 x 30	4.6 / 124	35-FC3048CRN_	\$546
,	30 x 54 x 30	5.1 / 133	35-FC3054CRN_	\$571
'	30 x 60 x 30	5.7 / 142	35-FC3060CRN_	\$591
	30 x 66 x 30	6.3 / 151	35-FC3066CRN_	\$615
	30 x 72 x 30	6.8 / 160	35-FC3072CRN	\$635

#### Freestanding asymmetrical surfaces - 24" on left, 30" on right

One full One recessed

(4) = Two recessed

24 4 24 4 20

ends

To complete a standard corner unit. Full height modesty panel. 1 worksurface grommet. Complete the model number with 2 or 4.

	30 x 24 x 30	2.9 / 75	35-FC3024CLN_	\$445
	30 x 30 x 30	2.9 / 84	35-FC3030CLN_	\$471
	30 x 36 x 30	3.5/ 93	35-FC3036CLN_	\$497
	30 x 42 x 30	4.0 / 102	35-FC3042CLN_	\$527
	30 x 48 x 30	4.6 / 111	35-FC3048CLN_	\$546
1	30 x 54 x 30	5.1 / 120	35-FC3054CLN_	\$571
	30 x 60 x 30	5.7 / 129	35-FC3060CLN_	\$591
	30 x 66 x 30	6.3 / 138	35-FC3066CLN_	\$615
	30 x 72 x 30	6.8 / 147	35-FC3072CLN_	\$635

#### Freestanding asymmetrical surfaces - 24" on left, 18" on right

(2) = One full

(4) = Two recessed

To complete a standard corner unit. Full height modesty panel. 1 worksurface grommet. Complete the model number with 2 or 4.

20/00

	24 X 24 X 30	2.9 / 88	35-FU2424UKN_	\$420
	24 x 30 x 30	2.9 / 97	35-FC2430CRN_	\$445
	24 x 36 x 30	3.5 / 106	35-FC2436CRN_	\$465
	24 x 42 x 30	4.0 / 115	35-FC2442CRN_	\$490
	24 x 48 x 30	4.6 / 124	35-FC2448CRN_	\$515
d	24 x 54 x 30	5.1 / 133	35-FC2454CRN_	\$527
	24 x 60 x 30	5.7 / 142	35-FC2460CRN_	\$541
	24 x 66 x 30	6.3 / 151	35-FC2466CRN_	<b>\$560</b>
1	24 x 72 x 30	6.8 / 160	35-FC2472CRN_	\$578

#### Freestanding asymmetrical surfaces - 18" on left, 24" on right





To complete a standard corner unit. Full height modesty panel. 1 worksurface grommet. Complete the model number with 2 or 4.

24 x 24 x 30	2.9 / 88	35-FC2424CLN_	\$420
24 x 30 x 30	2.9 / 97	35-FC2430CLN_	\$445
24 x 36 x 30	3.5 / 106	35-FC2436CLN_	\$465
24 x 42 x 30	4.0 / 115	35-FC2442CLN_	\$490
24 x 48 x 30	4.6 / 124	35-FC2448CLN_	\$515
24 x 54 x 30	5.1 / 133	35-FC2454CLN_	\$527
24 x 60 x 30	5.7 / 142	35-FC2460CLN_	\$541
24 x 66 x 30	6.3 / 151	35-FC2466CLN_	\$560
24 x 72 x 30	6.8 / 160	35-FC2472CLN_	\$578

#### **Hutches**

For a locking hutch, specify "L" and add \$63 per door to list price.

DxWxH(in) ft3/lhs



Aluminum framed doors with frosted glass insert available. Call customer support for a quote.

Model

List Price

\$497

\$541

\$578

\$623

\$693

\$762

\$826


\$895


\$971

\$1,008

	D X W X II (III.)	It° / IDS	Monei	LIST FILLE
Hutch with doors 44" high	Clearance: 21". access. Tack bo 16 x 24 x 44 16 x 30 x 44 16 x 36 x 44 16 x 42 x 44		elf. Grommet. Full-wid 79. 35-CH162444 35-CH163044 35-CH163644 35-CH164244	\$615 \$655 \$699 \$762
44"	16 x 48 x 44 16 x 54 x 44	24.0 / 180 26.9 / 196	35-CH164844 35-CH165444	\$838 \$901
1 44"	16 x 60 x 44 16 x 66 x 44 16 x 72 x 44 16 x 78 x 44	29.8 / 212 32.6 / 228 35.5 / 244 38.4 / 260	35-CH166044 35-CH166644 35-CH167244 35-CH167844	\$971 \$1,047 \$1,065 \$1,097
44"	16 x 84 x 44	41.3 / 276	35-CH168444	\$1,142


#### **Hutch with doors** 36" high







10 X 84 X 30	34.1 / 228	30-UN108430	\$1,034



	•	shelf. Grommet. Full-	width
wire access. T	ack boards,	see page 79.	
10 01 11	10 5 101	0= 011400444	-

16 x 24 x 44	12.5 / 84	35-0H162444	\$458
16 x 30 x 44	15.4 / 100	35-0H163044	\$490
16 x 36 x 44	18.3 / 116	35-0H163644	\$527
16 x 42 x 44	21.1 / 132	35-0H164244	\$584
16 x 48 x 44	24.0 / 148	35-0H164844	\$623
16 x 54 x 44	26.9 / 164	35-0H165444	\$648
16 x 60 x 44	29.8 / 180	35-0H166044	\$679
16 x 66 x 44	32.6 / 196	35-0H166644	\$743
16 x 72 x 44	35.5 / 212	35-0H167244	\$762
16 x 78 x 44	38.4 / 228	35-0H167844	\$794
16 x 84 x 44	41.3 / 244	35-0H168444	\$832



**List Price** 

#### **How To Order**

1. Select model number

 $Ex: 35-RD367230GG \ (double\ pedestal\ desk, 36x72x30\ with\ box/file\ left\ and\ box/file\ right)$ 

2. Select laminate base and work surface color, and optional accent color (see page 96)

Accent color applies to drawer/door fronts and edge banding on all tops.  $\text{Ex: } \underbrace{008}_{\text{base}} \underbrace{\frac{C24}{\text{work}}}_{\text{surface}} \underbrace{\frac{174}{\text{accent}}}_{\text{color code}} \text{For no accent color, put "XXX" in place of accent color code.}$ 

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

#### **OPTIONS**

4. Upgrade to 1 1/2" thick work surface

Add F, R, or T to the end of the model number and add 20% to List Price

5. Select visual display options (see page 80)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

Combination
pedestals



20 x 36 x 30	15.5 / 196	35-CP203630FR	\$895
24 x 36 x 30	18.3 / 218	35-CP243630FR	\$911
2 box drawers,	2 file drawers w	vith legal/letter filing. Lo	ock.
20 x 36 x 30	15.5 / 196	35-CP203630FL	\$895
24 x 36 x 30	18.3 / 218	35-CP243630FL	\$911

2 box drawers, 2 file drawers with legal/letter filing. Lock.

Model

DxWxH(in.) ft3/lbs

Storage or wardrobe units



3 adjustable and 1 full-width fixed shelves. Clothes hanger bar. 74" high storage unit matches the height of a credenza with a 44" H hutch. 66" H storage unit matches the height of a credenza with a 36" H hutch. Lock.

35-SC203666 \$1,	32.9 / 260	20 x 36 x 66	
35-SC243666 \$1,	38.9 / 300	24 x 36 x 66	
35-SC203674 \$1,	74 36.8 / 280	20 x 36 x 74	
35-SC243674 \$1,	74 43.5 / 320	24 x 36 x 74	

#### **Hutches**

Ope	n	hι	ıtch
36"	hi	igl	1
_	/	\	




DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
Clearance: 20 Tack boards, s		ull-width wire acc	ess.
16 x 24 x 36	9.12 / 55.9	35-0H162436	\$364
16 x 30 x 36	11.4 / 69.9	35-0H163036	\$395
16 x 36 x 36	13.5 / 78.5	35-0H163636	\$433
16 x 42 x 36	15.6 / 87.2	35-0H164236	\$465



Clearance: 19-5/8". Grommet.	Full-width wire access.
Took hoards soo page 77	

iack buaius,	see paye 11.		
16 x 48 x 36	17.8 / 103	35-0H164836	\$515
16 x 54 x 36	19.9 / 108.7	35-0H165436	\$553
16 x 60 x 36	22.1 / 120.8	35-0H166036	\$591
16 x 66 x 36	24.3 / 129.5	35-0H166636	\$635
16 x 72 x 36	26.5 / 141.1	35-0H167236	\$699
16 x 78 x 36	29.6 / 165.5	35-0H167836	\$730
16 x 84 x 36	31.8 / 177.6	35-0H168436	\$762

Storage or	r
wardrobe	units



Single door - Swing right



20 x 24 x 66	 35-SC202466SR	\$826
24 x 24 x 66	35-SC242466SR	\$964
20 x 24 x 74	 35-SC202474SR	\$870
24 x 24 x 74	35-SC242474SR	\$990



Single door - Sv	ving left		
20 x 24 x 66	22.6 / 187	35-SC202466SL	\$826
24 x 24 x 66	26.7 / 217	35-SC242466SL	\$964
20 x 24 x 74	25.2 / 205	35-SC202474SL	\$870
24 x 24 x 74	29.8 / 240	35-SC242474SL	\$990


#### Storage unit with lateral file

2 adjustable shelves. 2 lateral file drawers with legal/letter filing. Lock. 74" high storage unit matches the height of a credenza with a 44" H hutch. 66" H storage unit matches the height of a credenza with a 36" H hutch.



\$1,445	35-SL203666	32.9 / 280	20 x 36 x 66
\$1,631	35-SL243666	38.9 / 320	24 x 36 x 66
\$1,522	35-SL203674	36.8 / 300	20 x 36 x 74
\$1,700	35-SL243674	43.5 / 340	24 x 36 x 74

#### Storage unit with lateral file





2.6 / 190 <b>35-SL202466SR</b>	\$1,35
<b>35-SL242466SR</b>	\$1,41
5.2 / 205 <b>35-SL202474SR</b>	\$1,37
9.8 / 240 <b>35-SL242474SR</b>	\$1,44
left	
2.6 / 190 <b>35-SL202466SL</b>	\$1,35
<b>35-SL242466SL</b>	\$1,41
5.2 / 205 <b>35-SL202474SL</b>	\$1,37
	Ψ1,01

#### Storage Logal/letter filing Lock

Lateral file units	Legai/letter ii	IIIIg. LOCK.		
	20 x 30 x 30	13.1 / 174	35-LF203030L2	\$806
	20 x 36 x 30	15.5 / 182	35-LF203630L2	\$857
	24 x 30 x 30	15.5 / 190	35-LF243030L2	\$851
30" H unit	24 x 36 x 30	18.3 / 198	35-LF243630L2	\$863
	20 x 30 x 43	18.4 / 230	35-LF203043L3	\$1,055
	20 x 36 x 43	21.8 / 238	35-LF203643L3	\$1,090
2 101111 11	24 x 30 x 43	21.7 / 244	35-LF243043L3	\$1,083
43" H unit	24 x 36 x 43	25.8 / 254	35-LF243643L3	\$1,125
Y2	20 x 30 x 58	24.5 / 292	35-LF203058L4	\$1,339
	20 x 36 x 58	29.1 / 310	35-LF203658L4	\$1,385
	24 x 30 x 58	28.9 / 326	35-LF243058L4	\$1,375
58" H unit	24 x 36 x 58	34.4 / 346	35-LF243658L4	\$1,427

Adjustable shelf Lock

#### **Closed storage** units



,	=		
20 x 30 x 30	13.1 / 116	35-CS203030	\$615
20 x 36 x 30	15.5 / 134	35-CS203630	\$648
24 x 30 x 30	15.5 / 134	35-CS243030	\$629
24 x 36 x 30	18.3 / 156	35-CS243630	\$693

#### To order, specify:

- 1. Model number
- Colors for base, work surface and optional accent
   Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)
- 4. Optional Upgrade to 11/2" thick work surface 5. Optional - Select visual display options 6. Optional - Essential accessory options

#### Visual Display Options available:

- The Trollev™ E-Class
- Downview Flat Panel Display

#### Storage

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Bookcases	2 adjustable s	helves		
	14¼ x 36 x 36	11.7 / 110	35-BC143636S2	\$490
	3 adjustable s	helves		
	14¼ x 36 x 48	15.4 / 125	35-BC143648S2	\$565
	3 adjustable s	helves, 1 fixe	ed shelf at 29"	·
	14¼ x 36 x 66			\$656
	3 adjustable s	helves, 1 fixe	ed shelf at 29"	
	14¼ x 36 x 74		35-BC143674S4	\$712
	Additional she	elf		7
	13¼ x 34 x 01		35-BC133401S1	\$92
Corner bookcases	1 adjustable s	helf		
	20 x 20 x 30		35-CB202030S1	\$394
	24 x 24 x 30	12.6 / 90	35-CB242430S1	\$474
^	4 adjustable s	helves		
$\bowtie$	20 x 20 x 66		35-CB202066S4	\$605
$\bowtie$	24 x 24 x 66		35-CB242466S4	\$719
$\bowtie$	3 adjustable s		ed shelf	*****
	20 x 20 x 74			\$633
	24 x 24 x 74		35-CB242474S4	\$746

#### Mobile pedestals



2 box drawers, 1 file drawer. Pencil tray. Brakes on front casters. Locking pedestal. Fits under a work surface. Specify base color only.

18 x 15 x 27½	6.0 / 92	35-MP181528B	\$743
22 x 15 x 27½	7.1 / 110	35-MP221528B	\$768



2 file drawers. Brakes on front casters. Lock. Fits under a work surface. Specify base color only.

35-MP221528F 22 x 15 x 27½ 7.1 / 106



1 box drawer, 1 file drawer. Brakes on front castor. Lock. Fits under work surface. Specify base color only.

18 x 15 x 21½	4.8 / 85	35-MP181522G	\$648
22 x 15 x 21½	5.7 / 100	35-MP221522G	\$660

#### Modular pedestals

2 box drawers, 1 file drawer. Pencil tray. Locking pedestal. Fits under work surface. Specify base color only.



6.1 / 92 35-FP181529B 18 x 15 x 29 \$629




2 file drawers, Lock, Fits under work surface, Specify base color only.


18 x 15 x 29 6.1 / 92 35-FP181529F \$571

#### Combination pedestal to hang

1 box drawer, 1 file drawer. Pencil tray. Lock. Fits under work surface. Specify base color only.



#### Finished top



#### Center drawer



Supply drawer provides convenient storage and access to small office supplies. Drawer cannot be used in conjunction with Visual Display Options. Drawer face plate width will be adjusted to fill knee space width of desk. Specify base color, drawer pull style and finish.

24 x 21 x 03	.88 / 12	-D	\$205

#### Tables

Other base shapes are available:  $\bigcirc$ For more designs or a quote, contact Customer Support.

	DxWxH (in.)	ft <sup>3</sup> / lbs	Model	List Price
Circular tops	For table. Orde	er base sepa	rately.	
	36 x 36 x 1 <sup>1</sup> / <sub>8</sub>	2.5 / 80	35-CT363601	\$320
	42 x 42 x 1 <sup>1</sup> /8	3.3 / 90	35-CT424201	\$422
	48 x 48 x 1 <sup>1</sup> / <sub>8</sub>	4.3 / 100	35-CT484801	\$479

Rectangular tops	For conference	e tables.		
	36 x 72 x 1 <sup>1</sup> / <sub>8</sub>	4.8 / 220	35-RT367201	\$474
	48 x 96 x 1 <sup>1</sup> / <sub>8</sub>	8.5 / 270	35-RT489601	\$673


Boat-shaped tops	For conference tables. 120" and 144" tops are in				
	two pieces.				
$\langle \ \rangle$	48 x 96 x 1 <sup>1</sup> / <sub>8</sub>	8.5 / 270	35-BT489601	\$741	
	48 x 120 x 1 <sup>1</sup> / <sub>8</sub>	7.1 / 320	35-BT481200	\$911	
	48 x 144 x 1 <sup>1</sup> / <sub>8</sub>	8.5 / 370	35-BT481440	\$1,026	

#### Racetrack tops For conference tables. 120" and 144" tops are in two pieces.

36 x 72 x 1 <sup>1</sup> / <sub>8</sub>	4.8 / 210	35-RC367201	\$519
48 x 96 x 1 <sup>1</sup> / <sub>8</sub>	8.5 / 260	35-RC489601	\$753
48 x 120 x 1 <sup>1</sup> / <sub>8</sub>	7.1 / 310	35-RC481200	\$952
48 x 144 x 1 <sup>1</sup> / <sub>8</sub>	8.5 / 360	35-RC481440	\$1,054

Cross bases	1" thermofuse For 35-CT363			
	20 x 20 x 29	1.1 / 40	35-BB202029CB	\$320
$\langle ( ) \rangle \rangle$	For 35-CT424	201 top.		
`-\-\\	27 x 27 x 29	1.5 / 52	35-BB272729CB	\$366
$\smile$	For 35-CT484	801 top.		
	33 x 33 x 29	1.8 / 66	35-BB333329CB	\$474

V-base	1" thermofused laminate. Priced per pair.			
	33 x 33 x 29	1.8 / 66	35-BB333329CB	\$474
$\bowtie$	For 35-CT484	801 top.		
`\-\-\-	27 x 27 x 29	1.5 / 52	35-BB272729CB	\$366



#### Base requires 150 pounds of sand or other ballast in each base **Drum base** for stability (Customer to supply). Tables 72" & 96" require 2

drum bases. Tables 120" & 144" require 3 drum bases.				
For 35-CT3636	601 top.			
18 x 18 x 29	7.1 / 25	35-BB181829D	\$711	

<b>For 35-CT424201 and 35-CT484801 tops.</b> 24 x 24 x 29 12.1 / 34 <b>35-BB242429D \$795</b>	<b>\$/11</b>	33-BB181829D	7.1720	10 X 10 X 29
24 x 24 x 29 12.1 / 34 <b>35-BB242429D \$795</b>		T484801 tops.	201 and 35-	For 35-CT424
	\$795	35-BB242429D	12.1 / 34	24 x 24 x 29

	24 x 36 x 29	1.8 / 60	35-BB243629P	\$416
	For 96" tables	s. (Order one	per table)	
`. D	24 x 48 x 29	2.3 / 80	35-BB244829P	\$478

For 72" tables. (Order one per table)

Panel base

tables. (Order one per table)	
29 2.7 / 130 <b>35-BB248429P \$6</b> 5	28
tables. (Order one per table)	
x 29 2.7 / 160 <b>35-BB2410829P \$7</b>	12

# Office



#### **How To Order**

1. Select model number

Ex: 35-RD367230GG (double pedestal desk, 36x72x30 with box/file left and box/file right)

2. Select laminate base and work surface color, and optional accent color (see page 96)

3. Select door/drawer pull style and finish

Ex: WN (Wave pull with Nickel finish)

#### **OPTIONS**

4. Upgrade to 1 1/2" thick work surface

Add F, R, or T to the end of the model number and add 20% to List Price

5. Select visual display options (see page 80)

Ex: TE0721NK (The Trolley E-Class with Nova keyboard drawer)

6. Select essential accessory options (see page 20)

Ex: 11205DP (Standard data port)

_		
T٥	h	00
14		


	DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
Cross base	Specify metal	color for ste	el leg.	
	33 x 33 x 29	21.9 / 26	35-BB333329CL	\$451
T- base	Specify metal	color for ste	el leg.	
	02 x 30 x 29	2.2 / 18	35-BB023029T	\$338
Leg base	Specify metal	color for ste	el leg. Priced per leg.	
	04 x 04 x 29	2.2 / 11	35-BB040429L	\$252
Printer table	1 height adjus	stable slidinç	ı shelf. Grommet on n	nodesty

End table	22 x 22 x 18	1.1 / 45	35-ET222218	\$275

15.5 / 138



Magazine table



35-PS243030

#### Miscellaneous

ft3 / Iho

D X W X H (III.)	It / IDS	Model	LISTFIIL

# Right reception desks

3 grommets. Bow shaped transaction shelf. 2 pedestals with lock. 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Full height modesty panel.

Left desk



eft desk	
1 v 70 v 10	60.2

D v W v H (in )

\$1,	35-RS307242GN	60.3 / 325	30 x 72 x 42
		, 1 grommet	Right returns
\$	35-RS244242NG	29.2 / 172	24 x 42 x 42
\$	35-RS244842NG	33.2 / 190	24 x 48 x 42

# Left reception desks

3 grommets. Bow shaped transaction shelf. 2 pedestals with lock. 1 box drawer and 1 file drawer with legal/letter filing. Pencil tray. Full height modesty panel.



#### Right desk

nigiit ucsk			
30 x 72 x 42	60.3 / 325	35-RS307242NG	\$1,351
Left returns, 1	grommet		
24 x 42 x 42	29.2 / 172	35-RS244242GN	\$895
24 x 48 x 42	33.2 / 190	35-RS244842GN	\$952

# Right reception desks

3 grommets. Bow shaped transaction shelf. 2 full-length pedestals with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestals. Pencil tray. Full height modesty panel.



#### Left desk

30 x 72 x 42	60.3 / 345	35-RS307242BN	\$1,561
Right returns			
24 x 42 x 42	29.2 / 194	35-RS244242NB	\$1,104
24 x 48 x 42	33.2 / 210	35-RS244842NB	\$1,162

# Left reception desks

3 grommets. Bow shaped transaction shelf. 2 full-length pedestals with lock. 2 box drawers and 1 file drawer with legal/letter filing. Locking pedestals. Pencil tray. Full height modesty panel.



#### Right desk

30 x 72 x 42	60.3 / 345	35-RS307242NB	\$1,561
Left returns			
24 x 42 x 42	29.2 / 194	35-RS244242BN	\$1,104
24 x 48 x 42	33.2 / 210	35-RS244842BN	\$1,162

# Mobile serving carts



# 1 sliding shelf, 2 box drawers. Pencil tray. 2 doors. 2 shelves.



# Audio/visual cabinets

Fold away doors on video compartment. 1 drawer for storage. 2 adjustable shelves. Pull-out turntable shelf for monitor. 3 grommets.



25 x 36 x 66	41.0 / 375	35-AV253666	\$2,203
25 x 36 x 74	45.8 / 425	35-AV253674	\$2,275

24 x 30 x 30

#### To order, specify:

- 1. Model number
- Colors for base, work surface and optional accent
   Door/Drawer Pull Style and Finish (CB, CS, CC, WN, WB, SB, SM, SP, MC, MB)

# 4. Optional - Upgrade to 1½" thick work surface 5. Optional - Select visual display options 6. Optional - Essential accessory options

#### Miscellaneous

DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price

#### Marker board



Non-magnetic surface for use with dry-erase markers. Eraser tray along bottom of board. 180° hinges. Top and bottom trim pieces available in woodgrain colors only. Must select base color for doors. Includes tackboard (Fabric Color: Parchment 1602) inside both doors and paper pad on inside of left door.

05 x 48 x 51	10.8 / 95	35-MB054851	\$927

#### Mobile lectern



1 fixed shelf. 4 casters, 2 with brakes.

18 x 18 x 44 10.7 / 86 35-LC181844 \$566

#### **Additional legs**



For workstation re-configuration. Specify "1" for two full width legs, "2" for one full and one recessed leg. Priced per pair.

01 x 20 x 27½	1.2 / 28	35-LG012027X_	\$217
01 x 24 x 27½	1.4/38	35-LG012427X_	\$217
01 x 30 x 27½	1.7 / 48	35-LG013027X_	\$217


#### **Additional legs**



2 recessed legs. Priced per pair.

01 x 13 x 27½ 0.8 / 23 35-LG011327 \$217

#### **Vertical** Pigeon holes



21" H - 6 compartments; 17" H - 5 compartments



Legai size.			
12 x 18 x 21	3.8 / 30	35-VP121821	\$193
12 x 18 x 17	3.1 / 26	35-VP121817	\$176
Letter size.			
12 x 12 x 21	2.7 / 26	35-VP121221	\$141
12 x 12 x 17	2.2 / 22	35-VP121217	\$129

#### **Tack Boards**



For 44" H hute	ches		
01 x 22 x 19	0.9 / 4	35-TB012219	\$282
01 x 28 x 19	1.1 / 5	35-TB012819	\$316
01 x 34 x 19	1.4/6	35-TB013419	\$348
01 x 40 x 19	1.6 / 7	35-TB014019	\$382
01 x 46 x 19	1.8/8	35-TB014619	\$414
01 x 52 x 19	2.0 / 10	35-TB015219	\$448
01 x 58 x 19	2.2 / 11	35-TB015819	\$480
01 x 64 x 19	2.5 / 12	35-TB016419	\$514
01 x 70 x 19	2.7 / 13	35-TB017019	\$546
01 x 76 x 19	2.9 / 14	35-TB017619	\$579
01 x 82 x 19	3.1 / 15	35-TB018219	\$612
For 36" H hute	ches		
01 x 22 x 15	0.8/3	35-TB012215	\$218
01 x 28 x 15	0.9 / 4	35-TB012815	\$242
01 x 34 x 15	1.0/5	35-TB013415	\$267
01 x 40 x 15	1.3 / 6	35-TB014015	\$292
01 x 46 x 15	1.5 / 7	35-TB014615	\$316
01 x 52 x 15	1.6 / 8	35-TB015215	\$340
01 x 58 x 15	1.8/9	35-TB015815	\$364
01 x 64 x 15	2.0 / 10	35-TB016415	\$388
01 x 70 x 15	2.2 / 10	35-TB017015	\$412
01 x 76 x 15	2.4 / 11	35-TB017615	\$436
01 x 82 x 15	2.5 / 12	35-TB018215	\$460

#### Visual Display Options available:

- The Trollev™ E-Class
- Downview Flat Panel Display

# **Factory Installed Keyboard Options**

(Only ordered when NO Visual Display Options ordered)

	DxWxH(in.)	ft <sup>3</sup> / lbs	Model	List Price
Factory Installed	Keyboard leng	gth to fit c	asegoods ordered	
Nova Keyboard	22" - 34" wide	13	NK	\$105



Keyboard length to fit casegoods ordered Articulating Keyboard 28", 30 & 34" wide 15 \$220



**Factory Installed Dual-Mount Adjustable** 24" - 34" wide **Keyboard Tray** 








#### Visual Display Options for Office

Factory installed keyboard-only option available on page 79.

#### The Trolley™ Maximum dimensions for flat panel display: •E-Class — 2¾" D x 18½" W x 14" H (70mm D x 470mm W x 356mm H)

• 30" min. worksurface depth required for Trolley E & H with Center **Mount Articulating Keyboard Tray** 



NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

#### Wt. Model

E-Class with Nova Keyboard Drawer

Trolley does not come installed in any unit, Nova Keyboard Drawer installed in assembled units only.

TE0721NK

\$1,215

**List Price** 

E-Class with Center Mount Articulating Keyboard Mechanism and Tray Trolley does not come installed in any unit, Center Mount Keyboard Tray installed in assembled units only.

TE0721CK

\$1,393

**List Price** 

International Customers: E-Class units include Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

- E-Class suitable for flat panel displays up to 21" (diagonal) or 20" (widescreen)
- One-touch activation
- Low voltage motor to lift & lower monitor
- · Provides vertical tilt adjustment in "up" position
- Durable metal enclosure under desktop

To add a USB Port Extension to the Trolley, see page 22.

#### **Downview-Flat Panel Display**

#### Maximum dimensions for flat panel display:

- 18"D x 18"W viewport-17"W x 141/2"H (432mm W x 368mm H) 24" min. work surface depth
- 21"D x 21"W viewport 201/8"W x 19"H (511mm W x 483mm H) 30" min. work surface depth

#### Widescreen Format

- •16"D x 21"W viewport -191/2"W x 121/2" H (495mm W x 318mm H) 24" min. work surface depth
- •18"D x 21"W viewport— 201/8"W x 141/2"H (511mm W x 368mm H) 24" min. work surface depth



#### Wt. With Nova Keyboard Drawer

Model

Downview Flat Panel Display & Nova Keyboard Drawer installed in assembled units only.

FPA1621NK	35 Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$356
FPA1818NK	35 Includes 18"D x 18"W viewport, adjustable arm, and visor.	\$377
FPA1821NK	35 Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$377
FPA2121NK	37 Includes 21"D x 21"W viewport, adjustable arm, and visor.	\$440

#### With Dual Mount Adjustable Keyboard Tray

Downview Flat Panel Display & Dual Mount Keyboard Tray installed in assembled units only.

FPA1621AK	36	Includes 16"D x 21"W viewport, adjustable arm, and visor.	\$603
FPA1818AK	36	Includes 18"D x 18"W viewport, adjustable arm, and visor.	\$634
FPA1821AK	36	Includes 18"D x 21"W viewport, adjustable arm, and visor.	\$634
FPA2121AK	38	Includes 21"D x 21"W viewport, adjustable arm, and visor.	\$697

- 16x21 & 18x21 viewports suitable for 21" widescreen displays
- 18x18 viewport suitable for flat panel displays up to 19" diagonal
- 21x21 viewport suitable for flat panel displays up to 21" diagonal
- Tinted, tempered glass viewport
- · Keeps monitor under glass below work surface
- Wire management system and power strip included

- For details and installation specifications, refer to pages 83-87
- For CRT applications, please contact Customer Support: 1-800-730-6682



### **Technology Support Systems**

#### The Trolley™ E-Class



#### **Downview - Flat Panel Display**



#### **Surface Mount Flat Panel Display**



#### **How To Order**

#### 1. Select model number

Ex: FPA-0-1818-NK-30 (Flat Panel Arm Kit with 18"x18" viewport and Nova keyboard drawer, 30" wide.)

### Model Number Structure

Technology

Type TE - Trolley E-Class SMA-Surface Mount Arm

Hole Cut-out (D x W)

Keyboard Type NK-Nova keyboard CK-Center mount keyboard XK-No keyboard

Keyboard

### **Technology Description**

#### The Trollev™ Personal Monitor Arm System

Maximum dimensions for flat panel display:

E-Class: 234" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H) NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

- Provides flexible, mainstream flat screen location when raised
- Low voltage motor to lift and lower monitor
- Intelligent Motion Technology™ provides operational intuition
- · Clears line-of-sight when submerged
- Allows for multi-use workstations and classrooms
- · Hides confidential information when necessary
- Reduces the risk of damage to flat panels displays
- Creates a clean, uncluttered look in the classroom or office
- · Reduces the risk of damage to computer equipment
- Provides clean, ergonomical solutions
- Manage technology in your workspace environment

#### **Downview - Flat Panel Display** Maximum dimensions for flat panel display —

18x18 viewport: 17"W x 18"H (432mm x 457.2mm) 21x21 viewport: 20-1/8" W x 19" H (511mm x 482mm) 16x21 widescreen viewport: 191/2" W x 121/2"H (495mm x 318mm) 18x21 widescreen viewport: 20-1/8" W x 141/2"H (511 mm x 368 mm)

- · Keeps monitor under glass below work surface
- · Allows for multi-use working and learning environments
- Proven to be ergonomically beneficial, increase productivity
- Saves premium classroom and desktop space
- Hides confidential information
- Creates a clean, uncluttered look in the classroom or office
- Reduces the risk of damage to computer equipment

#### **Surface Mount Flat Panel Display**

Maximum weight for flat panel display: 21 lbs.

Maximum dimensions for flat panel display: Up to 24" diagonal wide screen

- Allows for multi-use working and learning environments
- Proven to be ergonomically beneficial, increase productivity
- Saves premium classroom and desktop space
- Creates a clean, uncluttered look in the classroom or office
- · Reduces the risk of damage to computer equipment
- · Height and tilt adjustable

Technology Type FPA-Flat Panel

Arm

Monitor Location 0-Fully-Recessed

Viewport Size

Keyboard Keyboard Туре NK-Nova keyboard (Width) AK-Adjustable keyboard XK-No keyboard

RETROFIT KIT PRICING DOES NOT INCLUDE INSTALLATION.

#### The Trolley E-Class for Flat Panel Displays up to 21"

For flat panel displays that have a VESA standard attachment method on the back. NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 634" (171mm).

- Maximum dimensions for flat panel display: 23/4" D x 181/2" W x 14" H (70mm D x 470mm W x 356mm H)
- Minimum 28" work surface height required.
   Minimum 24" depth of clearance underneath work surface.
- Weight of flat panel display cannot exceed 21 lbs.
   Fits most displays up to 21" diagonal or 20" widescreen Min Claarance

	(Width)	Ft3 / Wt.	Model	List Price
The Trolley	With Nova keyb	oard drawer.		
E-Class	22" wide	4.7 / 43	TE-0-0724-NK-22	\$1,351
	25-7/8" wide	4.8 / 44	TE-0-0724-NK-24	\$1,351
	28-5/8" wide	4.9 / 45	TE-0-0724-NK-27	\$1,351
	29-1/2" wide	4.9 / 45	TE-0-0724-NK-28	\$1,351
	31-5/8" wide	5.0 / 46	TE-0-0724-NK-30	\$1,351
	≥ 34-5/8" wide	5.2 / 47	TE-0-0724-NK-33	\$1,351
	35-1/2" wide	5.2 / 48	TE-0-0724-NK-34	\$1,351
	With Center Mo	unt Articulatin	g keyboard drawer.	
	28"	5.3 / 47	TE-0-0724-CK-28	\$1,529
	30"	5.4 / 47	TE-0-0724-CK-30	\$1,529
	34"	5.7 / 47	TE-0-0724-CK-34	\$1,529
	Without keybo	ard drawer		
	19"	3.7 / 32	TE-0-0724-XK	\$1,273
	Box size: 11"D	x 26" W x 26	"H	

International Customers: E-Class units include Universal Power Control Units, compatible with all power requirements inside and outside the U.S.

#### **Downview - Flat Panel Display**

For flat panel displays that have a VESA standard attachment method on the back. Kit includes: glass, visor, trim ring, Nova keyboard drawer with hangers, and adjustable arm.


- · Weight of flat panel display cannot exceed 21 lbs.
- . Minimum 28" work surface height required.

Min. Clearance (Width)	Ft3 / Wt.	Model	List Price
(widii)	I to / Wt.	Model	LIST FILE

16"D x 21"W

• Maximum dimensions for flat panel display: 191/2" W x 121/2" H Widescreen Viewport (495mm x 318mm) \*Dimensions do not include display base.

• Minimum 24" depth of clearance underneath work surface.



25-7/8" wide 3.4 / 27 FPA-0-1621-NK-24 28-5/8" wide 3.4 / 27 FPA-0-1621-NK-27 \$493 29-1/2" wide 3.4 / 27 FPA-0-1621-NK-28 \$493 31-5/8" wide 4.7 / 34 FPA-0-1621-NK-30 \$493 34-5/8" wide 4.9 / 35 FPA-0-1621-NK-33 \$493 35-1/2" wide 4.9 / 35 FPA-0-1621-NK-34 \$493

Arm can be adjusted to fit fully or semi-recessed




With Dual Mou	nt Adjustable k	eyboard drawer	
241/4" wide	4.9 / 28	FPA-0-1621-AK-24	\$739
26¾" wide	5.0 / 28	FPA-0-1621-AK-27	\$739
27½" wide	5.1 / 28	FPA-0-1621-AK-28	\$739
31¾" wide	5.3 / 35	FPA-0-1621-AK-32	\$739
32¾" wide	5.4 / 36	FPA-0-1621-AK-33	\$739
33½" wide	5.4 / 36	FPA-0-1621-AK-34	\$739
Without keyboard drawer			
19"	3.4 / 18	FPA-0-1621-XK	\$414

18"D x 18"W Viewport

• Maximum dimensions for flat panel display: 17" W x 141/2" H (432mm x 467mm) \*Dimensions do not include display base.

With Nova keyboard drawer

• Minimum 24" depth of clearance underneath work surface.





	22" wide	3.4 / 26	FPA-0-1818-NK-22	\$514
	25-7/8" wide	3.4 / 27	FPA-0-1818-NK-24	\$514
	28-5/8" wide	3.4 / 27	FPA-0-1818-NK-27	\$514
a	29-1/2" wide	3.4 / 27	FPA-0-1818-NK-28	\$514
	31-5/8" wide	4.7 / 34	FPA-0-1818-NK-30	\$514
	34-5/8" wide	4.9 / 35	FPA-0-1818-NK-33	\$514
	35-1/2" wide	4.9 / 35	FPA-0-1818-NK-34	\$514
1	With Dual Moun	t Adiustable k	eyboard drawer	
	241/4" wide		FPA-0-1818-AK-24	\$770

With Dual Mount Adjustable keyboard drawer					
241/4" wide	4.9 / 28	FPA-0-1818-AK-24	\$770		
26¾" wide	5.0 / 28	FPA-0-1818-AK-27	\$770		
27½" wide	5.1 / 28	FPA-0-1818-AK-28	\$770		
31¾" wide	5.3 / 35	FPA-0-1818-AK-32	\$770		
32¾" wide	5.4 / 36	FPA-0-1818-AK-33	\$770		
331/2" wide	5.4 / 36	FPA-0-1818-AK-34	\$770		
Without keyboard drawer					

#### 19" 3.4 / 18 FPA-0-1818-XK \$435

18"D x 21"W Widescreen Viewport



Arm can be adjusted to fit fully or semi-recessed positions.



- Maximum dimensions for flat panel display: 20-1/8" W x 141/2" H (511mm x 368mm) \*Dimensions do not include display base.
- · Minimum 24" depth of clearance underneath work surface.

With Nova key	/board drawer		
25-7/8" wide	3.4 / 27	FPA-0-1821-NK-24	\$514
28-5/8" wide	3.4 / 27	FPA-0-1821-NK-27	\$514
29-1/2" wide	3.4 / 27	FPA-0-1821-NK-28	\$514
31-5/8" wide	4.7 / 34	FPA-0-1821-NK-30	\$514
34-5/8" wide	4.9 / 35	FPA-0-1821-NK-33	\$514
35-1/2" wide	4.9 / 35	FPA-0-1821-NK-34	\$514

With Dual Mou	With Dual Mount Adjustable keyboard drawer					
241/4" wide	4.9 / 28	FPA-0-1821-AK-24	\$770			
26¾" wide	5.0 / 28	FPA-0-1821-AK-27	\$770			
271/2" wide	5.1 / 28	FPA-0-1821-AK-28	\$770			
31¾" wide	5.3 / 35	FPA-0-1821-AK-32	\$770			
32¾" wide	5.4 / 36	FPA-0-1821-AK-33	\$770			
33½" wide	5.4 / 36	FPA-0-1821-AK-34	\$770			
Without keyb	oard drawer					

FPA-0-1821-XK

# Retrofit

#### **How To Order**

1. Select model number

Ex: FPA-0-1818-NK-30

#### **Downview - Flat Panel Display**

For flat panel displays that have a VESA standard attachment method on the back. Kit includes: glass, visor, trim ring, Nova keyboard drawer with hangers, and adjustable arm.

- . Weight of flat panel display cannot exceed 21 lbs.
- Minimum 28" work surface height required.

Min. Clearance (Width)	Ft3 / Wt.	Model	List Price

#### 21"D x 21"W Viewport

- Maximum dimensions for flat panel display: 20-1/8" W x 19" H (511mm x 482mm) \*Dimensions do not include display base
- Minimum 27-1/4" depth of clearance underneath work surface.

Arm can be adjusted to fit fully or semi-recessed positions.



WILLI NOVA KEY	Dualu ulawei		
25-7/8" wide	3.4 / 28	FPA-0-2121-NK-24	\$576
28-5/8" wide	3.4 / 29	FPA-0-2121-NK-27	\$576
29-1/2" wide	3.4 / 29	FPA-0-2121-NK-28	\$576
31-5/8" wide	4.8 / 32	FPA-0-2121-NK-30	\$576

wide 3.4 / 29 F	FPA-0-2121-NK-28	\$576
' wide 4.8 / 32 <b>F</b>	FPA-0-2121-NK-30	\$576
' wide 4.9 / 33 <b>F</b>	FPA-0-2121-NK-33	\$576
' wide 4.9 / 33 <b>F</b>	FPA-0-2121-NK-34	\$576

With Dual Mount Adjustable keyboard drawer

With Dual Mot	iiit Aujustabie i	keyboaru urawer	
241/4" wide	4.9 / 30	FPA-0-2121-AK-24	\$833
26¾" wide	5.0 / 31	FPA-0-2121-AK-27	\$833
27½" wide	5.1 / 31	FPA-0-2121-AK-28	\$833
31¾" wide	5.3 / 35	FPA-0-2121-AK-32	\$833
32¾" wide	5.4 / 35	FPA-0-2121-AK-33	\$833
33½" wide	5.4 / 35	FPA-0-2121-AK-34	\$833

Without ke	yboard drawer		
22"	3.4 / 20	FPA-0-2121-XK	\$498

# Flat Panel Display Arm

• Weight of flat panel display cannot exceed 21 lbs.

#### Flat panel display arm

arm Converts ex monitor sys

Adjustable from fully- to semi-recessed positions. Converts existing standard Nova Downview CRT monitor system to a flat panel display system.

.2 / 3 **FPA-8-2006 \$22** 

# Surface Mount Flat Panel Display For Standard or Oversized Flat Panel Displays

For flat panel displays that have a VESA standard attachment method on the back. Kit includes: Surface mount arm and keyboard drawer. Arm mounts under work surface through grommet cutout.

- Weight of flat panel display cannot exceed 21 lbs.
- . Maximum dimensions for flat panel display: Up to 24" diagonal wide screen
- Minimum 18" depth of clearance underneath work surface.

	D x W x H	Ft3 / Wt.	Model	List Price
Surface Mount	With Nova keyl	board drawer		
Flat Panel Display	22" wide	2.4 / 12	SMA-1-0203-N	(-22 \$336
	25-7/8" wide	2.5 / 12	SMA-1-0203-N	(-24 \$336
	28-5/8" wide	2.6 / 12	SMA-1-0203-N	(-27 \$336
	29-1/2" wide	2.7 / 12	SMA-1-0203-N	(-28 \$336
	31-5/8" wide	2.8 / 13	SMA-1-0203-N	(-30 \$336
	34-5/8" wide	2.9 / 13	SMA-1-0203-N	(-33 \$336
/ <b>&amp;</b> \	35-1/2" wide	2.9 / 13	SMA-1-0203-N	(-34 \$336
	With Center M	ount Articulati	ng keyboard draw	er
	28"	3.1 / 15	SMA-1-0203-CF	(-28 \$514
	30"	3.2 / 15	SMA-1-0203-CF	(-30 \$514
	34"	3.4 / 15	SMA-1-0203-CF	(-34 \$514
	Without keybo	oard drawer		
	•	1.4/3	SMA-1-0203-X	\$257

#### **Options**

18 x 18 x ½ 5 / 8

Tinted and tempered glass

Can only be ordered as replacement glass. Must provide PO number of purchased desk. Shipped separately.

AC-SG10701818



10 X 10 X /4	.0 / 0	AU UUIUIUIU	ΨΙΟ
21 x 18 x 1/4	.5 / 9	AC-SG10721821	\$79
21 x 21 x 1/4	.6 / 10	AC-SG10712121	\$87
24 x 21 x 1/4	.6 / 11	AC-SG10732124	\$91
Widescreen gla	ass		
16 x 21 x 1/4	.5 / 9	AC-SG10701621W	\$79
18 x 21 x 1/4	.5 / 9	AC-SG10721821W	\$79

#### The Trolley E-Class / Components and Dimensions

- Minimum work surface depth: 24"
- Minimum kneespace width: 25"
- Work surface footprint: 24-1/2" W x 81/2" D
- Maximum dimensions for flat panel display: 2%" D x 18.5" W x 14" H (70mm x 470mm x 356mm)
- Fits most monitors up to 21" (diagonal) or 20" widescreen


NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 34" (171mm)


#### **TROLLEY E-CLASS**

Low voltage electrical motor to lift and lower monitor. Display submerges into desktop when not in use. Intelligent Motion Technology™ provides operational intuition. Tamper guard security hardware. Provides vertical tilt adjustment in "up" position. Access doors automtically open and close.


#### **KEYBOARD DRAWER**


Textured black thermoformed ABS keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard drawer.





\* Note: If using a 22" width keyboard tray, Trolley must be set back a minimum of 15".





Keyboard size	Dimension A Min. Kneespace Width	Dimension B Keyboard drill pattern	
22"	22" (562 mm)	18 <sup>13</sup> /16" (478 mm)	
24"	25 <sup>7</sup> /8" (658 mm)	22 <sup>19</sup> /32" (574 mm)	
27"	28 <sup>5</sup> /8" (727 mm)	25 <sup>5</sup> /16" (643 mm)	
28"	29½" (747 mm)	26 <sup>1</sup> /8" (663 mm)	
30"	31 <sup>5</sup> /8" (799 mm)	28 <sup>1</sup> /16" (712 mm)	
33"	34 <sup>5</sup> /8" (878 mm)	31¼" (793 mm)	
34"	35½" (900 mm)	321/8" (815 mm)	


Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal.

# Retrofit

# FPA-8-2006 Flat Panel Arm / Components and Dimensions


#### MAXIMUM WEIGHT FOR FLAT PANEL DISPLAY


21 lbs.



#### **WORK SURFACE THICKNESS**

1-1/8" - 2" thick work surface








#### PLATE SIZES

The arm ships with both 75 mm and 100mm VESA plates. Use appropriate size plate based on your display's wall mount hole pattern.










#### **WORK SURFACE SPECIFICATION DIAGRAMS**

The following are meant to be used as a guide to help determine the appropriate application (fully-recessed or semi-recessed) for your display size and hole cut-out size.



Please take into consideration the outer casing of the FPD when using in a semi-recessed position.

# View Port Cutout: 181/4" D x 181/4" W 24" Min. Underneath Work Surface Depth Wonitor Clearance 17-5/16" W

View Port Cutout:
211/4" D x 211/4" W

27-1/4" Min.
Underneath
Work Surface
Depth

D

Monitor
clearance →
20-3/8"

W

W

Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal.

### **Downview - Flat Panel Display / Components and Dimensions**

#### MAXIMUM WEIGHT FOR FLAT PANEL DISPLAY

#### MAXIMUM DIMENSIONS FOR FLAT PANEL DISPLAY (not including base)

FPA-0-1621: 19½" W x 12½" H (495mm x 318mm) FPA-0-1818: 17" W x 14½" H (432mm x 368mm) FPA-0-1821: 20-1/8" W x 14½" H (511mm x 368mm) FPA-0-2121: 20-1/8" W x 19" H (511mm x 482mm)

For unusual lighting situations or to create the optimal level of viewing comfort, each fully-recessed retrofit kit includes a textured black thermoformed ABS Visor. 12" D x 21-1/2" W x 6-1/4" H 12" D x 24" W x 6-1/4" H

#### **GLASS**

Tinted (T41 rating) and tempered with screen printed border and graphics.

Glass for FPA-0-1621: 16" D x 21" W x 1/4" H

Glass for FPA-0-1818: 18" D x 18" W x 1/4" H Glass for FPA-0-1821: 18" D x 21" W x 1/4" H Glass for FPA-0-2121: 21" D x 21" W x 1/4" H

#### TRIM RING

Manufactured using injection molded plastic, allowing support of view port.


Trim ring for FPA-0-1621: 16" D x 21" W x 1¼" H Trim ring for FPA-0-1818: 18" D x 18" W x 11/4" H Trim ring for FPA-0-1821: 18" D x 21" W x 11/4" H Trim ring for FPA-0-2121: 21" D x 21" W x 11/4" H


#### FLAT PANEL ARM

Mounts underneath work surface, supporting the flat panel display on a tension-mounted steel arm. The display attaches with a VESA compliant steel plate. Can be adjusted to fit fully-recessed or semi-recessed positions.


#### KEYBOARD DRAWER

Textured black thermoformed ABS keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard





The arm ships with both 75mm and 100mm VESA plates.



75mm (2-15/16") 75mm plate	100 mm plate


Kit Model No.	Dimension C Min. Work Surface Depth	Dimension D1 x Dimension D2 View Port Cut-Out (W x D)
FPA-0-1621	24" (610 mm)	21 1/4" (540 mm) x 161/4" (413 mm)
FPA-0-1818	24" (610 mm)	18 ¼" (464 mm) x 18¼" (464 mm)
FPA-0-1821	24" (610 mm)	20 11/16" (526 mm) x 181/4" (464 mm)
FPA-0-2121	27¼" (692 mm)	21 1/4" (540 mm) x 211/4" (540 mm)

Keyboard size	Dimension A Min. Kneespace Width	Dimension B Keyboard drill pattern
22"	22" (559 mm)	18 <sup>13</sup> /16" (478 mm)
24"	25 <sup>7</sup> /8" (657 mm)	22 <sup>19</sup> /32" (574 mm)
27"	28 <sup>5</sup> /8" (727 mm)	25 <sup>5</sup> /16" (643 mm)
28"	29½" (749 mm)	26 <sup>1</sup> /8" (663 mm)
30"	31 <sup>5</sup> /8" (803 mm)	28 <sup>1</sup> /16" (712 mm)
33"	34 <sup>5</sup> /8" (879 mm)	31¼" (793 mm)
34"	35½" (902 mm)	32 <sup>1</sup> /8" (815 mm)

Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal. To offset your viewport and keyboard drawer, please call Customer Support at 1-800-730-6682 for special installation instructions.

# Retrofit

#### **Surface Mount Flat Panel Display / Components and Dimensions**



Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal. To offset your viewport and keyboard drawer, please call Customer Support at 1-800-730-6682 for special installation instructions.



# Terms & Conditions

#### **TERMS**

NOVA Solutions' (NOVA) standard terms are net 30 days with approved credit. All prices are in U.S. Dollars. Prices herein are list prices effective with the date printed on the cover and supersede all other published price lists. NOVA reserves the right to change prices without prior notice.

#### **SELLING INFORMATION**

Distribution of this price list does not in itself constitute an offer to sell. Offers can be received only from authorized NOVA dealers.

#### **PRICES**

All prices listed are suggested retail prices, F.O.B. point of shipment, freight allowed (included in list prices) when shipping within the continental United States. Orders are accepted subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, NOVA shall have the right to use the published list prices effective at time of shipment.

#### **ORDER PLACEMENT**

NOVA requires that all orders be in writing and accompanied by a layout/drawing. This is to insure that orders are complete, avoid errors, and avoid duplication. Please order products by model numbers specified to avoid any possible error. Telephone orders will not be processed for production without proper written confirmation. NOVA cannot be held responsible for errors, omissions, and order duplication due to non-compliance with this procedure.

#### ORDERING INFORMATION

Mail, fax or e-mail all orders to:

NOVA Solutions, Inc. 421 W. Industrial Avenue P.O. Box 725 Effingham, Illinois 62401

Phone: 217-342-7070 Phone: 800-730-6682 Fax: 217-342-7006 Fax: 800-940-6682

E-mail: orders@novasolutionsinc.com

#### For prompt delivery, all orders must include:

- 1) Purchase order number
- 2) Attached layout/drawing
- Billing addréss
- 4) Ship-to information and e-mail address
- 5) Special handling instructions
- 6) Complete model and finish number
- 7) Correct pricing

#### ORDER ACKNOWLEDGMENT

Please notify NOVA immediately of any discrepancies in your order acknowledgement. The customer assumes all responsibility for order accuracy. NOVA does not assume responsibility for errors caused by miscommunications from the customer. Orders are accepted only by issuance of NOVA's formal acknowledgement. Orders are subject to the terms and conditions set forth herein, notwithstanding any variance in terms and conditions set forth on buyer's order forms. The order acknowledgement is the final confirmation of the agreement between the customer and NOVA and supersedes all prior oral and written statements regarding the order. Once the order confirmation has been sent, only NOVA approved and signed modifications will supersede the original confirmation.

#### QUOTATIONS

Quotations are valid for a period of ninety (90) days.

#### **CHANGES**

NOVA reserves the right to make changes in design, specifications, construction, pricing or to discontinue products without prior notice. Prices shown in price book have priority over electronic catalog contents. Dimensions are approximate and are within normal industry standards.

#### **ORDER CHANGES**

Upon acknowledgement of an order, NOVA may not be able to accept a change order. NOVA will not accept changes on specials or customer items once production begins. Every attempt to make the requested change will be made and the following conditions apply:

- 1) Requested changes must be submitted in writing
- Additional charges for materials, labor, and administrative costs may be charged
- 3) Completion dates may be rescheduled as required based on changes

#### **ORDER CANCELLATIONS**

Order cancellations must be requested in writing no later than 48 hours after receipt of original order and are subject to approval of NOVA Solutions, Inc. Cancellations cannot be accepted otherwise.

#### **STORAGE**

Orders in which shipment is delayed by the customer beyond 30 days after acknowledged shipping date are subject to a 3% weekly storage fee. Such transfer to storage will be deemed delivery to purchaser for all purposes including invoicing and payment. Customer must provide notification of "shipment delay" at least two weeks prior to the originally scheduled ship date.

#### SHIPPING INFORMATION

#### Freight

All shipments are Free On Board (F.O.B.) point of shipment, freight prepaid and allowed (included in list prices) when shipping within the continental United States. Please contact Customer Support for shipments to Alaska, Hawaii, and international. NOVA reserves the right to select the most appropriate carrier and routing on all shipments.

NOVA's product pricing is dock delivered, based on standard delivery between normal business hours Monday through Friday, excluding weekends and holidays. Any charge arising from failure to accept a shipment, rerouting while in transit, or carrier storage charges are not included in prices shown and will be billed to "Sold To" account number on the order. Detention charges will be incurred for untimely off-loading of product or other time delays incurred.

Any orders under list pricing shown below or requiring Special Delivery Services will incur additional charges. All such requirements must be noted on the purchase order. Examples of such services include:

Handling Fee (all orders not able to be shipped via UPS): All orders under \$15,000 list will incur \$100 handling fee

Multiple site deliveries: \$75 per order and location drop charge

Non-Standard Detention Time: \$75 per hour after two hours for each delivery location Delivery Time (outside normal delivery hours): Contact Customer Support for charges and availability

#### Carriage

NOVA reserves the right to choose the best method of delivery. All furniture is carefully inspected and securely packed before shipment. The carrier will only accept packages in good condition and agrees to deliver it in the same condition. NOVA relinquishes all responsibility for goods shipped upon a signed receiving document from the carrier. It is the customer's responsibility to inspect merchandise immediately upon receipt.

# Terms & Conditions

#### **SHIPPING INFORMATION (continued)**

#### Loss, Damage or Delay

NOVÁ shall not be liable for loss, damage, or delay resulting from causes beyond its reasonable control, including but not limited to fire, strike, inclement weather, accidents, or delay in transportation. In the event of a delay, due to any such cause, the delivery date will be postponed.

#### **Shortages**

If the shipment is not delivered in accordance with the quantity of cartons and packages shown on the Bill of Lading and/or Freight Bill, do not accept it until such shortages are noted on both documents.

#### FREIGHT CLAIMS

The merchandise is carefully packed and thoroughly inspected before shipment. The carrier upon acceptance of the shipment assumes responsibility for its safe delivery. Claims for loss or damage sustained in transit must therefore, be made upon the carrier as follows:

# Signing the Bill of Lading as "Subject to Inspection" does not make the carrier liable for damage.

#### **Concealed Loss or Damage**

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, make a written request for inspection by the carrier's agent within 7 days of the delivery date. Then file a claim with the carrier since such damage is the carrier's responsibility.

#### **Visible Damage or Shortage**

Any external evidence of damage of shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in the carrier refusing to honor a damage claim. The carrier will supply the form required to file such a claim. All cartons and packaging must be kept with the merchandise at the delivered location. Failure to do so constitutes acceptance and a waiver of any such claim.

#### **RETURNS**

NOVA will not accept the return of any merchandise without a Returned Material Authorization (RMA). Special order items may not be returned for credit. No returns will be allowed after sixty (60) days from the ship date. If merchandise is approved for return, a restocking fee will be applied. Upon receipt, all returned merchandise will be thoroughly inspected, and any discrepancies will result in an adjustment to the amount of credit issued.

#### LIMITED LIFETIME WARRANTY

NOVA Solutions warrants that its products are free from defects in materials and workmanship given normal use and care for the lifetime of service; proof of delivery being the only official document accepted by NOVA for any claim. In the event that a product is used more than normal use, the applicable warranty period may be reduced.

This warranty is made by NOVA Solutions to the original customer for as long as the original customer owns and uses the product. NOVA Solutions' warranty is only valid if the products are given normal and proper use, and installed in accordance with NOVA Solutions' installation and/or application guidelines, and installed by an authorized NOVA Solutions' dealer or agent. NOVA Solutions assumes no responsibility for repairs to products sustaining damages resulting from end-user modifications, attachments to a product, misuse, abuse, alteration, or negligence.

This warranty is subject to the limitations, exclusions, and other provisions provided below:

- Twenty-five years: Thermofused laminate
- Twenty years: Drawer slides
- · Ten years: Locks
- Five years: Downview technology with flat panel monitor Flat Panel Display Security Arm, high pressure laminate, casters, fabrics, metal frame doors, electrical components, PVC extrusions, adjustable surface mechanisms, and accessories.
- Five years: The Trolley E-Class with Intelligent Motion Technology:
   Two years for parts and repair labor; third, fourth, and fifth year for parts only.

   Additional installation labor charges may not be covered by this warranty.
   Variation in finishes is characteristic, in terms of color & texture, and does not constitute a defect.
- Five years: Electric Hydraulic Lift for Sit-Stand Lectern:
   Two years for parts and repair labor; third, fourth, and fifth year for parts only.

   Additional installation labor charges may not be covered by this warranty.
   Variation in finishes is characteristic, in terms of color & texture, and does not constitute a defect.

As your manufacturer, we stand behind our quality products and will do everything possible to resolve any problems that might arise within the terms of this warranty.

For more information, or to file a warranty claim, please contact NOVA Solutions' Customer Support at 800-730-6682.

#### **GOVERNING LAWS**

This contract shall be construed and governed in accordance with the laws and regulations of the state of Illinois.

91

800-730-6682 www.novadesk.com

# Sample Purchase Order

#### **Customer Information**

Customer Name Address City, State, Zip Phone # Fax # E-mail Address

Purchase Order #	
Date Issued:	

#### Vendor Information

NOVA Solutions, Inc. P.O. Box 725 Effingham, IL, USA 62401

### Ship To:

Name (your point of destination) Address (your point of destination) City, State, Zip Phone # Delivery Contact Name

		<b>Model Numbers</b>	Description	Qty	List Price	Ext. List Price
Line	: 1: Base Model Number:	35-RD307230BB	Rectangle desk, 30x72x30 Box/Box/File right and left	1	\$1,395	\$1,395
1*	Color:	695 695 695	Tuscan Walnut (Base, Work Surface & Accent)			
Subset of Line 1	Drawer or Door Pull Style/Finish:	SM	Steel / Chrome Matt			
set o	Edge Detail:	F	Flat PVC edge			
Sul	Visual Display: Accessories:	FPA1818NK RWG01	Downview-Flat panel display Round wire grommet	1 2	\$ 377 \$ 72	\$ 377 \$ 144
	_		Subtotal (line 1)		\$ 1,844	\$1,916
Line	2: Base Model Number:	AC-PS1125	Power strip (Field Installed)	1	\$ 89	\$ 89
			Subtotal (all lines)			\$2,005
			Handling Fee**			\$ 100
			Grand Total			\$2,105

#### Please add any taggings:

Example: Computer classroom #104

#### Please add point of contact, phone number and e-mail address:

Example: Debbie Smith, 800-555-5678, dsmith@domainname.com

#### Please add any shipping or special instructions:

Example: Please call Doug at 555-687-5309, 24 hours before delivery

Example: Must have delivery by 12/31

Subsets include all items that are to be factory installed in the associated furniture unit.

<sup>\*\*</sup> Handling fee of \$100.00 applies to all non-UPSable shipped orders under \$15,000 list.



# **Need more info?**

Check out our web site for electronic spec sheets, brochures, instructions, videos, photos and more.

**Plus the latest news from NOVA!** 

www.novadesk.com

800-730-6682 www.novadesk.com 93

# **Notes**

# **Notes**

	-

# Laminate **Selections**





# Fabric **Selections**



Parchment 1602



Misty 1595



Gravel 1599



Sky Blue 1613



Seafoam 1601



Lagoon 1616



Moonbeam 1604



Sanddrift 1617



Terra Cotta 1611



Lilac 1597



Red Wine 1614



Twilight 1618



Flint 1619




Stardust 1606



Silverleaf 1610

# Matching Metal Colors



800-730-6682 www.novadesk.com





# NOVA Solutions, Inc. 421 W. Industrial Avenue

Effingham, IL 62401 Phone: 800-730-6682 Fax: 800-940-6682 www.novadesk.com info@novasolutionsinc.com



# © 2009, NOVA Solutions, Inc. Reorder #: CT002.3 Version Date: 11/2009 - Rev. 04/2012

NOVA Solutions products are protected by various U.S. and foreign patents issued and/or pending.