

Product
No.

Size

Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

PVC CEMENTS

PVC HEAVY DUTY CLEAR CEMENT

- Heavy-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 12" diameter with interference fit, up to 18" for non-pressure.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Thick formula fills gaps in large diameter pipe and loose fitting joints.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

30850	4 oz.	PVC Heavy Duty Clear Cement	038753-308500	24	9
30863	8 oz.	PVC Heavy Duty Clear Cement	038753-308630	24	16
308630	8 oz.	PVC Heavy Duty Clear – 40 Pack	038753-308630	40	26
30876	16 oz.	PVC Heavy Duty Clear Cement	038753-308760	24	29
30876D	16 oz.	PVC Heavy Duty Clear – Display	038753-308760	24	29
31008	32 oz.	PVC Heavy Duty Clear Cement	038753-310084	12	29
310086	32 oz.	PVC Heavy Duty Clear – 6 Pack	038753-310084	6	15
31011	Gallon	PVC Heavy Duty Clear Cement	038753-310114	6	54

PVC MEDIUM CLEAR CEMENT

- Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

31017	4 oz.	PVC Medium Clear Cement	038753-310176	24	9
31017D	4 oz.	PVC Medium Clear – Display	038753-310176	72	27
31018	8 oz.	PVC Medium Clear Cement	038753-310183	24	15
310180	8 oz.	PVC Medium Clear – 40 Pack	038753-310183	40	25
31019	16 oz.	PVC Medium Clear Cement	038753-310190	24	28
31019D	16 oz.	PVC Medium Clear – Display	038753-310190	24	28
31020	32 oz.	PVC Medium Clear Cement	038753-310206	12	27
310206	32 oz.	PVC Medium Clear – 6 Pack	038753-310206	6	14
31021	Gallon	PVC Medium Clear Cement	038753-310213	6	50

PVC REGULAR CLEAR CEMENT

- Regular-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 4" for Sch. 40 and up to 2" for Sch. 80.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

31012	4 oz.	PVC Regular Clear Cement	038753-310121	24	8
31012D	4 oz.	PVC Regular Clear – Display	038753-310121	72	27
31013	8 oz.	PVC Regular Clear Cement	038753-310138	24	15
310131	8 oz.	PVC Regular Clear – 40 Pack	038753-310138	40	26
31014	16 oz.	PVC Regular Clear Cement	038753-310145	24	28
31014D	16 oz.	PVC Regular Clear – Display	038753-310145	24	28
31015	32 oz.	PVC Regular Clear Cement	038753-310152	12	27
31016	Gallon	PVC Regular Clear Cement	038753-310169	6	50



Oatey

Category 1 Plastic Pipe Solvents



Product
No.

Size

Description

UPC
Code

Carton
Quantity

Ctn.
Wt.

PVC REGULAR CLEAR ADVANCED CEMENT

- Regular-bodied clear cement for use on PVC pipe and fittings up to 4" for DWV Sch. 40 and up to 2" for Sch. 80.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

- Sets up quickly.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

31925	4 oz.	PVC Regular Clear Advanced	038753-319254	24	8
31926	8 oz.	PVC Regular Clear Advanced	038753-319261	24	15
31927	16 oz.	PVC Regular Clear Advanced	038753-319278	24	28
31928	32 oz.	PVC Regular Clear Advanced	038753-319285	12	27
31929	Gallon	PVC Regular Clear Advanced	038753-319292	6	50



PVC HEAVY DUTY GRAY CEMENT

- Heavy-bodied gray cement for use on all schedules and classes of PVC pipe and fittings up to 12" diameter with interference fit, up to 18" for non-pressure.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

- Thick formula fills gaps in large diameter pipe and loose fitting joints.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

31093	4 oz.	PVC Heavy Duty Gray Cement	038753-310930	24	9
31094	8 oz.	PVC Heavy Duty Gray Cement	038753-310947	24	16
31095	16 oz.	PVC Heavy Duty Gray Cement	038753-310954	24	31
31105	32 oz.	PVC Heavy Duty Gray Cement	038753-311050	12	29
311056	32 oz.	PVC Heavy Duty Gray Cement – 6 Pack	038753-311050	6	14
318636	32 oz.	PVC Heavy Duty Gray – 6 Pack	038753-318639	6	14
31118	Gallon	PVC Heavy Duty Gray Cement	038753-311180	6	54

NEW!



PVC HEAVY DUTY GRAY FAST SET CEMENT

- Very heavy-bodied medium setting gray cement for use on all schedules and classes of PVC pipe and fittings up to 18" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Formulated for quick installation of irrigation pipe and fittings.

- Builds up for large diameter installations.
- Fills gaps in large diameter pipe and loose fitting joints.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

31121	16 oz.	PVC Heavy Duty Gray Fast Set	038753-311210	24	27
31122	32 oz.	PVC Heavy Duty Gray Fast Set	038753-311227	12	28
31123	Gallon	PVC Heavy Duty Gray Fast Set	038753-311234	6	50

Product No.	Size	Description	UPC Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	----------	-----------------	----------

PVC MEDIUM GRAY CEMENT

- Medium-bodied gray cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

30883	4 oz.	PVC Medium Gray Cement	038753-308838	24	9
30883D	4 oz.	PVC Medium Gray – Display	038753-308838	72	27
30884	8 oz.	PVC Medium Gray Cement	038753-308845	24	15
30885	16 oz.	PVC Medium Gray Cement	038753-308852	24	29
30886	32 oz.	PVC Medium Gray Cement	038753-308869	12	28
30887	Gallon	PVC Medium Gray Cement	038753-308876	6	50



SPECIALTY SOLVENT CEMENTS

PVC RAIN-R-SHINE® BLUE CEMENT

- Medium-bodied blue cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Very fast-setting "Hot" cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended for pool, irrigation, potable water, pressure pipe, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- No primer needed on non-pressure DWV, up through 4" diameter where local codes permit.
- Meets ASTM D 2564.

30890	4 oz.	PVC Rain-R-Shine® Blue Cement	038753-308906	24	9
30890D	4 oz.	PVC Rain-R-Shine® Blue Cement – Display	038753-308906	12	27
30891	8 oz.	PVC Rain-R-Shine® Blue Cement	038753-308913	24	16
308910	8 oz.	PVC Rain-R-Shine® Blue – 40 Pack	038753-308913	40	26
30893	16 oz.	PVC Rain-R-Shine® Blue Cement	038753-308937	24	28
30893D	16 oz.	PVC Rain-R-Shine® Blue – Display	038753-308937	24	27
30894	32 oz.	PVC Rain-R-Shine® Blue Cement	038753-308944	12	28
308946	32 oz.	PVC Rain-R-Shine® Blue – 6 Pack	038753-308944	6	14
30895	Gallon	PVC Rain-R-Shine® Blue Cement	038753-308951	6	50



PVC ALL WEATHER CLEAR CEMENT

- Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended application temperature -15°F to 110°F / -26°C to 43°C.
- Recommended for use on potable water, drain, waste, and vent systems.
- No primer needed on non-pressure DWV, up through 4" diameter where local codes permit.
- Meets ASTM D 2564.

31132	16 oz.	PVC All Weather Clear Cement	038753-311326	24	30
31132D	16 oz.	PVC All Weather Clear – Display	038753-311326	24	30
31133	32 oz.	PVC All Weather Clear Cement	038753-311333	12	29
31135	Gallon	PVC All Weather Clear Cement	038753-311357	6	50



PVC HOT WEATHER PLUS™ CLEAR CEMENT

- Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended application temperature -15°F to 110°F / -26°C to 43°C.
- Recommended for use on potable water, drain, waste, and vent systems.
- Will not flash-off in hot weather applications allowing additional working time.
- Meets ASTM D 2564.

31936	8 oz.	PVC Hot Weather Plus™ Clear Cement	038753-319360	24	15
31937	16 oz.	PVC Hot Weather Plus™ Clear Cement	038753-319377	24	29
31938	32 oz.	PVC Hot Weather Plus™ Clear Cement	038753-319384	12	28





Product No. Size Description

U.P.C. Code Carton Quantity Ctn. Wt.

PVC FLEXIBLE CLEAR CEMENT

- Medium-bodied clear cement for use on flexible PVC pipe and rigid fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Formulated to withstand pressures and vibrations commonly associated with spa and swimming pool installations.
- Meets manufacturer's rated line pressure for flexible PVC pipe.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

30875	4 oz.	PVC Flexible Clear Cement	038753-308753	12	4
30879	32 oz.	PVC Flexible Clear Cement	038753-308791	12	28



ALL PURPOSE CEMENT

- Medium-bodied milky-clear cement for use on all schedules and classes of ABS, PVC and CPVC* pipe and fittings up to 12" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, conduit and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets performance requirements of ASTM D 2564, D 2235, F 493.
- Always check local codes for acceptability of this product.

*Consult Oatey Technical Service before using.

30818	4 oz.	All Purpose Cement	038753-308180	24	9
30818D	4 oz.	All Purpose Cement – Display	038753-308180	72	27
30821	8 oz.	All Purpose Cement	038753-308210	24	16
308210	8 oz.	All Purpose Cement – 40 Pack	038753-308210	40	25
30834	16 oz.	All Purpose Cement	038753-308340	24	29
30834D	16 oz.	All Purpose Cement – Display	038753-308340	24	24
30847	32 oz.	All Purpose Cement	038753-308470	12	29
30848	Gallon	All Purpose Cement	038753-308487	6	50



ABS TO PVC TRANSITION GREEN CEMENT

- Medium-bodied green cement for use in joining ABS to PVC in non-pressure transition joints up to 6" diameter.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 3138.

30900	4 oz.	ABS To PVC Transition Green Cement	038753-309002	24	6
30925	16 oz.	ABS To PVC Transition Green Cement	038753-309255	6	7
30926	32 oz.	ABS To PVC Transition Green Cement	038753-309262	12	27

Product
No.

Size

Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

ABS CEMENTS

ABS MEDIUM BLACK CEMENT

- Medium-bodied black cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For all non-pressure applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2235.

30999	4 oz.	ABS Medium Black Cement	038753-309996	24	8
30999D	4 oz.	ABS Medium Black – Display	038753-309996	48	16
30889	8 oz.	ABS Medium Black Cement	038753-308890	24	15
308890	8 oz.	ABS Medium Black – 40 Pack	038753-308890	40	25
30892	16 oz.	ABS Medium Black Cement	038753-308920	24	28
30892D	16 oz.	ABS Medium Black – Display	038753-308920	24	28
30902	32 oz.	ABS Medium Black Cement	038753-309026	12	26
309026	32 oz.	ABS Medium Black – 6 Pack	038753-309026	6	14
30915	Gallon	ABS Medium Black Cement	038753-309156	6	51



ABS SPECIAL MILKY CLEAR CEMENT

- Medium-bodied clear cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Fast curing for all non-pressure applications.
- Formulated to eliminate the clean-up problems associated with black ABS cements.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2235.

30922	16 oz.	ABS Special Milky Clear	038753-309224	24	28
30923	32 oz.	ABS Special Milky Clear	038753-309231	12	27
30924	Gallon	ABS Special Milky Clear	038753-309248	6	51



ABS EXTRA SPECIAL BLACK CEMENT

- Medium-bodied black cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Formulated especially for the hot, arid climates in the Western states.
- For all non-pressure applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2235.

30916	4 oz.	ABS Extra Special Black Cement	038753-309163	24	9
30916D	4 oz.	ABS Extra Special Black – Display	038753-309163	72	27
30917	8 oz.	ABS Extra Special Black Cement	038753-309170	24	15
309170	8 oz.	ABS Extra Special Black – 40 Pack	038753-309170	40	25
30918	16 oz.	ABS Extra Special Black Cement	038753-309187	24	28
30919	32 oz.	ABS Extra Special Black Cement	038753-309194	12	27
30920	Gallon	ABS Extra Special Black Cement	038753-309200	6	51



Oatey

Category 1 Plastic Pipe Solvents



PW/DWV/SEWER



PW/DWV/SEWER



PW/DWV/SEWER

Product No. Size Description

UPC Code

Carton Quantity

Ctn. Wt.

CPVC CEMENTS

ALL WEATHER CPVC FLOWGUARD GOLD®* 1-STEP YELLOW

- For copper tube size (CTS) CPVC hot and cold potable water pipe and fittings up to 2" diameter interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For cold water systems and hot water systems up to 200°F / 93°C.
- May be used without primer where local codes permit.
- Recommended application temperature 0°F to 115°F / -17°C to 46°C.
- Meets ASTM F 493.

31910	4 oz.	CPVC Flowguard Gold® 1-Step Yellow	038753-319100	24	9
31911	8 oz.	CPVC Flowguard Gold® 1-Step Yellow	038753-319117	24	16
319110	8 oz.	CPVC Flowguard Gold® 1-Step Yellow - 40 Pack	038753-319117	40	26
31912	16 oz.	CPVC Flowguard Gold® 1-Step Yellow	038753-319124	24	29
31913	32 oz.	CPVC Flowguard Gold® 1-Step Yellow	038753-319131	12	29
31914	Gallon	CPVC Flowguard Gold® 1-Step Yellow	038753-319148	6	54

*FlowGuard Gold is a registered trademark of The Lubrizol Corporation.

ALL WEATHER 1-STEP FLOWGUARD GOLD®* WITH ULTRAVIOLET INDICATOR

- For copper tube size (CTS) CPVC hot and cold potable water pipe and fittings up to 2" diameter interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For cold water systems and hot water systems up to 200°F / 93°C.
- CPVC FlowGuard Gold® with UltraViolet Indicator is specially formulated to allow for quick and easy inspection of dry fit joints using any ultraviolet light source.
- When solvent cement is applied properly, the yellow formula will glow BLUE under ultraviolet light.
- Recommended application temperature 0°F to 115°F / -17°C to 46°C.

31917	8 oz.	1-Step CPVC Flowguard Gold® with UV Indicator	038753-319179	24	16
31918	16 oz.	1-Step CPVC Flowguard Gold® with UV Indicator	038753-319186	24	29
31919	32 oz.	1-Step CPVC Flowguard Gold® with UV Indicator	038753-319193	12	29

*FlowGuard Gold is a registered trademark of The Lubrizol Corporation.

CPVC MEDIUM ORANGE CEMENT

- Medium-bodied orange cement for use on all schedules and classes of CPVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For Residential and Commercial hot and cold water systems up to 200°F / 93°C.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Approved for Corzan® CPVC Piping Systems.
- Meets ASTM F 493 and ASTM D 2846.

31128	4 oz.	CPVC Medium Orange Cement	038753-311289	24	9
31128D	4 oz.	CPVC Medium Orange - Display	038753-311289	72	27
31129	8 oz.	CPVC Medium Orange Cement	038753-311296	24	16
311290	8 oz.	CPVC Medium Orange - 40 Pack	038753-311296	40	27
31130	16 oz.	CPVC Medium Orange Cement	038753-311302	24	29
31131	32 oz.	CPVC Medium Orange Cement	038753-311319	12	29
31127	Gallon	CPVC Medium Orange Cement	038753-311272	6	51

*Corzan is a registered trademark of The Lubrizol Corporation.

**Product
No.**

Size

Description

**U.P.C.
Code**

**Carton
Quantity**

**Ctn.
Wt.**

CPVC HEAVY DUTY ORANGE SOLVENT CEMENT

- Heavy-bodied orange cement for use on all schedules and classes of CPVC pipe and fittings up to 12" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For Commercial hot and cold water systems up to 200°F / 93°C.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Approved for Corzan® CPVC Piping Systems.
- Meets ASTM F 493 and ASTM D 2846.

31082	16 oz.	CPVC Heavy Duty Orange Cement	038753-310824	24	29
31083	32 oz.	CPVC Heavy Duty Orange Cement	038753-310831	12	29
31084	Gallon	CPVC Heavy Duty Orange Cement	038753-310848	6	50

*Corzan is a registered trademark of The Lubrizol Corporation.



PW/DWV/SEWER

CPVC HEAVY DUTY GRAY CEMENT

- Heavy-bodied gray cement for use on all schedules and classes of CPVC pipe and fittings up to 12" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For Commercial hot and cold water systems up to 200°F / 93°C.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Approved for Corzan® CPVC Piping Systems.
- Meets ASTM F 493 and ASTM D 2846.

31036	16 oz.	CPVC Heavy Duty Gray Cement	038753-310367	24	29
31037	32 oz.	CPVC Heavy Duty Gray Cement	038753-310374	12	29

*Corzan is a registered trademark of The Lubrizol Corporation.



PW/DWV/SEWER

Oatey

Category 1 Plastic Pipe Solvents



1



Product
No.

Size

Description

UPC
Code

Carton
Quantity

Ctn.
Wt.

PRIMERS & CLEANERS

INDUSTRIAL GRADE PURPLE PRIMER

- Very Aggressive Purple-tinted primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Primer meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for Commercial and Large diameter thermoplastic piping systems, specifically CPVC Sch. 40 / 80.

- Ideal for use in cold weather applications.
- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.
- For use in areas where plumbing code calls for verification that a primer has been used.
- NSF and IAPMO Listed.
- Meets ASTM F 656.

30770	16 oz.	Purple Primer – NSF Listed – Industrial Grade	038753-307701	24	25
30771	32 oz.	Purple Primer – NSF Listed – Industrial Grade	038753-307718	12	24
30772	Gallon	Purple Primer – NSF Listed – Industrial Grade	038753-307725	6	46

INDUSTRIAL GRADE CLEAR PRIMER

- Very Aggressive Clear primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Primer meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for Commercial and Large diameter thermoplastic piping systems, specifically CPVC Sch. 40 / 80.

- Ideal for use in cold weather applications.
- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.
- NSF Listed.
- Meets ASTM F 656.

30773	16 oz.	Clear Primer – NSF Listed – Industrial Grade	038753-307732	24	25
30774	32 oz.	Clear Primer – NSF Listed – Industrial Grade	038753-307749	12	24
30775	Gallon	Clear Primer – NSF Listed – Industrial Grade	038753-307756	6	46

PURPLE PRIMER – NSF LISTED

- Purple-tinted aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Primer meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.
- For use in areas where plumbing code calls for verification that a primer has been used.
- NSF and IAPMO Listed.
- Meets ASTM F 656.

30755	4 oz.	Purple Primer – NSF Listed	038753-307558	24	8
30755D	4 oz.	Purple Primer – NSF Listed – Display	038753-307558	72	8
30756	8 oz.	Purple Primer – NSF Listed	038753-307565	24	14
307560	8 oz.	Purple Primer – NSF Listed – 40 Pack	038753-307565	40	23
307561	8 oz.	Purple Primer – NSF Listed – Mini-Pallet	038753-307565	384	223
30757	16 oz.	Purple Primer – NSF Listed	038753-307572	24	25
30757D	16 oz.	Purple Primer – NSF Listed – Display	038753-307572	24	25
30758	32 oz.	Purple Primer – NSF Listed	038753-307589	12	24
307586	32 oz.	Purple Primer – NSF Listed – 6 Pack	038753-307589	6	12
30759	Gallon	Purple Primer – NSF Listed	038753-307596	6	45

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

CLEAR PRIMER – NSF LISTED

- Clear aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Primer meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.
- NSF Listed.
- Meets ASTM F 656.

30750	4 oz.	Clear Primer – NSF Listed	038753-307503	24	8
30751	8 oz.	Clear Primer – NSF Listed	038753-307510	24	14
30752	16 oz.	Clear Primer – NSF Listed	038753-307527	24	25
30753	32 oz.	Clear Primer – NSF Listed	038753-307534	12	24
30754	Gallon	Clear Primer – NSF Listed	038753-307541	6	46



PURPLE PRIMER/CLEANER

- Purple-tinted aggressive primer for PVC and CPVC pipe and fittings.
- Lo-V.O.C. Primer meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

- Less aggressive than clear and purple primers.
- Removes surface dirt, grease and grime for preparation before solvent cementing.
- Always check local codes for acceptability of this product.

30780	4 oz.	Purple Primer/Cleaner	038753-307800	24	8
30783	8 oz.	Purple Primer/Cleaner	038753-307831	24	14
307830	8 oz.	Purple Primer/Cleaner – 40 Pack	038753-307831	40	23
307831	8 oz.	Purple Primer/Cleaner – Mini-Pallet	038753-307831	384	223
30796	16 oz.	Purple Primer/Cleaner	038753-307961	24	25
30806	32 oz.	Purple Primer/Cleaner	038753-308067	12	24
30768	Gallon	Purple Primer/Cleaner	038753-307688	6	46



CLEAR CLEANER

- Clear Cleaner for ABS, PVC and CPVC pipe and fittings.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

- All schedules and all diameters.
- Flows freely and evaporates quickly.
- Fast acting cleaner removes surface dirt, grease and grime.

30779	4 oz.	Cleaner	038753-307794	24	8
30779D	4 oz.	Cleaner – Display	038753-307794	72	24
30782	8 oz.	Cleaner	038753-307824	24	14
307820	8 oz.	Cleaner – 40 Pack	038753-307824	40	23
30795	16 oz.	Cleaner	038753-307954	24	26
30805	32 oz.	Cleaner	038753-308050	12	25
308056	32 oz.	Cleaner – 6 Pack	038753-308050	6	12
30766	Gallon	Cleaner	038753-307664	6	46



HANDY PACKS

- Convenient “Handy Pack” for storage – just add pipe and fittings.

- Contains one can of PVC Cement and one can of NSF Purple Primer.

30246	4 oz.	PVC Regular & NSF Purple Primer	038753-302461	12	9
30244	4 oz.	PVC Medium & NSF Purple Primer	038753-302447	20	28
30246D	8 oz.	PVC Medium & NSF Purple Primer – Display	038753-302461	24	18
302480	8 oz.	PVC Regular & NSF Purple Primer – Mini	038753-302485	160	224





Product
No.

Size

Description

UPC
Code

Carton
Quantity

Ctn.
Wt.

PVC CEMENTS

1200 SERIES PVC MEDIUM CLEAR CEMENT

- Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

- Recommended for potable water, pressure pipe and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2564.

1266S	4 oz.	PVC Medium Clear Cement	083675-012660	24	9
1256S	8 oz.	PVC Medium Clear Cement		083675-012561	24 6
1246S	16 oz.	PVC Medium Clear Cement		083675-012462	24 27
1236S	32 oz.	PVC Medium Clear Cement		083675-012363	12 26
1224	Gallon	PVC Medium Clear Cement		083675-012240	6 52

1500 SERIES PVC HEAVY DUTY CLEAR CEMENT

- Heavy duty clear cement for use on all schedules and classes of PVC pipe and fittings up to 12" diameter with interference fit, up to 18" for non-pressure.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Thick formula fills gaps in large diameter pipe and loose fitting joints.
- Recommended for potable water, pressure pipe, conduit and DWV.
- Meets ASTM D 2564.

1566S	4 oz.	PVC Heavy Duty Clear Cement	083675-015661	24	9
1556S	8 oz.	PVC Heavy Duty Clear Cement	083675015562	24	14
1546S	16 oz.	PVC Heavy Duty Clear Cement	083675-015463	24	27
1536S	32 oz.	PVC Heavy Duty Clear Cement	083675-015364	12	26
1524	Gallon	PVC Heavy Duty Clear Cement	083675-015241	6	52

1600 SERIES PVC MEDIUM GRAY CEMENT

- Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.
- Meets ASTM D 2564.

1666S	4 oz.	PVC Medium Gray Cement	083675-016668	24	9
1656S	8 oz.	PVC Medium Gray Cement	083675-016569	24	16
1646S	16 oz.	PVC Medium Gray Cement	083675-016460	24	27
1636S	32 oz.	PVC Medium Gray Cement	083675-016361	12	26
1624	Gallon	PVC Medium Gray Cement	083675-016248	6	52

1700 SERIES PVC HEAVY DUTY GRAY CEMENT

- Heavy duty gray cement for use on all schedules and classes of PVC pipe and fittings up to 12" diameter with interference fit, up to 18" for non-pressure.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.

- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Thick formula fills gaps in large diameter pipe and pipe and fittings, loose fitting joints.
- Recommended for water, pressure pipe and DWV.
- Meets ASTM D 2564.

1756S	8 oz.	PVC Heavy Duty Gray Cement	083675-017566	24	16
1746S	16 oz.	PVC Heavy Duty Gray Cement	083675-017467	24	27
1736S	32 oz.	PVC Heavy Duty Gray Cement	083675-017368	12	26
1724	Gallon	PVC Heavy Duty Gray Cement - Wide Mouth Can	083675-017245	6	52

Product No.	Size	Description	UPC Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	----------	-----------------	----------

1800 SERIES SUPER 30® EXTRA HEAVY BODY GRAY PVC CEMENT

- Extra heavy bodied medium-setting gray cement for use on PVC pipe and fittings up to 30" diameter.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Builds up for large diameter installation to fill gaps.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Formulated for quick installation.
- Recommended for potable water, pressure pipe and DWV.
- Meets ASTM D 2564.

1836S	32 oz.	1800 Extra Heavy Duty Gray Cement	083675-018365	12	26
1824	Gallon	1800 Extra Heavy Duty Gray Cement	083675-018242	6	52



2200 SERIES PVC REGULAR CLEAR CEMENT

- Regular-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 4" for Sch. 40 and up to 2" for Sch. 80.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Sets up quickly.
- Meets ASTM D 2564.

2266S	4 oz.	PVC Regular Clear Cement	083675-022669	24	9
2256S	8 oz.	PVC Regular Clear Cement	083675-022560	24	16
2246S	16 oz.	PVC Regular Clear Cement	083675-022461	24	27
2236S	32 oz.	PVC Regular Clear Cement	083675-022362	12	26
2224	Gallon	PVC Regular Clear Cement	083675-022249	6	52



2600 SERIES POLAR-WELD™ PVC ALL WEATHER CEMENT

- Medium-bodied clear cement for use on all schedules and classes of PVC pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe and DWV.
- Formulated for fast initial set-up at temperatures down to -5°F to 110°F / -20°C to 43°C.
- No primer needed on non-pressure DWV up to 4" where local codes permit.
- Meets ASTM D 2564.

2666S	4 oz.	Polar-Weld PVC All Weather Cement	083675-026667	24	9
2656S	8 oz.	Polar-Weld PVC All Weather Cement	083675-026568	24	16
2646S	16 oz.	Polar-Weld PVC All Weather Cement	083675-026469	24	27
2636S	32 oz.	Polar-Weld PVC All Weather Cement	083675-026360	12	26
2624	Gallon	Polar-Weld PVC All Weather Cement	083675-026247	6	52



2800 SERIES PVC REGULAR CLEAR FAST SET CEMENT

- Regular-bodied clear cement for use on PVC pipe and fittings up to 4" for Sch. 40 and up to 2" for Sch. 80.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Sets up quickly.
- Meets ASTM D 2564.

2866S	4 oz.	PVC Regular Clear Fast Set Cement	083675-028661	24	9
2856S	8 oz.	PVC Regular Clear Fast Set Cement	083675-028562	24	16
2846S	16 oz.	PVC Regular Clear Fast Set Cement	083675-028463	24	27
2836S	32 oz.	PVC Regular Clear Fast Set Cement	083675-028364	12	26
2824	Gallon	PVC Regular Clear Fast Set Cement	083675-028241	6	52





Product
No.

Size

Description

UPC
Code

Carton
Quantity

Ctn.
Wt.

CPVC, ABS & MULTI-PURPOSE CEMENTS

3200 SERIES CPVC MEDIUM ORANGE CEMENT

- Medium-bodied orange colored cement for use on CPVC pipe and fittings up to 6" diameter.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for hot and cold potable water pressure pipe.
- Meets ASTM F 493.

3266S	4 oz.	CPVC Medium Orange Cement	083675-032668	24	9
3256S	8 oz.	CPVC Medium Orange Cement	083675-032569	24	16
3246S	16 oz.	CPVC Medium Orange Cement	083675-032460	24	27
3236S	32 oz.	CPVC Medium Orange Cement	083675-032361	12	26



6200 SERIES MULTI PURPOSE CLEAR CEMENT

- Regular-bodied clear cement for use on all schedules and classes of PVC, CPVC and ABS pipe and fittings up to 2" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Recommended for potable water, pressure pipe and DWV.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets performance requirements of ASTM D-2564, D-2235 and F-493.

*Consult Oatey Technical Service before using.

6266S	4 oz.	Multi Purpose Regular Clear Cement	083675-062665	24	9
6256S	8 oz.	Multi Purpose Regular Clear Cement	083675-062566	24	16
6246S	16 oz.	Multi Purpose Regular Clear Cement	083675-062467	24	27
6236S	32 oz.	Multi Purpose Regular Clear Cement	083675-062368	12	26
6224	Gallon	Multi Purpose Regular Clear Cement	083675-062245	6	52



4400 SERIES ABS MEDIUM BLACK CEMENT

- Medium-bodied black cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For all non-pressure applications.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Meets ASTM D 2235.

4466S	4 oz.	ABS Medium Black Cement	083675-044661	24	9
4456S	8 oz.	ABS Medium Black Cement	083675-044562	24	16
4446S	16 oz.	ABS Medium Black Cement	083675-044463	24	27
4436S	32 oz.	ABS Medium Black Cement	083675-044364	12	26
4424	Gallon	ABS Medium Black Cement	083675-044241	6	52

PRIMERS & CLEANERS

7300 SERIES ALL PURPOSE CLEAR CLEANER

- Clear cleaner for ABS, PVC and CPVC pipe and fittings.
- Lo-V.O.C. Cleaner meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Flows freely and evaporates quickly.
- Fast acting cleaner removes surface dirt, grease and grime.
- All schedules and all diameters.



7366S	4 oz.	Clear Cleaner	083675-073661	24	9
7356S	8 oz.	Clear Cleaner	083675-073562	24	16
7346S	16 oz.	Clear Cleaner	083675-073463	24	27
7336S	32 oz.	Clear Cleaner	083675-073364	12	26
7324	Gallon	Clear Cleaner	083675-073241	6	45

Product No.	Size	Description	UPC Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	----------	-----------------	----------

8000 SERIES PRIME TITE™ BLUE PRIMER – NSF LISTED

- Blue-tinted aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Primer meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Formulated to work with all “TITE” products.
- Meets ASTM F 656.

8056S	8 oz.	Prime Tite Blue Primer – NSF Listed	083675-080560	24	16
8046S	16 oz.	Prime Tite Blue Primer – NSF Listed	083675-080461	24	27
8036S	32 oz.	Prime Tite Blue Primer – NSF Listed	083675-080362	12	26



8700 SERIES PURPLE PRIMER – NSF LISTED

- Purple-tinted aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Primer meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- For use in areas where plumbing code calls for verification that a primer has been used.
- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.

8766S	4 oz.	Purple Primer – NSF Listed	083675-087668	24	9
8756S	8 oz.	Purple Primer – NSF Listed	083675-087569	24	16
8746S	16 oz.	Purple Primer – NSF Listed	083675-087460	24	27
8736S	32 oz.	Purple Primer – NSF Listed	083675-087361	12	26
8724	Gallon	Purple Primer – NSF Listed	083675-087248	6	45



8800 SERIES PURPLE PRIMER/CLEANER

- Purple-tinted aggressive primer for use on PVC and CPVC pipe and fittings.
- Lo-V.O.C. Primer meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Less aggressive than clear primer and purple primer.
- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.

8866S	4 oz.	Purple Primer/Cleaner	083675-088665	24	9
8856S	8 oz.	Purple Primer/Cleaner	083675-088566	24	16
8846S	16 oz.	Purple Primer/Cleaner	083675-088467	24	27
8836S	32 oz.	Purple Primer/Cleaner	083675-088368	12	26
8824	Gallon	Purple Primer/Cleaner	083675-088245	6	45



9300 SERIES CLEAR PRIMER – NSF LISTED

- A clear aggressive primer for use on PVC and CPVC.
- Lo-V.O.C. Primer meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Removes surface dirt, grease and grime as well as softens the pipe surface to allow a fast, secure solvent weld.
- All schedules and all diameters.
- Meets ASTM F 656.

9366S	4 oz.	Clear Primer – NSF Listed	083675-093669	24	9
9356S	8 oz.	Clear Primer – NSF Listed	083675-093560	24	16
9346S	16 oz.	Clear Primer – NSF Listed	083675-093461	24	27
9336S	32 oz.	Clear Primer – NSF Listed	083675-093362	12	26
9324	Gallon	Clear Primer – NSF Listed	083675-093249	6	45





PW/DWV/SEWER

Product No. Size Description

UPC Code

Carton Quantity

Ctn. Wt.

"TITE SERIES" CEMENTS

2000 SERIES PLUMB-TITE™ PVC MEDIUM "HOT" BLUE CEMENT

- Medium-bodied blue colored cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 6" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- No primer needed on non-pressure DWV up to 4" where local codes permit.
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.
- Meets ASTM D 2564.

2066S	4 oz.	Plumb-Tite PVC Medium "Hot" Blue	083675-020665	24	9
2056S	8 oz.	Plumb-Tite PVC Medium "Hot" Blue	083675-020566	24	16
2046S	16 oz.	Plumb-Tite PVC Medium "Hot" Blue	083675-020467	24	27
2036S	32 oz.	Plumb-Tite PVC Medium "Hot" Blue	083675-020368	12	26
2024	Gallon	Plumb-Tite PVC Medium "Hot" Blue	083675-020245	6	52



PW/DWV/SEWER

2300 SERIES POOL-TITE™ MEDIUM BLUE "HOT" PVC CEMENT

- Medium-bodied blue colored cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 6" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- No primer needed on non-pressure DWV up to 4" where local codes permit.
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.
- Meets ASTM D 2564.

2366S	4 oz.	Pool-Tite PVC Medium "Hot" Blue	083675-023666	24	9
2356S	8 oz.	Pool-Tite PVC Medium "Hot" Blue	083675-023567	24	16
2346S	16 oz.	Pool-Tite PVC Medium "Hot" Blue	083675-023468	24	27
2336S	32 oz.	Pool-Tite PVC Medium "Hot" Blue	083675-023369	12	26
2324	Gallon	Pool-Tite PVC Medium "Hot" Blue	083675-023246	6	52



PW/DWV/SEWER

2900 SERIES POOL-CLEAR™ MEDIUM CLEAR PVC CEMENT

- Medium-bodied blue colored cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 6" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Specially formulated for use with flexible and rigid piping systems.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.
- Meets ASTM D 2564.

2946S	16 oz.	Pool-Clear PVC Medium Clear	083675-029460	24	27
2936S	32 oz.	Pool-Clear PVC Medium Clear	083675-293625	12	26



PW/DWV/SEWER

2400 SERIES TURF-TITE™ PVC MEDIUM "HOT" BLUE CEMENT

- Medium-bodied blue colored cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 6" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- No primer needed on non-pressure DWV up to 4" where local codes permit.
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.
- Meets ASTM D 2564.

2466S	4 oz.	Turf-Tite PVC Medium "Hot" Blue	083675-024663	24	9
2456S	8 oz.	Turf-Tite PVC Medium "Hot" Blue	083675-024564	24	16
2446S	16 oz.	Turf-Tite PVC Medium "Hot" Blue	083675-024465	24	27
2436S	32 oz.	Turf-Tite PVC Medium "Hot" Blue	083675-024366	12	26
2424	Gallon	Turf-Tite PVC Medium "Hot" Blue	083675-024243	6	52

Product No.

Size

Description

UPC Code

Carton Quantity

Ctn. Wt.

2700 SERIES MULTI TITE™ MEDIUM BLUE "HOT" PVC SOLVENT CEMENT

- Medium-bodied blue colored cement for use on all ABS, PVC and CPVC pipe and fittings up to 6" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- No primer needed on non-pressure DWV up to 4" where local codes permit.
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.
- Meets ASTM D 2564.

2766S	4 oz.	Multi Tite PVC Medium "Hot" Blue	083675-027664	24	9
2756S	8 oz.	Multi Tite PVC Medium "Hot" Blue	083675-027565	24	16
2746S	16 oz.	Multi Tite PVC Medium "Hot" Blue	083675-027466	24	27
2736S	32 oz.	Multi Tite PVC Medium "Hot" Blue	083675-027367	12	26



SPA-TITE™ HEAVY DUTY "HOT" BLUE PVC CEMENT

- Heavy-bodied blue colored cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 12" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Specially formulated for use with flexible and rigid piping systems.
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.
- Meets ASTM D 2564.

24436S	32 oz.	Spa-Tite PVC Heavy Duty Blue	083675-244320	12	26
--------	--------	------------------------------	---------------	----	----



SPA-TITE™ HEAVY DUTY "HOT" CLEAR PVC CEMENT

- Heavy-bodied clear cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 12" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- Specially formulated for use with flexible and rigid piping systems.
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for ALL grades and types of PVC pipe and fittings potable water, pressure pipe and DWV.
- Meets ASTM D 2564.

24336S	32 oz.	Spa-Tite PVC Heavy Duty Clear	083675-243224	12	26
--------	--------	-------------------------------	---------------	----	----



3000 SERIES WELL-TITE™ PVC MEDIUM "HOT" BLUE CEMENT

- Medium-bodied blue colored cement for use on all schedules and classes of flexible and rigid PVC pipe and fittings up to 6" with interference fit.
- Lo-V.O.C. Solvent Cement meets California South Coast Air Quality Management District (SCAQMD) 1168/316A or BAAQMD Method 40 and various environmental requirements.
- No primer needed on non-pressure DWV up to 4" diameter, where local codes permit.
- Very fast setting cement formulated for wet conditions and/or quick pressurization and fast installation.
- Recommended application temperature 40°F to 110°F / 4°C to 43°C.
- Recommended for potable water, pressure pipe and DWV.
- Meets ASTM D 2564.

3046S	16 oz.	Well-Tite PVC Medium "Hot" Blue	083675-304635	24	7
3036S	32 oz.	Well-Tite PVC Medium "Hot" Blue	083675-303621	12	26
3024	Gallon	Well-Tite PVC Medium "Hot" Blue	083675-302419	6	52





Product
No.

Size

Description

UPC
Code

Carton
Quantity

Ctn.
Wt.

ACCESSORIES

SOLVENT CEMENT AND PRIMER ACCESSORIES

- Standard replacement daubers specifically sized for 4 oz., 8 oz., 16 oz. and 32 oz. cement/primer cans.
- Brush applicator for 16 & 32 oz. cans.
- Standard replacement cans.

31299	4 oz.	Dauber 3/4"	038753-312996	48	2
31309	8 oz.	Dauber 3/4"	038753-313092	48	2
31310	16 oz.	Dauber 1-1/2"	038753-313108	48	2
31312	32 oz.	Dauber 1-1/2"	038753-313122	48	2
31313	16/32 oz.	Dauber for CPVC Cement 3/4"	038753-313139	48	2

31257	16/32 oz.	Brush top Dauber 1-1/2" length	038753-312576	48	4
-------	-----------	--------------------------------	---------------	----	---

31275	12"	Gallon can roller applicator Fits Wide and Standard Mouth Size	038753-312750	12	5
31276	12"	Gallon can swab applicator Fits Wide and Standard Mouth Size	038753-312767	12	5

31304	4 oz.	Cement Can	038753-313047	24	3
31305	8 oz.	Cement Can	038753-313054	24	3
31306	16 oz.	Cement Can	038753-313061	24	3
31307	32 oz.	Cement Can	038753-313078	12	3
30901	1 Gallon	Wide Mouth Can	038753-309019	6	3

ADJUSTABLE DAUBERS

- For applying solvent cement and primers.
- Dauber is unbreakable.
- Designed to adjust to various can dimensions and evaporation of solvents and prevents spillage to ensure a good solvent weld.
- Specially constructed easy open, easy close sealing controls allows application of the proper amount of cement.
- Fits can sizes 1/2 pint through quart.
- 1/2" and 1" size daubers.

31300	1/2"	Adjustable plastic dauber w/ 1/2" ball	038753-313009	100	3
31301	1"	Adjustable plastic dauber w/ 1" ball	038753-313016	100	3
31302	1"	Adjustable plastic dauber w/ 1" ball	038753-313023	50	2

CEMENT CARRIER

- Designed to make it easier to keep cement and cleaner ready for use on the job.
- Caddy holds two 32 oz. cans.
- Patented Design.

31250	32 oz. can	Cement Carrier	038753-312507	12	3
-------	------------	----------------	---------------	----	---

Product No.	Size	Description	UPC Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	----------	-----------------	----------

GALVANIZED NO-CALK® ROOF FLASHINGS

- Galvanized Base.
- Self-sealing collar slides over pipe and requires no caulking.
- Do not use petroleum based products or paint on flashing collar. Not for hot-mopped or built-up roofs.
- Metal base for pitch from 0-40° or up to 10/12 roof.
- Rated 180°F continuous heat and approved for Type B installations.

SOLAR FLASHING

11830	.5" – 1"	Galvanized 9" x 12.5" base	038753-118307	12	11
11859	.5" – 1"	Galvanized Black 11" x 14.5" base	038753-118598	12	11
11831	.5" – 1"	Galvanized 18" x 18" base	038753-118314	12	23

STANDARD BASE FLASHING

11840	1.25" – 1.5"	Galvanized 9" x 12.5" base	038753-118406	12	12
11841	1.25" – 1.5"	Galvanized 9" x 12.5" base	038753-118413	6	6
11853	2"	Galvanized 9" x 12.5" base	038753-118536	12	12
11854	2"	Galvanized 9" x 12.5" base	038753-118543	6	6
11866	3"	Galvanized 11" x 14.5" base	038753-118666	12	17
11867	3"	Galvanized 11" x 14.5" base	038753-118673	6	8
11879	4"	Galvanized 12" x 15" base	038753-118796	12	23
11880	4"	Galvanized 12" x 15" base	038753-118802	6	12

STANDARD BASE FLASHING – 28 GAUGE

11960	1.25" – 1.5"	Galvanized – 28 gauge 14" x 14" base	038753-119601	12	23
11961	2"	Galvanized – 28 gauge 14" x 14" base	038753-119618	12	23

18" X 18" BASE FLASHING

11921	1.25" – 1.5"	Galvanized 18" x 18" base	038753-119212	12	23
11923	1.25" – 1.5"	Galvanized 18" x 18" base	038753-119236	6	12
11934	2"	Galvanized 18" x 18" base	038753-119342	12	23
11936	2"	Galvanized 18" x 18" base	038753-119366	6	12
11947	3"	Galvanized 18" x 18" base	038753-119472	12	23
11950	4"	Galvanized 18" x 18" base	038753-119502	12	26

ALUMINUM NO-CALK® ROOF FLASHINGS

- Rustproof stamped aluminum base allows for easy shaping of flashing.
- Rated 180°F continuous heat and approved for Type B installations.
- Metal base for pitch from 0-40° or up to 10/12 roof.
- Self-sealing collar slides over pipe and requires no caulking.
- Do not use petroleum based products or paint on flashing collar. Not for hot-mopped or built-up roofs.


STANDARD BASE FLASHING

11832	.5" – 1"	Aluminum 9" x 12.5" base	038753-118321	12	11
12920	1.25" – 1.5"	Aluminum 9" x 12.5" base	038753-129204	12	6
12923	1.25" – 1.5"	Aluminum 9" x 12.5" base	038753-129235	6	3
12933	2"	Aluminum 9" x 12.5" base	038753-129334	12	6
12936	2"	Aluminum 9" x 12.5" base	038753-129365	6	3
12946	3"	Aluminum 11" x 14.5" base	038753-129464	12	7
12949	3"	Aluminum 11" x 14.5" base	038753-129495	6	4
12958	4"	Aluminum 12" x 15" base	038753-129587	6	7
12959	4"	Aluminum 12" x 15" base	038753-129594	12	13

18" X 18" BASE FLASHING

11833	.5" – 1"	Aluminum 18" x 18" base	038753-118338	12	23
12836	1.25" – 1.5"	Soft Aluminum 18" x 18" base	038753-128368	12	15
12849	2"	Soft Aluminum 18" x 18" base	038753-128498	12	14
12852	3"	Soft Aluminum 18" x 18" base	038753-128528	12	20
12865	4"	Soft Aluminum 18" x 18" base	038753-128658	12	21





U.S. Patent No.
5,588,267

Product
No.

Size

Description

UPC
Code

Carton
Quantity

Ctn.
Wt.

THERMOPLASTIC NO-CALK® ROOF FLASHINGS

- Non-fading, non-cracking, rigid black thermoplastic base.
- Self-sealing collar slides over pipe and requires no caulking.
- Do not use petroleum based products or paint on flashing collar or plastic base. Not for hot-mopped or built-up roofs.

- Plastic base for pitch from 0-45° or up to 12/12 roof.
- Rated 180°F continuous heat and approved for Type B installations.

STANDARD BASE FLASHING

11908	1.25" – 1.5"	Thermoplastic 9.25" x 13" base	038753-119083	12	6
11898	1.25" – 1.5"	Thermoplastic 9.25" x 13" base	038753-118987	6	3
11909	2"	Thermoplastic 9.25" x 13" base	038753-119090	12	6
11899	2"	Thermoplastic 9.25" x 13" base	038753-118994	6	3
11910	3"	Thermoplastic 11" x 15" base	038753-119106	12	8
11890	3"	Thermoplastic 11" x 15" base	038753-118901	6	4
11911	4"	Thermoplastic 12" x 16" base	038753-119113	12	9
11891	4"	Thermoplastic 12" x 16" base	038753-118918	6	5
11884	1.25" – 1.5"	Thermoplastic 12" x 18" base	038753-118840	12	9

NEW!

SW/TEXAS BASE FLASHING

11917	1.25" – 1.5"	Thermoplastic SW 11" x 15" base	038753-119175	12	9
11918	2"	Thermoplastic SW 11" x 15" base	038753-119182	12	9

18" X 18" BASE FLASHING

11887	1.25" – 1.5"	Thermoplastic 18" x 18" base	038753-118871	12	9
11888	2"	Thermoplastic 18" x 18" base	038753-118888	12	9
11889	3"	Thermoplastic 18" x 18" base	038753-118895	12	10

FLEX-FLASH™ NO-CALK® ROOF FLASHINGS

- 100% flexible, foldable plastic base.
- Self-sealing collar slides over pipe and requires no caulking.
- Do not use petroleum based products or paint on flashing collar or plastic base. Not for hot-mopped or built-up roofs.

- Plastic base for pitch from 0-45° or up to 12/12 roof.
- Rated 180°F continuous heat and approved for Type B installations.

14009	1.25" – 1.5"	Flex-Flash™ 9" x 11" base	038753-140094	12	6
14012	2"	Flex-Flash™ 9" x 11" base	038753-140124	12	7
14025	2.5"	Flex-Flash™ 10" x 13.25" base	038753-140254	12	6
14038	3"	Flex-Flash™ 10" x 13.25" base	038753-140384	12	9
14041	4"	Flex-Flash™ 11.5" x 14" base	038753-140414	12	13

ALL-FLASH® GALVANIZED/COPPER/ALUMINUM/THERMOPLASTIC NO-CALK® ROOF FLASHINGS

- Patented All-Flash® design allows use on multiple pipe sizes with choice of Aluminum, Copper, Galvanized or Thermoplastic Base.
- Rated 180°F continuous heat and approved for Type B installations.

- Metal base for pitch from 0-40° and plastic base for pitch from 0-45°.
- Self-sealing collar slides over pipe and requires no caulking.
- Do not use petroleum based products or paint on flashing collar or plastic base. Not for hot-mopped or built-up roofs.

GALVANIZED BASE FLASHING

11871	1.5" – 3"	Galvanized All-Flash® 11" x 14.5" base	038753-118710	12	17
11815	1.5" – 3"	Galvanized All-Flash® 11" x 14.5" base	038753-118154	6	9
11877	3" – 4"	Galvanized All-Flash® 12" x 15" base	038753-118772	12	23
11816	3" – 4"	Galvanized All-Flash® 12" x 15" base	038753-118161	6	12
11957	1.5" – 3"	Galvanized All-Flash® 18" x 18" base	038753-119571	12	23
11958	3" – 4"	Galvanized All-Flash® 18" x 18" base	038753-119588	12	26

COPPER BASE FLASHING

12403	1.5" – 3"	Copper All-Flash® 11" x 14.5" base	750405-124039	12	10
12404	3" – 4"	Copper All-Flash® 11" x 14.5" base	750405-124046	12	12

ALUMINUM BASE FLASHING

12945	1.5" – 3"	Aluminum All-Flash® 11" x 15" base	038753-129457	12	7
12956	3" – 4"	Aluminum All-Flash® 12" x 16" base	038753-129563	12	13
12974	1.5" – 3"	Aluminum All-Flash® 18" x 18" base	038753-129747	12	20
12975	3" – 4"	Aluminum All-Flash® 18" x 18" base	038753-129754	12	20

THERMOPLASTIC BASE FLASHING

11919	1.5" – 3"	Thermoplastic All-Flash® 11" x 14.5" base	038753-119199	12	9
11920	3" – 4"	Thermoplastic All-Flash® 11" x 14.5" base	038753-119205	12	9

**Product
No.**

Size

Description

**UPC
Code**

**Carton
Quantity**


**Ctn.
Wt.**

BENT-EDGE GALVANIZED ALL-FLASH® NO-CALK® ROOF FLASHINGS

- Galvanized base has 3/4" bent edge to eliminate horizontal water flow.
- Rated 180°F continuous heat and approved for Type B installations.

- Metal base for pitch from 0-40° or up to 10/12 roof.
- Self-sealing collar slides over pipe and requires no caulking.
- Do not use petroleum based products or paint on flashing collar. Not for hot-mopped or built-up roofs.

11962	1.5" – 3"	Bent-Edge All-Flash® Galvanized	038753-119625 11" x 14.5" base	12	12
11963	3" – 4"	Bent-Edge All-Flash® Galvanized	038753-119632 12" x 15" base	12	21



ELECTRICAL SERVICE MAST (ESM) ROOF FLASHINGS

- Galvanized base.
- Do not use petroleum based products or paint on flashing collar. Not for hot-mopped or built-up roofs.

- Self-sealing collar slides over pipe and requires no caulking.
- Collar unattached from flashing base for Electrical Service Mast applications

11536	1.25"	Galvanized ESM	038753-115368	25	27
11549	1.5"	Galvanized ESM	038753-115498	25	32
11552	2"	Galvanized ESM	038753-115528	25	28
11565	2.5"	Galvanized ESM	038753-115658	25	30

HIGHRISE® THERMOPLASTIC ALL-FLASH® NO-CALK® ROOF FLASHINGS

- Ideal for steep pitch roofs with non-fading, non-cracking, rigid black thermoplastic base.
- Self-sealing collar slides over pipe and requires no caulking.
- Do not use petroleum based products or paint on flashing collar or plastic base. Not for hot-mopped

- Plastic base for pitch from 10-60° or up to 20/12 roof.
- Rated 180°F continuous heat and approved for Type B installations.
- or built-up roofs.

11930	1.5" – 3"	All-Flash® High-Rise® 11" x 19" base	038753-119304	6	12
11931	3" – 4"	All-Flash® High-Rise® 13" x 20" base	038753-119311	6	12



COLOR-FLASH® ALUMINUM/GALVANIZED ALL-FLASH® NO-CALK® ROOF FLASHINGS

- Color base designed to match roof color.
- Self-sealing collar slides over pipe and requires no caulking.
- Do not use petroleum based products or paint on flashing collar or plastic base. Not for hot-mopped or built-up roofs.

- Metal base for pitch from 0-40° or up to 10/12 roof.
- Rated 180°F continuous heat and approved for Type B installations.

12944	1.5" – 3"	Aluminum Brown 11" x 14.5" base	038753-129440	12	7
12943	1.5" – 3"	Aluminum Black 11" x 14.5" base	038753-129433	12	7
12942	1.5" – 3"	Aluminum Gray 11" x 14.5" base	038753-129426	12	7
12955	3" – 4"	Aluminum Brown 12" x 15" base	038753-129556	12	13
12954	3" – 4"	Aluminum Black 12" x 15" base	038753-129549	12	13
12953	3" – 4"	Aluminum Gray 12" x 15" base	038753-129532	12	13
11872	1.5" – 3"	Galvanized Brown 11" x 14.5" base	038753-118727	12	7
11873	1.5" – 3"	Galvanized Black 11" x 14.5" base	038753-118734	12	7
11874	1.5" – 3"	Galvanized Gray 11" x 14.5" base	038753-118741	12	7
11875	3" – 4"	Galvanized Brown 12" x 15" base	038753-118758	12	13
11876	3" – 4"	Galvanized Black 12" x 15" base	038753-118765	12	13
11878	3" – 4"	Galvanized Gray 12" x 15" base	038753-118789	12	13





Product
No.

Size

Description

UPC
Code

Carton
Quantity

Ctn.
Wt.

MASTER FLASH®* ROOF FLASHINGS

- Engineered for profiled roofing systems at any pitch.
- Rated 212°F continuous heat and approved for Type B installations.

- Easily customized to accommodate a broad range of pipe diameters.

14050	.25" – 2"	Master Flash® 4.5" x 4.5" base	038753-140506	6	1
14051	1.25" – 3"	Master Flash® 6" x 6" base	038753-140513	6	2
14052	.25" – 4"	Master Flash® 8" x 8" base	038753-140520	6	4
14053	3" – 6"	Master Flash® 10" x 10" base	038753-140537	6	5
14054	4" – 7"	Master Flash® 11" x 11" base	038753-140544	2	3
14055	5" – 9"	Master Flash® 12" x 12" base	038753-140551	2	4
14056	6" – 11"	Master Flash® 14" x 14" base	038753-140568	2	6
14057	7" – 13"	Master Flash® 17" x 17" base	038753-140575	2	7
14059	10" – 18"	Master Flash® 25" x 25" base	038753-140599	5	23

*MASTER FLASH® is a Registered Trademark of the Aztec Washer Company, Inc.



RETRO MASTER FLASH®* ROOF FLASHINGS

- Split collar design easily installs on pipe with limited over the top access.
- Easily customized to accommodate a broad range of pipe diameters.

- Engineered for profiled roofing systems at any pitch.
- Rated 212°F continuous heat and approved for Type B installations.

14751	.5" – 4"	Retro Master Flash® 8" x 8" base	750405-147519	10	7
14752	4" – 9.25"	Retro Master Flash® 8" x 8" base	750405-147526	5	6
14753	9.25" – 16.25"	Retro Master Flash® 8" x 8" base	750405-147533	5	10
14049	.25" – 4"	Retro Master Flash® 8" x 8" base	750405-140490	1	1

*MASTER FLASH® is a Registered Trademark of the Aztec Washer Company, Inc.



RAIN COLLAR FOR NO-CALK® ROOF FLASHINGS

- Use as a protective water shield (slides over existing flashing).
- Do not use petroleum based products on rubber collars.
- Non-fading collar material.

14122	1.25" – 1.5"	Collar	038753-141220	36	2
14205	1.25" – 1.5"	Collar – Carded	038753-142050	6	.5
14135	2"	Collar	038753-141350	24	2
14206	2"	Collar – Carded	038753-142067	6	.5
14193	3"	Collar	038753-141930	24	3
14207	3"	Collar – Carded	038753-142074	6	.5
14203	4"	Collar	038753-142036	12	4
14208	4"	Collar – Carded	038753-142081	6	1
14136	1.5" – 3"	All Flash Collar	038753-141367	24	3
14137	3" – 4"	All Flash Collar	038753-141374	24	10

NEW!

NEW!

Product No.

Size

Description

UPC Code

Carton Quantity

Ctn. Wt.

SURE-VENT® AIR ADMITTANCE VALVE – 6 DFU CAPACITY

- Complies to ASSE Standard 1050 and 1051.
- For use as a secondary vent.
- One size approved to handle up to 2" vent pipe.
- Opens/closes as needed by building's plumbing system.

39225	1.5"	6 DFU Sure Vent AAV 1-1/2" Tubular adapter (white)	038753-392257	6	2.2
39226	1.5"	6 DFU Sure Vent AAV 1-1/2" Tubular adapter (black)	038753-392264	6	2.2
39239	1.5"	6 DFU AAV Installation Kit 1-1/2" P-trap, 6" extension tube, PVC threaded adapter & deep box flange	038753-392394	6	6.5
39020	1.5"	6 DFU Sure Vent AAV No adapter	038753-390208	50	8
39250	1.5" - 2"	6 DFU Sure Vent AAV PVC Schedule 40, 90° adapter	038753-392509	6	2.2
39251	1.5" - 2"	6 DFU Sure Vent AAV ABS Schedule 40, 90° adapter	038753-392516	6	2.2
39252	1.5" - 2"	6 DFU Sure Vent AAV PVC Schedule 40, 90° adapter	038753-392523	50	18
39253	1.5" - 2"	6 DFU Sure Vent AAV ABS Schedule 40, 90° adapter	038753-392530	50	18
39254	1.5" - 2"	6 DFU Sure Vent AAV PVC Schedule 40 adapter	038753-392547	6	2.2
39256	1.5" - 2"	6 DFU Sure Vent AAV ABS Schedule 40 adapter	038753-392561	6	2.2
39255	1.5" - 2"	6 DFU Sure Vent AAV PVC Schedule 40 adapter	038753-392554	50	18

U.S. Patent No.
6,415,816



U.S. Patent No.
6,415,816

U.S. Patent No.
6,415,816



SURE-VENT® AIR ADMITTANCE VALVE – 20 DFU CAPACITY

- Complies to ASSE Standard 1050 and 1051.
- For use as a secondary vent.
- One size approved to handle up to 3" vent pipe.
- Opens/closes as needed by building's plumbing system.

39016	1.5" - 2"	20 DFU Sure Vent AAV 1-1/2" x 2" Sch. 40 PVC adapter	038753-390161	6	2.5
39018	1.5" - 2"	20 DFU Sure Vent AAV 1-1/2" x 2" Sch. 40 ABS adapter	038753-390185	6	2.5
39017	1.5" - 2"	20 DFU Sure Vent AAV 1-1/2" x 2" Sch. 40 PVC adapter	038753-390178	50	20
39019	1.5" - 2"	20 DFU Sure Vent AAV 1-1/2" x 2" Sch. 40 ABS adapter	038753-390192	50	20
39238	1.5" - 2"	20 DFU Sure Vent AAV with mechanical adapter	038753-392387	12	4

U.S. Patent No.
6,415,816



U.S. Patent No.
6,415,816



NEW!



U.S. Patent No.
6,415,816

U.S. Patent No.
6,415,816
7,422,030



U.S. Patent No.
6,415,816
7,422,030



Product No.

Size

Description

UPC Code

Carton Quantity

Ctn. Wt.

SURE-VENT® AIR ADMITTANCE VALVE – 160 DFU CAPACITY

- Complies to ASSE Standard 1050 and 1051.
- For use as a secondary vent.
- One size approved to handle up to 4" vent pipe.
- Opens/closes as needed by building's plumbing system.

39220	2" – 3"	160 DFU Sure Vent AAV 2" x 3" Sch. 40 PVC adapter	038753-392202	6	6
39221	2" – 3"	160 DFU Sure Vent AAV 2" x 3" Sch. 40 ABS adapter	038753-392219	6	6

SURE-VENT® AIR ADMITTANCE VALVE – 500 DFU CAPACITY

- Complies to ASSE Standard 1050 and 1051.
- For use as a secondary vent.
- One size approved to handle up to 4" vent pipe.
- Opens/closes as needed by building's plumbing system.

39223	3" – 4"	500 DFU Sure Vent AAV 3" x 4" Sch. 40 PVC adapter	038753-392233	6	6
39224	3" – 4"	500 DFU Sure Vent AAV 3" x 4" Sch. 40 ABS adapter	038753-392240	6	6

SURE-VENT™ WALL BOX

- Allows access to Sure Vent air admittance valve.
- Fits Oatey Sure Vents – 6, 20, 160 DFU (Sold Separately.)

39010	Sure Vent Wall Box with Grill Faceplate		038753-390109	12	23
39011	Grill Faceplate For Wall Box		038753-390116	10	10

SURE-VENT™ ACCESS PANEL

- Allows access to Sure Vent air admittance valve.
- Meets code requirements for recessing an air admittance valve in a wall.

34247	Louvered Design Access Panel		038753-342474	6	10	NEW!
--------------	-------------------------------------	--	---------------	---	----	-------------

IN-LINE VENT

- Mechanical vent installs on the drain line and vents the line without allowing sewer gas to enter the home.
- For venting sinks, tubs, showers, etc.
- Available in either chrome or black.


39000	Chrome In-Line Vent		038753-390000	6	.24
39012	ABS In-Line Vent		038753-390123	6	.24

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

QUADTRO® WASHING MACHINE OUTLET BOXES

- 2" drain opening fits PVC or ABS Sch. 40 DWV pipe.
- Easy to remove knockout, Patent Pending Hammer Valves.
- Snap-on Faceplate Frame accommodates up to 1" drywall.
- Box made of high impact polystyrene.
- Top or Bottom Valve Mount.
- 4 support brackets included for mounting.
- Dimensions: Box: 8-3/4"W x 7-1/2"H x 3-5/8"D
Faceplate: 11-3/4" W x 10-1/8"H.

38530	1/4 Turn Brass Ball Valves	038753-385303	12	20	
	Copper Sweat – Standard Pack				
38560	1/4 Turn Brass Ball Valves	038753-385600	12	26	
	Copper Sweat – Contractor Pack				
38529	1/4 Turn Brass Ball Valves	038753-385297	4	7	NEW!
	Copper Sweat – Display Box				
38540	1/4 Turn Brass Hammer Ball Valves	038753-385402	12	50	
	Copper Sweat – Standard Pack				
38535	Single Lever Ball Valve	038753-385358	12	48	
	Copper Sweat – Standard Pack				
38545	Single Lever Hammer Ball Valve	038753-385457	12	72	
	Copper Sweat – Standard Pack				
38552	Brass Boiler Drain Valves	038753-385525	12	36	
	Copper Sweat – Standard Pack				
38553	Brass Boiler Drain Valves w/Screw Driver Stop	038753-385532	12	32	
	Copper Sweat – Standard Pack				
38554	North American Brass Boiler Drain Valves	038753-385549	12	34	
	Copper Sweat – Standard Pack				
38531	1/4 Turn Brass Ball Valves	038753-385310	12	36	
	CPVC – Standard Pack				
38561	1/4 Turn Brass Ball Valves	038753-385617	12	26	
	CPVC – Contractor Pack				
38541	1/4 Turn Brass Hammer Ball Valves	038753-385419	12	50	
	CPVC – Standard Pack				
38536	Single Lever Ball Valve	038753-385365	12	48	
	CPVC – Standard Pack				
38546	Single Lever Hammer Ball Valve	038753-385464	12	72	
	CPVC – Standard Pack				
38532	1/4 Turn Brass Ball Valves	038753-385327	12	28	
	1/2" ASTM F1807 PEX – Standard Pack				
38562	1/4 Turn Brass Ball Valves	038753-385624	12	26	
	1/2" ASTM F1807 PEX – Contractor Pack				
38528	1/4 Turn Brass Ball Valves	038753-385280	4	9	NEW!
	1/2" ASTM F1807 PEX – Display Box				
38542	1/4 Turn Brass Hammer Ball Valves	038753-385426	12	50	
	1/2" ASTM F1807 PEX – Standard Pack				
38537	Single Lever Ball Valve	038753-385372	12	48	
	1/2" ASTM F1807 PEX – Standard Pack				
38547	Single Lever Hammer Ball Valve	038753-385471	12	72	
	1/2" ASTM F1807 PEX – Standard Pack				
38533	1/4 Turn Brass Ball Valves	038753-385334	12	28	
	1/2" ASTM F1960 PEX – Standard Pack				
38563	1/4 Turn Brass Ball Valves	038753-385631	12	26	
	1/2" ASTM F1960 PEX – Contractor Pack				
38543	1/4 Turn Brass Hammer Ball Valves	038753-385433	12	50	
	1/2" ASTM F1960 PEX – Standard Pack				
38538	Single Lever Ball Valve	038753-385389	12	48	
	1/2" ASTM F1960 PEX – Standard Pack				
38548	Single Lever Hammer Ball Valve	038753-385488	12	72	
	1/2" ASTM F1960 PEX – Standard Pack				
38555	1/4 Turn Brass Ball Valves	038753-385556	12	34	
	1/2" ASTM F2080 PEX – Standard Pack				
38566	1/4 Turn Brass Hammer Ball Valves	038753-385662	12	50	
	1/2" ASTM F2080 PEX – Standard Pack				
38551	1/4 Turn Brass Ball Valves	038753-385518	12	29	
	Compression – Standard Pack				
38550	Plain Box No Valves – Standard Pack	038753-385501	12	18	
	with Grommets				
ACCESSORIES					
38941	Plastic Faceplate for QUADTRO CENTER and OFFSET WMOB	038753-389417	12	4	
38768	Plastic Brackets, 4" long, for Plastic Boxes	038753-387680	12	1	
38648	Plastic Brackets, 12" long, for Plastic Boxes	038753-386485	12	1	
38576	Quadro Test Cap	038753-385761	12	1	
38577	Quadro Hub/O-Ring	038753-385778	24	1	
38460	Quadro Test Cap and Gauge	038753-384603	1	2	NEW!



U.S. Patent No.
6,155,286



U.S. Patent No.
7,373,953



U.S. Patent No.
7,614,419





U.S. Patent No.
7,373,953



U.S. Patent No.
7,373,953

Product
No.

Size

Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

CENTER DRAIN WASHING MACHINE OUTLET BOXES

- High impact polystyrene.
- 4 support brackets.
- Easy drain knockout.

- Top mount knockouts.
- Dimensions: Box: 8-3/4" W x 7-1/2" H x 3-5/8" D
Faceplate: 11-3/4" W x 10-1/8" H

38934	1/4 Turn Brass Ball Valves Copper Sweat – Standard Pack	038753-389349	12	30
38565	1/4 Turn Brass Ball Valves Copper Sweat – Display Box	038753-385655	4	7
38825	1/4 Turn Brass Ball Valves Copper Sweat – Display Pack w/Solder Kit	038753-388250	4	30
38970	1/4 Turn Brass Hammer Ball Valves Copper Sweat – Display Box	038753-389707	4	13
38937	1/4 Turn Brass Ball Valves CPVC – Standard Pack	038753-389370	12	32
38748	1/4 Turn Brass Hammer Ball Valves CPVC – Standard Pack	038753-387482	12	39
38945	1/4 Turn Brass Ball Valves 1/2" ASTM F1807 PEX – Standard Pack	038753-389431	12	33
38943	1/4 Turn Brass Ball Valves 1/2" ASTM F1960 PEX – Standard Pack	038753-389431	12	33
38751	Plain Box No Valves – Standard Pack	038753-387512	12	16
38753	Plain Box – No Valve – Display Box	038753-387536	12	16
38799	Plain Box No Valves – Standard Pack with Grommets	038753-387994	12	16
38820	Plain Box No Valves – Display Pack with Grommets	038753-388205	12	16
38928	Plain Box No Valves – Standard Pack 1.5 -2" Drain Port	038753-389288	12	17
38824	Plain Box 1/2" No Valves – Bagged	038753-388243	12	16
ACCESSORIES				
38941	Plastic Faceplate for QUADTRO, CENTER and OFFSET WMOB	038753-389417	12	4
38768	Plastic Brackets, 4" long, for Plastic Boxes	038753-387680	12	1
38648	Plastic Brackets, 12" long, for Plastic Boxes	038753-386485	12	1

OFFSET DRAIN WASHING MACHINE OUTLET BOXES

- High impact polystyrene.
- 4 support brackets.
- Easy drain knockout.

- Top mount knockouts.
- Dimensions: Box: 8-3/4" W x 7-1/2" H x 3-5/8" D
Faceplate: 11-3/4" W x 10-1/8" H

38962	1/4 Turn Brass Ball Valves Copper Sweat – Standard Pack	038753-389622	12	30
38399	1/4 Turn Brass Ball Valves Copper Sweat – Display Box	038753-383993	4	10
38957	1/4 Turn Brass Hammer Ball Valves Copper Sweat – Standard Pack	038753-389578	12	35
38894	Single Lever Ball Valve Copper Sweat – Standard Pack	038753-388946	12	33
38822	Single Lever Brass Ball Valve Copper Sweat – Display Box	038753-388229	4	12
38791	Plain Box – No Valves, Standard Pack	038753-387918	12	17
ACCESSORIES				
38941	Plastic Faceplate for QUADTRO, CENTER and OFFSET WMOB	038753-389417	12	4
38768	Plastic Brackets, 4" long, for Plastic Boxes	038753-387680	12	1
38648	Plastic Brackets, 12" long, for Plastic Boxes	038753-386485	12	.84

Product
No.

Size

Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

THE ELIMINATOR® WASHING MACHINE OUTLET BOX

- Allows single connection to drain washing machine hose, AC condensate, water softener, discharge and/or humidifier lines.
- Engineered clamping system to support discharge lines.
- 4 support brackets.
- Install in up to 24" stud bay.
- Top mount knock outs.
- High impact polystyrene.
- Dimensions: Box: 10-1/2" W x 6-1/4" H x 3-3/4" D
Faceplate: 12-3/4" W X 8-3/4" H

RIGHT OUTLET

38630	1/4 Turn Brass Ball Valves Copper Sweat – Standard Pack	038753-386300	12	33
38631	1/4 Turn Brass Ball Valves Copper Sweat – Standard Pack – Top Mount Valves	038753-386317	12	33
38642	1/4 Turn Brass Hammer Ball Valves Copper Sweat – Standard Pack	038753-386423	12	36
38655	1/4 Turn Brass Hammer Ball Valves Copper Sweat – Contractor Pack – Top Mount Valves	038753-386553	12	36
38634	Single Lever Brass Ball Valve Copper Sweat – Standard Pack	038753-386348	12	35
38637	1/4 Turn Brass Ball Valves CPVC – Standard Pack	038753-386379	12	32
38652	1/4 Turn Brass Hammer Ball Valves CPVC – Standard Pack	038753-386522	12	34
38656	1/4 Turn Brass Hammer Ball Valves CPVC – Standard Pack – Top Mount Valves	038753-386560	12	36
38633	1/4 Turn Brass Ball Valves 1/2" ASTM F1807 PEX – Standard Pack	038753-386331	12	32
38657	1/4 Turn Brass Hammer Ball Valves 1/2" ASTM F1807 PEX – Contractor Pack – Top Mount Valves	038753-386577	12	36
38635	Single Lever Brass Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-386355	12	35
38666	Single Lever Brass Hammer Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-386669	12	35
38644	1/4 Turn Brass Ball Valves 1/2" ASTM F1960 PEX – Contractor Pack	038753-386447	12	33
38669	1/4 Turn Brass Hammer Ball Valves 1/2" ASTM F1960 PEX – Standard Pack	038753-386690	12	36
38658	1/4 Turn Brass Hammer Ball Valves 1/2" ASTM F1960 PEX – Contractor Pack – Top Mount Valves	038753-386584	12	36
38651	Single Lever Brass Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-386515	12	25
38667	Single Lever Brass Hammer Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-386676	12	35
38640	Plain Box – No Valves – Contractor Pack	038753-386409	12	30
ACCESSORIES				
38649	Plastic Faceplate for ELIMINATOR	038753-386492	12	4
38768	Plastic Brackets, 4" long, for Plastic Boxes	038753-387680	12	1
38648	Plastic Brackets, 12" long, for Plastic Boxes	038753-386485	12	1
38646	Plastic Steeple Clamp	038753-386461	6	3



U.S. Patent No.
7,373,953



Oatey®

Category 4 Supply Boxes

4



U.S. Patent No.
7,373,953

**Product
No.**

Description

**U.P.C.
Code**

**Carton
Quantity**

**Ctn.
Wt.**

REVERSIBLE METAL WASHING MACHINE OUTLET BOXES

- Allows left or right hand drain.
- 2 metal support brackets.
- 2" drain opening – rubber coupling, solvent weld or threaded.
- Box made of 20 gauge steel.
- Dimensions: Box: 9" W x 6-1/8" H x 3-1/16" D
Faceplate: 10-7/8" W x 7-3/4" H

38981	1/4 Turn Brass Ball Valves Copper Sweat – Standard Pack 2" PVC Tailpiece	038753-389813	1	5
38983	1/4 Turn Brass Ball Valves Copper Sweat – Standard Pack 2" ABS Tailpiece	038753-389837	1	5
38985	1/4 Turn Brass Ball Valves Copper Sweat – Standard Pack 2" Rubber Tailpiece	038753-389851	1	5
38993	1/4 Turn Brass Ball Valves Copper Sweat – Standard Pack Metal 2" NPT Tailpiece	038753-389936	1	5
38995	1/4 Turn Brass Hammer Ball Valves Copper Sweat – Standard Pack 2" Rubber Tailpiece	038753-389950	1	9
38982	Single Lever Brass Ball Valve Copper Sweat – Standard Pack 2" PVC Tailpiece	038753-389820	1	6
38984	Single Lever Brass Ball Valve Copper Sweat – Standard Pack 2" ABS Tailpiece	038753-389844	1	6
38986	Single Lever Brass Ball Valve Copper Sweat – Standard Pack 2" Rubber Tailpiece	038753-389868	1	9
38979	1/4 Turn Brass Ball Valves CPVC – Standard Pack 2" Rubber Tailpiece	038753-389790	1	10
38996	1/4 Turn Brass Hammer Ball Valves CPVC – Standard Pack 2" Rubber Tailpiece	038753-389967	1	9
38980	Plain box No valves – Standard Pack No Tailpiece	038753-389806	1	4

ACCESSORIES

38975	Metal Faceplate for Metal WMOB	038753-389752	1	1
38976	Metal Brackets for Metal WMOB	038753-389769	1	1
38987	2" PVC Drain Tailpiece for Metal WMOB	038753-389875	1	1
38988	2" ABS Drain Tailpiece for Metal WMOB	038753-389882	1	1
38990	2" Rubber Tailpiece for Metal WMOB	038753-389905	1	1
38989	1.5" Rubber Tailpiece for Metal WMOB	038753-389899	1	1

Product
No.

Size

Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

FIRE-RATED WASHING MACHINE OUTLET BOX

- Warnock Hersey certified, for 1-hour and 2-hour fire-rated walls.
- 2" drain opening fits PVC or ABS Sch. 40 DWV pipe.
- Box made of Bulk Molding Compound (BMC) with UL-classified intumescent pads and UL-classified insulating material.
- Adjustable metal mounting brackets, easy to remove test cap.
- Flexible valve/drain arrangement capabilities.
- Dimensions: Box: 8-1/3" W x 5-1/2" H x 3-3/4" D
Faceplate: 10-1/5" W x 7-2/5" H



38470	1/4 Turn Brass Ball Valve Copper Sweat – Standard Pack	038753-384702	6	31	
38470SP	1/4 Turn Brass Ball Valves Copper Sweat – Single Pack	038753-384702	1	4	NEW!
38478	1/4 Turn Brass Hammer Ball Valves Copper Sweat – Standard Pack	038753-384788	6	34	
38478SP	1/4 Turn Brass Hammer Ball Valves – Copper Sweat – Single Pack	038753-384788	1	5	NEW!
38474	Single Lever Brass Ball Valve Copper Sweat – Standard Pack	038753-384740	6	34	
38474SP	Single Lever Brass Ball Valve Copper Sweat – Single Pack	038753-384740	1	5	NEW!
38482	Single Lever Brass Hammer Ball Valve Copper Sweat – Standard Pack	038753-384825	6	38	
38482SP	Single Lever Brass Hammer Ball Valve – Copper Sweat – Single Pack	038753-384825	1	6	NEW!
38471	1/4 Turn Brass Ball Valve – CPVC – Standard Pack	038753-384719	6	31	
38471SP	1/4 Turn Brass Ball Valve CPVC – Single Pack	038753-384719	1	4	NEW!
38479	1/4 Turn Brass Hammer Ball Valves CPVC – Standard Pack	038753-384795	6	34	
38479SP	1/4 Turn Brass Hammer Ball Valves – CPVC – Single Pack	038753-384795	1	5	NEW!
38475	Single Lever Brass Ball Valve CPVC – Standard Pack	038753-384757	6	34	
38475SP	Single Lever Brass Ball Valve CPVC – Single Pack	038753-384757	1	5	NEW!
38483	Single Lever Brass Hammer Ball Valve CPVC – Standard Pack	038753-384832	6	38	
38483SP	Single Lever Brass Hammer Ball Valve – CPVC – Single Pack	038753-384832	1	6	NEW!
38472	1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-384726	6	31	
38472SP	1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Single Pack	038753-384726	1	4	NEW!
38480	1/4 Turn Brass Hammer Ball Valves 1/2" ASTM F1807 PEX – Standard Pack	038753-384801	6	34	
38480SP	1/4 Turn Brass Hammer Ball Valves – 1/2" ASTM F1807 PEX – Single Pack	038753-384801	1	5	NEW!



U.S. Patent No.
7,373,953

Oatey

Category 4 Supply Boxes

4

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
FIRE-RATED WASHING MACHINE OUTLET BOX (CONT.)					
38476		Single Lever Brass Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-384764	6	34
38476SP		Single Lever Brass Ball Valve 1/2" ASTM F1807 PEX – Single Pack	038753-384764	1	5
					NEW!
38484		Single Lever Brass Hammer Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-384849	6	38
38484SP		Single Lever Brass Hammer Ball Valve – 1/2" ASTM F1807 PEX – Single Pack	038753-384849	1	6
					NEW!
38473		1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-384733	6	31
38473SP		1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX – Single Pack	038753-384733	1	4
					NEW!
38481		1/4 Turn Brass Hammer Ball Valves 1/2" ASTM F1960 PEX – Standard Pack	038753-384818	6	34
38481SP		1/4 Turn Brass Hammer Ball Valves – 1/2" ASTM F1960 PEX – Single Pack	038753-384818	1	5
					NEW!
38477		Single Lever Brass Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-384771	6	34
38477SP		Single Lever Brass Ball Valve 1/2" ASTM F1960 PEX – Single Pack	038753-384771	1	5
					NEW!
38485		Single Lever Brass Hammer Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-384856	6	38
38485SP		Single Lever Brass Hammer Ball Valve – 1/2" ASTM F1960 PEX – Single Pack	038753-384856	1	6
					NEW!
38494		Plain Box without Faceplate, Brackets or Valves	038753-384948	6	18
ACCESSORIES					
38496		Plastic Faceplate for Fire-Rated WMOB	038753-384962	6	1
38498		Adjustable Metal Support Bracket for Fire-Rated Supply Boxes – 2-pieces	038753-384986	12	8
38576		Washing Machine Outlet Box Test Cap	038753-385761	12	1

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

METAL ICE MAKER OUTLET BOXES

- Made of 20 gauge steel.
- Nailplate support brackets.
- Dimensions: Box: 5-1/2" W x 5" H x 2-1/2" D
Faceplate Interior: 5" W x 5" H
Faceplate Exterior: 6-3/4" W x 6-3/4" H



38689		1/4 Turn Brass Ball Valve Copper Sweat – Standard Pack	038753-386898	1	3
39141 ✓		1/4 Turn Brass Ball Valve Low Lead – Copper Sweat – Standard Pack	038753-391410	1	3
38688		1/4 Turn Brass Hammer Ball Valve Copper Sweat – Standard Pack	038753-386881	1	5
39140 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – Copper Sweat – Standard Pack	038753-391403	1	5
38687		Plain Box No Valve –Standard Pack	038753-386874	1	3
ACCESSORIES					
38686		Metal Faceplate for Metal IMOB	038753-386866	1	1

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.

ICE MAKER OUTLET BOXES

- 2 support brackets.
- High impact polystyrene.
- Valves comply with requirements of NSF 61, Section 9.
- Available in several box and valve configurations.
- Provides quick, safe water supply and shutoff for refrigerator ice maker and water dispenser.
- Dimensions: Box: 6" W x 6" H x 3-3/8" D
Faceplate: 8-1/4" W x 8-1/4" H



U.S. Patent No.
7,373,953

38681		1/4 Turn Brass Ball Valve Copper Sweat – Standard Pack	038753-386812	6	6
39156 ✓		1/4 Turn Brass Ball Valve Low Lead – Copper Sweat – Standard Pack	038753-391564	6	6
38574		1/4 Turn Brass Ball Valve Copper Sweat – Standard Pack with 6' Stainless Steel Hose	038753-385747	6	7
39145 ✓		1/4 Turn Brass Ball Valve Low Lead – Copper Sweat – Standard Pack with 6' Stainless Steel Hose	038753-391458	6	7
38683		1/4 Turn Brass Ball Valve Copper Sweat – Contractor Pack	038753-386836	12	15
39157 ✓		1/4 Turn Brass Ball Valve Low Lead – Copper Sweat – Contractor Pack	038753-391561	12	15
38823		1/4 Turn Brass Ball Valve Copper Sweat – Display Box	038753-388236	6	6
38608		1/4 Turn Brass Hammer Ball Valve Copper Sweat – Standard Pack	038753-386089	6	13
39152 ✓		1/4 Turn Brass Hammer Ball Valve – Low Lead – Copper Sweat – Standard Pack	038753-391526	6	13
38570		1/4 Turn Brass Hammer Ball Valves Copper Sweat – Standard Pack with 6' Stainless Steel Hose	038753-385709	6	14
39142 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – Copper Sweat – Standard Pack with 6' Stainless Steel Hose	038753-391427	6	14
38607		1/4 Turn Brass Hammer Ball Valve Copper Sweat – Display Box	038753-386072	6	13
39151 ✓		1/4 Turn Brass Hammer Ball Valve – Low Lead – Copper Sweat – Display Box	038753-391519	6	13

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.



Oatey

Category **4** Supply Boxes

4

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
ICE MAKER OUTLET BOXES (CONT.)					
38807		North American Brass Boiler Drain Valve Copper Sweat – Standard Pack	038753-388076	6	9
39162 ✓		North American Brass Boiler Drain Valve – Low Lead – Copper Sweat – Standard Pack	038753-391625	6	9
					NEW!
38680		1/4 Turn Brass Ball Valve CPVC – Standard Pack	038753-386805	6	6
39155 ✓		1/4 Turn Brass Ball Valve Low Lead – CPVC – Standard Pack	038753-391557	6	6
					NEW!
38623		1/4 Turn Brass Ball Valve CPVC – Standard Pack – w/6' Stainless Steel Hose	038753-386232	6	7
39153 ✓		1/4 Turn Brass Ball Valve Low Lead – CPVC – Standard Pack with 6' Stainless Steel Hose	038753-391533	6	7
					NEW!
38685		1/4 Turn Brass Ball Valve CPVC – Contractor Pack	038753-386850	12	13
39159 ✓		1/4 Turn Brass Ball Valve Low Lead – CPVC – Contractor Pack	038753-391595	12	13
					NEW!
38602		1/4 Turn Brass Hammer Ball Valve CPVC – Standard Pack	038753-386027	6	13
39148 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – CPVC – Standard Pack	038753-391489	6	13
					NEW!
38571		1/4 Turn Brass Hammer Ball Valves CPVC – Standard Pack with 6' Stainless Steel Hose	038753-385716	6	14
					NEW!
39143 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – CPVC – Standard Pack with 6' Stainless Steel Hose	038753-391434	6	14
					NEW!
38951		Boiler Drain Valve CPVC – Standard Pack	038753-389516	6	6
38579		1/4 Turn Brass Hammer Ball Valve 3/8" ASTM F1807 PEX – Standard Pack	038753-385792	6	13
39147 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – 3/8" ASTM F1807 PEX – Standard Pack	038753-391472	6	13
					NEW!
38684		1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-386843	6	6
39158 ✓		1/4 Turn Brass Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Standard Pack	038753-391588	6	6
					NEW!
38575		1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Standard Pack w/6' Stainless Steel Hose	038753-385754	6	7
39146 ✓		1/4 Turn Brass Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Standard Pack with 6' Stainless Steel Hose	038753-391465	6	7
					NEW!
38950		1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Display Bag	038753-389509	6	6
38691		1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Contractor Pack	038753-386911	12	14
39160 ✓		1/4 Turn Brass Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Contractor Pack	038753-391601	12	14
					NEW!

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

ICE MAKER OUTLET BOXES (CONT.)

38572		1/4 Turn Brass Hammer Ball Valves 1/2" ASTM F1807 PEX – Standard Pack with 6' Stainless Steel Hose	038753-385723	6	14	NEW!
39144	✓	1/4 Turn Brass Hammer Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Standard Pack with 6' Stainless Steel Hose	038753-391441	6	14	NEW!
38604		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-386041	6	13	
39149	✓	1/4 Turn Brass Hammer Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Standard Pack	038753-391496	6	13	NEW!
38693		1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-386935	6	6	
39161	✓	1/4 Turn Brass Ball Valve Low Lead – 1/2" ASTM F1960 PEX – Standard Pack	038753-391618	6	6	NEW!
38624		1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX – Standard Pack with 6' Stainless Steel Hose	038753-386249	12	33	NEW!
39154	✓	1/4 Turn Brass Ball Valve Low Lead – 1/2" ASTM F1960 PEX – Standard Pack with 6' Stainless Steel Hose	038753-391540	6	7	NEW!
38605		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-386058	6	13	
39150	✓	1/4 Turn Brass Hammer Ball Valve Low Lead – 1/2" ASTM F1960 PEX – Standard Pack	038753-391502	6	14	NEW!
38810		Plain Box – Standard Pack – No Valve	038753-388052	6	5	
38806		Plain Box – Standard Pack No Valve with Grommet	038753-388069	6	5	
ACCESSORIES						
38942		Plastic Faceplate for Ice Maker Outlet Box	038753-389424	24	6	
38768		Plastic Brackets 4" Long for Ice Maker Outlet Boxes	038753-387680	12	1	
38648		Plastic Brackets 12" Long for Ice Maker Outlet Boxes	038753-386485	12	1	

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.





U.S. Patent No.
7,373,953

**Product
No.**

Size

Description

**U.P.C.
Code**

**Carton
Quantity**

**Ctn.
Wt.**

ROUND ICE MAKER OUTLET BOXES

- With preloaded nails and 2 support brackets for mounting options.
- Provides quick, safe water supply and shut-off for refrigerator ice maker and water dispenser.

- Valves comply with requirements of NSF 61, Section 9.
- Dimensions: Box: 5" diameter, 2-7/8" D
Faceplate: 7-3/8" diameter

39180	1/4 Turn Brass Ball Valve Copper Sweat – Standard Pack	038753-391809	6	6	NEW!
39207 ✓	1/4 Turn Brass Ball Valve Low Lead – Copper Sweat – Standard Pack	038753-392073	6	6	NEW!
39197	1/4 Turn Brass Ball Valve Copper Sweat – Standard Pack with 6' Stainless Steel Hose	038753-391977	6	7	NEW!
39188	1/4 Turn Brass Ball Valve Copper Sweat – Contractor Pack	038753-391885	12	15	NEW!
39205	1/4 Turn Brass Ball Valve Copper Sweat – Contractor Pack with 6' Stainless Steel Hose	038753-392059	12	15	NEW!
39184	1/4 Turn Brass Hammer Ball Valve Copper Sweat – Standard Pack	038753-391847	6	13	NEW!
39211 ✓	1/4 Turn Brass Hammer Ball Valve Low Lead – Copper Sweat – Standard Pack	038753-392110	6	13	NEW!
39201	1/4 Turn Brass Hammer Ball Valve Copper Sweat – Standard Pack with 6' Stainless Steel Hose	038753-392011	6	13	NEW!
39192	1/4 Turn Brass Hammer Ball Valve Copper Sweat – Contractor Pack	038753-391922	12	23	NEW!
39181	1/4 Turn Brass Ball Valve CPVC – Standard Pack	038753-391816	6	6	NEW!
39208 ✓	1/4 Turn Brass Ball Valve Low Lead – CPVC – Standard Pack	038753-392080	6	6	NEW!
39198	1/4 Turn Brass Ball Valve CPVC – Standard Pack with 6' Stainless Steel Hose	038753-391984	6	7	NEW!
39189	1/4 Turn Brass Ball Valve CPVC – Contractor Pack	038753-391892	12	13	NEW!
39185	1/4 Turn Brass Hammer Ball Valve CPVC – Standard Pack	038753-391854	6	13	NEW!
39212 ✓	1/4 Turn Brass Hammer Ball Valve Low Lead – CPVC – Standard Pack	038753-392127	6	13	NEW!
39202	1/4 Turn Brass Hammer Ball Valve CPVC – Standard Pack with 6' Stainless Steel Hose	038753-392028	6	13	NEW!
39193	1/4 Turn Brass Hammer Ball Valve CPVC – Contractor Pack	038753-391939	12	22	NEW!
39182	1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-391823	6	6	NEW!
39209 ✓	1/4 Turn Brass Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Standard Pack	038753-392097	6	6	NEW!
39199	1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Standard Pack with 6' Stainless Steel Hose	038753-391991	6	7	NEW!

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
ROUND ICE MAKER OUTLET BOXES (CONT.)					
39190		1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Contractor Pack	038753-391908	12	15
					NEW!
39186		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-391861	6	13
					NEW!
39213 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Standard Pack	038753-392134	6	13
					NEW!
39203		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1807 PEX – Standard Pack – with 6' Stainless Steel Hose	038753-392035	6	13
					NEW!
39194		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1807 PEX – Contractor Pack	038753-391946	6	23
					NEW!
39183		1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-391830	6	6
					NEW!
39210 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – 1/2" ASTM F1960 PEX – Standard Pack	038753-392103	6	6
					NEW!
39200		1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX – Standard Pack – with 6' Stainless Steel Hose	038753-392004	6	7
					NEW!
39191		1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX – Contractor Pack	038753-391915	12	15
					NEW!
39206		1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX – Contractor Pack – with 6' Stainless Steel Hose	038753-392066	12	15
					NEW!
39187		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-391878	6	13
					NEW!
39214 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – 1/2" ASTM F1960 PEX – Standard Pack	038753-392141	6	13
					NEW!
39204		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1960 PEX – Standard Pack – with 6' Stainless Steel Hose	038753-392042	6	13
					NEW!
39196		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1960 PEX – Contractor Pack	038753-391960	12	23
					NEW!
39216		Plain Box – Standard Pack, No Valve	038753-392165	6	3
					NEW!
ACCESSORIES					
39215		Round Ice Maker Outlet Box Faceplate	038753-392158	6	1
					NEW!
38768		Plastic Brackets 4" Long for Ice Maker Outlet Boxes	038753-387680	12	1
38648		Plastic Brackets 12" Long for Ice Maker Outlet Boxes	038753-386485	12	1

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.





U.S. Patent No.
6,435,206
D 428,117



U.S. Patent No.
6,435,206
D 428,117
7,373,953

**Product
No.**

Size

Description

**U.P.C.
Code**

**Carton
Quantity**

**Ctn.
Wt.**

12K® ICE MAKER BOX WITH NAILS – 1/4" VALVE OUTLET

- Nails preloaded.
- Right or left hand installation.
- Provides quick, safe water supply and shut-off for refrigerator ice maker and water dispenser.
- Valves comply with requirements of NSF 61, Section 9.
- No support bracket needed.
- Dimensions: Box: 3-1/4" W x 4" H x 2-1/2" D
Faceplate: 5" W x 6" H

38611	1/4 Turn Brass Ball Valve Copper Sweat – Standard Pack	038753-386119	6	5	
39134 ✓	1/4 Turn Brass Ball Valve Low Lead – Copper Sweat – Standard Pack	038753-391342	6	5	NEW!
38612	1/4 Turn Brass Ball Valve Copper Sweat – Contractor Pack	038753-386126	12	10	
39135 ✓	1/4 Turn Brass Ball Valve Low Lead – Copper Sweat – Contractor Pack	038753-391359	12	10	NEW!
38587	1/4 Turn Brass Ball Valve Copper Sweat – Display Box	038753-385877	4	5	
39130 ✓	1/4 Turn Brass Ball Valve Low Lead – Copper Sweat – Display Box	038753-391304	4	5	NEW!
38580	1/4 Turn Brass Hammer Ball Valve Copper Sweat – Standard Pack	038753-385808	12	19	
39125 ✓	1/4 Turn Brass Hammer Ball Valve Low Lead – Copper Sweat – Standard Pack	038753-391250	12	19	NEW!
38581	1/4 Turn Brass Hammer Ball Valve Copper Sweat – Display Box	038753-385815	4	10	
38617	North American Brass Boiler Drain Valve Copper Sweat – Standard Pack	038753-386171	6	5	
39139 ✓	North American Brass Boiler Drain Valve – Low Lead – Copper Sweat – Standard Pack	038753-391397	6	5	NEW!
38610	1/4 Turn Brass Ball Valve CPVC – Standard Pack	038753-386102	6	5	
39133 ✓	1/4 Turn Brass Ball Valve Low Lead – CPVC – Standard Pack	038753-391335	6	5	NEW!
38614	1/4 Turn Brass Ball Valve CPVC – Contractor Pack	038753-386140	12	10	
39137 ✓	1/4 Turn Brass Ball Valve Low Lead – CPVC – Contractor Pack	038753-391373	12	10	NEW!
38582	1/4 Turn Brass Hammer Ball Valve CPVC – Standard Pack	038753-385822	12	19	
39126 ✓	1/4 Turn Brass Hammer Ball Valve Low Lead – CPVC – Standard Pack	038753-391267	12	19	NEW!
38597	1/4 Turn Brass Ball Valve 3/8" ASTM F1807 PEX – Standard Pack	038753-385976	6	5	
39131 ✓	1/4 Turn Brass Hammer Ball Valve Low Lead – 3/8" ASTM F1807 PEX – Standard Pack	038753-391311	6	5	NEW!
38585	1/4 Turn Brass Hammer Ball Valve 3/8" ASTM F1807 PEX – Standard Pack	038753-385853	12	19	
39129 ✓	1/4 Turn Brass Hammer Ball Valve Low Lead – 3/8" ASTM F1807 PEX – Standard Pack	038753-391298	12	19	NEW!
38613	1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-386133	6	5	
39136 ✓	1/4 Turn Brass Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Standard Pack	038753-391366	6	5	NEW!
38615	1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Contractor Pack	038753-386157	12	10	
39138 ✓	1/4 Turn Brass Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Contractor Pack	038753-391380	12	10	NEW!
38583	1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-385839	12	19	
39127 ✓	1/4 Turn Brass Hammer Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Standard Pack	038753-391274	12	19	NEW!

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

I2K® ICE MAKER BOX WITH NAILS – 1/4" VALVE OUTLET (CONT.)

38606		1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX – Contractor Pack	038753-386065	12	10
39132 ✓		1/4 Turn Brass Ball Valve Low Lead – 1/2" ASTM F1960 PEX – Contractor Pack	038753-391328	12	10
38584		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-385846	12	19
39128 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – 1/2" ASTM F1960 PEX – Standard Pack	038753-391281	12	19
38596		1/4 Turn Brass Ball Valve 1/2" ASTM F2080 PEX – Standard Pack	038753-385969	6	5
38573		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F2080 PEX – Standard Pack	038753-385730	12	19
38619		Plain Box No Valve – Standard Pack	038753-386195	6	3
ACCESSORIES					
38621		Plastic Faceplate, 0.5" deep, for I2K & S2K	038753-386218	12	1
38622		Plastic Faceplate, 1" deep, for I2K & S2K	038753-386225	12	2

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.

FIRE-RATED ICE MAKER OUTLET BOXES

- Warnock Hersey certified, for 1-hour and 2-hour fire-rated walls.
- Adjustable metal mounting brackets.
- Box made of Bulk Molding Compound (BMC) with UL-classified insulating material.
- Dimensions: Box: 5-9/10" W x 5-4/5" H x 3-3/4" D
Faceplate: 8-1/8" W X 8-1/16" H

38486		1/4 Turn Brass Ball Valve Copper Sweat – Standard Pack	038753-384863	6	25
38486SP		1/4 Turn Brass Ball Valve Copper Sweat – Single Pack	038753-384863	1	4
39117 ✓		1/4 Turn Brass Ball Valve Low Lead – Copper Sweat – Standard Pack	038753-391175	6	25
38490		1/4 Turn Brass Hammer Ball Valve Copper Sweat – Standard Pack	038753-384900	6	28
38490SP		1/4 Turn Brass Hammer Ball Valve Copper Sweat – Single Pack	038753-384900	1	5
39121 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – Copper Sweat – Standard Pack	038753-391212	6	28
38487		1/4 Turn Brass Ball Valve CPVC – Standard Pack	038753-384870	6	25
38487SP		1/4 Turn Brass Ball Valve CPVC – Single Pack	038753-384870	1	4
39118 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – CPVC – Standard Pack	038753-391182	6	25
38491		1/4 Turn Brass Hammer Ball Valve CPVC – Standard Pack	038753-384917	6	28
38491SP		1/4 Turn Brass Hammer Ball Valve CPVC – Single Pack	038753-384917	1	5
39122 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – CPVC – Standard Pack	038753-391229	6	28
38488		1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-384887	6	25
38488SP		1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX – Single Pack	038753-384887	1	4
39119 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Standard Pack	038753-391192	6	25
38492		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1807 PEX – Standard Pack	038753-384924	6	28
38492SP		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1807 PEX – Single Pack	038753-384924	1	5
39123 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – 1/2" ASTM F1807 PEX – Standard Pack	038753-391236	6	28

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.



U.S. Patent No.
7,373,953

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
FIRE-RATED ICE MAKER OUTLET BOXES (CONT.)					
38489		1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-384894	6	25
38489SP		1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX – Single Pack	038753-384931	1	4
39120 ✓		1/4 Turn Brass Ball Valve Low Lead – 1/2" ASTM F1960 PEX – Standard Pack	038753-391205	6	25
					NEW!
38493		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1960 PEX – Standard Pack	038753-384931	6	28
38493SP		1/4 Turn Brass Hammer Ball Valve 1/2" ASTM F1960 PEX – Single Pack	038753-384931	1	5
					NEW!
39124 ✓		1/4 Turn Brass Hammer Ball Valve Low Lead – 1/2" ASTM F1960 PEX – Standard Pack	038753-391243	6	28
					NEW!
38495		Plain Box without Faceplate, Brackets or Valve	038753-384955	6	12
ACCESSORIES					
38497		Ice Maker Outlet Box Faceplate	038753-384979	6	1
38498		Adjustable Metal Support Bracket – 2-pieces	038753-384986	12	8

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.

PEX WATER SUPPLY TUBES

- Meets performance requirements of ASME A122.18.6
ASTM F876 and ASTM F877.
- Fast and easy to install.
- One-piece ready to use.

34015	1/4"	WATER SUPPLY KIT W/ VALVE	038753-340159	6	1
34300	12"	PEX RISER 3/8" comp x 1/2" IPS Threads	038753-343006	12	1
34301	20"	PEX RISER 3/8" comp x 1/2" IPS Threads	038753-343013	12	2
34302	36"	PEX RISER 3/8" comp x 1/2" IPS Threads	038753-343020	12	2
34305	12"	PEX RISER 3/8" comp x 7/8" ballcock	038753-343051	12	1
34306	20"	PEX RISER 3/8" comp x 7/8" ballcock	038753-343068	12	1
34310	12"	PEX Sink Supply	038753-343105	48	3
34311	15"	PEX Sink Supply	038753-343112	48	3
34312	20"	PEX Sink Supply	038753-343129	48	3
34313	30"	PEX Sink Supply	038753-343136	48	3
34314	36"	PEX Sink Supply	038753-343143	48	4
34315	12"	PEX Toilet Riser	038753-343150	48	3
34316	15"	PEX Toilet Riser	038753-343167	48	3
34317	20"	PEX Toilet Riser	038753-343174	48	3

SLEEVE FOR PEX WATER SUPPLY TUBES

34018		Celcon compression sleeve	038753-340180	48	1
-------	--	---------------------------	---------------	----	---



Product No.	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	-------------	-------------	-----------------	----------

VALVES AND RELATED ACCESSORIES

WASHING MACHINE VALVES

38870	1/4 Turn Brass Ball Valve Copper Sweat- Red	038753-388700	1	1
38871	1/4 Turn Brass Ball Valve Copper Sweat- Blue	038753-388717	1	1
38400	1/4 Turn Brass Ball Valve with Hammer Arrestor Copper Sweat- Red	038753-384009	1	2
38401	1/4 Turn Brass Ball Valve with Hammer Arrestor Copper Sweat- Blue	038753-384016	1	2
38826	Single Lever Ball Valve Copper Sweat	038753-388267	1	2
38412	Single Lever Ball Valve with Hammer Arrestor Copper Sweat	038753-384122	1	4
38440	Brass Boiler Drain Valve Copper Sweat	038753-384405	1	1
38965	1/4 Turn Brass Ball Valve CPVC- Red	038753-389653	1	1
38969	1/4 Turn Brass Ball Valve CPVC- Blue	038753-389691	1	1
38402	1/4 Turn Brass Ball Valve with Hammer Arrestor CPVC- Red	038753-384023	1	2
38403	1/4 Turn Brass Ball Valve with Hammer Arrestor CPVC- Blue	038753-384030	1	2
38434	Single Lever Ball Valve CPVC	038753-384344	1	2
38413	Single Lever Ball Valve with Hammer Arrestor CPVC	038753-384139	1	4
38430	1/4 Turn Brass Ball Valve 3/8" ASTM F1807 PEX- Red	038753384306	1	1
38431	1/4 Turn Brass Ball Valve 3/8" ASTM F1807 PEX- Blue	038753384313	1	1
38977	1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX- Red	038753-389776	1	1
38978	1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX- Blue	038753-389783	1	1
38408	1/4 Turn Brass Ball Valve with Hammer Arrestor 1/2" ASTM F1807 PEX- Red	038753-384085	1	2
38409	1/4 Turn Brass Ball Valve with Hammer Arrestor 1/2" ASTM F1807 PEX- Blue	038753-384098	1	2
38435	Single Lever Ball Valve 1/2" ASTM F1807 PEX	038753-384351	1	2
38414	Single Lever Ball Valve with Hammer Arrestor 1/2" ASTM F1807 PEX	038753-384146	1	4
38880	1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX- Blue	038753-388809	1	1
38881	1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX- Red	038753-388816	1	1
38404	1/4 Turn Brass Ball Valve with Hammer Arrestor 1/2" ASTM F1960 PEX- Red	038753-384047	1	2
38405	1/4 Turn Brass Ball Valve with Hammer Arrestor 1/2" ASTM F1960 PEX- Blue	038753-384054	1	2
38436	Single Lever Ball Valve 1/2" ASTM F1960 PEX	038753-384368	1	2
38415	Single Lever Ball Valve with Hammer Arrestor 1/2" ASTM F1960 PEX	038753-385143	1	4
38432	1/4 Turn Brass Ball Valve 1/2" Compression- Red	038753-384320	1	1
38433	1/4 Turn Brass Ball Valve 1/2" Compression- Blue	038753-384337	1	1

ICEMAKER VALVES

38974	1/4 Turn Brass Ball Valve Copper Sweat	038753-389745	1	1
39176 ✓	1/4 Turn Brass Ball Valve - Copper Sweat - Low Lead	038753-391762	1	1
38441	Brass Boiler Drain Valve Copper Sweat	038753-384412	1	1
39171 ✓	Brass Boiler Drain Valve - Copper Sweat - Low Lead	038753-391717	1	1
38417	1/4 Turn Brass Ball Valve with Hammer Arrestor Copper Sweat	038753-384177	1	2
39166 ✓	1/4 Turn Brass Ball Valve with Hammer Arrestor Copper Sweat - Low Lead	038753-391663	1	2
38887	1/4 Turn Brass Ball Valve CPVC	038753-388878	1	1
39175 ✓	1/4 Turn Brass Ball Valve - CPVC - Low Lead	038753-391755	1	1
38418	1/4 Turn Brass Ball Valve with Hammer Arrestor	038753-384184	1	2
39167 ✓	1/4 Turn Brass Ball Valve with Hammer Arrestor - CPVC - Low Lead	038753-391670	1	2
38442	1/4 Turn Brass Ball Valve 3/8" ASTM F1807 PEX	038753-384429	1	1
39172 ✓	1/4 Turn Brass Ball Valve - 3/8" ASTM F1807 PEX - Low Lead	038753-391724	1	1
38421	1/4 Turn Brass Ball Valve with Hammer Arrestor 3/8" ASTM F1807 PEX	038753-384214	1	2
39170 ✓	1/4 Turn Brass Ball Valve with Hammer Arrestor 3/8" ASTM F1807 PEX - Low Lead	038753-391700	1	2
38886	1/4 Turn Brass Ball Valve 1/2" ASTM F1807 PEX	038753-388861	1	1
39174 ✓	1/4 Turn Brass Ball Valve - 1/2" ASTM F1807 PEX - Low Lead	038753-391748	1	1
38419	1/4 Turn Brass Ball Valve with Hammer Arrestor 1/2" ASTM F1807 PEX	038753-384191	1	2
39168 ✓	1/4 Turn Brass Ball Valve with Hammer Arrestor 1/2" ASTM F1807 PEX - Low Lead	038753-391687	1	2
38884	1/4 Turn Brass Ball Valve 1/2" ASTM F1960 PEX	038753-388847	1	1
39173 ✓	1/4 Turn Brass Ball Valve - 1/2" ASTM F1807 PEX - Low Lead	038753-391731	1	1
38420	1/4 Turn Brass Ball Valve with Hammer Arrestor 1/2" ASTM F1960 PEX	038753-384207	1	2
39169 ✓	1/4 Turn Brass Ball Valve with Hammer Arrestor 1/2" ASTM F1960 PEX - Low Lead	038753-391694	1	2

ACCESSORIES

38769	1/2" Grommets	038753-387697	12	1
38779	1/2" FIP x 1/2" Copper Sweat Adapter	038753-387796	1	1
38829	1/2" Plastic Locknut	038753-388298	1	.003

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.



U.S. Patent No.
7,373,953

CONNECTIONS:



1/2" Copper
ASME B16.22



1/2" CPVC
ASTM D2846



3/8" ASTM F1807 PEX
ASTM F1807



1/2" ASTM F1807 PEX
ASTM F1807



1/2" ASTM F1960 PEX
ASTM F1960

Oatey

Category **4** Supply Boxes

4

BUILD YOUR OWN WASHING MACHINE BOX

If the supply box configuration needed for your installation is not available as a stock item, you now have the ability to build your own box. Simply follow the steps below to order the necessary components.

STEP 1- Select plain box style.

Offset, Center Drain, Eliminator and Metal plain boxes include brackets and faceplates.



#38791 Offset Drain



#38751 Center Drain



#38640 Eliminator®



#38980 Reversible Metal

STEP 2- Select supply valve for installation.

Valves do not include locknuts. Order separately.

U.S. Patent No. 7,373,953



**Quarter Turn
Brass Ball
Valve**



**Quarter Turn
Brass
Hammer
Valve**



**Single
Lever
Valve**



**Single Lever
Brass
Hammer
Valve**

 1/2" Copper Sweat <i>ASME B16.22</i>	Red Handle 38870 Blue Handle 38871 Domestic 38440	Red Handle 38400 Blue Handle 38401	38826	38412
 1/2" CPVC <i>ASTM D2846</i>	Red Handle 38965 Blue Handle 38969	Red Handle 38402 Blue Handle 38403	38434	38413
 1/2" PEX <i>ASTM F1807 PEX</i>	Red Handle 38977 Blue Handle 3s8978	Red Handle 38408 Blue Handle 38409	38435	38414
 3/8" PEX <i>ASTM F1807 PEX</i>	Red Handle 38430 Blue Handle 38431	Red Handle 38428 Blue Handle 38429		
 1/2" PEX <i>ASTM F1960 PEX</i>	Red Handle 38881 Blue Handle 38880	Red Handle 38404 Blue Handle 38405	38436	38415
 1/2" Compression <i>SAE J512</i>	Red Handle 38432 Blue Handle 38433			

ACCESSORIES

38829 Locknut
38975 Faceplate for Metal Supply Box
38941 Faceplate for Offset & Center Drain Supply Boxes
38649 Faceplate for Eliminator Supply Box
38648 12" Plastic Brackets
38976 Metal Brackets

38646 Steeple Clamp for Eliminator Supply Box
38987 2" PVC Fitting for Metal Box
38988 2" ABS Fitting for Metal Box
38990 2" Rubber Fitting for Metal Box
38989 1 1/2" Rubber Fitting for Metal Box

BUILD YOUR OWN ICE MAKER BOX

STEP 1- Select plain box style.

Plastic Ice Maker Box and Metal Ice Maker Box include faceplate and brackets.



#38806 Plastic Ice Maker



#38687 Metal Ice Maker

STEP 2- Select supply valve for installation.

Valves do not include locknuts. Order separately.



Quarter Turn
Brass Ball
Valve



U.S. Patent No.
7,373,953

Quarter Turn
Brass Hammer
Valve

	1/2" Copper Sweat <i>ASME B16.22</i>	38974 38441 Domestic 39176 Low Lead 39171 Domestic Low Lead	38417 39166 Low Lead
	1/2" CPVC <i>ASTM D2846</i>	38887 39175 Low Lead	38418 39167 Low Lead
	1/2" <i>ASTM F1807 PEX</i>	38886 39174 Low Lead	38419 39168 Low Lead
	3/8" <i>ASTM F1807 PEX</i>	38442 39172 Low Lead	38421 39170 Low Lead
	1/2" <i>ASTM F1960 PEX</i>	38884 39173 Low Lead	38420 39169 Low Lead

Low Lead Valves contain 0.25% weighted average maximum lead content.

ACCESSORIES

- 38829 Locknut
- 38686 Faceplate for Metal Ice Maker
- 38942 Plastic Faceplate for Ice Maker Boxes
- 38648 12" Plastic Brackets
- 38768 4" Plastic Brackets



Product
No. Size Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

LEAD FREE WIRE SOLDER

SILVER LEAD FREE PLUMBING WIRE SOLDER

- Alloy of copper, bismuth, tin and silver.
- 420°F – 460°F melting range.
- Meets ASTM Standard B-32 and the requirements of the Safe Water Drinking Act.
- Formulated for plumbing/potable water line applications.

BULK

23000	1/2 lb.	Silver Lead Free Wire Solder	.117"	038753-230009	10	5
23001	1 lb.	Silver Lead Free Wire Solder	.117"	038753-230016	25	25
23002	5 lb.	Silver Lead Free Wire Solder	.117"	038753-230023	10	50

SAFE FLO® LEAD FREE PLUMBING WIRE SOLDER

- Alloy of copper, bismuth, tin and silver.
- 420°F – 460°F melting range.
- Meets ASTM Standard B-32 and the requirements of the Safe Water Drinking Act.
- Formulated for plumbing/potable water line applications.

BULK

29030	1 oz.	Safe Flo Silver Wire Solder	.084"	038753-290300	20	2
29024	1/2 lb.	Safe Flo Silver Wire Solder	.117"	038753-290249	10	6
29024D	1/2 lb.	Safe Flo Silver Wire Solder	.117"	038753-290249	24	13
29025	1 lb.	Safe Flo Silver Wire Solder	.117"	038753-290256	10	11
29025D	1 lb.	Safe Flo Silver Wire Solder	.117"	038753-290256	20	22

CARDED

53061	1 oz.	Safe Flo Silver Wire Solder	.084"	038753-530611	12	1
53180	1 oz.	Safe Flo Silver Wire Solder*	.084"	038753-531809	12	1
53062	1/4 lb.	Safe Flo Silver Wire Solder	.117"	038753-530628	12	4
53188	1/4 lb.	Safe Flo Silver Wire Solder*	.117"	038753-531885	12	4
53064	1/2 lb.	Safe Flo Silver Wire Solder	.117"	038753-530642	12	8
53195	1/2 lb.	Safe Flo Silver Wire Solder*	.117"	038753-531953	12	8
50683		Safe Flo Silver Plumbing Kit	.117"	038753-506838	12	6
50684		Safe Flo Silver Plumbing Kit*	.117"	038753-506845	12	6
50691		Safe Flo/H-20 ⁵ Flux Solder Kit	.117"	038753-506913	12	6
50692		Safe Flo/H-20 ⁹⁵ Flux Solder Kit	.117"	038753-506920	12	6
53013		Hobby Solder Kit	.063"	038753-530130	12	1
53186		Hobby Solder Kit*	.063"	038753-531861	12	1

*Packaged without inner display carton.

Product No.	Size	Description	Gauge	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------	-------------	-----------------	----------

95/5 LEAD FREE PLUMBING WIRE SOLDER

- Lead Free Alloy of 95% Tin and 5% Antimony.
- 450°F – 464°F melting range.
- Meets the requirements of the Safe Water Drinking Act.
- Most commonly used where frequent and extreme temperature changes and vibrations occur.

BULK

22004	1/2 lb.	95/5 Wire Solder	.117"	038753-220048	10	5
22018	1 lb.	95/5 Wire Solder	.117"	038753-220185	10	11
22025	200g.	95/5 Wire Solder	.117"	038753-220253	10	5
22017	1 lb.	95/5 Wire Solder	.117"	038753-220178	25	25

CARDED

53026	1 oz.	95/5 Wire Solder	.081"	038753-530260	12	1
53181	1 oz.	95/5 Wire Solder*	.081"	038753-531816	12	1
53027	1/4 lb.	95/5 Wire Solder	.081"	038753-530277	12	4
53189	1/4 lb.	95/5 Wire Solder*	.063"	038753-531892	12	4

*Packaged without inner display carton.



95/5 LEAD FREE ACID CORE WIRE SOLDER

- Lead Free Alloy of 95% Tin and 5% Antimony.
- 450°F – 464°F melting range.
- General purpose solder for sheet metal, radiator, gutter repair work. Acid flux is contained within the core.

BULK

53170	1/2 lb.	95/5 Acid Core Wire Solder	.081"	038753-531700	10	5
53172	1 lb.	95/5 Acid Core Wire Solder	.120"	038753-531724	10	11

CARDED

53174	1.5 oz.	95/5 Acid Core Wire Solder	.081"	038753-531748	12	2
53176	1/4 lb.	95/5 Acid Core Wire Solder	.081"	038753-531762	12	4



95/5 LEAD FREE ROSIN CORE WIRE SOLDER

- Lead Free Alloy of 95% Tin and 5% Antimony.
- 450°F – 464°F melting range.
- Designed for electrical/electronic work. Rosin flux is contained within the core.

BULK

53171	1/2 lb.	95/5 Rosin Core Wire Solder	.063"	038753-531717	10	6
53173	1 lb.	95/5 Rosin Core Wire Solder	.120"	038753-531731	10	5

CARDED

53175	1 oz.	95/5 Rosin Core Wire Solder	.063"	038753-531755	12	2
53177	1/4 lb.	95/5 Rosin Core Wire Solder	.063"	038753-531779	12	4
53190	1/4 lb.	95/5 Rosin Core Wire Solder*	.063"	038753-531908	12	4
29031	1 oz.	95/5 Rosin Core Wire Solder	.063"	038753-290317	20	12

*Packaged without inner display carton.



INSTANT SOLDER

- Lead free.
- Easy to use – solder and flux all in one.
- Can be used on drinking water lines.

53019	1 1/2 oz.	Instant Solder		038753-530192	12	2
53202	1 1/2 oz.	Instant Solder*		038753-530028	12	2

*Packaged without inner display carton.





Product
No.

Description

Gauge

UPC
Code

Carton
Quantity

Ctn.
Wt.

LEADED WIRE SOLDER

WIRE SOLDER

- 50/50 Alloy of 50% Tin and 50% Lead.
- 40/60 Alloy of 40% Tin and 60% Lead.
- 361°F – 421°F melting range for 50/50 Alloy.
- 361°F – 460°F melting range for 40/60 Alloy.

- Commonly used for tin plating, seaming joints, copper DWV systems and sheet metal repair.
- Contains lead. Not for use on drinking water lines.

BULK

50192	1/2 lb.	50/50 Wire Solder	.125"	038753-501925	10	5
20015	1 lb.	50/50 Wire Solder	.125"	038753-200156	10	11
20019	1 lb.	50/50 Wire Solder	.125"	038753-200194	50	50

CARDED

53010	1 oz.	50/50 Wire Solder	.075"	038753-530109	12	2
53182	1 oz.	50/50 Wire Solder*	.075"	038753-531823	12	2
53014	1/4 lb.	50/50 Wire Solder	.125"	038753-530147	12	4
53191	1/4 lb.	50/50 Wire Solder*	.125"	038753-531915	12	4
50490	1/2 lb.	50/50 Wire Solder	.125"	038753-504902	12	8
21018	1 lb.	40/60 Wire Solder	.125"	038753-210186	50	53

*Packaged without inner display carton.

ACID CORE WIRE SOLDER

- 40/60 Alloy of 40% Tin and 60% Lead.
- 50/50 Alloy of 50% Tin and 50% Lead.
- 361°F – 421°F melting range for 50/50 Alloy.
- 361°F – 460°F melting range for 40/60 Alloy.

- General purpose solder for repairing galvanized gutters, filling metal seams and other general repairs.
- Contains lead. Not for use on drinking water lines.

BULK

29032	1 oz.	40/60 Acid Core Wire Solder	.081"	038753-290324	20	2
20116	1 lb.	50/50 Acid Core Wire Solder	.125"	038753-201160	10	10
50193	1/2 lb.	40/60 Acid Core Wire Solder	.081"	038753-501932	10	5
21115	1 lb.	40/60 Acid Core Wire Solder	.125"	038753-211152	10	10

CARDED

53011	1 oz.	40/60 Acid Core Wire Solder	.081"	038753-530116	12	2
53183	1 oz.	40/60 Acid Core Wire Solder*	.081"	038753-531830	12	2
53015	1/4 lb.	40/60 Acid Core Wire Solder	.081"	038753-530154	12	4
53192	1/4 lb.	40/60 Acid Core Wire Solder*	.081"	038753-531922	12	4
50429	1/2 lb.	40/60 Acid Core Wire Solder	.081"	038753-504292	12	8
53196	1/2 lb.	40/60 Acid Core Wire Solder*	.081"	038753-531960	12	8

*Packaged without inner display carton.

Product No.	Description	Gauge	UPC Code	Carton Quantity	Ctn. Wt.
-------------	-------------	-------	----------	-----------------	----------

ROSIN CORE WIRE SOLDER

- 40/60 Alloy of 40% Tin and 60% Lead.
- 60/40 Alloy of 60% Tin and 40% Lead.
- 361°F – 460°F melting range for 40/60 Alloy.
- 361°F – 375°F melting range for 60/40 Alloy.
- Can be used for electrical applications including wiring and other fine electronic work.
- Contains lead. Not for use on drinking water lines.



BULK

29033	1 oz.	40/60 Rosin Core Wire Solder	.063"	038753-290331	20	2
50194	1/2 lb.	60/40 Rosin Core Wire Solder	.063"	038753-501949	10	5
21212	1 lb.	40/60 Rosin Core Wire Solder	.125"	038753-212128	10	10

CARDED

53023	1 oz.	60/40 Rosin Core Wire Solder	.063"	038753-530239	12	1
53012	1 oz.	40/60 Rosin Core Wire Solder	.063"	038753-530123	12	2
53184	1 oz.	40/60 Rosin Core Wire Solder*	.063"	038753-531847	12	2
53016	1/4 lb.	40/60 Rosin Core Wire Solder	.063"	038753-530161	12	4
53193	1/4 lb.	40/60 Rosin Core Wire Solder*	.063"	038753-531939	12	4
50678	1/2 lb.	60/40 Rosin Core Wire Solder	.063"	038753-506784	12	8

*Packaged without inner display carton.



BAR SOLDER

- 50/50 Alloy of 50% Tin and 50% Lead
- 361°F – 421°F melting range.
- Contains lead. Not for use on drinking water lines.
- For use with copper drain piping, tin plating, seaming joints and sheet metal.

21305	1-1/4 lb.	50% Tin / 50% Lead Bar		038753-213057	10	13
20307	1-1/4 lb.	50% Tin / 50% Lead Bar		038753-203072	50	50





Product
No.

Size

Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

FLUX

NO. 5 PASTE FLUX

- Cleans and fluxes at the same time.
- Effective on all metals except aluminum, magnesium and stainless steel.
- 100% lead free.
- Blended to clean surface oxidation.

30011	1.7 oz.	No. 5 Flux	038753-300115	12	2
53017	1.7 oz.	No. 5 Flux w/ Brush – Carded	038753-530178	12	2
53200	1.7 oz.	No. 5 Flux w/ Brush – Carded*	038753-532004	12	2
30013	4 oz.	No. 5 Flux	038753-300139	24	7
30014	8 oz.	No. 5 Flux	038753-300146	24	15
30041	16 oz.	No. 5 Flux	038753-300412	12	14
30041D	16 oz.	No. 5 Flux – Display	038753-300412	12	14

*Packaged without inner display carton.

NO. 95 TINNING FLUX

- Formulated with the same high quality as No. 5. Patented Oatey silver solder powder is added to pre-tin the copper pipe.
- Does not turn copper green.
- 100% lead free.
- Excellent for large diameter copper.

30373	1.7 oz.	No. 95 Tinning Flux – Lead Free – Carded	038753-303734	12	4
30374	1.7 oz.	No. 95 Tinning Flux – Lead Free	038753-303741	12	4
30374D	1.7 oz.	No. 95 Tinning Flux – Lead Free – Display	038753-303741	48	12
53201	1.7 oz.	No. 95 Tinning Flux – Lead Free – Carded*	038753-532011	12	4
30372	8 oz.	No. 95 Tinning Flux – Lead Free	038753-303727	24	14
30372D	8 oz.	No. 95 Tinning Flux – Lead Free – Display	038753-303727	24	14
30375	16 oz.	No. 95 Tinning Flux – Lead Free	038753-303758	12	14

*Packaged without inner display carton.



HOT WEATHER FLUX

- Specially formulated to remain a paste up to 135°F.

30062	16 oz.	No. 5 Paste Flux – Hot Weather	038753-300627	12	15
-------	--------	--------------------------------	---------------	----	----

H-20[®] PASTE FLUX

- Water flushable.
- As thick as No. 5 flux.
- Meets ASTM B-813.

30130	1.7 oz.	H-20 [®] Water Soluble Paste Flux	038753-301303	12	2
53067	1.7 oz.	H-20 [®] Water Soluble Paste Flux – Carded	038753-530673	12	2
30131	4 oz.	H-20 [®] Water Soluble Paste Flux	038753-301310	24	7
30132	8 oz.	H-20 [®] Water Soluble Paste Flux	038753-301327	24	16
30133	16 oz.	H-20 [®] Water Soluble Paste Flux	038753-301334	12	15



U.S. Patent No.
6,752,309

H-20[®]95 WATER SOLUBLE TINNING FLUX

- Only water soluble tinning flux base that meets ASTM B-813.
- As thick as No. 5 flux.
- Solder powder added to pre-tin the pipe.

30140	1.7 oz.	H-20 [®] 95 Water Soluble Tinning Flux	038753-301402	12	2
53068	1.7 oz.	H-20 [®] 95 Water Soluble Tinning Flux – Carded	038753-530680	12	2
30142	8 oz.	H-20 [®] 95 Water Soluble Tinning Flux	038753-301426	24	13
30143	16 oz.	H-20 [®] 95 Water Soluble Tinning Flux	038753-301433	12	15



U.S. Patent No.
6,752,309

NO. 11 LIQUID FLUX

- Formulated with strong cleaning agent.
- Ensures fast and effective soldering operation.
- Can be used for HVAC applications.

30106	4 oz.	No. 11 Liquid Flux	038753-301068	12	5
-------	-------	--------------------	---------------	----	---



Product
No.

Size

Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

CLEANING TOOLS

ACID BRUSHES

- Perfect brush for applying liquid or paste fluxes.
- Approximately 5" long, 1/2" wide.

30710		Acid Brush – Carded	038753-307107	12	3
30711	1/2"	Acid Brush – Bulk (per gross)	038753-307114	1	24
30712		Acid Brush – with Barcode	038753-307121	144	2



FLAME PROTECTOR

- 9" x 12" woven ceramic (non asbestos) heat shield.
- Protects work areas from torches up to 2500°F.

31400	9" x 12"	Bagged Flame Protector	038753-314006	5	4
-------	----------	------------------------	---------------	---	---



PLUMBER'S ABRASIVE SANDCLOTH

- For cleaning copper pipe and fittings and other soft metals.
- Use for deburring and roughing copper tubing, as well as plastic pipe.
- Packaged on rolls in handy dispenser box or carded
- Sandcloth backing is covered 100% with a tough aluminum oxide abrasive that provides fast cleaning and long life.
- to keep abrasive clean when storing.

31315	1.5"x 2 yds.	120 Grit Abrasive Sandcloth	038753-313153	20	1
31317	1.5"x 10 yds.	120 Grit Abrasive Sandcloth	038753-313177	24	14
31318	1.5"x 25 yds.	120 Grit Abrasive Sandcloth	038753-313184	12	17
31411	1.5"x 2 yds.	120 Grit Abrasive Sandcloth – Carded	038753-314112	10	2



180 OPEN MESH CLOTH

- For working with copper, brass or aluminum.
- Made of an open nylon fabric with a phenolic resin adhesive which provides a rugged, waterproof aluminum oxide cloth of superior quality.

31320	1.5"x 5 yds.	180 Open Mesh Cloth	038753-313207	24	6
31321	1.5"x 10 yds.	180 Open Mesh Cloth	038753-313214	24	12



HEAVY DUTY FITTING BRUSH

- Easy to use, contoured, heavy duty handle is perfect for cleaning copper and brass fittings fast and effectively.
- High carbon twisted steel shaft and brush gives long life and durability.

31327	1/2"	ID Fitting Brush w/ Heavy Duty Handle	038753-313276	12	1
31328	3/4"	ID Fitting Brush w/ Heavy Duty Handle	038753-313283	12	4
31329	1"	ID Fitting Brush w/ Heavy Duty Handle	038753-313290	12	4
31330	1-1/4"	ID Fitting Brush w/ Heavy Duty Handle	038753-313306	12	1
31331	1-1/2"	ID Fitting Brush w/ Heavy Duty Handle	038753-313313	6	1
31332	2"	ID Fitting Brush w/ Heavy Duty Handle	038753-313320	6	1
31404	1/2"	ID Fitting Brush w/ Heavy Duty Handle Carded	038753-314044	10	1
31405	3/4"	ID Fitting Brush w/ Heavy Duty Handle Carded	038753-314051	10	1
31406	1"	ID Fitting Brush w/ Heavy Duty Handle Carded	038753-314068	10	1



POWER BRUSHES

- Ideal for cleaning copper fittings.
- Brush shaft is designed for 1/4" and 1/2" power drill chuck.
- Includes 2 high carbon spring steel brushes 1/2" and 3/4".

31408		Power Brushes – Carded	038753-314082	10	1
-------	--	------------------------	---------------	----	---



Oatey

Category 5 Copper Installation

5



Product No. **Size** **Description**

U.P.C. Code

Carton Quantity

Ctn. Wt.

ECONOMY FITTING BRUSH

- Specially designed twisted wire handle fitting brush for cleaning copper and brass fittings.

- High carbon steel brush ensures a long lasting, and sharp cutting surface.

31336	1/2"	ID fitting brush w/ wire handle	038753-313368	12	2
31337	3/4"	ID fitting brush w/ wire handle	038753-313375	12	1
31338	1"	ID fitting brush w/ wire handle	038753-313382	12	4
31339	1-1/4"	ID fitting brush w/ wire handle	038753-313399	12	1
31340	1-1/2"	ID fitting brush w/ wire handle	038753-313405	6	4
31341	2"	ID fitting brush w/ wire handle	038753-313412	6	4



4-IN-1 BRUSH

- Includes long lasting high carbon steel brushes for cleaning the I.D. and hand tempered steel for cleaning the O.D. of 1/2" and 3/4" copper tube and fittings.

31407		4-in-1 brush – Carded	038753-314075	10	3
31348		4-in-1 brush	038753-313481	12	2



O.D. TUBE CLEANING BRUSH

- Cleans the outside of copper and plastic tubing fast.

- The easy-to-grip brush ensures a clean surface and prepares the pipe for soldering or solvent welding.

31345	1/2"	O.D. tube brush	038753-313450	12	6
31412	1/2"	O.D. tube brush – Carded	038753-314129	10	6
31346	3/4"	O.D. tube brush	038753-313467	12	6
31413	3/4"	O.D. tube brush – Carded	038753-314136	10	6
31347	1"	O.D. tube brush	038753-313474	12	4
31414	1"	O.D. tube brush – Carded	038753-314143	10	4



NYLON GRIT PADS

- Contains two 2" x 6" coarse grade nylon pads.

- For cleaning pipe and fittings and general use.

31409		Nylon grit pads – Carded	038753-314099	10	1
-------	--	--------------------------	---------------	----	---



SPECIALTY BRUSHES

- Stainless steel bristled brush for cleaning threads on hard metal pipes.

- Brass bristled brush for use on softer metals.

31410		Specialty brushes – Carded	038753-314105	10	3
-------	--	----------------------------	---------------	----	---

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

PLUMBER'S PUTTY

- Stainless fixture setting compound for setting frames, faucets, strainer baskets, etc.
- Stays flexible and will not crack or shrink.
- Made of easily workable soft, pliable material.
- Not for use on marble, granite, plastic or any other dimensional stone.
- Meets Military Spec. TT-P-1536A.

31166	14 oz.	Putty – Plastic container	038753-311661	24	24
31166D	14 oz.	Putty – Plastic container – Display	038753-311661	30	30
311660	14 oz.	Putty – Plastic container – Mini Pallet	038753-311661	270	270
31170	3 lb.	Putty – Plastic container	038753-311708	6	20
31174	5 lb.	Putty – Plastic container	038753-311746	6	32
31174D	5 lb.	Putty – Plastic container – Display	038753-311746	6	32



PIPE/GASKET LUBE

- Non-toxic, soft, paste like material for lubricating bell joint pipe gaskets.
- Will not deteriorate natural or synthetic rubber.
- Will not support bacteria.
- Dissolves in hot water.

30599	16 oz.	Pipe Lubricant	038753-305998	24	30
30600	32 oz.	Pipe Lubricant	038753-306001	12	25
30601	Gallon	Pipe Lubricant	038753-306018	4	34
30605	5 Gallon	Pipe Lubricant	038753-306056	1	42



PIPE SEAL

- Caulking lead substitute for sealing cast iron soil pipe joints.
- Air dry putty compound packs easily and resists shrinkage.
- Forms a hard leakproof seal.
- For use whenever it is impractical to pour molten lead.

30614	16 oz.	Pipe Seal	038753-306148	12	20
-------	--------	-----------	---------------	----	----



GRAY PIPE JOINT COMPOUND

- Non-hardening gray paste seals and lubricates threaded joints.
- For use on water, steam or air lines.
- Non-separating and non-toxic material.
- Not for use on plastic threads.

31226	1 fl. oz.	Gray Pipe Joint Compound	038753-312262	12	2
31226D	1 fl. oz.	Gray Pipe Joint Compound – Display	038753-312262	54	8
31227	4 fl. oz.	Gray Pipe Joint Compound	038753-312279	12	7
31228	8 fl. oz.	Gray Pipe Joint Compound	038753-312286	12	13
31228D	8 fl. oz.	Gray Pipe Joint Compound – Display	038753-312286	30	26
31235	16 fl. oz.	Gray Pipe Joint Compound	038753-312354	24	46
31236	32 fl. oz.	Gray Pipe Joint Compound	038753-312361	12	43



GREAT WHITE® PIPE JOINT COMPOUND WITH PTFE

- Lubricates and seals all threaded joints.
- White, non-hardening, non-separating, non-toxic paste.
- Withstands up to 3,000 PSI on gases from -50 to +400°F, and 10,000 PSI on liquids from -50 to +500°F.
- For use with water, steam, caustics or dilute acid lines.
- Can be used with plastic and metal threads.

31229	1 fl. oz.	Great White® Pipe Joint Compound w/PTFE	038753-312293	12	1
31229D	1 fl. oz.	Great White® Pipe Joint Compound w/ PTFE – Display	038753-312293	54	3
312291	1 fl. oz.	Great White® Pipe Joint Compound w/ PTFE – Gravity Feed	038753-312293	120	6
31230	4 fl. oz.	Great White® Pipe Joint Compound w/ PTFE	038753-312309	12	7
31230D	4 fl. oz.	Great White® Pipe Joint Compound w/ PTFE	038753-312309	48	7
31231	8 fl. oz.	Great White® Pipe Joint Compound w/ PTFE	038753-312316	12	12
31231D	8 fl. oz.	Great White® Pipe Joint Compound w/ PTFE	038753-312316	30	12
31232	16 fl. oz.	Great White® Pipe Joint Compound w/ PTFE	038753-312323	24	39
31233	32 fl. oz.	Great White® Pipe Joint Compound w/ PTFE	038753-312330	12	40



GREAT BLUE® PIPE JOINT COMPOUND

- Flexible blue, non-hardening, non-separating, non-toxic paste, no odor, easy clean-up.
- Use on PVC, CPVC, ABS, polyethylene, polypropylene, iron, steel, copper or brass threads up to and including 2".
- Withstands up to 3,000 PSI on gases from -50° to +400° F and 10,000 PSI on liquids from -50° to +500° F
- ABS, cycolac, polypropylene, iron, steel or copper.
- Lubricates and seals thread on water, natural gas, steam, air lines, caustics and dilute acids.

31265	1 fl. oz.	Great Blue® Pipe Joint Compound	038753-312651	12	2
31261	4 fl. oz.	Great Blue® Pipe Joint Compound	038753-312613	12	7
31262	8 fl. oz.	Great Blue® Pipe Joint Compound	038753-312620	12	12
31263	16 fl. oz.	Great Blue® Pipe Joint Compound	038753-312637	24	39
312636	16 fl. oz.	Great Blue® Pipe Joint Compound	038753-312637	6	10





Product No. **Size** **Description**

U.P.C. Code

Carton Quantity

Ctn. Wt.

WHITE GENERAL PURPOSE THREAD SEAL TAPE WITH PTFE

- Provides a clean, positive seal on threaded connections.
- A high density product that resists tearing and stretching for easy, efficient application.
- Available carded or packaged bulk on spools.
- Complies with Military Spec. No. A-A-58092 & UL31RO.
- 3 mils thick, 0.7 grams/cubic centimeter density.

31199	1/2" x 260"	PTFE White Thread Seal Tape	038753-311999	144	6
31202	1/2" x 520"	PTFE White Thread Seal Tape	038753-312026	144	7
31212	3/4" x 260"	PTFE White Thread Seal Tape	038753-312125	144	6



YELLOW GAS LINE THREAD SEAL TAPE WITH PTFE

- Manufactured especially for natural gas, propane, butane, water, oil and chemical lines.
- Heavier than white tape with density of 1.35-1.50 grams/cubic centimeters, 4 mils thick.
- Complies with MIL-T-22230A (ASG), UL 31 RO, AGA 3226 and CAN/ULC-S642.
- Packaged on spools in convenient dispenser box.

31403	1/2" x 260"	PTFE Yellow Thread Seal Tape – Dispenser pack	038753-314037	100	7
31403D	1/2" x 260"	PTFE Yellow Thread Seal Tape – Display	038753-314037	20	1



PINK WATER LINE THREAD SEAL TAPE WITH PTFE

- Provides fast positive seal for water lines, sewage lines and sprinkler systems.
- Effective on metal or plastic threads.
- Complies with Mil. Spec. A-A 58092.
- Pink tape is 3 mils thick with density of 1.35-1.50 grams/cubic centimeter.
- Packaged on spools in a display carton.

31402D	1/2" x 260"	PTFE Pink Thread Seal Tape – Display	038753-314020	50	3
--------	-------------	--------------------------------------	---------------	----	---



CLEAR THREAD CUTTING OIL

- Protection helps make sharp clean threads while extending the life of your dies.
- Formulated for hand thread cutting machines.
- Anti-mist and non-staining formula is not affected by weather.

30200	16 oz.	Clear Cutting Oil (hand threading)	038753-302003	12	13
30201	32 oz.	Clear Cutting Oil (hand threading)	038753-302010	12	26
30202	Gallon	Clear Cutting Oil (hand threading)	038753-302027	6	50



DARK THREAD CUTTING OIL

- Formulated for high speed cutting machines.
- A special mixture of sulfonated and chlorinated oils provides high film strength.
- Keeps machines running cooler and extends the life of your dies.
- Anti-mist and non-staining formula is not affected by weather.

30203	16 oz.	Dark Cutting Oil (speed threading)	038753-302034	12	13
30204	32 oz.	Dark Cutting Oil (speed threading)	038753-302041	12	26
30205	Gallon	Dark Cutting Oil (speed threading)	038753-302058	6	50



ALL PURPOSE LEAK DETECTOR

- Detects leaks quickly on all types of tubing, valves, cylinders, pressure tanks or other systems under air, gas or oxygen pressure.
- Functions in a -55°F to +160°F temperature range.
- Slow evaporation rate provides longer inspection time.

30209	8 oz.	All Purpose Leak Detector with dauber	038753-302096	12	9
30211	16 oz.	All Purpose Leak Detector with trigger spray	038753-302119	12	17
30212	Gallon	All Purpose Leak Detector	038753-302126	4	39



PLUMBERS HAND CLEANER

- Safely removes plastic pipe cements from hands.
- Also removes varnish, enamels, grease and adhesives.
- Use with or without water.
- Freshly scented conditioning formula contains aloe, lanolin, jojoba and vitamin E.

30221	16 oz.	Hand Cleaner – squeeze bottle	038753-302218	12	14
-------	--------	-------------------------------	---------------	----	----

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

FIX-IT™ STICK EPOXY PUTTY

- Convenient multi-purpose sealing, patching and mending compound.
- Steel filled material, mixes in the hand and hardens in minutes.
- May be drilled, tapped, filed, sanded, sealed and painted when hardened.
- Non-toxic material contains no solvents and will not shrink.



31270	4 oz.	Fix It Stick Epoxy Putty – Display	038753-312705	12	8
-------	-------	------------------------------------	---------------	----	---

TUB-N-TILE™ CAULK

- White, flexible, latex sealant.
- Fills and seals cracks and joints.
- For caulking around showers, tubs, lavatories and sinks.
- Cleans up with soap and water.
- Can be used to reset loose tiles.
- Can be painted when dry with either oil base or latex paint.



30240	6 oz.	Tub-N-Tile Caulk – Tube	038753-302409	24	8
30241	10 oz.	Tub-N-Tile Caulk – Cartridge	038753-302416	24	30

TUB-N-TILE™ ULTRA CLEAR SEALANT

- Applies white and dries clear.
- Flexible butyl acrylate formula adheres to porous surfaces such as wood and masonry.
- Cleans up with soap and water.
- Flexible material won't crack or peel and adheres tightly.
- Paintable with no offensive odors.



30235	6 oz.	Tub-N-Tile Clear Sealant- Tube	038753-302355	12	6
-------	-------	--------------------------------	---------------	----	---

SILICONE SEALANT

- Clear and white sealants for high performance sealing.
- Bonds to porcelain, ceramic, marble, fiberglass and most metals.
- Remains permanently elastic.
- When fully cured, recognized by USDA for use in meat and poultry plants.
- Meets Fed. Spec. TT-S-00230C Class A & TT-S-001543A Class A, Mil. Spec. 46106A, ASTM C920, FDA Regulation No. 21 CFR 177.2600.
- Withstands temperature from -60°F to 400°F.



30236	10.3 oz.	Silicone Sealant, Clear – Cartridge	038753-302362	12	11
30237	10.3 oz.	Silicone Sealant, White – Cartridge	038753-302379	12	11

HEAVY DUTY WAX BOWL RING

- 100% pure petroleum wax gasket for setting any floor type closet bowl.
- Fits 3" or 4" waste lines and meets Military Spec. TT-P-1536A.
- Provides a permanent seal impervious to vermin, odors, gases and acids.



31190		Heavy Duty Wax Bowl Ring	038753-311906	48	25
-------	--	--------------------------	---------------	----	----

HEAVY DUTY WAX BOWL RING W/ SLEEVE

- 100% pure petroleum wax gasket for setting any floor type closet bowl.
- Fits 3" or 4" waste lines and meets Military Spec. TT-P-1536A.
- Provides a permanent seal impervious to vermin, odors, gases and acids.
- Polyethylene sleeve extends discharge opening for a more positive seal assuring proper bowl alignment.



31194		Wax bowl ring with polyethylene sleeve	038753-311944	24	15
31193		Flanged gasket w/ 1/2" x 2-1/4" brass bolts and nuts	038753-311937	24	17



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
REINFORCED WAX BOWL RING W/ SLEEVE					
• 100% pure petroleum wax gasket for setting any floor type closet bowl. • Provides a permanent seal impervious to vermin, odors, gases and acids. • Fits 3" to 4" waste lines and meets Military Spec. TT-P-1536A. • Polyethylene sleeve extends discharge opening for a more positive seal assuring proper bowl alignment. • Sponge provides resiliency. Expands and contracts with the bowl or building to prevent wax from settling.					
31195		Urethane Reinforced Wax Bowl Ring with Polyethylene Sleeve	038753-311951	24	14



MAXWAX® WAX BOWL RING					
• 40% thicker than regular wax ring with a polyethylene sleeve to assure a tight seal. • 100% pure petroleum wax gasket for setting any floor type closet bowl. • Fits 3" to 4" waste lines and meets Military Spec. TT-P-1536A. • Polyethylene sleeve extends discharge opening for a more positive seal assuring proper bowl alignment. • Provides a permanent seal impervious to vermin, odors, gases and acids.					
31188		MaxWax Bowl Ring with Sleeve	038753-311883	12	7



URINAL WAX RING					
• Urinal wax ring has a urethane sponge to provide resiliency.					
31187		Urinal Wax Ring	038753-311876	24	3



LIQUILOCK™					
• Solidifies water for easy toilet removal. • Prevents water spills. • Gel formed in 4 minutes • Non-toxic, Lo-V.O.C.					
31417		Liquilock - Gel for Toilet Removal	038753-314174	50	4 NEW!

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

PIPE CLAMPS WITH NAIL

- Pre-loaded nail feature provides fast and easy installation.
- Ribbed design insulates against water line noise.
- No corrosion – made of high impact polypropylene.
- Rust resistant nails.
- Can be used on hydronic systems.

HALF CLAMP

33900	1/2"	Half Clamp w/ barbed nail (100 in polybag)	038753-339009	500 PCS.	6
34900	1/2"	Half Clamp w/ barbed nail (100 in polybag)	038753349008	5 BAGS	6
33910	1/2"	Half Clamp w/ barbed nail (12 in polybag)	038753-339108	6 BAGS	1
33901	3/4"	Half Clamp w/ barbed nail (100 in polybag)	038753-339016	500 PCS.	7
33911	3/4"	Half Clamp w/ barbed nail (12 in polybag)	038753339115	6 BAGS	1
34901	3/4"	Half Clamp w/ barbed nail (100 in polybag)	038753349015	5 BAGS	7.5
33902	1"	Half Clamp w/ barbed nail (50 in polybag)	038753-339023	250 PCS.	7
33909	1"	Half Clamp w/ barbed nail (6 in polybag)	038753-339092	6 BAGS	.5

FULL CLAMP

33905	1/2"	Full Clamp w/ barbed nail (100 in polybag)	038753-339054	500 PCS.	6
33912	1/2"	Full Clamp w/ barbed nail (12 in polybag)	038753-339122	6 BAGS	1
33906	3/4"	Full Clamp w/ barbed nail (50 in polybag)	038753-339061	250 PCS.	4
33913	3/4"	Full Clamp w/ barbed nail (12 in polybag)	038753-339139	6 BAGS	1
33907	1"	Full Clamp w/ barbed nail (25 in polybag)	038753-339078	250 PCS.	5



SUSPENSION PIPE CLAMPS

- Eliminates contact between the pipe and framing surface thereby reducing transmission of water line noise.
- No corrosion – made of durable polypropylene.
- Ribbed design allows faster cooling and pipe expansion and contraction.
- Can be used on hydronic systems.

33935	1/2"	Suspension Pipe Clamp (100 in polybag)	038753-339351	500 PCS.	5
33914	1/2"	Suspension Pipe Clamp (6 in polybag)	038753-339146	6 BAGS	.5
33936	3/4"	Suspension Pipe Clamp (100 in polybag)	038753-339368	500 PCS.	7
33915	3/4"	Suspension Pipe Clamp (6 in polybag)	038753-339153	6 BAGS	.5
33937	1"	Suspension Pipe Clamp (50 in polybag)	038753-339375	250 PCS.	4
33876	1"	Suspension Pipe Clamp (6 in polybag)	038753-338767	6 BAGS	.5
33956	1-1/4"	Suspension Pipe Clamp (25 in polybag)	038753-339566	250 PCS.	4
33957	1-1/2"	Suspension Pipe Clamp (25 in polybag)	038753-339573	250 PCS.	4
33958	2"	Suspension Pipe Clamp (25 in polybag)	038753-339580	250 PCS.	5



INSULATING PIPE CLAMPS

- Designed to eliminate notching and wrapping of pipe when running water lines through framing.
- Reduces water line noise and vibration.
- No corrosion – made of low density polyethylene.

33950	1/2"	Insulating Pipe Clamp (50 in polybag)	038753-339504	250 PCS.	4
33953	1/2"	Insulating Pipe Clamp (6 in polybag)	038753-339535	6 BAGS	.5
33951	3/4"	Insulating Pipe Clamp (50 in polybag)	038753-339511	250 PCS.	4
33954	3/4"	Insulating Pipe Clamp (6 in polybag)	038753-339542	6 BAGS	.5
33952	1"	Insulating Pipe Clamp (25 in polybag)	038753-339528	250 PCS.	5
33875	1"	Insulating Pipe Clamp (6 in polybag)	038753-338750	6 BAGS	.5



STANDARD PIPE CLAMPS

- Clamp design allows pipe to be flush mounted to walls and joists.
- Minimizes the transmission of water line noise.
- No corrosion – made of high impact polypropylene.
- Ribbed design allows pipe to cool faster and expand/contract freely.
- Can be used on hydronic systems.

33916	1/2"	Standard Pipe Clamp (6 in polybag)	038753-339160	6 BAGS	.5
33917	3/4"	Standard Pipe Clamp (6 in polybag)	038753-339177	6 BAGS	.5
33940	1/2"	Standard Pipe Clamp (100 in polybag)	038753-339405	500 PCS.	5
33941	3/4"	Standard Pipe Clamp (100 in polybag)	038753-339412	500 PCS.	6
33942	1"	Standard Pipe Clamp (50 in polybag)	038753-339429	250 PCS.	4
33877	1"	Standard Pipe Clamp (6 in polybag)	038753-338774	6 BAGS	.5
33943	1-1/4"	Standard Pipe Clamp (25 in polybag)	038753-339436	250 PCS.	4
33944	1-1/2"	Standard Pipe Clamp (25 in polybag)	038753-339443	250 PCS.	10
33946	2"	Standard Pipe Clamp (25 in polybag)	038753-339467	250 PCS.	13



VERSA-LINK™ MODULAR CTS CLAMP

- Modular design for quick connections.
- Use on PEX, CPVC or copper pipe.
- Available in one-pipe clamp or two-pipe clamp configurations.
- Positions pipe in the center of the stud.
- Pre-loaded with nails or drill point screws.

33680	1/2"	Two-Pipe Clamps with Nails (20 in polybag)	038753-336800	10 BAGS	18
33681	1/2"	Two-Pipe Clamps with Screws (20 in polybag)	038753-336817	10 BAGS	18
33682	1/2"	One-Pipe Clamps (10 in polybag)	038753-336824	10 BAGS	5





U.S. Patent 6,598,835



Product
No.

Size

Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

METAL STUD INSULATING PIPE CLAMPS

- Reduces water line noise and vibration when running water lines through metal studs.
- Uses 1-11/32" hole diameter.
- 1/2" size has 1/4" and 3/8" holes.

- Use on 18 gauge or lighter weight metal studs.
- No corrosion – made of durable polypropylene.
- Can be used on hydronic systems.
- Tabs for easy adjustment.

33856	1/2"	Metal Stud Insulating Pipe Clamp (50 in polybag)	038753-338569	250 PCS.	3
33857	3/4"	Metal Stud Insulating Pipe Clamp (50 in polybag)	038753-338576	250 PCS.	3
33858	1"	Metal Stud Insulating Pipe Clamp (25 in polybag)	038753-338583	250 PCS.	3

HOLDRITE® PIPE SUPPORT BRACKET

- Supports any water supply lines penetrating the wall.
- Holes on 2" centers for 1/2" pipe and 4" centers for 3/4" and 1" copper pipe.

- Nail in place and solder pipe to copper plated bracket for secure installation.



33980		Pipe Support Bracket	038753-339801	25 PCS.	15
-------	--	----------------------	---------------	---------	----

FLAT TUBE NAILERS

- Copper plated or plastic coated tube nailers provide quick nail support.

- Use with copper, PVC, CPVC, galvanized, PEX and other piping systems.



33966	1/2" – 3/4"	Copper Coated Steel Nailer (100 in polybag)	038753-339665	1000 PCS.	22
33965	1/2" – 3/4"	Copper Coated Tube Nailer (12 in polybag)	038753-339658	36 BAGS	9
33968	1/2" – 3/4"	Plastic Coated Tube Nailer (100 in polybag)	038753-339689	1000 PCS.	22
33967	1/2" – 3/4"	Plastic Coated Tube Nailer (12 in polybag)	038753-339672	6 BAGS	1
33959	1"	Plastic Coated Tube Nailer (12 in polybag)	038753-339597	6 BAGS	2

COPPER TUBE STRAPS

- Use with copper, PVC, CPVC, galvanized, polybutylene and other piping systems.

- Allows pipe to be flush mounted to walls, joists and rafters.



33993	1/2"	Copper Tube Strap (50 in polybag)	038753-339931	500 PCS.	50
33995	1/2"	Copper Tube Strap (12 in polybag)	038753-339955	6 BAGS	1
33994	3/4"	Copper Tube Strap (50 in polybag)	038753-339948	500 PCS.	50
33996	3/4"	Copper Tube Strap (12 in polybag)	038753-339962	6 BAGS	1
33908	1"	Copper Tube Strap (12 in polybag)	038753-339085	6 BAGS	2

COPPER AND STEEL PIPE HOOKS

- Use with copper, PVC, CPVC, galvanized, PEX and other piping systems.

- Support pipe from rafters or joists.
- Self-nailing.




33971	1/2" x 6"	Copper Pipe Hook – 50 per Box	038753-339719	500 PCS.	35
33970	1/2" x 6"	Copper Pipe Hook – 12 per Bag	038753-339702	10 BAGS	.5
33973	3/4" x 6"	Copper Pipe Hook – 50 per Box	038753-339733	500 PCS.	35
33972	3/4" x 6"	Copper Pipe Hook – 12 per Bag	038753-339726	10 BAGS	2
33975	1" x 6"	Copper Pipe Hook – 50 per Box	038753-339757	500 PCS.	35
33969	1" x 6"	Copper Pipe Hook – 6 per Bag	038753-339696	12 BAGS	.5
33974	1" x 6"	Copper Pipe Hook – 12 per Bag	038753-339740	10 BAGS	2
33977	1/2" x 6"	Copper Pipe Hook – 6 per Bag	038753-339771	12 BAGS	.5
33955	1/2" x 6"	Steel Pipe Hook – 6 per Bag	038753-339559	12 BAGS	4
33998	1/2" x 6"	Steel Pipe Hook – 50 per Box	038753-339986	500 PCS.	35
33964	1/2" x 6"	Steel Pipe Hook – 12 per Bag	038753-339641	12 BAGS	9
33999	3/4" x 6"	Steel Pipe Hook – 50 per Box	038753-339993	500 PCS.	35
33979	3/4" x 6"	Steel Pipe Hook – 6 per Bag	038753-339795	12 BAGS	5
33997	1" x 6"	Steel Pipe Hook – 50 per Box	038753-339979	500 PCS.	35

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

DWV J-HOOK

- Support drain, waste and vent plastic pipe from joists and rafters.
- Nail holes on all four sides allow for attachment at angles for pipe runs.
- Made of high impact ABS for increased load various capacity.
- Accommodates both Sch. 40 and Sch. 30 DWV plastic pipe.

33740	1-1/2" x 7-1/2"	DWV J-HOOK (25 in polybag)	038753-337401	300 PCS.	30
33760	1-1/2" x 7-1/2"	DWV J-HOOK (4 in polybag)	038753-337609	6 BAGS	1
33741	2" x 7-1/2"	DWV J-HOOK (25 in polybag)	038753-337418	300 PCS.	30
33761	2" x 7-1/2"	DWV J-HOOK (4 in polybag)	038753-337616	6 BAGS	1
33742	3" x 7-1/2"	DWV J-HOOK (25 in polybag)	038753-337425	300 PCS.	31
33762	3" x 7-1/2"	DWV J-HOOK (4 in polybag)	038753-337623	6 BAGS	1
33743	4" x 7-1/2"	DWV J-HOOK (25 in polybag)	038753-337432	300 PCS.	32
33763	4" x 7-1/2"	DWV J-HOOK (4 in polybag)	038753-337630	6 BAGS	1



CTS J-HOOK

- Support copper and CPVC water supply lines from joists and rafters.
- J-HOOK nails flush against a wall or stud.
- Made of high impact ABS for increased load capacity.

33745	1/2" x 4"	CTS Baby J-HOOK (25 in polybag)	038753-337456	300 PCS.	30
33764	1/2" x 4"	CTS Baby J-HOOK (6 in polybag)	038753-337647	6 BAGS	1
33746	3/4" x 4"	CTS Baby J-HOOK (25 in polybag)	038753-337463	300 PCS.	30
33765	3/4" x 4"	CTS Baby J-HOOK (6 in polybag)	038753-337654	6 BAGS	1
33747	1" x 4"	CTS Baby J-HOOK (25 in polybag)	038753-337470	200 PCS.	20
33766	1" x 4"	CTS Baby J-HOOK (6 in polybag)	038753-337661	6 BAGS	1
33750	1/2" x 7-1/2"	CTS Long Baby J-HOOK (25 in polybag)	038753-337500	200 PCS.	20
33751	3/4" x 7-1/2"	CTS Long Baby J-HOOK (25 in polybag)	038753-337517	200 PCS.	20



CABLE, CONDUIT & DUCT TIES

- Enables cables, tubing, etc. to be secured together.
- Special locking device provides a positive, non-slip grip.
- Made of nylon.

33850	7-1/2"	Ties for 1-3/4" diameter (25 in polybag)	038753-338507	12 BAGS	2
33851	11"	Ties for 3" diameter (25 in polybag)	038753-338514	12 BAGS	2
33852	14"	Ties for 4" diameter (25 in polybag)	038753-338521	12 BAGS	3
33853	24"	Ties for 7" diameter (6 in polybag)	038753-338538	12 BAGS	4
33854	34"	Ties for 10" diameter (6 in polybag)	038753-338545	12 BAGS	4
33855	48"	Ties for 15" diameter (6 in polybag)	038753-338552	12 BAGS	5



STUD GUARDS AND FHA PLATES

- Provide protection for pipes and wiring installations.
- Stud guards have special self-nailing feature.
- Made of 16 or 18 gauge steel.

33897	5" x 8"	16 Gauge BOCA Plate Meets BOCA Code P-309.2	038753-338972	25 PCS.	18
33899	5" x 8"	16 Gauge Self-Nailing BOCA Plate Meets BOCA Code P-309.2	038753-338996	25 PCS.	18
33893	1-1/2" x 3"	16 Gauge Self-Nailing Stud Guard – 2-1/2" between points	038753-338934	100 PCS.	6
33894	1-1/2" x 5"	16 Gauge Self-Nailing Stud Guard – 4-1/2" between points	038753-338941	100 PCS.	10
33984	1-1/2" x 5"	16 Gauge Self-Nailing Stud Guard – 4-1/2" between points	038753-339849	100 PCS.	10
33895	1-1/2" x 6"	16 Gauge Self-Nailing Stud Guard – 5-1/2" between points	038753-338958	100 PCS.	13
33930	1-1/2" x 3"	18 Gauge Self-Nailing Stud Guard – 2-1/2" between points	038753-339306	100 PCS.	6
33933	1-1/2" x 3"	18 Gauge Self-Nailing Stud Guard – Barcoded	038753-339337	25 PCS.	6
33931	1-1/2" x 5"	18 Gauge Self-Nailing Stud Guard – 4-1/2" between points	038753-339313	100 PCS.	10
33934	1-1/2" x 5"	18 Gauge Self-Nailing Stud Guard – Barcoded	038753-339344	25 PCS.	3
33919	1-1/2" x 6"	18 Gauge Self-Nailing Stud Guard – 5-1/2" between points	038753-339191	100 PCS.	13
33932	1-1/2" x 9"	18 Gauge FHA Plate -Barcoded	038753-339320	25 PCS.	9





Product No. **Size** **Description**

U.P.C. Code

Carton Quantity

Ctn. Wt.

METAL HANGER STRAP

- Quick and inexpensive way to hang pipe from joists or rafters.
- Available in 24 and 28 gauge steel.

33918	3/4" x 10'	24 Ga. Copper-Plated Steel Hanger Strap – Bagged	038753-339184	12 PCS.	5
33730	3/4" x 10'	24 Ga. Galvanized Steel Hanger Strap – Bagged	038753-337302	12 PCS.	7
33889	3/4" x 100'	28 Ga. Galvanized Steel Hanger Strap – Boxed	038753-338897	10 PCS.	4
33923	3/4" x 10'	28 Ga. Galvanized Steel Hanger Strap – Bagged	038753-339238	12 PCS.	6
33929	3/4" x 25'	28 Ga. Galvanized Steel Hanger Strap – Bagged	038753-339290	12 PCS.	10
33922	3/4" x 50'	28 Ga. Galvanized Steel Hanger Strap – Bulk	038753-339221	10 PCS.	24

PLASTIC HANGER STRAP

- Nail holes are 1/8" in diameter and spaced 3/4" apart.
- Non-corrosive, non-conductive, polyethylene.
- Quick and inexpensive way to hang pipe from joists or rafters.

33928	3/4" x 10'	Plastic Hanger Strap – Bagged	038753-339283	12 PCS.	6
33925	3/4" x 25'	Plastic Hanger Strap – Bagged	038753-339252	20 PCS.	12
33926	3/4" x 50'	Plastic Hanger Strap – Bagged	038753-339269	20 PCS.	39
33927	3/4" x 100'	Plastic Hanger Strap – Bagged	038753-339276	20 PCS.	39
339270	3/4" x 100'	Plastic Hanger Strap – Bagged	038753-339276	10 PCS.	20

TAB TAPE

- Self fastening Hanger Strap.
- No nuts or bolts required.

33989	3/4" x 10'	Galvanized Tab Tape – 28 Ga. – Bagged	038753-339894	12 PCS.	6
33992	1-1/2" x 50'	Galvanized Tab Tape – 26 Ga. – Boxed	038753-339924	5 PCS.	20

HYCO BAR

- Multi-purpose Galvanized Strap.

33982	5/8" x 18"	Hyco-Bar – 14 Ga.	038753-339825	100	30
33983	5/8" x 26"	Hyco-Bar – 14 Ga.	038753-339832	100	30

COPPER PLATED BELL HANGERS

- Designed with 13/16" standoff from mounting surface.
- Mounting screw has pierce point for use on metal studs.
- Recessed mounting screw does not contact the piping.
- Includes two clamp screws and one 2-1/2" mounting screws.

33691	1/2"	Copper Plated Bell Hanger	038753-336916	25	3
33692	3/4"	Copper Plated Bell Hanger	038753-336923	25	3
33693	1"	Copper Plated Bell Hanger	038753-336930	25	3
33694	2"	Copper Plated Bell Hanger	038753-336947	25	3

COPPER PLATED MILFORD HANGERS

- Hang copper tube size piping.
- Top set plate swivels and locks into place.

33694	1/2" x 6"	Copper Plated Milford Hanger	038753-336947	25	3
33695	3/4" x 6"	Copper Plated Milford Hanger	038753-336954	25	3
33696	1" x 6"	Copper Plated Milford Hanger	038753-336961	25	3
33697	1/2" x 12"	Copper Plated Milford Hanger	038753-336978	25	3
33698	3/4" x 12"	Copper Plated Milford Hanger	038753-336985	25	4
33699	1" x 12"	Copper Plated Milford Hanger	038753-336982	25	4

**Product
No.**

Size

Description

**U.P.C.
Code**

**Carton
Quantity**

**Ctn.
Wt.**

ALUMINUM WATER HEATER PAN

- Manufactured from prime aluminum and are expertly worked to exact specifications under strict quality control.
- Recommended for gas or electric water heaters.
- Meets requirements of Southern Building Code.
- Exposed edges have been rolled to protect the installer from injury.

WATER HEATER PANS – 1" CPVC FITTING

34170	18"	Aluminum Pan – Bulk	038753-341705	6	11
34171	20"	Aluminum Pan – Bulk	038753-341712	6	11
34172	22"	Aluminum Pan – Bulk	038753-341729	6	12
34173	24"	Aluminum Pan – Bulk	038753-341736	6	16
34174	26"	Aluminum Pan – Bulk	038753-341743	6	16
34176	28"	Aluminum Pan – Bulk	038753-341767	6	18
34175	30"	Aluminum Pan – Bulk	038753-341750	6	21

WATER HEATER PANS – 1" PVC FITTING

34079	18"	Aluminum Pan – Bulk	038753-340791	6	11
34189	18"	Aluminum Pan – Bagged	038753-341897	6	11
34151	20"	Aluminum Pan – Bulk	038753-341514	6	11
34186	20"	Aluminum Pan – Bagged	038753-341866	6	12
34185	20"	Aluminum Pan – Bagged	038753-341859	6	11
34152	22"	Aluminum Pan – Bulk	038753-341521	6	12
34153	24"	Aluminum Pan – Bulk	038753-341538	6	16
34154	26"	Aluminum Pan – Bulk	038753-341545	6	16
34187	26"	Aluminum Pan – Bagged	038753-341873	6	16
34156	28"	Aluminum Pan – Bulk	038753-341569	6	18
34085	30"	Aluminum Pan – Bulk	038753-340852	6	21

WATER HEATER PANS WITH 1" to 1-1/2" PVC FITTING

34081	20"	Aluminum Pan – Bulk	038753-340814	6	11
34082	22"	Aluminum Pan – Bulk	038753-340821	6	12
34104	22"	Aluminum Pan – Bagged	038753-341040	6	12
34083	24"	Aluminum Pan – Bulk	038753-340838	6	16
34105	24"	Aluminum Pan – Bagged	038753-341057	6	12
34078	24"	Aluminum Pan – Bagged	038753-340784	6	16
34084	26"	Aluminum Pan – Bulk	038753-340845	6	16
34103	28"	Aluminum Pan – Bulk	038753-341033	6	18

WATER HEATER PANS WITHOUT FITTING AND WITHOUT HOLE

34092	22"	Aluminum Pan – Bulk	038753-340920	6	11
34093	24"	Aluminum Pan – Bulk	038753-340937	6	15
34157	24"	Aluminum Pan – Bulk	038753-341576	6	15

ACCESSORIES

34088	1"	PVC Adapter	038753-340883	12	1
34086	1" & 1-1/2"	PVC Adapter	038753-340869	12	1
34089	1"	CPVC Adapter	038753-340890	12	1

PLASTIC WATER HEATER PAN

- Manufactured from semi-flexible, tough and durable .0625" plastic polymer.
- Recommended for electric water heaters.
- Meets requirements of Southern Building Code.

WATER HEATER PANS WITH 1" PVC FITTING

34060	18"	Plastic Pan – Bulk	038753-340609	12	19
34061	20"	Plastic Pan – Bulk	038753-340616	12	21
34062	22"	Plastic Pan – Bulk	038753-340623	12	23
34066	22"	Plastic Pan – Bulk w/o hole	038753-340661	12	24
34063	24"	Plastic Pan – Bulk	038753-340630	12	26
34117	24"	Plastic Pan – Bulk	038753-341170	1	2
34058	24"	Plastic Pan – Bagged	038753-340586	6	13
34064	26"	Plastic Pan – Bulk	038753-340647	12	28
34118	26"	Plastic Pan – Single	038753-341187	1	2
34072	28"	Plastic Pan – Bulk	038753-340722	12	29
34065	30"	Plastic Pan – Bulk	038753-340654	12	30

WATER HEATER PANS WITH 1" CPVC FITTING

34160	18"	Plastic Pan – Bulk	038753-341606	12	19
34161	20"	Plastic Pan – Bulk	038753-341613	12	21
34162	22"	Plastic Pan – Bulk	038753-341620	12	23
34163	24"	Plastic Pan – Bulk	038753-341637	12	26
34164	26"	Plastic Pan – Bulk	038753-341644	12	28
34168	28"	Plastic Pan – Bulk	038753-341682	12	29
34165	30"	Plastic Pan – Bulk	038753-341651	12	30

WATER HEATER PANS WITHOUT FITTING

34119	24"	Plastic Pan – Bulk	038753-341194	6	16
-------	-----	--------------------	---------------	---	----

ACCESSORIES

34088	1"	PVC Adapter	038753-340883	12	1
34086	1" & 1-1/2"	PVC Adapter	038753-340869	12	1
34089	1"	CPVC Adapter	038753-340890	12	1





Product No. **Size** **Description**

U.P.C. Code

Carton Quantity

Ctn. Wt.

WASHING MACHINE PAN

- Provides protection from washing machine overflow.
- Pans have formed hole to punch out for the furnished, 1" PVC plastic fitting.

- Made from high impact plastic.

34067	28" x 30"	Plastic Pan	038753-340678	12	40
34051	28" x 30"	Plastic Pan – Bagged	038753-340517	4	10
34052	28" x 30"	Plastic Pan – without fitting	038753-340524	6	13



GAS WATER HEATER STAND

- Allows the placement of water heater tanks 18" above the ground as required by the National Fuel Gas Code.
- Shims added to the water heater stand

- Constructed of 18 gauge spangled galvanized sheet metal, holds up to 50 gallon water heaters.

34057		Galvanized Water Heater Stand 21" square by 18" high	038753-340579	4	50
-------	--	---	---------------	---	----



ACCESS PANEL

- Provides a service area for plumbing, electrical, security systems, telephone, TV, computer cables and sprinkler system applications.
- Eliminates costly repair.

- Special designed drill guides for cable or wire.
- Paint and wallpaper compatible.
- No lumber framing required. Ideal for new construction.
- Reversible outer frame allows for flush mounting.

34054	4" x 6"	Plastic Access Panel	038753-340548	12	2
34055	6" x 9"	Plastic Access Panel	038753-340555	6	5
34053	6" x 9"	Plastic Access Panel – Display	038753-340531	6	5
34045	8" x 8"	Plastic Access Panel	038753-340456	6	12
34056	14" x 14"	Plastic Access Panel	038753-340562	6	12
34059	14" x 14"	Plastic Access Panel – Display	038753-340593	4	8
34044	14" x 29"	Plastic Access Panel	038753-340449	6	15



TOILET BASE PLATE

- Cover damaged and missing tile when replacing toilet.

- Manufactured from high impact ABS.

31258		Square Nose Toilet Base Plate	038753-312583	12	8
31259		Round Nose Toilet Base Plate	038753-312590	12	8



BATH TUB PROTECTOR

- Offers protection against tub damage during home construction.
- A semi-flexible, heavy, high-impact plastic with deep-fluted sidewalls.

- Includes a non-skid foampad to absorb shock and prevent scratched and dented tub finish.
- Nests for space-saving storage.

34069	14"	Bath Tub Protector	038753-340692	35	105
34068	15"	15" Deep/57" Long Fits 14" Tubs	038753-340685	35	88
34070	16"	Bath Tub Protector	038753-340708	35	120
34076	16"	Bath Tub Protector – Oval	038753-340760	25	75
34125	14" - 16"	Multi-size Adjustable Bath Tub Protector	038753-341255	35	70



NEW!



TUB BOX

- Provides a quick, economical and clean method of installing tub waste and drain.
- Manufactured from semi-flexible, very durable, plastic polymer.

- Built in cut-out for up to 2" Schedule 40 drain.
- Enables installer to form a clean cavity in a concrete slab so a trap can be easily connected to the drain system.
- Bottom I.D.: 11-1/2" x 11-1/2"
- Top I.D.: 13" x 13", Depth 6-1/2"

34080		Standard Tub Box	038753-340807	6 Pair	13
-------	--	------------------	---------------	--------	----



TB-2000® TUB BOX

- Provides a quick, economical and clean method of installing tub waste and drain.

- Pull tab access.
- For 1-1/2" and 2" pipe.
- Bottom I.D.: 11-3/8", Depth 7"
- Top I.D.: 13", Depth 7"

34087		TB 2000 Tub Box	038753-340876	5 Pair	15.4
-------	--	-----------------	---------------	--------	------

U.S. Patent 6,264,056

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

PIPE GUARD

- Will not attack plastic pipe. Polyethylene sleeving is 4mils thick. The material accommodates 1/2" – 1" pipe in red (for hot water pipe) and blue (for cold water pipe).
- Protects copper and plastic in concrete.
- For non code installations.

38707	200'	Pipe Guard – Blue	038753-387079	10	24
38708	200'	Pipe Guard – Red	038753-387086	10	24



PROTECT-A-WRAP™ FOAM WRAP

- Adhesive backed foam tape.
- For ADA compliance on P-traps.

38710	1/8"H x 2"W x 40'L	Protect-A-Wrap	038753-387109	24	10
-------	--------------------	----------------	---------------	----	----



FOAM CLOSET SPACER/WRAP

- Used to keep cement away from pipe penetrations during rough-in.
- Allows easy fitting installation after cement pour.

38711	4" x 4"	Foam Closet Spacer	038753-387116	60	5
38712	4" x 82'	Foam Closet Wrap	038753-387123	9	9



PVC SHOWER PAN LINER

- Economical, time-tested flexible pan liner.
- Available in 30 & 40 mil thicknesses.
- Liner marked in 6" increments for ease of measuring.
- Dam corners available.
- Meets ASTM Standard D4551.
- Superior cold weather characteristics.

41596	4' x 50 ft.	40 mil Gray – Roll	038753-415963	1	60
41625	4' x 50 ft.	40 mil Gray – Linear Foot	038753-416250	50	60
41593	4' x 50 ft.	40 mil Gray – Linear Foot, UPC barcode	038753-415932	50	60
41597	5' x 40 ft.	40 mil Gray – Roll	038753-415970	1	60
41626	5' x 40 ft.	40 mil Gray – Linear Foot	038753-416267	40	60
41594	5' x 40 ft.	40 mil Gray – Linear Foot, UPC barcode	038753-415949	40	60
41601	6' x 50 ft.	40 mil Gray – Roll	038753-416014	1	90
41619	6' x 50 ft.	40 mil Gray – Linear Foot	038753-416199	50	90
41604	5' x 100 ft.	40 mil Gray – Roll	038753-416045	1	150
41627	5' x 100 ft.	40 mil Gray – Linear Foot	038753-416274	100	150
41611	6' x 100 ft.	40 mil Gray – Roll	038753-416113	1	180
41628	6' x 100 ft.	40 mil Gray – Linear Foot	038753-416281	100	180
41620	5' x 6 ft.	40 mil Gray – Liner Kit	038753-416205	4	34
41630	5' x 6 ft.	40 mil Gray – Liner Kit w/o dam corners	038753-416304	4	34
41598	4' x 50 ft.	30 mil Blue – Roll	038753-415987	1	45
41616	4' x 50 ft.	30 mil Blue – Linear Foot	038753-416168	50	45
41599	5' x 40 ft.	30 mil Blue – Roll	038753-415994	1	45
41617	5' x 40 ft.	30 mil Blue – Linear Foot	038753-416175	40	45
41600	6' x 50 ft.	30 mil Blue – Roll	038753-416007	1	68
41618	6' x 50 ft.	30 mil Blue – Linear Foot	038753-416182	50	68
41612	6' x 100 ft.	30 mil Blue – Roll	038753-416120	1	180
41629	6' x 100 ft.	30 mil Blue – Linear Foot	038753-416298	100	180



LO-VOC X-15™ PVC SOLVENT

- X-15 PVC solvent is specially formulated for extended working times.
- Meets California and other environmental district rules.
- X-15 PVC solvent provides exceptional sheet to sheet bonding.

30812	16 oz.	LO-VOC X-15 PVC Solvent w/ dauber	038753-308128	6	6
-------	--------	-----------------------------------	---------------	---	---



CPE SHOWER PAN LINER

- Original flexible pan liner.
- Available in 40 mil thickness.
- Liner marked in 6" increments for ease of measuring.
- Meets ASTM Standard D4068.

41588	4' x 50'	40 mil Black – Roll	038753-415888	1	65
41614	4' x 50'	40 mil Black – Linear Foot	038753-416144	50	65
41590	5' x 40'	40 mil Black – Roll	038753-415901	1	65
41615	5' x 40'	40 mil Black – Linear Foot	038753-416151	40	65
41584	6' x 33'	40 mil Black – Roll	038753-415840	1	65



OATEYWELD™

- CPE solvent is specially formulated for extended working times.
- CPE solvent provides exceptional sheet to sheet bonding.

30810	16 oz.	CPE Solvent w/ dauber	038753-308104	12	14
-------	--------	-----------------------	---------------	----	----



DAM CORNER

- Dam corners have universal design for right or left corners.
- Dam corners for use at junction of curb and door jamb.

41602		Dam Corner – 40 mil PVC	038753-416021	48	2
-------	--	-------------------------	---------------	----	---



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
WALL RACK FOR PVC & CPE PAN LINER					
• Makes measuring and cutting liner easier. • Holds 1 roll up to 6' in length.			• Useful for contractors & wholesalers.		
41587		Wall rack	038753-415871	1	15



CLOG BUSTER®					
• Environmentally safe and easy-to-use way to unclog drains.			• Adapter available to use with garden hose.		
33440	1 - 2"	Clog Buster	038753-334400	6	2
33441	1-1/2" - 3"	Clog Buster	038753-334417	6	2
33442	4 - 6"	Clog Buster	038753-334424	4	2
33444		Faucet Adapter	038753-334448	12	1
33445		Hose & Faucet Adapter Kit	038753-334455	4	1



QUIET PIPES®					
• Eliminates water pipe banging caused by quick closing valves.			• Can be installed in any position.		
38600		Quiet Pipes Washing Machine Supply Line Shock Absorber	038753-386003	6	2
38601		Quiet Pipes MIP Shock Absorber	038753-386010	6	1
39177 ✓		Quiet Pipes MIP Shock Absorber - Low Lead	038753-391779	6	1

NEW!

✓ Low Lead Valves contain 0.25% weighted average maximum lead content.



MECHANICAL TEST PLUG					
• Galvanized mechanical plugs have a wide usage range making them effective on most piping material. • Maximum allowed air is 5 PSIG on plastic and 2 PSIG on galvanized.			• Plastic mechanical plugs are premium plugs designed to hold higher pressures.		
33400	1-1/2"	Plastic Plug	038753-334004	10	1
33401	2"	Plastic Plug	038753-334011	10	2
33402	3"	Plastic Plug	038753-334028	10	4
33403	4"	Plastic Plug	038753-334035	10	5
33420	1-1/2"	Galvanized Economy Plug	038753-334202	10	2
33421	2"	Galvanized Economy Plug	038753-334219	10	3
33422	3"	Galvanized Economy Plug	038753-334226	10	6
33423	4"	Galvanized Economy Plug	038753-334233	10	8



KNOCK-OUT™ TEST CAP					
• Solvent cements to Sch. 40 ABS and PVC DWV pipe. • Deeper design provides stronger leak-free connections.			• "Tab" feature keeps hands free of solvent cement. • Will withstand 10 PSI or 30' head pressure.		
39100	1-1/2"	Knock Out Test Cap w/Barcode	038753-391007	20	1
39101	2"	Knock Out Test Cap w/Barcode	038753-391014	20	2
39102	3"	Knock Out Test Cap w/Barcode	038753-391021	15	6
39103	4"	Knock Out Test Cap w/Barcode	038753-391038	15	6



END-CAP™ TEST CAP					
• Solvent cements to end of Sch. 40 ABS and PVC DWV pipe. • Deep design provides extra sealing strength.			• Heavy duty design allows testing to 15 PSI or 40' head pressure.		
39105	1-1/2"	End Cap w/Barcode	038753-391052	25	1
39106	2"	End Cap w/Barcode	038753-391069	25	1
39107	3"	End Cap w/Barcode	038753-391076	25	1
39108	4"	End Cap w/Barcode	038753-391083	25	2



PUSH-CAP™ TEST CAP					
• Friction-fit test cap for use up to 10' head pressure. • For use on Sch. 40 ABS and PVC DWV pipe and fittings. • Made of polyethylene.			• Slips over DWV pipe or inside fitting. • No solvent cement necessary.		
39110	1-1/2"	Push Cap Test Cap w/Barcode	038753-391106	25	1
39111	2"	Push Cap Test Cap w/Barcode	038753-391113	25	2



MS END-CAP™ TEST CAP					
• Solvent cements to end of Sch. 40 ABS and PVC DWV pipe. • Multi-size design allows for use on 1.5" and 2" or 3" and 4" pipe.			• Deep design provides extra sealing strength. • Heavy duty construction for testing to 15 PSI or 40' head pressure.		
39115	1-1/2-2"	2 in 1 End Cap w/Barcode	038753-391151	25	1
39116	3" - 4"	2 in 1 End Cap w/Barcode	038753-391168	25	2

Product
No.

Size

Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

CLOSET FLANGES

LEVEL-FIT CLOSET FLANGE WITH PLASTIC RING

- 3" or 4" all plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- 3" inside fit flange fits inside 3" Schedule 40 DWV pipe.
- Four mounting slots.
- Four countersunk holes for secure attachment to the floor.

43502	3" or 4"	ABS closet flange w/plastic ring w/o test cap	038753-435022	12	7
43503	3" or 4"	PVC closet flange w/plastic ring w/o test cap	038753-435039	12	7

INSIDE FIT CLOSET FLANGE WITH PLASTIC RING

43506	3"	ABS closet flange w/plastic ring w/ test cap	038753-435060	12	6
43507	3"	PVC closet flange w/plastic ring w/ test cap	038753-435077	12	6
43508	3"	ABS closet flange w/plastic ring w/o test cap	038753-435084	12	5
43509	3"	PVC closet flange w/plastic ring w/o test cap	038753-435091	12	6

LEVEL FIT CLOSET FLANGE WITH STAINLESS STEEL RING

- Corrosion resistant stainless steel ring.
- 3" x 4" flange fits inside of 4" or over 3" Sch. 40 DWV pipe.
- 4" flange fits over 4" Sch. 40 DWV pipe.
- Meets ASTM D2661 and D2665.
- Adjustable ring for alignment of bolts and screws, sits flush on floor.

43494	3" x 4"	ABS closet flange w/SS ring w/o test cap	038753-434940	12	9
43495	3" x 4"	PVC closet flange w/SS ring w/o test cap	038753-434957	12	10

OVER 4" FIT FLANGE

43498	4"	ABS closet flange w/SS ring w/o test cap	038753-434988	12	9
43499	4"	PVC closet flange w/SS ring w/o test cap	038753-434995	12	10

LEVEL-FIT CLOSET FLANGE WITH METAL RING

- The metal ring provides added strength and cracking resistance to the flange and can be rotated to allow precise alignment of bolts and screws.
- 3" or 4" flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- 4" flange solvent welds over 4" Sch. 40 DWV pipe.

43512	3" or 4"	ABS closet flange w/ metal ring w/o test cap	038753-435121	12	8
43513	3" or 4"	PVC closet flange w/metal ring w/o test cap	038753-435138	12	8

OVER 4" FIT FLANGE

43520	4"	ABS closet flange w/ metal ring w/o test cap	038753-435206	12	9
43521	4"	PVC closet flange w/ metal ring w/o test cap	038753-435213	12	10

EASY TAP® CLOSET FLANGE

- Fits over 3" or inside of 4" Schedule 40 DWV pipe
- Available with plastic ring, durable metal ring and corrosion-resistant stainless steel ring
- Test cap holds up to 30 ft. of head pressure
- Test cap will not break or fall into DWV line

43556	3" or 4"	Easy Tap Closet Flange, ABS w/plastic ring	038753-435565	12	8
43552	3" or 4"	Easy Tap Closet Flange, ABS w/SS ring	038753-435527	12	9
43558	3" or 4"	Easy Tap Closet Flange, ABS w/metal ring	038753-435589	12	10
43557	3" or 4"	Easy Tap Closet Flange, PVC w/plastic ring	038753-435572	12	11
43553	3" or 4"	Easy Tap Closet Flange, PVC w/SS ring	038753-435534	12	12
43559	3" or 4"	Easy Tap Closet Flange, PVC w/metal ring	038753-435596	12	13
43610	3" or 4"	Easy Tap Closet Flange, ABS w/plastic ring	038753-436104	24	16
43611	3" or 4"	Easy Tap Closet Flange, ABS w/SS ring	038753-436111	24	20
43612	3" or 4"	Easy Tap Closet Flange, PVC w/plastic ring	038753-436128	24	23
43613	3" or 4"	Easy Tap Closet Flange, PVC w/SS ring	038753-436135	24	24

OVER 4" LEVEL-FIT CLOSET FLANGE

- Fits over 4" Schedule 40 DWV pipe
- Available with and without test cap
- With plastic ring

43621	4"	Over 4" Closet Flange, PVC, w/o test cap	038753-436210	12	8
43549	4"	Over 4" Closet Flange, PVC, w/ test cap	038753-435497	12	8
43548	4"	Over 4" Closet Flange, ABS, w/o test cap	038753-007267	12	9
43550	4"	Over 4" Closet Flange, ABS, w/ test cap	038753-007274	12	9

LEVEL-FIT CLOSET FLANGE WITH PLASTIC 2 SLOT/2 SLIDE RING

- 3" or 4" all plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- Two mounting slots.

43528	3" or 4"	ABS closet flange w/plastic 2 slot/2 slide ring w/ test cap	038753-435282	12	7.2
43529	3" or 4"	PVC closet flange w/plastic 2 slot/2 slide ring w/ test cap	038753-435299	12	8.4
43530	3" or 4"	ABS closet flange w/plastic 2 slot/2 slide ring w/o test cap	038753-435305	12	6.6
43531	3" or 4"	PVC closet flange w/plastic 2 slot/2 slide ring w/o test cap	038753-435312	12	7.8



U.S. Patent No.
7,350,243



Oatey®

Category 9 Residential Drainage

9



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

LEVEL FIT LONG PATTERN CLOSET FLANGE

- Solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- Longer length to allow for pipes cut short.

43522	3" or 4"	ABS long pattern closet flange w/plastic ring w/test cap	038753-435220	6	8
43523	3" or 4"	PVC long pattern closet flange w/plastic ring w/test cap	038753-435237	6	8
43524	3" or 4"	ABS long pattern closet flange w/plastic ring w/o test cap	038753-435244	6	8
43525	3" or 4"	PVC long pattern closet flange w/plastic ring w/o test cap	038753-435251	6	8
43532	3" or 4"	ABS long pattern closet flange w/metal ring w/test cap	038753-435329	6	7
43533	3" or 4"	PVC long pattern closet flange w/metal ring w/test cap	038753-435336	6	7
43534	3" or 4"	ABS long pattern closet flange w/metal ring w/o test cap	038753-435343	6	8
43535	3" or 4"	PVC long pattern closet flange w/metal ring w/o test cap	038753-435350	6	8

LEVEL FIT CLOSET FLANGE WITH PLASTIC RING, LONG MOUNTING SLOTS

- All plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- Four countersunk holes for secure attachment to the floor.
- Radial slots extend 130 degrees to allow exact alignment of the water closet.



43510	3" or 4"	ABS closet flange w/plastic ring, long mounting slots – w/o test cap	038753-435107	12	7
43511	3" or 4"	PVC closet flange w/plastic ring, long mounting slots – w/o test cap	038753-435114	12	7
43526	3" or 4"	ABS closet flange w/plastic ring, long mounting slots – w/ test cap	038753-435268	12	7
43527	3" or 4"	PVC closet flange w/plastic ring, long mounting slots – w/ test cap	038753-435275	12	7

LEVEL FIT OFFSET CLOSET FLANGE WITH METAL RING

- The metal ring provides added strength and cracking resistance to the flange and can be rotated to allow precise alignment of bolts and screws.
- Solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- 2" offset allows a margin of error for drain pipe/flange alignment.



43500	3" or 4"	ABS offset closet flange with metal ring w/o test cap	038753-435008	12	11
43501	3" or 4"	PVC offset closet flange with metal ring w/o test cap	038753-435015	12	11
43804	3" or 4"	PVC offset closet flange with metal ring w/o test cap	038753-438047	16	13

LEVEL FIT 45° CLOSET FLANGE WITH PLASTIC RING

- 45° bend, 360° rotation allows wide range of plumbing connections in tight spaces.
- Design allows flange to set flush.
- Fits over 3" or inside 4" pipe.



43815	3" or 4"	ABS 45° closet flange w/plastic ring w/o test cap	038753-438153	6	6
43816	3" or 4"	PVC 45° closet flange w/plastic ring w/o test cap	038753-438160	6	6

SPIGOT FIT CLOSET FLANGE

- For use in hub-end of fitting.
- Fits on inside of fitting.
- Eight countersunk holes and two closet bolt slots for secure attachment to the floor.



43584	3"	Spigot Fit Closet Flange, ABS, w/ plastic ring	038753-435848	12	6
43585	3"	Spigot Fit Closet Flange, PVC, w/ plastic ring	038753-435855	12	6
43586	4"	Spigot Fit Closet Flange, ABS, w/ plastic ring	038753-435862	12	9
43587	4"	Spigot Fit Closet Flange, PVC, w/ plastic ring	038753-435879	12	9

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

CAST IRON CLOSET FLANGE

- Cast iron closet flange, no caulking.
- Complete with body, brass ring, bolts and gasket.
- To be used on plastic or heavy weight, no hub or service weight soil pipe.

42253	3"	Cast iron flange w/o test cap	038753-422534	6	25
42255	4"	Cast iron flange w/o test cap	038753-422558	6	25
42256	4"	Cast iron flange w/test cap	038753-422565	6	25



CAST IRON DEEPCSET CLOSET FLANGE

- Cast iron closet flange, no caulking.
- 4" Deep set.
- Complete with body, brass ring, bolts and gasket.
- To be used on plastic or heavy weight, no hub or service weight soil pipe.

42257	4" x 4"	Cast iron closet flange w/o test cap	038753-422572	8	43
-------	---------	--------------------------------------	---------------	---	----



TWIST-N-SET® REPLACEMENT CLOSET FLANGE

- Replaces broken cast iron closet flanges.
- Installs easily without tools.
- Smooth unrestricted flow design.
- Gasket expands to fit inside service weight, heavy weight and no hub pipe.

43654	3"	PVC Twist-N-Set closet flange	038753-436548	2	1
43655	3"	ABS Twist-N-Set closet flange	038753-436555	2	1
43651	4"	PVC Twist-N-Set closet flange	038753-436517	2	1
43650	4"	ABS Twist-N-Set closet flange	038753-436500	2	1
43653	4"	Cast Iron Twist-N-Set closet flange	038753-436531	2	10



REPLACEMENT CLOSET FLANGE

- Slides inside of 4" cast iron or Sch. 40 DWV plastic pipe.
- 3" stainless steel bolts are tightened from the finished floor.
- No caulking required.
- Compression joint allows up to 3" of adjustment to the riser.

43538	4"	ABS closet flange replacement	038753-435381	2	3
43539	4"	PVC closet flange replacement	038753-435398	2	4



CLOSET FLANGE SPACER

- Builds up an existing closet flange when new flooring is installed.
- Can be stacked to desired height.

43519	1/4"	Closet flange spacer	038753-435190	12	3
43646	1/2"	Closet flange spacer	038753-436463	12	4



HORIZONTAL ADJUSTABLE URINAL FLANGE KIT

- Horizontal mounting slots accommodate urinals with 3 1/2" to 7" mount centers.
- Kit includes all bolts, nuts, washers and gaskets.
- The flange fits over 2" Sch. 40 DWV pipe (Prod No. 43540 and 43541).

43540	2"	ABS horizontal adjustable urinal flange kit	038753-435404	10	3
43541	2"	PVC horizontal adjustable urinal flange kit	038753-435411	10	3
43542	2"	ABS horizontal spigot urinal flange kit	038753-435428	10	3
43543	2"	PVC horizontal spigot urinal flange kit	038753-435435	10	3





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
WAX FREE GASKET					
• For repairs and new installations • 3" diameter hole • No wax needed					
42759		Wax Free Gasket	038753-427591	12	6



STAINLESS STEEL CLOSET FLANGE REPLACEMENT RING					
• For use on 3" or 4" closet flanges • Six countersunk holes and two closet bolt slots for secure attachment to the floor					
42778	3" or 4"	Stainless Steel Closet Flange Replacement Ring	038753-427782	12	12



BRASS CLOSET FLANGE REPLACEMENT RING					
• For use 4" closet flanges • Three countersunk holes and three closet bolt slots for secure attachment to the floor					
43551	3" or 4"	Brass Closet Flange Replacement Ring	038753-007281	12	12



MOSS BAY REPLACEMENT FLANGE					
• For rusted or corroded metal closet flange rings • For use on PVC or ABS closet flanges • Includes closet bolts					
42777		Moss Bay Replacement Flange	038753-427775	12	12



CLOSET FLANGE SPACER KIT					
• For use when overlaying, replacing or tiling bathroom floors • Kit includes gaskets, 1/2" spacer, closet bolts and shims					
43645		Closet Flange Spacer Kit	038753-436456	12	12



GALVANIZED WOOD SUPPORT KIT					
• For repairing wobbly toilets or loose closet flanges without replacing the floor • Includes two heavy gauge pre-slotted flange plates, six floor attaching screws and 4 large flathead flange assembly screws • Use for holes cut too large, rotting floors or screws that pulled loose • Easy-to-use floor and flange support					
43555		Galvanized Wood Support Kit	038753-435558	12	16

SHOWER DRAINS FOR PREFORMED BASES**NO-CALK™ SHOWER BASE DRAIN**

- Mechanically attach over 2" Sch. 40 DWV pipe. No caulking required.
- Universal 4-1/4" Snap-Tite™ Strainer.
- Designed for use with preformed shower bases.
- Ideal for slab construction.

140 SERIES BRASS NO-CALK™ SHOWER DRAIN

42150	2"	140 NC Brass NO-CALK™ shower drain w/ stainless steel strainer	038753-421506	12	20 
-------	----	--	---------------	----	--

101 PNC SERIES PLASTIC NO-CALK™ SHOWER DRAIN

42084	2"	101 PNC ABS NO-CALK™ shower drain w/ stainless steel strainer	038753-420844	12	7 
42099	2"	101 PNC PVC NO-CALK™ shower drain w/ stainless steel strainer	038753-420998	12	8 
42077	2"	101 PNC ABS NO-CALK™ shower drain w/ plastic strainer	038753-420776	12	6 
42075	2"	101 PNC PVC NO-CALK™ shower drain w/ plastic strainer	038753-420752	12	8 
42080	2"	101 PNC PVC NO-CALK™ shower drain w/ ULTRA SHINE® polished brass strainer	038753-420806	12	8 

NO-CALK™ SHOWER DRAIN ACCESSORIES

42163		Rubber caulking gasket to fit 1-1/2" Sch. 40 DWV drain pipe in the NO-CALK™ shower drains	038753-421636	12	1
42156		Rubber caulking gasket to fit 2" Sch. 40 DWV drain pipe in the NO-CALK™ shower drains	038753-421568	12	1
42157		Rubber caulking gasket to fit 2" No-hub cast iron pipe in the NO-CALK™ shower drains	038753-421575	12	1
42158		Rubber caulking gasket to fit 2" copper DWV drain pipe in the NO-CALK™ shower drains	038753-421582	12	1
42159		Rubber caulking gasket to fit 1-1/2" copper DWV drain pipe in the NO-CALK™ shower drains	038753-421599	12	1
42239		NO-CALK™ shower drain wrench – carded	038753-422398	4	1

**SOLVENT WELD SHOWER DRAINS****101 PS SERIES SOLVENT WELD SHOWER DRAIN**

- Solvent weld over 2" Sch. 40 DWV pipe.
- Universal 4-1/4" Snap-Tite™ Strainer.
- Drain body is sealed to shower base with rubber gasket and fiber slip washer.

42093	2"	101 PS ABS Solvent Weld Shower Drain w/ stainless steel strainer	038753-420936	12	6 
42097	2"	101 PS PVC Solvent Weld Shower Drain w/ stainless steel strainer	038753-420974	12	6 
42086	2"	101 PS ABS Solvent Weld Shower Drain w/ plastic strainer	038753-420868	12	5 
42089	2"	101 PS PVC Solvent Weld Shower Drain w/ plastic strainer	038753-420899	12	8 
42078	2"	101 PS PVC Solvent Weld Shower Drain w/ ULTRA SHINE® polished brass strainer	038753-420783	12	6 





**Product
No.**

Size

Description

**U.P.C.
Code**

**Carton
Quantity**

**Ctn.
Wt.**

102 SERIES SOLVENT WELD SHOWER DRAIN WITH RECEPTOR BASE

- Solvent weld over 2" Sch. 40 DWV pipe.
- Universal 4-1/4" Snap-Tite™ Strainer.
- Drain body is sealed to shower base with rubber gasket and fiber slip washer.

42044	2"	2-part ABS Solvent Weld Shower Drain w/ stainless steel strainer	038753-420448	12	7	
42045	2"	2-part PVC Solvent Weld Shower Drain w/ stainless steel strainer	038753-420455	12	9	
42047	2"	2-part PVC Solvent Weld Shower Drain w/ ULTRA SHINE® polished brass strainer	038753-420479	12	9	
42048	2"	2-part ABS Solvent Weld Shower Drain w/ plastic strainer	038753-420486	12	7	
42049	2"	2-part PVC Solvent Weld Shower Drain w/ plastic strainer	038753-420493	12	9	

103 SERIES OFFSET SOLVENT WELD SHOWER DRAIN WITH RECEPTOR BASE

- Solvent weld over 2" Sch. 40 DWV pipe.
- Universal 4-1/4" Snap-Tite™ Strainer.
- Drain body provides 1-1/2" offset to work around joists and imperfect slab penetrations.
- Drain body is sealed to shower base with rubber gasket and fiber slip washer.

42787	2"	Offset PVC Shower Drain w/ Stainless Steel Strainer	038753-427874	12	8	
42788	2"	Offset ABS Shower Drain w/ Stainless Steel Strainer	038753-427881	12	8	

CAULKING AND THREADING SHOWER DRAINS

101 SERIES BRASS NPT AND CAULKING DRAIN

- Drain body is sealed to shower base with rubber gasket and fiber slip washer.
- Three DWV connection methods for metallic pipe.
- Universal 4-1/4" Snap-Tite™ Strainer.

42070	1-1/2"	101 NPT IPS Brass Drain w/ stainless steel strainer	038753-420707	6	9	
-------	--------	---	---------------	---	---	--

SHOWER DRAINS FOR BUILT-UP SHOWERS

130 SERIES SHOWER DRAIN FOR TILE SHOWER BASES

- Designed for use on built-up shower bases of tile or marble, where a shower pan liner is used
- Low profile design for use in tight spaces
- Solvent welds over 2" or inside 3" Schedule 40 DWV pipe
- Reversible clamping collar is secured with stainless steel bolts into brass inserts to prevent stripping
- Square Snap-In Strainers available in Stainless Steel and Brushed Nickel finishes

42210	2" or 3"	ABS drain w/ round stainless steel Screw-Tite™ strainer	038753-422107	12	14	
42213	2" or 3"	PVC drain w/ round stainless steel Screw-Tite™ strainer	038753-422138	12	17	
42399	2" or 3"	ABS drain w/ round ULTRA SHINE® PVD Screw-Tite™ polished brass strainer	038753-423999	12	14	
42404	2" or 3"	PVC drain w/ round ULTRA SHINE® PVD Screw-Tite™ polished brass strainer	038753-424040	12	17	

CHROME PLATED, BRASS STRAINER BARREL PROVIDES FINISHED METAL APPEARANCE

42218	2" or 3"	ABS drain w/ round stainless steel Screw-Tite™ strainer w/chrome plated brass barrel	038753-422183	12	19	
42219	2" or 3"	PVC drain w/ round stainless steel Screw-Tite™ strainer w/chrome plated brass barrel	038753-422190	12	23	
42393	2" or 3"	ABS drain w/ square stainless steel Screw-Tite™ strainer w/chrome plated brass barrel	038753-423937	12	26	
42394	2" or 3"	PVC drain w/ square stainless steel Screw-Tite™ strainer w/chrome plated brass barrel	038753-423944	12	26	

SNAP-ON GRATE

42202	2" or 3"	PVC drain w/ round stainless steel Snap-Tite™ strainer	038753-422022	12	17	
42203	2" or 3"	ABS drain w/ round stainless steel Snap-Tite™ strainer	038753-422039	12	17	
42245	2" or 3"	PVC drain w/ round stainless steel Snap-Tite™ Strainer, BARREL and STRAINER ONLY	038753-422459	12	12	
42246	2" or 3"	PVC drain w/ round stainless steel Snap-Tite™ Strainer, BASE DRAIN, COLLAR and FASTENERS ONLY	038753-422466	12	12	
42247	2" or 3"	PVC drain w/ square stainless steel Snap-Tite™ Strainer, BARREL and STRAINER ONLY	038753-422473	12	12	

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
130 SERIES SHOWER DRAIN FOR TILE SHOWER BASES (CONT.)					
42237	2" or 3"	PVC drain w/ square stainless steel Snap-Tite™ strainer	038753-422374	12	24  
42238	2" or 3"	ABS drain w/ square stainless steel Snap-Tite™ strainer	038753-422381	12	24  
42251	2" or 3"	PVC drain w/square brushed nickel Snap-Tite™ strainer	038753-422510	12	24  
42250	2" or 3"	ABS drain w/square brushed nickel Snap-Tite™ strainer	038753-422503	12	24  
42396	2" or 3"	ABS drain w/square rubbed bronze Snap-Tite™ strainer	038753-423968	12	24  
42398	2" or 3"	PVC drain w/square rubbed bronze Snap-Tite™ strainer	038753-423982	12	24  



131 SERIES TWO PART ADJUSTABLE SLAB DRAIN

- Ideal for installations on a slab where a pan liner membrane is not required.
- Available with high quality stainless steel strainer, Brass or Nickel finish cast grates for heavy traffic applications.
- Drain base engineered as hub for 2" Sch. 40 pipe or solvent welds inside 3" Sch. 40 pipe.
- Available with both round and square strainer top.

42235	2" or 3"	PVC drain w/round stainless steel Screw-Tite™ strainer	038753-422350	20	22 
42236	2" or 3"	ABS drain w/round stainless steel Screw-Tite™ strainer	038753-422367	20	22 
42380	2" or 3"	PVC drain w/round brass cast grate w/round ring	038753-423807	6	10
42381	2" or 3"	ABS drain w/round brass cast grate w/round ring	038753-423814	6	10
42382	2" or 3"	PVC drain w/round brass cast grate w/square ring	038753-423821	6	10
42383	2" or 3"	ABS drain w/round brass cast grate w/square ring	038753-423838	6	10
42384	2" or 3"	PVC round nickel cast grate w/round ring	038753-423845	6	10
42385	2" or 3"	ABS round nickel cast grate w/round ring	038753-423852	6	10
42386	2" or 3"	PVC round nickel cast grate w/square ring	038753-423869	6	10
42387	2" or 3"	ABS round nickel cast grate w/square ring	038753-423876	6	10
42388	2" or 3"	PVC drain w/square stainless steel Snap-Tite™ strainer	038753-423883	20	40 
42389	2" or 3"	ABS drain w/square stainless steel Snap-Tite™ strainer	038753-423890	20	40 



151 SERIES CAST IRON AND PLASTIC TWO PART SHOWER DRAIN

- Designed for use with tile and marble showers.
- Cast Iron or plastic variations with threaded, No-Calk™ or solvent weld connections.
- 3-1/4" Crown Ring Set.

42197	2"	151 cast iron w/2" NPT connection	038753-421971	6	27
42192	1-1/2"	151 cast iron w/1-1/2" NPT connection	038753-421926	6	27
42201	2"	151 cast iron w/2" Sch. 40 No-calk™ connection	038753-422015	6	29
42206	2"	151 cast iron w/2" No Hub connection	038753-422060	6	30
42211	2"	151 ABS drain w/2" solvent weld connection	038753-422114	6	6 
42215	2"	151 cast iron drain top & ABS bottom w/ 2" solvent weld connection	038753-422155	6	6



151 SERIES ACCESSORIES

42011	3-1/4"	Crown Ring Set – stainless steel – carded	038753-420110	12	3
42012	6"x 6"	Square Tile Ring – stainless steel – carded	038753-420127	12	5
42010	3-1/4"	Crown Ring Set- ULTRA SHINE® PVD polished brass – Carded	038753-422103	12	3
42042	4-1/4" x 4-1/4"	Square Tile Ring – stainless steel – carded	038753-420424	12	1
42041	4-1/4" x 4-1/4"	Square Tile Ring – ULTRA SHINE® PVD polished brass – carded	038753-420417	12	1



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

REPLACEMENT STRAINERS

WHITE PLASTIC REPLACEMENT STRAINER


- 6-3/4" strainer
- With screws included

42021	6-3/4"	Replacement Strainer, White Plastic	038753-007045	12	8
-------	--------	-------------------------------------	---------------	----	---

4-1/4" ROUND SNAP-TITE™ STRAINER

- For 101BR, 101PNC, 101NPT, 101PS, 102, 103, 130 and 131 Series Shower Drains with round strainers.
- For series 101BR, 101PNC, 101NPT, 101PS, 102, 103, 130 & 131, 140 NC Series Shower Drains.
- ULTRA SHINE® PVD lifetime finish where noted.


42136	4-1/4"	White Plastic	038753-421360	12	2
42138	4-1/4"	Stainless Steel	038753-421384	12	4
42137	4-1/4"	ULTRA SHINE® PVD Polished Brass	038753-421377	12	3
42003	4-1/4"	Carded White Plastic – carded	038753-420035	12	2
42005	4-1/4"	Stainless Steel – carded	038753-420059	12	2
42004	4-1/4"	ULTRA SHINE® PVD Polished Brass – carded	038753-420042	12	3
42014	4-1/4"	ULTRA SHINE® PVD Satin Nickel – carded	038753-420141	4	3
42015	4-1/4"	ULTRA SHINE® PVD Satin Chrome – carded	038753-420158	4	3
42016	4-1/4"	Biscuit – carded	038753-420165	4	3
42017	4-1/4"	Rubbed Bronze – carded	038753-420172	4	3
42018	4-1/4"	Brushed Nickel – carded	038753-420189	4	3
42019	4-1/4"	White Metal – carded	038753-420196	4	3
42020	4-1/4"	Antique Bronze – carded	038753-420202	4	3



4-1/4" SQUARE SNAP-TITE™ STRAINER

- For 130 Series Shower Drains with square strainers.

46266	4-1/4"	Stainless Steel – carded	038753-462660	4	3	NEW!
46267	4-1/4"	Rubbed Bronze – carded	038753-462677	4	3	NEW!
46268	4-1/4"	Brushed Nickel – carded	038753-462684	4	3	NEW!



4" SCREW-TITE™ STRAINER

- For screw-on tile shower drains and 2" x 3" slab shower drains.
- Polished brass strainers have PVD lifetime finish.
- For 130 and 131 Series Shower Drains and 43566, 43567, 43578, 43579, 43580, 43581.

42358	4"	Stainless Steel	038753-423586	12	2
42359	4"	ULTRA SHINE® PVD Polished Brass	038753-423593	12	2
43861	4"	Stainless Steel – carded	038753-438610	12	3
43862	4"	ULTRA SHINE® PVD Polished Brass – carded	038753-438627	12	3



3-1/4" STRAINER

- For brass drains.
- Polished brass strainers have Ultrashine® PVD lifetime finish.

42116	3-1/4"	Stainless Steel	038753-421162	12	1
44016	3-1/4"	Antique Brass	038753-440163	12	2
42001	3-1/4"	Carded Stainless Steel	038753-420011	12	2

STAINLESS STEEL SNAP-IN™ STRAINER

- Fits inside Schedule 40 DWV pipe.

42730	2"	Snap-In Stainless Steel Strainer	038753-427300	12	1
42731	3"	Snap-In Stainless Steel Strainer	038753-427317	12	2
42732	4"	Snap-In Stainless Steel Strainer	038753-427324	12	3



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

GENERAL PURPOSE DRAINS

SHORT GENERAL PURPOSE DRAIN

- 1-3/16" high for tight spaces.

43580	2" or 3"	ABS short general purpose drain w/ 4" stainless steel Screw-Tite™ strainer	038753-435800	12	18
43581	2" or 3"	PVC short general purpose drain w/ 4" stainless steel Screw-Tite™ strainer	038753-435817	12	5



GENERAL PURPOSE DRAIN

43578	2" or 3"	ABS general purpose drain w/ 4" stainless steel Screw-Tite™ strainer	038753-435787	12	5
43579	2" or 3"	PVC general purpose drain w/ 4" stainless steel Screw-Tite™ strainer	038753-435794	12	6
43582	3" or 4"	ABS general purpose drain w/ 5" stainless steel Screw-Tite™ strainer	038753-435824	12	7
43583	3" or 4"	PVC general purpose drain w/ 5" stainless steel Screw-Tite™ strainer	038753-435831	12	8
43600	3" or 4"	ABS general purpose drain w/ 5" nickel alloy grate	038753-436005	12	24
43601	3" or 4"	PVC general purpose drain w/ 5" nickel alloy grate	038753-436012	12	24
43598	3" or 4"	ABS general purpose drain w/ 5" brass grate and metal ring	038753-435985	12	22
43599	3" or 4"	PVC general purpose drain w/ 5" brass grate and metal ring	038753-435992	12	23



ALL PLASTIC SNAP-IN DRAIN

- Also suitable for use as a vent stack or air inlet strainer.

43560	2"	ABS Snap-In Drain	038753-435602	12	1
43561	2"	PVC Snap-In Drain	038753-435619	12	6
43564	3"	ABS Snap-In Drain	038753-435640	12	2
43565	3"	PVC Snap-In Drain	038753-435657	12	2
43568	4"	ABS Snap-In Drain	038753-435688	12	6
43569	4"	PVC Snap-In Drain	038753-435695	12	6



PLASTIC SNAP-IN DRAIN WITH REMOVABLE STAINLESS STEEL STRAINER

- Strainer can be removed to allow access to the pipe.

43562	3"	ABS Snap-In Drain w/ 3-1/2" Stainless Steel Strainer	038753-435626	12	3
43563	3"	PVC Snap-In Drain w/ 3-1/2" Stainless Steel Strainer	038753-435633	12	3
43566	4"	ABS Snap-In Drain w/ 4" Stainless Steel Strainer	038753-435664	12	8
43567	4"	PVC Snap-In Drain w/ 4" Stainless Steel Strainer	038753-435671	12	9



ALL PLASTIC SNAP-IN OUTLET COVER

- For covering an open pipe.
- Protects piping from dirt and debris.

43570	2"	ABS Snap-In Drain Outlet Cover	038753-435701	12	6
43571	2"	PVC Snap-In Drain Outlet Cover	038753-435718	12	6
43572	3"	ABS Snap-In Drain Outlet Cover	038753-435725	12	2
43573	3"	PVC Snap-In Drain Outlet Cover	038753-435732	12	2



Oatey

Category 9 Residential Drainage

9



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
BELL TRAP DRAIN					
• Fits over 1-1/2" Sch. 40 DWV pipe or into 2" coupling.			• Fits over 3" or inside of 4" Sch. 40 DWV pipe.		
43636	1-1/2" or 2"	ABS 6" x 6" bell trap drain	038753-436364	10	5
43637	1-1/2" or 2"	PVC 6" x 6" bell trap drain	038753-436371	10	5
43632	3" or 4"	ABS 9" x 9" bell trap drain	038753-436326	4	7
43633	3" or 4"	PVC 9" x 9" bell trap drain	038753-436333	4	7



UTILITY DRAIN					
• Fits over 1-1/2" Sch. 40 DWV pipe or into 2" coupling.					
43640	1-1/2" or 2"	ABS 6" x 6" utility drain	038753-436401	10	14
43641	1-1/2" or 2"	PVC 6" x 6" utility drain	038753-436418	10	15



FOUR-WAY AREA DRAIN					
• Fits over 2" or 3" Schedule 40 DWV pipe • General purpose drain for use in garages and utility rooms			• Sump for large capacity		
43596	2" or 3"	Four-Way Area Drain, PVC	038753-435961	10	3



INTEGRAL TRAP DRAIN					
• One piece trap drain/cleanout design molded from PVC or ABS plastic.			• Built in 2" FIP threadway for backwater device.		
• 3-3/4" deep sump bowl.			• ASTM 2665 and ASTM D2661.		
• Solvent weld over 2" Sch. 40 DWV pipe.			• Internal 1-1/2" – 14 NPT – cleanout.		
42724	2"	PVC Floor drain with p-trap and cleanout	038753-427249	2	6
42723	2"	ABS Floor drain with p-trap and cleanout	038753-427232	2	6
42725	2"	Backwater valve device	038753-427256	6	1



CLEANOUT ASSEMBLIES					
ALL PLASTIC 2" X 3" SNAP-IN CLEANOUT ASSEMBLIES					
43710	2" or 3"	ABS Snap-In Cleanout Assembly	038753-437101	12	8
43711	2" or 3"	PVC Snap-In Cleanout Assembly	038753-437118	12	8



ALL PLASTIC 3" X 4" SNAP-IN CLEANOUT ASSEMBLIES					
42785	3" or 4"	ABS Snap-In Cleanout Assembly	038753-427850	12	10
42786	3" or 4"	PVC Snap-In Cleanout Assembly	038753-427867	12	11



ALL PLASTIC SNAP-IN CLEANOUT ASSEMBLIES					
• Fits inside of Sch. 40 DWV pipe fitting.					
43730	3"	ABS Snap-In Cleanout Assembly	038753-437309	12	8
43731	3"	PVC Snap-In Cleanout Assembly	038753-437316	12	4
43732	4"	ABS Snap-In Cleanout Assembly	038753-437323	12	6
43733	4"	PVC Snap-In Cleanout Assembly	038753-437330	12	6
43764	2.33"	ABS Replacement Plug for the 3" and the 2" or 3" cleanout assemblies	038753-437644	6	1
43765	2.33"	PVC Replacement Plug for the 3" and the 2" or 3" cleanout assemblies	038753-437651	6	1
43766	3-1/2"	ABS Replacement Plug for the 4" regular and the 3" Hub cleanout assemblies	038753-437668	6	1
43767	3-1/2"	PVC Replacement Plug for the 4" regular and the 3" Hub cleanout assemblies	038753-437675	6	1

**Product
No.**

Size

Description

**U.P.C.
Code**

**Carton
Quantity**

**Ctn.
Wt.**

180 B BRASS CLEANOUT FRAME AND COVER

- Brass covers for 2", 3", 4" and 6" pipes.

42365	2"	180 B Cleanout	038753-423654	12	7
42366	3"	180 B Cleanout	038753-423661	12	16
42367	4"	180 B Cleanout	038753-423678	12	19
42368	6"	180 B Cleanout	038753-423685	12	42



185 BRASS CLEANOUT PLUG

- Brass cleanout plugs with raised square head for use with slip joint pliers.

42369	1-1/2"	185 Brass cleanout plug	038753-423692	12	1
42370	2"	185 Brass cleanout plug	038753-423708	12	2
42371	2-1/2"	185 Brass cleanout plug	038753-423715	12	3
42372	3"	185 Brass cleanout plug	038753-423722	12	5
42373	3-1/2"	185 Brass cleanout plug	038753-423739	12	6
42374	4"	185 Brass cleanout plug	038753-423746	12	7



BRASS CLEANOUT PLUG WITH RECESSED HEAD

- All sizes are countersunk and tapped.

42740	1-1/2"	Brass cleanout plug	038753-427409	12	2
42741	2"	Brass cleanout plug	038753-427416	12	3
42742	2-1/2"	Brass cleanout plug	038753-427423	12	4
42743	3"	Brass cleanout plug	038753-427430	12	5
42744	3-1/2"	Brass cleanout plug	038753-427447	12	5
42745	4"	Brass cleanout plug	038753-427454	12	7



COVER PLATE

- Cover plates conceal the clean-out plug access hole.

34405	4"	Flat Chrome Cover Plate	038753-344058	25	3
34406	5"	Flat Chrome Cover Plate	038753-344065	25	4
34410	4"	Flat White Cover Plate	038753-344102	25	3
34411	5"	Flat White Cover Plate	038753-344119	25	4
34415	4"	Bell Chrome Cover Plate	038753-344157	25	3
34416	5"	Bell Chrome Cover Plate	038753-344164	25	4
34420	4"	Bell White Cover Plate	038753-344201	25	3
34421	5"	Bell White Cover Plate	038753-344218	25	5

STAINLESS STEEL COVER PLATE

- Stainless steel cover plates conceal the clean-out plug access hole. • 1/4" – 20 screw included.
- Protective film cover.

42780	3"	Stainless steel cover plate	038753-427805	12	3
42781	4"	Stainless steel cover plate	038753-427812	12	3
42782	5"	Stainless steel cover plate	038753-427829	12	9
42783	6"	Stainless steel cover plate	038753-427836	12	9
42784	8"	Stainless steel cover plate	038753-427843	12	12



Oatey

Category 9 Residential Drainage

9



Product
No.

Size

Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

BACKWATER VALVES

BACKWATER VALVES

- Protects low areas or basements from backflow or waste from street sewers.
- Elastomeric seal in quick action flapper ensures a water tight seal.

- Threaded access cap incorporates a neoprene seal for positive sealing and can be tightened or removed by hand.
- Valve hub fits DWV pipe and can be adapted for sewer and drain pipe.

43900	3"	PVC backwater valve	038753-439006	4	3
43901	3"	ABS backwater valve	038753-439013	4	3
43904	4"	PVC backwater valve	038753-439044	2	5
43905	4"	ABS backwater valve	038753-439051	2	5
43908	6"	PVC backwater valve	038753-439082	1	11
43909	6"	ABS backwater valve	038753-439099	1	11

BACKWATER ACCESSORIES

43915	3"	PVC threaded cap	038753-439150	1	.48
43916	3"	ABS threaded cap	038753-439167	1	.41
43918	4"	PVC threaded cap	038753-439181	1	1
43919	4"	ABS threaded cap	038753-439198	1	.75
43921	6"	PVC threaded cap	038753-439211	1	1.9
43922	6"	ABS threaded cap	038753-439228	1	1.4
43924	3"	PVC flapper w/ "O" ring	038753-439242	1	.11
43925	3"	ABS flapper w/ "O" ring	038753-439259	1	.10
43927	4"	PVC flapper w/ "O" ring	038753-439273	1	.17
43928	4"	ABS flapper w/ "O" ring	038753-439280	1	.13
43929	6"	PVC flapper w/ "O" ring	038753-439297	1	.58
43930	6"	ABS flapper w/ "O" ring	038753-439303	1	.44



SADDLE TEE KITS

SADDLE TEE KITS

- For tapping into a 3" or 4" Sch. 40 DWV line.
- Saddle is solvent welded to the existing line and secured with metal V-bolts, washers and nuts provided in the kit.

- The tee accepts the incoming line inside the socket, or joins with a Sch. 40 DWV fitting.

43788	3" x 2"	ABS saddle tee kit	038753-437880	6	5
43789	3" x 2"	PVC saddle tee kit	038753-437897	6	6
43790	4" x 2"	ABS saddle tee kit	038753-437903	6	7
43791	4" x 2"	PVC saddle tee kit	038753-437910	6	8
43792	4" x 3"	ABS saddle tee kit	038753-437927	6	8
43793	4" x 3"	PVC saddle tee kit	038753-437934	6	9
43794	4" x 4"	ABS saddle tee kit	038753-437941	6	9
43795	4" x 4"	PVC saddle tee kit	038753-437958	6	4
43796		Gasket for tapping into cast iron soil pipe	038753-437965	12	.3

ACCESSORIES

TRAPS

- One-piece design.

- Made from 3/4" PVC Schedule 40 DWV pipe.

42757	3/4"	PVC Condensate "P"-trap	038753-427577	24	8
42758	3/4"	PVC Condensate running trap	038753-427584	24	8



MUSHROOM VENT CAP

- Fits either 3" or 4" vent stacks.
- Shipped fully assembled.

- Includes 3 hex-head bolts.
- Made of high-impact PVC.

43805	3" or 4"	Mushroom Vent Cap	038753-438054	12	5
-------	----------	-------------------	---------------	----	---



RAINWATER COLLECTION

MYSTIC™ RAINWATER COLLECTION SYSTEM

- Directs rainwater from downspouts into collection barrels for re-use in lawn/garden watering.
- Fits standard 2"x3" residential downspouts.

- 2-piece design is made of UV-resistant material and can be painted.
- Comes with 4' high-flow hose.

14209	2" x 3"	Mystic Rainwater Collection System – Display Box	038753-142098	4	10
-------	---------	--	---------------	---	----



NEW!

**Product
No.****Size****Description****U.P.C.
Code****Carton
Quantity****Ctn.
Wt.****ADJUSTABLE COMMERCIAL DRAIN BASES****PVC BARREL WITH 5" ROUND GRATE**

72012	2"	PVC Adj. Commercial Drain w/ 5" SS Grate	038753-720128	1	5
82012	2"	ABS Adj. Commercial Drain w/ 5" SS Grate	038753-820125	1	5
72022	2"	PVC Adj. Commercial Drain w/ 5" BR Grate	038753-720227	1	5
82022	2"	ABS Adj. Commercial Drain w/ 5" BR Grate	038753-820224	1	5
72052	2"	PVC Adj. Commercial Drain w/ 5" NI Grate	038753-720524	1	5
82052	2"	ABS Adj. Commercial Drain w/ 5" NI Grate	038753-820521	1	5
72082	2"	PVC Adj. Commercial Drain w/ 5" CHR Grate	038753-720821	1	5
82082	2"	ABS Adj. Commercial Drain w/ 5" CHR Grate	038753-820828	1	5
72013	3" or 4"	PVC Adj. Commercial Drain w/ 5" SS Grate	038753-720135	1	5
82013	3" or 4"	ABS Adj. Commercial Drain w/ 5" SS Grate	038753-820132	1	5
72023	3" or 4"	PVC Adj. Commercial Drain w/ 5" BR Grate	038753-720234	1	5
82023	3" or 4"	ABS Adj. Commercial Drain w/ 5" BR Grate	038753-820231	1	5
72053	3" or 4"	PVC Adj. Commercial Drain w/ 5" NI Grate	038753-720531	1	5
82053	3" or 4"	ABS Adj. Commercial Drain w/ 5" NI Grate	038753-820538	1	5
72083	3" or 4"	PVC Adj. Commercial Drain w/ 5" CHR Grate	038753-720838	1	5
82083	3" or 4"	ABS Adj. Commercial Drain w/ 5" CHR Grate	038753-820835	1	5
72014	4"	PVC Adj. Commercial Drain w/ 5" SS Grate	038753-720142	1	5
82014	4"	ABS Adj. Commercial Drain w/ 5" SS Grate	038753-820149	1	5
72024	4"	PVC Adj. Commercial Drain w/ 5" BR Grate	038753-720241	1	5
82024	4"	ABS Adj. Commercial Drain w/ 5" BR Grate	038753-820248	1	5
72054	4"	PVC Adj. Commercial Drain w/ 5" NI Grate	038753-720548	1	5
82054	4"	ABS Adj. Commercial Drain w/ 5" NI Grate	038753-820545	1	5
72084	4"	PVC Adj. Commercial Drain w/ 5" CHR Grate	038753-720845	1	5
82084	4"	ABS Adj. Commercial Drain w/ 5" CHR Grate	038753-820842	1	5
72016	6"	PVC Adj. Commercial Drain w/ 5" SS Grate	038753-720166	1	6
82016	6"	ABS Adj. Commercial Drain w/ 5" SS Grate	038753-820163	1	6
72026	6"	PVC Adj. Commercial Drain w/ 5" BR Grate	038753-720265	1	6
82026	6"	ABS Adj. Commercial Drain w/ 5" BR Grate	038753-820262	1	6
72056	6"	PVC Adj. Commercial Drain w/ 5" NI Grate	038753-720562	1	6
82056	6"	ABS Adj. Commercial Drain w/ 5" NI Grate	038753-820569	1	6
72086	6"	PVC Adj. Commercial Drain w/ 5" CHR Grate	038753-720869	1	6
82086	6"	ABS Adj. Commercial Drain w/ 5" CHR Grate	038753-820866	1	6

**Oatey****Category 10 Commercial Drainage****10**

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
PVC BARREL WITH 5" ROUND GRATE WITH ROUND RING					
72032	2"	PVC Adj. Commercial Drain w/ 5" BR Grate & Round Ring	038753-720326	1	5
82032	2"	ABS Adj. Commercial Drain w/ 5" BR Grate & Round Ring	038753-820323	1	5
72062	2"	PVC Adj. Commercial Drain w/ 5" NI Grate & Round Ring	038753-720623	1	5
82062	2"	ABS Adj. Commercial Drain w/ 5" NI Grate & Round Ring	038753-820620	1	5
72092	2"	PVC Adj. Commercial Drain w/ 5" CHR Grate & Round Ring	038753-720920	1	5
82092	2"	ABS Adj. Commercial Drain w/ 5" CHR Grate & Round Ring	038753-820927	1	5
72033	3" or 4"	PVC Adj. Commercial Drain w/ 5" BR Grate & Round Ring	038753-720333	1	5
82033	3" or 4"	ABS Adj. Commercial Drain w/ 5" BR Grate & Round Ring	038753-820330	1	5
72063	3" or 4"	PVC Adj. Commercial Drain w/ 5" NI Grate & Round Ring	038753-720630	1	5
82063	3" or 4"	ABS Adj. Commercial Drain w/ 5" NI Grate & Round Ring	038753-820637	1	5
72093	3" or 4"	PVC Adj. Commercial Drain w/ 5" CHR Grate & Round Ring	038753-720937	1	5
82093	3" or 4"	ABS Adj. Commercial Drain w/ 5" CHR Grate & Round Ring	038753-820934	1	5
72034	4"	PVC Adj. Commercial Drain w/ 5" BR Grate & Round Ring	038753-720340	1	5
82034	4"	ABS Adj. Commercial Drain w/ 5" BR Grate & Round Ring	038753-820347	1	5
72064	4"	PVC Adj. Commercial Drain w/ 5" NI Grate & Round Ring	038753-720647	1	5
82064	4"	ABS Adj. Commercial Drain w/ 5" NI Grate & Round Ring	038753-820644	1	5
72094	4"	PVC Adj. Commercial Drain w/ 5" CHR Grate & Round Ring	038753-720944	1	5
82094	4"	ABS Adj. Commercial Drain w/ 5" CHR Grate & Round Ring	038753-820941	1	5
72036	6"	PVC Adj. Commercial Drain w/ 5" BR Grate & Round Ring	038753-720364	1	6
82036	6"	ABS Adj. Commercial Drain w/ 5" BR Grate & Round Ring	038753-820361	1	6
72066	6"	PVC Adj. Commercial Drain w/ 5" NI Grate & Round Ring	038753-720661	1	6
82066	6"	ABS Adj. Commercial Drain w/ 5" NI Grate & Round Ring	038753-820668	1	6
72096	6"	PVC Adj. Commercial Drain w/ 5" CHR Grate & Round Ring	038753-720968	1	6
82096	6"	ABS Adj. Commercial Drain w/ 5" CHR Grate & Round Ring	038753-820965	1	6

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

PVC BARREL WITH 5" ROUND GRATE WITH SQUARE RING

72042	2"	PVC Adj. Commercial Drain w/ 5" BR Grate & Square Ring	038753-720425	1	5
82042	2"	ABS Adj. Commercial Drain w/ 5" BR Grate & Square Ring	038753-820422	1	5
72072	2"	PVC Adj. Commercial Drain w/ 5" NI Grate & Square Ring	038753-720722	1	5
82072	2"	ABS Adj. Commercial Drain w/ 5" NI Grate & Square Ring	038753-820729	1	5
72102	2"	PVC Adj. Commercial Drain w/ 5" CHR Grate & Square Ring	038753-721026	1	5
82102	2"	ABS Adj. Commercial Drain w/ 5" CHR Grate & Square Ring	038753-821023	1	5
72043	3" or 4"	PVC Adj. Commercial Drain w/ 5" BR Grate & Square Ring	038753-720432	1	5
82043	3" or 4"	ABS Adj. Commercial Drain w/ 5" BR Grate & Square Ring	038753-820439	1	5
72073	3" or 4"	PVC Adj. Commercial Drain w/ 5" NI Grate & Square Ring	038753-720739	1	5
82073	3" or 4"	ABS Adj. Commercial Drain w/ 5" NI Grate & Square Ring	038753-820736	1	5
72103	3" or 4"	PVC Adj. Commercial Drain w/ 5" CHR Grate & Square Ring	038753-721033	1	5
82103	3" or 4"	ABS Adj. Commercial Drain w/ 5" CHR Grate & Square Ring	038753-821030	1	5
72044	4"	PVC Adj. Commercial Drain w/ 5" BR Grate & Square Ring	038753-720449	1	5
82044	4"	ABS Adj. Commercial Drain w/ 5" BR Grate & Square Ring	038753-820446	1	5
72074	4"	PVC Adj. Commercial Drain w/ 5" NI Grate & Square Ring	038753-720746	1	5
82074	4"	ABS Adj. Commercial Drain w/ 5" NI Grate & Square Ring	038753-820743	1	5
72104	4"	PVC Adj. Commercial Drain w/ 5" CHR Grate & Square Ring	038753-721040	1	5
82104	4"	ABS Adj. Commercial Drain w/ 5" CHR Grate & Square Ring	038753-821047	1	5
72046	6"	PVC Adj. Commercial Drain w/ 5" BR Grate & Square Ring	038753-720461	1	6
82046	6"	ABS Adj. Commercial Drain w/ 5" BR Grate & Square Ring	038753-820460	1	6
72076	6"	PVC Adj. Commercial Drain w/ 5" NI Grate & Square Ring	038753-720760	1	6
82076	6"	ABS Adj. Commercial Drain w/ 5" NI Grate & Square Ring	038753-820767	1	6
72106	6"	PVC Adj. Commercial Drain w/ 5" CHR Grate & Square Ring	038753-721064	1	6
82106	6"	ABS Adj. Commercial Drain w/ 5" CHR Grate & Square Ring	038753-821061	1	6



Oatey

Category 10 Commercial Drainage



10

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
PVC BARREL WITH 6" ROUND GRATE					
72112	2"	PVC Adj. Commercial Drain w/ 6" SS Grate	038753-721125	1	5
82112	2"	ABS Adj. Commercial Drain w/ 6" SS Grate	038753-821122	1	5
72122	2"	PVC Adj. Commercial Drain w/ 6" BR Grate	038753-721224	1	5
82122	2"	ABS Adj. Commercial Drain w/ 6" BR Grate	038753-821221	1	5
72152	2"	PVC Adj. Commercial Drain w/ 6" NI Grate	038753-721521	1	5
82152	2"	ABS Adj. Commercial Drain w/ 6" NI Grate	038753-821528	1	5
72182	2"	PVC Adj. Commercial Drain w/ 6" CHR Grate	038753-721828	1	5
82182	2"	ABS Adj. Commercial Drain w/ 6" CHR Grate	038753-821825	1	5
72113	3" or 4"	PVC Adj. Commercial Drain w/ 6" SS Grate	038753-721132	1	5
82113	3" or 4"	ABS Adj. Commercial Drain w/ 6" SS Grate	038753-821139	1	5
72123	3" or 4"	PVC Adj. Commercial Drain w/ 6" BR Grate	038753-721231	1	5
82123	3" or 4"	ABS Adj. Commercial Drain w/ 6" BR Grate	038753-821238	1	5
72153	3" or 4"	PVC Adj. Commercial Drain w/ 6" NI Grate	038753-721538	1	5
82153	3" or 4"	ABS Adj. Commercial Drain w/ 6" NI Grate	038753-821535	1	5
72183	3" or 4"	PVC Adj. Commercial Drain w/ 6" CHR Grate	038753-721835	1	5
82183	3" or 4"	ABS Adj. Commercial Drain w/ 6" CHR Grate	038753-821832	1	5
72114	4"	PVC Adj. Commercial Drain w/ 6" SS Grate	038753-721149	1	5
82114	4"	ABS Adj. Commercial Drain w/ 6" SS Grate	038753-821146	1	5
72124	4"	PVC Adj. Commercial Drain w/ 6" BR Grate	038753-721248	1	5
82124	4"	ABS Adj. Commercial Drain w/ 6" BR Grate	038753-821245	1	5
72154	4"	PVC Adj. Commercial Drain w/ 6" NI Grate	038753-721545	1	5
82154	4"	ABS Adj. Commercial Drain w/ 6" NI Grate	038753-821542	1	5
72184	4"	PVC Adj. Commercial Drain w/ 6" CHR Grate	038753-721842	1	5
82184	4"	ABS Adj. Commercial Drain w/ 6" CHR Grate	038753-821847	1	5
72116	6"	PVC Adj. Commercial Drain w/ 6" SS Grate	038753-721163	1	6
82116	6"	ABS Adj. Commercial Drain w/ 6" SS Grate	038753-821160	1	6
72126	6"	PVC Adj. Commercial Drain w/ 6" BR Grate	038753-721262	1	6
82126	6"	ABS Adj. Commercial Drain w/ 6" BR Grate	038753-821269	1	6
72156	6"	PVC Adj. Commercial Drain w/ 6" NI Grate	038753-721569	1	6
82156	6"	ABS Adj. Commercial Drain w/ 6" NI Grate	038753-821566	1	6
72186	6"	PVC Adj. Commercial Drain w/ 6" CHR Grate	038753-721866	1	6
82186	6"	ABS Adj. Commercial Drain w/ 6" CHR Grate	038753-821863	1	6

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
PVC BARREL WITH 6" ROUND GRATE WITH ROUND RING					
72132	2"	PVC Adj. Commercial Drain w/ 6" BR Grate & Round Ring	038753-721323	1	5
82132	2"	ABS Adj. Commercial Drain w/ 6" BR Grate & Round Ring	038753-821320	1	5
72162	2"	PVC Adj. Commercial Drain w/ 6" NI Grate & Round Ring	038753-721620	1	5
82162	2"	ABS Adj. Commercial Drain w/ 6" NI Grate & Round Ring	038753-821627	1	5
72192	2"	PVC Adj. Commercial Drain w/ 6" CHR Grate & Round Ring	038753-721927	1	5
82192	2"	ABS Adj. Commercial Drain w/ 6" CHR Grate & Round Ring	038753-821924	1	5
72133	3" or 4"	PVC Adj. Commercial Drain w/ 6" BR Grate & Round Ring	038753-721330	1	5
82133	3" or 4"	ABS Adj. Commercial Drain w/ 6" BR Grate & Round Ring	038753-821337	1	5
72163	3" or 4"	PVC Adj. Commercial Drain w/ 6" NI Grate & Round Ring	038753-721637	1	5
82163	3" or 4"	ABS Adj. Commercial Drain w/ 6" NI Grate & Round Ring	038753-821634	1	5
72193	3" or 4"	PVC Adj. Commercial Drain w/ 6" CHR Grate & Round Ring	038753-721934	1	5
82193	3" or 4"	ABS Adj. Commercial Drain w/ 6" CHR Grate & Round Ring	038753-821931	1	5
72134	4"	PVC Adj. Commercial Drain w/ 6" BR Grate & Round Ring	038753-721347	1	5
82134	4"	ABS Adj. Commercial Drain w /6" BR Grate & Round Ring	038753-821344	1	5
72164	4"	PVC Adj. Commercial Drain w/ 6" NI Grate & Round Ring	038753-721644	1	5
82164	4"	ABS Adj. Commercial Drain w /6" NI Grate & Round Ring	038753-821641	1	5
72194	4"	PVC Adj. Commercial Drain w /6" CHR Grate & Round Ring	038753-721941	1	5
82194	4"	ABS Adj. Commercial Drain w /6" CHR Grate & Round Ring	038753-821948	1	5
72136	6"	PVC Adj. Commercial Drain w/ 6" BR Grate & Round Ring	038753-721361	1	6
82136	6"	ABS Adj. Commercial Drain w /6" BR Grate & Round Ring	038753-821368	1	6
72166	6"	PVC Adj. Commercial Drain w /6" NI Grate & Round Ring	038753-721668	1	6
82166	6"	ABS Adj. Commercial Drain w/ 6" NI Grate & Round Ring	038753-821665	1	6
72196	6"	PVC Adj. Commercial Drain w/ 6" CHR Grate & Round Ring	038753-721965	1	6
82196	6"	ABS Adj. Commercial Drain w/ 6" CHR Grate & Round Ring	038753-821962	1	6





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
PVC BARREL WITH 6" ROUND GRATE WITH SQUARE RING					
72142	2"	PVC Adj. Commercial Drain w/ 6" BR Grate & Square Ring	038753-721422	1	5
82142	2"	ABS Adj. Commercial Drain w/ 6" BR Grate & Square Ring	038753-821429	1	5
72172	2"	PVC Adj. Commercial Drain w/ 6" NI Grate & Square Ring	038753-721729	1	5
82172	2"	ABS Adj. Commercial Drain w/ 6" NI Grate & Square Ring	038753-821726	1	5
72202	2"	PVC Adj. Commercial Drain w/ 6" CHR Grate & Square Ring	038753-722023	1	5
82202	2"	ABS Adj. Commercial Drain w/ 6" CHR Grate & Square Ring	038753-822020	1	5
72143	3" or 4"	PVC Adj. Commercial Drain w/ 6" BR Grate & Square Ring	038753-721439	1	5
82143	3" or 4"	ABS Adj. Commercial Drain w/ 6" BR Grate & Square Ring	038753-821436	1	5
72173	3" or 4"	PVC Adj. Commercial Drain w/ 6" NI Grate & Square Ring	038753-721736	1	5
82173	3" or 4"	ABS Adj. Commercial Drain w/ 6" NI Grate & Square Ring	038753-821733	1	5
72203	3" or 4"	PVC Adj. Commercial Drain w/ 6" CHR Grate & Square Ring	038753-722030	1	5
82203	3" or 4"	ABS Adj. Commercial Drain w/ 6" CHR Grate & Square Ring	038753-822037	1	5
72144	4"	PVC Adj. Commercial Drain w/ 6" BR Grate & Square Ring	038753-721446	1	5
82144	4"	ABS Adj. Commercial Drain w/ 6" BR Grate & Square Ring	038753-821443	1	5
72174	4"	PVC Adj. Commercial Drain w/ 6" NI Grate & Square Ring	038753-721743	1	5
82174	4"	ABS Adj. Commercial Drain w/ 6" NI Grate & Square Ring	038753-821740	1	5
72204	4"	PVC Adj. Commercial Drain w/ 6" CHR Grate & Square Ring	038753-722047	1	5
82204	4"	ABS Adj. Commercial Drain w/ 6" CHR Grate & Square Ring	038753-822044	1	5
72146	6"	PVC Adj. Commercial Drain w/ 6" BR Grate & Square Ring	038753-721460	1	6
82146	6"	ABS Adj. Commercial Drain w/ 6" BR Grate & Square Ring	038753-821467	1	6
72176	6"	PVC Adj. Commercial Drain w/ 6" NI Grate & Square Ring	038753-721767	1	6
82176	6"	ABS Adj. Commercial Drain w/ 6" NI Grate & Square Ring	038753-821764	1	6
72206	6"	PVC Adj. Commercial Drain w/ 6" CHR Grate & Square Ring	038753-722061	1	6
82206	6"	ABS Adj. Commercial Drain w/ 6" CHR Grate & Square Ring	038753-822068	1	6



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
CAST BARREL WITH ROUND GRATE IN ROUND TOP					
72312	2"	PVC Adj. Commercial Drain w/ 5" Cast NI Grate & Round Top	038753-723129	1	6
82312	2"	ABS Adj. Commercial Drain w/ 5" Cast NI Grate & Round Top	038753-823126	1	6
72332	2"	PVC Adj. Commercial Drain w/ 6" Cast NI Grate & Round Top	038753-723327	1	6
82332	2"	ABS Adj. Commercial Drain w/ 6" Cast NI Grate & Round Top	038753-823324	1	6
72352	2"	PVC Adj. Commercial Drain w/ 8" Cast NI Grate & Round Top	038753-723525	1	9
82352	2"	ABS Adj. Commercial Drain w/ 8" Cast NI Grate & Round Top	038753-823522	1	9
72372	2"	PVC Adj. Commercial Drain w/ 10" Cast NI Grate & Round Top	038753-723723	1	13
82372	2"	ABS Adj. Commercial Drain w/ 10" Cast NI Grate & Round Top	038753-823720	1	13
72322	2"	PVC Adj. Commercial Drain w/ 5" Cast CHR Grate & Round Top	038753-723228	1	6
82322	2"	ABS Adj. Commercial Drain w/ 5" Cast CHR Grate & Round Top	038753-823225	1	6
72342	2"	PVC Adj. Commercial Drain w/ 6" Cast CHR Grate & Round Top	038753-723426	1	6
82342	2"	ABS Adj. Commercial Drain w/ 6" Cast CHR Grate & Round Top	038753-823423	1	6
72362	2"	PVC Adj. Commercial Drain w/ 8" Cast CHR Grate & Round Top	038753-723624	1	9
82362	2"	ABS Adj. Commercial Drain w/ 8" Cast CHR Grate & Round Top	038753-823621	1	9
72382	2"	PVC Adj. Commercial Drain w/ 10" Cast CHR Grate & Round Top	038753-723822	1	13
82382	2"	ABS Adj. Commercial Drain w/ 10" Cast CHR Grate & Round Top	038753-823829	1	13
72313	3" or 4"	PVC Adj. Commercial Drain w/ 5" Cast NI Grate & Round Top	038753-723136	1	6
82313	3" or 4"	ABS Adj. Commercial Drain w/ 5" Cast NI Grate & Round Top	038753-823133	1	6
72333	3" or 4"	PVC Adj. Commercial Drain w/ 6" Cast NI Grate & Round Top	038753-723334	1	6
82333	3" or 4"	ABS Adj. Commercial Drain w/ 6" Cast NI Grate & Round Top	038753-823331	1	6
72353	3" or 4"	PVC Adj. Commercial Drain w/ 8" Cast NI Grate & Round Top	038753-723532	1	9
82353	3" or 4"	ABS Adj. Commercial Drain w/ 8" Cast NI Grate & Round Top	038753-823539	1	9
72373	3" or 4"	PVC Adj. Commercial Drain w/ 10" Cast NI Grate & Round Top	038753-723730	1	13
82373	3" or 4"	ABS Adj. Commercial Drain w/ 10" Cast NI Grate & Round Top	038753-823737	1	13
72323	3" or 4"	PVC Adj. Commercial Drain w/ 5" Cast CHR Grate & Round Top	038753-723235	1	6
82323	3" or 4"	ABS Adj. Commercial Drain w/ 5" Cast CHR Grate & Round Top	038753-823232	1	6
72343	3" or 4"	PVC Adj. Commercial Drain w/ 6" Cast CHR Grate & Round Top	038753-723433	1	6
82343	3" or 4"	ABS Adj. Commercial Drain w/ 6" Cast CHR Grate & Round Top	038753-823430	1	6
72363	3" or 4"	PVC Adj. Commercial Drain w/ 8" Cast CHR Grate & Round Top	038753-723631	1	9
82363	3" or 4"	ABS Adj. Commercial Drain w/ 8" Cast CHR Grate & Round Top	038753-823638	1	9
72383	3" or 4"	PVC Adj. Commercial Drain w/ 10" Cast CHR Grate & Round Top	038753-723839	1	13
82383	3" or 4"	ABS Adj. Commercial Drain w/ 10" Cast CHR Grate & Round Top	038753-823836	1	13
72314	4"	PVC Adj. Commercial Drain w/ 5" Cast NI Grate & Round Top	038753-723143	1	6
82314	4"	ABS Adj. Commercial Drain w/ 5" Cast NI Grate & Round Top	038753-823140	1	6
72334	4"	PVC Adj. Commercial Drain w/ 6" Cast NI Grate & Round Top	038753-723341	1	6
82334	4"	ABS Adj. Commercial Drain w/ 6" Cast NI Grate & Round Top	038753-823348	1	6
72354	4"	PVC Adj. Commercial Drain w/ 8" Cast NI Grate & Round Top	038753-723549	1	9





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
CAST BARREL WITH ROUND GRATE IN ROUND TOP CONT.					
82354	4"	ABS Adj. Commercial Drain w/ 8" Cast NI Grate & Round Top	038753-823546	1	9
72374	4"	PVC Adj. Commercial Drain w/ 10" Cast NI Grate & Round Top	038753-723747	1	13
82374	4"	ABS Adj. Commercial Drain w/ 10" Cast NI Grate & Round Top	038753-823744	1	13
72324	4"	PVC Adj. Commercial Drain w/ 5" Cast CHR Grate & Round Top	038753-723242	1	6
82324	4"	ABS Adj. Commercial Drain w/ 5" Cast CHR Grate & Round Top	038753-823249	1	6
72344	4"	PVC Adj. Commercial Drain w/ 6" Cast CHR Grate & Round Top	038753-723440	1	6
82344	4"	ABS Adj. Commercial Drain w/ 6" Cast CHR Grate & Round Top	038753-823447	1	6
72364	4"	PVC Adj. Commercial Drain w/ 8" Cast CHR Grate & Round Top	038753-723648	1	9
82364	4"	ABS Adj. Commercial Drain w/ 8" Cast CHR Grate & Round Top	038753-823645	1	9
72384	4"	PVC Adj. Commercial Drain w/ 10" Cast CHR Grate & Round Top	038753-723846	1	13
82384	4"	ABS Adj. Commercial Drain w/ 10" Cast CHR Grate & Round Top	038753-823843	1	13
72316	6"	PVC Adj. Commercial Drain w/ 5" Cast NI Grate & Round Top	038753-723167	1	6
82316	6"	ABS Adj. Commercial Drain w/ 5" Cast NI Grate & Round Top	038753-823164	1	6
72336	6"	PVC Adj. Commercial Drain w/ 6" Cast NI Grate & Round Top	038753-723365	1	7
82336	6"	ABS Adj. Commercial Drain w/ 6" Cast NI Grate & Round Top	038753-823362	1	7
72356	6"	PVC Adj. Commercial Drain w/ 8" Cast NI Grate & Round Top	038753-723563	1	9
82356	6"	ABS Adj. Commercial Drain w/ 8" Cast NI Grate & Round Top	038753-823560	1	9
72376	6"	PVC Adj. Commercial Drain w/ 10" Cast NI Grate & Round Top	038753-723761	1	13
82376	6"	ABS Adj. Commercial Drain w/ 10" Cast NI Grate & Round Top	038753-823768	1	13
72326	6"	PVC Adj. Commercial Drain w/ 5" Cast CHR Grate & Round Top	038753-723266	1	6
82326	6"	ABS Adj. Commercial Drain w/ 5" Cast CHR Grate & Round Top	038753-823263	1	6
72346	6"	PVC Adj. Commercial Drain w/ 6" Cast CHR Grate & Round Top	038753-723464	1	7
82346	6"	ABS Adj. Commercial Drain w/ 6" Cast CHR Grate & Round Top	038753-823461	1	7
72366	6"	PVC Adj. Commercial Drain w/ 8" Cast CHR Grate & Round Top	038753-723662	1	9
82366	6"	ABS Adj. Commercial Drain w/ 8" Cast CHR Grate & Round Top	038753-823669	1	9
72386	6"	PVC Adj. Commercial Drain w/ 10" Cast CHR Grate & Round Top	038753-723860	1	13
82386	6"	ABS Adj. Commercial Drain w/ 10" Cast CHR Grate & Round Top	038753-823867	1	13



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
CAST BARREL WITH ROUND GRATE IN SQUARE TOP					
72272	2"	PVC Adj. Commercial Drain w/ 5" Cast NI Grate & Square Top	038753-722726	1	6
82272	2"	ABS Adj. Commercial Drain w/ 5" Cast NI Grate & Square Top	038753-822723	1	6
72292	2"	PVC Adj. Commercial Drain w/ 6" Cast NI Grate & Square Top	038753-722924	1	7
82292	2"	ABS Adj. Commercial Drain w/ 6" Cast NI Grate & Square Top	038753-822921	1	7
72282	2"	PVC Adj. Commercial Drain w/ 5" Cast CHR Grate & Square Top	038753-722825	1	6
82282	2"	ABS Adj. Commercial Drain w/ 5" Cast CHR Grate & Square Top	038753-822822	1	6
72302	2"	PVC Adj. Commercial Drain w/ 6" Cast CHR Grate & Square Top	038753-723020	1	7
82302	2"	ABS Adj. Commercial Drain w/ 6" Cast CHR Grate & Square Top	038753-823027	1	7
72273	3" or 4"	PVC Adj. Commercial Drain w/ 5" Cast NI Grate & Square Top	038753-722733	1	6
82273	3" or 4"	ABS Adj. Commercial Drain w/ 5" Cast NI Grate & Square Top	038753-822730	1	6
72293	3" or 4"	PVC Adj. Commercial Drain w/ 6" Cast NI Grate & Square Top	038753-722931	1	7
82293	3" or 4"	ABS Adj. Commercial Drain w/ 6" Cast NI Grate & Square Top	038753-822938	1	7
72283	3" or 4"	PVC Adj. Commercial Drain w/ 5" Cast CHR Grate & Square Top	038753-722832	1	6
82283	3" or 4"	ABS Adj. Commercial Drain w/ 5" Cast CHR Grate & Square Top	038753-822839	1	6
72303	3" or 4"	PVC Adj. Commercial Drain w/ 6" Cast CHR Grate & Square Top	038753-723037	1	7
82303	3" or 4"	ABS Adj. Commercial Drain w/ 6" Cast CHR Grate & Square Top	038753-823034	1	7
72274	4"	PVC Adj. Commercial Drain w/ 5" Cast NI Grate & Square Top	038753-722740	1	6
82274	4"	ABS Adj. Commercial Drain w/ 5" Cast NI Grate & Square Top	038753-822747	1	6
72294	4"	PVC Adj. Commercial Drain w/ 6" Cast NI Grate & Square Top	038753-722948	1	7
82294	4"	ABS Adj. Commercial Drain w/ 6" Cast NI Grate & Square Top	038753-822945	1	7
72284	4"	PVC Adj. Commercial Drain w/ 5" Cast CHR Grate & Square Top	038753-722849	1	6
82284	4"	ABS Adj. Commercial Drain w/ 5" Cast CHR Grate & Square Top	038753-822846	1	6
72304	4"	PVC Adj. Commercial Drain w/ 6" Cast CHR Grate & Square Top	038753-723044	1	7
82304	4"	ABS Adj. Commercial Drain w/ 6" Cast CHR Grate & Square Top	038753-823041	1	7
72276	6"	PVC Adj. Commercial Drain w/ 5" Cast NI Grate & Square Top	038753-722764	1	6
82276	6"	ABS Adj. Commercial Drain w/ 5" Cast NI Grate & Square Top	038753-822761	1	6
72296	6"	PVC Adj. Commercial Drain w/ 6" Cast NI Grate & Square Top	038753-722962	1	7
82296	6"	ABS Adj. Commercial Drain w/ 6" Cast NI Grate & Square Top	038753-822969	1	7
72286	6"	PVC Adj. Commercial Drain w/ 5" Cast CHR Grate & Square Top	038753-722863	1	6
82286	6"	ABS Adj. Commercial Drain w/ 5" Cast CHR Grate & Square Top	038753-822860	1	6
72306	6"	PVC Adj. Commercial Drain w/ 6" Cast CHR Grate & Square Top	038753-723068	1	7
82306	6"	ABS Adj. Commercial Drain w/ 6" Cast CHR Grate & Square Top	038753-823068	1	7





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
CAST BARREL WITH SQUARE GRATE IN SQUARE TOP					
72212	2"	PVC Adj. Commercial Drain w/ 4" Cast NI Square Grate & Square Top	038753-722122	1	5
82212	2"	ABS Adj. Commercial Drain w/ 4" Cast NI Square Grate & Square Top	038753-822129	1	5
72232	2"	PVC Adj. Commercial Drain w/ 5" Cast NI Square Grate & Square Top	038753-722320	1	6
82232	2"	ABS Adj. Commercial Drain w/ 5" Cast NI Square Grate & Square Top	038753-822327	1	6
72252	2"	PVC Adj. Commercial Drain w/ 6" Cast NI Square Grate & Square Top	038753-722528	1	7
82252	2"	ABS Adj. Commercial Drain w/ 6" Cast NI Square Grate & Square Top	038753-822525	1	7
72222	2"	PVC Adj. Commercial Drain w/ 4" Cast CHR Square Grate & Square Top	038753-722221	1	5
82222	2"	ABS Adj. Commercial Drain w/ 4" Cast CHR Square Grate & Square Top	038753-822228	1	5
72242	2"	PVC Adj. Commercial Drain w/ 5" Cast CHR Square Grate & Square Top	038753-722429	1	6
82242	2"	ABS Adj. Commercial Drain w/ 5" Cast CHR Square Grate & Square Top	038753-822426	1	6
72262	2"	PVC Adj. Commercial Drain w/ 6" Cast CHR Square Grate & Square Top	038753-722627	1	7
82262	2"	ABS Adj. Commercial Drain w/ 6" Cast CHR Square Grate & Square Top	038753-822624	1	7
72213	3" or 4"	PVC Adj. Commercial Drain w/ 4" Cast NI Square Grate & Square Top	038753-722139	1	5
82213	3" or 4"	ABS Adj. Commercial Drain w/ 4" Cast NI Square Grate & Square Top	038753-822136	1	5
72233	3" or 4"	PVC Adj. Commercial Drain w/ 5" Cast NI Square Grate & Square Top	038753-722337	1	6
82233	3" or 4"	ABS Adj. Commercial Drain w/ 5" Cast NI Square Grate & Square Top	038753-822334	1	6
72253	3" or 4"	PVC Adj. Commercial Drain w/ 6" Cast NI Square Grate & Square Top	038753-722535	1	7
82253	3" or 4"	ABS Adj. Commercial Drain w/ 6" Cast NI Square Grate & Square Top	038753-822532	1	7
72223	3" or 4"	PVC Adj. Commercial Drain w/ 4" Cast CHR Square Grate & Square Top	038753-722238	1	5
82223	3" or 4"	ABS Adj. Commercial Drain w/ 4" Cast CHR Square Grate & Square Top	038753-822235	1	5
72243	3" or 4"	PVC Adj. Commercial Drain w/ 5" Cast CHR Square Grate & Square Top	038753-722436	1	6
82243	3" or 4"	ABS Adj. Commercial Drain w/ 5" Cast CHR Square Grate & Square Top	038753-822433	1	6
72263	3" or 4"	PVC Adj. Commercial Drain w/ 6" Cast CHR Square Grate & Square Top	038753-722634	1	7
82263	3" or 4"	ABS Adj. Commercial Drain w/ 6" Cast CHR Square Grate & Square Top	038753-822631	1	7
72214	4"	PVC Adj. Commercial Drain w/ 4" Cast NI Square Grate & Square Top	038753-722146	1	5
82214	4"	ABS Adj. Commercial Drain w/ 4" Cast NI Square Grate & Square Top	038753-822143	1	5
72234	4"	PVC Adj. Commercial Drain w/ 5" Cast NI Square Grate & Square Top	038753-722344	1	6
82234	4"	ABS Adj. Commercial Drain w/ 5" Cast NI Square Grate & Square Top	038753-822341	1	6
72254	4"	PVC Adj. Commercial Drain w/ 6" Cast NI Square Grate & Square Top	038753-722542	1	7
82254	4"	ABS Adj. Commercial Drain w/ 6" Cast NI Square Grate & Square Top	038753-822549	1	7

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
CAST BARREL WITH SQUARE GRATE IN SQUARE TOP CONT.					
72224	4"	PVC Adj. Commercial Drain w/ 4" Cast CHR Square Grate & Square Top	038753-722246	1	5
82224	4"	ABS Adj. Commercial Drain w/ 4" Cast CHR Square Grate & Square Top	038753-822242	1	5
72244	4"	PVC Adj. Commercial Drain w/ 5" Cast CHR Square Grate & Square Top	038753-722444	1	6
82244	4"	ABS Adj. Commercial Drain w/ 5" Cast CHR Square Grate & Square Top	038753-822440	1	6
72264	4"	PVC Adj. Commercial Drain w/ 6" Cast CHR Square Grate & Square Top	038753-722641	1	7
82264	4"	ABS Adj. Commercial Drain w/ 6" Cast CHR Square Grate & Square Top	038753-822648	1	7
72216	6"	PVC Adj. Commercial Drain w/ 4" Cast NI Square Grate & Square Top	038753-722160	1	6
82216	6"	ABS Adj. Commercial Drain w/ 4" Cast NI Square Grate & Square Top	038753-822167	1	6
72236	6"	PVC Adj. Commercial Drain w/ 5" Cast NI Square Grate & Square Top	038753-722368	1	6
82236	6"	ABS Adj. Commercial Drain w/ 5" Cast NI Square Grate & Square Top	038753-822365	1	6
72256	6"	PVC Adj. Commercial Drain w/ 6" Cast NI Square Grate & Square Top	038753-722566	1	7
82256	6"	ABS Adj. Commercial Drain w/ 6" Cast NI Square Grate & Square Top	038753-822563	1	7
72226	6"	PVC Adj. Commercial Drain w/ 4" Cast CHR Square Grate & Square Top	038753-722269	1	6
82226	6"	ABS Adj. Commercial Drain w/ 4" Cast CHR Square Grate & Square Top	038753-822266	1	6
72246	6"	PVC Adj. Commercial Drain w/ 5" Cast CHR Square Grate & Square Top	038753-722467	1	6
82246	6"	ABS Adj. Commercial Drain w/ 5" Cast CHR Square Grate & Square Top	038753-822464	1	6
72266	6"	PVC Adj. Commercial Drain w/ 6" Cast CHR Square Grate & Square Top	038753-722665	1	7
82266	6"	ABS Adj. Commercial Drain w/ 6" Cast CHR Square Grate & Square Top	038753-822662	1	7



Oatey

Category 10 Commercial Drainage



10

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
ADJUSTABLE GENERAL PURPOSE DRAIN BASES					
PVC BARREL WITH 5" ROUND GRATE					
72017	3" or 4"	PVC General Purpose Drain w/ 5" SS Grate	038753-720173	1	5
82017	3" or 4"	ABS General Purpose Drain w/ 5" SS Grate	038753-820170	1	5
72027	3" or 4"	PVC General Purpose Drain w/ 5" BR Grate	038753-720272	1	5
82027	3" or 4"	ABS General Purpose Drain w/ 5" BR Grate	038753-820279	1	5
72057	3" or 4"	PVC General Purpose Drain w/ 5" NI Grate	038753-720579	1	5
82057	3" or 4"	ABS General Purpose Drain w/ 5" NI Grate	038753-820576	1	5
72087	3" or 4"	PVC General Purpose Drain w/ 5" CHR Grate	038753-720876	1	5
82087	3" or 4"	ABS General Purpose Drain w/ 5" CHR Grate	038753-820873	1	5
72018	4"	PVC Pipe Base General Purpose Drain w/ 5" SS Grate	038753-720180	1	5
82018	4"	ABS Pipe Base General Purpose Drain w/ 5" SS Grate	038753-820187	1	5
72028	4"	PVC Pipe Base General Purpose Drain w/ 5" BR Grate	038753-720289	1	5
82028	4"	ABS Pipe Base General Purpose Drain w/ 5" BR Grate	038753-820286	1	5
72058	4"	PVC Pipe Base General Purpose Drain w/ 5" NI Grate	038753-720586	1	5
82058	4"	ABS Pipe Base General Purpose Drain w/ 5" NI Grate	038753-820583	1	5
72088	4"	PVC Pipe Base General Purpose Drain w/ 5" CHR Grate	038753-720883	1	5
82088	4"	ABS Pipe Base General Purpose Drain w/ 5" CHR Grate	038753-820880	1	5
72019	4"	PVC Hub Base General Purpose Drain w/ 5" SS Grate	038753-720197	1	5
82019	4"	ABS Hub Base General Purpose Drain w/ 5" SS Grate	038753-820194	1	5
72029	4"	PVC Hub Base General Purpose Drain w/ 5" BR Grate	038753-720296	1	5
82029	4"	ABS Hub Base General Purpose Drain w/ 5" BR Grate	038753-820293	1	5
72059	4"	PVC Hub Base General Purpose Drain w/ 5" NI Grate	038753-720593	1	5
82059	4"	ABS Hub Base General Purpose Drain w/ 5" NI Grate	038753-820590	1	5
72089	4"	PVC Hub Base General Purpose Drain w/ 5" CHR Grate	038753-720890	1	5
82089	4"	ABS Hub Base General Purpose Drain w/ 5" CHR Grate	038753-820890	1	5



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

PVC BARREL WITH 5" ROUND GRATE WITH ROUND RING

72037	3" or 4"	PVC General Purpose Drain w/ 5" BR Grate & Round Ring	038753-720371	1	6
82037	3" or 4"	ABS General Purpose Drain w/ 5" BR Grate & Round Ring	038753-820378	1	6
72067	3" or 4"	PVC General Purpose Drain w/ 5" NI Grate & Round Ring	038753-720678	1	6
82067	3" or 4"	ABS General Purpose Drain w/ 5" NI Grate & Round Ring	038753-820675	1	6
72097	3" or 4"	PVC General Purpose Drain w/ 5" CHR Grate & Round Ring	038753-720975	1	6
82097	3" or 4"	ABS General Purpose Drain w/ 5" CHR Grate & Round Ring	038753-820972	1	6
72038	4"	PVC Pipe Base General Purpose Drain w/ 5" BR Grate & Round Ring	038753-720388	1	6
82038	4"	ABS Pipe Base General Purpose Drain w/ 5" BR Grate & Round Ring	038753-820385	1	6
72068	4"	PVC Pipe Base General Purpose Drain w/ 5" NI Grate & Round Ring	038753-720685	1	5
82068	4"	ABS Pipe Base General Purpose Drain w/ 5" NI Grate & Round Ring	038753-820682	1	5
72098	4"	PVC Pipe Base General Purpose Drain w/ 5" CHR Grate & Round Ring	038753-720982	1	5
82098	4"	ABS Pipe Base General Purpose Drain w/ 5" CHR Grate & Round Ring	038753-820989	1	5
72039	4"	PVC Hub Base General Purpose Drain w/ 5" BR Grate & Round Ring	038753-720395	1	5
82039	4"	ABS Hub Base General Purpose Drain w/ 5" BR Grate & Round Ring	038753-820393	1	5
72069	4"	PVC Hub Base General Purpose Drain w/ 5" NI Grate & Round Ring	038753-720692	1	5
82069	4"	ABS Hub Base General Purpose Drain w/ 5" NI Grate & Round Ring	038753-820699	1	5
72099	4"	PVC Hub Base General Purpose Drain w/ 5" CHR Grate & Round Ring	038753-720999	1	5
82099	4"	ABS Hub Base General Purpose Drain w/ 5" CHR Grate & Round Ring	038753-820999	1	5


PVC BARREL WITH 5" ROUND GRATE WITH SQUARE RING

72047	3" or 4"	PVC General Purpose Drain w/ 5" BR Grate & Square Ring	038753-720470	1	5
82047	3" or 4"	ABS General Purpose Drain w/ 5" BR Grate & Square Ring	038753-820477	1	5
72077	3" or 4"	PVC General Purpose Drain w/ 5" NI Grate & Square Ring	038753-720777	1	5
82077	3" or 4"	ABS General Purpose Drain w/ 5" NI Grate & Square Ring	038753-820774	1	5
72107	3" or 4"	PVC General Purpose Drain w/ 5" CHR Grate & Square Ring	038753-721071	1	5
82107	3" or 4"	ABS General Purpose Drain w/ 5" CHR Grate & Square Ring	038753-821078	1	5
72048	4"	PVC Pipe Base General Purpose Drain w/ 5" Br Grate & Square Ring	038753-720487	1	5
82048	4"	ABS Pipe Base General Purpose Drain w/ 5" Br Grate & Square Ring	038753-820484	1	5
72078	4"	PVC Pipe Base General Purpose Drain w/ 5" NI Grate & Square Ring	038753-720784	1	6
82078	4"	ABS Pipe Base General Purpose Drain w/ 5" NI Grate & Square Ring	038753-820781	1	6
72108	4"	PVC Pipe Base General Purpose Drain w/ 5" CHR Grate & Square Ring	038753-721081	1	6
82108	4"	ABS Pipe Base General Purpose Drain w/ 5" CHR Grate & Square Ring	038753-821085	1	6
72049	4"	PVC Hub Base General Purpose Drain w/ 5" Br Grate & Square Ring	038753-720494	1	6
82049	4"	ABS Hub Base General Purpose Drain w/ 5" Br Grate & Square Ring	038753-820491	1	6
72079	4"	PVC Hub Base General Purpose Drain w/ 5" NI Grate & Square Ring	038753-720791	1	5
82079	4"	ABS Hub Base General Purpose Drain w/ 5" NI Grate & Square Ring	038753-820798	1	5
72109	4"	PVC Hub Base General Purpose Drain w/ 5" CHR Grate & Square Ring	038753-721095	1	5
82109	4"	ABS Hub Base General Purpose Drain w/ 5" CHR Grate & Square Ring	038753-821095	1	5





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
PVC BARREL WITH 6" ROUND GRATE					
72117	3" or 4"	PVC General Purpose Drain w/ 6" SS Grate	038753-721170	1	5
82117	3" or 4"	ABS General Purpose Drain w/ 6" SS Grate	038753-821177	1	5
72127	3" or 4"	PVC General Purpose Drain w/ 6" BR Grate	038753-721279	1	5
82127	3" or 4"	ABS General Purpose Drain w/ 6" BR Grate	038753-821276	1	5
72157	3" or 4"	PVC General Purpose Drain w/ 6" NI Grate	038753-721576	1	5
82157	3" or 4"	ABS General Purpose Drain w/ 6" NI Grate	038753-821573	1	5
72187	3" or 4"	PVC General Purpose Drain w/ 6" CHR Grate	038753-721873	1	5
82187	3" or 4"	ABS General Purpose Drain w/ 6" CHR Grate	038753-821870	1	5
72118	4"	PVC Pipe Base General Purpose Drain w/ 6" SS Grate	038753-721187	1	5
82118	4"	ABS Pipe Base General Purpose Drain w/ 6" SS Grate	038753-821184	1	5
72128	4"	PVC Pipe Base General Purpose Drain w/ 6" BR Grate	038753-721286	1	5
82128	4"	ABS Pipe Base General Purpose Drain w/ 6" BR Grate	038753-821283	1	5
72158	4"	PVC Pipe Base General Purpose Drain w/ 6" NI Grate	038753-721583	1	5
82158	4"	ABS Pipe Base General Purpose Drain w/ 6" NI Grate	038753-821580	1	5
72188	4"	PVC Pipe Base General Purpose Drain w/ 6" CHR Grate	038753-721880	1	6
82188	4"	ABS Pipe Base General Purpose Drain w/ 6" CHR Grate	038753-821887	1	6
72119	4"	PVC Hub Base General Purpose Drain w/ 6" SS Grate	038753-721196	1	6
82119	4"	ABS Hub Base General Purpose Drain w/ 6" SS Grate	038753-821191	1	6
72129	4"	PVC Hub Base General Purpose Drain w/ 6" BR Grate	038753-721293	1	6
82129	4"	ABS Hub Base General Purpose Drain w/ 6" BR Grate	038753-821290	1	6
72159	4"	PVC Hub Base General Purpose Drain w/ 6" NI Grate	038753-721590	1	5
82159	4"	ABS Hub Base General Purpose Drain w/ 6" NI Grate	038753-821597	1	5
72189	4"	PVC Hub Base General Purpose Drain w/ 6" CHR Grate	038753-721897	1	5
82189	4"	ABS Hub Base General Purpose Drain w/ 6" CHR Grate	038753-821894	1	5

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
PVC BARREL WITH 6" ROUND GRATE WITH ROUND RING					
72137	3" or 4"	PVC General Purpose Drain w/ 6" BR Grate & Round Ring	038753-721378	1	5
82137	3" or 4"	ABS General Purpose Drain w/ 6" BR Grate & Round Ring	038753-821375	1	5
72167	3" or 4"	PVC General Purpose Drain w/ 6" NI Grate & Round Ring	038753-721675	1	5
82167	3" or 4"	ABS General Purpose Drain w/ 6" NI Grate & Round Ring	038753-821672	1	5
72197	3" or 4"	PVC General Purpose Drain w/ 6" CHR Grate & Round Ring	038753-721972	1	5
82197	3" or 4"	ABS General Purpose Drain w/ 6" CHR Grate & Round Ring	038753-821979	1	5
72138	4"	PVC Pipe Base General Purpose Drain w/ 6" BR Grate & Round Ring	038753-721385	1	5
82138	4"	ABS Pipe Base General Purpose Drain w/ 6" BR Grate & Round Ring	038753-821382	1	5
72168	4"	PVC Pipe Base General Purpose Drain w/ 6" NI Grate & Round Ring	038753-721682	1	5
82168	4"	ABS Pipe Base General Purpose Drain w/ 6" NI Grate & Round Ring	038753-821689	1	5
72198	4"	PVC Pipe Base General Purpose Drain w/ 6" CHR Grate & Round Ring	038753-721989	1	5
82198	4"	ABS Pipe Base General Purpose Drain w/ 6" CHR Grate & Round Ring	038753-821986	1	5
72139	4"	PVC Hub Base General Purpose Drain w/ 6" BR Grate & Round Ring	038753-721392	1	5
82139	4"	ABS Hub Base General Purpose Drain w/ 6" BR Grate & Round Ring	038753-821399	1	5
72169	4"	PVC Hub Base General Purpose Drain w/ 6" NI Grate & Round Ring	038753-721699	1	5
82169	4"	ABS Hub Base General Purpose Drain w/ 6" NI Grate & Round Ring	038753-821696	1	5
72199	4"	PVC Hub Base General Purpose Drain w/ 6" CHR Grate & Round Ring	038753-721996	1	5
82199	4"	ABS Hub Base General Purpose Drain w/ 6" CHR Grate & Round Ring	038753-821993	1	5



PVC BARREL WITH 6" ROUND GRATE WITH SQUARE RING					
72147	3" or 4"	PVC General Purpose Drain w/ 6" BR Grate & Square Ring	038753-721477	1	5
82147	3" or 4"	ABS General Purpose Drain w/ 6" BR Grate & Square Ring	038753-821474	1	5
72177	3" or 4"	PVC General Purpose Drain w/ 6" NI Grate & Square Ring	038753-721774	1	6
82177	3" or 4"	ABS General Purpose Drain w/ 6" NI Grate & Square Ring	038753-821771	1	6
72207	3" or 4"	PVC General Purpose Drain w/ 6" CHR Grate & Square Ring	038753-722078	1	6
82207	3" or 4"	ABS General Purpose Drain w/ 6" CHR Grate & Square Ring	038753-822075	1	6
72148	4"	PVC Pipe Base General Purpose Drain w/ 6" BR Grate & Square Ring	038753-721484	1	6
82148	4"	ABS Pipe Base General Purpose Drain w/ 6" BR Grate & Square Ring	038753-821481	1	6
72178	4"	PVC Pipe Base General Purpose Drain w/ 6" NI Grate & Square Ring	038753-721781	1	6
82178	4"	ABS Pipe Base General Purpose Drain w/ 6" NI Grate & Square Ring	038753-821788	1	6
72208	4"	PVC Pipe Base General Purpose Drain w/ 6" CHR Grate & Square Ring	038753-722085	1	5





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
PVC BARREL WITH 6" ROUND GRATE WITH SQUARE RING CONT.					
82208	4"	ABS Pipe Base General Purpose Drain w/ 6" CHR Grate & Square Ring	038753-822082	1	5
72149	4"	PVC Hub Base General Purpose Drain w/ 6" BR Grate & Square Ring	038753-721491	1	5
82149	4"	ABS Hub Base General Purpose Drain w/ 6" BR Grate & Square Ring	038753-821498	1	5
72179	4"	PVC Hub Base General Purpose Drain w/ 6" NI Grate & Square Ring	038753-721798	1	5
82179	4"	ABS Hub Base General Purpose Drain w/ 6" NI Grate & Square Ring	038753-821795	1	5
72209	4"	PVC Hub Base General Purpose Drain w/ 6" CHR Grate & Square Ring	038753-722092	1	5
82209	4"	ABS Hub Base General Purpose Drain w/ 6" CHR Grate & Square Ring	038753-822099	1	5

CAST BARREL WITH SQUARE GRATE IN SQUARE TOP

72217	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 4" Cast NI Grate & Square Top	038753-722177	1	5
82217	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 4" Cast NI Grate & Square Top	038753-822174	1	5
72237	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	038753-722375	1	5
82237	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	038753-822372	1	5
72257	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	038753-722573	1	5
82257	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	038753-822570	1	5
72227	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 4" Cast CHR Grate & Square Top	038753-722276	1	5
82227	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 4" Cast CHR Grate & Square Top	038753-822273	1	5
72247	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-722474	1	5
82247	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-822471	1	5
72267	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-722672	1	6
82267	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-822679	1	6
72218	4"	PVC General Purpose Pipe Fit Drain w/ 4" Cast NI Grate & Square Top	038753-722184	1	6
82218	4"	ABS General Purpose Pipe Fit Drain w/ 4" Cast NI Grate & Square Top	038753-822181	1	6
72238	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	038753-722382	1	6
82238	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	038753-822389	1	6
72258	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	038753-722580	1	5
82258	4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	038753-822587	1	5
72228	4"	PVC General Purpose Pipe Fit Drain w/ 4" Cast CHR Grate & Square Top	038753-722283	1	5
82228	4"	ABS General Purpose Pipe Fit Drain w/ 4" Cast CHR Grate & Square Top	038753-822280	1	5
72248	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-722481	1	5
82248	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-822488	1	5
72268	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-722689	1	5
82268	4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-822686	1	5
72219	4"	PVC General Purpose Hub Fit Drain w/ 4" Cast NI Grate & Square Top	038753-722191	1	5
82219	4"	ABS General Purpose Hub Fit Drain w/ 4" Cast NI Grate & Square Top	038753-822198	1	5



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

CAST BARREL WITH SQUARE GRATE IN SQUARE TOP CONT.

72239	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Square Top	038753-722399	1	5
82239	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Square Top	038753-822396	1	5
72259	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Square Top	038753-722597	1	5
82259	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Square Top	038753-822594	1	5
72229	4"	PVC General Purpose Hub Fit Drain w/ 4" Cast CHR Grate & Square Top	038753-722290	1	5
82229	4"	ABS General Purpose Hub Fit Drain w/ 4" Cast CHR Grate & Square Top	038753-822297	1	5
72249	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-722498	1	5
82249	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-822495	1	5
72269	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-722696	1	6
82269	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-822693	1	6


CAST BARREL WITH ROUND GRATE IN SQUARE TOP

72277	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	038753-722771	1	6
82277	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	038753-822778	1	6
72297	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	038753-722979	1	6
82297	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	038753-822976	1	6
72287	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-722870	1	6
82287	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-822877	1	6
72307	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-723075	1	6
82307	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-823072	1	6
72278	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	038753-722788	1	9
82278	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Square Top	038753-822785	1	9
72298	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	038753-722986	1	13
82298	4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Square Top	038753-822983	1	13
72288	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-722887	1	6
82288	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-822884	1	6
72308	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-723082	1	6
82308	4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-823089	1	6
72279	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Square Top	038753-722795	1	9
82279	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Square Top	038753-822792	1	9
72299	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Square Top	038753-722993	1	13
82299	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Square Top	038753-822990	1	13
72289	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-722894	1	6
82289	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Square Top	038753-822891	1	6
72309	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-723099	1	6
82309	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Square Top	038753-823096	1	6





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
CAST BARREL WITH ROUND GRATE IN ROUND TOP					
72317	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Round Top	038753-723174	1	9
82317	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Round Top	038753-823171	1	9
72337	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Round Top	038753-723372	1	13
82337	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Round Top	038753-823379	1	13
72357	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 8" Cast NI Grate & Round Top	038753-723570	1	6
82357	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 8" Cast NI Grate & Round Top	038753-823577	1	6
72377	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 10" Cast NI Grate & Round Top	038753-723778	1	6
82377	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 10" Cast NI Grate & Round Top	038753-823775	1	6
72327	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Round Top	038753-723273	1	9
82327	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Round Top	038753-823270	1	9
72347	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Round Top	038753-723471	1	13
82347	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Round Top	038753-823478	1	13
72367	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 8" Cast CHR Grate & Round Top	038753-723679	1	6
82367	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 8" Cast CHR Grate & Round Top	038753-823676	1	6
72387	3" or 4"	PVC General Purpose Pipe Fit Drain w/ 10" Cast CHR Grate & Round Top	038753-723877	1	6
82387	3" or 4"	ABS General Purpose Pipe Fit Drain w/ 10" Cast CHR Grate & Round Top	038753-823874	1	6
72318	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Round Top	038753-723181	1	9
82318	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast NI Grate & Round Top	038753-823188	1	9
72338	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Round Top	038753-723389	1	13
82338	4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast NI Grate & Round Top	038753-823386	1	13
72358	4"	PVC General Purpose Pipe Fit Drain w/ 8" Cast NI Grate & Round Top	038753-723587	1	6
82358	4"	ABS General Purpose Pipe Fit Drain w/ 8" Cast NI Grate & Round Top	038753-823584	1	6
72378	4"	PVC General Purpose Pipe Fit Drain w/ 10" Cast NI Grate & Round Top	038753-723785	1	6
82378	4"	ABS General Purpose Pipe Fit Drain w/ 10" Cast NI Grate & Round Top	038753-823782	1	6
72328	4"	PVC General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Round Top	038753-723280	1	9
82328	4"	ABS General Purpose Pipe Fit Drain w/ 5" Cast CHR Grate & Round Top	038753-823287	1	9
72348	4"	PVC General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Round Top	038753-723488	1	13
82348	4"	ABS General Purpose Pipe Fit Drain w/ 6" Cast CHR Grate & Round Top	038753-823485	1	13
72368	4"	PVC General Purpose Pipe Fit Drain w/ 8" Cast CHR Grate & Round Top	038753-723686	1	6



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

CAST BARREL WITH ROUND GRATE IN ROUND TOP CONT.

82368	4"	ABS General Purpose Pipe Fit Drain w/ 8" Cast CHR Grate & Round Top	038753-823683	1	6
72388	4"	PVC General Purpose Pipe Fit Drain w/ 10" Cast CHR Grate & Round Top	038753-723884	1	7
82388	4"	ABS General Purpose Pipe Fit Drain w/ 10" Cast CHR Grate & Round Top	038753-823881	1	7
72319	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Round Top	038753-723198	1	9
82319	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast NI Grate & Round Top	038753-823195	1	9
72339	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Round Top	038753-723396	1	13
82339	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast NI Grate & Round Top	038753-823393	1	13
72359	4"	PVC General Purpose Hub Fit Drain w/ 8" Cast NI Grate & Round Top	038753-723594	1	6
82359	4"	ABS General Purpose Hub Fit Drain w/ 8" Cast NI Grate & Round Top	038753-823591	1	6
72379	4"	PVC General Purpose Hub Fit Drain w/ 10" Cast NI Grate & Round Top	038753-723792	1	7
82379	4"	ABS General Purpose Hub Fit Drain w/ 10" Cast NI Grate & Round Top	038753-823799	1	7
72329	4"	PVC General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Round Top	038753-723297	1	9
82329	4"	ABS General Purpose Hub Fit Drain w/ 5" Cast CHR Grate & Round Top	038753-823294	1	9
72349	4"	PVC General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Round Top	038753-723495	1	13
82349	4"	ABS General Purpose Hub Fit Drain w/ 6" Cast CHR Grate & Round Top	038753-823492	1	13
72369	4"	PVC General Purpose Hub Fit Drain w/ 8" Cast CHR Grate & Round Top	038753-723693	1	6
82369	4"	ABS General Purpose Hub Fit Drain w/ 8" Cast CHR Grate & Round Top	038753-823690	1	6
72389	4"	PVC General Purpose Hub Fit Drain w/ 10" Cast CHR Grate & Round Top	038753-723891	1	6
82389	4"	ABS General Purpose Hub Fit Drain w/ 10" Cast CHR Grate & Round Top	038753-823898	1	6


ADJUSTABLE COMMERCIAL CLEANOUT BASES
PVC BARREL WITH 6" ROUND COVER

74122	2"	PVC Adj. Commercial Cleanout w/ 6" BR Cover	038753-741222	1	6
84122	2"	ABS Adj. Commercial Cleanout w/ 6" BR Cover	038753-841229	1	6
74152	2"	PVC Adj. Commercial Cleanout w/ 6" NI Cover	038753-741529	1	6
84152	2"	ABS Adj. Commercial Cleanout w/ 6" NI Cover	038753-841526	1	6
74182	2"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover	038753-741826	1	6
84182	2"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover	038753-841823	1	6
74123	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" BR Cover	038753-741239	1	6
84123	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" BR Cover	038753-841236	1	6
74153	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" NI Cover	038753-741536	1	6
84153	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" NI Cover	038753-841533	1	6





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
PVC BARREL WITH 6" ROUND COVER CONT.					
74183	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover	038753-741833	1	6
84183	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover	038753-841830	1	6
74124	4"	PVC Adj. Commercial Cleanout w/ 6" BR Cover	038753-741246	1	6
84124	4"	ABS Adj. Commercial Cleanout w/ 6" BR Cover	038753-841243	1	6
74154	4"	PVC Adj. Commercial Cleanout w/ 6" NI Cover	038753-741543	1	6
84154	4"	ABS Adj. Commercial Cleanout w/ 6" NI Cover	038753-841540	1	6
74184	4"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover	038753-741840	1	6
84184	4"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover	038753-841849	1	6
74126	6"	PVC Adj. Commercial Cleanout w/ 6" BR Cover	038753-741260	1	6
84126	6"	ABS Adj. Commercial Cleanout w/ 6" BR Cover	038753-841267	1	6
74156	6"	PVC Adj. Commercial Cleanout w/ 6" NI Cover	038753-741567	1	6
84156	6"	ABS Adj. Commercial Cleanout w/ 6" NI Cover	038753-841564	1	6
74186	6"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover	038753-741864	1	6
84186	6"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover	038753-841861	1	6

PVC BARREL WITH 6" ROUND COVER WITH ROUND RING					
74132	2"	PVC Adj. Commercial Cleanout w/ 6" BR Cover & Round Ring	038753-741321	1	6
84132	2"	ABS Adj. Commercial Cleanout w/ 6" BR Cover & Round Ring	038753-841328	1	6
74162	2"	PVC Adj. Commercial Cleanout w/ 6" NI Cover & Round Ring	038753-741628	1	6
84162	2"	ABS Adj. Commercial Cleanout w/ 6" NI Cover & Round Ring	038753-841625	1	6
74192	2"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover & Round Ring	038753-741925	1	6
84192	2"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover & Round Ring	038753-841922	1	6
74133	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" BR Cover & Round Ring	038753-741338	1	6
84133	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" BR Cover & Round Ring	038753-841335	1	6
74163	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" NI Cover & Round Ring	038753-741635	1	6
84163	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" NI Cover & Round Ring	038753-841632	1	6
74193	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover & Round Ring	038753-741932	1	6
84193	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover & Round Ring	038753-841939	1	6
74134	4"	PVC Adj. Commercial Cleanout w/ 6" BR Cover & Round Ring	038753-741345	1	6
84134	4"	ABS Adj. Commercial Cleanout w/ 6" BR Cover & Round Ring	038753-841342	1	6
74164	4"	PVC Adj. Commercial Cleanout w/ 6" NI Cover & Round Ring	038753-741642	1	6
84164	4"	ABS Adj. Commercial Cleanout w/ 6" NI Cover & Round Ring	038753-841649	1	6
74194	4"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover & Round Ring	038753-741949	1	6
84194	4"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover & Round Ring	038753-841946	1	6
74136	6"	PVC Adj. Commercial Cleanout w/ 6" BR Cover & Round Ring	038753-741369	1	6



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

PVC BARREL WITH 6" ROUND COVER WITH ROUND RING CONT.

84136	6"	ABS Adj. Commercial Cleanout w/ 6" BR Cover & Round Ring	038753-841366	1	6
74166	6"	PVC Adj. Commercial Cleanout w/ 6" NI Cover & Round Ring	038753-741666	1	6
84166	6"	ABS Adj. Commercial Cleanout w/ 6" NI Cover & Round Ring	038753-841663	1	6
74196	6"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover & Round Ring	038753-741963	1	6
84196	6"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover & Round Ring	038753-841960	1	6


PVC BARREL WITH 6" ROUND COVER WITH SQUARE RING

74142	2"	PVC Adj. Commercial Cleanout w/ 6" BR Cover & Square Ring	038753-741420	1	6
84142	2"	ABS Adj. Commercial Cleanout w/ 6" BR Cover & Square Ring	038753-841427	1	6
74172	2"	PVC Adj. Commercial Cleanout w/ 6" NI Cover & Square Ring	038753-741727	1	6
84172	2"	ABS Adj. Commercial Cleanout w/ 6" NI Cover & Square Ring	038753-841724	1	6
74202	2"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover & Square Ring	038753-742021	1	6
84202	2"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover & Square Ring	038753-842028	1	6
74143	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" BR Cover & Square Ring	038753-741437	1	6
84143	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" BR Cover & Square Ring	038753-841434	1	6
74173	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" NI Cover & Square Ring	038753-741734	1	6
84173	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" NI Cover & Square Ring	038753-841731	1	6
74203	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover & Square Ring	038753-742038	1	6
84203	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover & Square Ring	038753-842035	1	6
74144	4"	PVC Adj. Commercial Cleanout w/ 6" BR Cover & Square Ring	038753-741444	1	6
84144	4"	ABS Adj. Commercial Cleanout w/ 6" BR Cover & Square Ring	038753-841441	1	6
74174	4"	PVC Adj. Commercial Cleanout w/ 6" NI Cover & Square Ring	038753-741741	1	6
84174	4"	ABS Adj. Commercial Cleanout w/ 6" NI Cover & Square Ring	038753-841748	1	6
74204	4"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover & Square Ring	038753-742045	1	6
84204	4"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover & Square Ring	038753-842042	1	6
74146	6"	PVC Adj. Commercial Cleanout w/ 6" BR Cover & Square Ring	038753-741468	1	6
84146	6"	ABS Adj. Commercial Cleanout w/ 6" BR Cover & Square Ring	038753-841465	1	6
74176	6"	PVC Adj. Commercial Cleanout w/ 6" NI Cover & Square Ring	038753-741765	1	6
84176	6"	ABS Adj. Commercial Cleanout w/ 6" NI Cover & Square Ring	038753-841762	1	6
74206	6"	PVC Adj. Commercial Cleanout w/ 6" CHR Cover & Square Ring	038753-742069	1	6
84206	6"	ABS Adj. Commercial Cleanout w/ 6" CHR Cover & Square Ring	038753-842066	1	6





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
CAST BARREL WITH 6" ROUND COVER WITH ROUND TOP					
74212	2"	PVC Adj. Commercial Cleanout w/ 6" Cast BR Cover & Round Top	038753-742120	1	7
84212	2"	ABS Adj. Commercial Cleanout w/ 6" Cast BR Cover & Round Top	038753-842127	1	7
74222	2"	PVC Adj. Commercial Cleanout w/ 6" Cast NI Cover & Round Top	038753-742229	1	7
84222	2"	ABS Adj. Commercial Cleanout w/ 6" Cast NI Cover & Round Top	038753-842226	1	7
74232	2"	PVC Adj. Commercial Cleanout w/ 6" Cast CHR Cover & Round Top	038753-742328	1	7
84232	2"	ABS Adj. Commercial Cleanout w/ 6" Cast CHR Cover & Round Top	038753-842325	1	7
74213	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" Cast BR Cover & Round Top	038753-742137	1	7
84213	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" Cast BR Cover & Round Top	038753-842134	1	7
74223	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" Cast NI Cover & Round Top	038753-742236	1	7
84223	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" Cast NI Cover & Round Top	038753-842233	1	7
74233	3" or 4"	PVC Adj. Commercial Cleanout w/ 6" Cast CHR Cover & Round Top	038753-742335	1	7
84233	3" or 4"	ABS Adj. Commercial Cleanout w/ 6" Cast CHR Cover & Round Top	038753-842332	1	7
74214	4"	PVC Adj. Commercial Cleanout w/ 6" Cast BR Cover & Round Top	038753-742144	1	7
84214	4"	ABS Adj. Commercial Cleanout w/ 6" Cast BR Cover & Round Top	038753-842149	1	7
74224	4"	PVC Adj. Commercial Cleanout w/ 6" Cast NI Cover & Round Top	038753-742243	1	7
84224	4"	ABS Adj. Commercial Cleanout w/ 6" Cast NI Cover & Round Top	038753-842240	1	7
74234	4"	PVC Adj. Commercial Cleanout w/ 6" Cast CHR Cover & Round Top	038753-742342	1	7
84234	4"	ABS Adj. Commercial Cleanout w/ 6" Cast CHR Cover & Round Top	038753-842349	1	7
74216	6"	PVC Adj. Commercial Cleanout w/ 6" Cast BR Cover & Round Top	038753-742168	1	8
84216	6"	ABS Adj. Commercial Cleanout w/ 6" Cast BR Cover & Round Top	038753-842165	1	8
74226	6"	PVC Adj. Commercial Cleanout w/ 6" Cast NI Cover & Round Top	038753-742267	1	8
84226	6"	ABS Adj. Commercial Cleanout w/ 6" Cast NI Cover & Round Top	038753-842264	1	8
74236	6"	PVC Adj. Commercial Cleanout w/ 6" Cast CHR Cover & Round Top	038753-742366	1	8
84236	6"	ABS Adj. Commercial Cleanout w/ 6" Cast CHR Cover & Round Top	038753-842363	1	8

ADJUSTABLE GENERAL PURPOSE CLEANOUT BASES



PVC BARREL WITH 6" ROUND COVER					
74127	3" or 4"	PVC General Purpose Cleanout w/ 6" BR Cover	038753-741277	1	4
84127	3" or 4"	ABS General Purpose Cleanout w/ 6" BR Cover	038753-841274	1	4
74157	3" or 4"	PVC General Purpose Cleanout w/ 6" NI Cover	038753-741574	1	4
84157	3" or 4"	ABS General Purpose Cleanout w/ 6" NI Cover	038753-841571	1	4

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
PVC BARREL WITH 6" ROUND COVER CONT.					
74187	3" or 4"	PVC General Purpose Cleanout w/ 6" CHR Cover	038753-741871	1	4
84187	3" or 4"	ABS General Purpose Cleanout w/ 6" CHR Cover	038753-841878	1	4
74128	4"	PVC Pipe Base General Purpose Cleanout w/ 6" BR Cover	038753-741284	1	4
84128	4"	ABS Pipe Base General Purpose Cleanout w/ 6" BR Cover	038753-841281	1	4
74158	4"	PVC Pipe Base General Purpose Cleanout w/ 6" NI Cover	038753-741581	1	4
84158	4"	ABS Pipe Base General Purpose Cleanout w/ 6" NI Cover	038753-841588	1	4
74188	4"	PVC Pipe Base General Purpose Cleanout w/ 6" CHR Cover	038753-741888	1	4
84188	4"	ABS Pipe Base General Purpose Cleanout w/ 6" CHR Cover	038753-841885	1	4
74129	4"	PVC Hub Base General Purpose Cleanout w/ 6" BR Cover	038753-741291	1	4
84129	4"	ABS Hub Base General Purpose Cleanout w/ 6" BR Cover	038753-841298	1	4
74159	4"	PVC Hub Base General Purpose Cleanout w/ 6" NI Cover	038753-741598	1	4
84159	4"	ABS Hub Base General Purpose Cleanout w/ 6" NI Cover	038753-841595	1	4
74189	4"	PVC Hub Base General Purpose Cleanout w/ 6" CHR Cover	038753-741895	1	4
84189	4"	ABS Hub Base General Purpose Cleanout w/ 6" CHR Cover	038753-841892	1	4


PVC BARREL WITH 6" ROUND COVER WITH ROUND RING

74137	3" or 4"	PVC General Purpose Cleanout w/ 6" BR Cover & Round Ring	038753-741376	1	4
84137	3" or 4"	ABS General Purpose Cleanout w/ 6" BR Cover & Round Ring	038753-841373	1	4
74167	3" or 4"	PVC General Purpose Cleanout w/ 6" NI Cover & Round Ring	038753-741673	1	4
84167	3" or 4"	ABS General Purpose Cleanout w/ 6" NI Cover & Round Ring	038753-841670	1	4
74197	3" or 4"	PVC General Purpose Cleanout w/ 6" CHR Cover & Round Ring	038753-741970	1	4
84197	3" or 4"	ABS General Purpose Cleanout w/ 6" CHR Cover & Round Ring	038753-841977	1	4
74138	4"	PVC Pipe Base General Purpose Cleanout w/ 6" BR Cover & Round Ring	038753-741383	1	4
84138	4"	ABS Pipe Base General Purpose Cleanout w/ 6" BR Cover & Round Ring	038753-841380	1	4
74168	4"	PVC Pipe Base General Purpose Cleanout w/ 6" NI Cover & Round Ring	038753-741680	1	4
84168	4"	ABS Pipe Base General Purpose Cleanout w/ 6" NI Cover & Round Ring	038753-841687	1	4
74198	4"	PVC Pipe Base General Purpose Cleanout w/ 6" CHR Cover & Round Ring	038753-741987	1	4
84198	4"	ABS Pipe Base General Purpose Cleanout w/ 6" CHR Cover & Round Ring	038753-841984	1	4
74139	4"	PVC Hub Base General Purpose Cleanout w/ 6" BR Cover & Round Ring	038753-741390	1	4
84139	4"	ABS Hub Base General Purpose Cleanout w/ 6" BR Cover & Round Ring	038753-841397	1	4
74169	4"	PVC Hub Base General Purpose Cleanout w/ 6" NI Cover & Round Ring	038753-741697	1	4
84169	4"	ABS Hub Base General Purpose Cleanout w/ 6" NI Cover & Round Ring	038753-841694	1	4
74199	4"	PVC Hub Base General Purpose Cleanout w/ 6" CHR Cover & Round Ring	038753-741994	1	4
84199	4"	ABS Hub Base General Purpose Cleanout w/ 6" CHR Cover & Round Ring	038753-841991	1	4





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
PVC BARREL WITH 6" ROUND COVER WITH SQUARE RING					
74147	3" or 4"	PVC General Purpose Cleanout w/ 6" BR Cover & Square Ring	038753-741475	1	4
84147	3" or 4"	ABS General Purpose Cleanout w/ 6" BR Cover & Square Ring	038753-841472	1	4
74177	3" or 4"	PVC General Purpose Cleanout w/ 6" NI Cover & Square Ring	038753-741772	1	4
84177	3" or 4"	ABS General Purpose Cleanout w/ 6" NI Cover & Square Ring	038753-841779	1	4
74207	3" or 4"	PVC General Purpose Cleanout w/ 6" CHR Cover & Square Ring	038753-742076	1	4
84207	3" or 4"	ABS General Purpose Cleanout w/ 6" CHR Cover & Square Ring	038753-842073	1	4
74148	4"	PVC Pipe Base General Purpose Cleanout w/ 6" BR Cover & Square Ring	038753-741482	1	4
84148	4"	ABS Pipe Base General Purpose Cleanout w/ 6" BR Cover & Square Ring	038753-841489	1	4
74178	4"	PVC Pipe Base General Purpose Cleanout w/ 6" NI Cover & Square Ring	038753-741789	1	4
84178	4"	ABS Pipe Base General Purpose Cleanout w/ 6" NI Cover & Square Ring	038753-841786	1	4
74208	4"	PVC Pipe Base General Purpose Cleanout w/ 6" CHR Cover & Square Ring	038753-742083	1	4
84208	4"	ABS Pipe Base General Purpose Cleanout w/ 6" CHR Cover & Square Ring	038753-842080	1	4
74149	4"	PVC Hub Base General Purpose Cleanout w/ 6" BR Cover & Square Ring	038753-741499	1	4
84149	4"	ABS Hub Base General Purpose Cleanout w/ 6" BR Cover & Square Ring	038753-841496	1	4
74179	4"	PVC Hub Base General Purpose Cleanout w/ 6" NI Cover & Square Ring	038753-741796	1	4
84179	4"	ABS Hub Base General Purpose Cleanout w/ 6" NI Cover & Square Ring	038753-841793	1	4
74209	4"	PVC Hub Base General Purpose Cleanout w/ 6" CHR Cover & Square Ring	038753-742090	1	4
84209	4"	ABS Hub Base General Purpose Cleanout w/ 6" CHR Cover & Square Ring	038753-842097	1	4



CAST BARREL WITH 6" ROUND COVER WITH ROUND TOP					
74217	3" or 4"	PVC General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	038753-742175	1	4
84217	3" or 4"	ABS General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	038753-842172	1	4
74227	3" or 4"	PVC General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	038753-742274	1	4
84227	3" or 4"	ABS General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	038753-842271	1	4
74237	3" or 4"	PVC General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	038753-742373	1	4
84237	3" or 4"	ABS General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	038753-842370	1	4
74218	4"	PVC Pipe Base General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	038753-742182	1	4
84218	4"	ABS Pipe Base General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	038753-842189	1	4
74228	4"	PVC Pipe Base General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	038753-742281	1	4
84228	4"	ABS Pipe Base General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	038753-842288	1	4
74238	4"	PVC Pipe Base General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	038753-742380	1	4
84238	4"	ABS Pipe Base General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	038753-842387	1	4
74219	4"	PVC Hub Base General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	038753-742199	1	4
84219	4"	ABS Hub Base General Purpose Cleanout w/ 6" Cast BR Cover & Round Top	038753-842196	1	4
74229	4"	PVC Hub Base General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	038753-742298	1	4
84229	4"	ABS Hub Base General Purpose Cleanout w/ 6" Cast NI Cover & Round Top	038753-842295	1	4
74239	4"	PVC Hub Base General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	038753-742397	1	4
84239	4"	ABS Hub Base General Purpose Cleanout w/ 6" Cast CHR Cover & Round Top	038753-842394	1	4

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome

**Product
No.****Size****Description****U.P.C.
Code****Carton
Quantity****Ctn.
Wt.****SEDIMENT DRAINS****PLASTIC SEDIMENT DRAINS**

76012	2"	PVC Sediment Drain, Plastic Grate w/ Bucket	038753-760124	1	6
86012	2"	ABS Sediment Drain, Plastic Grate w/ Bucket	038753-860121	1	6
76013	3"	PVC Sediment Drain, Plastic Grate w/ Bucket	038753-760131	1	6
86013	3"	ABS Sediment Drain, Plastic Grate w/ Bucket	038753-860138	1	6
76014	4"	PVC Sediment Drain, Plastic Grate w/ Bucket	038753-760148	1	6
86014	4"	ABS Sediment Drain, Plastic Grate w/ Bucket	038753-860145	1	6
76016	6"	PVC Sediment Drain, Plastic Grate w/ Bucket	038753-760162	1	7
86016	6"	ABS Sediment Drain, Plastic Grate w/ Bucket	038753-860169	1	7
76022	2"	PVC Sediment Drain, Plastic Grate w/o Bucket	038753-760223	1	5
86022	2"	ABS Sediment Drain, Plastic Grate w/o Bucket	038753-860220	1	5
76023	3" or 4"	PVC Sediment Drain, Plastic Grate w/o Bucket	038753-760230	1	5
86023	3" or 4"	ABS Sediment Drain, Plastic Grate w/o Bucket	038753-860237	1	5
76024	4"	PVC Sediment Drain, Plastic Grate w/o Bucket	038753-760247	1	6
86024	4"	ABS Sediment Drain, Plastic Grate w/o Bucket	038753-860244	1	6
76026	6"	PVC Sediment Drain, Plastic Grate w/o Bucket	038753-760261	1	6
86026	6"	ABS Sediment Drain, Plastic Grate w/o Bucket	038753-860268	1	6

**CAST IRON SEDIMENT DRAINS**

76032	2"	PVC Sediment Drain, Cast Iron Grate w/ Bucket	038753-760322	1	21
86032	2"	ABS Sediment Drain, Cast Iron Grate w/ Bucket	038753-860329	1	21
76033	3" or 4"	PVC Sediment Drain, Cast Iron Grate w/ Bucket	038753-760339	1	21
86033	3" or 4"	ABS Sediment Drain, Cast Iron Grate w/ Bucket	038753-860336	1	21
76034	4"	PVC Sediment Drain, Cast Iron Grate w/ Bucket	038753-760346	1	21
86034	4"	ABS Sediment Drain, Cast Iron Grate w/ Bucket	038753-860343	1	21
76036	6"	PVC Sediment Drain, Cast Iron Grate w/ Bucket	038753-760360	1	22
86036	6"	ABS Sediment Drain, Cast Iron Grate w/ Bucket	038753-860367	1	22
76042	2"	PVC Sediment Drain, Cast Iron Grate w/o Bucket	038753-760421	1	17
86042	2"	ABS Sediment Drain, Cast Iron Grate w/o Bucket	038753-860428	1	17
76043	3" or 4"	PVC Sediment Drain, Cast Iron Grate w/o Bucket	038753-760438	1	17
86043	3" or 4"	ABS Sediment Drain, Cast Iron Grate w/o Bucket	038753-860435	1	17
76044	4"	PVC Sediment Drain, Cast Iron Grate w/o Bucket	038753-760445	1	17
86044	4"	ABS Sediment Drain, Cast Iron Grate w/o Bucket	038753-860442	1	17
76046	6"	PVC Sediment Drain, Cast Iron Grate w/o Bucket	038753-760469	1	18
86046	6"	ABS Sediment Drain, Cast Iron Grate w/o Bucket	038753-860466	1	18

**Oatey****Category 10 Commercial Drainage****10**

SS - Stainless Steel BR - Brass NI - Nickel CHR - Chrome



Product
No.

Size

Description

U.P.C.
Code

Carton
Quantity

Ctn.
Wt.

ROOF DRAINS

ROOF DRAIN WITH DOME AND GRAVEL GUARD

78012	2"	PVC Roof Drain w/ Plastic Dome	038753-780122	1	4
88012	2"	ABS Roof Drain w/ Plastic Dome	038753-880129	1	4
78022	2"	PVC Roof Drain w/ Cast Iron Dome	038753-780221	1	10
88022	2"	ABS Roof Drain w/ Cast Iron Dome	038753-880228	1	10
78013	3" or 4"	PVC Roof Drain w/ Plastic Dome	038753-780139	1	4
88013	3" or 4"	ABS Roof Drain w/ Plastic Dome	038753-880136	1	4
78023	3" or 4"	PVC Roof Drain w/ Cast Iron Dome	038753-780238	1	10
88023	3" or 4"	ABS Roof Drain w/ Cast Iron Dome	038753-880235	1	10
78014	4"	PVC Roof Drain w/ Plastic Dome	038753-780146	1	5
88014	4"	ABS Roof Drain w/ Plastic Dome	038753-880143	1	5
78024	4"	PVC Roof Drain w/ Cast Iron Dome	038753-780245	1	10
88024	4"	ABS Roof Drain w/ Cast Iron Dome	038753-880242	1	10
78016	6"	PVC Roof Drain w/ Plastic Dome	038753-780160	1	5
88016	6"	ABS Roof Drain w/ Plastic Dome	038753-880167	1	5
78026	6"	PVC Roof Drain w/ Cast Iron Dome	038753-780269	1	10
88026	6"	ABS Roof Drain w/ Cast Iron Dome	038753-880266	1	10

ROOF DRAIN WITH DOME AND DAM COLLAR

78032	2"	PVC Roof Drain w/ ABS Dome & Dam Collar	038753-780320	1	4
88032	2"	ABS Roof Drain w/ ABS Dome & Dam Collar	038753-880327	1	4
78042	2"	PVC Roof Drain w/ Cast Iron Dome & Dam Collar	038753-780429	1	10
88042	2"	ABS Roof Drain w/ Cast Iron Dome & Dam Collar	038753-880426	1	10
78033	3" or 4"	PVC Roof Drain w/ ABS Dome & Dam Collar	038753-780337	1	4
88033	3" or 4"	ABS Roof Drain w/ ABS Dome & Dam Collar	038753-880334	1	4
78043	3" or 4"	PVC Roof Drain w/ Cast Iron Dome & Dam Collar	038753-780436	1	10
88043	3" or 4"	ABS Roof Drain w/ Cast Iron Dome & Dam Collar	038753-880433	1	10
78034	4"	PVC Roof Drain w/ ABS Dome & Dam Collar	038753-780344	1	5
88034	4"	ABS Roof Drain w/ ABS Dome & Dam Collar	038753-880341	1	5
78044	4"	PVC Roof Drain w/ Cast Iron Dome & Dam Collar	038753-780443	1	10
88044	4"	ABS Roof Drain w/ Cast Iron Dome & Dam Collar	038753-880440	1	10
78036	6"	PVC Roof Drain w/ ABS Dome & Dam Collar	038753-780368	1	5
88036	6"	ABS Roof Drain w/ ABS Dome & Dam Collar	038753-880365	1	5
78046	6"	PVC Roof Drain w/ Cast Iron Dome & Dam Collar	038753-780467	1	10
88046	6"	ABS Roof Drain w/ Cast Iron Dome & Dam Collar	038753-880464	1	10

UNDERDECK CLAMP KIT FOR ROOF DRAINS

47700	PVC Plastic Underdeck Clamp Kit	038753-477008	1	2
-------	---------------------------------	---------------	---	---

ROOF DRAIN DOME

71980	ABS Plastic Roof Drain Dome	038753-719801	1	.40
71990	Cast Iron Roof Drain Dome	038753-719900	1	1

RECEIVER PAN

47701	ABS Plastic Receiver Pan	038753-477015	1	1
-------	--------------------------	---------------	---	---

**Product
No.**
Size
Description
**U.P.C.
Code**
**Carton
Quantity**
**Ctn.
Wt.**
COMPONENTS
COMMERCIAL BASES

70002	2"	PVC Base	038753-700021	1	3
80002	2"	ABS Base	038753-800028	1	3
70003	3" or 4"	PVC Base	038753-700038	1	3
80003	3" or 4"	ABS Base	038753-800035	1	3
70004	4"	PVC Base	038753-700045	1	3
80004	4"	ABS Base	038753-800042	1	3
70006	6"	PVC Base	038753-700069	1	3
80006	6"	ABS Base	038753-800066	1	3


GENERAL PURPOSE BASES

70009	4"	PVC Hub Fit Drain	038753-700090	1	0.75
80009	4"	ABS Hub Fit Drain	038753-800097	1	0.75
70008	4"	PVC Pipe Fit Drain	038753-700083	1	0.75
80008	4"	ABS Pipe Fit Drain	038753-800083	1	0.75
70007	3" or 4"	PVC Pipe Fit Drain Base	038753-700076	1	0.75
80007	3" or 4"	ABS Pipe Fit Drain Base	038753-800073	1	0.75


ROOF DRAINS

71970		Plastic Gravel Guard	038753-719702	1	1
71960		Dam Collar	038753-719603	1	2

SEDIMENT DRAINS

71740		Plastic Sediment Grate	038753-717401	1	2
71750		Plastic Sediment Grate Collar	038753-717500	1	2
71760		Plastic Sediment Debris Bucket	038753-717609	1	1
71770		Cast Iron Sediment Grate	038753-717708	1	7
71780		Cast Iron Sediment Grate Collar	038753-717807	1	7
71790		Cast Iron Sediment Debris Bucket	038753-717906	1	7


BARRELS, PLUGS & COLLARS

71550	5"	Plastic Barrel	038753-715506	1	1
71560	6"	Plastic Barrel	038753-717605	1	1
71570	3"	Plastic Cleanout Plug	038753-715704	1	1
71580		Reversible Clamping Collar	038753-715803	1	1


REPLACEMENT GRATES

80010	5"	SS Grate	038753-800103	1	3
80020	5"	Round BR Grate	038753-800202	1	3
80030	5"	Round BR Grate & Ring	038753-800301	1	3
80040	5"	Round BR Grate & Square Ring	038753-800400	1	3
80050	5"	Round NI Grate	038753-800509	1	3
80060	5"	Round NI Grate & Ring	038753-800608	1	3
80070	5"	Round NI Grate & Square Ring	038753-800707	1	3
80080	5"	Round CHR Grate	038753-800806	1	3
80090	5"	Round CHR Grate & Ring	038753-800905	1	3
80100	5"	Round CHR Grate & Square Ring	038753-801001	1	3
80110	6"	SS Grate	038753-801100	1	3
80120	6"	Round BR Grate	038753-801209	1	3
80130	6"	Round BR Grate & Ring	038753-801308	1	3
80140	6"	Round BR Grate & Square Ring	038753-801407	1	3
80150	6"	Round NI Grate	038753-801506	1	3
80160	6"	Round NI Grate & Ring	038753-801605	1	3
80170	6"	Round NI Grate & Square Ring	038753-801704	1	3
80190	6"	Round CHR Grate & Ring	038753-801902	1	3
80200	6"	Round CHR Grate & Square Ring	038753-802008	1	3





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
PLASTIC ADJUSTABLE BARRELS WITH GRATES					
72010	5"	SS Grate & Plastic Barrel	038753-720104	1	2
72020	5"	Round BR Grate & Plastic Barrel	038753-720203	1	2
72030	5"	Round BR Grate & Ring & Plastic Barrel	038753-720302	1	2
72040	5"	Round BR Grate & Square Ring & Plastic Barrel	038753-720401	1	2
72050	5"	Round NI Grate & Plastic Barrel	038753-720500	1	2
72060	5"	Round NI Grate & Ring & Plastic Barrel	038753-720609	1	2
72070	5"	Round NI Grate & Square Ring & Plastic Barrel	038753-720708	1	2
72080	5"	Round CHR Grate & Plastic Barrel	038753-720807	1	2
72090	5"	Round CHR Grate & Ring & Plastic Barrel	038753-720906	1	2
72100	5"	Round CHR Grate & Square Ring & Plastic Barrel	038753-721002	1	2
72110	6"	SS Grate & Plastic Barrel	038753-721101	1	2
72120	6"	Round BR Grate & Plastic Barrel	038753-721200	1	2
72130	6"	Round BR Grate & Ring & Plastic Barrel	038753-721309	1	2
72140	6"	Round BR Grate & Square Ring & Plastic Barrel	038753-721408	1	2
72150	6"	Round NI Grate & Plastic Barrel	038753-721507	1	2
72160	6"	Round NI Grate & Ring & Plastic Barrel	038753-721606	1	1
72170	6"	Round NI Grate & Square Ring & Plastic Barrel	038753-721705	1	1
72180	6"	Round CHR Grate & Plastic Barrel	038753-721804	1	1
72190	6"	Round CHR Grate & Ring & Plastic Barrel	038753-721903	1	1
72200	6"	Round CHR Grate & Square Ring & Plastic Barrel	038753-722009	1	1

VANDALPROOF SCREWS

81940	3/8"	10 x 24 Stainless Steel Vandal Proof Screw	038753-819402	10	.10
81950	3/8"	10 x 24 Brass Vandal Proof Screw	038753-819501	10	.10

CAST ADJUSTABLE BARRELS WITH GRATES



82210	4"	Cast NI Square Barrel & Square NI Grate	038753-822105	1	4
82220	4"	Cast CHR Square Barrel & Square CHR Grate	038753-822204	1	4
82230	5"	Cast NI Square Barrel & Square NI Grate	038753-822303	1	4
82240	5"	Cast CHR Square Barrel & Square CHR Grate	038753-822402	1	4
82250	6"	Cast NI Square Barrel & Square NI Grate	038753-822501	1	4
82260	6"	Cast CHR Square Barrel & Square CHR Grate	038753-822600	1	4
82270	5"	Cast NI Square Barrel & Round NI Grate	038753-822709	1	4
82280	5"	Cast CHR Square Barrel & Round CHR Grate	038753-822808	1	4
82290	6"	Cast NI Square Barrel & Round NI Grate	038753-822907	1	4
82300	6"	Cast CHR Square Barrel & Round CHR Grate	038753-823003	1	4
82310	5"	Cast NI Round Barrel & Round NI Grate	038753-823102	1	4
82320	5"	Cast CHR Round Barrel & Round CHR Grate	038753-823201	1	4
82330	6"	Cast NI Round Barrel & Round NI Grate	038753-823300	1	4
82340	6"	Cast CHR Round Barrel & Round CHR Grate	038753-823409	1	4
82350	8"	Cast NI Round Barrel & Round NI Grate	038753-823508	1	4
82360	8"	Cast CHR Round Barrel & Round CHR Grate	038753-823607	1	4
82370	10"	Cast NI Round Barrel & Round NI Grate	038753-823706	1	4
82380	10"	Cast CHR Round Barrel & Round CHR Grate	038753-823805	1	4

Product No.
Size
Description
U.P.C. Code
Carton Quantity
Ctn. Wt.
EXTRA HEAVY DUTY BARRELS

82390	6"	Cast Brass barrel with round heavy duty grate with round ring	038753-823904	1	2
82400	6"	Cast Nickel barrel with round heavy duty grate with round ring	038753-824000	1	2
82410	6"	Cast Chrome barrel with round heavy duty grate with round ring	038753-824109	1	2



U.S. Patent No.
6,687,925

REPLACEMENT COVERS

81120	6"	Round BR Cover	038753-811208	1	1
81130	6"	Round BR Cover & Ring	038753-811307	1	1
81140	6"	Round BR Cover & Square Ring	038753-811406	1	1
81150	6"	Round NI Cover	038753-811505	1	1
81160	6"	Round NI BR Cover & Ring	038753-811604	1	1
81170	6"	Round NI Cover & Square Ring	038753-811703	1	1
81180	6"	Round CHR Cover	038753-811802	1	1
81190	6"	Round CHR Cover & Ring	038753-811901	1	1
81200	6"	Round CHR Cover & Square Ring	038753-812007	1	1


PLASTIC BARREL CLEANOUTS

74120	6"	IPS Adj. Barrel & 6" Round BR Cover	038753-741208	1	2
74130	6"	IPS Adj. Barrel & 6" Round BR Cover & Ring	038753-741307	1	2
74140	6"	IPS Adj. Barrel & 6" Round BR Cover & Square Ring	038753-741406	1	2
74150	6"	IPS Adj. Barrel & 6" Round NI Cover	038753-741505	1	2
74160	6"	IPS Adj. Barrel & 6" Round NI Cover & Ring	038753-741604	1	2
74170	6"	IPS Adj. Barrel & 6" Round NI Cover & Square Ring	038753-741703	1	2
74180	6"	IPS Adj. Barrel & 6" Round CHR Cover	038753-741802	1	2
74190	6"	IPS Adj. Barrel & 6" Round CHR Cover & Ring	038753-741901	1	2
74200	6"	IPS Adj. Barrel & 6" Round CHR Cover & Square Ring	038753-742007	1	2


CAST BARREL CLEANOUTS

84210	6"	Cast 6" BR Round Barrel w/Cleanout & Round BR Cover	038753-842109	1	4
84220	6"	Cast 6" NI Round Barrel w/Cleanout & Round NI Cover	038753-842200	1	4
84230	6"	Cast 6" CHR Plated BR Round Barrel w/Cleanout & Round CHR Plated BR Cover	038753-842301	1	4


ACCESSORIES
FLOOR SINKS

42720	2"	PVC floor sink	038753-427201	1	5
42721	3"	PVC floor sink	038753-427218	1	5
42722	4"	PVC floor sink	038753-427225	1	5


TOP GRATE FOR FLOOR SINKS

42751		Half top grate for floor sink	038753-427515	1	2
42752		Three-quarter top grate for floor sink	038753-427522	1	2
42753		Full top grate for floor sink	038753-427539	1	2


CAST IRON DRAIN FUNNELS

71720		Cast Iron Round Drain Funnel	038753-717203	1	3
71730		Cast Iron Oval Drain Funnel	038753-717302	1	5

REVERSIBLE DOME STRAINERS/BUCKETS

42754	2"	Bottom aluminum dome strainer	038753-427546	1	0.13
42755	3"	Bottom aluminum dome strainer	038753-427553	1	0.22
42756	4"	Bottom aluminum dome strainer	038753-427560	1	0.45