Section G: Landscape Lighting
















LED Now Available!

LED lamps (light-emitting diode) are an economical replacement option for existing incandescent, halogen and fluorescent lamp applications. Look for the LED MR-16 lamp icon throughout the lighting sections where units that can be field retrofitted to this energy saving option.





Orbit LED lamps run longer, cooler and most importantly save the end user up to 85% in energy costs when compared to incandescent equivalents. Orbit LED lamps have been engineered to retrofit most existing MR-16 light fixtures.

Orbit LED T-8 retrofit units are completely self contained and designed to run directly from either a 120 or 277vac source. Existing ballast is bypassed at time of fixture retrofit.

Orbit LED Lamp advantages:

- High efficiency
- Long life span
- Low heat output prevents socket failure
- No maintenance or service required
- Low energy consumption
- Environmentally friendly
- More LED MR-16 lamps can be installed on a low voltage lighting circuit
- Voltage Drop is virtually eliminated









Brass Finishes



Aluminum Finishes



Disclaimer: Shape, Design, and Finish may change without prior notice.











Disclaimer: Shape, Design, and Finish may change without prior notice.



































SS7011

SS7012

7011

7012

B7011

B7012

7050

7051

7053



B700C



B701C



B600C



B601C

























7112C Cover Only

7121C Cover Only

7122C Cover Only







7151C



7152C



7153C



7158C



7150H



7210C Cover Only



7212C Cover Only



7312C Cover Only





S710C Cover Only





S711C Cover Only





S713C Cover Only






Landscape Lighting



CAST BRASS








- Cast Brass
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- Spring-Mounted Directional Hood
- Convex Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Finishes:

- Natural Brass Polished
- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green








- Cast Brass
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- Convex Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

Finishes:

- · Natural Brass Polished
- Antique Brass
- Antique Bronze
- Architectural Bronze
- Aged (Acid) Green





B140SH

- Cast Brass
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- Spring-Mounted Directional Hood
- Convex Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

- · Natural Brass Polished
- Antique Brass
- Antique Bronze
- Architectural Bronze
- Aged (Acid) Green











Evergreen









📅 B101


- Solid Brass
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- · Solid Brass Adjustment Key
- Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Finishes:

- · Natural Brass Polished
- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green









C101


- · Solid Copper
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- Solid Brass Adjustment Key
- · Tempered Glass Lens
- Adjustable Key-Knuckle
- GŚ-85 PVC Spike
- CO-3 Connector

Finish:

· Natural Copper - Polished












B102

- Solid Brass
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Solid Brass Adjustment Key
- · Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green







B191

- Solid Brass
- 12 Volts
- PAR36 Lamp Included (50W Max.)
- GS-85 PVC Spike
- CO-3 Connector


- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green





Evergreen









🖫 B126


- Cast Brass
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- Convex Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green











SS126


- Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- · Convex Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

Finish:

· Stainless Steel












📅 S126

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- Convex Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- Rust
- Green
- Verde Green
- Sand









FG126

- Fiberglass
- 12 Volts
- MR16 20W Lamp Included (20W Max.)
- · Convex Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

Color:

Bronze





Disclaimer: Shape, Design, and Finish may change without prior notice.








CAST BRASS







B171


- Cast Brass
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- · Convex Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green









1071


- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- Green
- Verde Green
- White









1081


- Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Slip-On Cap with Tempered Glass Lens
- Adjustable Key Knuckle
- GS-85 PVC Spike
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- Verde Green









FG1071

- Fiberglass
- 12 Volts
- MR16 20W Lamp Included (20W Max.)
- Convex Polycarbonate Lens
- GS-85 PVC Spike
- CO-3 Connector

Color:

Bronze









aimer: Snape, Design, and Finish may change without prior notice.






























S121

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- Spring-Mounted Lamp Positioned Behind Lens
- Convex Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

Powder Coat Finishes:

- Black
- Bronze
- Green
- · Verde Green
- White
- Sand





S131

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- · Solid Brass Adjustment Key
- · Convex Tempered Glass Lens
- Spring-Mounted Directional Hood
- GS-85 PVC Spike
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- Rust
- · Verde Green
- Sand





S130

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- · Solid Brass Adjustment Key
- · Convex Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- Rust
- · Verde Green Sand





1051

- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Adjustable Hood with Set-Screw
- Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

Powder Coat Finishes:

- Black
- Bronze
- · Verde Green
- Green

















- Cast Brass
- 12 Volts
- MR11 20W Lamp Included (35W Max.)
- · GS-85 PVC Spike

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green






B105

- Cast Brass
- MR8 10W Lamp Included (20W Max.)
- GS-85 PVC Spike

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green








SS110

- Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens
 GS-85 PVC Spike
- CO-3 Connector

Finish:

· Stainless Steel









🖫 SS111

- Stainless Steel
- MR16 20W Lamp Included (35W Max.)
- · Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

Finish:

· Stainless Steel







Catalog 34

Directional Lights





Shown In Black

Shown In Dark Green



- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- Adustable Key Knuckle
- Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- Green
- Verde Green
- White





- Cast Aluminum
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- · Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- Green
- Verde Green
- White



Landscape Lighting



📅 FG1021


- PBT Composite
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- · Tempered Glass Lens
- · Composite Spike
- CO-3 Connector

> Available Colors:

- Black
- · Dark Green









- PBT Composite
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- · Tempered Glass Lens
- Composite Spike
- CO-3 Connector

> Available Colors:



Dark Green






COMPOSITE










75W Max. MR16 Fixtures








- Cast Aluminum
- 12 Volts
- MR16 50W Lamp Included (75W Max.)
- Tempered Glass Lens
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- Green
- White








1061

- Cast Aluminum
- 12 Volts
- MR16 50W Lamp Included (75W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- · Verde Green









- Cast Aluminum
- 12 Volts
- MR16 50W Lamp Included (75W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze














CAST BRASS





B610


- Cast Brass
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green

SOLID BRASS






B310

- Solid Brass
- · Removable Visor
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Finishes:

- · Natural Brass Polished
- Antique Brass
- Antique Bronze
- Architectural Bronze





6011


- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- Verde Green
- White







∯ S610


- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)
- Tempered Glass Lens
- GS-85 PVC Spike
- CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- Green
- Verde Green
- White
- Sand








Pagoda Lights











2020


- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- Cast Aluminum
- · 2-Tier
- · Frosted Glass Lens
- GS-85 Spike
- 4" Extension Wand
- CO-3 Connector

> Finishes:

- Black
- Bronze
- Green
- · Verde Green

Landscape Lighting





2030

- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)



2033

- 120 Volts
- Incandescent A19 Not Included (60W Max.)



2037

- 120 Volts
- PL9Q 9W (Included)
- Cast Aluminum
- 3-Tier
- · Frosted Glass Lens, Clear by Request
- GS-85 Spike (2030 Only)
- 8" Extension Wand
- CO-3 Connector (2030 Only)

- Black
- Bronze
- Green
- Verde Green
- Sand (2030 Only)





2031

 Cast Aluminum • 3-Tier, Large Top

• GS-85 Spike • 8" Extension Wand CO-3 Connector

> Finishes:

Black

 Bronze Green • Verde Green Sand

• 12 Volts




• JC Bi-Pin 20W Lamp Included (50W Max.)


· Frosted Glass Lens, Clear by Request











2044

- 120 Volts
- · Incandescent A19 Not Included (60W Max.)




2047

- 120 Volts
- PL13Q 13W (Included)
- Cast Aluminum
- 4-Tier
- · Frosted Glass Lens, Clear by Request
- GS-85 Spike (2040 Only)
- 8" Extension Wand
- CO-3 Connector (2040 Only)

- Black
- Bronze
- Green
- · Verde Green











Evergreen

Landscape Lighting

B180 Series

- 12 Volts • JC Bi-Pin 20W Lamp Included (20W Max.)
- Solid Brass
- GS-10 Super Spike
- CO-3 Connector

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze

Order Stem and Shade Separately

Ordering Guide

Sample Cat. No.: B18S / B182C/ AB

- 2. Lamp Shade Style
- 3. Finish -

Shown in Architectural Bronze



Stem Only Shade Only Shade Only Shade Only -6 1/2"→ r⁵ 1/2" 53,,





B184C

Shade Only

Shade Only Disclaimer: Shape, Design, and Finish may change without prior notice.

B185C

B186C

Shade Only

Evergreen

B280 Series

- 12 Volts • 18W Bayonet Lamp Included (26W Max.)
- Solid Brass
- GS-10 Super Spike
- CO-3 Connector

> Finishes:

Shade Only

- Antique Brass
- Antique Bronze
- Architectural Bronze

Order Stem and Shade Separately

Ordering Guide

Sample Cat. No. B28S / B182C / AB

- 2. Lamp Shade Style
- 3. Finish -

Shown in Architectural Bronze





Shade Only




Shade Only





SOLID BRASS







- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- Solid Brass
- Frosted Glass Lens
- GS-10 Super Spike
- CO-3 Connector

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green





B225


- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- Solid Brass
- Frosted Glass Lens
- GS-10 Super Spike
- CO-3 Connector

- Antique Brass
- Antique Bronze
- Architectural Bronze
- Aged (Acid) Green





Evergreen



26 1/2









B106

- 12 Volts
- 18W Bayonet Lamp Included (26W Max.)
- Solid Brass
- · Includes Glass (Amber/Green or Frosted White) Specify
- GS-10 Super Spike
- CO-3 Connector

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green

Glass Colors:

- · Amber/Green
- · Frosted White

Amber/Green Glass

Frosted White Glass





B106-GLASS-AMB

B106-GLASS-WH (For Replacement)



C104

- 12 Volts
- 18W Bayonet Lamp Included (26W Max.)
- Solid Copper
- GS-10 Super Spike
- CO-3 Connector

> Finish:

· Natural Copper - Polished



B104

- 12 Volts
- 18W Bayonet Lamp Included (26W Max.)
- Solid Brass
- · GS-10 Super Spike
- CO-3 Connector

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green

BPS04


· Brass Pathway Light Pipe Support


Disclaimer: Shape, Design, and Finish may change without prior notice.

























§ S220

- 12 Volts
- 18W Bayonet Lamp Included (26W Max.)
- Cast Aluminum
- GS-10 Super Spike
- CO-3 Connector

> Finishes:

- Black
- Bronze
- Rust
- · Verde Green







S221 S221S*


- 12 Volts
- 18W Bayonet Lamp Included (26W Max.)
- Cast Aluminum
- GS-10 Super Spike
- CO-3 Connector

> Finishes:

- Black
- Bronze
- Rust
- Verde Green

*While Supplies Last







S222

- 12 Volts
- 18W Bayonet Lamp Included (26W Max.)
- Cast Aluminum
- GS-10 Super Spike
- CO-3 Connector

- Black
- Bronze
- Rust
- Verde Green







Evergreen

Antique Bronze

19 1/2*



B107

- · Solid Brass
- 12 Volts
- 18W Bayonet Lamp Included (26W Max.)
- GS-10 Super Spike
- CO-3 Connector

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green





B110


- · Solid Brass
- 12 Volts
- JC Bi-Pin 20W Lamp (50W Max.)
- GS-10 Super Spike
- CO-3 Connector

> Finishes:

- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green









📅 S121P

- Cast Aluminum
- MR16 20W Lamp Included (50W Max.)
- · Spring-Mounted Lamp Positioned Behind Lens
- Convex Tempered Glass Lens
- GS-10 Super Spike
- CO-3 Connector

- Black
- Bronze
- Green
- · Verde Green
- White


















- 12 Volts
- 18W Bayonet Lamp Included (26W Max.)
- Cast Aluminum
- GS-10 Super Spike
- CO-3 Connector

> Finishes:

- Black
- Bronze
- · Verde Green
- Rust








8 S219

- 18W Bayonet Lamp Included (26W Max.)
- Cast Aluminum
- Allows Relamping without removing Shade
- GS-10 Super Spike
- CO-3 Connector

- Black
- Bronze
- Verde Green
- Rust









- 12 Volts
- JC -Bi-Pin 20W Lamp Included (20W Max.)
- Cast Aluminum
- Twist-Off Shade for Easy Relamping
- CO-3 Connector

> Finishes:

- Black
- Bronze
- Verde Green
- Rust
- Sand



Black



- 12 Volts
- JC -Bi-Pin 20W Lamp Included (50W Max.)
- Cast Aluminum
- Twist-Off Shade for Easy Relamping
- CO-3 Connector

> Finishes:

- Black
- Bronze
- Verde Green
- Rust
- Sand





- 12 Volts
- JC -Bi-Pin 20W Lamp Included (50W Max.)
- Cast Aluminum
- · GS-10 Super Spike
- CO-3 Connector

- Black
- Bronze
- · Verde Green





Premium

Composite Adjustable MR16 Well Lights

COMPOSITE



FG5400 Series


- Injection-Molded PBT Composite
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- Adjustable Direction Lamp Bracket Tilts ± 25°
- Tempered Glass Lens

> Available Colors

- Black
- Bronze

FG5410






FG5411




FG5412






FG5413





FG5415







Optional MR16-3W-LED-BP Upgrade (3W Equivalent to 20W), Sold Separately Disclaimer: Shape, Design, and Finish may change without prior notice.







🖵 🖞 🕯 5010 Series

- Cast Aluminum
- 12 Volts
- 5010, 5012, & 5011: MR16 20W Lamp Incl. (35W Max.)
- - JC Bi-Pin 20W Lamp Inc. (35W Max.)
- Tempered Glass Lens

> Powder Coat Finishes:

- Black
- Bronze
- Verde Green
- White



5010



5012



5011



5013

Optional Bracket for Surface Mounting
 Black

Adjustable Angle











5010AP



5012AP



5011AP




5010-50PK

5012-50PK

5011-50PK

5013-50PK



-3 7/8"-











Optional MR16-3W-LED-BP Upgrade (3W Equivalent to 20W), Sold Separately Disclaimer: Shape, Design, and Finish may change without prior notice.







彈 B5010 Series

- Cast Brass
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens

Finish:

Natural Brass

CAST BRASS



B5010





B5012







-3 7/8"-- 5 1/8"

B5010AP



B5012AP




B5011AP



B5010-50PK

B5012-50PK

B5011-50PK



2 1/2

Adjustable Angle









orbit

Optional MR16-3W-LED-BP Upgrade (3W Equivalent to 20W), Sold Separately Disclaimer: Shape, Design, and Finish may change without prior notice.

🖐 SS5010 Series

- · Cast Grade 304 Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (35W Max.)

-5 1/2"

2 1/2

Adjustable Angle

Tempered Glass Lens

Finish:

· Natural Stainless Steel



SS5010




SS5012



-3 7/8"-





SS5010AP



SS5012AP




SS5011AP



SS5010-50PK



SS5011-50PK











Optional MR16-3W-LED-BP Upgrade (3W Equivalent to 20W), Sold Separately Disclaimer: Shape, Design, and Finish may change without prior notice. www.evergreenoutdoor.com



Landscape Lighting





Marine Grade 316 Stainless Steel

Premium

Marine Grade 316 Stainless Steel



- · Cast Marine Grade 316 Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (35W Max.)
- Tempered Glass Lens

> Finish:

· Natural Stainless Steel

SS5010MAP

SS5012MAP



-5 1/2"-

2 1/2' Adjustable Angle

SS5010M-50PK

SS5012M-50PK

SS5011M-50PK













🚏 FG5010 Series

- Fiberglass
- 12 Volts
- MR16 20W Lamp Included (20W Max.)
- · Tempered Glass Lens

> Available Colors:

- Black Bronze

- Optional Bracket for Surface Mounting
- Black



FG5010





FG5012





FG5011





FG5010AP



FG5012AP




FG5011AP



FG5010-50PK



FG5011-50PK



Adjustable Angle














Gast Aluminum

5110





🕽 5110 Series


- Cast Aluminum
- 12 Volts
- PAR36 50W Max. (Lamp Not Included)
- Tempered Glass Lens

> Powder Coat Finish:

Black









5X14





5113






· Dome Only

FG5110





FG5110 Series

- Fiberglass
- PAR36 50W Max. (Lamp Not Included)
- Tempered Glass Lens


Finish:

Bronze

FIBERGLASS

Landscape Lighting






Disclaimer: Shape, Design, and Finish may change without prior notice.









S530

- PVC Fixture
- 12 Volts
- PAR36 50W Max. (Lamp Not Included)
- · Brass Frame with Glass Lens
- · Replacement Brass Frame with Glass Lens



S530-COVER




53008

- Reversible PVC Fixture
- 12 Volts
- PAR36 50W Max. (Lamp Not Included)
- · Stainless Steel Components

53L

Optional Louver for 5300S






Optional 53L Louver





Shown installed on 5300S








5010S • Square Stainless Steel Cover on PVC Sleeve

- 12 Volts
- MR16 20W Lamp Included (35W Max.)









5010R

- Round Stainless Steel Cover on PVC Sleeve
- 12 Volts
- MR16 20W Lamp Included (35W Max.)








Landscape Lighting








- Resin Fluorite
- 12 Volts
- MR16 20W Lamp Included
- · Tempered Glass Lens
- CO-3 Connector

> Finish:

Stone








- Resin Fluorite
- 12 Volts
- MR16 20W Lamp Included
- Tempered Glass Lens
- CO-3 Connector

> Finish:

Stone








- Resin Fluorite
- 12 Volts
- MR16 20W Lamp Included
- Tempered Glass Lens CO-3 Connector

Finish:

Stone







- Resin Fluorite
- 12 Volts
- MR16 20W Lamp Included
- Tempered Glass Lens
- CO-3 Connector

Finish:

Stone





















- Solid Brass
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)
- 18" Cable & Chain
- CO-3 Connector

> Finishes:


- Antique Brass
- Antique Bronze
- Architectural Bronze
- · Aged (Acid) Green




- Cast Alumium
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- 18" Cable & Chain
- · CO-3 Connector

> Finishes:

- Black
- · Verde Green









9013

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- 18" Cable & Chain
- · CO-3 Connector

> Finishes:

- Black
- Verde Green







9010

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- 18" Cable & Chain
- · CO-3 Connector

> Finishes:

- Black
- · Verde Green


Disclaimer: Shape, Design, and Finish may change without prior notice.














- Cast Aluminum
- 12 Volts
- MR11 20W Lamp Included (35W Max.)
- Clear Glass

> Powder Coated Finishes:

- Black
- · Verde Green







3018

- Cast Aluminum
- 12 Volts
- MR11 20W Lamp Included (35W Max.)
- Opal Polycarbonate Lens

> Powder Coated Finishes:

- Black
- · Verde Green

For Bollards Specification, See Line Voltage/HID Section

















SS7012





Surface Step Lights

- · Stainless Steel Coated Cast Brass
- 12 VoltsJC Bi-Pin 20W Lamp (20W Max.)
- CO-3 Connector


> Finish:

Brushed Stainless Steel






7011



7012





Surface Step Lights

- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp (20W Max.)
- CO-3 Connector


> Powder Coated Finishes:

- Black
- Bronze
- Verde Green
- White




B7011





B7012





Surface Step Lights

- Solid Cast Brass
- 12 Volts
- JC Bi-Pin 20W Lamp (20W Max.)
- CO-3 Connector

> Finishes:

- · Natural Brass Polished
- Architectural Bronze (Dark)





Step Lights









7050



7051



7053







Mini Surface Wall Lights


- Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- Frosted Glass Lens
- · CO-3 Connector

> Powder Coat Finishes:

- Black
- Bronze
- White








COMPOSITE

FG5410W





🖫 Recess Wall Lights

- · Injection-Molded PBT Composite
- MR16 20W Lamp Included (50W Max.)
- Adjustable Direction Lamp Bracket Tilts ± 25°
- Frosted Tempered Glass Lens
- · CO-3 Connector

> Available Colors:

- Black
- Bronze

FG5413W













Optional MR16-3W-LED Upgrade (3W Equivalent to 20W), Sold Separately Disclaimer: Shape, Design, and Finish may change without prior notice.










12V B700 Series

Coverplates

B700C



B701C



Housing Options




99 B70H

- Powder Coated Galvanized Steel
- 12 Volts
- 2 X18W Bayonet 36W Total Included (2 X 26W Bayonet 52W Total Max.)




B70H-LED

- Powder Coated Galvanized Steel
- 12 Volts
- LED 48 Lamps @ .064W Each Allow Total 7.7W Input



Order Housing & Coverplate Separately

Available Finishes



Material/Finish:

- Solid Brass:
 - NB Natural Brass
 - AB Antique Brass
 - AZ Antique Bronze
 - ARB Architectural Bronze
 - AG Aged (Acid) Green
 - **BR** Bronze Powder Coat
 - **BK** Black Powder Coat **WH** White Powder Coat
- Stainless Steel:
 - SS Brushed Stainless Steel





Step Lights




12V_{B600} Series

Coverplates


B600C





B601C






Housing Options



₿ B60H

- Powder Coated Galvanized Steel
- 12 Volts
- 18W Bayonet Lamp Included (26W Max.)





B60H-LED

- Powder Coated Galvanized Steel
- 12 Volts
- LED 18 Lamps @ .064W Each Allow Total 2.9W Input

Order Housing & Coverplate Separately

Available Finishes

















Aged Green



Material/Finish:

- Solid Brass:
 - **NB** Natural Brass
 - AB Antique Brass
 - **AZ** Antique Bronze
 - ARB Architectural Bronze
 - AG Aged (Acid) Green
 - **BR** Bronze Powder Coat **BK** Black Powder Coat
- WH White Powder Coat
- Stainless Steel:
 - SS Brushed Stainless Steel












12V

Coverplates









7112C






7121C





7122C






Housing Options



7100H

- Powder Coated Cast Aluminum
- 12 Volts
- JC-Bi-Pin 20W Lamp Included (20W Max.)








7100H-LED

- Powder Coated Cast Aluminum
- 12 Volts
- LED 18Lamps @ .064W Each Allow Total 2.9W Input

Order Housing & Coverplate Separately

Available Finishes



Material/Finish:

Solid Brass:

AB - Antique Brass

AZ - Antique Bronze

ARB - Architectural Bronze

AG - Aged (Acid) Green

• Aluminum:

BR - Bronze Powder Coat **BK** - Black Powder Coat

WH - White Powder Coat

· Stainless Steel:

SS - Brushed Stainless Steel







12V 7150 Series

Coverplates

7150C



7152C




7153C



7158C






Order Housing & Coverplate Separately

Housing Options



- **₽ 7150H**
- · Powder Coated Cast Aluminum
- 12 Volts
- JC Bi-Pin 20W Lamp Included (50W Max.)





LED

- Powder Coated Cast Aluminum
- 12 Volts
- **7150H-LED** (For 7150C and 7153C) 40 Lamps @ .064W Each Allow Total 6.4W Input

7152H-LED (For 7152C) 18 Lamps @ .064W Each Allow Total 2.9W Input

7158H-LED (For 7158C) 18 Lamps @ .064W Each Allow Total 2.9W Input

Available Finishes





Bronze



Material/Finish:

· Cast Aluminum:

BR - Bronze Powder Coat

BK - Black Powder Coat

WH - White Powder Coat










S710 Series

S712C

Coverplates








S713C






S711C







- Cast Aluminum
- Frosted Glass Lens


> Finishes:

- Black
- Bronze
- White

Order Housing & Coverplate Separately

Housing Options





S710H-LED-12V

- Powder Coated Cast AluminumFor S710C, S711C, & S713C
- 12 Volts 60 Lamps @ .064W Each Allow Total 9.6W Input

S712H-LED-12V

- Powder Coated Cast Aluminum
- For S712C (Lamp Positions Adjusted for this Cover's Lens)
- 42 Lamps @ .064W Each Allow Total 6.7W Input







Coverplates


7210C






7212C





7312C





- Cast Aluminum
- · Frosted Glass Lens
- > Powder Coat Finishes:
 - Black
 - Bronze
 - White

Order Housing & Coverplate Separately


Housing Options


Landscape Lighting



₽₽ 7210H

- Powder Coated Cast Aluminum
- Sealing Gasket
- 12Volts
- 2 X 18W Bayonet 36W Total
- Fits Any of the Coverplates Above








See Line Voltage Section for 120V versions.



UNDERWATER

Evergreen








- Solid Brass
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- 30-FT. Power Cord

Finish:

Natural Brass








- Solid Brass
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- 30-FT. Power Cord

Finish:

Natural Brass







- · Solid Brass
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- 30-FT. Power Cord

Finish:

Natural Brass






Optional MR16-3W-LED-BP Upgrade (3W Equivalent to 20W), Sold Separately Disclaimer: Shape, Design, and Finish may change without prior notice.



Underwater Lights



Stainless Stee








- Solid Grade 304 Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- 30-FT. Power Cord

Finish:

· Stainless Steel








- · Solid Grade 304 Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- 30-FT. Power Cord

Finish:

Stainless Steel







- Solid Grade 304 Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- 30-FT. Power Cord

Finish:

Stainless Steel















Underwater Lights





MARINE GRADE 316 STAINLESS STEEL





Marine Grade 316 Stainless Steel






- Marine Grade 316 Solid Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- 30-FT. Power Cord

> Finish:

Stainless Steel








- Marine Grade 316 Solid Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- 30-FT. Power Cord

Finish:

Stainless Steel







- Marine Grade 316 Solid Stainless Steel
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- 30-FT. Power Cord

Finish:

Stainless Steel









Underwater Lights


Evergreen





Landscape Lighting









5510



- Solid Aluminum
- 12 Volts
- MR16 20W Lamp Included (50W Max.)
- 30-FT. Power Cord

> Powder Coat Finishes:

- Black
- White







FG510


- Fiberglass
- 12 Volts
- JC Bi-Pin 20W Lamp Included (20W Max.)
- 30-FT. Power Cord
- · Round Stainless Steel Base

Color:

Black









FG520

- Fiberglass
- 12 Volts
- JC Bi-Pin 50W Lamp Included (50W Max.)
- 30-FT. Power Cord
- · Round Stainless Steel Base

Color:

Black





FG505


- · Three Underwater Lights Kit
- 12 Volts
- MR11 20W Lamp 20-FT. Power Cord
- · AC Adapter Included
- 4 Colored Lenses per Fixture (Red, Green, Yellow, & Blue)

Color:

Black








UNDERWATER

UNDERWATER

Underwater Lights












- Solid Stainless Steel
- 12 Volts
- PAR56 (300W Max.) No Lamp See Page G64 for Lamp

 • 30-FT. Power Cord
- · ABS Plastic Lens Guard

Finish:

· Stainless Steel








- Solid Brass
- 12 Volts
- PAR36 (75W Max.) No Lamp See Page G64 for Lamp
 • 30-FT. Power Cord


> Finish:


Natural Brass











• 12 Volts

> Finishes:

♥ SS5500

Stainless Steel

· Solid Grade 304 Stainless Steel

• PAR36 (75W Max.) - No Lamp











Underwater Junction Boxes - Solid Brass




Cat.	
No.	Description
UWJB-6	6-Way Connection
UWJB-8	8-Way Connection
UWJB-10	10-Way Connection

Note: See NEC 680.52 guidelines on page iv of the General Information Section











Landscape Lighting




PVC Accessories









-12 3/4"|-15 1/2" 2 3/8%

PP2

- PVC Post
- 2" Dia. (2-3/8" O.D.) X 15-1/2" L
- Schedule 80
- PVC Cap With 1/2" NPT Hub
- Stabilizing PVC Fins Included

> Available Colors:

- Black
- Bronze

PPCA

- Optional 2" Dia. Cast Aluminum Cap
- For Use with PP2
- Includes Set Screws & Bare Copper Ground Wire

> Powder Coat Finishes:


- Black
- Bronze

PP2A


- PVC Post with Cast Aluminum Cap
- 2" Dia. (2-3/8" O.D.) X 15-1/2" L
- Schedule 80
- PVC Cap With 1/2" NPT HubStabilizing PVC Fins Included

> Available Colors:

- Black
- Bronze



Shown in Bronze



PP250

- PVC Post
- 2-1/2" Dia. (2-7/8" O.D.) X 18-1/2" L
- Schedule 80
- PVC Cap With 1/2" NPT HubStabilizing PVC Fins Included

Color:


Black

PP250-CAP

- Replacement Cap for PP250
- PVC Cap With 1/2" NPT Hub




PVC Accessories



Evergreen






BPS04

- · Brass Pathway Light Pipe Support
- Fits 1/2" Thead






GS-85

- 8-1/2" Professional PVC Spike
- 1/2" Thread
- Available Color:
 - Bronze






GS-10 Super Spike

- 10" Heavy Duty PVC Spike1/2" Thread
- Available Color:
 - Bronze






50PK

- 13-1/2" Optional Slip-On PVC Kit 3-1/4: Outer Dia., 2-7/8" Inner Dia.
- Schedule 80
- Stainless Steel Mounting Brackets and Hardware Included
- Color:
 - Black

For use with MR16 Well Lights (Not Included)





Accessories





CO-1 Rectangle MR16 Socket with 10" Lead CO-2 Round MR16 Socket with 10" Lead Rectangle MR16 Socket with 10" Lead Natural 10 CO-3 12V Snap Connector, Up to 10/2 Natural 10 RN-50-C 1/2" Galvanized Close Nipple Natural 10 EW-4 4" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-8 8" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-13 13" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-18 18" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-19 18 18" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-19 25" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG, WH 10 A121 90" Adapter, Cast Aluminum BK, BR, GN, VG, WH 10 BASE Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-R Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Solid Brass Antique Brass, Ant. Brz, Acid Gm 10 TB-LV Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TB50-3 Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TB50-3 Tree-Hugger Replacement Jar Frosted 1 PG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Frosted 1 PG-4-F 1-Tier Pagoda Replacement Jar Frosted 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1	Cat.	B		Std.
CO-2 Round MR16 Socket with 10° Lead Natural 10 CO-3 12V Snap Connector, Up to 10/2 Natural 10 RN-50-C 1/2° Galvanized Close Nipple Natural 10 EW-4 4° Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-8 8° Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-13 13° Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-18 18° Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-18 18° Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-25 25° Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG, WH 10 A121 90° Adapter, Cast Aluminum BK, BR, GN, VG, WH 10 BASE Surface-Mount Bracket 1/2° Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-R Round Surface-Mount Bracket 1/2° Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2° Female, Cast	No.	Description	Colors Available	Pkg.
CO-3 12V Snap Connector, Up to 10/2 Natural 10 RN-50-C 1/2" Galvanized Close Nipple Natural 10 EW-4 4" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-8 8" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-13 13" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-18 18" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-25 25" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG, WH 10 A121 90° Adapter, Cast Aluminum BK, BR, GN, VG, WH 10 BASE Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-R Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-M	CO-1	Rectangle MR16 Socket with 10" Lead	Black	10
RN-50-C 1/2" Galvanized Close Nipple Natural 10 EW-4 4" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-8 8" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-13 13" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-148 18" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-15 25" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG, WH 10 A121 90" Adapter, Cast Aluminum BK, BR, GN, VG, WH 10 BASE Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-R Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 B	CO-2	Round MR16 Socket with 10" Lead	Natural	10
EW-4 4" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-8 8" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-13 13" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-18 18" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-25 25" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG, WH 10 A121 90" Adapter, Cast Aluminum BK, BR, GN, VG, WH 10 BASE Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-R Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Solid Brass Antique Brass, Ant. Brz., Acid Gm 10 TB-LV Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TF850-3 Tree-Hugger Box and Canopy, 120V, Cast Aluminum GN 1 TF9-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Frosted 1 PG-3	CO-3	12V Snap Connector, Up to 10/2	Natural	10
EW-8 8" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-13 13" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-18 18" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-25 25" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG, WH 10 A121 90° Adapter, Cast Aluminum BK, BR, GN, VG, WH 10 BASE Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-R Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Solid Brass Antique Brass, Ant. Brz, Acid Grn 10 TB-LV Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TB50-3 Tree-Hugger Box and Canopy, 120V, Cast Aluminum GN 1 PG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Frosted 1 PG-3 4-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	RN-50-C	1/2" Galvanized Close Nipple	Natural	10
EW-13 13" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-18 18" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-25 25" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG, WH 10 A121 90° Adapter, Cast Aluminum BK, BR, GN, VG, WH 10 BASE Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-R Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Solid Brass Antique Brass, Ant. Brz, Acid Gm 10 TB-LV Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TB50-3 Tree-Hugger Box and Canopy, 120V, Cast Aluminum GN 1 FPG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Frosted 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	EW-4	4" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish	BK, BR, GN, VG	10
EW-18 18" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG 10 EW-25 25" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG, WH 10 A121 90" Adapter, Cast Aluminum BK, BR, GN, VG, WH 10 BASE Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-R Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Solid Brass Antique Brass, Ant. Brz, Acid Grn 10 TB-LV Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TB50-3 Tree-Hugger Box and Canopy, 120V, Cast Aluminum GN 1 PG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Frosted 1 PG-3-F 3-Tier Pagoda Replacement Jar Frosted 1 PG-4-F 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	EW-8	8" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish	BK, BR, GN, VG	10
EW-25 25" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish BK, BR, GN, VG, WH 10 A121 90° Adapter, Cast Aluminum BK, BR, GN, VG, WH 10 BASE Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-R Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Solid Brass Antique Brass, Ant. Brz, Acid Grn 10 TB-LV Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TB50-3 Tree-Hugger Box and Canopy, 120V, Cast Aluminum GN 1 PG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Clear 1 PG-3-F 3-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	EW-13	13" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish	BK, BR, GN, VG	10
A121 90° Adapter, Cast Aluminum BK, BR, GN, VG, WH 10 BASE Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-R Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 TB-LV Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TB50-3 Tree-Hugger Box and Canopy, 120V, Cast Aluminum GN 1 PG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Frosted 1 PG-3-F 3-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	EW-18	18" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish	BK, BR, GN, VG	10
BASE Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-R Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Solid Brass Antique Brass, Ant. Brz, Acid Grn 10 TB-LV Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TB50-3 Tree-Hugger Box and Canopy, 120V, Cast Aluminum GN 1 PG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Frosted 1 PG-3-F 3-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	EW-25	25" Extension Wand with Coupling, Cast Aluminum, Powder Coat Finish	BK, BR, GN, VG, WH	10
BASE-R Round Surface-Mount Bracket 1/2" Female, Cast Aluminum BK, BR, GN, VG, WH 10 BASE-SB Round Surface-Mount Bracket 1/2" Female, Solid Brass Antique Brass, Ant. Brz, Acid Gm 10 TB-LV Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TB50-3 Tree-Hugger Box and Canopy, 120V, Cast Aluminum GN 1 PG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Clear 1 PG-3-F 3-Tier Pagoda Replacement Jar Frosted 1 PG-4-F 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	A121	90° Adapter, Cast Aluminum	BK, BR, GN, VG, WH	10
BASE-SB Round Surface-Mount Bracket 1/2" Female, Solid Brass Antique Brass, Ant. Brz, Acid Grn 10 TB-LV Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TB50-3 Tree-Hugger Box and Canopy, 120V, Cast Aluminum GN 1 PG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Clear 1 PG-3-F 3-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	BASE	Surface-Mount Bracket 1/2" Female, Cast Aluminum	BK, BR, GN, VG, WH	10
TB-LV Tree-Hugger Canopy, Low-Voltage BK, BR, GN, VG, WH 1 TB50-3 Tree-Hugger Box and Canopy, 120V, Cast Aluminum GN 1 PG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Clear 1 PG-3-F 3-Tier Pagoda Replacement Jar Frosted 1 PG-4-F 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	BASE-R	Round Surface-Mount Bracket 1/2" Female, Cast Aluminum	BK, BR, GN, VG, WH	10
TB50-3 Tree-Hugger Box and Canopy, 120V, Cast Aluminum GN 1 PG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Clear 1 PG-3-F 3-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	BASE-SB	Round Surface-Mount Bracket 1/2" Female, Solid Brass	Antique Brass, Ant. Brz, Acid Grn	10
PG-2-F 2-Tier Pagoda Replacement Jar Frosted 1 PG-3 3-Tier Pagoda Replacement Jar Clear 1 PG-3-F 3-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	TB-LV	Tree-Hugger Canopy, Low-Voltage	BK, BR, GN, VG, WH	1
PG-3 3-Tier Pagoda Replacement Jar Clear 1 PG-3-F 3-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	TB50-3	Tree-Hugger Box and Canopy, 120V, Cast Aluminum	GN	1
PG-3-F 3-Tier Pagoda Replacement Jar Frosted 1 PG-4 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	PG-2-F	2-Tier Pagoda Replacement Jar	Frosted	1
PG-4 4-Tier Pagoda Replacement Jar Clear 1 PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	PG-3	3-Tier Pagoda Replacement Jar	Clear	1
PG-4-F 4-Tier Pagoda Replacement Jar Frosted 1 CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	PG-3-F	3-Tier Pagoda Replacement Jar	Frosted	1
CL-MR16 Colored Lens for MR16 Underwater Lights and Well Lights YE, RE, GN, BU 1 CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	PG-4	4-Tier Pagoda Replacement Jar	Clear	1
CL-PAR36 Colored Lens for 5500 & SS5500 PAR36 Underwater Lights YE, RE, GN, BU 1 RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	PG-4-F	4-Tier Pagoda Replacement Jar	Frosted	1
RS-9 9" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	CL-MR16	Colored Lens for MR16 Underwater Lights and Well Lights	YE, RE, GN, BU	1
RS-15 15" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1 RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	CL-PAR36	Colored Lens for 5500 & SS5500 PAR36 Underwater Lights	YE, RE, GN, BU	1
RS-22 22" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	RS-9	9" Tree Hugger Rubber Strap, Expandable to Twice its Length	ВК	1
The state of the s	RS-15	15" Tree Hugger Rubber Strap, Expandable to Twice its Lengh	ВК	1
RS-31 31" Tree Hugger Rubber Strap, Expandable to Twice its Length BK 1	RS-22	22" Tree Hugger Rubber Strap, Expandable to Twice its Length	ВК	1
	RS-31	31" Tree Hugger Rubber Strap, Expandable to Twice its Length	ВК	1





Transformers





Multi-Tap Output

With Plug-In Cord

Cat No.	Feature	Material	Wattage	Dimension (HxWxD)
TR-300-BK	Can be used with Remote Timer	Black Metal	300W	11" x 4.25" x 3.75"
TR-600-BK	Can be used with Remote Timer	Black Metal	600W	11" x 4.25" x 3.75"
TR-900-BK	Can be used with Remote Timer	Black Metal	900W	19" x 6" x 5.5"

Features

- Hard Wire
- 12V-13V-14V-15V Multi-Tap
- Resin Sealed Toroid Core runs 75°F cooler
- · Large wiring compartment, hard wire or cored set included
- Remote timer option available
- Auto resettable primary overload protection on 120V side
- Secondary circuit protection prevents overloads on 12V side
- 25A, 300W circuits
- 10 year warranty
- UL Listed (1838 and CSA)









Cat

12V Output

With Plug-In Cord

No.	Feature	Material	Wattage	Dimension (HxWxD)
TRT-300-SS	Timer-Ready*, Plug in any 24-HR Timer	Stainless Steel	300W	11" x 4.25" x 3.75"
TRT-600-SS	Timer-Ready*, Plug in any 24-HR Timer	Stainless Steel	600W	11" x 4.25" x 3.75"
TRT-300-BK	Timer-Ready*, Plug in any 24-HR Timer	Black Metal	300W	11" x 4.25" x 3.75"
TRT-600-BK	Timer-Ready*, Plug in any 24-HR Timer	Black Metal	600W	11" x 4.25" x 3.75"
*Select Plug-I	n Timer from Next Page			

Features:

- Terminal Block Wiring
- 12V with 13V boost option for longer runs
- Resin Sealed Toroid Core runs 75°F cooler
- · Large wiring compartment, hard wire or cord set included
- Plug-In Timer Capable
- Auto resettable primary overload protection on 120V side
- Secondary circuit protection prevents overloads on 12V side
- 25A, 300W circuits
- 10 year warranty
- UL Listed (1838 and CSA)







TRT-300-BK TRT-600-BK







Landscape Lighting

Transformers &

Accessories



PROFESSIONAL SERIES

12V~15V Multi-Tap

With Plug-In Cord

No.	Material	Output Volts	Wattage	Dimension (HxWxD)
TR-300-1215-SS	Stainless Steel	12, 13, 14, & 15V	300W	14" x 5.25" x 4.75"
TR-600-1215-SS	Stainless Steel	12, 13, 14, & 15V	600W	14" x 5.25" x 4.75"
TR-900-1215-SS	Stainless Steel	12, 13, 14, & 15V	900W	19" x 6" x 5.5"
TR-1200-1215-SS	Stainless Steel	12, 13, 14, & 15V	1200W	19" x 6" x 5.5"

Features

• 12V~15V output choices allow greater distances than conventional 12V transformers

Cat

- Resin Sealed Toroid Core runs 75°F cooler
- · Stainless Steel Housing
- 50% lighter than conventional transformers
- Fully Loadable
- · Extra large terminal lugs for extreme flexibility
- Quiet and 8%-10% more efficient
- · Primary and secondary protection
- 25-Amp, 300W MAG breaker circuit protection
- Pluggable timer and photo cell option
- On / Off Switch and Dimmable
- X10/Jancy Compatible
- Dedicated wire testing loop
- Pool and Pond Rated
- Lifetime warranty
- UL Listed (1838, General Purpose 12V~15V)



Transformer Accessories

Cat		
No.	Description	Spe
PC-1ST	Plug-In Swivel-Type Photocell	500V
TR-HT	Plug-In 24-HR Timer	15A,

500W Tungsten/850VA Ballast, 1.5VA, 10~20 Lx On/30~60 Lx Off 15A, 1750W 24HR 3 On/Off Settings











Accessories





Cat.					Life		Std.
No.	Description	Voltage	Wattage	Base	(Hrs.)	Mfg.	Pkg.
1141	Incandescent AutoLamp	12V	18W	Single Contact Bayonet	1000	Imported	20
1156	Incandescent AutoLamp	12V	26W	Single Contact Bayonet	1000	Imported	20
10MR8	MR8 Halogen, 21° Beam Angle	12V	10W	GZ4 (Mini 2-Pin)	1000	Imported	20
20MR8	MR8 Halogen, 21° Beam Angle	12V	20W	GZ4 (Mini 2-Pin)	1000	Imported	20
BAB/OS	MR16 Halogen, 38° Flood	12V	20W	GZ6.35 (2-Pin)	2000	Major Brand	10
BAB/OSL	MR16 Halogen, 38° Flood, with Clear Lens	12V	20W	GZ6.35 (2-Pin)	2000	Major Brand	10
EXN/OS	MR16 Halogen, 38º Flood	12V	50W	GZ6.35 (2-Pin)	2000	Major Brand	10
EXN/OSL	MR16 Halogen, 38° Flood, with Clear Lens	12V	50W	GZ6.35 (2-Pin)	2000	Major Brand	10
EXN-BU	MR16 Halogen, 40° Flood - Blue	12V	50W	GZ6.35 (2-Pin)	2000	Imported	10
EXN-GN	MR16 Halogen, 40° Flood - Green	12V	50W	GZ6.35 (2-Pin)	2000	Imported	10
EXN-RD	MR16 Halogen, 40° Flood - Red	12V	50W	GZ6.35 (2-Pin)	2000	Imported	10
EXN-YE	MR16 Halogen, 40° Flood - Yellow	12V	50W	GZ6.35 (2-Pin)	2000	Imported	10
EXT/GE	MR16 Halogen, 12° Narrow Spot	12V	50W	GZ6.35 (2-Pin)	2000	Major Brand	10
FMW/OS	MR16 Halogen, 36° Flood	12V	35W	GZ6.35 (2-Pin)	2000	Major Brand	10
FMW/OSL	MR16 Halogen, 36° Flood, with Clear Lens	12V	35W	GZ6.35 (2-Pin)	2000	Major Brand	10
EYF	MR16 Halogen, Wide Flood	12V	75W	GZ6.35 (2-Pin)	1500	Imported	10
FTD	MR11 Halogen, 30° Flood	12V	20W	G5.3-4.8 (Mini 2-Pin)	1500	Imported	10
FTH	MR11 Halogen, 30° Flood	12V	35W	G5.3-4.8 (Mini 2-Pin)	1500	Imported	10
PAR36/CAP/50FL	PAR36, 36° Flood	12V	50W	Screw Terminals	3500	Imported	10
PAR36/CAP/50SP	PAR36, 8° Narrow Spot	12V	50W	Screw Terminals	3500	Imported	10
MH70/PAR38/FL/4K	70W Metal Halide PAR38	=	50W	Medium Base	5000	Orbit	10
MH100/PAR38/FL/4K	100W Metal Halide PAR38	-	50W	Medium Base	5000	Orbit	10
PAR56/300WFL	PAR56, 40° Wide Flood	12V	300W	GX16D (Mogul Prongs)	2000	Imported	10
MV160/R40/FL/4K	R40 Mercury Vapor, Self-Ballast, Flood 4K	120V	160W	E26 Medium Screw	10000	Orbit	6
50JDR16	JDR16 Halogen, 40° Flood	120V	50W	E26 Medium Screw	2000	Imported	10
40T10	Medium Base Lamp for Step Lights	130V	40W	E26 Medium Screw	1000	Imported	10
JC-10	JC Halogen	12V	10W	G4 Medium Bi-Pin	1500	Imported	20
JC-20/OS	JC Halogen	12V	20W	G4 Medium Bi-Pin	2000	Major Brand	20
JC-20-120V	JC Halogen	120V	20W	G4 Medium Bi-Pin	1500	Imported	20
JC-35/OS	JC Halogen	12V	35W	G4 Medium Bi-Pin	2000	Major Brand	20
JC-50/OS	JC Halogen	12V	50W	GY6.35 Medium Bi-Pin	2000	Major Brand	20
JC-50-120V	JC Halogen	120V	50W	GY6.35 Medium Bi-Pin	1500	Imported	20
Q150T3/S	J-Type 78 mm Short Linear Quartz Halogen	120V	150W	E-R7 Contacts	1500	Imported	20
Q300T3	J-Type 118 mm Linear Quartz Halogen	120V	300W	E-R7 Contacts	1500	Imported	20
Q500T3	J-Type 118 mm Linear Quartz Halogen	120V	500W	E-R7 Contacts	1500	Imported	20
Q1000T3	J-Type 260 mm Linear Quartz Halogen	120V	1000W	E-R7 Contacts	1500	Imported	20
Q1500T3	J-Type 260 mm Linear Quartz Halogen	120V	1500W	E-R7 Contacts	1500	Imported	20
Q1500T3-240	J-Type 260 mm Linear Quartz Halogen	240V	1500W	E-R7 Contacts	1500	Imported	20
PL9Q-41K	Compact Quad Fluorescent, 4100K	120V	9W	2-Pin	10000	Imported	10
PL9-41K	Compact Fluorescent, 4100K	120V	9W	2-Pin	10000	Imported	10
PL13Q-41K	Compact Quad Fluorescent, 4100K	120V	13W	2-Pin	10000	Imported	10
PL13-41K	Compact Fluorescent, 4100K	120V	13W	2-Pin	12000	Major Brand	10
PL42Q-41K	Compact Quad Fluorescent, 4100K	120V	42W	4-Pin	12000	Imported	10
PL42Q-65K	Compact Quad Fluorescent, 6500K	120V	42W	4-Pin	12000	Imported	10
100T4	Halogen Lamp	120V	100W	2-Pin	12000	Imported	10



Accessories










































Disclaimer: Shape, Design, and Finish may change without prior notice.

LED Lamps



Cat. No.	Description	Voltage	Wattage	Base	Kelvin Rating	Life (Hrs.)	Std. Pkg.
MR16-3W-LED-BP	MR16 LED, Flood	12V	3W	GZ6.35 (2-Pin)	3500-4200	50,000	10
MR16-3W-LED-EB	MR16 LED, Flood	120V	3W	Edison Base	3500-4200	50,000	10
R10-7W-LED	LED Light Bulb	120V	7W	Edison Base	3500-4200	50,000	10
R20-9W-LED	LED PAR20 Flood Light	120V	9W	Edison Base	3500-4200	50,000	10
R30-13W-LED	LED PAR30 Flood Light	120V	13W	Edison Base	3500-4200	50,000	10
DL8-12W-LED	LED Light Bulb	120V	12W	Edison Base	3500-4200	50,000	10
PXR-15W-LED	T8 Replacement, 4 FT	120/277V	15W	-	3500-4200	50,000	10
RF6-14W-LED	6" Retrofit Kit	120V	14W	Retrofit	3500-4200	50,000	5

















RF6-14W-LED

