

# Partool

## Hand Tools





Fast becoming some of the most popular and well-respected tools on the market. The Partool range expands every year, closely following our customer's needs.

Among the new tools in this catalogue are, a low cost crimping tool, a new, improved, heavy duty, hydraulic crimping tool and two new large capacity cutting tools.

All our tools are designed and built to provide simple operation, excellent ergonomics and a long service life.

As with all Partex products high quality and competitive pricing can go hand in hand.



### CT1

- Red, Blue & Yellow pre-insulated terminals (8.5")

## Ratchet Crimping Tools – Ergonomic Range



### ECT 15

- Ergonomic tool for red, blue and yellow pre-insulated terminals.
- Extra long computer designed handles and new ratchet system reduces crimping effort to a minimum.
- Reduces risk of Repetitive Strain Injuries and cuts operator fatigue.
- Adjustable tensioner.
- Replaceable jaws.
- Indents on jaws identify which jaws has been used.
- Length 258mm.
- Weight 0.65kgs.



### EUCT 15

- Ergonomic tool for un-insulated terminals 0.5 to 6.0mm<sup>2</sup>.
- Extra long computer designed handles and new ratchet system reduces crimping effort to a minimum.
- Reduces risk of Repetitive Strain Injuries and cuts operator fatigue.
- Adjustable tensioner.
- Replaceable jaws.
- Length 258mm.
- Weight 0.65kgs.



### ECEFT 4


- Ergonomic tool for cord end ferrules 0.5 to 10mm<sup>2</sup>.
- Extra long computer designed handles and new ratchet system reduces crimping effort to a minimum.
- Reduces risk of Repetitive Strain Injuries and cuts operator fatigue.
- Adjustable tensioner.
- Replaceable jaws.
- Length 258mm.
- Weight 0.65kgs.




### ECEFT 5

- Ergonomic tool for cord end ferrules 16 to 35mm<sup>2</sup>.
- Extra long computer designed handles and new ratchet system reduces crimping effort to a minimum.
- Reduces risk of Repetitive Strain Injuries and cuts operator fatigue.
- Adjustable tensioner.
- Replaceable jaws.
- Length 258mm.
- Weight 0.65kgs.


## Ratchet Crimping Tools

**CT15**

- Ratchet crimping tool for red, blue and yellow pre-insulated terminals.
- Adjustable tensioner.
- Replaceable jaws.
- Indents on jaws identify which jaw has been used.
- Ergonomically designed handles reduce operator fatigue.
- Length 230mm.
- Weight 0.6kgs.

**UCT15**


- Ratchet crimping tool for un-insulated terminals 0.5 to 6.0mm<sup>2</sup>.
- Adjustable tensioner.
- Replaceable jaws.
- Ergonomically designed handles reduce operator fatigue.
- Length 225mm.
- Weight 0.51kgs.

**CT1.5-1.6**

- Ratchet crimping tool for smaller copper tube terminals.
- Suitable for volume use on terminals up to 6.0mm<sup>2</sup> and occasional use on terminals up to 16mm<sup>2</sup>.
- For volume use of 10mm<sup>2</sup> and 16mm<sup>2</sup> terminals use tool no. CT10-16.
- Adjustable tensioner.
- Replaceable jaws.
- Ergonomically designed handles reduce operator fatigue.
- Length 225mm.
- Weight 0.51kgs.

**CT10-16**

- Ratchet crimping tool specifically designed for crimping 10 and 16mm<sup>2</sup> copper tube terminals.
- Ideal for IEE specification earthing bond work.
- Adjustable tensioner.
- Ergonomically designed handles reduce operator fatigue.
- Length 242mm.
- Weight 0.54kgs.


**CT Flag**

- Ratchet crimping tool for red and blue insulated flag terminals.
- Adjustable tensioner.
- Replaceable jaws.
- Indents on jaws identify which jaw has been used.
- Ergonomically designed handles reduce operator fatigue.
- Length 242mm.
- Weight 0.54kgs.

**CEFT1, 2 and 3**

- CEFT1 - for cord end ferrules 0.5 to 6.0mm<sup>2</sup>.
- CEFT2 - for cord end ferrules 4 to 16mm<sup>2</sup>.
- CEFT3 - for cord end ferrules 16 to 35mm<sup>2</sup>.
- Adjustable tensioner.
- Replaceable jaws.
- Ergonomically designed handles reduce operator fatigue.
- Polished jaws mean that ferrules release easily after crimping.
- Length CEFT1 and CEFT2 205mm, CEFT3 226mm
- Weight CEFT1 and CEFT2 0.39kgs, CEFT3 0.54kgs.

## Ratchet Crimping Tools (continued)



### TCEFT1

- Ratchet crimping tool for Twin Cord End Ferrules 0.5 - 6mm.
- Adjustable tensioner.
- Replaceable jaws.
- Ergonomically designed handles reduce operator fatigue.
- Length 230mm.
- Weight 0.6kgs.

## Wire Cutters



### WC5

- 5" Wire Cutters (side snips).
- Hardened Carbon Steel
- Black-oxide finish
- Insulated, comfortable, handles.

## Automatic Wire Strippers



### PWS A

- Automatic wire stripper for stripping wires from 0.2 to 2.5mm<sup>2</sup>.
- Simple to use and extremely durable.
- Automatically strips and removes insulation in one operation.
- Returns to initial position ready for next wire after each stripping operation.
- Length 170mm
- Weight 0.34kgs



### PWS B

- Automatic wire stripper for stripping wires from 1.0 to 8.0mm<sup>2</sup>.
- Simple to use and extremely durable.
- Automatically strips and removes insulation in one operation.
- Returns to initial position ready for next wire after each stripping operation.
- Length 170mm
- Weight 0.34kgs

## Heavy Duty Crimping Tools

**CT 50**

- Heavy duty crimping tool for 6 to 50mm<sup>2</sup> copper tube terminals.
- Hexagon crimping.
- Multiple rotating dies built in to head, easy to select correct size.
- Longer handles minimize the effort required to produce a perfect crimp.
- Length 390mm.
- Weight 1.3kgs.

**CT 120**

- Heavy duty crimping tool for 16 to 120mm<sup>2</sup> copper tube terminals.
- Extremely popular tool due to its extended size range.
- Length 620mm.
- Weight 4.0kgs.
- Hexagonal crimping.

**CT 120I**

- Heavy duty crimping tool for 16 to 120mm<sup>2</sup> copper tube terminals.
- Crimp size easily selected using screw adjustment.
- Ident crimp.
- Length 645mm.
- Weight 3.5kgs.

**CT 150**

- Heavy duty crimping tool for 25 to 150mm<sup>2</sup> copper tube terminals.
- Hexagon crimping.
- Multiple rotating dies built in to head, easy to select correct size.
- Longer handles minimize the effort required to produce a perfect crimp.
- Length 620mm.
- Weight 4.0kgs.




### PHCT-400

- High quality hydraulic tool for use with Partex copper tube terminals 35mm<sup>2</sup> up to 400mm<sup>2</sup>.
- Comes complete with 10 sets of interchangeable hexagonal dies:
  - 35, 50, 70, 95, 120, 150, 185, 240, 300 and 400mm<sup>2</sup> and case.
- 12 tonnes output.
- 30mm jaw opening.
- Fibreglass handles.
- Head rotates through 180° for awkward installations.
- Two stage action with emergency override function.
- Weight of tool 6.3Kg, length 610mm.


## Cable Cutters For Copper &amp; Aluminium Non-Armoured Cables

**PCC 38**

- Low cost cable cutter for cutting aluminium and copper non-armoured cables up to 38mm<sup>2</sup>.
- The specially designed shape of the blades means the tool cuts without distortion leaving a perfect finish for crimping or insertion.
- Soft feel insulated handles.
- Length 210mm.
- Weight 0.30kgs

**PCC 80**

- Cable cutter for copper and aluminium non-armoured cables up to 80mm<sup>2</sup>.
- Precision ground blades for ease of operation and long service life.
- Cushion handles reduce operator fatigue.
- Length 320mm.
- Weight 0.73kgs.

**PCC 250**

- Cable cutter for copper and aluminium non-armoured cables up to 250mm<sup>2</sup>.
- Precision ground blades for ease of operation and long service life.
- Extra long forged aluminium handles reduce operator effort required but maintain light weight.
- Length 600mm.
- Weight 1.54kgs.

**PCC 400A**

- Lightweight cutter for copper and aluminium non-armoured cables up to 400mm<sup>2</sup>.
- Precision ground blades for ease of operation and long service life.
- Compound cutting design reduces operator effort required to a minimum.
- Extensive use of forged aluminium ensures that the tool is remarkably light but also extremely durable.
- Length 700mm.
- Weight 1.57kgs.

**Ratchet Cable Cutters****PRCC 240**

- Cable cutter for copper and aluminium non-armoured cables up to 240mm<sup>2</sup>.
- Ratchet design gives a large capacity tool that can fit in any toolbox.
- Precision ground blades for ease of operation and long service life.
- Safety lock and part cycle release functions.
- Soft feel insulated handles.
- Length 250mm
- Weight 0.65kgs

**PRCC 380**

- Cable cutter for copper and aluminium non-armoured cables up to 380mm<sup>2</sup>.
- Ratchet design gives a large capacity tool that can fit in any toolbox.
- Precision ground blades for ease of operation and long service life.
- Safety lock and part cycle release functions.
- Ergonomically designed handles for ease of use.
- Length 285mm
- Weight 0.85kgs

**PRCC 500**

- Cable cutter for copper and aluminium non-armoured cables up to 500mm<sup>2</sup>.
- Ratchet design gives a large capacity tool that can fit in any toolbox.
- Precision ground blades for ease of operation and long service life.
- Safety lock and part cycle release functions.
- Soft feel insulated handles.
- Length 285mm
- Weight 0.85kgs



## High Quality Ratchet Cable Cutters



### PRCC 325

- Cable cutter for copper and aluminium non-armoured cables up to 325mm<sup>2</sup>.
- Ratchet design gives a large capacity tool that can fit in any toolbox.
- Precision ground blades for ease of operation and long service life.
- Safety lock and part cycle release functions.
- Soft feel insulated handles.
- Length 240mm
- Weight 0.6kgs



### PRCC 400

- Cable cutter for copper and aluminium non-armoured cables up to 400mm<sup>2</sup>.
- Ratchet design gives a large capacity tool that can fit in any toolbox.
- Precision ground blades for ease of operation and long service life.
- Safety lock and part cycle release functions.
- Soft feel insulated handles.
- Length 280mm
- Weight 0.9kgs

## Telecom Tool




### PRTC 500

- Specially designed cutter for use with telecomms cables up to 2700 pairs capacity.
- Ratchet design gives a large capacity tool that can fit in any toolbox.
- Precision ground blades for ease of operation and long service life.
- Safety lock and part cycle release functions.
- Ergonomically designed handles for ease of use.
- Length 285mm
- Weight 0.85kgs


## Cable Tie Tensioning Tools

**TT 1**

- Automatic cable tie tensioner and cutter. For cable ties from 2.2mm to 4.8mm wide.
- This tool is very durable due to its quality construction and metal body.
- Suitable for continuous use.
- Length 160mm
- Weight 0.30kgs

**TT 3**

- Cable tie tensioning tool. Manually cuts ties from 3.6 to 9mm width.
- A simple but efficient tool.
- Much in demand due to its budget price.
- Length 195mm
- Weight 0.32kgs

**TT 4**

- Automatic cable tie tensioner and cutter for cable ties up to 13mm width.
- Manufactured to meet the increasing demand for the installation of heavy duty cable ties.
- Length 200mm
- Weight 0.32kgs

## Automatic Stainless Steel Cable Tie Tensioning Tool - SSTG

**SSTG 1**

- Auto Cut Off Tensioning Tool.
- For even faster and neater installations use the Partex SSTG automatic tool. The tool will correctly tension the ties and automatically cut off the tail when this is achieved.
- The SSTG tool can be used with any of the Partex stainless steel ties including the coated range.
- High quality construction for a long service life.

## Heavy Duty Stainless Steel Cable Tie Tensioning Tool - SSAT

**SSAT**

- Heavy duty, two-stage, manual tensioning tool.
- For high volume applications.
- High-strength construction for long life.
- Flush cutting.
- Easy to use providing strong, secure, fixing of steel ties.
- For use with all Roller Ball ties.